Illinois Department of Public Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:			(X3) DATE SURVEY COMPLETED	
	IL6006258 B. WING		B. WING		_	C 10/28/2014	
NAME OF I	PROVIDER OR SUPPLIER	STREET ADI	DRESS, CITY, S	STATE, ZIP CODE			
MOMEN	CE MEADOWS NURS	ING & REHAR	H WALNUT				
MOMEN	OL MEADOWO NONO	MOMENC	E, IL 60954				
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPR DEFICIENCY)	JLD BE	(X5) COMPLETE DATE	
S9999	Final Observations		S9999				
	STATEMENT OF LICENSURE VIOLATIONS:						
***************************************	300.1210b) 300.1210b)5) 300.1210d)6) 300.3240a)				1-1		
	300.1210d)6)						
Annual An	resident. (Section These requirement	s were not met as evidenced	ORIGINAL A ANNUAL ANNUA		dim nili manada pangangang		
	tment of Public Health	DER/SUPPLIER REPRESENTATIVE'S SIGN		TITLE		(6) DATE	

TITLE

11/14/14

PRINTED: 11/24/2014 FORM APPROVED

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION		1 '	(X3) DATE SURVEY COMPLETED	
AND PLAN OF CORRECTION		DENTA TOX TOTAL TOMBER.	A. BUILDING				
IL6006258		B. WING		1	C 10/28/2014		
NAME OF	PROVIDER OR SUPPLIER	STREET AD	DRESS, CITY,	STATE, ZIP CODE			
MOMENCE MEADOWS NURSING & REHAB 500 SOUTH WALNUT MOMENCE, IL 60954							
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL SC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORREC (EACH CORRECTIVE ACTION SHO CROSS-REFERENCED TO THE APPR DEFICIENCY)	ULD BE	(X5) COMPLETE DATE	
S9999	p s g		S9999				
	failed to keep residerare equipment whresident, R2 tripper and sustained a frath This applies to one sampled residents. The findings includes R2 was admitted to admitting diagnosis. Order sheet for that admitted with Transto the lower extrem rehabilitation to stream return home. On 10/15/14 at 10: wheelchair in her reimmobilizer boot debroke my leg. I am three surgeries. Lo soon ". R2 explain here she was in a cexplained that she needed a "riser" height of the toilet) is only four feet 10 she asked E3 (Regidevice removed as toilet and it was too falling. R2 said that device off either and	resident (R2) out of four reviewed for fall incidents.					
	ever came to take in days later, " I trippe and fell all the way walker. I broke my	it off. R2 said that no one it off. R2 stated that a few ed over the legs of the riser down on the floor with my ankle and needed to have to put hardware in my ankle.					

Illinois Department of Public Health

PRINTED: 11/24/2014 FORM APPROVED

Illinois Department of Public Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING:			(X3) DATE SURVEY COMPLETED	
		IL6006258	B. WING		1	C 2 8/2014	
		<u> </u>			1 10/2	20/2014	
NAME OF	PROVIDER OR SUPPLIER			STATE, ZIP CODE			
MOMEN	CE MEADOWS NURS	ING & REHAR	ITH WALNUT CE, IL 60954				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE	
S9999	,	Continued From page 2					
	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)						

Illinois Department of Public Health