



# ILLINOIS QUARTERLY AIDS/HIV SURVEILLANCE REPORT

---

Illinois Department of Public Health

September 2004

---

<b>Contents</b>	<b>Page</b>
Highlights	1
County-Specific AIDS Cases and HIV Reports	2-3
Maps of Illinois Counties - AIDS/HIV	4-5
AIDS Cases by Transmission Modes	6-7
Demographic Characteristics of Cumulative AIDS Cases	8
Demographic Characteristics of HIV Cases reported since July 1, 1999	9
National AIDS Data	10

---


Illinois Department of Public Health  
HIV/AIDS Section  
525 W. Jefferson St.  
Springfield, IL 62761  
217-524-5983  
TTY (hearing impaired use only) 800-547-0466

## AIDS DATA

The cumulative number of AIDS cases reported to the Illinois Department of Public Health through September 30, 2004 was 31,495. A total of 999 cases were reported between January and September 2004. Of the 999 cases reported in calendar year 2004, 36 percent (356 cases) were also diagnosed in 2004; 43 percent (432 cases) were diagnosed in 2003; 7 percent (74 cases) in 2002; 4 percent (42 cases) in 2001; 3 percent (27 cases) in 2000; 2 percent (23 cases) in 1999; and 5 percent (45 cases) were diagnosed prior to 1999.

Of the 31,495 AIDS cases reported to the Department, 21,634 (69 percent) resided in the city of Chicago at the time of diagnosis. A total of 27,241 AIDS cases (86 percent) have been reported from Cook and the collar counties (DuPage, Kane, Lake, McHenry and Will counties).

The following figure shows the annual number of AIDS cases in Illinois by year of report and diagnosis.



## HIV DATA

The cumulative number of HIV cases reported to the Illinois Department of Public Health from July 1, 1999, through September 30, 2004, was 11,909. A total of 1,986 cases were reported between January and September 2004. Of the 1,986 cases reported in calendar year 2004, 31 percent (606 cases) were also diagnosed in 2004; 41 percent (822 cases) were diagnosed in 2003; 10 percent (200 cases) were diagnosed in 2002; 5 percent (100 cases) in 2001; 3 percent (56 cases) in 2000; 2 percent (35 cases) in 1999; and 8 percent (167 cases) were diagnosed prior to 1999.

Of the 11,909 HIV cases reported to the Department, 8,215 (69 percent) resided in the city of Chicago at the time of diagnosis. A total of 10,117 HIV cases (85 percent) have been reported from Cook and the collar counties (DuPage, Kane, Lake, McHenry and Will counties).

Among the HIV cases reported since July 1999, 1,803 now meet the case definition for AIDS established by the U.S. Centers for Disease Control and Prevention (CDC). Therefore, statistical information for these cases is included in the AIDS statistics.

Current state law requires physicians to report HIV and AIDS cases within seven days of diagnosis, although there are significant delays in reporting. Due to such delays, data for 2001, 2002 and 2003 diagnosis years should be considered provisional.

HIV and AIDS case data by county are detailed on pages 2 and 3.

AIDS CASES AND HIV INFECTION REPORTS IN ILLINOIS BY COUNTY

County	AIDS					HIV Cases	HIV Cases	HIV Cases	Rate/ 100,000*
	Reported in 2004	Diagnosed in 2004	Living	Cumulative Cases	Rate/ 100,000*	Reported in 2004	Diagnosed in 2004	Cumulative Since July 1999**	
Adams	3	1	18	43	2.93	1	0	3	0.00
Alexander	0	0	5	6	0.00	1	0	2	0.00
Bond	1	0	9	10	0.00	0	0	2	0.00
Boone	3	3	5	17	2.39	0	0	6	0.00
Brown	0	0	16	27	0.00	4	2	32	71.94
Bureau	1	1	3	8	2.82	0	0	2	0.00
Calhoun	0	0	0	0	0.00	0	0	0	0.00
Carroll	0	0	1	4	0.00	0	0	0	0.00
Cass	1	0	2	4	7.30	0	0	1	0.00
Champaign	7	7	143	267	5.57	14	10	113	9.46
Christian	2	2	34	49	2.83	1	1	30	0.00
Clark	0	0	6	9	0.00	0	0	1	0.00
Clay	0	0	0	2	0.00	0	0	4	6.87
Clinton	0	0	42	64	8.44	2	2	42	8.44
Coles	2	2	18	38	1.88	1	0	3	3.76
Cook	741	287	11,275	25,034	17.37	1,624	460	9,326	21.96
Chicago	623	212	9,654	21,634	26.76	1,438	372	8,215	35.57
Suburban	118	75	1,621	3,400	6.41	186	88	1,111	6.09
Crawford	0	0	22	40	0.00	2	1	32	9.78
Cumberland	0	0	1	5	0.00	0	0	0	0.00
DeKalb	3	0	20	44	4.50	2	1	17	2.25
DeWitt	1	0	3	11	5.95	0	0	1	0.00
Douglas	0	0	3	5	0.00	0	0	0	0.00
DuPage	17	11	273	576	1.66	34	12	192	2.88
Edgar	0	0	5	8	0.00	0	0	2	0.00
Edwards	0	0	2	2	0.00	0	0	0	0.00
Effingham	0	0	7	18	0.00	0	0	2	2.92
Fayette	2	0	36	43	13.76	1	0	34	4.59
Ford	0	0	0	3	0.00	0	0	0	0.00
Franklin	1	1	9	20	2.56	1	1	5	2.56
Fulton	0	0	45	69	2.61	2	2	34	2.61
Gallatin	0	0	2	6	0.00	0	0	1	0.00
Greene	1	0	2	6	6.77	0	0	2	0.00
Grundy	0	0	5	16	0.00	3	0	5	7.99
Hamilton	0	0	3	5	0.00	2	0	3	11.60
Hancock	0	0	2	4	0.00	0	0	0	0.00
Hardin	0	0	0	1	0.00	0	0	1	0.00
Henderson	0	0	1	2	12.18	0	0	1	0.00
Henry	2	2	12	24	1.96	1	1	7	0.00
Iroquois	0	0	5	13	0.00	1	1	3	3.19
Jackson	6	4	20	54	3.36	3	2	9	3.36
Jasper	0	0	1	4	0.00	0	0	0	0.00
Jefferson	1	1	27	44	4.99	4	2	23	4.99
Jersey	0	0	1	6	0.00	0	0	2	0.00
JoDaviess	0	1	6	9	4.49	0	0	0	0.00
Johnson	1	1	42	67	7.77	4	2	40	69.89
Kane	26	8	241	493	6.19	28	8	163	3.46
Kankakee	6	3	66	121	7.70	3	0	41	5.78
Kendall	0	1	4	12	1.83	1	0	3	0.00
Knox	1	3	39	59	0.00	6	4	32	3.58
LaSalle	2	2	31	66	0.90	3	1	26	1.79
Lake	31	22	312	576	4.66	29	8	184	2.64
Lawrence	2	1	4	5	12.94	1	1	2	0.00
Lee	1	1	34	58	5.55	3	2	31	8.32
Livingston	6	7	109	141	17.64	18	7	121	45.37
Logan	3	3	58	92	9.62	8	5	62	12.83

AIDS CASES AND HIV INFECTION REPORTS IN ILLINOIS BY COUNTY

County	AIDS					HIV Cases			
	Reported in 2004	Diagnosed in 2004	Living	Cumulative Cases	Rate/ 100,000*	Reported in 2004	Diagnosed in 2004	Cumulative Since July 1999**	Rate/ 100,000*
Macon	4	5	67	156	5.23	6	2	60	4.36
Macoupin	0	0	3	20	2.04	0	0	2	2.04
Madison	3	1	69	193	1.16	9	3	57	4.63
Marion	1	1	23	36	2.40	2	0	2	2.40
Marshall	0	0	3	5	0.00	0	0	1	0.00
Mason	1	0	2	3	6.24	0	0	0	0.00
Massac	1	0	6	11	0.00	2	1	4	6.60
McDonough	1	1	6	13	6.08	0	0	3	0.00
McHenry	5	3	44	94	1.92	5	1	22	1.15
McLean	4	4	66	115	5.98	7	2	40	3.32
Menard	0	0	2	6	0.00	0	0	1	0.00
Mercer	1	1	4	6	5.90	0	0	1	0.00
Monroe	1	0	6	11	0.00	1	0	4	0.00
Montgomery	2	2	51	85	13.05	1	1	93	13.05
Morgan	4	4	38	60	8.19	2	1	24	0.00
Moultrie	2	2	4	6	0.00	0	0	0	0.00
Ogle	2	1	6	16	1.96	2	0	5	0.00
Peoria	9	13	121	220	7.63	2	1	88	2.73
Perry	1	2	10	14	4.33	5	4	23	12.99
Piatt	1	0	4	13	0.00	0	0	2	0.00
Pike	0	0	3	4	0.00	0	0	0	0.00
Pope	0	0	0	0	0.00	1	1	2	22.66
Pulaski	0	0	0	3	0.00	1	1	2	13.61
Putnam	0	0	0	1	0.00	0	0	0	0.00
Randolph	1	2	36	67	2.95	4	3	37	0.00
Richland	1	1	4	8	6.19	1	1	2	6.19
Rock Island	1	2	83	146	0.67	7	3	84	8.03
Saline	1	0	5	12	0.00	0	0	8	3.74
Sangamon	11	2	83	207	5.82	11	3	43	3.70
Schuyler	0	0	1	3	0.00	0	0	0	0.00
Scott	0	0	0	1	0.00	0	0	0	0.00
Shelby	1	0	3	8	4.37	1	0	1	0.00
Stark	0	0	0	1	0.00	0	0	0	0.00
St. Clair	15	3	170	376	5.08	41	11	152	11.32
Stephenson	2	2	12	28	4.08	1	0	14	2.04
Tazewell	3	2	26	59	4.67	4	3	25	0.00
Union	0	0	1	4	0.00	0	0	2	0.00
Vermilion	4	0	62	114	10.72	4	3	57	5.96
Wabash	0	0	2	5	0.00	0	0	1	0.00
Warren	0	0	1	7	0.00	0	0	2	0.00
Washington	1	0	1	1	6.60	0	0	0	0.00
Wayne	0	0	2	7	0.00	2	1	3	5.83
White	0	0	3	8	0.00	0	0	1	0.00
Whiteside	0	0	10	22	0.00	1	1	3	1.65
Will	31	24	237	468	5.18	37	18	230	6.97
Williamson	1	0	19	44	0.00	5	3	14	6.53
Winnebago	9	23	198	484	7.18	12	3	138	2.51
Woodford	0	0	5	12	0.00	1	0	5	0.00
Unknown	0	1	1	2			0	3	
Collar Counties	851	355	12,382	27,241	14.25	1757	507	10,117	17.57
Downstate	148	122	2,151	4,254	4.22	229	100	1,792	4.72
<b>TOTAL</b>	<b>999</b>	<b>477</b>	<b>14,533</b>	<b>31,495</b>	<b>9.75</b>	<b>1,986</b>	<b>607</b>	<b>11,909</b>	<b>11.86</b>

Illinois Department of Corrections cases are included in county totals.




\* Rates are calculated using 2000 census data and diagnosed cases (04/01/2003 - 03/31/2004).

\*\* Cases reported since July 1, 1999, and not diagnosed as AIDS





## AIDS CASES BY MODES OF TRANSMISSION




### AIDS CASES BY TRANSMISSION AND RACE/ETHNICITY


	White		Black		Hispanic*		Other		Total	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<b>ADULT MALE</b>										
MSM*	8,289	77.4	5,646	47.0	1,552	51.6	270	59.9	15,757	60.2
IDU**	893	8.3	3,823	31.8	800	26.6	51	11.3	5,567	21.3
MSM/IDU	635	5.9	1,061	8.8	185	6.2	27	6.0	1,908	7.3
Hemophilia	153	1.4	43	0.4	12	0.4	2	0.4	210	0.8
Heterosexual	240	2.2	641	5.3	190	6.3	39	8.6	1,110	4.2
Transfusion	128	1.2	58	0.5	26	0.9	5	1.1	217	0.8
Undetermined	375	3.5	743	6.2	243	8.1	57	12.6	1,418	5.4
Perinatal	0	0.0	1	0.01	0	0.0	0	0.0	1	0.004
<b>Male Subtotal</b>	<b>10,713</b>		<b>12,016</b>		<b>3,008</b>		<b>451</b>		<b>26,188</b>	
* MSM = Men who have sex with men										
** IDU = Injection drug use										
<b>ADULT FEMALE</b>										
IDU	549	48.9	1,570	47.6	159	31.7	28	27.2	2,306	45.9
Hemophilia	1	0.1	3	0.1	0	0.0	0	0.0	4	0.1
Heterosexual	425	37.8	1,275	38.6	287	57.2	58	56.3	2,045	40.7
Transfusion	66	5.9	67	2.0	17	3.4	3	2.9	153	3.0
Undetermined	81	7.2	384	11.6	39	7.8	14	13.6	518	10.3
Perinatal	1	0.1	1	0.0	0	0.0	0	0.0	2	0.04
<b>Female Subtotal</b>	<b>1,123</b>		<b>3,300</b>		<b>502</b>		<b>103</b>		<b>5,028</b>	
<b>PEDIATRIC</b>										
Hemophilia	7	12.1	5	2.9	3	6.8	0	0.0	15	5.4
Perinatal	45	77.6	164	94.3	39	88.6	3	100.0	251	90.0
Transfusion	4	6.9	3	1.7	2	4.5	0	0.0	9	3.2
Undetermined	2	3.4	2	1.1	0	0.0	0	0.0	4	1.4
<b>Pediatric Total</b>	<b>58</b>		<b>174</b>		<b>44</b>		<b>3</b>		<b>279</b>	

\*Based on current federal standards for classifying data on race and ethnicity, Hispanic will be reported as an ethnicity. Therefore, effective January 1, 2003, Hispanic will no longer be included in a race category.

**AIDS CASES AMONG MALES BY TRANSMISSION AND DIAGNOSIS YEAR**



**AIDS CASES AMONG FEMALES BY TRANSMISSION AND DIAGNOSIS YEAR**



**AIDS CASES IN ILLINOIS BY TRANSMISSION AND DIAGNOSIS YEAR**

Diagnosis Year	Pre 1999		1999		2000		2001		2002		2003		2004		TOTAL	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<b>MALES</b>																
MSM	12,613	62.2	607	52.6	587	49.7	583	49.6	641	54.7	553	56.0	173	47.4	15,757	59.9
IDU	4,375	21.6	239	20.7	275	23.3	237	20.2	238	20.3	164	16.6	39	10.7	5,567	21.1
MSM/IDU	1,522	7.5	94	8.1	73	6.2	77	6.6	69	5.9	57	5.8	16	4.4	1,908	7.2
Heterosexual contact	669	3.3	86	7.5	79	6.7	95	8.1	83	7.1	75	7.6	23	6.3	1,110	4.2
Transfusion	165	0.8	11	1.0	14	1.2	12	1.0	9	0.8	3	0.3	3	0.8	217	0.8
Hemophilia	197	1.0	4	0.3	7	0.6	1	0.1	0	0.0	1	0.1	0	0.0	210	0.8
Perinatal	110	0.5	1	0.1	1	0.1	1	0.1	2	0.2	0	0.0	0	0.0	115	0.4
Undetermined	640	3.2	112	9.7	144	12.2	169	14.4	130	11.1	135	13.7	111	30.4	1,441	5.5
<b>Total Males</b>	<b>20,291</b>		<b>1,154</b>		<b>1,180</b>		<b>1,175</b>		<b>1,172</b>		<b>988</b>		<b>365</b>		<b>26,325</b>	
<b>FEMALES</b>																
IDU	1,746	51.5	107	34.6	110	33.2	109	34.1	123	31.2	80	25.5	31	27.7	2,306	44.6
Heterosexual contact	1,185	35.0	137	44.3	157	47.4	154	48.1	214	54.3	159	50.6	39	34.8	2,045	39.6
Transfusion	121	3.6	9	2.9	6	1.8	5	1.6	2	0.5	6	1.9	4	3.6	153	3.0
Hemophilia	1	0.0	1	0.3	2	0.6	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1
Perinatal	129	3.8	6	1.9	2	0.6	0	0.0	1	0.3	1	0.3	0	0.0	139	2.7
Undetermined	208	6.1	49	15.9	54	16.3	52	16.3	54	13.7	68	21.7	38	33.9	523	10.1
<b>Total Females</b>	<b>3,390</b>		<b>309</b>		<b>331</b>		<b>320</b>		<b>394</b>		<b>314</b>		<b>112</b>		<b>5,170</b>	



**Demographic Characteristics of Cumulative AIDS Cases in Illinois**  
Reported since January 1, 1981

Age Groups	Cases	%
Under 5	218	0.7
5 to 12	61	0.2
13 to 19	177	0.6
20 to 29	4,829	15.3
30 to 39	13,532	43.0
40 to 49	8,940	28.4
50+	3,738	11.9
<b>Total</b>	<b>31,495</b>	

Race/Ethnicity by Sex	Adult/Adolescents						Pediatric		Total	
	Male		Female		Total Adult		Cases	%	Cases	%
	Cases	%	Cases	%	Cases	%				
White, not Hisp	10,713	40.9	1,123	22.3	11,836	37.9	58	20.8	11,894	37.8
Black, not Hisp	12,016	45.9	3,300	65.6	15,316	49.1	174	62.4	15,490	49.2
Hispanic	3,008	11.5	502	10.0	3,510	11.2	44	15.8	3,554	11.3
Other/Not Rptd	451	1.7	103	2.0	554	1.8	3	1.1	557	1.8
<b>Total</b>	<b>26,188</b>		<b>5,028</b>		<b>31,216</b>		<b>279</b>		<b>31,495</b>	

Race/Ethnicity by Mode of Transmission	White		Black		Hispanic***		Other		Total	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<b>Adult Male</b>										
MSM*	8,289	77.4	5,646	47.0	1,552	51.6	270	59.9	15,757	60.2
IDU**	893	8.3	3,823	31.8	800	26.6	51	11.3	5,567	21.3
MSM/IDU	635	5.9	1,061	8.8	185	6.2	27	6.0	1,908	7.3
Heterosexual	240	2.2	641	5.3	190	6.3	39	8.6	1,110	4.2
Hemoph/Transfu	281	2.6	101	0.8	38	1.3	7	1.6	427	1.6
Undetermined	375	3.5	743	6.2	243	8.1	57	12.6	1,418	5.4
Perinatal	0	0.0	1	0.01	0	0.0	0	0.0	1	0.004
<b>Total</b>	<b>10,713</b>		<b>12,016</b>		<b>3,008</b>		<b>451</b>		<b>26,188</b>	
<b>Adult Female</b>										
IDU	549	48.9	1,570	47.6	159	31.7	28	27.2	2,306	45.9
Heterosexual	425	37.8	1,275	38.6	287	57.2	58	56.3	2,045	40.7
Hemoph/Transfu	67	6.0	70	2.1	17	3.4	3	2.9	157	3.1
Undetermined	81	7.2	384	11.6	39	7.8	14	13.6	518	10.3
Perinatal	1	0.1	1	0.03	0	0.0	0	0.0	2	0.04
<b>Total</b>	<b>1,123</b>		<b>3,300</b>		<b>502</b>		<b>103</b>		<b>5,028</b>	
<b>Pediatric</b>										
Perinatal	45	77.6	164	94.3	39	88.6	3	100.0	251	90.0
Hemoph/Transfu	11	19.0	8	4.6	5	11.4	0	0.0	24	8.6
Undetermined	2	3.4	2	1.1	0	0.0	0	0.0	4	1.4
<b>Total</b>	<b>58</b>		<b>174</b>		<b>44</b>		<b>3</b>		<b>279</b>	

\* MSM = Men who have sex with men

\*\* IDU = Injection drug use

\*\*\*Based on current federal standards for classifying data on race and ethnicity, Hispanic will be reported as an ethnicity.

## Demographic Characteristics of Cumulative HIV Cases in Illinois

Reported since July 1, 1999

Age Groups	Cases	%
Under 5	168	1.4
5 to 12	33	0.3
13 to 19	358	3.0
20 to 29	2,870	24.1
30 to 39	4,546	38.2
40 to 49	2,884	24.2
50+	1,039	8.7
Unknown	11	0.1
<b>Total</b>	<b>11,909</b>	

Race/Ethnicity by Sex	Adult/Adolescents						Pediatric		Total	
	Male		Female		Total Adult					
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
White, not Hisp	3,284	37.8	548	18.1	3,832	32.7	20	10.0	3,852	0.3
Black, not Hisp	4,111	47.3	2,065	68.3	6,176	52.8	144	71.6	6,320	0.5
Hispanic	676	7.8	205	6.8	881	7.5	28	13.9	909	0.1
Other/Not Rptd	614	7.1	205	6.8	819	7.0	9	4.5	828	0.1
<b>Total</b>	<b>8,685</b>		<b>3,023</b>		<b>11,708</b>		<b>201</b>		<b>11,909</b>	

Race/Ethnicity by Mode of Transmission	White		Black		Hispanic***		Other/Unk		Total	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
<b>Adult Male</b>										
MSM*	2,527	76.9	1,642	39.9	426	63.0	323	52.6	4,918	56.6
IDU**	200	6.1	1,040	25.3	93	13.8	68	11.1	1,401	16.1
MSM/IDU	112	3.4	173	4.2	23	3.4	27	4.4	335	3.9
Heterosexual	91	2.8	284	6.9	42	6.2	32	5.2	449	5.2
Hemoph/Transfu	19	0.6	29	0.7	3	0.4	3	0.5	54	0.6
Undetermined	335	10.2	943	22.9	89	13.2	161	26.2	1,528	17.6
<b>Total</b>	<b>3,284</b>		<b>4,111</b>		<b>676</b>		<b>614</b>		<b>8,685</b>	
<b>Adult Female</b>										
IDU	153	27.9	497	24.1	33	16.1	24	11.7	707	23.4
Heterosexual	238	43.4	885	42.9	121	59.0	98	47.8	1,342	44.4
Hemoph/Transfu	5	0.9	30	1.5	2	1.0	4	2.0	41	1.4
Undetermined	152	27.7	653	31.6	49	23.9	79	38.5	933	30.9
<b>Total</b>	<b>548</b>		<b>2,065</b>		<b>205</b>		<b>205</b>		<b>3,023</b>	
<b>Pediatric</b>										
Perinatal	16	80.0	126	87.5	28	100.0	8	88.9	178	88.6
Hemoph/Transfu	3	15.0	4	2.8	0	0.0	0	0.0	7	3.5
Undetermined	1	5.0	14	9.7	0	0.0	1	11.1	16	8.0
<b>Total</b>	<b>20</b>		<b>144</b>		<b>28</b>		<b>9</b>		<b>201</b>	

\* MSM = Men who have sex with men

\*\* IDU = Injection drug use

\*\*\*Based on current federal standards for classifying data on race and ethnicity, Hispanic will be reported as an ethnicity.

**NATIONAL DATA REPORTED TO CDC**  
**REPORTED AIDS CASES FOR 2002, ANNUAL RATE PER 100,000 POPULATION**  
**AND CUMULATIVE TOTAL OF TOP 10 AREAS, THROUGH DECEMBER 2002, U.S. AND TERRITORIES**

STATE/ TERRITORY	Cases reported in 2002	Rate/ 100,000	Cumulative Cases thru 12/2002
New York	6,664	34.8	155,755
California	4,364	12.4	128,064
Florida	5,058	30.3	90,233
Texas	3,140	14.4	59,772
New Jersey	1,436	16.7	45,237
Illinois	2,108	16.7	28,426
Pennsylvania	1,811	14.7	28,136
Puerto Rico	1,139	29.5	27,242
Georgia	1,471	17.2	26,008
Maryland	1,854	34	25,358
Total U.S./Terr.	43,950	15	886,575

GENDER	Cases	Percentage
Male	718,004	81.0
Female	159,271	18.0
Pediatric	9,300	1.0
AGE GROUP		
Adult/Adolescent	877,275	99.0
Pediatric	9,300	1.0
RACE/ETHNICITY		
White, not Hispanic	364,458	41.1
Black, not Hispanic	347,491	39.2
Hispanic	163,940	18.5
Asian/Pacific Is.	6,924	0.8
Am. Indian/Alaskan	2,875	0.3
Unknown	887	0.1
STATUS		
Living	384,906	43.4
Deceased	501,669	56.6
<b>TOTAL</b>	<b>886,575</b>	

**ADULT/ADOLESCENT**

TRANSMISSION	Cases	Percentage
MSM	420,790	48.0
IDU	240,268	27.4
MSM/IDU	59,719	6.8
Heterosexual contact	135,628	15.5
Other/Unknown	20,870	2.4
Total Adult/Adolescent	877,275	

**PEDIATRIC**

TRANSMISSION	Cases	Percentage
Hemophilia	236	2.5
Perinatal	8,629	92.8
Transfusion	390	4.2
Other/Unknown	45	0.5
Total Pediatric	9,300	

## TELEPHONE INFORMATION SERVICES

ILLINOIS DEPARTMENT OF PUBLIC HEALTH	
HIV/AIDS Section (Springfield)	1-217-524-5983
HIV/AIDS Section (Chicago)	1-312-814-4846
TTY	1-800-547-0466
AIDS Drug Assistance Program (ADAP) and Continuation of Health Insurance Coverage (CHIC)	1-800-825-3518
HIV/AIDS Case Reporting (By Physician Only)	1-888-375-9613
Illinois HIV/AIDS and STD Hotline	1-800-243-2437
TTY	1-800-782-0423
National AIDS Hotline	1-800-342-2437
Spanish Language	1-800-344-7432
TTY	1-800-AIDS-TTY
AIDS Treatment Information Services	1-800-448-0440
AIDS Clinical Trials Information	1-800-874-2572
National AIDS Information Clearinghouse	1-800-458-5231