Illinois Cancer Statistics Review

1986-2002

A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, IL 62761

June 2005

Prepared by

Baozhen Qiao, M.D., Ph.D.
Epidemiologist

Tiefu Shen, M.D., Ph.D.
Division Chief

Janice L. Snodgrass, C.T.R.
Illinois State Cancer Registry Manager

Acknowledgments

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number U55/CCU521913-03 from CDC, National Cancer Prevention and Control Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Qiao B, Shen T, Snodgrass JL. Illinois Cancer Statistics Review, 1986-2002. Epidemiologic Report Series 05:03. Springfield, IL: Illinois Department of Public Health, June 2005.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

ILLINOIS CANCER STATISTICS REVIEW
1986-2002

TABLE OF CONTENTS

OVERVIEW, HIGHLIGHTS AND TECHNICAL NOTES …… 1

TABLES …… 9

PART I: INCIDENCE ……11

All Sites Combined ……13

Buccal Cavity and Pharynx ……16
Lip …….. 19
Tongue ……22
Major Salivary Gland ……...25
Floor of Mouth ……... 28
Gum and Other Mouth ……31
Nasopharynx ……..34
Oropharynx ……37
Hypopharynx ……40

Digestive System ……43
Esophagus ……..46
Stomach …….. 49
Small Intestine …….. 52
Colon Excluding Rectum …….. 55
Rectum and Rectosigmoid Junction ……58
Anus, Anal Canal and Anorectum …….. 61
Liver ……64
Intrahepatic Bile Duct ……... 67
Gallbladder …… 70
Pancreas ……73

Respiratory System …….. 76
Larynx …… 79
Lung and Bronchus …….. 82

Bones and Joints …….. 85

Soft Tissue Including He art …… 88

Skin Excluding Basal and Squamous …….. 91
Melanomas of the Skin ……94

Breast ……97

TABLE OF CONTENTS (continued)

Female Genital System 100
Cervix Uteri 101
Corpus Uteri 102
Uterus, NOS 103
Ovary 104

Male Genital System 105
Prostate 106
Testis 107
Penis 108

Urinary System 109
Urinary Bladder 112
Kidney and Renal Pelvis 115
Ureter 118

Eye and Orbit 121

Brain and Other Nervous System 124
Brain 127

Endocrine System 130
Thyroid Gland 133

Lymphomas 136
Hodgkin's Disease 139
Non-Hodgkin's Lymphoma 142

Multiple Myeloma 145

Leukemias 148
Lymphocytic Leukemia 151
Myeloid and Monocytic Leukemia 154
Other Leukemia 157

Mesothelioma 160

Kaposi Sarcoma 163

Ill-defined Sites 166

Female Breast *in situ* 169

PART II: MORTALITY 171

All Sites Combined 173

Buccal Cavity and Pharynx 176
Lip 179

TABLE OF CONTENTS (continued)

Tongue ……..182
Major Salivary Gland ……185
Floor of Mouth …… 188
Gum and Other Mouth ……...191
Nasopharynx ……194
Oropharynx ……197
Hypopharynx …….. 200

Digestive System ……. 203
Esophagus …… 206
Stomach ……209
Small Intestine ……212
Colon Excluding Rectum ……215
Rectum and Rectosigmoid Junction …… 218
Anus, Anal Canal and Anorectum …… 221
Liver ……224
Intrahepatic Bile Duct …… 227
Gallbladder …… 230
Pancreas …….. 233

Respiratory System ……236
Larynx ……..239
Lung and Bronchus ……242

Bones and Joints ……245

Soft Tissue Including Heart …….. 248

Skin Excluding Basal and Squamous …….. 251
Melanomas of the Skin …….. 254

Breast ……257

Female Genital System ……...260
Cervix Uteri …… 261
Corpus Uteri ……262
Uterus, NOS …… 263
Ovary ……264

Male Genital System ……..265
Prostate …… 266
Testis …… 267
Penis …….. 268

Urinary System …….. 269
Urinary Bladder …….. 272
Kidney and Renal Pelvis …… 275
Ureter …….. 278

TABLE OF CONTENTS (continued)

Eye and Orbit ……. 281

Brain and Other Nervous System ……..284

Endocrine System ……. 287
Thyroid Gland ……. 290

Lymphomas …… 293
Hodgkin's Disease …….. 296
Non-Hodgkin's Lymphoma ……299

Multiple Myeloma ……. 302

Leukemias ……305
Lymphocytic Leukemia ……..308
Myeloid and Monocytic Leukemia ……311
Other Leukemia ……. 314

Ill-defined Sites …….. 317

PART III: PEDIATRIC CANCER INCIDENCE ……..321

All Diagnostic Groups ……323
Leukemia ……..324
Lymphoma ……...325
Central Nervous System and Miscellaneous Intracranial and Intraspinal Neoplasms …326
Sympathetic Nervous System ……327
Neuroblastoma and Ganglioneuroblastoma ……..328
Retinoblastoma ……329
Renal Tumors…….. 330
Wilms' Tumor ……. ……331
Hepatic Tumors ……..332
Malignant Bone Tumors …… 333
Ewing's Sarcoma ……334
Soft Tissue Sarcomas …….. 335
Germ Cell, Trophoblastic and Other Gonadal Tumors ……..336
Carcinomas and Other Malignant Epithelial Neoplasms ……337
Other and Unspecified Malignant Neoplasms ……..338

CANCER PROJECTION FOR ILLINOIS: 2003 – 2006 ……..339
Cancer Incidence …… 341
Cancer Deaths ……342

APPENDIX A: Population Denominators Used for Illinois Rate Calculations, 1986-2002……..343

APPENDIX B: Formulas for Rates ……..357

ILLINOIS CANCER STATISTICS REVIEW
1986-2002

OVERVIEW

This document is the 12th release of the annual Illinois cancer statistics report. Illinois' cancer incidence and mortality for 1986 through 2002 are reported for all races, whites, blacks and Asian/other races. In addition, cancer statistics for 1990 through 2002 among Hispanic and non-Hispanic populations are presented. Pediatric cancer incidence statistics on Illinois' children for 1986 through 2002 are included in a separate section. All rates in this report were age-adjusted to the 2000 U.S. standard million population to be consistent with national guidelines. State-level cancer incidence and cancer death projections are presented for years 2003, 2004, 2005 and 2006.

Cancer group definitions for major and minor sites are those established by the Surveillance, Epidemiology and End Results (SEER) program of the National Cancer Institute (NCI) and are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.[1-5]

In this report, a table contains incidence or mortality data specific to a major or minor cancer site for all six race/ethnic groups. For sites occurring in both genders, separate tables were prepared for both sexes, males and females. Counts, age-adjusted rates, standard errors and 95 percent confidence intervals for rates are displayed for the combined 1986-2002 time period as well as for individual years. Tables for pediatric cancer incidence reflect statistics for all races, both sexes by the six age groups: 0-14, 0-19, 0-4, 5-9, 10-14, and 15-19. The populations used as denominators for all rate calculations are described in Appendix A.

HIGHLIGHTS

Incidence

- A total of 893,868 cases of invasive cancer among Illinois residents were reported to the Illinois State Cancer Registry (ISCR) from 1986 through 2002, including 59,200 new cases reported in 2002. The race distribution for these cases was 85.8 percent white, 12.1 percent black, 1.3 percent Asian/other races and 0.8 percent unknown race. Among the 715,038 invasive cancer cases diagnosed and reported from 1990 through 2002, 22,439 (3.1 percent) were designated Hispanic and 692,599 (96.9 percent) non-Hispanic.

- Black males had the highest overall age-adjusted invasive cancer incidence rates of all major race/gender groups. In general, males and females of Asian/other races in Illinois had substantially lower cancer incidence rates than their white or black counterparts. Likewise, cancer incidence rates observed for Illinois' Hispanics were lower than those seen among the state's non-Hispanic group.

- Breast cancer was the most commonly diagnosed cancer among Illinois females, accounting for more than 30 percent of 444,050 invasive cancer diagnoses over 1986-2002. The predominance of breast cancer among females persists for all major race and ethnicity groups studied (whites, blacks and Asian/other races as well as in both Hispanic ethnic categories).

- Female breast cancer diagnosed in the *in situ* stage was observed to consistently increase for every race group across 1986-2002 as well as for both Hispanic and non-Hispanic ethnic classifications over the 1990-2002 time frame. These increases suggest greater screening mammography usage and ultimately the earlier detection of breast cancer among Illinois women.

- For Illinois males, prostate cancer was the most frequently diagnosed invasive cancer, accounting for more than 26 percent of 449,818 new cancer diagnoses during 1986-2002. Black males had the highest prostate cancer incidence rates among all race groups, approximately 47 percent higher than those observed for white males and nearly three times those observed for males of Asian/other races in Illinois. Prostate cancer age-adjusted incidence rates for Hispanic males were observed to be about 77 percent of those seen among their non-Hispanic counterparts in Illinois.

- A total of 8,930 new cases of cancer were diagnosed during 1986-2002 among Illinois children ages 0 to 19 years. The three most common diagnostic sites for childhood cancer in Illinois were, in descending order, leukemia, central nervous system and lymphoma.

Mortality

- From 1986 through 2002, there were 416,429 Illinois residents who died from cancer. The race distribution for these deaths was 84.6 percent among whites, 14.6 percent in the black population and the remainder occurring among Asian/other race population group (0.8). Among the 322,798 cancer deaths reported from 1990 through 2002, 6,228 (1.9 percent) were designated Hispanic, 314,264 (97.4 percent) non-Hispanic and 2,306 (0.7 percent) were of unknown Hispanic ethnicity.

- Black males had the highest overall age-adjusted mortality rates from cancer, more than 50 percent higher than the rate for white males and more than three times the rate for males of Asian/other races. Similarly, Illinois' cancer mortality rates for black females exceeded those for white females by about 30 percent and were nearly three times those observed among Asian/other race females in Illinois. In general, age-adjusted cancer mortality rates for Hispanics were about half those observed for their non-Hispanic counterparts in Illinois.

- Based on age-adjusted cancer mortality rates, lung cancer remains the leading cause of death from cancer for both Illinois males and females of all races

followed by prostate cancer for males and breast cancer for females. The third leading cause of cancer death is from cancers of the colon and rectum for both males and females.

TECHNICAL NOTES

Data Sources

Cancer Incidence and Mortality

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Newly diagnosed cancer cases among Illinois residents are reported to ISCR by health care facilities in the state where cancer is diagnosed and treated. Central cancer registries and facilities in other states also report data to ISCR on Illinois residents diagnosed and treated for cancer in their states. Most out-of-state cases come from Florida, Indiana, Iowa, Kentucky, Minnesota (Mayo Clinic), Missouri (state registry and St. Louis Barnes/Jewish Hospital) and Wisconsin. In addition, data exchange agreements are in effect with Arkansas, California, Michigan, Mississippi, North Carolina, Washington and Wyoming.[6] For data used in this publication, almost 6 percent of ISCR cases are reported from out-of-state agencies and organizations. A death certificate clearance process involving active follow-back of cancer deaths in an effort to identify missed cases has served as an additional means of case identification since August 1993.

The preparation and release of this report is dependent on the completion of reporting by Illinois facilities for each year. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. For this report, the database files reflect the status of ISCR as of November 2004.

The National Cancer Institute's Surveillance, Epidemiology and End Results (SEER) program was the source of information on cancer mortality for 1986 through 2002 by race and for 1990 through 2002 by Hispanic ethnicity. The underlying cause of death was provided by the National Center for Health Statistics.

Population Estimates

Appendix A displays the population estimates of the sex-specific, race and Hispanic ethnic groups in five-year age categories that were used as denominators for rate calculations in this report. SEER population files developed in collaboration with the United States Bureau of the Census for all races, whites, blacks and Asian/other races from 1986 through 2002, as well as for Hispanic and non-Hispanic ethnicity from 1990 through 2002 in Illinois were used. The methodology for these estimates is available at the following Web site: <www.seer.cancer.gov/popdata/methods.html>.

Definitions

Cancer Incidence Sites. The *International Classification of Diseases for Oncology* version 2 (ICD-O-2, which was used for cancer cases diagnosed prior to 2001)[7] and version 3 (ICD-O-3, which was used for cancer cases diagnosed in 2001 and 2002)[8] codes and the major and minor cancer site groups of the SEER program were used to define cancer sites. In this report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. This change will have slight impact on cancer incidence rates for a few specific cancers, compared to using the previous site grouping method. Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed in a separate table and were not included in the calculation of counts or incidence rates for all sites combined.

Cancer Mortality Sites. The *International Classification of Diseases* (ICD-9) codes[9] for underlying cause of death were converted to SEER major and minor cancer site groups to define the cancer death sites presented in this report for years 1986 through 1998. It was replaced by the *International Classification of Diseases* (ICD-10) coding scheme[10] from year 1999 onward both nationally as well as in Illinois.

Pediatric Cancer Groups. Tumors diagnosed in children are classified into the pediatric cancer groups according to the scheme of SEER modified International Classification of Childhood Cancer (ICCC), which uses morphology and site ICD-O-2 codes.[11]

Incidence and Mortality Rates. Rates are expressed per 100,000 population with the exception of pediatric cancer incidence rates, which are expressed per 1 million population. Age-adjustment of rates was calculated by the direct method adjusting to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by the Information Management Services Inc. for the NCI, was used to calculate both incidence and mortality rates. Rates are rounded to the nearest tenth and very small rates (e.g., 0.04) are shown as 0.0. Formulas used for the calculation of standard errors and 95 percent confidence intervals are displayed in Appendix B.

Race-specific and Hispanic Ethnicity Rates. The race-specific categories in this report are all races, whites, blacks and Asian/other races. Cases reported as unknown race were included in the "all races" category but not in any race-specific group. For the incidence report, Hispanic ethnicity was derived according to the NAACCR Hispanic identification algorithm (NHIA).[12] NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.[13] For the mortality report, Hispanic ethnicity was used as defined in the database. Because there were a considerably large number of cancer deaths with unknown Hispanic ethnicity in the mortality database, the mortality rates calculated for Hispanics and non-Hispanics tended to be underestimated.

Projections of Future Cancer Incidence and Deaths in Illinois

The 2002 cancer incidence and mortality data reported in Illinois were used to project future cancer incidence and cancer deaths. The sex-race specific rates for the 19 standard five-year age groups for all sites combined and selected sites were applied to the

projected populations by individual year for the same sex-race-age groups to calculate numbers of new invasive cancer cases or cancer deaths in Illinois. Cancer incidence and cancer death projections were made for years 2003, 2004, 2005 and 2006 (Detailed methodology can be found on the IDPH Web site at <http://www.idph.state.il.us/about/epi/index.html>.

QUALITY CONTROL

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In addition to these activities, in 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). Since then, ISCR has submitted data each year to the NAACCR *Call for Data* and for NAACCR registry certification. Based on the certification criteria shown in the following table,[2] ISCR has been awarded gold certification for 1996, 1997, 1998, 1999, 2000, 2001 and 2002.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2004, ISCR quality control data for each diagnosis year are as follow:

Year	Completeness (NAACCR Method)[a] (%) (As of 11-04)	Pass EDITS (%)	DCO[b] (%)	Unresolved Duplicate[c] (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1986	88	~	~	~	0.0	0.0	0.0	0.35
1987	90	~	~	~	0.0	0.0	0.0	0.31
1988	87	~	~	0.04	0.0	0.0	0.0	0.40
1989	88	~	~	0.04	0.0	0.0	0.0	0.36
1990	89	100	~	0.04	0.0	0.0	0.0	0.41
1991	88	100	~	0.04	0.0	0.0	0.0	0.73
1992	91	100	~	0.04	0.0	0.0	0.0	0.31
1993	92	100	2.27	0.04	0.0	0.0	0.0	0.33
1994	97	100	6.14	0.06	0.0	0.0	0.0	0.43
1995	99	100	2.69	0.06	0.0	0.0	0.0	0.51
1996	100	100	1.87	0.06	0.0	0.0	0.0	0.67
1997	100	100	1.82	0.06	0.0	0.0	0.0	0.98
1998	100	100	1.48	0.03	0.0	0.0	0.0	1.37
1999	100	100	1.83	0.02	0.0	0.0	0.0	1.36
2000	99	100	2.45	0.03	0.0	0.0	0.0	1.34
2001	100	100	2.50	0.00	0.0	0.0	0.0	1.16
2002	100	100	2.83	0.00	0.0	0.0	0.0	1.38

~ not applicable

a. For data prior to1995, the NAACCR's completeness estimating algorithm (version 1) was used. For data on or after 1995, the NAACCR's completeness estimating algorithm (version 2) was used.

b. DCO follow-back not started until end of 1993 reporting year

c. NAACCR's duplicate protocol was run for each year at the time of data submission for registry certification.

DATA INTERPRETATION

Observed variations and differences over years and across sex and race/ethnicity groups in cancer incidence and mortality may be real, reflecting modifications in the risk factor status of the population or the consequence of participation in screening and early detection programs. Such changes may not be real, however, but instead may be the result of random fluctuations and other factors related to the estimation process. Any conclusions should be made only after carefully considering the following factors that influence annual incidence and mortality rates.

- Random fluctuations in annual rates are usual and may be substantial, especially for rates based on small numbers of incidence counts or deaths (i.e., less than 16).

- Differences in registry database completeness and data quality will influence the magnitude of estimated cancer incidence rates. It should be noted that, because years prior to 1994 are less than 95 percent complete (see above table), some rates for those years, especially for all sites combined, would be underestimates of the "true" rates for the Illinois population. The rates presented here have not been adjusted for completeness differences across the database.

- Population estimates used for denominators may be inaccurate or lack precision. Population data for 1990 and 2000, the years of the U.S. decennial census, are the most accurate for all age, race, ethnicity and sex-specific categories and would, therefore, produce the most accurate incidence and mortality rates. Those for other years are not based on actual population counts but rather on interpolation or extrapolation of estimates based on demographic characteristics of the population. Incidence and mortality rates based on these population estimates would be expected to exhibit more error than those for 1990 or 2000.

- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate rate comparisons over years and across sex and race/ethnicity groups. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95 percent probability where the "true" rate actually falls. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two rates and is more conservative than the standard significance test when the null hypothesis is true.[14]

REFERENCES

1. Havener L and Hultstrom D (eds). *Standards for Cancer Registries, Vol II, Data Standards and Data Dictionary*. Version 11, Tenth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.

2. NAACCR (North American Association of Central Cancer Registries). *Standards for Cancer Registries, Vol III, Standards for Completeness, Quality, Analysis and Management of Data.* Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.

3. Ellison JH, Wu XC, Howe HL, McLaughlin C, Lake A, Firth R, Roney D, Sullivan S, Cormier M, Leonfellner S, Kosary C (eds). *Cancer in North America, 1998-2002. Volume One: Incidence*. Springfield, Ill: North American Association of Central Cancer Registries, April 2005.

4. Ellison JH, Wu XC, Howe HL, McLaughlin C, Lake A, Firth R, Roney D, Sullivan S, Cormier M, Leonfellner S, Kosary C (eds). *Cancer in North America, 1998-2002. Volume Two: Mortality.* Springfield, Ill: North American Association of Central Cancer Registries, April 2005.

5. Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, Mariotto A, Feuer EJ, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2002*, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2002, 2005.

6. Lehnherr M, Havener LA. Assessment of Interstate Exchange of Cancer Data, 1986-1998. *ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.

7. Percy C, Van Holten V, Muir C (eds). *International Classification of Diseases for Oncology*. 2nd edition. Geneva: World Health Organization, 1990.

8. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, Whelan S (eds). *International Classification of Diseases for Oncology*. 3nd edition. Geneva: World Health Organization, 2000.

9. World Health Organization. *Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death*, based on the recommendations of the Ninth Revision Conference, 1975. Geneva: World Health Organization, 1977.

10. World Health Organization. *International Statistical Classification of Diseases and Related Health Problems.* 10th revision. Geneva: World Health Organization, 1992.

11. Kramarova E, Stiller CA. The international classification of childhood cancer. *Int J Cancer*. 1996;68:759-765.

12. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on Hispanic Identification 2003.* Springfield, Ill.: North American Association of Central Cancer Registries, October 2003.

13. Howe HL. *Evaluation of NHIA Submissions for 1997 – 2001.* Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.

14. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

TABLES

PART I – INCIDENCE

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
All Sites Combined, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	893,868	461.4	0.5	460.4	462.4	766,704	456.3	0.5	455.3	457.3
1986	43,045	406.6	2.0	402.7	410.5	37,597	401.8	2.1	397.7	406.0
1987	45,245	424.2	2.0	420.2	428.2	39,650	421.9	2.2	417.7	426.1
1988	45,174	420.3	2.0	416.4	424.3	39,181	414.3	2.1	410.2	418.5
1989	45,366	420.0	2.0	416.1	423.9	39,453	416.0	2.1	411.8	420.2
1990	47,338	433.8	2.0	429.8	437.7	41,263	431.1	2.1	426.9	435.4
1991	48,939	442.4	2.0	438.5	446.4	42,840	442.2	2.2	438.0	446.5
1992	51,874	462.6	2.0	458.6	466.7	45,407	463.7	2.2	459.4	468.0
1993	52,641	464.2	2.0	460.2	468.2	45,497	460.4	2.2	456.2	464.7
1994	55,331	484.7	2.1	480.6	488.7	47,623	479.7	2.2	475.4	484.1
1995	54,890	477.0	2.0	473.0	481.1	46,764	469.5	2.2	465.2	473.8
1996	56,037	484.2	2.0	480.1	488.2	47,621	476.5	2.2	472.2	480.8
1997	56,247	481.9	2.0	477.9	485.9	47,802	475.4	2.2	471.1	479.6
1998	57,235	485.5	2.0	481.5	489.5	48,247	476.0	2.2	471.8	480.3
1999	58,211	489.3	2.0	485.3	493.3	49,364	484.4	2.2	480.1	488.7
2000	58,198	485.0	2.0	481.1	489.0	49,014	478.5	2.2	474.3	482.8
2001	58,897	485.6	2.0	481.7	489.6	49,636	480.6	2.2	476.4	484.8
2002	59,200	482.6	2.0	478.7	486.5	49,745	477.3	2.1	473.1	481.5
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	108,636	499.7	1.6	496.6	502.7	11,871	289.4	3.0	283.6	295.4
1986	4,898	442.1	6.6	429.3	455.2	404	274.7	15.9	244.4	309.3
1987	5,055	448.5	6.5	435.8	461.6	403	272.3	15.9	242.1	306.7
1988	5,345	465.2	6.6	452.4	478.4	467	301.0	16.1	270.4	335.5
1989	5,333	460.2	6.5	447.6	473.2	422	253.1	14.2	226.1	283.7
1990	5,474	466.3	6.5	453.6	479.2	408	230.8	13.2	205.7	259.5
1991	5,283	437.9	6.2	425.9	450.3	465	250.3	13.4	224.7	279.0
1992	5,762	468.6	6.4	456.3	481.3	546	281.1	13.9	254.5	310.6
1993	6,362	508.4	6.6	495.6	521.4	614	281.3	13.0	256.4	308.8
1994	6,855	541.5	6.7	528.4	554.9	625	275.9	12.4	252.0	302.2
1995	7,065	544.1	6.6	531.2	557.3	793	307.3	12.3	283.7	333.0
1996	7,268	550.5	6.6	537.6	563.6	799	305.4	12.2	281.9	330.9
1997	7,101	527.9	6.4	515.4	540.6	818	285.1	11.1	263.8	308.4
1998	7,337	536.2	6.4	523.8	548.9	894	307.5	11.5	285.4	331.4
1999	7,126	509.5	6.2	497.5	521.8	956	310.3	11.2	288.6	333.6
2000	7,401	518.5	6.1	506.5	530.7	1,023	305.3	10.5	285.0	326.9
2001	7,490	519.8	6.1	507.9	532.0	1,086	305.4	10.1	285.8	326.3
2002	7,481	509.3	6.0	497.6	521.2	1,148	297.4	9.4	279.1	316.7
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	22,439	339.2	2.7	333.9	344.5	692,599	480.6	0.6	479.4	481.7
1990	1,103	288.5	10.2	268.8	309.6	46,235	438.7	2.1	434.6	442.7
1991	1,135	276.1	9.7	257.4	296.2	47,804	448.0	2.1	444.0	452.1
1992	1,239	298.6	10.0	279.3	319.3	50,635	468.6	2.1	464.5	472.7
1993	1,401	319.2	10.0	299.9	339.8	51,240	469.5	2.1	465.4	473.6
1994	1,558	339.2	10.2	319.5	360.0	53,773	490.1	2.1	486.0	494.3
1995	1,639	347.5	10.2	327.8	368.5	53,251	482.9	2.1	478.8	487.1
1996	1,828	391.1	10.9	370.1	413.3	54,209	489.7	2.1	485.6	493.9
1997	1,798	352.3	9.9	333.2	372.6	54,449	488.5	2.1	484.4	492.7
1998	1,890	352.8	9.7	334.1	372.7	55,345	492.5	2.1	488.4	496.6
1999	2,103	367.3	9.6	348.8	386.9	56,108	496.2	2.1	492.1	500.3
2000	2,128	344.1	8.9	326.9	362.2	56,070	492.8	2.1	488.8	496.9
2001	2,224	348.8	8.7	332.0	366.4	56,673	494.4	2.1	490.3	498.5
2002	2,393	338.7	8.0	323.2	354.9	56,807	491.5	2.1	487.4	495.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
All Sites Combined, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	449,818	553.5	0.8	551.8	555.1	383,974	541.3	0.9	539.6	543.0
1986	21,089	483.5	3.5	476.7	490.3	18,319	474.0	3.7	466.9	481.2
1987	22,137	502.3	3.5	495.5	509.3	19,293	494.6	3.7	487.3	501.9
1988	21,838	492.7	3.5	485.9	499.5	18,903	483.1	3.6	475.9	490.3
1989	22,256	497.1	3.5	490.4	504.0	19,328	489.2	3.6	482.1	496.4
1990	23,374	518.0	3.5	511.2	525.0	20,296	509.7	3.7	502.5	517.0
1991	24,908	542.5	3.6	535.5	549.5	21,794	539.0	3.8	531.6	546.4
1992	27,124	581.8	3.6	574.7	589.0	23,650	576.5	3.8	569.0	584.1
1993	27,175	574.7	3.6	567.7	581.8	23,414	564.7	3.8	557.3	572.2
1994	28,031	589.5	3.6	582.5	596.7	23,940	575.3	3.8	567.8	582.8
1995	27,825	575.7	3.5	568.8	582.7	23,497	557.7	3.7	550.5	565.1
1996	28,134	576.3	3.5	569.5	583.2	23,663	557.8	3.7	550.6	565.1
1997	28,420	576.5	3.5	569.7	583.4	24,038	562.4	3.7	555.2	569.6
1998	28,630	574.8	3.4	568.0	581.6	23,973	556.0	3.6	548.9	563.1
1999	29,394	582.4	3.4	575.6	589.1	24,797	568.8	3.6	561.7	576.0
2000	29,458	576.6	3.4	570.0	583.3	24,637	560.2	3.6	553.2	567.3
2001	29,882	577.9	3.4	571.3	584.5	25,099	564.8	3.6	557.8	571.9
2002	30,143	574.6	3.3	568.1	581.2	25,333	563.1	3.6	556.1	570.1
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	56,369	649.7	2.9	644.0	655.4	5,654	338.7	5.2	328.5	349.3
1986	2,528	567.5	12.1	543.9	592.1	193	310.6	26.7	260.5	371.8
1987	2,599	580.2	12.2	556.5	604.8	192	341.9	29.9	285.8	409.1
1988	2,639	572.8	12.0	549.6	597.0	217	343.5	27.1	292.3	404.4
1989	2,670	579.8	12.0	556.5	604.1	173	261.2	23.4	217.4	314.4
1990	2,769	597.2	12.2	573.5	621.9	212	310.5	25.0	263.4	366.8
1991	2,705	564.2	11.6	541.7	587.6	216	296.1	23.7	251.4	349.1
1992	3,128	650.1	12.4	625.9	675.1	263	349.3	25.6	301.0	405.5
1993	3,379	680.5	12.5	656.2	705.7	286	330.5	23.0	287.0	381.0
1994	3,657	735.5	13.0	710.2	761.7	295	311.0	21.1	271.0	357.4
1995	3,826	743.9	12.8	719.0	769.7	358	353.1	21.8	311.8	400.6
1996	3,901	735.2	12.5	710.9	760.3	400	378.4	22.5	335.6	427.1
1997	3,672	677.3	11.8	654.4	701.1	403	341.3	19.5	304.2	383.8
1998	3,761	687.5	11.9	664.4	711.3	419	351.2	19.7	313.7	393.9
1999	3,648	654.9	11.4	632.6	677.8	475	381.3	21.0	341.3	426.2
2000	3,939	689.1	11.5	666.7	712.3	468	334.6	17.8	300.7	372.7
2001	3,825	661.3	11.2	639.5	683.8	528	354.5	17.8	320.5	392.2
2002	3,723	631.1	10.8	610.1	652.8	556	343.4	16.2	312.4	377.6
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	11,142	395.9	4.7	386.8	405.2	351,356	579.2	1.0	577.2	581.1
1990	515	323.6	18.1	289.1	362.4	22,859	524.5	3.6	517.5	531.6
1991	555	310.1	16.7	278.3	345.7	24,353	549.9	3.6	542.8	557.1
1992	605	349.2	17.9	315.0	387.1	26,519	590.0	3.7	582.8	597.4
1993	699	376.6	18.0	342.1	414.8	26,476	582.0	3.7	574.8	589.2
1994	802	407.3	18.2	372.4	445.6	27,229	596.5	3.7	589.3	603.8
1995	806	402.4	18.0	367.9	440.2	27,019	583.7	3.6	576.7	590.9
1996	934	467.5	19.3	430.4	507.8	27,200	582.9	3.6	575.8	590.0
1997	911	406.9	16.9	374.5	442.3	27,509	584.8	3.6	577.8	591.8
1998	926	428.6	17.7	394.6	465.4	27,704	583.5	3.5	576.5	590.5
1999	1,062	430.8	16.6	398.8	465.4	28,332	590.7	3.5	583.7	597.7
2000	1,050	396.2	15.0	367.4	427.4	28,408	586.8	3.5	579.9	593.7
2001	1,107	406.5	14.8	378.0	437.1	28,775	588.8	3.5	582.0	595.7
2002	1,170	385.2	13.3	359.5	412.8	28,973	586.4	3.5	579.6	593.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
All Sites Combined, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	444,050	407.7	0.6	406.5	408.9	382,730	408.6	0.7	407.3	409.9
1986	21,956	368.1	2.5	363.1	373.1	19,278	368.2	2.7	362.8	373.5
1987	23,108	385.2	2.6	380.2	390.3	20,357	388.0	2.8	382.5	393.5
1988	23,336	385.4	2.6	380.4	390.5	20,278	383.2	2.8	377.8	388.7
1989	23,110	380.9	2.5	375.9	385.9	20,125	380.7	2.7	375.3	386.1
1990	23,964	390.7	2.6	385.7	395.8	20,967	393.4	2.8	388.0	398.9
1991	24,031	387.1	2.5	382.1	392.1	21,046	390.6	2.8	385.2	396.0
1992	24,750	393.9	2.5	388.9	398.9	21,757	400.0	2.8	394.6	405.5
1993	25,466	398.8	2.5	393.9	403.8	22,083	400.1	2.7	394.8	405.5
1994	27,300	422.7	2.6	417.7	427.8	23,683	424.9	2.8	419.4	430.5
1995	27,065	417.9	2.6	412.9	423.0	23,267	418.2	2.8	412.8	423.7
1996	27,903	427.7	2.6	422.7	432.8	23,958	428.9	2.8	423.5	434.5
1997	27,827	423.3	2.6	418.3	428.3	23,764	423.2	2.8	417.8	428.7
1998	28,605	430.8	2.6	425.8	435.8	24,274	429.0	2.8	423.6	434.5
1999	28,817	431.0	2.6	426.0	436.0	24,567	432.8	2.8	427.3	438.3
2000	28,740	426.4	2.5	421.5	431.4	24,377	427.8	2.8	422.4	433.3
2001	29,015	426.1	2.5	421.2	431.1	24,537	427.5	2.8	422.1	432.9
2002	29,057	423.0	2.5	418.1	427.9	24,412	422.3	2.7	416.9	427.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	52,267	405.9	1.8	402.4	409.5	6,217	259.1	3.6	252.1	266.3
1986	2,370	363.4	7.6	348.5	378.7	211	251.6	19.8	214.4	296.1
1987	2,456	367.7	7.6	353.0	382.9	211	227.2	17.5	194.3	266.8
1988	2,706	399.4	7.8	384.2	415.2	250	274.5	19.7	237.1	318.3
1989	2,663	388.3	7.7	373.4	403.7	249	254.0	18.0	220.0	294.2
1990	2,705	388.2	7.6	373.5	403.5	196	176.0	14.1	149.4	208.5
1991	2,578	360.3	7.2	346.3	374.8	249	222.0	15.9	191.9	257.3
1992	2,634	359.0	7.1	345.2	373.2	283	238.4	15.8	208.4	273.2
1993	2,983	401.5	7.5	387.0	416.4	328	251.6	15.5	222.2	285.4
1994	3,198	423.6	7.6	408.9	438.8	330	253.7	15.4	224.5	287.0
1995	3,239	419.4	7.5	404.9	434.3	435	283.2	14.8	255.0	314.9
1996	3,367	431.1	7.5	416.5	446.1	399	259.3	14.2	232.2	289.6
1997	3,429	431.5	7.4	417.0	446.4	415	248.4	13.3	223.1	276.7
1998	3,576	440.6	7.4	426.1	455.4	475	280.2	14.0	253.4	309.8
1999	3,478	419.0	7.2	405.0	433.3	481	266.8	13.1	241.7	294.5
2000	3,462	408.8	7.0	395.2	422.8	555	288.7	13.1	263.6	316.1
2001	3,665	428.7	7.1	414.8	442.9	558	274.8	12.4	251.1	300.5
2002	3,758	431.8	7.1	418.0	446.0	592	267.0	11.5	244.9	291.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	11,297	303.9	3.2	297.6	310.4	341,243	420.7	0.7	419.3	422.1
1990	588	275.4	12.6	251.2	301.9	23,376	394.5	2.6	389.3	399.7
1991	580	258.0	12.0	234.9	283.3	23,451	391.5	2.6	386.4	396.7
1992	634	271.0	12.1	247.8	296.3	24,116	398.2	2.6	393.1	403.3
1993	702	286.8	12.1	263.6	312.0	24,764	402.8	2.6	397.7	407.9
1994	756	296.4	12.2	273.1	321.8	26,544	427.2	2.7	422.0	432.4
1995	833	315.6	12.5	291.7	341.5	26,232	422.2	2.6	417.0	427.4
1996	894	342.8	13.0	317.8	369.6	27,009	432.5	2.7	427.3	437.7
1997	887	314.9	12.2	291.6	340.1	26,940	428.8	2.6	423.6	434.0
1998	964	307.9	11.4	286.0	331.4	27,641	436.2	2.6	431.0	441.4
1999	1,041	324.9	11.6	302.6	348.8	27,776	436.7	2.6	431.6	442.0
2000	1,078	308.7	10.9	287.8	331.1	27,662	432.5	2.6	427.3	437.6
2001	1,117	309.4	10.6	289.1	331.1	27,898	433.1	2.6	428.0	438.3
2002	1,223	308.1	9.9	289.0	328.4	27,834	429.6	2.6	424.5	434.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Buccal Cavity and Pharynx, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,722	10.8	0.1	10.6	10.9	16,817	10.1	0.1	10.0	10.3
1986	1,213	11.5	0.3	10.9	12.2	972	10.4	0.3	9.7	11.1
1987	1,199	11.3	0.3	10.7	12.0	969	10.4	0.3	9.7	11.0
1988	1,182	11.1	0.3	10.5	11.8	949	10.1	0.3	9.5	10.8
1989	1,126	10.5	0.3	9.9	11.1	911	9.7	0.3	9.0	10.3
1990	1,152	10.8	0.3	10.1	11.4	924	9.8	0.3	9.2	10.5
1991	1,128	10.4	0.3	9.8	11.0	902	9.5	0.3	8.9	10.2
1992	1,115	10.1	0.3	9.5	10.7	931	9.7	0.3	9.1	10.3
1993	1,134	10.2	0.3	9.6	10.8	936	9.7	0.3	9.1	10.4
1994	1,179	10.5	0.3	9.9	11.1	946	9.7	0.3	9.1	10.4
1995	1,294	11.4	0.3	10.8	12.0	1,063	10.9	0.3	10.2	11.6
1996	1,294	11.3	0.3	10.7	11.9	1,053	10.7	0.3	10.1	11.4
1997	1,303	11.3	0.3	10.7	11.9	1,055	10.7	0.3	10.1	11.4
1998	1,251	10.7	0.3	10.1	11.3	993	9.9	0.3	9.3	10.6
1999	1,299	10.9	0.3	10.4	11.6	1,067	10.6	0.3	10.0	11.3
2000	1,280	10.7	0.3	10.1	11.3	1,038	10.2	0.3	9.6	10.9
2001	1,250	10.3	0.3	9.7	10.9	1,032	10.0	0.3	9.4	10.7
2002	1,323	10.7	0.3	10.1	11.3	1,076	10.3	0.3	9.7	11.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,369	14.5	0.3	14.0	15.0	369	7.9	0.5	7.1	8.9
1986	217	18.7	1.3	16.3	21.6	16	9.8	2.7	5.2	19.7
1987	206	17.4	1.2	15.1	20.1	20	12.6	3.1	7.3	22.8
1988	210	17.3	1.2	15.0	19.9	15	8.7	2.5	4.4	17.7
1989	194	16.1	1.2	13.8	18.6	15	7.7	2.1	4.1	15.7
1990	213	17.2	1.2	14.9	19.7	10	6.0	2.1	2.6	14.2
1991	202	15.5	1.1	13.4	18.0	12	5.3	1.7	2.5	12.3
1992	163	12.4	1.0	10.5	14.5	17	6.2	1.6	3.4	12.5
1993	172	12.9	1.0	11.0	15.0	21	9.3	2.4	5.2	16.6
1994	205	15.3	1.1	13.2	17.6	21	6.6	1.5	4.0	12.2
1995	198	14.2	1.0	12.3	16.4	25	8.2	1.9	4.9	14.1
1996	215	15.3	1.1	13.3	17.5	19	6.9	1.7	4.0	12.4
1997	207	14.5	1.0	12.5	16.7	28	9.9	2.0	6.3	15.7
1998	208	14.2	1.0	12.3	16.3	32	9.6	1.9	6.3	14.9
1999	194	12.8	0.9	11.0	14.8	28	7.2	1.5	4.6	11.6
2000	191	12.4	0.9	10.7	14.3	31	8.9	1.8	5.8	13.7
2001	176	11.1	0.9	9.5	13.0	32	7.7	1.5	5.1	11.8
2002	198	12.7	0.9	10.9	14.6	27	6.2	1.3	3.9	9.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	463	7.0	0.4	6.2	7.8	15,539	10.9	0.1	10.8	11.1
1990	22	5.1	1.2	3.1	8.9	1,130	11.0	0.3	10.3	11.6
1991	23	4.8	1.1	2.9	8.3	1,105	10.6	0.3	10.0	11.2
1992	14	3.2	1.0	1.6	6.6	1,101	10.4	0.3	9.8	11.0
1993	28	6.6	1.5	4.0	10.6	1,106	10.4	0.3	9.8	11.0
1994	32	7.7	1.6	4.9	11.9	1,147	10.7	0.3	10.1	11.3
1995	21	4.3	1.1	2.5	7.5	1,273	11.8	0.3	11.1	12.4
1996	44	10.7	1.8	7.4	15.3	1,250	11.5	0.3	10.8	12.1
1997	61	12.8	1.9	9.4	17.6	1,242	11.3	0.3	10.7	12.0
1998	38	7.6	1.5	5.0	11.4	1,213	10.9	0.3	10.3	11.6
1999	45	6.0	1.0	4.3	8.8	1,254	11.2	0.3	10.6	11.8
2000	36	5.8	1.2	3.7	9.0	1,244	11.0	0.3	10.4	11.6
2001	46	7.4	1.3	5.1	10.7	1,204	10.5	0.3	9.9	11.1
2002	53	6.8	1.1	4.9	9.5	1,270	11.0	0.3	10.4	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Buccal Cavity and Pharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	14,058	16.6	0.1	16.3	16.9	11,276	15.5	0.1	15.2	15.7
1986	831	18.1	0.7	16.9	19.5	656	16.2	0.7	14.9	17.5
1987	811	17.6	0.6	16.4	18.9	653	16.1	0.6	14.9	17.5
1988	812	17.7	0.6	16.4	19.0	639	15.8	0.6	14.6	17.2
1989	754	16.2	0.6	15.0	17.4	599	14.6	0.6	13.5	15.9
1990	786	17.0	0.6	15.8	18.3	632	15.7	0.6	14.4	17.0
1991	756	15.9	0.6	14.7	17.1	596	14.4	0.6	13.2	15.6
1992	747	15.5	0.6	14.4	16.8	615	14.8	0.6	13.6	16.0
1993	776	15.7	0.6	14.6	16.9	633	14.8	0.6	13.7	16.1
1994	787	15.9	0.6	14.8	17.1	627	14.7	0.6	13.6	16.0
1995	885	17.6	0.6	16.5	18.9	713	16.5	0.6	15.3	17.8
1996	878	17.4	0.6	16.2	18.6	706	16.3	0.6	15.1	17.6
1997	874	17.1	0.6	16.0	18.3	699	16.0	0.6	14.8	17.3
1998	852	16.3	0.6	15.2	17.4	665	14.9	0.6	13.8	16.1
1999	866	16.3	0.6	15.2	17.4	711	15.7	0.6	14.6	16.9
2000	878	16.4	0.6	15.3	17.5	704	15.4	0.6	14.3	16.6
2001	870	15.9	0.5	14.9	17.0	717	15.5	0.6	14.4	16.7
2002	895	16.1	0.5	15.0	17.2	711	15.1	0.6	14.0	16.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,439	24.6	0.5	23.6	25.6	229	11.5	0.9	9.8	13.4
1986	160	32.1	2.7	27.1	38.1	10	16.0	5.7	6.9	39.5
1987	143	28.0	2.4	23.5	33.6	12	18.8	6.0	8.9	41.8
1988	161	30.7	2.5	26.1	36.3	8	11.5	4.9	4.0	32.2
1989	144	28.3	2.5	23.7	33.9	6	5.4	2.4	1.8	22.1
1990	143	27.2	2.4	22.8	32.6	6	8.0	3.8	2.4	26.5
1991	143	26.2	2.3	22.0	31.4	7	7.9	3.5	2.7	24.6
1992	116	20.9	2.0	17.2	25.6	14	11.4	3.5	5.7	26.6
1993	125	21.8	2.0	18.1	26.4	13	16.2	5.4	7.4	34.0
1994	143	25.0	2.2	20.9	30.0	12	7.6	2.4	3.7	20.3
1995	145	24.7	2.1	20.7	29.5	19	15.9	4.3	8.6	30.7
1996	155	25.5	2.1	21.5	30.2	13	11.0	3.4	5.3	24.1
1997	151	24.9	2.1	20.9	29.6	19	13.7	3.3	8.0	26.0
1998	152	24.3	2.1	20.5	29.0	19	11.8	2.9	6.8	23.1
1999	135	20.7	1.8	17.2	24.8	13	7.3	2.2	3.7	17.2
2000	149	22.7	1.9	19.1	27.0	17	12.8	3.7	6.6	24.4
2001	123	18.2	1.7	15.1	22.1	24	13.1	3.2	7.7	23.1
2002	151	22.8	1.9	19.2	27.0	17	9.1	2.4	4.9	17.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	318	10.0	0.7	8.7	11.5	10,532	16.8	0.2	16.5	17.1
1990	15	8.2	2.4	4.2	17.4	771	17.3	0.6	16.1	18.7
1991	16	7.4	2.1	3.9	15.7	740	16.2	0.6	15.0	17.5
1992	10	4.8	1.9	1.8	12.7	737	16.0	0.6	14.9	17.3
1993	20	10.2	2.9	5.3	19.7	756	16.1	0.6	14.9	17.3
1994	20	10.5	2.9	5.6	19.7	767	16.3	0.6	15.1	17.5
1995	15	5.8	1.6	3.1	12.5	870	18.2	0.6	17.0	19.5
1996	33	17.3	3.7	10.9	27.4	845	17.6	0.6	16.4	18.9
1997	43	19.2	3.6	12.7	29.1	831	17.2	0.6	16.0	18.4
1998	24	11.8	3.0	6.6	20.6	828	16.8	0.6	15.6	18.0
1999	31	8.9	1.7	5.8	14.9	835	16.7	0.6	15.6	17.9
2000	23	7.3	1.8	4.1	13.4	855	17.0	0.6	15.8	18.2
2001	30	8.7	1.9	5.4	14.5	840	16.4	0.6	15.3	17.6
2002	38	9.8	1.8	6.6	15.1	857	16.5	0.6	15.4	17.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Buccal Cavity and Pharynx, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,664	6.2	0.1	6.0	6.3	5,541	5.9	0.1	5.8	6.1
1986	382	6.5	0.3	5.8	7.2	316	6.0	0.3	5.3	6.7
1987	388	6.5	0.3	5.9	7.2	316	6.0	0.3	5.4	6.8
1988	370	6.1	0.3	5.5	6.8	310	5.8	0.3	5.2	6.5
1989	372	6.2	0.3	5.6	6.9	312	5.9	0.3	5.3	6.7
1990	366	6.0	0.3	5.4	6.6	292	5.4	0.3	4.8	6.1
1991	372	6.1	0.3	5.5	6.8	306	5.8	0.3	5.2	6.5
1992	368	6.0	0.3	5.4	6.6	316	5.8	0.3	5.2	6.5
1993	358	5.7	0.3	5.1	6.3	303	5.5	0.3	4.9	6.2
1994	392	6.1	0.3	5.5	6.8	319	5.7	0.3	5.1	6.4
1995	409	6.3	0.3	5.7	6.9	350	6.2	0.3	5.6	6.9
1996	416	6.4	0.3	5.8	7.0	347	6.2	0.3	5.5	6.9
1997	429	6.6	0.3	6.0	7.3	356	6.5	0.3	5.8	7.2
1998	399	6.1	0.3	5.5	6.7	328	5.8	0.3	5.2	6.5
1999	433	6.6	0.3	6.0	7.2	356	6.4	0.3	5.7	7.1
2000	402	6.0	0.3	5.5	6.7	334	5.9	0.3	5.3	6.6
2001	380	5.6	0.3	5.1	6.2	315	5.5	0.3	4.9	6.1
2002	428	6.3	0.3	5.7	6.9	365	6.4	0.3	5.7	7.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	930	7.0	0.2	6.5	7.4	140	5.2	0.5	4.3	6.3
1986	57	8.8	1.2	6.6	11.5	6	5.3	2.3	1.8	19.1
1987	63	9.3	1.2	7.1	12.1	8	7.9	3.1	3.1	22.0
1988	49	7.0	1.0	5.2	9.4	7	6.7	2.7	2.5	19.8
1989	50	7.3	1.0	5.4	9.7	9	9.3	3.2	4.1	22.6
1990	70	9.8	1.2	7.6	12.5	4	4.3	2.2	1.1	16.4
1991	59	7.7	1.0	5.8	10.1	5	3.2	1.5	1.0	13.3
1992	47	6.2	0.9	4.5	8.3	3	2.0	1.1	0.4	11.0
1993	47	6.2	0.9	4.5	8.3	8	4.6	1.7	1.9	13.2
1994	62	8.1	1.0	6.2	10.5	9	5.8	2.0	2.6	14.1
1995	53	6.5	0.9	4.9	8.6	6	2.3	1.0	0.8	8.8
1996	60	7.5	1.0	5.7	9.8	6	3.8	1.6	1.3	10.7
1997	56	6.9	0.9	5.2	9.0	9	6.4	2.4	2.7	14.3
1998	56	6.6	0.9	5.0	8.7	13	7.5	2.3	3.7	14.8
1999	59	6.8	0.9	5.2	8.9	15	7.1	2.0	3.8	13.5
2000	42	4.8	0.7	3.4	6.5	14	6.4	1.8	3.4	12.2
2001	53	5.9	0.8	4.4	7.7	8	3.5	1.3	1.5	8.1
2002	47	5.3	0.8	3.9	7.0	10	4.0	1.3	1.8	8.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	145	4.2	0.4	3.5	5.1	5,007	6.2	0.1	6.1	6.4
1990	7	2.6	1.1	1.0	7.4	359	6.1	0.3	5.4	6.7
1991	7	2.4	1.0	0.9	7.1	365	6.3	0.3	5.6	7.0
1992	4	1.9	1.0	0.5	6.5	364	6.1	0.3	5.5	6.8
1993	8	3.7	1.4	1.4	8.7	350	5.8	0.3	5.2	6.5
1994	12	5.5	1.8	2.6	10.9	380	6.2	0.3	5.6	6.8
1995	6	2.7	1.2	0.8	7.2	403	6.5	0.3	5.8	7.1
1996	11	5.5	1.8	2.6	10.7	405	6.5	0.3	5.9	7.2
1997	18	7.5	2.0	4.1	13.1	411	6.7	0.3	6.0	7.4
1998	14	4.7	1.4	2.4	9.1	385	6.1	0.3	5.5	6.8
1999	14	3.3	0.9	1.7	6.9	419	6.7	0.3	6.1	7.4
2000	13	4.2	1.4	1.9	8.6	389	6.2	0.3	5.6	6.8
2001	16	5.8	1.7	3.0	10.4	364	5.7	0.3	5.1	6.3
2002	15	3.9	1.2	2.0	7.4	413	6.4	0.3	5.8	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lip, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,673	0.9	0.0	0.8	0.9	1,610	1.0	0.0	0.9	1.0
1986	119	1.1	0.1	0.9	1.4	115	1.2	0.1	1.0	1.5
1987	114	1.1	0.1	0.9	1.3	113	1.2	0.1	1.0	1.5
1988	136	1.3	0.1	1.1	1.5	132	1.4	0.1	1.2	1.7
1989	111	1.0	0.1	0.9	1.3	106	1.1	0.1	0.9	1.4
1990	120	1.1	0.1	0.9	1.3	120	1.3	0.1	1.0	1.5
1991	101	0.9	0.1	0.7	1.1	97	1.0	0.1	0.8	1.2
1992	96	0.9	0.1	0.7	1.1	95	1.0	0.1	0.8	1.2
1993	81	0.7	0.1	0.6	0.9	79	0.8	0.1	0.6	1.0
1994	93	0.8	0.1	0.7	1.0	88	0.9	0.1	0.7	1.1
1995	101	0.9	0.1	0.7	1.1	95	1.0	0.1	0.8	1.2
1996	108	0.9	0.1	0.8	1.1	106	1.1	0.1	0.9	1.3
1997	96	0.8	0.1	0.7	1.0	92	0.9	0.1	0.7	1.1
1998	83	0.7	0.1	0.6	0.9	79	0.8	0.1	0.6	1.0
1999	85	0.7	0.1	0.6	0.9	80	0.8	0.1	0.6	1.0
2000	77	0.6	0.1	0.5	0.8	71	0.7	0.1	0.5	0.9
2001	60	0.5	0.1	0.4	0.6	57	0.5	0.1	0.4	0.7
2002	92	0.7	0.1	0.6	0.9	85	0.8	0.1	0.6	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	19	0.1	0.0	0.1	0.2	4	0.1	0.1	0.0	0.4
1986	2	0.2	0.2	0.0	0.9	1	0.4	0.4	0.0	8.4
1987	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.6
1988	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	7.2
1989	3	0.3	0.2	0.0	0.9	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	1	0.0	0.0	0.0	0.5	0	0.0	~	0.0	4.9
1994	2	0.2	0.2	0.0	0.8	0	0.0	~	0.0	4.6
1995	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	4.1
1996	1	0.1	0.1	0.0	0.5	1	0.5	0.5	0.0	4.4
1997	2	0.2	0.2	0.0	0.8	0	0.0	~	0.0	3.6
1998	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	2	0.1	0.1	0.0	0.6	1	0.7	0.7	0.0	4.0
2001	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	2.3
2002	1	0.1	0.1	0.0	0.4	1	0.2	0.2	0.0	2.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.2	0.1	0.1	0.4	1,178	0.8	0.0	0.8	0.9
1990	1	0.2	0.2	0.0	2.9	119	1.1	0.1	0.9	1.4
1991	1	0.2	0.2	0.0	2.8	100	0.9	0.1	0.8	1.1
1992	0	0.0	~	0.0	2.5	96	0.9	0.1	0.7	1.1
1993	1	0.1	0.1	0.0	2.4	80	0.7	0.1	0.6	0.9
1994	0	0.0	~	0.0	2.3	93	0.9	0.1	0.7	1.1
1995	1	0.1	0.1	0.0	2.3	100	0.9	0.1	0.7	1.1
1996	1	0.1	0.1	0.0	2.1	107	1.0	0.1	0.8	1.2
1997	0	0.0	~	0.0	2.0	96	0.9	0.1	0.7	1.0
1998	1	0.2	0.2	0.0	2.1	82	0.7	0.1	0.6	0.9
1999	3	0.2	0.2	0.0	2.1	82	0.7	0.1	0.6	0.9
2000	3	0.7	0.5	0.1	2.8	74	0.6	0.1	0.5	0.8
2001	1	0.1	0.1	0.0	1.7	59	0.5	0.1	0.4	0.7
2002	2	0.2	0.2	0.0	1.6	90	0.8	0.1	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lip, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,376	1.7	0.0	1.7	1.8	1,334	1.9	0.1	1.8	2.0
1986	106	2.5	0.3	2.0	3.1	105	2.8	0.3	2.2	3.4
1987	99	2.4	0.2	1.9	2.9	98	2.6	0.3	2.1	3.2
1988	114	2.7	0.3	2.2	3.3	112	3.0	0.3	2.4	3.6
1989	94	2.3	0.2	1.8	2.8	90	2.4	0.3	1.9	3.0
1990	98	2.2	0.2	1.8	2.7	98	2.5	0.3	2.0	3.0
1991	88	1.9	0.2	1.5	2.4	84	2.1	0.2	1.6	2.6
1992	82	1.8	0.2	1.4	2.3	81	2.0	0.2	1.6	2.6
1993	70	1.5	0.2	1.1	1.9	69	1.7	0.2	1.3	2.1
1994	69	1.5	0.2	1.1	1.9	66	1.6	0.2	1.2	2.1
1995	79	1.7	0.2	1.4	2.2	74	1.9	0.2	1.4	2.4
1996	87	1.8	0.2	1.5	2.3	85	2.0	0.2	1.6	2.5
1997	78	1.7	0.2	1.3	2.1	75	1.9	0.2	1.5	2.3
1998	66	1.3	0.2	1.0	1.7	63	1.5	0.2	1.1	1.9
1999	72	1.5	0.2	1.2	1.9	68	1.6	0.2	1.3	2.1
2000	65	1.3	0.2	1.0	1.6	60	1.3	0.2	1.0	1.7
2001	45	0.9	0.1	0.7	1.2	44	1.0	0.2	0.7	1.4
2002	64	1.3	0.2	1.0	1.6	62	1.4	0.2	1.1	1.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9	0.1	0.0	0.1	0.3	2	0.3	0.2	0.0	1.1
1986	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	20.2
1987	0	0.0	~	0.0	1.8	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	2	0.5	0.4	0.1	2.5	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	1	0.2	0.2	0.0	1.7	1	1.1	1.1	0.0	12.1
1997	2	0.7	0.5	0.1	2.5	0	0.0	~	0.0	10.2
1998	1	0.1	0.1	0.0	1.5	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	1	0.2	0.2	0.0	1.6	1	2.1	2.1	0.1	12.0
2001	0	0.0	~	0.0	1.3	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	11	0.2	0.1	0.1	0.7	952	1.6	0.1	1.5	1.7
1990	1	0.4	0.4	0.0	8.0	97	2.2	0.2	1.8	2.8
1991	1	0.4	0.4	0.0	7.5	87	2.0	0.2	1.6	2.5
1992	0	0.0	~	0.0	6.7	82	1.9	0.2	1.5	2.4
1993	1	0.2	0.2	0.0	6.8	69	1.5	0.2	1.2	1.9
1994	0	0.0	~	0.0	6.4	69	1.5	0.2	1.2	2.0
1995	0	0.0	~	0.0	6.0	79	1.8	0.2	1.4	2.3
1996	1	0.1	0.1	0.0	5.9	86	1.9	0.2	1.5	2.3
1997	0	0.0	~	0.0	5.6	78	1.8	0.2	1.4	2.2
1998	1	0.3	0.3	0.0	5.6	65	1.4	0.2	1.1	1.8
1999	2	0.4	0.3	0.0	5.4	70	1.5	0.2	1.2	1.9
2000	1	0.3	0.3	0.0	4.8	64	1.3	0.2	1.0	1.7
2001	1	0.3	0.3	0.0	4.3	44	0.9	0.1	0.7	1.3
2002	2	0.4	0.4	0.0	4.1	62	1.3	0.2	1.0	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lip, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	297	0.3	0.0	0.2	0.3	276	0.3	0.0	0.2	0.3
1986	13	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1987	15	0.2	0.1	0.1	0.4	15	0.3	0.1	0.2	0.5
1988	22	0.4	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
1989	17	0.3	0.1	0.2	0.4	16	0.3	0.1	0.2	0.5
1990	22	0.3	0.1	0.2	0.5	22	0.4	0.1	0.2	0.6
1991	13	0.2	0.1	0.1	0.3	13	0.2	0.1	0.1	0.4
1992	14	0.2	0.1	0.1	0.3	14	0.2	0.1	0.1	0.4
1993	11	0.2	0.1	0.1	0.3	10	0.2	0.1	0.1	0.3
1994	24	0.3	0.1	0.2	0.5	22	0.4	0.1	0.2	0.6
1995	22	0.3	0.1	0.2	0.5	21	0.4	0.1	0.2	0.6
1996	21	0.3	0.1	0.2	0.5	21	0.4	0.1	0.2	0.6
1997	18	0.3	0.1	0.2	0.4	17	0.3	0.1	0.2	0.5
1998	17	0.3	0.1	0.1	0.4	16	0.3	0.1	0.2	0.5
1999	13	0.2	0.1	0.1	0.3	12	0.2	0.1	0.1	0.4
2000	12	0.2	0.0	0.1	0.3	11	0.2	0.1	0.1	0.3
2001	15	0.2	0.1	0.1	0.4	13	0.2	0.1	0.1	0.4
2002	28	0.4	0.1	0.3	0.6	23	0.4	0.1	0.2	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10	0.1	0.0	0.0	0.2	2	0.1	0.0	0.0	0.4
1986	1	0.2	0.2	0.0	1.2	1	0.8	0.8	0.0	14.2
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.0
1989	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	8.0
1994	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	7.3
1995	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.0
2001	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	3.4
2002	1	0.1	0.1	0.0	0.7	1	0.4	0.4	0.0	3.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	4	0.1	0.1	0.0	0.4	226	0.3	0.0	0.2	0.3
1990	0	0.0	~	0.0	4.2	22	0.3	0.1	0.2	0.5
1991	0	0.0	~	0.0	4.2	13	0.2	0.1	0.1	0.3
1992	0	0.0	~	0.0	3.9	14	0.2	0.1	0.1	0.4
1993	0	0.0	~	0.0	3.7	11	0.2	0.1	0.1	0.3
1994	0	0.0	~	0.0	3.5	24	0.4	0.1	0.2	0.5
1995	1	0.3	0.3	0.0	3.7	21	0.3	0.1	0.2	0.5
1996	0	0.0	~	0.0	3.2	21	0.3	0.1	0.2	0.5
1997	0	0.0	~	0.0	3.1	18	0.3	0.1	0.2	0.4
1998	0	0.0	~	0.0	3.0	17	0.3	0.1	0.2	0.4
1999	1	0.1	0.1	0.0	3.0	12	0.2	0.1	0.1	0.3
2000	2	1.0	0.8	0.1	4.3	10	0.1	0.0	0.1	0.3
2001	0	0.0	~	0.0	2.4	15	0.2	0.1	0.1	0.4
2002	0	0.0	~	0.0	2.1	28	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Tongue, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,779	2.5	0.0	2.4	2.6	3,919	2.4	0.0	2.3	2.5
1986	262	2.5	0.2	2.2	2.8	216	2.3	0.2	2.0	2.6
1987	253	2.4	0.2	2.1	2.8	191	2.1	0.2	1.8	2.4
1988	232	2.2	0.1	1.9	2.5	189	2.0	0.2	1.8	2.4
1989	245	2.3	0.1	2.0	2.6	200	2.1	0.2	1.8	2.5
1990	254	2.4	0.1	2.1	2.7	202	2.1	0.2	1.8	2.5
1991	277	2.6	0.2	2.3	2.9	214	2.3	0.2	2.0	2.7
1992	262	2.4	0.1	2.1	2.7	217	2.3	0.2	2.0	2.6
1993	271	2.4	0.1	2.1	2.7	231	2.4	0.2	2.1	2.7
1994	266	2.4	0.1	2.1	2.7	221	2.3	0.2	2.0	2.6
1995	284	2.5	0.1	2.2	2.8	233	2.4	0.2	2.1	2.7
1996	295	2.6	0.2	2.3	2.9	243	2.5	0.2	2.2	2.8
1997	339	2.9	0.2	2.6	3.3	285	2.9	0.2	2.6	3.3
1998	274	2.3	0.1	2.1	2.6	228	2.3	0.2	2.0	2.6
1999	328	2.8	0.2	2.5	3.1	282	2.8	0.2	2.5	3.2
2000	300	2.5	0.1	2.2	2.8	245	2.4	0.2	2.1	2.7
2001	285	2.3	0.1	2.1	2.6	233	2.3	0.1	2.0	2.6
2002	352	2.8	0.2	2.6	3.2	289	2.8	0.2	2.5	3.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	753	3.2	0.1	3.0	3.5	73	1.5	0.2	1.2	2.0
1986	42	3.7	0.6	2.6	5.1	2	1.6	1.3	0.1	10.2
1987	54	4.8	0.7	3.6	6.4	7	4.4	1.8	1.6	12.7
1988	42	3.5	0.5	2.5	4.8	1	0.6	0.6	0.0	7.7
1989	40	3.3	0.5	2.3	4.6	5	2.8	1.3	0.9	10.0
1990	51	4.0	0.6	3.0	5.4	1	0.3	0.3	0.0	6.9
1991	54	4.2	0.6	3.1	5.6	4	1.7	0.8	0.4	7.7
1992	42	3.3	0.5	2.3	4.5	3	1.1	0.6	0.2	6.5
1993	34	2.6	0.5	1.8	3.7	3	1.1	0.6	0.2	6.1
1994	42	3.1	0.5	2.2	4.3	3	1.0	0.6	0.2	5.7
1995	42	3.0	0.5	2.2	4.1	7	1.8	0.7	0.7	6.0
1996	46	3.2	0.5	2.3	4.4	4	1.0	0.5	0.3	4.8
1997	47	3.4	0.5	2.5	4.6	5	1.9	0.8	0.6	5.9
1998	37	2.6	0.4	1.8	3.6	5	1.8	0.9	0.5	5.6
1999	40	2.5	0.4	1.8	3.5	6	1.5	0.7	0.5	4.9
2000	43	2.8	0.4	2.0	3.8	5	1.5	0.7	0.4	4.5
2001	45	2.8	0.4	2.0	3.8	7	1.6	0.6	0.6	4.2
2002	52	3.2	0.4	2.4	4.3	5	1.1	0.5	0.3	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	109	1.8	0.2	1.4	2.2	3,678	2.6	0.0	2.5	2.7
1990	3	0.9	0.5	0.2	3.8	251	2.4	0.2	2.1	2.7
1991	7	1.7	0.7	0.6	4.8	270	2.7	0.2	2.4	3.0
1992	4	0.6	0.3	0.1	3.1	258	2.4	0.2	2.1	2.8
1993	7	1.6	0.7	0.6	4.3	264	2.5	0.2	2.2	2.8
1994	9	2.3	0.9	0.9	5.4	257	2.4	0.1	2.1	2.7
1995	8	1.9	0.7	0.7	4.6	276	2.5	0.2	2.2	2.9
1996	10	3.0	1.0	1.3	6.2	285	2.6	0.2	2.3	2.9
1997	17	3.8	1.1	2.0	6.9	322	2.9	0.2	2.6	3.3
1998	9	1.5	0.5	0.7	3.8	265	2.4	0.1	2.1	2.7
1999	9	1.2	0.4	0.5	3.2	319	2.9	0.2	2.6	3.2
2000	7	1.2	0.5	0.4	3.2	293	2.6	0.2	2.3	2.9
2001	7	1.4	0.6	0.5	3.5	278	2.4	0.1	2.2	2.7
2002	12	1.7	0.5	0.8	3.5	340	2.9	0.2	2.6	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Tongue, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,187	3.7	0.1	3.6	3.8	2,556	3.5	0.1	3.3	3.6
1986	176	3.7	0.3	3.1	4.3	138	3.2	0.3	2.7	3.8
1987	162	3.5	0.3	2.9	4.1	122	2.9	0.3	2.4	3.5
1988	155	3.3	0.3	2.8	3.9	120	2.9	0.3	2.4	3.5
1989	160	3.4	0.3	2.9	4.1	127	3.1	0.3	2.6	3.8
1990	172	3.6	0.3	3.1	4.2	133	3.2	0.3	2.7	3.8
1991	198	4.2	0.3	3.6	4.9	147	3.6	0.3	3.0	4.3
1992	171	3.4	0.3	2.9	4.0	139	3.2	0.3	2.7	3.9
1993	178	3.5	0.3	3.0	4.1	148	3.4	0.3	2.9	4.0
1994	178	3.6	0.3	3.1	4.2	148	3.4	0.3	2.9	4.1
1995	201	4.0	0.3	3.4	4.6	163	3.7	0.3	3.2	4.4
1996	198	3.9	0.3	3.4	4.5	162	3.7	0.3	3.2	4.4
1997	217	4.2	0.3	3.6	4.8	179	4.0	0.3	3.4	4.7
1998	174	3.3	0.3	2.8	3.8	138	3.0	0.3	2.6	3.6
1999	210	3.8	0.3	3.3	4.4	180	3.9	0.3	3.3	4.5
2000	192	3.5	0.3	3.0	4.1	155	3.4	0.3	2.9	4.0
2001	202	3.6	0.3	3.1	4.2	162	3.4	0.3	2.9	4.0
2002	243	4.3	0.3	3.7	4.9	195	4.1	0.3	3.5	4.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	565	5.6	0.2	5.2	6.2	43	2.0	0.3	1.4	3.0
1986	35	7.2	1.3	4.9	10.6	2	3.8	3.0	0.3	24.9
1987	36	7.2	1.2	5.0	10.5	3	5.2	3.3	0.9	25.3
1988	35	6.9	1.2	4.8	10.2	0	0.0	~	0.0	17.8
1989	31	6.0	1.1	4.0	9.0	2	2.4	1.7	0.3	19.0
1990	38	7.0	1.1	4.9	10.0	1	0.6	0.6	0.0	17.2
1991	43	7.9	1.3	5.6	11.2	3	2.6	1.5	0.5	17.6
1992	30	5.3	1.0	3.6	8.1	2	1.4	1.1	0.2	15.0
1993	25	4.2	0.8	2.7	6.6	2	2.0	1.4	0.2	14.9
1994	29	5.2	1.0	3.4	7.9	1	0.4	0.4	0.0	12.6
1995	30	5.3	1.0	3.5	8.0	6	3.3	1.4	1.2	14.5
1996	34	5.5	1.0	3.8	8.1	1	0.5	0.5	0.0	11.3
1997	33	5.8	1.1	3.9	8.6	4	3.2	1.6	0.8	13.8
1998	28	4.6	0.9	3.0	7.0	5	4.2	2.0	1.2	14.6
1999	28	3.9	0.8	2.6	6.1	2	1.4	1.1	0.1	10.7
2000	34	5.0	0.9	3.5	7.4	1	1.1	1.1	0.0	9.5
2001	36	5.3	0.9	3.7	7.6	4	1.7	0.8	0.5	8.6
2002	40	5.7	0.9	4.1	8.1	4	2.0	1.1	0.5	8.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	79	2.6	0.3	1.9	3.4	2,455	3.9	0.1	3.7	4.0
1990	3	1.9	1.2	0.3	9.8	169	3.7	0.3	3.1	4.3
1991	6	3.3	1.6	0.9	11.2	192	4.3	0.3	3.7	5.0
1992	3	0.8	0.6	0.1	7.4	168	3.6	0.3	3.0	4.2
1993	6	2.9	1.5	0.8	10.2	172	3.6	0.3	3.1	4.2
1994	5	3.7	2.1	0.8	11.8	173	3.7	0.3	3.1	4.3
1995	6	2.4	1.0	0.8	8.5	195	4.1	0.3	3.5	4.7
1996	8	5.3	2.2	2.0	13.1	190	3.9	0.3	3.4	4.6
1997	11	4.3	1.7	1.7	11.0	206	4.2	0.3	3.6	4.8
1998	5	2.0	0.9	0.6	7.5	169	3.4	0.3	2.9	4.0
1999	6	1.7	0.7	0.6	6.7	204	4.0	0.3	3.4	4.6
2000	7	2.4	1.0	0.8	7.5	185	3.6	0.3	3.1	4.2
2001	4	0.9	0.4	0.2	4.9	198	3.8	0.3	3.3	4.4
2002	9	2.5	1.0	1.0	6.7	234	4.4	0.3	3.9	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Tongue, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,592	1.5	0.0	1.4	1.6	1,363	1.5	0.0	1.4	1.6
1986	86	1.5	0.2	1.2	1.8	78	1.5	0.2	1.2	1.9
1987	91	1.6	0.2	1.2	1.9	69	1.3	0.2	1.0	1.7
1988	77	1.2	0.1	1.0	1.6	69	1.3	0.2	1.0	1.6
1989	85	1.4	0.2	1.1	1.8	73	1.4	0.2	1.1	1.8
1990	82	1.4	0.2	1.1	1.7	69	1.3	0.2	1.0	1.6
1991	79	1.3	0.2	1.1	1.7	67	1.3	0.2	1.0	1.7
1992	91	1.5	0.2	1.2	1.9	78	1.5	0.2	1.2	1.9
1993	93	1.5	0.2	1.2	1.8	83	1.5	0.2	1.2	1.9
1994	88	1.4	0.1	1.1	1.7	73	1.3	0.2	1.0	1.7
1995	83	1.3	0.1	1.0	1.6	70	1.2	0.1	0.9	1.5
1996	97	1.5	0.2	1.2	1.8	81	1.4	0.2	1.1	1.8
1997	122	1.9	0.2	1.6	2.3	106	2.0	0.2	1.6	2.4
1998	100	1.5	0.2	1.2	1.9	90	1.6	0.2	1.3	2.0
1999	118	1.8	0.2	1.5	2.2	102	1.9	0.2	1.5	2.3
2000	108	1.6	0.2	1.3	1.9	90	1.6	0.2	1.3	1.9
2001	83	1.2	0.1	1.0	1.5	71	1.2	0.1	1.0	1.6
2002	109	1.6	0.2	1.3	1.9	94	1.7	0.2	1.3	2.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	188	1.4	0.1	1.2	1.6	30	1.1	0.2	0.7	1.7
1986	7	1.1	0.4	0.4	2.4	0	0.0	~	0.0	13.4
1987	18	2.9	0.7	1.7	4.7	4	3.9	2.0	1.0	16.8
1988	7	0.8	0.3	0.3	1.9	1	1.0	1.0	0.0	13.0
1989	9	1.3	0.4	0.6	2.6	3	3.2	1.9	0.6	15.1
1990	13	1.8	0.5	1.0	3.3	0	0.0	~	0.0	11.2
1991	11	1.5	0.5	0.7	2.8	1	0.8	0.8	0.0	10.8
1992	12	1.7	0.5	0.9	3.0	1	0.8	0.8	0.0	9.8
1993	9	1.3	0.4	0.6	2.5	1	0.4	0.4	0.0	8.4
1994	13	1.7	0.5	0.9	2.9	2	1.5	1.1	0.2	9.1
1995	12	1.5	0.4	0.8	2.6	1	0.5	0.5	0.0	6.9
1996	12	1.5	0.4	0.8	2.7	3	1.5	0.9	0.3	7.5
1997	14	1.8	0.5	1.0	3.1	1	0.8	0.8	0.0	6.6
1998	9	1.1	0.4	0.5	2.1	0	0.0	~	0.0	5.1
1999	12	1.4	0.4	0.7	2.5	4	1.8	0.9	0.5	6.8
2000	9	1.1	0.4	0.5	2.1	4	1.8	0.9	0.5	6.3
2001	9	1.0	0.3	0.4	1.9	3	1.4	0.8	0.3	5.4
2002	12	1.3	0.4	0.7	2.3	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	30	1.0	0.2	0.7	1.6	1,223	1.5	0.0	1.4	1.6
1990	0	0.0	~	0.0	4.2	82	1.4	0.2	1.1	1.8
1991	1	0.4	0.4	0.0	4.7	78	1.4	0.2	1.1	1.7
1992	1	0.4	0.4	0.0	4.4	90	1.5	0.2	1.2	1.9
1993	1	0.4	0.4	0.0	4.2	92	1.5	0.2	1.2	1.9
1994	4	1.7	0.9	0.4	5.7	84	1.4	0.1	1.1	1.7
1995	2	1.2	0.9	0.1	5.3	81	1.3	0.1	1.0	1.6
1996	2	1.1	0.9	0.1	5.0	95	1.5	0.2	1.2	1.9
1997	6	3.1	1.4	1.1	7.6	116	1.9	0.2	1.6	2.3
1998	4	1.2	0.6	0.3	4.4	96	1.5	0.2	1.2	1.9
1999	3	0.8	0.5	0.1	3.8	115	1.9	0.2	1.5	2.3
2000	0	0.0	~	0.0	2.7	108	1.7	0.2	1.4	2.1
2001	3	1.7	1.0	0.3	5.1	80	1.2	0.1	1.0	1.6
2002	3	0.9	0.5	0.1	3.3	106	1.7	0.2	1.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Major Salivary Gland, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,147	1.1	0.0	1.1	1.2	1,867	1.1	0.0	1.1	1.2
1986	107	1.0	0.1	0.8	1.2	89	1.0	0.1	0.8	1.2
1987	121	1.1	0.1	0.9	1.3	108	1.2	0.1	0.9	1.4
1988	121	1.1	0.1	0.9	1.3	110	1.1	0.1	0.9	1.4
1989	102	0.9	0.1	0.8	1.1	91	1.0	0.1	0.8	1.2
1990	96	0.9	0.1	0.7	1.1	89	0.9	0.1	0.8	1.2
1991	99	0.9	0.1	0.7	1.1	83	0.9	0.1	0.7	1.1
1992	116	1.0	0.1	0.9	1.3	103	1.1	0.1	0.9	1.3
1993	116	1.0	0.1	0.8	1.2	95	1.0	0.1	0.8	1.2
1994	133	1.2	0.1	1.0	1.4	117	1.2	0.1	1.0	1.4
1995	132	1.2	0.1	1.0	1.4	112	1.1	0.1	0.9	1.4
1996	142	1.2	0.1	1.0	1.5	122	1.2	0.1	1.0	1.5
1997	153	1.3	0.1	1.1	1.5	131	1.3	0.1	1.1	1.6
1998	139	1.2	0.1	1.0	1.4	115	1.1	0.1	0.9	1.4
1999	149	1.2	0.1	1.1	1.5	133	1.3	0.1	1.1	1.6
2000	136	1.1	0.1	0.9	1.3	120	1.2	0.1	1.0	1.4
2001	136	1.1	0.1	0.9	1.3	118	1.1	0.1	0.9	1.4
2002	149	1.2	0.1	1.0	1.4	131	1.3	0.1	1.0	1.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	213	0.9	0.1	0.8	1.0	48	1.0	0.2	0.7	1.4
1986	15	1.1	0.3	0.6	2.0	3	1.1	0.7	0.2	9.1
1987	11	1.0	0.3	0.5	1.9	1	1.2	1.2	0.0	9.2
1988	6	0.5	0.2	0.2	1.3	3	1.5	1.0	0.3	8.8
1989	9	0.7	0.2	0.3	1.5	1	1.0	1.0	0.0	8.2
1990	6	0.4	0.2	0.2	1.1	0	0.0	~	0.0	6.7
1991	15	1.1	0.3	0.6	1.9	0	0.0	~	0.0	6.0
1992	10	0.8	0.2	0.4	1.5	2	0.6	0.4	0.1	5.9
1993	18	1.4	0.3	0.8	2.2	3	1.7	1.1	0.3	7.2
1994	12	0.8	0.2	0.4	1.6	4	1.4	0.7	0.4	6.2
1995	16	1.1	0.3	0.6	1.9	4	0.9	0.5	0.2	5.0
1996	16	1.1	0.3	0.6	1.9	2	1.0	0.8	0.1	5.3
1997	15	1.0	0.3	0.6	1.8	4	1.5	0.8	0.4	5.5
1998	16	1.1	0.3	0.6	1.8	7	1.7	0.6	0.7	5.1
1999	12	0.8	0.2	0.4	1.5	2	0.3	0.2	0.0	3.4
2000	13	0.8	0.2	0.4	1.4	3	0.6	0.3	0.1	3.2
2001	11	0.7	0.2	0.3	1.2	5	1.1	0.5	0.3	3.7
2002	12	0.8	0.2	0.4	1.4	4	0.9	0.5	0.2	3.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	73	1.0	0.1	0.7	1.3	1,623	1.1	0.0	1.1	1.2
1990	5	0.9	0.5	0.2	3.8	91	0.9	0.1	0.7	1.1
1991	2	0.4	0.3	0.0	3.0	97	0.9	0.1	0.7	1.1
1992	2	0.7	0.6	0.0	3.5	114	1.1	0.1	0.9	1.3
1993	4	0.7	0.4	0.2	3.2	112	1.0	0.1	0.9	1.2
1994	3	0.6	0.5	0.1	3.2	130	1.2	0.1	1.0	1.4
1995	1	0.1	0.1	0.0	2.3	131	1.2	0.1	1.0	1.4
1996	9	2.5	0.9	1.0	5.5	133	1.2	0.1	1.0	1.4
1997	15	2.8	0.9	1.4	5.7	138	1.3	0.1	1.1	1.5
1998	6	1.0	0.4	0.3	3.1	133	1.2	0.1	1.0	1.4
1999	4	0.5	0.3	0.1	2.4	145	1.3	0.1	1.1	1.5
2000	5	0.4	0.2	0.1	2.2	131	1.2	0.1	1.0	1.4
2001	6	0.8	0.4	0.2	2.7	130	1.1	0.1	0.9	1.3
2002	11	1.0	0.4	0.4	2.5	138	1.2	0.1	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Major Salivary Gland, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,180	1.5	0.0	1.4	1.6	1,052	1.5	0.0	1.4	1.6
1986	48	1.1	0.2	0.8	1.6	42	1.1	0.2	0.8	1.6
1987	67	1.5	0.2	1.2	2.0	63	1.6	0.2	1.2	2.1
1988	66	1.5	0.2	1.1	1.9	62	1.6	0.2	1.2	2.1
1989	47	1.0	0.2	0.8	1.4	43	1.1	0.2	0.8	1.5
1990	59	1.4	0.2	1.0	1.8	55	1.5	0.2	1.1	2.0
1991	53	1.1	0.2	0.8	1.5	45	1.1	0.2	0.8	1.5
1992	66	1.4	0.2	1.1	1.9	60	1.5	0.2	1.1	2.0
1993	66	1.3	0.2	1.0	1.7	55	1.3	0.2	1.0	1.7
1994	67	1.5	0.2	1.2	2.0	63	1.6	0.2	1.3	2.1
1995	75	1.6	0.2	1.2	2.0	69	1.7	0.2	1.3	2.2
1996	77	1.6	0.2	1.3	2.0	66	1.6	0.2	1.2	2.1
1997	81	1.6	0.2	1.3	2.0	70	1.6	0.2	1.2	2.1
1998	78	1.5	0.2	1.2	2.0	66	1.5	0.2	1.2	2.0
1999	84	1.7	0.2	1.3	2.1	75	1.7	0.2	1.4	2.2
2000	79	1.5	0.2	1.2	1.9	69	1.6	0.2	1.2	2.0
2001	80	1.6	0.2	1.2	2.0	71	1.6	0.2	1.3	2.1
2002	87	1.6	0.2	1.3	2.0	78	1.7	0.2	1.4	2.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	102	1.0	0.1	0.8	1.3	20	1.0	0.3	0.5	1.8
1986	6	1.0	0.4	0.3	3.0	0	0.0	~	0.0	20.2
1987	4	0.8	0.4	0.2	2.8	0	0.0	~	0.0	19.0
1988	4	0.8	0.4	0.2	2.7	0	0.0	~	0.0	17.8
1989	4	0.8	0.5	0.2	2.9	0	0.0	~	0.0	16.6
1990	3	0.5	0.3	0.1	2.3	0	0.0	~	0.0	16.8
1991	8	1.4	0.5	0.6	3.4	0	0.0	~	0.0	15.1
1992	5	1.0	0.5	0.3	2.9	1	0.6	0.6	0.0	14.2
1993	10	1.9	0.6	0.9	4.1	1	2.4	2.4	0.1	16.5
1994	3	0.4	0.3	0.1	2.1	1	1.2	1.2	0.0	13.6
1995	4	0.6	0.3	0.2	2.2	2	1.0	0.7	0.1	12.2
1996	8	1.3	0.5	0.5	3.1	2	2.4	2.0	0.2	14.2
1997	8	1.5	0.6	0.6	3.4	3	2.0	1.2	0.4	12.2
1998	8	1.4	0.5	0.5	3.3	3	1.5	0.9	0.3	11.0
1999	7	1.3	0.5	0.5	3.1	1	0.4	0.4	0.0	9.5
2000	9	1.3	0.4	0.6	2.9	1	0.4	0.4	0.0	8.3
2001	4	0.7	0.4	0.1	2.3	4	2.0	1.2	0.4	9.3
2002	7	1.0	0.4	0.4	2.5	1	0.4	0.4	0.0	6.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	30	0.9	0.2	0.5	1.5	922	1.5	0.1	1.4	1.6
1990	3	1.6	1.1	0.2	9.4	56	1.4	0.2	1.0	1.8
1991	0	0.0	~	0.0	7.1	53	1.2	0.2	0.9	1.6
1992	1	1.5	1.5	0.0	9.3	65	1.5	0.2	1.1	1.9
1993	1	0.3	0.3	0.0	6.9	65	1.4	0.2	1.1	1.8
1994	0	0.0	~	0.0	6.4	67	1.6	0.2	1.2	2.0
1995	0	0.0	~	0.0	6.0	75	1.6	0.2	1.3	2.1
1996	4	2.0	1.2	0.4	8.4	73	1.6	0.2	1.3	2.0
1997	6	2.3	1.0	0.8	8.0	75	1.6	0.2	1.2	2.0
1998	2	0.4	0.3	0.0	5.6	76	1.6	0.2	1.3	2.0
1999	3	0.8	0.5	0.2	5.8	81	1.7	0.2	1.3	2.1
2000	2	0.3	0.2	0.0	4.8	77	1.6	0.2	1.3	2.0
2001	1	0.9	0.9	0.0	5.7	79	1.6	0.2	1.3	2.0
2002	7	1.3	0.7	0.4	5.1	80	1.6	0.2	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Major Salivary Gland, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	967	0.9	0.0	0.8	1.0	815	0.9	0.0	0.8	0.9
1986	59	1.0	0.1	0.7	1.3	47	0.9	0.1	0.6	1.2
1987	54	0.9	0.1	0.7	1.2	45	0.8	0.1	0.6	1.2
1988	55	0.9	0.1	0.7	1.2	48	0.9	0.1	0.7	1.2
1989	55	0.9	0.1	0.7	1.2	48	0.9	0.1	0.7	1.2
1990	37	0.6	0.1	0.4	0.8	34	0.6	0.1	0.4	0.9
1991	46	0.7	0.1	0.5	1.0	38	0.7	0.1	0.5	1.0
1992	50	0.8	0.1	0.6	1.1	43	0.8	0.1	0.6	1.1
1993	50	0.8	0.1	0.6	1.1	40	0.7	0.1	0.5	1.0
1994	66	1.0	0.1	0.8	1.3	54	1.0	0.1	0.7	1.3
1995	57	0.9	0.1	0.7	1.2	43	0.8	0.1	0.6	1.1
1996	65	1.0	0.1	0.8	1.3	56	1.0	0.1	0.7	1.3
1997	72	1.1	0.1	0.9	1.4	61	1.1	0.1	0.9	1.5
1998	61	0.9	0.1	0.7	1.2	49	0.9	0.1	0.7	1.2
1999	65	1.0	0.1	0.8	1.3	58	1.1	0.1	0.8	1.4
2000	57	0.9	0.1	0.7	1.1	51	0.9	0.1	0.7	1.2
2001	56	0.8	0.1	0.6	1.1	47	0.8	0.1	0.6	1.1
2002	62	0.9	0.1	0.7	1.2	53	1.0	0.1	0.7	1.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	111	0.8	0.1	0.7	1.0	28	1.0	0.2	0.6	1.6
1986	9	1.2	0.4	0.6	2.5	3	2.3	1.4	0.4	15.6
1987	7	1.0	0.4	0.4	2.3	1	2.0	2.0	0.0	15.4
1988	2	0.3	0.2	0.0	1.4	3	2.9	1.8	0.5	15.2
1989	5	0.7	0.3	0.2	1.7	1	1.7	1.7	0.0	13.8
1990	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	11.2
1991	7	0.8	0.3	0.3	1.8	0	0.0	~	0.0	10.0
1992	5	0.7	0.3	0.2	1.6	1	0.6	0.6	0.0	9.5
1993	8	1.0	0.4	0.4	2.1	2	1.4	1.0	0.2	9.5
1994	9	1.1	0.4	0.5	2.2	3	1.7	1.0	0.3	9.2
1995	12	1.5	0.4	0.8	2.7	2	0.8	0.6	0.1	7.2
1996	8	1.0	0.4	0.4	2.1	0	0.0	~	0.0	5.8
1997	7	0.8	0.3	0.3	1.7	1	1.0	1.0	0.0	7.0
1998	8	0.9	0.3	0.4	1.9	4	1.8	0.9	0.5	7.1
1999	5	0.5	0.2	0.2	1.4	1	0.2	0.2	0.0	4.9
2000	4	0.4	0.2	0.1	1.2	2	0.7	0.5	0.1	4.7
2001	7	0.7	0.3	0.3	1.5	1	0.4	0.4	0.0	3.9
2002	5	0.6	0.3	0.2	1.4	3	1.4	0.8	0.3	4.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	43	1.1	0.2	0.7	1.6	701	0.9	0.0	0.8	1.0
1990	2	0.5	0.4	0.1	4.7	35	0.6	0.1	0.4	0.8
1991	2	0.7	0.6	0.1	5.0	44	0.8	0.1	0.5	1.0
1992	1	0.3	0.3	0.0	4.2	49	0.8	0.1	0.6	1.1
1993	3	1.1	0.7	0.2	5.1	47	0.8	0.1	0.6	1.1
1994	3	1.2	0.8	0.1	5.1	63	1.0	0.1	0.8	1.3
1995	1	0.3	0.3	0.0	3.7	56	0.9	0.1	0.7	1.2
1996	5	2.9	1.3	0.9	7.4	60	0.9	0.1	0.7	1.2
1997	9	3.2	1.3	1.2	7.5	63	1.1	0.1	0.8	1.4
1998	4	1.4	0.8	0.3	4.9	57	0.9	0.1	0.7	1.2
1999	1	0.2	0.2	0.0	3.2	64	1.0	0.1	0.8	1.3
2000	3	0.6	0.4	0.1	3.3	54	0.9	0.1	0.7	1.2
2001	5	0.9	0.5	0.3	3.5	51	0.8	0.1	0.6	1.1
2002	4	0.7	0.4	0.2	2.9	58	0.9	0.1	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Floor of Mouth, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,027	1.1	0.0	1.0	1.1	1,589	1.0	0.0	0.9	1.0
1986	149	1.5	0.1	1.2	1.7	113	1.2	0.1	1.0	1.5
1987	110	1.0	0.1	0.9	1.3	91	1.0	0.1	0.8	1.2
1988	114	1.1	0.1	0.9	1.3	82	0.9	0.1	0.7	1.1
1989	136	1.3	0.1	1.1	1.5	103	1.1	0.1	0.9	1.4
1990	129	1.3	0.1	1.0	1.5	103	1.2	0.1	0.9	1.4
1991	135	1.2	0.1	1.0	1.5	109	1.1	0.1	0.9	1.4
1992	126	1.2	0.1	1.0	1.4	96	1.0	0.1	0.8	1.2
1993	107	1.0	0.1	0.8	1.2	86	0.9	0.1	0.7	1.1
1994	124	1.1	0.1	0.9	1.3	92	1.0	0.1	0.8	1.2
1995	133	1.2	0.1	1.0	1.4	108	1.1	0.1	0.9	1.4
1996	126	1.1	0.1	0.9	1.3	96	1.0	0.1	0.8	1.2
1997	105	0.9	0.1	0.7	1.1	82	0.8	0.1	0.7	1.0
1998	105	0.9	0.1	0.7	1.1	84	0.8	0.1	0.7	1.0
1999	98	0.8	0.1	0.7	1.0	77	0.8	0.1	0.6	1.0
2000	124	1.0	0.1	0.9	1.2	93	0.9	0.1	0.7	1.1
2001	114	0.9	0.1	0.8	1.1	97	0.9	0.1	0.8	1.2
2002	92	0.7	0.1	0.6	0.9	77	0.7	0.1	0.6	0.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	407	1.7	0.1	1.6	1.9	18	0.4	0.1	0.2	0.7
1986	35	3.1	0.5	2.1	4.4	1	0.6	0.6	0.0	8.6
1987	17	1.5	0.4	0.8	2.5	2	1.1	0.8	0.1	8.7
1988	31	2.6	0.5	1.8	3.8	0	0.0	~	0.0	7.2
1989	31	2.6	0.5	1.7	3.8	1	0.5	0.5	0.0	7.3
1990	24	1.9	0.4	1.2	3.0	1	0.5	0.5	0.0	7.2
1991	25	1.9	0.4	1.2	2.8	0	0.0	~	0.0	6.0
1992	29	2.2	0.4	1.5	3.3	1	0.2	0.2	0.0	5.6
1993	20	1.4	0.3	0.9	2.3	1	0.4	0.4	0.0	5.3
1994	31	2.4	0.4	1.6	3.5	0	0.0	~	0.0	4.6
1995	24	1.7	0.3	1.1	2.6	1	0.4	0.4	0.0	4.6
1996	28	2.1	0.4	1.4	3.1	1	0.3	0.3	0.0	4.1
1997	19	1.3	0.3	0.8	2.1	3	1.4	0.8	0.3	5.4
1998	18	1.2	0.3	0.7	2.0	1	0.3	0.3	0.0	3.6
1999	19	1.2	0.3	0.7	2.0	2	0.6	0.5	0.1	3.8
2000	27	1.8	0.3	1.2	2.6	2	0.4	0.3	0.0	3.1
2001	16	1.0	0.2	0.5	1.6	0	0.0	~	0.0	2.3
2002	13	0.8	0.2	0.4	1.5	1	0.2	0.2	0.0	2.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	49	0.7	0.1	0.5	1.0	1,469	1.0	0.0	1.0	1.1
1990	3	0.7	0.4	0.1	3.5	126	1.3	0.1	1.1	1.5
1991	2	0.4	0.3	0.1	3.1	133	1.3	0.1	1.1	1.5
1992	4	0.9	0.4	0.2	3.4	122	1.2	0.1	1.0	1.4
1993	4	1.1	0.6	0.3	3.8	103	1.0	0.1	0.8	1.2
1994	4	0.9	0.5	0.2	3.3	120	1.1	0.1	0.9	1.4
1995	1	0.2	0.2	0.0	2.4	132	1.2	0.1	1.0	1.5
1996	3	0.5	0.3	0.1	2.6	123	1.2	0.1	1.0	1.4
1997	6	1.8	0.8	0.5	4.6	99	0.9	0.1	0.7	1.1
1998	4	0.6	0.3	0.2	2.5	101	0.9	0.1	0.7	1.1
1999	6	0.8	0.3	0.3	2.7	92	0.8	0.1	0.7	1.0
2000	3	0.4	0.2	0.1	2.1	121	1.1	0.1	0.9	1.3
2001	8	1.4	0.6	0.5	3.4	106	0.9	0.1	0.8	1.1
2002	1	0.1	0.1	0.0	1.5	91	0.8	0.1	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Floor of Mouth, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,460	1.7	0.0	1.6	1.8	1,118	1.5	0.0	1.4	1.6
1986	107	2.3	0.2	1.9	2.9	76	1.9	0.2	1.5	2.4
1987	82	1.8	0.2	1.4	2.3	67	1.7	0.2	1.3	2.2
1988	87	1.9	0.2	1.5	2.3	62	1.5	0.2	1.2	2.0
1989	95	2.0	0.2	1.6	2.4	70	1.6	0.2	1.3	2.1
1990	98	2.2	0.2	1.7	2.7	78	2.0	0.2	1.6	2.5
1991	91	1.8	0.2	1.4	2.2	75	1.7	0.2	1.3	2.2
1992	88	1.9	0.2	1.5	2.3	64	1.6	0.2	1.2	2.0
1993	79	1.6	0.2	1.2	2.0	61	1.4	0.2	1.1	1.8
1994	87	1.7	0.2	1.4	2.1	63	1.4	0.2	1.1	1.8
1995	96	1.9	0.2	1.5	2.4	76	1.8	0.2	1.4	2.2
1996	96	1.9	0.2	1.5	2.3	72	1.6	0.2	1.3	2.1
1997	70	1.4	0.2	1.1	1.7	53	1.2	0.2	0.9	1.6
1998	79	1.5	0.2	1.1	1.8	60	1.3	0.2	1.0	1.7
1999	70	1.3	0.2	1.0	1.6	54	1.2	0.2	0.9	1.5
2000	93	1.7	0.2	1.4	2.1	70	1.5	0.2	1.2	1.9
2001	84	1.5	0.2	1.2	1.9	70	1.5	0.2	1.2	1.9
2002	58	1.0	0.1	0.8	1.3	47	1.0	0.1	0.7	1.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	316	3.1	0.2	2.8	3.5	15	0.7	0.2	0.4	1.5
1986	30	6.0	1.1	3.9	9.1	1	1.3	1.3	0.0	21.4
1987	13	2.5	0.7	1.3	4.8	2	2.3	1.6	0.3	21.2
1988	24	4.4	0.9	2.8	7.1	0	0.0	~	0.0	17.8
1989	24	4.5	0.9	2.8	7.2	0	0.0	~	0.0	16.6
1990	18	3.4	0.8	2.0	6.0	1	1.0	1.0	0.0	17.7
1991	15	2.5	0.7	1.4	4.7	0	0.0	~	0.0	15.1
1992	23	4.3	0.9	2.6	6.9	1	0.4	0.4	0.0	14.0
1993	17	2.8	0.7	1.6	5.1	1	0.9	0.9	0.0	13.5
1994	23	4.2	0.9	2.6	6.9	0	0.0	~	0.0	12.3
1995	19	3.1	0.7	1.9	5.3	1	0.9	0.9	0.0	12.4
1996	22	3.6	0.8	2.2	5.9	1	0.5	0.5	0.0	11.4
1997	14	2.1	0.6	1.1	4.0	3	3.3	2.0	0.6	14.3
1998	16	2.5	0.6	1.4	4.4	1	0.6	0.6	0.0	10.1
1999	14	2.1	0.6	1.2	4.0	2	1.4	1.0	0.1	10.6
2000	21	3.2	0.7	2.0	5.3	1	0.4	0.4	0.0	8.3
2001	13	1.8	0.5	0.9	3.4	0	0.0	~	0.0	6.9
2002	10	1.4	0.5	0.7	3.0	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	40	1.2	0.2	0.8	1.8	1049	1.6	0.1	1.5	1.7
1990	3	1.4	0.8	0.3	9.0	95	2.2	0.2	1.8	2.7
1991	1	0.4	0.4	0.0	7.5	90	1.9	0.2	1.5	2.3
1992	3	1.3	0.8	0.3	8.0	85	1.9	0.2	1.5	2.4
1993	3	1.6	1.0	0.3	8.5	76	1.6	0.2	1.2	2.0
1994	3	1.2	0.7	0.2	7.5	84	1.7	0.2	1.4	2.2
1995	1	0.4	0.4	0.0	6.4	95	2.0	0.2	1.6	2.5
1996	3	1.0	0.6	0.2	6.8	93	1.9	0.2	1.5	2.4
1997	5	3.3	1.8	0.7	10.5	65	1.3	0.2	1.0	1.7
1998	2	0.5	0.4	0.1	5.8	77	1.5	0.2	1.2	1.9
1999	6	1.6	0.7	0.6	6.6	64	1.3	0.2	1.0	1.6
2000	3	0.8	0.5	0.1	5.3	90	1.7	0.2	1.4	2.2
2001	6	1.5	0.6	0.5	5.7	78	1.5	0.2	1.2	1.9
2002	1	0.2	0.2	0.0	3.8	57	1.1	0.1	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Floor of Mouth, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	567	0.5	0.0	0.5	0.6	471	0.5	0.0	0.5	0.6
1986	42	0.7	0.1	0.5	1.0	37	0.7	0.1	0.5	1.0
1987	28	0.5	0.1	0.3	0.7	24	0.4	0.1	0.3	0.7
1988	27	0.5	0.1	0.3	0.7	20	0.4	0.1	0.2	0.6
1989	41	0.7	0.1	0.5	1.0	33	0.7	0.1	0.5	1.0
1990	31	0.5	0.1	0.3	0.7	25	0.5	0.1	0.3	0.7
1991	44	0.7	0.1	0.5	1.0	34	0.6	0.1	0.4	0.9
1992	38	0.6	0.1	0.4	0.8	32	0.6	0.1	0.4	0.8
1993	28	0.4	0.1	0.3	0.7	25	0.5	0.1	0.3	0.7
1994	37	0.6	0.1	0.4	0.8	29	0.5	0.1	0.3	0.8
1995	37	0.6	0.1	0.4	0.8	32	0.6	0.1	0.4	0.8
1996	30	0.5	0.1	0.3	0.7	24	0.4	0.1	0.3	0.7
1997	35	0.5	0.1	0.4	0.7	29	0.5	0.1	0.3	0.8
1998	26	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
1999	28	0.4	0.1	0.3	0.6	23	0.4	0.1	0.3	0.7
2000	31	0.5	0.1	0.3	0.7	23	0.4	0.1	0.3	0.6
2001	30	0.4	0.1	0.3	0.6	27	0.5	0.1	0.3	0.7
2002	34	0.5	0.1	0.3	0.7	30	0.5	0.1	0.4	0.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	91	0.7	0.1	0.6	0.9	3	0.1	0.1	0.0	0.5
1986	5	0.9	0.4	0.3	2.2	0	0.0	~	0.0	13.4
1987	4	0.6	0.3	0.2	1.8	0	0.0	~	0.0	12.6
1988	7	1.1	0.4	0.4	2.4	0	0.0	~	0.0	12.0
1989	7	1.1	0.4	0.4	2.4	1	0.9	0.9	0.0	12.3
1990	6	0.8	0.3	0.3	1.9	0	0.0	~	0.0	11.2
1991	10	1.3	0.4	0.6	2.6	0	0.0	~	0.0	10.0
1992	6	0.8	0.3	0.3	1.8	0	0.0	~	0.0	9.0
1993	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	8.0
1994	8	1.1	0.4	0.5	2.2	0	0.0	~	0.0	7.3
1995	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	6.4
1996	6	0.8	0.3	0.3	1.9	0	0.0	~	0.0	5.8
1997	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	5.6
1998	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	5.1
1999	5	0.6	0.3	0.2	1.4	0	0.0	~	0.0	4.7
2000	6	0.7	0.3	0.2	1.6	1	0.4	0.4	0.0	4.4
2001	3	0.3	0.2	0.1	1.0	0	0.0	~	0.0	3.4
2002	3	0.3	0.2	0.1	1.1	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	9	0.3	0.1	0.1	0.7	420	0.5	0.0	0.5	0.6
1990	0	0.0	~	0.0	4.2	31	0.5	0.1	0.4	0.8
1991	1	0.4	0.4	0.0	4.6	43	0.7	0.1	0.5	1.0
1992	1	0.4	0.4	0.0	4.4	37	0.6	0.1	0.4	0.9
1993	1	0.6	0.6	0.0	4.6	27	0.4	0.1	0.3	0.7
1994	1	0.6	0.6	0.0	4.3	36	0.6	0.1	0.4	0.8
1995	0	0.0	~	0.0	3.4	37	0.6	0.1	0.4	0.8
1996	0	0.0	~	0.0	3.2	30	0.5	0.1	0.3	0.7
1997	1	0.7	0.7	0.0	4.2	34	0.5	0.1	0.4	0.8
1998	2	0.6	0.4	0.1	3.7	24	0.4	0.1	0.2	0.6
1999	0	0.0	~	0.0	2.9	28	0.5	0.1	0.3	0.7
2000	0	0.0	~	0.0	2.7	31	0.5	0.1	0.3	0.7
2001	2	1.0	0.8	0.1	4.1	28	0.4	0.1	0.3	0.6
2002	0	0.0	~	0.0	2.1	34	0.5	0.1	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gum and Other Mouth, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,246	1.7	0.0	1.6	1.7	2,684	1.6	0.0	1.5	1.7
1986	190	1.8	0.1	1.5	2.1	158	1.6	0.1	1.4	1.9
1987	205	1.9	0.1	1.7	2.2	175	1.9	0.1	1.6	2.2
1988	207	1.9	0.1	1.7	2.2	167	1.8	0.1	1.5	2.1
1989	186	1.7	0.1	1.5	2.0	141	1.5	0.1	1.2	1.7
1990	186	1.8	0.1	1.5	2.0	146	1.6	0.1	1.3	1.8
1991	161	1.4	0.1	1.2	1.7	136	1.4	0.1	1.2	1.7
1992	172	1.6	0.1	1.3	1.8	144	1.5	0.1	1.3	1.8
1993	183	1.6	0.1	1.4	1.9	157	1.6	0.1	1.4	1.9
1994	170	1.5	0.1	1.3	1.8	146	1.5	0.1	1.3	1.8
1995	197	1.7	0.1	1.5	2.0	162	1.6	0.1	1.4	1.9
1996	204	1.8	0.1	1.5	2.0	169	1.7	0.1	1.5	2.0
1997	200	1.7	0.1	1.5	2.0	167	1.7	0.1	1.4	2.0
1998	183	1.6	0.1	1.3	1.8	152	1.5	0.1	1.3	1.8
1999	207	1.7	0.1	1.5	2.0	171	1.7	0.1	1.4	2.0
2000	194	1.6	0.1	1.4	1.9	170	1.7	0.1	1.4	1.9
2001	200	1.6	0.1	1.4	1.9	168	1.6	0.1	1.4	1.9
2002	201	1.6	0.1	1.4	1.9	155	1.5	0.1	1.3	1.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	484	2.2	0.1	2.0	2.4	50	1.1	0.2	0.8	1.6
1986	29	2.7	0.5	1.8	4.0	2	0.9	0.7	0.1	8.9
1987	29	2.4	0.5	1.6	3.6	0	0.0	~	0.0	7.6
1988	38	3.2	0.5	2.2	4.5	1	0.6	0.6	0.0	7.7
1989	40	3.5	0.6	2.5	4.9	4	1.6	0.8	0.4	8.4
1990	38	3.3	0.5	2.3	4.6	0	0.0	~	0.0	6.7
1991	24	1.8	0.4	1.1	2.7	0	0.0	~	0.0	6.0
1992	24	1.9	0.4	1.2	2.9	2	0.9	0.7	0.1	6.4
1993	24	1.8	0.4	1.2	2.8	2	1.1	0.8	0.1	6.2
1994	21	1.6	0.4	1.0	2.5	2	0.6	0.4	0.1	5.1
1995	30	2.3	0.4	1.5	3.4	5	1.8	1.0	0.5	6.5
1996	30	2.1	0.4	1.4	3.1	3	1.4	0.8	0.3	5.6
1997	27	2.0	0.4	1.3	2.9	2	0.7	0.5	0.1	4.4
1998	24	1.7	0.4	1.1	2.6	5	1.8	1.0	0.4	6.0
1999	31	2.2	0.4	1.5	3.2	4	1.3	0.7	0.3	4.8
2000	15	1.0	0.3	0.5	1.7	5	1.4	0.7	0.4	4.4
2001	25	1.7	0.3	1.1	2.5	6	1.3	0.6	0.5	3.9
2002	35	2.3	0.4	1.6	3.2	7	1.6	0.7	0.6	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	67	1.1	0.2	0.8	1.4	2,391	1.7	0.0	1.6	1.7
1990	4	0.9	0.4	0.2	3.7	182	1.8	0.1	1.5	2.1
1991	7	1.2	0.5	0.4	3.9	154	1.4	0.1	1.2	1.7
1992	0	0.0	~	0.0	2.5	172	1.6	0.1	1.4	1.9
1993	6	1.9	0.9	0.6	5.2	177	1.7	0.1	1.4	1.9
1994	5	1.2	0.7	0.3	4.0	165	1.5	0.1	1.3	1.8
1995	1	0.1	0.1	0.0	2.2	196	1.8	0.1	1.6	2.1
1996	9	1.6	0.6	0.6	4.1	195	1.8	0.1	1.5	2.0
1997	8	1.5	0.6	0.6	3.8	192	1.7	0.1	1.5	2.0
1998	6	1.7	0.8	0.5	4.4	177	1.6	0.1	1.4	1.8
1999	7	1.0	0.4	0.3	3.0	200	1.8	0.1	1.5	2.0
2000	5	0.8	0.5	0.1	2.8	189	1.7	0.1	1.4	1.9
2001	5	1.0	0.5	0.3	3.0	195	1.7	0.1	1.5	2.0
2002	4	0.9	0.5	0.2	2.7	197	1.7	0.1	1.5	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gum and Other Mouth, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,823	2.2	0.1	2.1	2.3	1,460	2.0	0.1	1.9	2.1
1986	106	2.3	0.2	1.9	2.9	84	2.1	0.2	1.6	2.6
1987	107	2.2	0.2	1.8	2.7	84	2.0	0.2	1.6	2.5
1988	127	2.7	0.2	2.3	3.3	99	2.4	0.3	2.0	3.0
1989	122	2.6	0.2	2.1	3.1	88	2.1	0.2	1.7	2.6
1990	116	2.6	0.2	2.1	3.1	90	2.3	0.2	1.8	2.8
1991	87	1.8	0.2	1.4	2.3	70	1.7	0.2	1.3	2.1
1992	95	2.0	0.2	1.6	2.5	78	1.9	0.2	1.5	2.4
1993	101	2.1	0.2	1.7	2.6	84	2.0	0.2	1.6	2.6
1994	93	1.9	0.2	1.5	2.3	75	1.8	0.2	1.4	2.2
1995	102	2.0	0.2	1.6	2.5	77	1.7	0.2	1.4	2.2
1996	117	2.3	0.2	1.9	2.8	97	2.3	0.2	1.8	2.8
1997	118	2.4	0.2	1.9	2.9	99	2.3	0.2	1.9	2.8
1998	105	2.0	0.2	1.7	2.5	88	2.0	0.2	1.6	2.5
1999	113	2.2	0.2	1.8	2.6	93	2.1	0.2	1.7	2.6
2000	97	1.9	0.2	1.5	2.3	87	2.0	0.2	1.6	2.4
2001	111	2.1	0.2	1.7	2.5	94	2.1	0.2	1.7	2.6
2002	106	1.9	0.2	1.6	2.4	73	1.6	0.2	1.2	2.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	316	3.4	0.2	3.0	3.8	29	1.3	0.3	0.8	2.1
1986	19	4.2	1.0	2.5	7.1	2	1.9	1.4	0.2	21.9
1987	22	4.2	0.9	2.6	6.9	0	0.0	~	0.0	19.0
1988	28	5.5	1.1	3.6	8.5	0	0.0	~	0.0	17.8
1989	31	6.8	1.3	4.4	10.2	2	1.7	1.3	0.2	18.2
1990	24	5.2	1.1	3.2	8.3	0	0.0	~	0.0	16.8
1991	17	3.0	0.8	1.7	5.4	0	0.0	~	0.0	15.1
1992	14	2.9	0.8	1.5	5.4	2	2.0	1.5	0.2	15.9
1993	16	2.9	0.8	1.6	5.3	1	1.3	1.3	0.0	14.1
1994	15	2.7	0.8	1.5	5.1	2	1.2	0.8	0.1	13.3
1995	22	3.9	0.9	2.4	6.5	3	3.5	2.3	0.5	16.0
1996	18	3.0	0.7	1.7	5.1	1	0.6	0.6	0.0	11.4
1997	16	2.7	0.7	1.5	4.8	0	0.0	~	0.0	10.2
1998	12	2.1	0.6	1.1	4.2	3	1.4	0.8	0.3	10.9
1999	19	3.1	0.7	1.8	5.2	1	0.4	0.4	0.0	9.5
2000	8	1.2	0.4	0.5	2.8	2	0.8	0.6	0.1	8.7
2001	11	1.6	0.5	0.8	3.2	5	2.4	1.2	0.7	9.6
2002	24	3.9	0.8	2.4	6.2	5	2.6	1.3	0.7	9.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	40	1.4	0.3	0.9	2.1	1,321	2.1	0.1	2.0	2.3
1990	3	1.2	0.7	0.2	8.7	113	2.6	0.3	2.1	3.2
1991	5	2.0	0.9	0.6	9.1	82	1.8	0.2	1.4	2.2
1992	0	0.0	~	0.0	6.7	95	2.1	0.2	1.7	2.6
1993	4	2.7	1.9	0.3	10.9	97	2.1	0.2	1.7	2.6
1994	2	0.7	0.5	0.1	6.9	91	1.9	0.2	1.6	2.4
1995	0	0.0	~	0.0	6.0	102	2.1	0.2	1.7	2.6
1996	5	1.9	1.1	0.4	8.2	112	2.4	0.2	1.9	2.9
1997	7	2.7	1.2	0.9	8.8	111	2.3	0.2	1.9	2.8
1998	5	3.8	2.0	0.9	11.0	100	2.0	0.2	1.7	2.5
1999	3	0.9	0.6	0.1	5.9	110	2.2	0.2	1.8	2.7
2000	2	1.1	1.1	0.0	6.5	95	1.9	0.2	1.6	2.4
2001	3	1.1	0.6	0.2	5.3	108	2.2	0.2	1.8	2.6
2002	1	0.4	0.4	0.0	4.1	105	2.1	0.2	1.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gum and Other Mouth, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,423	1.3	0.0	1.2	1.3	1,224	1.3	0.0	1.2	1.3
1986	84	1.4	0.2	1.1	1.7	74	1.3	0.2	1.0	1.7
1987	98	1.6	0.2	1.3	2.0	91	1.7	0.2	1.4	2.1
1988	80	1.3	0.1	1.0	1.6	68	1.3	0.2	1.0	1.6
1989	64	1.0	0.1	0.8	1.3	53	1.0	0.1	0.7	1.3
1990	70	1.1	0.1	0.9	1.5	56	1.0	0.1	0.8	1.3
1991	74	1.2	0.1	0.9	1.5	66	1.2	0.2	0.9	1.6
1992	77	1.2	0.1	0.9	1.5	66	1.2	0.1	0.9	1.5
1993	82	1.3	0.1	1.0	1.6	73	1.3	0.2	1.0	1.7
1994	77	1.2	0.1	0.9	1.4	71	1.2	0.1	0.9	1.5
1995	95	1.4	0.1	1.2	1.8	85	1.5	0.2	1.2	1.9
1996	87	1.3	0.1	1.0	1.6	72	1.2	0.1	1.0	1.6
1997	82	1.2	0.1	1.0	1.5	68	1.2	0.1	0.9	1.5
1998	78	1.2	0.1	0.9	1.4	64	1.1	0.1	0.8	1.4
1999	94	1.4	0.1	1.1	1.7	78	1.4	0.2	1.1	1.7
2000	97	1.4	0.1	1.2	1.7	83	1.4	0.2	1.1	1.8
2001	89	1.3	0.1	1.0	1.6	74	1.2	0.1	0.9	1.5
2002	95	1.3	0.1	1.1	1.6	82	1.3	0.2	1.1	1.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	168	1.3	0.1	1.1	1.5	21	1.0	0.2	0.6	1.6
1986	10	1.6	0.5	0.8	3.1	0	0.0	~	0.0	13.4
1987	7	1.1	0.4	0.4	2.3	0	0.0	~	0.0	12.6
1988	10	1.4	0.5	0.7	2.8	1	1.0	1.0	0.0	13.0
1989	9	1.4	0.5	0.6	2.8	2	1.5	1.1	0.2	12.9
1990	14	2.0	0.6	1.1	3.5	0	0.0	~	0.0	11.2
1991	7	0.9	0.3	0.3	1.9	0	0.0	~	0.0	10.0
1992	10	1.3	0.4	0.6	2.5	0	0.0	~	0.0	9.0
1993	8	1.1	0.4	0.5	2.2	1	0.9	0.9	0.0	9.2
1994	6	0.8	0.3	0.3	1.8	0	0.0	~	0.0	7.3
1995	8	1.1	0.4	0.5	2.2	2	0.7	0.5	0.1	7.0
1996	12	1.4	0.4	0.7	2.6	2	1.8	1.3	0.2	8.5
1997	11	1.4	0.4	0.7	2.6	2	1.3	0.9	0.1	7.2
1998	12	1.5	0.4	0.8	2.6	2	1.8	1.5	0.1	8.2
1999	12	1.5	0.4	0.8	2.7	3	1.9	1.2	0.3	7.3
2000	7	0.8	0.3	0.3	1.7	3	1.8	1.1	0.3	6.5
2001	14	1.7	0.5	0.9	2.9	1	0.4	0.4	0.0	3.9
2002	11	1.2	0.4	0.6	2.2	2	0.8	0.6	0.1	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	27	0.8	0.2	0.5	1.2	1,070	1.3	0.0	1.2	1.4
1990	1	0.5	0.5	0.0	4.9	69	1.2	0.1	0.9	1.5
1991	2	0.3	0.2	0.0	4.5	72	1.2	0.1	0.9	1.5
1992	0	0.0	~	0.0	3.9	77	1.2	0.1	1.0	1.5
1993	2	1.4	1.0	0.2	5.8	80	1.3	0.2	1.1	1.7
1994	3	1.5	1.0	0.2	5.8	74	1.1	0.1	0.9	1.5
1995	1	0.1	0.1	0.0	3.5	94	1.5	0.2	1.2	1.8
1996	4	1.4	0.8	0.4	5.0	83	1.3	0.1	1.0	1.6
1997	1	0.3	0.3	0.0	3.5	81	1.3	0.1	1.0	1.6
1998	1	0.3	0.3	0.0	3.4	77	1.2	0.1	0.9	1.5
1999	4	1.1	0.6	0.3	4.2	90	1.4	0.1	1.1	1.7
2000	3	0.6	0.4	0.1	3.4	94	1.4	0.2	1.2	1.8
2001	2	0.9	0.7	0.1	3.9	87	1.3	0.1	1.0	1.6
2002	3	1.3	0.8	0.2	4.2	92	1.4	0.1	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Nasopharynx, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,127	0.6	0.0	0.5	0.6	769	0.5	0.0	0.4	0.5
1986	73	0.7	0.1	0.5	0.9	52	0.6	0.1	0.4	0.8
1987	53	0.5	0.1	0.4	0.7	37	0.4	0.1	0.3	0.6
1988	75	0.7	0.1	0.5	0.9	55	0.6	0.1	0.4	0.8
1989	58	0.5	0.1	0.4	0.7	44	0.5	0.1	0.3	0.6
1990	71	0.6	0.1	0.5	0.8	52	0.6	0.1	0.4	0.7
1991	61	0.6	0.1	0.4	0.7	43	0.4	0.1	0.3	0.6
1992	45	0.4	0.1	0.3	0.5	32	0.3	0.1	0.2	0.5
1993	63	0.6	0.1	0.4	0.7	43	0.5	0.1	0.3	0.6
1994	69	0.6	0.1	0.5	0.8	46	0.5	0.1	0.3	0.6
1995	78	0.7	0.1	0.5	0.8	63	0.6	0.1	0.5	0.8
1996	64	0.5	0.1	0.4	0.7	40	0.4	0.1	0.3	0.5
1997	73	0.6	0.1	0.5	0.8	46	0.5	0.1	0.3	0.6
1998	70	0.6	0.1	0.5	0.7	43	0.4	0.1	0.3	0.6
1999	64	0.5	0.1	0.4	0.7	36	0.4	0.1	0.2	0.5
2000	77	0.6	0.1	0.5	0.8	50	0.5	0.1	0.4	0.7
2001	62	0.5	0.1	0.4	0.6	40	0.4	0.1	0.3	0.5
2002	71	0.6	0.1	0.4	0.7	47	0.5	0.1	0.3	0.6
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	224	0.9	0.1	0.8	1.0	126	2.5	0.2	2.0	3.0
1986	15	1.2	0.3	0.6	2.2	4	2.9	1.6	0.7	11.7
1987	10	0.7	0.2	0.3	1.4	6	2.6	1.1	0.9	10.2
1988	12	0.9	0.3	0.4	1.7	8	3.8	1.6	1.4	11.6
1989	11	0.8	0.2	0.4	1.6	3	1.2	0.7	0.2	7.9
1990	15	1.1	0.3	0.6	2.0	4	2.7	1.4	0.7	10.0
1991	12	1.0	0.3	0.5	1.8	6	2.1	0.9	0.7	8.1
1992	6	0.3	0.1	0.1	0.9	7	2.2	0.8	0.8	7.6
1993	11	0.7	0.2	0.4	1.4	8	2.8	1.1	1.0	8.1
1994	11	0.8	0.2	0.4	1.5	10	2.8	0.9	1.3	7.6
1995	7	0.5	0.2	0.2	1.1	7	3.0	1.3	1.0	8.1
1996	18	1.2	0.3	0.7	2.0	6	1.7	0.7	0.6	5.7
1997	17	1.0	0.2	0.6	1.7	10	3.3	1.2	1.3	7.9
1998	16	0.9	0.2	0.5	1.6	11	3.0	0.9	1.4	6.8
1999	16	0.9	0.2	0.5	1.5	12	3.0	0.9	1.5	6.6
2000	16	1.0	0.3	0.6	1.7	9	2.2	0.8	0.9	5.3
2001	16	0.9	0.2	0.5	1.5	6	1.4	0.6	0.5	4.0
2002	15	0.9	0.2	0.5	1.6	9	2.1	0.8	0.9	4.8
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	30	0.4	0.1	0.2	0.6	838	0.6	0.0	0.6	0.6
1990	2	0.3	0.2	0.0	3.0	69	0.7	0.1	0.5	0.8
1991	2	0.4	0.3	0.1	3.1	59	0.6	0.1	0.4	0.7
1992	1	0.5	0.5	0.0	3.3	44	0.4	0.1	0.3	0.6
1993	1	0.1	0.1	0.0	2.4	62	0.6	0.1	0.5	0.8
1994	3	0.6	0.4	0.1	2.9	66	0.6	0.1	0.5	0.8
1995	0	0.0	~	0.0	2.2	78	0.7	0.1	0.6	0.9
1996	1	0.3	0.3	0.0	2.4	63	0.6	0.1	0.4	0.7
1997	6	1.0	0.4	0.3	3.1	67	0.6	0.1	0.5	0.8
1998	1	0.0	0.0	0.0	2.0	69	0.6	0.1	0.5	0.8
1999	2	0.2	0.1	0.0	2.0	62	0.6	0.1	0.4	0.7
2000	3	0.6	0.5	0.1	2.7	74	0.7	0.1	0.5	0.8
2001	2	0.1	0.1	0.0	1.6	60	0.5	0.1	0.4	0.7
2002	6	0.6	0.3	0.2	2.1	65	0.6	0.1	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Nasopharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	737	0.8	0.0	0.8	0.9	501	0.7	0.0	0.6	0.7
1986	49	1.0	0.2	0.8	1.4	34	0.8	0.1	0.6	1.2
1987	36	0.8	0.1	0.6	1.2	26	0.7	0.1	0.4	1.0
1988	45	0.9	0.1	0.7	1.3	31	0.7	0.1	0.5	1.1
1989	37	0.7	0.1	0.5	1.0	27	0.6	0.1	0.4	0.9
1990	48	1.0	0.1	0.7	1.3	37	0.9	0.1	0.6	1.2
1991	37	0.8	0.1	0.5	1.1	27	0.6	0.1	0.4	0.9
1992	26	0.5	0.1	0.3	0.8	16	0.4	0.1	0.2	0.7
1993	46	0.9	0.1	0.7	1.2	31	0.7	0.1	0.5	1.0
1994	47	0.9	0.1	0.7	1.3	36	0.9	0.1	0.6	1.2
1995	53	1.0	0.1	0.7	1.3	40	0.9	0.1	0.6	1.2
1996	41	0.8	0.1	0.6	1.1	23	0.5	0.1	0.3	0.8
1997	56	1.0	0.1	0.8	1.4	36	0.8	0.1	0.6	1.1
1998	36	0.6	0.1	0.4	0.9	21	0.4	0.1	0.3	0.7
1999	36	0.6	0.1	0.4	0.9	22	0.5	0.1	0.3	0.7
2000	52	0.9	0.1	0.7	1.2	35	0.7	0.1	0.5	1.0
2001	40	0.7	0.1	0.5	1.0	25	0.5	0.1	0.3	0.8
2002	52	0.9	0.1	0.7	1.2	34	0.7	0.1	0.5	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	152	1.4	0.1	1.2	1.7	80	3.5	0.4	2.7	4.7
1986	11	2.2	0.8	1.0	4.8	3	5.5	3.6	0.8	27.0
1987	6	1.1	0.6	0.3	3.4	4	3.8	1.9	1.0	22.5
1988	8	1.3	0.5	0.5	3.4	6	6.2	3.1	1.7	24.7
1989	8	1.3	0.5	0.5	3.2	2	1.3	0.9	0.2	17.7
1990	10	1.8	0.6	0.8	4.0	1	1.7	1.7	0.0	18.8
1991	8	1.9	0.7	0.8	4.2	2	1.7	1.2	0.2	16.6
1992	4	0.5	0.3	0.1	2.2	6	3.9	1.7	1.3	17.4
1993	9	1.4	0.5	0.6	3.2	5	4.7	2.4	1.3	18.2
1994	5	0.8	0.4	0.3	2.6	6	3.1	1.3	1.1	15.1
1995	6	1.0	0.5	0.3	2.9	6	6.7	3.2	2.0	20.2
1996	13	2.1	0.6	1.0	4.2	5	3.2	1.5	1.0	14.2
1997	14	1.8	0.5	1.0	3.6	6	3.3	1.4	1.2	13.4
1998	10	1.3	0.4	0.6	2.9	5	2.7	1.2	0.8	12.2
1999	9	1.0	0.4	0.5	2.6	5	2.7	1.3	0.8	11.9
2000	10	1.5	0.5	0.7	3.3	6	3.5	1.6	1.1	12.0
2001	10	1.2	0.4	0.6	2.7	5	2.5	1.2	0.8	9.7
2002	11	1.5	0.5	0.7	3.2	7	4.0	1.7	1.4	11.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.4	0.1	0.2	0.8	555	0.9	0.0	0.8	0.9
1990	0	0.0	~	0.0	7.6	48	1.0	0.1	0.7	1.4
1991	1	0.4	0.4	0.0	7.4	36	0.8	0.1	0.5	1.1
1992	0	0.0	~	0.0	6.7	26	0.6	0.1	0.4	0.9
1993	1	0.2	0.2	0.0	6.8	45	0.9	0.1	0.7	1.3
1994	2	0.5	0.4	0.0	6.7	45	0.9	0.1	0.7	1.3
1995	0	0.0	~	0.0	6.0	53	1.1	0.1	0.8	1.4
1996	1	0.6	0.6	0.0	6.5	40	0.8	0.1	0.6	1.1
1997	5	1.8	0.9	0.5	7.5	51	1.0	0.1	0.7	1.3
1998	0	0.0	~	0.0	5.3	36	0.7	0.1	0.5	1.0
1999	1	0.1	0.1	0.0	5.1	35	0.7	0.1	0.5	1.0
2000	0	0.0	~	0.0	4.6	52	1.0	0.1	0.7	1.3
2001	1	0.1	0.1	0.0	4.1	39	0.7	0.1	0.5	1.0
2002	3	0.8	0.5	0.1	4.5	49	0.9	0.1	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Nasopharynx, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	390	0.4	0.0	0.3	0.4	268	0.3	0.0	0.3	0.3
1986	24	0.4	0.1	0.3	0.6	18	0.4	0.1	0.2	0.6
1987	17	0.3	0.1	0.2	0.5	11	0.2	0.1	0.1	0.4
1988	30	0.5	0.1	0.3	0.7	24	0.5	0.1	0.3	0.7
1989	21	0.4	0.1	0.2	0.6	17	0.4	0.1	0.2	0.6
1990	23	0.4	0.1	0.2	0.6	15	0.3	0.1	0.2	0.5
1991	24	0.4	0.1	0.3	0.6	16	0.3	0.1	0.2	0.5
1992	19	0.3	0.1	0.2	0.5	16	0.3	0.1	0.2	0.5
1993	17	0.3	0.1	0.2	0.4	12	0.2	0.1	0.1	0.4
1994	22	0.4	0.1	0.2	0.6	10	0.2	0.1	0.1	0.4
1995	25	0.4	0.1	0.3	0.6	23	0.4	0.1	0.3	0.7
1996	23	0.4	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
1997	17	0.3	0.1	0.2	0.4	10	0.2	0.1	0.1	0.4
1998	34	0.5	0.1	0.4	0.7	22	0.4	0.1	0.2	0.6
1999	28	0.4	0.1	0.3	0.6	14	0.2	0.1	0.1	0.4
2000	25	0.4	0.1	0.2	0.6	15	0.3	0.1	0.2	0.5
2001	22	0.3	0.1	0.2	0.5	15	0.3	0.1	0.2	0.5
2002	19	0.3	0.1	0.2	0.5	13	0.2	0.1	0.1	0.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	72	0.5	0.1	0.4	0.6	46	1.6	0.3	1.2	2.3
1986	4	0.5	0.3	0.1	1.6	1	1.1	1.1	0.0	14.5
1987	4	0.4	0.2	0.1	1.3	2	1.6	1.2	0.2	14.2
1988	4	0.5	0.3	0.1	1.6	2	1.8	1.5	0.1	14.1
1989	3	0.4	0.3	0.1	1.4	1	1.0	1.0	0.0	12.4
1990	5	0.6	0.3	0.2	1.7	3	3.4	2.1	0.6	15.4
1991	4	0.4	0.2	0.1	1.3	4	2.4	1.2	0.6	12.4
1992	2	0.2	0.1	0.0	0.9	1	0.6	0.6	0.0	9.5
1993	2	0.2	0.2	0.0	1.0	3	1.2	0.7	0.2	9.2
1994	6	0.7	0.3	0.3	1.7	4	2.5	1.3	0.7	10.2
1995	1	0.1	0.1	0.0	0.8	1	0.4	0.4	0.0	6.8
1996	5	0.6	0.3	0.2	1.5	1	0.4	0.4	0.0	6.3
1997	3	0.4	0.2	0.1	1.1	4	2.9	1.7	0.6	9.9
1998	6	0.6	0.3	0.2	1.5	6	3.2	1.3	1.1	9.0
1999	7	0.7	0.3	0.3	1.6	7	3.2	1.3	1.3	8.6
2000	6	0.6	0.3	0.2	1.5	3	1.1	0.7	0.2	5.3
2001	6	0.6	0.2	0.2	1.4	1	0.4	0.4	0.0	3.9
2002	4	0.4	0.2	0.1	1.2	2	0.7	0.5	0.1	3.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.4	0.1	0.2	0.7	283	0.4	0.0	0.3	0.4
1990	2	0.6	0.5	0.1	4.9	21	0.4	0.1	0.2	0.6
1991	1	0.5	0.5	0.0	4.8	23	0.4	0.1	0.3	0.6
1992	1	0.8	0.8	0.0	5.3	18	0.3	0.1	0.2	0.5
1993	0	0.0	~	0.0	3.7	17	0.3	0.1	0.2	0.5
1994	1	0.6	0.6	0.0	4.3	21	0.4	0.1	0.2	0.6
1995	0	0.0	~	0.0	3.4	25	0.4	0.1	0.3	0.6
1996	0	0.0	~	0.0	3.2	23	0.4	0.1	0.2	0.6
1997	1	0.2	0.2	0.0	3.3	16	0.3	0.1	0.2	0.4
1998	1	0.1	0.1	0.0	3.1	33	0.5	0.1	0.4	0.8
1999	1	0.3	0.3	0.0	3.2	27	0.4	0.1	0.3	0.7
2000	3	1.1	0.8	0.1	4.4	22	0.4	0.1	0.2	0.6
2001	1	0.1	0.1	0.0	2.5	21	0.4	0.1	0.2	0.6
2002	3	0.5	0.3	0.1	2.7	16	0.3	0.1	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Oropharynx, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	788	0.4	0.0	0.4	0.4	588	0.4	0.0	0.3	0.4
1986	44	0.4	0.1	0.3	0.6	30	0.3	0.1	0.2	0.4
1987	42	0.4	0.1	0.3	0.5	31	0.4	0.1	0.2	0.5
1988	36	0.3	0.1	0.2	0.4	22	0.2	0.0	0.1	0.3
1989	25	0.2	0.0	0.1	0.3	18	0.2	0.0	0.1	0.3
1990	43	0.4	0.1	0.3	0.5	31	0.3	0.1	0.2	0.4
1991	41	0.4	0.1	0.3	0.5	33	0.3	0.1	0.2	0.5
1992	36	0.3	0.1	0.2	0.5	28	0.3	0.1	0.2	0.4
1993	37	0.3	0.1	0.2	0.5	29	0.3	0.1	0.2	0.4
1994	51	0.5	0.1	0.3	0.6	38	0.4	0.1	0.3	0.6
1995	32	0.3	0.1	0.2	0.4	25	0.3	0.1	0.2	0.4
1996	59	0.5	0.1	0.4	0.7	41	0.4	0.1	0.3	0.6
1997	44	0.4	0.1	0.3	0.5	31	0.3	0.1	0.2	0.4
1998	68	0.6	0.1	0.5	0.7	44	0.4	0.1	0.3	0.6
1999	42	0.4	0.1	0.3	0.5	33	0.3	0.1	0.2	0.5
2000	55	0.5	0.1	0.3	0.6	45	0.4	0.1	0.3	0.6
2001	65	0.5	0.1	0.4	0.7	52	0.5	0.1	0.4	0.7
2002	68	0.6	0.1	0.4	0.7	57	0.6	0.1	0.4	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	190	0.8	0.1	0.7	1.0	7	0.2	0.1	0.1	0.6
1986	14	1.2	0.3	0.7	2.1	0	0.0	~	0.0	8.1
1987	11	0.8	0.3	0.4	1.7	0	0.0	~	0.0	7.6
1988	13	1.1	0.3	0.6	2.0	0	0.0	~	0.0	7.2
1989	7	0.6	0.2	0.2	1.3	0	0.0	~	0.0	6.8
1990	10	0.8	0.3	0.4	1.6	2	1.7	1.3	0.2	9.1
1991	7	0.6	0.2	0.2	1.3	1	1.1	1.1	0.0	7.7
1992	8	0.6	0.2	0.3	1.3	0	0.0	~	0.0	5.4
1993	8	0.6	0.2	0.3	1.3	0	0.0	~	0.0	4.9
1994	13	1.0	0.3	0.5	1.8	0	0.0	~	0.0	4.6
1995	7	0.5	0.2	0.2	1.1	0	0.0	~	0.0	4.1
1996	17	1.2	0.3	0.7	2.0	1	0.6	0.6	0.0	4.7
1997	12	0.8	0.2	0.4	1.6	1	0.2	0.2	0.0	3.8
1998	24	1.7	0.3	1.1	2.5	0	0.0	~	0.0	3.3
1999	9	0.6	0.2	0.3	1.2	0	0.0	~	0.0	3.1
2000	8	0.5	0.2	0.2	1.1	1	0.5	0.5	0.0	3.5
2001	11	0.8	0.2	0.4	1.4	1	0.4	0.4	0.0	2.8
2002	11	0.7	0.2	0.3	1.3	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	20	0.4	0.1	0.2	0.7	621	0.4	0.0	0.4	0.5
1990	1	0.3	0.3	0.0	3.0	42	0.4	0.1	0.3	0.5
1991	0	0.0	~	0.0	2.6	41	0.4	0.1	0.3	0.5
1992	0	0.0	~	0.0	2.5	36	0.3	0.1	0.2	0.5
1993	0	0.0	~	0.0	2.4	37	0.3	0.1	0.2	0.5
1994	2	0.7	0.6	0.1	3.3	49	0.5	0.1	0.4	0.6
1995	1	0.3	0.3	0.0	2.5	31	0.3	0.1	0.2	0.4
1996	3	0.8	0.6	0.1	3.3	56	0.5	0.1	0.4	0.7
1997	1	0.5	0.5	0.0	3.0	43	0.4	0.1	0.3	0.5
1998	2	0.7	0.5	0.1	3.0	66	0.6	0.1	0.5	0.8
1999	0	0.0	~	0.0	1.9	42	0.4	0.1	0.3	0.5
2000	2	0.4	0.3	0.0	2.1	53	0.5	0.1	0.4	0.6
2001	3	0.3	0.2	0.1	1.8	62	0.5	0.1	0.4	0.7
2002	5	0.7	0.4	0.2	2.3	63	0.6	0.1	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Oropharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	581	0.7	0.0	0.6	0.7	433	0.6	0.0	0.5	0.6
1986	38	0.8	0.1	0.6	1.1	25	0.6	0.1	0.4	0.9
1987	31	0.6	0.1	0.4	0.9	22	0.5	0.1	0.3	0.8
1988	25	0.5	0.1	0.3	0.8	13	0.3	0.1	0.2	0.5
1989	16	0.3	0.1	0.2	0.6	13	0.3	0.1	0.2	0.5
1990	23	0.5	0.1	0.3	0.8	18	0.4	0.1	0.3	0.7
1991	24	0.5	0.1	0.3	0.8	19	0.4	0.1	0.3	0.7
1992	23	0.5	0.1	0.3	0.7	18	0.4	0.1	0.2	0.7
1993	23	0.5	0.1	0.3	0.7	18	0.4	0.1	0.2	0.7
1994	42	0.9	0.1	0.6	1.2	31	0.7	0.1	0.5	1.1
1995	26	0.5	0.1	0.3	0.8	23	0.5	0.1	0.3	0.8
1996	44	0.8	0.1	0.6	1.2	31	0.7	0.1	0.5	1.0
1997	33	0.6	0.1	0.4	0.9	22	0.5	0.1	0.3	0.8
1998	56	1.0	0.1	0.8	1.4	36	0.8	0.1	0.6	1.1
1999	32	0.6	0.1	0.4	0.8	25	0.5	0.1	0.3	0.8
2000	43	0.8	0.1	0.6	1.1	33	0.7	0.1	0.5	1.0
2001	51	0.9	0.1	0.7	1.2	43	0.9	0.1	0.7	1.2
2002	51	0.9	0.1	0.7	1.2	43	0.9	0.1	0.7	1.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	140	1.4	0.1	1.2	1.7	6	0.5	0.2	0.2	1.4
1986	13	2.5	0.7	1.3	4.9	0	0.0	~	0.0	20.2
1987	9	1.7	0.6	0.7	3.8	0	0.0	~	0.0	19.0
1988	11	2.3	0.7	1.1	4.6	0	0.0	~	0.0	17.8
1989	3	0.6	0.3	0.1	2.4	0	0.0	~	0.0	16.6
1990	3	0.6	0.3	0.1	2.5	2	4.0	3.1	0.3	22.2
1991	4	0.7	0.4	0.2	2.6	1	2.7	2.7	0.1	19.3
1992	5	0.8	0.4	0.3	2.6	0	0.0	~	0.0	13.7
1993	5	0.9	0.4	0.3	2.6	0	0.0	~	0.0	12.7
1994	11	1.9	0.6	1.0	3.9	0	0.0	~	0.0	12.3
1995	3	0.5	0.3	0.1	2.1	0	0.0	~	0.0	11.4
1996	12	1.9	0.5	1.0	3.8	1	1.6	1.6	0.0	13.0
1997	10	1.7	0.5	0.8	3.6	1	0.5	0.5	0.0	10.7
1998	20	3.2	0.7	1.9	5.4	0	0.0	~	0.0	9.6
1999	7	1.0	0.4	0.4	2.6	0	0.0	~	0.0	9.1
2000	8	1.2	0.4	0.5	2.8	1	1.4	1.4	0.0	10.0
2001	8	1.2	0.4	0.5	2.7	0	0.0	~	0.0	6.9
2002	8	1.2	0.4	0.5	2.7	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	16	0.7	0.2	0.4	1.4	455	0.7	0.0	0.6	0.8
1990	0	0.0	~	0.0	7.6	23	0.5	0.1	0.3	0.8
1991	0	0.0	~	0.0	7.1	24	0.5	0.1	0.3	0.8
1992	0	0.0	~	0.0	6.7	23	0.5	0.1	0.3	0.8
1993	0	0.0	~	0.0	6.7	23	0.5	0.1	0.3	0.7
1994	2	1.8	1.4	0.1	9.1	40	0.8	0.1	0.6	1.2
1995	1	0.6	0.6	0.0	6.8	25	0.5	0.1	0.3	0.8
1996	3	2.0	1.4	0.2	8.7	41	0.8	0.1	0.6	1.1
1997	1	1.5	1.5	0.0	8.4	32	0.6	0.1	0.4	0.9
1998	1	0.4	0.4	0.0	5.7	55	1.1	0.1	0.8	1.4
1999	0	0.0	~	0.0	5.0	32	0.6	0.1	0.4	0.9
2000	1	0.5	0.5	0.0	5.2	42	0.8	0.1	0.6	1.1
2001	3	0.6	0.3	0.1	4.6	48	0.9	0.1	0.7	1.2
2002	4	1.3	0.7	0.3	5.2	47	0.9	0.1	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Oropharynx, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	207	0.2	0.0	0.2	0.2	155	0.2	0.0	0.1	0.2
1986	6	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1987	11	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
1988	11	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
1989	9	0.1	0.0	0.1	0.3	5	0.1	0.0	0.0	0.2
1990	20	0.3	0.1	0.2	0.5	13	0.2	0.1	0.1	0.4
1991	17	0.3	0.1	0.2	0.5	14	0.3	0.1	0.1	0.5
1992	13	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1993	14	0.2	0.1	0.1	0.4	11	0.2	0.1	0.1	0.3
1994	9	0.2	0.1	0.1	0.3	7	0.1	0.1	0.1	0.3
1995	6	0.1	0.0	0.0	0.2	2	0.0	0.0	0.0	0.1
1996	15	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.3
1997	11	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
1998	12	0.2	0.1	0.1	0.3	8	0.1	0.1	0.1	0.3
1999	10	0.2	0.0	0.1	0.3	8	0.1	0.1	0.1	0.3
2000	12	0.2	0.1	0.1	0.3	12	0.2	0.1	0.1	0.4
2001	14	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
2002	17	0.3	0.1	0.1	0.4	14	0.2	0.1	0.1	0.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	50	0.4	0.1	0.3	0.5	1	0.1	0.1	0.0	0.4
1986	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	13.4
1987	2	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.6
1988	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	12.0
1989	4	0.5	0.3	0.1	1.5	0	0.0	~	0.0	11.4
1990	7	1.0	0.4	0.4	2.1	0	0.0	~	0.0	11.2
1991	3	0.5	0.3	0.1	1.4	0	0.0	~	0.0	10.0
1992	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	9.0
1993	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	8.0
1994	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	7.3
1995	4	0.5	0.2	0.1	1.3	0	0.0	~	0.0	6.4
1996	5	0.6	0.3	0.2	1.6	0	0.0	~	0.0	5.8
1997	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	5.6
1998	4	0.5	0.2	0.1	1.3	0	0.0	~	0.0	5.1
1999	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	0	0.0	~	0.0	4.0
2001	3	0.4	0.2	0.1	1.2	1	0.6	0.6	0.0	4.4
2002	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	4	0.1	0.1	0.0	0.4	166	0.2	0.0	0.2	0.2
1990	1	0.5	0.5	0.0	4.9	19	0.3	0.1	0.2	0.5
1991	0	0.0	~	0.0	4.2	17	0.3	0.1	0.2	0.5
1992	0	0.0	~	0.0	3.9	13	0.2	0.1	0.1	0.4
1993	0	0.0	~	0.0	3.7	14	0.2	0.1	0.1	0.4
1994	0	0.0	~	0.0	3.5	9	0.2	0.1	0.1	0.3
1995	0	0.0	~	0.0	3.4	6	0.1	0.0	0.0	0.2
1996	0	0.0	~	0.0	3.2	15	0.2	0.1	0.1	0.4
1997	0	0.0	~	0.0	3.1	11	0.2	0.1	0.1	0.3
1998	1	0.8	0.8	0.0	4.4	11	0.2	0.1	0.1	0.3
1999	0	0.0	~	0.0	2.9	10	0.2	0.1	0.1	0.3
2000	1	0.3	0.3	0.0	3.0	11	0.2	0.1	0.1	0.3
2001	0	0.0	~	0.0	2.4	14	0.2	0.1	0.1	0.4
2002	1	0.3	0.3	0.0	2.4	16	0.3	0.1	0.1	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Hypopharynx, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,791	0.9	0.0	0.9	1.0	1,361	0.8	0.0	0.8	0.9
1986	96	0.9	0.1	0.7	1.1	69	0.7	0.1	0.6	0.9
1987	111	1.0	0.1	0.8	1.2	81	0.8	0.1	0.6	1.0
1988	107	1.0	0.1	0.8	1.2	81	0.9	0.1	0.7	1.1
1989	91	0.9	0.1	0.7	1.1	71	0.8	0.1	0.6	1.0
1990	107	1.0	0.1	0.8	1.2	80	0.8	0.1	0.7	1.0
1991	92	0.9	0.1	0.7	1.1	62	0.7	0.1	0.5	0.9
1992	112	1.0	0.1	0.8	1.2	93	1.0	0.1	0.8	1.2
1993	110	1.0	0.1	0.8	1.2	86	0.9	0.1	0.7	1.1
1994	97	0.9	0.1	0.7	1.0	69	0.7	0.1	0.6	0.9
1995	127	1.1	0.1	0.9	1.3	101	1.0	0.1	0.8	1.2
1996	115	1.0	0.1	0.8	1.2	94	1.0	0.1	0.8	1.2
1997	101	0.9	0.1	0.7	1.1	77	0.8	0.1	0.6	1.0
1998	111	0.9	0.1	0.8	1.1	81	0.8	0.1	0.6	1.0
1999	103	0.9	0.1	0.7	1.1	76	0.8	0.1	0.6	0.9
2000	109	0.9	0.1	0.8	1.1	80	0.8	0.1	0.6	1.0
2001	107	0.9	0.1	0.7	1.1	86	0.8	0.1	0.7	1.0
2002	95	0.8	0.1	0.6	0.9	74	0.7	0.1	0.6	0.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	407	1.8	0.1	1.6	2.0	18	0.5	0.1	0.3	0.8
1986	25	2.1	0.4	1.3	3.2	1	0.7	0.7	0.0	8.7
1987	28	2.3	0.4	1.5	3.5	2	2.0	1.4	0.2	10.2
1988	25	2.0	0.4	1.3	3.1	1	1.1	1.1	0.0	8.7
1989	19	1.6	0.4	0.9	2.6	1	0.5	0.5	0.0	7.3
1990	26	2.2	0.4	1.4	3.3	0	0.0	~	0.0	6.7
1991	29	2.3	0.4	1.5	3.4	1	0.4	0.4	0.0	6.4
1992	18	1.4	0.3	0.8	2.3	1	0.5	0.5	0.0	5.9
1993	24	1.9	0.4	1.2	2.9	0	0.0	~	0.0	4.9
1994	26	1.9	0.4	1.2	2.9	2	0.8	0.6	0.1	5.4
1995	25	1.8	0.4	1.2	2.8	1	0.2	0.2	0.0	4.3
1996	21	1.5	0.3	0.9	2.3	0	0.0	~	0.0	3.8
1997	24	1.7	0.3	1.1	2.5	0	0.0	~	0.0	3.6
1998	25	1.7	0.4	1.1	2.6	3	1.1	0.6	0.2	4.7
1999	25	1.6	0.3	1.1	2.5	2	0.4	0.3	0.1	3.5
2000	26	1.7	0.3	1.1	2.6	3	1.1	0.6	0.2	4.1
2001	21	1.5	0.3	0.9	2.3	0	0.0	~	0.0	2.3
2002	20	1.4	0.3	0.8	2.1	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	28	0.5	0.1	0.3	0.7	1,358	1.0	0.0	0.9	1.0
1990	1	0.5	0.5	0.0	3.5	106	1.0	0.1	0.8	1.2
1991	0	0.0	~	0.0	2.6	92	0.9	0.1	0.7	1.1
1992	2	0.4	0.3	0.0	2.9	110	1.0	0.1	0.8	1.2
1993	1	0.2	0.2	0.0	2.6	109	1.0	0.1	0.8	1.2
1994	2	0.5	0.4	0.1	2.9	95	0.9	0.1	0.7	1.1
1995	3	0.7	0.5	0.1	3.2	124	1.1	0.1	0.9	1.4
1996	5	1.0	0.5	0.3	3.3	110	1.0	0.1	0.8	1.2
1997	2	0.3	0.2	0.0	2.3	99	0.9	0.1	0.7	1.1
1998	2	0.4	0.3	0.0	2.4	109	1.0	0.1	0.8	1.2
1999	1	0.2	0.2	0.0	2.2	102	0.9	0.1	0.7	1.1
2000	2	0.6	0.5	0.0	2.6	107	0.9	0.1	0.8	1.1
2001	4	0.8	0.5	0.2	2.7	103	0.9	0.1	0.7	1.1
2002	3	0.4	0.2	0.1	1.8	92	0.8	0.1	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Hypopharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,424	1.7	0.0	1.6	1.8	1,070	1.4	0.0	1.4	1.5
1986	80	1.7	0.2	1.4	2.2	59	1.4	0.2	1.1	1.9
1987	89	1.9	0.2	1.5	2.4	66	1.6	0.2	1.2	2.0
1988	81	1.7	0.2	1.4	2.2	60	1.5	0.2	1.1	1.9
1989	69	1.5	0.2	1.1	1.9	52	1.3	0.2	0.9	1.7
1990	78	1.6	0.2	1.3	2.1	57	1.3	0.2	1.0	1.8
1991	75	1.6	0.2	1.3	2.1	51	1.3	0.2	1.0	1.7
1992	95	1.9	0.2	1.5	2.4	77	1.8	0.2	1.4	2.2
1993	90	1.8	0.2	1.5	2.3	73	1.7	0.2	1.3	2.2
1994	74	1.4	0.2	1.1	1.8	50	1.2	0.2	0.9	1.5
1995	96	1.9	0.2	1.5	2.3	74	1.7	0.2	1.3	2.1
1996	95	1.8	0.2	1.5	2.3	77	1.7	0.2	1.4	2.2
1997	78	1.5	0.2	1.2	1.9	57	1.3	0.2	1.0	1.7
1998	92	1.8	0.2	1.4	2.2	66	1.5	0.2	1.1	1.9
1999	80	1.5	0.2	1.2	1.9	58	1.3	0.2	1.0	1.7
2000	89	1.7	0.2	1.4	2.1	66	1.5	0.2	1.1	1.9
2001	87	1.6	0.2	1.3	2.0	70	1.5	0.2	1.2	1.9
2002	76	1.4	0.2	1.1	1.7	57	1.2	0.2	0.9	1.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	334	3.4	0.2	3.1	3.8	15	0.9	0.2	0.5	1.7
1986	19	3.8	0.9	2.2	6.5	1	1.6	1.6	0.0	21.8
1987	21	4.3	1.0	2.6	7.1	2	4.7	3.4	0.5	25.1
1988	20	3.7	0.8	2.3	6.3	1	2.6	2.6	0.1	21.4
1989	17	3.2	0.8	1.9	5.7	0	0.0	~	0.0	16.6
1990	20	3.8	0.9	2.3	6.4	0	0.0	~	0.0	16.8
1991	23	4.2	0.9	2.6	6.8	1	0.9	0.9	0.0	15.9
1992	17	3.0	0.8	1.8	5.4	1	1.1	1.1	0.0	14.8
1993	17	3.1	0.8	1.8	5.5	0	0.0	~	0.0	12.7
1994	22	3.7	0.8	2.3	6.0	2	1.8	1.3	0.2	14.1
1995	21	3.6	0.8	2.2	5.9	1	0.5	0.5	0.0	11.8
1996	18	3.0	0.7	1.7	5.2	0	0.0	~	0.0	10.9
1997	21	3.4	0.8	2.1	5.7	0	0.0	~	0.0	10.2
1998	22	3.6	0.8	2.2	5.9	2	1.5	1.1	0.2	11.2
1999	20	3.2	0.7	1.9	5.3	2	0.9	0.6	0.1	9.9
2000	21	3.6	0.8	2.1	5.9	2	1.6	1.2	0.2	9.9
2001	17	3.0	0.8	1.7	5.2	0	0.0	~	0.0	6.9
2002	18	2.9	0.7	1.7	4.9	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	26	0.9	0.2	0.5	1.5	1,079	1.7	0.1	1.6	1.8
1990	1	1.3	1.3	0.0	9.6	77	1.7	0.2	1.3	2.1
1991	0	0.0	~	0.0	7.1	75	1.7	0.2	1.3	2.2
1992	2	0.8	0.6	0.1	7.4	93	2.0	0.2	1.6	2.4
1993	1	0.4	0.4	0.0	7.0	89	1.9	0.2	1.5	2.3
1994	2	1.1	0.8	0.1	7.5	72	1.5	0.2	1.1	1.9
1995	2	0.5	0.4	0.1	6.5	94	1.9	0.2	1.6	2.4
1996	5	2.1	1.0	0.7	8.1	90	1.8	0.2	1.5	2.3
1997	2	0.6	0.4	0.1	6.1	76	1.6	0.2	1.2	2.0
1998	2	0.8	0.6	0.1	6.1	90	1.8	0.2	1.5	2.3
1999	1	0.5	0.5	0.0	5.6	79	1.6	0.2	1.3	2.0
2000	1	0.2	0.2	0.0	4.8	88	1.8	0.2	1.4	2.2
2001	4	1.8	1.1	0.4	6.6	83	1.6	0.2	1.3	2.0
2002	3	0.8	0.5	0.1	4.4	73	1.4	0.2	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Hypopharynx, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	367	0.3	0.0	0.3	0.4	291	0.3	0.0	0.3	0.4
1986	16	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.3
1987	22	0.4	0.1	0.2	0.6	15	0.3	0.1	0.2	0.5
1988	26	0.5	0.1	0.3	0.7	21	0.4	0.1	0.2	0.6
1989	22	0.4	0.1	0.2	0.6	19	0.3	0.1	0.2	0.6
1990	29	0.5	0.1	0.3	0.7	23	0.4	0.1	0.3	0.6
1991	17	0.3	0.1	0.2	0.5	11	0.2	0.1	0.1	0.4
1992	17	0.3	0.1	0.2	0.4	16	0.3	0.1	0.2	0.5
1993	20	0.3	0.1	0.2	0.5	13	0.2	0.1	0.1	0.4
1994	23	0.4	0.1	0.2	0.5	19	0.3	0.1	0.2	0.5
1995	31	0.5	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1996	20	0.3	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
1997	23	0.4	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
1998	19	0.3	0.1	0.2	0.5	15	0.3	0.1	0.1	0.4
1999	23	0.4	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
2000	20	0.3	0.1	0.2	0.5	14	0.3	0.1	0.1	0.4
2001	20	0.3	0.1	0.2	0.5	16	0.3	0.1	0.2	0.5
2002	19	0.3	0.1	0.2	0.4	17	0.3	0.1	0.2	0.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	73	0.5	0.1	0.4	0.7	3	0.1	0.1	0.0	0.6
1986	6	0.8	0.3	0.3	2.0	0	0.0	~	0.0	13.4
1987	7	0.9	0.4	0.4	2.1	0	0.0	~	0.0	12.6
1988	5	0.7	0.3	0.2	1.9	0	0.0	~	0.0	12.0
1989	2	0.3	0.2	0.0	1.2	1	1.0	1.0	0.0	12.4
1990	6	0.9	0.4	0.3	2.1	0	0.0	~	0.0	11.2
1991	6	0.8	0.3	0.3	1.8	0	0.0	~	0.0	10.0
1992	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	9.0
1993	7	1.0	0.4	0.4	2.0	0	0.0	~	0.0	8.0
1994	4	0.6	0.3	0.2	1.5	0	0.0	~	0.0	7.3
1995	4	0.5	0.3	0.1	1.4	0	0.0	~	0.0	6.4
1996	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	5.8
1997	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	5.6
1998	3	0.4	0.2	0.1	1.2	1	0.7	0.7	0.0	6.1
1999	5	0.6	0.2	0.2	1.4	0	0.0	~	0.0	4.7
2000	5	0.6	0.3	0.2	1.4	1	0.7	0.7	0.0	5.0
2001	4	0.4	0.2	0.1	1.2	0	0.0	~	0.0	3.4
2002	2	0.3	0.2	0.0	0.9	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2	0.1	0.1	0.0	0.4	279	0.4	0.0	0.3	0.4
1990	0	0.0	~	0.0	4.2	29	0.5	0.1	0.3	0.7
1991	0	0.0	~	0.0	4.2	17	0.3	0.1	0.2	0.5
1992	0	0.0	~	0.0	3.9	17	0.3	0.1	0.2	0.5
1993	0	0.0	~	0.0	3.7	20	0.3	0.1	0.2	0.5
1994	0	0.0	~	0.0	3.5	23	0.4	0.1	0.2	0.6
1995	1	0.7	0.7	0.0	4.6	30	0.5	0.1	0.3	0.7
1996	0	0.0	~	0.0	3.2	20	0.3	0.1	0.2	0.5
1997	0	0.0	~	0.0	3.1	23	0.4	0.1	0.2	0.6
1998	0	0.0	~	0.0	3.0	19	0.3	0.1	0.2	0.5
1999	0	0.0	~	0.0	2.9	23	0.4	0.1	0.2	0.6
2000	1	0.7	0.7	0.0	4.1	19	0.3	0.1	0.2	0.5
2001	0	0.0	~	0.0	2.4	20	0.3	0.1	0.2	0.5
2002	0	0.0	~	0.0	2.1	19	0.3	0.1	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Digestive System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	183,488	95.1	0.2	94.7	95.6	155,420	92.0	0.2	91.5	92.4
1986	9,876	94.0	1.0	92.1	95.9	8,515	90.9	1.0	89.0	92.9
1987	10,127	95.5	1.0	93.6	97.4	8,745	92.8	1.0	90.8	94.7
1988	10,127	94.8	1.0	93.0	96.7	8,666	91.3	1.0	89.4	93.3
1989	9,938	92.6	0.9	90.8	94.5	8,543	89.8	1.0	87.9	91.8
1990	10,197	94.0	0.9	92.2	95.9	8,768	91.2	1.0	89.3	93.1
1991	9,969	90.8	0.9	89.0	92.6	8,590	88.5	1.0	86.6	90.4
1992	10,160	91.2	0.9	89.4	93.0	8,769	89.3	1.0	87.4	91.2
1993	10,267	91.1	0.9	89.3	92.9	8,769	88.4	0.9	86.5	90.3
1994	10,921	96.1	0.9	94.3	97.9	9,326	93.3	1.0	91.4	95.3
1995	10,908	95.2	0.9	93.4	97.0	9,130	91.0	1.0	89.2	92.9
1996	11,090	96.1	0.9	94.3	97.9	9,307	92.3	1.0	90.5	94.2
1997	11,186	96.1	0.9	94.3	97.9	9,418	92.8	1.0	90.9	94.7
1998	11,852	100.6	0.9	98.8	102.4	9,932	97.0	1.0	95.1	99.0
1999	11,633	97.8	0.9	96.1	99.6	9,788	95.0	1.0	93.2	96.9
2000	11,822	98.5	0.9	96.8	100.3	9,819	94.8	1.0	92.9	96.7
2001	11,650	96.0	0.9	94.2	97.7	9,634	92.2	0.9	90.3	94.0
2002	11,765	95.9	0.9	94.2	97.7	9,701	92.1	0.9	90.3	94.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	24,293	116.7	0.8	115.2	118.2	3,098	84.8	1.7	81.5	88.3
1986	1,224	114.3	3.4	107.7	121.2	117	89.7	9.7	71.8	112.3
1987	1,254	115.4	3.4	108.9	122.3	115	91.9	9.9	73.4	114.8
1988	1,303	119.8	3.4	113.2	126.8	128	99.3	10.0	80.7	122.1
1989	1,251	112.2	3.3	105.9	118.8	117	81.1	8.6	65.2	100.9
1990	1,294	115.1	3.3	108.7	121.8	113	77.3	8.3	62.0	96.6
1991	1,216	106.0	3.1	100.0	112.4	128	75.9	7.6	61.8	93.5
1992	1,226	102.3	3.0	96.5	108.4	144	79.9	7.5	65.7	97.1
1993	1,311	110.4	3.1	104.4	116.8	169	84.9	7.5	71.0	101.7
1994	1,418	117.2	3.2	111.1	123.7	161	74.6	6.5	62.4	89.3
1995	1,553	124.9	3.2	118.6	131.5	206	89.2	6.9	76.2	104.5
1996	1,549	123.0	3.2	116.8	129.5	200	88.3	7.0	75.0	103.7
1997	1,541	120.4	3.1	114.4	126.8	185	72.8	6.0	61.6	86.1
1998	1,642	126.4	3.2	120.3	132.9	221	84.7	6.3	72.9	98.5
1999	1,527	113.6	3.0	107.9	119.6	258	92.2	6.5	80.0	106.3
2000	1,628	118.4	3.0	112.6	124.4	268	89.3	6.0	78.0	102.3
2001	1,657	118.9	3.0	113.2	124.9	283	88.5	5.7	77.6	100.7
2002	1,699	120.1	3.0	114.4	126.1	285	83.2	5.3	73.1	94.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	4,373	77.8	1.3	75.2	80.5	139,047	96.1	0.3	95.6	96.6
1990	228	68.2	5.1	58.5	79.4	9,969	94.6	1.0	92.8	96.5
1991	197	57.7	4.7	48.9	68.1	9,772	91.8	0.9	89.9	93.6
1992	227	65.0	4.9	55.7	75.7	9,933	92.0	0.9	90.2	93.8
1993	305	85.8	5.6	75.2	97.8	9,962	91.3	0.9	89.5	93.1
1994	304	79.5	5.2	69.6	90.8	10,617	96.5	0.9	94.7	98.4
1995	312	79.5	5.2	69.7	90.7	10,596	95.8	0.9	94.0	97.7
1996	334	83.7	5.2	73.7	94.9	10,756	96.7	0.9	94.9	98.5
1997	331	76.6	4.8	67.5	86.9	10,855	96.8	0.9	95.0	98.7
1998	376	82.3	4.9	73.0	92.8	11,476	101.4	0.9	99.5	103.3
1999	400	79.6	4.6	70.7	89.5	11,233	98.5	0.9	96.7	100.4
2000	407	78.7	4.5	70.2	88.3	11,415	99.5	0.9	97.6	101.3
2001	463	83.4	4.4	74.9	92.7	11,187	96.6	0.9	94.8	98.4
2002	489	80.4	4.0	72.6	88.9	11,276	96.7	0.9	94.9	98.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Digestive System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	94,715	119.3	0.4	118.5	120.0	80,153	115.4	0.4	114.6	116.3
1986	5,052	117.9	1.7	114.6	121.4	4,357	114.9	1.8	111.4	118.5
1987	5,192	120.5	1.7	117.1	123.9	4,445	116.4	1.8	112.9	120.1
1988	5,201	119.9	1.7	116.6	123.4	4,448	115.9	1.8	112.4	119.5
1989	5,076	115.8	1.7	112.5	119.2	4,360	112.5	1.8	109.0	116.0
1990	5,208	117.6	1.7	114.3	121.0	4,463	113.9	1.8	110.5	117.5
1991	5,153	114.9	1.7	111.7	118.2	4,447	112.6	1.7	109.2	116.1
1992	5,317	116.9	1.7	113.7	120.2	4,585	114.5	1.7	111.1	118.0
1993	5,242	113.4	1.6	110.3	116.6	4,452	109.6	1.7	106.3	113.0
1994	5,527	118.8	1.6	115.6	122.1	4,713	115.5	1.7	112.2	119.0
1995	5,658	120.4	1.6	117.2	123.7	4,705	114.7	1.7	111.4	118.1
1996	5,687	119.7	1.6	116.6	123.0	4,749	114.8	1.7	111.6	118.2
1997	5,748	119.7	1.6	116.6	122.9	4,847	116.1	1.7	112.8	119.4
1998	6,085	125.1	1.6	121.9	128.4	5,116	121.0	1.7	117.7	124.5
1999	6,112	123.6	1.6	120.4	126.7	5,141	120.0	1.7	116.7	123.4
2000	6,204	123.5	1.6	120.4	126.7	5,146	118.7	1.7	115.5	122.1
2001	6,045	119.0	1.5	116.0	122.1	5,023	114.9	1.6	111.7	118.1
2002	6,208	119.8	1.5	116.8	122.9	5,156	115.8	1.6	112.6	119.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	12,439	146.6	1.4	143.9	149.4	1,768	108.9	3.0	103.1	115.1
1986	619	137.2	5.9	125.8	149.5	68	106.0	15.3	78.1	145.6
1987	671	150.7	6.2	138.7	163.6	73	131.9	18.7	97.9	177.5
1988	668	150.6	6.2	138.7	163.6	71	119.6	16.2	89.9	159.7
1989	642	142.2	6.0	130.7	154.7	58	94.3	14.3	68.4	130.3
1990	660	145.2	6.0	133.6	157.7	76	118.9	16.0	89.7	158.2
1991	618	130.5	5.6	119.8	142.2	70	94.3	12.9	70.7	126.6
1992	634	134.3	5.7	123.3	146.2	84	102.1	13.1	78.1	134.2
1993	684	141.7	5.8	130.6	153.7	97	112.2	13.6	87.1	144.8
1994	727	150.5	6.0	139.0	162.8	77	74.1	9.4	56.9	98.2
1995	822	165.4	6.2	153.5	178.1	118	116.5	12.2	93.8	145.4
1996	796	152.6	5.7	141.6	164.5	124	125.0	13.4	100.2	156.2
1997	771	145.8	5.6	135.1	157.3	109	105.1	11.8	83.3	132.9
1998	828	157.5	5.8	146.3	169.5	116	101.8	10.7	81.9	127.1
1999	781	144.5	5.5	134.0	155.8	155	126.5	12.6	103.0	155.3
2000	846	151.5	5.5	140.9	162.8	153	110.5	10.3	91.3	134.1
2001	825	144.5	5.3	134.3	155.4	156	108.7	9.9	90.1	131.1
2002	847	147.1	5.3	136.9	158.0	163	107.4	9.4	89.8	128.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2,456	93.3	2.3	88.9	97.9	71,738	120.6	0.5	119.7	121.5
1990	127	85.3	9.2	68.2	106.8	5,081	118.5	1.7	115.2	122.0
1991	125	75.7	8.1	60.6	94.8	5,028	116.0	1.7	112.7	119.4
1992	129	80.1	8.7	63.9	100.1	5,188	118.1	1.7	114.8	121.5
1993	161	93.4	9.1	76.4	114.3	5,081	114.0	1.6	110.8	117.2
1994	166	89.7	8.4	73.9	109.0	5,361	119.7	1.7	116.5	123.1
1995	166	89.7	8.7	73.4	109.5	5,492	121.6	1.7	118.3	125.0
1996	191	103.4	9.1	86.3	123.8	5,496	120.6	1.7	117.4	123.9
1997	192	87.0	7.4	73.1	103.9	5,556	120.9	1.6	117.7	124.1
1998	206	103.2	8.8	86.6	122.8	5,879	126.3	1.7	123.0	129.6
1999	239	103.4	8.4	87.6	122.1	5,873	124.5	1.6	121.3	127.7
2000	206	81.8	6.9	69.0	97.3	5,998	125.5	1.6	122.3	128.8
2001	259	103.5	7.6	89.0	120.2	5,786	120.1	1.6	117.0	123.3
2002	289	99.8	6.8	86.9	114.7	5,919	120.9	1.6	117.8	124.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Digestive System, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	88,773	78.0	0.3	77.5	78.5	75,267	75.3	0.3	74.7	75.8
1986	4,824	77.7	1.1	75.5	80.0	4,158	74.8	1.2	72.5	77.2
1987	4,935	78.6	1.1	76.4	80.8	4,300	76.7	1.2	74.4	79.1
1988	4,926	77.5	1.1	75.3	79.7	4,218	74.3	1.2	72.1	76.6
1989	4,862	76.7	1.1	74.5	78.9	4,183	74.1	1.2	71.8	76.4
1990	4,989	77.8	1.1	75.7	80.1	4,305	75.6	1.2	73.3	77.9
1991	4,816	74.1	1.1	72.0	76.2	4,143	71.8	1.1	69.6	74.1
1992	4,843	73.4	1.1	71.4	75.6	4,184	71.6	1.1	69.4	73.8
1993	5,025	75.3	1.1	73.2	77.4	4,317	73.4	1.1	71.2	75.6
1994	5,394	79.8	1.1	77.7	82.0	4,613	77.3	1.2	75.1	79.7
1995	5,250	77.6	1.1	75.5	79.8	4,425	74.4	1.1	72.2	76.7
1996	5,403	79.0	1.1	76.8	81.1	4,558	76.1	1.1	73.8	78.3
1997	5,438	79.1	1.1	77.0	81.2	4,571	76.2	1.1	73.9	78.4
1998	5,767	83.2	1.1	81.1	85.4	4,816	79.9	1.2	77.7	82.3
1999	5,521	79.0	1.1	76.9	81.2	4,647	76.5	1.1	74.3	78.8
2000	5,618	79.9	1.1	77.8	82.0	4,673	76.8	1.1	74.6	79.1
2001	5,605	79.0	1.1	76.9	81.1	4,611	75.4	1.1	73.2	77.6
2002	5,557	77.8	1.1	75.7	79.9	4,545	73.9	1.1	71.8	76.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,854	96.4	0.9	94.7	98.2	1,330	66.5	2.0	62.7	70.6
1986	605	97.8	4.1	90.0	106.1	49	74.9	12.2	52.9	105.4
1987	583	91.5	3.9	84.0	99.4	42	61.0	10.6	42.0	88.0
1988	635	99.1	4.0	91.4	107.3	57	83.5	12.5	60.8	113.8
1989	609	92.7	3.8	85.4	100.6	59	71.9	10.6	52.6	98.1
1990	634	95.1	3.8	87.7	103.0	37	45.5	8.3	30.7	67.3
1991	598	88.7	3.7	81.6	96.3	58	62.1	9.2	45.5	84.9
1992	592	82.7	3.4	76.1	89.8	60	62.2	8.9	46.0	83.9
1993	627	89.1	3.6	82.2	96.5	72	64.3	8.4	49.0	84.5
1994	691	95.8	3.7	88.8	103.4	84	73.3	8.7	57.3	93.8
1995	731	98.8	3.7	91.7	106.4	88	68.7	8.0	54.0	87.3
1996	753	101.6	3.7	94.4	109.2	76	61.5	7.7	47.4	79.4
1997	770	101.9	3.7	94.8	109.5	76	50.7	6.3	39.1	65.6
1998	814	105.6	3.7	98.4	113.2	105	71.8	7.6	57.8	89.0
1999	746	93.3	3.4	86.7	100.4	103	68.3	7.2	54.9	84.6
2000	782	95.9	3.5	89.3	103.0	115	71.7	7.1	58.4	87.6
2001	832	100.7	3.5	93.9	107.9	127	72.6	6.8	59.9	87.6
2002	852	101.5	3.5	94.8	108.7	122	64.3	6.1	52.9	77.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,917	65.2	1.6	62.0	68.5	67,309	78.6	0.3	78.0	79.2
1990	101	55.6	6.0	44.5	69.4	4,888	78.3	1.1	76.1	80.5
1991	72	41.9	5.4	31.9	54.6	4,744	75.0	1.1	72.8	77.2
1992	98	52.9	5.8	42.1	66.1	4,745	74.0	1.1	71.9	76.1
1993	144	78.9	7.1	65.6	94.4	4,881	75.3	1.1	73.2	77.5
1994	138	70.4	6.6	58.1	84.8	5,256	80.1	1.1	77.9	82.3
1995	146	71.7	6.5	59.5	85.9	5,104	77.9	1.1	75.8	80.1
1996	143	68.0	6.2	56.3	81.7	5,260	79.4	1.1	77.2	81.6
1997	139	65.2	6.1	53.8	78.6	5,299	79.8	1.1	77.6	82.0
1998	170	67.2	5.7	56.4	79.8	5,597	83.6	1.1	81.4	85.9
1999	161	60.8	5.3	50.8	72.6	5,360	79.6	1.1	77.5	81.8
2000	201	75.4	5.9	64.2	88.3	5,417	80.1	1.1	78.0	82.3
2001	204	67.3	5.2	57.5	78.7	5,401	79.4	1.1	77.2	81.5
2002	200	63.6	4.9	54.5	74.2	5,357	78.4	1.1	76.3	80.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE, - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Esophagus, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,100	5.2	0.1	5.1	5.3	7,637	4.5	0.1	4.4	4.6
1986	546	5.2	0.2	4.8	5.7	362	3.8	0.2	3.5	4.3
1987	518	4.9	0.2	4.4	5.3	359	3.8	0.2	3.4	4.2
1988	499	4.7	0.2	4.3	5.1	354	3.7	0.2	3.3	4.1
1989	541	5.0	0.2	4.6	5.5	395	4.1	0.2	3.7	4.6
1990	514	4.7	0.2	4.3	5.2	361	3.7	0.2	3.4	4.2
1991	537	4.9	0.2	4.5	5.3	395	4.1	0.2	3.7	4.5
1992	576	5.2	0.2	4.8	5.6	435	4.4	0.2	4.0	4.9
1993	552	4.9	0.2	4.5	5.3	416	4.2	0.2	3.8	4.6
1994	609	5.4	0.2	4.9	5.8	467	4.7	0.2	4.3	5.1
1995	652	5.7	0.2	5.3	6.2	490	4.9	0.2	4.5	5.4
1996	640	5.6	0.2	5.1	6.0	472	4.7	0.2	4.3	5.2
1997	551	4.8	0.2	4.4	5.2	412	4.1	0.2	3.7	4.5
1998	669	5.7	0.2	5.3	6.2	534	5.3	0.2	4.8	5.8
1999	665	5.6	0.2	5.2	6.1	539	5.3	0.2	4.9	5.8
2000	708	5.9	0.2	5.5	6.4	561	5.5	0.2	5.0	5.9
2001	676	5.6	0.2	5.2	6.0	552	5.3	0.2	4.9	5.8
2002	647	5.3	0.2	4.9	5.7	533	5.1	0.2	4.7	5.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,330	10.5	0.2	10.0	10.9	112	3.1	0.3	2.5	3.8
1986	178	15.4	1.2	13.2	18.0	6	5.1	2.2	1.8	14.5
1987	156	13.5	1.1	11.4	15.9	2	2.0	1.5	0.2	10.4
1988	141	11.8	1.0	9.9	14.1	3	1.6	0.9	0.3	8.9
1989	141	11.8	1.0	9.9	14.1	3	1.9	1.1	0.4	9.0
1990	148	12.2	1.0	10.3	14.4	4	2.9	1.6	0.7	10.5
1991	136	10.8	0.9	9.0	12.9	5	3.0	1.5	0.8	9.8
1992	134	10.8	0.9	9.0	12.9	7	3.7	1.5	1.4	10.0
1993	128	9.8	0.9	8.2	11.8	8	3.5	1.3	1.4	9.1
1994	136	10.5	0.9	8.8	12.5	6	2.3	1.0	0.8	7.2
1995	153	11.5	0.9	9.8	13.6	9	4.7	1.7	2.0	10.6
1996	157	11.6	0.9	9.8	13.6	8	3.6	1.3	1.5	8.4
1997	133	9.7	0.9	8.1	11.6	5	1.9	0.9	0.6	6.0
1998	125	9.1	0.8	7.5	10.9	10	3.5	1.2	1.6	7.7
1999	118	8.6	0.8	7.1	10.3	8	3.8	1.5	1.5	8.6
2000	133	9.2	0.8	7.7	11.0	11	3.1	1.1	1.4	6.8
2001	110	7.7	0.7	6.3	9.3	11	3.5	1.2	1.6	7.0
2002	103	6.8	0.7	5.6	8.3	6	1.7	0.7	0.6	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	201	3.7	0.3	3.2	4.4	7,795	5.4	0.1	5.3	5.5
1990	11	2.9	1.0	1.4	6.4	503	4.8	0.2	4.4	5.2
1991	11	2.9	0.9	1.4	6.2	526	5.0	0.2	4.5	5.4
1992	6	1.8	0.8	0.6	4.9	570	5.3	0.2	4.9	5.8
1993	15	3.9	1.2	1.9	7.5	537	4.9	0.2	4.5	5.4
1994	15	4.6	1.3	2.4	8.3	594	5.4	0.2	5.0	5.9
1995	12	3.0	1.0	1.5	6.1	640	5.8	0.2	5.4	6.3
1996	25	6.5	1.5	3.9	10.4	615	5.6	0.2	5.1	6.0
1997	13	2.4	0.8	1.2	5.1	538	4.8	0.2	4.4	5.3
1998	17	3.7	1.1	2.0	6.9	652	5.8	0.2	5.4	6.3
1999	18	4.5	1.2	2.5	7.9	647	5.7	0.2	5.3	6.2
2000	11	2.1	0.7	1.0	4.5	697	6.1	0.2	5.7	6.6
2001	28	6.3	1.3	4.0	9.7	648	5.6	0.2	5.2	6.1
2002	19	3.0	0.8	1.7	5.2	628	5.4	0.2	5.0	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Esophagus, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,529	9.1	0.1	8.9	9.3	5,774	8.0	0.1	7.8	8.3
1986	399	8.8	0.5	7.9	9.8	270	6.8	0.4	6.0	7.7
1987	382	8.3	0.4	7.5	9.3	265	6.5	0.4	5.8	7.4
1988	365	8.0	0.4	7.2	9.0	261	6.6	0.4	5.8	7.5
1989	395	8.6	0.4	7.7	9.5	287	7.1	0.4	6.3	8.0
1990	354	7.5	0.4	6.7	8.4	247	6.0	0.4	5.3	6.8
1991	401	8.5	0.4	7.6	9.4	298	7.2	0.4	6.4	8.2
1992	426	9.1	0.4	8.2	10.0	329	8.0	0.5	7.1	8.9
1993	392	8.0	0.4	7.2	8.9	299	7.0	0.4	6.2	7.9
1994	461	9.5	0.4	8.6	10.4	357	8.4	0.5	7.5	9.4
1995	502	10.2	0.5	9.3	11.2	382	9.0	0.5	8.1	9.9
1996	485	9.8	0.4	8.9	10.7	365	8.5	0.5	7.7	9.5
1997	403	8.0	0.4	7.3	8.9	312	7.2	0.4	6.4	8.1
1998	517	10.3	0.5	9.4	11.3	421	9.7	0.5	8.8	10.7
1999	526	10.3	0.5	9.5	11.3	430	9.8	0.5	8.9	10.8
2000	538	10.5	0.5	9.6	11.5	433	9.8	0.5	8.9	10.8
2001	497	9.5	0.4	8.7	10.4	408	9.1	0.5	8.3	10.1
2002	486	9.1	0.4	8.3	10.0	410	9.0	0.4	8.2	10.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,663	17.8	0.5	16.9	18.7	76	4.6	0.6	3.5	6.0
1986	123	24.6	2.3	20.3	29.9	6	11.7	5.1	3.9	34.6
1987	115	23.5	2.3	19.2	28.8	1	1.1	1.1	0.0	20.0
1988	102	19.9	2.0	16.1	24.6	1	1.2	1.2	0.0	18.9
1989	103	20.2	2.1	16.3	25.0	3	4.3	2.6	0.8	21.6
1990	102	19.8	2.0	16.1	24.6	4	6.9	3.7	1.6	25.5
1991	101	18.6	1.9	15.1	23.1	2	1.7	1.2	0.2	16.6
1992	93	17.9	1.9	14.3	22.5	4	5.3	2.8	1.3	20.1
1993	87	16.2	1.8	12.8	20.4	6	5.0	2.1	1.8	18.0
1994	100	18.8	1.9	15.1	23.3	4	3.3	1.7	0.9	15.7
1995	112	20.5	2.0	16.7	25.1	8	10.5	4.3	3.8	25.8
1996	115	20.1	1.9	16.4	24.6	4	4.9	2.6	1.2	17.1
1997	89	15.6	1.7	12.4	19.6	1	1.0	1.0	0.0	11.4
1998	87	15.5	1.8	12.3	19.6	9	7.4	2.7	3.1	18.5
1999	90	15.7	1.7	12.5	19.7	6	7.0	3.3	2.1	19.0
2000	96	16.5	1.8	13.2	20.6	6	2.7	1.1	1.0	10.6
2001	79	13.3	1.5	10.4	16.9	7	4.2	1.8	1.5	12.1
2002	69	11.0	1.4	8.5	14.3	4	2.2	1.1	0.5	8.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	160	6.3	0.6	5.2	7.7	5,828	9.4	0.1	9.2	9.7
1990	11	6.5	2.3	2.8	15.6	343	7.6	0.4	6.8	8.5
1991	10	5.3	1.9	2.3	13.3	391	8.6	0.4	7.7	9.5
1992	6	4.1	1.8	1.3	11.9	420	9.3	0.5	8.4	10.2
1993	7	3.6	1.7	1.1	11.2	385	8.2	0.4	7.4	9.0
1994	12	9.4	3.1	4.4	19.0	449	9.6	0.5	8.7	10.5
1995	11	6.4	2.2	2.8	14.3	491	10.4	0.5	9.5	11.4
1996	20	10.5	2.8	5.7	19.2	465	9.8	0.5	8.9	10.7
1997	12	4.9	1.8	2.1	11.7	391	8.2	0.4	7.4	9.1
1998	13	5.4	1.8	2.5	12.1	504	10.6	0.5	9.6	11.5
1999	13	6.9	2.3	3.2	14.2	513	10.6	0.5	9.7	11.5
2000	8	3.2	1.4	1.1	8.7	530	10.9	0.5	10.0	11.9
2001	22	10.7	2.6	6.2	18.0	475	9.6	0.4	8.7	10.5
2002	15	4.7	1.4	2.3	9.5	471	9.4	0.4	8.5	10.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Esophagus, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,571	2.3	0.0	2.2	2.4	1,863	1.9	0.0	1.8	2.0
1986	147	2.5	0.2	2.1	2.9	92	1.7	0.2	1.3	2.1
1987	136	2.2	0.2	1.8	2.6	94	1.7	0.2	1.4	2.1
1988	134	2.1	0.2	1.8	2.5	93	1.6	0.2	1.3	2.0
1989	146	2.3	0.2	1.9	2.7	108	1.8	0.2	1.5	2.2
1990	160	2.5	0.2	2.2	3.0	114	2.0	0.2	1.6	2.4
1991	136	2.1	0.2	1.8	2.5	97	1.7	0.2	1.4	2.1
1992	150	2.3	0.2	2.0	2.7	106	1.9	0.2	1.5	2.3
1993	160	2.5	0.2	2.1	2.9	117	2.0	0.2	1.7	2.4
1994	148	2.3	0.2	1.9	2.7	110	1.9	0.2	1.5	2.3
1995	150	2.3	0.2	1.9	2.7	108	1.8	0.2	1.5	2.2
1996	155	2.3	0.2	2.0	2.7	107	1.8	0.2	1.5	2.2
1997	148	2.2	0.2	1.9	2.6	100	1.7	0.2	1.4	2.1
1998	152	2.2	0.2	1.9	2.6	113	1.9	0.2	1.6	2.3
1999	139	2.0	0.2	1.7	2.4	109	1.8	0.2	1.5	2.2
2000	170	2.5	0.2	2.1	2.9	128	2.1	0.2	1.8	2.5
2001	179	2.5	0.2	2.2	2.9	144	2.3	0.2	2.0	2.8
2002	161	2.3	0.2	1.9	2.7	123	2.0	0.2	1.7	2.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	667	5.2	0.2	4.8	5.6	36	1.9	0.3	1.3	2.7
1986	55	8.6	1.2	6.4	11.3	0	0.0	~	0.0	13.4
1987	41	6.2	1.0	4.4	8.5	1	2.5	2.5	0.1	16.6
1988	39	5.7	0.9	4.0	7.9	2	2.0	1.4	0.2	14.2
1989	38	5.7	0.9	4.0	7.9	0	0.0	~	0.0	11.4
1990	46	6.6	1.0	4.8	8.9	0	0.0	~	0.0	11.2
1991	35	4.9	0.8	3.4	7.0	3	3.8	2.3	0.7	15.2
1992	41	5.7	0.9	4.1	7.8	3	2.6	1.5	0.5	12.0
1993	41	5.4	0.8	3.9	7.4	2	2.1	1.5	0.2	10.8
1994	36	4.7	0.8	3.3	6.6	2	1.5	1.1	0.2	9.2
1995	41	5.4	0.9	3.9	7.4	1	0.8	0.8	0.0	7.5
1996	42	5.5	0.8	3.9	7.4	4	2.8	1.4	0.7	9.3
1997	44	5.5	0.8	4.0	7.5	4	2.7	1.4	0.7	9.1
1998	38	4.7	0.8	3.3	6.6	1	0.5	0.5	0.0	5.6
1999	28	3.5	0.7	2.3	5.1	2	1.7	1.3	0.1	7.5
2000	37	4.4	0.7	3.1	6.1	5	3.1	1.5	0.9	8.6
2001	31	3.7	0.7	2.5	5.3	4	2.7	1.4	0.7	7.5
2002	34	3.9	0.7	2.7	5.5	2	1.2	0.8	0.1	4.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	41	1.6	0.3	1.1	2.3	1,967	2.3	0.1	2.2	2.5
1990	0	0.0	~	0.0	4.2	160	2.6	0.2	2.2	3.1
1991	1	0.7	0.7	0.0	5.2	135	2.2	0.2	1.8	2.6
1992	0	0.0	~	0.0	3.9	150	2.4	0.2	2.0	2.8
1993	8	4.1	1.6	1.6	9.4	152	2.4	0.2	2.0	2.8
1994	3	1.2	0.7	0.2	4.9	145	2.3	0.2	1.9	2.7
1995	1	0.4	0.4	0.0	3.8	149	2.3	0.2	2.0	2.7
1996	5	3.1	1.4	0.9	7.8	150	2.3	0.2	2.0	2.7
1997	1	0.3	0.3	0.0	3.5	147	2.3	0.2	1.9	2.7
1998	4	2.1	1.2	0.5	6.4	148	2.3	0.2	1.9	2.7
1999	5	2.5	1.2	0.7	6.7	134	2.0	0.2	1.7	2.4
2000	3	1.3	0.8	0.2	4.6	167	2.5	0.2	2.2	3.0
2001	6	2.8	1.2	0.9	6.6	173	2.6	0.2	2.2	3.0
2002	4	1.6	0.8	0.4	4.4	157	2.3	0.2	2.0	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Stomach, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	16,218	8.4	0.1	8.3	8.6	12,664	7.5	0.1	7.4	7.6
1986	922	8.9	0.3	8.3	9.5	740	8.0	0.3	7.4	8.6
1987	943	8.9	0.3	8.4	9.5	739	7.9	0.3	7.4	8.5
1988	951	9.0	0.3	8.4	9.6	747	8.0	0.3	7.4	8.6
1989	1,001	9.4	0.3	8.8	10.0	806	8.5	0.3	7.9	9.1
1990	952	8.8	0.3	8.2	9.4	775	8.1	0.3	7.5	8.7
1991	921	8.4	0.3	7.9	9.0	735	7.6	0.3	7.0	8.2
1992	938	8.4	0.3	7.9	9.0	737	7.5	0.3	7.0	8.1
1993	974	8.7	0.3	8.1	9.2	769	7.8	0.3	7.2	8.4
1994	946	8.3	0.3	7.8	8.9	748	7.5	0.3	7.0	8.1
1995	976	8.5	0.3	8.0	9.1	740	7.4	0.3	6.8	7.9
1996	968	8.4	0.3	7.9	8.9	744	7.4	0.3	6.9	7.9
1997	977	8.4	0.3	7.9	8.9	758	7.5	0.3	6.9	8.0
1998	1,005	8.5	0.3	8.0	9.1	762	7.4	0.3	6.9	8.0
1999	937	7.9	0.3	7.4	8.4	737	7.1	0.3	6.6	7.7
2000	909	7.6	0.3	7.1	8.1	683	6.6	0.3	6.1	7.1
2001	926	7.6	0.3	7.1	8.1	695	6.6	0.3	6.2	7.2
2002	972	7.9	0.3	7.4	8.4	749	7.1	0.3	6.6	7.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,942	14.4	0.3	13.9	15.0	571	15.6	0.7	14.2	17.2
1986	149	14.2	1.2	12.0	16.9	29	24.3	5.5	14.7	39.4
1987	180	16.9	1.3	14.5	19.8	24	18.3	4.4	10.6	30.9
1988	179	17.3	1.3	14.8	20.2	24	16.5	3.6	10.3	27.3
1989	168	15.6	1.2	13.2	18.3	25	18.7	4.5	11.0	31.0
1990	154	13.8	1.2	11.7	16.3	22	15.1	3.8	8.5	26.1
1991	159	14.6	1.2	12.3	17.1	27	17.9	4.1	10.7	29.1
1992	174	14.8	1.2	12.7	17.3	25	16.8	3.9	10.1	27.3
1993	168	14.5	1.1	12.3	16.9	34	16.9	3.3	11.0	25.8
1994	177	14.4	1.1	12.3	16.8	21	8.6	2.0	5.2	15.0
1995	189	14.9	1.1	12.8	17.3	46	19.6	3.2	13.9	27.8
1996	191	15.6	1.2	13.4	18.0	31	14.0	2.8	9.1	21.3
1997	177	13.9	1.1	11.9	16.2	39	14.7	2.7	9.9	21.7
1998	200	16.0	1.2	13.8	18.5	39	14.6	2.5	10.0	21.2
1999	154	11.6	1.0	9.8	13.7	42	14.8	2.6	10.2	21.4
2000	176	13.1	1.0	11.2	15.2	46	14.9	2.4	10.5	20.9
2001	179	13.4	1.0	11.4	15.5	49	14.8	2.3	10.6	20.4
2002	168	12.1	0.9	10.3	14.1	48	14.8	2.3	10.6	20.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	714	12.1	0.5	11.1	13.2	11,687	8.1	0.1	7.9	8.2
1990	36	11.8	2.3	7.7	17.7	916	8.7	0.3	8.1	9.3
1991	37	10.0	1.9	6.6	15.1	884	8.3	0.3	7.8	8.9
1992	45	12.1	2.1	8.3	17.4	893	8.3	0.3	7.7	8.8
1993	57	15.8	2.4	11.4	21.6	917	8.4	0.3	7.9	9.0
1994	54	14.5	2.3	10.4	20.0	892	8.2	0.3	7.6	8.7
1995	54	12.5	2.0	8.9	17.4	922	8.3	0.3	7.8	8.9
1996	51	13.9	2.3	9.8	19.4	917	8.2	0.3	7.7	8.8
1997	44	8.7	1.5	6.1	12.6	933	8.3	0.3	7.8	8.9
1998	65	13.3	2.0	9.7	18.0	940	8.3	0.3	7.8	8.8
1999	61	10.4	1.6	7.5	14.4	876	7.7	0.3	7.2	8.2
2000	67	12.9	1.8	9.6	17.2	842	7.3	0.3	6.8	7.8
2001	69	10.1	1.5	7.5	13.7	857	7.4	0.3	6.9	7.9
2002	74	12.4	1.6	9.4	16.2	898	7.7	0.3	7.2	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Stomach, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9,852	12.5	0.1	12.2	12.7	7,745	11.2	0.1	11.0	11.5
1986	549	12.8	0.6	11.7	14.0	447	11.9	0.6	10.8	13.1
1987	569	13.5	0.6	12.3	14.7	439	11.9	0.6	10.8	13.1
1988	609	14.2	0.6	13.1	15.5	484	12.9	0.6	11.7	14.1
1989	620	14.3	0.6	13.2	15.5	500	13.0	0.6	11.9	14.3
1990	571	13.1	0.6	12.0	14.3	456	11.9	0.6	10.8	13.1
1991	566	12.7	0.6	11.7	13.9	458	11.7	0.6	10.7	12.9
1992	560	12.3	0.5	11.3	13.4	447	11.1	0.5	10.1	12.3
1993	571	12.4	0.5	11.4	13.5	442	11.0	0.5	10.0	12.1
1994	578	12.4	0.5	11.4	13.5	457	11.3	0.5	10.3	12.5
1995	608	13.1	0.5	12.0	14.2	473	11.8	0.6	10.7	12.9
1996	603	12.8	0.5	11.8	13.9	468	11.4	0.5	10.4	12.5
1997	606	12.7	0.5	11.7	13.8	479	11.5	0.5	10.5	12.6
1998	595	12.3	0.5	11.3	13.3	462	10.9	0.5	9.9	12.0
1999	564	11.4	0.5	10.5	12.5	445	10.5	0.5	9.5	11.5
2000	549	11.0	0.5	10.1	12.0	414	9.6	0.5	8.7	10.6
2001	542	10.6	0.5	9.7	11.5	409	9.3	0.5	8.4	10.3
2002	592	11.5	0.5	10.6	12.5	465	10.5	0.5	9.6	11.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,748	21.1	0.5	20.1	22.2	331	21.0	1.4	18.4	23.9
1986	84	18.8	2.2	14.7	24.0	15	20.6	6.9	9.3	46.0
1987	111	24.8	2.5	20.1	30.5	19	35.3	9.9	18.6	65.0
1988	112	26.4	2.7	21.4	32.4	12	20.4	6.4	9.9	43.2
1989	102	23.8	2.5	19.1	29.6	17	30.6	8.9	15.8	57.2
1990	100	22.1	2.4	17.7	27.5	15	23.7	7.4	11.6	47.7
1991	94	20.2	2.2	16.1	25.3	14	19.7	6.2	9.5	40.4
1992	96	21.2	2.3	16.9	26.6	15	27.0	8.0	13.7	50.4
1993	107	22.7	2.3	18.3	28.0	21	24.0	6.2	13.5	42.9
1994	111	21.6	2.2	17.6	26.6	10	8.0	2.7	3.5	21.2
1995	112	21.9	2.2	17.8	26.9	22	21.4	5.0	12.8	37.3
1996	114	23.4	2.3	19.0	28.7	19	21.2	5.8	11.4	38.5
1997	107	21.2	2.2	17.1	26.2	18	18.6	5.3	9.7	34.6
1998	107	21.9	2.3	17.7	27.0	23	19.9	4.6	12.0	33.9
1999	90	16.7	1.9	13.2	20.9	27	23.8	5.7	13.9	39.9
2000	100	18.9	2.0	15.2	23.5	31	22.3	4.6	14.3	35.3
2001	103	18.6	1.9	15.0	23.0	27	17.1	3.8	10.5	28.1
2002	98	17.1	1.8	13.7	21.2	26	17.7	3.8	11.1	28.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	425	16.6	1.0	14.7	18.8	7,080	12.0	0.1	11.7	12.3
1990	20	18.3	5.1	9.7	32.5	551	13.0	0.6	11.9	14.2
1991	28	16.1	3.7	9.7	27.1	538	12.6	0.6	11.5	13.7
1992	23	15.3	4.0	8.4	26.8	537	12.2	0.5	11.2	13.4
1993	32	18.0	4.1	10.8	29.5	539	12.2	0.5	11.2	13.3
1994	33	19.4	4.1	12.1	30.8	545	12.2	0.5	11.2	13.3
1995	34	17.3	3.7	10.8	27.7	574	12.9	0.6	11.8	14.0
1996	36	22.6	4.6	14.5	34.7	567	12.6	0.5	11.5	13.7
1997	31	12.9	2.7	8.1	21.1	575	12.6	0.5	11.6	13.7
1998	36	17.9	3.7	11.4	27.9	559	12.1	0.5	11.1	13.1
1999	37	15.6	3.4	9.7	24.7	527	11.2	0.5	10.3	12.3
2000	32	14.6	2.9	9.4	22.7	517	10.9	0.5	9.9	11.9
2001	43	15.5	3.1	10.1	23.6	499	10.3	0.5	9.4	11.3
2002	40	14.8	2.7	9.9	21.9	552	11.4	0.5	10.4	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Stomach, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,366	5.6	0.1	5.4	5.7	4,919	4.9	0.1	4.7	5.0
1986	373	6.1	0.3	5.5	6.8	293	5.3	0.3	4.7	6.0
1987	374	5.9	0.3	5.3	6.6	300	5.3	0.3	4.7	5.9
1988	342	5.5	0.3	4.9	6.1	263	4.7	0.3	4.2	5.3
1989	381	6.0	0.3	5.4	6.6	306	5.4	0.3	4.8	6.0
1990	381	5.9	0.3	5.3	6.5	319	5.6	0.3	5.0	6.2
1991	355	5.4	0.3	4.8	6.0	277	4.7	0.3	4.2	5.3
1992	378	5.7	0.3	5.2	6.4	290	5.0	0.3	4.4	5.6
1993	403	6.0	0.3	5.4	6.6	327	5.5	0.3	4.9	6.1
1994	368	5.4	0.3	4.9	6.0	291	4.8	0.3	4.3	5.5
1995	368	5.4	0.3	4.9	6.0	267	4.5	0.3	3.9	5.1
1996	365	5.3	0.3	4.8	5.9	276	4.6	0.3	4.0	5.1
1997	371	5.4	0.3	4.8	6.0	279	4.6	0.3	4.1	5.2
1998	410	5.8	0.3	5.3	6.4	300	4.9	0.3	4.3	5.5
1999	373	5.3	0.3	4.8	5.9	292	4.7	0.3	4.2	5.3
2000	360	5.1	0.3	4.5	5.6	269	4.3	0.3	3.8	4.9
2001	384	5.3	0.3	4.8	5.9	286	4.6	0.3	4.0	5.2
2002	380	5.3	0.3	4.8	5.9	284	4.6	0.3	4.1	5.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,194	10.0	0.3	9.4	10.5	240	11.7	0.8	10.1	13.5
1986	65	11.0	1.4	8.5	14.2	14	26.2	8.0	12.9	49.3
1987	69	11.4	1.4	8.8	14.6	5	5.4	2.9	1.3	19.6
1988	67	11.3	1.4	8.7	14.5	12	13.9	4.2	6.9	28.9
1989	66	10.3	1.3	7.9	13.2	8	9.8	4.3	3.3	25.1
1990	54	8.2	1.1	6.1	10.8	7	8.4	3.8	2.7	22.9
1991	65	10.4	1.3	8.0	13.3	13	16.5	5.5	7.5	32.9
1992	78	11.0	1.3	8.6	13.8	10	9.8	3.6	4.0	22.1
1993	61	8.9	1.2	6.8	11.5	13	11.4	3.6	5.5	22.9
1994	66	9.2	1.1	7.1	11.8	11	8.9	2.8	4.3	18.6
1995	77	10.1	1.2	8.0	12.7	24	18.3	4.0	11.3	29.6
1996	77	10.5	1.2	8.3	13.2	12	9.2	2.8	4.5	18.0
1997	70	9.2	1.1	7.2	11.7	21	12.7	3.0	7.5	21.5
1998	93	12.4	1.3	10.0	15.2	16	10.5	2.9	5.6	18.8
1999	64	8.2	1.0	6.3	10.5	15	9.0	2.5	4.8	16.4
2000	76	9.4	1.1	7.4	11.8	15	8.9	2.5	4.7	16.1
2001	76	9.6	1.1	7.5	12.0	22	12.6	2.8	7.6	20.0
2002	70	8.5	1.0	6.7	10.8	22	12.0	2.7	7.3	18.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	289	8.9	0.6	7.8	10.1	4,607	5.3	0.1	5.2	5.5
1990	16	8.1	2.2	4.4	14.8	365	5.8	0.3	5.2	6.4
1991	9	5.1	1.9	2.1	11.2	346	5.4	0.3	4.8	6.0
1992	22	10.1	2.4	6.0	16.8	356	5.6	0.3	5.0	6.2
1993	25	13.8	3.0	8.6	21.5	378	5.7	0.3	5.2	6.4
1994	21	10.5	2.6	6.1	17.4	347	5.3	0.3	4.7	5.9
1995	20	8.8	2.2	5.1	14.9	348	5.3	0.3	4.8	5.9
1996	15	7.5	2.2	3.9	13.5	350	5.2	0.3	4.7	5.8
1997	13	5.1	1.5	2.5	9.8	358	5.4	0.3	4.8	6.0
1998	29	10.1	2.1	6.4	15.8	381	5.6	0.3	5.0	6.2
1999	24	6.8	1.5	4.2	11.2	349	5.1	0.3	4.6	5.7
2000	35	11.7	2.2	7.8	17.5	325	4.7	0.3	4.2	5.3
2001	26	6.3	1.4	3.9	10.2	358	5.1	0.3	4.6	5.7
2002	34	10.6	2.0	7.1	15.7	346	5.0	0.3	4.5	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Small Intestine, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,983	1.5	0.0	1.5	1.6	2,411	1.4	0.0	1.4	1.5
1986	128	1.2	0.1	1.0	1.5	104	1.1	0.1	0.9	1.4
1987	122	1.2	0.1	1.0	1.4	101	1.1	0.1	0.9	1.3
1988	133	1.2	0.1	1.0	1.5	110	1.1	0.1	0.9	1.4
1989	145	1.3	0.1	1.1	1.6	123	1.3	0.1	1.1	1.5
1990	139	1.3	0.1	1.1	1.5	117	1.3	0.1	1.0	1.5
1991	145	1.3	0.1	1.1	1.5	114	1.2	0.1	1.0	1.4
1992	155	1.4	0.1	1.2	1.6	126	1.3	0.1	1.1	1.6
1993	181	1.6	0.1	1.4	1.9	154	1.6	0.1	1.3	1.8
1994	172	1.5	0.1	1.3	1.8	142	1.4	0.1	1.2	1.7
1995	164	1.4	0.1	1.2	1.7	128	1.3	0.1	1.1	1.5
1996	182	1.6	0.1	1.4	1.8	143	1.4	0.1	1.2	1.7
1997	185	1.6	0.1	1.4	1.8	145	1.4	0.1	1.2	1.7
1998	214	1.8	0.1	1.6	2.1	175	1.7	0.1	1.5	2.0
1999	209	1.8	0.1	1.5	2.0	167	1.6	0.1	1.4	1.9
2000	205	1.7	0.1	1.5	2.0	164	1.6	0.1	1.4	1.9
2001	239	2.0	0.1	1.7	2.2	190	1.8	0.1	1.6	2.1
2002	265	2.2	0.1	1.9	2.4	208	2.0	0.1	1.7	2.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	510	2.3	0.1	2.1	2.5	46	1.1	0.2	0.8	1.5
1986	22	2.0	0.4	1.2	3.2	1	0.3	0.3	0.0	8.3
1987	18	1.6	0.4	0.9	2.6	2	1.4	1.0	0.2	9.2
1988	21	1.9	0.4	1.1	3.0	1	1.1	1.1	0.0	8.7
1989	20	1.6	0.4	1.0	2.6	2	1.3	0.9	0.1	8.2
1990	21	1.7	0.4	1.1	2.7	1	1.0	1.0	0.0	8.1
1991	30	2.4	0.4	1.6	3.5	1	0.4	0.4	0.0	6.4
1992	27	1.9	0.4	1.2	2.9	2	0.7	0.5	0.1	6.0
1993	24	1.9	0.4	1.2	2.8	2	0.5	0.4	0.1	5.4
1994	26	2.0	0.4	1.3	3.0	4	2.2	1.1	0.5	7.4
1995	34	2.7	0.5	1.9	3.9	2	0.7	0.5	0.1	4.9
1996	36	2.6	0.4	1.8	3.7	3	0.7	0.4	0.1	4.5
1997	39	2.8	0.5	2.0	3.9	1	0.6	0.6	0.0	4.4
1998	36	2.6	0.4	1.8	3.6	1	0.2	0.2	0.0	3.5
1999	33	2.3	0.4	1.6	3.3	7	2.2	0.9	0.8	6.0
2000	34	2.4	0.4	1.7	3.4	4	1.0	0.5	0.3	3.7
2001	41	2.8	0.5	2.0	3.9	5	1.6	0.7	0.5	4.5
2002	48	3.2	0.5	2.4	4.3	7	1.7	0.7	0.6	4.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	72	1.2	0.2	0.9	1.6	2,383	1.7	0.0	1.6	1.7
1990	5	1.2	0.5	0.4	4.0	134	1.3	0.1	1.1	1.5
1991	2	0.7	0.5	0.1	3.6	143	1.3	0.1	1.1	1.6
1992	4	1.1	0.6	0.2	4.0	151	1.4	0.1	1.2	1.6
1993	5	1.0	0.5	0.3	3.6	176	1.6	0.1	1.4	1.9
1994	8	2.0	0.8	0.8	4.9	164	1.5	0.1	1.3	1.8
1995	4	1.1	0.7	0.2	3.8	160	1.5	0.1	1.2	1.7
1996	4	0.4	0.2	0.1	2.5	178	1.6	0.1	1.4	1.9
1997	3	1.1	0.7	0.2	3.6	182	1.6	0.1	1.4	1.9
1998	12	2.4	0.8	1.1	5.0	202	1.8	0.1	1.6	2.1
1999	6	1.2	0.5	0.4	3.5	203	1.8	0.1	1.6	2.1
2000	4	0.6	0.3	0.1	2.3	201	1.8	0.1	1.5	2.0
2001	5	0.9	0.4	0.3	2.6	234	2.0	0.1	1.8	2.3
2002	10	2.0	0.7	0.9	4.1	255	2.2	0.1	1.9	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Small Intestine, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,547	1.9	0.0	1.8	2.0	1,252	1.8	0.1	1.7	1.9
1986	69	1.7	0.2	1.3	2.2	56	1.6	0.2	1.2	2.1
1987	75	1.7	0.2	1.3	2.2	62	1.6	0.2	1.2	2.1
1988	66	1.4	0.2	1.1	1.9	56	1.4	0.2	1.0	1.8
1989	73	1.5	0.2	1.2	1.9	61	1.5	0.2	1.1	1.9
1990	73	1.6	0.2	1.2	2.1	66	1.7	0.2	1.3	2.2
1991	72	1.6	0.2	1.2	2.0	58	1.4	0.2	1.1	1.9
1992	76	1.6	0.2	1.2	2.0	62	1.5	0.2	1.1	1.9
1993	99	2.1	0.2	1.7	2.6	85	2.1	0.2	1.6	2.6
1994	81	1.7	0.2	1.4	2.2	69	1.7	0.2	1.3	2.2
1995	91	1.9	0.2	1.5	2.3	71	1.7	0.2	1.3	2.1
1996	93	1.9	0.2	1.5	2.4	72	1.7	0.2	1.3	2.2
1997	87	1.7	0.2	1.4	2.2	70	1.6	0.2	1.3	2.1
1998	117	2.3	0.2	1.9	2.7	90	2.0	0.2	1.6	2.5
1999	115	2.2	0.2	1.8	2.7	91	2.0	0.2	1.6	2.5
2000	103	2.0	0.2	1.7	2.5	79	1.8	0.2	1.5	2.3
2001	124	2.4	0.2	2.0	2.9	99	2.2	0.2	1.8	2.7
2002	133	2.5	0.2	2.1	2.9	105	2.3	0.2	1.9	2.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	257	2.8	0.2	2.4	3.2	27	1.5	0.3	0.9	2.4
1986	11	2.3	0.7	1.1	4.8	1	0.7	0.7	0.0	20.7
1987	12	2.6	0.8	1.3	5.2	1	1.9	1.9	0.0	21.2
1988	8	1.5	0.5	0.6	3.6	1	2.6	2.6	0.1	21.4
1989	11	1.7	0.5	0.8	3.7	1	1.8	1.8	0.0	18.7
1990	7	1.3	0.5	0.5	3.5	0	0.0	~	0.0	16.8
1991	14	3.0	0.9	1.6	5.6	0	0.0	~	0.0	15.1
1992	13	2.0	0.6	1.0	4.1	1	0.6	0.6	0.0	14.2
1993	12	2.3	0.7	1.2	4.5	1	0.6	0.6	0.0	13.2
1994	10	1.8	0.6	0.8	3.9	2	3.0	2.3	0.3	16.4
1995	19	4.1	1.0	2.3	6.8	1	0.6	0.6	0.0	11.9
1996	19	3.1	0.7	1.9	5.3	2	1.1	0.7	0.1	11.8
1997	16	2.6	0.7	1.5	4.7	1	1.4	1.4	0.0	12.2
1998	26	4.5	0.9	2.9	6.9	0	0.0	~	0.0	9.6
1999	20	3.5	0.8	2.1	5.8	3	1.4	0.8	0.3	10.4
2000	20	3.4	0.8	2.1	5.7	2	1.1	0.8	0.1	9.0
2001	20	3.6	0.8	2.1	5.9	3	2.5	1.5	0.5	10.2
2002	19	3.1	0.8	1.8	5.2	7	3.8	1.6	1.4	10.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	31	0.9	0.2	0.6	1.5	1,233	2.0	0.1	1.9	2.1
1990	4	1.8	0.9	0.5	9.3	69	1.6	0.2	1.2	2.0
1991	1	0.4	0.4	0.0	7.5	71	1.6	0.2	1.2	2.0
1992	2	0.7	0.5	0.1	7.3	74	1.6	0.2	1.2	2.0
1993	3	1.4	0.9	0.2	8.2	96	2.1	0.2	1.7	2.6
1994	4	2.3	1.4	0.5	9.3	77	1.7	0.2	1.4	2.2
1995	0	0.0	~	0.0	6.0	91	2.0	0.2	1.6	2.4
1996	3	0.5	0.3	0.1	6.1	90	1.9	0.2	1.6	2.4
1997	0	0.0	~	0.0	5.6	87	1.8	0.2	1.5	2.3
1998	4	1.3	0.7	0.3	6.6	113	2.3	0.2	1.9	2.8
1999	2	1.0	0.8	0.1	6.3	113	2.3	0.2	1.9	2.8
2000	1	0.3	0.3	0.0	4.8	102	2.1	0.2	1.7	2.6
2001	3	0.9	0.5	0.2	5.0	121	2.5	0.2	2.1	3.0
2002	4	1.4	0.7	0.4	5.3	129	2.5	0.2	2.1	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Small Intestine, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,436	1.3	0.0	1.2	1.4	1,159	1.2	0.0	1.1	1.3
1986	59	1.0	0.1	0.7	1.3	48	0.9	0.1	0.7	1.2
1987	47	0.7	0.1	0.5	1.0	39	0.7	0.1	0.5	1.0
1988	67	1.1	0.1	0.8	1.4	54	1.0	0.1	0.7	1.3
1989	72	1.1	0.1	0.9	1.4	62	1.1	0.1	0.8	1.4
1990	66	1.1	0.1	0.8	1.4	51	1.0	0.1	0.7	1.3
1991	73	1.1	0.1	0.9	1.5	56	1.0	0.1	0.8	1.3
1992	79	1.3	0.1	1.0	1.6	64	1.2	0.2	0.9	1.5
1993	82	1.3	0.1	1.0	1.6	69	1.2	0.2	1.0	1.6
1994	91	1.4	0.1	1.1	1.7	73	1.2	0.1	1.0	1.6
1995	73	1.1	0.1	0.9	1.4	57	1.0	0.1	0.8	1.3
1996	89	1.3	0.1	1.1	1.6	71	1.2	0.1	1.0	1.6
1997	98	1.5	0.2	1.2	1.8	75	1.3	0.2	1.0	1.6
1998	97	1.4	0.1	1.2	1.8	85	1.5	0.2	1.2	1.8
1999	94	1.4	0.1	1.1	1.7	76	1.3	0.1	1.0	1.6
2000	102	1.5	0.2	1.2	1.9	85	1.5	0.2	1.2	1.9
2001	115	1.7	0.2	1.4	2.0	91	1.6	0.2	1.3	2.0
2002	132	1.9	0.2	1.6	2.3	103	1.8	0.2	1.4	2.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	253	2.0	0.1	1.7	2.2	19	0.8	0.2	0.5	1.4
1986	11	1.7	0.5	0.9	3.3	0	0.0	~	0.0	13.4
1987	6	0.8	0.3	0.3	2.0	1	1.0	1.0	0.0	13.7
1988	13	2.0	0.6	1.1	3.6	0	0.0	~	0.0	12.0
1989	9	1.4	0.5	0.7	2.8	1	1.0	1.0	0.0	12.4
1990	14	2.0	0.5	1.1	3.5	1	1.7	1.7	0.0	13.5
1991	16	2.1	0.5	1.2	3.6	1	0.8	0.8	0.0	10.8
1992	14	1.8	0.5	1.0	3.1	1	0.7	0.7	0.0	9.7
1993	12	1.6	0.5	0.8	2.8	1	0.5	0.5	0.0	8.5
1994	16	2.1	0.5	1.2	3.5	2	1.6	1.1	0.2	9.2
1995	15	2.0	0.5	1.1	3.4	1	0.7	0.7	0.0	7.3
1996	17	2.1	0.5	1.2	3.5	1	0.4	0.4	0.0	6.2
1997	23	2.9	0.6	1.8	4.4	0	0.0	~	0.0	5.6
1998	10	1.2	0.4	0.6	2.3	1	0.4	0.4	0.0	5.5
1999	13	1.6	0.4	0.8	2.7	4	2.7	1.4	0.7	8.5
2000	14	1.7	0.5	0.9	2.9	2	0.8	0.6	0.1	5.0
2001	21	2.4	0.5	1.5	3.8	2	1.0	0.7	0.1	4.9
2002	29	3.3	0.6	2.2	4.8	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	41	1.4	0.2	1.0	2.0	1,150	1.4	0.0	1.3	1.5
1990	1	0.5	0.5	0.0	4.9	65	1.1	0.1	0.9	1.4
1991	1	0.8	0.8	0.0	5.5	72	1.2	0.1	0.9	1.5
1992	2	1.3	1.0	0.1	5.9	77	1.3	0.1	1.0	1.6
1993	2	0.8	0.6	0.1	4.6	80	1.3	0.1	1.0	1.6
1994	4	1.8	1.0	0.4	6.0	87	1.4	0.1	1.1	1.7
1995	4	1.9	1.1	0.4	6.2	69	1.1	0.1	0.9	1.4
1996	1	0.3	0.3	0.0	3.6	88	1.4	0.1	1.1	1.7
1997	3	1.8	1.1	0.3	6.0	95	1.5	0.2	1.2	1.8
1998	8	3.2	1.3	1.3	7.5	89	1.4	0.1	1.1	1.7
1999	4	1.5	0.8	0.4	4.9	90	1.4	0.1	1.1	1.7
2000	3	0.8	0.5	0.1	3.7	99	1.6	0.2	1.3	1.9
2001	2	0.8	0.6	0.1	3.5	113	1.8	0.2	1.5	2.1
2002	6	2.3	1.0	0.8	5.5	126	1.9	0.2	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Colon Excluding Rectum, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	84,775	44.0	0.2	43.7	44.3	73,162	43.2	0.2	42.9	43.5
1986	4,690	45.0	0.7	43.7	46.3	4,157	44.6	0.7	43.3	46.0
1987	4,865	46.0	0.7	44.7	47.3	4,342	46.0	0.7	44.7	47.4
1988	4,866	45.7	0.7	44.4	47.0	4,247	44.8	0.7	43.4	46.1
1989	4,679	43.6	0.6	42.3	44.9	4,120	43.2	0.7	41.9	44.5
1990	4,858	44.9	0.6	43.6	46.2	4,262	44.3	0.7	43.0	45.7
1991	4,724	43.1	0.6	41.9	44.4	4,172	42.9	0.7	41.6	44.3
1992	4,749	42.7	0.6	41.5	43.9	4,194	42.6	0.7	41.3	43.9
1993	4,811	42.7	0.6	41.5	43.9	4,199	42.2	0.7	40.9	43.5
1994	5,113	45.0	0.6	43.8	46.3	4,452	44.4	0.7	43.1	45.8
1995	4,877	42.5	0.6	41.4	43.8	4,164	41.3	0.6	40.1	42.6
1996	5,000	43.3	0.6	42.1	44.5	4,289	42.4	0.6	41.1	43.6
1997	5,134	44.1	0.6	42.9	45.3	4,387	43.0	0.7	41.8	44.3
1998	5,407	45.9	0.6	44.6	47.1	4,562	44.3	0.7	43.0	45.6
1999	5,258	44.2	0.6	43.0	45.4	4,468	43.1	0.6	41.9	44.4
2000	5,382	44.8	0.6	43.6	46.0	4,521	43.4	0.6	42.1	44.7
2001	5,194	42.7	0.6	41.6	43.9	4,331	41.2	0.6	39.9	42.4
2002	5,168	42.1	0.6	40.9	43.2	4,295	40.5	0.6	39.3	41.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,289	50.3	0.5	49.3	51.3	964	27.5	1.0	25.6	29.5
1986	494	47.5	2.2	43.2	52.1	30	26.3	5.6	16.5	41.4
1987	482	45.0	2.1	40.9	49.4	34	27.7	5.4	18.2	42.0
1988	569	53.1	2.3	48.6	57.8	36	31.4	6.1	20.7	47.0
1989	508	46.6	2.1	42.5	51.0	34	21.1	4.1	13.9	32.5
1990	549	50.1	2.2	45.9	54.7	33	24.8	5.0	16.0	37.9
1991	497	44.0	2.0	40.1	48.2	33	19.9	3.8	13.1	30.4
1992	494	42.1	1.9	38.4	46.2	44	27.5	4.7	19.1	39.3
1993	557	47.6	2.1	43.6	51.8	48	24.8	4.1	17.5	35.2
1994	598	50.6	2.1	46.5	54.9	57	26.4	3.9	19.4	36.2
1995	641	52.8	2.1	48.7	57.2	62	27.9	3.9	20.8	37.6
1996	634	51.1	2.1	47.1	55.3	60	29.8	4.3	21.9	40.1
1997	665	53.2	2.1	49.1	57.5	55	22.0	3.3	16.0	30.1
1998	748	58.7	2.2	54.5	63.2	68	28.0	3.7	21.1	36.9
1999	668	50.1	2.0	46.3	54.2	85	31.6	3.8	24.5	40.5
2000	715	52.9	2.0	49.1	57.1	91	30.5	3.5	24.0	38.7
2001	722	52.8	2.0	48.9	56.8	100	30.9	3.4	24.6	38.5
2002	748	53.6	2.0	49.8	57.7	94	28.0	3.1	22.3	35.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,390	25.9	0.8	24.4	27.6	64,285	44.3	0.2	44.0	44.6
1990	81	24.3	3.1	18.7	31.6	4,777	45.4	0.7	44.1	46.7
1991	58	19.1	2.9	13.9	26.0	4,666	43.8	0.6	42.6	45.1
1992	81	24.9	3.1	19.1	32.2	4,668	43.2	0.6	41.9	44.4
1993	92	27.0	3.2	21.1	34.3	4,719	43.2	0.6	41.9	44.4
1994	96	25.5	3.0	20.0	32.4	5,017	45.6	0.6	44.3	46.8
1995	103	29.9	3.4	23.7	37.6	4,774	43.1	0.6	41.9	44.3
1996	96	23.7	2.7	18.7	30.1	4,904	44.0	0.6	42.7	45.2
1997	121	29.0	3.0	23.4	35.7	5,013	44.6	0.6	43.3	45.8
1998	102	24.8	2.8	19.6	31.2	5,305	46.7	0.6	45.5	48.0
1999	115	22.8	2.4	18.3	28.5	5,143	44.9	0.6	43.7	46.2
2000	142	28.3	2.8	23.2	34.6	5,240	45.5	0.6	44.3	46.7
2001	149	28.6	2.6	23.6	34.5	5,045	43.4	0.6	42.2	44.6
2002	154	26.3	2.4	21.9	31.5	5,014	42.8	0.6	41.6	44.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Colon Excluding Rectum, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	39,904	51.2	0.3	50.7	51.8	34,552	50.5	0.3	50.0	51.1
1986	2,224	53.3	1.2	51.0	55.7	1,996	53.7	1.3	51.2	56.2
1987	2,280	53.9	1.2	51.6	56.3	2,036	54.1	1.2	51.7	56.6
1988	2,270	53.3	1.2	51.0	55.6	1,982	52.3	1.2	49.9	54.7
1989	2,206	51.1	1.1	48.9	53.4	1,950	50.9	1.2	48.6	53.3
1990	2,292	52.6	1.1	50.4	54.9	2,015	52.1	1.2	49.8	54.5
1991	2,275	51.7	1.1	49.5	53.9	2,022	52.0	1.2	49.7	54.4
1992	2,338	52.6	1.1	50.5	54.9	2,065	52.7	1.2	50.4	55.1
1993	2,254	49.7	1.1	47.6	51.9	1,965	49.1	1.1	46.9	51.4
1994	2,329	51.1	1.1	49.0	53.3	2,043	50.8	1.2	48.6	53.1
1995	2,271	49.3	1.1	47.2	51.4	1,928	47.7	1.1	45.6	50.0
1996	2,284	49.1	1.1	47.1	51.2	1,960	48.2	1.1	46.1	50.5
1997	2,394	50.7	1.1	48.7	52.9	2,049	49.7	1.1	47.6	52.0
1998	2,507	52.4	1.1	50.3	54.5	2,122	50.9	1.1	48.7	53.1
1999	2,491	51.5	1.0	49.4	53.6	2,137	50.7	1.1	48.6	53.0
2000	2,563	52.1	1.0	50.0	54.2	2,153	50.4	1.1	48.3	52.7
2001	2,459	49.5	1.0	47.5	51.5	2,064	48.1	1.1	46.0	50.2
2002	2,467	48.6	1.0	46.7	50.6	2,065	47.1	1.0	45.1	49.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,684	57.6	0.9	55.9	59.4	498	32.6	1.7	29.4	36.2
1986	211	50.9	3.8	43.7	59.1	15	34.0	10.3	16.9	65.3
1987	224	53.1	3.8	45.9	61.4	18	31.8	8.7	17.1	59.1
1988	259	61.6	4.1	53.9	70.5	23	45.0	11.1	25.9	76.1
1989	234	54.8	3.8	47.5	63.1	13	21.6	6.4	10.9	43.5
1990	249	58.0	3.9	50.5	66.5	22	35.9	9.2	20.2	63.0
1991	227	49.3	3.5	42.7	56.9	17	22.8	6.0	12.6	42.9
1992	239	52.7	3.7	45.8	60.6	22	28.9	7.1	16.7	50.1
1993	261	56.2	3.7	49.2	64.3	26	28.4	6.6	16.9	47.9
1994	258	57.0	3.8	49.7	65.1	25	25.4	5.3	16.0	42.3
1995	304	63.5	3.9	56.1	71.8	32	33.6	6.6	21.9	52.2
1996	285	56.1	3.5	49.4	63.7	33	37.6	7.8	23.9	58.5
1997	302	59.2	3.6	52.3	66.9	32	31.0	6.3	19.9	48.4
1998	345	67.3	3.8	59.9	75.4	29	27.4	5.9	17.2	43.8
1999	292	55.9	3.5	49.3	63.4	43	37.9	7.0	25.4	56.3
2000	333	62.4	3.6	55.5	70.1	47	34.7	5.9	24.1	50.3
2001	322	58.5	3.4	52.0	65.7	54	38.7	6.0	27.9	53.8
2002	339	61.2	3.5	54.6	68.6	47	32.9	5.4	23.2	46.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	720	29.1	1.3	26.6	31.9	30,204	51.6	0.3	51.0	52.2
1990	41	28.9	5.4	19.3	43.2	2,251	53.3	1.2	51.1	55.7
1991	32	22.0	4.7	13.8	34.9	2,243	52.6	1.1	50.3	54.9
1992	52	35.7	6.1	24.7	51.1	2,286	53.1	1.1	50.9	55.4
1993	46	29.2	5.3	19.8	43.0	2,208	50.4	1.1	48.2	52.6
1994	48	25.9	4.5	17.8	37.9	2,281	51.9	1.1	49.7	54.1
1995	53	33.4	5.7	23.1	47.6	2,218	49.9	1.1	47.8	52.1
1996	39	20.3	3.9	13.4	30.8	2,245	50.2	1.1	48.1	52.4
1997	62	28.5	4.1	20.9	39.2	2,332	51.5	1.1	49.4	53.7
1998	49	28.8	5.0	19.8	41.4	2,458	53.5	1.1	51.3	55.7
1999	67	29.1	4.3	21.2	40.0	2,424	52.3	1.1	50.2	54.5
2000	71	28.5	4.1	21.0	38.8	2,492	53.0	1.1	50.9	55.2
2001	78	34.6	4.6	26.2	45.4	2,381	50.3	1.0	48.3	52.4
2002	82	30.0	3.8	23.0	39.2	2,385	49.5	1.0	47.5	51.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Colon Excluding Rectum, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	44,871	39.1	0.2	38.8	39.5	38,610	38.2	0.2	37.8	38.6
1986	2,466	39.7	0.8	38.1	41.3	2,161	38.8	0.8	37.2	40.5
1987	2,585	41.0	0.8	39.4	42.7	2,306	40.9	0.9	39.2	42.7
1988	2,596	40.6	0.8	39.0	42.2	2,265	39.6	0.8	38.0	41.3
1989	2,473	38.7	0.8	37.2	40.3	2,170	38.0	0.8	36.4	39.6
1990	2,566	39.7	0.8	38.2	41.3	2,247	39.0	0.8	37.4	40.7
1991	2,449	37.5	0.8	36.0	39.1	2,150	37.0	0.8	35.4	38.7
1992	2,411	36.3	0.7	34.8	37.8	2,129	36.0	0.8	34.5	37.6
1993	2,557	38.0	0.8	36.5	39.5	2,234	37.5	0.8	35.9	39.1
1994	2,784	41.0	0.8	39.5	42.6	2,409	40.1	0.8	38.5	41.8
1995	2,606	38.2	0.8	36.7	39.7	2,236	37.2	0.8	35.6	38.8
1996	2,716	39.4	0.8	37.9	40.9	2,329	38.5	0.8	36.9	40.1
1997	2,740	39.5	0.8	38.0	41.0	2,338	38.5	0.8	36.9	40.1
1998	2,900	41.4	0.8	39.9	43.0	2,440	39.9	0.8	38.3	41.6
1999	2,767	39.3	0.8	37.8	40.8	2,331	37.8	0.8	36.3	39.4
2000	2,819	39.7	0.8	38.2	41.2	2,368	38.3	0.8	36.8	39.9
2001	2,735	38.1	0.7	36.7	39.6	2,267	36.4	0.8	34.9	38.0
2002	2,701	37.5	0.7	36.1	39.0	2,230	35.8	0.8	34.3	37.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,605	45.8	0.6	44.6	47.0	466	23.7	1.2	21.4	26.2
1986	283	45.7	2.8	40.4	51.5	15	21.2	6.3	10.7	41.0
1987	258	40.4	2.6	35.5	45.8	16	24.5	6.8	13.1	44.6
1988	310	48.0	2.8	42.7	53.9	13	21.3	6.8	10.1	41.3
1989	274	42.0	2.6	37.1	47.4	21	21.6	5.4	12.4	38.3
1990	300	45.4	2.7	40.3	51.0	11	16.5	5.5	7.6	33.6
1991	270	40.3	2.5	35.6	45.6	16	17.8	4.9	9.5	32.8
1992	255	36.1	2.3	31.8	40.9	22	26.2	6.1	15.6	43.0
1993	296	42.1	2.5	37.4	47.3	22	21.6	5.1	12.8	35.7
1994	340	47.5	2.6	42.6	53.0	32	27.0	5.3	17.7	41.1
1995	337	46.1	2.5	41.3	51.4	30	23.9	4.8	15.5	36.5
1996	349	47.3	2.6	42.4	52.6	27	24.2	5.1	15.3	37.2
1997	363	48.5	2.6	43.6	53.9	23	15.7	3.5	9.6	25.5
1998	403	52.9	2.7	47.8	58.3	39	28.5	4.9	19.7	40.6
1999	376	46.9	2.4	42.2	51.9	42	27.7	4.5	19.5	38.9
2000	382	47.1	2.4	42.4	52.1	44	27.2	4.4	19.3	37.7
2001	400	48.7	2.5	44.0	53.7	46	25.0	3.9	17.9	34.5
2002	409	48.7	2.4	44.1	53.8	47	24.6	3.8	17.8	33.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	670	23.5	1.0	21.6	25.5	34,081	39.4	0.2	39.0	39.8
1990	40	21.3	3.7	14.8	30.7	2,526	40.1	0.8	38.5	41.7
1991	26	16.5	3.5	10.3	25.6	2,423	38.1	0.8	36.6	39.7
1992	29	16.6	3.3	10.8	25.2	2,382	36.8	0.8	35.3	38.3
1993	46	25.3	4.0	18.1	35.0	2,511	38.3	0.8	36.8	39.9
1994	48	24.9	3.9	17.8	34.3	2,736	41.4	0.8	39.9	43.0
1995	50	27.5	4.2	19.9	37.4	2,556	38.6	0.8	37.1	40.2
1996	57	26.5	3.8	19.6	35.5	2,659	39.8	0.8	38.2	41.3
1997	59	28.1	4.0	20.8	37.5	2,681	39.9	0.8	38.4	41.5
1998	53	22.7	3.4	16.6	30.9	2,847	42.1	0.8	40.5	43.7
1999	48	18.0	2.9	12.8	25.0	2,719	40.0	0.8	38.5	41.6
2000	71	27.6	3.7	20.9	36.2	2,748	40.2	0.8	38.7	41.7
2001	71	24.1	3.2	18.3	31.4	2,664	38.6	0.8	37.2	40.2
2002	72	23.1	3.0	17.6	29.9	2,629	38.1	0.8	36.7	39.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Rectum and Rectosigmoid Junction, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	31,153	16.1	0.1	15.9	16.3	27,589	16.3	0.1	16.2	16.5
1986	1,792	16.8	0.4	16.1	17.7	1,631	17.2	0.4	16.4	18.1
1987	1,852	17.3	0.4	16.5	18.1	1,666	17.5	0.4	16.7	18.4
1988	1,796	16.7	0.4	15.9	17.5	1,617	17.0	0.4	16.1	17.8
1989	1,725	16.0	0.4	15.3	16.8	1,545	16.2	0.4	15.4	17.0
1990	1,777	16.3	0.4	15.5	17.1	1,606	16.6	0.4	15.8	17.5
1991	1,851	16.7	0.4	16.0	17.5	1,639	16.8	0.4	16.0	17.7
1992	1,812	16.2	0.4	15.5	17.0	1,648	16.8	0.4	16.0	17.6
1993	1,780	15.7	0.4	15.0	16.5	1,564	15.8	0.4	15.0	16.6
1994	1,719	15.0	0.4	14.3	15.8	1,532	15.3	0.4	14.6	16.1
1995	1,826	15.9	0.4	15.2	16.7	1,625	16.3	0.4	15.5	17.1
1996	1,798	15.6	0.4	14.9	16.3	1,582	15.8	0.4	15.0	16.6
1997	1,907	16.4	0.4	15.7	17.1	1,658	16.4	0.4	15.7	17.3
1998	1,933	16.4	0.4	15.7	17.2	1,703	16.8	0.4	16.0	17.6
1999	1,898	16.0	0.4	15.3	16.7	1,670	16.3	0.4	15.6	17.1
2000	1,886	15.7	0.4	15.0	16.5	1,630	15.9	0.4	15.1	16.7
2001	1,822	15.0	0.4	14.3	15.7	1,569	15.1	0.4	14.4	15.9
2002	1,979	16.2	0.4	15.5	16.9	1,704	16.3	0.4	15.6	17.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,903	13.7	0.3	13.2	14.3	494	12.8	0.6	11.6	14.2
1986	143	13.3	1.2	11.1	15.8	16	11.3	3.3	5.7	22.3
1987	163	14.8	1.2	12.6	17.4	20	17.4	4.5	9.8	30.2
1988	146	12.8	1.1	10.8	15.2	24	18.4	4.2	11.1	30.3
1989	156	13.9	1.1	11.7	16.4	19	14.2	3.7	7.9	25.1
1990	150	13.5	1.1	11.4	16.0	16	11.0	3.1	5.9	20.7
1991	174	15.1	1.2	12.9	17.7	29	15.6	3.1	10.2	24.8
1992	140	11.8	1.0	9.8	14.0	23	11.0	2.6	6.5	19.0
1993	178	15.4	1.2	13.1	17.9	32	14.3	2.8	9.4	22.3
1994	159	12.6	1.0	10.7	14.8	20	8.5	2.1	4.9	15.1
1995	161	12.6	1.0	10.7	14.8	33	13.8	2.8	9.0	21.3
1996	168	13.2	1.0	11.2	15.4	41	15.2	2.5	10.6	22.0
1997	207	16.1	1.1	13.9	18.6	34	12.7	2.5	8.3	19.4
1998	183	13.6	1.0	11.7	15.8	32	11.6	2.3	7.5	17.9
1999	183	13.3	1.0	11.4	15.4	33	11.3	2.3	7.3	17.4
2000	186	12.9	1.0	11.1	15.0	40	13.0	2.3	8.9	18.8
2001	195	13.6	1.0	11.8	15.8	38	12.5	2.2	8.6	17.9
2002	211	14.8	1.0	12.9	17.0	44	11.6	1.8	8.3	16.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	694	11.9	0.5	10.9	13.0	23,294	16.1	0.1	15.9	16.3
1990	46	13.6	2.3	9.5	19.4	1,731	16.4	0.4	15.6	17.2
1991	33	9.3	1.9	6.0	14.4	1,818	17.0	0.4	16.2	17.8
1992	34	8.9	1.7	5.9	13.4	1,778	16.5	0.4	15.7	17.2
1993	45	13.6	2.2	9.5	19.2	1,735	15.9	0.4	15.1	16.6
1994	48	11.5	1.9	8.1	16.3	1,671	15.1	0.4	14.4	15.9
1995	47	12.3	2.1	8.6	17.6	1,779	16.1	0.4	15.4	16.9
1996	52	11.7	1.9	8.4	16.4	1,746	15.7	0.4	15.0	16.5
1997	56	13.1	2.0	9.5	17.9	1,851	16.6	0.4	15.8	17.3
1998	60	12.5	1.8	9.1	17.0	1,873	16.6	0.4	15.9	17.4
1999	60	11.9	1.8	8.6	16.4	1,838	16.2	0.4	15.5	17.0
2000	57	10.4	1.6	7.6	14.2	1,829	16.0	0.4	15.3	16.8
2001	63	10.4	1.5	7.6	14.0	1,759	15.3	0.4	14.6	16.0
2002	93	14.4	1.7	11.3	18.3	1,886	16.3	0.4	15.5	17.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Rectum and Rectosigmoid Junction, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	17,295	21.4	0.2	21.1	21.8	15,431	21.8	0.2	21.5	22.2
1986	954	21.8	0.7	20.4	23.4	871	22.5	0.8	20.9	24.1
1987	1,014	22.8	0.7	21.4	24.4	920	23.3	0.8	21.7	24.9
1988	1,013	23.1	0.8	21.6	24.6	919	23.7	0.8	22.1	25.3
1989	927	21.0	0.7	19.6	22.5	833	21.2	0.8	19.8	22.8
1990	969	21.7	0.7	20.3	23.2	878	22.2	0.8	20.7	23.8
1991	1,006	22.2	0.7	20.8	23.7	901	22.5	0.8	21.0	24.1
1992	999	21.6	0.7	20.2	23.0	917	22.4	0.8	21.0	24.0
1993	985	21.1	0.7	19.8	22.5	868	21.1	0.7	19.7	22.7
1994	923	19.2	0.6	18.0	20.6	827	19.7	0.7	18.3	21.1
1995	990	20.9	0.7	19.6	22.3	888	21.4	0.7	20.0	22.9
1996	997	20.6	0.7	19.3	21.9	887	21.1	0.7	19.7	22.5
1997	1,079	22.1	0.7	20.8	23.5	951	22.4	0.7	21.0	23.9
1998	1,086	22.1	0.7	20.7	23.4	970	22.6	0.7	21.2	24.1
1999	1,095	21.8	0.7	20.5	23.2	957	22.1	0.7	20.7	23.5
2000	1,089	21.2	0.7	20.0	22.5	944	21.4	0.7	20.0	22.8
2001	1,039	20.1	0.6	18.9	21.4	910	20.5	0.7	19.1	21.9
2002	1,130	21.4	0.6	20.2	22.7	990	21.8	0.7	20.5	23.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,480	17.2	0.5	16.3	18.2	293	17.1	1.2	14.9	19.7
1986	73	15.9	2.0	12.3	20.7	10	12.1	3.9	5.7	33.1
1987	80	17.5	2.1	13.7	22.4	14	30.1	9.8	14.1	59.9
1988	77	16.5	2.0	12.8	21.3	15	24.9	6.8	13.4	48.1
1989	81	18.2	2.2	14.1	23.3	10	21.1	7.4	9.1	45.2
1990	79	17.5	2.1	13.6	22.5	10	16.4	6.0	6.8	38.1
1991	85	18.8	2.2	14.8	23.9	13	17.0	5.2	8.5	35.8
1992	69	14.7	1.9	11.2	19.2	13	12.5	3.9	6.1	28.3
1993	95	20.2	2.2	16.1	25.4	18	20.3	5.3	11.3	37.6
1994	82	16.3	1.9	12.7	20.7	8	5.8	2.1	2.5	18.3
1995	81	16.4	1.9	12.8	20.9	17	13.5	3.7	7.2	27.3
1996	77	13.9	1.6	10.8	17.7	28	21.5	4.5	13.6	36.2
1997	100	18.9	2.0	15.2	23.5	23	22.7	5.7	12.9	39.4
1998	91	17.2	1.9	13.6	21.5	19	16.5	4.5	8.8	30.6
1999	106	19.5	2.0	15.8	24.0	23	16.7	4.5	9.1	30.5
2000	106	17.8	1.8	14.5	22.0	22	15.6	3.8	9.0	27.3
2001	95	16.1	1.7	12.9	20.0	23	16.3	3.8	9.7	27.4
2002	103	18.3	1.9	14.7	22.5	27	16.4	3.4	10.4	26.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	422	15.5	0.9	13.8	17.5	12,965	21.5	0.2	21.1	21.9
1990	26	15.1	3.5	9.1	25.9	943	21.9	0.7	20.4	23.4
1991	19	13.2	3.8	6.9	24.5	987	22.5	0.7	21.1	24.1
1992	16	7.8	2.1	4.3	15.7	983	22.0	0.7	20.6	23.5
1993	26	14.4	3.3	8.7	24.4	959	21.4	0.7	20.0	22.8
1994	29	15.2	3.5	9.2	25.3	894	19.4	0.7	18.1	20.7
1995	23	14.8	3.9	8.2	25.6	967	21.2	0.7	19.9	22.6
1996	32	14.5	3.1	9.0	23.6	965	20.8	0.7	19.5	22.2
1997	34	17.1	3.6	10.9	26.9	1,045	22.4	0.7	21.0	23.8
1998	37	17.2	3.5	11.1	26.6	1,049	22.3	0.7	20.9	23.7
1999	41	16.7	3.4	10.8	25.9	1,054	22.1	0.7	20.7	23.5
2000	35	13.7	2.7	9.0	21.4	1,054	21.7	0.7	20.4	23.0
2001	35	13.3	2.7	8.6	20.6	1,004	20.5	0.7	19.3	21.9
2002	69	22.8	3.2	17.0	30.8	1,061	21.4	0.7	20.1	22.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Rectum and Rectosigmoid Junction, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	13,858	12.3	0.1	12.1	12.5	12,158	12.4	0.1	12.2	12.6
1986	838	13.4	0.5	12.5	14.3	760	13.6	0.5	12.6	14.6
1987	838	13.5	0.5	12.5	14.4	746	13.5	0.5	12.5	14.5
1988	783	12.4	0.4	11.5	13.3	698	12.4	0.5	11.5	13.4
1989	798	12.7	0.5	11.8	13.6	712	12.8	0.5	11.9	13.8
1990	808	12.7	0.5	11.8	13.6	728	12.9	0.5	12.0	13.9
1991	845	13.1	0.5	12.2	14.0	738	13.0	0.5	12.0	14.0
1992	813	12.4	0.4	11.6	13.3	731	12.7	0.5	11.8	13.7
1993	795	12.0	0.4	11.2	12.9	696	12.0	0.5	11.1	13.0
1994	796	12.0	0.4	11.1	12.9	705	12.1	0.5	11.2	13.0
1995	836	12.5	0.4	11.7	13.4	737	12.7	0.5	11.8	13.6
1996	801	11.9	0.4	11.0	12.7	695	11.8	0.5	11.0	12.8
1997	828	12.2	0.4	11.4	13.1	707	12.0	0.5	11.1	13.0
1998	847	12.5	0.4	11.7	13.4	733	12.6	0.5	11.7	13.6
1999	803	11.7	0.4	10.9	12.6	713	12.1	0.5	11.2	13.0
2000	797	11.5	0.4	10.7	12.4	686	11.6	0.4	10.7	12.5
2001	783	11.3	0.4	10.5	12.1	659	11.2	0.4	10.3	12.1
2002	849	12.1	0.4	11.3	12.9	714	11.9	0.5	11.0	12.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,423	11.4	0.3	10.8	12.0	201	9.5	0.7	8.2	11.1
1986	70	11.4	1.4	8.8	14.5	6	9.9	4.8	2.9	27.5
1987	83	12.9	1.4	10.2	16.1	6	8.1	3.4	2.9	22.7
1988	69	10.4	1.3	8.1	13.3	9	13.7	5.2	5.4	30.9
1989	75	11.3	1.3	8.8	14.2	9	10.0	3.7	4.1	24.0
1990	71	10.9	1.3	8.5	13.8	6	6.9	3.0	2.4	19.9
1991	89	12.7	1.4	10.2	15.8	16	14.9	3.9	8.3	28.0
1992	71	10.0	1.2	7.8	12.7	10	9.4	3.4	4.0	21.3
1993	83	12.1	1.3	9.6	15.1	14	10.2	2.9	5.3	20.5
1994	77	10.4	1.2	8.2	13.1	12	10.0	3.2	4.8	20.3
1995	80	10.4	1.2	8.2	13.0	16	13.4	3.7	7.1	24.2
1996	91	12.3	1.3	9.9	15.1	13	9.7	2.8	5.0	18.3
1997	107	14.0	1.4	11.5	17.0	11	6.0	1.9	2.9	13.0
1998	92	11.5	1.2	9.3	14.2	13	8.2	2.5	4.1	15.9
1999	77	9.4	1.1	7.4	11.8	10	7.1	2.5	3.1	14.6
2000	80	9.5	1.1	7.5	11.9	18	10.8	2.8	6.1	18.4
2001	100	12.0	1.2	9.7	14.6	15	9.4	2.5	5.1	16.3
2002	108	12.7	1.2	10.4	15.4	17	8.0	2.0	4.6	13.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	272	8.9	0.6	7.8	10.2	10,329	12.3	0.1	12.0	12.5
1990	20	11.9	2.9	6.9	19.9	788	12.7	0.5	11.8	13.6
1991	14	6.5	2.0	3.3	12.7	831	13.2	0.5	12.3	14.2
1992	18	9.4	2.4	5.3	16.2	795	12.5	0.4	11.6	13.4
1993	19	12.2	2.9	7.1	19.9	776	12.1	0.4	11.3	13.0
1994	19	8.6	2.1	4.9	14.6	777	12.1	0.4	11.2	12.9
1995	24	11.0	2.5	6.6	17.7	812	12.6	0.4	11.7	13.5
1996	20	9.1	2.3	5.2	15.3	781	12.0	0.4	11.1	12.8
1997	22	9.8	2.3	5.9	15.8	806	12.3	0.4	11.5	13.2
1998	23	8.7	2.0	5.3	14.3	824	12.7	0.4	11.8	13.6
1999	19	7.8	2.0	4.4	13.3	784	11.9	0.4	11.1	12.8
2000	22	7.6	1.8	4.5	12.6	775	11.7	0.4	10.9	12.6
2001	28	8.1	1.7	5.1	12.7	755	11.4	0.4	10.6	12.3
2002	24	7.2	1.6	4.5	11.4	825	12.3	0.4	11.5	13.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Anus, Anal Canal and Anorectum, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,111	1.1	0.0	1.1	1.2	1,774	1.1	0.0	1.0	1.1
1986	96	0.9	0.1	0.7	1.1	77	0.8	0.1	0.6	1.0
1987	111	1.1	0.1	0.9	1.3	97	1.1	0.1	0.9	1.3
1988	107	1.0	0.1	0.8	1.2	87	0.9	0.1	0.7	1.2
1989	115	1.1	0.1	0.9	1.3	102	1.1	0.1	0.9	1.3
1990	117	1.1	0.1	0.9	1.3	92	1.0	0.1	0.8	1.2
1991	105	1.0	0.1	0.8	1.2	92	1.0	0.1	0.8	1.2
1992	113	1.0	0.1	0.8	1.2	96	1.0	0.1	0.8	1.2
1993	104	0.9	0.1	0.7	1.1	96	1.0	0.1	0.8	1.2
1994	107	1.0	0.1	0.8	1.2	91	0.9	0.1	0.8	1.2
1995	124	1.1	0.1	0.9	1.3	103	1.1	0.1	0.9	1.3
1996	114	1.0	0.1	0.8	1.2	98	1.0	0.1	0.8	1.2
1997	125	1.1	0.1	0.9	1.3	106	1.1	0.1	0.9	1.3
1998	137	1.2	0.1	1.0	1.4	113	1.1	0.1	0.9	1.3
1999	153	1.3	0.1	1.1	1.5	131	1.3	0.1	1.1	1.5
2000	169	1.4	0.1	1.2	1.6	140	1.4	0.1	1.2	1.6
2001	168	1.4	0.1	1.2	1.6	133	1.3	0.1	1.1	1.5
2002	146	1.2	0.1	1.0	1.4	120	1.2	0.1	1.0	1.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	306	1.4	0.1	1.2	1.5	14	0.4	0.1	0.2	0.7
1986	16	1.4	0.4	0.8	2.4	0	0.0	~	0.0	8.1
1987	13	1.1	0.3	0.6	2.1	0	0.0	~	0.0	7.6
1988	18	1.7	0.4	1.0	2.7	1	0.4	0.4	0.0	7.5
1989	12	1.0	0.3	0.5	1.9	1	0.5	0.5	0.0	7.2
1990	24	2.1	0.4	1.3	3.2	0	0.0	~	0.0	6.7
1991	12	0.9	0.3	0.4	1.7	0	0.0	~	0.0	6.0
1992	17	1.3	0.3	0.7	2.2	0	0.0	~	0.0	5.4
1993	7	0.6	0.2	0.2	1.3	0	0.0	~	0.0	4.9
1994	14	1.1	0.3	0.6	2.0	2	1.2	0.9	0.1	6.2
1995	20	1.4	0.3	0.8	2.2	1	0.2	0.2	0.0	4.3
1996	15	1.2	0.3	0.7	2.1	0	0.0	~	0.0	3.8
1997	16	1.2	0.3	0.7	2.0	2	0.5	0.4	0.1	4.1
1998	21	1.4	0.3	0.9	2.3	1	0.4	0.4	0.0	3.7
1999	19	1.3	0.3	0.8	2.1	2	0.9	0.7	0.1	4.4
2000	27	1.8	0.4	1.2	2.7	0	0.0	~	0.0	2.6
2001	34	2.3	0.4	1.6	3.2	1	0.2	0.2	0.0	2.5
2002	21	1.3	0.3	0.8	2.1	3	1.1	0.6	0.2	3.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	68	1.1	0.2	0.8	1.5	1,614	1.1	0.0	1.1	1.2
1990	0	0.0	~	0.0	2.7	117	1.2	0.1	1.0	1.4
1991	2	0.6	0.4	0.1	3.4	103	1.0	0.1	0.8	1.2
1992	6	2.2	1.0	0.7	5.6	107	1.0	0.1	0.8	1.2
1993	8	1.9	0.8	0.7	4.9	96	0.9	0.1	0.7	1.1
1994	2	0.3	0.2	0.0	2.6	105	1.0	0.1	0.8	1.2
1995	4	1.0	0.6	0.2	3.6	120	1.1	0.1	0.9	1.3
1996	6	2.4	1.1	0.8	5.7	108	1.0	0.1	0.8	1.2
1997	4	0.5	0.2	0.1	2.5	121	1.1	0.1	0.9	1.3
1998	6	0.6	0.3	0.2	2.6	131	1.2	0.1	1.0	1.4
1999	8	1.4	0.5	0.6	3.6	145	1.3	0.1	1.1	1.5
2000	7	0.8	0.3	0.3	2.6	162	1.4	0.1	1.2	1.7
2001	7	0.9	0.4	0.3	2.7	161	1.4	0.1	1.2	1.6
2002	8	1.2	0.5	0.5	2.9	138	1.2	0.1	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. * Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Anus, Anal Canal and Anorectum, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	781	0.9	0.0	0.9	1.0	647	0.9	0.0	0.8	1.0
1986	33	0.7	0.1	0.5	1.0	29	0.7	0.1	0.5	1.0
1987	39	0.9	0.2	0.6	1.3	34	0.9	0.2	0.6	1.3
1988	38	0.8	0.1	0.6	1.2	30	0.7	0.1	0.5	1.1
1989	48	1.0	0.2	0.8	1.4	45	1.1	0.2	0.8	1.5
1990	53	1.2	0.2	0.9	1.6	42	1.1	0.2	0.8	1.5
1991	32	0.6	0.1	0.4	0.9	27	0.6	0.1	0.4	1.0
1992	44	0.9	0.1	0.6	1.2	36	0.8	0.1	0.6	1.2
1993	32	0.7	0.1	0.4	1.0	29	0.7	0.1	0.4	1.0
1994	25	0.5	0.1	0.3	0.8	23	0.6	0.1	0.4	0.9
1995	45	0.9	0.1	0.6	1.2	34	0.8	0.1	0.5	1.1
1996	44	0.9	0.1	0.6	1.2	40	0.9	0.2	0.7	1.3
1997	44	0.8	0.1	0.6	1.1	36	0.8	0.1	0.6	1.1
1998	52	1.0	0.1	0.7	1.3	38	0.8	0.1	0.6	1.2
1999	59	1.1	0.1	0.8	1.5	50	1.1	0.2	0.8	1.5
2000	65	1.2	0.2	0.9	1.6	53	1.2	0.2	0.9	1.6
2001	67	1.2	0.2	0.9	1.6	51	1.1	0.2	0.8	1.5
2002	61	1.1	0.1	0.8	1.4	50	1.1	0.2	0.8	1.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	119	1.2	0.1	1.0	1.4	5	0.2	0.1	0.1	0.9
1986	2	0.5	0.4	0.1	2.5	0	0.0	~	0.0	20.2
1987	5	1.0	0.5	0.3	3.2	0	0.0	~	0.0	19.0
1988	6	1.3	0.6	0.5	3.5	1	0.7	0.7	0.0	18.3
1989	2	0.4	0.3	0.0	2.2	1	0.9	0.9	0.0	17.4
1990	11	2.3	0.8	1.1	4.8	0	0.0	~	0.0	16.8
1991	5	0.7	0.3	0.2	2.5	0	0.0	~	0.0	15.1
1992	8	1.3	0.5	0.6	3.2	0	0.0	~	0.0	13.7
1993	2	0.5	0.4	0.1	2.4	0	0.0	~	0.0	12.7
1994	1	0.2	0.2	0.0	1.7	1	1.2	1.2	0.0	13.6
1995	11	1.5	0.5	0.8	3.3	0	0.0	~	0.0	11.4
1996	4	0.7	0.3	0.2	2.3	0	0.0	~	0.0	10.9
1997	7	1.0	0.4	0.4	2.7	0	0.0	~	0.0	10.2
1998	11	1.6	0.5	0.8	3.3	1	0.8	0.8	0.0	10.4
1999	7	1.0	0.4	0.4	2.6	1	0.7	0.7	0.0	9.9
2000	11	1.5	0.5	0.8	3.2	0	0.0	~	0.0	7.9
2001	16	2.3	0.6	1.3	4.2	0	0.0	~	0.0	6.9
2002	10	1.3	0.4	0.6	2.8	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	32	1.3	0.3	0.8	2.0	591	0.9	0.0	0.9	1.0
1990	0	0.0	~	0.0	7.6	53	1.2	0.2	0.9	1.6
1991	1	0.4	0.4	0.0	7.5	31	0.7	0.1	0.4	1.0
1992	2	1.2	0.9	0.1	8.1	42	0.9	0.1	0.6	1.2
1993	3	2.4	1.6	0.3	10.1	29	0.6	0.1	0.4	0.9
1994	2	0.6	0.5	0.1	6.9	23	0.5	0.1	0.3	0.8
1995	3	2.1	1.5	0.2	9.1	42	0.8	0.1	0.6	1.2
1996	6	6.3	2.8	2.0	15.4	38	0.8	0.1	0.6	1.1
1997	1	0.3	0.3	0.0	5.9	43	0.9	0.1	0.6	1.2
1998	2	0.3	0.2	0.0	5.5	50	1.0	0.1	0.7	1.4
1999	3	1.1	0.6	0.2	6.2	56	1.1	0.2	0.8	1.5
2000	3	0.7	0.4	0.1	5.2	62	1.2	0.2	1.0	1.6
2001	3	0.6	0.3	0.1	4.6	64	1.3	0.2	1.0	1.6
2002	3	0.9	0.5	0.2	4.6	58	1.1	0.1	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Anus, Anal Canal and Anorectum, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,330	1.2	0.0	1.2	1.3	1,127	1.2	0.0	1.1	1.3
1986	63	1.0	0.1	0.8	1.3	48	0.9	0.1	0.6	1.2
1987	72	1.2	0.1	0.9	1.5	63	1.2	0.2	0.9	1.5
1988	69	1.2	0.1	0.9	1.5	57	1.1	0.1	0.8	1.4
1989	67	1.1	0.1	0.9	1.5	57	1.1	0.2	0.8	1.5
1990	64	1.1	0.1	0.8	1.4	50	1.0	0.1	0.7	1.3
1991	73	1.2	0.1	0.9	1.5	65	1.2	0.1	0.9	1.5
1992	69	1.1	0.1	0.8	1.4	60	1.1	0.1	0.8	1.4
1993	72	1.1	0.1	0.9	1.4	67	1.2	0.2	0.9	1.6
1994	82	1.3	0.1	1.0	1.6	68	1.3	0.2	1.0	1.6
1995	79	1.3	0.1	1.0	1.6	69	1.3	0.2	1.0	1.7
1996	70	1.1	0.1	0.8	1.4	58	1.0	0.1	0.8	1.4
1997	81	1.3	0.1	1.0	1.6	70	1.3	0.2	1.0	1.6
1998	85	1.3	0.1	1.0	1.6	75	1.3	0.2	1.1	1.7
1999	94	1.4	0.1	1.1	1.7	81	1.5	0.2	1.2	1.8
2000	104	1.6	0.2	1.3	1.9	87	1.6	0.2	1.2	1.9
2001	101	1.5	0.1	1.2	1.8	82	1.4	0.2	1.1	1.8
2002	85	1.3	0.1	1.0	1.6	70	1.2	0.1	1.0	1.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	187	1.5	0.1	1.3	1.7	9	0.5	0.2	0.2	1.0
1986	14	2.1	0.6	1.1	3.6	0	0.0	~	0.0	13.4
1987	8	1.2	0.4	0.5	2.5	0	0.0	~	0.0	12.6
1988	12	1.9	0.5	1.0	3.4	0	0.0	~	0.0	12.0
1989	10	1.4	0.5	0.7	2.8	0	0.0	~	0.0	11.4
1990	13	1.9	0.5	1.0	3.4	0	0.0	~	0.0	11.2
1991	7	1.0	0.4	0.4	2.1	0	0.0	~	0.0	10.0
1992	9	1.2	0.4	0.6	2.4	0	0.0	~	0.0	9.0
1993	5	0.7	0.3	0.2	1.6	0	0.0	~	0.0	8.0
1994	13	1.8	0.5	0.9	3.1	1	1.2	1.2	0.0	9.1
1995	9	1.2	0.4	0.5	2.3	1	0.5	0.5	0.0	6.9
1996	11	1.5	0.5	0.8	2.8	0	0.0	~	0.0	5.8
1997	9	1.2	0.4	0.5	2.3	2	1.0	0.7	0.1	6.7
1998	10	1.2	0.4	0.6	2.3	0	0.0	~	0.0	5.1
1999	12	1.4	0.4	0.7	2.5	1	1.0	1.0	0.0	6.3
2000	16	1.9	0.5	1.1	3.1	0	0.0	~	0.0	4.0
2001	18	2.1	0.5	1.2	3.4	1	0.4	0.4	0.0	3.8
2002	11	1.2	0.4	0.6	2.3	3	1.8	1.1	0.3	5.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	36	1.0	0.2	0.7	1.5	1,023	1.3	0.0	1.2	1.4
1990	0	0.0	~	0.0	4.2	64	1.1	0.1	0.9	1.5
1991	1	0.7	0.7	0.0	5.2	72	1.2	0.1	0.9	1.5
1992	4	2.8	1.5	0.7	8.1	65	1.1	0.1	0.8	1.4
1993	5	1.9	0.9	0.6	6.0	67	1.1	0.1	0.8	1.4
1994	0	0.0	~	0.0	3.5	82	1.3	0.2	1.1	1.7
1995	1	0.3	0.3	0.0	3.7	78	1.3	0.2	1.0	1.7
1996	0	0.0	~	0.0	3.2	70	1.1	0.1	0.9	1.4
1997	3	0.6	0.4	0.1	3.8	78	1.3	0.1	1.0	1.6
1998	4	1.0	0.5	0.2	4.1	81	1.3	0.1	1.0	1.6
1999	5	1.8	0.8	0.5	5.3	89	1.4	0.2	1.1	1.8
2000	4	1.0	0.5	0.3	3.9	100	1.6	0.2	1.3	1.9
2001	4	1.2	0.7	0.3	4.1	97	1.5	0.2	1.2	1.8
2002	5	1.5	0.7	0.4	4.2	80	1.3	0.1	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Liver, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,550	3.4	0.0	3.3	3.5	4,935	2.9	0.0	2.9	3.0
1986	244	2.3	0.2	2.0	2.6	182	2.0	0.1	1.7	2.3
1987	230	2.2	0.1	1.9	2.5	175	1.9	0.1	1.6	2.2
1988	261	2.4	0.1	2.1	2.7	206	2.1	0.1	1.8	2.4
1989	262	2.4	0.2	2.1	2.7	191	2.0	0.1	1.7	2.3
1990	253	2.3	0.1	2.0	2.6	196	2.0	0.1	1.7	2.3
1991	257	2.3	0.1	2.0	2.6	195	2.0	0.1	1.7	2.3
1992	263	2.4	0.1	2.1	2.7	211	2.1	0.1	1.9	2.5
1993	321	2.8	0.2	2.5	3.2	242	2.4	0.2	2.1	2.8
1994	421	3.7	0.2	3.3	4.1	321	3.2	0.2	2.9	3.6
1995	439	3.8	0.2	3.5	4.2	326	3.3	0.2	2.9	3.7
1996	459	4.0	0.2	3.6	4.4	327	3.3	0.2	2.9	3.6
1997	464	4.0	0.2	3.6	4.4	350	3.5	0.2	3.1	3.9
1998	498	4.2	0.2	3.9	4.6	380	3.7	0.2	3.4	4.1
1999	535	4.5	0.2	4.1	4.9	398	3.9	0.2	3.5	4.3
2000	549	4.6	0.2	4.2	5.0	409	4.0	0.2	3.6	4.4
2001	539	4.4	0.2	4.1	4.8	407	3.9	0.2	3.6	4.3
2002	555	4.5	0.2	4.2	4.9	419	4.0	0.2	3.6	4.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,210	5.6	0.2	5.3	6.0	387	9.8	0.6	8.8	11.0
1986	46	3.9	0.6	2.8	5.3	16	9.5	2.5	5.2	18.9
1987	40	3.7	0.6	2.6	5.2	15	10.1	3.2	4.9	20.6
1988	47	4.3	0.7	3.2	5.9	8	4.7	1.7	2.0	12.6
1989	56	4.7	0.7	3.5	6.3	14	7.4	2.1	3.9	15.4
1990	40	3.3	0.5	2.4	4.7	17	8.6	2.3	4.7	16.9
1991	46	3.5	0.5	2.5	4.8	16	9.1	2.5	4.9	17.4
1992	34	2.7	0.5	1.9	3.9	17	7.9	2.1	4.4	15.0
1993	58	4.6	0.6	3.5	6.0	21	10.4	2.5	6.0	18.0
1994	80	6.7	0.8	5.3	8.4	19	7.4	1.8	4.3	13.4
1995	92	7.4	0.8	5.9	9.1	21	10.3	2.5	6.1	17.4
1996	98	7.6	0.8	6.1	9.3	32	13.9	2.8	9.0	21.2
1997	90	6.9	0.7	5.5	8.5	23	9.5	2.2	5.6	15.7
1998	89	6.6	0.7	5.3	8.2	27	8.8	1.8	5.6	14.2
1999	100	7.2	0.7	5.9	8.8	34	9.9	1.9	6.5	15.2
2000	106	7.4	0.7	6.1	9.1	32	11.2	2.1	7.5	16.7
2001	93	6.2	0.7	5.0	7.7	36	11.2	2.0	7.6	16.2
2002	95	6.5	0.7	5.2	8.0	39	11.3	1.9	7.8	16.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	435	7.4	0.4	6.6	8.2	5,118	3.6	0.0	3.5	3.7
1990	10	3.4	1.2	1.5	7.2	243	2.3	0.1	2.0	2.6
1991	14	3.1	0.9	1.6	6.4	243	2.3	0.1	2.0	2.6
1992	14	3.8	1.1	1.9	7.4	249	2.3	0.1	2.0	2.6
1993	27	6.3	1.4	4.0	10.2	294	2.7	0.2	2.4	3.0
1994	19	5.1	1.3	2.8	8.9	402	3.7	0.2	3.3	4.0
1995	27	5.6	1.2	3.4	9.0	412	3.7	0.2	3.4	4.1
1996	36	7.7	1.4	5.1	11.5	423	3.8	0.2	3.5	4.2
1997	34	8.0	1.6	5.2	12.0	430	3.9	0.2	3.5	4.2
1998	45	10.3	1.8	7.2	14.7	453	4.0	0.2	3.7	4.4
1999	51	10.7	1.8	7.4	15.2	484	4.3	0.2	3.9	4.7
2000	49	9.0	1.5	6.3	12.7	500	4.4	0.2	4.0	4.8
2001	51	9.4	1.4	6.8	12.9	488	4.2	0.2	3.9	4.6
2002	58	8.6	1.2	6.3	11.6	497	4.3	0.2	3.9	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Liver, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,374	5.3	0.1	5.2	5.5	3,270	4.6	0.1	4.4	4.7
1986	155	3.5	0.3	3.0	4.2	106	2.8	0.3	2.3	3.5
1987	153	3.4	0.3	2.9	4.1	112	2.8	0.3	2.3	3.4
1988	166	3.6	0.3	3.1	4.3	135	3.4	0.3	2.8	4.0
1989	173	3.9	0.3	3.3	4.6	128	3.3	0.3	2.7	4.0
1990	176	3.7	0.3	3.2	4.4	132	3.2	0.3	2.6	3.8
1991	158	3.3	0.3	2.8	3.9	116	2.8	0.3	2.3	3.4
1992	176	3.8	0.3	3.3	4.5	138	3.4	0.3	2.9	4.1
1993	211	4.4	0.3	3.8	5.0	163	3.9	0.3	3.3	4.6
1994	280	5.9	0.4	5.2	6.6	211	5.0	0.4	4.4	5.8
1995	298	6.1	0.4	5.5	6.9	223	5.2	0.4	4.6	6.0
1996	306	6.2	0.4	5.5	6.9	207	4.8	0.3	4.2	5.5
1997	308	6.2	0.4	5.6	7.0	228	5.4	0.4	4.7	6.1
1998	344	6.8	0.4	6.1	7.5	266	6.1	0.4	5.4	6.9
1999	345	6.7	0.4	6.0	7.4	250	5.7	0.4	5.0	6.4
2000	366	7.0	0.4	6.3	7.7	278	6.2	0.4	5.5	7.0
2001	371	7.1	0.4	6.4	7.9	281	6.3	0.4	5.6	7.1
2002	388	7.1	0.4	6.4	7.9	296	6.4	0.4	5.7	7.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	800	9.0	0.3	8.3	9.7	291	16.0	1.1	13.9	18.4
1986	36	7.2	1.3	4.9	10.6	13	16.0	4.8	8.0	38.0
1987	29	6.6	1.3	4.2	10.1	12	18.4	7.0	7.3	43.4
1988	26	5.6	1.2	3.5	8.8	5	5.7	2.6	1.8	23.6
1989	35	7.5	1.3	5.1	11.0	9	10.9	4.0	4.5	29.2
1990	28	6.0	1.2	3.9	9.3	16	17.7	5.0	9.4	37.4
1991	29	5.2	1.0	3.4	8.0	13	17.4	5.4	8.4	36.7
1992	23	4.7	1.1	2.8	7.7	15	15.1	4.4	7.8	31.7
1993	36	6.3	1.1	4.4	9.2	12	12.1	4.4	5.1	28.3
1994	53	11.7	1.7	8.6	15.8	15	12.2	3.4	6.5	26.2
1995	59	12.1	1.7	9.0	16.3	16	17.8	5.3	9.0	34.4
1996	72	13.2	1.6	10.2	17.1	25	24.9	6.0	14.6	42.4
1997	59	10.6	1.5	7.9	14.2	20	16.2	3.9	9.4	29.5
1998	60	10.6	1.4	8.0	14.1	17	12.5	3.5	6.7	24.8
1999	65	11.6	1.5	8.8	15.2	27	16.8	4.0	9.9	29.5
2000	68	11.3	1.4	8.6	14.6	20	13.8	3.4	7.9	24.8
2001	61	9.7	1.3	7.3	12.8	27	18.8	4.2	11.5	30.7
2002	61	9.7	1.3	7.3	12.8	29	18.7	3.9	11.8	29.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	308	9.9	0.7	8.7	11.4	3,419	5.6	0.1	5.4	5.8
1990	6	3.9	1.9	1.1	12.6	170	3.7	0.3	3.2	4.4
1991	13	6.1	1.9	3.0	14.1	145	3.2	0.3	2.7	3.8
1992	11	6.2	2.1	2.7	14.4	165	3.8	0.3	3.2	4.4
1993	21	9.6	2.5	5.3	18.1	190	4.1	0.3	3.5	4.8
1994	11	4.6	1.5	2.2	11.5	269	5.9	0.4	5.2	6.7
1995	16	5.4	1.4	3.0	11.9	282	6.1	0.4	5.4	6.9
1996	23	8.8	2.0	5.3	16.0	283	6.0	0.4	5.3	6.7
1997	25	9.2	2.0	5.8	16.1	283	6.0	0.4	5.3	6.8
1998	35	17.1	3.5	11.0	26.6	309	6.4	0.4	5.7	7.2
1999	33	14.3	3.3	8.5	23.4	312	6.4	0.4	5.7	7.1
2000	30	8.5	1.7	5.5	14.3	336	6.8	0.4	6.1	7.6
2001	36	12.6	2.4	8.4	19.3	335	6.8	0.4	6.1	7.6
2002	48	14.5	2.4	10.2	20.9	340	6.7	0.4	6.0	7.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Liver, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,176	1.9	0.0	1.9	2.0	1,665	1.7	0.0	1.6	1.8
1986	89	1.5	0.2	1.2	1.8	76	1.4	0.2	1.1	1.8
1987	77	1.3	0.1	1.0	1.6	63	1.2	0.2	0.9	1.5
1988	95	1.5	0.2	1.2	1.8	71	1.3	0.2	1.0	1.6
1989	89	1.4	0.2	1.1	1.8	63	1.1	0.1	0.9	1.5
1990	77	1.3	0.1	1.0	1.6	64	1.2	0.2	0.9	1.6
1991	99	1.5	0.2	1.2	1.9	79	1.4	0.2	1.1	1.8
1992	87	1.3	0.1	1.1	1.7	73	1.3	0.2	1.0	1.6
1993	110	1.7	0.2	1.4	2.0	79	1.4	0.2	1.1	1.7
1994	141	2.0	0.2	1.7	2.4	110	1.8	0.2	1.5	2.2
1995	141	2.1	0.2	1.8	2.5	103	1.8	0.2	1.5	2.2
1996	153	2.2	0.2	1.9	2.6	120	2.0	0.2	1.6	2.4
1997	156	2.3	0.2	2.0	2.7	122	2.1	0.2	1.8	2.5
1998	154	2.2	0.2	1.9	2.6	114	1.9	0.2	1.6	2.3
1999	190	2.8	0.2	2.4	3.2	148	2.5	0.2	2.1	3.0
2000	183	2.6	0.2	2.3	3.0	131	2.2	0.2	1.8	2.6
2001	168	2.4	0.2	2.1	2.8	126	2.1	0.2	1.7	2.5
2002	167	2.4	0.2	2.0	2.8	123	2.0	0.2	1.7	2.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	410	3.3	0.2	3.0	3.7	96	4.9	0.5	4.0	6.2
1986	10	1.5	0.5	0.7	2.9	3	3.4	2.0	0.7	17.2
1987	11	1.8	0.5	0.9	3.3	3	3.5	2.1	0.7	16.7
1988	21	3.4	0.8	2.1	5.3	3	3.8	2.2	0.8	16.5
1989	21	2.9	0.6	1.8	4.6	5	4.5	2.0	1.5	16.4
1990	12	1.6	0.5	0.8	3.0	1	0.9	0.9	0.0	12.2
1991	17	2.2	0.5	1.3	3.7	3	2.7	1.7	0.4	13.3
1992	11	1.5	0.5	0.7	2.8	2	1.8	1.3	0.2	11.1
1993	22	3.1	0.7	2.0	4.8	9	8.8	3.1	3.9	19.5
1994	27	3.7	0.7	2.4	5.5	4	3.2	1.7	0.8	11.4
1995	33	4.5	0.8	3.1	6.4	5	4.9	2.2	1.6	13.3
1996	26	3.5	0.7	2.3	5.3	7	5.9	2.4	2.1	14.1
1997	31	4.2	0.8	2.9	6.0	3	3.7	2.2	0.7	11.7
1998	29	3.8	0.7	2.5	5.5	10	5.9	2.0	2.7	12.7
1999	35	4.3	0.7	3.0	6.1	7	4.3	1.7	1.6	10.4
2000	38	4.6	0.8	3.3	6.4	12	8.8	2.6	4.5	16.0
2001	32	3.7	0.7	2.5	5.3	9	5.5	1.9	2.5	11.2
2002	34	4.1	0.7	2.8	5.7	10	5.7	1.9	2.7	11.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	127	4.9	0.5	4.0	5.9	1699	2.0	0.0	1.9	2.1
1990	4	2.7	1.4	0.7	8.2	73	1.2	0.1	1.0	1.6
1991	1	0.4	0.4	0.0	4.6	98	1.6	0.2	1.3	1.9
1992	3	1.6	1.1	0.2	6.4	84	1.3	0.1	1.1	1.7
1993	6	3.3	1.4	1.1	8.3	104	1.6	0.2	1.3	2.0
1994	8	4.8	1.9	1.9	10.5	133	2.0	0.2	1.7	2.4
1995	11	5.2	1.7	2.4	10.4	130	2.0	0.2	1.7	2.4
1996	13	6.1	1.9	3.1	11.5	140	2.1	0.2	1.8	2.5
1997	9	5.9	2.0	2.6	11.7	147	2.3	0.2	1.9	2.7
1998	10	4.8	1.7	2.1	9.8	144	2.2	0.2	1.8	2.6
1999	18	7.7	2.1	4.2	13.4	172	2.6	0.2	2.3	3.1
2000	19	8.6	2.1	4.9	14.2	164	2.5	0.2	2.1	2.9
2001	15	6.1	1.7	3.3	10.7	153	2.3	0.2	1.9	2.7
2002	10	3.3	1.1	1.5	6.6	157	2.3	0.2	2.0	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Intrahepatic Bile Duct, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	985	0.5	0.0	0.5	0.5	874	0.5	0.0	0.5	0.6
1986	23	0.2	0.0	0.1	0.3	22	0.2	0.0	0.1	0.3
1987	31	0.3	0.1	0.2	0.4	27	0.3	0.1	0.2	0.4
1988	26	0.2	0.0	0.2	0.3	23	0.2	0.0	0.1	0.4
1989	26	0.2	0.0	0.2	0.4	22	0.2	0.1	0.1	0.4
1990	38	0.4	0.1	0.3	0.5	38	0.4	0.1	0.3	0.6
1991	24	0.2	0.0	0.1	0.3	23	0.2	0.0	0.1	0.4
1992	57	0.5	0.1	0.4	0.7	48	0.5	0.1	0.4	0.7
1993	68	0.6	0.1	0.5	0.8	61	0.6	0.1	0.5	0.8
1994	66	0.6	0.1	0.5	0.8	59	0.6	0.1	0.5	0.8
1995	79	0.7	0.1	0.5	0.9	66	0.7	0.1	0.5	0.8
1996	65	0.6	0.1	0.4	0.7	61	0.6	0.1	0.5	0.8
1997	67	0.6	0.1	0.4	0.7	61	0.6	0.1	0.5	0.8
1998	89	0.8	0.1	0.6	0.9	78	0.8	0.1	0.6	0.9
1999	105	0.9	0.1	0.7	1.1	93	0.9	0.1	0.7	1.1
2000	96	0.8	0.1	0.6	1.0	90	0.9	0.1	0.7	1.1
2001	66	0.5	0.1	0.4	0.7	56	0.5	0.1	0.4	0.7
2002	59	0.5	0.1	0.4	0.6	46	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	91	0.4	0.0	0.4	0.6	19	0.5	0.1	0.3	0.8
1986	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	8.1
1987	4	0.4	0.2	0.1	1.1	0	0.0	~	0.0	7.6
1988	2	0.1	0.1	0.0	0.7	1	0.5	0.5	0.0	7.7
1989	4	0.4	0.2	0.1	1.1	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	6.0
1992	8	0.7	0.2	0.3	1.4	1	0.6	0.6	0.0	6.1
1993	6	0.5	0.2	0.2	1.2	1	0.4	0.4	0.0	5.3
1994	5	0.4	0.2	0.1	1.1	2	0.7	0.5	0.1	5.3
1995	10	0.7	0.2	0.3	1.4	3	1.1	0.7	0.2	5.4
1996	4	0.3	0.2	0.1	0.9	0	0.0	~	0.0	3.8
1997	4	0.3	0.2	0.1	0.9	2	0.8	0.6	0.1	4.6
1998	8	0.7	0.3	0.3	1.4	3	1.2	0.7	0.2	4.9
1999	10	0.7	0.2	0.3	1.4	2	0.5	0.4	0.1	3.6
2000	6	0.4	0.2	0.1	1.0	0	0.0	~	0.0	2.6
2001	7	0.6	0.2	0.2	1.2	3	0.9	0.6	0.2	3.6
2002	11	0.8	0.3	0.4	1.5	1	0.4	0.4	0.0	2.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	39	0.7	0.1	0.5	1.0	840	0.6	0.0	0.5	0.6
1990	1	0.6	0.6	0.0	3.7	37	0.4	0.1	0.3	0.5
1991	0	0.0	~	0.0	2.6	24	0.2	0.0	0.1	0.3
1992	4	0.8	0.4	0.2	3.4	53	0.5	0.1	0.4	0.6
1993	2	0.4	0.3	0.0	2.8	66	0.6	0.1	0.5	0.8
1994	6	1.8	0.8	0.5	4.8	60	0.6	0.1	0.4	0.7
1995	2	0.4	0.3	0.0	2.6	77	0.7	0.1	0.5	0.9
1996	3	0.7	0.5	0.1	3.1	62	0.6	0.1	0.4	0.7
1997	2	0.4	0.3	0.0	2.4	65	0.6	0.1	0.4	0.7
1998	2	0.4	0.3	0.0	2.4	87	0.8	0.1	0.6	0.9
1999	5	1.2	0.6	0.3	3.7	100	0.9	0.1	0.7	1.1
2000	5	1.2	0.6	0.3	3.4	91	0.8	0.1	0.6	1.0
2001	6	0.9	0.4	0.3	2.7	60	0.5	0.1	0.4	0.7
2002	1	0.1	0.1	0.0	1.5	58	0.5	0.1	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Intrahepatic Bile Duct, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	492	0.6	0.0	0.6	0.7	423	0.6	0.0	0.6	0.7
1986	10	0.2	0.1	0.1	0.5	9	0.2	0.1	0.1	0.5
1987	16	0.3	0.1	0.2	0.6	12	0.3	0.1	0.1	0.6
1988	13	0.3	0.1	0.2	0.6	12	0.3	0.1	0.2	0.6
1989	11	0.3	0.1	0.1	0.5	11	0.3	0.1	0.1	0.5
1990	20	0.4	0.1	0.3	0.7	20	0.5	0.1	0.3	0.8
1991	14	0.3	0.1	0.2	0.5	13	0.3	0.1	0.2	0.6
1992	31	0.7	0.1	0.5	1.0	25	0.6	0.1	0.4	1.0
1993	33	0.8	0.1	0.5	1.1	28	0.8	0.2	0.5	1.1
1994	33	0.7	0.1	0.5	1.1	30	0.8	0.1	0.5	1.1
1995	44	1.0	0.2	0.7	1.3	35	0.9	0.2	0.6	1.3
1996	29	0.7	0.1	0.4	1.0	28	0.7	0.1	0.5	1.1
1997	31	0.7	0.1	0.5	1.0	27	0.7	0.1	0.4	1.0
1998	45	1.0	0.1	0.7	1.3	38	0.9	0.2	0.7	1.3
1999	51	1.0	0.1	0.8	1.4	45	1.0	0.2	0.8	1.4
2000	44	0.9	0.1	0.6	1.2	40	0.9	0.1	0.7	1.3
2001	30	0.6	0.1	0.4	0.9	23	0.5	0.1	0.3	0.8
2002	37	0.7	0.1	0.5	1.0	27	0.6	0.1	0.4	0.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	54	0.6	0.1	0.5	0.9	14	0.9	0.3	0.4	1.8
1986	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	20.2
1987	4	0.9	0.4	0.2	2.9	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	1	1.2	1.2	0.0	18.9
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	15.1
1992	5	1.1	0.5	0.3	3.1	1	1.4	1.4	0.0	15.3
1993	4	0.8	0.4	0.2	2.7	1	0.7	0.7	0.0	13.4
1994	2	0.4	0.3	0.0	2.0	1	0.7	0.7	0.0	12.9
1995	7	1.2	0.5	0.5	3.1	2	1.9	1.3	0.2	13.4
1996	1	0.2	0.2	0.0	1.7	0	0.0	~	0.0	10.9
1997	2	0.3	0.2	0.0	1.8	2	1.9	1.5	0.1	12.5
1998	5	1.1	0.5	0.3	2.9	2	1.8	1.4	0.2	11.8
1999	5	0.8	0.4	0.3	2.4	1	0.5	0.5	0.0	9.6
2000	4	0.6	0.3	0.2	2.1	0	0.0	~	0.0	7.9
2001	5	1.1	0.5	0.3	2.9	2	1.7	1.3	0.1	9.3
2002	8	1.5	0.6	0.6	3.4	1	1.1	1.1	0.0	7.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	12	0.4	0.1	0.2	0.9	430	0.7	0.0	0.7	0.8
1990	0	0.0	~	0.0	7.6	20	0.4	0.1	0.3	0.7
1991	0	0.0	~	0.0	7.1	14	0.3	0.1	0.2	0.6
1992	2	0.7	0.5	0.1	7.3	29	0.7	0.1	0.4	1.0
1993	1	0.4	0.4	0.0	7.0	32	0.8	0.1	0.5	1.1
1994	2	0.7	0.5	0.1	7.0	31	0.7	0.1	0.5	1.1
1995	1	0.5	0.5	0.0	6.5	43	1.0	0.2	0.7	1.4
1996	0	0.0	~	0.0	5.8	29	0.7	0.1	0.5	1.0
1997	0	0.0	~	0.0	5.6	31	0.7	0.1	0.5	1.0
1998	1	0.4	0.4	0.0	5.7	44	1.0	0.2	0.7	1.3
1999	2	0.4	0.3	0.0	5.3	49	1.0	0.1	0.8	1.4
2000	1	1.1	1.1	0.0	6.5	43	0.9	0.1	0.6	1.2
2001	2	0.6	0.5	0.1	4.8	28	0.6	0.1	0.4	0.9
2002	0	0.0	~	0.0	3.6	37	0.8	0.1	0.5	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Intrahepatic Bile Duct, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	493	0.4	0.0	0.4	0.5	451	0.5	0.0	0.4	0.5
1986	13	0.2	0.1	0.1	0.4	13	0.2	0.1	0.1	0.4
1987	15	0.2	0.1	0.1	0.4	15	0.3	0.1	0.1	0.5
1988	13	0.2	0.1	0.1	0.3	11	0.2	0.1	0.1	0.4
1989	15	0.2	0.1	0.1	0.4	11	0.2	0.1	0.1	0.4
1990	18	0.3	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
1991	10	0.1	0.0	0.1	0.3	10	0.2	0.1	0.1	0.3
1992	26	0.4	0.1	0.3	0.6	23	0.4	0.1	0.3	0.6
1993	35	0.5	0.1	0.4	0.8	33	0.6	0.1	0.4	0.8
1994	33	0.5	0.1	0.3	0.7	29	0.5	0.1	0.3	0.7
1995	35	0.5	0.1	0.3	0.7	31	0.5	0.1	0.3	0.7
1996	36	0.5	0.1	0.4	0.8	33	0.6	0.1	0.4	0.8
1997	36	0.5	0.1	0.4	0.7	34	0.6	0.1	0.4	0.8
1998	44	0.6	0.1	0.4	0.8	40	0.6	0.1	0.4	0.9
1999	54	0.8	0.1	0.6	1.0	48	0.8	0.1	0.6	1.1
2000	52	0.7	0.1	0.5	1.0	50	0.8	0.1	0.6	1.1
2001	36	0.5	0.1	0.4	0.7	33	0.6	0.1	0.4	0.8
2002	22	0.3	0.1	0.2	0.5	19	0.3	0.1	0.2	0.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	37	0.3	0.1	0.2	0.4	5	0.2	0.1	0.1	0.6
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	2	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.0
1989	4	0.6	0.3	0.2	1.7	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	9.0
1993	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	8.0
1994	3	0.5	0.3	0.1	1.4	1	0.7	0.7	0.0	8.1
1995	3	0.4	0.2	0.1	1.2	1	0.6	0.6	0.0	7.2
1996	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	5.8
1997	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	5.6
1998	3	0.5	0.3	0.1	1.4	1	0.7	0.7	0.0	6.1
1999	5	0.6	0.3	0.2	1.5	1	0.5	0.5	0.0	5.3
2000	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	4.0
2001	2	0.3	0.2	0.0	1.0	1	0.4	0.4	0.0	4.0
2002	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	27	0.9	0.2	0.6	1.4	410	0.5	0.0	0.4	0.5
1990	1	0.9	0.9	0.0	5.8	17	0.3	0.1	0.2	0.4
1991	0	0.0	~	0.0	4.2	10	0.2	0.0	0.1	0.3
1992	2	0.9	0.6	0.1	5.0	24	0.4	0.1	0.2	0.6
1993	1	0.4	0.4	0.0	4.1	34	0.5	0.1	0.4	0.8
1994	4	2.4	1.3	0.6	7.1	29	0.4	0.1	0.3	0.6
1995	1	0.4	0.4	0.0	3.8	34	0.5	0.1	0.3	0.7
1996	3	1.4	0.8	0.2	5.1	33	0.5	0.1	0.4	0.7
1997	2	0.7	0.5	0.1	4.0	34	0.5	0.1	0.4	0.7
1998	1	0.4	0.4	0.0	3.5	43	0.6	0.1	0.4	0.8
1999	3	1.7	1.1	0.3	5.7	51	0.8	0.1	0.6	1.0
2000	4	1.4	0.7	0.4	4.5	48	0.7	0.1	0.5	0.9
2001	4	1.2	0.7	0.3	4.1	32	0.5	0.1	0.3	0.7
2002	1	0.2	0.2	0.0	2.4	21	0.3	0.1	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gallbladder, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,802	1.5	0.0	1.4	1.5	2,469	1.5	0.0	1.4	1.5
1986	159	1.5	0.1	1.3	1.8	144	1.6	0.1	1.3	1.9
1987	152	1.5	0.1	1.2	1.7	139	1.5	0.1	1.3	1.8
1988	188	1.8	0.1	1.6	2.1	162	1.7	0.1	1.5	2.0
1989	167	1.6	0.1	1.3	1.8	148	1.6	0.1	1.3	1.8
1990	160	1.5	0.1	1.3	1.7	148	1.5	0.1	1.3	1.8
1991	154	1.4	0.1	1.2	1.7	132	1.4	0.1	1.1	1.6
1992	177	1.6	0.1	1.4	1.9	152	1.5	0.1	1.3	1.8
1993	131	1.2	0.1	1.0	1.4	116	1.2	0.1	1.0	1.4
1994	174	1.5	0.1	1.3	1.8	162	1.6	0.1	1.4	1.9
1995	161	1.4	0.1	1.2	1.6	142	1.4	0.1	1.2	1.7
1996	172	1.5	0.1	1.3	1.8	149	1.5	0.1	1.3	1.7
1997	165	1.4	0.1	1.2	1.7	150	1.5	0.1	1.2	1.7
1998	186	1.6	0.1	1.4	1.8	155	1.5	0.1	1.3	1.8
1999	158	1.3	0.1	1.1	1.6	142	1.4	0.1	1.2	1.6
2000	163	1.4	0.1	1.2	1.6	136	1.3	0.1	1.1	1.6
2001	170	1.4	0.1	1.2	1.6	156	1.5	0.1	1.3	1.7
2002	165	1.3	0.1	1.2	1.6	136	1.3	0.1	1.1	1.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	266	1.3	0.1	1.2	1.5	59	1.7	0.2	1.3	2.3
1986	12	1.3	0.4	0.7	2.5	3	2.6	1.5	0.5	11.2
1987	11	1.0	0.3	0.5	2.0	2	2.0	1.6	0.2	10.5
1988	19	2.0	0.5	1.2	3.1	6	5.9	2.5	2.1	15.1
1989	16	1.5	0.4	0.8	2.5	3	3.1	1.8	0.6	11.1
1990	9	1.0	0.3	0.4	1.9	3	1.9	1.1	0.4	9.0
1991	21	1.9	0.4	1.2	3.0	1	0.9	0.9	0.0	7.3
1992	21	1.7	0.4	1.1	2.8	4	1.8	0.9	0.5	7.5
1993	11	1.0	0.3	0.5	1.9	4	1.4	0.7	0.3	6.4
1994	9	0.8	0.3	0.4	1.7	3	1.3	0.8	0.2	6.2
1995	17	1.4	0.3	0.8	2.3	2	0.7	0.5	0.1	4.9
1996	21	1.7	0.4	1.1	2.7	2	1.3	1.1	0.1	6.0
1997	11	0.9	0.3	0.4	1.6	4	1.4	0.7	0.4	5.3
1998	22	1.7	0.4	1.1	2.7	8	3.4	1.4	1.3	8.1
1999	12	0.9	0.3	0.4	1.6	4	1.4	0.7	0.3	4.8
2000	21	1.5	0.3	0.9	2.3	1	0.3	0.3	0.0	3.0
2001	13	0.9	0.3	0.5	1.6	1	0.2	0.2	0.0	2.5
2002	20	1.4	0.3	0.8	2.2	8	2.6	1.0	1.1	5.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	145	2.6	0.2	2.2	3.2	1991	1.4	0.0	1.3	1.4
1990	9	2.3	0.8	1.0	5.6	151	1.4	0.1	1.2	1.7
1991	7	2.2	0.9	0.7	5.6	147	1.4	0.1	1.2	1.6
1992	7	1.8	0.7	0.7	4.7	170	1.6	0.1	1.4	1.8
1993	11	4.1	1.4	1.9	8.2	120	1.1	0.1	0.9	1.3
1994	12	3.3	1.1	1.5	6.6	162	1.5	0.1	1.3	1.7
1995	15	3.3	1.0	1.7	6.4	146	1.3	0.1	1.1	1.6
1996	7	1.3	0.5	0.5	3.6	165	1.5	0.1	1.3	1.7
1997	11	3.4	1.1	1.5	6.7	154	1.4	0.1	1.2	1.6
1998	12	3.2	1.1	1.5	6.5	174	1.5	0.1	1.3	1.8
1999	15	3.3	0.9	1.7	6.0	143	1.2	0.1	1.0	1.5
2000	10	1.6	0.6	0.6	3.7	153	1.3	0.1	1.1	1.6
2001	13	2.3	0.8	1.1	4.6	157	1.3	0.1	1.1	1.6
2002	16	2.7	0.7	1.5	4.9	149	1.3	0.1	1.1	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gallbladder, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	738	1.0	0.0	0.9	1.0	654	1.0	0.0	0.9	1.1
1986	45	1.1	0.2	0.8	1.6	41	1.1	0.2	0.8	1.6
1987	42	1.1	0.2	0.8	1.5	36	1.0	0.2	0.7	1.5
1988	46	1.2	0.2	0.8	1.6	37	1.0	0.2	0.7	1.5
1989	38	0.9	0.1	0.6	1.3	35	0.9	0.2	0.6	1.3
1990	40	0.9	0.1	0.6	1.3	38	1.0	0.2	0.7	1.4
1991	43	1.0	0.2	0.7	1.3	39	1.0	0.2	0.7	1.4
1992	34	0.7	0.1	0.5	1.1	34	0.8	0.1	0.6	1.2
1993	29	0.6	0.1	0.4	0.9	24	0.6	0.1	0.4	0.9
1994	49	1.1	0.2	0.8	1.5	45	1.2	0.2	0.8	1.6
1995	35	0.8	0.1	0.6	1.2	31	0.8	0.2	0.6	1.2
1996	54	1.2	0.2	0.9	1.6	50	1.3	0.2	1.0	1.7
1997	49	1.1	0.2	0.8	1.5	43	1.1	0.2	0.8	1.5
1998	44	1.0	0.2	0.7	1.3	40	1.0	0.2	0.7	1.4
1999	52	1.1	0.2	0.8	1.4	47	1.1	0.2	0.8	1.5
2000	40	0.8	0.1	0.6	1.1	31	0.7	0.1	0.5	1.0
2001	43	0.9	0.1	0.6	1.2	40	0.9	0.1	0.7	1.3
2002	55	1.1	0.1	0.8	1.4	43	1.0	0.2	0.7	1.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	62	0.8	0.1	0.6	1.1	20	1.3	0.3	0.7	2.2
1986	4	1.1	0.6	0.3	3.5	0	0.0	~	0.0	20.2
1987	4	0.7	0.3	0.2	2.6	2	4.7	3.7	0.4	25.7
1988	6	1.8	0.8	0.6	4.4	2	5.3	3.7	0.6	25.1
1989	3	0.8	0.5	0.2	2.9	0	0.0	~	0.0	16.6
1990	1	0.2	0.2	0.0	1.9	1	1.7	1.7	0.0	18.8
1991	3	1.0	0.6	0.2	3.3	1	2.2	2.2	0.1	18.2
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	4	0.7	0.3	0.2	2.4	1	1.0	1.0	0.0	13.8
1994	2	0.5	0.4	0.0	2.3	2	1.2	0.9	0.1	13.4
1995	4	1.0	0.5	0.2	3.0	0	0.0	~	0.0	11.4
1996	3	0.7	0.4	0.1	2.5	1	0.6	0.6	0.0	11.4
1997	4	0.9	0.4	0.2	2.7	2	1.7	1.2	0.2	12.0
1998	3	0.7	0.5	0.1	2.5	1	1.3	1.3	0.0	11.4
1999	3	0.5	0.3	0.1	2.1	2	0.9	0.6	0.1	9.9
2000	7	1.2	0.5	0.5	2.9	1	0.7	0.7	0.0	8.6
2001	3	0.4	0.3	0.1	1.8	0	0.0	~	0.0	6.9
2002	8	1.4	0.5	0.6	3.2	4	2.4	1.3	0.6	9.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	33	1.6	0.3	1.0	2.5	534	0.9	0.0	0.8	1.0
1990	3	2.2	1.5	0.3	10.5	37	0.9	0.1	0.6	1.2
1991	3	1.7	1.1	0.3	9.1	40	0.9	0.2	0.7	1.3
1992	1	0.5	0.5	0.0	7.2	33	0.7	0.1	0.5	1.1
1993	2	1.7	1.5	0.1	9.3	27	0.6	0.1	0.4	0.9
1994	0	0.0	~	0.0	6.4	49	1.2	0.2	0.9	1.6
1995	2	0.8	0.7	0.1	6.9	33	0.8	0.1	0.6	1.2
1996	3	1.4	0.9	0.2	7.4	51	1.2	0.2	0.9	1.6
1997	4	3.1	1.8	0.6	10.3	45	1.1	0.2	0.8	1.4
1998	1	1.3	1.3	0.0	7.5	43	1.0	0.2	0.7	1.4
1999	6	2.9	1.2	1.0	8.6	46	1.0	0.1	0.7	1.4
2000	3	1.7	1.2	0.2	7.2	37	0.8	0.1	0.5	1.1
2001	3	2.0	1.3	0.3	7.3	40	0.8	0.1	0.6	1.2
2002	2	1.2	1.0	0.1	5.7	53	1.1	0.1	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gallbladder, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,064	1.8	0.0	1.7	1.9	1,815	1.8	0.0	1.7	1.9
1986	114	1.8	0.2	1.5	2.2	103	1.8	0.2	1.5	2.3
1987	110	1.8	0.2	1.4	2.1	103	1.8	0.2	1.5	2.3
1988	142	2.3	0.2	1.9	2.7	125	2.2	0.2	1.9	2.7
1989	129	2.0	0.2	1.7	2.4	113	2.0	0.2	1.6	2.4
1990	120	1.8	0.2	1.5	2.2	110	1.9	0.2	1.6	2.3
1991	111	1.7	0.2	1.4	2.1	93	1.6	0.2	1.3	2.0
1992	143	2.2	0.2	1.8	2.6	118	2.0	0.2	1.6	2.4
1993	102	1.6	0.2	1.3	1.9	92	1.6	0.2	1.3	2.0
1994	125	1.8	0.2	1.5	2.2	117	2.0	0.2	1.6	2.4
1995	126	1.9	0.2	1.6	2.3	111	1.9	0.2	1.6	2.3
1996	118	1.8	0.2	1.5	2.1	99	1.7	0.2	1.4	2.1
1997	116	1.7	0.2	1.4	2.0	107	1.7	0.2	1.4	2.1
1998	142	2.1	0.2	1.7	2.5	115	1.9	0.2	1.6	2.3
1999	106	1.5	0.1	1.2	1.8	95	1.6	0.2	1.3	1.9
2000	123	1.8	0.2	1.5	2.1	105	1.8	0.2	1.4	2.1
2001	127	1.8	0.2	1.5	2.2	116	1.9	0.2	1.6	2.3
2002	110	1.6	0.1	1.3	1.9	93	1.5	0.2	1.2	1.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	204	1.7	0.1	1.4	1.9	39	2.1	0.4	1.4	2.9
1986	8	1.5	0.5	0.6	3.0	3	4.4	2.7	0.8	19.0
1987	7	1.2	0.5	0.5	2.6	0	0.0	~	0.0	12.6
1988	13	2.1	0.6	1.1	3.8	4	6.5	3.3	1.7	20.8
1989	13	1.9	0.5	1.0	3.4	3	5.3	3.1	1.0	18.8
1990	8	1.4	0.5	0.6	2.8	2	2.1	1.5	0.2	13.7
1991	18	2.6	0.6	1.6	4.2	0	0.0	~	0.0	10.0
1992	21	2.9	0.6	1.8	4.6	4	3.3	1.7	0.9	12.8
1993	7	1.1	0.4	0.5	2.4	3	1.7	1.0	0.3	9.8
1994	7	1.1	0.4	0.4	2.2	1	1.2	1.2	0.0	9.1
1995	13	1.7	0.5	0.9	3.0	2	1.3	0.9	0.2	8.0
1996	18	2.4	0.6	1.4	3.8	1	1.6	1.6	0.0	8.8
1997	7	0.9	0.3	0.4	1.9	2	1.2	0.9	0.1	7.0
1998	19	2.4	0.6	1.4	3.8	7	4.9	2.1	1.7	12.1
1999	9	1.1	0.4	0.5	2.2	2	1.6	1.1	0.2	7.0
2000	14	1.7	0.4	0.9	2.9	0	0.0	~	0.0	4.0
2001	10	1.2	0.4	0.6	2.2	1	0.4	0.4	0.0	3.8
2002	12	1.4	0.4	0.7	2.4	4	2.6	1.3	0.7	7.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	112	3.6	0.4	2.9	4.4	1,457	1.7	0.0	1.6	1.8
1990	6	2.8	1.1	1.0	7.7	114	1.8	0.2	1.5	2.1
1991	4	2.4	1.4	0.5	7.8	107	1.7	0.2	1.4	2.1
1992	6	2.9	1.2	1.0	7.7	137	2.1	0.2	1.8	2.5
1993	9	5.8	2.1	2.5	12.0	93	1.5	0.2	1.2	1.8
1994	12	6.0	1.8	2.9	11.5	113	1.7	0.2	1.4	2.0
1995	13	5.4	1.6	2.7	10.4	113	1.7	0.2	1.4	2.1
1996	4	1.2	0.6	0.3	4.6	114	1.8	0.2	1.4	2.1
1997	7	3.7	1.5	1.3	8.5	109	1.6	0.2	1.3	2.0
1998	11	4.9	1.6	2.2	9.9	131	2.0	0.2	1.7	2.4
1999	9	3.5	1.3	1.5	7.7	97	1.4	0.1	1.2	1.7
2000	7	1.7	0.6	0.7	4.6	116	1.7	0.2	1.4	2.1
2001	10	2.8	1.0	1.2	6.1	117	1.7	0.2	1.4	2.1
2002	14	4.2	1.2	2.3	7.7	96	1.4	0.1	1.1	1.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Pancreas, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	21,110	10.9	0.1	10.8	11.1	17,737	10.5	0.1	10.4	10.7
1986	1,043	9.8	0.3	9.2	10.4	888	9.3	0.3	8.7	10.0
1987	1,062	10.0	0.3	9.4	10.6	878	9.3	0.3	8.7	10.0
1988	1,044	9.7	0.3	9.2	10.4	892	9.4	0.3	8.8	10.0
1989	1,054	9.9	0.3	9.3	10.5	894	9.5	0.3	8.9	10.2
1990	1,118	10.3	0.3	9.7	10.9	932	9.7	0.3	9.1	10.4
1991	1,026	9.4	0.3	8.8	10.0	889	9.2	0.3	8.6	9.8
1992	1,069	9.6	0.3	9.0	10.2	899	9.2	0.3	8.6	9.8
1993	1,078	9.6	0.3	9.0	10.2	903	9.1	0.3	8.5	9.8
1994	1,328	11.7	0.3	11.0	12.3	1,106	11.1	0.3	10.4	11.8
1995	1,333	11.7	0.3	11.0	12.3	1,107	11.1	0.3	10.4	11.8
1996	1,381	12.0	0.3	11.4	12.6	1,169	11.6	0.3	11.0	12.3
1997	1,313	11.3	0.3	10.7	11.9	1,122	11.0	0.3	10.4	11.7
1998	1,411	12.0	0.3	11.4	12.6	1,198	11.7	0.3	11.0	12.4
1999	1,428	12.0	0.3	11.4	12.7	1,198	11.6	0.3	11.0	12.3
2000	1,472	12.3	0.3	11.7	12.9	1,236	11.9	0.3	11.3	12.6
2001	1,494	12.3	0.3	11.7	13.0	1,236	11.8	0.3	11.2	12.5
2002	1,456	11.9	0.3	11.3	12.5	1,190	11.3	0.3	10.6	11.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,038	14.8	0.3	14.2	15.3	318	9.4	0.6	8.3	10.7
1986	144	13.5	1.2	11.3	16.0	11	7.5	2.3	3.7	16.8
1987	171	15.9	1.3	13.6	18.6	13	11.2	3.7	5.1	22.7
1988	133	12.4	1.1	10.3	14.8	19	15.9	4.3	8.6	28.3
1989	148	13.0	1.1	11.0	15.5	12	11.0	3.5	5.2	21.6
1990	173	15.2	1.2	13.0	17.8	13	9.5	2.9	4.7	18.9
1991	124	11.3	1.0	9.4	13.6	11	6.4	2.3	2.8	14.3
1992	158	13.1	1.1	11.1	15.4	12	5.4	1.6	2.7	11.8
1993	161	13.6	1.1	11.5	15.9	14	8.6	2.6	4.2	16.5
1994	197	16.7	1.2	14.4	19.3	25	14.2	3.2	8.7	22.7
1995	205	17.1	1.2	14.8	19.7	20	7.9	1.9	4.7	13.8
1996	196	16.0	1.2	13.8	18.5	15	7.0	2.0	3.6	13.0
1997	175	13.6	1.1	11.7	15.9	16	7.3	2.0	3.9	13.1
1998	189	14.4	1.1	12.4	16.7	22	9.6	2.2	5.8	15.6
1999	200	15.3	1.1	13.2	17.6	30	12.8	2.6	8.3	19.4
2000	199	14.8	1.1	12.8	17.1	35	12.4	2.3	8.4	18.1
2001	226	16.2	1.1	14.1	18.5	29	9.2	1.9	5.9	14.0
2002	239	17.2	1.1	15.0	19.6	21	6.3	1.5	3.7	10.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	471	8.8	0.5	8.0	9.8	16,436	11.4	0.1	11.2	11.5
1990	19	5.2	1.3	3.0	9.3	1,099	10.4	0.3	9.8	11.1
1991	29	8.8	1.8	5.6	13.7	997	9.4	0.3	8.8	10.0
1992	21	6.7	1.7	3.9	11.2	1,048	9.7	0.3	9.1	10.3
1993	33	9.5	1.8	6.2	14.2	1,045	9.6	0.3	9.0	10.2
1994	33	9.0	1.7	5.9	13.5	1,295	11.8	0.3	11.1	12.4
1995	33	8.2	1.6	5.5	12.4	1,300	11.8	0.3	11.1	12.4
1996	38	11.2	2.0	7.6	16.2	1,343	12.1	0.3	11.4	12.7
1997	35	8.4	1.6	5.5	12.5	1,278	11.4	0.3	10.8	12.0
1998	35	7.3	1.4	4.8	11.1	1,376	12.1	0.3	11.5	12.8
1999	48	9.6	1.6	6.8	13.5	1,380	12.1	0.3	11.5	12.8
2000	47	10.4	1.7	7.3	14.6	1,425	12.4	0.3	11.8	13.1
2001	56	10.8	1.6	7.9	14.8	1,438	12.4	0.3	11.8	13.1
2002	44	8.0	1.3	5.6	11.3	1,412	12.1	0.3	11.5	12.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Pancreas, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,059	12.6	0.1	12.3	12.8	8,509	12.2	0.1	11.9	12.4
1986	491	11.1	0.5	10.1	12.2	420	10.8	0.5	9.7	11.9
1987	515	12.0	0.5	10.9	13.1	429	11.3	0.6	10.2	12.5
1988	487	11.2	0.5	10.2	12.3	423	11.0	0.6	9.9	12.1
1989	474	10.6	0.5	9.6	11.6	412	10.5	0.5	9.5	11.6
1990	528	11.8	0.5	10.8	12.9	448	11.3	0.6	10.3	12.5
1991	478	10.6	0.5	9.6	11.7	418	10.5	0.5	9.5	11.6
1992	515	11.1	0.5	10.1	12.1	430	10.5	0.5	9.5	11.6
1993	502	10.8	0.5	9.9	11.8	422	10.3	0.5	9.3	11.4
1994	649	13.9	0.6	12.8	15.0	541	13.2	0.6	12.1	14.4
1995	644	13.6	0.5	12.5	14.7	528	12.8	0.6	11.7	13.9
1996	651	13.7	0.5	12.6	14.8	552	13.2	0.6	12.1	14.4
1997	616	12.7	0.5	11.7	13.8	531	12.7	0.6	11.6	13.8
1998	644	13.3	0.5	12.3	14.4	548	13.1	0.6	12.0	14.2
1999	692	13.9	0.5	12.9	15.0	588	13.6	0.6	12.5	14.8
2000	738	14.7	0.5	13.6	15.8	625	14.4	0.6	13.3	15.6
2001	734	14.3	0.5	13.3	15.4	618	14.0	0.6	12.9	15.2
2002	701	13.5	0.5	12.5	14.6	576	12.9	0.5	11.9	14.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,386	16.3	0.5	15.4	17.3	153	10.6	1.0	8.8	12.8
1986	67	14.1	1.8	10.7	18.6	4	6.1	3.1	1.6	26.8
1987	81	18.4	2.2	14.4	23.4	5	7.6	3.4	2.4	27.4
1988	57	13.2	1.9	9.8	17.7	7	9.4	4.2	3.0	29.3
1989	59	11.8	1.6	8.8	15.7	3	2.6	1.5	0.5	19.0
1990	73	15.7	2.0	12.1	20.4	7	14.9	6.0	5.5	36.8
1991	52	11.9	1.7	8.7	16.1	6	8.6	4.6	2.1	27.3
1992	77	16.9	2.1	13.1	21.7	8	7.8	3.1	3.0	22.7
1993	73	15.2	1.9	11.7	19.6	7	11.4	5.0	3.8	28.9
1994	99	20.4	2.2	16.4	25.4	9	13.4	5.0	5.4	30.5
1995	100	20.6	2.2	16.6	25.6	15	14.6	4.1	7.7	29.0
1996	90	18.3	2.1	14.5	23.1	8	11.0	4.4	4.1	26.1
1997	76	13.5	1.6	10.5	17.4	9	10.1	3.9	3.9	23.9
1998	84	15.7	1.8	12.3	19.8	11	11.4	3.7	5.4	24.1
1999	89	16.5	1.8	13.1	20.7	15	16.2	4.9	8.1	30.9
2000	92	16.2	1.8	12.9	20.3	20	15.4	3.7	9.0	26.9
2001	106	18.4	1.9	15.0	22.7	9	6.5	2.4	2.7	15.3
2002	111	19.1	1.9	15.6	23.4	10	7.2	2.6	3.0	15.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	237	9.1	0.7	7.8	10.7	7,855	13.1	0.2	12.8	13.4
1990	11	5.6	1.9	2.6	14.0	517	12.0	0.5	10.9	13.1
1991	15	8.7	2.5	4.5	17.7	463	10.7	0.5	9.7	11.7
1992	10	6.9	2.7	2.7	16.1	505	11.3	0.5	10.3	12.3
1993	16	11.1	3.4	5.5	21.5	486	10.8	0.5	9.9	11.9
1994	18	9.2	2.6	4.9	17.7	631	14.0	0.6	12.9	15.2
1995	18	7.9	2.0	4.4	15.3	626	13.7	0.6	12.7	14.9
1996	17	11.3	3.1	6.1	20.5	634	13.8	0.6	12.8	15.0
1997	20	8.7	2.1	5.1	15.9	596	12.9	0.5	11.9	14.0
1998	18	9.4	2.6	5.0	17.4	626	13.5	0.5	12.5	14.7
1999	27	10.8	2.5	6.6	18.3	665	14.0	0.5	12.9	15.1
2000	19	8.7	2.4	4.6	16.0	719	15.0	0.6	13.9	16.1
2001	27	10.2	2.2	6.3	16.7	707	14.6	0.6	13.5	15.7
2002	21	8.4	2.0	4.9	14.3	680	13.9	0.5	12.8	15.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Pancreas, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,051	9.7	0.1	9.5	9.9	9,228	9.2	0.1	9.0	9.4
1986	552	8.7	0.4	8.0	9.5	468	8.3	0.4	7.6	9.1
1987	547	8.6	0.4	7.9	9.4	449	7.9	0.4	7.2	8.7
1988	557	8.8	0.4	8.0	9.5	469	8.3	0.4	7.5	9.1
1989	580	9.2	0.4	8.5	10.0	482	8.7	0.4	7.9	9.5
1990	590	9.2	0.4	8.5	10.0	484	8.6	0.4	7.8	9.4
1991	548	8.5	0.4	7.8	9.2	471	8.2	0.4	7.5	9.0
1992	554	8.4	0.4	7.7	9.1	469	8.0	0.4	7.3	8.8
1993	576	8.7	0.4	8.0	9.4	481	8.2	0.4	7.5	9.0
1994	679	9.9	0.4	9.2	10.7	565	9.4	0.4	8.6	10.2
1995	689	10.1	0.4	9.3	10.9	579	9.6	0.4	8.8	10.5
1996	730	10.6	0.4	9.9	11.5	617	10.3	0.4	9.5	11.1
1997	697	10.1	0.4	9.3	10.9	591	9.8	0.4	9.0	10.6
1998	767	11.0	0.4	10.3	11.9	650	10.8	0.4	9.9	11.6
1999	736	10.5	0.4	9.7	11.3	610	10.0	0.4	9.2	10.8
2000	734	10.4	0.4	9.7	11.2	611	10.1	0.4	9.3	10.9
2001	760	10.7	0.4	10.0	11.5	618	10.1	0.4	9.3	10.9
2002	755	10.5	0.4	9.7	11.3	614	9.9	0.4	9.1	10.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,652	13.5	0.3	12.9	14.2	165	8.6	0.7	7.3	10.2
1986	77	12.6	1.5	9.8	15.9	7	8.7	3.3	3.4	23.6
1987	90	14.2	1.5	11.4	17.6	8	13.6	5.7	4.8	32.3
1988	76	11.9	1.4	9.4	15.0	12	20.1	6.7	9.2	40.0
1989	89	13.6	1.5	10.9	16.8	9	16.7	5.8	7.3	34.6
1990	100	14.8	1.5	12.0	18.1	6	5.7	2.4	2.0	17.8
1991	72	10.9	1.3	8.5	13.8	5	4.8	2.2	1.6	15.7
1992	81	11.0	1.2	8.7	13.8	4	3.4	1.7	0.9	12.9
1993	88	12.4	1.3	10.0	15.4	7	6.8	2.9	2.3	17.4
1994	98	13.8	1.4	11.2	16.9	16	15.0	4.1	8.1	27.0
1995	105	14.7	1.4	12.0	17.8	5	3.0	1.4	1.0	10.0
1996	106	14.4	1.4	11.8	17.5	7	4.7	1.9	1.7	11.9
1997	99	13.2	1.3	10.7	16.2	7	5.4	2.1	2.1	12.9
1998	105	13.4	1.3	11.0	16.3	11	8.3	2.6	4.0	16.3
1999	111	14.2	1.4	11.7	17.1	15	11.0	3.0	6.0	19.3
2000	107	13.5	1.3	11.1	16.4	15	9.7	2.7	5.2	17.1
2001	120	14.6	1.3	12.1	17.5	20	11.3	2.6	6.7	18.3
2002	128	15.5	1.4	13.0	18.5	11	5.8	1.8	2.8	11.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	234	8.4	0.6	7.3	9.7	8,581	10.0	0.1	9.8	10.2
1990	8	4.6	1.7	1.8	10.5	582	9.4	0.4	8.6	10.2
1991	14	8.4	2.4	4.3	15.5	534	8.5	0.4	7.8	9.2
1992	11	6.5	2.1	3.0	12.9	543	8.5	0.4	7.7	9.2
1993	17	8.6	2.2	4.8	14.9	559	8.7	0.4	8.0	9.4
1994	15	8.5	2.3	4.6	15.0	664	10.0	0.4	9.2	10.8
1995	15	8.0	2.2	4.3	14.1	674	10.2	0.4	9.4	11.0
1996	21	11.0	2.6	6.5	17.8	709	10.7	0.4	9.9	11.5
1997	15	7.5	2.1	3.9	13.4	682	10.2	0.4	9.4	11.0
1998	17	5.8	1.6	3.1	10.5	750	11.2	0.4	10.4	12.0
1999	21	8.4	2.0	4.9	13.9	715	10.5	0.4	9.8	11.3
2000	28	11.8	2.4	7.5	17.9	706	10.4	0.4	9.6	11.2
2001	29	10.9	2.2	7.0	16.6	731	10.8	0.4	10.0	11.6
2002	23	7.6	1.7	4.6	12.0	732	10.6	0.4	9.8	11.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Respiratory System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	147,260	75.7	0.2	75.3	76.1	124,696	73.7	0.2	73.3	74.1
1986	7,217	66.7	0.8	65.1	68.3	6,187	64.5	0.8	62.9	66.2
1987	7,771	71.7	0.8	70.1	73.3	6,665	69.7	0.9	68.0	71.4
1988	7,447	68.2	0.8	66.6	69.8	6,313	65.6	0.8	63.9	67.2
1989	7,656	69.8	0.8	68.2	71.4	6,510	67.4	0.8	65.7	69.1
1990	7,955	72.1	0.8	70.5	73.7	6,779	69.8	0.9	68.2	71.5
1991	7,924	70.8	0.8	69.3	72.4	6,792	69.1	0.8	67.5	70.8
1992	8,355	74.1	0.8	72.6	75.8	7,127	72.3	0.9	70.6	74.0
1993	8,753	77.0	0.8	75.4	78.7	7,380	74.4	0.9	72.7	76.1
1994	9,326	81.4	0.8	79.8	83.1	7,938	79.5	0.9	77.7	81.2
1995	9,358	81.2	0.8	79.6	82.9	7,867	78.6	0.9	76.8	80.3
1996	9,362	81.0	0.8	79.4	82.7	7,844	78.3	0.9	76.6	80.1
1997	9,233	79.3	0.8	77.7	80.9	7,773	77.1	0.9	75.4	78.8
1998	9,371	79.7	0.8	78.1	81.3	7,864	77.4	0.9	75.7	79.2
1999	9,442	79.7	0.8	78.1	81.3	7,967	78.1	0.9	76.4	79.9
2000	9,287	77.9	0.8	76.3	79.5	7,868	76.9	0.9	75.2	78.6
2001	9,343	77.6	0.8	76.1	79.2	7,892	76.6	0.9	74.9	78.3
2002	9,460	77.8	0.8	76.3	79.4	7,930	76.3	0.9	74.7	78.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,958	95.9	0.7	94.6	97.2	1,373	38.3	1.1	36.1	40.6
1986	988	86.0	2.8	80.6	91.7	36	28.9	5.4	19.3	43.5
1987	1,045	89.9	2.8	84.4	95.8	54	44.6	6.9	32.1	61.8
1988	1,069	90.0	2.8	84.6	95.8	52	38.1	5.8	27.5	52.9
1989	1,086	93.0	2.9	87.4	98.9	49	29.1	4.4	21.1	41.0
1990	1,115	92.7	2.8	87.2	98.5	52	32.9	5.1	23.7	46.1
1991	1,057	85.6	2.7	80.4	91.1	56	39.0	6.0	28.2	53.7
1992	1,158	93.5	2.8	88.1	99.2	64	36.0	5.0	26.8	48.4
1993	1,296	103.2	2.9	97.5	109.1	72	38.2	5.1	28.9	50.5
1994	1,302	102.3	2.9	96.7	108.2	78	37.6	4.7	29.0	48.8
1995	1,396	106.4	2.9	100.8	112.2	89	38.8	4.5	30.4	49.6
1996	1,403	106.7	2.9	101.1	112.6	102	43.7	4.8	34.9	54.8
1997	1,352	100.4	2.8	95.0	106.0	95	37.3	4.2	29.6	47.1
1998	1,363	100.2	2.8	94.9	105.8	120	44.9	4.4	36.7	55.1
1999	1,360	98.0	2.7	92.8	103.5	99	38.7	4.2	30.9	48.3
2000	1,285	90.8	2.6	85.8	96.0	112	37.9	3.8	30.7	46.7
2001	1,315	92.6	2.6	87.6	97.9	115	37.7	3.8	30.6	46.2
2002	1,368	94.7	2.6	89.6	99.9	128	39.8	3.7	32.8	48.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2,133	39.4	1.0	37.6	41.4	115,036	79.4	0.2	79.0	79.9
1990	115	36.8	3.9	29.6	45.7	7,840	73.4	0.8	71.7	75.0
1991	112	33.0	3.5	26.5	41.2	7,812	72.3	0.8	70.6	73.9
1992	120	34.6	3.5	28.1	42.6	8,235	75.7	0.8	74.0	77.4
1993	139	34.2	3.2	28.1	41.5	8,614	78.6	0.9	76.9	80.3
1994	152	38.0	3.5	31.4	45.8	9,174	83.1	0.9	81.4	84.8
1995	162	43.5	3.8	36.3	52.0	9,196	83.0	0.9	81.3	84.7
1996	212	55.9	4.3	47.8	65.2	9,150	82.4	0.9	80.7	84.1
1997	153	36.6	3.3	30.3	44.0	9,080	81.2	0.9	79.5	82.9
1998	179	44.8	3.7	37.7	53.0	9,192	81.5	0.9	79.9	83.2
1999	188	39.3	3.2	33.2	46.5	9,,254	81.7	0.8	80.0	83.3
2000	199	38.9	3.1	33.0	45.7	9,088	79.8	0.8	78.2	81.5
2001	206	39.5	3.1	33.7	46.2	9,137	79.7	0.8	78.1	81.3
2002	196	35.8	2.8	30.5	41.9	9,264	80.2	0.8	78.6	81.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Respiratory System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	90,287	109.8	0.4	109.1	110.6	75,945	105.8	0.4	105.1	106.6
1986	4,894	107.5	1.6	104.4	110.7	4,169	103.3	1.7	100.1	106.6
1987	5,173	112.9	1.6	109.8	116.2	4,409	108.8	1.7	105.5	112.2
1988	4,840	104.8	1.6	101.8	107.9	4,120	101.0	1.6	97.8	104.2
1989	4,967	107.0	1.6	103.9	110.1	4,195	102.1	1.6	99.0	105.4
1990	5,084	109.3	1.6	106.2	112.4	4,299	104.8	1.6	101.6	108.1
1991	5,031	106.3	1.5	103.4	109.4	4,298	103.2	1.6	100.0	106.4
1992	5,211	108.7	1.5	105.7	111.8	4,416	104.9	1.6	101.8	108.1
1993	5,414	112.9	1.6	109.8	116.0	4,537	107.9	1.6	104.7	111.2
1994	5,697	118.6	1.6	115.5	121.8	4,824	114.8	1.7	111.6	118.2
1995	5,660	116.1	1.6	113.0	119.2	4,706	110.6	1.6	107.5	113.9
1996	5,587	114.5	1.6	111.5	117.6	4,648	109.5	1.6	106.3	112.7
1997	5,502	111.7	1.5	108.7	114.7	4,578	107.2	1.6	104.0	110.3
1998	5,534	111.1	1.5	108.2	114.1	4,585	106.1	1.6	103.0	109.3
1999	5,515	109.8	1.5	106.9	112.8	4,625	106.4	1.6	103.3	109.6
2000	5,416	106.5	1.5	103.6	109.4	4,534	103.3	1.5	100.3	106.4
2001	5,401	105.6	1.5	102.8	108.5	4,507	102.4	1.5	99.4	105.4
2002	5,361	103.7	1.4	100.9	106.5	4,495	101.2	1.5	98.2	104.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	13,272	149.0	1.4	146.3	151.7	921	58.9	2.2	54.6	63.5
1986	691	146.0	5.8	134.8	158.2	30	53.8	11.3	34.0	86.3
1987	720	150.9	5.9	139.5	163.3	39	81.1	15.3	54.0	120.7
1988	671	138.0	5.6	127.2	149.7	39	63.9	11.7	43.2	95.6
1989	729	154.4	6.0	142.8	167.0	35	46.5	8.4	31.5	71.4
1990	738	150.4	5.8	139.2	162.5	42	56.6	10.1	38.6	84.6
1991	684	135.4	5.4	124.9	146.7	38	57.5	10.7	38.5	86.0
1992	751	148.0	5.7	137.1	159.8	40	50.9	9.1	34.6	75.6
1993	824	161.1	5.9	149.7	173.3	49	56.9	9.2	40.2	81.1
1994	816	158.0	5.8	146.8	170.1	52	56.0	8.6	40.4	78.9
1995	896	167.8	5.9	156.4	180.0	55	60.6	9.5	43.4	84.7
1996	863	162.1	5.8	150.9	174.0	69	66.6	9.1	50.0	89.4
1997	852	155.2	5.5	144.5	166.7	63	55.6	7.7	41.6	75.4
1998	845	154.3	5.6	143.6	165.8	85	70.5	8.4	54.9	91.4
1999	818	146.2	5.3	136.0	157.3	59	57.0	8.3	41.9	77.7
2000	802	138.9	5.1	129.1	149.5	68	51.0	7.0	38.3	68.4
2001	799	138.0	5.1	128.2	148.5	81	65.4	8.4	50.0	85.2
2002	773	130.8	4.9	121.4	140.8	77	55.5	6.9	42.7	71.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,344	55.2	1.8	51.8	58.8	69,069	112.8	0.4	112.0	113.7
1990	66	49.8	7.5	36.2	68.3	5,018	111.4	1.6	108.2	114.6
1991	69	46.2	6.5	34.3	62.4	4,962	108.6	1.6	105.5	111.7
1992	75	49.6	6.8	37.2	66.1	5,136	111.1	1.6	108.0	114.2
1993	95	51.6	6.3	40.0	66.9	5,319	115.1	1.6	111.9	118.3
1994	98	52.8	6.5	40.8	68.6	5,599	121.0	1.6	117.8	124.3
1995	103	61.1	7.1	48.0	77.9	5,557	118.5	1.6	115.4	121.8
1996	146	85.0	8.3	69.5	104.0	5,441	116.2	1.6	113.1	119.4
1997	104	53.3	6.1	41.9	67.8	5,398	114.3	1.6	111.2	117.4
1998	106	61.4	7.0	48.5	77.6	5,428	113.7	1.6	110.7	116.8
1999	118	51.0	5.4	40.9	63.9	5,397	112.5	1.5	109.5	115.6
2000	135	55.8	5.5	45.5	68.7	5,281	109.0	1.5	106.0	112.0
2001	123	53.7	5.5	43.4	66.3	5,278	108.6	1.5	105.6	111.6
2002	106	45.2	4.9	36.0	56.5	5,255	107.1	1.5	104.2	110.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Respiratory System, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	56,973	51.8	0.2	51.4	52.2	48,751	51.2	0.2	50.7	51.6
1986	2,323	38.5	0.8	36.9	40.1	2,018	38.0	0.9	36.4	39.8
1987	2,598	43.3	0.9	41.6	45.0	2,256	42.8	0.9	41.0	44.7
1988	2,607	42.8	0.9	41.1	44.5	2,193	41.0	0.9	39.3	42.8
1989	2,689	43.6	0.9	42.0	45.3	2,315	42.9	0.9	41.2	44.8
1990	2,871	46.4	0.9	44.7	48.2	2,480	45.9	0.9	44.1	47.8
1991	2,893	45.9	0.9	44.2	47.7	2,494	45.3	0.9	43.5	47.1
1992	3,144	49.7	0.9	47.9	51.4	2,711	49.3	1.0	47.4	51.3
1993	3,339	52.1	0.9	50.3	53.9	2,843	51.1	1.0	49.2	53.1
1994	3,629	55.8	0.9	53.9	57.6	3,114	55.1	1.0	53.2	57.1
1995	3,698	56.8	0.9	55.0	58.7	3,161	56.1	1.0	54.2	58.1
1996	3,775	57.7	0.9	55.8	59.6	3,196	56.7	1.0	54.7	58.7
1997	3,731	56.4	0.9	54.6	58.2	3,195	56.1	1.0	54.1	58.1
1998	3,837	57.4	0.9	55.6	59.3	3,279	57.1	1.0	55.2	59.1
1999	3,927	58.5	0.9	56.7	60.3	3,342	58.1	1.0	56.1	60.1
2000	3,871	57.3	0.9	55.5	59.1	3,334	57.8	1.0	55.9	59.8
2001	3,942	57.8	0.9	56.0	59.6	3,385	58.4	1.0	56.4	60.4
2002	4,099	59.7	0.9	57.8	61.5	3,435	58.9	1.0	56.9	61.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,686	60.1	0.7	58.7	61.4	452	22.9	1.2	20.7	25.4
1986	297	44.1	2.6	39.1	49.6	6	9.4	4.3	3.0	26.1
1987	325	48.1	2.7	42.9	53.8	15	17.9	4.8	9.8	34.3
1988	398	57.2	2.9	51.7	63.3	13	18.1	5.3	9.2	35.3
1989	357	51.8	2.8	46.5	57.6	14	15.9	4.5	8.3	31.0
1990	377	53.7	2.8	48.3	59.5	10	14.1	4.8	6.3	29.9
1991	373	51.7	2.7	46.5	57.3	18	24.7	6.7	13.4	43.2
1992	407	56.3	2.8	50.9	62.2	24	24.7	5.6	15.0	40.3
1993	472	64.1	3.0	58.4	70.3	23	23.7	5.6	14.1	38.9
1994	486	65.2	3.0	59.5	71.4	26	23.4	5.0	14.7	37.0
1995	500	65.0	2.9	59.4	71.1	34	24.0	4.3	16.3	35.7
1996	540	69.8	3.0	64.0	76.0	33	26.0	4.9	17.3	38.6
1997	500	63.2	2.8	57.7	69.0	32	23.0	4.4	15.1	34.5
1998	518	64.5	2.9	59.1	70.4	35	24.9	4.5	16.9	36.3
1999	542	66.2	2.9	60.7	72.1	40	26.2	4.4	18.3	37.1
2000	483	58.2	2.7	53.1	63.7	44	27.7	4.4	19.8	38.3
2001	516	61.8	2.7	56.6	67.5	34	19.2	3.4	13.1	27.7
2002	595	70.1	2.9	64.6	76.1	51	28.1	4.1	20.6	37.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	789	26.9	1.0	24.9	29.1	45,967	55.9	0.3	55.4	56.4
1990	49	28.0	4.3	20.2	38.4	2,822	47.2	0.9	45.4	49.0
1991	43	22.7	3.9	15.8	32.4	2,850	46.8	0.9	45.0	48.6
1992	45	23.8	3.8	17.0	33.2	3,099	50.6	0.9	48.9	52.5
1993	44	20.2	3.3	14.3	28.4	3,295	53.2	0.9	51.4	55.1
1994	54	26.2	3.8	19.3	35.5	3,575	56.9	1.0	55.0	58.8
1995	59	29.8	4.2	22.2	39.7	3,639	58.1	1.0	56.2	60.0
1996	66	33.4	4.4	25.3	43.6	3,709	59.0	1.0	57.1	60.9
1997	49	22.8	3.6	16.3	31.3	3,682	57.9	1.0	56.0	59.8
1998	73	32.4	4.1	24.8	41.9	3,764	58.7	1.0	56.8	60.6
1999	70	28.9	3.8	21.9	37.8	3,857	60.0	1.0	58.1	61.9
2000	64	24.0	3.3	17.9	31.8	3,807	58.9	1.0	57.0	60.8
2001	83	27.9	3.4	21.6	35.7	3,859	59.3	1.0	57.4	61.2
2002	90	28.7	3.3	22.6	36.1	4,009	61.3	1.0	59.4	63.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Larynx, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	10,093	5.2	0.1	5.1	5.3	8,103	4.9	0.1	4.7	5.0
1986	552	5.1	0.2	4.7	5.5	448	4.7	0.2	4.2	5.1
1987	628	5.8	0.2	5.4	6.3	525	5.5	0.2	5.0	6.0
1988	520	4.8	0.2	4.4	5.3	437	4.6	0.2	4.2	5.1
1989	608	5.6	0.2	5.2	6.1	500	5.3	0.2	4.8	5.8
1990	590	5.4	0.2	5.0	5.9	470	4.9	0.2	4.5	5.4
1991	615	5.6	0.2	5.1	6.0	495	5.1	0.2	4.6	5.6
1992	602	5.4	0.2	5.0	5.9	477	5.0	0.2	4.5	5.4
1993	603	5.3	0.2	4.9	5.8	484	4.9	0.2	4.5	5.4
1994	592	5.2	0.2	4.8	5.7	481	4.9	0.2	4.5	5.4
1995	658	5.8	0.2	5.3	6.2	520	5.3	0.2	4.9	5.8
1996	642	5.6	0.2	5.2	6.1	519	5.3	0.2	4.9	5.8
1997	613	5.3	0.2	4.9	5.7	472	4.8	0.2	4.4	5.2
1998	566	4.8	0.2	4.4	5.2	443	4.4	0.2	4.0	4.8
1999	575	4.9	0.2	4.5	5.3	456	4.5	0.2	4.1	5.0
2000	596	5.0	0.2	4.6	5.4	483	4.8	0.2	4.4	5.2
2001	552	4.6	0.2	4.2	5.0	431	4.2	0.2	3.8	4.6
2002	581	4.7	0.2	4.4	5.1	462	4.4	0.2	4.1	4.9
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,851	8.2	0.2	7.8	8.6	84	2.0	0.2	1.5	2.5
1986	100	8.4	0.9	6.8	10.3	3	1.7	1.0	0.4	9.9
1987	100	8.4	0.9	6.8	10.4	3	1.7	1.0	0.3	9.4
1988	76	6.6	0.8	5.2	8.4	5	4.6	2.2	1.3	13.3
1989	103	8.7	0.9	7.0	10.6	3	1.5	0.9	0.3	8.4
1990	112	9.1	0.9	7.5	11.1	3	1.7	1.0	0.3	8.6
1991	116	9.2	0.9	7.6	11.1	3	1.3	0.8	0.2	7.4
1992	120	9.4	0.9	7.8	11.4	4	2.9	1.7	0.6	9.8
1993	110	8.5	0.8	7.0	10.4	8	4.4	1.6	1.8	10.6
1994	100	7.4	0.8	6.0	9.1	9	3.1	1.1	1.4	8.1
1995	133	9.9	0.9	8.3	11.8	3	1.2	0.7	0.2	5.6
1996	112	8.2	0.8	6.8	10.0	7	2.6	1.1	0.9	7.0
1997	130	9.2	0.8	7.6	11.0	8	2.5	0.9	1.0	6.6
1998	110	7.8	0.8	6.4	9.5	1	0.2	0.2	0.0	3.6
1999	110	7.4	0.7	6.1	9.0	4	1.1	0.6	0.3	4.4
2000	97	6.6	0.7	5.3	8.1	10	2.8	0.9	1.3	6.2
2001	109	7.2	0.7	5.9	8.7	8	2.0	0.8	0.8	4.9
2002	113	7.5	0.7	6.2	9.0	2	0.4	0.3	0.0	2.4
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	207	3.4	0.3	2.9	3.9	7,578	5.3	0.1	5.2	5.4
1990	12	3.2	1.0	1.5	6.8	578	5.5	0.2	5.1	6.0
1991	12	3.4	1.1	1.7	7.0	603	5.7	0.2	5.2	6.1
1992	14	3.9	1.1	2.0	7.5	588	5.5	0.2	5.1	6.0
1993	19	3.9	1.0	2.2	7.1	584	5.4	0.2	5.0	5.8
1994	17	3.8	1.0	2.1	7.0	575	5.3	0.2	4.9	5.7
1995	15	2.9	0.8	1.6	5.7	643	5.9	0.2	5.5	6.4
1996	20	4.9	1.2	2.8	8.4	622	5.7	0.2	5.3	6.2
1997	16	4.0	1.1	2.0	7.3	597	5.4	0.2	5.0	5.9
1998	13	3.0	0.9	1.5	5.9	553	4.9	0.2	4.5	5.4
1999	16	3.3	0.9	1.8	6.1	559	5.0	0.2	4.6	5.4
2000	19	3.2	0.8	1.8	5.6	577	5.1	0.2	4.7	5.5
2001	18	2.5	0.7	1.4	4.6	534	4.7	0.2	4.3	5.1
2002	16	2.5	0.7	1.4	4.6	565	4.9	0.2	4.5	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Larynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,078	9.5	0.1	9.3	9.8	6,537	8.9	0.1	8.7	9.1
1986	443	9.4	0.5	8.5	10.3	360	8.6	0.5	7.7	9.6
1987	507	10.7	0.5	9.8	11.8	425	10.2	0.5	9.2	11.2
1988	426	9.1	0.5	8.2	10.0	364	8.7	0.5	7.8	9.7
1989	499	10.7	0.5	9.8	11.7	418	10.2	0.5	9.2	11.2
1990	459	9.7	0.5	8.8	10.7	362	8.8	0.5	7.9	9.8
1991	496	10.2	0.5	9.3	11.2	405	9.5	0.5	8.6	10.5
1992	473	9.8	0.5	8.9	10.8	384	9.1	0.5	8.2	10.1
1993	491	9.8	0.4	8.9	10.7	396	9.0	0.5	8.1	9.9
1994	471	9.4	0.4	8.6	10.3	381	8.8	0.5	7.9	9.8
1995	506	10.2	0.5	9.4	11.2	408	9.5	0.5	8.6	10.6
1996	493	9.8	0.4	9.0	10.8	396	9.2	0.5	8.3	10.1
1997	485	9.5	0.4	8.7	10.4	372	8.5	0.4	7.6	9.4
1998	467	9.1	0.4	8.3	10.0	371	8.4	0.4	7.6	9.3
1999	478	9.2	0.4	8.4	10.0	379	8.5	0.4	7.6	9.4
2000	482	9.1	0.4	8.3	10.0	395	8.7	0.4	7.9	9.6
2001	439	8.3	0.4	7.5	9.1	346	7.7	0.4	6.9	8.6
2002	463	8.5	0.4	7.8	9.4	375	8.1	0.4	7.3	9.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,431	15.2	0.4	14.4	16.0	71	3.8	0.5	2.9	5.1
1986	79	15.6	1.8	12.3	20.0	3	3.7	2.2	0.7	23.9
1987	80	16.0	1.9	12.6	20.5	2	2.3	1.7	0.3	21.3
1988	56	12.1	1.7	9.0	16.2	5	10.7	5.2	3.1	32.2
1989	76	15.8	1.9	12.3	20.3	3	3.5	2.0	0.7	20.2
1990	91	17.7	1.9	14.2	22.3	2	2.8	2.0	0.3	19.8
1991	87	16.4	1.8	13.0	20.6	3	2.9	1.8	0.5	18.1
1992	84	16.0	1.8	12.6	20.3	4	7.0	4.2	1.3	24.3
1993	88	16.6	1.8	13.2	20.9	7	9.6	3.8	3.6	24.9
1994	82	14.5	1.6	11.5	18.5	7	4.8	1.9	1.8	17.1
1995	95	17.0	1.8	13.6	21.2	2	1.7	1.3	0.2	13.3
1996	88	15.5	1.7	12.3	19.5	7	5.8	2.5	2.0	17.8
1997	104	17.3	1.7	14.1	21.4	6	3.9	1.7	1.3	14.4
1998	86	14.7	1.6	11.6	18.5	1	0.5	0.5	0.0	10.0
1999	91	14.8	1.6	11.9	18.6	4	2.5	1.3	0.6	11.7
2000	78	12.9	1.5	10.1	16.6	6	3.7	1.6	1.3	12.2
2001	83	12.9	1.4	10.2	16.3	7	4.0	1.7	1.5	11.7
2002	83	13.5	1.5	10.7	17.1	2	0.8	0.6	0.1	6.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	171	6.2	0.5	5.1	7.4	6,032	9.6	0.1	9.4	9.9
1990	7	3.8	1.7	1.3	12.2	452	9.9	0.5	9.0	11.0
1991	11	7.2	2.5	3.2	16.2	485	10.4	0.5	9.5	11.4
1992	10	6.2	2.3	2.6	14.6	463	10.0	0.5	9.1	11.0
1993	16	7.0	2.0	3.6	14.8	475	9.8	0.5	9.0	10.8
1994	14	7.2	2.3	3.4	15.4	457	9.5	0.5	8.7	10.5
1995	13	5.2	1.5	2.7	11.9	493	10.4	0.5	9.5	11.4
1996	18	9.9	2.8	5.2	18.6	475	9.9	0.5	9.1	10.9
1997	14	7.7	2.5	3.6	15.7	471	9.7	0.4	8.8	10.6
1998	10	5.4	2.0	2.1	12.5	457	9.3	0.4	8.5	10.3
1999	13	5.8	1.9	2.7	12.4	465	9.4	0.4	8.6	10.3
2000	19	6.7	1.7	3.8	12.5	463	9.3	0.4	8.4	10.2
2001	12	4.2	1.3	2.0	9.1	427	8.6	0.4	7.8	9.4
2002	14	4.8	1.5	2.4	9.8	449	8.8	0.4	8.0	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Larynx, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,015	1.9	0.0	1.8	2.0	1,566	1.7	0.0	1.6	1.8
1986	109	1.9	0.2	1.5	2.3	88	1.7	0.2	1.4	2.2
1987	121	2.1	0.2	1.7	2.5	100	2.0	0.2	1.6	2.4
1988	94	1.6	0.2	1.3	2.0	73	1.4	0.2	1.1	1.8
1989	109	1.8	0.2	1.5	2.2	82	1.6	0.2	1.2	2.0
1990	131	2.2	0.2	1.8	2.6	108	2.1	0.2	1.7	2.5
1991	119	2.0	0.2	1.6	2.4	90	1.7	0.2	1.4	2.1
1992	129	2.1	0.2	1.8	2.5	93	1.8	0.2	1.4	2.2
1993	112	1.8	0.2	1.5	2.2	88	1.7	0.2	1.3	2.0
1994	121	1.9	0.2	1.6	2.3	100	1.9	0.2	1.5	2.3
1995	152	2.4	0.2	2.1	2.9	112	2.1	0.2	1.7	2.6
1996	149	2.4	0.2	2.0	2.8	123	2.3	0.2	1.9	2.8
1997	128	2.0	0.2	1.7	2.4	100	1.9	0.2	1.5	2.3
1998	99	1.5	0.2	1.2	1.8	72	1.3	0.2	1.0	1.6
1999	97	1.5	0.2	1.2	1.9	77	1.4	0.2	1.1	1.8
2000	114	1.7	0.2	1.4	2.1	88	1.6	0.2	1.3	2.0
2001	113	1.7	0.2	1.4	2.1	85	1.6	0.2	1.2	1.9
2002	118	1.8	0.2	1.5	2.1	87	1.5	0.2	1.2	1.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	420	3.2	0.2	2.9	3.5	13	0.5	0.2	0.3	1.0
1986	21	3.1	0.7	1.9	4.8	0	0.0	~	0.0	13.4
1987	20	2.9	0.7	1.8	4.6	1	1.1	1.1	0.0	13.8
1988	20	2.8	0.6	1.7	4.5	0	0.0	~	0.0	12.0
1989	27	3.8	0.7	2.5	5.7	0	0.0	~	0.0	11.4
1990	21	3.0	0.7	1.8	4.7	1	0.9	0.9	0.0	12.1
1991	29	4.0	0.7	2.7	5.8	0	0.0	~	0.0	10.0
1992	36	4.9	0.8	3.4	6.9	0	0.0	~	0.0	9.0
1993	22	2.9	0.6	1.8	4.4	1	0.7	0.7	0.0	8.7
1994	18	2.3	0.5	1.3	3.7	2	1.5	1.1	0.2	9.1
1995	38	4.9	0.8	3.5	6.8	1	0.8	0.8	0.0	7.5
1996	24	3.1	0.6	2.0	4.7	0	0.0	~	0.0	5.8
1997	26	3.1	0.6	2.0	4.7	2	1.3	0.9	0.2	7.2
1998	24	3.0	0.6	1.9	4.5	0	0.0	~	0.0	5.1
1999	19	2.2	0.5	1.3	3.5	0	0.0	~	0.0	4.7
2000	19	2.2	0.5	1.3	3.5	4	2.1	1.1	0.6	6.8
2001	26	3.0	0.6	2.0	4.5	1	0.4	0.4	0.0	4.0
2002	30	3.3	0.6	2.2	4.8	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	36	1.0	0.2	0.7	1.5	1,546	2.0	0.1	1.9	2.1
1990	5	2.7	1.3	0.8	7.8	126	2.2	0.2	1.8	2.6
1991	1	0.4	0.4	0.0	4.7	118	2.0	0.2	1.7	2.5
1992	4	2.1	1.1	0.5	6.7	125	2.1	0.2	1.8	2.6
1993	3	1.1	0.7	0.2	5.0	109	1.8	0.2	1.5	2.2
1994	3	1.1	0.6	0.2	4.7	118	2.0	0.2	1.6	2.3
1995	2	0.8	0.5	0.1	4.3	150	2.5	0.2	2.1	3.0
1996	2	1.0	0.7	0.1	4.7	147	2.5	0.2	2.1	2.9
1997	2	0.9	0.8	0.0	4.8	126	2.1	0.2	1.7	2.5
1998	3	1.2	0.7	0.2	4.7	96	1.5	0.2	1.2	1.9
1999	3	1.3	0.8	0.2	4.7	94	1.6	0.2	1.3	1.9
2000	0	0.0	~	0.0	2.7	114	1.8	0.2	1.5	2.2
2001	6	1.1	0.5	0.4	3.6	107	1.7	0.2	1.4	2.1
2002	2	0.6	0.4	0.1	2.8	116	1.8	0.2	1.5	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lung and Bronchus, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	135,333	69.6	0.2	69.2	69.9	115,015	67.9	0.2	67.5	68.3
1986	6,561	60.6	0.8	59.1	62.1	5,647	58.9	0.8	57.3	60.5
1987	7,014	64.7	0.8	63.2	66.2	6,027	63.0	0.8	61.4	64.6
1988	6,805	62.2	0.8	60.7	63.7	5,773	59.8	0.8	58.3	61.4
1989	6,959	63.3	0.8	61.8	64.8	5,940	61.4	0.8	59.8	63.0
1990	7,281	65.9	0.8	64.4	67.5	6,237	64.2	0.8	62.6	65.8
1991	7,200	64.3	0.8	62.8	65.8	6,202	63.0	0.8	61.5	64.6
1992	7,643	67.7	0.8	66.2	69.3	6,555	66.4	0.8	64.8	68.0
1993	8,033	70.7	0.8	69.1	72.3	6,794	68.4	0.8	66.8	70.1
1994	8,631	75.3	0.8	73.7	76.9	7,367	73.6	0.9	71.9	75.3
1995	8,610	74.7	0.8	73.1	76.3	7,270	72.5	0.9	70.8	74.2
1996	8,614	74.5	0.8	72.9	76.1	7,228	72.0	0.8	70.4	73.7
1997	8,524	73.1	0.8	71.6	74.7	7,221	71.5	0.8	69.9	73.2
1998	8,689	73.9	0.8	72.4	75.5	7,319	72.0	0.8	70.4	73.7
1999	8,744	73.8	0.8	72.3	75.4	7,404	72.5	0.8	70.9	74.2
2000	8,580	72.0	0.8	70.5	73.5	7,297	71.3	0.8	69.6	72.9
2001	8,686	72.2	0.8	70.7	73.7	7,372	71.5	0.8	69.9	73.1
2002	8,759	72.1	0.8	70.6	73.6	7,362	70.9	0.8	69.2	72.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	18,901	86.9	0.6	85.6	88.1	1,251	35.4	1.1	33.3	37.6
1986	877	76.5	2.7	71.4	82.0	32	25.6	5.1	16.6	39.6
1987	933	80.5	2.7	75.3	86.0	48	40.2	6.5	28.5	56.6
1988	976	82.2	2.7	77.0	87.7	45	32.8	5.4	23.1	46.8
1989	967	82.9	2.7	77.7	88.5	43	25.9	4.2	18.3	37.3
1990	991	82.7	2.7	77.5	88.2	49	31.2	5.0	22.2	44.3
1991	933	75.9	2.5	71.0	81.1	48	34.8	5.6	24.6	48.8
1992	1,025	83.1	2.6	78.0	88.5	58	32.3	4.7	23.8	44.1
1993	1,173	93.7	2.8	88.3	99.4	62	32.4	4.7	23.9	44.0
1994	1,190	94.0	2.8	88.6	99.6	68	33.8	4.5	25.6	44.7
1995	1,250	95.6	2.8	90.3	101.2	86	37.5	4.5	29.3	48.2
1996	1,284	98.1	2.8	92.7	103.7	94	41.0	4.6	32.4	51.8
1997	1,214	90.7	2.6	85.5	96.0	82	33.5	4.0	26.1	43.0
1998	1,242	91.6	2.6	86.5	97.0	116	43.4	4.3	35.3	53.4
1999	1,237	89.8	2.6	84.7	95.0	95	37.5	4.2	29.8	47.1
2000	1,171	83.1	2.5	78.4	88.1	97	33.5	3.7	26.7	41.9
2001	1,193	84.6	2.5	79.8	89.6	104	34.8	3.7	27.9	43.1
2002	1,245	86.5	2.5	81.7	91.6	124	39.0	3.7	32.1	47.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,849	35.2	0.9	33.4	37.0	106,145	73.2	0.2	72.8	73.6
1990	102	33.4	3.7	26.5	42.0	7,179	67.1	0.8	65.5	68.7
1991	92	28.5	3.3	22.3	36.2	7,108	65.6	0.8	64.1	67.2
1992	100	29.7	3.3	23.6	37.3	7,543	69.2	0.8	67.6	70.8
1993	113	29.3	3.1	23.7	36.4	7,920	72.2	0.8	70.6	73.8
1994	130	33.7	3.3	27.5	41.3	8,501	76.9	0.8	75.2	78.5
1995	140	39.8	3.7	32.8	48.1	8,470	76.3	0.8	74.7	78.0
1996	188	50.0	4.1	42.3	58.9	8,426	75.8	0.8	74.2	77.4
1997	134	32.3	3.1	26.5	39.3	8,390	74.9	0.8	73.3	76.6
1998	162	40.6	3.6	33.9	48.5	8,527	75.6	0.8	74.0	77.2
1999	167	35.5	3.1	29.7	42.3	8,577	75.6	0.8	74.0	77.2
2000	169	34.0	2.9	28.4	40.5	8,411	73.8	0.8	72.2	75.4
2001	181	36.5	3.0	30.8	43.0	8,505	74.2	0.8	72.6	75.8
2002	171	32.0	2.7	26.9	37.8	8,588	74.4	0.8	72.8	76.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lung and Bronchus, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	81,091	99.0	0.4	98.3	99.7	68,450	95.6	0.4	94.9	96.4
1986	4,386	96.7	1.5	93.8	99.7	3,752	93.2	1.6	90.2	96.4
1987	4,579	100.3	1.5	97.3	103.4	3,909	96.8	1.6	93.7	100.0
1988	4,340	94.2	1.5	91.3	97.2	3,694	90.8	1.5	87.8	93.9
1989	4,416	95.2	1.5	92.3	98.1	3,737	91.0	1.5	88.0	94.1
1990	4,571	98.4	1.5	95.5	101.4	3,893	95.0	1.6	91.9	98.1
1991	4,481	95.0	1.5	92.2	97.9	3,846	92.5	1.5	89.5	95.6
1992	4,677	97.7	1.5	94.9	100.6	3,979	94.6	1.5	91.6	97.6
1993	4,861	101.9	1.5	99.0	104.9	4,085	97.7	1.6	94.6	100.8
1994	5,164	107.9	1.5	104.9	111.0	4,389	104.8	1.6	101.6	108.0
1995	5,090	104.5	1.5	101.6	107.5	4,244	99.8	1.6	96.8	102.9
1996	5,026	103.4	1.5	100.5	106.3	4,188	98.9	1.5	95.9	102.0
1997	4,951	101.0	1.5	98.1	103.9	4,151	97.5	1.5	94.5	100.5
1998	5,000	100.7	1.4	97.9	103.6	4,156	96.4	1.5	93.5	99.4
1999	4,966	99.3	1.4	96.5	102.1	4,187	96.6	1.5	93.7	99.6
2000	4,868	96.2	1.4	93.4	98.9	4,084	93.4	1.5	90.6	96.4
2001	4,901	96.2	1.4	93.5	99.0	4,110	93.6	1.5	90.7	96.5
2002	4,814	93.6	1.4	91.0	96.3	4,046	91.5	1.4	88.7	94.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,715	132.6	1.3	130.1	135.1	823	53.6	2.1	49.6	58.1
1986	605	128.9	5.5	118.3	140.5	26	46.2	10.4	28.1	77.1
1987	631	133.1	5.6	122.3	144.7	34	72.2	14.3	47.0	109.8
1988	605	124.2	5.3	114.0	135.4	32	51.8	10.4	33.5	81.2
1989	643	136.4	5.7	125.5	148.2	30	41.7	8.1	27.3	66.1
1990	637	130.8	5.5	120.3	142.2	40	53.8	9.9	36.3	81.5
1991	593	118.5	5.1	108.7	129.2	32	52.4	10.5	34.0	80.6
1992	661	131.1	5.4	120.8	142.3	34	42.3	8.0	28.0	64.8
1993	732	143.9	5.6	133.1	155.5	40	44.0	8.0	29.7	66.0
1994	727	142.4	5.6	131.6	154.0	44	49.5	8.3	34.7	71.7
1995	791	149.3	5.6	138.6	160.9	53	58.9	9.4	41.9	82.8
1996	772	146.1	5.5	135.5	157.5	62	60.8	8.7	45.0	83.0
1997	743	137.2	5.3	127.1	148.1	53	49.4	7.4	36.0	68.7
1998	751	138.3	5.3	128.1	149.3	83	69.0	8.4	53.6	89.8
1999	718	130.2	5.1	120.4	140.7	55	54.6	8.2	39.7	75.0
2000	717	125.0	4.9	115.7	135.1	58	45.0	6.6	32.9	61.8
2001	707	123.8	4.8	114.4	133.8	73	60.3	8.2	45.4	79.6
2002	682	116.1	4.6	107.2	125.7	74	54.3	6.9	41.6	70.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,128	47.9	1.7	44.7	51.3	62,242	102.0	0.4	101.2	102.8
1990	58	45.7	7.3	32.5	63.8	4,513	100.3	1.5	97.3	103.3
1991	56	38.5	6.0	27.5	53.8	4,425	97.0	1.5	94.1	100.0
1992	61	42.0	6.4	30.4	57.7	4,616	99.9	1.5	97.0	102.9
1993	75	43.3	5.9	32.5	58.0	4,786	104.0	1.5	101.0	107.1
1994	80	44.9	6.1	33.7	59.9	5,084	110.2	1.6	107.2	113.4
1995	86	55.2	7.0	42.5	71.7	5,004	106.8	1.5	103.8	109.9
1996	124	72.8	7.7	58.5	90.6	4,902	104.9	1.5	102.0	108.0
1997	87	44.9	5.6	34.6	58.5	4,864	103.4	1.5	100.5	106.4
1998	94	54.7	6.6	42.5	70.1	4,906	103.1	1.5	100.2	106.0
1999	103	44.7	5.1	35.3	56.9	4,863	101.7	1.5	98.8	104.6
2000	108	46.4	5.1	36.9	58.5	4,760	98.6	1.4	95.8	101.4
2001	108	49.0	5.3	39.1	61.4	4,793	98.9	1.4	96.1	101.7
2002	88	39.2	4.7	30.6	50.0	4,726	96.8	1.4	94.0	99.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lung and Bronchus, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	54,242	49.2	0.2	48.8	49.7	46,565	48.8	0.2	48.3	49.2
1986	2,175	36.0	0.8	34.5	37.6	1,895	35.7	0.8	34.1	37.4
1987	2,435	40.4	0.8	38.8	42.1	2,118	40.1	0.9	38.4	41.9
1988	2,465	40.3	0.8	38.7	42.0	2,079	38.8	0.9	37.1	40.5
1989	2,543	41.2	0.8	39.6	42.8	2,203	40.8	0.9	39.1	42.6
1990	2,710	43.8	0.9	42.1	45.5	2,344	43.3	0.9	41.6	45.2
1991	2,719	43.1	0.8	41.5	44.8	2,356	42.7	0.9	41.0	44.5
1992	2,966	46.8	0.9	45.1	48.5	2,576	46.8	0.9	44.9	48.6
1993	3,172	49.4	0.9	47.7	51.2	2,709	48.6	0.9	46.8	50.5
1994	3,467	53.2	0.9	51.4	55.0	2,978	52.5	1.0	50.6	54.5
1995	3,520	54.0	0.9	52.2	55.8	3,026	53.6	1.0	51.6	55.5
1996	3,588	54.7	0.9	52.9	56.6	3,040	53.8	1.0	51.9	55.8
1997	3,573	53.9	0.9	52.1	55.7	3,070	53.8	1.0	51.9	55.7
1998	3,689	55.2	0.9	53.4	57.0	3,163	55.1	1.0	53.2	57.1
1999	3,778	56.2	0.9	54.4	58.0	3,217	55.8	1.0	53.9	57.8
2000	3,712	54.8	0.9	53.1	56.6	3,213	55.6	1.0	53.7	57.6
2001	3,785	55.4	0.9	53.7	57.2	3,262	56.2	1.0	54.2	58.2
2002	3,945	57.4	0.9	55.6	59.2	3,316	56.8	1.0	54.9	58.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,186	56.3	0.7	55.0	57.6	428	21.9	1.1	19.7	24.2
1986	272	40.3	2.5	35.6	45.6	6	9.4	4.3	3.0	26.1
1987	302	44.7	2.6	39.8	50.2	14	16.9	4.7	9.0	33.1
1988	371	53.5	2.8	48.1	59.4	13	18.1	5.3	9.2	35.3
1989	324	47.1	2.7	42.1	52.7	13	14.1	4.2	7.2	28.7
1990	354	50.4	2.7	45.3	56.1	9	13.2	4.7	5.7	28.9
1991	340	47.2	2.6	42.3	52.6	16	21.4	6.1	11.2	38.8
1992	364	50.4	2.7	45.3	56.0	24	24.7	5.6	15.0	40.3
1993	441	60.1	2.9	54.5	66.0	22	23.1	5.5	13.5	38.2
1994	463	62.2	2.9	56.6	68.2	24	21.9	4.9	13.4	35.2
1995	459	59.9	2.8	54.5	65.7	33	23.2	4.3	15.6	34.8
1996	512	66.3	3.0	60.6	72.4	32	25.6	4.9	16.9	38.2
1997	471	59.6	2.8	54.3	65.3	29	21.3	4.3	13.6	32.6
1998	491	61.2	2.8	55.9	66.9	33	23.5	4.3	15.8	34.5
1999	519	63.6	2.8	58.2	69.4	40	26.2	4.4	18.3	37.1
2000	454	54.9	2.6	49.9	60.2	39	24.8	4.2	17.3	34.9
2001	486	58.3	2.7	53.2	63.8	31	18.0	3.4	12.0	26.3
2002	563	66.6	2.8	61.1	72.4	50	27.7	4.1	20.3	37.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	721	25.3	1.0	23.3	27.4	43,903	53.3	0.3	52.8	53.8
1990	44	25.3	4.1	18.0	35.4	2,666	44.5	0.9	42.8	46.3
1991	36	20.7	3.7	14.1	30.1	2,683	43.9	0.9	42.3	45.7
1992	39	21.1	3.6	14.7	30.1	2,927	47.7	0.9	46.0	49.5
1993	38	18.4	3.2	12.7	26.5	3,134	50.5	0.9	48.8	52.4
1994	50	25.0	3.8	18.2	34.2	3,417	54.2	0.9	52.4	56.1
1995	54	28.2	4.1	20.7	37.9	3,466	55.1	0.9	53.3	57.0
1996	64	32.3	4.4	24.4	42.4	3,524	55.9	1.0	54.0	57.8
1997	47	21.8	3.5	15.6	30.1	3,526	55.3	0.9	53.5	57.2
1998	68	30.2	4.0	23.0	39.5	3,621	56.4	0.9	54.6	58.3
1999	64	27.0	3.7	20.2	35.8	3,714	57.7	1.0	55.8	59.6
2000	61	23.1	3.3	17.2	30.9	3,651	56.4	0.9	54.5	58.2
2001	73	26.2	3.3	20.0	33.9	3,712	56.9	0.9	55.1	58.8
2002	83	26.8	3.2	20.9	34.1	3,862	59.0	1.0	57.1	60.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Bones and Joints, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,665	0.8	0.0	0.8	0.9	1,424	0.9	0.0	0.8	0.9
1986	91	0.8	0.1	0.7	1.0	80	0.9	0.1	0.7	1.1
1987	93	0.8	0.1	0.7	1.0	82	0.9	0.1	0.7	1.1
1988	80	0.7	0.1	0.6	0.9	62	0.7	0.1	0.5	0.9
1989	80	0.7	0.1	0.6	0.9	75	0.8	0.1	0.6	1.0
1990	104	0.9	0.1	0.8	1.1	94	1.0	0.1	0.8	1.3
1991	100	0.9	0.1	0.7	1.1	83	0.9	0.1	0.7	1.1
1992	81	0.7	0.1	0.5	0.9	72	0.7	0.1	0.6	0.9
1993	85	0.7	0.1	0.6	0.9	72	0.7	0.1	0.6	0.9
1994	92	0.8	0.1	0.6	1.0	78	0.8	0.1	0.6	1.0
1995	125	1.1	0.1	0.9	1.3	99	1.0	0.1	0.8	1.2
1996	105	0.9	0.1	0.7	1.1	92	0.9	0.1	0.8	1.2
1997	108	0.9	0.1	0.7	1.1	95	1.0	0.1	0.8	1.2
1998	99	0.8	0.1	0.7	1.0	81	0.8	0.1	0.7	1.0
1999	101	0.8	0.1	0.7	1.0	87	0.9	0.1	0.7	1.1
2000	114	0.9	0.1	0.8	1.1	101	1.0	0.1	0.8	1.2
2001	103	0.8	0.1	0.7	1.0	84	0.8	0.1	0.7	1.0
2002	104	0.8	0.1	0.7	1.0	87	0.9	0.1	0.7	1.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	189	0.7	0.1	0.6	0.8	36	0.6	0.1	0.4	0.9
1986	9	0.6	0.2	0.3	1.4	1	0.3	0.3	0.0	8.3
1987	8	0.4	0.2	0.2	1.1	0	0.0	~	0.0	7.6
1988	16	1.0	0.3	0.5	1.9	2	0.8	0.6	0.1	7.9
1989	5	0.3	0.2	0.1	1.0	0	0.0	~	0.0	6.8
1990	10	0.6	0.2	0.3	1.3	0	0.0	~	0.0	6.7
1991	13	0.7	0.2	0.4	1.4	2	0.5	0.3	0.1	6.4
1992	8	0.4	0.2	0.2	1.0	1	0.3	0.3	0.0	5.6
1993	10	0.6	0.2	0.3	1.2	1	0.2	0.2	0.0	5.1
1994	10	0.6	0.2	0.3	1.2	4	1.3	0.7	0.3	5.9
1995	18	1.0	0.2	0.6	1.7	6	1.6	0.7	0.6	5.9
1996	11	0.7	0.2	0.3	1.3	2	0.5	0.4	0.1	4.3
1997	10	0.6	0.2	0.3	1.2	3	0.7	0.4	0.1	4.3
1998	15	0.8	0.2	0.4	1.5	2	0.4	0.3	0.1	3.7
1999	11	0.7	0.2	0.3	1.3	2	0.4	0.3	0.0	3.5
2000	8	0.4	0.2	0.2	1.0	4	1.0	0.5	0.3	3.9
2001	15	0.9	0.2	0.5	1.6	3	0.6	0.4	0.1	3.0
2002	12	0.6	0.2	0.3	1.2	3	0.6	0.3	0.1	2.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	125	0.9	0.1	0.7	1.2	1,196	0.9	0.0	0.8	0.9
1990	9	1.9	0.8	0.7	5.1	95	0.9	0.1	0.7	1.1
1991	10	1.2	0.4	0.5	3.9	90	0.8	0.1	0.7	1.0
1992	9	0.9	0.3	0.4	3.4	72	0.7	0.1	0.5	0.8
1993	7	0.9	0.4	0.3	3.3	78	0.7	0.1	0.6	0.9
1994	6	0.4	0.2	0.1	2.6	86	0.8	0.1	0.6	1.0
1995	8	0.6	0.2	0.2	2.7	117	1.1	0.1	0.9	1.3
1996	5	0.5	0.2	0.1	2.5	100	0.9	0.1	0.7	1.1
1997	12	1.3	0.6	0.4	3.7	96	0.9	0.1	0.7	1.1
1998	11	0.8	0.3	0.4	2.7	88	0.8	0.1	0.6	1.0
1999	7	0.3	0.1	0.1	2.1	94	0.9	0.1	0.7	1.1
2000	15	0.8	0.2	0.5	2.5	99	0.9	0.1	0.7	1.1
2001	15	1.1	0.3	0.5	2.7	88	0.8	0.1	0.6	1.0
2002	11	1.1	0.4	0.4	2.7	93	0.8	0.1	0.7	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Bones and Joints, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	906	1.0	0.0	0.9	1.0	773	1.0	0.0	0.9	1.1
1986	57	1.2	0.2	0.9	1.6	49	1.2	0.2	0.9	1.6
1987	53	1.0	0.1	0.7	1.3	46	1.0	0.1	0.7	1.4
1988	43	0.8	0.1	0.6	1.1	34	0.7	0.1	0.5	1.1
1989	51	1.0	0.1	0.7	1.3	48	1.1	0.2	0.8	1.5
1990	56	1.0	0.1	0.8	1.4	51	1.1	0.2	0.8	1.5
1991	54	1.0	0.1	0.8	1.4	46	1.1	0.2	0.8	1.4
1992	41	0.7	0.1	0.5	1.0	35	0.8	0.1	0.5	1.1
1993	43	0.8	0.1	0.6	1.1	37	0.8	0.1	0.6	1.1
1994	44	0.8	0.1	0.6	1.1	37	0.8	0.1	0.6	1.2
1995	68	1.2	0.1	0.9	1.6	53	1.1	0.2	0.9	1.5
1996	61	1.1	0.1	0.8	1.5	52	1.1	0.2	0.8	1.5
1997	64	1.2	0.1	0.9	1.5	56	1.2	0.2	0.9	1.6
1998	47	0.8	0.1	0.6	1.1	39	0.8	0.1	0.6	1.1
1999	63	1.1	0.1	0.8	1.4	55	1.1	0.2	0.9	1.5
2000	63	1.1	0.1	0.8	1.4	53	1.1	0.2	0.8	1.4
2001	47	0.8	0.1	0.6	1.0	39	0.8	0.1	0.6	1.1
2002	51	0.9	0.1	0.7	1.2	43	0.9	0.1	0.7	1.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	105	0.8	0.1	0.6	1.0	19	0.6	0.2	0.4	1.3
1986	7	1.0	0.4	0.4	3.0	1	0.6	0.6	0.0	20.7
1987	5	0.5	0.2	0.2	2.3	0	0.0	~	0.0	19.0
1988	8	0.9	0.3	0.4	2.7	1	0.5	0.5	0.0	18.1
1989	3	0.5	0.3	0.1	2.3	0	0.0	~	0.0	16.6
1990	5	0.7	0.4	0.2	2.7	0	0.0	~	0.0	16.8
1991	7	0.9	0.4	0.3	2.8	0	0.0	~	0.0	15.1
1992	5	0.5	0.2	0.2	2.2	1	0.5	0.5	0.0	14.1
1993	4	0.5	0.2	0.1	2.1	0	0.0	~	0.0	12.7
1994	5	0.6	0.3	0.2	2.2	2	1.1	0.8	0.1	13.2
1995	12	1.5	0.5	0.7	3.3	2	1.0	0.7	0.1	12.2
1996	7	0.9	0.3	0.3	2.5	2	1.0	0.8	0.1	11.8
1997	6	0.8	0.4	0.3	2.5	2	0.9	0.6	0.1	11.0
1998	7	0.8	0.3	0.3	2.3	1	0.4	0.4	0.0	9.9
1999	7	1.1	0.4	0.4	2.8	1	0.5	0.5	0.0	9.5
2000	6	0.8	0.4	0.2	2.4	3	1.8	1.1	0.3	9.8
2001	5	0.8	0.4	0.2	2.4	2	0.9	0.7	0.1	7.8
2002	6	0.6	0.3	0.2	2.0	1	0.4	0.4	0.0	6.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	64	0.9	0.2	0.6	1.4	638	1.0	0.0	0.9	1.0
1990	7	3.7	1.8	1.0	12.3	49	1.0	0.1	0.7	1.3
1991	1	0.1	0.1	0.0	7.2	53	1.1	0.2	0.8	1.5
1992	6	1.4	0.6	0.4	7.9	35	0.7	0.1	0.5	1.0
1993	3	0.3	0.2	0.1	6.9	40	0.8	0.1	0.6	1.1
1994	1	0.1	0.1	0.0	6.4	43	0.9	0.1	0.6	1.2
1995	4	0.5	0.2	0.1	6.3	64	1.3	0.2	1.0	1.6
1996	3	0.7	0.4	0.1	6.4	58	1.2	0.2	0.9	1.5
1997	8	0.9	0.3	0.4	6.2	56	1.1	0.2	0.9	1.5
1998	4	0.4	0.2	0.1	5.6	43	0.8	0.1	0.6	1.1
1999	4	0.3	0.2	0.1	5.3	59	1.1	0.2	0.9	1.5
2000	9	1.0	0.4	0.4	5.5	54	1.0	0.1	0.8	1.4
2001	8	0.7	0.3	0.3	4.7	39	0.7	0.1	0.5	1.0
2002	6	1.4	0.8	0.3	5.5	45	0.9	0.1	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Bones and Joints, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	759	0.7	0.0	0.7	0.8	651	0.8	0.0	0.7	0.8
1986	34	0.6	0.1	0.4	0.8	31	0.6	0.1	0.4	0.9
1987	40	0.7	0.1	0.5	0.9	36	0.7	0.1	0.5	1.0
1988	37	0.6	0.1	0.4	0.9	28	0.6	0.1	0.4	0.9
1989	29	0.5	0.1	0.3	0.7	27	0.6	0.1	0.4	0.9
1990	48	0.8	0.1	0.6	1.1	43	0.9	0.1	0.7	1.2
1991	46	0.8	0.1	0.6	1.1	37	0.8	0.1	0.5	1.1
1992	40	0.6	0.1	0.5	0.9	37	0.7	0.1	0.5	1.0
1993	42	0.7	0.1	0.5	0.9	35	0.7	0.1	0.5	1.0
1994	48	0.8	0.1	0.6	1.1	41	0.8	0.1	0.6	1.1
1995	57	0.9	0.1	0.7	1.2	46	0.9	0.1	0.7	1.2
1996	44	0.7	0.1	0.5	1.0	40	0.8	0.1	0.6	1.1
1997	44	0.7	0.1	0.5	1.0	39	0.8	0.1	0.6	1.1
1998	52	0.8	0.1	0.6	1.1	42	0.8	0.1	0.6	1.1
1999	38	0.6	0.1	0.4	0.8	32	0.6	0.1	0.4	0.9
2000	51	0.8	0.1	0.6	1.0	48	0.9	0.1	0.7	1.2
2001	56	0.9	0.1	0.7	1.1	45	0.9	0.1	0.6	1.2
2002	53	0.8	0.1	0.6	1.1	44	0.8	0.1	0.6	1.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	84	0.5	0.1	0.4	0.7	17	0.5	0.1	0.3	1.0
1986	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	13.4
1987	3	0.3	0.2	0.1	1.2	0	0.0	~	0.0	12.6
1988	8	1.0	0.4	0.4	2.3	1	1.0	1.0	0.0	13.1
1989	2	0.2	0.1	0.0	1.0	0	0.0	~	0.0	11.4
1990	5	0.5	0.2	0.2	1.5	0	0.0	~	0.0	11.2
1991	6	0.5	0.2	0.2	1.4	2	1.0	0.7	0.1	10.8
1992	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	9.0
1993	6	0.6	0.3	0.2	1.6	1	0.3	0.3	0.0	8.3
1994	5	0.6	0.3	0.2	1.5	2	1.4	1.0	0.1	8.9
1995	6	0.6	0.3	0.2	1.5	4	2.1	1.1	0.5	8.9
1996	4	0.5	0.2	0.1	1.3	0	0.0	~	0.0	5.8
1997	4	0.4	0.2	0.1	1.2	1	0.4	0.4	0.0	6.0
1998	8	0.8	0.3	0.3	1.8	1	0.4	0.4	0.0	5.5
1999	4	0.4	0.2	0.1	1.2	1	0.3	0.3	0.0	5.0
2000	2	0.2	0.1	0.0	0.8	1	0.4	0.4	0.0	4.5
2001	10	1.1	0.3	0.5	2.0	1	0.4	0.4	0.0	3.9
2002	6	0.6	0.2	0.2	1.3	2	0.7	0.5	0.1	3.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	61	0.9	0.1	0.7	1.3	558	0.8	0.0	0.7	0.8
1990	2	0.5	0.4	0.1	4.7	46	0.8	0.1	0.6	1.1
1991	9	2.4	0.9	1.0	6.8	37	0.7	0.1	0.5	0.9
1992	3	0.4	0.2	0.1	4.3	37	0.6	0.1	0.4	0.9
1993	4	1.4	0.7	0.3	5.3	38	0.7	0.1	0.5	0.9
1994	5	0.7	0.3	0.2	4.1	43	0.8	0.1	0.6	1.0
1995	4	0.8	0.4	0.2	4.2	53	0.9	0.1	0.7	1.2
1996	2	0.2	0.2	0.0	3.4	42	0.7	0.1	0.5	1.0
1997	4	1.4	0.9	0.2	5.3	40	0.7	0.1	0.5	1.0
1998	7	1.2	0.5	0.4	4.2	45	0.8	0.1	0.6	1.1
1999	3	0.3	0.2	0.1	3.2	35	0.6	0.1	0.4	0.8
2000	6	0.6	0.3	0.2	3.3	45	0.8	0.1	0.6	1.0
2001	7	1.4	0.6	0.5	4.1	49	0.9	0.1	0.6	1.1
2002	5	0.8	0.4	0.2	3.1	48	0.8	0.1	0.6	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Soft Tissue Including Heart, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	5,019	2.6	0.0	2.5	2.6	4,166	2.5	0.0	2.4	2.6
1986	246	2.3	0.1	2.0	2.6	204	2.2	0.2	1.9	2.5
1987	274	2.5	0.2	2.2	2.9	230	2.5	0.2	2.2	2.8
1988	264	2.4	0.2	2.1	2.7	225	2.4	0.2	2.1	2.8
1989	251	2.3	0.1	2.0	2.6	209	2.2	0.2	1.9	2.5
1990	252	2.3	0.1	2.0	2.6	208	2.2	0.2	1.9	2.5
1991	224	2.0	0.1	1.8	2.3	191	2.0	0.1	1.7	2.3
1992	260	2.3	0.1	2.0	2.6	213	2.2	0.2	1.9	2.5
1993	254	2.2	0.1	1.9	2.5	217	2.2	0.2	1.9	2.5
1994	294	2.5	0.1	2.2	2.8	249	2.5	0.2	2.2	2.9
1995	292	2.5	0.1	2.2	2.8	247	2.5	0.2	2.2	2.9
1996	377	3.2	0.2	2.9	3.6	313	3.2	0.2	2.8	3.5
1997	359	3.0	0.2	2.7	3.4	295	3.0	0.2	2.6	3.3
1998	340	2.8	0.2	2.5	3.2	273	2.7	0.2	2.4	3.1
1999	333	2.8	0.2	2.5	3.1	263	2.6	0.2	2.3	2.9
2000	298	2.4	0.1	2.2	2.7	245	2.4	0.2	2.1	2.7
2001	368	3.0	0.2	2.7	3.3	308	3.0	0.2	2.7	3.4
2002	333	2.7	0.1	2.4	3.0	276	2.7	0.2	2.4	3.0
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	724	2.9	0.1	2.7	3.1	83	1.6	0.2	1.3	2.2
1986	33	2.5	0.5	1.7	3.7	6	3.9	1.7	1.3	12.6
1987	42	2.9	0.5	2.0	4.1	1	0.4	0.4	0.0	8.0
1988	34	2.5	0.5	1.7	3.6	4	1.1	0.5	0.3	8.0
1989	40	2.7	0.5	1.9	3.9	1	0.5	0.5	0.0	7.3
1990	40	2.8	0.5	2.0	4.0	1	1.2	1.2	0.0	8.6
1991	30	2.3	0.5	1.5	3.5	3	1.0	0.6	0.2	7.0
1992	41	2.9	0.5	2.1	4.1	6	5.1	2.4	1.5	13.2
1993	35	2.4	0.4	1.7	3.5	2	0.5	0.4	0.1	5.4
1994	42	2.8	0.5	2.0	4.0	3	1.0	0.6	0.2	5.6
1995	39	2.4	0.4	1.7	3.4	3	0.7	0.4	0.1	4.7
1996	49	3.4	0.5	2.5	4.6	11	2.9	1.0	1.3	7.2
1997	55	3.7	0.5	2.7	4.9	7	1.6	0.6	0.6	5.3
1998	56	3.6	0.5	2.7	4.8	5	1.4	0.7	0.4	5.1
1999	56	3.6	0.5	2.7	4.8	8	1.8	0.6	0.7	5.0
2000	42	2.6	0.4	1.8	3.6	5	1.1	0.5	0.3	3.8
2001	47	3.0	0.4	2.2	4.0	10	2.1	0.7	1.0	4.7
2002	43	2.7	0.4	1.9	3.7	7	1.9	0.8	0.7	4.6
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	223	2.0	0.2	1.7	2.5	3,761	2.6	0.0	2.6	2.7
1990	12	1.7	0.6	0.7	4.6	240	2.3	0.1	2.0	2.6
1991	10	1.5	0.5	0.6	4.2	214	2.0	0.1	1.8	2.3
1992	15	2.4	0.8	1.1	5.4	245	2.3	0.1	2.0	2.6
1993	11	1.4	0.5	0.6	3.9	243	2.2	0.1	2.0	2.5
1994	16	2.0	0.6	1.1	4.5	278	2.5	0.2	2.3	2.9
1995	17	1.8	0.5	0.9	4.1	275	2.5	0.2	2.2	2.8
1996	21	2.8	0.8	1.4	5.6	356	3.2	0.2	2.9	3.6
1997	24	3.4	0.9	1.9	6.1	335	3.0	0.2	2.7	3.4
1998	22	2.3	0.6	1.3	4.6	318	2.9	0.2	2.6	3.2
1999	15	1.6	0.5	0.7	3.7	318	2.8	0.2	2.5	3.2
2000	17	1.5	0.5	0.8	3.5	281	2.5	0.1	2.2	2.8
2001	26	2.8	0.7	1.6	5.1	342	3.0	0.2	2.7	3.4
2002	17	1.3	0.4	0.7	2.9	316	2.8	0.2	2.5	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Soft Tissue Including Heart, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,616	3.0	0.1	2.9	3.1	2,188	3.0	0.1	2.8	3.1
1986	125	2.6	0.2	2.2	3.2	105	2.6	0.3	2.1	3.1
1987	143	2.9	0.3	2.5	3.5	119	2.9	0.3	2.4	3.5
1988	145	3.0	0.3	2.5	3.6	124	3.0	0.3	2.5	3.6
1989	121	2.4	0.2	2.0	3.0	98	2.3	0.2	1.9	2.9
1990	136	2.7	0.2	2.3	3.3	114	2.7	0.3	2.2	3.2
1991	107	2.1	0.2	1.7	2.6	89	2.1	0.2	1.6	2.6
1992	119	2.4	0.2	2.0	2.9	99	2.3	0.2	1.9	2.9
1993	128	2.4	0.2	2.0	2.9	110	2.5	0.2	2.0	3.0
1994	160	3.2	0.3	2.7	3.7	139	3.2	0.3	2.7	3.8
1995	153	2.9	0.2	2.5	3.4	136	3.1	0.3	2.6	3.7
1996	199	3.8	0.3	3.3	4.4	166	3.7	0.3	3.2	4.4
1997	193	3.7	0.3	3.2	4.3	163	3.7	0.3	3.1	4.3
1998	186	3.5	0.3	3.0	4.1	153	3.4	0.3	2.9	4.1
1999	185	3.4	0.3	2.9	4.0	142	3.1	0.3	2.6	3.7
2000	153	2.8	0.2	2.4	3.3	125	2.8	0.2	2.3	3.3
2001	194	3.5	0.3	3.0	4.0	163	3.5	0.3	2.9	4.0
2002	169	3.1	0.2	2.7	3.7	143	3.1	0.3	2.6	3.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	353	3.2	0.2	2.9	3.6	44	2.2	0.4	1.4	3.3
1986	15	2.5	0.7	1.3	4.8	3	4.7	3.2	0.6	25.9
1987	23	3.2	0.7	2.0	5.6	0	0.0	~	0.0	19.0
1988	18	3.2	0.8	1.7	5.7	2	1.2	0.9	0.1	18.7
1989	21	3.0	0.7	1.8	5.3	1	1.1	1.1	0.0	17.7
1990	20	3.1	0.8	1.7	5.7	1	2.9	2.9	0.1	21.2
1991	15	2.8	0.8	1.5	5.3	3	2.2	1.3	0.4	17.1
1992	18	3.0	0.8	1.7	5.4	2	7.4	5.3	0.9	26.9
1993	18	2.9	0.7	1.6	5.1	0	0.0	~	0.0	12.7
1994	19	3.0	0.7	1.7	5.2	2	1.0	0.7	0.1	13.1
1995	13	1.6	0.5	0.8	3.4	1	0.4	0.4	0.0	11.7
1996	25	4.2	0.9	2.6	6.7	7	3.2	1.2	1.3	13.8
1997	26	4.0	0.8	2.5	6.4	3	1.5	0.9	0.3	11.5
1998	28	3.7	0.8	2.4	6.0	2	1.7	1.4	0.1	11.7
1999	31	5.1	1.0	3.3	7.7	6	3.0	1.2	1.0	12.1
2000	21	3.0	0.7	1.8	5.1	3	1.3	0.7	0.3	9.1
2001	25	3.6	0.8	2.3	5.8	4	1.9	1.0	0.5	8.9
2002	17	2.4	0.6	1.3	4.2	4	3.1	1.8	0.6	10.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	125	2.2	0.3	1.7	2.9	1,957	3.1	0.1	3.0	3.3
1990	9	3.0	1.3	1.1	10.9	127	2.7	0.2	2.2	3.3
1991	2	0.8	0.6	0.1	7.8	105	2.2	0.2	1.8	2.7
1992	9	3.6	1.7	1.1	11.2	110	2.4	0.2	1.9	2.9
1993	6	1.1	0.6	0.3	7.6	122	2.5	0.2	2.1	3.0
1994	9	2.0	0.8	0.7	8.3	151	3.2	0.3	2.7	3.8
1995	13	2.6	0.9	1.2	8.6	140	2.9	0.2	2.4	3.4
1996	12	2.2	0.7	1.0	7.8	187	3.8	0.3	3.3	4.5
1997	15	3.8	1.2	1.8	9.7	178	3.7	0.3	3.1	4.3
1998	10	2.5	1.1	0.8	8.2	176	3.6	0.3	3.1	4.2
1999	11	2.5	1.0	1.0	7.9	174	3.5	0.3	3.0	4.1
2000	6	0.9	0.5	0.2	5.5	147	3.0	0.2	2.5	3.5
2001	14	2.6	0.9	1.2	6.9	180	3.5	0.3	3.0	4.1
2002	9	1.2	0.5	0.4	4.7	160	3.2	0.3	2.8	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Soft Tissue Including Heart, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	2,403	2.2	0.0	2.2	2.3	1,978	2.2	0.1	2.1	2.3
1986	121	2.0	0.2	1.7	2.5	99	2.0	0.2	1.6	2.4
1987	131	2.2	0.2	1.8	2.6	111	2.2	0.2	1.8	2.7
1988	119	1.9	0.2	1.6	2.3	101	1.9	0.2	1.6	2.4
1989	130	2.2	0.2	1.8	2.6	111	2.2	0.2	1.8	2.6
1990	116	1.9	0.2	1.6	2.3	94	1.9	0.2	1.5	2.3
1991	117	2.0	0.2	1.6	2.4	102	2.0	0.2	1.6	2.5
1992	141	2.3	0.2	1.9	2.7	114	2.2	0.2	1.8	2.7
1993	126	2.0	0.2	1.7	2.4	107	2.0	0.2	1.6	2.4
1994	134	2.1	0.2	1.8	2.5	110	2.1	0.2	1.7	2.5
1995	139	2.2	0.2	1.8	2.6	111	2.1	0.2	1.7	2.5
1996	178	2.8	0.2	2.4	3.2	147	2.7	0.2	2.3	3.2
1997	166	2.5	0.2	2.2	3.0	132	2.4	0.2	2.0	2.9
1998	154	2.4	0.2	2.0	2.8	120	2.2	0.2	1.9	2.7
1999	148	2.2	0.2	1.9	2.6	121	2.2	0.2	1.8	2.6
2000	145	2.2	0.2	1.8	2.6	120	2.2	0.2	1.8	2.6
2001	174	2.6	0.2	2.3	3.1	145	2.7	0.2	2.3	3.2
2002	164	2.5	0.2	2.1	2.9	133	2.4	0.2	2.0	2.9
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	371	2.7	0.1	2.4	2.9	39	1.3	0.2	0.9	1.9
1986	18	2.4	0.6	1.4	4.0	3	3.5	2.0	0.7	17.2
1987	19	2.5	0.6	1.5	4.1	1	0.9	0.9	0.0	13.5
1988	16	2.0	0.5	1.1	3.5	2	0.9	0.7	0.1	12.7
1989	19	2.5	0.6	1.5	4.0	0	0.0	~	0.0	11.4
1990	20	2.6	0.6	1.6	4.2	0	0.0	~	0.0	11.2
1991	15	2.0	0.5	1.1	3.5	0	0.0	~	0.0	10.0
1992	23	2.9	0.6	1.8	4.4	4	3.9	2.2	0.9	14.2
1993	17	2.0	0.5	1.2	3.4	2	1.0	0.7	0.1	9.0
1994	23	2.7	0.6	1.7	4.2	1	0.9	0.9	0.0	8.4
1995	26	2.9	0.6	1.9	4.4	2	1.0	0.7	0.1	7.4
1996	24	3.0	0.6	1.9	4.5	4	2.4	1.4	0.5	9.1
1997	29	3.4	0.6	2.3	5.0	4	1.7	0.8	0.4	7.4
1998	28	3.3	0.6	2.2	4.9	3	1.4	0.8	0.3	6.6
1999	25	2.7	0.6	1.7	4.1	2	0.7	0.5	0.1	5.4
2000	21	2.3	0.5	1.4	3.6	2	0.8	0.6	0.1	5.0
2001	22	2.5	0.5	1.6	3.8	6	2.3	0.9	0.8	6.3
2002	26	2.9	0.6	1.9	4.2	3	1.2	0.7	0.2	4.6
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	98	1.9	0.2	1.5	2.5	1,804	2.3	0.1	2.2	2.4
1990	3	0.5	0.3	0.1	4.6	113	2.0	0.2	1.6	2.4
1991	8	2.3	0.9	0.9	6.8	109	1.9	0.2	1.6	2.3
1992	6	1.6	0.7	0.5	5.7	135	2.3	0.2	1.9	2.7
1993	5	1.6	0.8	0.4	5.6	121	2.0	0.2	1.7	2.4
1994	7	2.0	0.8	0.8	5.9	127	2.1	0.2	1.8	2.5
1995	4	1.0	0.5	0.2	4.4	135	2.3	0.2	1.9	2.7
1996	9	3.0	1.3	1.1	7.4	169	2.8	0.2	2.4	3.3
1997	9	2.8	1.1	1.1	6.9	157	2.6	0.2	2.2	3.0
1998	12	2.3	0.7	1.1	5.6	142	2.3	0.2	2.0	2.8
1999	4	0.7	0.4	0.1	3.6	144	2.3	0.2	2.0	2.8
2000	11	2.1	0.8	0.9	5.3	134	2.2	0.2	1.8	2.6
2001	12	2.9	1.0	1.2	6.3	162	2.7	0.2	2.3	3.1
2002	8	1.5	0.6	0.5	4.0	156	2.6	0.2	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Skin Excluding Basal and Squamous, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	20,776	10.7	0.1	10.6	10.9	19,594	11.9	0.1	11.7	12.0
1986	887	8.5	0.3	7.9	9.1	843	9.3	0.3	8.7	10.0
1987	883	8.3	0.3	7.8	8.9	851	9.3	0.3	8.7	10.0
1988	852	8.0	0.3	7.4	8.5	809	8.8	0.3	8.2	9.4
1989	965	8.9	0.3	8.3	9.5	928	10.0	0.3	9.3	10.7
1990	904	8.3	0.3	7.8	8.9	871	9.3	0.3	8.7	10.0
1991	965	8.9	0.3	8.3	9.4	929	10.0	0.3	9.3	10.6
1992	1,028	9.2	0.3	8.7	9.8	985	10.3	0.3	9.7	11.0
1993	979	8.6	0.3	8.1	9.2	947	9.7	0.3	9.1	10.4
1994	1,183	10.3	0.3	9.7	10.9	1,131	11.6	0.3	10.9	12.3
1995	1,224	10.6	0.3	10.0	11.2	1,154	11.8	0.3	11.1	12.5
1996	1,327	11.4	0.3	10.8	12.0	1,255	12.7	0.4	12.0	13.4
1997	1,451	12.3	0.3	11.7	13.0	1,349	13.5	0.4	12.8	14.3
1998	1,473	12.4	0.3	11.8	13.1	1,367	13.6	0.4	12.9	14.3
1999	1,526	12.7	0.3	12.1	13.4	1,444	14.3	0.4	13.6	15.1
2000	1,638	13.5	0.3	12.9	14.2	1,525	15.0	0.4	14.2	15.8
2001	1,745	14.2	0.3	13.6	14.9	1,601	15.6	0.4	14.8	16.4
2002	1,746	14.1	0.3	13.4	14.8	1,605	15.5	0.4	14.7	16.3
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	384	1.6	0.1	1.4	1.8	107	2.2	0.3	1.8	2.8
1986	15	1.2	0.3	0.7	2.2	7	3.0	1.2	1.2	11.0
1987	12	0.9	0.3	0.4	1.7	3	1.2	0.7	0.2	8.7
1988	18	1.5	0.4	0.9	2.5	0	0.0	~	0.0	7.2
1989	23	1.8	0.4	1.1	2.8	4	1.6	0.8	0.4	8.3
1990	23	1.9	0.4	1.2	3.0	2	0.7	0.5	0.1	7.4
1991	17	1.4	0.3	0.8	2.3	5	1.6	0.7	0.5	7.5
1992	21	1.4	0.3	0.8	2.3	8	4.1	1.8	1.4	11.0
1993	23	1.6	0.3	1.0	2.5	2	0.5	0.3	0.1	5.3
1994	18	1.2	0.3	0.7	2.0	4	1.4	0.7	0.4	6.1
1995	23	1.5	0.3	1.0	2.4	7	2.0	0.8	0.8	6.3
1996	22	1.6	0.4	1.0	2.5	8	3.1	1.3	1.1	8.0
1997	30	1.9	0.4	1.3	2.9	4	1.2	0.6	0.3	5.0
1998	30	2.1	0.4	1.4	3.1	8	2.6	1.2	0.9	6.9
1999	31	2.1	0.4	1.4	3.0	8	3.0	1.3	1.0	7.5
2000	22	1.3	0.3	0.8	2.1	11	2.4	0.8	1.1	5.5
2001	28	1.9	0.4	1.2	2.8	12	3.6	1.2	1.7	7.3
2002	28	1.6	0.3	1.1	2.4	14	2.9	0.8	1.5	5.6
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	295	3.4	0.2	3.0	4.0	16,894	11.9	0.1	11.7	12.0
1990	12	2.5	0.9	1.0	5.9	892	8.6	0.3	8.0	9.2
1991	15	3.2	1.1	1.4	7.0	950	9.2	0.3	8.6	9.8
1992	17	2.7	0.7	1.5	5.5	1,011	9.5	0.3	9.0	10.1
1993	14	2.8	0.9	1.3	5.8	965	8.9	0.3	8.4	9.5
1994	17	2.9	0.8	1.5	5.8	1,166	10.8	0.3	10.1	11.4
1995	28	4.3	0.9	2.7	7.3	1,196	11.0	0.3	10.4	11.6
1996	22	2.7	0.8	1.4	5.4	1,305	11.9	0.3	11.2	12.6
1997	24	3.5	1.0	1.8	6.4	1,427	12.9	0.3	12.2	13.6
1998	25	4.3	1.1	2.4	7.4	1,448	13.0	0.3	12.3	13.7
1999	28	3.9	1.0	2.2	6.7	1,498	13.4	0.3	12.7	14.1
2000	30	3.7	0.8	2.3	6.2	1,608	14.3	0.4	13.6	15.0
2001	25	2.9	0.7	1.7	5.2	1,720	15.1	0.4	14.4	15.9
2002	38	4.2	0.8	2.8	6.5	1,708	14.9	0.4	14.2	15.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Skin Excluding Basal and Squamous, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,413	13.4	0.1	13.2	13.7	10,808	14.7	0.1	14.5	15.0
1986	481	10.3	0.5	9.4	11.3	462	11.4	0.5	10.3	12.5
1987	459	9.6	0.5	8.7	10.5	446	10.7	0.5	9.7	11.7
1988	408	8.5	0.4	7.7	9.4	389	9.3	0.5	8.4	10.3
1989	531	11.1	0.5	10.1	12.1	510	12.3	0.6	11.2	13.4
1990	474	10.1	0.5	9.2	11.1	451	11.1	0.5	10.0	12.2
1991	508	10.5	0.5	9.6	11.5	489	11.7	0.5	10.6	12.8
1992	566	11.6	0.5	10.6	12.6	547	12.9	0.6	11.8	14.1
1993	533	10.8	0.5	9.9	11.8	517	12.1	0.5	11.0	13.2
1994	634	12.7	0.5	11.7	13.8	602	14.0	0.6	12.9	15.2
1995	696	13.8	0.5	12.8	14.9	665	15.3	0.6	14.1	16.6
1996	706	13.7	0.5	12.7	14.8	674	15.2	0.6	14.1	16.5
1997	823	15.9	0.6	14.8	17.1	774	17.4	0.6	16.2	18.7
1998	821	16.0	0.6	14.9	17.2	770	17.5	0.6	16.2	18.8
1999	889	16.9	0.6	15.8	18.1	841	18.7	0.7	17.4	20.0
2000	910	17.1	0.6	16.0	18.3	851	18.8	0.6	17.5	20.1
2001	966	17.9	0.6	16.8	19.1	887	19.3	0.7	18.1	20.6
2002	1,008	18.5	0.6	17.4	19.7	933	20.1	0.7	18.8	21.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	173	1.7	0.1	1.4	2.0	60	2.9	0.5	2.0	4.1
1986	4	0.7	0.3	0.2	2.6	3	2.8	1.7	0.5	22.7
1987	2	0.3	0.2	0.0	2.1	1	0.7	0.7	0.0	19.5
1988	10	1.9	0.7	0.9	4.2	0	0.0	~	0.0	17.8
1989	14	2.5	0.7	1.3	4.8	3	2.9	1.7	0.6	19.4
1990	14	2.9	0.8	1.5	5.5	2	1.6	1.2	0.2	18.2
1991	8	1.7	0.7	0.7	3.9	1	1.0	1.0	0.0	16.0
1992	7	1.0	0.4	0.4	2.9	5	4.4	2.1	1.3	18.3
1993	10	1.7	0.6	0.8	3.8	1	0.4	0.4	0.0	13.0
1994	11	1.9	0.6	0.9	4.0	3	2.5	1.5	0.5	14.9
1995	10	1.8	0.6	0.8	3.9	3	1.4	0.8	0.3	12.6
1996	8	1.4	0.5	0.6	3.3	3	2.0	1.3	0.3	13.0
1997	10	1.6	0.6	0.7	3.6	2	1.7	1.2	0.2	12.0
1998	14	2.0	0.6	1.1	3.9	6	5.6	3.0	1.3	17.7
1999	17	2.3	0.6	1.3	4.2	6	4.8	2.7	1.1	16.0
2000	9	1.2	0.4	0.5	2.8	4	2.4	1.4	0.5	10.7
2001	15	2.3	0.6	1.2	4.2	7	4.9	2.3	1.4	13.7
2002	10	1.4	0.4	0.6	3.0	10	4.7	1.6	2.1	11.5
	Hispanics *					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	144	4.0	0.4	3.2	5.0	9,390	15.1	0.2	14.8	15.4
1990	6	2.9	1.7	0.6	11.4	468	10.5	0.5	9.5	11.5
1991	8	3.1	1.7	0.7	11.1	500	10.9	0.5	9.9	11.9
1992	7	2.4	1.0	0.8	9.1	559	12.0	0.5	11.0	13.1
1993	7	4.3	1.9	1.5	12.2	526	11.2	0.5	10.3	12.3
1994	9	4.0	1.8	1.3	11.6	625	13.3	0.5	12.2	14.4
1995	15	5.5	1.6	2.9	12.2	681	14.3	0.6	13.2	15.5
1996	10	1.9	0.6	0.8	7.5	696	14.4	0.6	13.3	15.5
1997	12	2.4	0.9	1.0	8.0	811	16.6	0.6	15.5	17.9
1998	13	5.9	2.2	2.4	13.2	808	16.7	0.6	15.6	17.9
1999	16	6.0	2.1	2.6	13.0	873	17.7	0.6	16.5	18.9
2000	14	3.7	1.2	1.7	9.0	896	18.1	0.6	16.9	19.3
2001	12	3.9	1.5	1.6	9.3	954	19.0	0.6	17.8	20.2
2002	15	4.1	1.2	2.0	8.6	993	19.6	0.6	18.4	20.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Skin Excluding Basal and Squamous, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9,363	8.8	0.1	8.7	9.0	8,786	9.9	0.1	9.7	10.1
1986	406	7.2	0.4	6.5	8.0	381	7.9	0.4	7.1	8.8
1987	424	7.4	0.4	6.7	8.1	405	8.3	0.4	7.5	9.2
1988	444	7.7	0.4	7.0	8.5	420	8.6	0.4	7.8	9.5
1989	434	7.3	0.4	6.6	8.1	418	8.3	0.4	7.5	9.2
1990	430	7.2	0.4	6.5	7.9	420	8.3	0.4	7.5	9.2
1991	457	7.7	0.4	7.0	8.5	440	8.8	0.4	8.0	9.7
1992	462	7.5	0.4	6.8	8.3	438	8.5	0.4	7.7	9.3
1993	446	7.2	0.3	6.5	7.9	430	8.2	0.4	7.4	9.0
1994	549	8.8	0.4	8.1	9.6	529	10.1	0.4	9.2	11.0
1995	528	8.4	0.4	7.7	9.2	489	9.3	0.4	8.5	10.2
1996	621	9.7	0.4	9.0	10.6	581	10.9	0.5	10.1	11.9
1997	628	9.8	0.4	9.1	10.6	575	10.8	0.5	9.9	11.7
1998	652	10.0	0.4	9.2	10.8	597	11.0	0.5	10.1	11.9
1999	637	9.8	0.4	9.0	10.6	603	11.2	0.5	10.3	12.1
2000	728	11.1	0.4	10.3	11.9	674	12.4	0.5	11.5	13.4
2001	779	11.7	0.4	10.9	12.5	714	13.0	0.5	12.1	14.0
2002	738	11.1	0.4	10.3	11.9	672	12.3	0.5	11.4	13.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	211	1.5	0.1	1.3	1.7	47	1.7	0.3	1.2	2.5
1986	11	1.6	0.5	0.8	3.0	4	3.3	1.7	0.9	16.6
1987	10	1.3	0.4	0.6	2.6	2	1.6	1.2	0.2	14.3
1988	8	1.2	0.4	0.5	2.4	0	0.0	~	0.0	12.0
1989	9	1.2	0.4	0.5	2.5	1	0.5	0.5	0.0	11.8
1990	9	1.2	0.4	0.5	2.4	0	0.0	~	0.0	11.2
1991	9	1.2	0.4	0.5	2.4	4	2.2	1.1	0.6	12.1
1992	14	1.6	0.4	0.9	2.9	3	3.7	2.6	0.5	14.8
1993	13	1.6	0.4	0.8	2.8	1	0.5	0.5	0.0	8.5
1994	7	0.8	0.3	0.3	1.8	1	0.5	0.5	0.0	7.8
1995	13	1.4	0.4	0.7	2.5	4	2.4	1.2	0.6	9.2
1996	14	1.7	0.5	0.9	2.9	5	3.8	1.9	1.0	11.2
1997	20	2.3	0.5	1.4	3.6	2	0.9	0.6	0.1	6.5
1998	16	2.0	0.5	1.1	3.3	2	0.8	0.5	0.1	5.9
1999	14	1.7	0.5	0.9	2.9	2	1.7	1.3	0.1	7.5
2000	13	1.4	0.4	0.7	2.4	7	2.6	1.0	1.0	7.0
2001	13	1.5	0.4	0.8	2.7	5	2.8	1.4	0.8	7.6
2002	18	1.9	0.4	1.1	3.0	4	1.4	0.7	0.4	4.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	151	3.1	0.3	2.6	3.8	7,504	9.7	0.1	9.5	9.9
1990	6	2.2	1.1	0.6	7.1	424	7.4	0.4	6.7	8.2
1991	7	3.3	1.5	1.0	8.9	450	8.0	0.4	7.3	8.8
1992	10	3.1	1.0	1.4	7.6	452	7.7	0.4	7.0	8.5
1993	7	1.8	0.7	0.7	5.7	439	7.4	0.4	6.7	8.2
1994	8	2.3	0.8	1.0	6.1	541	9.1	0.4	8.4	9.9
1995	13	3.2	1.1	1.5	7.3	515	8.7	0.4	7.9	9.5
1996	12	3.3	1.2	1.4	7.5	609	10.2	0.4	9.4	11.0
1997	12	4.0	1.5	1.7	8.7	616	10.3	0.4	9.5	11.2
1998	12	3.2	1.2	1.4	7.2	640	10.5	0.4	9.7	11.3
1999	12	2.4	0.8	1.1	5.7	625	10.3	0.4	9.5	11.1
2000	16	3.9	1.1	2.1	7.5	712	11.7	0.4	10.8	12.6
2001	13	2.3	0.8	1.1	5.2	766	12.5	0.5	11.6	13.4
2002	23	4.5	1.1	2.6	7.8	715	11.7	0.4	10.9	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Melanoma of the Skin, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	18,679	9.6	0.1	9.5	9.8	17,805	10.8	0.1	10.6	10.9
1986	797	7.6	0.3	7.1	8.2	765	8.5	0.3	7.9	9.1
1987	815	7.7	0.3	7.1	8.2	790	8.6	0.3	8.0	9.3
1988	772	7.2	0.3	6.7	7.8	743	8.1	0.3	7.5	8.7
1989	860	8.0	0.3	7.4	8.5	841	9.1	0.3	8.5	9.7
1990	804	7.4	0.3	6.9	7.9	787	8.4	0.3	7.8	9.0
1991	872	8.0	0.3	7.5	8.6	847	9.1	0.3	8.5	9.7
1992	913	8.2	0.3	7.7	8.7	892	9.3	0.3	8.7	10.0
1993	849	7.5	0.3	7.0	8.0	837	8.6	0.3	8.0	9.2
1994	1,058	9.3	0.3	8.7	9.8	1,021	10.5	0.3	9.8	11.1
1995	1,104	9.6	0.3	9.0	10.2	1,052	10.8	0.3	10.1	11.4
1996	1,189	10.2	0.3	9.6	10.8	1,139	11.5	0.3	10.9	12.2
1997	1,310	11.1	0.3	10.5	11.7	1,227	12.3	0.4	11.6	13.0
1998	1,321	11.1	0.3	10.5	11.7	1,241	12.3	0.4	11.7	13.1
1999	1,379	11.5	0.3	10.9	12.1	1,316	13.1	0.4	12.4	13.8
2000	1,476	12.2	0.3	11.6	12.8	1,382	13.6	0.4	12.9	14.3
2001	1,575	12.9	0.3	12.2	13.5	1,454	14.2	0.4	13.4	14.9
2002	1,585	12.8	0.3	12.2	13.4	1,471	14.2	0.4	13.5	15.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	165	0.8	0.1	0.6	0.9	83	1.7	0.2	1.3	2.3
1986	7	0.7	0.3	0.3	1.6	5	2.2	1.0	0.7	10.3
1987	8	0.7	0.3	0.3	1.5	2	0.9	0.6	0.1	8.4
1988	6	0.5	0.2	0.2	1.2	0	0.0	~	0.0	7.2
1989	8	0.6	0.2	0.2	1.3	3	1.3	0.8	0.3	8.1
1990	9	0.8	0.3	0.4	1.6	2	0.7	0.5	0.1	7.4
1991	9	0.7	0.3	0.3	1.5	3	1.1	0.6	0.2	7.0
1992	9	0.6	0.2	0.3	1.3	5	2.9	1.6	0.6	9.6
1993	4	0.3	0.1	0.1	0.8	2	0.5	0.3	0.1	5.3
1994	9	0.7	0.2	0.3	1.4	3	1.0	0.6	0.2	5.7
1995	9	0.7	0.3	0.3	1.5	5	1.4	0.7	0.4	5.7
1996	9	0.8	0.3	0.4	1.6	6	1.8	0.8	0.6	5.9
1997	15	1.0	0.3	0.6	1.8	2	0.7	0.5	0.1	4.4
1998	10	0.8	0.2	0.4	1.4	7	1.7	0.7	0.6	5.3
1999	16	1.1	0.3	0.6	1.9	8	3.0	1.3	1.0	7.5
2000	9	0.6	0.2	0.3	1.2	8	1.7	0.6	0.7	4.6
2001	15	1.1	0.3	0.6	1.9	10	3.3	1.2	1.4	6.9
2002	13	0.8	0.2	0.4	1.5	12	2.5	0.8	1.2	5.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	224	2.7	0.2	2.3	3.2	15,211	10.7	0.1	10.5	10.9
1990	10	2.3	0.9	0.9	5.7	794	7.6	0.3	7.1	8.2
1991	11	2.6	1.1	0.9	6.3	861	8.3	0.3	7.8	8.9
1992	13	2.3	0.7	1.2	5.1	900	8.5	0.3	7.9	9.1
1993	10	1.9	0.6	0.8	4.6	839	7.8	0.3	7.3	8.3
1994	11	2.2	0.8	0.9	5.1	1,047	9.7	0.3	9.1	10.3
1995	24	3.8	0.9	2.2	6.7	1,080	9.9	0.3	9.3	10.5
1996	11	1.0	0.3	0.5	3.0	1,178	10.7	0.3	10.1	11.4
1997	17	2.7	0.9	1.3	5.5	1,293	11.7	0.3	11.1	12.4
1998	21	3.5	1.0	1.9	6.4	1,300	11.7	0.3	11.0	12.3
1999	18	2.3	0.7	1.1	4.8	1,361	12.2	0.3	11.5	12.8
2000	27	3.5	0.8	2.2	6.0	1,449	12.9	0.3	12.2	13.6
2001	21	2.4	0.7	1.3	4.6	1,554	13.7	0.3	13.0	14.4
2002	30	3.3	0.7	2.1	5.4	1,555	13.6	0.3	13.0	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Melanoma of the Skin, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,330	12.1	0.1	11.9	12.3	9,871	13.4	0.1	13.1	13.7
1986	443	9.5	0.5	8.6	10.5	428	10.6	0.5	9.6	11.7
1987	421	8.7	0.4	7.9	9.7	410	9.8	0.5	8.8	10.8
1988	372	7.7	0.4	6.9	8.6	359	8.5	0.5	7.7	9.5
1989	479	10.1	0.5	9.1	11.0	469	11.3	0.5	10.3	12.5
1990	418	8.8	0.4	8.0	9.8	403	9.8	0.5	8.8	10.8
1991	470	9.7	0.5	8.8	10.7	458	10.9	0.5	9.9	12.0
1992	499	10.2	0.5	9.3	11.1	490	11.5	0.5	10.5	12.6
1993	472	9.4	0.4	8.6	10.4	464	10.7	0.5	9.7	11.8
1994	558	11.2	0.5	10.3	12.2	536	12.4	0.5	11.4	13.6
1995	637	12.6	0.5	11.6	13.6	613	14.0	0.6	12.9	15.2
1996	644	12.5	0.5	11.5	13.5	619	13.9	0.6	12.9	15.1
1997	743	14.3	0.5	13.2	15.4	702	15.7	0.6	14.5	16.9
1998	746	14.5	0.5	13.4	15.6	709	16.0	0.6	14.8	17.2
1999	807	15.3	0.5	14.2	16.4	768	17.0	0.6	15.8	18.2
2000	824	15.4	0.5	14.3	16.5	774	16.9	0.6	15.8	18.2
2001	880	16.3	0.6	15.3	17.5	813	17.7	0.6	16.5	19.0
2002	917	16.7	0.6	15.6	17.9	856	18.3	0.6	17.1	19.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	72	0.8	0.1	0.6	1.0	48	2.2	0.4	1.5	3.3
1986	2	0.3	0.3	0.0	2.2	2	2.3	1.6	0.3	22.3
1987	1	0.2	0.2	0.0	2.0	1	0.7	0.7	0.0	19.5
1988	4	0.9	0.5	0.2	3.0	0	0.0	~	0.0	17.8
1989	5	0.8	0.4	0.2	2.6	3	2.9	1.7	0.6	19.4
1990	7	1.5	0.6	0.6	3.6	2	1.6	1.2	0.2	18.2
1991	2	0.6	0.5	0.1	2.7	1	1.0	1.0	0.0	16.0
1992	3	0.4	0.2	0.1	2.1	3	2.5	1.4	0.5	16.1
1993	2	0.3	0.2	0.0	2.0	1	0.4	0.4	0.0	13.0
1994	5	1.0	0.4	0.3	2.8	2	1.7	1.3	0.2	14.1
1995	4	1.0	0.5	0.2	3.0	2	0.8	0.6	0.1	12.0
1996	3	0.6	0.3	0.1	2.2	2	1.5	1.2	0.1	12.5
1997	5	0.9	0.5	0.2	2.8	1	1.0	1.0	0.0	11.4
1998	4	0.7	0.4	0.2	2.4	5	3.0	1.6	0.8	13.0
1999	8	1.1	0.4	0.5	2.7	6	4.8	2.7	1.1	16.0
2000	4	0.6	0.3	0.2	2.1	3	1.3	0.7	0.3	9.1
2001	8	1.3	0.5	0.6	3.1	5	4.0	2.2	0.9	12.9
2002	5	0.8	0.3	0.2	2.2	9	4.3	1.6	1.8	11.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	107	3.1	0.4	2.4	4.1	8,508	13.6	0.1	13.3	13.9
1990	4	2.5	1.7	0.4	11.1	414	9.1	0.5	8.3	10.1
1991	6	2.6	1.6	0.4	10.6	464	10.1	0.5	9.2	11.1
1992	5	2.1	1.0	0.7	8.8	494	10.6	0.5	9.6	11.6
1993	6	2.9	1.2	1.0	9.8	466	9.8	0.5	8.9	10.8
1994	5	3.1	1.7	0.7	10.6	553	11.7	0.5	10.7	12.7
1995	13	4.8	1.5	2.4	11.5	624	13.0	0.5	12.0	14.1
1996	6	0.9	0.4	0.3	6.5	638	13.1	0.5	12.1	14.2
1997	8	1.9	0.8	0.7	7.5	735	15.0	0.6	13.9	16.2
1998	10	4.0	1.6	1.5	10.4	736	15.1	0.6	14.1	16.3
1999	10	3.4	1.5	1.1	9.6	797	16.1	0.6	15.0	17.2
2000	12	3.5	1.2	1.5	8.8	812	16.2	0.6	15.1	17.4
2001	11	3.8	1.5	1.4	9.1	869	17.3	0.6	16.2	18.5
2002	11	3.5	1.2	1.6	8.0	906	17.8	0.6	16.6	19.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Melanoma of the Skin, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,349	7.9	0.1	7.8	8.1	7,934	9.0	0.1	8.8	9.2
1986	354	6.3	0.3	5.6	7.0	337	7.0	0.4	6.3	7.9
1987	394	6.9	0.4	6.2	7.6	380	7.8	0.4	7.1	8.7
1988	400	7.0	0.4	6.3	7.7	384	7.9	0.4	7.1	8.8
1989	381	6.5	0.3	5.8	7.2	372	7.5	0.4	6.7	8.3
1990	386	6.5	0.3	5.8	7.1	384	7.6	0.4	6.9	8.4
1991	402	6.8	0.3	6.1	7.5	389	7.8	0.4	7.1	8.7
1992	414	6.8	0.3	6.1	7.5	402	7.8	0.4	7.0	8.6
1993	377	6.1	0.3	5.5	6.8	373	7.2	0.4	6.4	7.9
1994	500	8.0	0.4	7.3	8.8	485	9.3	0.4	8.5	10.2
1995	467	7.5	0.3	6.8	8.2	439	8.4	0.4	7.6	9.3
1996	545	8.6	0.4	7.9	9.4	520	9.9	0.4	9.0	10.8
1997	567	8.9	0.4	8.2	9.7	525	10.0	0.4	9.1	10.9
1998	575	8.9	0.4	8.2	9.6	532	9.9	0.4	9.1	10.8
1999	572	8.8	0.4	8.1	9.6	548	10.2	0.4	9.4	11.1
2000	652	10.0	0.4	9.2	10.8	608	11.3	0.5	10.4	12.2
2001	695	10.5	0.4	9.7	11.3	641	11.8	0.5	10.9	12.8
2002	668	10.1	0.4	9.3	10.9	615	11.3	0.5	10.5	12.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	93	0.7	0.1	0.6	0.9	35	1.3	0.3	0.9	2.0
1986	5	0.9	0.4	0.3	2.2	3	2.3	1.3	0.5	15.5
1987	7	1.0	0.4	0.4	2.2	1	1.1	1.1	0.0	13.7
1988	2	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.0
1989	3	0.4	0.2	0.1	1.4	0	0.0	~	0.0	11.4
1990	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	11.2
1991	7	0.9	0.4	0.3	2.0	2	1.2	0.8	0.1	11.1
1992	6	0.7	0.3	0.3	1.7	2	2.9	2.5	0.2	14.0
1993	2	0.2	0.1	0.0	0.9	1	0.5	0.5	0.0	8.5
1994	4	0.5	0.3	0.1	1.4	1	0.5	0.5	0.0	7.8
1995	5	0.6	0.3	0.2	1.5	3	1.9	1.1	0.4	8.7
1996	6	0.9	0.4	0.3	2.0	4	2.2	1.1	0.6	8.4
1997	10	1.2	0.4	0.6	2.3	1	0.4	0.4	0.0	6.0
1998	6	0.8	0.3	0.3	1.7	2	0.8	0.5	0.1	5.9
1999	8	1.1	0.4	0.5	2.1	2	1.7	1.3	0.1	7.5
2000	5	0.6	0.3	0.2	1.4	5	2.0	0.9	0.6	6.5
2001	7	0.8	0.3	0.3	1.8	5	2.8	1.4	0.8	7.6
2002	8	0.9	0.3	0.4	1.8	3	1.0	0.6	0.2	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	117	2.4	0.3	1.9	3.0	6,703	8.7	0.1	8.5	8.9
1990	6	2.2	1.1	0.6	7.1	380	6.7	0.3	6.0	7.4
1991	5	2.6	1.4	0.6	8.1	397	7.1	0.4	6.4	7.8
1992	8	2.6	0.9	1.1	6.9	406	7.0	0.4	6.3	7.7
1993	4	1.0	0.5	0.2	4.8	373	6.4	0.3	5.7	7.0
1994	6	1.9	0.8	0.7	5.7	494	8.4	0.4	7.6	9.2
1995	11	2.9	1.0	1.2	6.9	456	7.7	0.4	7.0	8.5
1996	5	1.0	0.5	0.3	4.3	540	9.1	0.4	8.3	9.9
1997	9	3.1	1.3	1.1	7.4	558	9.4	0.4	8.6	10.2
1998	11	3.1	1.2	1.3	7.1	564	9.3	0.4	8.6	10.1
1999	8	1.6	0.6	0.6	4.7	564	9.3	0.4	8.6	10.1
2000	15	3.7	1.0	2.0	7.3	637	10.5	0.4	9.7	11.4
2001	10	1.5	0.5	0.7	4.0	685	11.2	0.4	10.4	12.1
2002	19	3.4	0.9	1.9	6.2	649	10.7	0.4	9.9	11.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Breast, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	137,103	71.8	0.2	71.4	72.2	118,741	72.2	0.2	71.8	72.6
1986	6,720	65.1	0.8	63.6	66.7	5,963	65.8	0.9	64.1	67.6
1987	7,240	69.6	0.8	68.0	71.2	6,458	70.8	0.9	69.1	72.6
1988	7,399	70.6	0.8	69.0	72.3	6,535	71.3	0.9	69.5	73.1
1989	7,110	67.6	0.8	66.0	69.2	6,229	67.9	0.9	66.2	69.6
1990	7,492	70.4	0.8	68.8	72.1	6,648	71.8	0.9	70.1	73.6
1991	7,717	71.5	0.8	69.9	73.1	6,817	72.7	0.9	71.0	74.5
1992	7,884	72.0	0.8	70.4	73.6	6,948	73.2	0.9	71.4	74.9
1993	7,733	69.3	0.8	67.8	70.9	6,716	69.6	0.9	67.9	71.3
1994	8,324	74.2	0.8	72.6	75.8	7,282	75.1	0.9	73.4	76.9
1995	8,228	72.5	0.8	71.0	74.1	7,108	72.9	0.9	71.2	74.6
1996	8,435	73.6	0.8	72.0	75.1	7,258	73.7	0.9	72.0	75.5
1997	8,548	73.8	0.8	72.2	75.4	7,294	73.6	0.9	71.9	75.3
1998	8,815	75.1	0.8	73.6	76.7	7,480	74.7	0.9	73.0	76.4
1999	9,042	76.1	0.8	74.6	77.7	7,693	76.2	0.9	74.5	77.9
2000	8,771	72.9	0.8	71.4	74.5	7,446	73.1	0.8	71.4	74.8
2001	8,937	73.3	0.8	71.8	74.8	7,568	73.4	0.8	71.8	75.1
2002	8,708	70.5	0.8	69.0	72.0	7,298	70.0	0.8	68.4	71.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,324	68.2	0.6	67.1	69.4	2,024	40.7	1.0	38.8	42.7
1986	655	57.3	2.3	52.9	62.1	63	36.3	5.1	27.0	50.1
1987	674	59.0	2.3	54.5	63.8	77	40.2	4.9	31.1	53.4
1988	769	66.1	2.5	61.3	71.1	70	38.4	5.2	29.0	51.9
1989	770	65.0	2.4	60.4	70.0	82	41.3	5.2	31.8	54.6
1990	726	60.9	2.3	56.4	65.6	79	33.4	4.2	25.6	44.9
1991	775	61.6	2.3	57.2	66.2	75	30.2	3.8	23.2	40.5
1992	810	64.0	2.3	59.6	68.7	97	37.4	4.2	29.7	48.0
1993	883	68.1	2.4	63.6	73.0	106	41.0	4.5	32.7	52.0
1994	906	68.8	2.3	64.3	73.6	101	37.2	4.1	29.6	47.3
1995	940	69.9	2.3	65.4	74.6	130	39.2	3.6	32.4	48.1
1996	970	70.7	2.3	66.2	75.4	128	38.8	3.7	31.9	47.7
1997	1,039	75.2	2.4	70.6	80.0	144	41.7	3.8	34.7	50.6
1998	1,084	76.5	2.4	71.9	81.3	149	42.1	3.7	35.1	50.7
1999	1,051	72.3	2.3	67.9	76.9	172	45.7	3.8	38.5	54.6
2000	1,023	69.0	2.2	64.8	73.5	174	45.6	3.8	38.5	54.2
2001	1,118	74.7	2.3	70.3	79.3	175	41.7	3.4	35.3	49.4
2002	1,131	73.1	2.2	68.8	77.5	202	44.3	3.3	38.1	51.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3,303	43.4	0.9	41.7	45.1	105,331	74.2	0.2	73.7	74.6
1990	155	36.4	3.3	30.3	44.0	7,337	71.6	0.8	70.0	73.3
1991	165	35.5	3.1	29.7	42.6	7,552	72.8	0.8	71.2	74.5
1992	183	41.3	3.5	34.7	49.4	7,701	73.3	0.8	71.7	75.0
1993	209	39.3	3.1	33.5	46.3	7,524	70.4	0.8	68.8	72.0
1994	210	40.5	3.2	34.5	47.7	8,114	75.5	0.8	73.9	77.2
1995	236	42.2	3.2	36.2	49.3	7,992	73.8	0.8	72.2	75.4
1996	275	52.6	3.7	45.6	60.9	8,160	74.7	0.8	73.1	76.4
1997	296	49.9	3.4	43.4	57.5	8,252	74.9	0.8	73.3	76.6
1998	257	42.4	3.1	36.5	49.2	8,558	76.8	0.8	75.2	78.5
1999	311	46.6	3.0	40.8	53.3	8,731	77.7	0.8	76.1	79.4
2000	323	42.1	2.7	37.0	48.2	8,448	74.5	0.8	72.9	76.1
2001	314	44.7	3.0	39.0	51.1	8,623	75.2	0.8	73.7	76.9
2002	369	44.3	2.6	39.3	50.0	8,339	72.1	0.8	70.6	73.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Breast, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,063	1.3	0.0	1.2	1.4	883	1.3	0.0	1.2	1.3
1986	46	1.1	0.2	0.8	1.5	43	1.2	0.2	0.8	1.6
1987	55	1.2	0.2	0.9	1.6	48	1.2	0.2	0.9	1.6
1988	43	1.0	0.2	0.7	1.4	38	1.0	0.2	0.7	1.4
1989	35	0.8	0.1	0.6	1.2	27	0.7	0.1	0.5	1.1
1990	36	0.8	0.1	0.5	1.1	32	0.8	0.1	0.5	1.1
1991	47	1.1	0.2	0.8	1.5	41	1.1	0.2	0.8	1.5
1992	69	1.5	0.2	1.2	1.9	56	1.4	0.2	1.0	1.9
1993	71	1.4	0.2	1.1	1.8	61	1.4	0.2	1.1	1.8
1994	62	1.4	0.2	1.1	1.8	49	1.3	0.2	0.9	1.7
1995	81	1.7	0.2	1.3	2.1	69	1.6	0.2	1.3	2.1
1996	71	1.5	0.2	1.2	1.9	58	1.4	0.2	1.0	1.8
1997	78	1.6	0.2	1.2	2.0	61	1.4	0.2	1.1	1.9
1998	61	1.2	0.2	0.9	1.6	49	1.1	0.2	0.8	1.5
1999	77	1.5	0.2	1.2	1.9	64	1.5	0.2	1.1	1.9
2000	75	1.5	0.2	1.1	1.8	60	1.4	0.2	1.0	1.8
2001	70	1.3	0.2	1.0	1.6	59	1.3	0.2	1.0	1.7
2002	86	1.7	0.2	1.3	2.1	68	1.6	0.2	1.2	2.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	157	1.9	0.2	1.6	2.2	17	0.8	0.2	0.4	1.6
1986	3	0.8	0.5	0.1	2.9	0	0.0	~	0.0	20.2
1987	6	1.5	0.7	0.5	3.9	1	1.1	1.1	0.0	20.0
1988	4	1.3	0.7	0.3	3.8	1	1.2	1.2	0.0	18.9
1989	7	1.5	0.6	0.6	3.6	1	1.8	1.8	0.0	18.7
1990	4	0.8	0.4	0.2	2.8	0	0.0	~	0.0	16.8
1991	6	1.1	0.5	0.4	3.0	0	0.0	~	0.0	15.1
1992	13	2.5	0.7	1.3	4.8	0	0.0	~	0.0	13.7
1993	10	2.4	0.8	1.1	4.9	0	0.0	~	0.0	12.7
1994	11	2.5	0.8	1.2	5.0	2	1.9	1.4	0.2	14.3
1995	12	2.2	0.7	1.1	4.3	0	0.0	~	0.0	11.4
1996	9	1.9	0.7	0.8	4.1	4	3.5	2.1	0.7	15.3
1997	14	2.9	0.8	1.5	5.3	2	1.8	1.5	0.1	12.5
1998	11	2.0	0.6	1.0	4.0	1	0.6	0.6	0.0	10.1
1999	12	2.2	0.7	1.1	4.3	1	0.4	0.4	0.0	9.5
2000	12	1.9	0.6	0.9	3.8	0	0.0	~	0.0	7.9
2001	9	1.4	0.5	0.6	3.1	2	0.8	0.6	0.1	7.7
2002	14	2.6	0.8	1.4	4.8	2	0.8	0.6	0.1	6.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.5	0.2	0.2	1.0	869	1.4	0.0	1.3	1.5
1990	0	0.0	~	0.0	7.6	36	0.8	0.1	0.6	1.1
1991	0	0.0	~	0.0	7.1	47	1.1	0.2	0.8	1.5
1992	1	1.3	1.3	0.0	8.7	68	1.5	0.2	1.2	2.0
1993	4	1.3	0.7	0.3	7.9	67	1.4	0.2	1.1	1.8
1994	0	0.0	~	0.0	6.4	62	1.4	0.2	1.1	1.9
1995	1	0.3	0.3	0.0	6.2	80	1.7	0.2	1.4	2.2
1996	2	0.6	0.5	0.1	6.4	69	1.5	0.2	1.2	1.9
1997	1	0.3	0.3	0.0	5.8	77	1.6	0.2	1.3	2.1
1998	0	0.0	~	0.0	5.3	61	1.3	0.2	1.0	1.7
1999	0	0.0	~	0.0	5.0	77	1.6	0.2	1.3	2.0
2000	1	0.2	0.2	0.0	4.8	74	1.5	0.2	1.2	1.9
2001	2	0.5	0.4	0.1	4.6	68	1.3	0.2	1.0	1.7
2002	3	1.5	1.0	0.2	6.0	83	1.7	0.2	1.4	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Breast, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	136,040	128.4	0.4	127.7	129.1	117,858	130.2	0.4	129.5	131.0
1986	6,674	115.3	1.4	112.5	118.2	5,920	117.1	1.6	114.1	120.3
1987	7,185	123.5	1.5	120.6	126.5	6,410	126.5	1.6	123.3	129.7
1988	7,356	125.5	1.5	122.6	128.5	6,497	127.4	1.6	124.2	130.6
1989	7,075	120.4	1.5	117.6	123.4	6,202	121.8	1.6	118.7	124.9
1990	7,456	125.4	1.5	122.5	128.3	6,616	128.8	1.6	125.7	132.0
1991	7,670	127.4	1.5	124.6	130.4	6,776	130.5	1.6	127.4	133.8
1992	7,815	128.2	1.5	125.3	131.1	6,892	131.3	1.6	128.1	134.5
1993	7,662	123.3	1.4	120.5	126.2	6,655	124.7	1.6	121.6	127.8
1994	8,262	131.8	1.5	129.0	134.7	7,233	134.7	1.6	131.6	137.9
1995	8,147	129.6	1.4	126.8	132.5	7,039	131.4	1.6	128.3	134.5
1996	8,364	131.6	1.5	128.8	134.5	7,200	133.2	1.6	130.1	136.3
1997	8,470	132.4	1.4	129.6	135.2	7,233	133.4	1.6	130.3	136.6
1998	8,754	135.1	1.5	132.3	138.0	7,431	135.4	1.6	132.3	138.6
1999	8,965	137.3	1.5	134.5	140.2	7,629	138.8	1.6	135.6	141.9
2000	8,696	131.7	1.4	128.9	134.5	7,386	133.4	1.6	130.4	136.5
2001	8,867	132.7	1.4	129.9	135.5	7,509	134.3	1.6	131.3	137.4
2002	8,622	127.9	1.4	125.2	130.6	7,230	128.3	1.5	125.3	131.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,167	115.9	1.0	114.0	117.7	2,007	74.8	1.8	71.3	78.4
1986	652	98.6	3.9	91.0	106.7	63	67.7	9.3	50.8	92.2
1987	668	100.5	4.0	92.9	108.7	76	73.9	9.0	57.4	97.3
1988	765	112.9	4.2	104.9	121.4	69	69.7	9.2	52.8	93.3
1989	763	110.7	4.1	102.9	119.1	81	75.3	9.2	58.3	98.5
1990	722	103.4	3.9	95.9	111.4	79	62.7	7.7	48.4	83.0
1991	769	105.3	3.9	97.9	113.2	75	56.5	7.0	43.6	74.7
1992	797	108.0	3.9	100.5	115.9	97	70.2	7.6	56.0	89.1
1993	873	115.2	4.0	107.6	123.3	106	75.5	8.0	60.6	94.9
1994	895	116.0	3.9	108.4	124.0	99	66.9	7.2	53.5	84.4
1995	928	118.0	3.9	110.5	126.0	130	73.8	6.7	61.2	89.7
1996	961	120.0	3.9	112.4	127.9	124	69.7	6.6	57.5	85.1
1997	1,025	126.7	4.0	119.0	134.8	142	76.3	6.7	63.7	91.9
1998	1,073	129.8	4.0	122.1	137.9	148	77.5	6.7	65.0	92.8
1999	1,039	122.6	3.8	115.2	130.4	171	84.0	6.8	71.1	99.4
2000	1,011	117.0	3.7	109.8	124.5	174	83.8	6.7	71.1	98.7
2001	1,109	126.9	3.8	119.5	134.7	173	76.3	6.1	64.8	89.8
2002	1,117	124.5	3.7	117.3	132.1	200	82.1	6.0	70.7	95.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3,288	83.5	1.6	80.4	86.8	104,462	132.6	0.4	131.8	133.4
1990	155	70.4	6.0	59.0	84.1	7,301	127.3	1.5	124.3	130.3
1991	165	69.2	5.7	58.4	82.3	7,505	129.5	1.5	126.5	132.5
1992	182	77.7	6.3	65.8	91.9	7,633	130.2	1.5	127.2	133.2
1993	205	75.6	5.7	64.8	88.4	7,457	124.9	1.5	122.1	127.8
1994	210	78.4	5.9	67.4	91.5	8,052	133.9	1.5	131.0	136.9
1995	235	81.7	5.9	70.6	94.6	7,912	131.5	1.5	128.6	134.5
1996	273	99.0	6.7	86.4	113.5	8,091	133.4	1.5	130.5	136.4
1997	295	95.9	6.3	84.0	109.5	8,175	134.1	1.5	131.2	137.0
1998	257	81.5	5.6	70.9	93.9	8,497	137.8	1.5	134.9	140.8
1999	311	90.6	5.6	79.8	102.9	8,654	139.8	1.5	136.8	142.8
2000	322	82.9	5.1	73.1	94.0	8,374	134.0	1.5	131.2	137.0
2001	312	85.1	5.4	74.9	96.8	8,555	135.8	1.5	133.0	138.8
2002	366	86.0	4.9	76.7	96.5	8,256	130.3	1.4	127.5	133.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Female Genital System										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	58,317	54.8	0.2	54.3	55.2	49,981	55.2	0.3	54.7	55.7
1986	3,263	55.6	1.0	53.6	57.6	2,878	56.4	1.1	54.3	58.5
1987	3,308	56.0	1.0	54.1	58.0	2,870	56.0	1.1	53.9	58.2
1988	3,228	54.2	1.0	52.3	56.1	2,762	53.5	1.0	51.5	55.6
1989	3,203	53.8	1.0	51.9	55.7	2,769	54.0	1.1	52.0	56.1
1990	3,356	55.7	1.0	53.8	57.7	2,888	55.7	1.1	53.6	57.8
1991	3,340	54.8	1.0	52.9	56.7	2,903	55.5	1.1	53.4	57.6
1992	3,385	55.2	1.0	53.3	57.1	2,996	57.1	1.1	55.0	59.2
1993	3,405	54.7	0.9	52.9	56.6	2,933	55.3	1.0	53.3	57.4
1994	3,492	55.3	0.9	53.5	57.2	2,995	55.7	1.0	53.7	57.7
1995	3,504	55.5	0.9	53.7	57.4	3,004	56.0	1.0	54.0	58.1
1996	3,730	58.7	1.0	56.8	60.6	3,199	59.6	1.1	57.5	61.7
1997	3,514	54.8	0.9	53.0	56.6	2,996	55.3	1.0	53.4	57.4
1998	3,634	56.1	0.9	54.3	58.0	3,097	56.8	1.0	54.8	58.9
1999	3,478	53.3	0.9	51.5	55.1	2,939	53.6	1.0	51.7	55.6
2000	3,466	52.7	0.9	50.9	54.5	2,880	52.3	1.0	50.4	54.3
2001	3,504	52.7	0.9	50.9	54.4	2,929	52.8	1.0	50.9	54.8
2002	3,507	52.2	0.9	50.4	53.9	2,943	52.6	1.0	50.7	54.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,948	52.2	0.6	51.0	53.5	962	36.3	1.3	33.9	39.0
1986	332	49.5	2.8	44.2	55.3	37	35.9	6.4	24.5	55.2
1987	392	55.9	2.9	50.4	62.0	30	31.0	6.6	19.5	50.4
1988	394	56.1	2.9	50.5	62.1	50	48.7	7.7	34.8	69.6
1989	383	53.3	2.8	48.0	59.1	41	36.3	6.0	25.5	53.7
1990	418	58.6	2.9	53.0	64.7	31	22.2	4.1	14.8	36.2
1991	362	49.0	2.6	44.0	54.5	42	35.5	5.9	24.9	51.9
1992	335	44.9	2.5	40.1	50.1	40	27.9	4.6	19.6	41.3
1993	411	53.1	2.7	48.0	58.6	48	32.5	5.3	22.9	46.9
1994	443	57.4	2.8	52.1	63.2	44	32.8	5.6	22.8	47.3
1995	411	51.8	2.6	46.8	57.1	74	44.0	5.4	34.0	57.6
1996	435	54.3	2.6	49.2	59.7	74	45.6	5.7	35.2	59.5
1997	438	53.1	2.6	48.2	58.4	47	24.8	3.7	18.1	34.7
1998	443	52.3	2.5	47.5	57.4	60	33.1	4.7	24.5	44.7
1999	424	49.5	2.4	44.9	54.6	67	34.2	4.4	26.1	45.1
2000	445	50.8	2.4	46.2	55.9	88	41.4	4.7	32.8	52.3
2001	448	51.0	2.4	46.4	56.1	93	41.7	4.5	33.3	52.2
2002	434	48.7	2.4	44.2	53.5	96	40.4	4.3	32.4	50.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2,143	51.0	1.2	48.6	53.5	43,172	54.8	0.3	54.3	55.3
1990	125	51.8	5.1	42.3	63.6	3,231	55.7	1.0	53.8	57.7
1991	136	56.5	5.5	46.3	69.1	3,204	54.6	1.0	52.7	56.6
1992	142	53.3	5.0	44.0	64.7	3,243	55.0	1.0	53.1	57.0
1993	135	45.9	4.4	37.8	56.1	3,270	54.8	1.0	52.9	56.8
1994	149	49.3	4.5	40.9	59.6	3,343	55.3	1.0	53.4	57.2
1995	158	50.0	4.5	41.6	60.2	3,346	55.5	1.0	53.6	57.4
1996	162	52.0	4.6	43.3	62.5	3,568	58.9	1.0	57.0	60.9
1997	159	52.1	4.8	43.1	62.9	3,355	55.0	1.0	53.2	57.0
1998	189	53.1	4.4	44.7	63.1	3,445	56.1	1.0	54.2	58.0
1999	193	55.7	4.7	47.0	66.2	3,285	53.2	0.9	51.4	55.1
2000	191	51.4	4.2	43.4	60.9	3,275	52.8	0.9	51.0	54.6
2001	188	44.2	3.6	37.4	52.4	3,316	53.0	0.9	51.2	54.8
2002	216	50.1	3.8	42.9	58.6	3,291	52.2	0.9	50.5	54.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Cervix Uteri										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	12,009	11.6	0.1	11.4	11.9	8,830	10.3	0.1	10.1	10.5
1986	726	13.0	0.5	12.1	14.0	554	11.7	0.5	10.7	12.7
1987	751	13.3	0.5	12.3	14.3	561	11.7	0.5	10.7	12.7
1988	742	13.0	0.5	12.1	14.0	539	11.2	0.5	10.2	12.2
1989	654	11.5	0.5	10.6	12.4	472	9.8	0.5	8.9	10.8
1990	739	12.8	0.5	11.9	13.8	532	10.9	0.5	10.0	11.9
1991	720	12.1	0.5	11.2	13.0	528	10.6	0.5	9.7	11.5
1992	670	11.3	0.4	10.4	12.2	518	10.4	0.5	9.5	11.3
1993	739	12.3	0.5	11.4	13.2	542	10.8	0.5	9.9	11.8
1994	657	10.8	0.4	9.9	11.6	453	9.0	0.4	8.1	9.8
1995	746	12.1	0.4	11.3	13.0	535	10.5	0.5	9.6	11.5
1996	752	12.2	0.4	11.3	13.1	561	11.0	0.5	10.1	12.0
1997	712	11.3	0.4	10.5	12.2	543	10.5	0.5	9.6	11.4
1998	741	11.7	0.4	10.9	12.6	551	10.6	0.5	9.7	11.5
1999	695	10.9	0.4	10.1	11.8	497	9.6	0.4	8.7	10.4
2000	720	11.2	0.4	10.4	12.1	504	9.6	0.4	8.8	10.5
2001	643	9.9	0.4	9.2	10.7	488	9.3	0.4	8.5	10.1
2002	602	9.3	0.4	8.5	10.0	452	8.6	0.4	7.8	9.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,762	19.9	0.4	19.1	20.7	308	11.1	0.7	9.9	12.6
1986	155	22.5	1.9	19.0	26.5	13	11.3	3.3	5.9	25.9
1987	176	24.3	1.9	20.7	28.4	10	12.1	4.2	5.4	27.8
1988	174	24.3	1.9	20.8	28.4	18	15.1	3.7	8.7	29.2
1989	164	22.2	1.8	18.8	26.0	15	12.5	3.4	6.8	25.8
1990	183	25.1	1.9	21.5	29.1	17	11.9	3.0	6.8	24.4
1991	165	21.4	1.7	18.2	25.1	15	11.8	3.3	6.3	23.9
1992	131	17.1	1.5	14.2	20.4	14	10.2	2.8	5.4	20.9
1993	175	21.5	1.7	18.4	25.0	14	9.5	2.7	5.0	19.5
1994	184	22.6	1.7	19.4	26.2	17	11.5	3.1	6.3	21.5
1995	178	21.8	1.7	18.6	25.3	30	16.7	3.2	11.1	26.3
1996	154	18.0	1.5	15.3	21.2	28	17.5	3.5	11.4	27.2
1997	148	16.7	1.4	14.1	19.7	15	7.8	2.1	4.2	15.1
1998	165	18.5	1.5	15.7	21.6	20	10.2	2.4	6.0	17.7
1999	165	18.5	1.5	15.8	21.6	23	11.5	2.5	7.1	18.9
2000	181	19.8	1.5	17.0	23.0	25	11.1	2.3	7.0	17.6
2001	136	14.7	1.3	12.3	17.4	16	6.5	1.7	3.6	11.6
2002	128	13.9	1.2	11.6	16.6	18	7.6	1.9	4.4	12.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	952	19.6	0.7	18.2	21.1	8,184	10.9	0.1	10.6	11.1
1990	59	21.1	3.0	15.6	28.9	680	12.4	0.5	11.5	13.4
1991	74	29.7	4.0	22.5	39.4	646	11.4	0.5	10.5	12.4
1992	69	24.1	3.4	18.0	32.6	601	10.7	0.4	9.8	11.6
1993	66	19.1	2.5	14.5	25.7	673	11.8	0.5	10.9	12.8
1994	70	20.2	2.7	15.3	27.1	587	10.2	0.4	9.4	11.1
1995	67	19.0	2.6	14.2	25.6	679	11.7	0.5	10.9	12.7
1996	80	21.2	2.6	16.4	27.7	672	11.6	0.5	10.7	12.5
1997	78	20.6	2.7	15.7	27.3	634	10.9	0.4	10.0	11.7
1998	87	21.3	2.6	16.4	27.8	654	11.1	0.4	10.3	12.0
1999	76	18.7	2.4	14.3	24.6	619	10.5	0.4	9.7	11.4
2000	69	15.3	2.1	11.4	20.6	651	11.0	0.4	10.2	11.9
2001	81	16.0	1.9	12.5	20.8	562	9.5	0.4	8.7	10.3
2002	76	15.3	2.0	11.6	20.1	526	8.9	0.4	8.1	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Corpus Uteri										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	25,633	23.9	0.2	23.6	24.2	23,041	25.2	0.2	24.9	25.5
1986	1,420	23.6	0.6	22.3	24.9	1,312	24.9	0.7	23.5	26.3
1987	1,402	23.1	0.6	21.9	24.4	1,292	24.4	0.7	23.1	25.9
1988	1,355	22.3	0.6	21.1	23.5	1,220	23.1	0.7	21.8	24.5
1989	1,421	23.6	0.6	22.4	24.9	1,288	24.8	0.7	23.4	26.2
1990	1,390	22.7	0.6	21.5	24.0	1,276	24.2	0.7	22.8	25.6
1991	1,423	22.9	0.6	21.7	24.1	1,316	24.5	0.7	23.2	25.9
1992	1,502	24.3	0.6	23.1	25.6	1,378	26.0	0.7	24.6	27.4
1993	1,446	23.1	0.6	21.9	24.4	1,320	24.6	0.7	23.3	26.0
1994	1,502	23.7	0.6	22.5	25.0	1,378	25.4	0.7	24.1	26.8
1995	1,526	24.1	0.6	22.9	25.4	1,385	25.7	0.7	24.3	27.1
1996	1,691	26.6	0.7	25.4	27.9	1,517	28.2	0.7	26.8	29.7
1997	1,537	23.9	0.6	22.7	25.1	1,363	25.0	0.7	23.7	26.4
1998	1,604	24.8	0.6	23.6	26.0	1,417	25.9	0.7	24.6	27.3
1999	1,538	23.6	0.6	22.4	24.8	1,358	24.8	0.7	23.5	26.1
2000	1,554	23.7	0.6	22.5	24.9	1,341	24.4	0.7	23.1	25.8
2001	1,653	24.8	0.6	23.7	26.1	1,430	25.7	0.7	24.4	27.1
2002	1,669	24.8	0.6	23.6	26.0	1,450	25.8	0.7	24.5	27.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,074	16.1	0.4	15.4	16.8	313	12.0	0.7	10.6	13.5
1986	88	13.4	1.5	10.7	16.7	12	13.0	3.9	6.5	28.5
1987	93	13.3	1.4	10.7	16.4	8	6.3	2.3	2.6	19.4
1988	115	16.5	1.6	13.6	20.0	13	13.6	4.0	6.8	28.4
1989	114	16.3	1.6	13.4	19.7	14	13.0	3.6	6.8	26.6
1990	104	14.6	1.4	11.9	17.8	4	2.7	1.4	0.7	14.0
1991	84	12.0	1.3	9.5	14.9	12	11.4	3.5	5.6	24.1
1992	109	14.8	1.4	12.1	17.9	13	9.0	2.5	4.7	19.3
1993	109	15.0	1.4	12.3	18.1	16	9.5	2.4	5.4	18.9
1994	108	14.5	1.4	11.9	17.6	12	8.7	2.8	4.0	18.5
1995	110	14.3	1.4	11.7	17.3	22	15.6	3.6	9.4	26.0
1996	139	18.4	1.6	15.4	21.8	25	17.2	3.7	10.7	27.5
1997	145	18.3	1.5	15.4	21.6	11	6.2	1.9	3.1	13.1
1998	148	18.2	1.5	15.4	21.5	21	11.0	2.6	6.5	18.9
1999	131	16.0	1.4	13.3	19.0	22	11.2	2.5	6.9	18.6
2000	153	18.0	1.5	15.2	21.1	34	15.2	2.7	10.4	22.4
2001	163	19.1	1.5	16.3	22.3	36	15.7	2.7	10.8	22.7
2002	161	18.4	1.5	15.7	21.5	38	15.7	2.6	11.0	22.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	602	16.3	0.7	14.9	17.9	19,433	24.5	0.2	24.1	24.8
1990	35	16.3	2.9	11.1	24.1	1,355	22.9	0.6	21.7	24.2
1991	24	11.6	2.5	7.2	18.7	1,399	23.3	0.6	22.0	24.5
1992	34	14.7	2.7	9.9	21.8	1,468	24.6	0.7	23.4	25.9
1993	35	13.5	2.5	9.1	20.2	1,411	23.4	0.6	22.2	24.7
1994	31	12.4	2.4	8.2	18.8	1,471	24.2	0.6	22.9	25.4
1995	35	12.5	2.2	8.5	18.5	1,491	24.5	0.6	23.3	25.8
1996	47	17.8	2.9	12.6	25.1	1,644	27.0	0.7	25.7	28.4
1997	44	16.0	2.7	11.1	22.9	1,493	24.2	0.6	23.0	25.5
1998	49	16.8	2.7	11.9	23.5	1,555	25.2	0.6	23.9	26.5
1999	54	17.8	2.7	12.8	24.6	1,484	23.9	0.6	22.7	25.2
2000	72	21.2	2.8	16.1	28.0	1,482	23.8	0.6	22.6	25.1
2001	59	16.3	2.4	12.0	22.1	1,594	25.3	0.6	24.1	26.6
2002	83	20.6	2.5	16.0	26.4	1,586	24.9	0.6	23.7	26.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Uterus, NOS										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	937	0.9	0.0	0.8	0.9	721	0.8	0.0	0.7	0.8
1986	32	0.5	0.1	0.4	0.8	29	0.5	0.1	0.4	0.8
1987	28	0.5	0.1	0.3	0.7	22	0.4	0.1	0.3	0.6
1988	31	0.5	0.1	0.3	0.7	21	0.4	0.1	0.3	0.7
1989	25	0.4	0.1	0.3	0.6	21	0.4	0.1	0.3	0.6
1990	43	0.7	0.1	0.5	0.9	27	0.5	0.1	0.3	0.7
1991	50	0.8	0.1	0.6	1.1	36	0.7	0.1	0.5	1.0
1992	57	0.9	0.1	0.7	1.2	47	0.9	0.1	0.6	1.2
1993	67	1.0	0.1	0.8	1.3	53	1.0	0.1	0.7	1.3
1994	86	1.3	0.1	1.0	1.6	69	1.2	0.1	0.9	1.5
1995	62	1.0	0.1	0.7	1.2	50	0.9	0.1	0.7	1.2
1996	52	0.8	0.1	0.6	1.1	43	0.8	0.1	0.6	1.1
1997	59	0.9	0.1	0.7	1.2	46	0.8	0.1	0.6	1.1
1998	87	1.3	0.1	1.0	1.6	67	1.2	0.1	0.9	1.5
1999	58	0.8	0.1	0.6	1.1	43	0.7	0.1	0.5	1.0
2000	65	0.9	0.1	0.7	1.2	50	0.9	0.1	0.6	1.1
2001	73	1.0	0.1	0.8	1.3	54	0.9	0.1	0.7	1.2
2002	62	0.9	0.1	0.7	1.1	43	0.7	0.1	0.5	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	200	1.6	0.1	1.4	1.8	11	0.5	0.2	0.2	1.0
1986	3	0.4	0.3	0.1	1.5	0	0.0	~	0.0	13.4
1987	5	0.7	0.3	0.2	1.9	1	0.9	0.9	0.0	13.5
1988	9	1.4	0.5	0.6	2.8	1	1.0	1.0	0.0	13.0
1989	4	0.6	0.3	0.2	1.7	0	0.0	~	0.0	11.4
1990	13	1.9	0.5	1.0	3.4	1	0.7	0.7	0.0	11.9
1991	14	2.1	0.6	1.1	3.5	0	0.0	~	0.0	10.0
1992	9	1.2	0.4	0.6	2.4	1	0.8	0.8	0.0	9.8
1993	13	1.9	0.5	1.0	3.3	0	0.0	~	0.0	8.0
1994	17	2.5	0.6	1.5	4.1	0	0.0	~	0.0	7.3
1995	12	1.7	0.5	0.9	3.0	0	0.0	~	0.0	6.4
1996	8	1.0	0.4	0.4	2.1	1	0.4	0.4	0.0	6.3
1997	13	1.7	0.5	0.9	2.9	0	0.0	~	0.0	5.6
1998	18	2.2	0.5	1.3	3.6	1	1.4	1.4	0.0	7.7
1999	13	1.6	0.4	0.8	2.7	1	0.4	0.4	0.0	5.2
2000	14	1.7	0.5	0.9	3.0	1	0.4	0.4	0.0	4.4
2001	16	1.9	0.5	1.1	3.1	3	1.6	0.9	0.3	5.7
2002	19	2.2	0.5	1.3	3.4	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	39	1.0	0.2	0.7	1.4	782	1.0	0.0	0.9	1.0
1990	4	1.8	0.9	0.5	6.4	39	0.6	0.1	0.5	0.9
1991	2	1.1	0.8	0.1	5.6	48	0.8	0.1	0.6	1.1
1992	2	0.9	0.7	0.1	5.1	55	0.9	0.1	0.7	1.2
1993	3	1.0	0.6	0.2	4.8	64	1.0	0.1	0.8	1.3
1994	3	1.0	0.6	0.2	4.8	83	1.3	0.1	1.0	1.6
1995	4	1.5	0.9	0.3	5.4	58	0.9	0.1	0.7	1.2
1996	1	0.8	0.8	0.0	4.6	51	0.8	0.1	0.6	1.1
1997	3	0.9	0.5	0.2	4.1	56	0.9	0.1	0.7	1.2
1998	7	2.2	1.0	0.7	6.1	80	1.3	0.1	1.0	1.6
1999	3	0.7	0.4	0.1	3.7	55	0.8	0.1	0.6	1.1
2000	3	0.5	0.3	0.1	3.2	62	0.9	0.1	0.7	1.2
2001	3	0.6	0.4	0.1	3.1	70	1.1	0.1	0.8	1.3
2002	1	0.2	0.2	0.0	2.4	61	0.9	0.1	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ovary										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,714	14.7	0.1	14.5	15.0	13,970	15.4	0.1	15.1	15.7
1986	856	14.6	0.5	13.7	15.7	785	15.5	0.6	14.4	16.7
1987	896	15.4	0.5	14.4	16.5	799	15.8	0.6	14.7	17.0
1988	893	15.0	0.5	14.0	16.1	796	15.5	0.6	14.4	16.6
1989	881	14.8	0.5	13.8	15.8	798	15.6	0.6	14.5	16.7
1990	977	16.1	0.5	15.1	17.2	879	16.9	0.6	15.8	18.1
1991	947	15.8	0.5	14.8	16.8	853	16.6	0.6	15.5	17.8
1992	927	15.2	0.5	14.3	16.3	844	16.2	0.6	15.1	17.4
1993	917	14.7	0.5	13.8	15.7	818	15.4	0.5	14.3	16.5
1994	1,002	15.8	0.5	14.8	16.8	894	16.5	0.6	15.5	17.7
1995	930	14.7	0.5	13.8	15.7	827	15.4	0.5	14.3	16.5
1996	986	15.4	0.5	14.4	16.4	861	15.8	0.5	14.7	16.9
1997	957	14.9	0.5	14.0	15.9	839	15.4	0.5	14.4	16.5
1998	945	14.5	0.5	13.6	15.4	842	15.3	0.5	14.3	16.4
1999	946	14.4	0.5	13.5	15.3	846	15.3	0.5	14.2	16.4
2000	876	13.1	0.4	12.2	14.0	771	13.7	0.5	12.7	14.7
2001	875	13.0	0.4	12.2	13.9	740	13.2	0.5	12.3	14.2
2002	903	13.3	0.4	12.5	14.2	778	13.8	0.5	12.8	14.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,398	10.7	0.3	10.1	11.3	285	10.6	0.7	9.3	12.1
1986	57	8.5	1.2	6.4	11.2	11	11.0	3.8	4.9	26.7
1987	86	13.1	1.4	10.4	16.3	9	9.1	4.0	3.0	24.8
1988	77	11.0	1.3	8.6	13.9	17	17.7	5.2	9.1	34.5
1989	73	10.3	1.2	8.1	13.1	8	7.1	2.6	2.9	19.6
1990	88	12.5	1.4	10.0	15.5	9	6.8	2.4	3.0	18.8
1991	75	10.3	1.2	8.0	13.0	13	9.1	2.6	4.7	20.3
1992	70	9.4	1.1	7.3	12.0	9	5.8	2.1	2.4	15.7
1993	85	11.2	1.2	8.9	13.9	12	8.3	2.9	3.6	18.7
1994	93	12.3	1.3	9.9	15.2	13	9.2	2.8	4.6	18.8
1995	80	10.0	1.1	7.9	12.6	22	11.6	2.6	7.1	20.1
1996	102	13.0	1.3	10.6	15.8	20	10.5	2.6	6.1	18.6
1997	95	11.8	1.2	9.6	14.5	18	9.3	2.2	5.4	16.6
1998	83	9.8	1.1	7.8	12.3	15	8.0	2.3	4.2	15.3
1999	79	9.3	1.1	7.3	11.6	16	8.1	2.1	4.4	14.8
2000	70	8.1	1.0	6.3	10.2	25	12.7	2.7	7.9	20.0
2001	97	11.3	1.2	9.1	13.8	34	15.7	2.8	10.7	22.9
2002	88	9.8	1.1	7.9	12.2	34	14.4	2.6	9.8	20.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	434	10.7	0.6	9.6	12.0	11,754	14.9	0.1	14.6	15.1
1990	24	11.1	2.6	6.6	18.4	953	16.4	0.5	15.3	17.5
1991	33	12.6	2.5	8.2	19.6	914	15.9	0.5	14.9	17.0
1992	26	9.1	1.9	5.7	14.9	901	15.4	0.5	14.4	16.5
1993	25	10.5	2.4	6.4	17.1	892	14.9	0.5	14.0	16.0
1994	36	11.9	2.1	8.1	17.8	966	15.9	0.5	14.9	17.0
1995	41	11.5	2.1	7.8	17.2	889	14.7	0.5	13.7	15.7
1996	28	10.2	2.2	6.3	16.2	958	15.6	0.5	14.7	16.7
1997	25	11.5	2.6	7.1	18.2	932	15.3	0.5	14.3	16.3
1998	34	10.0	2.0	6.5	15.3	911	14.7	0.5	13.7	15.7
1999	48	13.2	2.3	9.1	19.1	898	14.4	0.5	13.4	15.4
2000	35	10.0	1.9	6.6	15.2	841	13.2	0.5	12.4	14.2
2001	37	9.0	1.7	6.0	13.5	838	13.3	0.5	12.4	14.2
2002	42	9.6	1.6	6.6	13.8	861	13.6	0.5	12.7	14.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Male Genital System										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	125,373	155.6	0.4	154.8	156.5	105,114	148.5	0.5	147.6	149.4
1986	4,449	108.4	1.7	105.0	111.8	3,843	104.9	1.8	101.4	108.4
1987	4,840	115.8	1.7	112.4	119.2	4,258	113.8	1.8	110.3	117.4
1988	4,886	115.7	1.7	112.4	119.2	4,220	112.4	1.8	108.9	116.0
1989	5,141	120.3	1.7	116.9	123.8	4,484	118.0	1.8	114.5	121.7
1990	5,829	134.9	1.8	131.3	138.6	5,093	131.8	1.9	128.1	135.7
1991	7,346	164.8	2.0	160.9	168.8	6,456	163.0	2.1	158.9	167.2
1992	8,902	194.1	2.1	190.0	198.4	7,799	191.5	2.2	187.2	195.9
1993	8,532	183.1	2.0	179.1	187.2	7,338	178.2	2.1	174.0	182.4
1994	8,326	176.7	2.0	172.8	180.7	6,950	166.9	2.0	162.9	171.0
1995	7,784	161.9	1.9	158.2	165.6	6,430	152.2	1.9	148.5	156.1
1996	7,939	162.3	1.9	158.7	166.0	6,482	151.5	1.9	147.8	155.3
1997	8,230	166.7	1.9	163.1	170.4	6,803	158.1	1.9	154.3	162.0
1998	8,110	162.5	1.8	159.0	166.2	6,517	150.4	1.9	146.7	154.1
1999	8,603	170.0	1.9	166.4	173.7	7,019	160.1	1.9	156.4	164.0
2000	8,538	167.0	1.8	163.5	170.7	6,856	155.3	1.9	151.6	159.1
2001	9,032	174.3	1.9	170.7	178.0	7,353	164.6	1.9	160.8	168.4
2002	8,886	168.4	1.8	164.9	172.0	7,213	159.1	1.9	155.4	162.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	17,131	212.0	1.7	208.6	215.4	1,157	78.5	2.6	73.5	83.9
1986	574	148.3	6.7	135.6	162.2	23	43.7	10.8	25.1	75.7
1987	557	144.8	6.5	132.2	158.4	16	32.5	9.6	16.5	61.7
1988	609	148.7	6.5	136.3	162.2	37	67.2	12.3	45.3	100.1
1989	604	146.5	6.4	134.3	159.7	23	43.5	10.3	25.7	72.4
1990	654	166.5	7.0	153.0	180.9	38	57.1	10.6	38.3	86.2
1991	749	174.6	6.8	161.4	188.7	44	77.1	13.2	53.5	110.5
1992	1,012	230.5	7.7	215.6	246.4	55	98.5	14.9	71.4	134.5
1993	1,094	238.6	7.7	223.7	254.3	50	77.1	12.2	55.1	107.2
1994	1,242	272.2	8.3	256.2	289.0	72	98.9	13.3	74.5	130.8
1995	1,221	255.1	7.8	240.1	270.9	69	81.1	11.1	60.8	108.2
1996	1,314	262.4	7.7	247.6	278.0	76	86.7	11.5	65.6	114.4
1997	1,172	228.4	7.0	214.8	242.8	83	72.5	9.0	56.0	94.8
1998	1,209	231.4	7.0	217.8	245.7	80	72.9	9.2	56.0	95.3
1999	1,180	219.4	6.7	206.4	233.1	125	104.8	10.9	84.5	130.2
2000	1,379	250.9	7.1	237.2	265.3	105	83.8	9.2	66.7	105.5
2001	1,324	237.2	6.8	224.1	251.0	113	82.4	8.8	66.1	102.7
2002	1,237	213.2	6.3	201.0	226.1	148	89.9	8.1	74.8	108.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3,089	129.7	2.8	124.3	135.3	102,968	169.7	0.5	168.6	170.7
1990	113	94.0	10.5	74.5	118.2	5,716	136.0	1.9	132.4	139.8
1991	111	82.2	9.4	64.9	103.9	7,235	167.1	2.0	163.1	171.1
1992	154	116.2	11.2	95.3	141.2	8,748	196.6	2.2	192.3	200.9
1993	168	119.6	11.0	99.1	144.2	8,364	185.4	2.1	181.4	189.6
1994	235	148.6	11.5	126.8	174.0	8,091	178.0	2.0	174.0	182.0
1995	225	134.1	10.7	113.9	157.7	7,559	163.4	1.9	159.7	167.2
1996	265	158.2	11.6	136.3	183.5	7,674	163.4	1.9	159.7	167.1
1997	256	137.6	10.2	118.3	160.1	7,974	168.6	1.9	164.8	172.4
1998	245	134.8	10.3	115.4	157.2	7,865	164.8	1.9	161.1	168.5
1999	322	153.2	10.2	133.9	175.3	8,281	171.6	1.9	167.9	175.4
2000	324	135.2	8.9	118.3	154.6	8,214	169.0	1.9	165.4	172.8
2001	330	132.1	8.4	116.1	150.4	8,702	177.1	1.9	173.4	180.9
2002	341	121.9	7.5	107.6	138.1	8,545	171.4	1.9	167.8	175.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Prostate										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	119,580	149.8	0.4	149.0	150.7	99,782	142.1	0.5	141.2	143.0
1986	4,167	103.3	1.7	100.0	106.6	3,579	99.3	1.7	95.9	102.8
1987	4,523	110.0	1.7	106.7	113.4	3,960	107.5	1.8	104.0	111.1
1988	4,574	110.2	1.7	106.9	113.7	3,926	106.4	1.8	102.9	109.9
1989	4,814	114.4	1.7	111.1	117.9	4,186	111.7	1.8	108.3	115.3
1990	5,495	129.1	1.8	125.6	132.7	4,784	125.6	1.9	121.9	129.3
1991	7,032	159.4	2.0	155.6	163.3	6,165	157.1	2.1	153.0	161.2
1992	8,599	189.1	2.1	185.0	193.2	7,515	185.8	2.2	181.6	190.2
1993	8,191	177.2	2.0	173.3	181.2	7,019	171.6	2.1	167.5	175.8
1994	7,982	170.9	2.0	167.1	174.8	6,629	160.5	2.0	156.5	164.5
1995	7,446	156.4	1.9	152.7	160.0	6,118	146.1	1.9	142.4	149.9
1996	7,586	156.5	1.8	152.9	160.1	6,165	145.2	1.9	141.6	149.0
1997	7,845	160.3	1.8	156.7	163.9	6,447	151.0	1.9	147.3	154.8
1998	7,754	156.6	1.8	153.0	160.1	6,188	143.7	1.8	140.1	147.4
1999	8,230	163.8	1.8	160.3	167.5	6,692	153.6	1.9	149.9	157.4
2000	8,185	161.2	1.8	157.7	164.8	6,532	148.8	1.9	145.2	152.5
2001	8,639	167.8	1.8	164.2	171.4	6,995	157.4	1.9	153.7	161.1
2002	8,518	162.4	1.8	159.0	166.0	6,882	152.5	1.9	148.9	156.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	16,837	209.3	1.7	205.9	212.7	1,1074	75.8	2.6	70.8	81.1
1986	561	146.0	6.6	133.3	159.8	20	42.0	10.8	23.6	74.0
1987	543	142.0	6.5	129.6	155.5	13	31.0	9.5	15.2	60.2
1988	596	146.4	6.4	134.1	159.8	33	65.0	12.2	43.2	97.9
1989	580	142.5	6.3	130.4	155.6	21	42.5	10.3	24.8	71.4
1990	635	162.5	6.9	149.2	176.8	33	54.5	10.5	35.9	83.5
1991	733	171.7	6.8	158.7	185.8	41	72.2	12.5	49.8	104.3
1992	997	228.2	7.7	213.4	244.0	53	96.8	14.9	69.8	132.7
1993	1,075	235.8	7.7	221.0	251.5	49	76.7	12.2	54.7	106.8
1994	1,225	269.6	8.2	253.7	286.4	67	94.7	13.1	70.8	126.3
1995	1,206	252.7	7.7	237.8	268.5	63	78.4	11.0	58.2	105.4
1996	1,293	259.4	7.6	244.6	274.9	70	84.6	11.5	63.6	112.2
1997	1,154	225.7	7.0	212.2	240.1	79	71.0	8.9	54.6	93.3
1998	1,192	229.2	7.0	215.7	243.5	75	69.6	9.0	53.0	91.7
1999	1,161	217.0	6.7	204.1	230.6	112	96.8	10.4	77.4	121.4
2000	1,362	248.4	7.0	234.8	262.8	99	81.2	9.1	64.3	102.7
2001	1,307	234.9	6.8	221.8	248.7	103	79.4	8.7	63.2	99.6
2002	1,217	210.6	6.3	198.5	223.4	143	88.4	8.0	73.3	106.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2,752	125.5	2.7	120.2	131.0	98,750	163.6	0.5	162.5	164.6
1990	95	88.0	10.3	69.0	111.7	5,400	130.1	1.8	126.5	133.8
1991	93	76.9	9.1	60.1	98.1	6,939	161.5	2.0	157.6	165.5
1992	137	113.3	11.1	92.5	138.3	8,462	191.3	2.1	187.1	195.5
1993	150	116.7	10.9	96.2	141.2	8,041	179.3	2.1	175.3	183.4
1994	215	145.3	11.5	123.6	170.7	7,767	171.9	2.0	168.0	175.9
1995	198	129.4	10.6	109.4	152.9	7,248	157.7	1.9	154.0	161.4
1996	243	154.3	11.5	132.5	179.5	7,343	157.3	1.9	153.6	161.0
1997	230	133.3	10.1	114.2	155.5	7,615	161.8	1.9	158.2	165.5
1998	221	131.4	10.2	112.1	153.8	7,533	158.4	1.8	154.8	162.1
1999	291	149.9	10.2	130.7	172.0	7,939	165.1	1.9	161.4	168.8
2000	283	130.3	8.9	113.5	149.6	7,902	163.1	1.8	159.5	166.7
2001	296	127.8	8.4	111.9	146.0	8,343	170.3	1.9	166.6	174.0
2002	300	116.8	7.4	102.7	132.9	8,218	165.2	1.8	161.7	168.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Testis										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,855	4.6	0.1	4.5	4.8	4,539	5.2	0.1	5.1	5.4
1986	229	3.9	0.3	3.4	4.5	218	4.4	0.3	3.9	5.1
1987	252	4.2	0.3	3.7	4.8	240	4.8	0.3	4.2	5.5
1988	271	4.6	0.3	4.0	5.2	260	5.2	0.3	4.6	5.9
1989	269	4.6	0.3	4.0	5.2	252	5.1	0.3	4.5	5.8
1990	273	4.4	0.3	3.9	5.0	258	5.0	0.3	4.4	5.7
1991	263	4.2	0.3	3.7	4.8	251	4.9	0.3	4.3	5.6
1992	259	4.1	0.3	3.6	4.7	245	4.7	0.3	4.1	5.4
1993	285	4.6	0.3	4.1	5.2	268	5.2	0.3	4.6	5.9
1994	286	4.6	0.3	4.0	5.1	274	5.3	0.3	4.7	6.0
1995	280	4.4	0.3	3.9	5.0	261	5.0	0.3	4.4	5.7
1996	292	4.6	0.3	4.1	5.2	264	5.1	0.3	4.5	5.7
1997	335	5.4	0.3	4.8	6.0	316	6.2	0.3	5.5	6.9
1998	296	4.7	0.3	4.2	5.3	277	5.4	0.3	4.8	6.1
1999	323	5.1	0.3	4.6	5.7	289	5.6	0.3	5.0	6.3
2000	296	4.7	0.3	4.2	5.2	276	5.4	0.3	4.8	6.1
2001	326	5.2	0.3	4.6	5.8	299	5.9	0.3	5.2	6.6
2002	320	5.1	0.3	4.5	5.7	291	5.7	0.3	5.0	6.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	173	1.2	0.1	1.0	1.4	69	1.6	0.2	1.3	2.4
1986	7	0.9	0.3	0.3	2.7	2	1.1	0.8	0.1	21.0
1987	7	0.9	0.4	0.3	2.8	3	1.5	0.9	0.3	20.1
1988	6	0.8	0.4	0.3	2.7	4	2.2	1.1	0.6	19.5
1989	14	1.7	0.5	0.9	3.6	2	0.9	0.7	0.1	17.3
1990	10	1.5	0.5	0.7	3.5	4	2.0	1.0	0.5	18.4
1991	6	0.6	0.2	0.2	2.3	2	0.8	0.6	0.1	15.7
1992	11	1.1	0.3	0.6	2.9	1	0.8	0.8	0.0	14.5
1993	15	1.9	0.5	1.0	3.8	1	0.4	0.4	0.0	13.0
1994	8	0.8	0.3	0.4	2.4	4	2.0	1.0	0.5	13.9
1995	8	0.9	0.3	0.4	2.6	6	2.7	1.1	1.0	13.8
1996	13	1.6	0.5	0.8	3.4	6	2.1	0.9	0.8	12.6
1997	9	1.2	0.4	0.5	2.9	4	1.5	0.8	0.4	11.5
1998	12	1.3	0.4	0.6	2.8	2	0.8	0.6	0.1	10.3
1999	14	1.6	0.4	0.9	3.2	10	3.5	1.1	1.6	12.3
2000	9	1.0	0.3	0.4	2.4	5	1.4	0.6	0.5	9.1
2001	11	1.2	0.4	0.6	2.7	9	2.6	0.9	1.2	9.4
2002	13	1.5	0.4	0.8	3.0	4	1.1	0.6	0.3	6.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	289	2.7	0.2	2.3	3.3	3545	5.0	0.1	4.8	5.2
1990	13	2.4	0.8	1.1	9.7	260	4.6	0.3	4.1	5.3
1991	14	2.2	0.6	1.1	9.0	249	4.4	0.3	3.9	5.1
1992	14	1.9	0.6	1.0	8.3	245	4.4	0.3	3.8	5.0
1993	15	2.0	0.6	1.1	8.4	270	4.9	0.3	4.3	5.5
1994	18	2.6	0.7	1.5	8.7	268	4.8	0.3	4.2	5.5
1995	22	2.7	0.6	1.6	8.4	258	4.6	0.3	4.1	5.3
1996	18	2.1	0.5	1.2	7.6	274	4.9	0.3	4.4	5.6
1997	23	2.3	0.5	1.4	7.5	312	5.7	0.3	5.1	6.4
1998	21	2.3	0.6	1.3	7.3	275	5.1	0.3	4.5	5.7
1999	29	2.8	0.6	1.8	7.5	294	5.5	0.3	4.8	6.1
2000	37	3.8	0.7	2.6	8.2	259	4.8	0.3	4.2	5.5
2001	29	2.7	0.5	1.7	6.5	297	5.5	0.3	4.9	6.2
2002	36	3.9	1.0	2.2	7.9	284	5.3	0.3	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Penis										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	748	0.9	0.0	0.9	1.0	621	0.9	0.0	0.8	1.0
1986	42	0.9	0.2	0.7	1.3	35	0.9	0.2	0.6	1.3
1987	57	1.4	0.2	1.0	1.8	50	1.3	0.2	1.0	1.8
1988	32	0.7	0.1	0.5	1.1	28	0.7	0.1	0.5	1.1
1989	45	1.0	0.2	0.7	1.4	33	0.8	0.2	0.6	1.2
1990	38	0.9	0.1	0.6	1.3	31	0.8	0.1	0.5	1.2
1991	41	1.0	0.2	0.7	1.3	31	0.8	0.1	0.5	1.2
1992	38	0.8	0.1	0.6	1.2	33	0.8	0.1	0.5	1.2
1993	41	0.9	0.2	0.7	1.3	37	1.0	0.2	0.7	1.4
1994	49	1.0	0.1	0.8	1.4	38	0.9	0.2	0.6	1.3
1995	45	0.9	0.1	0.6	1.2	39	0.9	0.1	0.6	1.2
1996	47	0.9	0.1	0.7	1.3	40	0.9	0.1	0.6	1.3
1997	42	0.9	0.1	0.6	1.2	33	0.8	0.1	0.6	1.2
1998	46	1.0	0.1	0.7	1.3	40	1.0	0.2	0.7	1.4
1999	49	1.0	0.1	0.7	1.3	37	0.9	0.1	0.6	1.2
2000	46	0.9	0.1	0.7	1.3	39	0.9	0.1	0.6	1.3
2001	53	1.1	0.1	0.8	1.4	46	1.1	0.2	0.8	1.4
2002	37	0.7	0.1	0.5	1.0	31	0.7	0.1	0.5	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	106	1.3	0.1	1.1	1.6	12	1.0	0.3	0.4	2.0
1986	6	1.5	0.7	0.5	4.0	1	0.7	0.7	0.0	20.7
1987	7	1.9	0.8	0.7	4.5	0	0.0	~	0.0	19.0
1988	4	0.7	0.3	0.2	2.6	0	0.0	~	0.0	17.8
1989	10	2.3	0.8	1.1	4.8	0	0.0	~	0.0	16.6
1990	7	2.1	0.8	0.8	4.7	0	0.0	~	0.0	16.8
1991	9	2.2	0.8	0.9	4.7	1	4.1	4.1	0.1	22.8
1992	4	1.2	0.6	0.3	3.4	1	0.9	0.9	0.0	14.6
1993	4	0.8	0.4	0.2	2.7	0	0.0	~	0.0	12.7
1994	9	1.8	0.6	0.8	3.8	1	2.2	2.2	0.1	15.6
1995	6	1.3	0.5	0.4	3.3	0	0.0	~	0.0	11.4
1996	7	1.2	0.5	0.4	3.0	0	0.0	~	0.0	10.9
1997	8	1.4	0.5	0.6	3.2	0	0.0	~	0.0	10.2
1998	4	0.8	0.5	0.2	2.6	2	1.5	1.1	0.2	11.2
1999	5	0.8	0.4	0.2	2.4	3	4.5	3.0	0.7	16.4
2000	6	1.1	0.5	0.4	2.8	1	1.1	1.1	0.0	9.5
2001	5	1.0	0.4	0.3	2.6	1	0.4	0.4	0.0	7.3
2002	5	0.8	0.4	0.3	2.3	1	0.4	0.4	0.0	6.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	44	1.4	0.3	0.9	2.2	528	0.9	0.0	0.8	1.0
1990	4	3.2	2.2	0.4	12.5	34	0.8	0.1	0.6	1.2
1991	4	3.1	2.1	0.5	11.9	37	0.9	0.2	0.6	1.2
1992	2	0.8	0.6	0.1	7.4	36	0.8	0.1	0.6	1.2
1993	2	0.6	0.4	0.1	7.2	39	0.9	0.2	0.7	1.3
1994	2	0.6	0.4	0.1	6.9	47	1.0	0.2	0.8	1.4
1995	5	2.0	0.9	0.6	8.1	40	0.8	0.1	0.6	1.2
1996	4	1.8	1.0	0.4	7.8	43	0.9	0.1	0.6	1.2
1997	3	2.0	1.6	0.2	8.9	39	0.8	0.1	0.6	1.2
1998	3	1.1	0.7	0.2	6.4	43	1.0	0.2	0.7	1.3
1999	1	0.3	0.3	0.0	5.3	48	1.0	0.2	0.8	1.4
2000	4	1.1	0.6	0.3	5.7	42	0.9	0.1	0.6	1.2
2001	5	1.7	0.9	0.4	6.1	48	1.0	0.1	0.7	1.4
2002	5	1.2	0.5	0.4	4.8	32	0.6	0.1	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	64,784	33.5	0.1	33.3	33.8	58,611	34.8	0.1	34.5	35.1
1986	3,162	29.8	0.5	28.8	30.9	2,903	30.9	0.6	29.8	32.1
1987	3,299	31.1	0.5	30.1	32.2	3,025	32.2	0.6	31.1	33.4
1988	3,265	30.5	0.5	29.5	31.6	3,011	31.9	0.6	30.8	33.1
1989	3,353	31.1	0.5	30.1	32.2	3,067	32.3	0.6	31.1	33.4
1990	3,328	30.6	0.5	29.6	31.7	3,079	32.2	0.6	31.1	33.4
1991	3,402	30.9	0.5	29.9	32.0	3,141	32.5	0.6	31.3	33.6
1992	3,545	31.7	0.5	30.7	32.8	3,253	33.2	0.6	32.0	34.3
1993	3,661	32.3	0.5	31.3	33.4	3,322	33.5	0.6	32.4	34.7
1994	3,801	33.4	0.5	32.3	34.4	3,450	34.7	0.6	33.5	35.9
1995	3,808	33.1	0.5	32.1	34.2	3,464	34.6	0.6	33.5	35.8
1996	4,051	35.1	0.6	34.0	36.2	3,650	36.4	0.6	35.3	37.6
1997	4,168	35.7	0.6	34.7	36.9	3,723	36.9	0.6	35.7	38.1
1998	4,134	35.1	0.5	34.0	36.2	3,701	36.4	0.6	35.2	37.6
1999	4,237	35.6	0.5	34.6	36.7	3,777	36.9	0.6	35.7	38.1
2000	4,443	37.1	0.6	36.0	38.2	3,944	38.3	0.6	37.1	39.5
2001	4,416	36.5	0.5	35.4	37.6	3,931	38.0	0.6	36.8	39.2
2002	4,711	38.5	0.6	37.4	39.6	4,170	39.9	0.6	38.7	41.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,055	23.8	0.3	23.1	24.5	569	14.2	0.7	12.9	15.6
1986	229	21.5	1.5	18.7	24.7	19	14.3	3.9	7.8	26.2
1987	245	22.1	1.5	19.4	25.3	18	11.0	2.8	6.2	20.7
1988	219	19.6	1.4	17.0	22.6	22	13.8	3.4	7.9	24.4
1989	256	22.9	1.5	20.1	26.1	14	8.8	2.7	4.3	17.9
1990	219	18.7	1.3	16.2	21.5	19	13.4	3.5	7.6	23.8
1991	217	19.0	1.3	16.5	21.8	22	10.3	2.3	6.3	18.1
1992	252	21.5	1.4	18.9	24.5	32	17.5	3.5	11.2	27.2
1993	294	22.9	1.4	20.3	25.8	31	13.0	2.4	8.6	20.3
1994	296	23.6	1.4	20.9	26.5	36	18.3	3.4	12.3	27.3
1995	289	22.4	1.4	19.9	25.3	30	11.4	2.3	7.4	17.9
1996	328	25.3	1.4	22.5	28.3	42	16.5	2.9	11.3	24.0
1997	331	25.0	1.4	22.3	28.0	50	19.1	3.0	13.7	26.6
1998	331	24.4	1.4	21.7	27.2	37	14.0	2.6	9.4	20.7
1999	350	26.2	1.4	23.5	29.2	44	13.9	2.3	9.8	19.9
2000	398	28.6	1.5	25.8	31.6	45	13.1	2.1	9.3	18.4
2001	387	27.4	1.4	24.7	30.4	57	16.2	2.3	12.0	21.8
2002	414	29.3	1.5	26.5	32.3	51	13.1	1.9	9.5	17.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,414	23.9	0.7	22.4	25.3	50,291	34.8	0.2	34.5	35.1
1990	68	20.9	2.9	15.6	27.9	3,260	31.0	0.5	29.9	32.0
1991	78	21.5	2.8	16.5	28.2	3,324	31.2	0.5	30.2	32.3
1992	74	19.8	2.6	15.1	26.0	3,471	32.1	0.5	31.0	33.2
1993	73	19.1	2.5	14.5	25.0	3,588	32.8	0.5	31.7	33.9
1994	98	25.3	2.9	20.0	32.0	3,703	33.7	0.6	32.6	34.8
1995	95	22.1	2.7	17.1	28.3	3,713	33.5	0.6	32.4	34.6
1996	99	22.9	2.6	18.0	29.1	3,952	35.6	0.6	34.5	36.8
1997	130	30.7	3.2	24.7	37.9	4,038	36.1	0.6	35.0	37.2
1998	125	24.1	2.5	19.4	29.9	4,009	35.5	0.6	34.4	36.7
1999	129	25.5	2.6	20.6	31.6	4,108	36.1	0.6	35.0	37.3
2000	143	24.6	2.3	20.3	30.0	4,300	37.6	0.6	36.5	38.8
2001	155	26.2	2.4	21.7	31.6	4,261	37.1	0.6	36.0	38.2
2002	147	23.0	2.1	19.1	27.8	4,564	39.3	0.6	38.2	40.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	44,049	55.3	0.3	54.8	55.9	40,334	57.8	0.3	57.2	58.4
1986	2,207	51.5	1.1	49.2	53.8	2,049	53.7	1.2	51.3	56.2
1987	2,304	53.2	1.2	51.0	55.5	2,131	55.5	1.2	53.1	58.0
1988	2,176	50.4	1.1	48.2	52.6	2,025	52.9	1.2	50.6	55.4
1989	2,282	51.9	1.1	49.8	54.2	2,117	54.5	1.2	52.1	56.9
1990	2,291	52.0	1.1	49.8	54.2	2,149	55.1	1.2	52.7	57.6
1991	2,345	52.0	1.1	49.8	54.2	2,188	55.0	1.2	52.6	57.4
1992	2,409	52.8	1.1	50.6	55.0	2,228	55.3	1.2	53.0	57.7
1993	2,495	53.6	1.1	51.4	55.8	2,295	56.2	1.2	53.9	58.6
1994	2,544	54.4	1.1	52.3	56.7	2,339	57.1	1.2	54.7	59.5
1995	2,575	54.5	1.1	52.4	56.7	2,367	57.3	1.2	55.0	59.7
1996	2,739	57.2	1.1	55.0	59.4	2,501	59.9	1.2	57.5	62.3
1997	2,791	57.5	1.1	55.4	59.7	2,525	59.7	1.2	57.4	62.2
1998	2,801	57.3	1.1	55.1	59.5	2,543	59.8	1.2	57.5	62.2
1999	2,843	57.6	1.1	55.5	59.8	2,552	59.6	1.2	57.3	62.0
2000	2,991	59.7	1.1	57.6	61.9	2,693	62.1	1.2	59.8	64.5
2001	2,999	58.8	1.1	56.7	61.0	2,710	61.5	1.2	59.2	63.9
2002	3,257	63.4	1.1	61.2	65.6	2,922	65.9	1.2	63.5	68.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,932	34.2	0.7	32.9	35.6	389	22.0	1.3	19.5	24.8
1986	141	33.5	3.1	27.8	40.4	11	18.4	6.3	8.2	42.9
1987	150	33.8	3.0	28.3	40.5	16	22.4	6.2	12.0	45.4
1988	127	28.2	2.7	23.2	34.3	16	25.1	7.6	12.5	50.1
1989	142	31.1	2.8	25.9	37.4	10	15.8	6.0	6.3	37.4
1990	120	25.3	2.5	20.7	31.0	12	23.2	7.5	10.9	47.5
1991	127	27.2	2.6	22.4	33.0	14	15.3	4.4	7.9	32.7
1992	153	33.2	2.9	27.8	39.6	22	31.0	7.9	17.5	53.9
1993	171	32.5	2.6	27.5	38.4	19	16.5	4.0	9.5	31.6
1994	164	32.7	2.7	27.5	38.7	26	28.8	6.6	17.3	48.1
1995	166	31.8	2.6	26.9	37.6	22	16.7	3.9	9.9	30.6
1996	187	34.5	2.7	29.5	40.4	28	26.7	6.1	16.1	44.4
1997	192	35.9	2.8	30.7	42.0	33	27.9	5.4	18.4	43.6
1998	192	34.4	2.6	29.4	40.1	22	19.0	4.7	10.9	33.4
1999	208	38.1	2.8	32.8	44.3	32	21.7	4.5	13.8	35.2
2000	227	40.5	2.9	35.1	46.7	34	22.5	4.2	15.0	34.8
2001	219	38.4	2.7	33.2	44.3	39	22.7	4.0	15.6	33.8
2002	246	44.1	3.0	38.5	50.5	33	19.8	3.8	13.0	30.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	938	35.2	1.4	32.5	38.1	34,142	57.2	0.3	56.6	57.8
1990	40	28.4	5.4	18.8	42.7	2,251	52.8	1.1	50.5	55.1
1991	56	32.9	5.3	23.4	46.7	2,289	52.6	1.1	50.4	54.9
1992	52	32.3	5.3	22.8	45.8	2,357	53.5	1.1	51.3	55.8
1993	49	27.9	4.7	19.4	40.4	2,446	54.5	1.1	52.3	56.8
1994	67	38.1	5.6	28.0	52.1	2,477	55.1	1.1	52.9	57.3
1995	67	34.6	5.3	25.0	47.9	2,508	55.2	1.1	53.1	57.5
1996	58	28.6	4.6	20.2	40.4	2,681	58.4	1.1	56.2	60.7
1997	91	48.9	6.6	36.9	64.4	2,700	58.1	1.1	55.9	60.3
1998	88	39.9	5.3	30.1	52.7	2,713	58.0	1.1	55.8	60.3
1999	76	30.9	4.3	23.1	41.8	2,767	58.8	1.1	56.6	61.0
2000	96	38.0	4.5	29.7	48.9	2,895	60.7	1.1	58.5	63.0
2001	102	37.7	4.5	29.4	48.3	2,897	59.9	1.1	57.7	62.2
2002	96	33.0	3.9	25.8	42.2	3,161	65.0	1.2	62.7	67.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of Novemb er 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary System, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,735	18.5	0.1	18.3	18.8	18,277	18.8	0.1	18.6	19.1
1986	955	15.4	0.5	14.4	16.4	854	15.6	0.5	14.5	16.7
1987	995	16.1	0.5	15.1	17.2	894	16.4	0.6	15.3	17.5
1988	1,089	17.7	0.5	16.6	18.8	986	18.3	0.6	17.1	19.5
1989	1,071	17.2	0.5	16.2	18.3	950	17.4	0.6	16.3	18.5
1990	1,037	16.5	0.5	15.5	17.5	930	16.9	0.6	15.8	18.1
1991	1,057	16.4	0.5	15.4	17.5	953	16.9	0.6	15.8	18.0
1992	1,136	17.5	0.5	16.5	18.6	1,025	18.1	0.6	17.0	19.3
1993	1,166	17.7	0.5	16.7	18.8	1,027	17.9	0.6	16.8	19.0
1994	1,257	18.9	0.5	17.8	20.0	1,111	19.2	0.6	18.0	20.3
1995	1,233	18.4	0.5	17.4	19.5	1,097	18.9	0.6	17.8	20.1
1996	1,312	19.6	0.5	18.6	20.7	1,149	19.9	0.6	18.8	21.1
1997	1,377	20.4	0.6	19.4	21.5	1,198	20.6	0.6	19.4	21.8
1998	1,333	19.7	0.5	18.7	20.8	1,158	20.0	0.6	18.8	21.2
1999	1,394	20.3	0.5	19.3	21.5	1,225	20.9	0.6	19.8	22.2
2000	1,452	21.1	0.6	20.0	22.3	1,251	21.3	0.6	20.2	22.6
2001	1,417	20.4	0.5	19.4	21.5	1,221	20.7	0.6	19.5	21.9
2002	1,454	20.7	0.5	19.7	21.8	1,248	20.9	0.6	19.8	22.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,123	16.9	0.4	16.2	17.7	180	8.2	0.7	6.9	9.6
1986	88	13.7	1.5	10.9	17.1	8	11.1	4.8	3.8	28.6
1987	95	14.5	1.5	11.7	17.9	2	1.9	1.3	0.2	14.5
1988	92	14.0	1.5	11.2	17.3	6	5.2	2.2	1.9	17.7
1989	114	17.4	1.7	14.3	21.0	4	3.5	1.8	0.9	15.1
1990	99	14.4	1.5	11.6	17.6	7	6.7	2.7	2.5	19.3
1991	90	13.4	1.4	10.8	16.6	8	6.6	2.4	2.7	17.6
1992	99	14.2	1.4	11.5	17.4	10	7.9	2.5	3.7	18.3
1993	123	16.4	1.5	13.6	19.7	12	9.8	2.9	5.0	20.2
1994	132	17.6	1.6	14.7	21.0	10	10.4	3.5	4.7	21.3
1995	123	16.1	1.5	13.3	19.2	8	6.8	2.5	2.7	15.5
1996	141	18.5	1.6	15.6	21.9	14	9.4	2.7	4.8	17.9
1997	139	17.8	1.5	14.9	21.1	17	12.0	3.2	6.6	21.4
1998	139	17.5	1.5	14.7	20.7	15	10.1	2.9	5.3	18.6
1999	142	18.2	1.5	15.3	21.5	12	7.7	2.3	3.8	14.9
2000	171	20.7	1.6	17.7	24.1	11	5.6	1.8	2.7	11.3
2001	168	20.1	1.6	17.2	23.5	18	10.4	2.6	5.9	17.3
2002	168	19.8	1.5	16.9	23.1	18	7.9	1.9	4.6	13.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	476	14.8	0.8	13.3	16.4	16,149	19.3	0.2	19.0	19.6
1990	28	15.3	3.2	9.7	23.8	1,009	16.5	0.5	15.5	17.6
1991	22	12.0	2.8	7.1	19.7	1,035	16.6	0.5	15.6	17.7
1992	22	10.1	2.3	6.0	16.7	1,114	17.7	0.5	16.7	18.8
1993	24	12.0	2.6	7.5	19.0	1,142	18.0	0.5	16.9	19.1
1994	31	15.1	2.9	9.9	22.6	1,226	19.0	0.5	17.9	20.1
1995	28	12.0	2.6	7.4	18.9	1,205	18.7	0.5	17.6	19.8
1996	41	18.3	3.1	12.6	26.0	1,271	19.8	0.6	18.7	20.9
1997	39	17.2	3.1	11.6	24.9	1,338	20.6	0.6	19.5	21.8
1998	37	12.1	2.2	8.2	17.9	1,296	20.0	0.6	18.9	21.1
1999	53	20.5	3.2	14.7	28.2	1,341	20.4	0.6	19.3	21.6
2000	47	13.5	2.2	9.5	19.2	1,405	21.4	0.6	20.3	22.5
2001	53	16.7	2.6	12.1	22.9	1,364	20.6	0.6	19.5	21.8
2002	51	14.6	2.2	10.6	20.0	1,403	21.0	0.6	19.9	22.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary Bladder, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	40,817	21.1	0.1	20.9	21.3	37,733	22.3	0.1	22.0	22.5
1986	2,125	20.1	0.4	19.3	21.0	1,984	21.1	0.5	20.2	22.0
1987	2,203	20.7	0.4	19.9	21.6	2,048	21.7	0.5	20.8	22.7
1988	2,119	19.8	0.4	18.9	20.6	1,984	20.9	0.5	20.0	21.8
1989	2,161	20.0	0.4	19.2	20.9	2,014	21.1	0.5	20.1	22.0
1990	2,192	20.1	0.4	19.3	21.0	2,066	21.4	0.5	20.5	22.4
1991	2,158	19.6	0.4	18.8	20.5	2,024	20.8	0.5	19.9	21.8
1992	2,247	20.1	0.4	19.2	20.9	2,097	21.3	0.5	20.3	22.2
1993	2,376	21.0	0.4	20.1	21.8	2,218	22.3	0.5	21.4	23.2
1994	2,408	21.1	0.4	20.3	22.0	2,234	22.3	0.5	21.4	23.3
1995	2,345	20.4	0.4	19.5	21.2	2,167	21.5	0.5	20.6	22.5
1996	2,586	22.3	0.4	21.5	23.2	2,381	23.6	0.5	22.7	24.6
1997	2,563	21.9	0.4	21.1	22.8	2,339	23.0	0.5	22.1	24.0
1998	2,552	21.6	0.4	20.8	22.5	2,328	22.8	0.5	21.8	23.7
1999	2,629	22.1	0.4	21.3	23.0	2,389	23.2	0.5	22.3	24.2
2000	2,729	22.8	0.4	21.9	23.7	2,490	24.1	0.5	23.2	25.1
2001	2,626	21.7	0.4	20.9	22.6	2,414	23.2	0.5	22.3	24.1
2002	2,798	22.9	0.4	22.1	23.8	2,556	24.3	0.5	23.4	25.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,358	11.8	0.3	11.4	12.3	292	7.9	0.5	7.0	9.0
1986	124	12.5	1.2	10.4	15.1	8	7.4	3.1	2.6	18.3
1987	135	12.8	1.1	10.7	15.3	11	7.6	2.4	3.6	16.8
1988	114	10.9	1.1	8.9	13.2	12	9.0	3.0	4.1	19.1
1989	125	12.1	1.1	10.0	14.5	9	6.3	2.4	2.4	15.1
1990	105	9.5	1.0	7.7	11.6	14	10.9	3.2	5.6	21.0
1991	108	10.0	1.0	8.1	12.2	11	5.5	1.8	2.6	12.6
1992	126	11.3	1.0	9.4	13.6	17	10.3	2.9	5.3	19.0
1993	136	11.4	1.0	9.5	13.6	11	4.7	1.5	2.2	10.6
1994	139	11.7	1.0	9.8	14.0	19	9.9	2.5	5.7	17.1
1995	136	11.1	1.0	9.2	13.2	21	8.1	1.9	4.8	14.1
1996	153	12.7	1.0	10.7	14.9	27	9.8	2.0	6.2	15.8
1997	146	12.1	1.0	10.2	14.3	24	10.2	2.3	6.2	16.6
1998	151	11.7	1.0	9.9	13.8	20	9.0	2.3	5.2	15.2
1999	162	13.0	1.0	11.0	15.2	21	6.7	1.6	3.9	11.6
2000	176	13.3	1.0	11.4	15.5	20	6.4	1.5	3.8	10.7
2001	154	11.7	1.0	9.9	13.8	26	8.5	1.8	5.4	13.1
2002	168	12.7	1.0	10.9	14.9	21	6.0	1.4	3.6	9.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	651	12.4	0.5	11.3	13.5	31,558	21.7	0.1	21.5	22.0
1990	33	11.3	2.2	7.4	17.0	2,159	20.4	0.4	19.5	21.3
1991	43	12.8	2.2	8.9	18.4	2,115	19.8	0.4	19.0	20.7
1992	36	9.7	1.8	6.6	14.4	2,211	20.3	0.4	19.5	21.2
1993	40	11.2	2.0	7.7	16.2	2,336	21.3	0.4	20.4	22.2
1994	44	12.0	2.0	8.4	17.1	2,364	21.4	0.4	20.5	22.3
1995	41	10.8	2.0	7.2	15.8	2,304	20.7	0.4	19.9	21.6
1996	46	11.3	1.9	7.9	15.9	2,540	22.8	0.5	21.9	23.7
1997	56	15.6	2.4	11.3	21.3	2,507	22.3	0.4	21.4	23.2
1998	57	12.5	1.9	9.1	17.2	2,495	22.0	0.4	21.2	22.9
1999	57	12.3	1.9	8.9	16.9	2,572	22.5	0.4	21.7	23.4
2000	59	11.4	1.7	8.4	15.5	2,670	23.3	0.5	22.4	24.2
2001	74	15.5	2.0	11.8	20.2	2,552	22.1	0.4	21.3	23.0
2002	65	12.3	1.7	9.2	16.2	2,733	23.5	0.4	22.6	24.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary Bladder, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	29,727	38.0	0.2	37.6	38.5	27,803	40.4	0.2	39.9	40.9
1986	1,556	37.1	1.0	35.2	39.1	1,467	39.1	1.1	37.1	41.3
1987	1,629	38.0	1.0	36.1	40.0	1,531	40.2	1.1	38.1	42.3
1988	1,504	35.5	1.0	33.7	37.4	1,419	37.7	1.0	35.7	39.8
1989	1,565	36.2	1.0	34.4	38.2	1,471	38.3	1.0	36.3	40.4
1990	1,625	37.3	1.0	35.5	39.3	1,554	40.1	1.1	38.1	42.3
1991	1,580	35.7	0.9	33.9	37.6	1,500	38.2	1.0	36.3	40.3
1992	1,640	36.6	0.9	34.8	38.5	1,547	38.9	1.0	37.0	41.0
1993	1,735	37.9	0.9	36.1	39.8	1,636	40.5	1.0	38.5	42.6
1994	1,702	37.0	0.9	35.2	38.9	1,597	39.4	1.0	37.4	41.4
1995	1,716	37.0	0.9	35.2	38.8	1,605	39.4	1.0	37.5	41.4
1996	1,864	39.6	0.9	37.8	41.5	1,744	42.3	1.0	40.3	44.4
1997	1,856	39.0	0.9	37.2	40.8	1,714	41.0	1.0	39.1	43.1
1998	1,868	38.8	0.9	37.1	40.7	1,719	40.9	1.0	39.0	42.9
1999	1,900	39.1	0.9	37.4	41.0	1,740	41.0	1.0	39.1	43.1
2000	1,973	40.2	0.9	38.4	42.1	1,822	42.7	1.0	40.7	44.7
2001	1,929	38.8	0.9	37.1	40.6	1,798	41.6	1.0	39.6	43.5
2002	2,085	41.7	0.9	39.9	43.5	1,939	44.6	1.0	42.6	46.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,387	17.7	0.5	16.7	18.7	223	13.5	1.0	11.6	15.9
1986	78	20.8	2.5	16.1	26.7	7	12.0	5.2	4.1	35.0
1987	81	19.5	2.3	15.2	24.9	10	16.1	5.6	7.1	38.5
1988	68	16.3	2.1	12.4	21.2	11	19.5	7.1	8.1	43.9
1989	77	18.2	2.2	14.1	23.3	7	12.3	5.6	3.9	33.6
1990	54	12.4	1.8	9.1	16.9	10	20.5	7.3	8.8	44.4
1991	61	14.1	1.9	10.6	18.7	8	9.0	3.5	3.5	25.5
1992	74	17.2	2.2	13.2	22.2	14	21.0	6.9	9.7	42.3
1993	85	17.6	2.0	13.8	22.2	5	4.5	2.3	1.2	17.9
1994	80	17.4	2.1	13.5	22.2	12	12.8	4.1	6.0	28.1
1995	78	15.9	1.9	12.4	20.3	16	12.6	3.5	6.7	26.1
1996	81	16.0	1.9	12.5	20.4	19	15.6	3.9	8.9	29.4
1997	89	19.2	2.2	15.1	24.1	19	16.7	4.2	9.5	30.5
1998	99	18.5	2.0	14.8	23.0	14	13.6	4.2	6.6	27.3
1999	96	20.0	2.2	16.0	24.9	18	12.8	3.7	6.7	25.1
2000	107	20.6	2.1	16.7	25.4	17	12.4	3.3	6.8	23.2
2001	87	16.9	1.9	13.4	21.3	19	12.3	3.0	7.0	22.0
2002	92	18.5	2.0	14.8	23.0	17	12.1	3.3	6.6	21.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	467	20.0	1.1	17.9	22.3	23,006	39.1	0.3	38.6	39.6
1990	25	18.3	4.3	10.9	30.6	1,600	37.9	1.0	36.0	39.9
1991	32	20.9	4.5	13.1	33.4	1,548	36.1	0.9	34.3	38.0
1992	29	17.4	3.6	11.0	28.0	1,611	37.2	1.0	35.3	39.1
1993	27	17.2	3.8	10.5	28.1	1,708	38.6	1.0	36.7	40.5
1994	31	18.7	4.0	11.6	29.9	1,671	37.6	0.9	35.8	39.5
1995	32	18.5	4.2	11.2	29.8	1,684	37.6	0.9	35.8	39.5
1996	28	13.4	3.1	8.1	22.4	1,836	40.6	1.0	38.7	42.5
1997	42	27.4	5.2	18.2	40.5	1,814	39.6	0.9	37.7	41.5
1998	42	22.1	4.1	14.8	32.8	1,826	39.5	0.9	37.7	41.4
1999	38	17.3	3.3	11.4	26.3	1,862	40.0	0.9	38.2	41.9
2000	42	19.1	3.4	13.0	28.0	1,931	41.2	0.9	39.3	43.1
2001	51	24.6	4.0	17.4	34.4	1,878	39.6	0.9	37.8	41.4
2002	48	20.1	3.2	14.3	28.2	2,037	42.8	1.0	40.9	44.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive fromwhites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary Bladder, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,090	9.7	0.1	9.6	9.9	9,930	10.0	0.1	9.8	10.2
1986	569	9.1	0.4	8.4	9.9	517	9.3	0.4	8.5	10.2
1987	574	9.2	0.4	8.5	10.0	517	9.4	0.4	8.6	10.2
1988	615	9.8	0.4	9.0	10.6	565	10.2	0.4	9.3	11.1
1989	596	9.4	0.4	8.6	10.2	543	9.7	0.4	8.9	10.6
1990	567	8.9	0.4	8.2	9.7	512	9.1	0.4	8.3	10.0
1991	578	8.9	0.4	8.2	9.6	524	9.1	0.4	8.3	9.9
1992	607	9.2	0.4	8.5	9.9	550	9.5	0.4	8.7	10.3
1993	641	9.6	0.4	8.9	10.4	582	10.0	0.4	9.2	10.8
1994	706	10.4	0.4	9.6	11.2	637	10.7	0.4	9.9	11.6
1995	629	9.2	0.4	8.5	10.0	562	9.5	0.4	8.7	10.3
1996	722	10.5	0.4	9.8	11.3	637	10.7	0.4	9.9	11.6
1997	707	10.3	0.4	9.5	11.1	625	10.5	0.4	9.7	11.4
1998	684	10.0	0.4	9.2	10.7	609	10.3	0.4	9.5	11.2
1999	729	10.4	0.4	9.7	11.2	649	10.8	0.4	10.0	11.7
2000	756	10.8	0.4	10.1	11.6	668	11.2	0.4	10.3	12.1
2001	697	9.8	0.4	9.1	10.6	616	10.2	0.4	9.4	11.0
2002	713	9.9	0.4	9.2	10.7	617	10.0	0.4	9.2	10.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	971	8.1	0.3	7.6	8.7	69	3.6	0.5	2.8	4.7
1986	46	7.5	1.1	5.5	10.2	1	3.6	3.6	0.1	20.2
1987	54	8.6	1.2	6.4	11.3	1	1.1	1.1	0.0	13.8
1988	46	7.4	1.1	5.4	10.0	1	1.0	1.0	0.0	13.0
1989	48	8.0	1.2	5.8	10.7	2	1.8	1.3	0.2	13.3
1990	51	7.6	1.1	5.7	10.1	4	4.3	2.3	1.1	16.5
1991	47	7.3	1.1	5.3	9.8	3	2.8	1.6	0.6	13.1
1992	52	7.8	1.1	5.8	10.3	3	2.6	1.5	0.5	12.0
1993	51	7.2	1.0	5.4	9.6	6	4.8	2.1	1.6	14.0
1994	59	8.2	1.1	6.2	10.7	7	7.4	3.0	2.8	17.6
1995	58	7.8	1.0	5.9	10.2	5	4.3	2.1	1.3	12.4
1996	72	10.1	1.2	7.9	12.7	8	5.2	2.0	2.1	12.7
1997	57	7.7	1.0	5.8	10.1	5	4.9	2.4	1.4	13.1
1998	52	7.0	1.0	5.2	9.2	6	5.5	2.4	1.9	13.4
1999	66	8.8	1.1	6.8	11.2	3	2.0	1.2	0.4	7.6
2000	69	8.7	1.1	6.8	11.1	3	1.7	1.0	0.3	6.4
2001	67	8.4	1.0	6.5	10.7	7	5.0	1.9	2.0	10.9
2002	76	9.3	1.1	7.3	11.7	4	1.7	0.9	0.5	5.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	184	6.5	0.5	5.5	7.6	8,552	10.0	0.1	9.8	10.2
1990	8	5.7	2.2	2.3	12.5	559	9.0	0.4	8.3	9.8
1991	11	6.5	2.1	3.1	12.9	567	8.9	0.4	8.2	9.7
1992	7	3.3	1.4	1.2	8.4	600	9.3	0.4	8.6	10.1
1993	13	6.7	2.0	3.4	12.7	628	9.7	0.4	9.0	10.5
1994	13	6.7	2.0	3.4	12.6	693	10.5	0.4	9.7	11.4
1995	9	4.9	1.8	2.0	10.4	620	9.4	0.4	8.7	10.2
1996	18	9.2	2.3	5.3	15.5	704	10.6	0.4	9.8	11.5
1997	14	7.2	2.1	3.7	13.0	693	10.5	0.4	9.7	11.3
1998	15	5.3	1.6	2.7	10.1	669	10.1	0.4	9.3	10.9
1999	19	7.9	2.1	4.4	13.6	710	10.5	0.4	9.8	11.4
2000	17	5.3	1.4	2.9	9.5	739	11.0	0.4	10.2	11.9
2001	23	8.5	1.9	5.1	13.5	674	9.9	0.4	9.2	10.7
2002	17	5.7	1.5	3.2	9.8	696	10.1	0.4	9.3	10.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kidney and Renal Pelvis, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	22,266	11.5	0.1	11.4	11.7	19,331	11.6	0.1	11.4	11.8
1986	943	8.8	0.3	8.3	9.4	837	8.9	0.3	8.3	9.6
1987	1,000	9.5	0.3	8.9	10.1	890	9.6	0.3	9.0	10.3
1988	1,042	9.8	0.3	9.2	10.4	927	10.0	0.3	9.4	10.7
1989	1,087	10.2	0.3	9.5	10.8	958	10.2	0.3	9.6	10.9
1990	1,032	9.6	0.3	9.0	10.2	920	9.8	0.3	9.2	10.5
1991	1,134	10.3	0.3	9.7	10.9	1,018	10.6	0.3	10.0	11.3
1992	1,206	10.8	0.3	10.2	11.5	1,071	11.1	0.3	10.4	11.8
1993	1,191	10.5	0.3	9.9	11.1	1,020	10.4	0.3	9.8	11.1
1994	1,285	11.3	0.3	10.7	12.0	1,119	11.4	0.3	10.7	12.1
1995	1,365	11.9	0.3	11.3	12.5	1,205	12.2	0.4	11.5	12.9
1996	1,381	12.0	0.3	11.4	12.7	1,192	12.1	0.4	11.4	12.8
1997	1,504	12.9	0.3	12.3	13.6	1,291	13.0	0.4	12.3	13.7
1998	1,476	12.6	0.3	11.9	13.2	1,273	12.7	0.4	12.0	13.4
1999	1,514	12.7	0.3	12.1	13.4	1,308	12.9	0.4	12.2	13.6
2000	1,607	13.4	0.3	12.8	14.1	1,359	13.3	0.4	12.6	14.1
2001	1,697	14.0	0.3	13.3	14.7	1,432	13.9	0.4	13.2	14.7
2002	1,802	14.7	0.3	14.0	15.4	1,511	14.6	0.4	13.9	15.3
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	2,567	11.3	0.2	10.9	11.8	259	5.8	0.4	5.1	6.7
1986	95	8.1	0.9	6.5	10.0	9	5.7	2.1	2.4	14.9
1987	102	8.5	0.9	6.9	10.5	6	2.8	1.2	1.0	10.5
1988	101	8.4	0.9	6.8	10.4	10	4.8	1.6	2.2	12.5
1989	122	10.1	0.9	8.3	12.2	5	2.5	1.2	0.8	9.5
1990	104	8.3	0.8	6.7	10.2	5	2.5	1.2	0.7	9.5
1991	100	8.2	0.8	6.6	10.1	9	4.1	1.4	1.8	10.7
1992	121	9.8	0.9	8.1	11.8	13	6.3	1.9	3.2	13.1
1993	148	10.6	0.9	8.9	12.5	20	8.3	1.9	5.0	14.7
1994	149	11.1	0.9	9.4	13.2	15	7.1	2.1	3.6	13.8
1995	148	11.0	0.9	9.2	13.0	8	3.0	1.1	1.2	7.7
1996	169	12.1	1.0	10.3	14.2	14	5.9	1.9	2.9	11.7
1997	178	12.4	1.0	10.6	14.5	26	8.9	1.9	5.6	14.4
1998	177	12.5	1.0	10.6	14.5	16	4.6	1.2	2.5	8.8
1999	178	12.5	1.0	10.7	14.6	19	5.6	1.4	3.3	10.0
2000	210	14.3	1.0	12.4	16.5	25	6.7	1.4	4.2	10.8
2001	226	15.1	1.0	13.2	17.3	30	7.5	1.5	4.9	11.6
2002	239	16.1	1.1	14.1	18.3	29	6.8	1.3	4.4	10.3
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	724	10.6	0.5	9.8	11.6	17,470	12.2	0.1	12.0	12.4
1990	34	9.0	1.8	5.9	13.9	998	9.6	0.3	9.0	10.2
1991	30	6.7	1.3	4.4	10.7	1,104	10.4	0.3	9.8	11.1
1992	35	8.7	1.6	5.7	13.1	1,171	10.9	0.3	10.3	11.6
1993	29	6.9	1.4	4.4	10.9	1,162	10.7	0.3	10.1	11.3
1994	51	12.6	2.0	9.0	17.5	1,234	11.3	0.3	10.7	12.0
1995	54	11.3	1.8	8.1	15.8	1,311	11.9	0.3	11.3	12.6
1996	50	10.2	1.7	7.2	14.5	1,331	12.1	0.3	11.5	12.8
1997	72	14.4	2.0	10.7	19.4	1,432	12.9	0.3	12.3	13.6
1998	63	10.8	1.6	7.9	14.9	1,413	12.6	0.3	12.0	13.3
1999	68	12.5	1.8	9.2	16.9	1,446	12.8	0.3	12.2	13.5
2000	81	12.4	1.6	9.5	16.3	1,526	13.5	0.3	12.8	14.1
2001	78	9.9	1.2	7.7	13.1	1,619	14.2	0.4	13.5	14.9
2002	79	10.4	1.3	8.0	13.5	1,723	15.0	0.4	14.3	15.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kidney and Renal Pelvis, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	13,284	16.0	0.1	15.7	16.3	11,566	16.0	0.2	15.8	16.3
1986	589	12.9	0.6	11.8	14.0	527	13.1	0.6	12.0	14.3
1987	615	13.8	0.6	12.7	15.1	548	14.0	0.6	12.8	15.3
1988	613	13.5	0.6	12.5	14.7	547	13.8	0.6	12.6	15.1
1989	647	14.2	0.6	13.0	15.3	581	14.5	0.6	13.3	15.8
1990	605	13.3	0.6	12.2	14.5	536	13.5	0.6	12.4	14.8
1991	703	14.9	0.6	13.8	16.1	631	15.3	0.6	14.1	16.6
1992	712	15.0	0.6	13.9	16.2	630	15.1	0.6	14.0	16.4
1993	706	14.5	0.6	13.5	15.7	610	14.5	0.6	13.4	15.8
1994	780	16.1	0.6	14.9	17.3	683	16.2	0.6	15.0	17.5
1995	796	16.2	0.6	15.1	17.4	703	16.5	0.6	15.2	17.8
1996	825	16.5	0.6	15.3	17.7	709	16.4	0.6	15.2	17.7
1997	868	17.1	0.6	16.0	18.3	748	17.2	0.6	16.0	18.5
1998	867	17.1	0.6	16.0	18.3	761	17.4	0.6	16.2	18.7
1999	885	17.2	0.6	16.1	18.5	760	17.3	0.6	16.1	18.6
2000	959	18.3	0.6	17.1	19.5	817	18.2	0.6	17.0	19.5
2001	1,014	18.9	0.6	17.7	20.1	861	18.8	0.6	17.6	20.1
2002	1,100	20.3	0.6	19.1	21.5	914	19.7	0.7	18.4	21.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,485	15.8	0.4	14.9	16.7	156	7.8	0.7	6.5	9.5
1986	56	11.2	1.6	8.3	15.1	4	6.5	3.6	1.4	27.8
1987	62	12.8	1.7	9.6	17.0	5	4.9	2.2	1.6	23.6
1988	59	12.0	1.7	8.9	16.1	5	5.6	2.7	1.6	23.7
1989	61	12.2	1.7	9.2	16.3	3	3.4	2.1	0.6	20.3
1990	64	12.3	1.6	9.3	16.3	2	2.8	2.0	0.3	19.8
1991	62	12.4	1.7	9.3	16.5	5	5.1	2.4	1.6	20.6
1992	74	14.8	1.8	11.4	19.1	7	9.1	3.7	3.3	25.1
1993	81	13.7	1.6	10.7	17.5	14	11.9	3.3	6.4	26.1
1994	83	15.1	1.8	11.8	19.2	12	12.6	4.5	5.4	28.6
1995	85	15.3	1.7	12.0	19.4	5	3.4	1.6	1.0	14.9
1996	104	18.1	1.9	14.6	22.4	9	11.1	4.7	3.9	26.8
1997	100	16.1	1.7	13.0	20.0	14	11.2	3.3	5.7	23.7
1998	91	15.5	1.7	12.3	19.5	8	5.4	2.1	2.2	15.7
1999	108	17.3	1.7	14.1	21.4	12	7.2	2.2	3.6	17.3
2000	115	18.7	1.8	15.3	22.9	17	10.1	2.6	5.6	19.8
2001	128	20.5	1.9	16.9	24.7	19	10.0	2.5	5.7	18.7
2002	152	25.3	2.2	21.3	30.1	15	7.1	1.9	3.9	14.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	446	14.1	0.8	12.5	15.9	10,374	16.8	0.2	16.5	17.1
1990	14	8.5	2.9	3.9	18.6	591	13.5	0.6	12.4	14.7
1991	22	11.0	2.7	6.4	20.2	681	15.1	0.6	13.9	16.3
1992	21	12.5	3.3	6.9	22.6	691	15.1	0.6	14.0	16.3
1993	19	9.1	2.6	4.8	17.8	687	14.8	0.6	13.7	15.9
1994	33	17.9	3.7	11.4	28.5	747	16.1	0.6	14.9	17.3
1995	35	16.1	3.3	10.3	25.7	761	16.2	0.6	15.0	17.4
1996	28	13.0	3.0	7.7	22.0	797	16.7	0.6	15.6	18.0
1997	49	21.4	4.0	14.3	32.1	819	17.0	0.6	15.9	18.3
1998	43	16.9	3.3	11.1	26.0	824	17.1	0.6	16.0	18.4
1999	35	12.5	2.7	7.9	20.3	850	17.5	0.6	16.3	18.7
2000	51	17.2	2.8	12.2	24.9	908	18.4	0.6	17.2	19.6
2001	50	12.4	1.9	9.0	18.2	964	19.2	0.6	18.0	20.5
2002	46	12.3	2.1	8.5	18.2	1,054	20.8	0.6	19.5	22.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kidney and Renal Pelvis, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,982	8.2	0.1	8.1	8.4	7,765	8.3	0.1	8.1	8.5
1986	354	5.8	0.3	5.2	6.4	310	5.8	0.3	5.1	6.5
1987	385	6.4	0.3	5.7	7.1	342	6.4	0.4	5.7	7.1
1988	429	7.1	0.4	6.5	7.9	380	7.3	0.4	6.6	8.1
1989	440	7.3	0.4	6.6	8.0	377	7.1	0.4	6.4	7.9
1990	427	6.9	0.3	6.3	7.6	384	7.2	0.4	6.5	8.0
1991	431	6.9	0.3	6.2	7.6	387	7.1	0.4	6.4	7.8
1992	494	7.8	0.4	7.1	8.6	441	8.1	0.4	7.3	8.9
1993	485	7.5	0.3	6.9	8.2	410	7.3	0.4	6.6	8.1
1994	505	7.8	0.3	7.1	8.5	436	7.8	0.4	7.1	8.6
1995	569	8.7	0.4	8.0	9.5	502	8.9	0.4	8.2	9.8
1996	556	8.6	0.4	7.9	9.4	483	8.7	0.4	8.0	9.6
1997	636	9.6	0.4	8.9	10.4	543	9.6	0.4	8.8	10.4
1998	609	9.2	0.4	8.5	10.0	512	9.1	0.4	8.3	9.9
1999	629	9.4	0.4	8.7	10.2	548	9.7	0.4	8.9	10.5
2000	648	9.6	0.4	8.9	10.4	542	9.5	0.4	8.7	10.4
2001	683	10.1	0.4	9.3	10.9	571	10.0	0.4	9.2	10.8
2002	702	10.3	0.4	9.5	11.1	597	10.4	0.4	9.6	11.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,082	8.2	0.3	7.8	8.8	103	4.2	0.4	3.4	5.2
1986	39	5.8	1.0	4.0	8.0	5	5.4	2.6	1.5	19.6
1987	40	5.7	0.9	4.1	7.9	1	0.8	0.8	0.0	13.3
1988	42	6.0	1.0	4.3	8.3	5	4.2	1.9	1.3	16.5
1989	61	8.7	1.1	6.6	11.3	2	1.7	1.2	0.2	13.1
1990	40	5.5	0.9	3.9	7.6	3	2.4	1.5	0.4	13.8
1991	38	5.4	0.9	3.8	7.5	4	3.4	1.7	0.9	13.8
1992	47	6.4	1.0	4.7	8.6	6	4.5	1.9	1.6	14.2
1993	67	8.4	1.0	6.5	10.8	6	5.1	2.1	1.8	14.2
1994	66	8.5	1.1	6.5	10.9	3	2.9	1.8	0.5	11.3
1995	63	8.0	1.0	6.1	10.3	3	2.4	1.5	0.5	9.7
1996	65	8.0	1.0	6.1	10.3	5	2.9	1.3	0.9	9.3
1997	78	9.6	1.1	7.5	12.0	12	7.1	2.1	3.6	14.5
1998	86	10.4	1.1	8.3	12.9	8	3.9	1.4	1.6	9.9
1999	70	8.7	1.1	6.8	11.1	7	4.2	1.7	1.6	10.3
2000	95	11.2	1.2	9.0	13.7	8	3.9	1.4	1.6	9.1
2001	98	11.4	1.2	9.2	13.9	11	5.3	1.7	2.5	10.6
2002	87	9.9	1.1	7.9	12.3	14	6.3	1.7	3.3	11.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	278	7.7	0.5	6.7	8.8	7,096	8.7	0.1	8.5	8.9
1990	20	9.6	2.4	5.5	16.5	407	6.9	0.3	6.2	7.6
1991	8	3.0	1.2	1.2	7.9	423	7.0	0.3	6.3	7.7
1992	14	6.0	1.7	3.1	11.4	480	7.9	0.4	7.2	8.6
1993	10	4.9	1.6	2.2	10.2	475	7.7	0.4	7.0	8.4
1994	18	8.3	2.1	4.7	14.3	487	7.8	0.4	7.1	8.5
1995	19	7.2	1.9	4.0	12.7	550	8.7	0.4	8.0	9.5
1996	22	8.2	1.9	4.8	13.6	534	8.6	0.4	7.9	9.4
1997	23	8.9	2.1	5.2	14.7	613	9.7	0.4	8.9	10.5
1998	20	6.1	1.5	3.6	10.6	589	9.4	0.4	8.6	10.2
1999	33	12.1	2.4	7.8	18.3	596	9.4	0.4	8.6	10.2
2000	30	8.2	1.7	5.2	13.0	618	9.7	0.4	8.9	10.5
2001	28	7.3	1.5	4.6	11.6	655	10.2	0.4	9.4	11.0
2002	33	8.6	1.6	5.8	12.8	669	10.4	0.4	9.6	11.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ureter, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,225	0.6	0.0	0.6	0.7	1,172	0.7	0.0	0.6	0.7
1986	64	0.6	0.1	0.5	0.8	58	0.6	0.1	0.5	0.8
1987	57	0.5	0.1	0.4	0.7	55	0.6	0.1	0.4	0.8
1988	70	0.6	0.1	0.5	0.8	70	0.7	0.1	0.6	0.9
1989	74	0.7	0.1	0.5	0.9	74	0.8	0.1	0.6	1.0
1990	75	0.7	0.1	0.5	0.8	72	0.7	0.1	0.6	0.9
1991	75	0.7	0.1	0.5	0.8	73	0.7	0.1	0.6	0.9
1992	73	0.7	0.1	0.5	0.8	69	0.7	0.1	0.5	0.9
1993	62	0.5	0.1	0.4	0.7	59	0.6	0.1	0.4	0.8
1994	82	0.7	0.1	0.6	0.9	79	0.8	0.1	0.6	1.0
1995	80	0.7	0.1	0.6	0.9	78	0.8	0.1	0.6	1.0
1996	70	0.6	0.1	0.5	0.8	67	0.7	0.1	0.5	0.8
1997	74	0.6	0.1	0.5	0.8	71	0.7	0.1	0.5	0.9
1998	80	0.7	0.1	0.5	0.8	76	0.7	0.1	0.6	0.9
1999	63	0.5	0.1	0.4	0.7	56	0.5	0.1	0.4	0.7
2000	80	0.7	0.1	0.5	0.8	74	0.7	0.1	0.6	0.9
2001	65	0.5	0.1	0.4	0.7	64	0.6	0.1	0.5	0.8
2002	81	0.7	0.1	0.5	0.8	77	0.7	0.1	0.6	0.9
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	37	0.2	0.0	0.1	0.3	12	0.3	0.1	0.2	0.7
1986	5	0.5	0.2	0.1	1.3	1	0.9	0.9	0.0	9.1
1987	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	7.6
1988	0	0.0	~	0.0	0.5	0	0.0	~	0.0	7.2
1989	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.8
1990	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	6.7
1991	2	0.2	0.1	0.0	0.8	0	0.0	~	0.0	6.0
1992	2	0.2	0.1	0.0	0.7	2	0.9	0.6	0.1	6.4
1993	3	0.3	0.2	0.1	0.9	0	0.0	~	0.0	4.9
1994	1	0.1	0.1	0.0	0.6	2	1.4	1.0	0.1	6.5
1995	1	0.1	0.1	0.0	0.5	1	0.3	0.3	0.0	4.4
1996	2	0.1	0.1	0.0	0.6	1	0.7	0.7	0.0	5.0
1997	2	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.6
1998	1	0.1	0.1	0.0	0.5	1	0.4	0.4	0.0	3.7
1999	5	0.4	0.2	0.1	0.9	2	0.7	0.5	0.1	4.0
2000	6	0.5	0.2	0.2	1.1	0	0.0	~	0.0	2.6
2001	0	0.0	~	0.0	0.4	1	0.2	0.2	0.0	2.5
2002	3	0.2	0.1	0.0	0.7	1	0.3	0.3	0.0	2.3
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	21	0.5	0.1	0.3	0.9	939	0.6	0.0	0.6	0.7
1990	0	0.0	~	0.0	2.7	75	0.7	0.1	0.5	0.9
1991	3	1.5	0.9	0.3	5.1	72	0.7	0.1	0.5	0.8
1992	2	1.2	0.8	0.1	4.4	71	0.7	0.1	0.5	0.8
1993	1	0.3	0.3	0.0	2.8	61	0.6	0.1	0.4	0.7
1994	3	0.7	0.4	0.1	3.1	79	0.7	0.1	0.6	0.9
1995	0	0.0	~	0.0	2.2	80	0.7	0.1	0.6	0.9
1996	2	1.1	0.8	0.1	4.0	68	0.6	0.1	0.5	0.8
1997	1	0.5	0.5	0.0	3.0	73	0.6	0.1	0.5	0.8
1998	2	0.4	0.2	0.0	2.3	78	0.7	0.1	0.5	0.9
1999	2	0.4	0.3	0.0	2.3	61	0.5	0.1	0.4	0.7
2000	1	0.2	0.2	0.0	2.0	79	0.7	0.1	0.5	0.9
2001	2	0.5	0.4	0.1	2.2	63	0.5	0.1	0.4	0.7
2002	2	0.3	0.2	0.0	1.8	79	0.7	0.1	0.5	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ureter, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	743	0.9	0.0	0.9	1.0	710	1.0	0.0	0.9	1.1
1986	43	1.0	0.2	0.7	1.4	39	1.0	0.2	0.7	1.4
1987	30	0.7	0.1	0.4	1.0	29	0.7	0.1	0.5	1.1
1988	36	0.8	0.1	0.5	1.1	36	0.9	0.1	0.6	1.2
1989	52	1.1	0.2	0.8	1.5	52	1.3	0.2	1.0	1.7
1990	45	1.0	0.1	0.7	1.3	45	1.1	0.2	0.8	1.5
1991	44	1.0	0.2	0.7	1.4	43	1.1	0.2	0.8	1.6
1992	42	0.9	0.1	0.7	1.3	39	1.0	0.2	0.7	1.4
1993	34	0.7	0.1	0.5	1.0	32	0.8	0.1	0.5	1.1
1994	50	1.1	0.2	0.8	1.5	48	1.2	0.2	0.9	1.6
1995	52	1.1	0.2	0.8	1.5	50	1.2	0.2	0.9	1.7
1996	44	1.0	0.2	0.7	1.3	43	1.1	0.2	0.8	1.5
1997	50	1.1	0.2	0.8	1.4	47	1.2	0.2	0.8	1.6
1998	50	1.1	0.2	0.8	1.4	48	1.2	0.2	0.8	1.6
1999	38	0.8	0.1	0.6	1.1	33	0.8	0.1	0.5	1.1
2000	44	0.9	0.1	0.6	1.2	40	0.9	0.1	0.6	1.3
2001	38	0.8	0.1	0.5	1.0	37	0.8	0.1	0.6	1.2
2002	51	1.0	0.1	0.8	1.4	49	1.1	0.2	0.8	1.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	23	0.3	0.1	0.2	0.4	8	0.5	0.2	0.2	1.3
1986	4	1.0	0.5	0.2	3.2	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	1	0.2	0.2	0.0	1.8	0	0.0	~	0.0	15.1
1992	2	0.4	0.3	0.0	2.1	1	0.9	0.9	0.0	14.6
1993	2	0.4	0.3	0.0	2.1	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	2	3.4	2.5	0.4	16.9
1995	1	0.2	0.2	0.0	1.7	1	0.6	0.6	0.0	11.9
1996	1	0.2	0.2	0.0	1.7	0	0.0	~	0.0	10.9
1997	2	0.5	0.4	0.0	2.2	0	0.0	~	0.0	10.2
1998	1	0.2	0.2	0.0	1.6	0	0.0	~	0.0	9.6
1999	3	0.6	0.4	0.1	2.4	2	1.6	1.3	0.1	11.1
2000	4	0.8	0.4	0.2	2.5	0	0.0	~	0.0	7.9
2001	0	0.0	~	0.0	1.3	1	0.4	0.4	0.0	7.3
2002	1	0.2	0.2	0.0	1.4	1	0.6	0.6	0.0	6.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	11	0.6	0.2	0.3	1.2	571	1.0	0.0	0.9	1.1
1990	0	0.0	~	0.0	7.6	45	1.0	0.2	0.7	1.4
1991	0	0.0	~	0.0	7.1	44	1.1	0.2	0.8	1.4
1992	1	1.8	1.8	0.0	10.1	41	0.9	0.1	0.7	1.3
1993	1	0.8	0.8	0.0	7.6	33	0.7	0.1	0.5	1.0
1994	3	1.5	0.9	0.3	8.0	47	1.1	0.2	0.8	1.4
1995	0	0.0	~	0.0	6.0	52	1.2	0.2	0.9	1.6
1996	1	1.6	1.6	0.0	8.8	43	1.0	0.2	0.7	1.3
1997	0	0.0	~	0.0	5.6	50	1.1	0.2	0.8	1.5
1998	1	0.3	0.3	0.0	5.6	49	1.1	0.2	0.8	1.4
1999	1	0.2	0.2	0.0	5.2	37	0.8	0.1	0.6	1.1
2000	1	0.5	0.5	0.0	5.2	43	0.9	0.1	0.6	1.2
2001	1	0.6	0.6	0.0	5.0	37	0.8	0.1	0.5	1.1
2002	1	0.4	0.4	0.0	4.1	50	1.1	0.2	0.8	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ureter, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	482	0.4	0.0	0.4	0.5	462	0.4	0.0	0.4	0.5
1986	21	0.3	0.1	0.2	0.5	19	0.3	0.1	0.2	0.5
1987	27	0.4	0.1	0.3	0.6	26	0.5	0.1	0.3	0.7
1988	34	0.5	0.1	0.4	0.8	34	0.6	0.1	0.4	0.9
1989	22	0.3	0.1	0.2	0.5	22	0.4	0.1	0.2	0.6
1990	30	0.4	0.1	0.3	0.6	27	0.4	0.1	0.3	0.7
1991	31	0.4	0.1	0.3	0.6	30	0.5	0.1	0.3	0.7
1992	31	0.5	0.1	0.3	0.7	30	0.5	0.1	0.3	0.7
1993	28	0.4	0.1	0.3	0.6	27	0.4	0.1	0.3	0.6
1994	32	0.5	0.1	0.3	0.7	31	0.5	0.1	0.3	0.7
1995	28	0.4	0.1	0.3	0.6	28	0.5	0.1	0.3	0.7
1996	26	0.4	0.1	0.2	0.6	24	0.4	0.1	0.3	0.6
1997	24	0.4	0.1	0.2	0.5	24	0.4	0.1	0.3	0.6
1998	30	0.4	0.1	0.3	0.6	28	0.4	0.1	0.3	0.6
1999	25	0.4	0.1	0.2	0.5	23	0.4	0.1	0.2	0.6
2000	36	0.5	0.1	0.3	0.7	34	0.5	0.1	0.4	0.8
2001	27	0.4	0.1	0.3	0.6	27	0.4	0.1	0.3	0.7
2002	30	0.4	0.1	0.3	0.6	28	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	14	0.1	0.0	0.1	0.2	4	0.2	0.1	0.1	0.7
1986	1	0.2	0.2	0.0	1.1	1	1.5	1.5	0.0	15.3
1987	1	0.2	0.2	0.0	1.2	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	2	0.4	0.3	0.0	1.4	0	0.0	~	0.0	11.2
1991	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	1	0.8	0.8	0.0	9.8
1993	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	8.0
1994	1	0.2	0.2	0.0	0.9	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	1	0.1	0.1	0.0	0.8	1	1.2	1.2	0.0	7.9
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	1	0.6	0.6	0.0	5.9
1999	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	4.7
2000	2	0.3	0.2	0.0	1.0	0	0.0	~	0.0	4.0
2001	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.4
2002	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	10	0.5	0.2	0.2	0.9	368	0.4	0.0	0.4	0.5
1990	0	0.0	~	0.0	4.2	30	0.5	0.1	0.3	0.7
1991	3	2.5	1.5	0.5	8.2	28	0.4	0.1	0.3	0.6
1992	1	0.8	0.8	0.0	5.3	30	0.5	0.1	0.3	0.7
1993	0	0.0	~	0.0	3.7	28	0.4	0.1	0.3	0.6
1994	0	0.0	~	0.0	3.5	32	0.5	0.1	0.3	0.7
1995	0	0.0	~	0.0	3.4	28	0.4	0.1	0.3	0.6
1996	1	0.9	0.9	0.0	4.8	25	0.4	0.1	0.2	0.6
1997	1	0.8	0.8	0.0	4.7	23	0.4	0.1	0.2	0.6
1998	1	0.4	0.4	0.0	3.5	29	0.4	0.1	0.3	0.6
1999	1	0.4	0.4	0.0	3.6	24	0.4	0.1	0.2	0.6
2000	0	0.0	~	0.0	2.7	36	0.5	0.1	0.4	0.7
2001	1	0.4	0.4	0.0	3.0	26	0.4	0.1	0.2	0.6
2002	1	0.3	0.3	0.0	2.4	29	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Eye and Orbit, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,386	0.7	0.0	0.7	0.7	1,236	0.7	0.0	0.7	0.8
1986	66	0.6	0.1	0.5	0.8	60	0.7	0.1	0.5	0.9
1987	82	0.8	0.1	0.6	1.0	72	0.8	0.1	0.6	1.0
1988	83	0.8	0.1	0.6	0.9	72	0.8	0.1	0.6	1.0
1989	60	0.6	0.1	0.4	0.7	55	0.6	0.1	0.4	0.8
1990	62	0.6	0.1	0.4	0.7	51	0.5	0.1	0.4	0.7
1991	71	0.6	0.1	0.5	0.8	61	0.6	0.1	0.5	0.8
1992	97	0.8	0.1	0.7	1.0	87	0.9	0.1	0.7	1.1
1993	76	0.7	0.1	0.5	0.8	69	0.7	0.1	0.5	0.9
1994	77	0.7	0.1	0.5	0.8	71	0.7	0.1	0.6	0.9
1995	95	0.8	0.1	0.6	1.0	87	0.9	0.1	0.7	1.1
1996	115	1.0	0.1	0.8	1.2	103	1.0	0.1	0.9	1.3
1997	77	0.7	0.1	0.5	0.8	72	0.7	0.1	0.6	0.9
1998	64	0.5	0.1	0.4	0.7	60	0.6	0.1	0.5	0.8
1999	90	0.8	0.1	0.6	0.9	83	0.8	0.1	0.7	1.0
2000	91	0.8	0.1	0.6	0.9	80	0.8	0.1	0.6	1.0
2001	97	0.8	0.1	0.6	1.0	84	0.8	0.1	0.7	1.0
2002	83	0.7	0.1	0.5	0.8	69	0.7	0.1	0.5	0.8
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	87	0.3	0.0	0.2	0.3	25	0.5	0.1	0.3	0.9
1986	3	0.2	0.1	0.0	0.8	3	1.8	1.1	0.3	10.0
1987	6	0.4	0.2	0.1	1.1	1	0.3	0.3	0.0	7.8
1988	8	0.4	0.1	0.2	1.0	2	0.6	0.4	0.1	7.6
1989	4	0.2	0.1	0.1	0.7	1	0.3	0.3	0.0	7.0
1990	7	0.4	0.2	0.2	1.1	1	0.2	0.2	0.0	6.9
1991	2	0.1	0.1	0.0	0.6	0	0.0	~	0.0	6.0
1992	9	0.5	0.2	0.2	1.1	0	0.0	~	0.0	5.4
1993	4	0.2	0.1	0.0	0.7	1	0.3	0.3	0.0	5.1
1994	5	0.3	0.1	0.1	0.8	1	0.2	0.2	0.0	4.8
1995	5	0.2	0.1	0.1	0.7	1	0.2	0.2	0.0	4.3
1996	6	0.3	0.1	0.1	0.9	2	0.8	0.7	0.1	4.9
1997	4	0.2	0.1	0.1	0.7	1	0.2	0.2	0.0	3.8
1998	2	0.1	0.1	0.0	0.6	1	0.2	0.2	0.0	3.5
1999	4	0.2	0.1	0.1	0.6	1	0.5	0.5	0.0	3.8
2000	3	0.2	0.1	0.0	0.7	2	0.6	0.5	0.1	3.5
2001	7	0.3	0.1	0.1	0.8	4	1.3	0.7	0.3	4.2
2002	8	0.3	0.1	0.1	0.8	3	0.6	0.3	0.1	2.6
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	59	0.5	0.1	0.3	0.8	1,036	0.7	0.0	0.7	0.8
1990	4	0.9	0.6	0.1	4.0	58	0.6	0.1	0.4	0.7
1991	5	0.5	0.3	0.1	3.1	66	0.6	0.1	0.5	0.8
1992	5	0.7	0.4	0.2	3.3	92	0.8	0.1	0.7	1.0
1993	2	0.2	0.2	0.0	2.6	74	0.7	0.1	0.5	0.8
1994	1	0.1	0.1	0.0	2.3	76	0.7	0.1	0.5	0.9
1995	7	0.5	0.2	0.2	2.6	88	0.8	0.1	0.6	1.0
1996	7	1.2	0.6	0.3	3.8	108	1.0	0.1	0.8	1.2
1997	1	0.0	0.0	0.0	2.0	76	0.7	0.1	0.5	0.9
1998	2	0.2	0.2	0.0	2.1	62	0.6	0.1	0.4	0.7
1999	3	0.3	0.2	0.0	2.2	87	0.8	0.1	0.6	1.0
2000	7	1.1	0.6	0.2	3.5	84	0.7	0.1	0.6	0.9
2001	10	0.6	0.3	0.2	2.2	87	0.8	0.1	0.6	0.9
2002	5	0.2	0.1	0.1	1.5	78	0.7	0.1	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Eye and Orbit, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	737	0.8	0.0	0.8	0.9	651	0.9	0.0	0.8	1.0
1986	37	0.8	0.1	0.5	1.1	33	0.8	0.1	0.5	1.2
1987	40	0.8	0.1	0.6	1.2	34	0.8	0.1	0.6	1.2
1988	43	0.9	0.1	0.6	1.2	37	0.9	0.1	0.6	1.2
1989	27	0.6	0.1	0.4	0.9	24	0.6	0.1	0.4	1.0
1990	32	0.7	0.1	0.4	1.0	27	0.6	0.1	0.4	1.0
1991	33	0.7	0.1	0.5	1.0	30	0.7	0.1	0.5	1.1
1992	50	1.0	0.1	0.7	1.3	43	1.0	0.2	0.7	1.4
1993	37	0.7	0.1	0.5	1.0	34	0.8	0.1	0.5	1.1
1994	39	0.8	0.1	0.5	1.1	37	0.8	0.1	0.6	1.2
1995	54	1.0	0.1	0.7	1.3	49	1.1	0.2	0.8	1.4
1996	64	1.3	0.2	1.0	1.6	54	1.2	0.2	0.9	1.6
1997	44	0.9	0.1	0.6	1.2	39	0.9	0.1	0.6	1.3
1998	29	0.5	0.1	0.4	0.8	28	0.6	0.1	0.4	0.9
1999	49	0.9	0.1	0.7	1.3	46	1.0	0.2	0.8	1.4
2000	54	1.0	0.1	0.8	1.3	47	1.0	0.2	0.8	1.4
2001	52	1.0	0.1	0.7	1.3	44	1.0	0.1	0.7	1.3
2002	53	0.9	0.1	0.7	1.2	45	0.9	0.1	0.7	1.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	52	0.4	0.1	0.3	0.5	15	0.7	0.3	0.3	1.6
1986	3	0.3	0.2	0.1	2.2	1	0.7	0.7	0.0	20.7
1987	4	0.6	0.3	0.1	2.4	1	0.6	0.6	0.0	19.4
1988	4	0.5	0.3	0.1	2.3	2	1.1	0.8	0.1	18.6
1989	2	0.2	0.1	0.0	1.9	1	0.5	0.5	0.0	17.0
1990	4	0.4	0.2	0.1	2.2	0	0.0	~	0.0	16.8
1991	1	0.1	0.1	0.0	1.8	0	0.0	~	0.0	15.1
1992	6	0.5	0.2	0.2	2.1	0	0.0	~	0.0	13.7
1993	2	0.1	0.1	0.0	1.7	0	0.0	~	0.0	12.7
1994	2	0.2	0.2	0.0	1.8	0	0.0	~	0.0	12.3
1995	3	0.3	0.2	0.1	1.8	1	0.5	0.5	0.0	11.8
1996	5	0.7	0.3	0.2	2.3	1	1.6	1.6	0.0	13.0
1997	4	0.5	0.3	0.1	2.0	1	0.4	0.4	0.0	10.6
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	1	1.3	1.3	0.0	10.8
2000	3	0.6	0.4	0.1	2.2	1	0.4	0.4	0.0	8.2
2001	4	0.5	0.3	0.1	1.9	3	2.9	2.0	0.4	11.5
2002	5	0.4	0.2	0.1	1.7	2	0.7	0.5	0.1	6.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	29	0.5	0.2	0.3	1.1	561	0.9	0.0	0.8	1.0
1990	2	0.5	0.4	0.0	8.0	30	0.6	0.1	0.4	1.0
1991	4	0.5	0.3	0.1	7.5	29	0.7	0.1	0.4	1.0
1992	1	0.5	0.5	0.0	7.2	49	1.0	0.1	0.7	1.4
1993	0	0.0	~	0.0	6.7	37	0.8	0.1	0.5	1.1
1994	0	0.0	~	0.0	6.4	39	0.8	0.1	0.6	1.1
1995	3	0.3	0.2	0.1	6.2	51	1.0	0.1	0.8	1.4
1996	5	2.5	1.7	0.4	9.6	59	1.2	0.2	0.9	1.6
1997	1	0.1	0.1	0.0	5.6	43	0.9	0.1	0.6	1.2
1998	1	0.3	0.3	0.0	5.6	28	0.6	0.1	0.4	0.8
1999	0	0.0	~	0.0	5.0	49	1.0	0.1	0.7	1.3
2000	4	1.5	1.3	0.1	7.1	50	1.0	0.1	0.7	1.3
2001	5	0.6	0.3	0.1	4.5	47	0.9	0.1	0.7	1.3
2002	3	0.3	0.2	0.1	3.8	50	1.0	0.1	0.7	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Eye and Orbit, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	649	0.6	0.0	0.6	0.7	585	0.6	0.0	0.6	0.7
1986	29	0.5	0.1	0.3	0.8	27	0.6	0.1	0.4	0.8
1987	42	0.7	0.1	0.5	1.0	38	0.8	0.1	0.5	1.1
1988	40	0.7	0.1	0.5	0.9	35	0.7	0.1	0.5	1.0
1989	33	0.6	0.1	0.4	0.8	31	0.6	0.1	0.4	0.9
1990	30	0.5	0.1	0.3	0.7	24	0.4	0.1	0.3	0.7
1991	38	0.6	0.1	0.4	0.9	31	0.6	0.1	0.4	0.8
1992	47	0.7	0.1	0.5	1.0	44	0.8	0.1	0.6	1.1
1993	39	0.6	0.1	0.4	0.9	35	0.7	0.1	0.5	0.9
1994	38	0.6	0.1	0.4	0.8	34	0.6	0.1	0.4	0.9
1995	41	0.6	0.1	0.5	0.9	38	0.7	0.1	0.5	1.0
1996	51	0.8	0.1	0.6	1.1	49	0.9	0.1	0.7	1.2
1997	33	0.5	0.1	0.3	0.7	33	0.6	0.1	0.4	0.8
1998	35	0.5	0.1	0.4	0.8	32	0.6	0.1	0.4	0.8
1999	41	0.6	0.1	0.5	0.9	37	0.7	0.1	0.5	1.0
2000	37	0.5	0.1	0.4	0.8	33	0.6	0.1	0.4	0.8
2001	45	0.7	0.1	0.5	0.9	40	0.7	0.1	0.5	1.0
2002	30	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	35	0.2	0.0	0.1	0.3	10	0.4	0.1	0.2	0.8
1986	0	0.0	~	0.0	0.8	2	2.7	1.9	0.3	16.6
1987	2	0.2	0.2	0.0	1.2	0	0.0	~	0.0	12.6
1988	4	0.3	0.2	0.1	1.2	0	0.0	~	0.0	12.0
1989	2	0.2	0.1	0.0	1.0	0	0.0	~	0.0	11.4
1990	3	0.4	0.2	0.1	1.3	1	0.5	0.5	0.0	11.6
1991	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	10.0
1992	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	9.0
1993	2	0.2	0.2	0.0	0.9	1	0.5	0.5	0.0	8.5
1994	3	0.3	0.2	0.1	1.2	1	0.5	0.5	0.0	7.7
1995	2	0.1	0.1	0.0	0.8	0	0.0	~	0.0	6.4
1996	1	0.1	0.1	0.0	0.7	1	0.4	0.4	0.0	6.2
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	2	0.2	0.1	0.0	0.9	1	0.4	0.4	0.0	5.5
1999	4	0.4	0.2	0.1	1.1	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	1	0.8	0.8	0.0	5.2
2001	3	0.2	0.1	0.0	0.9	1	0.4	0.4	0.0	3.9
2002	3	0.2	0.1	0.1	0.9	1	0.4	0.4	0.0	3.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	30	0.5	0.1	0.3	0.9	475	0.6	0.0	0.6	0.7
1990	2	1.0	0.9	0.0	5.9	28	0.5	0.1	0.3	0.7
1991	1	0.4	0.4	0.0	4.7	37	0.6	0.1	0.4	0.9
1992	4	1.0	0.6	0.2	5.0	43	0.7	0.1	0.5	1.0
1993	2	0.4	0.4	0.0	4.1	37	0.6	0.1	0.4	0.9
1994	1	0.1	0.1	0.0	3.6	37	0.6	0.1	0.4	0.9
1995	4	0.7	0.4	0.1	4.0	37	0.6	0.1	0.4	0.8
1996	2	0.4	0.3	0.0	3.7	49	0.8	0.1	0.6	1.1
1997	0	0.0	~	0.0	3.1	33	0.5	0.1	0.4	0.8
1998	1	0.1	0.1	0.0	3.1	34	0.6	0.1	0.4	0.8
1999	3	0.6	0.5	0.1	3.7	38	0.6	0.1	0.5	0.9
2000	3	1.0	0.8	0.1	4.3	34	0.5	0.1	0.4	0.8
2001	5	0.7	0.4	0.1	3.2	40	0.7	0.1	0.5	0.9
2002	2	0.1	0.1	0.0	2.2	28	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain and Other Nervous System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	12,465	6.3	0.1	6.2	6.4	11,213	6.8	0.1	6.6	6.9
1986	651	5.9	0.2	5.5	6.4	594	6.3	0.3	5.8	6.8
1987	680	6.3	0.2	5.8	6.8	606	6.6	0.3	6.0	7.1
1988	707	6.4	0.2	5.9	6.9	633	6.7	0.3	6.2	7.3
1989	757	6.8	0.3	6.4	7.4	683	7.2	0.3	6.7	7.8
1990	679	6.0	0.2	5.6	6.5	623	6.5	0.3	6.0	7.1
1991	726	6.4	0.2	6.0	6.9	664	6.9	0.3	6.4	7.5
1992	709	6.2	0.2	5.8	6.7	641	6.6	0.3	6.1	7.2
1993	714	6.2	0.2	5.7	6.7	643	6.6	0.3	6.1	7.1
1994	766	6.6	0.2	6.2	7.1	683	7.0	0.3	6.5	7.5
1995	720	6.2	0.2	5.7	6.6	661	6.8	0.3	6.3	7.3
1996	758	6.4	0.2	5.9	6.9	679	6.8	0.3	6.3	7.4
1997	786	6.6	0.2	6.2	7.1	709	7.1	0.3	6.6	7.7
1998	754	6.3	0.2	5.9	6.8	661	6.6	0.3	6.1	7.2
1999	785	6.5	0.2	6.1	7.0	694	6.9	0.3	6.4	7.4
2000	764	6.3	0.2	5.8	6.7	680	6.7	0.3	6.2	7.3
2001	779	6.4	0.2	5.9	6.8	711	7.0	0.3	6.5	7.5
2002	730	5.9	0.2	5.5	6.3	648	6.3	0.2	5.8	6.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,017	3.9	0.1	3.6	4.1	199	3.7	0.3	3.1	4.3
1986	53	3.7	0.5	2.7	5.0	4	1.5	0.7	0.4	9.4
1987	65	4.9	0.6	3.7	6.4	8	5.1	2.4	1.6	14.5
1988	66	4.5	0.6	3.5	5.9	7	3.1	1.4	1.0	10.7
1989	67	4.5	0.6	3.5	5.9	6	3.4	1.6	1.1	10.9
1990	48	3.2	0.5	2.3	4.5	8	3.2	1.2	1.4	10.2
1991	46	3.1	0.5	2.3	4.3	10	3.7	1.2	1.7	10.1
1992	65	4.2	0.5	3.2	5.5	2	0.6	0.4	0.1	6.0
1993	58	3.8	0.5	2.8	5.0	12	4.3	1.3	2.1	9.9
1994	77	5.0	0.6	3.9	6.4	3	0.8	0.4	0.2	5.3
1995	52	3.4	0.5	2.5	4.6	7	1.7	0.7	0.7	5.9
1996	63	3.8	0.5	2.9	4.9	15	3.9	1.1	2.1	8.2
1997	52	3.1	0.4	2.3	4.2	23	6.2	1.4	3.8	10.9
1998	66	4.0	0.5	3.0	5.2	24	6.9	1.6	4.1	11.8
1999	68	4.1	0.5	3.2	5.3	18	4.5	1.1	2.6	8.4
2000	69	4.2	0.5	3.2	5.4	12	2.7	0.8	1.3	5.8
2001	47	3.0	0.5	2.2	4.1	18	4.0	1.0	2.3	7.3
2002	55	3.2	0.5	2.4	4.3	22	4.5	1.0	2.7	7.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	545	5.1	0.3	4.6	5.7	9,125	6.4	0.1	6.3	6.5
1990	25	3.9	1.0	2.2	7.3	654	6.2	0.2	5.7	6.7
1991	35	5.8	1.3	3.6	9.6	691	6.5	0.2	6.0	7.0
1992	29	3.6	0.8	2.3	6.5	680	6.3	0.2	5.9	6.8
1993	33	5.3	1.1	3.3	8.7	681	6.3	0.2	5.8	6.8
1994	29	3.1	0.7	1.8	5.8	737	6.8	0.3	6.3	7.3
1995	36	3.8	0.7	2.5	6.4	684	6.3	0.2	5.8	6.8
1996	39	4.9	1.0	3.2	7.9	719	6.5	0.2	6.1	7.0
1997	52	6.1	1.1	4.1	9.2	734	6.7	0.2	6.2	7.2
1998	45	4.3	0.8	2.9	6.9	709	6.4	0.2	6.0	6.9
1999	50	5.8	1.0	3.9	8.8	735	6.6	0.2	6.1	7.1
2000	48	5.7	1.0	3.9	8.6	716	6.4	0.2	6.0	6.9
2001	59	6.2	1.1	4.2	9.0	720	6.4	0.2	6.0	6.9
2002	65	6.4	1.0	4.6	9.0	665	5.9	0.2	5.5	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain and Other Nervous System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,763	7.5	0.1	7.4	7.7	6,103	8.0	0.1	7.8	8.2
1986	337	6.7	0.4	6.0	7.5	313	7.2	0.4	6.4	8.1
1987	371	7.6	0.4	6.8	8.5	327	7.8	0.4	6.9	8.7
1988	376	7.5	0.4	6.7	8.3	346	8.0	0.4	7.2	8.9
1989	394	7.9	0.4	7.1	8.8	357	8.3	0.5	7.4	9.3
1990	374	7.3	0.4	6.5	8.1	341	7.8	0.4	7.0	8.7
1991	397	7.8	0.4	7.0	8.6	364	8.3	0.4	7.5	9.3
1992	387	7.5	0.4	6.8	8.4	352	8.1	0.4	7.2	9.0
1993	391	7.6	0.4	6.8	8.4	356	8.1	0.4	7.3	9.0
1994	436	8.4	0.4	7.6	9.2	391	8.8	0.5	7.9	9.8
1995	395	7.4	0.4	6.6	8.2	367	8.1	0.4	7.3	9.0
1996	417	7.6	0.4	6.9	8.4	378	8.2	0.4	7.4	9.1
1997	445	8.3	0.4	7.5	9.1	398	8.7	0.4	7.9	9.7
1998	417	7.6	0.4	6.9	8.4	362	7.9	0.4	7.1	8.8
1999	425	7.8	0.4	7.1	8.6	376	8.2	0.4	7.4	9.1
2000	401	7.2	0.4	6.5	7.9	355	7.6	0.4	6.8	8.4
2001	433	7.8	0.4	7.1	8.6	390	8.3	0.4	7.5	9.2
2002	367	6.4	0.3	5.8	7.1	330	6.9	0.4	6.2	7.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	527	4.5	0.2	4.1	5.0	116	4.5	0.5	3.6	5.8
1986	21	3.3	0.8	2.0	5.8	3	2.1	1.2	0.4	21.9
1987	37	6.2	1.1	4.2	9.2	6	9.9	5.6	2.1	33.2
1988	26	4.0	0.8	2.5	6.6	3	1.7	1.0	0.4	19.1
1989	34	5.0	1.0	3.3	7.8	3	1.8	1.0	0.4	18.0
1990	29	4.3	0.9	2.7	6.8	4	4.4	2.2	1.2	21.2
1991	25	4.2	0.9	2.6	6.9	6	3.9	1.6	1.4	18.7
1992	32	4.5	0.8	3.0	7.0	2	1.2	0.9	0.2	14.8
1993	28	4.0	0.8	2.6	6.4	7	5.8	2.5	1.9	19.3
1994	43	6.6	1.1	4.6	9.5	2	1.0	0.7	0.1	13.1
1995	23	3.4	0.8	2.0	5.7	5	2.6	1.2	0.8	13.8
1996	28	3.3	0.7	2.2	5.4	10	6.1	2.1	2.7	17.4
1997	32	4.6	0.9	3.0	7.1	13	8.0	2.5	3.9	19.2
1998	39	4.8	0.8	3.3	7.1	14	7.7	2.2	4.0	17.9
1999	36	5.0	0.9	3.4	7.4	10	4.9	1.6	2.3	14.3
2000	37	5.2	1.0	3.5	7.7	6	2.5	1.1	0.8	10.4
2001	31	4.8	0.9	3.2	7.2	12	6.6	2.2	3.1	15.0
2002	26	3.8	0.8	2.3	6.0	10	4.3	1.4	2.0	10.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	310	5.7	0.4	4.8	6.7	4,975	7.7	0.1	7.5	7.9
1990	15	3.2	1.2	1.3	10.8	359	7.5	0.4	6.7	8.3
1991	19	4.4	1.1	2.4	11.4	378	7.9	0.4	7.1	8.8
1992	17	4.4	1.2	2.4	11.1	370	7.7	0.4	6.9	8.5
1993	20	6.6	1.9	3.4	14.4	371	7.7	0.4	6.9	8.5
1994	15	3.6	1.4	1.4	10.4	421	8.7	0.4	7.8	9.5
1995	19	3.8	1.1	2.0	9.9	376	7.6	0.4	6.8	8.4
1996	23	5.9	1.8	2.9	12.8	394	7.8	0.4	7.0	8.6
1997	27	4.9	1.1	3.0	10.5	418	8.4	0.4	7.6	9.3
1998	30	6.0	1.5	3.4	12.1	387	7.7	0.4	6.9	8.5
1999	31	6.6	1.7	3.6	12.9	394	7.9	0.4	7.1	8.7
2000	23	6.2	1.6	3.5	11.9	378	7.4	0.4	6.7	8.2
2001	36	8.0	1.8	4.9	13.7	397	7.8	0.4	7.1	8.6
2002	35	6.8	1.5	4.1	11.7	332	6.4	0.4	5.8	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain and Other Nervous System, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,702	5.3	0.1	5.2	5.5	5,110	5.7	0.1	5.5	5.9
1986	314	5.2	0.3	4.7	5.9	281	5.5	0.3	4.9	6.2
1987	309	5.2	0.3	4.6	5.8	279	5.5	0.3	4.9	6.2
1988	331	5.5	0.3	5.0	6.2	287	5.7	0.3	5.0	6.4
1989	363	6.1	0.3	5.5	6.8	326	6.5	0.4	5.8	7.3
1990	305	5.1	0.3	4.5	5.7	282	5.5	0.3	4.9	6.3
1991	329	5.3	0.3	4.7	5.9	300	5.7	0.3	5.1	6.4
1992	322	5.2	0.3	4.6	5.8	289	5.5	0.3	4.9	6.2
1993	323	5.1	0.3	4.6	5.7	287	5.4	0.3	4.8	6.1
1994	330	5.2	0.3	4.6	5.8	292	5.4	0.3	4.8	6.1
1995	325	5.1	0.3	4.6	5.7	294	5.6	0.3	4.9	6.3
1996	341	5.3	0.3	4.8	5.9	301	5.7	0.3	5.0	6.4
1997	341	5.3	0.3	4.8	5.9	311	5.8	0.3	5.2	6.5
1998	337	5.2	0.3	4.7	5.8	299	5.6	0.3	5.0	6.3
1999	360	5.5	0.3	4.9	6.1	318	5.8	0.3	5.2	6.5
2000	363	5.6	0.3	5.0	6.2	325	6.0	0.3	5.4	6.7
2001	346	5.3	0.3	4.7	5.8	321	5.9	0.3	5.3	6.6
2002	363	5.5	0.3	4.9	6.1	318	5.8	0.3	5.2	6.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	490	3.4	0.2	3.1	3.7	83	2.9	0.3	2.3	3.8
1986	32	3.9	0.7	2.6	5.7	1	0.8	0.8	0.0	14.2
1987	28	3.7	0.7	2.4	5.6	2	1.6	1.2	0.2	14.2
1988	40	5.0	0.8	3.5	6.9	4	4.1	2.3	0.9	17.0
1989	33	4.2	0.8	2.8	6.0	3	4.4	2.5	0.9	17.1
1990	19	2.4	0.6	1.4	3.9	4	2.5	1.3	0.6	13.7
1991	21	2.5	0.6	1.5	3.9	4	3.3	1.7	0.8	13.7
1992	33	3.9	0.7	2.6	5.6	0	0.0	~	0.0	9.0
1993	30	3.6	0.7	2.4	5.2	5	3.2	1.4	1.0	11.6
1994	34	3.8	0.7	2.6	5.5	1	0.5	0.5	0.0	7.8
1995	29	3.5	0.7	2.3	5.1	2	0.8	0.6	0.1	7.2
1996	35	3.9	0.7	2.7	5.6	5	2.0	0.9	0.6	8.0
1997	20	2.1	0.5	1.2	3.3	10	4.9	1.6	2.3	11.4
1998	27	3.1	0.6	2.0	4.6	10	5.7	2.1	2.4	12.8
1999	32	3.5	0.6	2.4	5.0	8	4.1	1.5	1.7	9.8
2000	32	3.5	0.6	2.4	5.0	6	2.9	1.2	1.0	7.7
2001	16	1.8	0.4	1.0	2.9	6	2.2	0.9	0.8	6.1
2002	29	3.0	0.6	2.0	4.4	12	4.6	1.4	2.3	9.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	235	4.6	0.4	3.9	5.4	4,150	5.3	0.1	5.2	5.5
1990	10	4.4	1.5	2.0	9.9	295	5.1	0.3	4.6	5.8
1991	16	6.7	2.0	3.4	12.9	313	5.3	0.3	4.7	6.0
1992	12	2.8	0.9	1.2	7.1	310	5.2	0.3	4.7	5.9
1993	13	4.1	1.3	2.0	8.8	310	5.2	0.3	4.6	5.8
1994	14	2.9	0.9	1.5	6.8	316	5.2	0.3	4.7	5.8
1995	17	3.9	1.0	2.2	7.9	308	5.2	0.3	4.6	5.8
1996	16	4.2	1.2	2.1	8.4	325	5.5	0.3	4.9	6.1
1997	25	6.7	1.7	3.8	11.6	316	5.3	0.3	4.7	5.9
1998	15	2.8	0.9	1.4	6.3	322	5.4	0.3	4.8	6.0
1999	19	5.1	1.3	2.8	9.3	341	5.6	0.3	5.0	6.2
2000	25	5.4	1.3	3.1	9.5	338	5.6	0.3	5.0	6.2
2001	23	4.4	1.2	2.3	8.1	323	5.3	0.3	4.8	6.0
2002	30	6.1	1.3	3.8	9.7	333	5.5	0.3	4.9	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,694	5.9	0.1	5.8	6.0	10,599	6.4	0.1	6.3	6.5
1986	606	5.5	0.2	5.1	6.0	558	5.9	0.3	5.4	6.5
1987	620	5.7	0.2	5.3	6.2	558	6.0	0.3	5.5	6.6
1988	646	5.8	0.2	5.4	6.3	587	6.2	0.3	5.7	6.8
1989	705	6.4	0.2	5.9	6.9	645	6.8	0.3	6.3	7.4
1990	625	5.6	0.2	5.1	6.0	577	6.1	0.3	5.6	6.6
1991	681	6.0	0.2	5.6	6.5	629	6.6	0.3	6.1	7.1
1992	675	5.9	0.2	5.5	6.4	612	6.3	0.3	5.8	6.9
1993	653	5.7	0.2	5.2	6.1	594	6.1	0.3	5.6	6.6
1994	725	6.3	0.2	5.8	6.7	649	6.6	0.3	6.1	7.2
1995	688	5.9	0.2	5.5	6.4	634	6.5	0.3	6.0	7.0
1996	707	6.0	0.2	5.5	6.4	643	6.5	0.3	6.0	7.0
1997	746	6.3	0.2	5.8	6.8	674	6.8	0.3	6.3	7.3
1998	710	5.9	0.2	5.5	6.4	626	6.3	0.3	5.8	6.8
1999	740	6.1	0.2	5.7	6.6	656	6.5	0.3	6.0	7.0
2000	723	6.0	0.2	5.5	6.4	650	6.4	0.3	6.0	7.0
2001	745	6.1	0.2	5.7	6.5	683	6.7	0.3	6.2	7.2
2002	699	5.6	0.2	5.2	6.1	624	6.1	0.2	5.6	6.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	885	3.4	0.1	3.1	3.6	177	3.2	0.3	2.7	3.9
1986	44	3.0	0.5	2.2	4.2	4	1.5	0.7	0.4	9.4
1987	54	4.1	0.6	3.0	5.5	7	4.6	2.3	1.2	13.9
1988	52	3.5	0.5	2.5	4.7	6	2.6	1.3	0.7	10.1
1989	54	3.6	0.5	2.7	4.9	5	2.7	1.4	0.7	10.0
1990	40	2.8	0.5	1.9	4.0	8	3.2	1.2	1.4	10.2
1991	38	2.6	0.4	1.8	3.7	8	2.6	1.0	1.1	8.7
1992	61	4.0	0.5	3.0	5.3	1	0.3	0.3	0.0	5.7
1993	48	3.2	0.5	2.3	4.4	10	3.5	1.2	1.5	8.9
1994	70	4.5	0.6	3.5	5.8	3	0.8	0.4	0.2	5.3
1995	49	3.2	0.5	2.3	4.3	5	1.3	0.6	0.4	5.4
1996	54	3.2	0.5	2.3	4.2	10	2.6	0.9	1.2	6.7
1997	49	2.9	0.4	2.1	4.0	21	5.6	1.3	3.3	10.1
1998	59	3.5	0.5	2.6	4.6	23	6.7	1.6	3.9	11.5
1999	62	3.8	0.5	2.9	5.0	17	4.3	1.1	2.5	8.2
2000	58	3.6	0.5	2.7	4.7	12	2.7	0.8	1.3	5.8
2001	43	2.8	0.4	2.0	3.8	16	3.4	0.9	1.9	6.5
2002	50	2.9	0.4	2.2	4.0	21	4.3	1.0	2.6	7.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	497	4.8	0.3	4.3	5.4	8,620	6.1	0.1	5.9	6.2
1990	23	3.6	0.9	2.0	7.0	602	5.7	0.2	5.2	6.2
1991	31	5.2	1.2	3.1	8.9	650	6.1	0.2	5.6	6.6
1992	25	3.1	0.7	1.8	5.9	650	6.0	0.2	5.6	6.5
1993	29	4.8	1.1	2.9	8.1	624	5.8	0.2	5.3	6.2
1994	26	2.7	0.7	1.5	5.4	699	6.4	0.2	6.0	6.9
1995	34	3.7	0.7	2.4	6.3	654	6.0	0.2	5.6	6.5
1996	36	4.7	1.0	3.0	7.8	671	6.1	0.2	5.6	6.6
1997	51	6.0	1.1	4.1	9.2	695	6.3	0.2	5.8	6.8
1998	40	4.1	0.8	2.6	6.7	670	6.1	0.2	5.6	6.5
1999	43	5.1	1.0	3.3	8.0	697	6.3	0.2	5.8	6.7
2000	45	5.5	1.0	3.7	8.4	678	6.1	0.2	5.6	6.6
2001	53	5.8	1.1	3.9	8.6	692	6.2	0.2	5.7	6.6
2002	61	6.2	1.0	4.5	8.8	638	5.7	0.2	5.2	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,398	7.1	0.1	7.0	7.3	5,814	7.6	0.1	7.4	7.8
1986	317	6.3	0.4	5.6	7.1	298	6.9	0.4	6.1	7.8
1987	338	6.9	0.4	6.1	7.7	302	7.1	0.4	6.3	8.0
1988	358	7.1	0.4	6.4	7.9	333	7.7	0.4	6.9	8.6
1989	373	7.5	0.4	6.7	8.3	341	7.9	0.4	7.1	8.9
1990	348	6.8	0.4	6.1	7.6	319	7.3	0.4	6.5	8.2
1991	369	7.2	0.4	6.5	8.0	340	7.8	0.4	6.9	8.7
1992	371	7.2	0.4	6.5	8.0	339	7.7	0.4	6.9	8.6
1993	362	7.0	0.4	6.3	7.8	332	7.6	0.4	6.8	8.5
1994	423	8.1	0.4	7.3	9.0	380	8.6	0.4	7.7	9.5
1995	379	7.1	0.4	6.4	7.9	353	7.8	0.4	7.0	8.7
1996	392	7.2	0.4	6.5	8.0	362	7.9	0.4	7.1	8.7
1997	424	7.9	0.4	7.1	8.7	381	8.4	0.4	7.6	9.3
1998	392	7.1	0.4	6.4	7.9	339	7.4	0.4	6.6	8.2
1999	402	7.4	0.4	6.7	8.2	358	7.8	0.4	7.0	8.7
2000	384	6.9	0.4	6.2	7.6	343	7.3	0.4	6.6	8.1
2001	415	7.5	0.4	6.8	8.2	375	8.0	0.4	7.2	8.9
2002	351	6.1	0.3	5.5	6.8	319	6.7	0.4	5.9	7.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	466	4.1	0.2	3.7	4.5	103	4.0	0.4	3.2	5.1
1986	16	2.5	0.6	1.4	4.7	3	2.1	1.2	0.4	21.9
1987	29	5.2	1.0	3.4	8.1	6	9.9	5.6	2.1	33.2
1988	21	3.3	0.8	2.0	5.8	3	1.7	1.0	0.4	19.1
1989	29	4.4	0.9	2.8	7.1	3	1.8	1.0	0.4	18.0
1990	25	3.7	0.8	2.3	6.2	4	4.4	2.2	1.2	21.2
1991	21	3.7	0.9	2.2	6.3	6	3.9	1.6	1.4	18.7
1992	30	4.3	0.8	2.8	6.7	1	0.6	0.6	0.0	14.2
1993	24	3.5	0.8	2.2	5.9	6	4.8	2.3	1.4	18.1
1994	41	6.3	1.1	4.4	9.1	2	1.0	0.7	0.1	13.1
1995	22	3.2	0.8	1.9	5.6	4	2.1	1.0	0.6	13.3
1996	24	2.9	0.6	1.8	4.9	6	3.9	1.7	1.3	15.0
1997	30	4.4	0.9	2.9	6.9	11	6.6	2.2	3.0	17.5
1998	38	4.7	0.8	3.2	7.0	13	7.2	2.1	3.7	17.4
1999	32	4.5	0.8	3.0	6.8	9	4.6	1.6	2.0	14.0
2000	32	4.6	0.9	3.0	7.0	6	2.5	1.1	0.8	10.4
2001	29	4.5	0.9	3.0	7.0	11	5.4	1.8	2.5	13.2
2002	23	3.3	0.7	2.0	5.4	9	3.9	1.4	1.7	10.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	290	5.4	0.4	4.6	6.5	4,722	7.3	0.1	7.1	7.5
1990	14	3.1	1.2	1.2	10.7	334	6.9	0.4	6.2	7.8
1991	18	4.0	1.1	2.2	10.9	351	7.3	0.4	6.6	8.2
1992	15	3.8	1.1	2.0	10.4	356	7.4	0.4	6.6	8.2
1993	17	6.0	1.9	2.8	13.7	345	7.2	0.4	6.4	8.0
1994	15	3.6	1.4	1.4	10.4	408	8.4	0.4	7.6	9.3
1995	18	3.7	1.1	1.9	9.8	361	7.3	0.4	6.6	8.1
1996	21	5.7	1.8	2.7	12.7	371	7.4	0.4	6.6	8.2
1997	27	4.9	1.1	3.0	10.5	397	8.0	0.4	7.2	8.8
1998	26	5.6	1.5	3.0	11.7	366	7.3	0.4	6.5	8.1
1999	29	6.4	1.7	3.4	12.6	373	7.5	0.4	6.7	8.3
2000	22	6.1	1.6	3.4	11.8	362	7.1	0.4	6.4	7.9
2001	33	7.8	1.8	4.7	13.5	382	7.5	0.4	6.8	8.3
2002	35	6.8	1.5	4.1	11.7	316	6.1	0.3	5.5	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,296	4.9	0.1	4.8	5.1	4,785	5.3	0.1	5.2	5.5
1986	289	4.8	0.3	4.3	5.4	260	5.1	0.3	4.5	5.8
1987	282	4.7	0.3	4.2	5.3	256	5.1	0.3	4.4	5.7
1988	288	4.8	0.3	4.2	5.4	254	5.0	0.3	4.4	5.7
1989	332	5.6	0.3	5.0	6.2	304	6.1	0.4	5.4	6.8
1990	277	4.6	0.3	4.1	5.2	258	5.1	0.3	4.5	5.8
1991	312	5.0	0.3	4.5	5.6	289	5.5	0.3	4.8	6.2
1992	304	4.9	0.3	4.3	5.5	273	5.2	0.3	4.6	5.9
1993	291	4.6	0.3	4.1	5.2	262	4.9	0.3	4.3	5.5
1994	302	4.7	0.3	4.2	5.3	269	5.0	0.3	4.4	5.6
1995	309	4.9	0.3	4.3	5.5	281	5.3	0.3	4.7	6.0
1996	315	4.9	0.3	4.4	5.5	281	5.3	0.3	4.7	6.0
1997	322	5.0	0.3	4.5	5.6	293	5.5	0.3	4.9	6.1
1998	318	4.9	0.3	4.4	5.5	287	5.4	0.3	4.8	6.1
1999	338	5.1	0.3	4.6	5.7	298	5.5	0.3	4.9	6.1
2000	339	5.2	0.3	4.6	5.8	307	5.7	0.3	5.1	6.4
2001	330	5.0	0.3	4.5	5.6	308	5.7	0.3	5.1	6.4
2002	348	5.2	0.3	4.7	5.8	305	5.6	0.3	5.0	6.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	419	2.8	0.1	2.6	3.1	74	2.6	0.3	2.0	3.4
1986	28	3.4	0.7	2.2	5.2	1	0.8	0.8	0.0	14.2
1987	25	3.2	0.7	2.0	5.0	1	0.5	0.5	0.0	13.0
1988	31	3.6	0.7	2.4	5.3	3	3.1	2.1	0.5	15.8
1989	25	3.1	0.6	2.0	4.7	2	3.0	2.2	0.4	15.4
1990	15	2.0	0.5	1.1	3.4	4	2.5	1.3	0.6	13.7
1991	17	1.9	0.5	1.1	3.2	2	1.3	0.9	0.1	11.2
1992	31	3.7	0.7	2.5	5.4	0	0.0	~	0.0	9.0
1993	24	2.9	0.6	1.8	4.4	4	2.4	1.2	0.7	10.7
1994	29	3.2	0.6	2.1	4.7	1	0.5	0.5	0.0	7.8
1995	27	3.2	0.6	2.1	4.7	1	0.5	0.5	0.0	6.9
1996	30	3.3	0.6	2.2	4.8	4	1.5	0.8	0.4	7.4
1997	19	1.9	0.5	1.2	3.1	10	4.9	1.6	2.3	11.4
1998	21	2.4	0.5	1.5	3.7	10	5.7	2.1	2.4	12.8
1999	30	3.2	0.6	2.2	4.7	8	4.1	1.5	1.7	9.8
2000	26	2.9	0.6	1.9	4.3	6	2.9	1.2	1.0	7.7
2001	14	1.6	0.4	0.8	2.7	5	1.8	0.8	0.6	5.7
2002	27	2.8	0.6	1.9	4.2	12	4.6	1.4	2.3	9.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	207	4.2	0.3	3.5	5.0	3,898	5.0	0.1	4.9	5.2
1990	9	4.0	1.5	1.7	9.4	268	4.7	0.3	4.1	5.3
1991	13	5.8	1.9	2.7	11.8	299	5.1	0.3	4.5	5.7
1992	10	2.2	0.9	0.9	6.5	294	5.0	0.3	4.4	5.6
1993	12	3.9	1.3	1.8	8.5	279	4.6	0.3	4.1	5.2
1994	11	2.1	0.7	1.0	5.8	291	4.8	0.3	4.3	5.4
1995	16	3.7	1.0	2.0	7.6	293	4.9	0.3	4.3	5.5
1996	15	4.1	1.2	2.0	8.2	300	5.0	0.3	4.5	5.6
1997	24	6.6	1.7	3.7	11.5	298	5.0	0.3	4.4	5.6
1998	14	2.7	0.8	1.3	6.2	304	5.1	0.3	4.5	5.7
1999	14	4.0	1.2	1.9	8.0	324	5.3	0.3	4.8	6.0
2000	23	5.1	1.3	2.9	9.1	316	5.2	0.3	4.7	5.9
2001	20	3.9	1.2	1.9	7.6	310	5.1	0.3	4.6	5.7
2002	26	5.7	1.3	3.4	9.3	322	5.3	0.3	4.7	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Endocrine System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	12,459	6.3	0.1	6.2	6.4	10,805	6.6	0.1	6.4	6.7
1986	517	4.8	0.2	4.4	5.2	454	4.9	0.2	4.5	5.4
1987	551	5.1	0.2	4.6	5.5	490	5.3	0.2	4.9	5.8
1988	548	5.0	0.2	4.5	5.4	473	5.0	0.2	4.6	5.5
1989	523	4.7	0.2	4.3	5.2	450	4.8	0.2	4.4	5.3
1990	597	5.3	0.2	4.9	5.8	527	5.6	0.2	5.1	6.1
1991	565	5.0	0.2	4.6	5.5	497	5.2	0.2	4.8	5.7
1992	625	5.5	0.2	5.1	6.0	553	5.8	0.2	5.3	6.3
1993	666	5.8	0.2	5.4	6.3	588	6.1	0.3	5.6	6.6
1994	658	5.6	0.2	5.2	6.1	574	5.9	0.2	5.4	6.4
1995	725	6.1	0.2	5.7	6.6	620	6.3	0.3	5.8	6.8
1996	787	6.6	0.2	6.2	7.1	688	7.0	0.3	6.4	7.5
1997	825	6.9	0.2	6.5	7.4	699	7.0	0.3	6.5	7.6
1998	837	6.9	0.2	6.5	7.4	702	7.0	0.3	6.5	7.6
1999	929	7.6	0.3	7.1	8.1	807	8.1	0.3	7.5	8.6
2000	923	7.5	0.2	7.0	8.0	796	7.9	0.3	7.3	8.5
2001	1,003	8.1	0.3	7.6	8.6	860	8.5	0.3	7.9	9.0
2002	1,180	9.4	0.3	8.9	10.0	1,027	10.0	0.3	9.4	10.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,015	4.1	0.1	3.8	4.3	464	8.0	0.4	7.2	8.9
1986	40	3.1	0.5	2.1	4.3	18	9.1	2.5	4.9	18.7
1987	35	2.8	0.5	1.9	4.0	20	8.4	2.0	4.9	16.8
1988	52	4.0	0.6	3.0	5.4	21	7.6	1.7	4.6	15.3
1989	46	3.4	0.5	2.4	4.7	20	9.4	2.7	4.9	18.4
1990	50	3.6	0.5	2.6	4.9	15	5.1	1.4	2.8	12.1
1991	41	2.9	0.5	2.1	4.1	10	3.5	1.2	1.5	9.8
1992	47	3.2	0.5	2.3	4.3	19	7.1	1.9	3.9	13.8
1993	47	3.4	0.5	2.4	4.6	23	6.5	1.4	4.0	12.0
1994	56	3.9	0.5	2.9	5.2	22	6.7	1.5	4.0	12.3
1995	59	3.9	0.5	2.9	5.1	35	9.7	1.7	6.6	15.2
1996	65	4.1	0.5	3.2	5.4	28	7.9	1.7	4.9	13.2
1997	81	5.6	0.6	4.4	7.0	35	8.7	1.6	5.9	13.6
1998	78	5.0	0.6	3.9	6.3	42	10.0	1.7	6.9	15.0
1999	61	3.6	0.5	2.8	4.8	33	7.9	1.5	5.2	12.4
2000	68	4.1	0.5	3.2	5.3	39	9.4	1.7	6.3	14.0
2001	94	5.8	0.6	4.7	7.2	37	8.3	1.5	5.6	12.3
2002	95	5.8	0.6	4.7	7.2	47	8.7	1.3	6.3	12.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	660	5.5	0.3	5.1	6.1	9,660	6.8	0.1	6.7	7.0
1990	24	4.3	1.1	2.4	7.9	573	5.4	0.2	5.0	5.9
1991	30	4.1	0.8	2.6	7.2	535	5.1	0.2	4.6	5.5
1992	28	3.7	0.9	2.2	6.8	597	5.6	0.2	5.2	6.1
1993	37	5.2	1.0	3.4	8.4	629	5.9	0.2	5.4	6.4
1994	45	4.7	0.8	3.3	7.4	613	5.7	0.2	5.2	6.1
1995	42	5.9	1.1	3.9	9.1	683	6.3	0.2	5.8	6.7
1996	50	5.4	0.9	3.7	8.2	737	6.7	0.2	6.2	7.2
1997	45	4.6	0.8	3.1	7.3	780	7.1	0.3	6.6	7.6
1998	70	6.4	0.8	4.8	8.9	767	7.0	0.3	6.5	7.5
1999	73	7.2	1.1	5.3	10.2	856	7.8	0.3	7.2	8.3
2000	58	5.2	0.8	3.8	7.6	865	7.8	0.3	7.3	8.3
2001	78	6.7	0.9	5.1	9.1	925	8.3	0.3	7.8	8.8
2002	80	6.6	0.8	5.1	8.9	1,100	9.8	0.3	9.2	10.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Endocrine System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,412	3.8	0.1	3.6	3.9	2,991	3.9	0.1	3.7	4.0
1986	145	3.0	0.3	2.5	3.6	134	3.2	0.3	2.7	3.8
1987	163	3.3	0.3	2.8	3.9	145	3.4	0.3	2.9	4.1
1988	143	2.8	0.2	2.4	3.4	123	2.8	0.3	2.4	3.4
1989	134	2.7	0.2	2.2	3.2	121	2.8	0.3	2.3	3.4
1990	171	3.4	0.3	2.9	3.9	149	3.4	0.3	2.9	4.0
1991	155	3.0	0.3	2.6	3.6	139	3.2	0.3	2.7	3.8
1992	186	3.6	0.3	3.1	4.2	162	3.6	0.3	3.1	4.3
1993	192	3.7	0.3	3.2	4.2	177	4.0	0.3	3.4	4.6
1994	188	3.5	0.3	3.0	4.1	160	3.5	0.3	3.0	4.1
1995	187	3.4	0.3	3.0	4.0	163	3.6	0.3	3.0	4.2
1996	219	4.0	0.3	3.5	4.6	191	4.1	0.3	3.6	4.8
1997	226	4.1	0.3	3.6	4.7	194	4.2	0.3	3.6	4.8
1998	252	4.6	0.3	4.0	5.2	211	4.5	0.3	3.9	5.2
1999	249	4.4	0.3	3.8	5.0	219	4.6	0.3	4.0	5.2
2000	218	3.8	0.3	3.3	4.4	195	4.1	0.3	3.5	4.7
2001	285	5.0	0.3	4.4	5.6	246	5.1	0.3	4.5	5.8
2002	299	5.1	0.3	4.5	5.7	262	5.4	0.3	4.7	6.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	258	2.5	0.2	2.2	2.8	124	4.6	0.5	3.7	5.8
1986	7	1.4	0.5	0.5	3.6	4	5.5	3.3	1.0	26.6
1987	12	2.4	0.8	1.1	4.9	5	4.3	2.1	1.2	23.1
1988	14	2.5	0.7	1.3	4.8	6	4.4	1.9	1.5	21.8
1989	8	1.5	0.6	0.5	3.8	4	6.4	4.7	0.7	26.8
1990	16	3.0	0.8	1.6	5.6	4	3.2	1.6	0.8	19.7
1991	9	1.3	0.4	0.6	3.2	5	3.7	1.9	1.0	18.8
1992	16	2.5	0.6	1.4	4.6	7	7.1	3.2	2.3	22.3
1993	11	1.7	0.6	0.8	3.7	1	0.4	0.4	0.0	13.0
1994	21	4.1	0.9	2.4	6.7	5	3.5	1.7	1.0	15.9
1995	13	1.8	0.5	0.9	3.7	8	4.1	1.5	1.7	15.4
1996	19	2.9	0.7	1.7	5.1	8	4.2	1.6	1.8	15.0
1997	20	3.2	0.8	1.9	5.5	12	5.6	1.7	2.8	15.8
1998	22	3.2	0.7	2.0	5.3	13	7.1	2.1	3.6	17.4
1999	16	2.3	0.6	1.3	4.3	8	4.3	1.7	1.7	13.8
2000	10	1.2	0.4	0.6	2.8	8	3.8	1.4	1.6	11.8
2001	25	3.9	0.8	2.5	6.1	10	4.5	1.6	2.0	12.0
2002	19	2.7	0.6	1.6	4.7	16	5.5	1.4	3.1	11.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	165	2.8	0.3	2.3	3.5	2,662	4.1	0.1	3.9	4.2
1990	4	0.9	0.5	0.2	8.3	167	3.5	0.3	3.0	4.1
1991	8	2.4	1.1	0.7	9.6	147	3.1	0.3	2.6	3.7
1992	8	1.8	0.7	0.7	8.3	178	3.7	0.3	3.1	4.3
1993	8	3.2	1.5	1.0	10.5	184	3.8	0.3	3.2	4.4
1994	12	1.9	0.6	0.9	8.0	176	3.5	0.3	3.0	4.1
1995	10	3.7	1.5	1.4	10.4	177	3.5	0.3	3.0	4.1
1996	15	3.5	1.3	1.5	9.7	204	4.0	0.3	3.5	4.7
1997	13	3.6	1.3	1.5	9.7	213	4.2	0.3	3.7	4.8
1998	16	3.6	1.0	1.9	9.0	236	4.6	0.3	4.1	5.3
1999	18	3.0	0.9	1.6	8.1	231	4.5	0.3	3.9	5.1
2000	14	2.2	0.7	1.0	6.7	204	4.0	0.3	3.4	4.5
2001	19	3.1	0.8	1.7	7.2	266	5.1	0.3	4.5	5.8
2002	20	2.7	0.7	1.6	6.4	279	5.3	0.3	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Endocrine System, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9,047	8.8	0.1	8.6	8.9	7,814	9.2	0.1	9.0	9.4
1986	372	6.5	0.3	5.8	7.2	320	6.6	0.4	5.9	7.4
1987	388	6.8	0.4	6.1	7.5	345	7.2	0.4	6.5	8.1
1988	405	6.9	0.4	6.3	7.7	350	7.1	0.4	6.4	7.9
1989	389	6.6	0.3	6.0	7.4	329	6.7	0.4	6.0	7.5
1990	426	7.2	0.4	6.5	7.9	378	7.6	0.4	6.9	8.5
1991	410	6.9	0.3	6.3	7.7	358	7.3	0.4	6.6	8.1
1992	439	7.3	0.4	6.6	8.0	391	7.8	0.4	7.0	8.6
1993	474	7.8	0.4	7.1	8.6	411	8.2	0.4	7.4	9.0
1994	470	7.7	0.4	7.0	8.5	414	8.3	0.4	7.5	9.1
1995	538	8.7	0.4	8.0	9.4	457	9.0	0.4	8.2	9.9
1996	568	9.1	0.4	8.4	9.9	497	9.7	0.4	8.9	10.6
1997	599	9.5	0.4	8.8	10.4	505	9.8	0.4	9.0	10.7
1998	585	9.3	0.4	8.6	10.1	491	9.7	0.4	8.8	10.6
1999	680	10.8	0.4	10.0	11.6	588	11.5	0.5	10.6	12.5
2000	705	11.0	0.4	10.2	11.9	601	11.6	0.5	10.7	12.6
2001	718	11.2	0.4	10.4	12.1	614	11.9	0.5	10.9	12.9
2002	881	13.6	0.5	12.7	14.5	765	14.6	0.5	13.6	15.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	757	5.3	0.2	4.9	5.7	340	11.0	0.6	9.8	12.4
1986	33	4.4	0.8	3.0	6.3	14	12.5	3.7	6.3	27.9
1987	23	3.1	0.7	1.9	4.9	15	12.0	3.3	6.4	26.1
1988	38	5.2	0.9	3.6	7.3	15	10.6	2.8	5.8	23.5
1989	38	4.9	0.8	3.4	6.9	16	12.1	3.4	6.5	25.3
1990	34	4.2	0.7	2.9	6.0	11	6.8	2.1	3.3	18.3
1991	32	4.1	0.8	2.8	6.0	5	3.3	1.6	1.0	13.5
1992	31	3.7	0.7	2.5	5.4	12	7.4	2.3	3.5	17.4
1993	36	4.6	0.8	3.2	6.5	22	12.3	2.7	7.6	22.0
1994	35	4.0	0.7	2.8	5.7	17	9.5	2.5	5.3	18.5
1995	46	5.4	0.8	3.9	7.3	27	14.3	2.9	9.2	23.3
1996	46	5.1	0.8	3.7	7.0	20	10.5	2.7	6.0	18.9
1997	61	7.4	1.0	5.6	9.5	23	11.2	2.5	6.9	19.0
1998	56	6.3	0.9	4.7	8.3	29	12.4	2.6	7.9	20.1
1999	45	4.7	0.7	3.5	6.4	25	11.1	2.4	7.0	18.1
2000	58	6.3	0.8	4.7	8.2	31	13.9	2.7	9.0	21.3
2001	69	7.4	0.9	5.8	9.5	27	11.5	2.3	7.4	17.8
2002	76	8.2	0.9	6.4	10.3	31	11.5	2.1	7.7	17.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	495	8.5	0.4	7.7	9.5	6,998	9.4	0.1	9.2	9.6
1990	20	7.3	1.9	4.0	13.3	406	7.2	0.4	6.5	8.0
1991	22	6.2	1.4	3.7	11.2	388	7.0	0.4	6.3	7.7
1992	20	5.5	1.4	3.1	10.5	419	7.4	0.4	6.7	8.2
1993	29	7.7	1.6	4.9	12.7	445	7.9	0.4	7.2	8.7
1994	33	7.7	1.5	5.1	12.3	437	7.7	0.4	7.0	8.5
1995	32	8.3	1.7	5.4	13.3	506	8.8	0.4	8.1	9.6
1996	35	7.6	1.4	5.1	12.1	533	9.2	0.4	8.5	10.1
1997	32	6.1	1.2	4.0	10.1	567	9.7	0.4	9.0	10.6
1998	54	9.7	1.4	7.1	13.9	531	9.2	0.4	8.5	10.0
1999	55	11.3	1.8	8.0	16.4	625	10.9	0.4	10.0	11.7
2000	44	8.4	1.4	5.9	12.5	661	11.4	0.4	10.5	12.3
2001	59	10.5	1.5	7.7	14.7	659	11.3	0.4	10.5	12.2
2002	60	10.6	1.5	7.9	14.6	821	14.0	0.5	13.1	15.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Thyroid, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	11,269	5.7	0.1	5.6	5.8	9,840	6.0	0.1	5.9	6.1
1986	465	4.3	0.2	3.9	4.7	408	4.4	0.2	4.0	4.9
1987	481	4.4	0.2	4.0	4.9	430	4.7	0.2	4.3	5.2
1988	501	4.5	0.2	4.1	5.0	437	4.7	0.2	4.2	5.1
1989	459	4.1	0.2	3.8	4.6	393	4.2	0.2	3.8	4.6
1990	533	4.8	0.2	4.4	5.2	477	5.1	0.2	4.6	5.5
1991	508	4.5	0.2	4.1	4.9	450	4.7	0.2	4.3	5.2
1992	536	4.7	0.2	4.3	5.1	478	5.0	0.2	4.5	5.5
1993	589	5.1	0.2	4.7	5.6	523	5.4	0.2	5.0	5.9
1994	597	5.1	0.2	4.7	5.6	525	5.4	0.2	4.9	5.9
1995	645	5.4	0.2	5.0	5.9	553	5.6	0.2	5.1	6.1
1996	712	6.0	0.2	5.6	6.5	629	6.4	0.3	5.9	6.9
1997	752	6.3	0.2	5.9	6.8	647	6.5	0.3	6.0	7.0
1998	772	6.4	0.2	5.9	6.9	654	6.5	0.3	6.1	7.1
1999	851	7.0	0.2	6.5	7.5	745	7.4	0.3	6.9	8.0
2000	858	7.0	0.2	6.5	7.5	743	7.4	0.3	6.8	7.9
2001	912	7.4	0.2	6.9	7.9	788	7.7	0.3	7.2	8.3
2002	1,098	8.8	0.3	8.3	9.3	960	9.4	0.3	8.8	10.0
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	848	3.4	0.1	3.2	3.7	412	7.1	0.4	6.4	8.0
1986	35	2.7	0.5	1.8	3.9	17	8.7	2.4	4.6	18.2
1987	29	2.4	0.5	1.6	3.6	17	7.2	1.9	4.0	15.5
1988	44	3.5	0.5	2.5	4.8	18	6.8	1.7	3.9	14.5
1989	41	3.1	0.5	2.2	4.4	18	8.8	2.7	4.4	17.9
1990	38	2.8	0.5	2.0	4.0	13	4.4	1.3	2.2	11.3
1991	33	2.5	0.5	1.7	3.6	8	3.0	1.1	1.2	9.2
1992	37	2.5	0.4	1.8	3.6	15	5.7	1.7	2.8	12.3
1993	38	2.6	0.4	1.8	3.7	20	5.7	1.3	3.4	11.2
1994	47	3.3	0.5	2.4	4.5	20	5.9	1.4	3.5	11.4
1995	51	3.4	0.5	2.5	4.6	31	8.7	1.7	5.7	14.1
1996	52	3.3	0.5	2.5	4.4	25	7.2	1.7	4.3	12.6
1997	63	4.5	0.6	3.4	5.8	32	8.1	1.5	5.4	13.0
1998	65	4.2	0.5	3.2	5.5	38	8.8	1.6	5.9	13.7
1999	49	2.9	0.4	2.1	3.9	30	7.1	1.4	4.6	11.5
2000	61	3.7	0.5	2.8	4.9	34	7.9	1.6	5.2	12.3
2001	82	5.1	0.6	4.0	6.4	32	6.9	1.3	4.6	10.5
2002	83	5.1	0.6	4.0	6.4	44	8.2	1.3	5.8	11.6
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	594	5.0	0.2	4.5	5.5	8,769	6.2	0.1	6.1	6.3
1990	23	3.8	1.0	2.1	7.3	510	4.8	0.2	4.4	5.3
1991	27	3.9	0.8	2.4	7.0	481	4.6	0.2	4.1	5.0
1992	25	3.4	0.8	1.9	6.4	511	4.8	0.2	4.4	5.2
1993	31	4.0	0.8	2.6	6.8	558	5.2	0.2	4.8	5.7
1994	37	4.2	0.8	2.8	6.9	560	5.2	0.2	4.8	5.6
1995	37	5.1	1.0	3.3	8.2	608	5.6	0.2	5.1	6.0
1996	45	4.9	0.9	3.3	7.6	667	6.1	0.2	5.6	6.6
1997	38	3.9	0.8	2.5	6.4	714	6.5	0.2	6.0	7.0
1998	65	5.7	0.8	4.3	8.2	707	6.4	0.2	5.9	6.9
1999	68	6.8	1.1	4.9	9.8	783	7.1	0.3	6.6	7.6
2000	55	4.9	0.7	3.5	7.2	803	7.2	0.3	6.7	7.7
2001	70	6.1	0.8	4.6	8.5	842	7.5	0.3	7.0	8.1
2002	73	6.2	0.8	4.7	8.4	1,025	9.1	0.3	8.6	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Thyroid, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,779	3.1	0.1	3.0	3.2	2,471	3.2	0.1	3.1	3.3
1986	116	2.4	0.2	2.0	2.9	106	2.5	0.3	2.1	3.1
1987	128	2.6	0.2	2.2	3.2	113	2.7	0.3	2.2	3.3
1988	120	2.4	0.2	2.0	2.9	103	2.4	0.2	2.0	3.0
1989	96	2.0	0.2	1.6	2.4	88	2.1	0.2	1.6	2.6
1990	138	2.7	0.2	2.3	3.3	123	2.8	0.3	2.3	3.4
1991	123	2.4	0.2	2.0	2.9	112	2.6	0.2	2.1	3.1
1992	139	2.7	0.2	2.2	3.2	125	2.8	0.3	2.3	3.4
1993	148	2.8	0.2	2.4	3.3	139	3.1	0.3	2.6	3.7
1994	150	2.8	0.2	2.4	3.3	128	2.8	0.3	2.3	3.4
1995	149	2.7	0.2	2.3	3.3	132	2.9	0.3	2.4	3.4
1996	177	3.3	0.2	2.8	3.8	158	3.4	0.3	2.9	4.0
1997	191	3.5	0.3	3.0	4.0	169	3.6	0.3	3.1	4.2
1998	216	3.9	0.3	3.4	4.5	184	3.9	0.3	3.4	4.6
1999	214	3.8	0.3	3.3	4.3	190	4.0	0.3	3.4	4.6
2000	188	3.3	0.2	2.8	3.8	171	3.6	0.3	3.1	4.2
2001	233	4.1	0.3	3.6	4.7	206	4.3	0.3	3.7	4.9
2002	253	4.3	0.3	3.8	4.9	224	4.6	0.3	4.0	5.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	179	1.8	0.1	1.5	2.1	93	3.5	0.4	2.7	4.6
1986	7	1.4	0.5	0.5	3.6	3	4.6	3.2	0.6	25.8
1987	10	2.2	0.8	0.9	4.7	4	3.5	2.0	0.8	22.4
1988	12	2.2	0.7	1.1	4.5	5	3.9	1.8	1.2	21.4
1989	4	0.9	0.5	0.2	3.1	3	5.9	4.6	0.5	26.3
1990	10	2.2	0.8	0.9	4.7	3	2.3	1.4	0.5	18.9
1991	6	1.0	0.4	0.4	2.9	3	2.7	1.7	0.4	17.9
1992	10	1.7	0.5	0.8	3.7	3	4.2	2.8	0.6	19.4
1993	6	0.9	0.4	0.3	2.6	0	0.0	~	0.0	12.7
1994	17	3.3	0.8	1.9	5.8	4	2.3	1.2	0.6	14.4
1995	9	1.3	0.5	0.6	3.1	6	3.2	1.3	1.2	14.5
1996	13	2.0	0.6	1.1	4.0	5	3.0	1.4	0.9	13.8
1997	12	2.1	0.7	1.0	4.2	10	4.8	1.5	2.2	14.9
1998	16	2.3	0.6	1.3	4.3	10	5.1	1.7	2.3	15.0
1999	11	1.6	0.5	0.8	3.3	7	3.6	1.5	1.3	12.9
2000	8	1.1	0.4	0.4	2.6	4	1.8	0.9	0.4	9.7
2001	16	2.5	0.7	1.4	4.5	8	3.7	1.4	1.4	11.1
2002	12	1.7	0.5	0.8	3.3	15	5.3	1.4	2.9	11.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	120	2.1	0.2	1.7	2.8	2,199	3.4	0.1	3.2	3.5
1990	4	0.9	0.5	0.2	8.3	134	2.8	0.2	2.3	3.4
1991	6	2.1	1.1	0.5	9.4	117	2.4	0.2	2.0	3.0
1992	5	1.2	0.6	0.3	7.7	134	2.8	0.2	2.3	3.3
1993	5	1.8	0.8	0.5	8.4	143	2.9	0.2	2.4	3.4
1994	5	1.2	0.6	0.3	7.4	145	2.9	0.2	2.5	3.5
1995	7	2.7	1.3	0.8	9.4	142	2.8	0.2	2.4	3.4
1996	11	2.9	1.2	1.0	9.1	166	3.3	0.3	2.8	3.9
1997	10	3.0	1.3	1.1	9.1	181	3.6	0.3	3.1	4.2
1998	11	2.3	0.8	1.0	7.5	205	4.0	0.3	3.5	4.6
1999	15	2.8	0.8	1.4	7.8	199	3.8	0.3	3.3	4.4
2000	12	1.8	0.7	0.8	6.4	176	3.4	0.3	2.9	3.9
2001	13	2.2	0.7	1.1	6.3	220	4.2	0.3	3.7	4.8
2002	16	2.4	0.7	1.3	6.1	237	4.5	0.3	3.9	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Thyroid, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	8,490	8.2	0.1	8.1	8.4	7,369	8.7	0.1	8.5	8.9
1986	349	6.1	0.3	5.4	6.8	302	6.2	0.4	5.5	7.0
1987	353	6.2	0.3	5.6	6.9	317	6.7	0.4	5.9	7.5
1988	381	6.5	0.3	5.9	7.2	334	6.8	0.4	6.1	7.6
1989	363	6.2	0.3	5.6	6.9	305	6.2	0.4	5.5	7.0
1990	395	6.7	0.3	6.0	7.4	354	7.2	0.4	6.4	8.0
1991	385	6.5	0.3	5.9	7.2	338	6.9	0.4	6.2	7.7
1992	397	6.6	0.3	6.0	7.3	353	7.1	0.4	6.3	7.8
1993	441	7.3	0.4	6.6	8.0	384	7.6	0.4	6.9	8.5
1994	447	7.4	0.4	6.7	8.1	397	7.9	0.4	7.2	8.8
1995	496	8.0	0.4	7.3	8.7	421	8.3	0.4	7.5	9.1
1996	535	8.6	0.4	7.9	9.3	471	9.2	0.4	8.4	10.1
1997	561	8.9	0.4	8.2	9.7	478	9.3	0.4	8.5	10.1
1998	556	8.9	0.4	8.1	9.6	470	9.3	0.4	8.4	10.1
1999	637	10.1	0.4	9.3	10.9	555	10.9	0.5	10.0	11.9
2000	670	10.5	0.4	9.7	11.3	572	11.1	0.5	10.2	12.0
2001	679	10.6	0.4	9.8	11.4	582	11.3	0.5	10.4	12.2
2002	845	13.0	0.4	12.2	13.9	736	14.1	0.5	13.1	15.1
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	669	4.7	0.2	4.4	5.1	319	10.3	0.6	9.1	11.6
1986	28	3.7	0.7	2.4	5.5	14	12.5	3.7	6.3	27.9
1987	19	2.6	0.6	1.6	4.3	13	10.4	3.1	5.3	24.2
1988	32	4.4	0.8	3.0	6.4	13	9.5	2.7	4.9	22.4
1989	37	4.8	0.8	3.4	6.8	15	11.5	3.3	6.0	24.7
1990	28	3.5	0.7	2.3	5.2	10	6.1	2.0	2.8	17.6
1991	27	3.5	0.7	2.3	5.3	5	3.3	1.6	1.0	13.5
1992	27	3.2	0.6	2.1	4.8	12	7.4	2.3	3.5	17.4
1993	32	4.0	0.7	2.7	5.7	20	11.1	2.6	6.7	20.6
1994	30	3.5	0.6	2.3	5.1	16	9.0	2.4	4.9	17.9
1995	42	5.0	0.8	3.6	6.8	25	13.2	2.8	8.3	22.1
1996	39	4.3	0.7	3.1	6.0	20	10.5	2.7	6.0	18.9
1997	51	6.3	0.9	4.7	8.3	22	10.8	2.5	6.6	18.6
1998	49	5.6	0.8	4.1	7.5	28	12.0	2.5	7.5	19.5
1999	38	4.0	0.7	2.8	5.6	23	10.3	2.3	6.3	17.2
2000	53	5.8	0.8	4.3	7.6	30	13.1	2.6	8.5	20.3
2001	66	7.1	0.9	5.5	9.1	24	9.8	2.1	6.2	15.6
2002	71	7.7	0.9	6.0	9.7	29	10.7	2.0	7.1	16.2
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	474	8.1	0.4	7.3	9.0	6,570	8.8	0.1	8.6	9.1
1990	19	6.6	1.8	3.6	12.4	376	6.7	0.4	6.0	7.5
1991	21	6.0	1.4	3.6	11.0	364	6.5	0.3	5.9	7.3
1992	20	5.5	1.4	3.1	10.5	377	6.7	0.3	6.0	7.4
1993	26	6.5	1.4	4.0	11.2	415	7.3	0.4	6.6	8.1
1994	32	7.5	1.5	5.0	12.2	415	7.3	0.4	6.6	8.1
1995	30	7.7	1.6	4.9	12.5	466	8.1	0.4	7.4	8.9
1996	34	7.3	1.4	4.8	11.6	501	8.7	0.4	7.9	9.5
1997	28	5.2	1.1	3.3	8.9	533	9.1	0.4	8.4	10.0
1998	54	9.7	1.4	7.1	13.9	502	8.7	0.4	8.0	9.5
1999	53	10.8	1.8	7.6	15.8	584	10.2	0.4	9.4	11.1
2000	43	8.1	1.4	5.6	12.1	627	10.8	0.4	10.0	11.7
2001	57	10.3	1.5	7.5	14.4	622	10.7	0.4	9.9	11.6
2002	57	10.1	1.5	7.4	14.0	788	13.4	0.5	12.5	14.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphomas, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	39,154	20.1	0.1	19.9	20.3	35,005	20.9	0.1	20.7	21.1
1986	1,694	15.9	0.4	15.1	16.7	1,544	16.6	0.4	15.7	17.4
1987	1,739	16.1	0.4	15.3	16.9	1,604	17.0	0.4	16.2	17.9
1988	1,849	17.0	0.4	16.2	17.8	1,674	17.7	0.4	16.8	18.5
1989	1,897	17.4	0.4	16.6	18.2	1,724	18.2	0.4	17.3	19.1
1990	2,057	18.7	0.4	17.9	19.5	1,862	19.6	0.5	18.7	20.5
1991	2,050	18.3	0.4	17.5	19.1	1,869	19.3	0.5	18.5	20.2
1992	2,246	19.9	0.4	19.0	20.7	2,055	21.1	0.5	20.2	22.0
1993	2,296	20.1	0.4	19.3	21.0	2,078	21.2	0.5	20.2	22.1
1994	2,417	21.0	0.4	20.2	21.9	2,141	21.6	0.5	20.7	22.6
1995	2,511	21.6	0.4	20.8	22.5	2,230	22.4	0.5	21.5	23.3
1996	2,606	22.3	0.4	21.4	23.1	2,319	23.2	0.5	22.2	24.1
1997	2,524	21.4	0.4	20.6	22.2	2,225	22.1	0.5	21.2	23.0
1998	2,596	21.8	0.4	21.0	22.7	2,258	22.3	0.5	21.4	23.2
1999	2,692	22.5	0.4	21.6	23.3	2,400	23.5	0.5	22.6	24.5
2000	2,661	22.0	0.4	21.2	22.8	2,338	22.8	0.5	21.9	23.8
2001	2,653	21.7	0.4	20.9	22.5	2,326	22.5	0.5	21.6	23.4
2002	2,666	21.6	0.4	20.8	22.5	2,358	22.6	0.5	21.7	23.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,287	13.4	0.2	12.9	13.9	555	12.8	0.6	11.6	14.1
1986	123	9.9	0.9	8.1	12.0	27	19.7	4.6	11.8	32.9
1987	112	8.8	0.9	7.2	10.8	14	7.1	2.1	3.6	15.8
1988	148	11.1	1.0	9.3	13.2	19	11.0	3.0	5.9	20.9
1989	151	11.4	1.0	9.5	13.5	18	10.3	2.9	5.4	19.8
1990	169	12.6	1.0	10.7	14.8	18	8.1	2.1	4.6	16.1
1991	141	10.3	0.9	8.6	12.3	23	11.5	2.8	6.7	20.1
1992	165	12.1	1.0	10.2	14.2	18	9.8	2.8	5.1	18.3
1993	189	12.9	1.0	11.0	15.0	20	9.4	2.3	5.5	16.5
1994	222	15.3	1.1	13.3	17.5	38	17.6	3.3	11.8	26.3
1995	228	15.9	1.1	13.8	18.2	43	17.3	3.0	11.9	25.3
1996	229	15.1	1.0	13.1	17.3	36	11.8	2.2	7.9	18.0
1997	229	14.9	1.0	13.0	17.1	47	16.2	2.7	11.4	23.2
1998	259	16.7	1.1	14.7	19.0	43	13.1	2.4	8.9	19.4
1999	215	14.0	1.0	12.2	16.1	37	10.8	2.0	7.2	16.2
2000	241	15.2	1.0	13.3	17.3	52	12.8	2.0	9.2	17.9
2001	242	15.3	1.0	13.4	17.4	53	14.0	2.1	10.1	19.2
2002	224	13.9	0.9	12.1	15.9	49	13.1	2.1	9.4	18.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,479	18.5	0.6	17.4	19.8	30,496	21.2	0.1	21.0	21.5
1990	77	14.0	2.0	10.3	19.2	1,980	18.8	0.4	18.0	19.7
1991	67	13.5	2.1	9.8	18.8	1,983	18.6	0.4	17.8	19.4
1992	96	18.6	2.4	14.3	24.4	2,150	20.0	0.4	19.1	20.8
1993	98	17.0	2.2	13.0	22.3	2,198	20.2	0.4	19.4	21.1
1994	115	19.4	2.3	15.1	24.9	2,302	21.0	0.4	20.2	21.9
1995	118	21.7	2.6	17.0	27.7	2,393	21.7	0.4	20.9	22.6
1996	113	18.5	2.2	14.4	23.8	2,493	22.5	0.5	21.7	23.5
1997	104	15.7	1.9	12.2	20.3	2,420	21.7	0.4	20.9	22.6
1998	123	19.0	2.1	15.2	23.9	2,473	22.1	0.4	21.2	23.0
1999	154	22.9	2.3	18.5	28.3	2,538	22.5	0.4	21.7	23.4
2000	122	17.7	2.0	13.9	22.4	2,539	22.5	0.4	21.6	23.3
2001	130	18.7	2.0	15.0	23.2	2,523	22.1	0.4	21.2	23.0
2002	162	20.5	1.9	16.9	24.9	2,504	21.8	0.4	20.9	22.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphomas, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,474	24.0	0.2	23.7	24.3	18,155	24.8	0.2	24.4	25.2
1986	835	18.0	0.6	16.7	19.3	742	18.3	0.7	17.0	19.8
1987	882	18.8	0.7	17.5	20.1	802	19.6	0.7	18.2	21.1
1988	971	20.4	0.7	19.1	21.8	880	21.4	0.7	19.9	22.9
1989	983	20.6	0.7	19.3	22.0	893	21.6	0.7	20.2	23.1
1990	1,101	22.8	0.7	21.4	24.2	986	23.6	0.8	22.1	25.2
1991	1,065	21.6	0.7	20.3	23.0	968	22.7	0.7	21.3	24.3
1992	1,172	24.2	0.7	22.8	25.7	1,062	25.3	0.8	23.8	26.9
1993	1,208	24.1	0.7	22.7	25.6	1,087	25.2	0.8	23.7	26.8
1994	1,236	24.6	0.7	23.2	26.0	1,083	25.1	0.8	23.6	26.7
1995	1,326	26.1	0.7	24.6	27.6	1,169	26.8	0.8	25.2	28.4
1996	1,368	26.5	0.7	25.1	28.0	1,189	27.0	0.8	25.5	28.6
1997	1,311	25.4	0.7	24.0	26.8	1,143	25.9	0.8	24.4	27.5
1998	1,393	26.8	0.7	25.4	28.3	1,211	27.4	0.8	25.8	29.0
1999	1,433	27.4	0.7	26.0	28.9	1,260	28.2	0.8	26.7	29.8
2000	1,415	26.6	0.7	25.2	28.0	1,235	27.4	0.8	25.8	28.9
2001	1,358	25.4	0.7	24.0	26.8	1,192	26.2	0.8	24.7	27.8
2002	1,417	26.2	0.7	24.8	27.6	1,253	27.3	0.8	25.8	28.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,844	17.0	0.4	16.2	17.8	315	16.5	1.1	14.3	18.9
1986	75	13.3	1.7	10.2	17.4	18	30.8	9.5	15.1	60.6
1987	66	12.7	1.7	9.7	16.8	7	9.0	3.9	3.0	29.4
1988	77	13.0	1.6	10.0	16.9	10	12.1	4.2	5.3	31.5
1989	77	13.3	1.7	10.2	17.3	10	17.2	6.5	6.9	39.8
1990	96	16.6	1.8	13.2	21.0	14	15.1	4.5	7.6	34.2
1991	75	12.2	1.5	9.4	15.9	11	14.3	5.5	5.6	34.2
1992	95	16.6	1.8	13.2	21.0	10	14.2	5.2	6.0	32.4
1993	107	15.9	1.7	12.8	19.9	13	14.1	4.3	6.9	29.8
1994	123	18.2	1.7	15.0	22.2	19	18.8	5.3	9.9	36.0
1995	137	22.0	2.1	18.2	26.7	17	15.5	4.8	7.6	31.4
1996	145	21.9	2.0	18.2	26.4	23	15.1	3.7	8.7	28.5
1997	130	18.5	1.7	15.3	22.5	29	23.2	5.2	14.1	38.9
1998	146	21.4	1.9	17.9	25.6	23	15.7	4.2	8.6	29.1
1999	123	18.4	1.8	15.0	22.5	24	15.7	4.0	8.9	28.4
2000	136	19.0	1.7	15.8	23.0	25	14.0	3.4	8.1	25.0
2001	121	17.3	1.7	14.2	21.1	29	15.9	3.3	10.1	25.8
2002	115	16.1	1.6	13.2	19.7	33	19.7	3.9	12.8	30.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	912	22.6	1.0	20.7	24.8	15,891	25.5	0.2	25.1	25.9
1990	48	15.8	2.9	10.7	25.5	1,053	23.0	0.7	21.6	24.5
1991	49	17.4	3.4	11.4	27.7	1,016	21.8	0.7	20.4	23.2
1992	61	24.3	4.1	16.9	35.6	1,111	24.2	0.7	22.8	25.8
1993	66	18.6	3.0	13.2	27.8	1,142	24.2	0.7	22.8	25.7
1994	75	24.9	4.1	17.5	36.0	1,161	24.5	0.7	23.1	26.0
1995	67	23.1	4.0	16.0	33.9	1,259	26.3	0.8	24.9	27.9
1996	71	21.8	3.7	15.1	31.9	1,297	26.9	0.8	25.4	28.4
1997	64	19.5	3.2	13.7	28.5	1,247	25.8	0.7	24.4	27.3
1998	77	27.4	4.2	19.9	38.1	1,316	27.1	0.8	25.6	28.6
1999	94	28.8	4.1	21.4	39.3	1,339	27.4	0.8	26.0	29.0
2000	76	21.6	3.3	15.6	30.4	1,339	27.1	0.7	25.7	28.6
2001	64	19.2	3.2	13.3	27.5	1,294	26.1	0.7	24.6	27.5
2002	100	26.4	3.4	20.2	34.7	1,317	26.3	0.7	24.9	27.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphomas, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	18,680	16.9	0.1	16.7	17.2	16,850	17.8	0.1	17.5	18.1
1986	859	14.1	0.5	13.1	15.1	802	15.0	0.5	14.0	16.2
1987	857	13.9	0.5	12.9	14.9	802	14.9	0.5	13.9	16.0
1988	878	14.2	0.5	13.3	15.2	794	14.8	0.5	13.7	15.9
1989	914	14.8	0.5	13.9	15.9	831	15.6	0.6	14.5	16.7
1990	956	15.4	0.5	14.4	16.4	876	16.3	0.6	15.2	17.5
1991	985	15.6	0.5	14.6	16.6	901	16.5	0.6	15.4	17.6
1992	1,074	16.7	0.5	15.7	17.7	993	17.9	0.6	16.8	19.1
1993	1,088	16.8	0.5	15.8	17.9	991	17.8	0.6	16.7	18.9
1994	1,181	18.1	0.5	17.1	19.2	1,058	18.8	0.6	17.7	20.0
1995	1,185	18.0	0.5	16.9	19.0	1,061	18.6	0.6	17.5	19.8
1996	1,238	18.7	0.5	17.7	19.8	1,130	20.0	0.6	18.8	21.2
1997	1,213	18.2	0.5	17.2	19.3	1,082	19.1	0.6	17.9	20.2
1998	1,203	18.0	0.5	17.0	19.1	1,047	18.4	0.6	17.3	19.6
1999	1,259	18.7	0.5	17.7	19.8	1,140	20.0	0.6	18.9	21.2
2000	1,246	18.5	0.5	17.5	19.6	1,103	19.4	0.6	18.3	20.6
2001	1,295	18.9	0.5	17.9	19.9	1,134	19.6	0.6	18.4	20.8
2002	1,249	18.0	0.5	17.1	19.1	1,105	18.9	0.6	17.8	20.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,443	10.6	0.3	10.1	11.2	240	10.0	0.7	8.7	11.6
1986	48	7.1	1.1	5.2	9.6	9	11.6	4.2	4.9	27.8
1987	46	6.1	0.9	4.4	8.4	7	5.7	2.2	2.2	18.7
1988	71	9.6	1.2	7.4	12.3	9	9.9	4.1	3.6	25.2
1989	74	10.0	1.2	7.8	12.7	8	5.7	2.0	2.4	17.3
1990	73	9.7	1.2	7.6	12.4	4	2.7	1.4	0.7	14.0
1991	66	8.8	1.1	6.7	11.3	12	9.8	2.9	5.0	21.4
1992	70	8.9	1.1	6.9	11.3	8	6.9	3.1	2.2	18.4
1993	82	10.4	1.2	8.2	13.0	7	5.9	2.4	2.2	15.5
1994	99	12.5	1.3	10.1	15.4	19	16.6	4.2	9.4	28.7
1995	91	11.4	1.2	9.2	14.1	26	19.0	4.0	11.9	30.2
1996	84	10.0	1.1	7.9	12.5	13	8.9	2.6	4.5	17.3
1997	99	11.8	1.2	9.5	14.4	18	11.0	2.9	6.1	19.5
1998	113	12.9	1.2	10.6	15.7	20	11.2	2.8	6.3	19.5
1999	92	10.8	1.1	8.7	13.3	13	7.0	2.1	3.6	13.7
2000	105	11.9	1.2	9.7	14.5	27	12.2	2.5	7.8	19.1
2001	121	13.6	1.3	11.3	16.4	24	12.0	2.7	7.4	19.0
2002	109	12.1	1.2	9.9	14.7	16	7.7	2.1	4.2	13.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	567	14.9	0.7	13.5	16.4	14,605	17.9	0.1	17.6	18.2
1990	29	11.7	2.6	7.1	19.0	927	15.5	0.5	14.5	16.5
1991	18	9.3	2.5	5.2	16.4	967	16.0	0.5	15.0	17.0
1992	35	13.6	2.7	8.8	20.8	1,039	16.8	0.5	15.8	17.9
1993	32	14.2	2.9	9.1	21.7	1,056	17.0	0.5	16.0	18.1
1994	40	14.5	2.7	9.7	21.6	1,141	18.2	0.5	17.2	19.3
1995	51	19.9	3.3	13.9	28.1	1,134	18.0	0.5	16.9	19.1
1996	42	15.4	2.7	10.5	22.4	1,196	19.0	0.6	17.9	20.1
1997	40	12.3	2.2	8.3	18.3	1,173	18.5	0.5	17.5	19.6
1998	46	12.7	2.0	9.1	18.2	1,157	18.3	0.5	17.2	19.4
1999	60	17.9	2.7	13.0	24.7	1,199	18.8	0.5	17.7	19.9
2000	46	14.0	2.5	9.5	20.2	1,200	18.9	0.6	17.9	20.1
2001	66	18.9	2.6	14.1	25.2	1,229	19.0	0.5	18.0	20.1
2002	62	15.3	2.2	11.2	20.7	1,187	18.2	0.5	17.2	19.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Hodgkin's Disease, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,669	2.8	0.0	2.7	2.8	4,835	2.9	0.0	2.8	2.9
1986	323	2.9	0.2	2.6	3.2	287	3.0	0.2	2.7	3.4
1987	287	2.5	0.1	2.2	2.8	254	2.6	0.2	2.3	3.0
1988	287	2.4	0.1	2.1	2.7	246	2.5	0.2	2.2	2.8
1989	322	2.8	0.2	2.5	3.1	288	3.0	0.2	2.6	3.3
1990	337	2.9	0.2	2.6	3.2	290	3.0	0.2	2.7	3.4
1991	329	2.8	0.2	2.5	3.1	287	3.0	0.2	2.6	3.3
1992	342	2.8	0.2	2.5	3.2	299	3.0	0.2	2.6	3.3
1993	319	2.6	0.1	2.4	2.9	264	2.6	0.2	2.3	3.0
1994	329	2.7	0.1	2.4	3.0	282	2.8	0.2	2.5	3.1
1995	320	2.6	0.1	2.3	2.9	275	2.8	0.2	2.4	3.1
1996	375	3.1	0.2	2.8	3.4	311	3.1	0.2	2.8	3.5
1997	360	2.9	0.2	2.6	3.3	297	3.0	0.2	2.6	3.3
1998	325	2.6	0.1	2.4	2.9	264	2.6	0.2	2.3	3.0
1999	343	2.8	0.2	2.5	3.1	290	2.9	0.2	2.6	3.2
2000	360	2.9	0.2	2.6	3.2	301	3.0	0.2	2.6	3.3
2001	359	2.9	0.2	2.6	3.2	295	2.9	0.2	2.6	3.3
2002	352	2.8	0.1	2.5	3.1	305	3.0	0.2	2.7	3.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	678	2.3	0.1	2.1	2.5	93	1.6	0.2	1.2	2.1
1986	31	2.0	0.4	1.3	3.0	5	4.3	2.5	0.9	14.3
1987	27	1.7	0.3	1.1	2.7	1	0.3	0.3	0.0	7.8
1988	36	2.1	0.4	1.4	3.1	4	2.2	1.1	0.6	9.5
1989	34	2.0	0.4	1.4	3.0	0	0.0	~	0.0	6.8
1990	45	2.7	0.4	2.0	3.8	1	0.5	0.5	0.0	7.2
1991	32	1.9	0.3	1.3	2.8	5	1.6	0.8	0.5	7.6
1992	39	2.3	0.4	1.6	3.3	3	0.7	0.4	0.1	6.0
1993	50	2.8	0.4	2.1	3.9	3	1.1	0.7	0.2	6.1
1994	37	2.2	0.4	1.5	3.1	6	1.5	0.7	0.5	6.2
1995	36	1.9	0.3	1.3	2.8	7	2.6	1.3	0.7	7.7
1996	47	2.6	0.4	1.9	3.6	10	2.6	0.9	1.1	6.8
1997	56	3.2	0.4	2.4	4.2	4	0.7	0.4	0.2	4.3
1998	44	2.3	0.4	1.7	3.2	9	2.1	0.8	0.8	5.9
1999	34	1.9	0.3	1.3	2.8	10	1.9	0.6	0.9	5.2
2000	45	2.5	0.4	1.8	3.4	8	1.4	0.5	0.6	4.2
2001	48	2.6	0.4	1.9	3.5	11	2.3	0.8	1.1	5.1
2002	37	2.0	0.3	1.4	2.8	6	1.1	0.5	0.3	3.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	292	2.4	0.2	2.0	2.8	4,158	2.9	0.0	2.8	3.0
1990	19	2.4	0.6	1.4	5.3	318	2.9	0.2	2.6	3.3
1991	15	2.6	0.9	1.1	6.0	314	2.9	0.2	2.6	3.3
1992	14	1.8	0.7	0.8	4.7	328	3.0	0.2	2.6	3.3
1993	17	1.5	0.4	0.8	3.9	302	2.7	0.2	2.4	3.1
1994	22	2.0	0.5	1.2	4.4	307	2.8	0.2	2.5	3.1
1995	21	1.4	0.3	0.9	3.5	299	2.7	0.2	2.4	3.0
1996	20	2.0	0.6	1.0	4.4	355	3.2	0.2	2.9	3.6
1997	23	3.3	1.0	1.7	6.2	337	3.1	0.2	2.8	3.4
1998	25	2.6	0.7	1.3	5.1	300	2.7	0.2	2.4	3.1
1999	30	2.5	0.5	1.6	4.6	313	2.9	0.2	2.5	3.2
2000	24	3.2	1.0	1.6	6.0	336	3.1	0.2	2.7	3.4
2001	30	3.0	0.7	1.9	5.1	329	3.0	0.2	2.7	3.3
2002	32	2.3	0.5	1.4	4.0	320	2.9	0.2	2.6	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Hodgkin's Disease, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,123	3.2	0.1	3.1	3.3	2,636	3.2	0.1	3.1	3.4
1986	158	3.0	0.2	2.5	3.5	137	3.1	0.3	2.5	3.7
1987	167	3.0	0.2	2.6	3.6	148	3.2	0.3	2.7	3.8
1988	158	2.8	0.2	2.4	3.4	136	2.9	0.3	2.4	3.5
1989	166	3.0	0.2	2.6	3.6	148	3.2	0.3	2.7	3.8
1990	192	3.5	0.3	3.0	4.0	164	3.6	0.3	3.0	4.2
1991	179	3.2	0.2	2.8	3.8	155	3.3	0.3	2.8	3.9
1992	173	3.1	0.2	2.6	3.6	155	3.3	0.3	2.8	3.9
1993	182	3.1	0.2	2.7	3.7	151	3.1	0.3	2.6	3.7
1994	187	3.2	0.2	2.8	3.7	153	3.1	0.3	2.7	3.7
1995	190	3.3	0.2	2.8	3.8	158	3.3	0.3	2.8	3.9
1996	212	3.6	0.3	3.1	4.1	170	3.5	0.3	3.0	4.1
1997	186	3.1	0.2	2.7	3.6	146	3.0	0.2	2.5	3.5
1998	187	3.2	0.2	2.8	3.7	156	3.2	0.3	2.7	3.8
1999	185	3.1	0.2	2.7	3.6	151	3.1	0.3	2.6	3.6
2000	214	3.6	0.2	3.1	4.1	182	3.7	0.3	3.2	4.3
2001	196	3.3	0.2	2.8	3.8	157	3.2	0.3	2.7	3.7
2002	191	3.1	0.2	2.7	3.6	169	3.4	0.3	2.9	3.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	391	2.9	0.2	2.6	3.2	58	2.3	0.4	1.7	3.4
1986	17	2.2	0.6	1.2	4.4	4	8.9	5.9	1.3	33.9
1987	15	2.5	0.7	1.3	4.8	0	0.0	~	0.0	19.0
1988	19	2.4	0.6	1.4	4.5	3	3.5	2.0	0.7	21.3
1989	18	2.6	0.7	1.4	4.9	0	0.0	~	0.0	16.6
1990	26	3.5	0.7	2.2	5.8	1	1.2	1.2	0.0	18.0
1991	17	2.3	0.6	1.3	4.3	3	2.0	1.1	0.4	16.8
1992	18	2.8	0.7	1.5	5.1	0	0.0	~	0.0	13.7
1993	28	3.4	0.7	2.2	5.5	3	2.5	1.5	0.4	15.3
1994	25	3.2	0.7	2.0	5.3	5	3.0	1.4	0.9	15.1
1995	28	3.3	0.6	2.2	5.3	3	1.1	0.6	0.2	12.3
1996	30	3.6	0.7	2.4	5.8	7	4.4	2.0	1.4	15.7
1997	36	4.5	0.8	3.1	6.8	2	0.9	0.7	0.1	11.0
1998	23	2.6	0.6	1.6	4.4	4	2.9	1.8	0.5	13.2
1999	20	2.4	0.6	1.4	4.2	8	3.1	1.1	1.3	12.0
2000	24	2.8	0.6	1.8	4.7	4	1.4	0.7	0.4	9.1
2001	29	3.4	0.6	2.3	5.3	7	3.9	1.6	1.4	11.5
2002	18	2.0	0.5	1.1	3.6	4	1.8	1.0	0.4	8.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	172	2.7	0.3	2.2	3.5	2,302	3.4	0.1	3.3	3.5
1990	10	2.8	1.0	1.2	10.2	182	3.6	0.3	3.1	4.2
1991	9	3.4	1.8	0.8	11.6	170	3.3	0.3	2.9	3.9
1992	9	3.2	1.6	0.9	10.7	164	3.2	0.3	2.7	3.8
1993	11	1.6	0.6	0.7	8.0	171	3.3	0.3	2.8	3.8
1994	14	2.7	0.8	1.4	8.9	173	3.3	0.3	2.8	3.8
1995	9	1.3	0.5	0.5	7.1	181	3.5	0.3	3.0	4.0
1996	12	1.8	0.6	0.8	7.4	200	3.8	0.3	3.3	4.4
1997	12	1.8	0.6	0.8	7.1	174	3.3	0.3	2.8	3.8
1998	18	4.3	1.7	1.7	10.8	169	3.3	0.3	2.8	3.8
1999	18	2.6	0.7	1.4	7.5	167	3.2	0.2	2.7	3.7
2000	14	3.8	1.6	1.3	9.7	200	3.8	0.3	3.3	4.4
2001	17	3.6	1.0	1.9	8.1	179	3.4	0.3	2.9	3.9
2002	19	2.4	0.6	1.4	6.0	172	3.2	0.2	2.8	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Hodgkin's Disease, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,546	2.4	0.0	2.3	2.5	2,199	2.5	0.1	2.4	2.6
1986	165	2.7	0.2	2.3	3.2	150	2.9	0.2	2.5	3.5
1987	120	1.9	0.2	1.6	2.3	106	2.1	0.2	1.7	2.5
1988	129	2.1	0.2	1.7	2.5	110	2.1	0.2	1.7	2.5
1989	156	2.5	0.2	2.2	3.0	140	2.7	0.2	2.3	3.3
1990	145	2.4	0.2	2.0	2.8	126	2.5	0.2	2.1	3.0
1991	150	2.4	0.2	2.1	2.9	132	2.6	0.2	2.2	3.1
1992	169	2.6	0.2	2.2	3.1	144	2.7	0.2	2.3	3.2
1993	137	2.2	0.2	1.8	2.6	113	2.2	0.2	1.8	2.6
1994	142	2.2	0.2	1.9	2.6	129	2.5	0.2	2.1	3.0
1995	130	2.1	0.2	1.7	2.5	117	2.3	0.2	1.9	2.8
1996	163	2.6	0.2	2.2	3.0	141	2.8	0.2	2.3	3.3
1997	174	2.7	0.2	2.4	3.2	151	2.9	0.2	2.5	3.5
1998	138	2.2	0.2	1.8	2.6	108	2.1	0.2	1.7	2.6
1999	158	2.5	0.2	2.1	2.9	139	2.7	0.2	2.3	3.2
2000	146	2.3	0.2	1.9	2.7	119	2.3	0.2	1.9	2.8
2001	163	2.5	0.2	2.2	3.0	138	2.7	0.2	2.3	3.2
2002	161	2.5	0.2	2.1	2.9	136	2.6	0.2	2.2	3.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	287	1.8	0.1	1.6	2.0	35	1.0	0.2	0.7	1.5
1986	14	1.8	0.5	1.0	3.2	1	1.2	1.2	0.0	14.7
1987	12	1.2	0.4	0.6	2.3	1	0.6	0.6	0.0	13.1
1988	17	1.9	0.5	1.1	3.2	1	1.0	1.0	0.0	13.0
1989	16	1.8	0.5	1.0	3.0	0	0.0	~	0.0	11.4
1990	19	2.1	0.5	1.3	3.5	0	0.0	~	0.0	11.2
1991	15	1.6	0.4	0.9	2.8	2	1.3	1.0	0.1	11.2
1992	21	2.1	0.5	1.3	3.4	3	1.5	0.9	0.3	10.3
1993	22	2.3	0.5	1.4	3.7	0	0.0	~	0.0	8.0
1994	12	1.3	0.4	0.6	2.4	1	0.3	0.3	0.0	7.6
1995	8	0.8	0.3	0.3	1.7	4	3.5	2.0	0.7	11.7
1996	17	1.8	0.4	1.0	3.0	3	1.3	0.7	0.2	7.1
1997	20	2.1	0.5	1.3	3.4	2	0.5	0.4	0.1	6.0
1998	21	2.1	0.5	1.3	3.3	5	1.8	0.8	0.6	7.0
1999	14	1.5	0.4	0.8	2.6	2	0.8	0.6	0.1	5.5
2000	21	2.2	0.5	1.3	3.4	4	1.5	0.8	0.4	5.7
2001	19	1.9	0.4	1.1	3.0	4	1.1	0.6	0.3	4.6
2002	19	1.9	0.5	1.2	3.1	2	0.5	0.3	0.1	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	120	2.1	0.2	1.6	2.6	1,856	2.5	0.1	2.4	2.6
1990	9	2.2	0.8	0.9	6.5	136	2.4	0.2	2.0	2.9
1991	6	2.2	1.1	0.6	7.0	144	2.5	0.2	2.1	3.0
1992	5	0.8	0.4	0.3	4.7	164	2.7	0.2	2.3	3.2
1993	6	1.3	0.6	0.4	5.1	131	2.2	0.2	1.9	2.7
1994	8	1.3	0.5	0.5	4.8	134	2.3	0.2	1.9	2.7
1995	12	1.6	0.5	0.8	4.9	118	2.0	0.2	1.7	2.5
1996	8	2.1	0.9	0.7	5.9	155	2.7	0.2	2.3	3.2
1997	11	4.1	1.5	1.7	8.9	163	2.9	0.2	2.4	3.3
1998	7	1.2	0.5	0.4	4.3	131	2.3	0.2	1.9	2.8
1999	12	2.3	0.8	1.0	5.6	146	2.6	0.2	2.2	3.0
2000	10	2.6	1.1	0.9	6.5	136	2.4	0.2	2.0	2.9
2001	13	2.4	0.8	1.1	5.4	150	2.6	0.2	2.2	3.1
2002	13	2.0	0.7	0.9	4.7	148	2.6	0.2	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Non-Hodgkin Lymphoma, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	33,485	17.3	0.1	17.1	17.5	30,170	18.0	0.1	17.8	18.2
1986	1,371	13.0	0.4	12.3	13.7	1,257	13.5	0.4	12.8	14.3
1987	1,452	13.6	0.4	12.9	14.4	1,350	14.4	0.4	13.7	15.2
1988	1,562	14.5	0.4	13.8	15.3	1,428	15.2	0.4	14.4	16.0
1989	1,575	14.6	0.4	13.9	15.3	1,436	15.2	0.4	14.4	16.1
1990	1,720	15.8	0.4	15.0	16.6	1,572	16.6	0.4	15.8	17.4
1991	1,721	15.5	0.4	14.8	16.3	1,582	16.4	0.4	15.6	17.2
1992	1,904	17.0	0.4	16.3	17.8	1,756	18.1	0.4	17.2	19.0
1993	1,977	17.5	0.4	16.7	18.3	1,814	18.5	0.4	17.7	19.4
1994	2,088	18.3	0.4	17.5	19.1	1,859	18.8	0.4	18.0	19.7
1995	2,191	19.0	0.4	18.2	19.8	1,955	19.6	0.4	18.8	20.5
1996	2,231	19.2	0.4	18.4	20.0	2,008	20.1	0.4	19.2	21.0
1997	2,164	18.4	0.4	17.7	19.2	1,928	19.1	0.4	18.3	20.0
1998	2,271	19.2	0.4	18.4	20.0	1,994	19.7	0.4	18.8	20.6
1999	2,349	19.7	0.4	18.9	20.5	2,110	20.7	0.5	19.8	21.6
2000	2,301	19.1	0.4	18.3	19.9	2,037	19.9	0.4	19.0	20.8
2001	2,294	18.8	0.4	18.1	19.6	2,031	19.6	0.4	18.7	20.4
2002	2,314	18.8	0.4	18.1	19.6	2,053	19.7	0.4	18.8	20.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,609	11.1	0.2	10.7	11.6	462	11.2	0.6	10.1	12.5
1986	92	7.9	0.9	6.3	9.8	22	15.4	3.9	8.8	27.3
1987	85	7.1	0.8	5.7	9.0	13	6.8	2.1	3.3	15.4
1988	112	9.0	0.9	7.3	11.0	15	8.9	2.8	4.2	18.4
1989	117	9.3	0.9	7.6	11.3	18	10.3	2.9	5.4	19.8
1990	124	9.9	0.9	8.2	11.9	17	7.6	2.0	4.2	15.5
1991	109	8.4	0.8	6.9	10.3	18	9.8	2.7	5.3	18.4
1992	126	9.8	0.9	8.1	11.7	15	9.1	2.8	4.5	17.5
1993	139	10.1	0.9	8.4	12.0	17	8.3	2.2	4.6	15.2
1994	185	13.1	1.0	11.2	15.3	32	16.0	3.2	10.4	24.6
1995	192	14.0	1.0	12.0	16.2	36	14.7	2.7	9.9	22.1
1996	182	12.5	1.0	10.7	14.5	26	9.2	2.0	5.7	15.1
1997	173	11.7	0.9	10.0	13.7	43	15.5	2.7	10.7	22.4
1998	215	14.4	1.0	12.5	16.5	34	11.0	2.2	7.1	17.0
1999	181	12.1	0.9	10.4	14.1	27	8.8	1.9	5.5	14.1
2000	196	12.7	0.9	11.0	14.7	44	11.4	1.9	8.0	16.4
2001	194	12.7	0.9	10.9	14.7	42	11.7	2.0	8.1	16.6
2002	187	11.9	0.9	10.2	13.8	43	12.0	2.0	8.4	16.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,187	16.1	0.6	15.0	17.3	26,338	18.3	0.1	18.1	18.5
1990	58	11.5	1.9	8.1	16.6	1,662	15.9	0.4	15.1	16.7
1991	52	10.9	1.8	7.6	15.8	1,669	15.7	0.4	14.9	16.4
1992	82	16.8	2.3	12.7	22.3	1,822	17.0	0.4	16.2	17.8
1993	81	15.5	2.1	11.6	20.7	1,896	17.5	0.4	16.7	18.3
1994	93	17.3	2.3	13.2	22.8	1,995	18.3	0.4	17.5	19.1
1995	97	20.2	2.5	15.6	26.2	2,094	19.0	0.4	18.2	19.9
1996	93	16.5	2.1	12.6	21.6	2,138	19.3	0.4	18.5	20.2
1997	81	12.5	1.6	9.5	16.6	2,083	18.7	0.4	17.9	19.5
1998	98	16.4	1.9	12.9	21.1	2,173	19.4	0.4	18.6	20.2
1999	124	20.4	2.3	16.2	25.7	2,225	19.7	0.4	18.9	20.5
2000	98	14.5	1.8	11.2	18.8	2,203	19.4	0.4	18.6	20.2
2001	100	15.7	1.9	12.2	20.0	2,194	19.1	0.4	18.3	19.9
2002	130	18.2	1.9	14.7	22.5	2,184	18.9	0.4	18.1	19.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Non-Hodgkin Lymphoma, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	17,351	20.8	0.2	20.5	21.1	15,519	21.6	0.2	21.2	21.9
1986	677	15.0	0.6	13.8	16.2	605	15.3	0.6	14.1	16.6
1987	715	15.7	0.6	14.5	17.0	654	16.4	0.7	15.1	17.8
1988	813	17.6	0.6	16.4	18.9	744	18.4	0.7	17.1	19.9
1989	817	17.6	0.6	16.4	18.9	745	18.4	0.7	17.1	19.8
1990	909	19.3	0.7	18.0	20.6	822	20.0	0.7	18.7	21.5
1991	886	18.4	0.6	17.2	19.7	813	19.4	0.7	18.1	20.8
1992	999	21.1	0.7	19.8	22.5	907	22.0	0.8	20.6	23.6
1993	1,026	21.0	0.7	19.7	22.3	936	22.1	0.7	20.7	23.6
1994	1,049	21.4	0.7	20.1	22.8	930	22.0	0.7	20.6	23.5
1995	1,136	22.8	0.7	21.5	24.2	1,011	23.5	0.8	22.0	25.0
1996	1,156	22.9	0.7	21.6	24.3	1,019	23.5	0.7	22.1	25.0
1997	1,125	22.3	0.7	20.9	23.6	997	23.0	0.7	21.5	24.5
1998	1,206	23.6	0.7	22.3	25.0	1,055	24.1	0.8	22.7	25.7
1999	1,248	24.3	0.7	22.9	25.7	1,109	25.1	0.8	23.6	26.7
2000	1,201	23.0	0.7	21.7	24.4	1,053	23.7	0.7	22.2	25.1
2001	1,162	22.1	0.7	20.8	23.4	1,035	23.0	0.7	21.6	24.5
2002	1,226	23.0	0.7	21.8	24.4	1,084	23.9	0.7	22.5	25.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,453	14.1	0.4	13.3	14.9	257	14.1	1.1	12.1	16.5
1986	58	11.1	1.6	8.2	15.0	14	21.9	7.4	9.8	48.2
1987	51	10.2	1.5	7.5	14.0	7	9.0	3.9	3.0	29.4
1988	58	10.6	1.5	7.9	14.4	7	8.6	3.6	3.0	27.5
1989	59	10.7	1.5	8.0	14.5	10	17.2	6.5	6.9	39.8
1990	70	13.2	1.7	10.0	17.3	13	13.9	4.4	6.7	32.8
1991	58	9.9	1.4	7.3	13.5	8	12.3	5.4	4.1	32.2
1992	77	13.8	1.7	10.7	17.9	10	14.2	5.2	6.0	32.4
1993	79	12.5	1.5	9.7	16.3	10	11.6	4.0	5.1	27.1
1994	98	15.0	1.6	12.0	18.7	14	15.8	5.1	7.4	32.9
1995	109	18.7	1.9	15.1	23.2	14	14.4	4.7	6.7	30.3
1996	115	18.2	1.8	14.8	22.5	16	10.8	3.2	5.4	23.5
1997	94	14.0	1.5	11.2	17.6	27	22.3	5.2	13.3	37.9
1998	123	18.8	1.8	15.5	22.9	19	12.8	3.7	6.5	25.6
1999	103	16.0	1.7	12.8	20.0	16	12.6	3.8	6.3	25.1
2000	112	16.2	1.6	13.2	19.9	21	12.6	3.4	6.9	23.6
2001	92	13.8	1.5	11.0	17.4	22	12.0	2.8	7.1	21.3
2002	97	14.1	1.5	11.3	17.6	29	17.9	3.8	11.3	28.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	740	19.9	1.0	18.1	22.0	13,589	22.1	0.2	21.7	22.5
1990	38	13.1	2.7	8.3	22.6	871	19.4	0.7	18.1	20.8
1991	40	14.0	2.8	9.0	23.4	846	18.4	0.7	17.2	19.8
1992	52	21.1	3.8	14.2	31.8	947	21.1	0.7	19.7	22.5
1993	55	17.0	2.9	11.7	26.1	971	20.9	0.7	19.6	22.3
1994	61	22.1	4.0	15.0	33.2	988	21.3	0.7	19.9	22.7
1995	58	21.8	4.0	14.8	32.6	1,078	22.9	0.7	21.5	24.3
1996	59	20.0	3.7	13.5	30.1	1,097	23.1	0.7	21.7	24.5
1997	52	17.7	3.2	12.0	26.7	1,073	22.5	0.7	21.2	23.9
1998	59	23.1	3.8	16.2	33.2	1,147	23.8	0.7	22.5	25.3
1999	76	26.2	4.0	18.9	36.6	1,172	24.2	0.7	22.9	25.7
2000	62	17.9	2.9	12.6	25.8	1,139	23.3	0.7	22.0	24.7
2001	47	15.6	3.1	10.1	23.7	1,115	22.7	0.7	21.3	24.0
2002	81	24.0	3.3	17.9	32.2	1,145	23.1	0.7	21.8	24.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Non-Hodgkin Lymphoma, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	16,134	14.6	0.1	14.3	14.8	14,651	15.3	0.1	15.0	15.5
1986	694	11.3	0.4	10.5	12.2	652	12.1	0.5	11.2	13.1
1987	737	11.9	0.4	11.1	12.9	696	12.8	0.5	11.9	13.9
1988	749	12.2	0.5	11.3	13.1	684	12.7	0.5	11.7	13.7
1989	758	12.3	0.5	11.4	13.2	691	12.8	0.5	11.9	13.8
1990	811	13.0	0.5	12.1	14.0	750	13.8	0.5	12.8	14.8
1991	835	13.2	0.5	12.3	14.1	769	13.9	0.5	12.9	14.9
1992	905	14.0	0.5	13.1	15.0	849	15.2	0.5	14.2	16.3
1993	951	14.7	0.5	13.7	15.7	878	15.6	0.5	14.6	16.7
1994	1,039	15.9	0.5	14.9	16.9	929	16.3	0.5	15.3	17.4
1995	1,055	15.9	0.5	14.9	16.9	944	16.3	0.5	15.3	17.4
1996	1,075	16.1	0.5	15.2	17.2	989	17.2	0.6	16.2	18.4
1997	1,039	15.5	0.5	14.6	16.5	931	16.1	0.5	15.1	17.2
1998	1,065	15.8	0.5	14.9	16.8	939	16.3	0.5	15.3	17.4
1999	1,101	16.2	0.5	15.3	17.2	1,001	17.3	0.6	16.2	18.4
2000	1,100	16.2	0.5	15.3	17.2	984	17.1	0.6	16.0	18.2
2001	1,132	16.3	0.5	15.4	17.3	996	16.9	0.5	15.8	18.0
2002	1,088	15.6	0.5	14.7	16.5	969	16.3	0.5	15.3	17.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,156	8.8	0.3	8.3	9.4	205	9.0	0.7	7.7	10.6
1986	34	5.3	0.9	3.7	7.6	8	10.4	4.0	4.1	26.4
1987	34	4.9	0.9	3.4	7.1	6	5.1	2.1	1.8	18.1
1988	54	7.7	1.1	5.7	10.2	8	8.9	4.0	2.9	24.1
1989	58	8.3	1.1	6.2	10.8	8	5.7	2.0	2.4	17.3
1990	54	7.6	1.1	5.7	10.0	4	2.7	1.4	0.7	14.0
1991	51	7.2	1.0	5.3	9.6	10	8.6	2.8	4.0	20.0
1992	49	6.8	1.0	5.0	9.0	5	5.4	3.0	1.2	16.9
1993	60	8.1	1.1	6.1	10.5	7	5.9	2.4	2.2	15.5
1994	87	11.3	1.2	9.0	14.0	18	16.2	4.2	9.1	28.3
1995	83	10.7	1.2	8.5	13.3	22	15.5	3.5	9.4	25.7
1996	67	8.2	1.0	6.3	10.5	10	7.6	2.5	3.5	15.9
1997	79	9.7	1.1	7.6	12.1	16	10.4	2.8	5.6	19.0
1998	92	10.8	1.1	8.7	13.4	15	9.4	2.7	4.8	17.5
1999	78	9.3	1.1	7.3	11.7	11	6.3	2.0	3.0	12.9
2000	84	9.8	1.1	7.8	12.1	23	10.7	2.4	6.6	17.4
2001	102	11.8	1.2	9.6	14.3	20	10.9	2.6	6.4	17.8
2002	90	10.2	1.1	8.2	12.5	14	7.3	2.1	3.8	13.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	447	12.8	0.7	11.5	14.3	12,749	15.4	0.1	15.1	15.7
1990	20	9.5	2.5	5.3	16.7	791	13.1	0.5	12.2	14.1
1991	12	7.2	2.2	3.5	13.8	823	13.4	0.5	12.5	14.4
1992	30	12.7	2.7	8.0	19.9	875	14.1	0.5	13.1	15.0
1993	26	12.8	2.8	7.9	20.3	925	14.8	0.5	13.8	15.8
1994	32	13.2	2.7	8.5	20.2	1,007	16.0	0.5	15.0	17.0
1995	39	18.3	3.3	12.4	26.4	1,016	15.9	0.5	14.9	16.9
1996	34	13.4	2.6	8.8	20.0	1,041	16.3	0.5	15.3	17.3
1997	29	8.2	1.7	5.3	13.0	1,010	15.7	0.5	14.7	16.7
1998	39	11.5	2.0	8.0	16.9	1,026	15.9	0.5	15.0	17.0
1999	48	15.7	2.6	11.0	22.2	1,053	16.2	0.5	15.3	17.3
2000	36	11.3	2.2	7.4	17.1	1,064	16.5	0.5	15.5	17.6
2001	53	16.4	2.5	11.9	22.5	1,079	16.4	0.5	15.4	17.4
2002	49	13.2	2.1	9.4	18.4	1,039	15.7	0.5	14.7	16.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Multiple Myeloma, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,358	5.4	0.1	5.3	5.5	7,948	4.7	0.1	4.6	4.8
1986	429	4.1	0.2	3.7	4.5	339	3.6	0.2	3.2	4.0
1987	465	4.4	0.2	4.0	4.8	362	3.8	0.2	3.4	4.3
1988	467	4.4	0.2	4.0	4.8	378	4.0	0.2	3.6	4.4
1989	502	4.7	0.2	4.3	5.1	409	4.3	0.2	3.9	4.8
1990	510	4.7	0.2	4.3	5.1	390	4.0	0.2	3.6	4.4
1991	549	5.0	0.2	4.6	5.5	449	4.7	0.2	4.2	5.1
1992	527	4.7	0.2	4.3	5.2	420	4.3	0.2	3.9	4.7
1993	612	5.4	0.2	5.0	5.9	471	4.8	0.2	4.3	5.2
1994	703	6.2	0.2	5.7	6.6	530	5.3	0.2	4.9	5.8
1995	704	6.1	0.2	5.7	6.6	533	5.3	0.2	4.8	5.7
1996	637	5.5	0.2	5.1	6.0	491	4.9	0.2	4.5	5.3
1997	688	5.9	0.2	5.5	6.4	522	5.2	0.2	4.7	5.6
1998	720	6.1	0.2	5.7	6.6	537	5.3	0.2	4.8	5.7
1999	702	5.9	0.2	5.5	6.4	516	5.0	0.2	4.6	5.5
2000	718	6.0	0.2	5.6	6.4	520	5.0	0.2	4.6	5.5
2001	685	5.7	0.2	5.2	6.1	511	4.9	0.2	4.5	5.4
2002	740	6.0	0.2	5.6	6.5	570	5.4	0.2	5.0	5.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,218	10.6	0.2	10.2	11.1	144	3.7	0.3	3.0	4.4
1986	84	8.1	0.9	6.4	10.2	4	2.5	1.3	0.6	10.8
1987	100	9.0	0.9	7.2	11.0	3	2.3	1.4	0.4	10.5
1988	79	7.1	0.8	5.5	8.9	8	5.4	2.0	2.1	13.8
1989	86	8.0	0.9	6.3	10.0	6	4.3	2.0	1.4	12.4
1990	116	10.4	1.0	8.5	12.6	1	1.0	1.0	0.0	8.1
1991	93	8.2	0.9	6.6	10.1	3	2.4	1.7	0.3	9.8
1992	102	8.3	0.8	6.7	10.1	3	1.3	0.8	0.2	6.9
1993	131	11.3	1.0	9.4	13.5	10	4.0	1.3	1.8	9.6
1994	164	13.6	1.1	11.5	15.9	7	3.0	1.2	1.1	8.3
1995	155	12.7	1.0	10.7	14.9	15	6.6	1.8	3.5	12.3
1996	138	10.7	0.9	9.0	12.8	7	2.8	1.1	1.1	7.3
1997	151	11.8	1.0	10.0	14.0	14	4.9	1.4	2.6	9.7
1998	171	13.0	1.0	11.1	15.2	9	3.1	1.2	1.3	7.3
1999	170	12.4	1.0	10.5	14.5	6	2.2	0.9	0.7	6.0
2000	173	12.4	1.0	10.6	14.4	23	7.2	1.6	4.4	11.6
2001	153	10.8	0.9	9.1	12.7	14	3.9	1.1	2.0	7.4
2002	152	10.6	0.9	9.0	12.5	11	2.9	0.9	1.4	5.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	326	5.8	0.4	5.1	6.6	8,169	5.7	0.1	5.5	5.8
1990	21	6.5	1.6	3.8	11.0	489	4.6	0.2	4.2	5.0
1991	16	4.4	1.3	2.3	8.4	533	5.0	0.2	4.6	5.5
1992	20	6.1	1.5	3.4	10.4	507	4.7	0.2	4.3	5.1
1993	21	5.0	1.2	2.9	8.7	591	5.4	0.2	5.0	5.9
1994	16	4.4	1.2	2.4	8.0	687	6.2	0.2	5.8	6.7
1995	27	8.2	1.7	5.1	12.6	677	6.1	0.2	5.6	6.6
1996	27	6.8	1.5	4.2	10.8	610	5.5	0.2	5.1	5.9
1997	19	3.9	1.0	2.2	6.8	669	6.0	0.2	5.5	6.5
1998	30	5.6	1.1	3.6	8.8	690	6.1	0.2	5.7	6.6
1999	26	5.1	1.1	3.2	8.3	676	5.9	0.2	5.5	6.4
2000	43	8.7	1.5	6.0	12.5	675	5.9	0.2	5.5	6.4
2001	30	5.5	1.1	3.5	8.3	655	5.7	0.2	5.3	6.1
2002	30	4.8	1.0	3.0	7.3	710	6.1	0.2	5.7	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002

Multiple Myeloma, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,209	6.5	0.1	6.3	6.7	4,061	5.8	0.1	5.7	6.0
1986	210	4.8	0.3	4.2	5.6	167	4.3	0.3	3.6	5.0
1987	226	5.2	0.4	4.5	6.0	174	4.6	0.4	3.9	5.4
1988	231	5.3	0.4	4.6	6.1	188	4.9	0.4	4.2	5.7
1989	238	5.6	0.4	4.9	6.4	192	5.1	0.4	4.4	5.9
1990	243	5.3	0.4	4.6	6.1	194	4.8	0.4	4.1	5.6
1991	279	6.1	0.4	5.4	7.0	227	5.7	0.4	5.0	6.5
1992	271	5.9	0.4	5.2	6.7	214	5.4	0.4	4.6	6.2
1993	300	6.4	0.4	5.7	7.2	237	5.7	0.4	5.0	6.5
1994	361	7.7	0.4	6.9	8.6	272	6.7	0.4	5.9	7.6
1995	364	7.7	0.4	6.9	8.6	271	6.6	0.4	5.8	7.4
1996	323	6.8	0.4	6.0	7.6	247	6.0	0.4	5.3	6.8
1997	349	7.2	0.4	6.5	8.0	273	6.5	0.4	5.8	7.4
1998	365	7.5	0.4	6.8	8.4	280	6.6	0.4	5.9	7.5
1999	347	6.9	0.4	6.2	7.7	272	6.3	0.4	5.6	7.1
2000	371	7.3	0.4	6.6	8.1	280	6.5	0.4	5.7	7.3
2001	338	6.6	0.4	5.9	7.4	262	6.0	0.4	5.3	6.8
2002	393	7.5	0.4	6.8	8.3	311	6.9	0.4	6.2	7.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,034	12.2	0.4	11.4	13.0	92	5.2	0.6	4.1	6.6
1986	39	9.8	1.7	6.8	13.9	4	5.4	2.8	1.4	25.9
1987	52	11.5	1.7	8.4	15.7	0	0.0	~	0.0	19.0
1988	38	8.3	1.4	5.7	12.0	4	7.3	4.0	1.6	27.2
1989	40	8.9	1.5	6.2	12.7	5	7.1	3.5	2.0	25.1
1990	46	9.9	1.5	7.2	13.8	1	2.5	2.5	0.1	20.2
1991	47	10.1	1.6	7.3	14.0	1	0.6	0.6	0.0	15.6
1992	55	10.8	1.5	8.0	14.6	2	1.6	1.2	0.2	15.3
1993	56	12.6	1.8	9.3	16.9	7	5.8	2.3	2.2	19.0
1994	84	17.1	2.0	13.5	21.7	4	4.8	2.7	1.1	18.4
1995	81	16.7	2.0	13.1	21.3	12	11.8	3.6	5.8	25.7
1996	71	13.5	1.7	10.4	17.6	5	4.4	2.0	1.4	15.9
1997	66	12.4	1.6	9.5	16.3	9	6.3	2.3	2.6	17.4
1998	77	15.5	1.9	12.1	19.9	6	5.7	2.7	1.8	17.1
1999	69	11.9	1.5	9.1	15.5	3	1.9	1.2	0.3	11.1
2000	77	13.0	1.5	10.2	16.6	13	7.6	2.3	3.8	16.7
2001	65	10.9	1.4	8.3	14.3	8	6.0	2.4	2.3	14.8
2002	71	12.5	1.5	9.6	16.1	8	4.9	1.8	2.0	12.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	172	6.2	0.6	5.2	7.5	4,132	6.9	0.1	6.7	7.1
1990	11	6.5	2.2	2.9	15.4	232	5.2	0.4	4.6	6.0
1991	11	4.9	1.8	2.1	12.8	268	6.1	0.4	5.4	7.0
1992	11	6.3	2.2	2.8	14.6	260	5.9	0.4	5.2	6.7
1993	12	6.6	2.3	2.9	15.0	288	6.4	0.4	5.6	7.2
1994	8	5.0	2.1	1.8	12.9	353	7.8	0.4	7.0	8.7
1995	12	6.8	2.2	3.2	14.5	352	7.7	0.4	6.9	8.6
1996	9	5.0	2.1	1.8	12.7	314	6.8	0.4	6.1	7.7
1997	9	3.1	1.1	1.3	8.8	340	7.3	0.4	6.6	8.2
1998	13	5.6	1.8	2.6	12.2	352	7.6	0.4	6.8	8.5
1999	11	4.8	1.8	2.0	11.3	336	7.0	0.4	6.3	7.9
2000	26	10.2	2.3	6.2	17.2	345	7.2	0.4	6.4	8.0
2001	20	8.3	2.1	4.7	14.6	318	6.5	0.4	5.8	7.3
2002	19	5.9	1.5	3.4	10.8	374	7.6	0.4	6.8	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Multiple Myeloma, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,149	4.6	0.1	4.5	4.7	3,887	3.9	0.1	3.8	4.1
1986	219	3.6	0.2	3.2	4.2	172	3.1	0.2	2.7	3.7
1987	239	3.8	0.3	3.4	4.4	188	3.4	0.3	2.9	3.9
1988	236	3.7	0.2	3.3	4.3	190	3.4	0.3	2.9	4.0
1989	264	4.2	0.3	3.7	4.7	217	3.9	0.3	3.4	4.5
1990	267	4.2	0.3	3.7	4.7	196	3.5	0.3	3.0	4.0
1991	270	4.2	0.3	3.7	4.7	222	3.9	0.3	3.4	4.4
1992	256	4.0	0.3	3.5	4.5	206	3.6	0.3	3.1	4.1
1993	312	4.7	0.3	4.2	5.3	234	4.0	0.3	3.5	4.6
1994	342	5.1	0.3	4.6	5.7	258	4.4	0.3	3.9	5.0
1995	340	5.0	0.3	4.5	5.6	262	4.4	0.3	3.9	5.0
1996	314	4.7	0.3	4.2	5.2	244	4.2	0.3	3.7	4.8
1997	339	5.0	0.3	4.5	5.5	249	4.2	0.3	3.7	4.7
1998	355	5.3	0.3	4.7	5.9	257	4.4	0.3	3.9	5.0
1999	355	5.2	0.3	4.6	5.7	244	4.1	0.3	3.6	4.6
2000	347	5.0	0.3	4.5	5.6	240	4.0	0.3	3.5	4.5
2001	347	5.0	0.3	4.5	5.6	249	4.1	0.3	3.6	4.7
2002	347	4.9	0.3	4.4	5.5	259	4.2	0.3	3.7	4.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,184	9.6	0.3	9.0	10.1	52	2.5	0.4	1.8	3.4
1986	45	7.2	1.1	5.3	9.8	0	0.0	~	0.0	13.4
1987	48	7.3	1.1	5.3	9.8	3	4.1	2.5	0.7	17.7
1988	41	6.2	1.0	4.4	8.5	4	4.0	2.0	1.1	16.4
1989	46	7.2	1.1	5.3	9.8	1	2.2	2.2	0.1	14.9
1990	70	10.6	1.3	8.2	13.4	0	0.0	~	0.0	11.2
1991	46	6.8	1.0	5.0	9.2	2	3.6	2.8	0.3	16.0
1992	47	6.5	1.0	4.8	8.8	1	1.0	1.0	0.0	10.2
1993	75	10.6	1.2	8.3	13.4	3	2.4	1.4	0.5	10.9
1994	80	11.2	1.3	8.8	14.0	3	1.8	1.0	0.4	9.3
1995	74	10.1	1.2	7.9	12.8	3	2.6	1.5	0.5	9.9
1996	67	8.9	1.1	6.8	11.3	2	1.6	1.2	0.2	8.1
1997	85	11.2	1.2	9.0	13.9	5	3.6	1.7	1.1	10.5
1998	94	11.8	1.2	9.5	14.5	3	1.3	0.8	0.3	6.6
1999	101	12.5	1.3	10.2	15.3	3	2.3	1.4	0.5	8.1
2000	96	11.6	1.2	9.4	14.3	10	6.5	2.1	3.0	12.9
2001	88	10.6	1.1	8.5	13.1	6	2.5	1.1	0.9	6.7
2002	81	9.5	1.1	7.5	11.8	3	1.2	0.7	0.3	4.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	154	5.3	0.5	4.5	6.4	4,037	4.8	0.1	4.6	4.9
1990	10	6.2	2.1	2.8	12.8	257	4.1	0.3	3.7	4.7
1991	5	3.4	1.6	1.0	9.2	265	4.2	0.3	3.7	4.8
1992	9	5.6	2.0	2.4	11.7	247	3.9	0.3	3.5	4.5
1993	9	3.8	1.4	1.6	8.7	303	4.7	0.3	4.2	5.3
1994	8	4.1	1.5	1.7	9.0	334	5.2	0.3	4.6	5.8
1995	15	8.8	2.4	4.7	15.3	325	5.0	0.3	4.5	5.6
1996	18	8.4	2.1	4.7	14.3	296	4.6	0.3	4.1	5.1
1997	10	4.3	1.5	2.0	9.0	329	5.0	0.3	4.5	5.6
1998	17	5.8	1.5	3.2	10.3	338	5.2	0.3	4.7	5.8
1999	15	5.5	1.5	3.0	10.1	340	5.1	0.3	4.6	5.7
2000	17	7.2	1.9	3.9	12.4	330	5.0	0.3	4.5	5.6
2001	10	3.2	1.1	1.5	6.7	337	5.1	0.3	4.5	5.6
2002	11	3.5	1.2	1.6	7.1	336	5.0	0.3	4.5	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Leukemias, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	22,772	11.7	0.1	11.5	11.8	20,120	12.0	0.1	11.8	12.2
1986	985	9.3	0.3	8.7	9.9	884	9.5	0.3	8.9	10.2
1987	1,086	10.0	0.3	9.4	10.6	988	10.4	0.3	9.8	11.1
1988	1,064	9.9	0.3	9.3	10.5	933	9.9	0.3	9.3	10.6
1989	1,076	9.9	0.3	9.4	10.6	962	10.2	0.3	9.6	10.9
1990	1,166	10.5	0.3	9.9	11.2	1,052	10.9	0.3	10.3	11.6
1991	1,140	10.2	0.3	9.6	10.8	1,020	10.6	0.3	9.9	11.3
1992	1,220	10.8	0.3	10.2	11.5	1,080	11.1	0.3	10.4	11.8
1993	1,289	11.3	0.3	10.7	12.0	1,158	11.8	0.3	11.1	12.5
1994	1,547	13.5	0.3	12.8	14.2	1,381	13.9	0.4	13.2	14.7
1995	1,530	13.2	0.3	12.5	13.9	1,351	13.6	0.4	12.9	14.3
1996	1,459	12.5	0.3	11.9	13.2	1,291	12.9	0.4	12.2	13.6
1997	1,474	12.5	0.3	11.9	13.2	1,293	12.8	0.4	12.1	13.6
1998	1,453	12.2	0.3	11.6	12.8	1,269	12.5	0.4	11.8	13.2
1999	1,566	13.0	0.3	12.4	13.7	1,382	13.5	0.4	12.8	14.3
2000	1,578	13.0	0.3	12.4	13.7	1,372	13.4	0.4	12.7	14.1
2001	1,598	13.1	0.3	12.4	13.7	1,377	13.3	0.4	12.6	14.0
2002	1,541	12.5	0.3	11.9	13.1	1,327	12.7	0.3	12.0	13.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,120	9.3	0.2	8.9	9.7	361	7.6	0.5	6.7	8.6
1986	90	7.8	0.9	6.2	9.8	8	3.0	1.1	1.2	11.0
1987	79	6.7	0.8	5.2	8.6	14	9.8	3.3	4.5	20.6
1988	109	9.4	1.0	7.6	11.6	16	7.4	2.1	3.9	15.7
1989	103	8.4	0.9	6.8	10.4	10	5.6	2.3	2.0	14.3
1990	98	7.6	0.8	6.1	9.5	9	6.5	2.6	2.4	15.7
1991	101	7.8	0.8	6.3	9.6	13	5.1	1.9	2.0	12.4
1992	112	8.7	0.9	7.1	10.7	21	9.5	2.5	5.3	17.3
1993	108	8.0	0.8	6.5	9.8	19	6.8	2.0	3.5	13.4
1994	138	10.4	0.9	8.7	12.4	21	6.6	1.6	3.8	12.4
1995	144	10.6	0.9	8.9	12.6	28	9.3	2.0	5.7	15.4
1996	127	9.3	0.9	7.7	11.2	32	10.4	2.2	6.5	16.7
1997	152	10.7	0.9	9.0	12.6	20	6.0	1.6	3.3	11.2
1998	141	9.8	0.9	8.2	11.7	31	11.0	2.3	7.1	17.2
1999	144	9.7	0.8	8.1	11.5	23	6.6	1.5	3.9	11.2
2000	162	11.2	0.9	9.5	13.1	24	6.1	1.4	3.6	10.2
2001	166	10.8	0.9	9.2	12.7	39	8.5	1.5	5.9	12.5
2002	146	10.1	0.9	8.5	12.0	33	8.2	1.5	5.4	12.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	960	9.2	0.4	8.4	10.0	17,601	12.2	0.1	12.1	12.4
1990	44	7.2	1.5	4.5	11.5	1,122	10.6	0.3	10.0	11.2
1991	48	7.9	1.5	5.3	12.1	1,092	10.3	0.3	9.7	10.9
1992	55	9.1	1.6	6.2	13.5	1,165	10.8	0.3	10.2	11.5
1993	52	7.8	1.4	5.3	11.7	1,237	11.4	0.3	10.8	12.0
1994	73	9.5	1.6	6.7	13.6	1,474	13.5	0.4	12.8	14.2
1995	78	9.7	1.5	7.0	13.7	1,452	13.2	0.3	12.5	13.9
1996	71	9.2	1.5	6.5	13.2	1,388	12.5	0.3	11.9	13.2
1997	82	9.6	1.4	7.0	13.3	1,392	12.5	0.3	11.9	13.2
1998	82	9.3	1.4	6.7	13.0	1,371	12.2	0.3	11.6	12.9
1999	91	10.3	1.5	7.6	14.0	1,475	13.1	0.3	12.4	13.8
2000	98	8.5	1.1	6.4	11.5	1,480	13.0	0.3	12.4	13.7
2001	79	8.8	1.3	6.4	12.1	1,519	13.3	0.3	12.7	14.0
2002	107	10.9	1.4	8.3	14.3	1,434	12.4	0.3	11.8	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Leukemias, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	12,585	15.3	0.1	15.1	15.6	11,137	15.7	0.2	15.4	16.0
1986	533	12.1	0.6	11.0	13.2	480	12.4	0.6	11.3	13.6
1987	590	12.9	0.6	11.8	14.0	545	13.6	0.6	12.4	14.9
1988	576	12.9	0.6	11.8	14.0	502	12.8	0.6	11.7	14.1
1989	586	12.6	0.5	11.6	13.8	529	13.0	0.6	11.9	14.3
1990	621	13.3	0.6	12.3	14.5	559	13.7	0.6	12.5	14.9
1991	642	13.4	0.5	12.3	14.5	578	13.9	0.6	12.7	15.1
1992	717	15.0	0.6	13.9	16.2	636	15.3	0.6	14.1	16.6
1993	709	14.7	0.6	13.6	15.9	629	15.2	0.6	14.0	16.5
1994	853	18.0	0.6	16.8	19.4	757	18.5	0.7	17.2	19.9
1995	838	17.2	0.6	16.0	18.4	747	17.8	0.7	16.5	19.2
1996	821	17.0	0.6	15.8	18.2	721	17.3	0.7	16.0	18.6
1997	816	16.5	0.6	15.3	17.7	722	17.0	0.6	15.8	18.3
1998	804	15.9	0.6	14.8	17.0	707	16.3	0.6	15.1	17.5
1999	873	17.2	0.6	16.0	18.4	781	17.9	0.7	16.7	19.3
2000	853	16.5	0.6	15.4	17.7	740	16.8	0.6	15.6	18.0
2001	891	17.2	0.6	16.0	18.3	757	17.2	0.6	16.0	18.5
2002	862	16.5	0.6	15.4	17.7	747	16.8	0.6	15.6	18.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,141	12.1	0.4	11.4	12.9	205	9.9	0.9	8.2	11.9
1986	47	10.3	1.7	7.2	14.6	4	3.3	1.9	0.7	23.2
1987	35	6.7	1.2	4.5	10.0	8	17.4	7.6	5.9	43.7
1988	63	12.9	1.8	9.5	17.3	7	7.1	2.9	2.6	25.2
1989	49	9.7	1.5	7.0	13.5	7	9.3	5.0	2.3	29.8
1990	52	10.3	1.6	7.4	14.4	7	12.9	6.1	3.8	35.4
1991	53	9.5	1.4	6.9	13.1	7	7.0	4.3	1.3	25.3
1992	66	12.4	1.7	9.4	16.5	11	10.7	4.4	3.8	27.8
1993	65	10.9	1.5	8.2	14.5	11	9.4	4.0	3.3	25.0
1994	80	14.9	1.9	11.5	19.3	11	7.4	2.8	2.9	20.8
1995	73	12.5	1.6	9.6	16.3	15	11.2	3.4	5.5	24.7
1996	79	14.8	1.8	11.4	19.1	15	10.8	3.7	4.8	24.4
1997	80	13.3	1.6	10.3	17.2	8	4.1	1.5	1.7	14.3
1998	74	12.3	1.5	9.5	16.0	18	17.5	4.9	9.3	32.2
1999	65	10.6	1.4	7.9	14.0	15	10.2	3.0	5.1	21.4
2000	88	14.9	1.7	11.8	18.8	15	8.1	2.4	4.1	17.5
2001	98	15.9	1.7	12.7	19.9	27	10.9	2.3	6.9	19.2
2002	74	12.3	1.5	9.5	15.9	19	10.2	2.6	5.8	18.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	531	10.7	0.7	9.4	12.3	9,769	16.2	0.2	15.9	16.5
1990	16	4.5	1.8	1.7	13.0	605	13.6	0.6	12.5	14.8
1991	24	8.3	2.3	4.5	16.8	618	13.6	0.6	12.5	14.7
1992	33	11.6	2.8	6.8	20.6	684	15.1	0.6	13.9	16.3
1993	29	9.6	2.7	5.1	18.5	680	14.9	0.6	13.7	16.1
1994	43	9.7	2.1	6.1	17.3	810	18.1	0.7	16.9	19.5
1995	44	12.8	3.1	7.5	22.0	794	17.3	0.6	16.1	18.6
1996	40	9.1	2.5	4.9	17.2	781	17.1	0.6	15.9	18.4
1997	45	10.7	2.3	6.7	18.1	771	16.6	0.6	15.4	17.8
1998	53	12.9	2.6	8.3	20.7	751	15.8	0.6	14.7	17.0
1999	51	11.4	2.4	7.2	18.7	822	17.3	0.6	16.1	18.6
2000	53	10.3	2.2	6.5	16.9	800	16.6	0.6	15.5	17.8
2001	46	11.1	2.4	6.9	17.9	845	17.6	0.6	16.4	18.8
2002	54	13.4	2.5	8.9	20.2	808	16.7	0.6	15.5	17.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Leukemias, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,187	9.2	0.1	9.0	9.3	8,983	9.4	0.1	9.2	9.6
1986	452	7.5	0.4	6.8	8.2	404	7.6	0.4	6.9	8.4
1987	496	8.1	0.4	7.4	8.9	443	8.3	0.4	7.6	9.2
1988	488	7.9	0.4	7.2	8.6	431	8.0	0.4	7.3	8.9
1989	490	8.0	0.4	7.3	8.7	433	8.1	0.4	7.4	8.9
1990	545	8.6	0.4	7.9	9.4	493	9.0	0.4	8.2	9.9
1991	498	7.9	0.4	7.2	8.6	442	8.1	0.4	7.4	8.9
1992	503	7.9	0.4	7.2	8.6	444	8.1	0.4	7.3	8.9
1993	580	8.9	0.4	8.2	9.6	529	9.4	0.4	8.6	10.2
1994	694	10.6	0.4	9.8	11.4	624	11.0	0.4	10.2	11.9
1995	692	10.4	0.4	9.7	11.3	604	10.7	0.4	9.8	11.6
1996	638	9.5	0.4	8.8	10.3	570	9.9	0.4	9.1	10.8
1997	658	9.8	0.4	9.0	10.6	571	9.9	0.4	9.1	10.8
1998	649	9.5	0.4	8.7	10.2	562	9.6	0.4	8.8	10.4
1999	693	10.2	0.4	9.4	11.0	601	10.4	0.4	9.6	11.3
2000	725	10.5	0.4	9.8	11.3	632	10.9	0.4	10.0	11.8
2001	707	10.2	0.4	9.5	11.0	620	10.6	0.4	9.8	11.5
2002	679	9.6	0.4	8.9	10.4	580	9.8	0.4	9.0	10.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	979	7.4	0.2	6.9	7.9	156	5.9	0.5	4.9	7.1
1986	43	6.4	1.0	4.6	8.7	4	2.9	1.5	0.7	16.2
1987	44	6.6	1.0	4.7	9.1	6	4.8	2.0	1.7	17.6
1988	46	7.1	1.1	5.1	9.6	9	7.5	2.9	3.0	20.8
1989	54	7.6	1.1	5.7	10.1	3	2.8	1.9	0.4	14.8
1990	46	6.1	0.9	4.4	8.3	2	1.8	1.4	0.2	13.3
1991	48	6.4	1.0	4.7	8.7	6	3.8	1.6	1.4	13.9
1992	46	6.2	0.9	4.5	8.4	10	8.7	3.0	3.9	19.8
1993	43	5.8	0.9	4.1	7.9	8	5.1	2.0	2.0	14.0
1994	58	7.7	1.0	5.8	10.0	10	6.1	2.1	2.8	14.6
1995	71	9.1	1.1	7.1	11.6	13	7.7	2.4	3.7	16.2
1996	48	5.9	0.9	4.3	7.9	17	10.1	2.8	5.4	18.8
1997	72	8.9	1.1	6.9	11.2	12	7.2	2.4	3.2	15.1
1998	67	7.9	1.0	6.1	10.1	13	7.0	2.1	3.5	14.0
1999	79	9.2	1.0	7.2	11.5	8	3.9	1.5	1.6	9.6
2000	74	8.6	1.0	6.7	10.9	9	4.2	1.6	1.7	9.6
2001	68	7.6	0.9	5.9	9.7	12	5.9	1.8	2.9	11.4
2002	72	8.5	1.0	6.6	10.7	14	6.4	1.8	3.4	11.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	429	8.0	0.5	7.1	9.1	7,832	9.5	0.1	9.3	9.7
1990	28	9.4	2.2	5.5	16.0	517	8.5	0.4	7.8	9.3
1991	24	7.5	1.9	4.2	13.4	474	7.8	0.4	7.1	8.6
1992	22	7.0	1.9	3.8	12.8	481	7.9	0.4	7.2	8.6
1993	23	6.6	1.6	3.8	11.8	557	8.9	0.4	8.1	9.6
1994	30	8.6	2.1	5.0	14.6	664	10.5	0.4	9.8	11.4
1995	34	8.0	1.6	5.2	12.9	658	10.4	0.4	9.6	11.2
1996	31	9.5	2.1	5.9	15.2	607	9.5	0.4	8.7	10.3
1997	37	8.6	1.8	5.5	13.7	621	9.7	0.4	8.9	10.5
1998	29	6.2	1.5	3.7	10.8	620	9.5	0.4	8.8	10.3
1999	40	9.4	1.9	6.0	14.5	653	10.2	0.4	9.4	11.0
2000	45	7.2	1.3	4.8	11.1	680	10.5	0.4	9.7	11.3
2001	33	7.0	1.5	4.3	11.2	674	10.4	0.4	9.6	11.2
2002	53	9.1	1.6	6.3	13.2	626	9.4	0.4	8.6	10.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphocytic Leukemia, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,363	5.3	0.1	5.2	5.4	9,171	5.5	0.1	5.4	5.6
1986	440	4.1	0.2	3.7	4.5	398	4.3	0.2	3.9	4.7
1987	521	4.8	0.2	4.4	5.2	471	5.0	0.2	4.6	5.5
1988	528	4.9	0.2	4.5	5.3	464	4.9	0.2	4.5	5.4
1989	552	5.1	0.2	4.6	5.5	500	5.3	0.2	4.8	5.8
1990	540	4.9	0.2	4.5	5.3	489	5.1	0.2	4.7	5.6
1991	564	5.0	0.2	4.6	5.5	495	5.1	0.2	4.7	5.6
1992	622	5.5	0.2	5.1	6.0	547	5.6	0.2	5.2	6.1
1993	600	5.2	0.2	4.8	5.7	542	5.5	0.2	5.1	6.0
1994	713	6.2	0.2	5.8	6.7	638	6.5	0.3	6.0	7.0
1995	689	5.9	0.2	5.5	6.4	612	6.2	0.3	5.7	6.7
1996	651	5.6	0.2	5.1	6.0	587	5.9	0.2	5.4	6.4
1997	642	5.4	0.2	5.0	5.9	571	5.7	0.2	5.2	6.2
1998	617	5.2	0.2	4.8	5.6	547	5.4	0.2	4.9	5.9
1999	645	5.4	0.2	5.0	5.8	583	5.7	0.2	5.3	6.2
2000	621	5.1	0.2	4.7	5.5	525	5.1	0.2	4.7	5.6
2001	706	5.8	0.2	5.4	6.2	600	5.8	0.2	5.4	6.3
2002	712	5.8	0.2	5.3	6.2	602	5.8	0.2	5.3	6.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	934	4.1	0.1	3.8	4.3	140	2.8	0.3	2.3	3.4
1986	36	3.2	0.6	2.2	4.6	4	1.2	0.6	0.3	9.1
1987	38	3.2	0.6	2.2	4.5	8	4.2	1.8	1.4	12.6
1988	54	4.7	0.7	3.4	6.3	6	3.5	1.6	1.1	11.4
1989	47	3.7	0.6	2.7	5.1	4	3.6	2.2	0.7	12.3
1990	44	3.8	0.6	2.7	5.2	2	1.0	0.8	0.1	7.8
1991	58	4.4	0.6	3.3	5.9	7	1.9	0.7	0.8	7.8
1992	64	5.0	0.7	3.8	6.5	7	3.3	1.4	1.1	9.6
1993	50	3.7	0.5	2.7	5.0	5	1.7	0.9	0.4	6.9
1994	59	4.3	0.6	3.3	5.7	11	3.3	1.2	1.4	8.5
1995	58	4.2	0.6	3.1	5.5	13	3.8	1.3	1.8	8.8
1996	51	3.7	0.5	2.7	4.9	4	1.0	0.5	0.2	4.8
1997	57	3.8	0.5	2.9	5.1	8	1.6	0.6	0.7	5.2
1998	51	3.5	0.5	2.6	4.7	12	3.1	0.9	1.5	6.9
1999	46	2.9	0.4	2.1	4.0	6	2.0	0.9	0.6	5.7
2000	76	5.4	0.6	4.2	6.8	6	1.6	0.7	0.5	4.7
2001	77	4.9	0.6	3.8	6.2	16	3.6	1.0	2.0	6.8
2002	68	4.6	0.6	3.6	5.9	21	5.4	1.3	3.2	8.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	444	3.3	0.2	2.9	3.8	7,878	5.5	0.1	5.4	5.6
1990	24	2.2	0.5	1.3	4.9	516	4.9	0.2	4.5	5.3
1991	26	3.7	1.0	2.1	7.1	538	5.0	0.2	4.6	5.5
1992	26	4.7	1.3	2.5	8.6	596	5.6	0.2	5.1	6.0
1993	26	3.5	0.9	2.0	6.6	574	5.3	0.2	4.9	5.7
1994	28	1.9	0.4	1.2	4.1	685	6.3	0.2	5.8	6.8
1995	40	3.8	0.8	2.4	6.6	649	5.9	0.2	5.5	6.4
1996	44	5.2	1.1	3.2	8.5	607	5.5	0.2	5.1	5.9
1997	39	3.3	0.7	2.0	5.8	603	5.4	0.2	5.0	5.9
1998	32	3.1	0.7	1.9	5.5	585	5.2	0.2	4.8	5.7
1999	35	3.7	0.9	2.2	6.3	610	5.4	0.2	5.0	5.9
2000	40	2.8	0.6	1.9	4.8	581	5.1	0.2	4.7	5.6
2001	33	2.6	0.7	1.5	4.8	673	5.9	0.2	5.5	6.4
2002	51	3.3	0.5	2.3	5.0	661	5.8	0.2	5.3	6.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphocytic Leukemia, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,934	7.1	0.1	6.9	7.3	5,244	7.3	0.1	7.1	7.5
1986	235	5.3	0.4	4.6	6.1	212	5.5	0.4	4.7	6.3
1987	284	6.0	0.4	5.3	6.8	261	6.4	0.4	5.6	7.3
1988	286	6.2	0.4	5.5	7.1	250	6.3	0.4	5.5	7.2
1989	289	6.1	0.4	5.4	6.9	268	6.5	0.4	5.7	7.4
1990	303	6.5	0.4	5.7	7.3	277	6.7	0.4	5.9	7.6
1991	344	7.0	0.4	6.3	7.8	298	7.0	0.4	6.3	7.9
1992	368	7.7	0.4	6.9	8.5	322	7.8	0.4	6.9	8.7
1993	327	6.6	0.4	5.9	7.4	293	7.0	0.4	6.2	7.8
1994	424	9.0	0.4	8.1	9.9	378	9.2	0.5	8.3	10.2
1995	390	7.9	0.4	7.1	8.7	343	8.1	0.4	7.3	9.1
1996	390	7.9	0.4	7.1	8.8	350	8.3	0.5	7.4	9.2
1997	385	7.6	0.4	6.8	8.4	342	7.9	0.4	7.1	8.9
1998	360	7.0	0.4	6.3	7.8	318	7.3	0.4	6.5	8.1
1999	378	7.3	0.4	6.6	8.1	346	7.9	0.4	7.1	8.8
2000	358	6.9	0.4	6.2	7.6	303	6.8	0.4	6.1	7.6
2001	406	7.6	0.4	6.9	8.5	338	7.6	0.4	6.8	8.4
2002	407	7.7	0.4	6.9	8.5	345	7.7	0.4	6.9	8.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	543	5.6	0.3	5.1	6.2	78	3.5	0.5	2.6	4.7
1986	19	4.1	1.1	2.3	7.2	2	1.1	0.8	0.1	21.0
1987	18	3.3	0.9	1.8	6.0	3	4.7	3.6	0.4	25.5
1988	32	6.4	1.3	4.2	9.8	1	1.9	1.9	0.0	19.9
1989	18	3.5	0.9	1.9	6.3	2	5.6	4.6	0.4	26.2
1990	24	5.5	1.3	3.3	8.9	1	0.5	0.5	0.0	17.2
1991	39	6.6	1.1	4.6	9.7	4	2.0	1.0	0.5	16.7
1992	40	7.1	1.2	4.9	10.4	4	3.0	1.7	0.7	16.7
1993	29	4.9	1.0	3.2	7.6	2	0.9	0.6	0.1	13.4
1994	35	6.5	1.3	4.2	9.7	8	5.9	2.7	1.9	19.3
1995	37	6.2	1.1	4.2	9.1	8	6.3	2.8	2.0	19.2
1996	31	5.4	1.1	3.5	8.3	3	1.6	1.0	0.2	12.4
1997	36	5.5	1.0	3.8	8.2	3	1.3	0.8	0.3	11.4
1998	32	5.2	1.0	3.5	7.8	6	3.6	1.6	1.2	13.4
1999	22	3.3	0.8	2.0	5.5	3	2.3	1.6	0.3	12.0
2000	44	7.5	1.2	5.4	10.4	5	3.1	1.7	0.8	11.8
2001	51	8.3	1.3	6.0	11.4	10	4.4	1.5	1.9	11.9
2002	36	5.6	1.0	3.8	8.1	13	7.2	2.2	3.6	14.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	252	4.0	0.4	3.3	4.9	4,588	7.5	0.1	7.3	7.8
1990	10	2.2	0.9	0.8	9.7	293	6.6	0.4	5.8	7.4
1991	10	2.8	1.2	1.0	10.0	334	7.2	0.4	6.4	8.0
1992	11	5.1	2.3	1.7	13.7	357	7.8	0.4	7.0	8.7
1993	15	4.6	1.6	2.0	12.0	312	6.7	0.4	6.0	7.5
1994	17	2.1	0.5	1.2	8.1	407	9.1	0.5	8.2	10.1
1995	25	4.9	1.6	2.3	11.8	365	7.9	0.4	7.1	8.8
1996	28	4.9	1.7	2.2	11.8	362	7.9	0.4	7.0	8.7
1997	22	4.3	1.5	1.8	10.7	363	7.7	0.4	6.9	8.5
1998	21	4.2	1.3	2.1	9.9	339	7.1	0.4	6.3	7.9
1999	23	5.1	1.7	2.3	11.4	355	7.4	0.4	6.6	8.2
2000	20	3.0	0.9	1.5	7.7	338	7.0	0.4	6.2	7.8
2001	24	4.7	1.6	2.2	10.1	382	7.9	0.4	7.1	8.7
2002	26	3.5	0.8	2.1	7.3	381	7.8	0.4	7.0	8.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphocytic Leukemia, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,429	4.0	0.1	3.9	4.1	3,927	4.1	0.1	4.0	4.3
1986	205	3.4	0.2	2.9	3.9	186	3.5	0.3	3.0	4.1
1987	237	3.9	0.3	3.4	4.4	210	4.0	0.3	3.5	4.6
1988	242	3.9	0.3	3.4	4.4	214	4.0	0.3	3.4	4.5
1989	263	4.3	0.3	3.8	4.8	232	4.3	0.3	3.8	5.0
1990	237	3.8	0.2	3.3	4.3	212	3.9	0.3	3.4	4.5
1991	220	3.4	0.2	3.0	3.9	197	3.6	0.3	3.1	4.1
1992	254	3.9	0.2	3.4	4.4	225	4.0	0.3	3.5	4.6
1993	273	4.1	0.3	3.7	4.7	249	4.4	0.3	3.9	5.0
1994	289	4.4	0.3	3.9	4.9	260	4.5	0.3	4.0	5.1
1995	299	4.5	0.3	4.0	5.1	269	4.8	0.3	4.3	5.5
1996	261	3.9	0.2	3.4	4.4	237	4.2	0.3	3.7	4.8
1997	257	3.8	0.2	3.3	4.3	229	4.0	0.3	3.5	4.5
1998	257	3.7	0.2	3.3	4.2	229	3.9	0.3	3.4	4.4
1999	267	4.0	0.2	3.5	4.5	237	4.2	0.3	3.7	4.8
2000	263	3.8	0.2	3.4	4.3	222	3.9	0.3	3.4	4.4
2001	300	4.3	0.3	3.9	4.9	262	4.5	0.3	3.9	5.0
2002	305	4.3	0.3	3.9	4.9	257	4.4	0.3	3.8	5.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	391	3.0	0.2	2.7	3.3	62	2.2	0.3	1.7	3.0
1986	17	2.7	0.7	1.5	4.5	2	1.3	0.9	0.2	14.5
1987	20	3.0	0.7	1.8	4.8	5	4.0	1.8	1.2	16.8
1988	22	3.4	0.7	2.1	5.3	5	4.9	2.5	1.3	17.9
1989	29	3.9	0.7	2.6	5.8	2	2.3	1.8	0.2	14.3
1990	20	2.8	0.6	1.7	4.4	1	1.3	1.3	0.0	12.7
1991	19	2.6	0.6	1.6	4.3	3	1.9	1.1	0.4	11.8
1992	24	3.4	0.7	2.1	5.1	3	3.4	2.1	0.6	13.6
1993	21	2.7	0.6	1.6	4.2	3	2.3	1.5	0.4	11.0
1994	24	3.1	0.6	2.0	4.7	3	1.3	0.8	0.3	8.6
1995	21	2.7	0.6	1.7	4.3	5	2.0	0.9	0.6	8.5
1996	20	2.5	0.6	1.5	3.9	1	0.5	0.5	0.0	6.3
1997	21	2.5	0.6	1.6	4.0	5	1.8	0.8	0.6	7.5
1998	19	2.2	0.5	1.3	3.6	6	2.7	1.1	0.9	8.3
1999	24	2.7	0.6	1.7	4.1	3	1.8	1.1	0.3	7.2
2000	32	3.9	0.7	2.7	5.6	1	0.4	0.4	0.0	4.5
2001	26	2.8	0.6	1.8	4.1	6	2.9	1.2	1.0	7.4
2002	32	3.8	0.7	2.6	5.4	8	3.7	1.4	1.5	8.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	192	2.8	0.3	2.3	3.4	3,290	4.0	0.1	3.9	4.1
1990	14	2.2	0.6	1.2	6.3	223	3.7	0.2	3.2	4.2
1991	16	4.5	1.4	2.2	9.7	204	3.3	0.2	2.8	3.8
1992	15	4.6	1.6	2.1	10.1	239	3.8	0.3	3.4	4.4
1993	11	2.5	1.0	0.9	6.7	262	4.2	0.3	3.7	4.7
1994	11	1.7	0.6	0.7	5.2	278	4.4	0.3	3.9	4.9
1995	15	3.0	0.9	1.5	6.8	284	4.6	0.3	4.0	5.1
1996	16	5.2	1.6	2.5	10.2	245	3.9	0.3	3.4	4.4
1997	17	2.6	0.7	1.4	5.9	240	3.7	0.2	3.3	4.2
1998	11	2.1	0.7	0.9	5.5	246	3.7	0.2	3.3	4.2
1999	12	2.6	0.9	1.1	6.2	255	4.0	0.3	3.6	4.6
2000	20	2.7	0.7	1.5	5.7	243	3.8	0.2	3.3	4.3
2001	9	0.9	0.3	0.4	3.3	291	4.5	0.3	4.0	5.1
2002	25	3.0	0.7	1.8	5.6	280	4.2	0.3	3.7	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Myeloid and Monocytic Leukemia, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,331	5.3	0.1	5.2	5.4	9,117	5.4	0.1	5.3	5.5
1986	449	4.2	0.2	3.8	4.7	398	4.3	0.2	3.9	4.7
1987	450	4.1	0.2	3.8	4.6	412	4.3	0.2	3.9	4.8
1988	441	4.1	0.2	3.7	4.5	391	4.2	0.2	3.8	4.6
1989	426	4.0	0.2	3.6	4.4	375	4.0	0.2	3.6	4.4
1990	529	4.8	0.2	4.4	5.2	474	4.9	0.2	4.5	5.4
1991	508	4.6	0.2	4.2	5.0	464	4.8	0.2	4.4	5.3
1992	531	4.7	0.2	4.3	5.1	474	4.8	0.2	4.4	5.3
1993	565	5.0	0.2	4.6	5.4	505	5.1	0.2	4.7	5.6
1994	672	5.8	0.2	5.4	6.3	598	6.0	0.2	5.5	6.5
1995	683	5.9	0.2	5.4	6.3	593	5.9	0.2	5.5	6.4
1996	674	5.8	0.2	5.4	6.2	589	5.9	0.2	5.4	6.4
1997	702	6.0	0.2	5.5	6.4	611	6.1	0.2	5.6	6.6
1998	684	5.8	0.2	5.3	6.2	589	5.8	0.2	5.3	6.3
1999	735	6.1	0.2	5.7	6.6	637	6.2	0.2	5.8	6.7
2000	784	6.5	0.2	6.0	7.0	695	6.8	0.3	6.3	7.3
2001	796	6.5	0.2	6.1	7.0	694	6.7	0.3	6.2	7.2
2002	702	5.7	0.2	5.3	6.1	618	5.9	0.2	5.4	6.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	975	4.2	0.1	4.0	4.5	191	4.2	0.4	3.6	5.0
1986	47	3.9	0.6	2.8	5.4	3	1.6	0.9	0.3	9.6
1987	33	3.0	0.5	2.0	4.3	4	2.9	1.7	0.6	11.4
1988	43	3.7	0.6	2.6	5.1	6	2.6	1.1	0.9	9.8
1989	46	3.9	0.6	2.8	5.4	5	1.7	0.8	0.5	8.4
1990	48	3.4	0.5	2.5	4.7	5	4.7	2.5	1.2	13.8
1991	36	2.7	0.5	1.9	3.9	6	3.1	1.8	0.7	10.5
1992	41	3.2	0.5	2.2	4.4	13	5.9	2.0	2.6	13.0
1993	47	3.4	0.5	2.4	4.6	12	4.5	1.7	1.8	10.7
1994	62	4.6	0.6	3.5	6.0	10	3.3	1.1	1.5	8.4
1995	76	5.6	0.7	4.4	7.1	13	4.3	1.3	2.1	9.3
1996	62	4.5	0.6	3.4	5.8	23	7.9	2.0	4.4	13.8
1997	76	5.3	0.6	4.1	6.7	12	4.4	1.5	2.0	9.5
1998	74	5.1	0.6	4.0	6.5	17	7.3	2.0	4.0	13.0
1999	75	5.1	0.6	4.0	6.5	16	4.4	1.2	2.4	8.4
2000	71	4.6	0.6	3.6	5.9	14	3.7	1.1	1.8	7.4
2001	78	5.1	0.6	4.0	6.5	21	4.5	1.1	2.7	7.9
2002	60	4.1	0.5	3.1	5.3	11	2.6	0.8	1.2	5.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	431	4.8	0.3	4.2	5.4	8,134	5.6	0.1	5.5	5.8
1990	14	3.3	1.1	1.5	7.0	515	4.9	0.2	4.5	5.3
1991	17	3.0	0.9	1.5	6.3	491	4.6	0.2	4.2	5.1
1992	27	4.2	0.9	2.6	7.3	504	4.7	0.2	4.3	5.1
1993	23	3.7	1.0	2.0	6.9	542	5.0	0.2	4.6	5.4
1994	38	6.1	1.3	3.8	9.8	634	5.8	0.2	5.3	6.3
1995	31	3.8	0.8	2.3	6.6	652	5.9	0.2	5.5	6.4
1996	24	3.7	1.0	2.1	6.8	650	5.9	0.2	5.4	6.3
1997	36	5.1	1.0	3.3	8.0	666	6.0	0.2	5.5	6.4
1998	39	4.4	0.9	2.8	7.2	645	5.7	0.2	5.3	6.2
1999	45	5.4	1.1	3.5	8.5	690	6.1	0.2	5.7	6.6
2000	47	5.0	1.0	3.2	7.7	737	6.5	0.2	6.0	7.0
2001	42	5.6	1.1	3.7	8.5	754	6.6	0.2	6.1	7.1
2002	48	6.3	1.1	4.3	9.2	654	5.7	0.2	5.2	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002

Myeloid and Monocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,552	6.8	0.1	6.6	7.0	4,923	6.9	0.1	6.7	7.1
1986	252	5.7	0.4	5.0	6.6	225	5.8	0.4	5.1	6.7
1987	245	5.5	0.4	4.8	6.3	228	5.8	0.4	5.0	6.6
1988	239	5.5	0.4	4.8	6.3	211	5.5	0.4	4.8	6.4
1989	242	5.3	0.4	4.6	6.1	212	5.3	0.4	4.6	6.1
1990	263	5.7	0.4	5.0	6.5	231	5.7	0.4	5.0	6.5
1991	265	5.6	0.4	4.9	6.4	250	6.0	0.4	5.3	6.9
1992	308	6.4	0.4	5.7	7.2	277	6.6	0.4	5.8	7.4
1993	319	6.7	0.4	6.0	7.5	283	6.9	0.4	6.1	7.8
1994	343	7.1	0.4	6.4	8.0	301	7.2	0.4	6.4	8.2
1995	366	7.5	0.4	6.7	8.4	328	7.8	0.4	6.9	8.7
1996	354	7.3	0.4	6.5	8.1	308	7.3	0.4	6.5	8.2
1997	360	7.2	0.4	6.5	8.0	317	7.4	0.4	6.6	8.3
1998	362	7.1	0.4	6.4	7.9	314	7.1	0.4	6.4	8.0
1999	395	7.7	0.4	7.0	8.6	349	8.0	0.4	7.1	8.9
2000	418	8.1	0.4	7.3	8.9	371	8.4	0.4	7.6	9.3
2001	436	8.5	0.4	7.7	9.3	378	8.6	0.4	7.8	9.6
2002	385	7.5	0.4	6.7	8.3	340	7.7	0.4	6.9	8.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	489	5.2	0.3	4.7	5.7	111	5.6	0.7	4.4	7.3
1986	25	5.3	1.2	3.2	8.7	2	2.1	1.7	0.2	22.2
1987	14	2.8	0.8	1.5	5.3	3	6.0	3.9	0.9	27.0
1988	24	4.9	1.1	2.9	8.0	4	3.4	1.7	0.9	20.9
1989	25	5.1	1.1	3.2	8.1	5	3.7	1.8	1.1	20.0
1990	25	4.2	1.0	2.5	7.1	5	11.3	6.0	2.8	33.7
1991	11	1.9	0.6	0.9	4.0	3	5.0	4.1	0.3	23.5
1992	22	4.4	1.0	2.7	7.3	7	7.7	4.1	1.9	24.6
1993	28	4.4	0.9	2.7	7.0	7	7.1	3.8	1.7	22.7
1994	37	6.7	1.2	4.5	9.7	3	1.5	0.9	0.3	13.5
1995	31	5.5	1.1	3.6	8.3	6	4.1	1.8	1.4	15.8
1996	36	6.7	1.2	4.5	9.7	10	8.0	3.5	2.7	21.5
1997	36	6.2	1.1	4.2	9.2	5	2.7	1.3	0.8	12.9
1998	37	6.4	1.1	4.4	9.3	10	12.2	4.4	5.2	26.4
1999	29	4.7	0.9	3.1	7.3	12	7.9	2.6	3.7	18.5
2000	37	6.1	1.1	4.2	8.9	8	4.0	1.6	1.5	12.4
2001	41	6.4	1.0	4.5	9.0	15	5.9	1.6	3.1	13.3
2002	31	5.6	1.1	3.7	8.3	6	3.0	1.3	1.0	9.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	229	5.4	0.5	4.5	6.5	4,345	7.2	0.1	7.0	7.4
1990	5	2.1	1.6	0.2	10.6	258	5.8	0.4	5.1	6.6
1991	11	4.3	1.7	1.6	12.2	254	5.6	0.4	4.9	6.4
1992	20	6.0	1.5	3.4	13.1	288	6.3	0.4	5.6	7.1
1993	11	3.6	1.9	0.9	11.7	308	6.8	0.4	6.0	7.6
1994	20	5.9	1.8	2.9	13.2	323	7.1	0.4	6.4	8.0
1995	13	3.7	1.5	1.3	10.5	353	7.6	0.4	6.9	8.5
1996	10	3.8	1.8	1.1	10.9	344	7.5	0.4	6.7	8.3
1997	19	5.8	1.6	3.0	12.2	341	7.2	0.4	6.5	8.1
1998	24	5.8	1.5	3.2	11.9	338	7.1	0.4	6.3	7.9
1999	22	5.5	1.6	2.7	11.6	373	7.8	0.4	7.0	8.6
2000	29	6.7	1.9	3.4	13.0	389	8.1	0.4	7.3	8.9
2001	20	5.4	1.6	2.7	10.8	416	8.7	0.4	7.8	9.5
2002	25	7.8	1.9	4.5	13.6	360	7.5	0.4	6.7	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Myeloid and Monocytic Leukemia, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,779	4.3	0.1	4.2	4.5	4,194	4.4	0.1	4.3	4.6
1986	197	3.3	0.2	2.8	3.8	173	3.3	0.3	2.8	3.8
1987	205	3.3	0.2	2.9	3.9	184	3.4	0.3	2.9	4.0
1988	202	3.3	0.2	2.9	3.8	180	3.4	0.3	2.9	4.0
1989	184	3.0	0.2	2.6	3.5	163	3.1	0.2	2.6	3.6
1990	266	4.2	0.3	3.7	4.8	243	4.4	0.3	3.8	5.0
1991	243	3.9	0.3	3.4	4.5	214	4.0	0.3	3.5	4.6
1992	223	3.6	0.2	3.1	4.1	197	3.6	0.3	3.1	4.2
1993	246	3.8	0.2	3.4	4.4	222	4.0	0.3	3.5	4.6
1994	329	5.1	0.3	4.6	5.7	297	5.4	0.3	4.8	6.1
1995	317	4.8	0.3	4.3	5.4	265	4.7	0.3	4.2	5.4
1996	320	4.8	0.3	4.3	5.4	281	4.9	0.3	4.4	5.5
1997	342	5.1	0.3	4.6	5.7	294	5.2	0.3	4.6	5.8
1998	322	4.8	0.3	4.2	5.3	275	4.8	0.3	4.2	5.4
1999	340	5.0	0.3	4.5	5.6	288	5.0	0.3	4.5	5.7
2000	366	5.4	0.3	4.8	5.9	324	5.6	0.3	5.0	6.2
2001	360	5.3	0.3	4.7	5.8	316	5.5	0.3	4.9	6.1
2002	317	4.5	0.3	4.0	5.1	278	4.7	0.3	4.2	5.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	486	3.6	0.2	3.3	4.0	80	3.2	0.4	2.5	4.2
1986	22	3.1	0.7	1.9	4.9	1	1.1	1.1	0.0	14.5
1987	19	3.0	0.7	1.8	4.9	1	0.8	0.8	0.0	13.3
1988	19	2.9	0.7	1.7	4.6	2	1.6	1.1	0.2	13.5
1989	21	3.1	0.7	1.9	4.8	0	0.0	~	0.0	11.4
1990	23	3.0	0.6	1.8	4.6	0	0.0	~	0.0	11.2
1991	25	3.2	0.7	2.1	4.9	3	1.9	1.1	0.4	11.9
1992	19	2.4	0.6	1.4	3.9	6	4.8	2.0	1.7	14.6
1993	19	2.6	0.6	1.5	4.1	5	2.7	1.3	0.9	10.9
1994	25	3.3	0.7	2.1	4.9	7	4.8	1.9	1.8	13.1
1995	45	5.7	0.9	4.1	7.7	7	4.3	1.8	1.5	12.0
1996	26	3.1	0.6	2.0	4.7	13	7.9	2.5	3.7	16.1
1997	40	4.8	0.8	3.4	6.6	7	5.3	2.3	1.8	13.2
1998	37	4.3	0.7	3.0	6.0	7	4.3	1.8	1.6	10.8
1999	46	5.4	0.8	3.9	7.2	4	1.7	0.9	0.4	6.6
2000	34	3.7	0.6	2.5	5.2	6	3.2	1.5	1.0	8.5
2001	37	4.2	0.7	2.9	5.9	6	3.1	1.3	1.0	7.8
2002	29	3.3	0.6	2.2	4.8	5	2.3	1.1	0.7	6.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	202	4.3	0.4	3.6	5.2	3,789	4.6	0.1	4.5	4.8
1990	9	4.3	1.6	1.8	10.0	257	4.2	0.3	3.7	4.8
1991	6	1.8	1.0	0.5	6.5	237	4.0	0.3	3.5	4.6
1992	7	2.3	1.0	0.8	6.7	216	3.6	0.2	3.1	4.1
1993	12	4.1	1.3	2.0	8.8	234	3.8	0.3	3.3	4.3
1994	18	6.0	1.8	3.1	11.4	311	5.1	0.3	4.5	5.7
1995	18	4.3	1.1	2.4	8.4	299	4.8	0.3	4.2	5.3
1996	14	4.1	1.3	2.0	8.3	306	4.8	0.3	4.3	5.4
1997	17	4.5	1.3	2.3	8.7	325	5.1	0.3	4.6	5.7
1998	15	3.2	1.0	1.5	7.0	307	4.8	0.3	4.2	5.3
1999	23	5.4	1.5	2.9	9.8	317	5.0	0.3	4.4	5.6
2000	18	3.7	1.1	1.9	7.2	348	5.4	0.3	4.8	6.0
2001	22	5.8	1.5	3.3	10.0	338	5.3	0.3	4.7	5.9
2002	23	5.1	1.3	3.0	8.7	294	4.5	0.3	3.9	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Other Leukemia, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,078	1.1	0.0	1.0	1.1	1,832	1.1	0.0	1.0	1.1
1986	96	0.9	0.1	0.7	1.1	88	0.9	0.1	0.8	1.2
1987	115	1.1	0.1	0.9	1.3	105	1.1	0.1	0.9	1.4
1988	95	0.9	0.1	0.7	1.1	78	0.8	0.1	0.6	1.0
1989	98	0.9	0.1	0.7	1.1	87	0.9	0.1	0.7	1.2
1990	97	0.9	0.1	0.7	1.1	89	0.9	0.1	0.7	1.1
1991	68	0.6	0.1	0.5	0.8	61	0.6	0.1	0.5	0.8
1992	67	0.6	0.1	0.5	0.8	59	0.6	0.1	0.5	0.8
1993	124	1.1	0.1	0.9	1.3	111	1.1	0.1	0.9	1.3
1994	162	1.4	0.1	1.2	1.7	145	1.4	0.1	1.2	1.7
1995	158	1.4	0.1	1.2	1.6	146	1.5	0.1	1.2	1.7
1996	134	1.2	0.1	1.0	1.4	115	1.1	0.1	0.9	1.4
1997	130	1.1	0.1	0.9	1.3	111	1.1	0.1	0.9	1.3
1998	152	1.3	0.1	1.1	1.5	133	1.3	0.1	1.1	1.5
1999	186	1.5	0.1	1.3	1.8	162	1.5	0.1	1.3	1.8
2000	173	1.4	0.1	1.2	1.7	152	1.5	0.1	1.2	1.7
2001	96	0.8	0.1	0.6	1.0	83	0.8	0.1	0.6	1.0
2002	127	1.0	0.1	0.9	1.2	107	1.0	0.1	0.8	1.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	211	1.0	0.1	0.9	1.2	30	0.6	0.1	0.4	1.0
1986	7	0.6	0.3	0.2	1.5	1	0.3	0.3	0.0	8.2
1987	8	0.6	0.2	0.2	1.4	2	2.7	2.1	0.2	12.1
1988	12	1.1	0.3	0.5	2.0	4	1.4	0.7	0.3	8.4
1989	10	0.8	0.3	0.4	1.6	1	0.3	0.3	0.0	7.0
1990	6	0.5	0.2	0.2	1.2	2	0.8	0.5	0.1	7.4
1991	7	0.7	0.3	0.3	1.5	0	0.0	~	0.0	6.0
1992	7	0.6	0.2	0.2	1.3	1	0.3	0.3	0.0	5.7
1993	11	1.0	0.3	0.5	1.8	2	0.6	0.5	0.1	5.6
1994	17	1.4	0.4	0.8	2.4	0	0.0	~	0.0	4.6
1995	10	0.8	0.3	0.4	1.6	2	1.1	0.9	0.1	5.8
1996	14	1.2	0.3	0.6	2.0	5	1.6	0.8	0.4	5.7
1997	19	1.5	0.4	0.9	2.4	0	0.0	~	0.0	3.6
1998	16	1.2	0.3	0.7	2.0	2	0.7	0.6	0.1	4.3
1999	23	1.7	0.4	1.0	2.6	1	0.2	0.2	0.0	3.3
2000	15	1.2	0.3	0.6	2.0	4	0.8	0.4	0.2	3.5
2001	11	0.8	0.3	0.4	1.6	2	0.3	0.2	0.0	2.6
2002	18	1.4	0.3	0.8	2.2	1	0.2	0.2	0.0	2.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	85	1.1	0.2	0.8	1.5	1,589	1.1	0.0	1.0	1.2
1990	6	1.7	0.9	0.5	5.1	91	0.8	0.1	0.7	1.0
1991	5	1.1	0.6	0.3	4.1	63	0.6	0.1	0.5	0.8
1992	2	0.2	0.2	0.0	2.7	65	0.6	0.1	0.5	0.8
1993	3	0.6	0.4	0.1	3.1	121	1.1	0.1	0.9	1.3
1994	7	1.5	0.7	0.4	4.3	155	1.4	0.1	1.2	1.7
1995	7	2.1	0.9	0.7	5.3	151	1.4	0.1	1.2	1.6
1996	3	0.3	0.2	0.0	2.3	131	1.2	0.1	1.0	1.4
1997	7	1.2	0.7	0.3	3.8	123	1.1	0.1	0.9	1.3
1998	11	1.8	0.8	0.5	4.5	141	1.2	0.1	1.1	1.5
1999	11	1.1	0.5	0.4	3.2	175	1.5	0.1	1.3	1.8
2000	11	0.7	0.2	0.3	2.4	162	1.4	0.1	1.2	1.6
2001	4	0.5	0.4	0.1	2.3	92	0.8	0.1	0.6	1.0
2002	8	1.3	0.6	0.4	3.4	119	1.0	0.1	0.8	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Other Leukemia, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,099	1.4	0.0	1.3	1.5	970	1.5	0.0	1.4	1.6
1986	46	1.1	0.2	0.8	1.5	43	1.1	0.2	0.8	1.5
1987	61	1.4	0.2	1.1	1.8	56	1.4	0.2	1.1	1.9
1988	51	1.1	0.2	0.8	1.5	41	1.0	0.2	0.7	1.5
1989	55	1.2	0.2	0.9	1.6	49	1.2	0.2	0.9	1.7
1990	55	1.2	0.2	0.9	1.6	51	1.3	0.2	0.9	1.7
1991	33	0.8	0.1	0.5	1.1	30	0.8	0.1	0.5	1.1
1992	41	0.9	0.1	0.6	1.3	37	0.9	0.2	0.7	1.3
1993	63	1.4	0.2	1.0	1.8	53	1.3	0.2	1.0	1.8
1994	86	1.9	0.2	1.5	2.4	78	2.0	0.2	1.6	2.5
1995	82	1.8	0.2	1.4	2.3	76	1.9	0.2	1.5	2.4
1996	77	1.8	0.2	1.4	2.2	63	1.7	0.2	1.3	2.1
1997	71	1.7	0.2	1.3	2.1	63	1.7	0.2	1.3	2.2
1998	82	1.7	0.2	1.4	2.2	75	1.8	0.2	1.4	2.3
1999	100	2.1	0.2	1.7	2.6	86	2.1	0.2	1.7	2.6
2000	77	1.6	0.2	1.2	2.0	66	1.6	0.2	1.2	2.0
2001	49	1.0	0.1	0.8	1.4	41	1.0	0.2	0.7	1.4
2002	70	1.4	0.2	1.1	1.8	62	1.4	0.2	1.1	1.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	109	1.3	0.1	1.0	1.6	16	0.8	0.3	0.4	1.7
1986	3	0.9	0.5	0.2	3.2	0	0.0	~	0.0	20.2
1987	3	0.6	0.4	0.1	2.6	2	6.6	5.4	0.5	30.2
1988	7	1.6	0.7	0.5	3.9	2	1.8	1.3	0.2	19.4
1989	6	1.1	0.5	0.4	3.1	0	0.0	~	0.0	16.6
1990	3	0.6	0.3	0.1	2.4	1	1.1	1.1	0.0	17.8
1991	3	0.9	0.6	0.2	3.2	0	0.0	~	0.0	15.1
1992	4	0.8	0.5	0.2	2.9	0	0.0	~	0.0	13.7
1993	8	1.6	0.6	0.7	3.8	2	1.4	1.1	0.1	14.1
1994	8	1.8	0.7	0.7	4.1	0	0.0	~	0.0	12.3
1995	5	0.9	0.4	0.3	2.6	1	0.7	0.7	0.0	12.1
1996	12	2.7	0.9	1.3	5.2	2	1.2	0.8	0.1	12.0
1997	8	1.5	0.6	0.6	3.6	0	0.0	~	0.0	10.2
1998	5	0.7	0.3	0.2	2.3	2	1.6	1.4	0.1	11.7
1999	14	2.5	0.8	1.3	4.8	0	0.0	~	0.0	9.1
2000	7	1.2	0.5	0.5	3.0	2	1.0	0.7	0.1	8.8
2001	6	1.2	0.5	0.4	3.0	2	0.7	0.5	0.1	7.5
2002	7	1.1	0.4	0.4	2.7	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	50	1.4	0.3	0.8	2.2	836	1.5	0.1	1.4	1.6
1990	1	0.1	0.1	0.0	7.7	54	1.2	0.2	0.9	1.6
1991	3	1.2	0.9	0.1	8.5	30	0.7	0.1	0.5	1.1
1992	2	0.5	0.4	0.0	7.0	39	0.9	0.2	0.6	1.3
1993	3	1.3	0.9	0.2	8.1	60	1.4	0.2	1.0	1.8
1994	6	1.7	0.9	0.5	8.1	80	1.9	0.2	1.5	2.4
1995	6	4.2	2.1	1.1	12.1	76	1.8	0.2	1.4	2.2
1996	2	0.4	0.4	0.0	6.2	75	1.8	0.2	1.4	2.3
1997	4	0.6	0.4	0.1	6.1	67	1.7	0.2	1.3	2.1
1998	8	2.9	1.7	0.6	9.6	74	1.7	0.2	1.3	2.1
1999	6	0.8	0.4	0.2	5.7	94	2.1	0.2	1.7	2.6
2000	4	0.7	0.4	0.1	5.2	73	1.6	0.2	1.2	2.0
2001	2	1.0	0.9	0.0	5.8	47	1.0	0.2	0.8	1.4
2002	3	2.1	1.4	0.3	7.1	67	1.4	0.2	1.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Other Leukemia, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	979	0.8	0.0	0.8	0.9	862	0.9	0.0	0.8	0.9
1986	50	0.8	0.1	0.6	1.1	45	0.9	0.1	0.6	1.2
1987	54	0.9	0.1	0.7	1.2	49	0.9	0.1	0.7	1.2
1988	44	0.7	0.1	0.5	0.9	37	0.6	0.1	0.5	0.9
1989	43	0.7	0.1	0.5	1.0	38	0.7	0.1	0.5	1.0
1990	42	0.6	0.1	0.5	0.9	38	0.7	0.1	0.5	0.9
1991	35	0.5	0.1	0.4	0.8	31	0.6	0.1	0.4	0.8
1992	26	0.4	0.1	0.3	0.6	22	0.4	0.1	0.3	0.6
1993	61	0.9	0.1	0.7	1.1	58	0.9	0.1	0.7	1.2
1994	76	1.1	0.1	0.9	1.4	67	1.1	0.1	0.8	1.4
1995	76	1.1	0.1	0.8	1.4	70	1.1	0.1	0.9	1.4
1996	57	0.8	0.1	0.6	1.0	52	0.8	0.1	0.6	1.1
1997	59	0.8	0.1	0.6	1.1	48	0.8	0.1	0.6	1.0
1998	70	1.0	0.1	0.8	1.3	58	1.0	0.1	0.7	1.3
1999	86	1.2	0.1	0.9	1.5	76	1.2	0.1	0.9	1.5
2000	96	1.3	0.1	1.1	1.7	86	1.4	0.2	1.1	1.8
2001	47	0.6	0.1	0.5	0.8	42	0.6	0.1	0.5	0.9
2002	57	0.8	0.1	0.6	1.0	45	0.7	0.1	0.5	0.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	102	0.8	0.1	0.7	1.0	14	0.5	0.1	0.2	0.9
1986	4	0.5	0.3	0.1	1.6	1	0.5	0.5	0.0	13.8
1987	5	0.6	0.3	0.2	1.7	0	0.0	~	0.0	12.6
1988	5	0.8	0.4	0.3	2.0	2	1.1	0.8	0.1	12.9
1989	4	0.6	0.3	0.2	1.7	1	0.5	0.5	0.0	11.8
1990	3	0.4	0.2	0.1	1.3	1	0.6	0.6	0.0	11.7
1991	4	0.6	0.3	0.1	1.6	0	0.0	~	0.0	10.0
1992	3	0.4	0.3	0.1	1.4	1	0.6	0.6	0.0	9.5
1993	3	0.5	0.3	0.1	1.4	0	0.0	~	0.0	8.0
1994	9	1.3	0.4	0.6	2.5	0	0.0	~	0.0	7.3
1995	5	0.7	0.3	0.2	1.7	1	1.3	1.3	0.0	8.6
1996	2	0.3	0.2	0.0	1.1	3	1.8	1.2	0.3	8.2
1997	11	1.5	0.5	0.7	2.7	0	0.0	~	0.0	5.6
1998	11	1.4	0.4	0.7	2.6	0	0.0	~	0.0	5.1
1999	9	1.1	0.4	0.5	2.2	1	0.4	0.4	0.0	5.1
2000	8	1.0	0.4	0.4	2.1	2	0.6	0.4	0.1	4.6
2001	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	3.4
2002	11	1.4	0.4	0.7	2.5	1	0.4	0.4	0.0	3.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	35	0.9	0.2	0.5	1.4	753	0.9	0.0	0.8	0.9
1990	5	2.9	1.4	0.8	8.3	37	0.6	0.1	0.4	0.8
1991	2	1.1	0.8	0.1	5.7	33	0.5	0.1	0.4	0.8
1992	0	0.0	~	0.0	3.9	26	0.4	0.1	0.3	0.6
1993	0	0.0	~	0.0	3.7	61	0.9	0.1	0.7	1.2
1994	1	0.9	0.9	0.0	5.3	75	1.1	0.1	0.9	1.4
1995	1	0.7	0.7	0.0	4.6	75	1.1	0.1	0.9	1.4
1996	1	0.2	0.2	0.0	3.3	56	0.8	0.1	0.6	1.1
1997	3	1.6	1.0	0.2	5.7	56	0.8	0.1	0.6	1.1
1998	3	1.0	0.8	0.1	4.6	67	1.0	0.1	0.8	1.3
1999	5	1.4	0.8	0.3	4.8	81	1.1	0.1	0.9	1.4
2000	7	0.8	0.3	0.3	3.4	89	1.3	0.1	1.0	1.6
2001	2	0.2	0.1	0.0	2.5	45	0.6	0.1	0.4	0.8
2002	5	1.0	0.6	0.2	3.6	52	0.7	0.1	0.5	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Mesothelioma, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,276	1.2	0.0	1.1	1.2	2,148	1.3	0.0	1.2	1.3
1986	98	0.9	0.1	0.7	1.1	95	1.0	0.1	0.8	1.2
1987	127	1.2	0.1	1.0	1.4	121	1.3	0.1	1.0	1.5
1988	133	1.2	0.1	1.0	1.4	124	1.3	0.1	1.1	1.5
1989	102	0.9	0.1	0.7	1.1	96	1.0	0.1	0.8	1.2
1990	102	0.9	0.1	0.8	1.1	94	1.0	0.1	0.8	1.2
1991	120	1.1	0.1	0.9	1.3	116	1.2	0.1	1.0	1.4
1992	127	1.1	0.1	0.9	1.3	120	1.2	0.1	1.0	1.4
1993	120	1.1	0.1	0.9	1.3	113	1.1	0.1	0.9	1.4
1994	140	1.2	0.1	1.0	1.4	133	1.3	0.1	1.1	1.6
1995	163	1.4	0.1	1.2	1.7	149	1.5	0.1	1.3	1.8
1996	141	1.2	0.1	1.0	1.4	127	1.2	0.1	1.0	1.5
1997	138	1.2	0.1	1.0	1.4	129	1.3	0.1	1.1	1.5
1998	156	1.3	0.1	1.1	1.5	149	1.5	0.1	1.2	1.7
1999	140	1.2	0.1	1.0	1.4	133	1.3	0.1	1.1	1.5
2000	143	1.2	0.1	1.0	1.4	137	1.3	0.1	1.1	1.6
2001	179	1.5	0.1	1.3	1.7	169	1.6	0.1	1.4	1.9
2002	147	1.2	0.1	1.0	1.4	143	1.4	0.1	1.2	1.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	111	0.5	0.1	0.4	0.6	16	0.4	0.1	0.2	0.7
1986	3	0.3	0.2	0.1	0.9	0	0.0	~	0.0	8.1
1987	4	0.3	0.2	0.1	1.0	2	0.9	0.7	0.1	8.4
1988	8	0.7	0.3	0.3	1.5	1	0.5	0.5	0.0	7.7
1989	5	0.4	0.2	0.1	1.1	1	0.5	0.5	0.0	7.2
1990	6	0.5	0.2	0.2	1.2	1	0.5	0.5	0.0	7.2
1991	3	0.3	0.2	0.1	0.9	1	0.3	0.3	0.0	6.3
1992	5	0.5	0.2	0.1	1.2	2	0.7	0.5	0.1	6.1
1993	5	0.5	0.2	0.1	1.2	2	0.9	0.6	0.1	5.9
1994	7	0.5	0.2	0.2	1.2	0	0.0	~	0.0	4.6
1995	14	1.1	0.3	0.6	1.9	0	0.0	~	0.0	4.1
1996	13	0.9	0.3	0.5	1.6	1	0.2	0.2	0.0	4.0
1997	7	0.5	0.2	0.2	1.1	2	1.2	1.0	0.1	5.7
1998	7	0.5	0.2	0.2	1.2	0	0.0	~	0.0	3.3
1999	6	0.4	0.2	0.1	1.0	1	0.4	0.4	0.0	3.6
2000	6	0.4	0.2	0.2	1.0	0	0.0	~	0.0	2.6
2001	9	0.6	0.2	0.3	1.3	1	0.3	0.3	0.0	2.6
2002	3	0.2	0.1	0.0	0.7	1	0.3	0.3	0.0	2.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	44	0.6	0.1	0.4	0.9	1,772	1.2	0.0	1.2	1.3
1990	4	0.8	0.4	0.2	3.5	98	0.9	0.1	0.7	1.1
1991	2	0.5	0.3	0.1	3.1	118	1.1	0.1	0.9	1.3
1992	3	0.6	0.4	0.1	3.1	124	1.1	0.1	0.9	1.4
1993	3	0.9	0.5	0.2	3.6	117	1.1	0.1	0.9	1.3
1994	0	0.0	~	0.0	2.3	140	1.3	0.1	1.1	1.5
1995	5	0.8	0.4	0.3	3.1	158	1.4	0.1	1.2	1.7
1996	3	0.5	0.3	0.1	2.5	138	1.2	0.1	1.0	1.5
1997	0	0.0	~	0.0	2.0	138	1.2	0.1	1.0	1.4
1998	4	0.5	0.3	0.1	2.5	152	1.3	0.1	1.1	1.6
1999	4	0.8	0.4	0.2	2.9	136	1.2	0.1	1.0	1.4
2000	6	1.0	0.5	0.3	3.1	137	1.2	0.1	1.0	1.4
2001	7	1.2	0.5	0.5	3.1	172	1.5	0.1	1.3	1.7
2002	3	0.5	0.3	0.1	1.9	144	1.2	0.1	1.0	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Mesothelioma, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,728	2.2	0.1	2.1	2.3	1,635	2.3	0.1	2.2	2.4
1986	74	1.6	0.2	1.3	2.1	73	1.8	0.2	1.4	2.3
1987	97	2.2	0.2	1.7	2.7	91	2.3	0.2	1.8	2.9
1988	96	2.1	0.2	1.7	2.5	89	2.1	0.2	1.7	2.7
1989	82	1.8	0.2	1.4	2.3	76	1.9	0.2	1.5	2.4
1990	77	1.7	0.2	1.3	2.1	71	1.7	0.2	1.3	2.2
1991	97	2.1	0.2	1.7	2.6	93	2.2	0.2	1.8	2.8
1992	91	2.0	0.2	1.6	2.5	86	2.1	0.2	1.7	2.7
1993	86	1.9	0.2	1.5	2.4	80	2.0	0.2	1.6	2.5
1994	101	2.1	0.2	1.7	2.6	98	2.3	0.2	1.9	2.8
1995	123	2.7	0.2	2.2	3.2	114	2.8	0.3	2.3	3.4
1996	109	2.2	0.2	1.8	2.7	97	2.3	0.2	1.8	2.8
1997	111	2.3	0.2	1.9	2.8	106	2.5	0.2	2.1	3.1
1998	108	2.2	0.2	1.8	2.7	104	2.5	0.2	2.0	3.0
1999	104	2.1	0.2	1.7	2.6	99	2.3	0.2	1.9	2.8
2000	110	2.2	0.2	1.8	2.7	106	2.5	0.2	2.0	3.0
2001	142	2.9	0.2	2.4	3.4	133	3.1	0.3	2.6	3.7
2002	120	2.4	0.2	2.0	2.9	119	2.8	0.3	2.3	3.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	82	1.0	0.1	0.8	1.2	11	0.5	0.2	0.2	1.2
1986	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	20.2
1987	4	0.8	0.4	0.2	2.8	2	2.0	1.5	0.2	20.9
1988	6	1.3	0.6	0.5	3.5	1	1.2	1.2	0.0	18.9
1989	5	1.0	0.5	0.3	3.1	1	0.9	0.9	0.0	17.4
1990	6	1.2	0.5	0.4	3.2	0	0.0	~	0.0	16.8
1991	3	0.6	0.4	0.1	2.5	1	0.7	0.7	0.0	15.6
1992	5	1.2	0.6	0.4	3.3	0	0.0	~	0.0	13.7
1993	4	1.1	0.6	0.3	3.3	2	2.0	1.5	0.2	14.8
1994	3	0.5	0.3	0.1	2.2	0	0.0	~	0.0	12.3
1995	9	2.0	0.7	0.9	4.3	0	0.0	~	0.0	11.4
1996	11	1.8	0.6	0.9	3.8	1	0.5	0.5	0.0	11.3
1997	4	0.7	0.3	0.2	2.3	1	0.5	0.5	0.0	10.6
1998	4	0.9	0.5	0.2	2.7	0	0.0	~	0.0	9.6
1999	4	0.7	0.4	0.2	2.3	1	1.0	1.0	0.0	10.3
2000	4	0.9	0.5	0.2	2.6	0	0.0	~	0.0	7.9
2001	8	1.4	0.5	0.6	3.2	1	0.6	0.6	0.0	7.6
2002	1	0.1	0.1	0.0	1.4	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	33	1.1	0.2	0.7	1.7	1,346	2.3	0.1	2.1	2.4
1990	3	1.3	0.8	0.3	8.8	74	1.7	0.2	1.3	2.1
1991	2	0.9	0.7	0.1	8.0	95	2.1	0.2	1.7	2.6
1992	0	0.0	~	0.0	6.7	91	2.1	0.2	1.6	2.6
1993	3	2.0	1.2	0.4	9.1	83	1.9	0.2	1.5	2.4
1994	0	0.0	~	0.0	6.4	101	2.2	0.2	1.8	2.7
1995	3	0.9	0.5	0.2	6.9	120	2.7	0.3	2.2	3.3
1996	3	0.9	0.6	0.2	6.7	106	2.3	0.2	1.8	2.7
1997	0	0.0	~	0.0	5.6	111	2.4	0.2	2.0	2.9
1998	3	0.7	0.4	0.1	5.9	105	2.3	0.2	1.9	2.8
1999	3	1.4	0.9	0.2	6.7	101	2.1	0.2	1.7	2.6
2000	5	2.1	1.1	0.5	7.3	105	2.2	0.2	1.8	2.7
2001	5	2.0	0.9	0.6	6.5	137	2.9	0.3	2.5	3.5
2002	3	1.0	0.7	0.1	4.8	117	2.5	0.2	2.1	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Mesothelioma, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	548	0.5	0.0	0.4	0.5	513	0.5	0.0	0.5	0.6
1986	24	0.4	0.1	0.3	0.6	22	0.4	0.1	0.2	0.6
1987	30	0.5	0.1	0.3	0.7	30	0.5	0.1	0.4	0.8
1988	37	0.6	0.1	0.4	0.8	35	0.6	0.1	0.4	0.9
1989	20	0.3	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
1990	25	0.4	0.1	0.2	0.6	23	0.4	0.1	0.3	0.6
1991	23	0.4	0.1	0.2	0.5	23	0.4	0.1	0.3	0.6
1992	36	0.5	0.1	0.4	0.8	34	0.6	0.1	0.4	0.8
1993	34	0.5	0.1	0.4	0.7	33	0.6	0.1	0.4	0.8
1994	39	0.6	0.1	0.4	0.8	35	0.6	0.1	0.4	0.8
1995	40	0.6	0.1	0.4	0.8	35	0.6	0.1	0.4	0.9
1996	32	0.5	0.1	0.3	0.7	30	0.5	0.1	0.3	0.7
1997	27	0.4	0.1	0.3	0.6	23	0.4	0.1	0.2	0.6
1998	48	0.7	0.1	0.5	0.9	45	0.8	0.1	0.6	1.1
1999	36	0.5	0.1	0.4	0.7	34	0.6	0.1	0.4	0.8
2000	33	0.5	0.1	0.3	0.7	31	0.5	0.1	0.3	0.7
2001	37	0.5	0.1	0.4	0.7	36	0.6	0.1	0.4	0.8
2002	27	0.4	0.1	0.2	0.6	24	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	29	0.2	0.0	0.1	0.3	5	0.3	0.1	0.1	0.7
1986	2	0.3	0.2	0.0	1.4	0	0.0	~	0.0	13.4
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	1	0.9	0.9	0.0	12.1
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	2	1.3	1.0	0.2	10.4
1993	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	8.0
1994	4	0.5	0.3	0.1	1.4	0	0.0	~	0.0	7.3
1995	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	6.4
1996	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	5.8
1997	3	0.4	0.2	0.1	1.2	1	1.5	1.5	0.0	8.4
1998	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	5.1
1999	2	0.2	0.1	0.0	0.9	0	0.0	~	0.0	4.7
2000	2	0.2	0.1	0.0	0.9	0	0.0	~	0.0	4.0
2001	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	3.4
2002	2	0.3	0.2	0.0	1.0	1	0.6	0.6	0.0	3.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	11	0.3	0.1	0.1	0.6	426	0.5	0.0	0.5	0.6
1990	1	0.3	0.3	0.0	4.5	24	0.4	0.1	0.2	0.6
1991	0	0.0	~	0.0	4.2	23	0.4	0.1	0.2	0.6
1992	3	1.2	0.7	0.2	5.3	33	0.5	0.1	0.4	0.7
1993	0	0.0	~	0.0	3.7	34	0.5	0.1	0.4	0.8
1994	0	0.0	~	0.0	3.5	39	0.6	0.1	0.4	0.8
1995	2	0.7	0.5	0.1	4.2	38	0.6	0.1	0.4	0.8
1996	0	0.0	~	0.0	3.2	32	0.5	0.1	0.3	0.7
1997	0	0.0	~	0.0	3.1	27	0.4	0.1	0.3	0.6
1998	1	0.3	0.3	0.0	3.4	47	0.7	0.1	0.5	1.0
1999	1	0.3	0.3	0.0	3.3	35	0.5	0.1	0.4	0.8
2000	1	0.1	0.1	0.0	2.8	32	0.5	0.1	0.3	0.7
2001	2	0.6	0.4	0.1	3.1	35	0.5	0.1	0.4	0.7
2002	0	0.0	~	0.0	2.1	27	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kaposi Sarcoma, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,007	1.0	0.0	0.9	1.0	1,418	0.8	0.0	0.8	0.9
1986	90	0.9	0.1	0.7	1.1	74	0.8	0.1	0.6	1.1
1987	96	0.8	0.1	0.7	1.0	80	0.8	0.1	0.7	1.1
1988	119	1.1	0.1	0.9	1.3	99	1.1	0.1	0.9	1.3
1989	146	1.3	0.1	1.1	1.5	124	1.3	0.1	1.1	1.6
1990	176	1.5	0.1	1.3	1.7	123	1.3	0.1	1.1	1.5
1991	190	1.6	0.1	1.4	1.8	146	1.5	0.1	1.2	1.7
1992	189	1.6	0.1	1.3	1.8	139	1.4	0.1	1.2	1.7
1993	191	1.5	0.1	1.3	1.8	138	1.3	0.1	1.1	1.6
1994	185	1.5	0.1	1.3	1.8	129	1.3	0.1	1.1	1.5
1995	154	1.2	0.1	1.1	1.5	100	1.0	0.1	0.8	1.2
1996	148	1.2	0.1	1.0	1.4	90	0.9	0.1	0.7	1.1
1997	76	0.6	0.1	0.5	0.8	43	0.4	0.1	0.3	0.6
1998	54	0.4	0.1	0.3	0.6	28	0.3	0.1	0.2	0.4
1999	57	0.5	0.1	0.4	0.6	31	0.3	0.1	0.2	0.4
2000	40	0.3	0.1	0.2	0.4	21	0.2	0.0	0.1	0.3
2001	47	0.4	0.1	0.3	0.5	25	0.2	0.0	0.2	0.4
2002	49	0.4	0.1	0.3	0.5	28	0.3	0.1	0.2	0.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	543	1.8	0.1	1.7	2.0	21	0.4	0.1	0.2	0.7
1986	15	1.2	0.3	0.6	2.1	0	0.0	~	0.0	8.1
1987	14	1.0	0.3	0.5	1.8	1	0.3	0.3	0.0	7.8
1988	18	1.1	0.3	0.6	1.9	1	0.2	0.2	0.0	7.3
1989	21	1.2	0.3	0.7	2.0	0	0.0	~	0.0	6.8
1990	49	2.8	0.4	2.0	3.8	1	0.4	0.4	0.0	7.0
1991	41	2.4	0.4	1.7	3.4	0	0.0	~	0.0	6.0
1992	47	2.6	0.4	1.9	3.6	2	0.5	0.4	0.1	5.9
1993	49	2.8	0.4	2.1	3.9	4	0.9	0.5	0.2	5.8
1994	52	2.9	0.4	2.1	3.9	2	0.5	0.4	0.1	5.0
1995	52	3.0	0.4	2.2	4.0	1	0.4	0.4	0.0	4.6
1996	54	2.9	0.4	2.2	3.9	3	0.7	0.4	0.1	4.4
1997	29	1.6	0.3	1.0	2.3	3	1.1	0.7	0.2	5.0
1998	24	1.3	0.3	0.8	2.1	0	0.0	~	0.0	3.3
1999	24	1.3	0.3	0.9	2.1	0	0.0	~	0.0	3.1
2000	16	0.9	0.2	0.5	1.5	1	0.2	0.2	0.0	2.8
2001	21	1.1	0.2	0.7	1.8	1	0.5	0.5	0.0	3.1
2002	17	1.0	0.2	0.6	1.6	1	0.2	0.2	0.0	2.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	204	1.6	0.1	1.3	1.9	1,352	0.9	0.0	0.9	1.0
1990	16	2.0	0.6	1.0	5.0	160	1.5	0.1	1.2	1.7
1991	31	3.5	0.8	2.1	6.5	159	1.4	0.1	1.2	1.7
1992	19	1.7	0.4	0.9	4.1	170	1.5	0.1	1.3	1.8
1993	28	2.8	0.6	1.8	5.3	163	1.4	0.1	1.2	1.7
1994	22	2.4	0.6	1.3	5.0	163	1.5	0.1	1.2	1.7
1995	16	1.7	0.6	0.8	4.2	138	1.2	0.1	1.0	1.5
1996	27	3.7	1.0	2.1	6.7	121	1.1	0.1	0.9	1.3
1997	10	0.7	0.3	0.3	2.7	66	0.6	0.1	0.5	0.7
1998	7	0.6	0.2	0.2	2.4	47	0.4	0.1	0.3	0.6
1999	8	1.2	0.6	0.3	3.6	49	0.4	0.1	0.3	0.6
2000	4	0.3	0.2	0.1	2.0	36	0.3	0.1	0.2	0.4
2001	9	1.3	0.5	0.5	3.2	38	0.3	0.1	0.2	0.5
2002	7	0.7	0.3	0.2	2.2	42	0.4	0.1	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kaposi Sarcoma, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,870	1.9	0.0	1.8	2.0	1,317	1.6	0.0	1.5	1.7
1986	84	1.8	0.2	1.4	2.2	71	1.8	0.2	1.4	2.3
1987	89	1.7	0.2	1.3	2.1	74	1.7	0.2	1.3	2.1
1988	107	2.0	0.2	1.6	2.5	89	2.0	0.2	1.6	2.6
1989	137	2.5	0.2	2.1	3.0	116	2.5	0.2	2.1	3.1
1990	165	2.9	0.2	2.4	3.4	114	2.4	0.2	2.0	2.9
1991	186	3.2	0.2	2.8	3.8	143	3.0	0.3	2.5	3.6
1992	184	3.1	0.2	2.7	3.6	135	2.8	0.2	2.3	3.3
1993	179	2.9	0.2	2.5	3.4	129	2.5	0.2	2.1	3.0
1994	174	3.0	0.2	2.5	3.5	120	2.5	0.2	2.0	3.0
1995	147	2.4	0.2	2.0	2.9	95	1.9	0.2	1.5	2.3
1996	137	2.3	0.2	1.9	2.7	83	1.7	0.2	1.3	2.1
1997	67	1.1	0.1	0.9	1.4	38	0.8	0.1	0.6	1.1
1998	46	0.8	0.1	0.6	1.0	23	0.5	0.1	0.3	0.7
1999	51	0.9	0.1	0.7	1.2	27	0.6	0.1	0.4	0.9
2000	35	0.6	0.1	0.4	0.9	16	0.4	0.1	0.2	0.6
2001	39	0.7	0.1	0.5	0.9	20	0.4	0.1	0.3	0.7
2002	43	0.8	0.1	0.5	1.0	24	0.5	0.1	0.3	0.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	511	3.8	0.2	3.4	4.1	19	0.6	0.2	0.3	1.4
1986	12	1.8	0.5	0.9	3.9	0	0.0	~	0.0	20.2
1987	13	1.9	0.6	0.9	4.1	1	0.7	0.7	0.0	19.5
1988	16	1.9	0.5	1.1	4.0	1	0.5	0.5	0.0	18.1
1989	20	2.4	0.5	1.4	4.4	0	0.0	~	0.0	16.6
1990	48	6.1	0.9	4.4	8.7	1	0.7	0.7	0.0	17.4
1991	40	5.2	0.9	3.7	7.7	0	0.0	~	0.0	15.1
1992	46	5.6	0.8	4.0	8.0	2	1.0	0.7	0.1	14.5
1993	46	6.0	1.0	4.3	8.7	4	1.9	1.0	0.5	14.3
1994	50	6.1	0.9	4.5	8.6	2	1.0	0.7	0.1	13.1
1995	51	6.4	0.9	4.7	8.9	0	0.0	~	0.0	11.4
1996	50	5.9	0.8	4.3	8.2	3	1.4	0.8	0.3	12.0
1997	26	3.1	0.6	2.0	5.0	2	1.1	0.9	0.1	11.3
1998	21	2.5	0.6	1.5	4.3	0	0.0	~	0.0	9.6
1999	22	2.7	0.6	1.7	4.6	0	0.0	~	0.0	9.1
2000	16	1.9	0.5	1.1	3.6	1	0.4	0.4	0.0	8.2
2001	18	2.1	0.5	1.2	3.7	1	1.2	1.2	0.0	8.8
2002	16	2.0	0.5	1.1	3.6	1	0.4	0.4	0.0	6.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	197	2.9	0.3	2.3	3.7	1,256	1.8	0.1	1.7	1.9
1990	16	4.0	1.3	1.8	11.7	149	2.8	0.2	2.4	3.3
1991	31	6.9	1.9	3.7	14.8	155	3.0	0.2	2.5	3.5
1992	19	3.1	0.8	1.7	9.4	165	3.1	0.2	2.6	3.6
1993	28	5.2	1.1	3.3	11.7	151	2.7	0.2	2.3	3.2
1994	22	4.8	1.5	2.3	11.6	152	2.9	0.2	2.4	3.4
1995	16	3.5	1.3	1.5	10.0	131	2.4	0.2	2.0	2.9
1996	23	5.3	1.8	2.4	12.2	114	2.1	0.2	1.7	2.5
1997	10	1.4	0.5	0.6	6.7	57	1.1	0.1	0.8	1.4
1998	7	1.1	0.4	0.4	6.2	39	0.7	0.1	0.5	1.0
1999	7	2.1	1.4	0.3	8.2	44	0.9	0.1	0.6	1.2
2000	3	0.4	0.3	0.1	4.9	32	0.6	0.1	0.4	0.9
2001	8	2.4	1.1	0.7	7.3	31	0.6	0.1	0.4	0.9
2002	7	1.4	0.7	0.4	5.2	36	0.7	0.1	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kaposi Sarcoma, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	137	0.1	0.0	0.1	0.1	101	0.1	0.0	0.1	0.1
1986	6	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1987	7	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.3
1988	12	0.2	0.1	0.1	0.3	10	0.2	0.1	0.1	0.3
1989	9	0.1	0.0	0.1	0.3	8	0.1	0.0	0.1	0.3
1990	11	0.2	0.1	0.1	0.3	9	0.1	0.0	0.1	0.3
1991	4	0.1	0.0	0.0	0.2	3	0.0	0.0	0.0	0.2
1992	5	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1993	12	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
1994	11	0.2	0.0	0.1	0.3	9	0.1	0.0	0.1	0.3
1995	7	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1996	11	0.2	0.1	0.1	0.3	7	0.1	0.0	0.1	0.3
1997	9	0.1	0.0	0.1	0.3	5	0.1	0.0	0.0	0.2
1998	8	0.1	0.0	0.1	0.2	5	0.1	0.0	0.0	0.2
1999	6	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
2000	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
2001	8	0.1	0.0	0.1	0.2	5	0.1	0.0	0.0	0.2
2002	6	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	32	0.2	0.0	0.2	0.3	2	0.1	0.1	0.0	0.5
1986	3	0.6	0.3	0.1	1.8	0	0.0	~	0.0	13.4
1987	1	0.2	0.2	0.0	1.2	0	0.0	~	0.0	12.6
1988	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	12.0
1989	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	11.4
1990	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	11.2
1991	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	10.0
1992	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	9.0
1993	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	8.0
1994	2	0.2	0.1	0.0	0.9	0	0.0	~	0.0	7.3
1995	1	0.1	0.1	0.0	0.8	1	0.7	0.7	0.0	7.3
1996	4	0.4	0.2	0.1	1.2	0	0.0	~	0.0	5.8
1997	3	0.3	0.2	0.1	1.0	1	1.0	1.0	0.0	7.0
1998	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	5.1
1999	2	0.2	0.1	0.0	0.9	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	0	0.0	~	0.0	4.0
2001	3	0.3	0.2	0.1	1.0	0	0.0	~	0.0	3.4
2002	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	7	0.2	0.1	0.1	0.6	96	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	4.2	11	0.2	0.1	0.1	0.3
1991	0	0.0	~	0.0	4.2	4	0.1	0.0	0.0	0.2
1992	0	0.0	~	0.0	3.9	5	0.1	0.0	0.0	0.2
1993	0	0.0	~	0.0	3.7	12	0.2	0.1	0.1	0.4
1994	0	0.0	~	0.0	3.5	11	0.2	0.0	0.1	0.3
1995	0	0.0	~	0.0	3.4	7	0.1	0.0	0.0	0.2
1996	4	2.1	1.1	0.5	6.2	7	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	3.1	9	0.1	0.0	0.1	0.3
1998	0	0.0	~	0.0	3.0	8	0.1	0.0	0.1	0.3
1999	1	0.6	0.6	0.0	3.9	5	0.1	0.0	0.0	0.2
2000	1	0.2	0.2	0.0	2.9	4	0.1	0.0	0.0	0.2
2001	1	0.3	0.3	0.0	2.7	7	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	2.1	6	0.1	0.0	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ill-defined Sites, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	26,484	13.8	0.1	13.6	13.9	22,247	13.2	0.1	13.0	13.4
1986	1,391	13.3	0.4	12.6	14.0	1,165	12.5	0.4	11.8	13.3
1987	1,385	13.1	0.4	12.4	13.9	1,174	12.6	0.4	11.8	13.3
1988	1,474	13.8	0.4	13.1	14.5	1,243	13.1	0.4	12.4	13.9
1989	1,480	13.9	0.4	13.2	14.6	1,225	13.0	0.4	12.2	13.7
1990	1,420	13.1	0.4	12.4	13.8	1,189	12.5	0.4	11.8	13.2
1991	1,413	12.9	0.3	12.3	13.6	1,214	12.6	0.4	11.8	13.3
1992	1,419	12.8	0.3	12.1	13.5	1,219	12.5	0.4	11.8	13.2
1993	1,874	16.7	0.4	15.9	17.5	1,609	16.2	0.4	15.4	17.1
1994	1,900	16.8	0.4	16.0	17.6	1,636	16.5	0.4	15.7	17.3
1995	1,763	15.4	0.4	14.7	16.1	1,467	14.6	0.4	13.9	15.4
1996	1,676	14.5	0.4	13.9	15.3	1,380	13.7	0.4	13.0	14.4
1997	1,559	13.4	0.3	12.7	14.1	1,309	12.9	0.4	12.2	13.6
1998	1,522	12.9	0.3	12.3	13.6	1,278	12.4	0.3	11.7	13.1
1999	1,556	13.1	0.3	12.4	13.7	1,274	12.3	0.3	11.6	13.0
2000	1,623	13.5	0.3	12.8	14.1	1,348	12.9	0.4	12.2	13.6
2001	1,508	12.4	0.3	11.8	13.0	1,241	11.8	0.3	11.1	12.4
2002	1,521	12.3	0.3	11.7	13.0	1,276	12.0	0.3	11.3	12.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,863	18.6	0.3	18.0	19.2	308	9.2	0.6	8.1	10.5
1986	211	20.2	1.5	17.5	23.4	15	13.1	3.8	6.7	25.0
1987	205	19.0	1.4	16.4	21.9	6	5.7	2.7	1.7	15.6
1988	216	19.3	1.4	16.7	22.2	12	10.0	3.3	4.6	20.5
1989	238	21.4	1.4	18.7	24.5	14	11.1	3.3	5.5	21.4
1990	219	18.7	1.3	16.2	21.5	9	4.6	1.7	1.9	12.2
1991	177	15.4	1.2	13.1	17.9	16	8.2	2.2	4.5	15.8
1992	184	15.7	1.2	13.5	18.3	15	9.3	2.7	4.8	17.7
1993	242	20.5	1.4	17.9	23.4	21	10.9	2.6	6.4	18.5
1994	252	20.2	1.3	17.7	23.0	7	3.3	1.5	1.0	9.1
1995	268	21.7	1.4	19.1	24.5	24	13.6	3.2	8.1	22.0
1996	277	22.1	1.4	19.5	24.9	13	5.5	1.7	2.7	10.9
1997	221	17.2	1.2	14.9	19.7	27	11.7	2.5	7.3	18.5
1998	208	16.1	1.1	13.9	18.5	30	14.2	2.8	9.2	21.4
1999	250	18.9	1.2	16.6	21.5	26	11.3	2.5	7.0	17.8
2000	242	17.6	1.2	15.4	20.1	27	8.9	1.9	5.6	14.0
2001	236	17.4	1.2	15.2	19.8	26	8.9	1.9	5.6	13.9
2002	217	15.6	1.1	13.5	17.8	20	5.9	1.4	3.4	9.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	601	11.0	0.5	10.0	12.1	20,153	13.9	0.1	13.7	14.1
1990	29	9.8	2.1	6.1	15.3	1,391	13.3	0.4	12.6	14.0
1991	44	12.8	2.2	8.8	18.5	1,369	12.9	0.4	12.3	13.6
1992	29	8.1	1.8	5.0	12.8	1,390	12.9	0.3	12.3	13.6
1993	38	11.3	2.1	7.5	16.6	1,836	16.9	0.4	16.1	17.7
1994	38	10.0	1.9	6.6	14.8	1,862	17.0	0.4	16.3	17.8
1995	48	12.9	2.2	9.0	18.3	1,715	15.5	0.4	14.8	16.3
1996	52	13.6	2.2	9.7	18.8	1,624	14.6	0.4	13.9	15.4
1997	39	8.8	1.6	5.9	13.0	1,520	13.6	0.3	12.9	14.3
1998	60	12.4	1.9	8.9	17.2	1,462	12.9	0.3	12.2	13.6
1999	56	13.3	2.1	9.6	18.3	1,500	13.1	0.3	12.5	13.8
2000	57	11.5	1.8	8.2	15.9	1,566	13.6	0.3	12.9	14.3
2001	54	9.4	1.5	6.6	13.1	1,454	12.5	0.3	11.8	13.1
2002	57	9.4	1.4	6.8	12.9	1,464	12.4	0.3	11.8	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ill-defined Sites, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	12,560	16.0	0.1	15.7	16.3	10,450	15.3	0.2	15.0	15.6
1986	692	16.1	0.6	14.8	17.4	573	15.0	0.7	13.7	16.4
1987	649	15.2	0.6	14.0	16.5	546	14.4	0.6	13.2	15.8
1988	741	17.0	0.7	15.8	18.4	612	16.0	0.7	14.7	17.4
1989	717	16.3	0.6	15.1	17.7	582	15.1	0.6	13.9	16.5
1990	690	15.4	0.6	14.3	16.7	571	14.6	0.6	13.4	15.9
1991	707	15.8	0.6	14.6	17.0	602	15.2	0.6	14.0	16.6
1992	685	15.2	0.6	14.0	16.4	580	14.6	0.6	13.4	15.9
1993	839	18.6	0.7	17.3	19.9	705	17.8	0.7	16.5	19.2
1994	862	18.9	0.7	17.6	20.3	742	18.7	0.7	17.3	20.2
1995	831	17.8	0.6	16.5	19.1	678	16.7	0.7	15.4	18.0
1996	809	17.4	0.6	16.2	18.7	667	16.5	0.7	15.2	17.8
1997	748	15.7	0.6	14.5	16.9	619	15.0	0.6	13.8	16.2
1998	719	15.0	0.6	13.9	16.1	610	14.7	0.6	13.5	15.9
1999	710	14.6	0.6	13.5	15.7	567	13.4	0.6	12.3	14.6
2000	773	15.8	0.6	14.7	17.0	641	15.1	0.6	14.0	16.4
2001	720	14.4	0.5	13.3	15.5	597	13.8	0.6	12.7	15.0
2002	668	13.2	0.5	12.2	14.2	558	12.8	0.5	11.8	13.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,919	22.4	0.5	21.4	23.5	153	10.0	0.9	8.3	12.2
1986	109	25.1	2.6	20.2	31.0	10	16.7	5.8	7.4	40.4
1987	99	23.5	2.6	18.8	29.4	4	9.8	5.8	1.9	33.6
1988	119	24.8	2.4	20.3	30.3	8	17.9	7.3	6.6	42.9
1989	129	27.8	2.6	22.9	33.7	5	6.7	3.6	1.6	24.9
1990	114	23.2	2.3	18.9	28.5	4	3.4	1.7	0.9	19.9
1991	95	20.6	2.2	16.4	25.8	8	10.5	4.1	4.1	27.9
1992	98	21.8	2.4	17.4	27.2	6	7.1	3.3	2.2	22.5
1993	120	25.0	2.5	20.4	30.6	12	11.9	3.6	5.9	26.5
1994	113	21.5	2.2	17.4	26.4	4	2.5	1.3	0.6	14.6
1995	139	26.8	2.4	22.3	32.2	11	13.9	4.9	5.9	30.2
1996	129	25.0	2.4	20.6	30.3	8	8.6	3.8	2.9	22.6
1997	116	21.7	2.1	17.7	26.5	12	11.3	3.6	5.4	24.2
1998	92	16.4	1.8	13.1	20.6	13	13.3	4.3	6.3	27.2
1999	124	23.6	2.3	19.3	28.6	15	16.2	4.9	8.0	30.9
2000	117	20.9	2.1	17.1	25.6	12	11.8	4.0	5.3	24.2
2001	111	20.2	2.0	16.5	24.8	9	5.0	1.8	2.1	12.9
2002	95	16.2	1.7	13.0	20.2	12	7.1	2.2	3.5	14.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	300	12.5	0.9	10.8	14.4	9,461	16.1	0.2	15.8	16.5
1990	17	11.6	3.4	5.9	22.6	673	15.6	0.6	14.4	16.9
1991	19	16.0	4.4	8.6	28.6	688	15.9	0.6	14.7	17.2
1992	12	5.7	2.0	2.5	13.6	673	15.5	0.6	14.3	16.7
1993	20	15.1	4.2	8.1	26.9	819	18.8	0.7	17.5	20.2
1994	22	11.6	3.3	6.1	21.5	840	19.2	0.7	17.9	20.6
1995	23	13.4	3.6	7.3	23.8	808	18.0	0.6	16.7	19.3
1996	25	15.6	3.8	9.1	26.1	784	17.6	0.6	16.3	18.9
1997	20	10.5	3.1	5.4	19.5	728	15.9	0.6	14.8	17.2
1998	30	11.3	2.5	7.0	18.8	689	15.0	0.6	13.9	16.2
1999	30	16.4	3.6	10.2	26.1	680	14.6	0.6	13.5	15.8
2000	32	17.7	3.8	11.0	27.6	741	15.9	0.6	14.7	17.1
2001	24	8.5	2.2	4.8	14.9	696	14.6	0.6	13.5	15.8
2002	26	9.5	2.3	5.6	15.9	642	13.4	0.5	12.3	14.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Invasive Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Ill-defined Sites, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	13,924	12.2	0.1	12.0	12.4	11,797	11.8	0.1	11.5	12.0
1986	699	11.4	0.4	10.6	12.3	592	10.9	0.5	10.0	11.8
1987	736	12.0	0.4	11.1	12.9	628	11.5	0.5	10.6	12.5
1988	733	11.6	0.4	10.8	12.5	631	11.3	0.5	10.4	12.2
1989	763	12.1	0.4	11.3	13.1	643	11.6	0.5	10.7	12.5
1990	730	11.5	0.4	10.7	12.4	618	11.0	0.4	10.1	11.9
1991	706	10.9	0.4	10.1	11.8	612	10.7	0.4	9.8	11.6
1992	734	11.2	0.4	10.4	12.1	639	11.1	0.4	10.2	12.0
1993	1,035	15.4	0.5	14.5	16.4	904	15.3	0.5	14.3	16.3
1994	1,038	15.3	0.5	14.4	16.3	894	15.0	0.5	14.0	16.1
1995	932	13.5	0.4	12.7	14.4	789	13.0	0.5	12.1	14.0
1996	867	12.6	0.4	11.8	13.5	713	11.9	0.5	11.0	12.8
1997	811	11.7	0.4	10.9	12.5	690	11.4	0.4	10.5	12.3
1998	803	11.3	0.4	10.5	12.1	668	10.7	0.4	9.9	11.6
1999	846	11.9	0.4	11.1	12.7	707	11.4	0.4	10.5	12.3
2000	850	12.0	0.4	11.2	12.8	707	11.5	0.4	10.6	12.4
2001	788	10.9	0.4	10.1	11.7	644	10.3	0.4	9.5	11.1
2002	853	11.7	0.4	10.9	12.5	718	11.4	0.4	10.6	12.3
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,944	15.8	0.4	15.1	16.6	155	8.5	0.7	7.1	10.1
1986	102	16.8	1.7	13.6	20.6	5	10.0	4.9	2.8	27.9
1987	106	16.4	1.6	13.4	19.9	2	2.9	2.2	0.3	16.4
1988	97	15.1	1.6	12.2	18.6	4	4.4	2.2	1.2	17.1
1989	109	16.8	1.6	13.8	20.4	9	14.2	5.1	6.0	30.8
1990	105	15.5	1.5	12.6	18.9	5	5.4	2.7	1.5	18.1
1991	82	12.0	1.3	9.5	14.9	8	6.5	2.3	2.7	17.4
1992	86	12.1	1.3	9.6	15.0	9	10.8	4.0	4.4	23.8
1993	122	17.4	1.6	14.4	20.8	9	9.9	3.5	4.3	21.4
1994	139	18.9	1.6	15.9	22.4	3	3.4	2.2	0.5	12.7
1995	129	17.7	1.6	14.8	21.2	13	13.2	4.1	6.4	24.8
1996	148	19.8	1.6	16.7	23.3	5	3.5	1.6	1.1	10.3
1997	105	13.9	1.4	11.3	16.9	15	11.8	3.4	6.2	21.4
1998	116	15.1	1.4	12.4	18.2	17	14.6	3.7	8.2	24.6
1999	126	15.9	1.4	13.3	19.0	11	8.2	2.7	3.8	16.0
2000	125	15.4	1.4	12.8	18.4	15	7.7	2.1	4.2	14.0
2001	125	15.4	1.4	12.8	18.3	17	11.0	2.8	6.2	18.4
2002	122	14.7	1.3	12.2	17.6	8	4.4	1.7	1.8	9.5
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	301	10.0	0.6	8.8	11.3	10,692	12.4	0.1	12.1	12.6
1990	12	8.2	2.6	3.9	15.6	718	11.6	0.4	10.8	12.6
1991	25	11.6	2.5	7.2	18.7	681	10.8	0.4	10.0	11.7
1992	17	9.6	2.6	5.2	16.7	717	11.3	0.4	10.5	12.2
1993	18	9.0	2.3	5.0	15.5	1,017	15.6	0.5	14.7	16.7
1994	16	8.6	2.3	4.7	15.1	1,022	15.6	0.5	14.6	16.6
1995	25	12.4	2.8	7.6	19.7	907	13.6	0.5	12.7	14.5
1996	27	12.5	2.6	7.9	19.3	840	12.7	0.4	11.8	13.6
1997	19	7.9	1.9	4.6	13.3	792	11.8	0.4	11.0	12.7
1998	30	12.6	2.7	7.9	19.5	773	11.2	0.4	10.4	12.1
1999	26	10.9	2.5	6.6	17.3	820	12.0	0.4	11.1	12.8
2000	25	7.4	1.7	4.4	12.1	825	12.1	0.4	11.3	12.9
2001	30	10.1	2.1	6.4	15.4	758	10.9	0.4	10.1	11.7
2002	31	9.5	1.9	6.1	14.2	822	11.7	0.4	10.9	12.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Cancer Incidence by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Female Breast Cancer *in situ*										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,660	20.3	0.1	20.0	20.5	17,947	20.9	0.2	20.6	21.2
1986	541	10.0	0.4	9.1	10.9	496	10.7	0.5	9.7	11.7
1987	583	10.8	0.5	9.9	11.7	538	11.7	0.5	10.7	12.7
1988	699	12.6	0.5	11.7	13.6	627	13.2	0.5	12.2	14.3
1989	690	12.4	0.5	11.5	13.4	634	13.4	0.5	12.3	14.5
1990	784	13.8	0.5	12.9	14.9	718	15.0	0.6	13.9	16.1
1991	918	16.0	0.5	15.0	17.1	819	16.8	0.6	15.7	18.1
1992	1,010	17.4	0.6	16.3	18.5	906	18.4	0.6	17.2	19.7
1993	989	16.8	0.5	15.8	17.9	872	17.7	0.6	16.5	18.9
1994	1,066	17.6	0.5	16.6	18.7	934	18.3	0.6	17.1	19.5
1995	1,224	20.1	0.6	19.0	21.3	1,070	20.9	0.6	19.7	22.2
1996	1,356	22.2	0.6	21.0	23.4	1,141	22.3	0.7	21.0	23.6
1997	1,479	23.8	0.6	22.6	25.1	1,252	24.1	0.7	22.7	25.4
1998	1,725	27.5	0.7	26.2	28.8	1,475	28.2	0.7	26.7	29.6
1999	1,734	27.2	0.7	25.9	28.5	1,474	27.7	0.7	26.3	29.2
2000	1,955	30.4	0.7	29.1	31.8	1,672	31.4	0.8	29.9	32.9
2001	2,006	30.8	0.7	29.5	32.2	1,697	31.5	0.8	30.0	33.1
2002	1,901	28.8	0.7	27.5	30.1	1,622	29.7	0.7	28.2	31.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,919	14.6	0.3	14.0	15.3	434	15.6	0.8	14.2	17.3
1986	36	5.6	0.9	3.9	7.9	4	4.4	2.2	1.2	18.2
1987	37	5.7	1.0	4.0	8.0	3	2.8	1.6	0.6	15.6
1988	53	8.0	1.1	5.9	10.6	15	14.1	3.7	7.8	28.2
1989	40	6.0	1.0	4.3	8.3	8	6.4	2.3	2.7	18.4
1990	54	7.6	1.0	5.7	10.0	7	5.1	2.0	2.0	16.7
1991	72	10.6	1.3	8.3	13.4	12	8.1	2.5	4.0	19.2
1992	84	11.3	1.2	9.0	14.0	13	9.9	2.8	5.2	20.7
1993	96	12.4	1.3	10.0	15.2	14	9.3	2.6	4.9	19.1
1994	99	12.6	1.3	10.3	15.5	19	12.8	3.2	7.3	23.1
1995	111	14.0	1.3	11.5	17.0	22	13.6	3.0	8.3	22.9
1996	148	18.8	1.6	15.9	22.2	29	16.3	3.1	10.8	25.3
1997	155	18.9	1.5	16.0	22.1	30	15.0	2.8	10.0	23.3
1998	166	19.9	1.6	17.0	23.2	32	16.1	3.0	10.8	24.4
1999	164	19.4	1.5	16.6	22.7	44	21.8	3.4	15.6	30.7
2000	173	20.0	1.5	17.1	23.3	63	28.3	3.7	21.6	37.4
2001	220	24.8	1.7	21.6	28.3	66	26.9	3.4	20.7	35.1
2002	211	23.3	1.6	20.2	26.7	53	20.8	2.9	15.5	27.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	577	14.1	0.6	12.9	15.4	17,570	23.2	0.2	22.8	23.5
1990	17	7.2	1.8	4.1	13.1	767	14.1	0.5	13.1	15.1
1991	12	4.5	1.4	2.2	9.8	906	16.5	0.6	15.4	17.7
1992	17	6.5	1.6	3.7	11.8	993	17.9	0.6	16.7	19.0
1993	36	13.2	2.3	9.1	19.4	953	17.0	0.6	15.9	18.1
1994	20	7.9	1.9	4.7	13.5	1,046	18.1	0.6	17.0	19.3
1995	42	17.1	2.8	12.0	24.3	1,182	20.4	0.6	19.3	21.6
1996	43	12.4	2.0	8.8	17.8	1,313	22.6	0.6	21.3	23.8
1997	40	12.9	2.2	9.0	18.7	1,439	24.4	0.6	23.2	25.7
1998	50	15.3	2.3	11.1	21.2	1,675	28.2	0.7	26.9	29.6
1999	53	16.0	2.4	11.7	22.0	1,681	27.9	0.7	26.5	29.2
2000	72	18.2	2.2	14.1	23.8	1,883	31.1	0.7	29.7	32.6
2001	90	22.8	2.6	17.9	29.1	1,916	31.4	0.7	30.0	32.9
2002	85	17.5	2.0	13.8	22.4	1,816	29.3	0.7	28.0	30.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

PART II – MORTALITY

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

All Sites Combined, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	416,429	215.8	0.3	215.2	216.5	352,338	208.5	0.4	207.8	209.2
1986	23,022	218.7	1.5	215.8	221.6	19,728	210.9	1.5	207.9	213.9
1987	23,182	218.6	1.5	215.8	221.5	19,852	210.9	1.5	208.0	213.9
1988	23,495	219.9	1.5	217.1	222.8	19,995	211.3	1.5	208.4	214.3
1989	23,932	222.8	1.5	220.0	225.7	20,287	213.6	1.5	210.6	216.6
1990	24,440	225.5	1.5	222.7	228.4	20,762	216.6	1.5	213.6	219.6
1991	24,416	222.3	1.4	219.5	225.2	20,836	214.8	1.5	211.9	217.8
1992	24,622	221.0	1.4	218.2	223.8	20,914	213.2	1.5	210.3	216.1
1993	25,269	224.4	1.4	221.7	227.2	21,365	216.0	1.5	213.1	218.9
1994	25,144	221.1	1.4	218.4	223.9	21,334	213.9	1.5	211.0	216.8
1995	25,101	218.6	1.4	215.9	221.3	21,292	211.9	1.5	209.0	214.8
1996	24,785	214.6	1.4	211.9	217.3	20,816	206.3	1.4	203.5	209.2
1997	24,479	210.0	1.3	207.4	212.6	20,609	202.9	1.4	200.1	205.6
1998	24,638	209.0	1.3	206.4	211.7	20,695	201.9	1.4	199.1	204.7
1999	25,024	210.3	1.3	207.7	212.9	21,085	204.0	1.4	201.3	206.8
2000	25,365	211.2	1.3	208.7	213.9	21,284	204.8	1.4	202.1	207.6
2001	24,778	204.0	1.3	201.5	206.6	20,782	198.2	1.4	195.5	200.9
2002	24,737	201.5	1.3	199.0	204.0	20,702	195.8	1.4	193.1	198.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	60,651	291.4	1.2	289.0	293.8	3,440	97.5	1.9	93.9	101.2
1986	3,189	298.1	5.5	287.4	309.1	105	86.3	9.8	68.2	109.1
1987	3,231	297.8	5.4	287.2	308.6	99	79.6	9.2	62.5	101.2
1988	3,368	301.8	5.4	291.4	312.6	132	95.1	9.5	77.3	117.1
1989	3,491	311.6	5.5	301.0	322.5	154	106.0	9.8	87.6	128.3
1990	3,539	313.3	5.4	302.7	324.2	139	99.4	9.8	81.0	121.8
1991	3,416	298.2	5.3	288.0	308.7	164	103.6	9.3	86.2	124.6
1992	3,536	299.6	5.2	289.5	310.0	172	101.4	8.8	84.9	121.1
1993	3,739	311.9	5.2	301.7	322.3	165	93.1	8.2	77.7	111.4
1994	3,606	295.9	5.1	286.1	306.0	204	105.0	8.4	89.3	123.4
1995	3,599	289.4	4.9	279.8	299.3	210	100.7	7.9	85.8	118.0
1996	3,753	297.9	5.0	288.2	307.9	216	97.0	7.4	83.1	113.1
1997	3,635	282.4	4.8	273.1	292.0	235	100.0	7.3	86.2	115.8
1998	3,694	280.6	4.7	271.4	290.0	249	97.5	6.9	84.4	112.6
1999	3,681	277.9	4.7	268.8	287.2	258	93.5	6.5	81.2	107.5
2000	3,764	277.7	4.6	268.7	286.9	317	109.3	6.7	96.5	123.7
2001	3,697	270.7	4.5	261.9	279.7	299	92.1	5.8	81.1	104.6
2002	3,713	266.5	4.5	257.9	275.4	322	94.3	5.7	83.6	106.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	6,228	110.1	1.6	107.0	113.4	314,264	217.0	0.4	216.2	217.8
1990	325	100.6	6.5	88.3	114.6	23,901	227.3	1.5	224.4	230.2
1991	375	106.5	6.4	94.4	120.1	23,824	223.8	1.5	220.9	226.7
1992	377	108.9	6.5	96.5	122.8	24,091	223.3	1.4	220.5	226.1
1993	462	121.2	6.6	108.7	135.1	24,653	226.4	1.4	223.5	229.2
1994	445	111.6	6.2	99.7	124.8	24,548	223.4	1.4	220.6	226.3
1995	422	101.8	5.8	90.7	114.1	24,480	220.9	1.4	218.1	223.7
1996	456	111.2	6.0	99.7	124.0	24,108	216.6	1.4	213.8	219.3
1997	478	106.9	5.7	96.0	119.0	23,800	212.2	1.4	209.5	214.9
1998	494	106.1	5.6	95.5	117.9	23,,972	211.7	1.4	209.0	214.4
1999	551	114.7	5.8	103.7	126.8	24,385	213.4	1.4	210.8	216.1
2000	593	117.3	5.7	106.4	129.2	24,618	214.1	1.4	211.4	216.7
2001	623	115.7	5.3	105.5	126.7	23,950	206.5	1.3	203.9	209.1
2002	627	105.8	4.8	96.6	115.8	23,934	204.7	1.3	202.1	207.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

All Sites Combined, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	215,310	277.0	0.6	275.8	278.2	180,860	265.7	0.6	264.4	266.9
1986	12,128	285.6	2.7	280.3	291.0	10,304	273.6	2.8	268.1	279.2
1987	12,064	282.3	2.7	277.1	287.7	10,164	268.6	2.8	263.2	274.2
1988	12,457	290.8	2.7	285.5	296.2	10,478	276.9	2.8	271.4	282.5
1989	12,547	290.2	2.7	285.0	295.6	10,527	275.8	2.8	270.4	281.4
1990	12,716	292.8	2.7	287.6	298.2	10,678	278.6	2.8	273.1	284.1
1991	12,775	290.6	2.7	285.4	295.9	10,794	278.1	2.8	272.7	283.6
1992	12,802	286.8	2.6	281.7	292.0	10,750	273.1	2.7	267.8	278.5
1993	13,069	290.1	2.6	285.0	295.3	10,944	276.5	2.7	271.2	281.9
1994	13,037	285.7	2.6	280.7	290.8	10,987	274.3	2.7	269.1	279.6
1995	12,985	281.9	2.5	276.9	286.9	10,921	270.7	2.6	265.6	276.0
1996	12,735	274.7	2.5	269.9	279.7	10,598	261.4	2.6	256.4	266.6
1997	12,559	267.2	2.4	262.4	272.0	10,512	256.4	2.5	251.5	261.5
1998	12,616	265.3	2.4	260.6	270.0	10,558	255.0	2.5	250.1	260.0
1999	12,697	264.7	2.4	260.0	269.4	10,675	255.7	2.5	250.8	260.6
2000	12,816	263.3	2.4	258.7	268.0	10,711	253.6	2.5	248.7	258.5
2001	12,730	257.7	2.3	253.2	262.3	10,676	249.4	2.4	244.7	254.2
2002	12,577	250.6	2.3	246.2	255.1	10,583	244.0	2.4	239.3	248.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	32,559	398.9	2.4	394.3	403.5	1,891	125.2	3.4	118.7	132.1
1986	1,761	407.9	10.5	387.6	429.2	63	119.6	18.0	87.0	164.5
1987	1,844	424.3	10.6	403.7	445.9	56	99.3	16.2	70.2	140.2
1988	1,898	425.8	10.5	405.5	447.1	81	138.5	18.2	105.2	182.4
1989	1,935	435.9	10.6	415.3	457.5	85	113.6	14.2	87.5	149.0
1990	1,949	437.0	10.7	416.4	458.6	89	144.5	18.3	110.9	188.2
1991	1,892	422.2	10.4	402.0	443.3	89	145.0	18.0	111.8	187.3
1992	1,958	431.5	10.5	411.1	452.8	94	132.5	15.9	103.2	170.0
1993	2,033	434.9	10.4	414.9	455.9	92	126.3	15.4	98.0	162.4
1994	1,945	410.8	10.0	391.5	431.0	105	117.0	13.3	92.3	148.7
1995	1,953	402.5	9.8	383.6	422.3	111	123.4	13.9	97.6	155.8
1996	2,024	415.5	9.9	396.3	435.5	113	113.9	12.5	90.7	143.3
1997	1,904	377.6	9.2	359.7	396.2	143	147.5	14.3	120.7	180.2
1998	1,941	374.9	9.0	357.4	393.2	117	110.3	11.9	88.2	138.1
1999	1,891	369.2	9.0	351.7	387.4	131	120.2	12.2	97.4	148.3
2000	1,923	367.0	8.9	349.8	385.0	182	146.9	12.5	123.4	175.0
2001	1,890	355.8	8.6	339.0	373.3	164	117.9	10.6	98.1	141.8
2002	1,818	333.3	8.2	317.4	349.8	176	118.5	10.0	99.7	140.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3,307	135.2	2.9	129.6	141.0	161,544	277.4	0.7	276.0	278.8
1990	181	136.0	12.8	112.1	164.7	12,415	294.8	2.7	289.5	300.3
1991	186	120.0	10.9	99.5	144.7	12,465	293.1	2.7	287.8	298.5
1992	192	132.0	11.8	109.9	158.2	12,519	289.9	2.7	284.6	295.2
1993	257	152.8	12.0	130.1	179.3	12,715	292.3	2.7	287.1	297.6
1994	244	142.5	11.5	120.8	168.0	12,710	288.8	2.6	283.7	294.0
1995	224	113.9	9.6	95.8	135.4	12,658	285.4	2.6	280.3	290.5
1996	232	130.2	10.6	110.2	153.7	12,385	277.7	2.5	272.7	282.8
1997	257	126.3	9.8	107.9	147.9	12,185	270.0	2.5	265.1	274.9
1998	282	145.9	10.6	125.9	168.9	12,243	268.4	2.5	263.6	273.2
1999	277	127.7	9.5	109.7	148.6	12,379	269.4	2.5	264.6	274.2
2000	320	152.8	10.5	132.8	175.4	12,417	267.0	2.4	262.2	271.8
2001	330	142.7	9.2	125.1	162.6	12,286	261.1	2.4	256.5	265.8
2002	325	126.2	8.2	110.6	143.9	12,167	255.2	2.3	250.7	259.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

All Sites Combined, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	201,119	178.7	0.4	177.9	179.4	171,478	174.3	0.4	173.5	175.1
1986	10,894	178.4	1.7	175.0	181.9	9,424	174.0	1.8	170.5	177.7
1987	11,118	180.8	1.7	177.4	184.3	9,688	177.6	1.8	174.0	181.3
1988	11,038	177.7	1.7	174.3	181.1	9,517	173.3	1.8	169.8	176.9
1989	11,385	182.5	1.7	179.1	185.9	9,760	177.3	1.8	173.7	180.9
1990	11,724	185.6	1.7	182.2	189.0	10,084	180.6	1.8	177.0	184.2
1991	11,641	181.5	1.7	178.1	184.8	10,042	177.5	1.8	174.0	181.1
1992	11,820	181.9	1.7	178.6	185.3	10,164	177.8	1.8	174.3	181.3
1993	12,200	185.3	1.7	182.0	188.6	10,421	180.6	1.8	177.1	184.1
1994	12,107	182.2	1.7	179.0	185.6	10,347	177.8	1.8	174.4	181.4
1995	12,116	180.5	1.7	177.2	183.7	10,371	177.0	1.8	173.5	180.5
1996	12,050	178.4	1.6	175.2	181.7	10,218	173.8	1.7	170.4	177.2
1997	11,920	175.2	1.6	172.0	178.4	10,097	170.7	1.7	167.4	174.2
1998	12,022	174.8	1.6	171.7	178.0	10,137	170.0	1.7	166.7	173.4
1999	12,327	177.0	1.6	173.8	180.2	10,410	172.4	1.7	169.1	175.8
2000	12,549	179.2	1.6	176.0	182.3	10,573	174.9	1.7	171.6	178.4
2001	12,048	170.5	1.6	167.4	173.6	10,106	166.5	1.7	163.2	169.8
2002	12,160	170.3	1.6	167.3	173.4	10,119	165.2	1.7	161.9	168.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	28,092	225.4	1.4	222.8	228.1	1,549	77.7	2.2	73.5	82.0
1986	1,428	226.9	6.1	215.0	239.3	42	61.2	10.8	41.9	89.0
1987	1,387	217.2	5.9	205.7	229.3	43	64.1	10.9	44.6	91.6
1988	1,470	222.0	5.9	210.6	234.0	51	62.7	10.0	44.7	88.0
1989	1,556	233.3	6.0	221.6	245.4	69	98.7	13.4	74.2	130.4
1990	1,590	236.6	6.0	224.9	248.8	50	65.9	10.7	46.6	92.4
1991	1,524	222.0	5.8	210.8	233.6	75	75.3	9.8	57.4	99.2
1992	1,578	222.0	5.7	211.0	233.4	78	79.4	10.1	60.9	103.3
1993	1,706	236.6	5.8	225.4	248.3	73	69.9	9.1	53.3	91.5
1994	1,661	226.8	5.6	215.9	238.2	99	95.3	10.6	75.6	119.5
1995	1,646	220.9	5.5	210.3	232.0	99	84.7	9.4	67.3	106.1
1996	1,729	227.3	5.5	216.6	238.4	103	83.9	8.9	67.2	104.1
1997	1,731	224.0	5.4	213.5	235.0	92	67.2	7.6	53.0	84.8
1998	1,753	222.0	5.4	211.6	232.8	132	89.2	8.5	73.3	108.3
1999	1,790	223.5	5.3	213.2	234.2	127	76.8	7.3	63.1	93.3
2000	1,841	225.1	5.3	214.8	235.7	135	82.3	7.6	68.1	99.0
2001	1,807	219.2	5.2	209.1	229.6	135	73.8	6.7	61.2	88.6
2002	1,895	225.3	5.2	215.2	235.8	146	76.7	6.7	64.2	91.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2,921	92.9	1.9	89.2	96.7	152,720	180.3	0.5	179.4	181.2
1990	144	78.5	7.1	65.2	94.5	11,486	187.2	1.8	183.7	190.7
1991	189	99.3	7.9	84.4	116.7	11,359	182.2	1.7	178.9	185.7
1992	185	94.6	7.7	80.1	111.5	11,572	183.7	1.7	180.3	187.1
1993	205	99.4	7.7	84.9	116.0	11,938	187.1	1.7	183.7	190.5
1994	201	90.9	7.2	77.4	106.6	11,838	184.1	1.7	180.8	187.5
1995	198	92.2	7.3	78.5	107.9	11,822	182.2	1.7	178.9	185.6
1996	224	99.2	7.3	85.4	115.1	11,723	179.8	1.7	176.6	183.2
1997	221	91.8	7.0	78.7	107.0	11,615	177.1	1.7	173.9	180.4
1998	212	77.6	6.0	66.2	90.8	11,729	177.2	1.7	174.0	180.5
1999	274	105.2	7.2	91.5	120.7	12,006	179.2	1.7	176.0	182.5
2000	273	92.7	6.4	80.6	106.4	12,201	181.4	1.7	178.2	184.7
2001	293	95.9	6.2	84.1	109.2	11,664	172.5	1.6	169.4	175.7
2002	302	90.8	5.8	79.8	103.1	11,767	172.7	1.6	169.5	175.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Buccal Cavity and Pharynx, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,116	3.2	0.0	3.1	3.3	4,759	2.8	0.0	2.8	2.9
1986	384	3.6	0.2	3.3	4.0	307	3.2	0.2	2.9	3.6
1987	384	3.6	0.2	3.3	4.0	314	3.3	0.2	3.0	3.7
1988	378	3.5	0.2	3.2	3.9	298	3.1	0.2	2.8	3.5
1989	380	3.6	0.2	3.2	3.9	286	3.0	0.2	2.7	3.4
1990	427	4.0	0.2	3.6	4.4	325	3.4	0.2	3.1	3.8
1991	421	3.8	0.2	3.5	4.2	315	3.3	0.2	2.9	3.6
1992	365	3.3	0.2	3.0	3.7	281	2.9	0.2	2.6	3.3
1993	363	3.3	0.2	2.9	3.6	282	2.9	0.2	2.6	3.3
1994	354	3.1	0.2	2.8	3.5	271	2.7	0.2	2.4	3.1
1995	370	3.2	0.2	2.9	3.6	284	2.8	0.2	2.5	3.2
1996	368	3.2	0.2	2.9	3.6	307	3.1	0.2	2.8	3.5
1997	339	2.9	0.2	2.6	3.3	257	2.6	0.2	2.3	2.9
1998	341	2.9	0.2	2.6	3.2	268	2.7	0.2	2.3	3.0
1999	301	2.5	0.1	2.3	2.8	231	2.3	0.1	2.0	2.6
2000	329	2.7	0.2	2.5	3.1	258	2.5	0.2	2.2	2.8
2001	302	2.5	0.1	2.2	2.8	233	2.2	0.1	2.0	2.6
2002	310	2.5	0.1	2.2	2.8	242	2.3	0.1	2.0	2.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,276	5.6	0.2	5.3	5.9	81	1.7	0.2	1.4	2.3
1986	75	6.7	0.8	5.2	8.5	2	0.9	0.7	0.1	8.9
1987	68	6.0	0.7	4.6	7.7	2	1.6	1.2	0.1	9.6
1988	76	6.3	0.7	4.9	8.0	4	1.5	0.8	0.4	8.6
1989	90	7.2	0.8	5.8	9.0	4	1.8	0.9	0.5	8.6
1990	101	8.1	0.8	6.6	9.9	1	0.3	0.3	0.0	7.0
1991	100	8.0	0.8	6.4	9.8	6	2.9	1.3	0.9	9.5
1992	78	5.9	0.7	4.6	7.5	6	2.3	1.0	0.8	8.0
1993	77	5.8	0.7	4.6	7.3	4	1.3	0.7	0.4	6.3
1994	80	5.9	0.7	4.6	7.4	3	1.2	0.7	0.2	5.9
1995	82	6.2	0.7	4.9	7.8	4	1.1	0.6	0.3	5.2
1996	56	4.2	0.6	3.2	5.5	5	1.9	0.9	0.5	6.2
1997	74	5.1	0.6	4.0	6.5	8	2.9	1.2	1.0	7.4
1998	67	4.8	0.6	3.7	6.1	6	1.7	0.7	0.6	5.3
1999	63	4.4	0.6	3.4	5.7	7	1.8	0.7	0.7	5.2
2000	66	4.4	0.6	3.4	5.7	5	1.4	0.7	0.4	4.4
2001	60	4.1	0.5	3.1	5.3	9	2.7	1.0	1.1	6.0
2002	63	4.0	0.5	3.1	5.2	5	1.3	0.6	0.4	3.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	77	1.5	0.2	1.1	1.9	4,476	3.1	0.0	3.0	3.2
1990	6	1.6	0.7	0.5	4.8	419	4.1	0.2	3.7	4.5
1991	4	1.2	0.6	0.3	4.2	409	3.9	0.2	3.5	4.3
1992	5	1.2	0.6	0.4	4.0	359	3.4	0.2	3.1	3.8
1993	6	2.1	0.9	0.7	5.4	354	3.3	0.2	3.0	3.7
1994	6	1.9	0.8	0.6	4.9	346	3.2	0.2	2.9	3.5
1995	5	1.8	0.8	0.5	4.8	360	3.3	0.2	2.9	3.6
1996	3	0.9	0.6	0.1	3.5	362	3.3	0.2	3.0	3.7
1997	7	2.4	1.0	0.8	5.5	328	3.0	0.2	2.7	3.3
1998	7	1.7	0.7	0.6	4.3	333	3.0	0.2	2.7	3.3
1999	7	1.1	0.4	0.4	3.1	293	2.6	0.2	2.3	2.9
2000	7	1.0	0.4	0.4	2.9	319	2.8	0.2	2.5	3.1
2001	7	1.5	0.6	0.5	3.7	294	2.6	0.1	2.3	2.9
2002	7	1.1	0.5	0.4	2.9	300	2.6	0.1	2.3	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Buccal Cavity and Pharynx, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,202	5.1	0.1	4.9	5.2	3,202	4.5	0.1	4.3	4.7
1986	262	5.8	0.4	5.1	6.6	207	5.1	0.4	4.4	6.0
1987	256	5.7	0.4	5.0	6.5	209	5.3	0.4	4.6	6.1
1988	273	6.0	0.4	5.3	6.8	212	5.3	0.4	4.6	6.2
1989	251	5.4	0.4	4.8	6.2	184	4.5	0.3	3.9	5.3
1990	300	6.6	0.4	5.9	7.5	221	5.7	0.4	4.9	6.5
1991	282	6.1	0.4	5.4	6.9	203	5.0	0.4	4.3	5.8
1992	237	5.1	0.3	4.4	5.8	179	4.5	0.3	3.8	5.2
1993	261	5.4	0.3	4.8	6.1	199	4.8	0.3	4.1	5.5
1994	243	5.0	0.3	4.4	5.7	175	4.3	0.3	3.6	5.0
1995	248	5.1	0.3	4.4	5.8	187	4.4	0.3	3.8	5.1
1996	261	5.3	0.3	4.7	6.1	213	5.1	0.4	4.4	5.8
1997	236	4.7	0.3	4.1	5.4	176	4.1	0.3	3.5	4.8
1998	242	4.9	0.3	4.3	5.5	187	4.4	0.3	3.8	5.1
1999	216	4.2	0.3	3.6	4.8	167	3.8	0.3	3.2	4.4
2000	210	4.0	0.3	3.5	4.6	156	3.5	0.3	3.0	4.1
2001	222	4.2	0.3	3.6	4.8	171	3.8	0.3	3.2	4.4
2002	202	3.7	0.3	3.2	4.3	156	3.4	0.3	2.9	4.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	941	9.7	0.3	9.1	10.4	59	2.6	0.4	1.9	3.7
1986	54	11.2	1.6	8.3	15.2	1	1.2	1.2	0.0	21.3
1987	46	9.4	1.4	6.8	13.1	1	0.9	0.9	0.0	19.7
1988	58	11.3	1.5	8.5	15.2	3	2.5	1.4	0.5	19.9
1989	63	11.8	1.5	9.1	15.6	4	3.7	1.9	1.0	20.3
1990	78	14.9	1.8	11.6	19.1	1	0.6	0.6	0.0	17.3
1991	73	14.0	1.7	10.8	18.1	6	6.7	3.1	2.0	22.9
1992	54	9.6	1.4	7.2	13.0	4	4.0	2.0	1.1	17.9
1993	59	10.6	1.4	8.0	14.2	3	2.0	1.2	0.4	14.6
1994	66	11.2	1.4	8.6	14.6	2	1.8	1.3	0.2	14.1
1995	57	10.6	1.5	7.9	14.2	4	2.3	1.2	0.6	13.5
1996	43	7.3	1.1	5.3	10.2	5	4.3	2.3	1.1	16.2
1997	56	9.3	1.3	6.9	12.6	4	2.2	1.1	0.6	12.4
1998	52	9.1	1.3	6.7	12.4	3	1.7	1.0	0.3	11.3
1999	44	7.3	1.1	5.2	10.2	5	2.6	1.2	0.8	11.8
2000	50	7.8	1.2	5.7	10.7	4	2.2	1.2	0.5	10.3
2001	45	7.3	1.1	5.2	10.1	6	4.0	2.1	1.0	12.5
2002	43	6.3	1.0	4.6	8.8	3	1.6	1.0	0.3	7.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	60	2.5	0.4	1.8	3.4	3,074	5.0	0.1	4.8	5.2
1990	4	1.8	0.9	0.5	9.4	294	6.8	0.4	6.0	7.6
1991	3	2.4	1.4	0.5	10.1	274	6.1	0.4	5.4	6.9
1992	3	1.4	0.8	0.3	8.2	233	5.2	0.3	4.5	5.9
1993	6	5.0	2.4	1.5	13.9	252	5.4	0.3	4.8	6.2
1994	6	4.5	2.1	1.4	12.5	236	5.1	0.3	4.5	5.8
1995	3	2.4	1.6	0.4	9.5	242	5.1	0.3	4.5	5.9
1996	2	0.8	0.6	0.1	6.6	257	5.5	0.3	4.8	6.3
1997	6	5.4	2.6	1.6	13.9	228	4.7	0.3	4.1	5.4
1998	6	2.7	1.2	0.9	8.5	235	5.0	0.3	4.3	5.6
1999	7	2.2	0.9	0.9	7.4	209	4.3	0.3	3.7	4.9
2000	4	1.3	0.7	0.3	6.0	203	4.1	0.3	3.6	4.7
2001	3	0.8	0.5	0.2	4.9	218	4.3	0.3	3.8	5.0
2002	7	2.4	1.1	0.8	6.8	193	3.8	0.3	3.3	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Buccal Cavity and Pharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,914	1.7	0.0	1.6	1.8	1,557	1.6	0.0	1.5	1.7
1986	122	2.0	0.2	1.6	2.4	100	1.7	0.2	1.4	2.1
1987	128	2.1	0.2	1.8	2.5	105	1.9	0.2	1.6	2.4
1988	105	1.8	0.2	1.4	2.1	86	1.6	0.2	1.3	2.0
1989	129	2.1	0.2	1.8	2.5	102	1.9	0.2	1.5	2.3
1990	127	2.0	0.2	1.7	2.4	104	1.8	0.2	1.5	2.2
1991	139	2.2	0.2	1.9	2.6	112	2.0	0.2	1.7	2.5
1992	128	2.0	0.2	1.7	2.4	102	1.8	0.2	1.5	2.2
1993	102	1.6	0.2	1.3	1.9	83	1.4	0.2	1.1	1.8
1994	111	1.6	0.2	1.3	2.0	96	1.6	0.2	1.3	2.0
1995	122	1.8	0.2	1.5	2.2	97	1.6	0.2	1.3	2.0
1996	107	1.6	0.2	1.3	1.9	94	1.6	0.2	1.3	2.0
1997	103	1.5	0.2	1.2	1.9	81	1.4	0.2	1.1	1.7
1998	99	1.5	0.1	1.2	1.8	81	1.4	0.2	1.1	1.7
1999	85	1.2	0.1	1.0	1.5	64	1.0	0.1	0.8	1.3
2000	119	1.7	0.2	1.4	2.0	102	1.7	0.2	1.4	2.1
2001	80	1.1	0.1	0.9	1.4	62	1.0	0.1	0.8	1.3
2002	108	1.5	0.1	1.2	1.8	86	1.4	0.2	1.1	1.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	335	2.6	0.1	2.3	2.9	22	1.0	0.2	0.6	1.6
1986	21	3.4	0.8	2.1	5.3	1	0.6	0.6	0.0	13.9
1987	22	3.4	0.7	2.1	5.3	1	2.0	2.0	0.0	15.4
1988	18	2.6	0.6	1.5	4.2	1	0.6	0.6	0.0	12.5
1989	27	3.8	0.7	2.5	5.6	0	0.0	~	0.0	11.4
1990	23	3.2	0.7	2.0	4.9	0	0.0	~	0.0	11.2
1991	27	3.7	0.7	2.4	5.5	0	0.0	~	0.0	10.0
1992	24	3.1	0.6	2.0	4.8	2	1.1	0.8	0.1	10.0
1993	18	2.4	0.6	1.4	3.8	1	0.7	0.7	0.0	8.8
1994	14	1.8	0.5	1.0	3.1	1	0.7	0.7	0.0	8.1
1995	25	3.2	0.7	2.1	4.8	0	0.0	~	0.0	6.4
1996	13	1.8	0.5	0.9	3.1	0	0.0	~	0.0	5.8
1997	18	2.2	0.5	1.3	3.5	4	3.1	1.8	0.6	10.1
1998	15	1.8	0.5	1.0	3.0	3	1.7	1.0	0.3	7.2
1999	19	2.3	0.5	1.4	3.7	2	1.1	0.8	0.1	6.0
2000	16	1.9	0.5	1.1	3.2	1	0.7	0.7	0.0	5.0
2001	15	1.7	0.5	1.0	2.9	3	1.8	1.1	0.3	6.2
2002	20	2.2	0.5	1.4	3.5	2	1.0	0.8	0.1	4.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	17	0.7	0.2	0.4	1.2	1,402	1.7	0.0	1.6	1.8
1990	2	1.3	0.9	0.1	6.1	125	2.1	0.2	1.7	2.5
1991	1	0.4	0.4	0.0	4.6	135	2.2	0.2	1.9	2.7
1992	2	1.0	0.7	0.1	5.3	126	2.1	0.2	1.7	2.5
1993	0	0.0	~	0.0	3.7	102	1.7	0.2	1.3	2.0
1994	0	0.0	~	0.0	3.5	110	1.7	0.2	1.4	2.0
1995	2	1.3	1.0	0.2	5.5	118	1.8	0.2	1.5	2.2
1996	1	0.9	0.9	0.0	4.8	105	1.6	0.2	1.3	2.0
1997	1	0.5	0.5	0.0	3.8	100	1.5	0.2	1.3	1.9
1998	1	0.8	0.8	0.0	4.4	98	1.5	0.2	1.2	1.8
1999	0	0.0	~	0.0	2.9	84	1.2	0.1	1.0	1.5
2000	3	0.7	0.4	0.1	3.5	116	1.7	0.2	1.4	2.1
2001	4	1.9	1.0	0.5	5.3	76	1.1	0.1	0.9	1.4
2002	0	0.0	~	0.0	2.1	107	1.6	0.2	1.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lip, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	56	0.0	0.0	0.0	0.0	56	0.0	0.0	0.0	0.0
1986	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1987	3	0.0	0.0	0.0	0.1	3	0.0	0.0	0.0	0.1
1988	4	0.0	0.0	0.0	0.1	4	0.0	0.0	0.0	0.1
1989	5	0.0	0.0	0.0	0.1	5	0.1	0.0	0.0	0.1
1990	4	0.0	0.0	0.0	0.1	4	0.0	0.0	0.0	0.1
1991	6	0.1	0.0	0.0	0.1	6	0.1	0.0	0.0	0.1
1992	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1993	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1994	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1995	6	0.1	0.0	0.0	0.1	6	0.1	0.0	0.0	0.1
1996	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1997	6	0.1	0.0	0.0	0.1	6	0.1	0.0	0.0	0.1
1998	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1999	1	0.0	0.0	0.0	0.0	1	0.0	0.0	0.0	0.1
2000	4	0.0	0.0	0.0	0.1	4	0.0	0.0	0.0	0.1
2001	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
2002	5	0.0	0.0	0.0	0.1	5	0.0	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	0	0.0	~	0.0	0.0	0	0.0	~	0.0	0.2
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.6
1988	0	0.0	~	0.0	0.5	0	0.0	~	0.0	7.2
1989	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.6
1998	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.6
2001	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.3
2002	0	0.0	~	0.0	0.3	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.2	42	0.0	0.0	0.0	0.0
1990	0	0.0	~	0.0	2.7	4	0.0	0.0	0.0	0.1
1991	0	0.0	~	0.0	2.6	6	0.1	0.0	0.0	0.1
1992	0	0.0	~	0.0	2.5	2	0.0	0.0	0.0	0.1
1993	0	0.0	~	0.0	2.4	2	0.0	0.0	0.0	0.1
1994	0	0.0	~	0.0	2.3	1	0.0	0.0	0.0	0.1
1995	0	0.0	~	0.0	2.2	6	0.1	0.0	0.0	0.1
1996	0	0.0	~	0.0	2.1	1	0.0	0.0	0.0	0.1
1997	0	0.0	~	0.0	2.0	6	0.1	0.0	0.0	0.1
1998	0	0.0	~	0.0	1.9	2	0.0	0.0	0.0	0.1
1999	0	0.0	~	0.0	1.9	1	0.0	0.0	0.0	0.1
2000	0	0.0	~	0.0	1.7	4	0.0	0.0	0.0	0.1
2001	0	0.0	~	0.0	1.5	2	0.0	0.0	0.0	0.1
2002	0	0.0	~	0.0	1.3	5	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lip, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	48	0.1	0.0	0.0	0.1	48	0.1	0.0	0.1	0.1
1986	2	0.0	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1987	3	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.3
1988	4	0.1	0.1	0.0	0.3	4	0.1	0.1	0.0	0.4
1989	5	0.1	0.1	0.0	0.3	5	0.1	0.1	0.0	0.4
1990	3	0.1	0.1	0.0	0.3	3	0.1	0.1	0.0	0.3
1991	6	0.1	0.1	0.0	0.3	6	0.2	0.1	0.1	0.4
1992	1	0.0	0.0	0.0	0.2	1	0.0	0.0	0.0	0.2
1993	1	0.0	0.0	0.0	0.2	1	0.0	0.0	0.0	0.2
1994	1	0.0	0.0	0.0	0.2	1	0.0	0.0	0.0	0.2
1995	5	0.1	0.1	0.0	0.3	5	0.1	0.1	0.0	0.3
1996	1	0.0	0.0	0.0	0.2	1	0.0	0.0	0.0	0.2
1997	3	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1998	2	0.0	0.0	0.0	0.2	2	0.1	0.0	0.0	0.2
1999	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
2000	4	0.1	0.0	0.0	0.2	4	0.1	0.1	0.0	0.3
2001	2	0.0	0.0	0.0	0.2	2	0.1	0.0	0.0	0.2
2002	5	0.1	0.0	0.0	0.2	5	0.1	0.1	0.0	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.7
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	0	0.0	~	0.0	1.8	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	7.9
2001	0	0.0	~	0.0	1.3	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.4	34	0.1	0.0	0.0	0.1
1990	0	0.0	~	0.0	7.6	3	0.1	0.1	0.0	0.3
1991	0	0.0	~	0.0	7.1	6	0.1	0.1	0.1	0.4
1992	0	0.0	~	0.0	6.7	1	0.0	0.0	0.0	0.2
1993	0	0.0	~	0.0	6.7	1	0.0	0.0	0.0	0.2
1994	0	0.0	~	0.0	6.4	1	0.0	0.0	0.0	0.2
1995	0	0.0	~	0.0	6.0	5	0.1	0.1	0.0	0.3
1996	0	0.0	~	0.0	5.8	1	0.0	0.0	0.0	0.2
1997	0	0.0	~	0.0	5.6	3	0.1	0.0	0.0	0.2
1998	0	0.0	~	0.0	5.3	2	0.1	0.0	0.0	0.2
1999	0	0.0	~	0.0	5.0	0	0.0	~	0.0	0.1
2000	0	0.0	~	0.0	4.6	4	0.1	0.0	0.0	0.3
2001	0	0.0	~	0.0	4.1	2	0.0	0.0	0.0	0.2
2002	0	0.0	~	0.0	3.6	5	0.1	0.0	0.0	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lip, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8	0.0	0.0	0.0	0.0	8	0.0	0.0	0.0	0.0
1986	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1987	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1988	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1989	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1990	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1991	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1992	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1993	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1994	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1995	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1996	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1997	3	0.0	0.0	0.0	0.1	3	0.0	0.0	0.0	0.2
1998	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
1999	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
2000	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
2001	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
2002	0	0.0	~	0.0	0.1	0	0.0	~	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	0	0.0	~	0.0	0.0	0	0.0	~	0.0	0.4
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	0	0.0	~	0.0	4.0
2001	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.4
2002	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.2	8	0.0	0.0	0.0	0.0
1990	0	0.0	~	0.0	4.2	1	0.0	0.0	0.0	0.1
1991	0	0.0	~	0.0	4.2	0	0.0	~	0.0	0.1
1992	0	0.0	~	0.0	3.9	1	0.0	0.0	0.0	0.1
1993	0	0.0	~	0.0	3.7	1	0.0	0.0	0.0	0.1
1994	0	0.0	~	0.0	3.5	0	0.0	~	0.0	0.1
1995	0	0.0	~	0.0	3.4	1	0.0	0.0	0.0	0.1
1996	0	0.0	~	0.0	3.2	0	0.0	~	0.0	0.1
1997	0	0.0	~	0.0	3.1	3	0.0	0.0	0.0	0.1
1998	0	0.0	~	0.0	3.0	0	0.0	~	0.0	0.1
1999	0	0.0	~	0.0	2.9	1	0.0	0.0	0.0	0.1
2000	0	0.0	~	0.0	2.7	0	0.0	~	0.0	0.1
2001	0	0.0	~	0.0	2.4	0	0.0	~	0.0	0.1
2002	0	0.0	~	0.0	2.1	0	0.0	~	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Tongue, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,442	0.7	0.0	0.7	0.8	1,148	0.7	0.0	0.6	0.7
1986	89	0.8	0.1	0.7	1.0	74	0.8	0.1	0.6	1.0
1987	88	0.9	0.1	0.7	1.1	68	0.8	0.1	0.6	1.0
1988	99	0.9	0.1	0.7	1.1	83	0.8	0.1	0.7	1.1
1989	92	0.9	0.1	0.7	1.1	66	0.7	0.1	0.5	0.9
1990	103	1.0	0.1	0.8	1.2	76	0.8	0.1	0.6	1.0
1991	79	0.7	0.1	0.6	0.9	63	0.6	0.1	0.5	0.8
1992	95	0.9	0.1	0.7	1.1	79	0.8	0.1	0.7	1.0
1993	86	0.8	0.1	0.6	1.0	64	0.7	0.1	0.5	0.8
1994	85	0.8	0.1	0.6	0.9	64	0.7	0.1	0.5	0.9
1995	90	0.8	0.1	0.6	0.9	74	0.7	0.1	0.6	0.9
1996	83	0.7	0.1	0.6	0.9	69	0.7	0.1	0.5	0.9
1997	71	0.6	0.1	0.5	0.8	55	0.6	0.1	0.4	0.7
1998	87	0.7	0.1	0.6	0.9	72	0.7	0.1	0.6	0.9
1999	74	0.6	0.1	0.5	0.8	63	0.6	0.1	0.5	0.8
2000	80	0.7	0.1	0.5	0.8	65	0.6	0.1	0.5	0.8
2001	76	0.6	0.1	0.5	0.8	59	0.6	0.1	0.4	0.7
2002	65	0.5	0.1	0.4	0.7	54	0.5	0.1	0.4	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	281	1.2	0.1	1.1	1.4	13	0.3	0.1	0.1	0.6
1986	15	1.3	0.3	0.7	2.3	0	0.0	~	0.0	8.1
1987	20	1.9	0.4	1.1	3.0	0	0.0	~	0.0	7.6
1988	15	1.3	0.3	0.7	2.2	1	0.4	0.4	0.0	7.5
1989	26	2.1	0.4	1.4	3.2	0	0.0	~	0.0	6.8
1990	27	2.1	0.4	1.4	3.2	0	0.0	~	0.0	6.7
1991	16	1.3	0.3	0.7	2.2	0	0.0	~	0.0	6.0
1992	15	1.2	0.3	0.7	2.1	1	0.4	0.4	0.0	5.9
1993	22	1.7	0.4	1.1	2.7	0	0.0	~	0.0	4.9
1994	19	1.4	0.3	0.8	2.2	2	0.8	0.6	0.1	5.4
1995	15	1.1	0.3	0.6	1.9	1	0.2	0.2	0.0	4.3
1996	13	0.9	0.3	0.5	1.7	1	0.2	0.2	0.0	4.0
1997	14	1.1	0.3	0.6	1.9	2	0.5	0.3	0.1	4.0
1998	13	0.9	0.3	0.5	1.6	2	0.6	0.4	0.1	4.0
1999	10	0.7	0.2	0.3	1.3	1	0.3	0.3	0.0	3.5
2000	15	0.9	0.2	0.5	1.6	0	0.0	~	0.0	2.6
2001	15	1.0	0.2	0.5	1.6	2	0.7	0.5	0.1	3.3
2002	11	0.7	0.2	0.4	1.3	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	17	0.3	0.1	0.2	0.6	1,049	0.7	0.0	0.7	0.8
1990	1	0.2	0.2	0.0	2.9	101	1.0	0.1	0.8	1.2
1991	1	0.4	0.4	0.0	3.2	77	0.7	0.1	0.6	0.9
1992	1	0.2	0.2	0.0	2.7	94	0.9	0.1	0.7	1.1
1993	1	0.5	0.5	0.0	3.1	84	0.8	0.1	0.6	1.0
1994	0	0.0	~	0.0	2.3	85	0.8	0.1	0.6	1.0
1995	3	1.2	0.7	0.2	4.1	87	0.8	0.1	0.6	1.0
1996	2	0.4	0.3	0.0	2.5	80	0.7	0.1	0.6	0.9
1997	1	0.2	0.2	0.0	2.2	68	0.6	0.1	0.5	0.8
1998	0	0.0	~	0.0	1.9	87	0.8	0.1	0.6	1.0
1999	3	0.6	0.3	0.1	2.5	71	0.6	0.1	0.5	0.8
2000	2	0.4	0.3	0.0	2.1	78	0.7	0.1	0.5	0.9
2001	2	0.3	0.2	0.0	1.9	73	0.6	0.1	0.5	0.8
2002	0	0.0	~	0.0	1.3	64	0.6	0.1	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Tongue, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	979	1.2	0.0	1.1	1.2	755	1.0	0.0	1.0	1.1
1986	61	1.3	0.2	1.0	1.7	47	1.1	0.2	0.8	1.5
1987	62	1.4	0.2	1.1	1.9	47	1.3	0.2	0.9	1.7
1988	71	1.5	0.2	1.1	1.9	56	1.3	0.2	1.0	1.7
1989	56	1.2	0.2	0.9	1.6	40	1.0	0.2	0.7	1.4
1990	76	1.7	0.2	1.3	2.1	52	1.3	0.2	1.0	1.8
1991	55	1.2	0.2	0.9	1.6	44	1.1	0.2	0.8	1.5
1992	58	1.2	0.2	0.9	1.6	44	1.1	0.2	0.8	1.5
1993	67	1.4	0.2	1.1	1.8	49	1.2	0.2	0.9	1.6
1994	56	1.1	0.2	0.9	1.5	40	1.0	0.2	0.7	1.3
1995	59	1.2	0.2	0.9	1.5	49	1.1	0.2	0.8	1.5
1996	63	1.2	0.2	1.0	1.6	53	1.2	0.2	0.9	1.6
1997	41	0.8	0.1	0.6	1.1	31	0.7	0.1	0.5	1.0
1998	57	1.1	0.2	0.8	1.5	46	1.1	0.2	0.8	1.4
1999	61	1.2	0.2	0.9	1.5	51	1.2	0.2	0.9	1.5
2000	47	0.9	0.1	0.6	1.2	37	0.8	0.1	0.6	1.1
2001	51	0.9	0.1	0.7	1.2	37	0.8	0.1	0.6	1.1
2002	38	0.7	0.1	0.5	1.0	32	0.7	0.1	0.5	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	214	2.2	0.2	1.9	2.5	10	0.4	0.1	0.2	1.1
1986	14	3.0	0.9	1.5	5.6	0	0.0	~	0.0	20.2
1987	15	2.9	0.8	1.6	5.4	0	0.0	~	0.0	19.0
1988	14	2.9	0.8	1.5	5.3	1	0.7	0.7	0.0	18.3
1989	16	3.0	0.7	1.7	5.4	0	0.0	~	0.0	16.6
1990	24	4.4	0.9	2.8	7.1	0	0.0	~	0.0	16.8
1991	11	2.3	0.7	1.1	4.7	0	0.0	~	0.0	15.1
1992	13	2.4	0.7	1.3	4.7	1	0.9	0.9	0.0	14.6
1993	18	3.1	0.7	1.8	5.4	0	0.0	~	0.0	12.7
1994	14	2.4	0.6	1.3	4.5	2	1.8	1.3	0.2	14.1
1995	9	1.6	0.5	0.7	3.5	1	0.4	0.4	0.0	11.7
1996	9	1.4	0.5	0.6	3.2	1	0.5	0.5	0.0	11.3
1997	9	1.8	0.7	0.8	4.0	1	0.5	0.5	0.0	10.6
1998	10	1.6	0.5	0.7	3.4	1	0.8	0.8	0.0	10.4
1999	9	1.4	0.5	0.7	3.2	1	0.7	0.7	0.0	9.9
2000	10	1.4	0.4	0.7	3.0	0	0.0	~	0.0	7.9
2001	13	1.9	0.5	1.0	3.7	1	0.4	0.4	0.0	7.3
2002	6	0.9	0.4	0.3	2.4	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	13	0.6	0.2	0.3	1.1	711	1.1	0.0	1.1	1.2
1990	1	0.4	0.4	0.0	8.0	74	1.7	0.2	1.3	2.2
1991	1	0.9	0.9	0.0	8.3	54	1.2	0.2	0.9	1.6
1992	1	0.5	0.5	0.0	7.2	57	1.2	0.2	0.9	1.6
1993	1	1.2	1.2	0.0	8.6	65	1.4	0.2	1.1	1.8
1994	0	0.0	~	0.0	6.4	56	1.2	0.2	0.9	1.6
1995	2	1.8	1.4	0.1	8.8	57	1.2	0.2	0.9	1.6
1996	2	0.8	0.6	0.1	6.6	60	1.3	0.2	1.0	1.6
1997	1	0.4	0.4	0.0	6.0	39	0.8	0.1	0.6	1.2
1998	0	0.0	~	0.0	5.3	57	1.2	0.2	0.9	1.6
1999	3	1.2	0.7	0.2	6.4	58	1.2	0.2	0.9	1.5
2000	1	0.5	0.5	0.0	5.2	46	0.9	0.1	0.7	1.2
2001	0	0.0	~	0.0	4.1	50	1.0	0.1	0.7	1.3
2002	0	0.0	~	0.0	3.6	38	0.7	0.1	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Tongue, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	463	0.4	0.0	0.4	0.5	393	0.4	0.0	0.4	0.4
1986	28	0.4	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1987	26	0.4	0.1	0.3	0.7	21	0.4	0.1	0.2	0.6
1988	28	0.5	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1989	36	0.6	0.1	0.4	0.8	26	0.5	0.1	0.3	0.7
1990	27	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
1991	24	0.4	0.1	0.2	0.6	19	0.3	0.1	0.2	0.6
1992	37	0.6	0.1	0.4	0.8	35	0.6	0.1	0.4	0.9
1993	19	0.3	0.1	0.2	0.5	15	0.3	0.1	0.1	0.5
1994	29	0.4	0.1	0.3	0.7	24	0.4	0.1	0.3	0.6
1995	31	0.5	0.1	0.3	0.6	25	0.4	0.1	0.3	0.6
1996	20	0.3	0.1	0.2	0.5	16	0.3	0.1	0.1	0.4
1997	30	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
1998	30	0.5	0.1	0.3	0.7	26	0.5	0.1	0.3	0.7
1999	13	0.2	0.0	0.1	0.3	12	0.2	0.1	0.1	0.3
2000	33	0.5	0.1	0.3	0.7	28	0.5	0.1	0.3	0.7
2001	25	0.3	0.1	0.2	0.5	22	0.4	0.1	0.2	0.5
2002	27	0.4	0.1	0.3	0.6	22	0.4	0.1	0.2	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	67	0.5	0.1	0.4	0.7	3	0.1	0.1	0.0	0.6
1986	1	0.1	0.1	0.0	1.0	0	0.0	~	0.0	13.4
1987	5	0.9	0.4	0.3	2.3	0	0.0	~	0.0	12.6
1988	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	12.0
1989	10	1.4	0.4	0.7	2.7	0	0.0	~	0.0	11.4
1990	3	0.4	0.2	0.1	1.4	0	0.0	~	0.0	11.2
1991	5	0.7	0.3	0.2	1.7	0	0.0	~	0.0	10.0
1992	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	9.0
1993	4	0.6	0.3	0.2	1.6	0	0.0	~	0.0	8.0
1994	5	0.6	0.3	0.2	1.6	0	0.0	~	0.0	7.3
1995	6	0.7	0.3	0.3	1.7	0	0.0	~	0.0	6.4
1996	4	0.5	0.3	0.1	1.5	0	0.0	~	0.0	5.8
1997	5	0.6	0.3	0.2	1.6	1	0.4	0.4	0.0	6.0
1998	3	0.4	0.2	0.1	1.2	1	0.4	0.4	0.0	5.5
1999	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.7
2000	5	0.6	0.3	0.2	1.4	0	0.0	~	0.0	4.0
2001	2	0.2	0.2	0.0	0.9	1	0.8	0.8	0.0	4.8
2002	5	0.6	0.2	0.2	1.4	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	4	0.1	0.1	0.0	0.4	338	0.4	0.0	0.4	0.4
1990	0	0.0	~	0.0	4.2	27	0.4	0.1	0.3	0.6
1991	0	0.0	~	0.0	4.2	23	0.4	0.1	0.2	0.6
1992	0	0.0	~	0.0	3.9	37	0.6	0.1	0.4	0.8
1993	0	0.0	~	0.0	3.7	19	0.3	0.1	0.2	0.5
1994	0	0.0	~	0.0	3.5	29	0.5	0.1	0.3	0.7
1995	1	0.8	0.8	0.0	4.8	30	0.5	0.1	0.3	0.7
1996	0	0.0	~	0.0	3.2	20	0.3	0.1	0.2	0.5
1997	0	0.0	~	0.0	3.1	29	0.4	0.1	0.3	0.7
1998	0	0.0	~	0.0	3.0	30	0.5	0.1	0.3	0.7
1999	0	0.0	~	0.0	2.9	13	0.2	0.1	0.1	0.3
2000	1	0.3	0.3	0.0	3.0	32	0.5	0.1	0.3	0.7
2001	2	0.6	0.4	0.1	3.1	23	0.3	0.1	0.2	0.5
2002	0	0.0	~	0.0	2.1	26	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Major Salivary Gland, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	494	0.3	0.0	0.2	0.3	438	0.3	0.0	0.2	0.3
1986	33	0.3	0.1	0.2	0.5	28	0.3	0.1	0.2	0.4
1987	33	0.3	0.1	0.2	0.4	29	0.3	0.1	0.2	0.5
1988	32	0.3	0.1	0.2	0.4	28	0.3	0.1	0.2	0.4
1989	29	0.3	0.1	0.2	0.4	27	0.3	0.1	0.2	0.5
1990	34	0.3	0.1	0.2	0.5	29	0.3	0.1	0.2	0.5
1991	37	0.3	0.1	0.2	0.5	33	0.3	0.1	0.2	0.5
1992	26	0.2	0.0	0.2	0.4	24	0.2	0.1	0.2	0.4
1993	33	0.3	0.1	0.2	0.4	29	0.3	0.1	0.2	0.4
1994	24	0.2	0.0	0.1	0.3	23	0.2	0.0	0.1	0.4
1995	30	0.3	0.0	0.2	0.4	26	0.3	0.1	0.2	0.4
1996	28	0.2	0.0	0.2	0.4	23	0.2	0.0	0.1	0.3
1997	31	0.3	0.0	0.2	0.4	26	0.3	0.1	0.2	0.4
1998	32	0.3	0.0	0.2	0.4	29	0.3	0.1	0.2	0.4
1999	21	0.2	0.0	0.1	0.3	20	0.2	0.0	0.1	0.3
2000	27	0.2	0.0	0.1	0.3	24	0.2	0.0	0.1	0.3
2001	18	0.1	0.0	0.1	0.2	16	0.2	0.0	0.1	0.3
2002	26	0.2	0.0	0.1	0.3	24	0.2	0.0	0.1	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	52	0.2	0.0	0.2	0.3	4	0.1	0.1	0.0	0.4
1986	5	0.5	0.2	0.2	1.3	0	0.0	~	0.0	8.1
1987	3	0.2	0.1	0.0	0.8	1	1.2	1.2	0.0	9.2
1988	4	0.3	0.2	0.1	1.0	0	0.0	~	0.0	7.2
1989	2	0.2	0.1	0.0	0.8	0	0.0	~	0.0	6.8
1990	5	0.4	0.2	0.1	1.1	0	0.0	~	0.0	6.7
1991	4	0.3	0.2	0.1	1.0	0	0.0	~	0.0	6.0
1992	1	0.1	0.1	0.0	0.7	1	0.5	0.5	0.0	5.9
1993	4	0.3	0.2	0.1	0.9	0	0.0	~	0.0	4.9
1994	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	4.6
1995	4	0.3	0.2	0.1	1.0	0	0.0	~	0.0	4.1
1996	4	0.3	0.1	0.1	0.8	1	0.3	0.3	0.0	4.1
1997	5	0.4	0.2	0.1	0.9	0	0.0	~	0.0	3.6
1998	3	0.2	0.1	0.0	0.8	0	0.0	~	0.0	3.3
1999	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	3.1
2000	2	0.2	0.1	0.0	0.6	1	0.2	0.2	0.0	2.9
2001	2	0.1	0.1	0.0	0.6	0	0.0	~	0.0	2.3
2002	2	0.1	0.1	0.0	0.5	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	5	0.1	0.0	0.0	0.3	360	0.3	0.0	0.2	0.3
1990	0	0.0	~	0.0	2.7	34	0.3	0.1	0.2	0.5
1991	0	0.0	~	0.0	2.6	36	0.3	0.1	0.2	0.5
1992	0	0.0	~	0.0	2.5	26	0.2	0.0	0.2	0.4
1993	1	0.3	0.3	0.0	2.8	32	0.3	0.1	0.2	0.4
1994	0	0.0	~	0.0	2.3	24	0.2	0.0	0.1	0.3
1995	0	0.0	~	0.0	2.2	30	0.3	0.0	0.2	0.4
1996	0	0.0	~	0.0	2.1	28	0.3	0.0	0.2	0.4
1997	1	0.3	0.3	0.0	2.3	30	0.3	0.0	0.2	0.4
1998	1	0.2	0.2	0.0	2.1	31	0.3	0.0	0.2	0.4
1999	0	0.0	~	0.0	1.9	21	0.2	0.0	0.1	0.3
2000	1	0.1	0.1	0.0	1.8	25	0.2	0.0	0.1	0.3
2001	0	0.0	~	0.0	1.5	18	0.2	0.0	0.1	0.3
2002	1	0.1	0.1	0.0	1.4	25	0.2	0.0	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Major Salivary Gland, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	317	0.4	0.0	0.4	0.5	287	0.4	0.0	0.4	0.5
1986	21	0.5	0.1	0.3	0.8	18	0.5	0.1	0.3	0.8
1987	21	0.5	0.1	0.3	0.8	20	0.5	0.1	0.3	0.9
1988	20	0.5	0.1	0.3	0.7	19	0.5	0.1	0.3	0.8
1989	19	0.4	0.1	0.3	0.7	18	0.5	0.1	0.3	0.8
1990	18	0.4	0.1	0.2	0.7	15	0.4	0.1	0.2	0.7
1991	23	0.6	0.1	0.4	0.9	20	0.6	0.1	0.3	0.9
1992	17	0.4	0.1	0.2	0.7	16	0.4	0.1	0.2	0.8
1993	20	0.4	0.1	0.3	0.7	17	0.4	0.1	0.2	0.7
1994	17	0.4	0.1	0.2	0.6	16	0.4	0.1	0.2	0.7
1995	18	0.4	0.1	0.2	0.7	16	0.4	0.1	0.2	0.7
1996	17	0.4	0.1	0.2	0.7	15	0.4	0.1	0.2	0.7
1997	17	0.3	0.1	0.2	0.6	15	0.4	0.1	0.2	0.6
1998	21	0.4	0.1	0.3	0.7	20	0.5	0.1	0.3	0.8
1999	14	0.3	0.1	0.2	0.6	14	0.4	0.1	0.2	0.6
2000	15	0.3	0.1	0.2	0.5	13	0.3	0.1	0.2	0.6
2001	16	0.3	0.1	0.2	0.5	14	0.3	0.1	0.2	0.5
2002	23	0.4	0.1	0.3	0.7	21	0.5	0.1	0.3	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	27	0.3	0.1	0.2	0.5	3	0.1	0.1	0.0	0.8
1986	3	0.9	0.6	0.1	3.1	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	19.0
1988	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	17.8
1989	1	0.3	0.3	0.0	2.2	0	0.0	~	0.0	16.6
1990	3	0.5	0.3	0.1	2.4	0	0.0	~	0.0	16.8
1991	3	0.6	0.4	0.1	2.4	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	1	1.1	1.1	0.0	14.8
1993	3	0.6	0.4	0.1	2.4	0	0.0	~	0.0	12.7
1994	1	0.2	0.2	0.0	1.7	0	0.0	~	0.0	12.3
1995	2	0.4	0.3	0.0	2.1	0	0.0	~	0.0	11.4
1996	1	0.1	0.1	0.0	1.6	1	0.6	0.6	0.0	11.4
1997	2	0.4	0.3	0.0	2.1	0	0.0	~	0.0	10.2
1998	1	0.2	0.2	0.0	1.7	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	1	0.1	0.1	0.0	1.5	1	0.5	0.5	0.0	8.4
2001	2	0.4	0.3	0.0	1.8	0	0.0	~	0.0	6.9
2002	2	0.3	0.2	0.0	1.6	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3	0.1	0.1	0.0	0.5	231	0.4	0.0	0.4	0.5
1990	0	0.0	~	0.0	7.6	18	0.4	0.1	0.3	0.7
1991	0	0.0	~	0.0	7.1	22	0.5	0.1	0.3	0.9
1992	0	0.0	~	0.0	6.7	17	0.4	0.1	0.2	0.7
1993	1	0.8	0.8	0.0	7.6	19	0.4	0.1	0.2	0.7
1994	0	0.0	~	0.0	6.4	17	0.4	0.1	0.2	0.7
1995	0	0.0	~	0.0	6.0	18	0.4	0.1	0.2	0.7
1996	0	0.0	~	0.0	5.8	17	0.4	0.1	0.2	0.7
1997	0	0.0	~	0.0	5.6	17	0.4	0.1	0.2	0.6
1998	1	0.4	0.4	0.0	5.7	20	0.4	0.1	0.3	0.7
1999	0	0.0	~	0.0	5.0	14	0.3	0.1	0.2	0.6
2000	0	0.0	~	0.0	4.6	14	0.3	0.1	0.2	0.5
2001	0	0.0	~	0.0	4.1	16	0.3	0.1	0.2	0.5
2002	1	0.2	0.2	0.0	3.7	22	0.4	0.1	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Major Salivary Gland, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	177	0.2	0.0	0.1	0.2	151	0.2	0.0	0.1	0.2
1986	12	0.2	0.1	0.1	0.3	10	0.2	0.1	0.1	0.3
1987	12	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
1988	12	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
1989	10	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
1990	16	0.3	0.1	0.2	0.4	14	0.3	0.1	0.1	0.4
1991	14	0.2	0.1	0.1	0.4	13	0.2	0.1	0.1	0.4
1992	9	0.1	0.0	0.1	0.3	8	0.1	0.1	0.1	0.3
1993	13	0.2	0.1	0.1	0.4	12	0.2	0.1	0.1	0.4
1994	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.2
1995	12	0.2	0.1	0.1	0.3	10	0.2	0.1	0.1	0.3
1996	11	0.2	0.1	0.1	0.3	8	0.1	0.0	0.1	0.3
1997	14	0.2	0.1	0.1	0.4	11	0.2	0.1	0.1	0.4
1998	11	0.1	0.0	0.1	0.3	9	0.1	0.0	0.1	0.3
1999	7	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.2
2000	12	0.2	0.1	0.1	0.3	11	0.2	0.1	0.1	0.3
2001	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
2002	3	0.0	0.0	0.0	0.1	3	0.0	0.0	0.0	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	25	0.2	0.0	0.1	0.3	1	0.1	0.1	0.0	0.5
1986	2	0.3	0.2	0.0	1.3	0	0.0	~	0.0	13.4
1987	2	0.3	0.2	0.0	1.2	1	2.0	2.0	0.0	15.4
1988	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	12.0
1989	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	11.4
1990	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	11.2
1991	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	10.0
1992	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	9.0
1993	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	6.4
1996	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	5.8
1997	3	0.4	0.2	0.1	1.1	0	0.0	~	0.0	5.6
1998	2	0.3	0.2	0.0	1.0	0	0.0	~	0.0	5.1
1999	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	4.7
2000	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	4.0
2001	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.4
2002	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	2	0.1	0.0	0.0	0.3	129	0.2	0.0	0.1	0.2
1990	0	0.0	~	0.0	4.2	16	0.3	0.1	0.2	0.5
1991	0	0.0	~	0.0	4.2	14	0.2	0.1	0.1	0.4
1992	0	0.0	~	0.0	3.9	9	0.1	0.0	0.1	0.3
1993	0	0.0	~	0.0	3.7	13	0.2	0.1	0.1	0.4
1994	0	0.0	~	0.0	3.5	7	0.1	0.0	0.0	0.2
1995	0	0.0	~	0.0	3.4	12	0.2	0.1	0.1	0.3
1996	0	0.0	~	0.0	3.2	11	0.2	0.1	0.1	0.3
1997	1	0.5	0.5	0.0	3.8	13	0.2	0.1	0.1	0.4
1998	0	0.0	~	0.0	3.0	11	0.1	0.0	0.1	0.3
1999	0	0.0	~	0.0	2.9	7	0.1	0.0	0.0	0.2
2000	1	0.2	0.2	0.0	2.9	11	0.2	0.0	0.1	0.3
2001	0	0.0	~	0.0	2.4	2	0.0	0.0	0.0	0.1
2002	0	0.0	~	0.0	2.1	3	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Floor of Mouth, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	247	0.1	0.0	0.1	0.1	176	0.1	0.0	0.1	0.1
1986	24	0.2	0.0	0.1	0.3	16	0.2	0.0	0.1	0.3
1987	24	0.2	0.0	0.1	0.3	21	0.2	0.0	0.1	0.3
1988	22	0.2	0.0	0.1	0.3	12	0.1	0.0	0.1	0.2
1989	17	0.2	0.0	0.1	0.3	12	0.1	0.0	0.1	0.2
1990	13	0.1	0.0	0.1	0.2	7	0.1	0.0	0.0	0.2
1991	19	0.2	0.0	0.1	0.3	12	0.1	0.0	0.1	0.2
1992	17	0.2	0.0	0.1	0.3	14	0.2	0.0	0.1	0.3
1993	20	0.2	0.0	0.1	0.3	13	0.1	0.0	0.1	0.2
1994	12	0.1	0.0	0.1	0.2	9	0.1	0.0	0.0	0.2
1995	16	0.1	0.0	0.1	0.2	12	0.1	0.0	0.1	0.2
1996	11	0.1	0.0	0.0	0.2	10	0.1	0.0	0.0	0.2
1997	14	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1998	6	0.1	0.0	0.0	0.1	5	0.1	0.0	0.0	0.1
1999	7	0.1	0.0	0.0	0.1	5	0.0	0.0	0.0	0.1
2000	10	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.1
2001	7	0.1	0.0	0.0	0.1	5	0.0	0.0	0.0	0.1
2002	8	0.1	0.0	0.0	0.1	5	0.0	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	71	0.3	0.0	0.2	0.4	0	0.0	~	0.0	0.2
1986	8	0.7	0.2	0.3	1.5	0	0.0	~	0.0	8.1
1987	3	0.3	0.2	0.1	0.9	0	0.0	~	0.0	7.6
1988	10	0.9	0.3	0.4	1.7	0	0.0	~	0.0	7.2
1989	5	0.4	0.2	0.1	1.1	0	0.0	~	0.0	6.8
1990	6	0.5	0.2	0.2	1.2	0	0.0	~	0.0	6.7
1991	7	0.5	0.2	0.2	1.2	0	0.0	~	0.0	6.0
1992	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	5.4
1993	7	0.5	0.2	0.2	1.1	0	0.0	~	0.0	4.9
1994	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	4.6
1995	4	0.3	0.1	0.1	0.8	0	0.0	~	0.0	4.1
1996	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	3.8
1997	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.6
1998	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	3.3
1999	2	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.1
2000	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	2.6
2001	2	0.1	0.1	0.0	0.6	0	0.0	~	0.0	2.3
2002	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	4	0.1	0.1	0.0	0.3	155	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	2.7	13	0.1	0.0	0.1	0.2
1991	0	0.0	~	0.0	2.6	19	0.2	0.0	0.1	0.3
1992	0	0.0	~	0.0	2.5	17	0.2	0.0	0.1	0.3
1993	0	0.0	~	0.0	2.4	20	0.2	0.0	0.1	0.3
1994	0	0.0	~	0.0	2.3	12	0.1	0.0	0.1	0.2
1995	0	0.0	~	0.0	2.2	15	0.1	0.0	0.1	0.2
1996	1	0.6	0.6	0.0	3.1	10	0.1	0.0	0.0	0.2
1997	1	0.5	0.5	0.0	3.0	13	0.1	0.0	0.1	0.2
1998	0	0.0	~	0.0	1.9	6	0.1	0.0	0.0	0.1
1999	1	0.2	0.2	0.0	2.0	6	0.1	0.0	0.0	0.1
2000	1	0.1	0.1	0.0	1.8	9	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	1.5	7	0.1	0.0	0.0	0.1
2002	0	0.0	~	0.0	1.3	8	0.1	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Floor of Mouth, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	174	0.2	0.0	0.2	0.2	117	0.2	0.0	0.1	0.2
1986	19	0.4	0.1	0.2	0.7	13	0.3	0.1	0.2	0.6
1987	15	0.3	0.1	0.2	0.5	14	0.3	0.1	0.2	0.6
1988	18	0.4	0.1	0.2	0.7	10	0.3	0.1	0.1	0.5
1989	13	0.3	0.1	0.1	0.5	8	0.2	0.1	0.1	0.4
1990	9	0.2	0.1	0.1	0.4	4	0.1	0.0	0.0	0.3
1991	16	0.3	0.1	0.2	0.6	10	0.3	0.1	0.1	0.5
1992	12	0.3	0.1	0.1	0.5	11	0.3	0.1	0.1	0.5
1993	11	0.2	0.1	0.1	0.4	5	0.1	0.1	0.0	0.3
1994	7	0.1	0.1	0.1	0.3	4	0.1	0.0	0.0	0.3
1995	12	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1996	6	0.1	0.1	0.0	0.3	5	0.1	0.1	0.0	0.3
1997	10	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1998	5	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.3
1999	6	0.1	0.0	0.0	0.3	4	0.1	0.0	0.0	0.2
2000	6	0.1	0.0	0.0	0.3	4	0.1	0.0	0.0	0.3
2001	3	0.1	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
2002	6	0.1	0.0	0.0	0.3	3	0.1	0.0	0.0	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	57	0.6	0.1	0.4	0.8	0	0.0	~	0.0	0.7
1986	6	1.2	0.5	0.4	3.3	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	2.1	0	0.0	~	0.0	19.0
1988	8	1.6	0.6	0.7	3.8	0	0.0	~	0.0	17.8
1989	5	0.9	0.4	0.3	2.8	0	0.0	~	0.0	16.6
1990	5	0.9	0.4	0.3	2.9	0	0.0	~	0.0	16.8
1991	6	1.0	0.4	0.4	3.0	0	0.0	~	0.0	15.1
1992	1	0.1	0.1	0.0	1.8	0	0.0	~	0.0	13.7
1993	6	1.0	0.4	0.3	2.8	0	0.0	~	0.0	12.7
1994	3	0.5	0.3	0.1	2.1	0	0.0	~	0.0	12.3
1995	4	0.6	0.3	0.2	2.2	0	0.0	~	0.0	11.4
1996	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	10.9
1997	2	0.3	0.2	0.0	1.8	0	0.0	~	0.0	10.2
1998	1	0.2	0.2	0.0	1.6	0	0.0	~	0.0	9.6
1999	2	0.4	0.3	0.0	2.0	0	0.0	~	0.0	9.1
2000	2	0.3	0.2	0.0	1.7	0	0.0	~	0.0	7.9
2001	1	0.2	0.2	0.0	1.5	0	0.0	~	0.0	6.9
2002	3	0.5	0.3	0.1	1.9	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3	0.2	0.1	0.0	0.7	106	0.2	0.0	0.1	0.2
1990	0	0.0	~	0.0	7.6	9	0.2	0.1	0.1	0.4
1991	0	0.0	~	0.0	7.1	16	0.4	0.1	0.2	0.6
1992	0	0.0	~	0.0	6.7	12	0.3	0.1	0.1	0.5
1993	0	0.0	~	0.0	6.7	11	0.2	0.1	0.1	0.4
1994	0	0.0	~	0.0	6.4	7	0.1	0.1	0.1	0.3
1995	0	0.0	~	0.0	6.0	12	0.2	0.1	0.1	0.4
1996	0	0.0	~	0.0	5.8	6	0.1	0.1	0.0	0.3
1997	1	1.5	1.5	0.0	8.4	9	0.2	0.1	0.1	0.4
1998	0	0.0	~	0.0	5.3	5	0.1	0.0	0.0	0.3
1999	1	0.3	0.3	0.0	5.3	5	0.1	0.0	0.0	0.3
2000	1	0.2	0.2	0.0	4.8	5	0.1	0.0	0.0	0.3
2001	0	0.0	~	0.0	4.1	3	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	3.6	6	0.1	0.0	0.0	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Floor of Mouth, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	73	0.1	0.0	0.1	0.1	59	0.1	0.0	0.0	0.1
1986	5	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1987	9	0.1	0.1	0.1	0.3	7	0.1	0.0	0.0	0.3
1988	4	0.1	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1989	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1990	4	0.1	0.0	0.0	0.2	3	0.0	0.0	0.0	0.2
1991	3	0.1	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1992	5	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1993	9	0.1	0.0	0.1	0.3	8	0.1	0.0	0.1	0.3
1994	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1995	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1996	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1997	4	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1998	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1999	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
2000	4	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
2001	4	0.1	0.0	0.0	0.1	3	0.0	0.0	0.0	0.2
2002	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	14	0.1	0.0	0.1	0.2	0	0.0	~	0.0	0.4
1986	2	0.3	0.2	0.0	1.4	0	0.0	~	0.0	13.4
1987	2	0.3	0.2	0.0	1.3	0	0.0	~	0.0	12.6
1988	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	11.2
1991	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	10.0
1992	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	9.0
1993	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.0
2001	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	3.4
2002	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.1	0.1	0.0	0.4	49	0.1	0.0	0.0	0.1
1990	0	0.0	~	0.0	4.2	4	0.1	0.0	0.0	0.2
1991	0	0.0	~	0.0	4.2	3	0.1	0.0	0.0	0.2
1992	0	0.0	~	0.0	3.9	5	0.1	0.0	0.0	0.2
1993	0	0.0	~	0.0	3.7	9	0.1	0.0	0.1	0.3
1994	0	0.0	~	0.0	3.5	5	0.1	0.0	0.0	0.2
1995	0	0.0	~	0.0	3.4	3	0.0	0.0	0.0	0.1
1996	1	0.9	0.9	0.0	4.8	4	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	3.1	4	0.1	0.0	0.0	0.2
1998	0	0.0	~	0.0	3.0	1	0.0	0.0	0.0	0.1
1999	0	0.0	~	0.0	2.9	1	0.0	0.0	0.0	0.1
2000	0	0.0	~	0.0	2.7	4	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	2.4	4	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	2.1	2	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Gum and Other Mouth, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,005	0.5	0.0	0.5	0.6	849	0.5	0.0	0.5	0.5
1986	72	0.7	0.1	0.6	0.9	60	0.7	0.1	0.5	0.9
1987	61	0.6	0.1	0.4	0.8	56	0.6	0.1	0.4	0.8
1988	65	0.6	0.1	0.5	0.8	58	0.6	0.1	0.5	0.8
1989	59	0.5	0.1	0.4	0.7	49	0.5	0.1	0.4	0.7
1990	67	0.6	0.1	0.5	0.8	56	0.6	0.1	0.4	0.8
1991	70	0.6	0.1	0.5	0.8	57	0.6	0.1	0.4	0.8
1992	58	0.5	0.1	0.4	0.7	48	0.5	0.1	0.4	0.7
1993	67	0.6	0.1	0.5	0.8	59	0.6	0.1	0.5	0.8
1994	62	0.5	0.1	0.4	0.7	51	0.5	0.1	0.4	0.7
1995	62	0.6	0.1	0.4	0.7	47	0.5	0.1	0.4	0.6
1996	65	0.6	0.1	0.4	0.7	59	0.6	0.1	0.5	0.8
1997	43	0.4	0.1	0.3	0.5	36	0.4	0.1	0.2	0.5
1998	50	0.4	0.1	0.3	0.6	43	0.4	0.1	0.3	0.6
1999	46	0.4	0.1	0.3	0.5	37	0.4	0.1	0.3	0.5
2000	57	0.5	0.1	0.4	0.6	49	0.5	0.1	0.3	0.6
2001	50	0.4	0.1	0.3	0.5	38	0.4	0.1	0.3	0.5
2002	51	0.4	0.1	0.3	0.5	46	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	150	0.7	0.1	0.6	0.8	6	0.1	0.1	0.0	0.4
1986	12	1.1	0.3	0.6	2.1	0	0.0	~	0.0	8.1
1987	5	0.5	0.2	0.2	1.2	0	0.0	~	0.0	7.6
1988	7	0.6	0.2	0.2	1.4	0	0.0	~	0.0	7.2
1989	10	0.8	0.3	0.4	1.6	0	0.0	~	0.0	6.8
1990	11	0.9	0.3	0.4	1.7	0	0.0	~	0.0	6.7
1991	13	1.0	0.3	0.5	1.9	0	0.0	~	0.0	6.0
1992	10	0.7	0.2	0.3	1.5	0	0.0	~	0.0	5.4
1993	8	0.6	0.2	0.3	1.3	0	0.0	~	0.0	4.9
1994	10	0.8	0.2	0.4	1.5	1	0.4	0.4	0.0	5.0
1995	14	1.1	0.3	0.6	2.0	1	0.3	0.3	0.0	4.4
1996	6	0.5	0.2	0.2	1.2	0	0.0	~	0.0	3.8
1997	7	0.5	0.2	0.2	1.1	0	0.0	~	0.0	3.6
1998	6	0.5	0.2	0.2	1.1	1	0.4	0.4	0.0	3.9
1999	9	0.6	0.2	0.3	1.3	0	0.0	~	0.0	3.1
2000	7	0.4	0.2	0.2	1.0	1	0.2	0.2	0.0	2.8
2001	11	0.7	0.2	0.4	1.4	1	0.2	0.2	0.0	2.5
2002	4	0.3	0.1	0.1	0.7	1	0.4	0.4	0.0	2.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	10	0.2	0.1	0.1	0.4	733	0.5	0.0	0.5	0.5
1990	2	0.7	0.6	0.1	3.8	64	0.6	0.1	0.5	0.8
1991	1	0.2	0.2	0.0	2.8	69	0.6	0.1	0.5	0.8
1992	2	0.6	0.4	0.1	3.3	56	0.5	0.1	0.4	0.7
1993	1	0.2	0.2	0.0	2.6	65	0.6	0.1	0.5	0.8
1994	0	0.0	~	0.0	2.3	61	0.6	0.1	0.4	0.7
1995	1	0.3	0.3	0.0	2.5	61	0.6	0.1	0.4	0.7
1996	0	0.0	~	0.0	2.1	64	0.6	0.1	0.4	0.7
1997	0	0.0	~	0.0	2.0	43	0.4	0.1	0.3	0.5
1998	1	0.5	0.5	0.0	2.8	49	0.4	0.1	0.3	0.6
1999	0	0.0	~	0.0	1.9	45	0.4	0.1	0.3	0.5
2000	0	0.0	~	0.0	1.7	57	0.5	0.1	0.4	0.6
2001	2	0.5	0.4	0.1	2.4	48	0.4	0.1	0.3	0.6
2002	0	0.0	~	0.0	1.3	51	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gum and Other Mouth, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	605	0.7	0.0	0.7	0.8	499	0.7	0.0	0.6	0.8
1986	44	1.1	0.2	0.8	1.5	37	1.0	0.2	0.7	1.5
1987	36	0.8	0.1	0.6	1.2	32	0.8	0.2	0.6	1.2
1988	36	0.8	0.1	0.5	1.1	34	0.8	0.1	0.6	1.2
1989	30	0.6	0.1	0.4	0.9	25	0.6	0.1	0.4	0.9
1990	42	0.9	0.1	0.7	1.3	33	0.8	0.2	0.6	1.2
1991	46	1.0	0.1	0.7	1.3	35	0.8	0.1	0.6	1.2
1992	34	0.7	0.1	0.5	1.0	29	0.7	0.1	0.5	1.1
1993	49	1.1	0.2	0.8	1.4	42	1.1	0.2	0.8	1.5
1994	36	0.8	0.1	0.5	1.1	27	0.7	0.1	0.4	1.0
1995	39	0.8	0.1	0.6	1.1	28	0.7	0.1	0.4	1.0
1996	38	0.8	0.1	0.6	1.1	35	0.8	0.1	0.6	1.2
1997	31	0.6	0.1	0.4	0.9	25	0.6	0.1	0.4	0.9
1998	31	0.6	0.1	0.4	0.9	27	0.6	0.1	0.4	1.0
1999	34	0.6	0.1	0.4	0.9	28	0.6	0.1	0.4	0.9
2000	29	0.6	0.1	0.4	0.8	22	0.5	0.1	0.3	0.8
2001	28	0.5	0.1	0.4	0.8	21	0.5	0.1	0.3	0.8
2002	22	0.4	0.1	0.3	0.7	19	0.4	0.1	0.3	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	103	1.1	0.1	0.9	1.3	3	0.1	0.1	0.0	0.8
1986	7	1.5	0.6	0.6	3.8	0	0.0	~	0.0	20.2
1987	4	0.8	0.4	0.2	2.8	0	0.0	~	0.0	19.0
1988	2	0.3	0.2	0.0	2.0	0	0.0	~	0.0	17.8
1989	5	0.9	0.4	0.3	2.9	0	0.0	~	0.0	16.6
1990	9	1.7	0.6	0.7	3.9	0	0.0	~	0.0	16.8
1991	11	2.2	0.7	1.0	4.6	0	0.0	~	0.0	15.1
1992	5	1.0	0.5	0.3	3.0	0	0.0	~	0.0	13.7
1993	7	1.3	0.5	0.5	3.2	0	0.0	~	0.0	12.7
1994	9	1.5	0.5	0.7	3.4	0	0.0	~	0.0	12.3
1995	10	2.1	0.7	0.9	4.3	1	0.6	0.6	0.0	11.9
1996	3	0.6	0.3	0.1	2.2	0	0.0	~	0.0	10.9
1997	6	1.0	0.4	0.3	2.6	0	0.0	~	0.0	10.2
1998	4	0.9	0.4	0.2	2.6	0	0.0	~	0.0	9.6
1999	6	0.9	0.4	0.3	2.4	0	0.0	~	0.0	9.1
2000	6	0.9	0.4	0.3	2.4	1	0.4	0.4	0.0	8.3
2001	6	0.9	0.4	0.3	2.4	1	0.4	0.4	0.0	7.3
2002	3	0.4	0.2	0.1	1.7	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	4	0.1	0.1	0.0	0.5	452	0.7	0.0	0.7	0.8
1990	1	0.4	0.4	0.0	8.0	40	0.9	0.1	0.6	1.3
1991	0	0.0	~	0.0	7.1	46	1.0	0.1	0.7	1.3
1992	1	0.5	0.5	0.0	7.2	33	0.7	0.1	0.5	1.1
1993	1	0.4	0.4	0.0	7.0	47	1.1	0.2	0.8	1.5
1994	0	0.0	~	0.0	6.4	35	0.8	0.1	0.5	1.1
1995	0	0.0	~	0.0	6.0	39	0.9	0.1	0.6	1.2
1996	0	0.0	~	0.0	5.8	38	0.8	0.1	0.6	1.2
1997	0	0.0	~	0.0	5.6	31	0.7	0.1	0.5	1.0
1998	0	0.0	~	0.0	5.3	31	0.7	0.1	0.5	1.0
1999	0	0.0	~	0.0	5.0	34	0.7	0.1	0.5	1.0
2000	0	0.0	~	0.0	4.6	29	0.6	0.1	0.4	0.9
2001	1	0.4	0.4	0.0	4.5	27	0.6	0.1	0.4	0.8
2002	0	0.0	~	0.0	3.6	22	0.4	0.1	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Gum and Other Mouth, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	400	0.3	0.0	0.3	0.4	350	0.3	0.0	0.3	0.4
1986	28	0.4	0.1	0.3	0.7	23	0.4	0.1	0.2	0.6
1987	25	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.7
1988	29	0.5	0.1	0.3	0.7	24	0.4	0.1	0.3	0.7
1989	29	0.5	0.1	0.3	0.7	24	0.4	0.1	0.3	0.6
1990	25	0.4	0.1	0.3	0.6	23	0.4	0.1	0.3	0.6
1991	24	0.4	0.1	0.2	0.6	22	0.4	0.1	0.2	0.6
1992	24	0.4	0.1	0.2	0.5	19	0.3	0.1	0.2	0.5
1993	18	0.3	0.1	0.2	0.4	17	0.3	0.1	0.2	0.5
1994	26	0.4	0.1	0.2	0.6	24	0.4	0.1	0.3	0.6
1995	23	0.3	0.1	0.2	0.5	19	0.3	0.1	0.2	0.5
1996	27	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
1997	12	0.2	0.0	0.1	0.3	11	0.2	0.1	0.1	0.3
1998	19	0.3	0.1	0.2	0.4	16	0.3	0.1	0.2	0.5
1999	12	0.2	0.0	0.1	0.3	9	0.1	0.0	0.1	0.3
2000	28	0.4	0.1	0.3	0.6	27	0.4	0.1	0.3	0.7
2001	22	0.3	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
2002	29	0.4	0.1	0.3	0.6	27	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	47	0.4	0.1	0.3	0.5	3	0.2	0.1	0.0	0.6
1986	5	0.8	0.4	0.3	2.0	0	0.0	~	0.0	13.4
1987	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.6
1988	5	0.8	0.4	0.2	1.9	0	0.0	~	0.0	12.0
1989	5	0.7	0.3	0.2	1.8	0	0.0	~	0.0	11.4
1990	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	11.2
1991	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	10.0
1992	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	9.0
1993	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	8.0
1994	1	0.2	0.2	0.0	0.9	1	0.7	0.7	0.0	8.1
1995	4	0.6	0.3	0.1	1.5	0	0.0	~	0.0	6.4
1996	3	0.4	0.3	0.1	1.3	0	0.0	~	0.0	5.8
1997	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.6
1998	2	0.2	0.2	0.0	0.9	1	0.7	0.7	0.0	6.1
1999	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	4.7
2000	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.0
2001	5	0.6	0.3	0.2	1.4	0	0.0	~	0.0	3.4
2002	1	0.1	0.1	0.0	0.8	1	0.7	0.7	0.0	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	6	0.3	0.1	0.1	0.6	281	0.3	0.0	0.3	0.4
1990	1	0.8	0.8	0.0	5.6	24	0.4	0.1	0.3	0.6
1991	1	0.4	0.4	0.0	4.6	23	0.4	0.1	0.2	0.6
1992	1	0.6	0.6	0.0	4.9	23	0.3	0.1	0.2	0.5
1993	0	0.0	~	0.0	3.7	18	0.3	0.1	0.2	0.4
1994	0	0.0	~	0.0	3.5	26	0.4	0.1	0.2	0.6
1995	1	0.5	0.5	0.0	4.2	22	0.3	0.1	0.2	0.5
1996	0	0.0	~	0.0	3.2	26	0.4	0.1	0.3	0.6
1997	0	0.0	~	0.0	3.1	12	0.2	0.1	0.1	0.3
1998	1	0.8	0.8	0.0	4.4	18	0.3	0.1	0.2	0.5
1999	0	0.0	~	0.0	2.9	11	0.1	0.0	0.1	0.3
2000	0	0.0	~	0.0	2.7	28	0.4	0.1	0.3	0.6
2001	1	0.6	0.6	0.0	3.6	21	0.3	0.1	0.2	0.5
2002	0	0.0	~	0.0	2.1	29	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Nasopharynx, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	507	0.3	0.0	0.2	0.3	361	0.2	0.0	0.2	0.2
1986	27	0.3	0.1	0.2	0.4	20	0.2	0.0	0.1	0.3
1987	37	0.4	0.1	0.3	0.5	30	0.3	0.1	0.2	0.5
1988	25	0.2	0.1	0.2	0.4	19	0.2	0.1	0.1	0.3
1989	31	0.3	0.1	0.2	0.4	25	0.3	0.1	0.2	0.4
1990	37	0.3	0.1	0.2	0.5	27	0.3	0.1	0.2	0.4
1991	43	0.4	0.1	0.3	0.5	29	0.3	0.1	0.2	0.4
1992	28	0.3	0.0	0.2	0.4	15	0.2	0.0	0.1	0.3
1993	26	0.2	0.0	0.2	0.3	17	0.2	0.0	0.1	0.3
1994	27	0.2	0.0	0.2	0.3	27	0.3	0.1	0.2	0.4
1995	27	0.2	0.0	0.2	0.3	22	0.2	0.0	0.1	0.3
1996	33	0.3	0.1	0.2	0.4	28	0.3	0.1	0.2	0.4
1997	35	0.3	0.0	0.2	0.4	19	0.2	0.0	0.1	0.3
1998	32	0.3	0.0	0.2	0.4	23	0.2	0.0	0.1	0.3
1999	22	0.2	0.0	0.1	0.3	12	0.1	0.0	0.1	0.2
2000	22	0.2	0.0	0.1	0.3	12	0.1	0.0	0.1	0.2
2001	26	0.2	0.0	0.1	0.3	18	0.2	0.0	0.1	0.3
2002	29	0.2	0.0	0.2	0.3	18	0.2	0.0	0.1	0.3
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	99	0.4	0.0	0.3	0.5	47	0.9	0.2	0.7	1.4
1986	5	0.5	0.2	0.1	1.3	2	0.9	0.7	0.1	8.9
1987	6	0.5	0.2	0.2	1.2	1	0.4	0.4	0.0	8.0
1988	3	0.2	0.1	0.0	0.9	3	1.2	0.7	0.2	8.2
1989	3	0.3	0.2	0.1	0.9	3	1.3	0.7	0.3	8.0
1990	9	0.7	0.2	0.3	1.4	1	0.3	0.3	0.0	7.0
1991	9	0.7	0.2	0.3	1.4	5	2.5	1.2	0.7	9.0
1992	9	0.7	0.2	0.3	1.4	4	1.5	0.7	0.4	6.9
1993	6	0.5	0.2	0.2	1.1	3	1.0	0.6	0.2	5.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	3	0.2	0.1	0.0	0.7	2	0.6	0.4	0.1	4.7
1996	3	0.2	0.1	0.0	0.7	2	1.0	0.8	0.1	5.2
1997	11	0.7	0.2	0.3	1.3	5	2.2	1.1	0.5	6.7
1998	7	0.4	0.2	0.2	1.0	2	0.5	0.4	0.1	3.9
1999	5	0.3	0.1	0.1	0.8	5	1.1	0.5	0.4	4.3
2000	8	0.4	0.2	0.2	0.9	2	0.6	0.4	0.1	3.4
2001	5	0.3	0.1	0.1	0.8	3	0.6	0.3	0.1	3.0
2002	7	0.4	0.2	0.2	1.0	4	0.9	0.5	0.2	3.1
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	7	0.1	0.1	0.0	0.3	378	0.3	0.0	0.2	0.3
1990	0	0.0	~	0.0	2.7	37	0.4	0.1	0.3	0.5
1991	0	0.0	~	0.0	2.6	43	0.4	0.1	0.3	0.5
1992	0	0.0	~	0.0	2.5	28	0.3	0.1	0.2	0.4
1993	0	0.0	~	0.0	2.4	26	0.2	0.0	0.2	0.4
1994	0	0.0	~	0.0	2.3	27	0.2	0.0	0.2	0.4
1995	0	0.0	~	0.0	2.2	27	0.2	0.0	0.2	0.4
1996	0	0.0	~	0.0	2.1	33	0.3	0.1	0.2	0.4
1997	0	0.0	~	0.0	2.0	34	0.3	0.1	0.2	0.4
1998	2	0.4	0.2	0.0	2.3	30	0.3	0.0	0.2	0.4
1999	1	0.1	0.1	0.0	2.0	21	0.2	0.0	0.1	0.3
2000	1	0.1	0.1	0.0	1.8	21	0.2	0.0	0.1	0.3
2001	0	0.0	~	0.0	1.5	26	0.2	0.0	0.1	0.3
2002	3	0.6	0.4	0.1	2.3	25	0.2	0.0	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Nasopharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	340	0.4	0.0	0.4	0.5	235	0.3	0.0	0.3	0.4
1986	13	0.3	0.1	0.2	0.5	11	0.3	0.1	0.1	0.5
1987	26	0.6	0.1	0.4	0.9	20	0.5	0.1	0.3	0.8
1988	17	0.4	0.1	0.2	0.7	13	0.4	0.1	0.2	0.7
1989	23	0.5	0.1	0.3	0.8	17	0.4	0.1	0.2	0.8
1990	29	0.6	0.1	0.4	1.0	22	0.6	0.1	0.3	0.9
1991	28	0.6	0.1	0.4	0.9	17	0.4	0.1	0.2	0.7
1992	15	0.3	0.1	0.2	0.5	6	0.1	0.1	0.0	0.3
1993	18	0.4	0.1	0.2	0.6	12	0.3	0.1	0.1	0.5
1994	19	0.4	0.1	0.3	0.7	19	0.5	0.1	0.3	0.8
1995	18	0.3	0.1	0.2	0.6	14	0.3	0.1	0.2	0.5
1996	20	0.4	0.1	0.2	0.7	16	0.4	0.1	0.2	0.6
1997	23	0.4	0.1	0.3	0.7	12	0.3	0.1	0.1	0.5
1998	23	0.5	0.1	0.3	0.7	19	0.4	0.1	0.3	0.7
1999	14	0.3	0.1	0.1	0.4	6	0.1	0.1	0.0	0.3
2000	14	0.2	0.1	0.1	0.4	4	0.1	0.0	0.0	0.2
2001	21	0.4	0.1	0.2	0.6	15	0.3	0.1	0.2	0.5
2002	19	0.3	0.1	0.2	0.6	12	0.3	0.1	0.1	0.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	69	0.7	0.1	0.5	0.9	36	1.5	0.3	1.0	2.4
1986	1	0.2	0.2	0.0	2.1	1	1.2	1.2	0.0	21.3
1987	5	0.9	0.4	0.3	2.8	1	0.9	0.9	0.0	19.7
1988	2	0.3	0.3	0.0	2.1	2	1.7	1.2	0.2	19.3
1989	3	0.6	0.4	0.1	2.5	3	2.5	1.5	0.5	18.9
1990	6	1.1	0.5	0.4	3.2	1	0.6	0.6	0.0	17.3
1991	6	1.0	0.4	0.3	2.9	5	5.7	2.9	1.5	21.8
1992	7	1.3	0.5	0.5	3.3	2	2.0	1.4	0.2	15.7
1993	3	0.8	0.5	0.1	2.8	3	2.0	1.2	0.4	14.6
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	2	0.3	0.2	0.0	1.9	2	1.3	0.9	0.1	12.6
1996	2	0.3	0.2	0.0	1.9	2	2.4	1.9	0.2	14.1
1997	9	1.2	0.4	0.5	2.9	2	1.2	0.9	0.2	11.4
1998	3	0.4	0.3	0.1	1.9	1	0.5	0.5	0.0	10.0
1999	4	0.5	0.3	0.1	2.0	4	1.9	1.0	0.5	10.9
2000	8	0.9	0.3	0.4	2.4	2	1.3	1.0	0.1	9.4
2001	4	0.7	0.4	0.2	2.2	2	0.8	0.6	0.1	7.7
2002	4	0.6	0.3	0.2	2.0	3	1.6	1.0	0.3	7.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	6	0.2	0.1	0.1	0.7	254	0.4	0.0	0.4	0.5
1990	0	0.0	~	0.0	7.6	29	0.7	0.1	0.4	1.0
1991	0	0.0	~	0.0	7.1	28	0.6	0.1	0.4	0.9
1992	0	0.0	~	0.0	6.7	15	0.3	0.1	0.2	0.5
1993	0	0.0	~	0.0	6.7	18	0.4	0.1	0.2	0.7
1994	0	0.0	~	0.0	6.4	19	0.4	0.1	0.3	0.7
1995	0	0.0	~	0.0	6.0	18	0.4	0.1	0.2	0.6
1996	0	0.0	~	0.0	5.8	20	0.4	0.1	0.3	0.7
1997	0	0.0	~	0.0	5.6	23	0.4	0.1	0.3	0.7
1998	2	0.7	0.5	0.1	6.0	21	0.4	0.1	0.3	0.7
1999	1	0.2	0.2	0.0	5.2	13	0.3	0.1	0.1	0.5
2000	0	0.0	~	0.0	4.6	14	0.3	0.1	0.1	0.5
2001	0	0.0	~	0.0	4.1	21	0.4	0.1	0.3	0.6
2002	3	1.4	0.9	0.2	5.7	15	0.3	0.1	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Nasopharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	167	0.2	0.0	0.1	0.2	126	0.1	0.0	0.1	0.2
1986	14	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.3
1987	11	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1988	8	0.2	0.1	0.1	0.3	6	0.2	0.1	0.1	0.3
1989	8	0.1	0.0	0.1	0.3	8	0.2	0.1	0.1	0.3
1990	8	0.1	0.0	0.1	0.3	5	0.1	0.0	0.0	0.2
1991	15	0.2	0.1	0.1	0.4	12	0.2	0.1	0.1	0.4
1992	13	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
1993	8	0.1	0.1	0.1	0.3	5	0.1	0.0	0.0	0.3
1994	8	0.1	0.0	0.0	0.2	8	0.1	0.0	0.1	0.3
1995	9	0.1	0.0	0.1	0.3	8	0.1	0.1	0.1	0.3
1996	13	0.2	0.1	0.1	0.4	12	0.2	0.1	0.1	0.4
1997	12	0.2	0.1	0.1	0.3	7	0.1	0.0	0.1	0.3
1998	9	0.1	0.0	0.1	0.3	4	0.1	0.0	0.0	0.2
1999	8	0.1	0.0	0.1	0.2	6	0.1	0.0	0.0	0.2
2000	8	0.1	0.0	0.0	0.2	8	0.1	0.0	0.1	0.3
2001	5	0.1	0.0	0.0	0.2	3	0.0	0.0	0.0	0.1
2002	10	0.1	0.0	0.1	0.3	6	0.1	0.0	0.0	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	30	0.2	0.0	0.1	0.3	11	0.4	0.1	0.2	0.9
1986	4	0.6	0.3	0.2	1.8	1	0.6	0.6	0.0	13.9
1987	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.6
1988	1	0.2	0.2	0.0	1.1	1	0.6	0.6	0.0	12.5
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	11.2
1991	3	0.4	0.3	0.1	1.4	0	0.0	~	0.0	10.0
1992	2	0.3	0.2	0.0	1.1	2	1.1	0.8	0.1	10.0
1993	3	0.3	0.2	0.1	1.2	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	6.4
1996	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.8
1997	2	0.3	0.2	0.0	1.0	3	2.6	1.7	0.4	9.6
1998	4	0.5	0.2	0.1	1.3	1	0.5	0.5	0.0	5.7
1999	1	0.1	0.1	0.0	0.7	1	0.4	0.4	0.0	5.2
2000	0	0.0	~	0.0	0.5	0	0.0	~	0.0	4.0
2001	1	0.1	0.1	0.0	0.7	1	0.4	0.4	0.0	3.9
2002	3	0.3	0.2	0.1	1.0	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.0	0.0	0.0	0.3	124	0.2	0.0	0.1	0.2
1990	0	0.0	~	0.0	4.2	8	0.1	0.0	0.1	0.3
1991	0	0.0	~	0.0	4.2	15	0.2	0.1	0.1	0.4
1992	0	0.0	~	0.0	3.9	13	0.2	0.1	0.1	0.4
1993	0	0.0	~	0.0	3.7	8	0.2	0.1	0.1	0.3
1994	0	0.0	~	0.0	3.5	8	0.1	0.0	0.1	0.2
1995	0	0.0	~	0.0	3.4	9	0.1	0.0	0.1	0.3
1996	0	0.0	~	0.0	3.2	13	0.2	0.1	0.1	0.4
1997	0	0.0	~	0.0	3.1	11	0.2	0.1	0.1	0.3
1998	0	0.0	~	0.0	3.0	9	0.2	0.1	0.1	0.3
1999	0	0.0	~	0.0	2.9	8	0.1	0.0	0.1	0.3
2000	1	0.2	0.2	0.0	3.0	7	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	2.4	5	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	2.1	10	0.2	0.0	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Oropharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	443	0.2	0.0	0.2	0.3	309	0.2	0.0	0.2	0.2
1986	28	0.3	0.0	0.2	0.4	21	0.2	0.0	0.1	0.3
1987	23	0.2	0.0	0.1	0.3	18	0.2	0.0	0.1	0.3
1988	24	0.2	0.0	0.1	0.3	15	0.2	0.0	0.1	0.3
1989	27	0.2	0.0	0.2	0.4	17	0.2	0.0	0.1	0.3
1990	28	0.3	0.0	0.2	0.4	26	0.3	0.1	0.2	0.4
1991	26	0.2	0.0	0.2	0.4	21	0.2	0.0	0.1	0.3
1992	22	0.2	0.0	0.1	0.3	17	0.2	0.0	0.1	0.3
1993	17	0.2	0.0	0.1	0.3	11	0.1	0.0	0.1	0.2
1994	32	0.3	0.1	0.2	0.4	23	0.2	0.0	0.1	0.3
1995	36	0.3	0.1	0.2	0.4	21	0.2	0.0	0.1	0.3
1996	24	0.2	0.0	0.1	0.3	16	0.2	0.0	0.1	0.3
1997	23	0.2	0.0	0.1	0.3	12	0.1	0.0	0.1	0.2
1998	28	0.2	0.0	0.2	0.3	19	0.2	0.0	0.1	0.3
1999	23	0.2	0.0	0.1	0.3	17	0.2	0.0	0.1	0.3
2000	26	0.2	0.0	0.1	0.3	17	0.2	0.0	0.1	0.3
2001	22	0.2	0.0	0.1	0.3	16	0.2	0.0	0.1	0.3
2002	34	0.3	0.0	0.2	0.4	22	0.2	0.0	0.1	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	133	0.6	0.1	0.5	0.7	1	0.0	0.0	0.0	0.3
1986	7	0.7	0.3	0.3	1.5	0	0.0	~	0.0	8.1
1987	5	0.4	0.2	0.1	1.1	0	0.0	~	0.0	7.6
1988	9	0.7	0.3	0.3	1.6	0	0.0	~	0.0	7.2
1989	10	0.8	0.2	0.4	1.5	0	0.0	~	0.0	6.8
1990	2	0.1	0.1	0.0	0.7	0	0.0	~	0.0	6.7
1991	5	0.4	0.2	0.1	1.0	0	0.0	~	0.0	6.0
1992	5	0.3	0.2	0.1	0.9	0	0.0	~	0.0	5.4
1993	6	0.5	0.2	0.2	1.1	0	0.0	~	0.0	4.9
1994	9	0.7	0.2	0.3	1.3	0	0.0	~	0.0	4.6
1995	15	1.1	0.3	0.6	1.8	0	0.0	~	0.0	4.1
1996	8	0.6	0.2	0.3	1.3	0	0.0	~	0.0	3.8
1997	11	0.8	0.2	0.4	1.5	0	0.0	~	0.0	3.6
1998	9	0.6	0.2	0.3	1.2	0	0.0	~	0.0	3.3
1999	6	0.4	0.2	0.1	1.0	0	0.0	~	0.0	3.1
2000	9	0.6	0.2	0.3	1.2	0	0.0	~	0.0	2.6
2001	5	0.3	0.1	0.1	0.8	1	0.2	0.2	0.0	2.5
2002	12	0.8	0.2	0.4	1.4	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	8	0.1	0.0	0.0	0.3	330	0.2	0.0	0.2	0.3
1990	1	0.2	0.2	0.0	2.9	27	0.3	0.1	0.2	0.4
1991	0	0.0	~	0.0	2.6	25	0.2	0.0	0.2	0.4
1992	0	0.0	~	0.0	2.5	21	0.2	0.0	0.1	0.3
1993	0	0.0	~	0.0	2.4	17	0.2	0.0	0.1	0.3
1994	1	0.2	0.2	0.0	2.4	31	0.3	0.1	0.2	0.4
1995	0	0.0	~	0.0	2.2	36	0.3	0.1	0.2	0.5
1996	0	0.0	~	0.0	2.1	24	0.2	0.0	0.1	0.3
1997	0	0.0	~	0.0	2.0	23	0.2	0.0	0.1	0.3
1998	0	0.0	~	0.0	1.9	27	0.2	0.0	0.2	0.4
1999	1	0.1	0.1	0.0	2.0	22	0.2	0.0	0.1	0.3
2000	2	0.3	0.2	0.0	2.0	24	0.2	0.0	0.1	0.3
2001	1	0.1	0.1	0.0	1.6	21	0.2	0.0	0.1	0.3
2002	2	0.3	0.2	0.0	1.7	32	0.3	0.0	0.2	0.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Oropharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	324	0.4	0.0	0.3	0.4	217	0.3	0.0	0.3	0.3
1986	20	0.4	0.1	0.3	0.7	15	0.4	0.1	0.2	0.6
1987	13	0.3	0.1	0.1	0.5	11	0.3	0.1	0.1	0.5
1988	21	0.5	0.1	0.3	0.8	14	0.4	0.1	0.2	0.7
1989	23	0.5	0.1	0.3	0.7	14	0.3	0.1	0.2	0.6
1990	18	0.4	0.1	0.2	0.7	16	0.4	0.1	0.2	0.8
1991	16	0.4	0.1	0.2	0.7	13	0.4	0.1	0.2	0.7
1992	17	0.4	0.1	0.2	0.6	12	0.3	0.1	0.1	0.6
1993	12	0.2	0.1	0.1	0.5	8	0.2	0.1	0.1	0.4
1994	23	0.5	0.1	0.3	0.7	15	0.4	0.1	0.2	0.6
1995	28	0.6	0.1	0.4	0.8	16	0.4	0.1	0.2	0.7
1996	17	0.3	0.1	0.2	0.6	11	0.3	0.1	0.1	0.5
1997	20	0.4	0.1	0.2	0.6	10	0.2	0.1	0.1	0.4
1998	23	0.4	0.1	0.3	0.7	15	0.3	0.1	0.2	0.6
1999	13	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
2000	21	0.4	0.1	0.2	0.6	14	0.3	0.1	0.2	0.5
2001	17	0.3	0.1	0.2	0.5	12	0.3	0.1	0.1	0.5
2002	22	0.4	0.1	0.3	0.6	12	0.3	0.1	0.1	0.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	106	1.1	0.1	0.9	1.3	1	0.0	0.0	0.0	0.7
1986	5	1.0	0.5	0.3	3.0	0	0.0	~	0.0	20.2
1987	2	0.4	0.3	0.1	2.3	0	0.0	~	0.0	19.0
1988	7	1.4	0.6	0.5	3.6	0	0.0	~	0.0	17.8
1989	9	1.6	0.5	0.7	3.7	0	0.0	~	0.0	16.6
1990	2	0.3	0.2	0.0	2.1	0	0.0	~	0.0	16.8
1991	3	0.5	0.3	0.1	2.3	0	0.0	~	0.0	15.1
1992	5	0.8	0.3	0.3	2.5	0	0.0	~	0.0	13.7
1993	4	0.7	0.3	0.2	2.4	0	0.0	~	0.0	12.7
1994	8	1.4	0.5	0.6	3.3	0	0.0	~	0.0	12.3
1995	12	2.1	0.6	1.0	4.1	0	0.0	~	0.0	11.4
1996	6	0.9	0.4	0.3	2.6	0	0.0	~	0.0	10.9
1997	10	1.6	0.5	0.8	3.5	0	0.0	~	0.0	10.2
1998	8	1.3	0.5	0.6	3.0	0	0.0	~	0.0	9.6
1999	4	0.6	0.3	0.2	2.1	0	0.0	~	0.0	9.1
2000	7	1.1	0.4	0.4	2.7	0	0.0	~	0.0	7.9
2001	4	0.6	0.3	0.2	2.1	1	0.4	0.4	0.0	7.3
2002	10	1.5	0.5	0.7	3.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	7	0.2	0.1	0.1	0.6	238	0.4	0.0	0.3	0.4
1990	0	0.0	~	0.0	7.6	18	0.4	0.1	0.3	0.7
1991	0	0.0	~	0.0	7.1	16	0.4	0.1	0.2	0.7
1992	0	0.0	~	0.0	6.7	16	0.3	0.1	0.2	0.6
1993	0	0.0	~	0.0	6.7	12	0.2	0.1	0.1	0.5
1994	1	0.4	0.4	0.0	6.7	22	0.5	0.1	0.3	0.7
1995	0	0.0	~	0.0	6.0	28	0.6	0.1	0.4	0.9
1996	0	0.0	~	0.0	5.8	17	0.4	0.1	0.2	0.6
1997	0	0.0	~	0.0	5.6	20	0.4	0.1	0.3	0.7
1998	0	0.0	~	0.0	5.3	22	0.4	0.1	0.3	0.7
1999	1	0.2	0.2	0.0	5.2	12	0.2	0.1	0.1	0.4
2000	2	0.6	0.4	0.1	5.2	19	0.4	0.1	0.2	0.6
2001	1	0.2	0.2	0.0	4.3	16	0.3	0.1	0.2	0.5
2002	2	0.6	0.5	0.1	4.3	20	0.4	0.1	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Oropharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	119	0.1	0.0	0.1	0.1	92	0.1	0.0	0.1	0.1
1986	8	0.1	0.0	0.1	0.3	6	0.1	0.0	0.0	0.3
1987	10	0.2	0.1	0.1	0.3	7	0.1	0.1	0.1	0.3
1988	3	0.1	0.0	0.0	0.2	1	0.0	0.0	0.0	0.1
1989	4	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1990	10	0.2	0.0	0.1	0.3	10	0.2	0.1	0.1	0.3
1991	10	0.2	0.1	0.1	0.3	8	0.1	0.1	0.1	0.3
1992	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1993	5	0.1	0.0	0.0	0.2	3	0.0	0.0	0.0	0.2
1994	9	0.1	0.0	0.1	0.3	8	0.1	0.0	0.1	0.3
1995	8	0.1	0.0	0.1	0.3	5	0.1	0.0	0.0	0.2
1996	7	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1997	3	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1998	5	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1999	10	0.1	0.0	0.1	0.3	8	0.1	0.0	0.1	0.3
2000	5	0.1	0.0	0.0	0.2	3	0.0	0.0	0.0	0.1
2001	5	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
2002	12	0.2	0.1	0.1	0.3	10	0.2	0.1	0.1	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	27	0.2	0.0	0.1	0.3	0	0.0	~	0.0	0.4
1986	2	0.4	0.3	0.0	1.4	0	0.0	~	0.0	13.4
1987	3	0.4	0.2	0.1	1.4	0	0.0	~	0.0	12.6
1988	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	12.0
1989	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	8.0
1994	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	7.3
1995	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	6.4
1996	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	5.8
1997	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.6
1998	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.1
1999	2	0.3	0.2	0.0	1.0	0	0.0	~	0.0	4.7
2000	2	0.3	0.2	0.0	1.0	0	0.0	~	0.0	4.0
2001	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	3.4
2002	2	0.2	0.2	0.0	0.9	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.0	0.0	0.0	0.3	92	0.1	0.0	0.1	0.1
1990	1	0.4	0.4	0.0	4.7	9	0.1	0.0	0.1	0.3
1991	0	0.0	~	0.0	4.2	9	0.1	0.1	0.1	0.3
1992	0	0.0	~	0.0	3.9	5	0.1	0.0	0.0	0.2
1993	0	0.0	~	0.0	3.7	5	0.1	0.0	0.0	0.2
1994	0	0.0	~	0.0	3.5	9	0.1	0.0	0.1	0.3
1995	0	0.0	~	0.0	3.4	8	0.1	0.0	0.1	0.3
1996	0	0.0	~	0.0	3.2	7	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	3.1	3	0.1	0.0	0.0	0.2
1998	0	0.0	~	0.0	3.0	5	0.1	0.0	0.0	0.2
1999	0	0.0	~	0.0	2.9	10	0.2	0.0	0.1	0.3
2000	0	0.0	~	0.0	2.7	5	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	2.4	5	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	2.1	12	0.2	0.1	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Hypopharynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	300	0.2	0.0	0.1	0.2	218	0.1	0.0	0.1	0.1
1986	21	0.2	0.0	0.1	0.3	17	0.2	0.0	0.1	0.3
1987	26	0.2	0.0	0.2	0.4	19	0.2	0.0	0.1	0.3
1988	7	0.1	0.0	0.0	0.1	7	0.1	0.0	0.0	0.2
1989	19	0.2	0.0	0.1	0.3	13	0.1	0.0	0.1	0.2
1990	23	0.2	0.0	0.1	0.3	15	0.1	0.0	0.1	0.2
1991	22	0.2	0.0	0.1	0.3	14	0.1	0.0	0.1	0.3
1992	18	0.2	0.0	0.1	0.3	10	0.1	0.0	0.1	0.2
1993	21	0.2	0.0	0.1	0.3	16	0.2	0.0	0.1	0.3
1994	20	0.2	0.0	0.1	0.3	13	0.1	0.0	0.1	0.2
1995	17	0.1	0.0	0.1	0.2	13	0.1	0.0	0.1	0.2
1996	17	0.2	0.0	0.1	0.2	14	0.1	0.0	0.1	0.2
1997	21	0.2	0.0	0.1	0.3	18	0.2	0.0	0.1	0.3
1998	14	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1999	20	0.2	0.0	0.1	0.3	14	0.1	0.0	0.1	0.2
2000	11	0.1	0.0	0.0	0.2	9	0.1	0.0	0.0	0.2
2001	12	0.1	0.0	0.1	0.2	9	0.1	0.0	0.0	0.2
2002	11	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	78	0.3	0.0	0.3	0.4	4	0.1	0.0	0.0	0.4
1986	4	0.3	0.2	0.1	1.0	0	0.0	~	0.0	8.1
1987	7	0.6	0.2	0.2	1.4	0	0.0	~	0.0	7.6
1988	0	0.0	~	0.0	0.5	0	0.0	~	0.0	7.2
1989	6	0.5	0.2	0.2	1.2	0	0.0	~	0.0	6.8
1990	8	0.7	0.2	0.3	1.4	0	0.0	~	0.0	6.7
1991	8	0.7	0.2	0.3	1.5	0	0.0	~	0.0	6.0
1992	8	0.6	0.2	0.3	1.3	0	0.0	~	0.0	5.4
1993	4	0.3	0.1	0.1	0.8	1	0.4	0.4	0.0	5.3
1994	7	0.5	0.2	0.2	1.1	0	0.0	~	0.0	4.6
1995	4	0.3	0.2	0.1	0.9	0	0.0	~	0.0	4.1
1996	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.8
1997	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.6
1998	2	0.1	0.1	0.0	0.6	1	0.2	0.2	0.0	3.5
1999	6	0.4	0.2	0.1	0.9	0	0.0	~	0.0	3.1
2000	1	0.1	0.1	0.0	0.6	1	0.4	0.4	0.0	3.2
2001	2	0.2	0.1	0.0	0.6	1	0.4	0.4	0.0	2.8
2002	5	0.3	0.1	0.1	0.8	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	7	0.1	0.0	0.0	0.3	215	0.1	0.0	0.1	0.2
1990	1	0.3	0.3	0.0	3.0	22	0.2	0.0	0.1	0.3
1991	2	0.6	0.5	0.1	3.5	19	0.2	0.0	0.1	0.3
1992	1	0.2	0.2	0.0	2.7	17	0.2	0.0	0.1	0.3
1993	1	0.2	0.2	0.0	2.6	20	0.2	0.0	0.1	0.3
1994	0	0.0	~	0.0	2.3	20	0.2	0.0	0.1	0.3
1995	0	0.0	~	0.0	2.2	16	0.1	0.0	0.1	0.2
1996	0	0.0	~	0.0	2.1	16	0.1	0.0	0.1	0.2
1997	1	0.2	0.2	0.0	2.2	19	0.2	0.0	0.1	0.3
1998	1	0.4	0.4	0.0	2.5	13	0.1	0.0	0.1	0.2
1999	0	0.0	~	0.0	1.9	20	0.2	0.0	0.1	0.3
2000	0	0.0	~	0.0	1.7	11	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	1.5	12	0.1	0.0	0.1	0.2
2002	0	0.0	~	0.0	1.3	10	0.1	0.0	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Hypopharynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	228	0.3	0.0	0.2	0.3	168	0.2	0.0	0.2	0.3
1986	17	0.3	0.1	0.2	0.6	13	0.3	0.1	0.2	0.5
1987	23	0.5	0.1	0.3	0.8	17	0.4	0.1	0.2	0.7
1988	6	0.1	0.1	0.1	0.3	6	0.2	0.1	0.1	0.4
1989	11	0.2	0.1	0.1	0.5	8	0.2	0.1	0.1	0.4
1990	14	0.3	0.1	0.1	0.5	10	0.2	0.1	0.1	0.4
1991	14	0.3	0.1	0.2	0.5	9	0.2	0.1	0.1	0.4
1992	15	0.3	0.1	0.2	0.5	8	0.2	0.1	0.1	0.4
1993	16	0.3	0.1	0.2	0.5	13	0.3	0.1	0.2	0.5
1994	16	0.3	0.1	0.2	0.5	9	0.2	0.1	0.1	0.4
1995	11	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
1996	13	0.3	0.1	0.1	0.5	10	0.2	0.1	0.1	0.4
1997	19	0.4	0.1	0.2	0.6	16	0.4	0.1	0.2	0.6
1998	10	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1999	16	0.3	0.1	0.2	0.5	11	0.2	0.1	0.1	0.5
2000	8	0.2	0.1	0.1	0.4	7	0.2	0.1	0.1	0.4
2001	9	0.2	0.1	0.1	0.3	8	0.2	0.1	0.1	0.4
2002	10	0.2	0.1	0.1	0.3	6	0.1	0.1	0.0	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	59	0.6	0.1	0.5	0.8	1	0.0	0.0	0.0	0.7
1986	4	0.8	0.4	0.2	2.8	0	0.0	~	0.0	20.2
1987	6	1.3	0.6	0.5	3.6	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	3	0.5	0.3	0.1	2.4	0	0.0	~	0.0	16.6
1990	4	0.7	0.4	0.2	2.6	0	0.0	~	0.0	16.8
1991	5	0.9	0.4	0.3	2.8	0	0.0	~	0.0	15.1
1992	7	1.3	0.5	0.5	3.2	0	0.0	~	0.0	13.7
1993	3	0.5	0.3	0.1	2.1	0	0.0	~	0.0	12.7
1994	7	1.2	0.5	0.5	3.0	0	0.0	~	0.0	12.3
1995	2	0.4	0.3	0.0	2.0	0	0.0	~	0.0	11.4
1996	3	0.5	0.3	0.1	2.2	0	0.0	~	0.0	10.9
1997	3	0.5	0.3	0.1	2.0	0	0.0	~	0.0	10.2
1998	1	0.1	0.1	0.0	1.6	1	0.5	0.5	0.0	10.0
1999	5	0.8	0.4	0.3	2.3	0	0.0	~	0.0	9.1
2000	1	0.4	0.4	0.0	2.0	0	0.0	~	0.0	7.9
2001	1	0.3	0.3	0.0	1.7	0	0.0	~	0.0	6.9
2002	4	0.6	0.3	0.2	1.9	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	7	0.3	0.1	0.1	0.7	160	0.3	0.0	0.2	0.3
1990	1	0.6	0.6	0.0	8.2	13	0.3	0.1	0.1	0.5
1991	2	1.4	1.1	0.2	8.8	12	0.3	0.1	0.1	0.5
1992	1	0.4	0.4	0.0	7.0	14	0.3	0.1	0.2	0.5
1993	1	0.4	0.4	0.0	7.0	15	0.3	0.1	0.2	0.5
1994	0	0.0	~	0.0	6.4	16	0.3	0.1	0.2	0.5
1995	0	0.0	~	0.0	6.0	10	0.2	0.1	0.1	0.4
1996	0	0.0	~	0.0	5.8	12	0.2	0.1	0.1	0.5
1997	1	0.4	0.4	0.0	6.0	17	0.3	0.1	0.2	0.6
1998	1	0.9	0.9	0.0	6.5	9	0.2	0.1	0.1	0.4
1999	0	0.0	~	0.0	5.0	16	0.3	0.1	0.2	0.5
2000	0	0.0	~	0.0	4.6	8	0.2	0.1	0.1	0.4
2001	0	0.0	~	0.0	4.1	9	0.2	0.1	0.1	0.4
2002	0	0.0	~	0.0	3.6	9	0.2	0.1	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Hypopharynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	72	0.1	0.0	0.1	0.1	50	0.1	0.0	0.0	0.1
1986	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1987	3	0.1	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1988	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1989	8	0.2	0.1	0.1	0.3	5	0.1	0.1	0.0	0.3
1990	9	0.1	0.0	0.1	0.3	5	0.1	0.0	0.0	0.2
1991	8	0.1	0.0	0.1	0.3	5	0.1	0.0	0.0	0.2
1992	3	0.1	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1993	5	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1994	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1995	6	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1996	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1997	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1998	4	0.1	0.0	0.0	0.2	3	0.0	0.0	0.0	0.2
1999	4	0.1	0.0	0.0	0.1	3	0.0	0.0	0.0	0.1
2000	3	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
2001	3	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
2002	1	0.0	0.0	0.0	0.1	0	0.0	~	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	19	0.1	0.0	0.1	0.2	3	0.1	0.1	0.0	0.6
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	1	0.1	0.1	0.0	1.0	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	3	0.4	0.3	0.1	1.4	0	0.0	~	0.0	11.4
1990	4	0.6	0.3	0.2	1.6	0	0.0	~	0.0	11.2
1991	3	0.5	0.3	0.1	1.5	0	0.0	~	0.0	10.0
1992	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	9.0
1993	1	0.1	0.1	0.0	0.8	1	0.7	0.7	0.0	8.8
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.1
1999	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	1	0.7	0.7	0.0	5.0
2001	1	0.1	0.1	0.0	0.7	1	0.6	0.6	0.0	4.4
2002	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.2	55	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	4.2	9	0.1	0.1	0.1	0.3
1991	0	0.0	~	0.0	4.2	7	0.1	0.0	0.0	0.3
1992	0	0.0	~	0.0	3.9	3	0.1	0.0	0.0	0.2
1993	0	0.0	~	0.0	3.7	5	0.1	0.0	0.0	0.2
1994	0	0.0	~	0.0	3.5	4	0.1	0.0	0.0	0.2
1995	0	0.0	~	0.0	3.4	6	0.1	0.0	0.0	0.2
1996	0	0.0	~	0.0	3.2	4	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	3.1	2	0.0	0.0	0.0	0.1
1998	0	0.0	~	0.0	3.0	4	0.1	0.0	0.0	0.2
1999	0	0.0	~	0.0	2.9	4	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	2.7	3	0.0	0.0	0.0	0.1
2001	0	0.0	~	0.0	2.4	3	0.0	0.0	0.0	0.1
2002	0	0.0	~	0.0	2.1	1	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Digestive System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	103,563	53.8	0.2	53.5	54.2	86,324	51.0	0.2	50.6	51.3
1986	6,022	57.7	0.8	56.3	59.2	5,113	54.9	0.8	53.3	56.4
1987	6,144	58.5	0.8	57.1	60.0	5,221	55.8	0.8	54.3	57.4
1988	6,026	56.8	0.7	55.4	58.3	5,037	53.4	0.8	51.9	54.9
1989	5,959	55.9	0.7	54.4	57.3	4,997	52.7	0.8	51.2	54.2
1990	6,179	57.3	0.7	55.9	58.8	5,158	53.8	0.8	52.3	55.3
1991	6,059	55.5	0.7	54.1	56.9	5,096	52.6	0.7	51.1	54.0
1992	6,049	54.5	0.7	53.2	55.9	5,078	51.8	0.7	50.3	53.2
1993	6,114	54.5	0.7	53.1	55.9	5,059	51.1	0.7	49.7	52.5
1994	6,165	54.4	0.7	53.0	55.7	5,168	51.7	0.7	50.3	53.1
1995	6,111	53.3	0.7	51.9	54.6	5,140	51.0	0.7	49.6	52.4
1996	5,981	51.9	0.7	50.6	53.2	4,913	48.6	0.7	47.2	49.9
1997	5,995	51.5	0.7	50.2	52.8	4,955	48.6	0.7	47.3	50.0
1998	6,115	51.9	0.7	50.6	53.2	5,068	49.3	0.7	48.0	50.7
1999	6,108	51.3	0.7	50.0	52.6	5,073	48.9	0.7	47.6	50.3
2000	6,258	52.1	0.7	50.8	53.4	5,157	49.4	0.7	48.0	50.8
2001	6,173	50.7	0.6	49.5	52.0	5,075	48.1	0.7	46.8	49.5
2002	6,105	49.6	0.6	48.4	50.9	5,016	47.1	0.7	45.8	48.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,917	78.3	0.6	77.1	79.6	1,322	39.4	1.2	37.1	41.8
1986	863	84.6	3.0	78.8	90.7	46	33.6	5.7	23.5	48.7
1987	887	84.1	2.9	78.4	90.1	36	27.3	5.3	18.0	41.4
1988	942	86.3	2.9	80.7	92.2	47	34.8	5.9	24.2	49.9
1989	899	83.5	2.9	78.0	89.4	63	48.2	7.1	35.3	65.2
1990	960	87.3	2.9	81.7	93.3	61	44.7	6.8	32.4	61.2
1991	904	81.3	2.8	75.9	87.0	59	44.0	6.5	32.3	59.7
1992	897	77.9	2.7	72.7	83.4	74	43.3	5.7	32.9	57.0
1993	987	85.1	2.8	79.7	90.8	68	41.0	5.6	30.8	54.2
1994	911	75.9	2.6	70.9	81.2	86	46.2	5.6	35.8	59.4
1995	887	73.6	2.5	68.7	78.7	84	45.9	5.5	35.7	58.7
1996	987	79.7	2.6	74.7	85.0	81	38.6	4.8	29.8	49.8
1997	945	75.3	2.5	70.5	80.5	95	42.0	4.8	33.1	53.1
1998	969	74.9	2.5	70.1	79.9	78	31.9	4.1	24.5	41.5
1999	927	71.8	2.4	67.2	76.7	108	41.2	4.4	33.1	51.3
2000	986	73.6	2.4	69.0	78.5	115	41.4	4.2	33.5	51.0
2001	985	72.3	2.3	67.7	77.0	113	35.4	3.6	28.6	43.6
2002	981	71.3	2.3	66.8	76.0	108	34.2	3.5	27.7	42.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,780	33.6	0.9	31.8	35.4	77,074	53.2	0.2	52.8	53.5
1990	95	29.4	3.5	23.0	37.5	6,033	57.5	0.7	56.1	59.0
1991	98	31.1	3.6	24.5	39.3	5,915	55.8	0.7	54.3	57.2
1992	110	36.6	3.9	29.3	45.5	5,898	54.8	0.7	53.4	56.2
1993	147	41.3	3.9	34.1	50.0	5,925	54.4	0.7	53.0	55.8
1994	119	33.8	3.5	27.3	41.7	6,010	54.7	0.7	53.3	56.1
1995	115	29.1	3.1	23.3	36.2	5,957	53.6	0.7	52.3	55.0
1996	130	33.5	3.3	27.3	41.0	5,795	52.0	0.7	50.7	53.4
1997	139	33.0	3.2	27.0	40.1	5,803	51.6	0.7	50.3	53.0
1998	147	33.4	3.1	27.5	40.4	5,923	52.2	0.7	50.9	53.6
1999	156	34.7	3.2	28.7	41.8	5,929	51.8	0.7	50.4	53.1
2000	157	32.9	3.0	27.2	39.6	6,076	52.6	0.7	51.3	54.0
2001	197	37.2	3.0	31.6	43.7	5,926	50.9	0.7	49.6	52.2
2002	170	30.8	2.6	25.8	36.5	5,884	50.1	0.7	48.8	51.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Digestive System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	54,450	70.2	0.3	69.6	70.8	45,205	66.6	0.3	66.0	67.3
1986	3,177	75.8	1.4	73.1	78.6	2,685	72.3	1.5	69.5	75.2
1987	3,169	75.5	1.4	72.7	78.3	2,654	71.6	1.4	68.8	74.5
1988	3,208	75.8	1.4	73.1	78.7	2,645	71.1	1.4	68.3	74.0
1989	3,155	74.8	1.4	72.1	77.5	2,638	70.8	1.4	68.0	73.7
1990	3,202	74.2	1.4	71.6	77.0	2,660	69.9	1.4	67.2	72.7
1991	3,225	73.8	1.3	71.2	76.5	2,707	70.2	1.4	67.5	73.0
1992	3,204	72.2	1.3	69.6	74.8	2,662	68.1	1.4	65.4	70.8
1993	3,148	70.2	1.3	67.7	72.8	2,591	65.6	1.3	63.1	68.3
1994	3,235	71.2	1.3	68.7	73.8	2,697	67.6	1.3	65.1	70.3
1995	3,227	70.3	1.3	67.8	72.8	2,689	66.8	1.3	64.2	69.4
1996	3,159	68.4	1.2	66.0	70.9	2,595	64.5	1.3	62.0	67.1
1997	3,180	67.8	1.2	65.4	70.3	2,605	63.9	1.3	61.4	66.4
1998	3,235	67.4	1.2	65.1	69.9	2,682	64.4	1.3	61.9	66.9
1999	3,191	66.2	1.2	63.9	68.6	2,660	63.4	1.2	61.0	65.9
2000	3,253	66.3	1.2	64.0	68.7	2,672	63.0	1.2	60.6	65.4
2001	3,247	65.1	1.2	62.9	67.4	2,679	62.2	1.2	59.9	64.7
2002	3,235	64.0	1.1	61.7	66.2	2,684	61.4	1.2	59.1	63.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,458	102.7	1.2	100.4	105.1	787	52.5	2.2	48.3	57.0
1986	465	109.3	5.5	98.8	120.8	27	38.7	8.3	24.1	65.7
1987	491	112.0	5.4	101.7	123.3	24	33.2	7.6	19.9	58.4
1988	530	117.6	5.5	107.2	129.1	33	54.3	11.2	34.7	85.2
1989	482	111.1	5.5	100.7	122.6	35	44.7	8.6	29.5	69.9
1990	496	109.6	5.3	99.6	120.7	46	77.1	13.9	52.3	112.7
1991	481	105.6	5.2	95.7	116.4	37	62.9	11.8	41.9	93.6
1992	496	110.7	5.3	100.4	121.9	46	60.2	10.1	42.0	86.7
1993	516	111.7	5.3	101.6	122.8	41	62.6	11.2	42.7	90.8
1994	491	102.7	5.0	93.3	113.1	47	53.7	9.1	37.3	77.6
1995	490	102.9	5.0	93.4	113.3	48	59.5	9.9	41.6	84.6
1996	520	103.2	4.8	93.9	113.3	44	45.0	8.1	30.6	66.1
1997	509	98.7	4.6	89.8	108.4	66	67.7	9.8	49.9	91.8
1998	516	97.7	4.6	89.0	107.3	37	32.9	6.1	22.0	49.6
1999	476	92.9	4.5	84.3	102.4	55	55.9	8.8	40.1	77.6
2000	518	96.0	4.5	87.4	105.3	63	50.7	7.5	37.1	69.1
2001	496	89.5	4.2	81.4	98.4	72	49.3	6.6	37.3	65.5
2002	485	87.9	4.2	79.9	96.6	66	48.5	6.6	36.5	64.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,052	43.7	1.6	40.6	47.1	40,367	69.3	0.4	68.6	69.9
1990	56	44.6	7.5	31.2	63.0	3,117	74.4	1.4	71.7	77.2
1991	70	46.9	6.8	34.5	63.6	3,127	73.9	1.4	71.3	76.7
1992	57	44.2	7.1	31.4	61.4	3,121	72.6	1.3	70.0	75.3
1993	94	53.1	6.6	40.9	69.2	3,022	69.8	1.3	67.3	72.4
1994	67	41.8	6.3	30.4	57.2	3,149	71.8	1.3	69.3	74.5
1995	69	35.5	5.4	25.8	49.0	3,134	70.8	1.3	68.3	73.4
1996	75	45.3	6.4	33.6	60.6	3,054	68.7	1.3	66.2	71.3
1997	81	40.0	5.3	30.3	53.0	3,068	68.1	1.3	65.7	70.7
1998	92	47.0	5.9	36.2	60.9	3,118	67.8	1.2	65.4	70.3
1999	95	45.0	5.7	34.5	58.5	3,083	66.8	1.2	64.4	69.2
2000	90	42.3	5.5	32.3	55.3	3,150	67.2	1.2	64.9	69.7
2001	105	44.3	5.0	35.0	56.0	3,112	65.6	1.2	63.3	67.9
2002	101	39.9	4.6	31.4	50.7	3,112	64.8	1.2	62.6	67.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Digestive System, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	49,113	42.4	0.2	42.1	42.8	41,119	40.1	0.2	39.7	40.5
1986	2,845	45.6	0.9	44.0	47.4	2,428	43.3	0.9	41.6	45.1
1987	2,975	47.1	0.9	45.4	48.9	2,567	45.4	0.9	43.6	47.2
1988	2,818	44.2	0.8	42.5	45.8	2,392	41.8	0.9	40.1	43.5
1989	2,804	43.5	0.8	41.8	45.1	2,359	40.9	0.9	39.2	42.6
1990	2,977	45.7	0.8	44.1	47.4	2,498	42.9	0.9	41.2	44.7
1991	2,834	42.9	0.8	41.3	44.6	2,389	40.4	0.8	38.8	42.1
1992	2,845	42.4	0.8	40.9	44.0	2,416	40.4	0.8	38.8	42.1
1993	2,966	43.8	0.8	42.3	45.5	2,468	41.2	0.8	39.5	42.9
1994	2,930	42.8	0.8	41.2	44.4	2,471	40.6	0.8	39.0	42.2
1995	2,884	41.6	0.8	40.1	43.2	2,451	40.0	0.8	38.4	41.6
1996	2,822	40.6	0.8	39.1	42.2	2,318	37.8	0.8	36.3	39.4
1997	2,815	40.1	0.8	38.6	41.6	2,350	38.1	0.8	36.5	39.7
1998	2,880	40.7	0.8	39.3	42.3	2,386	38.5	0.8	37.0	40.1
1999	2,917	40.8	0.8	39.3	42.3	2,413	38.5	0.8	36.9	40.1
2000	3,005	41.7	0.8	40.2	43.2	2,485	39.4	0.8	37.8	41.0
2001	2,926	40.2	0.8	38.8	41.7	2,396	37.8	0.8	36.2	39.3
2002	2,870	39.0	0.7	37.6	40.5	2,332	36.4	0.8	34.9	37.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,459	61.9	0.7	60.5	63.3	535	29.5	1.4	26.8	32.3
1986	398	67.6	3.5	60.9	74.7	19	28.8	7.5	16.1	50.6
1987	396	64.5	3.3	58.2	71.4	12	21.6	6.9	10.2	42.3
1988	412	64.7	3.2	58.5	71.5	14	19.9	6.2	9.8	38.7
1989	417	65.3	3.3	59.1	72.1	28	49.1	10.3	31.0	75.2
1990	464	71.6	3.4	65.1	78.6	15	20.2	6.0	10.2	38.2
1991	423	64.6	3.2	58.5	71.2	22	30.1	7.2	17.6	49.6
1992	401	57.7	2.9	52.2	63.8	28	30.5	6.5	19.1	47.8
1993	471	67.8	3.2	61.7	74.3	27	26.0	5.5	16.4	40.9
1994	420	58.7	2.9	53.2	64.7	39	39.9	7.0	27.3	57.4
1995	397	55.1	2.8	49.8	60.9	36	35.9	6.4	24.4	51.7
1996	467	63.7	3.0	58.0	69.9	37	33.3	5.9	22.7	47.7
1997	436	58.6	2.8	53.2	64.4	29	23.6	4.7	15.2	35.8
1998	453	58.9	2.8	53.6	64.7	41	30.5	5.2	21.1	43.3
1999	451	58.1	2.8	52.8	63.7	53	32.7	4.8	24.0	44.3
2000	468	58.6	2.7	53.3	64.2	52	34.4	5.1	25.3	46.4
2001	489	60.4	2.7	55.1	66.0	41	24.3	4.0	17.1	33.9
2002	496	59.9	2.7	54.7	65.5	42	23.8	3.8	16.9	32.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	728	25.8	1.0	23.8	27.9	36,707	41.9	0.2	41.4	42.3
1990	39	20.1	3.4	14.0	28.9	2,916	45.9	0.9	44.2	47.6
1991	28	18.1	3.7	11.6	27.6	2,788	43.3	0.8	41.7	45.0
1992	53	31.6	4.7	23.1	42.7	2,777	42.5	0.8	40.9	44.1
1993	53	30.6	4.6	22.3	41.4	2,903	44.1	0.8	42.5	45.8
1994	52	28.0	4.2	20.4	37.9	2,861	42.9	0.8	41.4	44.6
1995	46	23.5	3.8	16.7	32.6	2,823	41.9	0.8	40.3	43.5
1996	55	25.7	3.7	18.9	34.5	2,741	40.6	0.8	39.1	42.2
1997	58	26.6	3.9	19.6	35.7	2,735	40.1	0.8	38.6	41.7
1998	55	22.7	3.4	16.5	30.8	2,805	41.0	0.8	39.5	42.6
1999	61	26.3	3.7	19.5	35.1	2,846	41.1	0.8	39.6	42.7
2000	67	25.9	3.5	19.5	34.1	2,926	42.0	0.8	40.5	43.6
2001	92	31.7	3.6	25.0	39.9	2,814	40.1	0.8	38.6	41.7
2002	69	23.4	3.0	17.8	30.4	2,772	39.2	0.8	37.8	40.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Esophagus, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9,066	4.7	0.0	4.6	4.8	6,964	4.1	0.0	4.0	4.2
1986	479	4.4	0.2	4.0	4.9	330	3.4	0.2	3.1	3.8
1987	510	4.8	0.2	4.4	5.2	378	4.0	0.2	3.6	4.4
1988	483	4.5	0.2	4.1	4.9	341	3.5	0.2	3.2	3.9
1989	493	4.6	0.2	4.2	5.1	367	3.9	0.2	3.5	4.3
1990	479	4.4	0.2	4.0	4.8	340	3.5	0.2	3.1	3.9
1991	527	4.8	0.2	4.4	5.2	384	3.9	0.2	3.5	4.4
1992	535	4.8	0.2	4.4	5.2	419	4.3	0.2	3.9	4.7
1993	510	4.5	0.2	4.1	4.9	383	3.8	0.2	3.5	4.3
1994	552	4.9	0.2	4.5	5.3	417	4.2	0.2	3.8	4.6
1995	557	4.9	0.2	4.5	5.3	433	4.3	0.2	3.9	4.8
1996	554	4.8	0.2	4.4	5.2	432	4.3	0.2	3.9	4.8
1997	551	4.8	0.2	4.4	5.2	435	4.3	0.2	3.9	4.8
1998	576	4.9	0.2	4.5	5.3	475	4.7	0.2	4.3	5.1
1999	515	4.3	0.2	4.0	4.7	416	4.1	0.2	3.7	4.5
2000	592	4.9	0.2	4.6	5.4	479	4.7	0.2	4.2	5.1
2001	589	4.9	0.2	4.5	5.3	466	4.5	0.2	4.1	4.9
2002	564	4.6	0.2	4.2	5.0	469	4.5	0.2	4.1	4.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,042	9.3	0.2	8.9	9.7	60	1.7	0.2	1.3	2.3
1986	149	12.9	1.1	10.9	15.3	0	0.0	~	0.0	8.1
1987	131	11.6	1.0	9.7	13.9	1	2.1	2.1	0.1	11.5
1988	141	11.9	1.0	10.0	14.1	1	0.5	0.5	0.0	7.6
1989	125	10.6	1.0	8.8	12.7	1	0.5	0.5	0.0	7.3
1990	134	11.3	1.0	9.5	13.5	5	4.2	2.2	1.1	12.8
1991	139	11.3	1.0	9.5	13.5	4	2.1	1.1	0.5	8.4
1992	110	8.8	0.9	7.2	10.7	6	4.5	1.9	1.6	11.5
1993	124	9.9	0.9	8.2	11.9	3	2.1	1.4	0.3	8.2
1994	132	10.2	0.9	8.5	12.2	3	1.1	0.7	0.2	5.8
1995	119	9.1	0.8	7.5	11.0	5	2.2	1.0	0.7	7.0
1996	116	8.5	0.8	7.0	10.3	6	2.7	1.2	0.9	7.4
1997	110	8.1	0.8	6.7	9.9	6	2.6	1.1	0.9	6.9
1998	101	7.2	0.7	5.8	8.8	0	0.0	~	0.0	3.3
1999	95	6.8	0.7	5.5	8.4	4	1.9	1.1	0.4	6.0
2000	111	7.8	0.7	6.4	9.4	2	0.6	0.4	0.1	3.4
2001	117	8.2	0.8	6.7	9.9	6	1.4	0.6	0.5	4.0
2002	88	6.1	0.7	4.9	7.5	7	1.9	0.8	0.7	4.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	134	2.5	0.2	2.1	3.1	6,886	4.8	0.1	4.7	4.9
1990	5	1.1	0.5	0.3	3.9	465	4.4	0.2	4.0	4.8
1991	9	2.3	0.8	1.0	5.5	513	4.8	0.2	4.4	5.2
1992	9	2.4	0.9	0.9	5.7	523	4.8	0.2	4.4	5.3
1993	9	2.5	0.9	1.0	5.7	496	4.5	0.2	4.1	4.9
1994	9	2.8	1.1	1.2	6.2	537	4.9	0.2	4.5	5.3
1995	9	1.6	0.5	0.7	3.9	542	4.9	0.2	4.5	5.3
1996	12	2.6	0.8	1.3	5.3	533	4.8	0.2	4.4	5.3
1997	16	3.8	1.1	2.0	7.0	528	4.7	0.2	4.3	5.2
1998	8	2.2	0.9	0.9	5.0	561	5.0	0.2	4.6	5.4
1999	10	2.6	0.9	1.1	5.5	502	4.4	0.2	4.0	4.8
2000	8	1.6	0.7	0.6	3.9	580	5.1	0.2	4.7	5.5
2001	16	3.4	1.0	1.8	6.1	563	4.9	0.2	4.5	5.3
2002	14	2.9	0.9	1.5	5.3	543	4.7	0.2	4.3	5.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Esophagus, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,811	8.3	0.1	8.1	8.5	5,308	7.5	0.1	7.3	7.7
1986	367	8.0	0.4	7.1	8.9	252	6.2	0.4	5.4	7.1
1987	379	8.3	0.4	7.5	9.3	286	7.1	0.4	6.3	8.0
1988	370	8.1	0.4	7.3	9.1	260	6.5	0.4	5.7	7.4
1989	359	8.0	0.4	7.1	8.9	275	7.0	0.4	6.1	7.9
1990	347	7.6	0.4	6.8	8.5	248	6.2	0.4	5.4	7.1
1991	394	8.5	0.4	7.6	9.4	290	7.2	0.4	6.3	8.1
1992	398	8.4	0.4	7.6	9.3	309	7.5	0.4	6.6	8.4
1993	384	8.0	0.4	7.2	8.9	294	7.0	0.4	6.2	7.9
1994	403	8.5	0.4	7.7	9.4	312	7.5	0.4	6.7	8.5
1995	421	8.6	0.4	7.8	9.5	332	7.8	0.4	7.0	8.7
1996	419	8.5	0.4	7.7	9.4	338	7.9	0.4	7.1	8.9
1997	414	8.4	0.4	7.6	9.3	333	7.8	0.4	7.0	8.7
1998	442	8.9	0.4	8.1	9.8	367	8.6	0.5	7.7	9.5
1999	404	8.0	0.4	7.2	8.9	338	7.7	0.4	6.9	8.6
2000	441	8.6	0.4	7.8	9.5	353	8.0	0.4	7.2	8.9
2001	452	8.8	0.4	8.0	9.7	368	8.4	0.4	7.5	9.3
2002	417	8.0	0.4	7.3	8.9	353	7.9	0.4	7.1	8.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,461	15.9	0.4	15.1	16.8	42	2.8	0.5	1.9	4.1
1986	115	23.6	2.3	19.3	28.9	0	0.0	~	0.0	20.2
1987	93	19.5	2.1	15.6	24.5	0	0.0	~	0.0	19.0
1988	109	21.3	2.1	17.4	26.2	1	1.0	1.0	0.0	18.6
1989	83	17.1	2.0	13.4	21.7	1	1.1	1.1	0.0	17.7
1990	94	18.4	2.0	14.8	23.1	5	10.1	5.4	2.5	31.4
1991	101	19.6	2.0	15.8	24.3	3	3.1	1.9	0.6	18.4
1992	85	16.7	1.9	13.2	21.2	4	6.9	3.5	1.8	22.7
1993	88	16.8	1.9	13.3	21.2	2	4.3	3.6	0.3	20.0
1994	88	16.8	1.9	13.3	21.2	3	2.5	1.5	0.5	14.9
1995	86	15.8	1.8	12.6	20.0	3	3.0	1.9	0.5	15.0
1996	79	13.6	1.6	10.7	17.4	2	2.2	1.7	0.2	13.7
1997	76	13.7	1.6	10.6	17.5	5	5.0	2.4	1.5	16.5
1998	75	12.8	1.5	10.0	16.5	0	0.0	~	0.0	9.6
1999	62	10.9	1.5	8.3	14.5	4	5.0	2.9	1.0	16.6
2000	87	15.2	1.7	12.0	19.1	1	0.9	0.9	0.0	9.0
2001	79	13.2	1.5	10.3	16.8	5	2.6	1.2	0.8	9.8
2002	61	10.3	1.4	7.8	13.5	3	1.6	1.0	0.3	7.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	105	4.1	0.5	3.2	5.3	5,167	8.5	0.1	8.2	8.7
1990	3	1.3	0.7	0.3	8.8	339	7.7	0.4	6.8	8.6
1991	9	5.1	2.0	1.9	13.4	381	8.5	0.4	7.7	9.5
1992	7	3.2	1.3	1.2	10.2	389	8.5	0.4	7.7	9.5
1993	8	5.4	2.2	1.9	13.8	372	8.0	0.4	7.2	8.9
1994	5	3.7	1.9	0.9	11.5	392	8.6	0.4	7.7	9.5
1995	6	2.0	0.9	0.7	8.1	410	8.7	0.4	7.9	9.6
1996	10	4.6	1.6	2.0	11.3	400	8.5	0.4	7.7	9.4
1997	14	8.0	2.6	3.8	16.3	396	8.4	0.4	7.6	9.3
1998	7	4.0	1.7	1.4	10.5	428	9.0	0.4	8.2	9.9
1999	7	3.1	1.3	1.1	8.9	394	8.2	0.4	7.4	9.1
2000	8	3.6	1.6	1.2	9.5	431	8.9	0.4	8.0	9.8
2001	12	5.0	1.7	2.2	10.7	432	8.9	0.4	8.1	9.8
2002	9	3.7	1.5	1.4	8.8	403	8.2	0.4	7.4	9.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Esophagus, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,255	2.0	0.0	1.9	2.1	1,656	1.6	0.0	1.6	1.7
1986	112	1.8	0.2	1.5	2.2	78	1.4	0.2	1.1	1.8
1987	131	2.1	0.2	1.8	2.6	92	1.7	0.2	1.3	2.1
1988	113	1.8	0.2	1.4	2.1	81	1.4	0.2	1.1	1.7
1989	134	2.1	0.2	1.8	2.5	92	1.6	0.2	1.2	1.9
1990	132	2.1	0.2	1.7	2.5	92	1.6	0.2	1.3	2.0
1991	133	2.0	0.2	1.7	2.4	94	1.6	0.2	1.3	2.0
1992	137	2.1	0.2	1.7	2.5	110	1.8	0.2	1.5	2.2
1993	126	1.9	0.2	1.6	2.3	89	1.5	0.2	1.2	1.9
1994	149	2.3	0.2	1.9	2.7	105	1.8	0.2	1.4	2.2
1995	136	2.0	0.2	1.7	2.4	101	1.7	0.2	1.4	2.1
1996	135	2.0	0.2	1.7	2.3	94	1.5	0.2	1.2	1.9
1997	137	2.1	0.2	1.7	2.4	102	1.8	0.2	1.4	2.1
1998	134	1.9	0.2	1.6	2.3	108	1.8	0.2	1.5	2.2
1999	111	1.6	0.2	1.3	1.9	78	1.3	0.1	1.0	1.6
2000	151	2.1	0.2	1.8	2.5	126	2.0	0.2	1.7	2.4
2001	137	1.9	0.2	1.6	2.3	98	1.6	0.2	1.3	1.9
2002	147	2.0	0.2	1.7	2.4	116	1.8	0.2	1.5	2.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	581	4.6	0.2	4.2	5.0	18	1.0	0.2	0.5	1.6
1986	34	5.2	0.9	3.6	7.5	0	0.0	~	0.0	13.4
1987	38	5.9	1.0	4.2	8.2	1	3.4	3.4	0.1	19.1
1988	32	4.7	0.8	3.2	6.8	0	0.0	~	0.0	12.0
1989	42	6.1	1.0	4.4	8.4	0	0.0	~	0.0	11.4
1990	40	6.0	1.0	4.3	8.3	0	0.0	~	0.0	11.2
1991	38	5.4	0.9	3.8	7.5	1	1.1	1.1	0.0	11.3
1992	25	3.4	0.7	2.2	5.1	2	2.8	2.0	0.3	13.0
1993	36	5.0	0.8	3.5	7.0	1	0.7	0.7	0.0	8.8
1994	44	5.8	0.9	4.2	7.8	0	0.0	~	0.0	7.3
1995	33	4.4	0.8	3.0	6.2	2	1.6	1.2	0.2	8.5
1996	37	4.9	0.8	3.4	6.8	4	3.0	1.6	0.7	10.0
1997	34	4.3	0.7	3.0	6.1	1	0.8	0.8	0.0	6.6
1998	26	3.2	0.6	2.1	4.7	0	0.0	~	0.0	5.1
1999	33	4.1	0.7	2.8	5.8	0	0.0	~	0.0	4.7
2000	24	2.9	0.6	1.8	4.3	1	0.4	0.4	0.0	4.5
2001	38	4.6	0.8	3.3	6.4	1	0.4	0.4	0.0	3.8
2002	27	3.2	0.6	2.1	4.7	4	2.0	1.1	0.5	6.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	29	1.2	0.2	0.8	1.8	1,719	2.0	0.0	1.9	2.1
1990	2	0.9	0.6	0.1	5.2	126	2.0	0.2	1.7	2.4
1991	0	0.0	~	0.0	4.2	132	2.1	0.2	1.7	2.5
1992	2	1.5	1.1	0.1	6.4	134	2.1	0.2	1.7	2.5
1993	1	0.4	0.4	0.0	4.1	124	1.9	0.2	1.6	2.3
1994	4	2.3	1.2	0.6	7.0	145	2.3	0.2	1.9	2.7
1995	3	1.1	0.6	0.2	4.7	132	2.0	0.2	1.7	2.4
1996	2	0.9	0.6	0.1	4.4	133	2.0	0.2	1.7	2.4
1997	2	0.7	0.5	0.1	3.9	132	2.1	0.2	1.7	2.5
1998	1	0.8	0.8	0.0	4.4	133	2.0	0.2	1.7	2.4
1999	3	1.9	1.2	0.4	6.1	108	1.6	0.2	1.3	2.0
2000	0	0.0	~	0.0	2.7	149	2.2	0.2	1.8	2.6
2001	4	2.0	1.0	0.5	5.5	131	1.9	0.2	1.6	2.3
2002	5	2.2	1.0	0.7	5.5	140	2.0	0.2	1.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Stomach, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,929	5.7	0.1	5.6	5.8	8,480	5.0	0.1	4.9	5.1
1986	715	7.0	0.3	6.5	7.5	583	6.4	0.3	5.9	6.9
1987	710	6.8	0.3	6.3	7.4	555	6.0	0.3	5.5	6.6
1988	656	6.3	0.2	5.8	6.8	499	5.4	0.2	4.9	5.9
1989	730	6.9	0.3	6.4	7.4	585	6.2	0.3	5.7	6.7
1990	688	6.4	0.2	5.9	6.9	546	5.7	0.2	5.2	6.2
1991	697	6.4	0.2	5.9	6.9	560	5.8	0.2	5.3	6.3
1992	622	5.6	0.2	5.1	6.0	477	4.9	0.2	4.4	5.3
1993	684	6.1	0.2	5.7	6.6	517	5.3	0.2	4.8	5.8
1994	645	5.7	0.2	5.3	6.2	513	5.1	0.2	4.7	5.6
1995	659	5.7	0.2	5.3	6.2	520	5.2	0.2	4.7	5.6
1996	602	5.2	0.2	4.8	5.7	452	4.5	0.2	4.1	4.9
1997	579	5.0	0.2	4.6	5.4	448	4.4	0.2	4.0	4.8
1998	642	5.5	0.2	5.0	5.9	485	4.7	0.2	4.3	5.2
1999	601	5.0	0.2	4.7	5.5	461	4.4	0.2	4.0	4.9
2000	556	4.6	0.2	4.2	5.0	412	3.9	0.2	3.6	4.3
2001	599	4.9	0.2	4.5	5.3	453	4.3	0.2	3.9	4.7
2002	544	4.4	0.2	4.1	4.8	414	3.9	0.2	3.5	4.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,158	10.8	0.2	10.3	11.3	291	8.3	0.5	7.3	9.5
1986	117	12.2	1.2	10.0	14.8	15	12.6	3.9	6.1	24.8
1987	148	14.0	1.2	11.8	16.6	7	6.5	2.7	2.4	16.4
1988	143	13.4	1.2	11.2	16.0	14	10.8	3.5	5.1	21.6
1989	132	12.5	1.1	10.4	15.0	13	10.1	3.2	4.9	20.1
1990	128	11.9	1.1	9.9	14.3	14	9.5	3.2	4.4	19.5
1991	127	11.8	1.1	9.8	14.2	10	8.0	2.9	3.3	17.1
1992	129	11.1	1.0	9.2	13.3	16	8.2	2.3	4.3	15.8
1993	150	13.1	1.1	11.0	15.5	17	11.4	3.0	6.3	19.9
1994	111	9.4	0.9	7.7	11.5	21	10.1	2.5	5.9	17.4
1995	118	9.7	0.9	8.0	11.7	21	10.7	2.6	6.3	17.9
1996	137	11.1	1.0	9.2	13.2	13	5.3	1.6	2.7	10.6
1997	109	9.0	0.9	7.3	10.9	22	8.8	2.1	5.2	14.9
1998	141	11.1	1.0	9.3	13.1	16	5.7	1.6	3.0	10.5
1999	118	9.2	0.9	7.6	11.1	22	6.8	1.6	4.1	11.5
2000	119	9.2	0.9	7.6	11.0	25	8.7	1.9	5.3	13.9
2001	121	8.9	0.8	7.3	10.7	25	7.6	1.7	4.7	12.0
2002	110	8.0	0.8	6.5	9.7	20	6.6	1.6	3.9	10.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	339	5.8	0.4	5.1	6.6	7,713	5.3	0.1	5.2	5.4
1990	16	5.3	1.6	2.6	10.0	667	6.4	0.2	5.9	6.9
1991	21	6.2	1.6	3.5	10.8	672	6.3	0.2	5.8	6.8
1992	17	5.7	1.6	3.0	10.2	597	5.5	0.2	5.1	6.0
1993	30	7.2	1.5	4.6	11.3	648	6.0	0.2	5.5	6.5
1994	30	8.1	1.7	5.1	12.7	612	5.6	0.2	5.2	6.1
1995	25	5.5	1.3	3.2	9.2	628	5.7	0.2	5.2	6.1
1996	19	4.9	1.3	2.7	8.6	577	5.2	0.2	4.8	5.6
1997	21	4.4	1.1	2.6	7.5	553	4.9	0.2	4.5	5.3
1998	36	7.8	1.6	5.1	11.9	600	5.3	0.2	4.9	5.7
1999	21	3.8	1.0	2.1	6.8	578	5.1	0.2	4.6	5.5
2000	30	5.2	1.1	3.2	8.2	520	4.5	0.2	4.1	4.9
2001	37	5.4	1.0	3.6	8.1	558	4.8	0.2	4.4	5.2
2002	36	6.4	1.2	4.2	9.5	503	4.3	0.2	3.9	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Stomach, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,389	8.3	0.1	8.1	8.5	4,931	7.3	0.1	7.1	7.5
1986	410	10.1	0.5	9.1	11.2	346	9.5	0.5	8.5	10.7
1987	399	9.6	0.5	8.6	10.6	298	8.2	0.5	7.3	9.3
1988	401	9.6	0.5	8.6	10.6	293	8.1	0.5	7.2	9.1
1989	448	10.8	0.5	9.8	11.9	353	9.7	0.5	8.7	10.8
1990	390	9.2	0.5	8.2	10.2	310	8.3	0.5	7.4	9.3
1991	428	9.7	0.5	8.7	10.7	337	8.7	0.5	7.7	9.7
1992	371	8.3	0.4	7.4	9.2	284	7.3	0.4	6.4	8.2
1993	394	8.8	0.5	8.0	9.8	284	7.3	0.4	6.4	8.2
1994	342	7.5	0.4	6.7	8.4	265	6.7	0.4	5.9	7.6
1995	393	8.6	0.4	7.8	9.6	316	8.0	0.5	7.1	8.9
1996	358	8.0	0.4	7.2	8.9	272	7.0	0.4	6.2	8.0
1997	357	7.7	0.4	6.9	8.6	274	6.8	0.4	6.0	7.6
1998	376	7.9	0.4	7.1	8.7	282	6.8	0.4	6.0	7.7
1999	337	7.0	0.4	6.3	7.8	258	6.2	0.4	5.4	7.0
2000	331	6.8	0.4	6.1	7.6	250	6.0	0.4	5.2	6.8
2001	333	6.6	0.4	5.9	7.3	255	5.8	0.4	5.1	6.6
2002	321	6.4	0.4	5.7	7.2	254	5.9	0.4	5.2	6.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,290	16.0	0.5	15.1	17.0	168	11.2	1.0	9.3	13.4
1986	57	15.0	2.2	11.0	20.1	7	9.7	4.1	3.4	31.2
1987	96	21.6	2.4	17.2	27.0	5	9.1	4.6	2.4	30.8
1988	97	21.9	2.4	17.5	27.4	11	18.1	6.6	7.6	41.6
1989	87	20.3	2.3	16.0	25.7	8	14.9	6.1	5.5	36.9
1990	69	15.3	1.9	11.7	19.9	11	15.8	6.0	6.3	37.6
1991	83	18.3	2.1	14.3	23.3	8	10.9	4.2	4.3	28.5
1992	78	17.0	2.1	13.2	21.9	9	10.6	4.1	4.2	26.9
1993	100	21.9	2.4	17.5	27.3	10	16.3	5.5	7.3	34.3
1994	63	12.9	1.7	9.7	17.0	14	16.2	5.1	7.7	33.2
1995	66	14.0	1.9	10.6	18.4	11	14.5	5.0	6.4	30.7
1996	80	16.4	2.0	12.8	21.0	6	5.1	2.3	1.7	16.8
1997	71	15.1	1.9	11.6	19.6	12	10.0	3.6	4.2	23.1
1998	85	17.0	2.0	13.3	21.5	9	9.6	3.4	4.1	22.0
1999	70	14.4	1.8	11.0	18.6	9	8.1	2.9	3.4	19.2
2000	66	12.5	1.6	9.5	16.4	15	11.8	3.6	5.8	23.4
2001	67	12.4	1.6	9.5	16.2	11	7.3	2.6	3.1	16.6
2002	55	9.9	1.4	7.4	13.2	12	10.1	3.3	4.7	19.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	197	8.1	0.7	6.7	9.7	4,496	7.8	0.1	7.5	8.0
1990	10	9.7	3.9	3.6	21.9	377	9.1	0.5	8.2	10.1
1991	14	9.3	3.3	4.1	19.8	411	9.6	0.5	8.6	10.6
1992	7	6.8	3.1	2.2	17.0	361	8.3	0.4	7.4	9.2
1993	17	6.7	1.7	3.8	14.0	372	8.7	0.5	7.8	9.7
1994	19	12.2	3.5	6.4	22.4	321	7.3	0.4	6.5	8.2
1995	17	7.5	2.2	3.8	15.3	371	8.5	0.5	7.6	9.4
1996	12	9.3	3.3	4.1	19.1	343	8.0	0.4	7.1	8.9
1997	16	6.4	1.8	3.4	13.1	338	7.6	0.4	6.8	8.5
1998	17	8.4	2.6	4.2	16.5	355	7.8	0.4	7.0	8.6
1999	15	6.8	2.2	3.1	14.1	322	7.0	0.4	6.3	7.8
2000	14	5.7	1.8	2.7	11.9	313	6.8	0.4	6.0	7.6
2001	19	7.2	1.9	3.9	13.2	312	6.5	0.4	5.8	7.3
2002	20	9.2	2.4	5.0	16.0	300	6.3	0.4	5.6	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Stomach, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,540	3.9	0.1	3.8	4.0	3,549	3.5	0.1	3.3	3.6
1986	305	4.9	0.3	4.4	5.5	237	4.3	0.3	3.7	4.9
1987	311	5.0	0.3	4.4	5.6	257	4.6	0.3	4.1	5.2
1988	255	4.0	0.3	3.5	4.6	206	3.6	0.3	3.1	4.2
1989	282	4.3	0.3	3.8	4.9	232	4.0	0.3	3.5	4.6
1990	298	4.6	0.3	4.1	5.2	236	4.1	0.3	3.6	4.7
1991	269	4.0	0.2	3.5	4.5	223	3.7	0.2	3.2	4.2
1992	251	3.7	0.2	3.3	4.2	193	3.2	0.2	2.8	3.7
1993	290	4.3	0.3	3.8	4.8	233	3.9	0.3	3.4	4.5
1994	303	4.4	0.3	4.0	5.0	248	4.1	0.3	3.6	4.7
1995	266	3.9	0.2	3.4	4.4	204	3.3	0.2	2.9	3.9
1996	244	3.5	0.2	3.1	4.0	180	3.0	0.2	2.5	3.4
1997	222	3.1	0.2	2.7	3.6	174	2.8	0.2	2.4	3.2
1998	266	3.7	0.2	3.3	4.2	203	3.2	0.2	2.8	3.7
1999	264	3.7	0.2	3.3	4.2	203	3.2	0.2	2.8	3.7
2000	225	3.1	0.2	2.7	3.5	162	2.6	0.2	2.2	3.0
2001	266	3.6	0.2	3.2	4.1	198	3.1	0.2	2.7	3.6
2002	223	3.0	0.2	2.6	3.5	160	2.5	0.2	2.1	2.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	868	7.3	0.3	6.9	7.8	123	6.3	0.6	5.1	7.7
1986	60	10.5	1.4	7.9	13.6	8	14.2	5.9	5.1	33.8
1987	52	8.7	1.2	6.4	11.5	2	4.4	3.2	0.5	19.3
1988	46	7.7	1.2	5.6	10.4	3	5.3	3.6	0.7	20.2
1989	45	7.4	1.1	5.4	10.0	5	6.8	3.3	2.0	20.5
1990	59	9.4	1.2	7.1	12.2	3	4.5	3.2	0.5	18.4
1991	44	7.2	1.1	5.2	9.8	2	5.4	3.8	0.7	19.5
1992	51	7.4	1.1	5.5	9.8	7	6.3	2.7	2.2	17.2
1993	50	7.4	1.1	5.5	9.9	7	8.0	3.3	2.9	19.2
1994	48	6.9	1.0	5.1	9.3	7	5.7	2.3	2.1	14.7
1995	52	7.1	1.0	5.3	9.4	10	8.4	2.8	3.8	17.6
1996	57	7.6	1.0	5.7	9.9	7	5.4	2.1	2.0	13.1
1997	38	5.3	0.9	3.7	7.3	10	7.8	2.6	3.5	16.2
1998	56	7.3	1.0	5.5	9.5	7	3.2	1.3	1.2	8.9
1999	48	6.2	0.9	4.6	8.2	13	6.3	1.8	3.3	12.5
2000	53	6.8	0.9	5.1	9.0	10	6.5	2.2	2.9	13.0
2001	54	6.6	0.9	5.0	8.7	14	7.8	2.2	4.1	14.0
2002	55	6.6	0.9	5.0	8.6	8	4.4	1.6	1.8	9.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	142	4.3	0.4	3.5	5.2	3,217	3.7	0.1	3.5	3.8
1990	6	2.7	1.3	0.8	7.8	290	4.6	0.3	4.1	5.2
1991	7	3.9	1.6	1.4	9.5	261	4.0	0.2	3.5	4.5
1992	10	5.2	1.8	2.3	11.1	236	3.6	0.2	3.1	4.1
1993	13	7.0	2.1	3.5	13.1	276	4.2	0.3	3.7	4.7
1994	11	5.2	1.8	2.3	10.7	291	4.4	0.3	3.9	4.9
1995	8	3.6	1.5	1.3	8.5	257	3.8	0.2	3.4	4.4
1996	7	2.3	0.9	0.9	6.0	234	3.5	0.2	3.0	4.0
1997	5	2.4	1.2	0.7	6.6	215	3.1	0.2	2.7	3.6
1998	19	7.5	2.0	4.1	12.9	245	3.5	0.2	3.1	4.0
1999	6	1.6	0.7	0.6	4.9	256	3.7	0.2	3.3	4.2
2000	16	4.8	1.4	2.5	9.1	207	2.9	0.2	2.5	3.4
2001	18	4.2	1.0	2.4	7.5	246	3.5	0.2	3.0	3.9
2002	16	4.6	1.3	2.4	8.3	203	2.9	0.2	2.5	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Small Intestine, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	826	0.4	0.0	0.4	0.5	688	0.4	0.0	0.4	0.4
1986	51	0.5	0.1	0.4	0.7	41	0.5	0.1	0.3	0.6
1987	47	0.4	0.1	0.3	0.6	44	0.4	0.1	0.3	0.6
1988	47	0.4	0.1	0.3	0.6	42	0.4	0.1	0.3	0.6
1989	35	0.3	0.1	0.2	0.5	28	0.3	0.1	0.2	0.4
1990	48	0.4	0.1	0.3	0.6	39	0.4	0.1	0.3	0.6
1991	47	0.4	0.1	0.3	0.6	40	0.4	0.1	0.3	0.6
1992	44	0.4	0.1	0.3	0.5	37	0.4	0.1	0.3	0.5
1993	49	0.4	0.1	0.3	0.6	42	0.4	0.1	0.3	0.6
1994	65	0.6	0.1	0.4	0.7	56	0.6	0.1	0.4	0.7
1995	50	0.4	0.1	0.3	0.6	41	0.4	0.1	0.3	0.6
1996	44	0.4	0.1	0.3	0.5	37	0.4	0.1	0.3	0.5
1997	49	0.4	0.1	0.3	0.6	35	0.3	0.1	0.2	0.5
1998	51	0.4	0.1	0.3	0.6	44	0.4	0.1	0.3	0.6
1999	58	0.5	0.1	0.4	0.6	49	0.5	0.1	0.4	0.6
2000	50	0.4	0.1	0.3	0.5	43	0.4	0.1	0.3	0.6
2001	47	0.4	0.1	0.3	0.5	38	0.4	0.1	0.3	0.5
2002	44	0.4	0.1	0.3	0.5	32	0.3	0.1	0.2	0.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	132	0.6	0.1	0.5	0.7	6	0.2	0.1	0.1	0.5
1986	9	0.9	0.3	0.4	1.8	1	0.3	0.3	0.0	8.3
1987	3	0.3	0.2	0.1	1.0	0	0.0	~	0.0	7.6
1988	5	0.4	0.2	0.1	1.2	0	0.0	~	0.0	7.2
1989	7	0.6	0.3	0.2	1.4	0	0.0	~	0.0	6.8
1990	9	0.7	0.2	0.3	1.5	0	0.0	~	0.0	6.7
1991	7	0.6	0.2	0.2	1.3	0	0.0	~	0.0	6.0
1992	7	0.6	0.2	0.2	1.2	0	0.0	~	0.0	5.4
1993	7	0.6	0.2	0.2	1.2	0	0.0	~	0.0	4.9
1994	8	0.6	0.2	0.3	1.3	1	0.5	0.5	0.0	5.2
1995	7	0.5	0.2	0.2	1.1	2	1.1	0.8	0.1	5.6
1996	7	0.6	0.2	0.2	1.2	0	0.0	~	0.0	3.8
1997	13	1.0	0.3	0.5	1.8	1	0.6	0.6	0.0	4.4
1998	7	0.4	0.2	0.2	1.0	0	0.0	~	0.0	3.3
1999	9	0.6	0.2	0.3	1.3	0	0.0	~	0.0	3.1
2000	7	0.5	0.2	0.2	1.1	0	0.0	~	0.0	2.6
2001	9	0.7	0.2	0.3	1.3	0	0.0	~	0.0	2.3
2002	11	0.7	0.2	0.4	1.4	1	0.4	0.4	0.0	2.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.2	0.1	0.1	0.4	628	0.4	0.0	0.4	0.5
1990	1	0.3	0.3	0.0	3.0	47	0.4	0.1	0.3	0.6
1991	1	0.2	0.2	0.0	2.8	46	0.4	0.1	0.3	0.6
1992	1	0.5	0.5	0.0	3.3	43	0.4	0.1	0.3	0.5
1993	0	0.0	~	0.0	2.4	49	0.5	0.1	0.3	0.6
1994	1	0.1	0.1	0.0	2.3	63	0.6	0.1	0.4	0.7
1995	0	0.0	~	0.0	2.2	50	0.5	0.1	0.3	0.6
1996	1	0.3	0.3	0.0	2.4	43	0.4	0.1	0.3	0.5
1997	3	0.5	0.3	0.1	2.5	46	0.4	0.1	0.3	0.5
1998	1	0.2	0.2	0.0	2.1	50	0.4	0.1	0.3	0.6
1999	4	0.8	0.4	0.2	2.8	53	0.5	0.1	0.3	0.6
2000	0	0.0	~	0.0	1.7	50	0.4	0.1	0.3	0.6
2001	1	0.1	0.1	0.0	1.7	45	0.4	0.1	0.3	0.5
2002	1	0.1	0.1	0.0	1.5	43	0.4	0.1	0.3	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Small Intestine, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	443	0.6	0.0	0.5	0.6	371	0.5	0.0	0.5	0.6
1986	24	0.6	0.1	0.4	0.9	19	0.5	0.1	0.3	0.8
1987	24	0.5	0.1	0.3	0.7	22	0.5	0.1	0.3	0.8
1988	28	0.6	0.1	0.4	1.0	24	0.6	0.1	0.4	1.0
1989	23	0.5	0.1	0.3	0.8	17	0.5	0.1	0.3	0.8
1990	25	0.5	0.1	0.3	0.8	20	0.5	0.1	0.3	0.8
1991	34	0.8	0.1	0.5	1.1	30	0.8	0.2	0.5	1.2
1992	22	0.5	0.1	0.3	0.8	19	0.5	0.1	0.3	0.8
1993	18	0.4	0.1	0.2	0.6	15	0.4	0.1	0.2	0.6
1994	37	0.8	0.1	0.6	1.1	31	0.8	0.1	0.5	1.1
1995	30	0.6	0.1	0.4	0.9	24	0.6	0.1	0.4	0.9
1996	27	0.6	0.1	0.4	0.9	21	0.5	0.1	0.3	0.8
1997	25	0.5	0.1	0.3	0.8	20	0.5	0.1	0.3	0.8
1998	30	0.6	0.1	0.4	0.9	28	0.6	0.1	0.4	1.0
1999	32	0.6	0.1	0.4	0.9	28	0.6	0.1	0.4	1.0
2000	19	0.4	0.1	0.2	0.6	15	0.4	0.1	0.2	0.6
2001	25	0.5	0.1	0.3	0.7	21	0.5	0.1	0.3	0.7
2002	20	0.4	0.1	0.2	0.6	17	0.4	0.1	0.2	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	68	0.8	0.1	0.6	1.0	4	0.3	0.2	0.1	1.0
1986	4	1.1	0.6	0.2	3.4	1	0.7	0.7	0.0	20.7
1987	2	0.4	0.3	0.0	2.3	0	0.0	~	0.0	19.0
1988	4	0.7	0.4	0.2	2.6	0	0.0	~	0.0	17.8
1989	6	1.2	0.5	0.4	3.2	0	0.0	~	0.0	16.6
1990	5	1.0	0.5	0.3	3.1	0	0.0	~	0.0	16.8
1991	4	1.0	0.5	0.2	3.2	0	0.0	~	0.0	15.1
1992	3	0.5	0.3	0.1	2.2	0	0.0	~	0.0	13.7
1993	3	0.6	0.4	0.1	2.4	0	0.0	~	0.0	12.7
1994	5	1.0	0.5	0.3	3.0	1	1.2	1.2	0.0	13.6
1995	5	0.9	0.4	0.3	2.7	1	1.7	1.7	0.0	13.7
1996	6	1.3	0.6	0.4	3.3	0	0.0	~	0.0	10.9
1997	4	1.0	0.5	0.2	2.9	1	1.4	1.4	0.0	12.2
1998	2	0.3	0.2	0.0	1.7	0	0.0	~	0.0	9.6
1999	4	0.6	0.3	0.2	2.1	0	0.0	~	0.0	9.1
2000	4	0.7	0.3	0.2	2.2	0	0.0	~	0.0	7.9
2001	4	0.7	0.4	0.2	2.2	0	0.0	~	0.0	6.9
2002	3	0.7	0.4	0.1	2.3	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	9	0.3	0.1	0.1	0.8	332	0.6	0.0	0.5	0.6
1990	0	0.0	~	0.0	7.6	25	0.5	0.1	0.3	0.8
1991	1	0.4	0.4	0.0	7.5	33	0.8	0.1	0.5	1.2
1992	1	1.3	1.3	0.0	8.7	21	0.5	0.1	0.3	0.8
1993	0	0.0	~	0.0	6.7	18	0.4	0.1	0.2	0.7
1994	1	0.1	0.1	0.0	6.4	35	0.8	0.1	0.5	1.1
1995	0	0.0	~	0.0	6.0	30	0.6	0.1	0.4	0.9
1996	1	0.6	0.6	0.0	6.5	26	0.6	0.1	0.4	0.9
1997	1	0.3	0.3	0.0	5.9	24	0.5	0.1	0.3	0.8
1998	1	0.4	0.4	0.0	5.7	29	0.6	0.1	0.4	0.9
1999	2	0.5	0.4	0.1	5.5	29	0.6	0.1	0.4	0.9
2000	0	0.0	~	0.0	4.6	19	0.4	0.1	0.3	0.7
2001	1	0.3	0.3	0.0	4.3	23	0.5	0.1	0.3	0.7
2002	0	0.0	~	0.0	3.6	20	0.4	0.1	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Small Intestine, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	383	0.3	0.0	0.3	0.4	317	0.3	0.0	0.3	0.4
1986	27	0.5	0.1	0.3	0.7	22	0.4	0.1	0.3	0.7
1987	23	0.4	0.1	0.2	0.6	22	0.4	0.1	0.2	0.6
1988	19	0.3	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
1989	12	0.2	0.1	0.1	0.3	11	0.2	0.1	0.1	0.4
1990	23	0.4	0.1	0.2	0.5	19	0.3	0.1	0.2	0.5
1991	13	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.3
1992	22	0.3	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
1993	31	0.5	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1994	28	0.4	0.1	0.3	0.6	25	0.4	0.1	0.3	0.6
1995	20	0.3	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
1996	17	0.3	0.1	0.1	0.4	16	0.3	0.1	0.2	0.4
1997	24	0.3	0.1	0.2	0.5	15	0.2	0.1	0.1	0.4
1998	21	0.3	0.1	0.2	0.5	16	0.3	0.1	0.2	0.5
1999	26	0.4	0.1	0.2	0.6	21	0.4	0.1	0.2	0.6
2000	31	0.4	0.1	0.3	0.6	28	0.5	0.1	0.3	0.7
2001	22	0.3	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
2002	24	0.3	0.1	0.2	0.5	15	0.2	0.1	0.1	0.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	64	0.5	0.1	0.4	0.6	2	0.1	0.1	0.0	0.6
1986	5	0.8	0.4	0.3	2.1	0	0.0	~	0.0	13.4
1987	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.6
1988	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.0
1989	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	11.4
1990	4	0.5	0.3	0.1	1.5	0	0.0	~	0.0	11.2
1991	3	0.4	0.2	0.1	1.3	0	0.0	~	0.0	10.0
1992	4	0.6	0.3	0.2	1.6	0	0.0	~	0.0	9.0
1993	4	0.5	0.3	0.1	1.5	0	0.0	~	0.0	8.0
1994	3	0.4	0.2	0.1	1.2	0	0.0	~	0.0	7.3
1995	2	0.2	0.2	0.0	1.0	1	0.7	0.7	0.0	7.3
1996	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.8
1997	9	1.1	0.4	0.5	2.2	0	0.0	~	0.0	5.6
1998	5	0.6	0.3	0.2	1.4	0	0.0	~	0.0	5.1
1999	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	4.7
2000	3	0.4	0.2	0.1	1.1	0	0.0	~	0.0	4.0
2001	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	3.4
2002	8	0.9	0.3	0.4	1.8	1	0.7	0.7	0.0	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	6	0.2	0.1	0.1	0.5	296	0.4	0.0	0.3	0.4
1990	1	0.5	0.5	0.0	4.9	22	0.3	0.1	0.2	0.5
1991	0	0.0	~	0.0	4.2	13	0.2	0.1	0.1	0.4
1992	0	0.0	~	0.0	3.9	22	0.4	0.1	0.2	0.6
1993	0	0.0	~	0.0	3.7	31	0.5	0.1	0.3	0.7
1994	0	0.0	~	0.0	3.5	28	0.4	0.1	0.3	0.6
1995	0	0.0	~	0.0	3.4	20	0.3	0.1	0.2	0.5
1996	0	0.0	~	0.0	3.2	17	0.3	0.1	0.2	0.4
1997	2	0.6	0.4	0.1	3.8	22	0.3	0.1	0.2	0.5
1998	0	0.0	~	0.0	3.0	21	0.3	0.1	0.2	0.5
1999	2	0.9	0.7	0.1	4.3	24	0.4	0.1	0.2	0.6
2000	0	0.0	~	0.0	2.7	31	0.5	0.1	0.3	0.7
2001	0	0.0	~	0.0	2.4	22	0.3	0.1	0.2	0.5
2002	1	0.3	0.3	0.0	2.4	23	0.3	0.1	0.2	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Colon Excluding Rectum, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	42,039	21.9	0.1	21.7	22.1	35,932	21.2	0.1	21.0	21.4
1986	2,533	24.5	0.5	23.6	25.5	2,230	24.1	0.5	23.1	25.1
1987	2,584	24.7	0.5	23.8	25.7	2,285	24.5	0.5	23.5	25.5
1988	2,678	25.4	0.5	24.4	26.4	2,308	24.6	0.5	23.6	25.6
1989	2,504	23.5	0.5	22.6	24.5	2,178	22.9	0.5	22.0	23.9
1990	2,630	24.5	0.5	23.6	25.4	2,250	23.5	0.5	22.6	24.5
1991	2,507	23.1	0.5	22.2	24.0	2,197	22.7	0.5	21.8	23.7
1992	2,513	22.7	0.5	21.8	23.6	2,159	22.0	0.5	21.1	23.0
1993	2,543	22.7	0.5	21.8	23.6	2,175	21.9	0.5	21.0	22.8
1994	2,505	22.2	0.4	21.3	23.0	2,160	21.6	0.5	20.7	22.5
1995	2,453	21.4	0.4	20.6	22.3	2,111	20.9	0.5	20.0	21.8
1996	2,341	20.3	0.4	19.5	21.1	1,965	19.3	0.4	18.4	20.2
1997	2,368	20.3	0.4	19.5	21.2	1,994	19.5	0.4	18.6	20.4
1998	2,330	19.7	0.4	19.0	20.6	1,938	18.7	0.4	17.9	19.6
1999	2,410	20.2	0.4	19.4	21.0	2,022	19.4	0.4	18.5	20.2
2000	2,412	20.0	0.4	19.2	20.8	2,022	19.2	0.4	18.4	20.1
2001	2,385	19.5	0.4	18.8	20.3	1,984	18.7	0.4	17.8	19.5
2002	2,343	19.0	0.4	18.2	19.8	1,954	18.2	0.4	17.4	19.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,812	29.4	0.4	28.6	30.2	295	9.6	0.6	8.4	10.9
1986	295	30.1	1.8	26.6	33.9	8	5.5	2.0	2.4	14.5
1987	294	29.0	1.7	25.6	32.7	5	4.8	2.5	1.2	14.5
1988	358	33.5	1.8	30.0	37.3	12	7.6	2.3	3.8	16.3
1989	310	29.9	1.8	26.6	33.6	16	11.9	3.4	6.2	22.3
1990	366	34.4	1.9	30.9	38.3	14	11.6	3.6	5.6	22.4
1991	295	27.4	1.6	24.2	30.8	15	12.7	3.7	6.5	23.3
1992	338	29.9	1.7	26.7	33.4	16	10.3	3.0	5.4	19.1
1993	357	31.8	1.7	28.5	35.5	11	6.6	2.1	3.2	13.5
1994	328	28.0	1.6	25.0	31.3	17	11.8	3.1	6.5	20.4
1995	322	27.3	1.6	24.3	30.5	20	13.5	3.4	7.7	22.3
1996	359	29.5	1.6	26.5	32.8	17	7.2	2.0	3.8	13.2
1997	358	29.7	1.6	26.6	33.0	16	7.7	2.2	4.1	14.0
1998	368	29.1	1.6	26.2	32.4	24	11.3	2.6	6.9	18.2
1999	370	29.3	1.6	26.3	32.5	18	8.2	2.2	4.5	14.1
2000	365	28.1	1.5	25.2	31.2	25	9.4	2.1	5.8	14.8
2001	366	27.5	1.5	24.7	30.5	35	12.0	2.2	8.1	17.5
2002	363	26.7	1.4	24.0	29.6	26	8.7	1.8	5.5	13.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	453	9.3	0.5	8.4	10.3	31,109	21.4	0.1	21.2	21.7
1990	29	9.5	2.0	6.1	14.8	2,583	24.7	0.5	23.7	25.7
1991	21	7.3	1.8	4.2	12.2	2,466	23.3	0.5	22.4	24.3
1992	36	13.2	2.4	8.9	19.3	2,463	22.9	0.5	22.0	23.8
1993	46	14.5	2.4	10.2	20.5	2,482	22.8	0.5	21.9	23.7
1994	21	5.7	1.4	3.3	9.7	2,474	22.5	0.5	21.7	23.5
1995	30	8.9	1.9	5.6	13.7	2,409	21.7	0.4	20.8	22.6
1996	37	10.5	1.9	7.1	15.4	2,289	20.5	0.4	19.6	21.3
1997	32	8.2	1.6	5.3	12.4	2,321	20.6	0.4	19.8	21.5
1998	31	7.6	1.6	4.8	11.7	2,282	20.0	0.4	19.2	20.9
1999	31	8.5	1.7	5.4	12.9	2,370	20.6	0.4	19.8	21.5
2000	41	8.6	1.5	5.9	12.5	2,368	20.4	0.4	19.6	21.3
2001	48	9.8	1.6	7.0	13.6	2,326	19.9	0.4	19.1	20.7
2002	50	9.5	1.5	6.8	13.1	2,276	19.2	0.4	18.5	20.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Colon Excluding Rectum, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,407	27.1	0.2	26.7	27.4	17,529	26.4	0.2	26.0	26.8
1986	1,228	30.2	0.9	28.5	32.1	1,091	30.2	1.0	28.3	32.1
1987	1,248	30.7	0.9	28.9	32.5	1,109	30.7	1.0	28.8	32.7
1988	1,289	31.3	0.9	29.5	33.2	1,116	30.6	1.0	28.8	32.6
1989	1,244	30.4	0.9	28.7	32.2	1,088	29.9	0.9	28.1	31.9
1990	1,293	30.8	0.9	29.1	32.6	1,111	29.8	0.9	28.0	31.7
1991	1,237	29.3	0.9	27.6	31.1	1,101	29.4	0.9	27.6	31.3
1992	1,249	28.9	0.8	27.2	30.6	1,071	28.0	0.9	26.3	29.8
1993	1,214	27.7	0.8	26.1	29.4	1,049	27.0	0.9	25.3	28.7
1994	1,248	28.2	0.8	26.6	29.9	1,082	27.7	0.9	26.0	29.4
1995	1,156	26.2	0.8	24.6	27.8	995	25.6	0.8	24.0	27.3
1996	1,118	24.8	0.8	23.3	26.3	950	24.0	0.8	22.5	25.6
1997	1,152	25.4	0.8	23.9	26.9	970	24.4	0.8	22.9	26.1
1998	1,133	24.2	0.7	22.8	25.7	941	23.1	0.8	21.6	24.7
1999	1,164	24.9	0.7	23.4	26.4	979	24.0	0.8	22.5	25.5
2000	1,131	23.7	0.7	22.3	25.2	947	22.8	0.7	21.4	24.3
2001	1,162	23.9	0.7	22.6	25.4	970	23.0	0.7	21.6	24.5
2002	1,141	23.0	0.7	21.7	24.4	959	22.4	0.7	21.0	23.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,716	34.8	0.7	33.4	36.3	162	12.5	1.1	10.4	15.1
1986	131	32.8	3.1	27.0	39.7	6	9.8	4.1	3.5	31.3
1987	136	32.7	3.0	27.1	39.3	3	3.6	2.2	0.7	22.6
1988	165	39.2	3.3	33.0	46.5	8	13.3	4.9	5.5	33.8
1989	147	36.3	3.2	30.2	43.5	9	10.4	3.7	4.5	28.3
1990	173	41.6	3.4	35.2	49.0	9	21.6	8.2	8.6	47.6
1991	131	30.4	2.9	25.0	36.9	5	11.0	5.4	3.1	30.9
1992	169	38.6	3.2	32.6	45.7	9	15.4	6.0	6.0	35.3
1993	158	36.9	3.2	30.9	43.8	7	11.3	4.5	4.3	27.9
1994	159	35.9	3.1	30.1	42.7	7	9.6	3.8	3.7	24.5
1995	153	33.9	2.9	28.4	40.4	8	10.6	4.4	3.8	26.1
1996	159	33.4	2.9	28.1	39.7	9	8.8	3.7	3.1	22.7
1997	171	34.4	2.8	29.2	40.6	11	15.0	5.3	6.5	31.2
1998	182	36.2	2.9	30.8	42.5	10	10.4	3.8	4.4	23.5
1999	177	35.9	2.9	30.5	42.2	8	12.5	5.0	4.7	27.6
2000	171	33.9	2.7	28.8	39.9	13	13.1	4.1	6.4	25.5
2001	169	32.5	2.6	27.5	38.3	23	18.7	4.3	11.2	30.8
2002	165	29.8	2.4	25.2	35.1	17	12.7	3.4	6.9	22.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	240	11.7	0.9	10.0	13.7	15,075	26.5	0.2	26.1	26.9
1990	13	12.5	4.1	5.9	24.8	1,267	31.0	0.9	29.3	32.9
1991	15	12.6	3.8	6.3	24.1	1,215	29.7	0.9	28.0	31.5
1992	20	19.6	5.1	11.0	33.2	1,217	29.0	0.9	27.3	30.7
1993	27	18.1	4.2	10.9	29.8	1,175	27.7	0.8	26.1	29.4
1994	11	7.0	2.5	3.0	15.5	1,235	28.8	0.8	27.2	30.6
1995	18	12.9	3.7	6.6	23.5	1,133	26.5	0.8	24.9	28.1
1996	14	10.2	3.3	4.8	20.0	1,100	25.2	0.8	23.7	26.8
1997	17	8.0	2.2	4.3	15.4	1,128	25.8	0.8	24.3	27.4
1998	20	12.6	3.4	6.8	22.1	1,107	24.6	0.8	23.1	26.1
1999	16	9.8	3.0	4.8	18.5	1,144	25.4	0.8	23.9	27.0
2000	17	8.9	2.6	4.5	16.6	1,113	24.3	0.7	22.9	25.8
2001	25	12.0	2.8	7.2	19.6	1,132	24.4	0.7	23.0	25.9
2002	27	11.5	2.5	7.1	18.3	1,109	23.5	0.7	22.1	25.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Colon Excluding Rectum, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	21,632	18.6	0.1	18.3	18.8	18,403	17.8	0.1	17.5	18.1
1986	1,305	21.0	0.6	19.9	22.2	1,139	20.3	0.6	19.1	21.6
1987	1,336	21.1	0.6	20.0	22.3	1,176	20.7	0.6	19.6	22.0
1988	1,389	21.8	0.6	20.7	23.0	1,192	20.8	0.6	19.7	22.1
1989	1,260	19.4	0.6	18.3	20.5	1,090	18.7	0.6	17.6	19.9
1990	1,337	20.4	0.6	19.3	21.6	1,139	19.4	0.6	18.3	20.6
1991	1,270	19.2	0.5	18.1	20.3	1,096	18.4	0.6	17.4	19.6
1992	1,264	18.8	0.5	17.8	19.9	1,088	18.2	0.6	17.1	19.3
1993	1,329	19.5	0.5	18.4	20.6	1,126	18.6	0.6	17.5	19.7
1994	1,257	18.2	0.5	17.2	19.3	1,078	17.6	0.5	16.5	18.7
1995	1,297	18.5	0.5	17.5	19.6	1,116	18.0	0.5	16.9	19.1
1996	1,223	17.4	0.5	16.5	18.5	1,015	16.3	0.5	15.3	17.3
1997	1,216	17.1	0.5	16.1	18.1	1,024	16.4	0.5	15.4	17.4
1998	1,197	16.7	0.5	15.8	17.7	997	15.8	0.5	14.8	16.9
1999	1,246	17.2	0.5	16.3	18.2	1,043	16.4	0.5	15.4	17.4
2000	1,281	17.5	0.5	16.6	18.5	1,075	16.8	0.5	15.8	17.8
2001	1,223	16.6	0.5	15.7	17.6	1,014	15.7	0.5	14.7	16.7
2002	1,202	16.0	0.5	15.1	17.0	995	15.1	0.5	14.2	16.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,096	26.0	0.5	25.0	26.9	133	7.6	0.7	6.2	9.1
1986	164	28.4	2.3	24.1	33.3	2	2.2	1.6	0.3	15.8
1987	158	26.3	2.1	22.3	30.9	2	5.4	4.0	0.6	21.6
1988	193	30.1	2.2	26.0	34.9	4	3.8	1.9	1.0	16.2
1989	163	25.9	2.1	22.0	30.4	7	12.7	5.2	4.6	29.7
1990	193	30.0	2.2	25.8	34.7	5	4.6	2.2	1.3	16.6
1991	164	25.5	2.0	21.7	29.8	10	14.2	5.1	6.0	29.9
1992	169	24.6	1.9	21.0	28.7	7	6.9	2.9	2.4	18.2
1993	199	29.0	2.1	25.1	33.4	4	3.4	1.7	0.9	12.1
1994	169	23.8	1.9	20.3	27.8	10	13.0	4.4	5.8	25.9
1995	169	23.6	1.8	20.1	27.5	12	14.9	4.6	7.3	27.7
1996	200	27.3	1.9	23.6	31.4	8	6.2	2.4	2.4	14.2
1997	187	25.6	1.9	22.1	29.6	5	3.3	1.6	1.0	9.9
1998	186	24.4	1.8	21.0	28.2	14	11.8	3.4	6.1	21.3
1999	193	25.1	1.8	21.7	29.0	10	6.2	2.1	2.8	13.1
2000	194	24.4	1.8	21.1	28.2	12	7.1	2.2	3.4	13.7
2001	197	24.4	1.7	21.1	28.1	12	7.2	2.2	3.6	13.4
2002	198	24.2	1.7	20.9	27.8	9	5.7	1.9	2.5	11.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	213	7.7	0.6	6.6	9.0	16,034	18.1	0.1	17.8	18.4
1990	16	8.3	2.2	4.6	14.9	1,316	20.5	0.6	19.4	21.7
1991	6	3.5	1.6	1.1	9.1	1,251	19.4	0.6	18.3	20.5
1992	16	9.5	2.5	5.2	16.6	1,246	19.0	0.5	18.0	20.1
1993	19	11.6	2.9	6.6	19.2	1,307	19.7	0.5	18.6	20.8
1994	10	4.9	1.7	2.2	10.1	1,239	18.5	0.5	17.4	19.6
1995	12	6.4	2.0	3.1	12.1	1,276	18.8	0.5	17.7	19.8
1996	23	11.3	2.5	6.9	18.0	1,189	17.4	0.5	16.4	18.5
1997	15	7.8	2.2	4.1	13.8	1,193	17.3	0.5	16.3	18.3
1998	11	4.2	1.4	1.9	8.7	1,175	16.9	0.5	16.0	18.0
1999	15	7.6	2.2	4.0	13.5	1,226	17.5	0.5	16.5	18.5
2000	24	8.8	2.0	5.4	14.1	1,255	17.8	0.5	16.8	18.8
2001	23	8.4	1.9	5.1	13.3	1,194	16.8	0.5	15.9	17.8
2002	23	8.0	1.8	4.8	12.6	1,167	16.2	0.5	15.2	17.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Rectum and Rectosigmoid Junction, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	6,397	3.3	0.0	3.2	3.4	5,543	3.3	0.0	3.2	3.4
1986	432	4.1	0.2	3.7	4.5	384	4.1	0.2	3.7	4.5
1987	403	3.9	0.2	3.5	4.3	353	3.8	0.2	3.4	4.2
1988	379	3.5	0.2	3.2	3.9	334	3.5	0.2	3.1	3.9
1989	387	3.6	0.2	3.3	4.0	336	3.5	0.2	3.2	3.9
1990	384	3.6	0.2	3.2	4.0	327	3.4	0.2	3.1	3.8
1991	346	3.2	0.2	2.8	3.5	282	2.9	0.2	2.6	3.3
1992	390	3.5	0.2	3.2	3.9	342	3.5	0.2	3.1	3.9
1993	395	3.5	0.2	3.2	3.9	343	3.5	0.2	3.1	3.9
1994	358	3.2	0.2	2.8	3.5	315	3.2	0.2	2.8	3.5
1995	394	3.4	0.2	3.1	3.8	343	3.4	0.2	3.0	3.8
1996	329	2.9	0.2	2.6	3.2	287	2.9	0.2	2.5	3.2
1997	383	3.3	0.2	3.0	3.6	331	3.2	0.2	2.9	3.6
1998	378	3.2	0.2	2.9	3.6	332	3.2	0.2	2.9	3.6
1999	350	2.9	0.2	2.6	3.3	305	3.0	0.2	2.6	3.3
2000	390	3.2	0.2	2.9	3.6	330	3.2	0.2	2.8	3.5
2001	337	2.8	0.2	2.5	3.1	296	2.8	0.2	2.5	3.1
2002	362	2.9	0.2	2.7	3.3	303	2.9	0.2	2.5	3.2
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	772	3.8	0.1	3.5	4.1	82	2.3	0.3	1.8	3.0
1986	46	4.6	0.7	3.3	6.3	2	1.5	1.1	0.2	9.8
1987	46	4.2	0.7	3.0	5.8	4	2.6	1.4	0.6	10.7
1988	42	3.7	0.6	2.7	5.2	3	3.3	2.2	0.5	12.3
1989	46	4.4	0.7	3.2	6.0	5	3.4	1.7	0.9	11.1
1990	54	5.0	0.7	3.7	6.7	3	3.3	2.1	0.5	11.9
1991	62	5.6	0.7	4.2	7.3	2	1.6	1.2	0.1	8.2
1992	48	4.5	0.7	3.3	6.0	0	0.0	~	0.0	5.4
1993	46	4.0	0.6	2.9	5.4	6	2.5	1.1	0.8	8.0
1994	35	2.8	0.5	1.9	4.0	8	3.6	1.6	1.3	9.5
1995	47	4.0	0.6	2.9	5.4	4	1.7	0.8	0.5	6.1
1996	39	3.2	0.5	2.2	4.4	3	1.4	0.9	0.2	5.7
1997	46	3.8	0.6	2.8	5.2	6	1.9	0.8	0.7	5.9
1998	40	3.1	0.5	2.2	4.3	6	2.5	1.2	0.7	6.8
1999	37	3.0	0.5	2.1	4.2	8	3.7	1.4	1.5	8.3
2000	53	3.7	0.5	2.8	4.9	7	2.3	1.0	0.8	5.9
2001	33	2.3	0.4	1.6	3.3	8	2.3	0.9	0.9	5.4
2002	52	3.9	0.6	2.9	5.2	7	2.1	0.8	0.8	4.9
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	104	1.9	0.2	1.5	2.3	4,664	3.2	0.0	3.1	3.3
1990	8	2.5	1.0	0.9	6.2	375	3.6	0.2	3.2	4.0
1991	7	2.0	0.8	0.7	5.2	336	3.1	0.2	2.8	3.5
1992	5	1.5	0.8	0.4	4.7	382	3.5	0.2	3.2	3.9
1993	7	1.9	0.8	0.7	4.9	386	3.6	0.2	3.2	3.9
1994	12	3.5	1.1	1.7	6.9	344	3.1	0.2	2.8	3.5
1995	5	1.3	0.7	0.3	4.0	387	3.5	0.2	3.1	3.8
1996	9	1.9	0.7	0.7	4.6	319	2.9	0.2	2.6	3.2
1997	8	2.1	0.9	0.8	5.0	372	3.3	0.2	3.0	3.7
1998	7	1.2	0.5	0.4	3.3	368	3.3	0.2	2.9	3.6
1999	7	1.0	0.4	0.4	3.0	341	3.0	0.2	2.7	3.3
2000	8	1.6	0.7	0.6	3.9	381	3.3	0.2	3.0	3.7
2001	13	2.5	0.8	1.2	4.9	322	2.8	0.2	2.5	3.1
2002	8	1.5	0.6	0.6	3.4	351	3.0	0.2	2.7	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Rectum and Rectosigmoid Junction, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,507	4.5	0.1	4.4	4.7	3,040	4.5	0.1	4.3	4.6
1986	245	6.0	0.4	5.2	6.8	220	6.0	0.4	5.2	6.9
1987	204	4.9	0.4	4.2	5.7	177	4.8	0.4	4.1	5.7
1988	210	5.0	0.4	4.3	5.8	181	4.9	0.4	4.2	5.7
1989	222	5.3	0.4	4.6	6.1	188	5.0	0.4	4.3	5.8
1990	208	4.9	0.4	4.2	5.7	178	4.7	0.4	4.0	5.5
1991	182	4.1	0.3	3.5	4.8	147	3.7	0.3	3.1	4.4
1992	220	5.0	0.3	4.3	5.7	198	5.1	0.4	4.4	5.9
1993	200	4.5	0.3	3.8	5.2	174	4.4	0.3	3.7	5.1
1994	195	4.3	0.3	3.7	5.0	175	4.4	0.3	3.7	5.1
1995	233	5.0	0.3	4.4	5.8	202	5.0	0.4	4.3	5.7
1996	185	4.1	0.3	3.5	4.7	161	4.1	0.3	3.5	4.8
1997	201	4.2	0.3	3.7	4.9	174	4.2	0.3	3.6	4.9
1998	215	4.5	0.3	3.9	5.1	192	4.6	0.3	4.0	5.3
1999	194	4.0	0.3	3.5	4.7	170	4.0	0.3	3.4	4.7
2000	218	4.4	0.3	3.8	5.1	180	4.2	0.3	3.6	4.9
2001	190	3.8	0.3	3.3	4.4	167	3.9	0.3	3.3	4.6
2002	185	3.6	0.3	3.1	4.2	156	3.5	0.3	3.0	4.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	419	5.3	0.3	4.7	5.8	48	2.8	0.5	2.0	4.0
1986	23	6.2	1.4	3.8	9.9	2	3.6	2.6	0.4	24.2
1987	24	5.5	1.2	3.4	8.8	3	3.0	1.8	0.6	21.8
1988	28	6.2	1.3	3.9	9.5	1	4.8	4.8	0.1	26.8
1989	31	8.0	1.6	5.2	12.0	3	3.8	2.3	0.7	20.8
1990	28	6.7	1.4	4.3	10.3	2	3.7	2.7	0.4	21.4
1991	33	7.8	1.4	5.2	11.5	2	3.7	2.9	0.3	20.3
1992	22	5.1	1.2	3.0	8.2	0	0.0	~	0.0	13.7
1993	21	4.7	1.1	2.8	7.8	5	5.3	2.6	1.5	18.9
1994	17	3.5	0.9	2.0	6.0	3	2.7	1.6	0.5	15.1
1995	29	6.5	1.3	4.2	9.8	2	1.9	1.3	0.2	13.4
1996	22	4.2	1.0	2.5	6.8	2	2.8	2.1	0.3	14.6
1997	22	4.4	1.0	2.7	7.2	5	3.2	1.5	1.0	13.6
1998	20	3.5	0.8	2.1	5.8	3	1.5	0.9	0.3	11.0
1999	21	4.7	1.1	2.8	7.5	3	3.3	2.0	0.6	13.5
2000	33	5.7	1.1	3.8	8.4	5	3.0	1.5	0.8	11.4
2001	20	3.1	0.7	1.9	5.1	3	1.3	0.7	0.3	8.1
2002	25	5.2	1.1	3.3	8.0	4	2.6	1.4	0.6	9.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	66	2.5	0.4	1.8	3.4	2,539	4.4	0.1	4.2	4.5
1990	5	3.0	1.6	0.7	11.3	202	4.9	0.4	4.2	5.7
1991	6	3.0	1.3	1.0	10.4	173	4.0	0.3	3.4	4.7
1992	3	2.4	1.9	0.2	10.6	215	5.0	0.4	4.3	5.8
1993	6	3.5	1.6	1.1	11.0	192	4.4	0.3	3.8	5.2
1994	7	3.9	1.6	1.4	11.2	186	4.2	0.3	3.6	4.9
1995	2	0.8	0.7	0.1	6.9	229	5.1	0.3	4.5	5.9
1996	5	3.0	1.7	0.6	10.2	180	4.1	0.3	3.5	4.8
1997	2	1.9	1.4	0.2	8.5	197	4.3	0.3	3.7	5.0
1998	7	2.4	1.0	0.9	7.9	206	4.5	0.3	3.9	5.2
1999	3	0.7	0.4	0.1	5.7	189	4.1	0.3	3.5	4.7
2000	6	2.5	1.4	0.6	8.2	211	4.5	0.3	3.9	5.1
2001	8	3.2	1.4	1.1	8.6	182	3.8	0.3	3.3	4.5
2002	6	2.2	1.0	0.7	6.5	177	3.7	0.3	3.1	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Rectum and Rectosigmoid Junction, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	2,890	2.5	0.0	2.4	2.6	2,503	2.5	0.0	2.4	2.6
1986	187	3.0	0.2	2.6	3.4	164	2.9	0.2	2.5	3.4
1987	199	3.2	0.2	2.8	3.7	176	3.2	0.2	2.7	3.7
1988	169	2.6	0.2	2.2	3.0	153	2.6	0.2	2.2	3.1
1989	165	2.5	0.2	2.2	3.0	148	2.5	0.2	2.1	3.0
1990	176	2.7	0.2	2.3	3.2	149	2.6	0.2	2.2	3.0
1991	164	2.5	0.2	2.1	2.9	135	2.3	0.2	1.9	2.7
1992	170	2.5	0.2	2.2	2.9	144	2.4	0.2	2.0	2.9
1993	195	2.9	0.2	2.5	3.3	169	2.8	0.2	2.4	3.3
1994	163	2.4	0.2	2.1	2.8	140	2.3	0.2	2.0	2.8
1995	161	2.3	0.2	2.0	2.7	141	2.3	0.2	1.9	2.7
1996	144	2.1	0.2	1.8	2.5	126	2.1	0.2	1.8	2.5
1997	182	2.6	0.2	2.2	3.0	157	2.6	0.2	2.2	3.0
1998	163	2.3	0.2	2.0	2.7	140	2.3	0.2	2.0	2.8
1999	156	2.2	0.2	1.8	2.6	135	2.2	0.2	1.8	2.6
2000	172	2.4	0.2	2.0	2.8	150	2.4	0.2	2.0	2.8
2001	147	2.0	0.2	1.7	2.3	129	2.0	0.2	1.7	2.4
2002	177	2.5	0.2	2.1	2.8	147	2.3	0.2	2.0	2.8
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	353	2.9	0.2	2.6	3.2	34	1.9	0.4	1.2	2.7
1986	23	3.7	0.8	2.3	5.7	0	0.0	~	0.0	13.4
1987	22	3.4	0.7	2.1	5.3	1	2.0	2.0	0.0	15.4
1988	14	2.1	0.6	1.2	3.7	2	2.3	1.7	0.3	14.7
1989	15	2.3	0.6	1.3	3.9	2	3.0	2.3	0.2	15.6
1990	26	4.0	0.8	2.6	5.9	1	3.0	3.0	0.1	17.0
1991	29	4.2	0.8	2.8	6.1	0	0.0	~	0.0	10.0
1992	26	4.0	0.8	2.6	5.9	0	0.0	~	0.0	9.0
1993	25	3.5	0.7	2.3	5.3	1	0.5	0.5	0.0	8.5
1994	18	2.4	0.6	1.4	3.8	5	4.4	2.3	1.1	13.6
1995	18	2.5	0.6	1.5	4.0	2	1.5	1.1	0.2	8.3
1996	17	2.4	0.6	1.4	3.9	1	0.5	0.5	0.0	6.3
1997	24	3.3	0.7	2.1	5.0	1	0.8	0.8	0.0	6.6
1998	20	2.7	0.6	1.6	4.2	3	2.8	1.7	0.5	9.5
1999	16	2.1	0.5	1.2	3.5	5	3.9	1.9	1.2	10.5
2000	20	2.4	0.5	1.5	3.8	2	1.5	1.2	0.1	6.5
2001	13	1.6	0.4	0.8	2.7	5	2.9	1.4	0.9	7.8
2002	27	3.3	0.6	2.1	4.8	3	1.7	1.0	0.3	5.5
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	38	1.3	0.2	0.9	1.9	2,125	2.4	0.1	2.3	2.5
1990	3	2.0	1.3	0.3	7.4	173	2.7	0.2	2.3	3.2
1991	1	0.9	0.9	0.0	5.6	163	2.5	0.2	2.2	3.0
1992	2	1.1	0.8	0.1	5.4	167	2.5	0.2	2.2	3.0
1993	1	0.6	0.6	0.0	4.6	194	2.9	0.2	2.5	3.4
1994	5	2.9	1.4	0.9	7.8	158	2.4	0.2	2.0	2.8
1995	3	1.6	1.0	0.2	5.8	158	2.3	0.2	2.0	2.7
1996	4	1.3	0.6	0.3	4.7	139	2.1	0.2	1.8	2.5
1997	6	2.5	1.1	0.8	6.6	175	2.6	0.2	2.2	3.0
1998	0	0.0	~	0.0	3.0	162	2.4	0.2	2.0	2.8
1999	4	1.2	0.6	0.3	4.4	152	2.2	0.2	1.9	2.6
2000	2	0.9	0.7	0.1	4.1	170	2.5	0.2	2.1	2.9
2001	5	1.9	0.9	0.5	5.2	140	2.0	0.2	1.6	2.3
2002	2	0.8	0.6	0.1	3.4	174	2.5	0.2	2.2	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Anus, Anal Canal and Anorectum, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	287	0.2	0.0	0.1	0.2	244	0.1	0.0	0.1	0.2
1986	25	0.2	0.0	0.2	0.4	21	0.2	0.1	0.1	0.4
1987	16	0.2	0.0	0.1	0.3	13	0.1	0.0	0.1	0.3
1988	20	0.2	0.0	0.1	0.3	15	0.2	0.0	0.1	0.3
1989	14	0.1	0.0	0.1	0.2	9	0.1	0.0	0.0	0.2
1990	12	0.1	0.0	0.1	0.2	10	0.1	0.0	0.0	0.2
1991	13	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1992	15	0.1	0.0	0.1	0.2	14	0.1	0.0	0.1	0.3
1993	12	0.1	0.0	0.1	0.2	8	0.1	0.0	0.0	0.2
1994	17	0.1	0.0	0.1	0.2	15	0.2	0.0	0.1	0.3
1995	19	0.2	0.0	0.1	0.3	18	0.2	0.0	0.1	0.3
1996	15	0.1	0.0	0.1	0.2	12	0.1	0.0	0.1	0.2
1997	19	0.2	0.0	0.1	0.3	16	0.2	0.0	0.1	0.3
1998	19	0.2	0.0	0.1	0.3	18	0.2	0.0	0.1	0.3
1999	15	0.1	0.0	0.1	0.2	14	0.1	0.0	0.1	0.2
2000	14	0.1	0.0	0.1	0.2	13	0.1	0.0	0.1	0.2
2001	24	0.2	0.0	0.1	0.3	22	0.2	0.0	0.1	0.3
2002	18	0.1	0.0	0.1	0.2	15	0.1	0.0	0.1	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	43	0.2	0.0	0.1	0.3	0	0.0	~	0.0	0.2
1986	4	0.3	0.2	0.1	1.0	0	0.0	~	0.0	8.1
1987	3	0.3	0.2	0.1	1.0	0	0.0	~	0.0	7.6
1988	5	0.5	0.2	0.1	1.2	0	0.0	~	0.0	7.2
1989	5	0.4	0.2	0.1	1.1	0	0.0	~	0.0	6.8
1990	2	0.1	0.1	0.0	0.7	0	0.0	~	0.0	6.7
1991	2	0.2	0.1	0.0	0.7	0	0.0	~	0.0	6.0
1992	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	5.4
1993	4	0.3	0.2	0.1	0.9	0	0.0	~	0.0	4.9
1994	2	0.1	0.1	0.0	0.6	0	0.0	~	0.0	4.6
1995	1	0.0	0.0	0.0	0.5	0	0.0	~	0.0	4.1
1996	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.8
1997	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.6
1998	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	3.3
1999	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	3.1
2000	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	2.6
2001	2	0.2	0.1	0.0	0.6	0	0.0	~	0.0	2.3
2002	3	0.2	0.1	0.0	0.7	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.0	0.0	0.0	0.2	210	0.1	0.0	0.1	0.2
1990	0	0.0	~	0.0	2.7	12	0.1	0.0	0.1	0.2
1991	0	0.0	~	0.0	2.6	13	0.1	0.0	0.1	0.2
1992	0	0.0	~	0.0	2.5	15	0.1	0.0	0.1	0.2
1993	1	0.5	0.5	0.0	3.1	11	0.1	0.0	0.1	0.2
1994	0	0.0	~	0.0	2.3	17	0.2	0.0	0.1	0.3
1995	0	0.0	~	0.0	2.2	19	0.2	0.0	0.1	0.3
1996	0	0.0	~	0.0	2.1	15	0.1	0.0	0.1	0.2
1997	0	0.0	~	0.0	2.0	19	0.2	0.0	0.1	0.3
1998	0	0.0	~	0.0	1.9	18	0.2	0.0	0.1	0.3
1999	0	0.0	~	0.0	1.9	15	0.1	0.0	0.1	0.2
2000	0	0.0	~	0.0	1.7	14	0.1	0.0	0.1	0.2
2001	0	0.0	~	0.0	1.5	24	0.2	0.0	0.1	0.3
2002	0	0.0	~	0.0	1.3	18	0.2	0.0	0.1	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Anus, Anal Canal and Anorectum, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	92	0.1	0.0	0.1	0.1	72	0.1	0.0	0.1	0.1
1986	12	0.2	0.1	0.1	0.5	9	0.2	0.1	0.1	0.5
1987	5	0.1	0.0	0.0	0.3	4	0.1	0.1	0.0	0.3
1988	4	0.1	0.1	0.0	0.3	2	0.1	0.0	0.0	0.3
1989	8	0.2	0.1	0.1	0.4	6	0.1	0.1	0.1	0.4
1990	8	0.2	0.1	0.1	0.4	6	0.1	0.1	0.1	0.4
1991	6	0.1	0.1	0.0	0.3	4	0.1	0.0	0.0	0.3
1992	4	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.3
1993	4	0.1	0.0	0.0	0.3	2	0.1	0.0	0.0	0.2
1994	3	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1995	2	0.0	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1996	3	0.1	0.0	0.0	0.2	1	0.0	0.0	0.0	0.2
1997	5	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.3
1998	6	0.1	0.0	0.0	0.3	5	0.1	0.1	0.0	0.3
1999	5	0.1	0.0	0.0	0.3	5	0.1	0.1	0.0	0.3
2000	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.3
2001	7	0.1	0.0	0.0	0.3	6	0.1	0.1	0.0	0.3
2002	6	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20	0.2	0.0	0.1	0.3	0	0.0	~	0.0	0.7
1986	3	0.6	0.3	0.1	2.5	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	19.0
1988	2	0.4	0.3	0.0	2.2	0	0.0	~	0.0	17.8
1989	2	0.5	0.4	0.0	2.5	0	0.0	~	0.0	16.6
1990	2	0.3	0.2	0.0	2.1	0	0.0	~	0.0	16.8
1991	2	0.4	0.3	0.0	2.2	0	0.0	~	0.0	15.1
1992	1	0.2	0.2	0.0	1.8	0	0.0	~	0.0	13.7
1993	2	0.4	0.3	0.0	2.0	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	2	0.2	0.2	0.0	1.7	0	0.0	~	0.0	10.9
1997	1	0.1	0.1	0.0	1.6	0	0.0	~	0.0	10.2
1998	1	0.2	0.2	0.0	1.6	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	7.9
2001	1	0.1	0.1	0.0	1.5	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.4	63	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	7.6	8	0.2	0.1	0.1	0.4
1991	0	0.0	~	0.0	7.1	6	0.1	0.1	0.0	0.3
1992	0	0.0	~	0.0	6.7	4	0.1	0.0	0.0	0.3
1993	0	0.0	~	0.0	6.7	4	0.1	0.0	0.0	0.3
1994	0	0.0	~	0.0	6.4	3	0.1	0.0	0.0	0.2
1995	0	0.0	~	0.0	6.0	2	0.0	0.0	0.0	0.2
1996	0	0.0	~	0.0	5.8	3	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	5.6	5	0.1	0.0	0.0	0.3
1998	0	0.0	~	0.0	5.3	6	0.1	0.1	0.0	0.3
1999	0	0.0	~	0.0	5.0	5	0.1	0.0	0.0	0.3
2000	0	0.0	~	0.0	4.6	4	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	4.1	7	0.1	0.0	0.1	0.3
2002	0	0.0	~	0.0	3.6	6	0.1	0.0	0.0	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Anus, Anal Canal and Anorectum, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	195	0.2	0.0	0.2	0.2	172	0.2	0.0	0.2	0.2
1986	13	0.2	0.1	0.1	0.4	12	0.2	0.1	0.1	0.4
1987	11	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
1988	16	0.3	0.1	0.2	0.4	13	0.2	0.1	0.1	0.4
1989	6	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1990	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1991	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.3
1992	11	0.2	0.1	0.1	0.3	11	0.2	0.1	0.1	0.4
1993	8	0.1	0.0	0.1	0.3	6	0.1	0.0	0.0	0.2
1994	14	0.2	0.1	0.1	0.4	12	0.2	0.1	0.1	0.4
1995	17	0.3	0.1	0.2	0.4	16	0.3	0.1	0.2	0.5
1996	12	0.2	0.1	0.1	0.3	11	0.2	0.1	0.1	0.4
1997	14	0.2	0.1	0.1	0.4	12	0.2	0.1	0.1	0.4
1998	13	0.2	0.1	0.1	0.3	13	0.2	0.1	0.1	0.4
1999	10	0.1	0.0	0.1	0.3	9	0.1	0.0	0.1	0.3
2000	10	0.1	0.0	0.1	0.3	9	0.2	0.1	0.1	0.3
2001	17	0.2	0.1	0.1	0.4	16	0.3	0.1	0.2	0.4
2002	12	0.2	0.1	0.1	0.3	9	0.2	0.1	0.1	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	23	0.2	0.0	0.1	0.3	0	0.0	~	0.0	0.4
1986	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	13.4
1987	2	0.4	0.3	0.0	1.4	0	0.0	~	0.0	12.6
1988	3	0.5	0.3	0.1	1.5	0	0.0	~	0.0	12.0
1989	3	0.4	0.2	0.1	1.4	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	8.0
1994	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	7.3
1995	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	6.4
1996	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	5.8
1997	2	0.3	0.2	0.0	1.0	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	4.7
2000	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.0
2001	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	3.4
2002	3	0.4	0.2	0.1	1.1	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.1	0.1	0.0	0.3	147	0.2	0.0	0.2	0.2
1990	0	0.0	~	0.0	4.2	4	0.1	0.0	0.0	0.2
1991	0	0.0	~	0.0	4.2	7	0.1	0.0	0.0	0.2
1992	0	0.0	~	0.0	3.9	11	0.2	0.1	0.1	0.3
1993	1	0.8	0.8	0.0	5.0	7	0.1	0.0	0.0	0.3
1994	0	0.0	~	0.0	3.5	14	0.2	0.1	0.1	0.4
1995	0	0.0	~	0.0	3.4	17	0.3	0.1	0.2	0.5
1996	0	0.0	~	0.0	3.2	12	0.2	0.1	0.1	0.4
1997	0	0.0	~	0.0	3.1	14	0.2	0.1	0.1	0.4
1998	0	0.0	~	0.0	3.0	12	0.2	0.1	0.1	0.3
1999	0	0.0	~	0.0	2.9	10	0.1	0.0	0.1	0.3
2000	0	0.0	~	0.0	2.7	10	0.2	0.0	0.1	0.3
2001	0	0.0	~	0.0	2.4	17	0.2	0.1	0.1	0.4
2002	0	0.0	~	0.0	2.1	12	0.2	0.1	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Liver, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,916	3.6	0.0	3.5	3.7	5,299	3.1	0.0	3.0	3.2
1986	297	2.8	0.2	2.5	3.2	233	2.5	0.2	2.2	2.9
1987	333	3.1	0.2	2.8	3.5	257	2.7	0.2	2.4	3.1
1988	305	2.8	0.2	2.5	3.2	246	2.6	0.2	2.3	2.9
1989	359	3.3	0.2	3.0	3.7	278	2.9	0.2	2.6	3.3
1990	391	3.6	0.2	3.2	4.0	307	3.1	0.2	2.8	3.5
1991	365	3.3	0.2	3.0	3.7	289	3.0	0.2	2.6	3.3
1992	381	3.4	0.2	3.1	3.8	295	3.0	0.2	2.7	3.4
1993	409	3.6	0.2	3.3	4.0	322	3.2	0.2	2.9	3.6
1994	424	3.7	0.2	3.4	4.1	323	3.2	0.2	2.9	3.6
1995	473	4.1	0.2	3.7	4.5	359	3.6	0.2	3.2	4.0
1996	465	4.0	0.2	3.7	4.4	358	3.6	0.2	3.2	4.0
1997	469	4.0	0.2	3.7	4.4	351	3.5	0.2	3.1	3.9
1998	452	3.8	0.2	3.5	4.2	344	3.4	0.2	3.0	3.7
1999	464	3.9	0.2	3.6	4.3	344	3.3	0.2	3.0	3.7
2000	453	3.8	0.2	3.4	4.2	347	3.4	0.2	3.0	3.7
2001	444	3.7	0.2	3.3	4.0	322	3.1	0.2	2.8	3.4
2002	432	3.5	0.2	3.2	3.9	324	3.1	0.2	2.8	3.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,343	6.4	0.2	6.0	6.8	274	7.2	0.5	6.3	8.2
1986	54	4.7	0.7	3.5	6.3	10	5.4	1.9	2.3	14.2
1987	68	6.2	0.8	4.8	8.0	8	4.7	1.7	2.0	12.9
1988	51	4.6	0.7	3.4	6.2	8	4.1	1.4	1.7	11.6
1989	69	5.9	0.7	4.6	7.6	12	6.5	2.0	3.2	14.4
1990	70	6.2	0.8	4.8	7.9	14	7.8	2.5	3.7	16.5
1991	65	5.5	0.7	4.2	7.1	11	6.7	2.2	3.2	14.4
1992	63	5.4	0.7	4.1	7.0	23	12.8	3.0	7.6	21.5
1993	75	6.3	0.7	4.9	7.9	12	6.0	1.9	3.0	12.5
1994	85	6.9	0.8	5.5	8.6	16	6.5	1.7	3.6	12.5
1995	97	8.0	0.8	6.4	9.8	17	9.7	2.6	5.3	17.0
1996	91	7.3	0.8	5.8	9.0	16	8.0	2.2	4.3	14.5
1997	92	7.0	0.7	5.6	8.6	26	10.8	2.4	6.7	17.3
1998	96	7.3	0.8	5.9	9.0	12	4.3	1.4	2.1	9.0
1999	96	7.1	0.7	5.8	8.8	24	7.3	1.6	4.6	12.0
2000	80	5.7	0.6	4.5	7.1	26	8.5	1.8	5.3	13.4
2001	101	7.0	0.7	5.7	8.6	21	5.6	1.3	3.3	9.4
2002	90	6.4	0.7	5.1	7.9	18	5.9	1.4	3.4	9.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	298	5.5	0.4	4.8	6.2	5,264	3.6	0.1	3.5	3.7
1990	15	4.0	1.2	2.1	7.8	374	3.5	0.2	3.2	3.9
1991	12	3.9	1.3	1.8	8.0	351	3.3	0.2	2.9	3.6
1992	10	2.6	0.9	1.1	5.9	365	3.4	0.2	3.0	3.8
1993	27	7.9	1.7	4.9	12.5	380	3.5	0.2	3.1	3.9
1994	17	4.9	1.3	2.6	8.7	405	3.7	0.2	3.3	4.0
1995	16	3.6	1.0	1.9	6.8	450	4.0	0.2	3.7	4.4
1996	20	5.1	1.3	2.9	8.7	436	3.9	0.2	3.6	4.3
1997	24	5.2	1.2	3.1	8.7	439	3.9	0.2	3.6	4.3
1998	34	7.5	1.4	5.0	11.2	415	3.7	0.2	3.3	4.0
1999	33	7.7	1.5	5.0	11.6	427	3.8	0.2	3.4	4.1
2000	32	6.9	1.4	4.4	10.6	418	3.7	0.2	3.3	4.0
2001	32	6.2	1.2	4.1	9.3	405	3.5	0.2	3.2	3.9
2002	26	4.1	0.9	2.5	6.5	399	3.4	0.2	3.1	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Liver, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,313	5.4	0.1	5.2	5.5	3,277	4.7	0.1	4.5	4.9
1986	188	4.3	0.3	3.7	5.0	140	3.7	0.3	3.1	4.4
1987	217	5.0	0.4	4.3	5.7	160	4.2	0.3	3.5	4.9
1988	194	4.5	0.3	3.8	5.2	155	4.1	0.3	3.5	4.8
1989	217	4.9	0.3	4.3	5.7	173	4.5	0.4	3.8	5.2
1990	238	5.4	0.4	4.7	6.1	185	4.7	0.4	4.0	5.4
1991	213	4.7	0.3	4.0	5.4	164	4.1	0.3	3.5	4.8
1992	237	5.3	0.4	4.6	6.0	184	4.7	0.4	4.0	5.4
1993	243	5.4	0.4	4.7	6.1	194	4.9	0.4	4.2	5.7
1994	252	5.3	0.3	4.6	6.0	188	4.5	0.3	3.9	5.2
1995	296	6.3	0.4	5.6	7.1	219	5.3	0.4	4.6	6.1
1996	300	6.3	0.4	5.6	7.1	231	5.6	0.4	4.9	6.4
1997	291	6.0	0.4	5.3	6.7	214	5.1	0.4	4.4	5.9
1998	290	5.8	0.3	5.2	6.6	219	5.1	0.3	4.4	5.8
1999	286	5.7	0.3	5.0	6.4	211	4.9	0.3	4.2	5.6
2000	282	5.5	0.3	4.9	6.2	218	5.0	0.3	4.3	5.7
2001	280	5.4	0.3	4.8	6.1	205	4.7	0.3	4.1	5.4
2002	289	5.5	0.3	4.9	6.2	217	4.8	0.3	4.2	5.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	835	9.6	0.3	8.9	10.3	201	11.0	0.9	9.4	13.1
1986	41	8.4	1.4	5.9	12.0	7	6.5	2.5	2.5	26.4
1987	50	11.0	1.7	8.0	15.2	7	8.4	3.2	3.3	27.7
1988	32	6.7	1.2	4.5	10.0	7	7.6	2.9	3.0	25.6
1989	35	7.3	1.3	5.0	10.6	9	8.7	2.9	3.9	25.7
1990	41	9.0	1.5	6.3	12.8	12	14.5	5.5	5.8	35.4
1991	40	8.1	1.4	5.6	11.5	9	13.7	5.0	5.8	32.4
1992	36	8.0	1.4	5.4	11.6	17	19.8	5.3	10.8	37.8
1993	43	8.3	1.3	5.9	11.7	6	5.6	2.4	2.0	18.9
1994	52	10.6	1.6	7.8	14.4	12	10.5	3.2	5.1	24.3
1995	64	13.0	1.7	9.8	17.1	13	18.6	6.0	8.7	36.8
1996	57	10.7	1.5	7.9	14.3	12	12.0	4.2	5.3	26.5
1997	58	10.5	1.5	7.8	14.0	19	15.8	3.9	9.1	29.0
1998	63	11.6	1.5	8.8	15.2	8	5.9	2.4	2.2	16.7
1999	59	10.6	1.4	7.9	14.0	16	11.3	3.1	6.0	22.5
2000	49	8.5	1.3	6.2	11.6	15	9.3	2.9	4.4	19.5
2001	55	9.2	1.3	6.8	12.4	20	12.0	3.1	6.7	21.9
2002	60	10.3	1.4	7.7	13.6	12	8.4	2.6	4.1	16.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	214	7.7	0.6	6.5	9.1	3,247	5.4	0.1	5.2	5.6
1990	12	7.4	2.6	3.2	17.0	226	5.3	0.4	4.6	6.0
1991	8	5.3	2.4	1.7	14.4	203	4.6	0.3	4.0	5.3
1992	9	4.4	1.6	1.8	11.7	224	5.2	0.4	4.5	6.0
1993	22	13.8	3.7	7.5	24.7	219	5.0	0.3	4.4	5.8
1994	9	5.0	2.0	1.9	12.8	241	5.3	0.3	4.6	6.0
1995	13	5.8	2.1	2.5	13.4	278	6.2	0.4	5.4	7.0
1996	16	8.1	2.4	4.1	16.0	281	6.2	0.4	5.4	7.0
1997	18	6.5	1.6	3.8	12.8	270	5.8	0.4	5.1	6.6
1998	24	10.3	2.3	6.4	17.6	265	5.6	0.3	4.9	6.3
1999	21	9.3	2.4	5.1	16.7	262	5.5	0.3	4.8	6.2
2000	20	8.3	2.2	4.5	15.2	261	5.4	0.3	4.7	6.1
2001	20	7.9	1.9	4.6	13.8	256	5.3	0.3	4.6	6.0
2002	22	6.6	1.6	3.9	11.6	261	5.3	0.3	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Liver, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,603	2.3	0.0	2.2	2.4	2,022	2.0	0.0	1.9	2.1
1986	109	1.8	0.2	1.4	2.1	93	1.7	0.2	1.3	2.1
1987	116	1.8	0.2	1.5	2.2	97	1.7	0.2	1.4	2.1
1988	111	1.8	0.2	1.4	2.1	91	1.6	0.2	1.3	2.0
1989	142	2.2	0.2	1.9	2.7	105	1.9	0.2	1.5	2.3
1990	153	2.4	0.2	2.0	2.8	122	2.1	0.2	1.7	2.5
1991	152	2.3	0.2	2.0	2.7	125	2.2	0.2	1.8	2.6
1992	144	2.2	0.2	1.8	2.6	111	1.9	0.2	1.5	2.3
1993	166	2.5	0.2	2.1	2.9	128	2.1	0.2	1.8	2.5
1994	172	2.5	0.2	2.2	3.0	135	2.3	0.2	1.9	2.7
1995	177	2.6	0.2	2.2	3.0	140	2.3	0.2	2.0	2.8
1996	165	2.4	0.2	2.0	2.8	127	2.1	0.2	1.8	2.5
1997	178	2.6	0.2	2.2	3.0	137	2.3	0.2	1.9	2.7
1998	162	2.3	0.2	2.0	2.7	125	2.0	0.2	1.7	2.4
1999	178	2.5	0.2	2.2	2.9	133	2.2	0.2	1.8	2.6
2000	171	2.4	0.2	2.1	2.8	129	2.1	0.2	1.7	2.5
2001	164	2.3	0.2	2.0	2.7	117	1.8	0.2	1.5	2.2
2002	143	1.9	0.2	1.6	2.3	107	1.7	0.2	1.4	2.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	508	4.2	0.2	3.8	4.6	73	4.0	0.5	3.1	5.1
1986	13	2.1	0.6	1.1	3.7	3	4.1	2.6	0.7	18.5
1987	18	2.8	0.7	1.7	4.6	1	1.4	1.4	0.0	14.4
1988	19	3.1	0.7	1.8	4.9	1	1.0	1.0	0.0	13.0
1989	34	4.9	0.9	3.4	7.0	3	4.0	2.4	0.8	16.5
1990	29	4.3	0.8	2.9	6.3	2	2.2	1.6	0.3	13.8
1991	25	3.6	0.7	2.3	5.5	2	1.5	1.1	0.2	11.5
1992	27	3.8	0.7	2.5	5.6	6	7.2	3.4	2.2	19.4
1993	32	4.6	0.8	3.1	6.6	6	6.2	2.7	2.1	16.3
1994	33	4.5	0.8	3.1	6.4	4	3.2	1.7	0.8	11.4
1995	33	4.7	0.8	3.2	6.6	4	3.8	1.9	1.0	11.7
1996	34	4.7	0.8	3.2	6.6	4	4.9	2.5	1.3	13.4
1997	34	4.5	0.8	3.1	6.4	7	6.5	2.7	2.3	15.1
1998	33	4.3	0.8	3.0	6.1	4	2.9	1.6	0.7	9.4
1999	37	4.7	0.8	3.3	6.5	8	4.3	1.6	1.8	10.1
2000	31	3.8	0.7	2.5	5.4	11	7.7	2.4	3.8	14.5
2001	46	5.6	0.8	4.1	7.5	1	0.6	0.6	0.0	4.4
2002	30	3.6	0.7	2.4	5.2	6	3.8	1.6	1.4	8.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	84	3.4	0.4	2.7	4.3	2,017	2.3	0.1	2.2	2.4
1990	3	1.4	0.8	0.3	5.9	148	2.4	0.2	2.0	2.8
1991	4	2.8	1.5	0.7	8.3	148	2.3	0.2	2.0	2.7
1992	1	0.9	0.9	0.0	5.4	141	2.2	0.2	1.8	2.6
1993	5	3.3	1.5	1.0	8.5	161	2.5	0.2	2.1	2.9
1994	8	4.6	1.7	1.8	10.0	164	2.5	0.2	2.1	2.9
1995	3	1.6	1.0	0.3	5.7	172	2.6	0.2	2.2	3.0
1996	4	2.5	1.3	0.6	7.0	155	2.3	0.2	2.0	2.7
1997	6	3.5	1.5	1.1	8.4	169	2.6	0.2	2.2	3.0
1998	10	4.8	1.6	2.1	9.6	150	2.2	0.2	1.9	2.6
1999	12	6.1	1.9	3.0	11.5	165	2.4	0.2	2.1	2.8
2000	12	5.5	1.8	2.6	10.5	157	2.3	0.2	2.0	2.7
2001	12	4.6	1.4	2.2	8.7	149	2.2	0.2	1.8	2.5
2002	4	1.7	0.9	0.4	4.7	138	1.9	0.2	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Intrahepatic Bile Duct, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,505	0.8	0.0	0.7	0.8	1,345	0.8	0.0	0.8	0.8
1986	46	0.4	0.1	0.3	0.6	43	0.4	0.1	0.3	0.6
1987	56	0.5	0.1	0.4	0.7	52	0.6	0.1	0.4	0.7
1988	54	0.5	0.1	0.4	0.6	45	0.5	0.1	0.3	0.6
1989	42	0.4	0.1	0.3	0.5	38	0.4	0.1	0.3	0.6
1990	60	0.5	0.1	0.4	0.7	57	0.6	0.1	0.4	0.8
1991	71	0.7	0.1	0.5	0.8	63	0.7	0.1	0.5	0.8
1992	80	0.7	0.1	0.6	0.9	74	0.7	0.1	0.6	0.9
1993	87	0.8	0.1	0.6	1.0	75	0.8	0.1	0.6	1.0
1994	95	0.8	0.1	0.7	1.0	87	0.9	0.1	0.7	1.1
1995	92	0.8	0.1	0.7	1.0	82	0.8	0.1	0.6	1.0
1996	99	0.9	0.1	0.7	1.0	89	0.9	0.1	0.7	1.1
1997	91	0.8	0.1	0.6	1.0	83	0.8	0.1	0.7	1.0
1998	114	1.0	0.1	0.8	1.2	100	1.0	0.1	0.8	1.2
1999	121	1.0	0.1	0.8	1.2	110	1.1	0.1	0.9	1.3
2000	133	1.1	0.1	0.9	1.3	120	1.2	0.1	1.0	1.4
2001	121	1.0	0.1	0.8	1.2	106	1.0	0.1	0.8	1.2
2002	143	1.2	0.1	1.0	1.4	121	1.2	0.1	1.0	1.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	130	0.6	0.1	0.5	0.7	30	0.8	0.2	0.5	1.2
1986	3	0.3	0.2	0.1	1.0	0	0.0	~	0.0	8.1
1987	3	0.3	0.2	0.0	0.9	1	0.6	0.6	0.0	8.2
1988	9	0.7	0.2	0.3	1.4	0	0.0	~	0.0	7.2
1989	4	0.4	0.2	0.1	1.1	0	0.0	~	0.0	6.8
1990	2	0.2	0.1	0.0	0.8	1	0.7	0.7	0.0	7.6
1991	7	0.8	0.3	0.3	1.7	1	0.4	0.4	0.0	6.4
1992	5	0.4	0.2	0.1	1.0	1	0.6	0.6	0.0	6.1
1993	9	0.7	0.2	0.3	1.4	3	1.7	1.0	0.3	7.1
1994	5	0.4	0.2	0.1	0.9	3	1.0	0.6	0.2	5.7
1995	9	0.7	0.2	0.3	1.5	1	0.3	0.3	0.0	4.4
1996	8	0.6	0.2	0.3	1.3	2	1.4	1.1	0.1	6.2
1997	6	0.5	0.2	0.2	1.1	2	1.2	0.8	0.1	5.3
1998	11	0.8	0.3	0.4	1.5	3	0.8	0.5	0.2	4.2
1999	9	0.7	0.2	0.3	1.4	2	0.5	0.4	0.1	3.6
2000	12	0.8	0.2	0.4	1.5	1	0.2	0.2	0.0	2.9
2001	12	0.9	0.3	0.4	1.6	3	0.9	0.5	0.2	3.4
2002	16	1.2	0.3	0.7	2.0	6	1.7	0.7	0.6	4.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	41	0.7	0.1	0.5	1.1	1,255	0.9	0.0	0.8	0.9
1990	1	0.2	0.2	0.0	2.9	59	0.5	0.1	0.4	0.7
1991	3	1.3	0.8	0.2	4.5	66	0.6	0.1	0.5	0.8
1992	3	0.7	0.4	0.1	3.2	77	0.7	0.1	0.6	0.9
1993	1	0.3	0.3	0.0	2.8	85	0.8	0.1	0.6	1.0
1994	0	0.0	~	0.0	2.3	93	0.9	0.1	0.7	1.0
1995	3	1.0	0.6	0.2	3.6	89	0.8	0.1	0.6	1.0
1996	3	0.5	0.3	0.1	2.6	94	0.8	0.1	0.7	1.0
1997	6	1.7	0.8	0.5	4.4	85	0.8	0.1	0.6	0.9
1998	5	0.9	0.4	0.3	3.0	109	1.0	0.1	0.8	1.2
1999	3	0.5	0.3	0.1	2.4	118	1.0	0.1	0.9	1.2
2000	7	1.6	0.7	0.5	3.9	126	1.1	0.1	0.9	1.3
2001	3	0.5	0.3	0.1	2.1	116	1.0	0.1	0.8	1.2
2002	3	0.4	0.2	0.1	1.8	138	1.2	0.1	1.0	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Intrahepatic Bile Duct, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	729	0.9	0.0	0.9	1.0	648	0.9	0.0	0.9	1.0
1986	20	0.4	0.1	0.3	0.7	19	0.5	0.1	0.3	0.8
1987	28	0.6	0.1	0.4	1.0	27	0.7	0.1	0.4	1.1
1988	26	0.6	0.1	0.4	0.9	21	0.6	0.1	0.3	0.9
1989	16	0.4	0.1	0.2	0.6	14	0.4	0.1	0.2	0.7
1990	34	0.7	0.1	0.5	1.1	33	0.8	0.1	0.5	1.2
1991	38	0.9	0.1	0.6	1.2	34	0.9	0.2	0.6	1.2
1992	38	0.8	0.1	0.6	1.1	34	0.8	0.1	0.6	1.2
1993	47	1.0	0.2	0.8	1.4	37	0.9	0.2	0.7	1.3
1994	49	1.1	0.2	0.8	1.5	45	1.2	0.2	0.8	1.6
1995	48	1.0	0.2	0.8	1.4	43	1.0	0.2	0.8	1.4
1996	38	0.8	0.1	0.6	1.2	33	0.8	0.1	0.6	1.2
1997	49	1.0	0.1	0.8	1.4	43	1.0	0.2	0.7	1.4
1998	50	1.0	0.1	0.7	1.3	46	1.1	0.2	0.8	1.4
1999	50	1.0	0.1	0.8	1.4	47	1.1	0.2	0.8	1.5
2000	59	1.2	0.2	0.9	1.5	55	1.3	0.2	0.9	1.7
2001	63	1.3	0.2	1.0	1.7	54	1.3	0.2	1.0	1.7
2002	76	1.5	0.2	1.2	1.9	63	1.4	0.2	1.1	1.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	63	0.7	0.1	0.5	1.0	18	1.2	0.3	0.7	2.1
1986	1	0.2	0.2	0.0	2.1	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	19.0
1988	5	0.8	0.4	0.3	2.7	0	0.0	~	0.0	17.8
1989	2	0.5	0.3	0.0	2.4	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	1	1.7	1.7	0.0	18.8
1991	3	0.8	0.5	0.1	3.0	1	0.9	0.9	0.0	15.9
1992	3	0.5	0.3	0.1	2.2	1	1.4	1.4	0.0	15.3
1993	7	1.2	0.5	0.5	3.1	3	3.9	2.4	0.7	17.6
1994	3	0.5	0.3	0.1	2.2	1	0.8	0.8	0.0	13.0
1995	4	0.9	0.5	0.2	2.8	1	0.6	0.6	0.0	11.9
1996	4	0.7	0.4	0.2	2.4	1	0.9	0.9	0.0	11.8
1997	4	0.8	0.4	0.2	2.5	2	2.9	2.0	0.3	14.1
1998	4	0.7	0.3	0.2	2.2	0	0.0	~	0.0	9.6
1999	3	0.6	0.3	0.1	2.1	0	0.0	~	0.0	9.1
2000	3	0.5	0.3	0.1	1.9	1	0.4	0.4	0.0	8.3
2001	6	1.1	0.5	0.4	2.8	3	1.9	1.2	0.3	9.3
2002	10	1.9	0.6	0.9	3.8	3	2.5	1.5	0.5	9.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	20	0.9	0.2	0.5	1.6	613	1.0	0.0	1.0	1.1
1990	0	0.0	~	0.0	7.6	34	0.8	0.1	0.5	1.1
1991	2	1.7	1.4	0.1	9.5	34	0.8	0.1	0.5	1.2
1992	2	0.9	0.6	0.1	7.5	36	0.8	0.1	0.6	1.1
1993	0	0.0	~	0.0	6.7	47	1.1	0.2	0.8	1.5
1994	0	0.0	~	0.0	6.4	48	1.1	0.2	0.8	1.5
1995	3	2.4	1.4	0.4	9.2	45	1.0	0.2	0.7	1.4
1996	0	0.0	~	0.0	5.8	38	0.9	0.1	0.6	1.2
1997	2	2.5	1.8	0.3	9.7	47	1.0	0.1	0.7	1.4
1998	3	1.1	0.7	0.2	6.5	47	1.0	0.1	0.7	1.3
1999	2	0.6	0.5	0.1	5.7	48	1.0	0.2	0.8	1.4
2000	4	2.1	1.3	0.4	7.7	55	1.1	0.2	0.9	1.5
2001	1	0.2	0.2	0.0	4.3	60	1.3	0.2	1.0	1.7
2002	1	0.3	0.3	0.0	3.9	74	1.5	0.2	1.2	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Intrahepatic Bile Duct, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	776	0.7	0.0	0.6	0.7	697	0.7	0.0	0.6	0.8
1986	26	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
1987	28	0.4	0.1	0.3	0.7	25	0.4	0.1	0.3	0.7
1988	28	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.7
1989	26	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.7
1990	26	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
1991	33	0.5	0.1	0.3	0.7	29	0.5	0.1	0.3	0.7
1992	42	0.6	0.1	0.5	0.9	40	0.7	0.1	0.5	0.9
1993	40	0.6	0.1	0.4	0.8	38	0.7	0.1	0.5	0.9
1994	46	0.7	0.1	0.5	0.9	42	0.7	0.1	0.5	0.9
1995	44	0.6	0.1	0.5	0.9	39	0.6	0.1	0.5	0.9
1996	61	0.9	0.1	0.7	1.2	56	0.9	0.1	0.7	1.2
1997	42	0.6	0.1	0.4	0.8	40	0.7	0.1	0.5	1.0
1998	64	0.9	0.1	0.7	1.2	54	0.9	0.1	0.7	1.2
1999	71	1.0	0.1	0.8	1.3	63	1.0	0.1	0.8	1.3
2000	74	1.0	0.1	0.8	1.3	65	1.1	0.1	0.8	1.4
2001	58	0.8	0.1	0.6	1.0	52	0.8	0.1	0.6	1.1
2002	67	1.0	0.1	0.7	1.2	58	1.0	0.1	0.7	1.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	67	0.5	0.1	0.4	0.7	12	0.5	0.2	0.2	1.0
1986	2	0.3	0.2	0.0	1.3	0	0.0	~	0.0	13.4
1987	2	0.3	0.2	0.0	1.3	1	1.1	1.1	0.0	13.8
1988	4	0.6	0.3	0.2	1.6	0	0.0	~	0.0	12.0
1989	2	0.3	0.2	0.0	1.3	0	0.0	~	0.0	11.4
1990	2	0.3	0.2	0.0	1.2	0	0.0	~	0.0	11.2
1991	4	0.7	0.4	0.2	1.8	0	0.0	~	0.0	10.0
1992	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	9.0
1993	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	8.0
1994	2	0.3	0.2	0.0	1.0	2	1.3	0.9	0.2	8.7
1995	5	0.7	0.3	0.2	1.6	0	0.0	~	0.0	6.4
1996	4	0.5	0.3	0.1	1.4	1	1.6	1.6	0.0	8.8
1997	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	5.6
1998	7	0.9	0.3	0.4	1.9	3	1.5	0.9	0.3	6.8
1999	6	0.8	0.3	0.3	1.8	2	1.0	0.7	0.1	5.9
2000	9	1.1	0.4	0.5	2.1	0	0.0	~	0.0	4.0
2001	6	0.7	0.3	0.3	1.6	0	0.0	~	0.0	3.4
2002	6	0.7	0.3	0.3	1.6	3	1.2	0.7	0.2	4.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	21	0.7	0.1	0.4	1.1	642	0.7	0.0	0.7	0.8
1990	1	0.4	0.4	0.0	4.7	25	0.4	0.1	0.2	0.6
1991	1	0.9	0.9	0.0	5.6	32	0.5	0.1	0.3	0.7
1992	1	0.5	0.5	0.0	4.5	41	0.6	0.1	0.5	0.9
1993	1	0.6	0.6	0.0	4.6	38	0.6	0.1	0.4	0.8
1994	0	0.0	~	0.0	3.5	45	0.7	0.1	0.5	0.9
1995	0	0.0	~	0.0	3.4	44	0.7	0.1	0.5	0.9
1996	3	1.0	0.6	0.2	4.5	56	0.8	0.1	0.6	1.1
1997	4	1.5	0.8	0.4	5.0	38	0.6	0.1	0.4	0.8
1998	2	0.7	0.5	0.1	3.9	62	1.0	0.1	0.7	1.2
1999	1	0.3	0.3	0.0	3.3	70	1.0	0.1	0.8	1.3
2000	3	1.2	0.7	0.2	4.4	71	1.0	0.1	0.8	1.3
2001	2	0.7	0.5	0.1	3.3	56	0.8	0.1	0.6	1.0
2002	2	0.5	0.3	0.1	2.7	64	1.0	0.1	0.7	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Gallbladder, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,864	1.0	0.0	0.9	1.0	1,683	1.0	0.0	0.9	1.0
1986	115	1.1	0.1	0.9	1.4	110	1.2	0.1	1.0	1.4
1987	130	1.3	0.1	1.0	1.5	122	1.3	0.1	1.1	1.6
1988	113	1.1	0.1	0.9	1.3	105	1.1	0.1	0.9	1.4
1989	130	1.2	0.1	1.0	1.4	115	1.2	0.1	1.0	1.5
1990	106	1.0	0.1	0.8	1.2	96	1.0	0.1	0.8	1.2
1991	117	1.1	0.1	0.9	1.3	106	1.1	0.1	0.9	1.3
1992	118	1.1	0.1	0.9	1.3	102	1.0	0.1	0.8	1.3
1993	99	0.9	0.1	0.7	1.1	91	0.9	0.1	0.7	1.1
1994	112	1.0	0.1	0.8	1.2	101	1.0	0.1	0.8	1.2
1995	109	0.9	0.1	0.8	1.1	100	1.0	0.1	0.8	1.2
1996	116	1.0	0.1	0.8	1.2	98	1.0	0.1	0.8	1.2
1997	105	0.9	0.1	0.7	1.1	94	0.9	0.1	0.7	1.1
1998	118	1.0	0.1	0.8	1.2	102	1.0	0.1	0.8	1.2
1999	90	0.8	0.1	0.6	0.9	84	0.8	0.1	0.6	1.0
2000	104	0.9	0.1	0.7	1.1	93	0.9	0.1	0.7	1.1
2001	93	0.8	0.1	0.6	0.9	85	0.8	0.1	0.6	1.0
2002	89	0.7	0.1	0.6	0.9	79	0.7	0.1	0.6	0.9
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	156	0.8	0.1	0.7	0.9	25	0.8	0.2	0.5	1.3
1986	3	0.4	0.3	0.1	1.3	2	1.8	1.4	0.2	10.4
1987	6	0.7	0.3	0.2	1.6	2	2.1	1.6	0.2	10.5
1988	7	0.7	0.3	0.3	1.6	1	0.5	0.5	0.0	7.7
1989	14	1.3	0.3	0.7	2.2	1	1.8	1.8	0.0	10.2
1990	10	1.0	0.3	0.5	2.0	0	0.0	~	0.0	6.7
1991	9	0.8	0.3	0.4	1.7	2	1.8	1.3	0.2	8.6
1992	14	1.3	0.4	0.7	2.2	2	0.9	0.7	0.1	6.5
1993	7	0.7	0.3	0.3	1.5	1	0.5	0.5	0.0	5.6
1994	10	0.8	0.3	0.4	1.6	1	0.7	0.7	0.0	5.6
1995	8	0.6	0.2	0.3	1.3	1	0.4	0.4	0.0	4.6
1996	15	1.3	0.3	0.7	2.2	3	1.2	0.8	0.2	5.3
1997	10	0.8	0.3	0.4	1.5	1	0.6	0.6	0.0	4.4
1998	13	0.9	0.3	0.5	1.7	3	1.5	1.0	0.2	5.7
1999	5	0.4	0.2	0.1	0.9	1	0.4	0.4	0.0	3.6
2000	10	0.7	0.2	0.4	1.4	1	0.3	0.3	0.0	3.0
2001	7	0.5	0.2	0.2	1.0	1	0.4	0.4	0.0	2.8
2002	8	0.6	0.2	0.3	1.3	2	0.8	0.5	0.1	3.1
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	71	1.4	0.2	1.0	1.8	1,298	0.9	0.0	0.8	0.9
1990	3	1.0	0.6	0.2	4.1	100	1.0	0.1	0.8	1.2
1991	4	1.4	0.8	0.3	4.7	113	1.1	0.1	0.9	1.3
1992	5	1.7	0.8	0.5	4.9	113	1.1	0.1	0.9	1.3
1993	2	0.8	0.7	0.1	3.7	97	0.9	0.1	0.7	1.1
1994	5	1.5	0.8	0.4	4.4	106	1.0	0.1	0.8	1.2
1995	6	1.5	0.7	0.5	4.1	103	0.9	0.1	0.7	1.1
1996	6	1.6	0.7	0.5	4.3	109	1.0	0.1	0.8	1.2
1997	8	1.5	0.6	0.5	3.9	96	0.9	0.1	0.7	1.0
1998	4	1.6	0.8	0.4	4.5	114	1.0	0.1	0.8	1.2
1999	9	1.6	0.5	0.7	3.8	81	0.7	0.1	0.6	0.9
2000	3	0.9	0.6	0.2	3.1	101	0.9	0.1	0.7	1.1
2001	11	2.3	0.8	1.0	4.8	82	0.7	0.1	0.6	0.9
2002	5	0.6	0.3	0.2	2.0	83	0.7	0.1	0.6	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Gallbladder, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	489	0.7	0.0	0.6	0.7	443	0.7	0.0	0.6	0.7
1986	38	1.0	0.2	0.7	1.4	37	1.0	0.2	0.7	1.5
1987	36	1.0	0.2	0.7	1.4	32	1.0	0.2	0.6	1.4
1988	32	0.8	0.1	0.5	1.1	27	0.7	0.1	0.5	1.1
1989	29	0.7	0.1	0.5	1.1	25	0.7	0.1	0.4	1.1
1990	27	0.6	0.1	0.4	0.9	26	0.7	0.1	0.4	1.0
1991	28	0.6	0.1	0.4	0.9	27	0.7	0.1	0.4	1.0
1992	26	0.6	0.1	0.4	0.9	24	0.6	0.1	0.4	0.9
1993	19	0.4	0.1	0.2	0.7	17	0.4	0.1	0.2	0.7
1994	27	0.6	0.1	0.4	1.0	24	0.6	0.1	0.4	1.0
1995	26	0.6	0.1	0.4	0.9	25	0.6	0.1	0.4	1.0
1996	29	0.7	0.1	0.4	1.0	24	0.6	0.1	0.4	1.0
1997	30	0.7	0.1	0.4	1.0	27	0.7	0.1	0.4	1.0
1998	32	0.7	0.1	0.5	1.0	30	0.8	0.1	0.5	1.1
1999	29	0.6	0.1	0.4	0.9	28	0.7	0.1	0.5	1.0
2000	29	0.6	0.1	0.4	0.9	24	0.6	0.1	0.4	0.9
2001	23	0.5	0.1	0.3	0.7	21	0.5	0.1	0.3	0.8
2002	29	0.6	0.1	0.4	0.9	25	0.6	0.1	0.4	0.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	38	0.5	0.1	0.4	0.8	8	0.5	0.2	0.2	1.3
1986	1	0.5	0.5	0.0	2.7	0	0.0	~	0.0	20.2
1987	3	1.3	0.7	0.3	3.9	1	3.5	3.5	0.1	24.4
1988	4	0.8	0.4	0.2	2.8	1	1.2	1.2	0.0	18.9
1989	4	1.1	0.6	0.2	3.3	0	0.0	~	0.0	16.6
1990	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	1	2.2	2.2	0.1	18.2
1992	2	0.7	0.5	0.1	2.9	0	0.0	~	0.0	13.7
1993	2	0.3	0.2	0.0	2.0	0	0.0	~	0.0	12.7
1994	3	0.6	0.4	0.1	2.3	0	0.0	~	0.0	12.3
1995	1	0.3	0.3	0.0	2.1	0	0.0	~	0.0	11.4
1996	3	0.8	0.5	0.1	2.6	2	1.2	0.9	0.1	12.0
1997	3	0.6	0.4	0.1	2.4	0	0.0	~	0.0	10.2
1998	1	0.2	0.2	0.0	1.7	1	0.6	0.6	0.0	10.1
1999	1	0.2	0.2	0.0	1.6	0	0.0	~	0.0	9.1
2000	4	0.7	0.4	0.2	2.3	1	0.7	0.7	0.0	8.6
2001	2	0.3	0.2	0.0	1.7	0	0.0	~	0.0	6.9
2002	3	0.7	0.4	0.1	2.3	1	0.8	0.8	0.0	7.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	22	1.3	0.3	0.7	2.1	330	0.6	0.0	0.5	0.7
1990	1	1.3	1.3	0.0	9.6	25	0.6	0.1	0.4	0.9
1991	4	3.4	1.9	0.7	11.9	24	0.6	0.1	0.4	0.9
1992	1	0.4	0.4	0.0	7.0	25	0.6	0.1	0.4	0.9
1993	1	0.3	0.3	0.0	6.9	18	0.4	0.1	0.2	0.7
1994	1	1.4	1.4	0.0	8.7	26	0.6	0.1	0.4	0.9
1995	0	0.0	~	0.0	6.0	26	0.6	0.1	0.4	0.9
1996	2	1.2	0.9	0.1	7.2	27	0.7	0.1	0.4	1.0
1997	1	0.3	0.3	0.0	5.8	28	0.6	0.1	0.4	1.0
1998	2	2.1	1.5	0.2	8.7	30	0.7	0.1	0.5	1.0
1999	1	0.5	0.5	0.0	5.6	28	0.6	0.1	0.4	1.0
2000	2	1.8	1.3	0.2	7.4	27	0.6	0.1	0.4	0.9
2001	5	3.5	1.7	1.0	9.3	18	0.4	0.1	0.2	0.6
2002	1	0.1	0.1	0.0	3.7	28	0.6	0.1	0.4	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Gallbladder, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,375	1.2	0.0	1.1	1.3	1,240	1.2	0.0	1.2	1.3
1986	77	1.2	0.1	1.0	1.5	73	1.3	0.2	1.0	1.6
1987	94	1.5	0.2	1.2	1.8	90	1.6	0.2	1.3	2.0
1988	81	1.3	0.1	1.0	1.7	78	1.4	0.2	1.1	1.8
1989	101	1.6	0.2	1.3	1.9	90	1.6	0.2	1.3	2.0
1990	79	1.2	0.1	0.9	1.5	70	1.2	0.1	0.9	1.5
1991	89	1.4	0.1	1.1	1.7	79	1.3	0.2	1.1	1.7
1992	92	1.4	0.1	1.1	1.7	78	1.3	0.1	1.0	1.6
1993	80	1.2	0.1	0.9	1.5	74	1.3	0.1	1.0	1.6
1994	85	1.2	0.1	1.0	1.5	77	1.3	0.1	1.0	1.6
1995	83	1.2	0.1	1.0	1.5	75	1.2	0.1	1.0	1.6
1996	87	1.3	0.1	1.0	1.6	74	1.2	0.1	1.0	1.6
1997	75	1.1	0.1	0.9	1.4	67	1.1	0.1	0.9	1.4
1998	86	1.2	0.1	1.0	1.5	72	1.2	0.1	0.9	1.5
1999	61	0.9	0.1	0.7	1.1	56	0.9	0.1	0.7	1.2
2000	75	1.1	0.1	0.8	1.3	69	1.1	0.1	0.9	1.5
2001	70	1.0	0.1	0.8	1.3	64	1.1	0.1	0.8	1.4
2002	60	0.8	0.1	0.6	1.1	54	0.9	0.1	0.7	1.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	118	1.0	0.1	0.8	1.2	17	1.0	0.3	0.6	1.7
1986	2	0.4	0.3	0.1	1.6	2	3.3	2.4	0.4	17.8
1987	3	0.5	0.3	0.1	1.5	1	1.1	1.1	0.0	13.8
1988	3	0.6	0.3	0.1	1.7	0	0.0	~	0.0	12.0
1989	10	1.4	0.5	0.7	2.8	1	3.1	3.1	0.1	17.2
1990	9	1.5	0.5	0.7	3.0	0	0.0	~	0.0	11.2
1991	9	1.4	0.5	0.6	2.7	1	1.5	1.5	0.0	12.2
1992	12	1.7	0.5	0.9	3.1	2	1.7	1.2	0.2	11.0
1993	5	0.8	0.4	0.3	1.9	1	0.9	0.9	0.0	9.2
1994	7	1.0	0.4	0.4	2.1	1	1.2	1.2	0.0	9.1
1995	7	0.9	0.3	0.4	1.9	1	0.7	0.7	0.0	7.3
1996	12	1.6	0.5	0.8	2.8	1	1.0	1.0	0.0	7.4
1997	7	0.9	0.3	0.4	1.9	1	1.0	1.0	0.0	7.0
1998	12	1.5	0.4	0.8	2.6	2	2.0	1.5	0.2	8.4
1999	4	0.5	0.2	0.1	1.3	1	0.7	0.7	0.0	5.7
2000	6	0.7	0.3	0.3	1.7	0	0.0	~	0.0	4.0
2001	5	0.6	0.3	0.2	1.4	1	0.6	0.6	0.0	4.4
2002	5	0.6	0.3	0.2	1.5	1	0.7	0.7	0.0	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	49	1.5	0.2	1.1	2.1	968	1.1	0.0	1.0	1.2
1990	2	0.9	0.7	0.1	5.4	75	1.2	0.1	0.9	1.5
1991	0	0.0	~	0.0	4.2	89	1.4	0.2	1.1	1.7
1992	4	2.6	1.4	0.6	7.8	88	1.3	0.1	1.1	1.7
1993	1	1.0	1.0	0.0	5.5	79	1.2	0.1	1.0	1.5
1994	4	1.9	1.0	0.5	6.1	80	1.2	0.1	0.9	1.5
1995	6	2.7	1.2	0.9	7.0	77	1.2	0.1	0.9	1.5
1996	4	1.9	1.0	0.4	6.0	82	1.2	0.1	1.0	1.5
1997	7	2.5	1.1	0.9	6.5	68	1.0	0.1	0.8	1.3
1998	2	1.3	0.9	0.1	5.2	84	1.2	0.1	1.0	1.5
1999	8	2.6	0.9	1.1	6.2	53	0.8	0.1	0.6	1.0
2000	1	0.3	0.3	0.0	3.0	74	1.1	0.1	0.9	1.4
2001	6	1.7	0.8	0.5	4.7	64	0.9	0.1	0.7	1.2
2002	4	1.0	0.5	0.2	3.3	55	0.8	0.1	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Pancreas, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	21,288	11.0	0.1	10.9	11.2	17,976	10.6	0.1	10.5	10.8
1986	1,183	11.1	0.3	10.5	11.8	1,007	10.6	0.3	10.0	11.3
1987	1,192	11.3	0.3	10.6	11.9	1,016	10.8	0.3	10.1	11.5
1988	1,134	10.6	0.3	10.0	11.2	967	10.1	0.3	9.5	10.8
1989	1,129	10.5	0.3	9.9	11.2	940	9.9	0.3	9.2	10.5
1990	1,237	11.4	0.3	10.8	12.1	1,054	11.0	0.3	10.3	11.7
1991	1,244	11.4	0.3	10.8	12.1	1,055	10.9	0.3	10.3	11.6
1992	1,209	10.9	0.3	10.3	11.6	1,028	10.5	0.3	9.9	11.2
1993	1,209	10.8	0.3	10.2	11.4	997	10.1	0.3	9.5	10.7
1994	1,251	11.0	0.3	10.4	11.6	1,057	10.5	0.3	9.9	11.2
1995	1,183	10.3	0.3	9.7	10.9	1,020	10.1	0.3	9.5	10.8
1996	1,280	11.1	0.3	10.5	11.7	1,061	10.5	0.3	9.9	11.2
1997	1,267	10.9	0.3	10.3	11.5	1,067	10.5	0.3	9.9	11.1
1998	1,298	11.0	0.3	10.4	11.6	1,106	10.8	0.3	10.1	11.4
1999	1,349	11.4	0.3	10.8	12.0	1,154	11.1	0.3	10.5	11.8
2000	1,354	11.3	0.3	10.7	11.9	1,123	10.8	0.3	10.2	11.4
2001	1,377	11.4	0.3	10.8	12.0	1,166	11.1	0.3	10.5	11.8
2002	1,392	11.4	0.3	10.8	12.0	1,158	10.9	0.3	10.3	11.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,097	15.3	0.3	14.7	15.8	215	7.0	0.5	6.0	8.2
1986	169	16.6	1.3	14.1	19.4	7	5.6	2.3	2.0	15.0
1987	170	16.1	1.3	13.7	18.8	6	2.8	1.2	1.0	10.5
1988	161	15.0	1.2	12.7	17.6	6	6.3	2.9	1.9	16.3
1989	175	16.2	1.3	13.8	19.0	14	13.1	4.1	6.3	25.1
1990	174	15.4	1.2	13.1	18.0	9	6.8	2.5	2.9	15.6
1991	177	16.0	1.2	13.7	18.7	12	9.2	3.1	4.2	18.6
1992	172	15.1	1.2	12.8	17.6	9	5.4	2.1	2.1	12.7
1993	200	17.1	1.2	14.7	19.7	12	7.0	2.4	3.1	14.5
1994	181	15.3	1.2	13.1	17.8	13	8.6	2.7	4.2	16.4
1995	150	12.9	1.1	10.9	15.2	13	6.3	1.9	3.2	12.2
1996	201	16.6	1.2	14.4	19.2	18	10.2	2.7	5.7	17.5
1997	188	14.6	1.1	12.5	16.9	12	6.6	2.1	3.1	12.8
1998	180	13.9	1.1	11.9	16.2	12	5.3	1.7	2.6	10.4
1999	172	13.2	1.0	11.3	15.4	23	10.1	2.3	6.2	16.2
2000	209	15.7	1.1	13.6	18.0	22	8.7	2.0	5.3	14.0
2001	198	14.7	1.1	12.7	17.0	13	4.8	1.4	2.4	8.9
2002	220	16.0	1.1	13.9	18.3	14	4.4	1.3	2.3	8.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	289	5.6	0.4	4.9	6.4	16,248	11.2	0.1	11.0	11.4
1990	17	5.6	1.5	3.0	10.0	1,209	11.5	0.3	10.8	12.2
1991	17	5.3	1.4	2.8	9.5	1,217	11.5	0.3	10.8	12.2
1992	19	6.4	1.6	3.6	10.8	1,183	11.0	0.3	10.4	11.7
1993	23	5.6	1.3	3.4	9.4	1,176	10.8	0.3	10.2	11.4
1994	22	6.3	1.5	3.7	10.5	1,221	11.1	0.3	10.4	11.7
1995	18	5.2	1.4	2.9	9.0	1,161	10.4	0.3	9.8	11.1
1996	18	4.8	1.2	2.7	8.3	1,250	11.2	0.3	10.6	11.9
1997	20	5.0	1.3	2.8	8.5	1,232	11.0	0.3	10.4	11.6
1998	19	4.0	1.0	2.3	7.0	1,271	11.2	0.3	10.6	11.8
1999	33	7.0	1.4	4.6	10.7	1,314	11.5	0.3	10.9	12.1
2000	26	6.2	1.4	3.8	9.7	1,323	11.5	0.3	10.9	12.1
2001	30	6.0	1.2	3.9	9.1	1,334	11.5	0.3	10.9	12.1
2002	27	5.3	1.1	3.4	8.2	1,357	11.6	0.3	11.0	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Pancreas, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,177	12.9	0.1	12.7	13.2	8,616	12.5	0.1	12.2	12.8
1986	582	13.4	0.6	12.3	14.7	497	12.9	0.6	11.8	14.2
1987	561	13.1	0.6	12.0	14.3	479	12.7	0.6	11.5	13.9
1988	572	13.2	0.6	12.1	14.4	495	12.8	0.6	11.7	14.1
1989	526	12.1	0.5	11.0	13.2	440	11.4	0.6	10.4	12.6
1990	570	13.0	0.6	11.9	14.1	486	12.6	0.6	11.5	13.8
1991	619	14.1	0.6	12.9	15.3	532	13.6	0.6	12.5	14.9
1992	567	12.7	0.5	11.6	13.8	468	11.8	0.6	10.7	13.0
1993	568	12.6	0.5	11.6	13.8	473	11.9	0.6	10.9	13.1
1994	622	13.5	0.6	12.4	14.6	521	12.8	0.6	11.7	14.0
1995	563	11.9	0.5	10.9	13.0	476	11.5	0.5	10.4	12.6
1996	614	13.0	0.5	12.0	14.1	505	12.3	0.6	11.2	13.4
1997	601	12.6	0.5	11.6	13.7	501	12.1	0.5	11.1	13.3
1998	614	12.7	0.5	11.7	13.8	527	12.5	0.6	11.5	13.7
1999	630	12.9	0.5	11.9	14.0	543	12.7	0.6	11.7	13.9
2000	646	13.0	0.5	12.0	14.1	541	12.6	0.5	11.5	13.7
2001	649	12.8	0.5	11.9	13.9	558	12.8	0.5	11.7	13.9
2002	673	13.2	0.5	12.2	14.2	574	13.0	0.5	11.9	14.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,450	17.6	0.5	16.7	18.6	111	8.2	0.9	6.5	10.2
1986	82	18.9	2.2	14.7	24.1	3	6.4	4.2	0.9	28.8
1987	79	18.1	2.2	14.2	23.2	3	3.1	1.9	0.6	22.0
1988	74	17.3	2.1	13.4	22.4	3	7.5	4.7	1.3	28.6
1989	81	18.0	2.1	14.0	23.0	5	5.7	2.7	1.7	22.7
1990	78	16.2	2.0	12.6	20.9	6	9.7	4.5	3.0	29.2
1991	79	17.9	2.1	14.0	22.9	8	17.3	7.1	6.3	40.3
1992	93	22.5	2.5	17.8	28.2	6	6.2	2.8	2.0	20.8
1993	89	19.9	2.3	15.8	25.1	6	9.0	4.4	2.5	25.5
1994	95	19.7	2.1	15.7	24.6	6	10.3	5.1	2.9	27.9
1995	78	16.8	2.0	13.1	21.5	9	8.8	3.2	3.7	22.1
1996	101	20.2	2.1	16.3	25.1	8	10.6	4.4	3.8	25.6
1997	92	17.0	1.8	13.6	21.3	8	11.5	4.7	4.2	26.9
1998	81	15.1	1.8	11.9	19.2	6	4.9	2.1	1.6	15.3
1999	76	14.5	1.7	11.2	18.5	11	11.7	4.1	5.1	24.9
2000	96	17.4	1.9	14.0	21.7	9	7.8	2.8	3.3	17.9
2001	85	15.0	1.7	11.9	19.0	6	4.3	1.8	1.5	12.2
2002	91	16.8	1.8	13.4	21.0	8	6.0	2.3	2.4	13.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	161	6.4	0.6	5.3	7.8	7,710	13.1	0.2	12.8	13.4
1990	12	9.4	3.5	3.9	20.6	552	12.9	0.6	11.8	14.1
1991	10	5.5	1.8	2.5	13.5	602	14.2	0.6	13.0	15.4
1992	5	3.6	1.9	0.9	11.6	559	12.9	0.6	11.9	14.1
1993	13	5.4	1.5	2.8	12.5	549	12.7	0.6	11.6	13.8
1994	14	8.6	3.0	3.8	18.1	605	13.6	0.6	12.5	14.7
1995	8	3.8	1.5	1.4	10.6	553	12.1	0.5	11.1	13.2
1996	11	6.1	2.1	2.7	13.7	593	13.1	0.5	12.0	14.2
1997	9	4.6	1.8	1.7	11.5	581	12.7	0.5	11.7	13.8
1998	11	5.6	2.0	2.4	12.7	598	12.9	0.5	11.9	14.0
1999	24	11.1	2.8	6.4	19.2	606	12.9	0.5	11.9	14.0
2000	17	8.5	2.5	4.3	16.0	626	13.2	0.5	12.2	14.3
2001	12	4.3	1.3	2.1	9.2	629	13.1	0.5	12.1	14.1
2002	15	6.3	1.8	3.2	11.9	657	13.6	0.5	12.5	14.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Pancreas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,111	9.6	0.1	9.5	9.8	9,360	9.2	0.1	9.0	9.4
1986	601	9.5	0.4	8.8	10.4	510	9.1	0.4	8.3	9.9
1987	631	10.0	0.4	9.2	10.8	537	9.4	0.4	8.7	10.3
1988	562	8.7	0.4	8.0	9.5	472	8.2	0.4	7.5	9.0
1989	603	9.4	0.4	8.7	10.2	500	8.8	0.4	8.0	9.6
1990	667	10.3	0.4	9.5	11.1	568	9.8	0.4	9.0	10.7
1991	625	9.6	0.4	8.8	10.4	523	9.0	0.4	8.2	9.8
1992	642	9.6	0.4	8.8	10.4	560	9.4	0.4	8.6	10.2
1993	641	9.6	0.4	8.8	10.3	524	8.8	0.4	8.1	9.6
1994	629	9.1	0.4	8.4	9.9	536	8.8	0.4	8.1	9.6
1995	620	8.9	0.4	8.2	9.7	544	8.9	0.4	8.2	9.7
1996	666	9.6	0.4	8.9	10.4	556	9.2	0.4	8.4	10.0
1997	666	9.5	0.4	8.8	10.2	566	9.1	0.4	8.4	9.9
1998	684	9.8	0.4	9.1	10.5	579	9.5	0.4	8.7	10.3
1999	719	10.1	0.4	9.4	10.9	611	9.8	0.4	9.0	10.6
2000	708	9.9	0.4	9.2	10.7	582	9.4	0.4	8.6	10.2
2001	728	10.1	0.4	9.4	10.9	608	9.8	0.4	9.0	10.6
2002	719	10.0	0.4	9.2	10.7	584	9.3	0.4	8.6	10.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,647	13.6	0.3	13.0	14.3	104	6.2	0.7	5.0	7.6
1986	87	14.7	1.6	11.7	18.3	4	4.9	2.5	1.3	19.1
1987	91	14.6	1.6	11.7	18.0	3	2.8	1.6	0.6	15.5
1988	87	13.5	1.5	10.8	16.8	3	5.2	3.5	0.7	20.1
1989	94	14.8	1.6	11.9	18.3	9	18.2	6.7	7.5	38.1
1990	96	14.6	1.5	11.8	17.9	3	4.6	2.8	0.9	17.6
1991	98	14.8	1.5	12.0	18.2	4	3.7	1.9	1.0	14.2
1992	79	11.1	1.3	8.8	13.9	3	4.5	2.8	0.7	15.9
1993	111	15.5	1.5	12.8	18.8	6	5.6	2.7	1.6	15.9
1994	86	12.2	1.3	9.7	15.1	7	7.6	3.1	2.8	17.9
1995	72	10.3	1.2	8.1	13.1	4	4.2	2.2	1.1	12.5
1996	100	13.9	1.4	11.3	17.0	10	10.0	3.4	4.5	19.9
1997	96	12.6	1.3	10.2	15.4	4	3.5	1.9	0.8	10.9
1998	99	12.9	1.3	10.4	15.7	6	5.2	2.3	1.8	12.7
1999	96	12.3	1.3	9.9	15.0	12	9.3	2.8	4.6	17.3
2000	113	14.3	1.4	11.7	17.2	13	9.1	2.7	4.7	16.6
2001	113	14.2	1.3	11.7	17.1	7	4.8	1.9	1.8	10.5
2002	129	15.5	1.4	12.9	18.5	6	3.3	1.4	1.1	7.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	128	4.8	0.5	4.0	5.9	8,538	9.8	0.1	9.6	10.0
1990	5	2.9	1.3	0.9	8.2	657	10.4	0.4	9.6	11.2
1991	7	4.7	1.9	1.7	10.9	615	9.7	0.4	8.9	10.5
1992	14	8.4	2.4	4.4	15.2	624	9.5	0.4	8.8	10.3
1993	10	5.2	1.8	2.3	10.9	627	9.6	0.4	8.9	10.4
1994	8	4.8	1.7	2.1	10.2	616	9.2	0.4	8.5	10.0
1995	10	5.9	2.0	2.7	11.7	608	9.0	0.4	8.3	9.8
1996	7	3.7	1.5	1.4	8.5	657	9.8	0.4	9.1	10.6
1997	11	5.2	1.7	2.4	10.3	651	9.6	0.4	8.8	10.3
1998	8	2.9	1.0	1.2	6.7	673	9.9	0.4	9.2	10.7
1999	9	3.7	1.4	1.5	8.1	708	10.3	0.4	9.5	11.1
2000	9	4.3	1.5	1.9	8.9	697	10.1	0.4	9.4	10.9
2001	18	7.1	1.8	4.1	12.0	705	10.2	0.4	9.5	11.0
2002	12	4.4	1.4	2.2	8.3	700	10.1	0.4	9.4	10.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Respiratory System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	116,699	60.0	0.2	59.7	60.4	98,302	57.9	0.2	57.5	58.3
1986	6,263	58.1	0.7	56.6	59.5	5,351	56.0	0.8	54.5	57.5
1987	6,407	59.1	0.7	57.6	60.6	5,429	56.5	0.8	55.0	58.0
1988	6,510	59.6	0.7	58.2	61.1	5,515	57.1	0.8	55.6	58.7
1989	6,615	60.4	0.8	58.9	61.9	5,557	57.5	0.8	56.0	59.1
1990	6,736	61.0	0.8	59.6	62.5	5,664	58.2	0.8	56.7	59.7
1991	6,780	60.8	0.7	59.4	62.3	5,780	58.8	0.8	57.3	60.4
1992	6,844	60.7	0.7	59.2	62.1	5,758	58.0	0.8	56.5	59.5
1993	7,114	62.7	0.7	61.2	64.1	6,005	60.3	0.8	58.8	61.9
1994	7,168	62.6	0.7	61.1	64.1	6,071	60.6	0.8	59.1	62.2
1995	7,203	62.5	0.7	61.0	63.9	6,037	60.0	0.8	58.5	61.5
1996	7,130	61.6	0.7	60.2	63.1	5,916	58.7	0.8	57.2	60.2
1997	6,891	59.1	0.7	57.7	60.5	5,824	57.5	0.8	56.0	59.0
1998	7,003	59.5	0.7	58.2	61.0	5,853	57.4	0.8	55.9	58.8
1999	6,941	58.5	0.7	57.2	59.9	5,838	56.9	0.7	55.5	58.4
2000	7,045	59.0	0.7	57.7	60.4	5,880	57.2	0.7	55.7	58.6
2001	6,999	58.1	0.7	56.8	59.5	5,913	57.0	0.7	55.6	58.5
2002	7,050	58.0	0.7	56.6	59.3	5,911	56.6	0.7	55.2	58.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	17,673	82.5	0.6	81.3	83.7	724	21.9	0.9	20.2	23.8
1986	887	78.9	2.7	73.7	84.5	25	25.3	5.9	15.1	41.3
1987	951	83.2	2.8	77.9	88.9	27	24.7	5.4	15.2	39.2
1988	962	83.0	2.8	77.7	88.7	33	26.2	5.1	17.2	39.7
1989	1,031	88.4	2.8	82.9	94.1	27	17.9	3.8	11.2	28.9
1990	1,035	88.1	2.8	82.7	93.9	37	29.0	5.5	19.3	43.1
1991	968	81.6	2.7	76.5	87.1	32	21.4	4.3	13.8	32.8
1992	1,055	86.7	2.7	81.4	92.3	31	21.0	4.3	13.4	32.1
1993	1,079	87.6	2.7	82.3	93.1	30	16.4	3.5	10.3	25.7
1994	1,055	84.0	2.6	78.9	89.4	42	21.8	3.6	15.3	31.2
1995	1,119	86.8	2.6	81.6	92.1	47	22.7	3.7	16.0	31.9
1996	1,167	90.8	2.7	85.6	96.3	47	23.0	3.6	16.5	31.9
1997	1,030	78.6	2.5	73.8	83.7	37	17.0	3.1	11.5	24.9
1998	1,096	80.9	2.5	76.1	86.0	54	20.9	3.1	15.2	28.6
1999	1,054	77.5	2.4	72.9	82.5	49	18.2	2.8	13.2	25.2
2000	1,086	78.3	2.4	73.6	83.2	79	29.1	3.6	22.5	37.3
2001	1,029	74.9	2.4	70.3	79.7	57	19.9	2.8	14.8	26.5
2002	1,069	75.6	2.3	71.0	80.3	70	22.9	2.9	17.5	29.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1,027	20.6	0.7	19.2	22.0	89,203	61.4	0.2	61.0	61.8
1990	55	20.6	3.1	15.0	28.0	6,624	61.9	0.8	60.4	63.4
1991	65	19.3	2.7	14.3	25.9	6,646	61.5	0.8	60.0	63.0
1992	64	21.6	3.0	16.2	28.7	6,737	61.7	0.8	60.2	63.2
1993	70	21.0	2.8	15.9	27.7	7,005	63.8	0.8	62.3	65.3
1994	76	19.3	2.5	14.7	25.3	7,041	63.7	0.8	62.2	65.2
1995	70	18.3	2.4	13.8	24.0	7,073	63.6	0.8	62.1	65.1
1996	74	21.4	2.8	16.3	27.9	6,990	62.7	0.8	61.2	64.2
1997	75	19.2	2.5	14.7	25.0	6,749	60.2	0.7	58.7	61.6
1998	78	19.9	2.5	15.2	25.8	6,877	60.8	0.7	59.4	62.3
1999	113	26.6	2.8	21.4	32.9	6,802	59.8	0.7	58.4	61.2
2000	83	19.9	2.4	15.4	25.5	6,906	60.4	0.7	59.0	61.9
2001	98	21.0	2.4	16.7	26.4	6,850	59.5	0.7	58.1	60.9
2002	106	18.9	2.0	15.2	23.5	6,903	59.6	0.7	58.2	61.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Respiratory System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	72,646	90.1	0.3	89.4	90.7	60,654	86.0	0.4	85.3	86.7
1986	4,310	96.8	1.5	93.8	99.8	3,647	92.4	1.6	89.3	95.6
1987	4,305	95.6	1.5	92.6	98.6	3,597	90.2	1.6	87.2	93.3
1988	4,354	96.7	1.5	93.7	99.7	3,687	92.5	1.6	89.4	95.6
1989	4,304	94.3	1.5	91.5	97.3	3,593	89.2	1.5	86.2	92.3
1990	4,351	95.7	1.5	92.8	98.7	3,623	90.4	1.5	87.4	93.5
1991	4,406	96.1	1.5	93.2	99.1	3,719	91.9	1.5	88.9	95.0
1992	4,306	92.2	1.4	89.4	95.1	3,577	86.9	1.5	84.0	89.9
1993	4,463	94.8	1.5	92.0	97.7	3,721	90.2	1.5	87.3	93.2
1994	4,485	94.4	1.4	91.6	97.3	3,778	90.8	1.5	87.9	93.8
1995	4,415	92.2	1.4	89.5	95.1	3,668	87.7	1.5	84.9	90.7
1996	4,294	89.5	1.4	86.8	92.3	3,509	83.7	1.4	81.0	86.6
1997	4,137	85.6	1.4	82.9	88.3	3,453	82.0	1.4	79.3	84.8
1998	4,129	84.5	1.3	81.9	87.2	3,435	81.0	1.4	78.3	83.8
1999	4,097	83.0	1.3	80.5	85.6	3,396	79.3	1.4	76.7	82.1
2000	4,137	83.0	1.3	80.5	85.6	3,428	79.5	1.4	76.9	82.3
2001	4,120	82.0	1.3	79.5	84.6	3,431	78.9	1.4	76.3	81.7
2002	4,033	79.1	1.3	76.7	81.6	3,392	77.3	1.3	74.7	80.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,505	132.9	1.3	130.4	135.5	487	34.0	1.8	30.7	37.8
1986	641	138.4	5.8	127.3	150.5	22	47.8	12.2	27.0	82.5
1987	688	147.5	6.0	136.1	159.9	20	42.4	11.2	23.4	74.6
1988	644	136.8	5.7	125.8	148.8	23	43.2	10.5	25.1	73.3
1989	694	147.1	5.9	135.7	159.4	17	22.6	6.2	12.1	44.1
1990	702	148.4	5.9	137.0	160.8	26	44.2	9.9	27.0	72.2
1991	663	139.4	5.7	128.4	151.4	24	38.4	9.2	22.6	64.3
1992	708	145.8	5.8	134.7	157.9	21	34.3	8.7	19.4	58.8
1993	723	144.0	5.6	133.2	155.8	19	25.3	6.8	13.7	45.6
1994	679	134.6	5.4	124.2	146.0	28	29.7	6.1	18.9	48.0
1995	723	138.7	5.4	128.2	150.0	24	27.2	6.5	16.0	46.0
1996	756	147.8	5.7	136.9	159.6	29	33.3	6.7	21.5	51.9
1997	656	124.7	5.1	114.9	135.4	28	30.1	6.4	18.8	47.9
1998	661	121.2	5.0	111.7	131.5	33	28.9	5.8	18.6	45.2
1999	664	122.6	5.0	113.1	133.0	37	31.2	5.4	21.5	46.3
2000	649	115.8	4.8	106.7	125.7	60	50.6	7.3	37.3	68.7
2001	650	118.8	4.9	109.4	128.9	39	33.9	6.0	23.2	49.1
2002	604	104.1	4.4	95.6	113.2	37	27.2	5.2	18.0	40.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	700	31.5	1.4	28.8	34.4	54,260	90.1	0.4	89.3	90.9
1990	43	38.5	7.1	25.9	56.3	4,272	96.9	1.5	93.9	100.0
1991	39	26.7	5.2	17.5	40.4	4,316	97.3	1.5	94.3	100.3
1992	45	34.2	6.0	23.5	49.2	4,232	93.6	1.5	90.8	96.6
1993	45	31.8	5.8	21.5	46.4	4,391	96.6	1.5	93.7	99.6
1994	53	30.7	5.0	21.6	43.6	4,401	96.0	1.5	93.2	99.0
1995	47	22.0	3.6	15.5	32.0	4,336	94.1	1.5	91.3	97.0
1996	49	32.0	5.4	22.3	45.5	4,208	91.2	1.4	88.4	94.0
1997	55	29.6	4.6	21.2	41.4	4,039	86.9	1.4	84.2	89.7
1998	61	36.2	5.5	26.2	49.6	4,034	86.0	1.4	83.3	88.7
1999	69	35.4	5.0	26.3	47.6	4,014	84.9	1.4	82.3	87.6
2000	58	30.8	4.7	22.3	42.3	4,049	85.0	1.3	82.3	87.6
2001	63	30.5	4.4	22.6	41.1	4,028	84.1	1.3	81.5	86.7
2002	73	30.3	4.1	22.9	40.0	3,940	81.3	1.3	78.8	83.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Respiratory System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	44,053	39.5	0.2	39.2	39.9	37,648	38.8	0.2	38.4	39.2
1986	1,953	31.9	0.7	30.5	33.4	1,704	31.7	0.8	30.2	33.3
1987	2,102	34.6	0.8	33.1	36.1	1,832	34.1	0.8	32.5	35.7
1988	2,156	34.8	0.8	33.4	36.4	1,828	33.6	0.8	32.1	35.3
1989	2,311	37.2	0.8	35.7	38.8	1,964	36.1	0.8	34.5	37.8
1990	2,385	37.9	0.8	36.4	39.5	2,041	36.9	0.8	35.3	38.6
1991	2,374	37.3	0.8	35.8	38.8	2,061	37.0	0.8	35.3	38.6
1992	2,538	39.4	0.8	37.9	41.0	2,181	38.6	0.8	36.9	40.3
1993	2,651	40.7	0.8	39.2	42.3	2,284	40.2	0.9	38.6	41.9
1994	2,683	40.9	0.8	39.3	42.5	2,293	40.1	0.8	38.5	41.8
1995	2,788	42.1	0.8	40.5	43.7	2,369	41.1	0.9	39.4	42.8
1996	2,836	42.7	0.8	41.1	44.3	2,407	41.9	0.9	40.2	43.6
1997	2,754	41.1	0.8	39.6	42.7	2,371	40.8	0.8	39.2	42.5
1998	2,874	42.5	0.8	41.0	44.1	2,418	41.3	0.8	39.7	43.0
1999	2,844	41.6	0.8	40.1	43.2	2,442	41.4	0.8	39.8	43.1
2000	2,908	42.5	0.8	41.0	44.1	2,452	41.8	0.9	40.1	43.5
2001	2,879	41.6	0.8	40.0	43.1	2,482	41.9	0.9	40.3	43.6
2002	3,017	43.3	0.8	41.7	44.8	2,519	42.4	0.9	40.7	44.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,168	48.9	0.6	47.7	50.2	237	13.1	0.9	11.4	15.1
1986	246	37.7	2.4	33.0	42.8	3	8.3	5.2	1.4	27.3
1987	263	39.6	2.5	34.9	44.8	7	11.5	4.8	4.1	28.6
1988	318	46.7	2.7	41.6	52.3	10	13.2	4.4	6.1	28.8
1989	337	49.0	2.7	43.8	54.6	10	14.0	4.8	6.2	30.0
1990	333	48.1	2.7	43.0	53.7	11	17.9	6.1	8.0	36.3
1991	305	43.6	2.5	38.8	48.9	8	8.8	3.4	3.4	21.4
1992	347	48.4	2.6	43.4	53.8	10	11.5	4.1	4.9	24.6
1993	356	49.4	2.6	44.3	54.9	11	10.1	3.5	4.4	21.5
1994	376	50.5	2.6	45.5	56.0	14	15.3	4.3	8.0	27.8
1995	396	52.2	2.7	47.2	57.8	23	19.5	4.4	11.8	31.5
1996	411	53.7	2.7	48.6	59.3	18	15.5	3.9	8.8	26.2
1997	374	48.3	2.5	43.5	53.5	9	7.5	2.8	3.1	16.2
1998	435	54.5	2.6	49.5	60.0	21	14.8	3.4	8.9	24.2
1999	390	48.2	2.5	43.5	53.3	12	8.1	2.5	4.0	15.7
2000	437	53.4	2.6	48.4	58.7	19	13.1	3.2	7.6	21.6
2001	379	46.4	2.4	41.8	51.3	18	10.5	2.6	6.1	17.4
2002	465	56.0	2.6	51.0	61.3	33	20.0	3.6	13.6	28.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	327	12.2	0.7	10.8	13.7	34,943	41.8	0.2	41.4	42.3
1990	12	8.1	2.4	4.1	15.2	2,352	38.5	0.8	36.9	40.1
1991	26	14.4	3.1	9.0	22.5	2,330	37.7	0.8	36.2	39.3
1992	19	12.3	3.0	7.1	20.4	2,505	40.2	0.8	38.6	41.8
1993	25	13.5	2.9	8.5	21.0	2,614	41.5	0.8	39.9	43.1
1994	23	10.5	2.5	6.2	17.1	2,640	41.6	0.8	40.0	43.2
1995	23	13.7	3.0	8.5	21.4	2,737	42.8	0.8	41.2	44.5
1996	25	13.5	2.9	8.3	20.9	2,782	43.4	0.8	41.8	45.1
1997	20	10.5	2.5	6.2	17.1	2,710	42.0	0.8	40.4	43.6
1998	17	7.7	2.1	4.2	13.4	2,843	43.7	0.8	42.1	45.4
1999	44	19.5	3.2	13.8	27.2	2,788	42.5	0.8	40.9	44.1
2000	25	11.3	2.4	7.0	17.5	2,857	43.6	0.8	42.0	45.2
2001	35	13.4	2.5	9.0	19.6	2,822	42.6	0.8	41.0	44.2
2002	33	10.2	1.9	6.8	14.9	2,963	44.5	0.8	42.9	46.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Larynx, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,172	1.6	0.0	1.6	1.7	2,360	1.4	0.0	1.3	1.5
1986	192	1.8	0.1	1.5	2.1	155	1.6	0.1	1.4	1.9
1987	173	1.6	0.1	1.4	1.9	135	1.4	0.1	1.2	1.7
1988	194	1.8	0.1	1.5	2.0	148	1.5	0.1	1.3	1.8
1989	168	1.6	0.1	1.3	1.8	133	1.4	0.1	1.2	1.7
1990	180	1.6	0.1	1.4	1.9	138	1.4	0.1	1.2	1.7
1991	203	1.8	0.1	1.6	2.1	140	1.4	0.1	1.2	1.7
1992	195	1.7	0.1	1.5	2.0	136	1.4	0.1	1.1	1.6
1993	222	2.0	0.1	1.7	2.3	167	1.7	0.1	1.4	2.0
1994	185	1.6	0.1	1.4	1.9	132	1.3	0.1	1.1	1.6
1995	198	1.7	0.1	1.5	2.0	150	1.5	0.1	1.3	1.8
1996	209	1.8	0.1	1.6	2.1	146	1.5	0.1	1.2	1.7
1997	170	1.5	0.1	1.3	1.7	122	1.2	0.1	1.0	1.4
1998	191	1.6	0.1	1.4	1.9	138	1.4	0.1	1.1	1.6
1999	180	1.5	0.1	1.3	1.8	136	1.3	0.1	1.1	1.6
2000	178	1.5	0.1	1.3	1.7	129	1.3	0.1	1.1	1.5
2001	168	1.4	0.1	1.2	1.6	120	1.2	0.1	1.0	1.4
2002	166	1.4	0.1	1.2	1.6	135	1.3	0.1	1.1	1.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	797	3.6	0.1	3.3	3.9	15	0.4	0.1	0.2	0.8
1986	37	3.3	0.6	2.3	4.7	0	0.0	~	0.0	8.1
1987	37	3.0	0.5	2.1	4.3	1	0.6	0.6	0.0	8.1
1988	46	3.8	0.6	2.8	5.1	0	0.0	~	0.0	7.2
1989	35	3.0	0.5	2.1	4.3	0	0.0	~	0.0	6.8
1990	42	3.6	0.6	2.6	5.0	0	0.0	~	0.0	6.7
1991	61	4.9	0.6	3.7	6.4	2	1.4	1.0	0.1	7.8
1992	58	4.5	0.6	3.4	6.0	1	0.5	0.5	0.0	5.9
1993	55	4.4	0.6	3.3	5.8	0	0.0	~	0.0	4.9
1994	51	4.0	0.6	3.0	5.4	2	1.4	1.0	0.1	6.5
1995	46	3.4	0.5	2.5	4.6	2	1.0	0.8	0.1	5.5
1996	63	4.5	0.6	3.4	5.8	0	0.0	~	0.0	3.8
1997	47	3.5	0.5	2.6	4.8	1	0.4	0.4	0.0	4.2
1998	52	3.7	0.5	2.7	4.9	1	0.4	0.4	0.0	3.7
1999	43	3.0	0.5	2.1	4.0	1	0.4	0.4	0.0	3.6
2000	46	3.2	0.5	2.3	4.3	3	1.0	0.6	0.2	4.0
2001	47	3.4	0.5	2.5	4.6	1	0.2	0.2	0.0	2.5
2002	31	2.1	0.4	1.4	3.1	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	37	0.7	0.1	0.5	1.0	2,379	1.7	0.0	1.6	1.7
1990	2	0.6	0.5	0.1	3.5	174	1.6	0.1	1.4	1.9
1991	0	0.0	~	0.0	2.6	199	1.9	0.1	1.6	2.1
1992	4	1.1	0.6	0.3	3.9	188	1.7	0.1	1.5	2.0
1993	1	0.5	0.5	0.0	3.1	221	2.0	0.1	1.8	2.3
1994	5	1.1	0.6	0.3	3.7	178	1.6	0.1	1.4	1.9
1995	2	0.5	0.3	0.1	2.7	194	1.8	0.1	1.5	2.0
1996	3	0.6	0.3	0.1	2.7	202	1.8	0.1	1.6	2.1
1997	5	1.3	0.7	0.4	3.9	163	1.5	0.1	1.2	1.7
1998	4	0.8	0.4	0.2	2.9	185	1.7	0.1	1.4	1.9
1999	3	0.8	0.5	0.1	3.0	174	1.5	0.1	1.3	1.8
2000	1	0.4	0.4	0.0	2.5	177	1.6	0.1	1.3	1.8
2001	3	0.7	0.4	0.1	2.5	162	1.4	0.1	1.2	1.6
2002	4	0.6	0.3	0.2	2.1	162	1.4	0.1	1.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Larynx, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,543	3.1	0.1	3.0	3.2	1,901	2.7	0.1	2.5	2.8
1986	163	3.7	0.3	3.1	4.4	134	3.4	0.3	2.8	4.1
1987	136	2.9	0.3	2.4	3.5	104	2.6	0.3	2.1	3.2
1988	157	3.4	0.3	2.9	4.0	120	3.0	0.3	2.4	3.6
1989	134	3.0	0.3	2.5	3.6	108	2.7	0.3	2.2	3.3
1990	142	3.1	0.3	2.6	3.6	107	2.6	0.3	2.1	3.2
1991	161	3.5	0.3	3.0	4.1	115	2.9	0.3	2.4	3.5
1992	156	3.3	0.3	2.8	3.9	110	2.7	0.3	2.2	3.2
1993	173	3.6	0.3	3.1	4.2	128	3.1	0.3	2.6	3.7
1994	162	3.4	0.3	2.8	3.9	115	2.7	0.3	2.2	3.3
1995	161	3.3	0.3	2.8	3.9	122	2.9	0.3	2.4	3.5
1996	160	3.2	0.3	2.7	3.8	114	2.7	0.3	2.2	3.3
1997	140	2.8	0.2	2.4	3.4	99	2.3	0.2	1.9	2.8
1998	148	3.0	0.2	2.5	3.5	106	2.5	0.2	2.0	3.0
1999	138	2.7	0.2	2.3	3.2	108	2.5	0.2	2.0	3.0
2000	140	2.8	0.2	2.3	3.3	106	2.5	0.2	2.0	3.0
2001	136	2.7	0.2	2.2	3.2	95	2.2	0.2	1.8	2.7
2002	136	2.6	0.2	2.2	3.1	110	2.4	0.2	2.0	2.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	630	6.9	0.3	6.4	7.5	12	0.8	0.2	0.4	1.7
1986	29	6.5	1.3	4.2	10.0	0	0.0	~	0.0	20.2
1987	31	6.0	1.1	4.0	9.0	1	1.2	1.2	0.0	20.2
1988	37	7.3	1.2	5.1	10.6	0	0.0	~	0.0	17.8
1989	26	5.6	1.2	3.5	8.8	0	0.0	~	0.0	16.6
1990	35	7.4	1.3	5.1	10.8	0	0.0	~	0.0	16.8
1991	44	8.8	1.4	6.3	12.3	2	3.2	2.4	0.3	19.1
1992	46	8.6	1.3	6.2	12.0	0	0.0	~	0.0	13.7
1993	45	8.7	1.4	6.3	12.2	0	0.0	~	0.0	12.7
1994	45	8.8	1.4	6.3	12.3	2	3.4	2.5	0.4	16.9
1995	37	6.7	1.2	4.6	9.7	2	2.4	1.8	0.2	14.5
1996	46	7.9	1.2	5.7	11.0	0	0.0	~	0.0	10.9
1997	40	7.2	1.2	5.1	10.2	1	1.0	1.0	0.0	11.4
1998	41	6.9	1.1	4.8	9.7	1	0.8	0.8	0.0	10.4
1999	30	5.1	1.0	3.4	7.8	0	0.0	~	0.0	9.1
2000	32	5.5	1.0	3.7	8.1	2	1.6	1.1	0.2	9.8
2001	40	7.1	1.2	5.0	10.1	1	0.4	0.4	0.0	7.3
2002	26	4.4	0.9	2.8	6.9	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	34	1.3	0.3	0.9	2.1	1,898	3.1	0.1	3.0	3.3
1990	1	0.4	0.4	0.0	8.0	139	3.1	0.3	2.6	3.7
1991	0	0.0	~	0.0	7.1	157	3.5	0.3	3.0	4.2
1992	4	2.5	1.5	0.5	9.9	149	3.3	0.3	2.7	3.9
1993	0	0.0	~	0.0	6.7	173	3.8	0.3	3.2	4.4
1994	5	2.4	1.3	0.6	9.4	156	3.4	0.3	2.8	4.0
1995	2	1.0	0.7	0.1	7.1	157	3.4	0.3	2.9	4.0
1996	3	1.1	0.7	0.2	6.9	154	3.3	0.3	2.8	3.8
1997	5	3.1	1.6	0.8	9.8	135	2.8	0.2	2.4	3.4
1998	4	1.7	0.9	0.4	7.1	142	3.0	0.3	2.5	3.6
1999	2	1.0	0.8	0.1	6.3	135	2.8	0.2	2.3	3.3
2000	1	1.1	1.1	0.0	6.5	139	2.9	0.2	2.4	3.4
2001	3	1.5	1.0	0.2	6.3	130	2.7	0.2	2.2	3.2
2002	4	1.3	0.6	0.3	5.0	132	2.6	0.2	2.2	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Larynx, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	629	0.6	0.0	0.5	0.6	459	0.5	0.0	0.4	0.5
1986	29	0.5	0.1	0.3	0.7	21	0.4	0.1	0.2	0.6
1987	37	0.6	0.1	0.4	0.9	31	0.6	0.1	0.4	0.8
1988	37	0.6	0.1	0.4	0.8	28	0.5	0.1	0.3	0.8
1989	34	0.6	0.1	0.4	0.8	25	0.5	0.1	0.3	0.7
1990	38	0.6	0.1	0.4	0.8	31	0.6	0.1	0.4	0.8
1991	42	0.7	0.1	0.5	0.9	25	0.5	0.1	0.3	0.7
1992	39	0.6	0.1	0.4	0.9	26	0.5	0.1	0.3	0.7
1993	49	0.7	0.1	0.5	1.0	39	0.7	0.1	0.5	0.9
1994	23	0.4	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
1995	37	0.6	0.1	0.4	0.8	28	0.5	0.1	0.3	0.8
1996	49	0.7	0.1	0.5	1.0	32	0.5	0.1	0.4	0.8
1997	30	0.5	0.1	0.3	0.7	23	0.4	0.1	0.3	0.6
1998	43	0.6	0.1	0.5	0.9	32	0.6	0.1	0.4	0.8
1999	42	0.6	0.1	0.5	0.9	28	0.5	0.1	0.3	0.7
2000	38	0.6	0.1	0.4	0.8	23	0.4	0.1	0.3	0.6
2001	32	0.5	0.1	0.3	0.7	25	0.4	0.1	0.3	0.6
2002	30	0.4	0.1	0.3	0.6	25	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	167	1.3	0.1	1.1	1.5	3	0.1	0.1	0.0	0.5
1986	8	1.1	0.4	0.5	2.4	0	0.0	~	0.0	13.4
1987	6	0.9	0.4	0.3	2.1	0	0.0	~	0.0	12.6
1988	9	1.2	0.4	0.6	2.5	0	0.0	~	0.0	12.0
1989	9	1.3	0.5	0.6	2.7	0	0.0	~	0.0	11.4
1990	7	1.0	0.4	0.4	2.1	0	0.0	~	0.0	11.2
1991	17	2.3	0.6	1.3	3.8	0	0.0	~	0.0	10.0
1992	12	1.7	0.5	0.9	3.0	1	0.8	0.8	0.0	9.8
1993	10	1.4	0.5	0.7	2.7	0	0.0	~	0.0	8.0
1994	6	0.9	0.4	0.3	1.9	0	0.0	~	0.0	7.3
1995	9	1.1	0.4	0.5	2.2	0	0.0	~	0.0	6.4
1996	17	2.1	0.5	1.2	3.4	0	0.0	~	0.0	5.8
1997	7	0.9	0.4	0.4	2.0	0	0.0	~	0.0	5.6
1998	11	1.4	0.4	0.7	2.5	0	0.0	~	0.0	5.1
1999	13	1.5	0.4	0.8	2.6	1	0.7	0.7	0.0	5.7
2000	14	1.6	0.4	0.9	2.8	1	0.6	0.6	0.0	4.8
2001	7	0.9	0.3	0.3	1.8	0	0.0	~	0.0	3.4
2002	5	0.6	0.3	0.2	1.4	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	3	0.1	0.1	0.0	0.5	481	0.6	0.0	0.5	0.6
1990	1	0.7	0.7	0.0	5.3	35	0.6	0.1	0.4	0.8
1991	0	0.0	~	0.0	4.2	42	0.7	0.1	0.5	1.0
1992	0	0.0	~	0.0	3.9	39	0.7	0.1	0.5	0.9
1993	1	0.8	0.8	0.0	5.0	48	0.7	0.1	0.6	1.0
1994	0	0.0	~	0.0	3.5	22	0.4	0.1	0.2	0.6
1995	0	0.0	~	0.0	3.4	37	0.6	0.1	0.4	0.8
1996	0	0.0	~	0.0	3.2	48	0.7	0.1	0.6	1.0
1997	0	0.0	~	0.0	3.1	28	0.4	0.1	0.3	0.6
1998	0	0.0	~	0.0	3.0	43	0.7	0.1	0.5	0.9
1999	1	0.6	0.6	0.0	3.9	39	0.6	0.1	0.4	0.9
2000	0	0.0	~	0.0	2.7	38	0.6	0.1	0.4	0.9
2001	0	0.0	~	0.0	2.4	32	0.5	0.1	0.3	0.7
2002	0	0.0	~	0.0	2.1	30	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lung and Bronchus, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	112,728	58.0	0.2	57.7	58.3	95,250	56.1	0.2	55.7	56.4
1986	6,001	55.6	0.7	54.2	57.1	5,137	53.7	0.8	52.2	55.2
1987	6,187	57.0	0.7	55.6	58.5	5,250	54.6	0.8	53.1	56.1
1988	6,251	57.3	0.7	55.9	58.7	5,312	55.1	0.8	53.6	56.6
1989	6,403	58.4	0.7	57.0	59.9	5,389	55.8	0.8	54.3	57.3
1990	6,502	58.9	0.7	57.5	60.4	5,478	56.3	0.8	54.8	57.8
1991	6,531	58.6	0.7	57.1	60.0	5,599	57.0	0.8	55.5	58.5
1992	6,604	58.5	0.7	57.1	59.9	5,581	56.2	0.8	54.7	57.7
1993	6,847	60.3	0.7	58.9	61.7	5,801	58.3	0.8	56.8	59.8
1994	6,925	60.5	0.7	59.0	61.9	5,889	58.8	0.8	57.3	60.3
1995	6,965	60.4	0.7	59.0	61.8	5,854	58.1	0.8	56.7	59.7
1996	6,877	59.4	0.7	58.0	60.8	5,733	56.8	0.8	55.4	58.3
1997	6,680	57.3	0.7	56.0	58.7	5,667	55.9	0.7	54.5	57.4
1998	6,774	57.6	0.7	56.2	59.0	5,680	55.6	0.7	54.2	57.1
1999	6,713	56.6	0.7	55.3	58.0	5,657	55.1	0.7	53.7	56.6
2000	6,828	57.2	0.7	55.9	58.6	5,718	55.6	0.7	54.1	57.0
2001	6,793	56.4	0.7	55.1	57.8	5,762	55.6	0.7	54.2	57.0
2002	6,847	56.3	0.7	55.0	57.7	5,743	55.0	0.7	53.6	56.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	16,771	78.4	0.6	77.2	79.6	707	21.5	0.9	19.8	23.3
1986	839	74.7	2.6	69.5	80.1	25	25.3	5.9	15.1	41.3
1987	911	79.9	2.7	74.7	85.5	26	24.1	5.4	14.7	38.6
1988	906	78.4	2.7	73.2	83.9	33	26.2	5.1	17.2	39.7
1989	987	84.5	2.8	79.2	90.1	27	17.9	3.8	11.2	28.9
1990	987	84.1	2.7	78.8	89.7	37	29.0	5.5	19.3	43.1
1991	902	76.2	2.6	71.2	81.5	30	20.0	4.1	12.7	31.2
1992	993	81.8	2.7	76.7	87.2	30	20.5	4.3	13.0	31.7
1993	1,016	82.5	2.6	77.4	87.9	30	16.4	3.5	10.3	25.7
1994	996	79.3	2.6	74.3	84.5	40	20.5	3.5	14.2	29.6
1995	1,066	82.8	2.6	77.8	88.0	45	21.6	3.6	15.1	30.8
1996	1,097	85.7	2.6	80.6	91.1	47	23.0	3.6	16.5	31.9
1997	978	74.7	2.4	70.0	79.6	35	16.2	3.0	10.8	24.0
1998	1,041	77.1	2.4	72.4	82.0	53	20.5	3.1	14.9	28.2
1999	1,008	74.4	2.4	69.8	79.2	48	17.8	2.7	12.9	24.7
2000	1,034	74.7	2.4	70.2	79.5	76	28.1	3.5	21.6	36.2
2001	975	71.0	2.3	66.6	75.7	56	19.7	2.8	14.6	26.3
2002	1,035	73.2	2.3	68.8	77.9	69	22.8	2.9	17.4	29.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	976	19.7	0.7	18.4	21.2	86,271	59.4	0.2	59.0	59.8
1990	52	19.7	3.0	14.2	27.1	6,397	59.7	0.8	58.3	61.2
1991	63	18.9	2.7	14.0	25.5	6,403	59.3	0.7	57.8	60.7
1992	58	20.3	2.9	14.9	27.2	6,506	59.5	0.7	58.1	61.0
1993	69	20.5	2.8	15.5	27.1	6,741	61.4	0.8	59.9	62.9
1994	68	17.8	2.4	13.3	23.6	6,809	61.5	0.7	60.1	63.0
1995	68	17.8	2.4	13.4	23.5	6,839	61.5	0.7	60.0	63.0
1996	71	20.9	2.8	15.8	27.3	6,744	60.4	0.7	59.0	61.9
1997	69	17.7	2.4	13.4	23.2	6,547	58.4	0.7	57.0	59.8
1998	74	19.1	2.5	14.5	25.0	6,655	58.9	0.7	57.5	60.3
1999	109	25.7	2.7	20.6	32.0	6,581	57.8	0.7	56.4	59.2
2000	81	19.3	2.4	14.9	24.8	6,691	58.5	0.7	57.2	60.0
2001	93	20.0	2.3	15.8	25.2	6,653	57.8	0.7	56.4	59.2
2002	101	18.3	2.0	14.6	22.8	6,705	57.9	0.7	56.5	59.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lung and Bronchus, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	69,600	86.4	0.3	85.7	87.0	58,320	82.7	0.3	82.0	83.4
1986	4,100	92.0	1.5	89.1	95.0	3,474	87.9	1.5	84.9	91.0
1987	4,138	92.0	1.5	89.1	94.9	3,464	86.9	1.5	84.0	90.0
1988	4,161	92.4	1.5	89.5	95.4	3,537	88.7	1.5	85.7	91.8
1989	4,142	90.8	1.5	87.9	93.7	3,464	86.0	1.5	83.0	89.0
1990	4,175	91.9	1.5	89.1	94.9	3,485	87.0	1.5	84.1	90.1
1991	4,221	92.1	1.5	89.2	95.0	3,582	88.5	1.5	85.5	91.5
1992	4,123	88.3	1.4	85.6	91.2	3,442	83.7	1.5	80.8	86.6
1993	4,265	90.6	1.4	87.9	93.5	3,572	86.6	1.5	83.7	89.6
1994	4,286	90.3	1.4	87.6	93.1	3,633	87.4	1.5	84.6	90.4
1995	4,228	88.4	1.4	85.7	91.1	3,525	84.3	1.4	81.5	87.2
1996	4,104	85.7	1.4	83.0	88.4	3,372	80.5	1.4	77.8	83.3
1997	3,970	82.2	1.3	79.6	84.9	3,331	79.2	1.4	76.5	82.0
1998	3,956	81.1	1.3	78.5	83.7	3,305	77.9	1.4	75.3	80.7
1999	3,936	79.8	1.3	77.3	82.4	3,267	76.4	1.3	73.8	79.1
2000	3,971	79.7	1.3	77.2	82.3	3,298	76.6	1.3	73.9	79.2
2001	3,960	78.9	1.3	76.5	81.4	3,316	76.3	1.3	73.7	79.0
2002	3,864	75.9	1.2	73.5	78.4	3,253	74.2	1.3	71.7	76.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,807	125.3	1.3	122.8	127.8	473	33.2	1.7	29.8	36.9
1986	604	130.4	5.6	119.6	142.2	22	47.8	12.2	27.0	82.5
1987	655	141.2	5.8	129.9	153.4	19	41.2	11.1	22.4	73.3
1988	601	128.2	5.6	117.5	139.8	23	43.2	10.5	25.1	73.3
1989	661	140.1	5.8	129.0	152.1	17	22.6	6.2	12.1	44.1
1990	664	140.3	5.8	129.2	152.4	26	44.2	9.9	27.0	72.2
1991	617	130.3	5.6	119.7	142.0	22	35.2	8.8	20.1	60.6
1992	660	136.9	5.7	126.0	148.7	21	34.3	8.7	19.4	58.8
1993	674	134.3	5.4	123.9	145.7	19	25.3	6.8	13.7	45.6
1994	627	124.2	5.2	114.2	135.1	26	26.3	5.6	16.6	43.7
1995	681	130.9	5.3	120.8	142.0	22	24.8	6.2	14.1	43.1
1996	703	138.4	5.5	127.8	149.8	29	33.3	6.7	21.5	51.9
1997	613	117.1	5.0	107.6	127.4	26	28.2	6.3	17.3	45.8
1998	619	114.2	4.8	104.9	124.3	32	28.1	5.8	17.9	44.4
1999	632	117.2	4.9	107.9	127.4	37	31.2	5.4	21.5	46.3
2000	615	110.1	4.6	101.2	119.8	58	49.0	7.2	35.9	67.0
2001	606	111.0	4.7	101.9	120.8	38	33.5	6.0	22.8	48.7
2002	575	99.2	4.3	91.0	108.1	36	26.9	5.1	17.8	40.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	656	29.9	1.4	27.2	32.7	52,015	86.4	0.4	85.7	87.2
1990	41	37.7	7.1	25.1	55.4	4,100	93.1	1.5	90.1	96.1
1991	37	25.8	5.1	16.8	39.5	4,137	93.2	1.5	90.3	96.2
1992	39	31.2	5.8	20.9	45.8	4,058	89.8	1.4	87.0	92.7
1993	45	31.8	5.8	21.5	46.4	4,194	92.3	1.5	89.4	95.2
1994	47	27.9	4.8	19.2	40.5	4,210	91.9	1.4	89.1	94.8
1995	45	21.0	3.5	14.7	30.9	4,153	90.2	1.4	87.4	93.0
1996	46	30.9	5.4	21.3	44.3	4,024	87.2	1.4	84.5	90.0
1997	49	26.1	4.3	18.3	37.4	3,879	83.6	1.4	80.9	86.3
1998	57	34.5	5.4	24.7	47.8	3,868	82.5	1.3	79.9	85.2
1999	67	34.4	4.9	25.5	46.5	3,856	81.6	1.3	79.0	84.3
2000	56	29.4	4.6	21.1	40.6	3,885	81.6	1.3	79.0	84.2
2001	59	28.4	4.2	20.8	38.6	3,875	80.9	1.3	78.4	83.5
2002	68	28.9	4.0	21.6	38.5	3,776	78.0	1.3	75.5	80.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lung and Bronchus, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	43,128	38.7	0.2	38.3	39.1	36,930	38.1	0.2	37.7	38.5
1986	1,901	31.1	0.7	29.7	32.5	1,663	30.9	0.8	29.4	32.5
1987	2,049	33.7	0.8	32.2	35.2	1,786	33.2	0.8	31.7	34.8
1988	2,090	33.8	0.8	32.3	35.3	1,775	32.7	0.8	31.2	34.3
1989	2,261	36.4	0.8	34.9	38.0	1,925	35.3	0.8	33.8	37.0
1990	2,327	37.0	0.8	35.5	38.5	1,993	36.0	0.8	34.4	37.7
1991	2,310	36.3	0.8	34.8	37.8	2,017	36.1	0.8	34.6	37.8
1992	2,481	38.5	0.8	37.0	40.1	2,139	37.8	0.8	36.2	39.5
1993	2,582	39.7	0.8	38.2	41.3	2,229	39.3	0.8	37.7	41.0
1994	2,639	40.2	0.8	38.7	41.8	2,256	39.5	0.8	37.8	41.2
1995	2,737	41.3	0.8	39.8	42.9	2,329	40.4	0.8	38.7	42.1
1996	2,773	41.7	0.8	40.2	43.3	2,361	41.1	0.9	39.4	42.8
1997	2,710	40.4	0.8	38.9	42.0	2,336	40.2	0.8	38.6	41.9
1998	2,818	41.7	0.8	40.2	43.3	2,375	40.6	0.8	39.0	42.3
1999	2,777	40.6	0.8	39.1	42.2	2,390	40.5	0.8	38.9	42.2
2000	2,857	41.7	0.8	40.2	43.3	2,420	41.2	0.8	39.6	42.9
2001	2,833	40.9	0.8	39.4	42.4	2,446	41.3	0.8	39.7	43.0
2002	2,983	42.8	0.8	41.2	44.3	2,490	41.9	0.8	40.2	43.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,964	47.3	0.6	46.1	48.6	234	13.0	0.9	11.2	14.9
1986	235	36.0	2.4	31.4	41.0	3	8.3	5.2	1.4	27.3
1987	256	38.6	2.4	33.9	43.8	7	11.5	4.8	4.1	28.6
1988	305	44.9	2.6	39.9	50.4	10	13.2	4.4	6.1	28.8
1989	326	47.2	2.7	42.2	52.8	10	14.0	4.8	6.2	30.0
1990	323	46.7	2.6	41.7	52.3	11	17.9	6.1	8.0	36.3
1991	285	40.8	2.4	36.1	45.9	8	8.8	3.4	3.4	21.4
1992	333	46.4	2.6	41.5	51.7	9	10.7	4.0	4.4	23.7
1993	342	47.5	2.6	42.5	52.9	11	10.1	3.5	4.4	21.5
1994	369	49.5	2.6	44.5	54.9	14	15.3	4.3	8.0	27.8
1995	385	50.9	2.6	45.9	56.3	23	19.5	4.4	11.8	31.5
1996	394	51.7	2.6	46.6	57.1	18	15.5	3.9	8.8	26.2
1997	365	47.1	2.5	42.3	52.2	9	7.5	2.8	3.1	16.2
1998	422	52.9	2.6	48.0	58.3	21	14.8	3.4	8.9	24.2
1999	376	46.6	2.4	41.9	51.6	11	7.4	2.4	3.5	14.9
2000	419	51.3	2.5	46.4	56.5	18	12.6	3.2	7.1	20.9
2001	369	45.1	2.4	40.6	50.0	18	10.5	2.6	6.1	17.4
2002	460	55.4	2.6	50.4	60.7	33	20.0	3.6	13.6	28.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	320	11.9	0.7	10.6	13.5	34,256	41.0	0.2	40.6	41.5
1990	11	7.4	2.3	3.6	14.3	2,297	37.6	0.8	36.0	39.2
1991	26	14.4	3.1	9.0	22.5	2,266	36.7	0.8	35.1	38.2
1992	19	12.3	3.0	7.1	20.4	2,448	39.2	0.8	37.7	40.8
1993	24	12.7	2.8	7.9	20.0	2,547	40.5	0.8	38.9	42.1
1994	21	10.0	2.4	5.8	16.6	2,599	40.9	0.8	39.4	42.6
1995	23	13.7	3.0	8.5	21.4	2,686	42.0	0.8	40.4	43.6
1996	25	13.5	2.9	8.3	20.9	2,720	42.4	0.8	40.8	44.1
1997	20	10.5	2.5	6.2	17.1	2,668	41.3	0.8	39.8	42.9
1998	17	7.7	2.1	4.2	13.4	2,787	42.8	0.8	41.2	44.5
1999	42	18.7	3.1	13.1	26.3	2,725	41.5	0.8	39.9	43.1
2000	25	11.3	2.4	7.0	17.5	2,806	42.7	0.8	41.2	44.4
2001	34	13.3	2.5	8.8	19.4	2,778	41.9	0.8	40.4	43.5
2002	33	10.2	1.9	6.8	14.9	2,929	44.0	0.8	42.4	45.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Bones and Joints, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	887	0.4	0.0	0.4	0.5	768	0.5	0.0	0.4	0.5
1986	59	0.5	0.1	0.4	0.7	49	0.5	0.1	0.4	0.7
1987	42	0.4	0.1	0.3	0.5	39	0.4	0.1	0.3	0.6
1988	49	0.4	0.1	0.3	0.6	41	0.4	0.1	0.3	0.6
1989	58	0.5	0.1	0.4	0.7	52	0.5	0.1	0.4	0.7
1990	38	0.4	0.1	0.2	0.5	34	0.4	0.1	0.3	0.5
1991	54	0.5	0.1	0.4	0.6	44	0.5	0.1	0.3	0.6
1992	40	0.4	0.1	0.2	0.5	36	0.4	0.1	0.3	0.5
1993	48	0.4	0.1	0.3	0.6	41	0.4	0.1	0.3	0.6
1994	64	0.5	0.1	0.4	0.7	58	0.6	0.1	0.4	0.8
1995	64	0.5	0.1	0.4	0.7	56	0.6	0.1	0.4	0.7
1996	50	0.4	0.1	0.3	0.6	41	0.4	0.1	0.3	0.6
1997	64	0.5	0.1	0.4	0.7	54	0.5	0.1	0.4	0.7
1998	45	0.4	0.1	0.3	0.5	40	0.4	0.1	0.3	0.5
1999	50	0.4	0.1	0.3	0.5	40	0.4	0.1	0.3	0.5
2000	51	0.4	0.1	0.3	0.6	49	0.5	0.1	0.4	0.6
2001	58	0.5	0.1	0.4	0.6	47	0.5	0.1	0.3	0.6
2002	53	0.4	0.1	0.3	0.6	47	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	112	0.4	0.0	0.4	0.5	7	0.1	0.1	0.1	0.4
1986	10	0.8	0.3	0.4	1.7	0	0.0	~	0.0	8.1
1987	3	0.3	0.2	0.1	0.9	0	0.0	~	0.0	7.6
1988	8	0.8	0.3	0.3	1.7	0	0.0	~	0.0	7.2
1989	6	0.5	0.2	0.2	1.3	0	0.0	~	0.0	6.8
1990	3	0.2	0.1	0.0	0.8	1	1.0	1.0	0.0	8.1
1991	10	0.8	0.3	0.4	1.7	0	0.0	~	0.0	6.0
1992	4	0.2	0.1	0.1	0.8	0	0.0	~	0.0	5.4
1993	6	0.5	0.2	0.2	1.1	1	0.4	0.4	0.0	5.3
1994	5	0.3	0.1	0.1	0.8	1	0.3	0.3	0.0	4.8
1995	8	0.5	0.2	0.2	1.1	0	0.0	~	0.0	4.1
1996	7	0.4	0.2	0.2	1.0	2	0.4	0.3	0.1	4.2
1997	10	0.7	0.2	0.3	1.3	0	0.0	~	0.0	3.6
1998	4	0.3	0.1	0.1	0.8	1	0.2	0.2	0.0	3.6
1999	10	0.5	0.2	0.2	1.0	0	0.0	~	0.0	3.1
2000	1	0.1	0.1	0.0	0.5	1	0.2	0.2	0.0	2.9
2001	11	0.6	0.2	0.3	1.2	0	0.0	~	0.0	2.3
2002	6	0.3	0.1	0.1	0.8	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	44	0.4	0.1	0.3	0.7	632	0.4	0.0	0.4	0.5
1990	0	0.0	~	0.0	2.7	38	0.4	0.1	0.3	0.5
1991	4	1.5	0.9	0.3	4.9	50	0.5	0.1	0.3	0.6
1992	2	0.3	0.2	0.0	2.7	38	0.4	0.1	0.3	0.5
1993	4	0.3	0.2	0.1	2.6	44	0.4	0.1	0.3	0.6
1994	4	0.4	0.2	0.1	2.6	60	0.5	0.1	0.4	0.7
1995	5	0.5	0.2	0.1	2.6	58	0.5	0.1	0.4	0.7
1996	4	0.6	0.4	0.1	2.8	46	0.4	0.1	0.3	0.6
1997	4	0.7	0.5	0.1	3.1	59	0.5	0.1	0.4	0.7
1998	3	0.5	0.3	0.1	2.5	41	0.4	0.1	0.3	0.5
1999	3	0.2	0.1	0.0	2.0	47	0.4	0.1	0.3	0.6
2000	7	0.5	0.2	0.2	2.2	44	0.4	0.1	0.3	0.5
2001	3	0.2	0.1	0.0	1.7	55	0.5	0.1	0.4	0.6
2002	1	0.1	0.1	0.0	1.4	52	0.5	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Bones and Joints, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	475	0.6	0.0	0.5	0.6	403	0.6	0.0	0.5	0.6
1986	31	0.7	0.1	0.4	1.0	26	0.6	0.1	0.4	1.0
1987	20	0.4	0.1	0.2	0.7	18	0.4	0.1	0.2	0.7
1988	27	0.6	0.1	0.4	1.0	24	0.6	0.1	0.4	1.0
1989	32	0.7	0.1	0.4	1.0	27	0.6	0.1	0.4	1.0
1990	17	0.4	0.1	0.2	0.7	14	0.4	0.1	0.2	0.7
1991	34	0.7	0.1	0.5	1.0	27	0.6	0.1	0.4	1.0
1992	23	0.4	0.1	0.3	0.7	20	0.5	0.1	0.3	0.7
1993	24	0.5	0.1	0.3	0.8	19	0.5	0.1	0.3	0.8
1994	33	0.6	0.1	0.4	0.9	31	0.7	0.1	0.5	1.0
1995	37	0.7	0.1	0.5	1.0	31	0.7	0.1	0.5	1.1
1996	28	0.6	0.1	0.4	0.8	21	0.5	0.1	0.3	0.8
1997	32	0.6	0.1	0.4	0.9	27	0.6	0.1	0.4	0.9
1998	23	0.4	0.1	0.3	0.7	20	0.5	0.1	0.3	0.7
1999	25	0.5	0.1	0.3	0.7	19	0.4	0.1	0.3	0.7
2000	30	0.5	0.1	0.4	0.8	29	0.6	0.1	0.4	0.9
2001	33	0.6	0.1	0.4	0.8	27	0.6	0.1	0.4	0.8
2002	26	0.5	0.1	0.3	0.7	23	0.5	0.1	0.3	0.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	67	0.6	0.1	0.5	0.9	5	0.2	0.1	0.1	0.9
1986	5	1.3	0.7	0.3	3.8	0	0.0	~	0.0	20.2
1987	2	0.3	0.2	0.0	2.2	0	0.0	~	0.0	19.0
1988	3	1.1	0.7	0.2	3.6	0	0.0	~	0.0	17.8
1989	5	1.1	0.5	0.3	3.1	0	0.0	~	0.0	16.6
1990	2	0.3	0.2	0.0	2.1	1	2.5	2.5	0.1	20.2
1991	7	1.3	0.5	0.5	3.3	0	0.0	~	0.0	15.1
1992	3	0.5	0.3	0.1	2.2	0	0.0	~	0.0	13.7
1993	4	0.9	0.5	0.2	2.9	1	0.7	0.7	0.0	13.4
1994	1	0.2	0.2	0.0	1.7	1	0.5	0.5	0.0	12.7
1995	6	0.8	0.3	0.3	2.4	0	0.0	~	0.0	11.4
1996	5	0.7	0.3	0.2	2.3	2	0.9	0.6	0.1	11.6
1997	5	0.5	0.2	0.2	2.0	0	0.0	~	0.0	10.2
1998	3	0.5	0.3	0.1	2.0	0	0.0	~	0.0	9.6
1999	6	0.7	0.3	0.3	2.2	0	0.0	~	0.0	9.1
2000	1	0.1	0.1	0.0	1.5	0	0.0	~	0.0	7.9
2001	6	0.7	0.3	0.2	2.1	0	0.0	~	0.0	6.9
2002	3	0.4	0.2	0.1	1.7	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	24	0.5	0.1	0.2	1.0	340	0.5	0.0	0.5	0.6
1990	0	0.0	~	0.0	7.6	17	0.4	0.1	0.2	0.7
1991	4	3.9	2.2	0.8	12.8	30	0.6	0.1	0.4	1.0
1992	0	0.0	~	0.0	6.7	23	0.5	0.1	0.3	0.7
1993	2	0.2	0.2	0.0	6.8	22	0.5	0.1	0.3	0.8
1994	3	0.6	0.4	0.1	6.8	30	0.6	0.1	0.4	0.9
1995	2	0.3	0.2	0.0	6.2	34	0.7	0.1	0.5	1.1
1996	2	0.6	0.5	0.0	6.3	26	0.6	0.1	0.4	0.8
1997	2	0.2	0.1	0.0	5.7	30	0.6	0.1	0.4	0.9
1998	2	0.6	0.6	0.0	6.0	21	0.4	0.1	0.3	0.7
1999	0	0.0	~	0.0	5.0	25	0.5	0.1	0.3	0.8
2000	5	0.7	0.3	0.2	5.2	25	0.5	0.1	0.3	0.7
2001	2	0.3	0.2	0.0	4.3	31	0.6	0.1	0.4	0.9
2002	0	0.0	~	0.0	3.6	26	0.5	0.1	0.3	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Bones and Joints, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	412	0.4	0.0	0.3	0.4	365	0.4	0.0	0.3	0.4
1986	28	0.5	0.1	0.3	0.7	23	0.4	0.1	0.3	0.7
1987	22	0.4	0.1	0.2	0.5	21	0.4	0.1	0.2	0.6
1988	22	0.3	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
1989	26	0.4	0.1	0.3	0.6	25	0.4	0.1	0.3	0.7
1990	21	0.3	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
1991	20	0.3	0.1	0.2	0.5	17	0.3	0.1	0.2	0.5
1992	17	0.3	0.1	0.2	0.5	16	0.3	0.1	0.2	0.6
1993	24	0.4	0.1	0.2	0.6	22	0.4	0.1	0.3	0.6
1994	31	0.5	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1995	27	0.4	0.1	0.3	0.6	25	0.5	0.1	0.3	0.7
1996	22	0.3	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
1997	32	0.5	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1998	22	0.3	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
1999	25	0.4	0.1	0.2	0.5	21	0.4	0.1	0.2	0.6
2000	21	0.3	0.1	0.2	0.5	20	0.4	0.1	0.2	0.6
2001	25	0.4	0.1	0.2	0.5	20	0.3	0.1	0.2	0.5
2002	27	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	45	0.3	0.0	0.2	0.4	2	0.1	0.0	0.0	0.5
1986	5	0.6	0.3	0.2	1.7	0	0.0	~	0.0	13.4
1987	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.6
1988	5	0.7	0.3	0.2	1.8	0	0.0	~	0.0	12.0
1989	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	11.4
1990	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	11.2
1991	3	0.5	0.3	0.1	1.4	0	0.0	~	0.0	10.0
1992	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	9.0
1993	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	8.0
1994	4	0.4	0.2	0.1	1.2	0	0.0	~	0.0	7.3
1995	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	6.4
1996	2	0.2	0.2	0.0	1.0	0	0.0	~	0.0	5.8
1997	5	0.7	0.3	0.2	1.6	0	0.0	~	0.0	5.6
1998	1	0.1	0.1	0.0	0.7	1	0.4	0.4	0.0	5.6
1999	4	0.4	0.2	0.1	1.1	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	1	0.4	0.4	0.0	4.5
2001	5	0.5	0.2	0.2	1.3	0	0.0	~	0.0	3.4
2002	3	0.3	0.2	0.1	0.9	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	20	0.4	0.1	0.2	0.7	292	0.4	0.0	0.3	0.4
1990	0	0.0	~	0.0	4.2	21	0.4	0.1	0.2	0.6
1991	0	0.0	~	0.0	4.2	20	0.3	0.1	0.2	0.5
1992	2	0.6	0.4	0.1	4.5	15	0.3	0.1	0.2	0.5
1993	2	0.4	0.3	0.0	4.0	22	0.4	0.1	0.2	0.6
1994	1	0.1	0.1	0.0	3.6	30	0.5	0.1	0.3	0.7
1995	3	0.7	0.4	0.1	4.1	24	0.4	0.1	0.2	0.6
1996	2	0.7	0.5	0.0	4.1	20	0.3	0.1	0.2	0.5
1997	2	1.0	0.8	0.1	4.8	29	0.5	0.1	0.3	0.7
1998	1	0.3	0.3	0.0	3.4	20	0.3	0.1	0.2	0.5
1999	3	0.4	0.3	0.1	3.3	22	0.3	0.1	0.2	0.5
2000	2	0.3	0.2	0.0	3.0	19	0.3	0.1	0.2	0.5
2001	1	0.1	0.1	0.0	2.5	24	0.4	0.1	0.2	0.6
2002	1	0.1	0.1	0.0	2.2	26	0.4	0.1	0.3	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Soft Tissue Including Heart, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	2,882	1.5	0.0	1.4	1.5	2,400	1.4	0.0	1.4	1.5
1986	141	1.3	0.1	1.1	1.6	115	1.2	0.1	1.0	1.5
1987	156	1.4	0.1	1.2	1.7	130	1.4	0.1	1.1	1.6
1988	150	1.4	0.1	1.2	1.6	122	1.3	0.1	1.1	1.5
1989	144	1.3	0.1	1.1	1.6	116	1.2	0.1	1.0	1.5
1990	145	1.3	0.1	1.1	1.6	125	1.3	0.1	1.1	1.6
1991	151	1.3	0.1	1.1	1.6	129	1.3	0.1	1.1	1.6
1992	173	1.5	0.1	1.3	1.8	144	1.5	0.1	1.3	1.8
1993	174	1.5	0.1	1.3	1.8	140	1.4	0.1	1.2	1.7
1994	192	1.7	0.1	1.4	1.9	162	1.6	0.1	1.4	1.9
1995	181	1.6	0.1	1.4	1.8	156	1.6	0.1	1.4	1.9
1996	172	1.5	0.1	1.3	1.7	149	1.5	0.1	1.3	1.8
1997	202	1.7	0.1	1.5	2.0	165	1.6	0.1	1.4	1.9
1998	207	1.7	0.1	1.5	2.0	170	1.7	0.1	1.4	2.0
1999	181	1.5	0.1	1.3	1.7	149	1.5	0.1	1.2	1.7
2000	169	1.4	0.1	1.2	1.6	137	1.3	0.1	1.1	1.6
2001	172	1.4	0.1	1.2	1.6	152	1.5	0.1	1.2	1.7
2002	172	1.4	0.1	1.2	1.6	139	1.3	0.1	1.1	1.6
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	444	1.9	0.1	1.7	2.1	38	0.8	0.2	0.6	1.3
1986	25	2.1	0.5	1.3	3.3	1	0.6	0.6	0.0	8.6
1987	26	2.1	0.4	1.3	3.2	0	0.0	~	0.0	7.6
1988	28	2.4	0.5	1.6	3.7	0	0.0	~	0.0	7.2
1989	24	1.7	0.4	1.1	2.7	4	1.5	0.8	0.4	8.3
1990	20	1.7	0.4	1.0	2.7	0	0.0	~	0.0	6.7
1991	20	1.4	0.3	0.8	2.3	2	1.4	1.0	0.1	7.8
1992	26	1.9	0.4	1.2	2.9	3	1.0	0.6	0.2	6.4
1993	29	1.9	0.4	1.3	2.8	5	3.8	1.9	1.1	10.5
1994	29	2.0	0.4	1.3	2.9	1	0.3	0.3	0.0	4.9
1995	21	1.5	0.3	0.9	2.4	4	1.1	0.6	0.3	5.2
1996	23	1.6	0.3	1.0	2.5	0	0.0	~	0.0	3.8
1997	35	2.2	0.4	1.5	3.2	2	0.5	0.3	0.1	4.0
1998	31	2.1	0.4	1.4	3.0	6	1.5	0.7	0.5	5.1
1999	29	2.0	0.4	1.3	3.0	3	0.7	0.4	0.1	3.8
2000	31	2.1	0.4	1.4	3.1	1	0.3	0.3	0.0	3.0
2001	19	1.3	0.3	0.8	2.1	1	0.2	0.2	0.0	2.5
2002	28	1.9	0.4	1.2	2.8	5	1.3	0.7	0.3	3.8
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	105	1.3	0.2	1.0	1.7	2,158	1.5	0.0	1.4	1.6
1990	4	0.8	0.4	0.2	3.6	138	1.3	0.1	1.1	1.6
1991	6	1.1	0.5	0.4	3.8	142	1.3	0.1	1.1	1.6
1992	8	1.1	0.5	0.4	3.7	164	1.5	0.1	1.3	1.8
1993	12	2.5	0.9	1.1	5.7	160	1.5	0.1	1.3	1.7
1994	7	1.1	0.7	0.2	3.9	184	1.7	0.1	1.5	2.0
1995	13	1.8	0.6	0.8	4.4	166	1.5	0.1	1.3	1.8
1996	6	1.4	0.6	0.4	3.9	164	1.5	0.1	1.3	1.7
1997	9	1.5	0.6	0.6	3.8	190	1.7	0.1	1.5	2.0
1998	9	1.2	0.5	0.5	3.3	198	1.8	0.1	1.5	2.0
1999	10	1.0	0.4	0.4	2.9	168	1.5	0.1	1.3	1.7
2000	5	1.0	0.5	0.3	3.1	162	1.4	0.1	1.2	1.7
2001	7	1.2	0.5	0.4	3.1	160	1.4	0.1	1.2	1.6
2002	9	1.3	0.5	0.5	3.1	162	1.4	0.1	1.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Soft Tissue Including Heart, Males										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,360	1.6	0.0	1.5	1.7	1,127	1.6	0.0	1.5	1.7
1986	68	1.5	0.2	1.1	1.9	58	1.5	0.2	1.1	2.0
1987	79	1.7	0.2	1.3	2.1	61	1.5	0.2	1.1	1.9
1988	71	1.6	0.2	1.2	2.1	61	1.6	0.2	1.2	2.1
1989	69	1.4	0.2	1.1	1.8	52	1.3	0.2	0.9	1.7
1990	62	1.3	0.2	1.0	1.7	57	1.3	0.2	1.0	1.8
1991	71	1.5	0.2	1.2	1.9	61	1.5	0.2	1.1	2.0
1992	81	1.6	0.2	1.3	2.1	67	1.6	0.2	1.2	2.1
1993	68	1.4	0.2	1.1	1.8	54	1.3	0.2	0.9	1.7
1994	88	1.8	0.2	1.4	2.2	72	1.7	0.2	1.3	2.2
1995	79	1.6	0.2	1.2	2.0	68	1.6	0.2	1.2	2.1
1996	82	1.7	0.2	1.3	2.1	70	1.7	0.2	1.3	2.2
1997	104	2.0	0.2	1.6	2.4	86	1.9	0.2	1.5	2.4
1998	104	2.0	0.2	1.6	2.4	86	1.9	0.2	1.5	2.4
1999	87	1.7	0.2	1.4	2.1	70	1.6	0.2	1.2	2.0
2000	73	1.4	0.2	1.1	1.8	56	1.3	0.2	0.9	1.6
2001	88	1.7	0.2	1.3	2.1	80	1.8	0.2	1.4	2.2
2002	86	1.6	0.2	1.3	2.0	68	1.5	0.2	1.1	1.9
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	209	2.0	0.2	1.8	2.4	24	1.2	0.3	0.7	2.2
1986	10	1.7	0.6	0.7	3.9	0	0.0	~	0.0	20.2
1987	18	3.5	0.9	2.0	6.2	0	0.0	~	0.0	19.0
1988	10	2.3	0.8	1.0	4.8	0	0.0	~	0.0	17.8
1989	15	2.3	0.6	1.3	4.5	2	1.1	0.8	0.1	17.5
1990	5	1.1	0.5	0.3	3.1	0	0.0	~	0.0	16.8
1991	9	1.4	0.5	0.6	3.4	1	2.2	2.2	0.1	18.2
1992	12	1.9	0.6	0.9	4.1	2	1.3	0.9	0.1	14.8
1993	11	1.6	0.5	0.8	3.5	3	5.7	3.8	0.8	21.6
1994	15	2.2	0.6	1.2	4.2	1	0.7	0.7	0.0	12.9
1995	8	1.2	0.4	0.5	3.0	3	1.8	1.1	0.3	13.2
1996	12	1.8	0.5	0.9	3.7	0	0.0	~	0.0	10.9
1997	16	2.7	0.8	1.4	5.0	2	1.0	0.7	0.1	11.1
1998	15	2.2	0.6	1.2	4.1	3	1.1	0.7	0.2	10.5
1999	15	2.8	0.8	1.4	5.1	2	1.0	0.7	0.1	10.0
2000	16	2.7	0.7	1.5	4.9	1	0.7	0.7	0.0	8.6
2001	7	1.2	0.5	0.4	2.8	1	0.4	0.4	0.0	7.3
2002	15	2.4	0.7	1.3	4.3	3	2.4	1.7	0.3	9.8
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	51	1.2	0.2	0.8	1.9	1,008	1.6	0.1	1.5	1.7
1990	2	0.7	0.6	0.0	8.3	59	1.3	0.2	1.0	1.7
1991	2	0.4	0.3	0.0	7.4	68	1.5	0.2	1.2	2.0
1992	5	1.0	0.5	0.2	7.5	76	1.6	0.2	1.3	2.1
1993	6	2.3	1.1	0.7	9.2	62	1.3	0.2	1.0	1.7
1994	3	0.5	0.3	0.1	6.7	85	1.8	0.2	1.5	2.3
1995	4	0.7	0.4	0.1	6.6	73	1.6	0.2	1.2	2.0
1996	2	1.4	1.1	0.1	7.7	79	1.7	0.2	1.4	2.2
1997	4	1.1	0.7	0.2	6.7	98	2.0	0.2	1.6	2.5
1998	6	1.8	0.9	0.5	7.2	98	2.0	0.2	1.6	2.5
1999	7	1.6	0.7	0.5	6.6	78	1.6	0.2	1.3	2.1
2000	2	1.4	1.0	0.2	6.6	70	1.4	0.2	1.1	1.8
2001	4	2.0	1.1	0.4	6.8	81	1.6	0.2	1.3	2.1
2002	4	0.7	0.4	0.2	4.3	81	1.6	0.2	1.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Soft Tissue Including Heart, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,522	1.4	0.0	1.3	1.5	1,273	1.4	0.0	1.3	1.4
1986	73	1.2	0.1	1.0	1.6	57	1.1	0.1	0.8	1.4
1987	77	1.3	0.1	1.0	1.6	69	1.3	0.2	1.0	1.7
1988	79	1.3	0.1	1.0	1.6	61	1.1	0.1	0.8	1.4
1989	75	1.2	0.1	1.0	1.6	64	1.2	0.2	0.9	1.6
1990	83	1.4	0.2	1.1	1.7	68	1.3	0.2	1.0	1.7
1991	80	1.3	0.1	1.0	1.6	68	1.3	0.2	1.0	1.6
1992	92	1.5	0.2	1.2	1.8	77	1.4	0.2	1.1	1.8
1993	106	1.7	0.2	1.4	2.0	86	1.6	0.2	1.3	2.0
1994	104	1.6	0.2	1.3	1.9	90	1.6	0.2	1.3	1.9
1995	102	1.6	0.2	1.3	2.0	88	1.6	0.2	1.3	2.0
1996	90	1.4	0.1	1.1	1.7	79	1.4	0.2	1.1	1.8
1997	98	1.5	0.2	1.2	1.9	79	1.4	0.2	1.1	1.8
1998	103	1.6	0.2	1.3	1.9	84	1.5	0.2	1.2	1.9
1999	94	1.4	0.1	1.1	1.7	79	1.4	0.2	1.1	1.7
2000	96	1.4	0.1	1.1	1.7	81	1.4	0.2	1.1	1.8
2001	84	1.2	0.1	1.0	1.5	72	1.2	0.1	1.0	1.6
2002	86	1.2	0.1	1.0	1.5	71	1.2	0.1	0.9	1.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	235	1.8	0.1	1.5	2.0	14	0.6	0.2	0.3	1.1
1986	15	2.4	0.6	1.3	4.1	1	1.1	1.1	0.0	14.5
1987	8	1.1	0.4	0.5	2.4	0	0.0	~	0.0	12.6
1988	18	2.6	0.6	1.5	4.2	0	0.0	~	0.0	12.0
1989	9	1.2	0.4	0.5	2.4	2	1.9	1.3	0.2	13.4
1990	15	2.1	0.6	1.2	3.6	0	0.0	~	0.0	11.2
1991	11	1.4	0.4	0.7	2.6	1	0.8	0.8	0.0	10.8
1992	14	1.9	0.5	1.0	3.3	1	0.7	0.7	0.0	9.7
1993	18	2.1	0.5	1.2	3.4	2	2.5	1.8	0.3	11.7
1994	14	1.8	0.5	1.0	3.1	0	0.0	~	0.0	7.3
1995	13	1.7	0.5	0.9	3.0	1	0.5	0.5	0.0	6.9
1996	11	1.4	0.4	0.7	2.6	0	0.0	~	0.0	5.8
1997	19	2.0	0.5	1.2	3.3	0	0.0	~	0.0	5.6
1998	16	1.9	0.5	1.1	3.2	3	1.7	1.1	0.3	7.4
1999	14	1.7	0.5	0.9	2.9	1	0.4	0.4	0.0	5.1
2000	15	1.8	0.5	1.0	3.0	0	0.0	~	0.0	4.0
2001	12	1.4	0.4	0.7	2.5	0	0.0	~	0.0	3.4
2002	13	1.5	0.4	0.8	2.7	2	0.7	0.5	0.1	3.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	54	1.4	0.2	1.0	1.9	1,150	1.4	0.0	1.3	1.5
1990	2	0.9	0.6	0.1	5.3	79	1.4	0.2	1.1	1.7
1991	4	1.8	0.9	0.5	6.4	74	1.2	0.1	1.0	1.5
1992	3	1.1	0.8	0.2	5.4	88	1.5	0.2	1.2	1.8
1993	6	2.5	1.2	0.7	7.2	98	1.6	0.2	1.3	2.0
1994	4	1.5	1.0	0.2	5.8	99	1.6	0.2	1.3	1.9
1995	9	2.9	1.1	1.2	7.1	93	1.5	0.2	1.2	1.9
1996	4	1.5	0.8	0.3	5.2	85	1.4	0.2	1.1	1.7
1997	5	1.8	0.9	0.5	5.5	92	1.5	0.2	1.2	1.9
1998	3	0.7	0.4	0.1	3.7	100	1.6	0.2	1.3	2.0
1999	3	0.4	0.2	0.1	3.3	90	1.4	0.1	1.1	1.7
2000	3	0.7	0.5	0.1	3.6	92	1.4	0.2	1.2	1.8
2001	3	0.7	0.4	0.1	3.2	79	1.2	0.1	1.0	1.5
2002	5	1.7	0.8	0.5	4.7	81	1.3	0.1	1.0	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Skin Excluding Basal and Squamous, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,882	3.1	0.0	3.0	3.1	5,606	3.4	0.0	3.3	3.5
1986	298	2.9	0.2	2.6	3.3	283	3.1	0.2	2.8	3.5
1987	304	2.9	0.2	2.6	3.3	286	3.1	0.2	2.8	3.5
1988	330	3.1	0.2	2.8	3.5	311	3.4	0.2	3.0	3.8
1989	306	2.9	0.2	2.6	3.2	286	3.1	0.2	2.7	3.5
1990	341	3.2	0.2	2.9	3.5	317	3.4	0.2	3.0	3.8
1991	329	3.0	0.2	2.7	3.4	311	3.3	0.2	2.9	3.7
1992	336	3.0	0.2	2.7	3.4	320	3.3	0.2	3.0	3.7
1993	370	3.3	0.2	3.0	3.7	356	3.7	0.2	3.3	4.1
1994	346	3.0	0.2	2.7	3.4	331	3.3	0.2	3.0	3.7
1995	350	3.1	0.2	2.7	3.4	337	3.4	0.2	3.0	3.8
1996	358	3.1	0.2	2.8	3.4	341	3.4	0.2	3.1	3.8
1997	358	3.1	0.2	2.8	3.4	341	3.4	0.2	3.0	3.8
1998	368	3.1	0.2	2.8	3.5	354	3.5	0.2	3.2	3.9
1999	366	3.1	0.2	2.8	3.4	358	3.5	0.2	3.1	3.9
2000	373	3.1	0.2	2.8	3.4	356	3.4	0.2	3.1	3.8
2001	341	2.8	0.2	2.5	3.1	329	3.1	0.2	2.8	3.5
2002	408	3.3	0.2	3.0	3.6	389	3.7	0.2	3.3	4.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	256	1.2	0.1	1.0	1.3	20	0.5	0.1	0.3	0.9
1986	14	1.2	0.3	0.7	2.2	1	0.6	0.6	0.0	8.6
1987	17	1.5	0.4	0.9	2.6	1	0.4	0.4	0.0	7.9
1988	19	1.7	0.4	1.0	2.7	0	0.0	~	0.0	7.2
1989	20	1.7	0.4	1.0	2.7	0	0.0	~	0.0	6.8
1990	23	1.9	0.4	1.2	2.9	1	1.8	1.8	0.0	10.2
1991	18	1.5	0.4	0.9	2.4	0	0.0	~	0.0	6.0
1992	15	1.2	0.3	0.6	2.0	1	0.4	0.4	0.0	5.8
1993	12	0.9	0.3	0.4	1.7	2	1.7	1.4	0.1	7.8
1994	15	1.3	0.3	0.7	2.2	0	0.0	~	0.0	4.6
1995	11	0.8	0.3	0.4	1.6	2	0.7	0.5	0.1	4.8
1996	15	1.0	0.3	0.5	1.7	2	0.4	0.3	0.0	4.2
1997	15	1.1	0.3	0.6	1.9	2	1.0	0.7	0.1	5.0
1998	12	0.8	0.2	0.4	1.5	2	0.4	0.3	0.1	3.8
1999	7	0.5	0.2	0.2	1.1	1	0.3	0.3	0.0	3.4
2000	14	1.0	0.3	0.5	1.7	3	0.8	0.5	0.1	3.7
2001	10	0.8	0.2	0.4	1.5	2	0.3	0.2	0.0	2.6
2002	19	1.3	0.3	0.8	2.1	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	61	1.0	0.2	0.7	1.4	4,559	3.2	0.0	3.1	3.3
1990	2	0.4	0.3	0.0	3.1	339	3.3	0.2	2.9	3.7
1991	4	1.3	0.8	0.2	4.5	320	3.1	0.2	2.7	3.4
1992	4	1.6	1.0	0.3	5.1	332	3.1	0.2	2.8	3.5
1993	6	1.3	0.6	0.4	4.0	363	3.4	0.2	3.0	3.8
1994	6	0.8	0.4	0.3	3.1	339	3.1	0.2	2.8	3.5
1995	3	1.0	0.7	0.1	3.8	346	3.2	0.2	2.8	3.5
1996	6	1.6	0.7	0.5	4.3	349	3.2	0.2	2.8	3.5
1997	7	1.5	0.7	0.5	4.0	348	3.1	0.2	2.8	3.5
1998	6	1.1	0.6	0.3	3.5	362	3.2	0.2	2.9	3.6
1999	3	0.7	0.5	0.1	3.0	361	3.2	0.2	2.9	3.5
2000	7	1.3	0.6	0.4	3.6	363	3.2	0.2	2.9	3.5
2001	3	0.6	0.4	0.1	2.4	335	2.9	0.2	2.6	3.2
2002	4	0.6	0.4	0.1	2.2	402	3.5	0.2	3.1	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Skin Excluding Basal and Squamous, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,642	4.5	0.1	4.4	4.7	3,456	4.9	0.1	4.8	5.1
1986	175	3.9	0.3	3.3	4.5	166	4.2	0.3	3.5	4.9
1987	191	4.4	0.3	3.8	5.1	178	4.7	0.4	4.0	5.4
1988	205	4.6	0.3	4.0	5.4	190	4.9	0.4	4.2	5.7
1989	184	4.2	0.3	3.6	4.9	171	4.5	0.4	3.8	5.3
1990	202	4.5	0.3	3.8	5.2	181	4.6	0.4	3.9	5.3
1991	205	4.4	0.3	3.8	5.0	190	4.6	0.3	4.0	5.4
1992	215	4.7	0.3	4.1	5.4	204	5.1	0.4	4.4	5.9
1993	229	4.8	0.3	4.2	5.5	221	5.3	0.4	4.6	6.1
1994	215	4.6	0.3	4.0	5.3	205	5.0	0.4	4.3	5.8
1995	215	4.6	0.3	3.9	5.2	207	5.0	0.4	4.4	5.8
1996	219	4.4	0.3	3.9	5.1	208	4.9	0.3	4.2	5.6
1997	227	4.6	0.3	4.0	5.2	216	5.0	0.3	4.4	5.8
1998	237	4.8	0.3	4.2	5.5	229	5.4	0.4	4.7	6.1
1999	233	4.8	0.3	4.2	5.4	228	5.4	0.4	4.7	6.1
2000	224	4.5	0.3	3.9	5.1	215	5.0	0.3	4.3	5.7
2001	202	4.0	0.3	3.5	4.6	196	4.5	0.3	3.9	5.2
2002	264	5.1	0.3	4.5	5.8	251	5.6	0.4	4.9	6.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	175	1.8	0.1	1.5	2.1	11	0.5	0.2	0.2	1.3
1986	8	1.7	0.6	0.7	4.0	1	1.2	1.2	0.0	21.3
1987	13	2.7	0.8	1.4	5.1	0	0.0	~	0.0	19.0
1988	15	2.9	0.8	1.6	5.4	0	0.0	~	0.0	17.8
1989	13	2.5	0.7	1.2	4.9	0	0.0	~	0.0	16.6
1990	21	3.9	0.9	2.4	6.5	0	0.0	~	0.0	16.8
1991	15	2.9	0.8	1.5	5.4	0	0.0	~	0.0	15.1
1992	11	1.9	0.6	0.9	4.0	0	0.0	~	0.0	13.7
1993	7	0.9	0.4	0.4	2.7	1	0.7	0.7	0.0	13.4
1994	10	2.2	0.7	1.0	4.5	0	0.0	~	0.0	12.3
1995	7	1.2	0.5	0.5	3.1	1	0.7	0.7	0.0	12.1
1996	9	1.3	0.4	0.6	3.0	2	0.9	0.6	0.1	11.6
1997	9	1.5	0.5	0.7	3.4	2	2.5	1.8	0.3	13.4
1998	7	1.1	0.4	0.4	2.8	1	0.5	0.5	0.0	10.0
1999	5	0.8	0.4	0.2	2.4	0	0.0	~	0.0	9.1
2000	7	1.1	0.4	0.4	2.6	2	1.5	1.2	0.1	9.8
2001	5	0.8	0.4	0.3	2.3	1	0.4	0.4	0.0	7.3
2002	13	2.2	0.6	1.1	4.1	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	43	1.4	0.3	0.9	2.2	2,824	4.7	0.1	4.5	4.9
1990	2	0.7	0.5	0.1	8.2	200	4.6	0.3	4.0	5.3
1991	1	0.1	0.1	0.0	7.2	199	4.4	0.3	3.8	5.1
1992	2	2.0	1.8	0.1	10.2	213	4.8	0.3	4.2	5.6
1993	4	1.1	0.6	0.3	7.7	224	4.9	0.3	4.3	5.6
1994	6	1.6	0.7	0.5	7.9	208	4.7	0.3	4.0	5.4
1995	3	2.6	1.7	0.3	10.0	211	4.7	0.3	4.1	5.4
1996	3	1.5	1.1	0.2	7.8	213	4.5	0.3	3.9	5.2
1997	5	2.1	1.2	0.4	8.2	221	4.7	0.3	4.1	5.4
1998	4	1.9	1.3	0.3	8.2	233	5.0	0.3	4.4	5.7
1999	3	1.7	1.3	0.2	7.7	228	4.9	0.3	4.3	5.6
2000	6	2.8	1.4	0.7	8.5	216	4.6	0.3	4.0	5.2
2001	1	0.1	0.1	0.0	4.2	199	4.2	0.3	3.6	4.8
2002	3	0.8	0.5	0.1	4.5	259	5.3	0.3	4.7	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Skin Excluding Basal and Squamous, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	2,240	2.0	0.0	1.9	2.1	2,150	2.3	0.0	2.2	2.4
1986	123	2.2	0.2	1.8	2.6	117	2.3	0.2	1.9	2.8
1987	113	1.9	0.2	1.6	2.3	108	2.1	0.2	1.7	2.5
1988	125	2.1	0.2	1.7	2.5	121	2.3	0.2	1.9	2.8
1989	122	2.0	0.2	1.6	2.4	115	2.2	0.2	1.8	2.6
1990	139	2.3	0.2	1.9	2.7	136	2.6	0.2	2.1	3.0
1991	124	2.0	0.2	1.6	2.3	121	2.2	0.2	1.8	2.6
1992	121	1.9	0.2	1.6	2.3	116	2.1	0.2	1.8	2.6
1993	141	2.2	0.2	1.9	2.6	135	2.5	0.2	2.1	2.9
1994	131	2.0	0.2	1.7	2.4	126	2.2	0.2	1.8	2.6
1995	135	2.0	0.2	1.7	2.4	130	2.3	0.2	1.9	2.7
1996	139	2.1	0.2	1.8	2.5	133	2.3	0.2	2.0	2.8
1997	131	1.9	0.2	1.6	2.3	125	2.1	0.2	1.8	2.5
1998	131	2.0	0.2	1.6	2.3	125	2.2	0.2	1.8	2.7
1999	133	1.9	0.2	1.6	2.3	130	2.2	0.2	1.8	2.6
2000	149	2.1	0.2	1.8	2.5	141	2.4	0.2	2.0	2.8
2001	139	2.0	0.2	1.7	2.3	133	2.2	0.2	1.9	2.7
2002	144	2.0	0.2	1.7	2.4	138	2.3	0.2	1.9	2.7
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	81	0.7	0.1	0.5	0.8	9	0.4	0.2	0.2	1.0
1986	6	1.0	0.4	0.4	2.2	0	0.0	~	0.0	13.4
1987	4	0.7	0.3	0.2	1.9	1	0.8	0.8	0.0	13.3
1988	4	0.7	0.4	0.2	1.9	0	0.0	~	0.0	12.0
1989	7	1.1	0.4	0.4	2.3	0	0.0	~	0.0	11.4
1990	2	0.3	0.2	0.0	1.3	1	3.0	3.0	0.1	17.0
1991	3	0.5	0.3	0.1	1.5	0	0.0	~	0.0	10.0
1992	4	0.6	0.3	0.2	1.6	1	0.7	0.7	0.0	9.7
1993	5	0.8	0.4	0.2	1.9	1	2.2	2.2	0.1	12.2
1994	5	0.7	0.3	0.2	1.7	0	0.0	~	0.0	7.3
1995	4	0.5	0.3	0.1	1.4	1	0.6	0.6	0.0	7.2
1996	6	0.7	0.3	0.3	1.7	0	0.0	~	0.0	5.8
1997	6	0.7	0.3	0.3	1.7	0	0.0	~	0.0	5.6
1998	5	0.6	0.3	0.2	1.5	1	0.4	0.4	0.0	5.6
1999	2	0.3	0.2	0.0	1.0	1	0.5	0.5	0.0	5.3
2000	7	0.8	0.3	0.3	1.8	1	0.3	0.3	0.0	4.3
2001	5	0.7	0.3	0.2	1.6	1	0.3	0.3	0.0	3.7
2002	6	0.7	0.3	0.3	1.6	0	0.0	~	0.0	3.0
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	18	0.7	0.2	0.4	1.2	1,735	2.1	0.1	2.0	2.2
1990	0	0.0	~	0.0	4.2	139	2.3	0.2	2.0	2.8
1991	3	2.0	1.2	0.4	7.2	121	2.0	0.2	1.6	2.4
1992	2	1.5	1.1	0.1	6.4	119	2.0	0.2	1.6	2.4
1993	2	1.2	0.9	0.1	5.5	139	2.3	0.2	1.9	2.7
1994	0	0.0	~	0.0	3.5	131	2.1	0.2	1.7	2.5
1995	0	0.0	~	0.0	3.4	135	2.1	0.2	1.8	2.5
1996	3	1.6	1.0	0.3	5.7	136	2.1	0.2	1.8	2.5
1997	2	1.0	0.7	0.1	4.6	127	1.9	0.2	1.6	2.3
1998	2	0.6	0.4	0.1	3.7	129	2.0	0.2	1.7	2.4
1999	0	0.0	~	0.0	2.9	133	2.0	0.2	1.7	2.4
2000	1	0.1	0.1	0.0	2.8	147	2.2	0.2	1.9	2.6
2001	2	0.9	0.7	0.1	3.9	136	2.0	0.2	1.7	2.4
2002	1	0.5	0.5	0.0	2.9	143	2.1	0.2	1.8	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Melanoma of the Skin, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,448	2.3	0.0	2.2	2.4	4,356	2.6	0.0	2.5	2.7
1986	216	2.1	0.1	1.8	2.4	212	2.4	0.2	2.0	2.7
1987	212	2.1	0.1	1.8	2.4	207	2.3	0.2	2.0	2.6
1988	261	2.5	0.2	2.2	2.8	256	2.8	0.2	2.5	3.2
1989	220	2.1	0.1	1.8	2.4	214	2.3	0.2	2.0	2.7
1990	253	2.4	0.2	2.1	2.7	248	2.7	0.2	2.3	3.0
1991	241	2.2	0.1	1.9	2.5	236	2.5	0.2	2.2	2.8
1992	266	2.4	0.1	2.1	2.7	261	2.7	0.2	2.4	3.1
1993	282	2.5	0.2	2.2	2.8	276	2.9	0.2	2.5	3.2
1994	267	2.3	0.1	2.1	2.6	263	2.7	0.2	2.3	3.0
1995	263	2.3	0.1	2.0	2.6	257	2.6	0.2	2.3	2.9
1996	282	2.4	0.1	2.2	2.7	276	2.8	0.2	2.5	3.1
1997	270	2.3	0.1	2.0	2.6	264	2.6	0.2	2.3	3.0
1998	291	2.5	0.1	2.2	2.8	287	2.9	0.2	2.5	3.2
1999	281	2.4	0.1	2.1	2.7	276	2.7	0.2	2.4	3.0
2000	280	2.3	0.1	2.1	2.6	273	2.7	0.2	2.3	3.0
2001	259	2.1	0.1	1.9	2.4	254	2.4	0.2	2.2	2.8
2002	304	2.5	0.1	2.2	2.8	296	2.8	0.2	2.5	3.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	79	0.4	0.0	0.3	0.5	13	0.3	0.1	0.1	0.6
1986	4	0.3	0.2	0.1	1.0	0	0.0	~	0.0	8.1
1987	4	0.4	0.2	0.1	1.2	1	0.4	0.4	0.0	7.9
1988	5	0.5	0.2	0.1	1.2	0	0.0	~	0.0	7.2
1989	6	0.5	0.2	0.2	1.3	0	0.0	~	0.0	6.8
1990	5	0.5	0.2	0.2	1.2	0	0.0	~	0.0	6.7
1991	5	0.5	0.2	0.2	1.3	0	0.0	~	0.0	6.0
1992	4	0.3	0.2	0.1	0.9	1	0.4	0.4	0.0	5.8
1993	5	0.4	0.2	0.1	1.1	1	1.3	1.3	0.0	7.4
1994	4	0.3	0.2	0.1	0.9	0	0.0	~	0.0	4.6
1995	4	0.3	0.2	0.1	0.9	2	0.7	0.5	0.1	4.8
1996	4	0.3	0.1	0.1	0.8	2	0.4	0.3	0.0	4.2
1997	5	0.4	0.2	0.1	1.0	1	0.6	0.6	0.0	4.4
1998	2	0.1	0.1	0.0	0.6	2	0.4	0.3	0.1	3.8
1999	4	0.3	0.1	0.1	0.8	1	0.3	0.3	0.0	3.4
2000	6	0.4	0.2	0.2	1.0	1	0.1	0.1	0.0	2.8
2001	4	0.3	0.2	0.1	0.9	1	0.2	0.2	0.0	2.5
2002	8	0.6	0.2	0.2	1.2	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	42	0.7	0.1	0.5	1.1	3,485	2.4	0.0	2.4	2.5
1990	1	0.2	0.2	0.0	2.9	252	2.4	0.2	2.2	2.8
1991	3	1.2	0.8	0.2	4.5	236	2.2	0.1	2.0	2.6
1992	2	0.9	0.7	0.1	3.9	264	2.5	0.2	2.2	2.8
1993	4	1.1	0.6	0.3	3.8	277	2.6	0.2	2.3	2.9
1994	2	0.4	0.3	0.0	2.7	265	2.4	0.1	2.1	2.7
1995	2	0.6	0.5	0.0	3.1	261	2.4	0.1	2.1	2.7
1996	3	0.3	0.2	0.1	2.4	277	2.5	0.2	2.2	2.8
1997	4	0.7	0.4	0.1	2.9	265	2.4	0.1	2.1	2.7
1998	5	0.9	0.5	0.2	3.2	286	2.6	0.2	2.3	2.9
1999	3	0.7	0.5	0.1	3.0	277	2.4	0.1	2.2	2.8
2000	7	1.3	0.6	0.4	3.6	271	2.4	0.1	2.1	2.7
2001	3	0.6	0.4	0.1	2.4	255	2.2	0.1	1.9	2.5
2002	3	0.5	0.3	0.1	2.0	299	2.6	0.2	2.3	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Melanoma of the Skin, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,656	3.2	0.1	3.1	3.4	2,617	3.7	0.1	3.5	3.8
1986	118	2.6	0.2	2.1	3.1	116	2.9	0.3	2.4	3.5
1987	123	2.8	0.3	2.3	3.4	122	3.1	0.3	2.6	3.8
1988	156	3.5	0.3	3.0	4.2	153	3.9	0.3	3.3	4.7
1989	129	2.9	0.3	2.4	3.5	124	3.2	0.3	2.6	3.9
1990	139	3.0	0.3	2.5	3.6	136	3.4	0.3	2.8	4.1
1991	144	3.0	0.3	2.5	3.6	142	3.4	0.3	2.8	4.0
1992	165	3.6	0.3	3.0	4.2	163	4.1	0.3	3.4	4.8
1993	166	3.5	0.3	2.9	4.1	165	3.9	0.3	3.4	4.6
1994	161	3.4	0.3	2.9	4.0	159	3.9	0.3	3.3	4.5
1995	155	3.1	0.3	2.6	3.7	153	3.6	0.3	3.0	4.2
1996	173	3.4	0.3	2.9	4.0	171	3.9	0.3	3.4	4.6
1997	159	3.1	0.2	2.6	3.6	158	3.6	0.3	3.0	4.2
1998	189	3.8	0.3	3.2	4.4	187	4.3	0.3	3.7	5.0
1999	172	3.4	0.3	2.9	4.0	169	3.9	0.3	3.3	4.5
2000	166	3.3	0.3	2.8	3.8	165	3.7	0.3	3.2	4.4
2001	155	3.0	0.2	2.6	3.6	152	3.4	0.3	2.9	4.0
2002	186	3.5	0.3	3.0	4.1	182	4.0	0.3	3.4	4.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	33	0.4	0.1	0.2	0.5	6	0.3	0.1	0.1	1.0
1986	2	0.3	0.2	0.0	2.2	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	19.0
1988	3	0.5	0.3	0.1	2.3	0	0.0	~	0.0	17.8
1989	5	1.2	0.6	0.3	3.4	0	0.0	~	0.0	16.6
1990	3	0.7	0.4	0.1	2.6	0	0.0	~	0.0	16.8
1991	2	0.5	0.4	0.1	2.4	0	0.0	~	0.0	15.1
1992	2	0.3	0.2	0.0	2.0	0	0.0	~	0.0	13.7
1993	1	0.1	0.1	0.0	1.7	0	0.0	~	0.0	12.7
1994	2	0.3	0.2	0.0	1.9	0	0.0	~	0.0	12.3
1995	1	0.2	0.2	0.0	1.7	1	0.7	0.7	0.0	12.1
1996	0	0.0	~	0.0	1.5	2	0.9	0.6	0.1	11.6
1997	0	0.0	~	0.0	1.5	1	1.4	1.4	0.0	12.2
1998	1	0.1	0.1	0.0	1.5	1	0.5	0.5	0.0	10.0
1999	3	0.5	0.3	0.1	2.0	0	0.0	~	0.0	9.1
2000	1	0.1	0.1	0.0	1.5	0	0.0	~	0.0	7.9
2001	2	0.3	0.2	0.0	1.7	1	0.4	0.4	0.0	7.3
2002	4	0.8	0.4	0.2	2.4	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	27	1.0	0.3	0.5	1.7	2,093	3.4	0.1	3.3	3.6
1990	1	0.3	0.3	0.0	7.9	138	3.1	0.3	2.6	3.8
1991	0	0.0	~	0.0	7.1	142	3.1	0.3	2.6	3.7
1992	1	1.8	1.8	0.0	10.1	164	3.7	0.3	3.1	4.4
1993	2	0.8	0.5	0.1	7.3	163	3.6	0.3	3.0	4.2
1994	2	0.8	0.6	0.1	7.2	159	3.5	0.3	3.0	4.2
1995	2	1.5	1.4	0.1	8.4	153	3.2	0.3	2.7	3.8
1996	2	0.5	0.3	0.0	6.2	169	3.6	0.3	3.0	4.2
1997	2	0.2	0.2	0.0	5.7	157	3.2	0.3	2.7	3.8
1998	3	1.5	1.3	0.1	7.8	186	3.9	0.3	3.4	4.5
1999	3	1.7	1.3	0.2	7.7	168	3.5	0.3	3.0	4.1
2000	6	2.8	1.4	0.7	8.5	159	3.3	0.3	2.8	3.9
2001	1	0.1	0.1	0.0	4.2	153	3.2	0.3	2.7	3.7
2002	2	0.5	0.4	0.0	4.2	182	3.7	0.3	3.2	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Melanoma of the Skin, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,792	1.6	0.0	1.6	1.7	1,739	1.9	0.0	1.8	2.0
1986	98	1.7	0.2	1.4	2.1	96	1.9	0.2	1.6	2.4
1987	89	1.5	0.2	1.2	1.9	85	1.7	0.2	1.3	2.1
1988	105	1.8	0.2	1.4	2.2	103	2.0	0.2	1.6	2.5
1989	91	1.5	0.2	1.2	1.9	90	1.8	0.2	1.4	2.2
1990	114	1.9	0.2	1.5	2.3	112	2.1	0.2	1.8	2.6
1991	97	1.5	0.2	1.2	1.9	94	1.7	0.2	1.4	2.1
1992	101	1.6	0.2	1.3	2.0	98	1.8	0.2	1.5	2.2
1993	116	1.9	0.2	1.5	2.2	111	2.1	0.2	1.7	2.5
1994	106	1.6	0.2	1.3	2.0	104	1.8	0.2	1.5	2.2
1995	108	1.7	0.2	1.4	2.0	104	1.9	0.2	1.5	2.3
1996	109	1.6	0.2	1.4	2.0	105	1.9	0.2	1.5	2.3
1997	111	1.6	0.2	1.3	2.0	106	1.8	0.2	1.5	2.2
1998	102	1.6	0.2	1.3	1.9	100	1.8	0.2	1.5	2.2
1999	109	1.6	0.2	1.3	1.9	107	1.9	0.2	1.5	2.3
2000	114	1.7	0.2	1.4	2.0	108	1.9	0.2	1.5	2.3
2001	104	1.5	0.1	1.2	1.8	102	1.8	0.2	1.4	2.2
2002	118	1.7	0.2	1.4	2.0	114	2.0	0.2	1.6	2.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	46	0.4	0.1	0.3	0.5	7	0.3	0.1	0.1	0.8
1986	2	0.3	0.2	0.0	1.4	0	0.0	~	0.0	13.4
1987	3	0.5	0.3	0.1	1.7	1	0.8	0.8	0.0	13.3
1988	2	0.4	0.3	0.0	1.4	0	0.0	~	0.0	12.0
1989	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	11.4
1990	2	0.3	0.2	0.0	1.3	0	0.0	~	0.0	11.2
1991	3	0.5	0.3	0.1	1.5	0	0.0	~	0.0	10.0
1992	2	0.3	0.2	0.0	1.1	1	0.7	0.7	0.0	9.7
1993	4	0.6	0.3	0.2	1.6	1	2.2	2.2	0.1	12.2
1994	2	0.3	0.2	0.0	1.1	0	0.0	~	0.0	7.3
1995	3	0.4	0.2	0.1	1.3	1	0.6	0.6	0.0	7.2
1996	4	0.5	0.3	0.1	1.4	0	0.0	~	0.0	5.8
1997	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	5.6
1998	1	0.1	0.1	0.0	0.8	1	0.4	0.4	0.0	5.6
1999	1	0.1	0.1	0.0	0.8	1	0.5	0.5	0.0	5.3
2000	5	0.6	0.3	0.2	1.5	1	0.3	0.3	0.0	4.3
2001	2	0.3	0.2	0.0	1.0	0	0.0	~	0.0	3.4
2002	4	0.5	0.2	0.1	1.3	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.5	0.1	0.3	0.9	1,392	1.7	0.0	1.6	1.8
1990	0	0.0	~	0.0	4.2	114	2.0	0.2	1.6	2.4
1991	3	2.0	1.2	0.4	7.2	94	1.6	0.2	1.3	1.9
1992	1	0.4	0.4	0.0	4.4	100	1.7	0.2	1.3	2.0
1993	2	1.2	0.9	0.1	5.5	114	1.9	0.2	1.6	2.3
1994	0	0.0	~	0.0	3.5	106	1.7	0.2	1.4	2.0
1995	0	0.0	~	0.0	3.4	108	1.7	0.2	1.4	2.1
1996	1	0.2	0.2	0.0	3.4	108	1.7	0.2	1.4	2.1
1997	2	1.0	0.7	0.1	4.6	108	1.7	0.2	1.4	2.0
1998	2	0.6	0.4	0.1	3.7	100	1.6	0.2	1.3	2.0
1999	0	0.0	~	0.0	2.9	109	1.7	0.2	1.4	2.1
2000	1	0.1	0.1	0.0	2.8	112	1.7	0.2	1.4	2.1
2001	2	0.9	0.7	0.1	3.9	102	1.6	0.2	1.3	1.9
2002	1	0.5	0.5	0.0	2.9	117	1.8	0.2	1.5	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Breast, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	35,676	18.7	0.1	18.5	18.9	30,238	18.2	0.1	18.0	18.4
1986	2,114	20.5	0.5	19.6	21.4	1,831	20.1	0.5	19.2	21.1
1987	2,101	20.3	0.4	19.4	21.2	1,824	19.9	0.5	19.0	20.8
1988	2,108	20.1	0.4	19.3	21.0	1,840	20.0	0.5	19.1	20.9
1989	2,172	20.6	0.4	19.8	21.5	1,901	20.5	0.5	19.6	21.5
1990	2,194	20.7	0.4	19.9	21.6	1,903	20.4	0.5	19.5	21.4
1991	2,284	21.1	0.4	20.3	22.0	1,978	20.9	0.5	19.9	21.8
1992	2,164	19.7	0.4	18.9	20.6	1,890	19.7	0.5	18.8	20.6
1993	2,181	19.7	0.4	18.9	20.5	1,850	19.1	0.4	18.2	20.0
1994	2,156	19.2	0.4	18.4	20.0	1,814	18.5	0.4	17.7	19.4
1995	2,149	18.9	0.4	18.1	19.8	1,818	18.4	0.4	17.6	19.3
1996	2,121	18.5	0.4	17.7	19.3	1,802	18.1	0.4	17.3	19.0
1997	2,053	17.7	0.4	17.0	18.5	1,685	16.8	0.4	16.0	17.6
1998	1,997	17.0	0.4	16.2	17.7	1,681	16.5	0.4	15.8	17.3
1999	2,030	17.1	0.4	16.3	17.8	1,648	16.0	0.4	15.3	16.8
2000	2,067	17.1	0.4	16.4	17.9	1,701	16.4	0.4	15.6	17.2
2001	1,869	15.3	0.4	14.6	16.0	1,527	14.5	0.4	13.8	15.3
2002	1,916	15.5	0.4	14.8	16.2	1,545	14.6	0.4	13.8	15.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,188	23.9	0.3	23.3	24.6	250	5.5	0.4	4.8	6.4
1986	277	25.0	1.6	22.1	28.3	6	3.9	1.7	1.3	12.6
1987	271	24.2	1.5	21.4	27.5	6	3.9	1.7	1.3	12.1
1988	259	22.2	1.4	19.5	25.2	9	4.8	1.8	1.9	12.9
1989	264	22.9	1.5	20.2	26.1	7	4.3	1.7	1.6	11.9
1990	288	24.7	1.5	21.9	27.9	3	1.9	1.1	0.4	8.9
1991	292	24.4	1.5	21.6	27.5	14	5.5	1.5	2.9	12.1
1992	263	20.9	1.3	18.4	23.8	11	4.6	1.6	2.0	10.9
1993	321	25.6	1.5	22.8	28.6	10	5.0	1.9	2.0	11.7
1994	320	25.7	1.5	22.9	28.8	22	8.6	2.3	4.8	15.5
1995	316	24.4	1.4	21.7	27.3	15	5.2	1.4	2.8	10.3
1996	304	22.3	1.3	19.8	25.1	15	4.9	1.3	2.7	9.7
1997	352	25.7	1.4	23.0	28.7	16	4.9	1.3	2.7	9.5
1998	295	21.5	1.3	19.0	24.2	21	6.2	1.4	3.7	10.8
1999	354	26.0	1.4	23.3	28.9	28	8.5	1.8	5.3	13.6
2000	346	24.5	1.3	21.9	27.3	20	5.2	1.3	3.0	9.1
2001	320	22.6	1.3	20.2	25.3	22	5.5	1.3	3.3	9.3
2002	346	23.8	1.3	21.3	26.5	25	5.9	1.3	3.7	9.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	542	7.9	0.4	7.1	8.7	26,453	18.5	0.1	18.3	18.7
1990	24	6.9	1.6	4.1	11.5	2,157	21.1	0.5	20.2	22.0
1991	47	11.6	1.9	8.2	16.6	2,215	21.2	0.5	20.3	22.1
1992	37	7.6	1.4	5.2	11.5	2,116	20.0	0.4	19.2	20.9
1993	39	9.0	1.7	6.0	13.5	2,127	19.9	0.4	19.1	20.8
1994	33	7.4	1.5	4.8	11.4	2,113	19.6	0.4	18.7	20.4
1995	35	9.6	1.8	6.3	14.3	2,092	19.2	0.4	18.4	20.0
1996	44	9.0	1.5	6.3	12.9	2,057	18.7	0.4	17.9	19.5
1997	43	8.3	1.5	5.6	12.3	2,000	18.0	0.4	17.3	18.9
1998	43	6.6	1.1	4.5	9.7	1,943	17.3	0.4	16.5	18.1
1999	40	5.2	1.0	3.5	8.0	1,981	17.4	0.4	16.7	18.2
2000	52	7.5	1.2	5.2	10.7	2,004	17.4	0.4	16.7	18.2
2001	46	6.4	1.1	4.5	9.2	1,811	15.6	0.4	14.9	16.3
2002	59	8.8	1.3	6.4	12.0	1,837	15.6	0.4	14.9	16.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Breast, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	284	0.4	0.0	0.3	0.4	220	0.3	0.0	0.3	0.4
1986	12	0.3	0.1	0.2	0.6	9	0.3	0.1	0.1	0.6
1987	11	0.3	0.1	0.1	0.6	11	0.3	0.1	0.2	0.6
1988	12	0.3	0.1	0.1	0.5	9	0.2	0.1	0.1	0.5
1989	23	0.5	0.1	0.3	0.8	19	0.5	0.1	0.3	0.8
1990	12	0.3	0.1	0.1	0.5	10	0.3	0.1	0.1	0.5
1991	14	0.4	0.1	0.2	0.7	11	0.3	0.1	0.2	0.7
1992	8	0.2	0.1	0.1	0.4	6	0.2	0.1	0.1	0.4
1993	19	0.4	0.1	0.2	0.7	16	0.4	0.1	0.2	0.7
1994	17	0.3	0.1	0.2	0.6	13	0.3	0.1	0.2	0.5
1995	23	0.5	0.1	0.3	0.8	20	0.5	0.1	0.3	0.8
1996	13	0.3	0.1	0.1	0.5	11	0.3	0.1	0.1	0.5
1997	15	0.3	0.1	0.2	0.6	10	0.3	0.1	0.1	0.5
1998	18	0.4	0.1	0.2	0.7	14	0.4	0.1	0.2	0.6
1999	23	0.5	0.1	0.3	0.7	14	0.3	0.1	0.2	0.6
2000	22	0.5	0.1	0.3	0.7	14	0.3	0.1	0.2	0.6
2001	23	0.5	0.1	0.3	0.7	19	0.4	0.1	0.3	0.7
2002	19	0.4	0.1	0.2	0.6	14	0.3	0.1	0.2	0.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	62	0.8	0.1	0.6	1.1	2	0.2	0.1	0.0	0.9
1986	3	1.0	0.6	0.2	3.4	0	0.0	~	0.0	20.2
1987	0	0.0	~	0.0	1.8	0	0.0	~	0.0	19.0
1988	3	0.6	0.4	0.1	2.6	0	0.0	~	0.0	17.8
1989	4	1.1	0.6	0.2	3.3	0	0.0	~	0.0	16.6
1990	2	0.4	0.3	0.0	2.2	0	0.0	~	0.0	16.8
1991	3	0.5	0.3	0.1	2.3	0	0.0	~	0.0	15.1
1992	1	0.2	0.2	0.0	1.8	1	0.6	0.6	0.0	14.2
1993	3	0.6	0.4	0.1	2.4	0	0.0	~	0.0	12.7
1994	4	0.7	0.4	0.2	2.4	0	0.0	~	0.0	12.3
1995	3	0.7	0.5	0.1	2.6	0	0.0	~	0.0	11.4
1996	2	0.3	0.2	0.0	1.8	0	0.0	~	0.0	10.9
1997	5	1.2	0.6	0.3	3.1	0	0.0	~	0.0	10.2
1998	4	1.2	0.6	0.3	3.3	0	0.0	~	0.0	9.6
1999	9	1.9	0.7	0.8	4.0	0	0.0	~	0.0	9.1
2000	7	1.8	0.7	0.7	4.1	1	1.4	1.4	0.0	10.0
2001	4	0.7	0.4	0.2	2.3	0	0.0	~	0.0	6.9
2002	5	0.8	0.4	0.2	2.3	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.4	224	0.4	0.0	0.3	0.4
1990	0	0.0	~	0.0	7.6	12	0.3	0.1	0.1	0.5
1991	0	0.0	~	0.0	7.1	13	0.4	0.1	0.2	0.6
1992	0	0.0	~	0.0	6.7	8	0.2	0.1	0.1	0.4
1993	0	0.0	~	0.0	6.7	19	0.4	0.1	0.3	0.7
1994	0	0.0	~	0.0	6.4	17	0.3	0.1	0.2	0.6
1995	0	0.0	~	0.0	6.0	23	0.5	0.1	0.3	0.8
1996	0	0.0	~	0.0	5.8	12	0.2	0.1	0.1	0.5
1997	0	0.0	~	0.0	5.6	15	0.3	0.1	0.2	0.6
1998	0	0.0	~	0.0	5.3	18	0.4	0.1	0.3	0.7
1999	0	0.0	~	0.0	5.0	23	0.5	0.1	0.3	0.8
2000	0	0.0	~	0.0	4.6	22	0.5	0.1	0.3	0.8
2001	0	0.0	~	0.0	4.1	23	0.5	0.1	0.3	0.7
2002	0	0.0	~	0.0	3.6	19	0.4	0.1	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Breast, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	35,392	32.4	0.2	32.1	32.8	30,018	31.7	0.2	31.3	32.1
1986	2,102	35.6	0.8	34.1	37.2	1,822	35.0	0.8	33.4	36.7
1987	2,090	35.2	0.8	33.7	36.8	1,813	34.5	0.8	32.9	36.2
1988	2,096	35.0	0.8	33.5	36.5	1,831	34.9	0.8	33.2	36.5
1989	2,149	35.7	0.8	34.2	37.3	1,882	35.7	0.8	34.1	37.4
1990	2,182	35.9	0.8	34.4	37.5	1,893	35.6	0.8	33.9	37.2
1991	2,270	36.7	0.8	35.2	38.3	1,967	36.4	0.8	34.8	38.1
1992	2,156	34.4	0.8	32.9	35.9	1,884	34.4	0.8	32.9	36.1
1993	2,162	34.0	0.7	32.5	35.5	1,834	33.1	0.8	31.5	34.7
1994	2,139	33.3	0.7	31.9	34.7	1,801	32.3	0.8	30.8	33.9
1995	2,126	32.7	0.7	31.3	34.1	1,798	31.9	0.8	30.4	33.5
1996	2,108	32.1	0.7	30.7	33.5	1,791	31.5	0.8	30.0	33.0
1997	2,038	31.0	0.7	29.6	32.4	1,675	29.5	0.7	28.1	30.9
1998	1,979	29.5	0.7	28.2	30.8	1,667	28.8	0.7	27.5	30.3
1999	2,007	29.5	0.7	28.2	30.8	1,634	27.9	0.7	26.5	29.3
2000	2,045	29.6	0.7	28.3	30.9	1,687	28.4	0.7	27.1	29.9
2001	1,846	26.5	0.6	25.3	27.7	1,508	25.4	0.7	24.1	26.7
2002	1,897	26.9	0.6	25.7	28.2	1,531	25.5	0.7	24.3	26.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,126	40.0	0.6	38.9	41.1	248	10.0	0.7	8.7	11.5
1986	274	42.3	2.6	37.3	47.8	6	7.3	3.1	2.5	22.2
1987	271	41.6	2.6	36.7	47.0	6	6.9	3.0	2.4	21.0
1988	256	37.5	2.4	33.0	42.6	9	8.9	3.3	3.6	22.9
1989	260	38.3	2.4	33.7	43.4	7	7.7	3.0	3.0	20.7
1990	286	41.7	2.5	36.9	46.9	3	3.4	2.0	0.7	15.3
1991	289	40.9	2.4	36.3	46.1	14	10.5	2.9	5.6	21.9
1992	262	35.6	2.2	31.4	40.3	10	7.8	2.7	3.4	18.5
1993	318	42.7	2.4	38.1	47.8	10	8.9	3.3	3.7	20.0
1994	316	42.5	2.4	37.9	47.6	22	15.7	3.9	9.0	27.1
1995	313	40.8	2.3	36.3	45.6	15	9.6	2.6	5.3	18.2
1996	302	37.8	2.2	33.6	42.4	15	9.1	2.4	4.9	17.0
1997	347	43.2	2.3	38.7	48.0	16	9.1	2.4	5.1	16.8
1998	291	35.6	2.1	31.6	40.0	21	11.5	2.6	6.9	19.3
1999	345	42.3	2.3	37.9	47.1	28	15.4	3.1	9.8	23.9
2000	339	40.1	2.2	35.9	44.7	19	8.6	2.1	5.0	14.9
2001	316	37.3	2.1	33.3	41.7	22	10.0	2.3	6.1	16.2
2002	341	39.3	2.1	35.2	43.8	25	10.8	2.3	6.8	16.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	542	15.0	0.7	13.6	16.5	26,229	32.0	0.2	31.6	32.4
1990	24	12.8	2.8	7.9	20.6	2,145	36.5	0.8	34.9	38.1
1991	47	22.1	3.4	15.9	30.9	2,202	36.8	0.8	35.2	38.4
1992	37	14.9	2.6	10.3	21.9	2,108	34.7	0.8	33.2	36.3
1993	39	16.8	3.0	11.5	24.4	2,108	34.3	0.8	32.9	35.9
1994	33	13.9	2.6	9.2	20.8	2,096	33.8	0.7	32.4	35.3
1995	35	17.1	3.2	11.5	25.0	2,069	33.1	0.7	31.7	34.6
1996	44	17.1	2.8	12.1	24.1	2,045	32.4	0.7	31.0	33.9
1997	43	15.5	2.7	10.7	22.3	1,985	31.5	0.7	30.1	32.9
1998	43	12.8	2.1	9.0	18.5	1,925	29.9	0.7	28.6	31.3
1999	40	10.3	1.8	7.1	15.3	1,958	30.0	0.7	28.7	31.4
2000	52	14.4	2.3	10.3	20.2	1,982	30.0	0.7	28.7	31.4
2001	46	12.4	2.0	8.8	17.5	1,788	27.0	0.6	25.7	28.3
2002	59	16.6	2.4	12.2	22.3	1,818	27.2	0.6	25.9	28.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Female Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20,429	18.5	0.1	18.2	18.7	17,210	17.9	0.1	17.7	18.2
1986	1,225	20.3	0.6	19.2	21.5	1,056	19.8	0.6	18.6	21.1
1987	1,217	19.8	0.6	18.7	21.0	1,057	19.5	0.6	18.4	20.8
1988	1,132	18.4	0.6	17.3	19.5	961	17.7	0.6	16.5	18.9
1989	1,176	19.2	0.6	18.1	20.3	984	18.2	0.6	17.1	19.4
1990	1,224	19.6	0.6	18.5	20.8	1,060	19.3	0.6	18.2	20.6
1991	1,206	19.1	0.6	18.0	20.2	1,005	18.2	0.6	17.1	19.4
1992	1,191	18.6	0.5	17.6	19.7	978	17.5	0.6	16.4	18.6
1993	1,209	18.6	0.5	17.5	19.7	1,011	17.8	0.6	16.7	19.0
1994	1,192	18.3	0.5	17.2	19.3	1,007	17.8	0.6	16.7	18.9
1995	1,168	17.7	0.5	16.7	18.8	997	17.4	0.6	16.4	18.6
1996	1,218	18.3	0.5	17.2	19.3	1,035	18.0	0.6	16.9	19.1
1997	1,204	18.0	0.5	17.0	19.0	1,001	17.4	0.6	16.3	18.5
1998	1,213	17.9	0.5	16.9	18.9	1,020	17.5	0.6	16.4	18.6
1999	1,202	17.6	0.5	16.7	18.7	1,017	17.4	0.6	16.3	18.5
2000	1,264	18.5	0.5	17.4	19.5	1,062	18.2	0.6	17.1	19.3
2001	1,170	17.0	0.5	16.0	18.0	948	16.2	0.5	15.2	17.3
2002	1,218	17.5	0.5	16.5	18.5	1,011	17.1	0.5	16.0	18.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,038	24.0	0.4	23.2	24.9	181	8.0	0.6	6.8	9.4
1986	165	25.3	2.0	21.5	29.6	4	4.8	2.4	1.3	18.9
1987	153	23.6	1.9	19.9	27.8	7	7.7	3.1	2.9	21.9
1988	166	25.1	2.0	21.3	29.3	5	5.8	2.9	1.6	19.4
1989	183	27.1	2.0	23.3	31.5	9	11.0	3.9	4.7	25.4
1990	156	22.4	1.8	19.0	26.3	8	7.3	2.8	2.9	19.8
1991	191	27.5	2.0	23.7	31.8	10	8.4	2.8	3.9	20.0
1992	201	28.2	2.0	24.4	32.5	12	9.3	2.8	4.6	20.1
1993	190	25.5	1.9	21.9	29.5	8	5.9	2.2	2.4	15.3
1994	180	24.5	1.8	21.0	28.4	5	4.3	2.0	1.3	12.9
1995	164	21.8	1.7	18.5	25.5	7	3.8	1.4	1.5	10.8
1996	168	22.1	1.7	18.8	25.8	15	12.4	3.5	6.5	22.5
1997	192	24.5	1.8	21.2	28.3	11	8.2	2.6	3.9	16.4
1998	176	22.2	1.7	19.0	25.8	17	11.8	3.2	6.3	20.9
1999	175	21.3	1.6	18.2	24.8	10	4.8	1.6	2.2	10.7
2000	188	22.9	1.7	19.7	26.4	14	7.3	2.1	3.8	13.5
2001	204	24.4	1.7	21.2	28.1	18	9.2	2.3	5.3	15.5
2002	186	21.5	1.6	18.5	24.9	21	9.8	2.2	5.9	15.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	415	11.8	0.6	10.5	13.1	15,162	18.3	0.2	18.0	18.6
1990	24	12.0	2.6	7.4	19.3	1,190	19.7	0.6	18.6	20.9
1991	36	16.6	2.9	11.3	24.3	1,160	18.9	0.6	17.8	20.1
1992	21	9.4	2.2	5.5	15.8	1,164	18.8	0.6	17.7	20.0
1993	26	11.8	2.4	7.5	18.5	1,177	18.7	0.6	17.6	19.8
1994	29	12.1	2.5	7.7	18.9	1,158	18.4	0.5	17.3	19.5
1995	22	9.2	2.1	5.5	15.1	1,134	17.9	0.5	16.8	19.0
1996	31	11.5	2.4	7.3	17.7	1,180	18.4	0.5	17.3	19.5
1997	31	10.0	2.1	6.4	15.6	1,163	18.1	0.5	17.0	19.2
1998	38	12.7	2.3	8.5	18.7	1,164	17.9	0.5	16.8	18.9
1999	30	11.0	2.3	6.9	17.0	1,166	17.9	0.5	16.9	19.0
2000	45	14.5	2.5	10.0	20.6	1,212	18.5	0.5	17.5	19.6
2001	32	9.4	1.9	6.0	14.3	1,131	17.3	0.5	16.3	18.3
2002	50	13.6	2.1	9.7	18.7	1,163	17.6	0.5	16.6	18.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races. Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Cervix Uteri

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,686	3.5	0.1	3.4	3.6	2,566	2.9	0.1	2.8	3.0
1986	236	4.1	0.3	3.6	4.7	170	3.3	0.3	2.8	3.9
1987	217	3.9	0.3	3.3	4.4	162	3.3	0.3	2.8	3.9
1988	225	3.9	0.3	3.4	4.5	158	3.2	0.3	2.7	3.7
1989	223	3.9	0.3	3.4	4.5	150	3.1	0.3	2.6	3.6
1990	213	3.7	0.3	3.2	4.3	159	3.2	0.3	2.7	3.8
1991	243	4.1	0.3	3.6	4.7	153	3.0	0.3	2.6	3.6
1992	218	3.6	0.2	3.1	4.1	137	2.6	0.2	2.2	3.1
1993	234	3.8	0.3	3.3	4.3	159	3.0	0.2	2.6	3.6
1994	205	3.3	0.2	2.9	3.8	142	2.7	0.2	2.3	3.3
1995	201	3.2	0.2	2.8	3.7	128	2.4	0.2	2.0	2.8
1996	200	3.2	0.2	2.8	3.7	138	2.7	0.2	2.2	3.2
1997	231	3.6	0.2	3.2	4.1	167	3.2	0.2	2.7	3.7
1998	219	3.4	0.2	3.0	3.9	156	2.9	0.2	2.5	3.4
1999	218	3.3	0.2	2.9	3.8	165	3.0	0.2	2.5	3.5
2000	214	3.3	0.2	2.9	3.8	156	2.9	0.2	2.4	3.4
2001	183	2.8	0.2	2.4	3.2	122	2.3	0.2	1.9	2.7
2002	206	3.1	0.2	2.7	3.5	144	2.6	0.2	2.2	3.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,069	8.1	0.3	7.6	8.6	51	2.0	0.3	1.5	2.8
1986	65	9.8	1.3	7.5	12.7	1	1.0	1.0	0.0	14.4
1987	53	8.0	1.1	6.0	10.6	2	2.1	1.5	0.3	14.8
1988	65	9.3	1.2	7.1	12.0	2	1.8	1.3	0.2	13.9
1989	72	10.2	1.2	7.9	13.0	1	1.7	1.7	0.0	13.8
1990	51	7.2	1.0	5.3	9.5	3	2.0	1.2	0.4	13.1
1991	85	11.4	1.3	9.1	14.3	5	3.6	1.6	1.1	13.8
1992	78	10.8	1.2	8.5	13.6	3	2.5	1.6	0.4	12.1
1993	72	9.6	1.2	7.5	12.2	3	2.1	1.3	0.4	10.5
1994	63	8.1	1.0	6.2	10.5	0	0.0	~	0.0	7.3
1995	71	9.2	1.1	7.2	11.7	2	0.9	0.6	0.1	7.4
1996	57	7.1	1.0	5.3	9.3	5	3.7	1.8	1.1	10.8
1997	60	7.3	0.9	5.5	9.4	4	2.8	1.5	0.7	9.4
1998	58	6.9	0.9	5.2	9.0	5	3.2	1.6	0.9	9.6
1999	52	6.0	0.8	4.5	8.0	1	0.4	0.4	0.0	5.1
2000	52	5.8	0.8	4.3	7.7	6	2.7	1.1	1.0	7.4
2001	57	6.5	0.9	4.9	8.5	4	1.7	0.9	0.5	5.6
2002	58	6.4	0.8	4.9	8.3	4	2.1	1.1	0.5	6.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	155	3.6	0.3	3.0	4.4	2,605	3.4	0.1	3.2	3.5
1990	10	4.4	1.4	2.0	9.7	201	3.7	0.3	3.2	4.2
1991	13	5.1	1.5	2.5	10.4	228	4.0	0.3	3.5	4.6
1992	4	1.9	1.0	0.4	6.5	211	3.6	0.3	3.2	4.2
1993	9	3.5	1.2	1.5	8.0	223	3.8	0.3	3.3	4.3
1994	13	4.5	1.4	2.2	9.2	191	3.2	0.2	2.8	3.7
1995	6	2.6	1.1	0.9	6.9	192	3.2	0.2	2.8	3.7
1996	10	2.8	1.0	1.2	6.6	190	3.2	0.2	2.8	3.7
1997	20	5.1	1.2	2.9	9.2	208	3.5	0.2	3.0	4.0
1998	19	4.8	1.2	2.8	8.8	199	3.3	0.2	2.9	3.8
1999	9	2.4	1.0	0.9	6.2	208	3.4	0.2	2.9	3.9
2000	21	6.4	1.6	3.6	11.1	189	3.1	0.2	2.7	3.6
2001	8	1.5	0.6	0.6	4.2	173	2.8	0.2	2.4	3.3
2002	13	2.6	0.8	1.3	5.4	192	3.1	0.2	2.7	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races. Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Corpus Uteri

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,546	2.2	0.0	2.1	2.3	2,125	2.1	0.0	2.0	2.2
1986	166	2.6	0.2	2.2	3.1	145	2.6	0.2	2.2	3.0
1987	174	2.7	0.2	2.3	3.2	148	2.6	0.2	2.2	3.1
1988	165	2.6	0.2	2.2	3.0	146	2.6	0.2	2.2	3.1
1989	132	2.0	0.2	1.7	2.4	116	2.0	0.2	1.6	2.4
1990	153	2.3	0.2	2.0	2.7	132	2.3	0.2	1.9	2.7
1991	148	2.3	0.2	1.9	2.7	134	2.4	0.2	2.0	2.9
1992	136	2.0	0.2	1.7	2.4	113	1.9	0.2	1.6	2.3
1993	150	2.2	0.2	1.9	2.6	117	2.0	0.2	1.6	2.4
1994	146	2.2	0.2	1.8	2.6	118	2.0	0.2	1.7	2.4
1995	147	2.2	0.2	1.8	2.5	129	2.2	0.2	1.8	2.6
1996	162	2.3	0.2	2.0	2.7	132	2.2	0.2	1.8	2.6
1997	147	2.1	0.2	1.8	2.5	122	2.0	0.2	1.7	2.4
1998	159	2.3	0.2	1.9	2.7	128	2.1	0.2	1.8	2.5
1999	138	2.0	0.2	1.7	2.4	113	1.9	0.2	1.5	2.3
2000	140	2.0	0.2	1.7	2.4	110	1.9	0.2	1.5	2.3
2001	145	2.1	0.2	1.8	2.5	115	1.9	0.2	1.6	2.3
2002	138	2.0	0.2	1.6	2.3	107	1.8	0.2	1.5	2.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	404	3.3	0.2	3.0	3.6	17	0.8	0.2	0.4	1.4
1986	21	3.2	0.7	2.0	5.1	0	0.0	~	0.0	13.4
1987	25	3.8	0.8	2.4	5.7	1	1.1	1.1	0.0	13.8
1988	19	3.1	0.7	1.9	5.0	0	0.0	~	0.0	12.0
1989	15	2.4	0.6	1.3	4.0	1	0.9	0.9	0.0	12.3
1990	21	3.1	0.7	1.9	4.8	0	0.0	~	0.0	11.2
1991	13	1.8	0.5	1.0	3.2	1	0.9	0.9	0.0	10.9
1992	21	2.9	0.6	1.8	4.5	2	1.5	1.1	0.2	10.6
1993	33	4.6	0.8	3.1	6.5	0	0.0	~	0.0	8.0
1994	28	3.9	0.7	2.6	5.7	0	0.0	~	0.0	7.3
1995	18	2.3	0.6	1.4	3.8	0	0.0	~	0.0	6.4
1996	27	3.6	0.7	2.4	5.4	3	2.8	1.8	0.4	10.2
1997	24	3.2	0.7	2.0	4.8	1	0.5	0.5	0.0	6.1
1998	28	3.7	0.7	2.5	5.4	3	2.3	1.5	0.3	8.7
1999	25	3.2	0.6	2.1	4.7	0	0.0	~	0.0	4.7
2000	30	3.8	0.7	2.5	5.4	0	0.0	~	0.0	4.0
2001	29	3.5	0.7	2.3	5.1	1	0.6	0.6	0.0	4.4
2002	27	3.3	0.6	2.2	4.8	4	1.5	0.7	0.4	4.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	31	1.1	0.2	0.7	1.6	1,864	2.2	0.1	2.1	2.3
1990	2	0.9	0.7	0.1	5.4	151	2.3	0.2	2.0	2.8
1991	1	0.8	0.8	0.0	5.5	146	2.3	0.2	2.0	2.8
1992	1	0.4	0.4	0.0	4.4	135	2.1	0.2	1.7	2.5
1993	2	1.2	0.9	0.1	5.5	147	2.2	0.2	1.9	2.6
1994	1	0.6	0.6	0.0	4.3	145	2.2	0.2	1.9	2.6
1995	1	0.4	0.4	0.0	3.9	144	2.2	0.2	1.8	2.6
1996	2	0.7	0.5	0.1	4.1	157	2.3	0.2	2.0	2.7
1997	0	0.0	~	0.0	3.1	147	2.2	0.2	1.9	2.6
1998	4	1.5	0.8	0.4	5.1	152	2.2	0.2	1.9	2.6
1999	5	1.6	0.7	0.5	5.0	132	2.0	0.2	1.6	2.3
2000	3	1.0	0.7	0.2	4.1	137	2.1	0.2	1.7	2.4
2001	3	1.5	0.9	0.3	4.9	141	2.1	0.2	1.8	2.5
2002	6	2.3	1.0	0.8	5.4	130	1.9	0.2	1.6	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Uterus, NOS

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,701	2.4	0.0	2.3	2.5	2,220	2.2	0.0	2.1	2.3
1986	141	2.2	0.2	1.9	2.6	120	2.1	0.2	1.7	2.5
1987	150	2.3	0.2	2.0	2.8	122	2.1	0.2	1.8	2.6
1988	144	2.2	0.2	1.9	2.6	124	2.2	0.2	1.8	2.6
1989	160	2.5	0.2	2.1	2.9	130	2.2	0.2	1.9	2.7
1990	157	2.4	0.2	2.1	2.9	131	2.3	0.2	1.9	2.7
1991	166	2.6	0.2	2.2	3.0	131	2.3	0.2	1.9	2.8
1992	132	2.0	0.2	1.6	2.3	103	1.7	0.2	1.4	2.1
1993	152	2.3	0.2	1.9	2.7	131	2.2	0.2	1.8	2.6
1994	162	2.4	0.2	2.0	2.8	132	2.2	0.2	1.9	2.7
1995	157	2.3	0.2	2.0	2.7	124	2.1	0.2	1.7	2.5
1996	133	1.9	0.2	1.6	2.3	113	1.9	0.2	1.5	2.3
1997	150	2.2	0.2	1.8	2.5	124	2.1	0.2	1.7	2.5
1998	173	2.5	0.2	2.1	2.9	140	2.3	0.2	1.9	2.7
1999	169	2.4	0.2	2.1	2.8	142	2.4	0.2	2.0	2.8
2000	195	2.8	0.2	2.4	3.2	160	2.7	0.2	2.3	3.1
2001	176	2.5	0.2	2.1	2.9	148	2.4	0.2	2.1	2.9
2002	184	2.6	0.2	2.2	3.0	145	2.4	0.2	2.0	2.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	456	3.7	0.2	3.4	4.1	25	1.3	0.3	0.8	2.1
1986	20	3.1	0.7	1.9	4.9	1	1.1	1.1	0.0	14.5
1987	28	4.3	0.8	2.8	6.4	0	0.0	~	0.0	12.6
1988	19	3.0	0.7	1.8	4.7	1	2.3	2.3	0.1	15.7
1989	29	4.3	0.8	2.9	6.3	1	1.3	1.3	0.0	13.0
1990	26	3.8	0.8	2.5	5.7	0	0.0	~	0.0	11.2
1991	34	5.2	0.9	3.6	7.4	1	1.5	1.5	0.0	12.2
1992	29	4.1	0.8	2.7	6.0	0	0.0	~	0.0	9.0
1993	20	2.6	0.6	1.6	4.1	1	1.3	1.3	0.0	10.0
1994	30	4.2	0.8	2.8	6.0	0	0.0	~	0.0	7.3
1995	32	4.7	0.8	3.2	6.6	1	0.6	0.6	0.0	7.2
1996	18	2.4	0.6	1.4	3.8	2	2.3	1.7	0.2	9.6
1997	24	3.4	0.7	2.2	5.1	2	1.5	1.1	0.2	7.7
1998	30	4.0	0.7	2.7	5.7	3	1.4	0.8	0.3	6.8
1999	25	3.0	0.6	2.0	4.5	2	0.9	0.7	0.1	5.8
2000	32	4.1	0.7	2.8	5.8	3	1.7	1.1	0.3	6.4
2001	26	3.1	0.6	2.0	4.6	2	1.7	1.2	0.2	6.3
2002	34	4.0	0.7	2.7	5.6	5	2.5	1.2	0.8	6.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	45	1.4	0.2	1.0	2.0	2,056	2.4	0.1	2.3	2.5
1990	2	0.9	0.6	0.1	5.2	154	2.4	0.2	2.1	2.9
1991	5	2.6	1.2	0.8	7.6	161	2.5	0.2	2.2	3.0
1992	5	1.9	0.9	0.5	6.2	127	1.9	0.2	1.6	2.3
1993	4	2.0	1.1	0.5	6.5	148	2.3	0.2	1.9	2.7
1994	3	0.9	0.5	0.2	4.5	159	2.4	0.2	2.1	2.8
1995	3	1.0	0.6	0.2	4.6	154	2.3	0.2	2.0	2.7
1996	1	0.8	0.8	0.0	4.6	131	2.0	0.2	1.6	2.3
1997	3	1.5	1.0	0.2	5.4	147	2.2	0.2	1.8	2.6
1998	2	1.1	0.8	0.1	4.8	171	2.5	0.2	2.1	2.9
1999	5	1.9	1.0	0.5	5.7	164	2.5	0.2	2.1	2.9
2000	2	1.0	0.7	0.1	4.2	193	2.9	0.2	2.5	3.3
2001	4	1.2	0.7	0.2	4.2	171	2.5	0.2	2.2	3.0
2002	6	1.8	0.8	0.6	4.6	176	2.6	0.2	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ovary

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10,414	9.4	0.1	9.2	9.6	9,352	9.8	0.1	9.6	10.0
1986	619	10.3	0.4	9.5	11.2	567	10.8	0.5	9.9	11.8
1987	610	9.9	0.4	9.1	10.7	569	10.5	0.5	9.6	11.4
1988	551	8.9	0.4	8.2	9.7	493	9.0	0.4	8.2	9.9
1989	617	10.1	0.4	9.3	10.9	549	10.2	0.4	9.4	11.1
1990	635	10.2	0.4	9.4	11.0	577	10.5	0.4	9.7	11.5
1991	589	9.2	0.4	8.5	10.0	532	9.5	0.4	8.7	10.4
1992	640	10.0	0.4	9.3	10.9	571	10.3	0.4	9.4	11.2
1993	595	9.2	0.4	8.4	10.0	531	9.4	0.4	8.6	10.3
1994	625	9.5	0.4	8.8	10.3	568	10.0	0.4	9.2	10.9
1995	599	9.1	0.4	8.4	9.9	558	9.9	0.4	9.0	10.7
1996	659	9.9	0.4	9.2	10.7	595	10.3	0.4	9.5	11.2
1997	619	9.2	0.4	8.5	10.0	537	9.3	0.4	8.5	10.1
1998	605	8.9	0.4	8.2	9.7	547	9.4	0.4	8.6	10.2
1999	604	8.9	0.4	8.2	9.6	530	9.1	0.4	8.3	9.9
2000	634	9.2	0.4	8.5	10.0	566	9.6	0.4	8.9	10.5
2001	594	8.6	0.4	7.9	9.4	509	8.7	0.4	8.0	9.5
2002	619	8.9	0.4	8.2	9.6	553	9.4	0.4	8.6	10.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	978	7.9	0.3	7.4	8.4	84	3.7	0.4	2.9	4.7
1986	50	7.6	1.1	5.6	10.1	2	2.7	1.9	0.3	16.5
1987	37	5.9	1.0	4.1	8.3	4	4.6	2.5	1.0	18.2
1988	56	8.6	1.2	6.4	11.3	2	1.6	1.2	0.2	13.6
1989	62	9.5	1.2	7.2	12.2	6	7.0	3.1	2.3	20.3
1990	54	7.8	1.1	5.8	10.2	4	4.5	2.4	1.1	16.7
1991	54	8.3	1.1	6.2	10.9	3	2.5	1.4	0.5	12.6
1992	62	8.7	1.1	6.7	11.3	7	5.3	2.0	2.1	15.0
1993	60	8.1	1.1	6.1	10.5	4	2.4	1.2	0.6	10.7
1994	53	7.5	1.0	5.6	9.8	4	3.6	1.9	0.9	12.2
1995	37	4.8	0.8	3.4	6.7	4	2.2	1.1	0.6	9.0
1996	59	8.0	1.1	6.1	10.4	5	3.7	1.8	1.1	10.8
1997	78	9.9	1.1	7.8	12.4	4	3.3	1.7	0.9	10.1
1998	53	6.7	0.9	5.0	8.8	5	4.4	2.2	1.2	11.8
1999	67	8.3	1.0	6.5	10.6	7	3.5	1.4	1.3	9.1
2000	64	8.0	1.0	6.1	10.2	4	2.0	1.1	0.5	6.8
2001	74	9.1	1.1	7.1	11.4	11	5.2	1.6	2.5	10.4
2002	58	6.8	0.9	5.1	8.8	8	3.8	1.4	1.6	8.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	163	4.9	0.4	4.1	5.9	7,804	9.4	0.1	9.2	9.6
1990	8	4.2	1.6	1.6	9.8	622	10.3	0.4	9.5	11.1
1991	14	6.4	1.8	3.5	12.2	568	9.1	0.4	8.4	9.9
1992	9	4.4	1.6	1.9	9.8	628	10.2	0.4	9.4	11.0
1993	9	4.0	1.4	1.8	9.0	583	9.3	0.4	8.5	10.1
1994	9	4.3	1.6	1.7	9.4	612	9.7	0.4	8.9	10.5
1995	12	5.2	1.6	2.5	10.3	581	9.2	0.4	8.5	10.0
1996	16	6.0	1.7	3.2	11.1	640	10.0	0.4	9.2	10.8
1997	7	2.6	1.1	1.0	6.6	608	9.4	0.4	8.7	10.2
1998	13	5.2	1.6	2.5	10.1	586	9.0	0.4	8.3	9.8
1999	9	4.0	1.5	1.6	8.5	591	9.1	0.4	8.3	9.8
2000	19	6.0	1.6	3.3	10.5	613	9.3	0.4	8.6	10.1
2001	14	4.2	1.3	2.1	8.1	577	8.8	0.4	8.1	9.6
2002	24	6.9	1.5	4.2	10.9	595	9.0	0.4	8.3	9.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Male Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	24,848	36.3	0.2	35.8	36.8	19,873	32.7	0.2	32.3	33.2
1986	1,226	33.5	1.0	31.6	35.6	992	30.5	1.0	28.6	32.6
1987	1,310	35.4	1.0	33.4	37.4	1,057	31.8	1.0	29.8	33.9
1988	1,379	36.5	1.0	34.5	38.6	1,115	33.2	1.0	31.2	35.3
1989	1,423	37.6	1.0	35.6	39.8	1,131	33.6	1.0	31.6	35.8
1990	1,562	41.4	1.1	39.3	43.6	1,267	37.6	1.1	35.5	39.9
1991	1,555	40.4	1.1	38.4	42.6	1,250	36.5	1.1	34.4	38.6
1992	1,523	38.9	1.0	36.9	41.0	1,208	34.4	1.0	32.4	36.5
1993	1,637	41.6	1.1	39.5	43.7	1,308	37.4	1.1	35.3	39.5
1994	1,533	38.5	1.0	36.5	40.6	1,221	34.4	1.0	32.4	36.4
1995	1,513	37.5	1.0	35.6	39.5	1,239	34.6	1.0	32.7	36.7
1996	1,518	36.9	1.0	35.0	38.9	1,212	33.2	1.0	31.3	35.2
1997	1,491	35.8	1.0	34.0	37.7	1,190	32.3	1.0	30.5	34.3
1998	1,515	35.8	0.9	34.0	37.7	1,211	32.4	0.9	30.5	34.3
1999	1,447	33.7	0.9	31.9	35.5	1,160	30.6	0.9	28.8	32.5
2000	1,436	33.2	0.9	31.4	35.0	1,128	29.5	0.9	27.8	31.3
2001	1,427	32.0	0.9	30.4	33.8	1,139	29.0	0.9	27.3	30.8
2002	1,353	29.5	0.8	28.0	31.2	1,045	26.0	0.8	24.5	27.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,883	75.6	1.1	73.4	77.9	92	9.3	1.1	7.3	11.7
1986	232	66.3	4.7	57.5	76.3	2	5.2	4.1	0.4	27.6
1987	251	74.0	5.0	64.5	84.7	2	7.1	5.5	0.6	30.8
1988	262	73.2	4.8	64.1	83.5	2	6.7	5.2	0.6	28.9
1989	290	81.9	5.1	72.2	92.7	2	2.9	2.1	0.3	19.9
1990	294	83.7	5.2	73.8	94.8	1	2.9	2.9	0.1	21.2
1991	300	84.4	5.2	74.6	95.4	5	11.1	6.0	2.6	32.5
1992	307	88.3	5.4	78.1	99.6	8	10.6	4.0	4.2	26.9
1993	324	88.0	5.2	78.1	99.0	5	9.7	4.7	2.8	26.8
1994	309	84.6	5.1	74.9	95.4	3	7.8	4.9	1.4	25.3
1995	270	70.3	4.5	61.7	79.9	4	8.0	4.6	1.7	24.3
1996	298	78.5	4.8	69.4	88.7	8	11.3	4.4	4.3	26.4
1997	292	73.1	4.5	64.5	82.7	9	15.3	5.5	6.5	32.0
1998	295	71.9	4.4	63.5	81.3	9	14.8	5.6	5.9	31.5
1999	281	67.5	4.2	59.5	76.5	6	10.7	4.7	3.5	25.5
2000	297	72.5	4.4	64.1	81.8	11	11.6	3.8	5.3	23.6
2001	283	66.0	4.1	58.2	74.6	5	7.5	3.4	2.3	18.4
2002	298	66.5	4.0	58.9	74.9	10	7.0	2.4	3.1	15.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	297	17.6	1.2	15.4	20.1	19,060	36.6	0.3	36.0	37.1
1990	14	13.0	4.3	6.0	25.7	1,530	41.5	1.1	39.4	43.8
1991	15	11.5	3.6	5.5	22.6	1,527	40.7	1.1	38.6	42.9
1992	14	15.6	4.7	7.8	28.5	1,497	39.1	1.0	37.1	41.3
1993	26	24.0	5.7	14.2	38.7	1,601	41.7	1.1	39.7	43.9
1994	23	22.6	5.3	13.4	36.4	1,499	38.6	1.0	36.7	40.7
1995	16	15.1	4.2	8.0	26.7	1,485	37.8	1.0	35.8	39.8
1996	25	17.6	4.3	10.3	29.0	1,479	37.0	1.0	35.1	39.0
1997	26	20.5	4.6	12.6	32.4	1,456	36.0	1.0	34.1	38.0
1998	27	17.3	3.9	10.6	27.7	1,478	36.0	1.0	34.2	37.9
1999	22	14.7	3.6	8.4	24.5	1,422	34.1	0.9	32.3	36.0
2000	28	19.6	4.1	12.5	30.0	1,398	33.4	0.9	31.6	35.2
2001	27	16.6	3.6	10.3	25.7	1,385	32.2	0.9	30.5	34.0
2002	34	17.5	3.3	11.6	25.7	1,303	29.6	0.8	28.0	31.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Prostate										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	24,463	35.9	0.2	35.4	36.3	19,533	32.3	0.2	31.8	32.8
1986	1,203	33.1	1.0	31.1	35.1	973	30.1	1.0	28.1	32.1
1987	1,274	34.6	1.0	32.6	36.7	1,023	31.0	1.0	29.0	33.1
1988	1,362	36.2	1.0	34.2	38.3	1,099	32.8	1.0	30.8	34.9
1989	1,395	37.0	1.0	35.0	39.1	1,107	33.1	1.0	31.1	35.2
1990	1,545	41.0	1.1	38.9	43.2	1,252	37.3	1.1	35.2	39.5
1991	1,533	40.0	1.1	37.9	42.1	1,230	36.0	1.1	33.9	38.2
1992	1,502	38.5	1.0	36.5	40.6	1,192	34.1	1.0	32.1	36.1
1993	1,609	41.1	1.1	39.0	43.2	1,284	36.9	1.1	34.8	39.0
1994	1,517	38.2	1.0	36.3	40.3	1,206	34.1	1.0	32.1	36.1
1995	1,499	37.2	1.0	35.3	39.2	1,226	34.3	1.0	32.4	36.4
1996	1,502	36.6	1.0	34.7	38.6	1,196	32.8	1.0	31.0	34.8
1997	1,465	35.3	0.9	33.5	37.2	1,167	31.8	1.0	30.0	33.7
1998	1,492	35.4	0.9	33.6	37.3	1,191	31.9	0.9	30.1	33.8
1999	1,423	33.2	0.9	31.5	35.0	1,140	30.1	0.9	28.4	32.0
2000	1,409	32.7	0.9	31.0	34.5	1,105	29.0	0.9	27.3	30.8
2001	1,402	31.6	0.9	29.9	33.3	1,116	28.5	0.9	26.8	30.2
2002	1,331	29.1	0.8	27.6	30.8	1,026	25.6	0.8	24.1	27.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,838	75.1	1.1	72.9	77.4	92	9.3	1.1	7.3	11.7
1986	228	65.7	4.6	56.9	75.7	2	5.2	4.1	0.4	27.6
1987	249	73.8	5.0	64.3	84.4	2	7.1	5.5	0.6	30.8
1988	261	73.2	4.8	64.0	83.4	2	6.7	5.2	0.6	28.9
1989	286	80.7	5.1	71.1	91.4	2	2.9	2.1	0.3	19.9
1990	292	83.1	5.2	73.2	94.2	1	2.9	2.9	0.1	21.2
1991	298	84.1	5.2	74.2	95.0	5	11.1	6.0	2.6	32.5
1992	302	87.1	5.3	77.0	98.3	8	10.6	4.0	4.2	26.9
1993	320	87.2	5.2	77.3	98.2	5	9.7	4.7	2.8	26.8
1994	308	84.5	5.1	74.8	95.3	3	7.8	4.9	1.4	25.3
1995	269	70.2	4.5	61.6	79.8	4	8.0	4.6	1.7	24.3
1996	298	78.5	4.8	69.4	88.7	8	11.3	4.4	4.3	26.4
1997	289	72.7	4.5	64.1	82.3	9	15.3	5.5	6.5	32.0
1998	292	71.6	4.4	63.2	80.9	9	14.8	5.6	5.9	31.5
1999	277	67.0	4.2	58.9	75.9	6	10.7	4.7	3.5	25.5
2000	293	72.0	4.4	63.6	81.3	11	11.6	3.8	5.3	23.6
2001	281	65.7	4.1	57.9	74.3	5	7.5	3.4	2.3	18.4
2002	295	66.0	4.0	58.4	74.4	10	7.0	2.4	3.1	15.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	278	17.2	1.2	15.0	19.7	18,798	36.2	0.3	35.6	36.7
1990	12	12.4	4.3	5.5	25.1	1,515	41.2	1.1	39.0	43.4
1991	14	11.3	3.6	5.4	22.5	1,506	40.2	1.1	38.2	42.4
1992	13	15.5	4.7	7.7	28.4	1,477	38.7	1.0	36.7	40.8
1993	23	23.7	5.7	14.0	38.4	1,576	41.2	1.1	39.1	43.4
1994	22	22.1	5.3	13.0	35.9	1,484	38.4	1.0	36.4	40.4
1995	16	15.1	4.2	8.0	26.7	1,471	37.5	1.0	35.5	39.5
1996	23	17.4	4.3	10.1	28.9	1,465	36.7	1.0	34.8	38.7
1997	24	19.4	4.5	11.7	31.1	1,432	35.5	1.0	33.7	37.5
1998	24	15.8	3.7	9.4	25.9	1,458	35.6	1.0	33.8	37.5
1999	20	14.2	3.6	8.0	24.0	1,400	33.7	0.9	31.9	35.5
2000	27	19.1	4.0	12.1	29.5	1,372	32.8	0.9	31.1	34.7
2001	27	16.6	3.6	10.3	25.7	1,360	31.7	0.9	30.0	33.5
2002	33	17.3	3.3	11.5	25.6	1,282	29.2	0.8	27.6	30.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Testis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	225	0.2	0.0	0.2	0.3	204	0.2	0.0	0.2	0.3
1986	10	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1987	22	0.4	0.1	0.2	0.6	21	0.4	0.1	0.3	0.7
1988	11	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1989	15	0.3	0.1	0.2	0.6	14	0.3	0.1	0.2	0.6
1990	11	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1991	16	0.3	0.1	0.2	0.5	16	0.4	0.1	0.2	0.6
1992	11	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1993	20	0.3	0.1	0.2	0.6	18	0.4	0.1	0.2	0.6
1994	11	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1995	7	0.1	0.0	0.0	0.3	6	0.1	0.0	0.0	0.3
1996	10	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1997	12	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
1998	15	0.3	0.1	0.1	0.4	13	0.3	0.1	0.1	0.5
1999	12	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.4
2000	16	0.3	0.1	0.1	0.4	13	0.3	0.1	0.1	0.5
2001	12	0.2	0.1	0.1	0.4	11	0.2	0.1	0.1	0.4
2002	14	0.2	0.1	0.1	0.4	14	0.3	0.1	0.2	0.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	21	0.1	0.0	0.1	0.3	0	0.0	~	0.0	0.7
1986	2	0.2	0.1	0.0	2.0	0	0.0	~	0.0	20.2
1987	1	0.1	0.1	0.0	1.9	0	0.0	~	0.0	19.0
1988	1	0.1	0.1	0.0	1.8	0	0.0	~	0.0	17.8
1989	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	16.6
1990	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	1	0.1	0.1	0.0	1.7	0	0.0	~	0.0	13.7
1993	2	0.2	0.2	0.0	1.8	0	0.0	~	0.0	12.7
1994	1	0.1	0.1	0.0	1.6	0	0.0	~	0.0	12.3
1995	1	0.1	0.1	0.0	1.6	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	2	0.3	0.2	0.0	1.8	0	0.0	~	0.0	10.2
1998	2	0.2	0.1	0.0	1.6	0	0.0	~	0.0	9.6
1999	2	0.2	0.2	0.0	1.6	0	0.0	~	0.0	9.1
2000	3	0.4	0.2	0.1	1.8	0	0.0	~	0.0	7.9
2001	1	0.1	0.1	0.0	1.4	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	10	0.1	0.0	0.0	0.5	157	0.2	0.0	0.2	0.3
1990	1	0.1	0.1	0.0	7.7	10	0.2	0.1	0.1	0.4
1991	1	0.1	0.1	0.0	7.2	15	0.3	0.1	0.2	0.6
1992	1	0.1	0.1	0.0	6.8	10	0.2	0.1	0.1	0.4
1993	3	0.3	0.2	0.1	6.8	17	0.3	0.1	0.2	0.6
1994	0	0.0	~	0.0	6.4	11	0.2	0.1	0.1	0.4
1995	0	0.0	~	0.0	6.0	7	0.1	0.0	0.1	0.3
1996	2	0.2	0.1	0.0	5.9	8	0.2	0.1	0.1	0.4
1997	0	0.0	~	0.0	5.6	12	0.2	0.1	0.1	0.4
1998	1	0.1	0.1	0.0	5.4	14	0.3	0.1	0.1	0.5
1999	1	0.1	0.1	0.0	5.1	11	0.2	0.1	0.1	0.4
2000	0	0.0	~	0.0	4.6	16	0.3	0.1	0.2	0.5
2001	0	0.0	~	0.0	4.1	12	0.2	0.1	0.1	0.4
2002	0	0.0	~	0.0	3.6	14	0.3	0.1	0.1	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Penis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	134	0.2	0.0	0.1	0.2	113	0.2	0.0	0.1	0.2
1986	9	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1987	11	0.3	0.1	0.1	0.6	10	0.3	0.1	0.1	0.6
1988	5	0.1	0.1	0.0	0.3	5	0.1	0.1	0.0	0.4
1989	13	0.3	0.1	0.2	0.5	10	0.2	0.1	0.1	0.5
1990	5	0.1	0.1	0.0	0.4	4	0.1	0.1	0.0	0.3
1991	5	0.1	0.1	0.0	0.3	3	0.1	0.0	0.0	0.3
1992	6	0.1	0.1	0.1	0.4	3	0.1	0.0	0.0	0.3
1993	7	0.2	0.1	0.1	0.4	5	0.1	0.1	0.0	0.3
1994	5	0.1	0.0	0.0	0.3	5	0.1	0.1	0.0	0.3
1995	6	0.1	0.1	0.0	0.3	6	0.1	0.1	0.1	0.3
1996	6	0.1	0.0	0.0	0.3	6	0.1	0.1	0.1	0.3
1997	10	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
1998	6	0.1	0.1	0.0	0.3	6	0.1	0.1	0.1	0.3
1999	12	0.3	0.1	0.1	0.5	10	0.3	0.1	0.1	0.5
2000	10	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
2001	10	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
2002	8	0.2	0.1	0.1	0.3	5	0.1	0.1	0.0	0.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	21	0.3	0.1	0.2	0.5	0	0.0	~	0.0	0.7
1986	1	0.2	0.2	0.0	2.1	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	3	1.0	0.6	0.2	3.3	0	0.0	~	0.0	16.6
1990	1	0.5	0.5	0.0	2.6	0	0.0	~	0.0	16.8
1991	2	0.4	0.3	0.0	2.1	0	0.0	~	0.0	15.1
1992	3	0.9	0.6	0.2	3.1	0	0.0	~	0.0	13.7
1993	2	0.6	0.4	0.1	2.4	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	1	0.1	0.1	0.0	1.6	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	2	0.3	0.2	0.0	1.7	0	0.0	~	0.0	9.1
2000	1	0.1	0.1	0.0	1.4	0	0.0	~	0.0	7.9
2001	1	0.2	0.2	0.0	1.5	0	0.0	~	0.0	6.9
2002	3	0.5	0.3	0.1	2.0	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	7	0.3	0.1	0.1	0.8	89	0.2	0.0	0.1	0.2
1990	1	0.4	0.4	0.0	8.0	4	0.1	0.1	0.0	0.4
1991	0	0.0	~	0.0	7.1	5	0.1	0.1	0.0	0.3
1992	0	0.0	~	0.0	6.7	6	0.2	0.1	0.1	0.4
1993	0	0.0	~	0.0	6.7	7	0.2	0.1	0.1	0.4
1994	1	0.5	0.5	0.0	6.8	4	0.1	0.0	0.0	0.3
1995	0	0.0	~	0.0	6.0	6	0.1	0.1	0.0	0.3
1996	0	0.0	~	0.0	5.8	6	0.1	0.1	0.0	0.3
1997	0	0.0	~	0.0	5.6	10	0.2	0.1	0.1	0.4
1998	2	1.4	1.0	0.2	7.2	4	0.1	0.0	0.0	0.3
1999	1	0.4	0.4	0.0	5.4	11	0.3	0.1	0.1	0.5
2000	1	0.5	0.5	0.0	5.2	9	0.2	0.1	0.1	0.4
2001	0	0.0	~	0.0	4.1	10	0.2	0.1	0.1	0.4
2002	1	0.2	0.2	0.0	3.7	7	0.1	0.1	0.1	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanics/non-Hispanics are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Urinary System, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	17,645	9.2	0.1	9.0	9.3	15,664	9.3	0.1	9.1	9.4
1986	975	9.5	0.3	8.9	10.1	870	9.5	0.3	8.8	10.1
1987	967	9.2	0.3	8.7	9.9	873	9.4	0.3	8.7	10.0
1988	943	8.9	0.3	8.4	9.5	827	8.8	0.3	8.2	9.5
1989	964	9.0	0.3	8.5	9.6	859	9.1	0.3	8.5	9.7
1990	1,010	9.4	0.3	8.8	10.0	895	9.3	0.3	8.7	10.0
1991	985	9.1	0.3	8.5	9.7	877	9.1	0.3	8.5	9.7
1992	1,028	9.3	0.3	8.7	9.9	924	9.4	0.3	8.8	10.1
1993	1,066	9.5	0.3	8.9	10.1	961	9.7	0.3	9.1	10.4
1994	1,124	9.9	0.3	9.3	10.5	993	9.9	0.3	9.3	10.6
1995	1,047	9.1	0.3	8.6	9.7	942	9.4	0.3	8.8	10.0
1996	1,018	8.8	0.3	8.3	9.4	891	8.8	0.3	8.2	9.4
1997	1,035	8.9	0.3	8.4	9.5	898	8.8	0.3	8.2	9.4
1998	1,094	9.3	0.3	8.7	9.8	973	9.4	0.3	8.8	10.0
1999	1,068	9.0	0.3	8.4	9.5	943	9.1	0.3	8.5	9.7
2000	1,140	9.5	0.3	8.9	10.0	1,006	9.6	0.3	9.0	10.2
2001	1,110	9.1	0.3	8.6	9.7	980	9.3	0.3	8.7	9.9
2002	1,071	8.7	0.3	8.2	9.2	952	9.0	0.3	8.4	9.6
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,895	9.4	0.2	9.0	9.8	86	2.7	0.3	2.1	3.5
1986	102	9.7	1.0	7.8	12.0	3	3.1	2.0	0.5	12.5
1987	91	8.5	0.9	6.8	10.6	3	3.2	2.2	0.4	12.6
1988	114	10.6	1.0	8.7	12.8	2	1.9	1.5	0.2	9.9
1989	102	9.3	1.0	7.5	11.4	3	3.4	2.1	0.6	11.9
1990	112	10.6	1.0	8.7	12.9	3	2.5	1.6	0.4	10.2
1991	105	9.7	1.0	7.9	11.8	3	1.6	1.0	0.3	7.9
1992	103	9.0	0.9	7.3	11.1	1	1.5	1.5	0.0	8.2
1993	101	8.5	0.9	6.9	10.5	4	1.9	1.0	0.5	7.2
1994	122	10.1	0.9	8.4	12.2	9	5.7	2.1	2.4	12.6
1995	103	8.7	0.9	7.1	10.6	2	0.9	0.7	0.1	5.3
1996	120	9.8	0.9	8.1	11.8	7	3.8	1.6	1.4	9.2
1997	130	10.2	0.9	8.5	12.2	7	2.8	1.3	0.9	7.5
1998	111	8.4	0.8	6.9	10.2	10	3.4	1.2	1.5	7.6
1999	119	9.1	0.9	7.5	11.0	6	3.0	1.3	1.0	7.5
2000	127	9.8	0.9	8.2	11.8	7	2.3	1.0	0.8	5.8
2001	123	9.1	0.8	7.5	10.9	7	2.8	1.1	1.1	6.4
2002	110	8.4	0.8	6.8	10.1	9	2.4	0.9	1.0	5.2
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	233	4.5	0.3	3.8	5.2	13,466	9.3	0.1	9.1	9.4
1990	13	3.9	1.2	1.9	7.8	988	9.4	0.3	8.9	10.1
1991	11	4.1	1.3	2.0	8.1	966	9.2	0.3	8.6	9.8
1992	12	3.7	1.2	1.8	7.4	1,010	9.4	0.3	8.8	10.0
1993	16	4.6	1.3	2.4	8.4	1,044	9.6	0.3	9.0	10.2
1994	25	7.5	1.7	4.6	11.9	1,093	9.9	0.3	9.4	10.6
1995	16	3.7	1.0	1.9	6.9	1,026	9.3	0.3	8.7	9.8
1996	15	3.8	1.1	1.9	7.2	995	8.9	0.3	8.3	9.5
1997	15	3.6	1.1	1.7	6.9	1,009	9.0	0.3	8.4	9.5
1998	23	5.3	1.3	3.0	8.8	1,061	9.3	0.3	8.8	9.9
1999	15	3.7	1.1	1.8	7.0	1,050	9.1	0.3	8.6	9.7
2000	25	5.8	1.4	3.5	9.4	1,106	9.5	0.3	9.0	10.1
2001	26	5.0	1.1	3.1	7.9	1,076	9.2	0.3	8.7	9.8
2002	21	3.5	0.8	2.1	5.9	1,042	8.9	0.3	8.3	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Urinary System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11,092	14.8	0.1	14.5	15.1	9,997	15.2	0.2	14.9	15.5
1986	625	15.8	0.7	14.5	17.1	569	16.1	0.7	14.8	17.6
1987	603	15.0	0.6	13.7	16.3	548	15.3	0.7	14.0	16.7
1988	605	14.8	0.6	13.6	16.1	524	14.6	0.7	13.3	15.9
1989	594	14.4	0.6	13.2	15.6	541	14.7	0.7	13.5	16.1
1990	623	15.1	0.6	13.9	16.4	566	15.4	0.7	14.1	16.8
1991	627	15.0	0.6	13.8	16.3	562	15.2	0.7	14.0	16.6
1992	638	15.0	0.6	13.8	16.3	586	15.6	0.7	14.4	17.0
1993	682	15.7	0.6	14.5	17.0	622	16.3	0.7	15.0	17.7
1994	715	16.2	0.6	15.0	17.5	646	16.7	0.7	15.4	18.1
1995	663	14.7	0.6	13.6	15.9	594	15.0	0.6	13.8	16.3
1996	639	14.3	0.6	13.2	15.5	574	14.6	0.6	13.4	15.9
1997	646	14.1	0.6	13.0	15.3	572	14.3	0.6	13.2	15.6
1998	686	14.9	0.6	13.8	16.1	619	15.4	0.6	14.2	16.7
1999	661	14.2	0.6	13.1	15.3	585	14.4	0.6	13.2	15.6
2000	713	15.1	0.6	14.0	16.3	642	15.6	0.6	14.4	16.8
2001	691	14.2	0.5	13.1	15.3	627	14.8	0.6	13.7	16.0
2002	681	13.7	0.5	12.7	14.8	620	14.4	0.6	13.3	15.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,043	12.8	0.4	12.0	13.7	52	3.7	0.6	2.6	5.2
1986	54	12.8	1.9	9.4	17.5	2	6.8	4.8	0.8	30.1
1987	53	12.5	1.9	9.2	17.0	2	6.2	5.3	0.4	29.7
1988	79	18.1	2.2	14.1	23.2	2	4.4	3.5	0.4	23.9
1989	50	12.0	1.8	8.7	16.5	3	8.1	5.2	1.3	29.1
1990	55	13.8	2.0	10.1	18.6	2	3.0	2.5	0.2	20.7
1991	65	14.7	1.9	11.1	19.3	0	0.0	~	0.0	15.1
1992	51	10.5	1.6	7.6	14.3	1	3.7	3.7	0.1	20.7
1993	57	11.8	1.7	8.8	15.8	3	3.5	2.0	0.7	16.7
1994	64	13.1	1.7	9.9	17.2	5	5.2	2.6	1.4	18.6
1995	67	14.2	1.9	10.8	18.5	2	2.2	1.7	0.2	14.2
1996	61	12.3	1.7	9.3	16.3	4	5.8	3.4	1.2	19.5
1997	70	13.1	1.7	10.0	17.0	4	2.1	1.1	0.6	12.2
1998	63	11.5	1.5	8.7	15.2	4	3.7	1.9	0.9	14.0
1999	73	14.0	1.7	10.8	18.1	3	3.2	1.9	0.6	13.3
2000	67	13.6	1.8	10.4	17.7	4	2.1	1.0	0.5	10.0
2001	61	10.8	1.5	8.1	14.3	3	2.1	1.3	0.4	9.5
2002	53	10.4	1.5	7.6	13.9	8	5.1	2.0	2.0	12.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	159	6.8	0.6	5.6	8.2	8,439	14.9	0.2	14.6	15.3
1990	6	3.8	1.8	1.1	12.4	611	15.3	0.6	14.0	16.6
1991	10	8.8	3.0	3.9	18.8	611	15.1	0.6	13.9	16.4
1992	8	6.5	2.6	2.4	15.6	626	15.2	0.6	14.0	16.5
1993	11	6.1	2.1	2.7	14.2	666	15.9	0.6	14.7	17.2
1994	16	11.0	3.2	5.6	20.8	695	16.3	0.6	15.1	17.6
1995	14	5.4	1.6	2.8	12.2	646	14.9	0.6	13.7	16.1
1996	10	5.8	2.2	2.3	13.7	625	14.5	0.6	13.3	15.7
1997	8	4.1	1.8	1.3	11.1	628	14.3	0.6	13.1	15.4
1998	18	9.8	2.9	5.0	18.3	663	14.9	0.6	13.8	16.2
1999	7	3.1	1.5	0.9	9.2	653	14.6	0.6	13.5	15.8
2000	17	9.9	3.0	5.0	18.3	689	15.2	0.6	14.1	16.4
2001	19	8.0	2.2	4.4	14.4	667	14.4	0.6	13.3	15.5
2002	15	6.0	1.7	3.1	11.3	659	14.0	0.6	12.9	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Urinary System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,553	5.7	0.1	5.5	5.8	5,667	5.5	0.1	5.4	5.7
1986	350	5.6	0.3	5.0	6.2	301	5.4	0.3	4.8	6.0
1987	364	5.8	0.3	5.2	6.4	325	5.7	0.3	5.1	6.4
1988	338	5.2	0.3	4.7	5.9	303	5.3	0.3	4.7	5.9
1989	370	5.8	0.3	5.2	6.5	318	5.6	0.3	5.0	6.3
1990	387	6.0	0.3	5.4	6.6	329	5.7	0.3	5.1	6.4
1991	358	5.4	0.3	4.9	6.0	315	5.4	0.3	4.8	6.0
1992	390	5.8	0.3	5.2	6.4	338	5.7	0.3	5.1	6.3
1993	384	5.6	0.3	5.1	6.3	339	5.6	0.3	5.1	6.3
1994	409	6.0	0.3	5.4	6.6	347	5.7	0.3	5.1	6.4
1995	384	5.6	0.3	5.1	6.2	348	5.8	0.3	5.2	6.5
1996	379	5.4	0.3	4.8	6.0	317	5.1	0.3	4.6	5.7
1997	389	5.5	0.3	5.0	6.1	326	5.3	0.3	4.7	5.9
1998	408	5.7	0.3	5.2	6.3	354	5.7	0.3	5.1	6.3
1999	407	5.6	0.3	5.1	6.2	358	5.7	0.3	5.1	6.3
2000	427	5.9	0.3	5.3	6.5	364	5.8	0.3	5.2	6.4
2001	419	5.7	0.3	5.2	6.3	353	5.5	0.3	5.0	6.2
2002	390	5.3	0.3	4.8	5.8	332	5.2	0.3	4.7	5.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	852	7.1	0.2	6.6	7.6	34	2.0	0.4	1.3	2.9
1986	48	7.7	1.1	5.6	10.3	1	0.6	0.6	0.0	13.9
1987	38	6.0	1.0	4.2	8.4	1	1.1	1.1	0.0	13.8
1988	35	5.6	1.0	3.9	7.9	0	0.0	~	0.0	12.0
1989	52	7.8	1.1	5.8	10.4	0	0.0	~	0.0	11.4
1990	57	8.9	1.2	6.7	11.6	1	2.1	2.1	0.1	14.6
1991	40	6.3	1.0	4.5	8.7	3	2.8	1.7	0.5	13.3
1992	52	7.8	1.1	5.8	10.3	0	0.0	~	0.0	9.0
1993	44	6.3	1.0	4.5	8.5	1	0.7	0.7	0.0	8.8
1994	58	8.1	1.1	6.1	10.6	4	5.7	3.0	1.5	16.1
1995	36	5.2	0.9	3.6	7.2	0	0.0	~	0.0	6.4
1996	59	7.9	1.0	6.0	10.2	3	2.7	1.6	0.5	9.7
1997	60	8.1	1.1	6.1	10.4	3	3.0	1.9	0.5	10.3
1998	48	6.3	0.9	4.6	8.4	6	3.3	1.4	1.1	9.3
1999	46	6.0	0.9	4.3	8.0	3	2.7	1.7	0.5	9.0
2000	60	7.6	1.0	5.8	9.8	3	2.2	1.3	0.4	7.4
2001	62	7.8	1.0	5.9	10.0	4	3.1	1.6	0.8	8.3
2002	57	7.1	0.9	5.3	9.2	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	74	2.6	0.3	2.0	3.4	5,027	5.7	0.1	5.6	5.9
1990	7	4.0	1.6	1.5	9.7	377	6.0	0.3	5.4	6.7
1991	1	0.7	0.7	0.0	5.2	355	5.5	0.3	4.9	6.1
1992	4	1.9	1.0	0.4	6.4	384	5.9	0.3	5.3	6.5
1993	5	3.0	1.5	0.9	8.2	378	5.7	0.3	5.1	6.3
1994	9	4.9	1.7	2.1	10.3	398	6.0	0.3	5.4	6.6
1995	2	1.6	1.1	0.2	6.1	380	5.7	0.3	5.2	6.4
1996	5	2.3	1.1	0.7	6.6	370	5.4	0.3	4.9	6.0
1997	7	3.1	1.4	1.0	7.6	381	5.6	0.3	5.0	6.2
1998	5	1.9	1.0	0.5	5.7	398	5.8	0.3	5.2	6.4
1999	8	4.0	1.6	1.6	8.9	397	5.7	0.3	5.1	6.3
2000	8	3.1	1.2	1.1	7.0	417	5.9	0.3	5.4	6.6
2001	7	2.5	1.0	1.0	5.9	409	5.8	0.3	5.2	6.4
2002	6	1.6	0.7	0.5	4.2	383	5.4	0.3	4.9	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Urinary Bladder, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,536	4.5	0.0	4.4	4.6	7,663	4.5	0.1	4.4	4.6
1986	485	4.8	0.2	4.4	5.3	439	4.8	0.2	4.4	5.3
1987	460	4.5	0.2	4.1	4.9	412	4.5	0.2	4.0	4.9
1988	469	4.5	0.2	4.1	4.9	416	4.4	0.2	4.0	4.9
1989	447	4.2	0.2	3.9	4.7	396	4.2	0.2	3.8	4.7
1990	498	4.6	0.2	4.2	5.1	440	4.6	0.2	4.2	5.0
1991	464	4.3	0.2	3.9	4.7	413	4.3	0.2	3.9	4.7
1992	516	4.7	0.2	4.3	5.1	462	4.7	0.2	4.3	5.2
1993	503	4.5	0.2	4.1	4.9	462	4.6	0.2	4.2	5.1
1994	525	4.6	0.2	4.3	5.1	471	4.7	0.2	4.3	5.1
1995	501	4.4	0.2	4.0	4.8	462	4.5	0.2	4.1	5.0
1996	512	4.4	0.2	4.0	4.8	452	4.4	0.2	4.0	4.8
1997	505	4.3	0.2	4.0	4.7	453	4.4	0.2	4.0	4.8
1998	519	4.4	0.2	4.0	4.8	468	4.5	0.2	4.1	4.9
1999	560	4.7	0.2	4.3	5.1	501	4.8	0.2	4.3	5.2
2000	541	4.5	0.2	4.1	4.9	486	4.6	0.2	4.2	5.0
2001	520	4.3	0.2	3.9	4.6	467	4.4	0.2	4.0	4.8
2002	511	4.1	0.2	3.8	4.5	463	4.3	0.2	3.9	4.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	844	4.5	0.2	4.2	4.8	29	1.2	0.2	0.8	1.8
1986	45	4.6	0.7	3.3	6.3	1	1.6	1.6	0.0	10.5
1987	47	4.8	0.7	3.5	6.5	1	0.6	0.6	0.0	8.2
1988	52	5.0	0.7	3.7	6.7	1	1.4	1.4	0.0	9.3
1989	49	5.0	0.7	3.6	6.7	2	2.6	2.0	0.2	11.1
1990	56	5.7	0.8	4.2	7.5	2	2.2	1.6	0.3	10.0
1991	50	5.0	0.7	3.7	6.7	1	0.7	0.7	0.0	6.8
1992	53	5.0	0.7	3.7	6.6	1	1.5	1.5	0.0	8.2
1993	39	3.6	0.6	2.5	5.0	2	0.9	0.7	0.1	6.0
1994	51	4.6	0.7	3.4	6.1	3	3.0	1.7	0.6	9.3
1995	38	3.4	0.6	2.4	4.8	1	0.2	0.2	0.0	4.3
1996	57	5.0	0.7	3.8	6.5	3	1.6	1.0	0.3	6.0
1997	49	4.1	0.6	3.0	5.4	3	1.5	1.0	0.2	5.9
1998	51	4.1	0.6	3.0	5.4	0	0.0	~	0.0	3.3
1999	56	4.6	0.6	3.4	6.0	3	1.9	1.1	0.4	6.0
2000	53	4.5	0.6	3.3	5.9	2	1.0	0.8	0.1	4.4
2001	51	4.0	0.6	3.0	5.4	2	1.1	0.8	0.1	4.1
2002	47	3.8	0.6	2.7	5.0	1	0.2	0.2	0.0	2.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	62	1.4	0.2	1.1	1.9	6,566	4.5	0.1	4.4	4.6
1990	2	1.1	0.8	0.1	4.4	490	4.7	0.2	4.3	5.1
1991	2	1.1	0.8	0.1	4.3	458	4.4	0.2	4.0	4.8
1992	4	1.1	0.6	0.3	3.9	508	4.7	0.2	4.3	5.2
1993	5	1.6	0.8	0.4	4.8	495	4.5	0.2	4.2	5.0
1994	5	1.8	0.8	0.5	4.8	517	4.7	0.2	4.3	5.1
1995	2	0.5	0.3	0.1	2.7	496	4.4	0.2	4.1	4.8
1996	7	2.1	0.9	0.7	5.1	503	4.5	0.2	4.1	4.9
1997	4	1.1	0.6	0.2	3.7	495	4.4	0.2	4.0	4.8
1998	3	0.6	0.4	0.1	2.7	513	4.5	0.2	4.1	4.9
1999	4	1.4	0.7	0.3	4.0	554	4.8	0.2	4.4	5.2
2000	7	2.1	0.9	0.7	4.9	530	4.5	0.2	4.1	4.9
2001	10	2.3	0.8	1.0	4.7	506	4.3	0.2	3.9	4.7
2002	7	1.4	0.6	0.5	3.4	501	4.2	0.2	3.9	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Urinary Bladder, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,655	8.0	0.1	7.8	8.2	5,223	8.3	0.1	8.1	8.5
1986	322	8.8	0.5	7.8	9.9	300	9.2	0.6	8.1	10.3
1987	307	8.1	0.5	7.2	9.1	281	8.3	0.5	7.3	9.4
1988	310	8.0	0.5	7.1	9.0	277	8.1	0.5	7.1	9.1
1989	288	7.4	0.5	6.5	8.3	262	7.5	0.5	6.6	8.5
1990	322	8.3	0.5	7.4	9.3	294	8.5	0.5	7.5	9.6
1991	318	8.2	0.5	7.3	9.2	286	8.2	0.5	7.3	9.3
1992	339	8.5	0.5	7.6	9.5	319	9.0	0.5	8.0	10.0
1993	354	8.7	0.5	7.8	9.7	330	9.1	0.5	8.1	10.2
1994	355	8.5	0.5	7.6	9.5	331	9.0	0.5	8.0	10.0
1995	350	8.1	0.4	7.3	9.1	324	8.5	0.5	7.6	9.5
1996	318	7.6	0.4	6.7	8.5	295	7.9	0.5	7.0	8.9
1997	338	7.7	0.4	6.9	8.6	312	8.1	0.5	7.2	9.1
1998	338	7.7	0.4	6.9	8.6	312	8.0	0.5	7.1	9.0
1999	360	8.1	0.4	7.3	9.0	330	8.4	0.5	7.5	9.4
2000	355	7.9	0.4	7.1	8.8	331	8.3	0.5	7.4	9.3
2001	339	7.3	0.4	6.5	8.1	317	7.7	0.4	6.9	8.7
2002	342	7.2	0.4	6.5	8.1	322	7.8	0.4	6.9	8.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	417	5.8	0.3	5.2	6.5	15	1.4	0.4	0.7	2.6
1986	21	5.9	1.4	3.5	9.6	1	3.9	3.9	0.1	26.3
1987	26	7.1	1.5	4.5	11.0	0	0.0	~	0.0	19.0
1988	32	8.1	1.6	5.4	12.0	1	3.3	3.3	0.1	22.8
1989	24	6.6	1.4	4.1	10.3	2	6.3	4.8	0.6	27.1
1990	27	7.6	1.6	4.9	11.6	1	2.5	2.5	0.1	20.2
1991	32	8.5	1.6	5.7	12.5	0	0.0	~	0.0	15.1
1992	19	4.7	1.2	2.7	7.9	1	3.7	3.7	0.1	20.7
1993	23	5.1	1.2	3.1	8.2	1	1.3	1.3	0.0	14.1
1994	23	5.1	1.1	3.1	8.1	1	2.2	2.2	0.1	15.6
1995	25	5.8	1.2	3.6	9.0	1	0.5	0.5	0.0	11.8
1996	23	5.2	1.2	3.2	8.3	0	0.0	~	0.0	10.9
1997	25	5.1	1.1	3.2	8.0	1	0.5	0.5	0.0	10.7
1998	26	5.3	1.1	3.3	8.1	0	0.0	~	0.0	9.6
1999	28	6.1	1.2	3.9	9.2	2	2.5	1.8	0.3	12.5
2000	23	5.7	1.2	3.5	8.8	1	0.7	0.7	0.0	8.6
2001	21	4.3	1.0	2.5	6.9	1	1.1	1.1	0.0	8.4
2002	19	4.0	1.0	2.3	6.5	1	0.4	0.4	0.0	6.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	42	2.2	0.4	1.5	3.2	4,355	8.1	0.1	7.8	8.3
1990	1	1.3	1.3	0.0	9.6	318	8.4	0.5	7.5	9.5
1991	2	2.8	2.0	0.3	11.6	312	8.2	0.5	7.3	9.2
1992	3	1.6	1.0	0.3	8.5	334	8.6	0.5	7.7	9.6
1993	4	2.1	1.2	0.5	9.1	347	8.8	0.5	7.8	9.8
1994	4	3.1	1.7	0.7	10.7	350	8.7	0.5	7.7	9.7
1995	2	1.0	0.7	0.1	7.1	346	8.3	0.5	7.4	9.2
1996	5	3.4	1.8	0.8	10.7	312	7.6	0.4	6.8	8.6
1997	2	0.9	0.6	0.1	6.5	330	7.8	0.4	7.0	8.7
1998	1	0.9	0.9	0.0	6.5	336	7.9	0.4	7.0	8.8
1999	3	2.1	1.4	0.3	8.1	356	8.3	0.4	7.4	9.2
2000	5	3.7	1.9	1.0	10.3	347	8.0	0.4	7.2	8.9
2001	5	3.2	1.5	0.9	8.7	332	7.4	0.4	6.6	8.3
2002	5	2.5	1.2	0.7	7.1	335	7.4	0.4	6.6	8.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Urinary Bladder, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,881	2.4	0.0	2.3	2.5	2,440	2.3	0.0	2.2	2.4
1986	163	2.6	0.2	2.2	3.0	139	2.4	0.2	2.0	2.9
1987	153	2.4	0.2	2.0	2.8	131	2.3	0.2	1.9	2.7
1988	159	2.4	0.2	2.0	2.8	139	2.3	0.2	2.0	2.8
1989	159	2.4	0.2	2.1	2.9	134	2.3	0.2	1.9	2.7
1990	176	2.6	0.2	2.3	3.1	146	2.4	0.2	2.1	2.9
1991	146	2.1	0.2	1.8	2.5	127	2.1	0.2	1.7	2.5
1992	177	2.6	0.2	2.2	3.0	143	2.3	0.2	1.9	2.7
1993	149	2.1	0.2	1.8	2.5	132	2.1	0.2	1.7	2.5
1994	170	2.4	0.2	2.1	2.8	140	2.2	0.2	1.9	2.6
1995	151	2.1	0.2	1.8	2.5	138	2.2	0.2	1.8	2.6
1996	194	2.7	0.2	2.3	3.1	157	2.4	0.2	2.1	2.9
1997	167	2.3	0.2	2.0	2.7	141	2.2	0.2	1.8	2.6
1998	181	2.5	0.2	2.1	2.8	156	2.4	0.2	2.0	2.8
1999	200	2.7	0.2	2.3	3.1	171	2.6	0.2	2.2	3.0
2000	186	2.4	0.2	2.1	2.8	155	2.3	0.2	1.9	2.7
2001	181	2.4	0.2	2.0	2.7	150	2.2	0.2	1.9	2.6
2002	169	2.2	0.2	1.9	2.6	141	2.1	0.2	1.8	2.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	427	3.7	0.2	3.3	4.1	14	1.0	0.3	0.5	1.8
1986	24	3.9	0.8	2.5	6.0	0	0.0	~	0.0	13.4
1987	21	3.5	0.8	2.1	5.4	1	1.1	1.1	0.0	13.8
1988	20	3.2	0.7	1.9	5.1	0	0.0	~	0.0	12.0
1989	25	4.0	0.8	2.6	6.1	0	0.0	~	0.0	11.4
1990	29	4.6	0.9	3.1	6.7	1	2.1	2.1	0.1	14.6
1991	18	3.0	0.7	1.8	4.8	1	1.1	1.1	0.0	11.3
1992	34	5.1	0.9	3.5	7.2	0	0.0	~	0.0	9.0
1993	16	2.5	0.6	1.4	4.1	1	0.7	0.7	0.0	8.8
1994	28	4.1	0.8	2.7	6.0	2	3.4	2.5	0.4	13.1
1995	13	2.0	0.5	1.0	3.4	0	0.0	~	0.0	6.4
1996	34	4.7	0.8	3.2	6.6	3	2.7	1.6	0.5	9.7
1997	24	3.3	0.7	2.1	5.0	2	2.0	1.6	0.2	9.0
1998	25	3.3	0.7	2.1	5.0	0	0.0	~	0.0	5.1
1999	28	3.7	0.7	2.4	5.4	1	1.3	1.3	0.0	7.1
2000	30	3.9	0.7	2.6	5.6	1	1.1	1.1	0.0	6.0
2001	30	3.9	0.7	2.6	5.6	1	0.9	0.9	0.0	5.2
2002	28	3.6	0.7	2.4	5.2	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	20	0.8	0.2	0.5	1.3	2,211	2.4	0.1	2.3	2.5
1990	1	0.9	0.9	0.0	5.8	172	2.6	0.2	2.3	3.1
1991	0	0.0	~	0.0	4.2	146	2.2	0.2	1.8	2.6
1992	1	0.6	0.6	0.0	4.9	174	2.6	0.2	2.2	3.0
1993	1	1.0	1.0	0.0	5.5	148	2.1	0.2	1.8	2.5
1994	1	0.8	0.8	0.0	4.8	167	2.4	0.2	2.1	2.8
1995	0	0.0	~	0.0	3.4	150	2.1	0.2	1.8	2.5
1996	2	1.1	0.9	0.1	5.1	191	2.7	0.2	2.3	3.1
1997	2	1.2	0.9	0.1	5.1	165	2.3	0.2	2.0	2.7
1998	2	0.4	0.3	0.0	3.5	177	2.5	0.2	2.1	2.9
1999	1	0.8	0.8	0.0	4.4	198	2.7	0.2	2.4	3.1
2000	2	0.9	0.8	0.1	4.3	183	2.5	0.2	2.1	2.9
2001	5	1.7	0.8	0.5	4.8	174	2.3	0.2	2.0	2.7
2002	2	0.6	0.5	0.1	3.1	166	2.2	0.2	1.9	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Kidney and Renal Pelvis, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	8,735	4.5	0.0	4.4	4.6	7,669	4.6	0.1	4.5	4.7
1986	463	4.4	0.2	4.0	4.8	408	4.4	0.2	4.0	4.8
1987	485	4.6	0.2	4.2	5.0	442	4.7	0.2	4.3	5.2
1988	457	4.3	0.2	3.9	4.7	396	4.2	0.2	3.8	4.7
1989	501	4.6	0.2	4.2	5.1	448	4.7	0.2	4.3	5.2
1990	495	4.6	0.2	4.2	5.0	441	4.6	0.2	4.2	5.1
1991	495	4.5	0.2	4.1	5.0	444	4.6	0.2	4.2	5.1
1992	489	4.4	0.2	4.0	4.8	441	4.5	0.2	4.1	5.0
1993	530	4.7	0.2	4.3	5.1	470	4.8	0.2	4.4	5.2
1994	571	5.0	0.2	4.6	5.5	495	5.0	0.2	4.6	5.5
1995	526	4.6	0.2	4.2	5.0	461	4.6	0.2	4.2	5.1
1996	494	4.3	0.2	3.9	4.7	428	4.3	0.2	3.9	4.7
1997	509	4.4	0.2	4.0	4.8	428	4.3	0.2	3.9	4.7
1998	550	4.7	0.2	4.3	5.1	483	4.7	0.2	4.3	5.2
1999	490	4.1	0.2	3.8	4.5	425	4.1	0.2	3.8	4.5
2000	575	4.8	0.2	4.4	5.2	498	4.8	0.2	4.4	5.3
2001	565	4.6	0.2	4.3	5.0	489	4.7	0.2	4.3	5.1
2002	540	4.4	0.2	4.0	4.8	472	4.5	0.2	4.1	4.9
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,010	4.7	0.2	4.4	5.0	56	1.5	0.2	1.1	2.1
1986	53	4.7	0.7	3.5	6.3	2	1.5	1.3	0.1	10.0
1987	41	3.5	0.6	2.5	4.9	2	2.6	2.1	0.2	12.0
1988	60	5.3	0.7	4.0	7.0	1	0.5	0.5	0.0	7.7
1989	52	4.3	0.6	3.2	5.7	1	0.8	0.8	0.0	7.7
1990	53	4.7	0.7	3.5	6.3	1	0.3	0.3	0.0	6.9
1991	49	4.1	0.6	3.0	5.5	2	0.9	0.7	0.1	7.0
1992	48	3.9	0.6	2.9	5.3	0	0.0	~	0.0	5.4
1993	58	4.6	0.6	3.4	6.0	2	1.0	0.7	0.1	6.0
1994	70	5.5	0.7	4.2	7.0	6	2.8	1.2	0.9	8.1
1995	64	5.2	0.7	4.0	6.7	1	0.7	0.7	0.0	5.1
1996	62	4.7	0.6	3.6	6.1	4	2.3	1.3	0.5	7.1
1997	77	5.8	0.7	4.6	7.4	4	1.4	0.7	0.3	5.3
1998	57	4.1	0.6	3.1	5.4	10	3.4	1.2	1.5	7.6
1999	62	4.5	0.6	3.4	5.8	3	1.2	0.7	0.2	4.7
2000	73	5.3	0.6	4.1	6.7	4	1.0	0.5	0.3	3.9
2001	71	5.0	0.6	3.9	6.4	5	1.8	0.8	0.5	4.8
2002	60	4.4	0.6	3.3	5.7	8	2.2	0.8	0.9	5.0
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	170	3.0	0.3	2.5	3.6	6,610	4.6	0.1	4.5	4.7
1990	11	2.8	0.9	1.3	6.2	481	4.6	0.2	4.2	5.1
1991	9	3.0	1.0	1.3	6.6	482	4.6	0.2	4.2	5.0
1992	8	2.6	1.0	1.0	6.1	479	4.5	0.2	4.1	4.9
1993	11	2.9	1.0	1.3	6.2	516	4.7	0.2	4.3	5.2
1994	19	5.4	1.4	3.0	9.4	549	5.0	0.2	4.6	5.5
1995	14	3.2	1.0	1.6	6.3	510	4.6	0.2	4.2	5.1
1996	8	1.7	0.7	0.7	4.3	480	4.3	0.2	3.9	4.7
1997	11	2.5	0.9	1.0	5.4	493	4.4	0.2	4.0	4.8
1998	20	4.7	1.2	2.6	8.1	524	4.6	0.2	4.3	5.1
1999	11	2.4	0.9	1.0	5.1	478	4.2	0.2	3.8	4.6
2000	18	3.8	1.0	2.0	6.7	552	4.8	0.2	4.4	5.2
2001	16	2.7	0.7	1.4	5.0	545	4.7	0.2	4.3	5.1
2002	14	2.1	0.6	1.1	4.0	521	4.5	0.2	4.1	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Kidney and Renal Pelvis, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5,247	6.6	0.1	6.4	6.8	4,600	6.6	0.1	6.4	6.8
1986	291	6.7	0.4	5.9	7.5	257	6.6	0.4	5.8	7.6
1987	286	6.6	0.4	5.8	7.5	259	6.8	0.4	5.9	7.7
1988	288	6.6	0.4	5.9	7.5	241	6.3	0.4	5.5	7.3
1989	296	6.7	0.4	6.0	7.6	269	7.0	0.4	6.1	7.9
1990	291	6.5	0.4	5.8	7.4	262	6.7	0.4	5.9	7.6
1991	297	6.6	0.4	5.9	7.4	266	6.7	0.4	5.9	7.7
1992	288	6.3	0.4	5.5	7.1	257	6.4	0.4	5.6	7.3
1993	314	6.7	0.4	5.9	7.5	279	6.8	0.4	6.0	7.7
1994	346	7.4	0.4	6.6	8.2	302	7.4	0.4	6.6	8.3
1995	302	6.4	0.4	5.6	7.1	260	6.2	0.4	5.5	7.1
1996	314	6.6	0.4	5.9	7.4	273	6.6	0.4	5.8	7.4
1997	297	6.1	0.4	5.5	6.9	250	6.0	0.4	5.3	6.8
1998	334	6.9	0.4	6.2	7.7	294	7.0	0.4	6.2	7.9
1999	294	6.0	0.4	5.3	6.7	249	5.8	0.4	5.1	6.6
2000	343	6.9	0.4	6.2	7.7	297	6.9	0.4	6.2	7.8
2001	336	6.6	0.4	5.9	7.3	295	6.7	0.4	6.0	7.5
2002	330	6.3	0.4	5.6	7.0	290	6.4	0.4	5.7	7.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	611	6.8	0.3	6.2	7.4	36	2.2	0.4	1.5	3.4
1986	33	7.0	1.3	4.6	10.4	1	2.9	2.9	0.1	24.2
1987	25	5.1	1.1	3.2	8.1	2	6.2	5.3	0.4	29.7
1988	46	9.6	1.5	6.9	13.4	1	1.2	1.2	0.0	18.9
1989	26	5.5	1.2	3.4	8.6	1	1.8	1.8	0.0	18.7
1990	28	6.1	1.2	4.0	9.4	1	0.6	0.6	0.0	17.2
1991	31	5.8	1.1	3.9	8.7	0	0.0	~	0.0	15.1
1992	31	5.6	1.0	3.8	8.4	0	0.0	~	0.0	13.7
1993	33	6.4	1.2	4.3	9.5	2	2.3	1.6	0.3	15.2
1994	40	7.6	1.3	5.3	10.8	4	3.0	1.5	0.8	15.2
1995	41	8.2	1.4	5.7	11.6	1	1.7	1.7	0.0	13.7
1996	37	6.8	1.2	4.7	9.8	4	5.8	3.4	1.2	19.5
1997	44	7.8	1.3	5.5	11.0	3	1.6	0.9	0.3	11.7
1998	36	6.0	1.1	4.1	8.8	4	3.7	1.9	0.9	14.0
1999	44	7.8	1.3	5.5	10.9	1	0.7	0.7	0.0	9.9
2000	44	7.9	1.3	5.6	11.0	2	0.9	0.6	0.1	8.7
2001	39	6.4	1.1	4.5	9.1	2	1.0	0.7	0.1	8.0
2002	33	6.1	1.1	4.1	9.0	7	4.7	1.9	1.7	12.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	116	4.5	0.5	3.5	5.7	3,935	6.6	0.1	6.4	6.8
1990	5	2.4	1.2	0.6	10.3	283	6.6	0.4	5.8	7.4
1991	8	6.0	2.3	2.4	14.7	287	6.6	0.4	5.9	7.5
1992	5	4.9	2.4	1.3	13.8	281	6.3	0.4	5.6	7.1
1993	7	4.0	1.7	1.3	11.7	305	6.8	0.4	6.0	7.6
1994	11	7.2	2.6	3.0	16.1	332	7.4	0.4	6.6	8.2
1995	12	4.5	1.4	2.1	11.0	289	6.3	0.4	5.6	7.2
1996	5	2.4	1.3	0.6	8.9	306	6.7	0.4	5.9	7.5
1997	6	3.2	1.7	0.8	10.1	287	6.2	0.4	5.5	7.0
1998	17	8.9	2.7	4.4	17.2	314	6.8	0.4	6.0	7.6
1999	4	1.0	0.6	0.2	6.1	290	6.2	0.4	5.5	6.9
2000	12	6.2	2.3	2.6	13.3	327	6.9	0.4	6.2	7.7
2001	14	4.8	1.5	2.3	10.1	319	6.6	0.4	5.9	7.4
2002	10	3.5	1.3	1.5	8.0	315	6.4	0.4	5.7	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Kidney and Renal Pelvis, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,488	3.1	0.1	3.0	3.2	3,069	3.1	0.1	3.0	3.2
1986	172	2.8	0.2	2.4	3.3	151	2.8	0.2	2.3	3.3
1987	199	3.2	0.2	2.7	3.7	183	3.3	0.2	2.8	3.8
1988	169	2.7	0.2	2.3	3.1	155	2.8	0.2	2.4	3.3
1989	205	3.3	0.2	2.9	3.8	179	3.2	0.2	2.8	3.8
1990	204	3.2	0.2	2.8	3.7	179	3.2	0.2	2.7	3.7
1991	198	3.1	0.2	2.6	3.5	178	3.1	0.2	2.7	3.6
1992	201	3.0	0.2	2.6	3.5	184	3.2	0.2	2.7	3.7
1993	216	3.3	0.2	2.8	3.7	191	3.3	0.2	2.8	3.8
1994	225	3.4	0.2	2.9	3.8	193	3.3	0.2	2.8	3.8
1995	224	3.4	0.2	2.9	3.9	201	3.5	0.3	3.0	4.1
1996	180	2.6	0.2	2.3	3.1	155	2.6	0.2	2.2	3.0
1997	212	3.1	0.2	2.7	3.6	178	3.0	0.2	2.6	3.5
1998	216	3.1	0.2	2.7	3.6	189	3.1	0.2	2.7	3.6
1999	196	2.8	0.2	2.4	3.2	176	2.9	0.2	2.5	3.4
2000	232	3.3	0.2	2.9	3.8	201	3.3	0.2	2.9	3.8
2001	229	3.2	0.2	2.8	3.7	194	3.2	0.2	2.7	3.7
2002	210	2.9	0.2	2.5	3.3	182	2.9	0.2	2.5	3.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	399	3.2	0.2	2.9	3.6	20	1.0	0.2	0.6	1.6
1986	20	3.1	0.7	1.8	4.9	1	0.6	0.6	0.0	13.9
1987	16	2.3	0.6	1.3	4.0	0	0.0	~	0.0	12.6
1988	14	2.2	0.6	1.2	3.8	0	0.0	~	0.0	12.0
1989	26	3.7	0.7	2.4	5.5	0	0.0	~	0.0	11.4
1990	25	3.8	0.8	2.5	5.7	0	0.0	~	0.0	11.2
1991	18	2.7	0.7	1.6	4.4	2	1.7	1.3	0.2	11.9
1992	17	2.6	0.6	1.5	4.2	0	0.0	~	0.0	9.0
1993	25	3.3	0.7	2.1	5.0	0	0.0	~	0.0	8.0
1994	30	4.0	0.7	2.7	5.8	2	2.3	1.7	0.3	10.7
1995	23	3.2	0.7	2.0	4.9	0	0.0	~	0.0	6.4
1996	25	3.2	0.7	2.1	4.8	0	0.0	~	0.0	5.8
1997	33	4.3	0.8	3.0	6.1	1	1.0	1.0	0.0	7.0
1998	21	2.7	0.6	1.7	4.2	6	3.3	1.4	1.1	9.3
1999	18	2.3	0.5	1.3	3.6	2	1.4	1.1	0.1	6.8
2000	29	3.6	0.7	2.4	5.1	2	1.1	0.8	0.1	5.5
2001	32	3.9	0.7	2.7	5.5	3	2.2	1.3	0.4	6.8
2002	27	3.3	0.6	2.2	4.8	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	54	1.8	0.3	1.3	2.5	2,675	3.1	0.1	3.0	3.3
1990	6	3.1	1.3	1.1	8.3	198	3.2	0.2	2.8	3.8
1991	1	0.7	0.7	0.0	5.2	195	3.1	0.2	2.7	3.6
1992	3	1.2	0.8	0.2	5.5	198	3.1	0.2	2.7	3.6
1993	4	2.0	1.1	0.5	6.5	211	3.3	0.2	2.9	3.8
1994	8	4.1	1.6	1.6	9.3	217	3.3	0.2	2.9	3.8
1995	2	1.6	1.1	0.2	6.1	221	3.5	0.2	3.0	4.0
1996	3	1.2	0.7	0.2	4.8	174	2.6	0.2	2.2	3.1
1997	5	1.9	1.0	0.5	5.9	206	3.1	0.2	2.7	3.6
1998	3	1.5	0.9	0.2	5.3	210	3.1	0.2	2.7	3.6
1999	7	3.3	1.4	1.1	7.7	188	2.8	0.2	2.4	3.3
2000	6	2.1	1.0	0.7	5.6	225	3.3	0.2	2.9	3.8
2001	2	0.8	0.6	0.1	3.5	226	3.3	0.2	2.9	3.8
2002	4	1.0	0.5	0.3	3.3	206	3.0	0.2	2.6	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ureter, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	231	0.1	0.0	0.1	0.1	222	0.1	0.0	0.1	0.1
1986	17	0.2	0.0	0.1	0.3	17	0.2	0.0	0.1	0.3
1987	12	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1988	12	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1989	13	0.1	0.0	0.1	0.2	13	0.1	0.0	0.1	0.2
1990	11	0.1	0.0	0.1	0.2	10	0.1	0.0	0.0	0.2
1991	16	0.1	0.0	0.1	0.2	15	0.2	0.0	0.1	0.3
1992	13	0.1	0.0	0.1	0.2	13	0.1	0.0	0.1	0.2
1993	18	0.2	0.0	0.1	0.3	17	0.2	0.0	0.1	0.3
1994	22	0.2	0.0	0.1	0.3	22	0.2	0.0	0.1	0.3
1995	16	0.1	0.0	0.1	0.2	15	0.1	0.0	0.1	0.2
1996	9	0.1	0.0	0.0	0.1	9	0.1	0.0	0.0	0.2
1997	13	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1998	13	0.1	0.0	0.1	0.2	13	0.1	0.0	0.1	0.2
1999	10	0.1	0.0	0.0	0.2	10	0.1	0.0	0.0	0.2
2000	18	0.2	0.0	0.1	0.2	17	0.2	0.0	0.1	0.3
2001	12	0.1	0.0	0.1	0.2	12	0.1	0.0	0.1	0.2
2002	6	0.0	0.0	0.0	0.1	6	0.1	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.3
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	7.6
1988	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	7.2
1989	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.8
1990	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	6.7
1991	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	4.9
1994	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.6
1995	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	2	0.2	0.1	0.0	0.7	0	0.0	~	0.0	3.6
1998	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	0	0.0	~	0.0	0.4	1	0.2	0.2	0.0	2.9
2001	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.3
2002	0	0.0	~	0.0	0.3	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.0	0.0	0.0	0.2	175	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	2.7	11	0.1	0.0	0.1	0.2
1991	0	0.0	~	0.0	2.6	16	0.1	0.0	0.1	0.2
1992	0	0.0	~	0.0	2.5	13	0.1	0.0	0.1	0.2
1993	0	0.0	~	0.0	2.4	18	0.2	0.0	0.1	0.3
1994	1	0.3	0.3	0.0	2.7	21	0.2	0.0	0.1	0.3
1995	0	0.0	~	0.0	2.2	16	0.1	0.0	0.1	0.2
1996	0	0.0	~	0.0	2.1	9	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	2.0	13	0.1	0.0	0.1	0.2
1998	0	0.0	~	0.0	1.9	12	0.1	0.0	0.1	0.2
1999	0	0.0	~	0.0	1.9	10	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	1.7	18	0.2	0.0	0.1	0.2
2001	0	0.0	~	0.0	1.5	12	0.1	0.0	0.1	0.2
2002	0	0.0	~	0.0	1.3	6	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ureter, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	118	0.2	0.0	0.1	0.2	114	0.2	0.0	0.1	0.2
1986	9	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.5
1987	6	0.1	0.0	0.0	0.3	5	0.1	0.1	0.0	0.3
1988	5	0.1	0.1	0.0	0.3	5	0.1	0.1	0.0	0.3
1989	9	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.5
1990	8	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.5
1991	8	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1992	6	0.1	0.0	0.0	0.3	6	0.1	0.1	0.0	0.3
1993	7	0.2	0.1	0.1	0.4	7	0.2	0.1	0.1	0.4
1994	11	0.2	0.1	0.1	0.4	11	0.3	0.1	0.1	0.5
1995	9	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1996	4	0.1	0.0	0.0	0.3	4	0.1	0.1	0.0	0.3
1997	7	0.2	0.1	0.1	0.4	6	0.2	0.1	0.1	0.4
1998	8	0.2	0.1	0.1	0.4	8	0.2	0.1	0.1	0.4
1999	3	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
2000	11	0.2	0.1	0.1	0.4	10	0.2	0.1	0.1	0.5
2001	6	0.1	0.0	0.0	0.3	6	0.1	0.1	0.1	0.3
2002	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.7
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	1	0.2	0.2	0.0	2.0	0	0.0	~	0.0	19.0
1988	0	0.0	~	0.0	1.7	0	0.0	~	0.0	17.8
1989	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	1	0.2	0.2	0.0	1.8	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	1	0.2	0.2	0.0	1.6	0	0.0	~	0.0	10.2
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	1	0.5	0.5	0.0	8.4
2001	0	0.0	~	0.0	1.3	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.0	0.0	0.0	0.5	87	0.1	0.0	0.1	0.2
1990	0	0.0	~	0.0	7.6	8	0.2	0.1	0.1	0.4
1991	0	0.0	~	0.0	7.1	8	0.2	0.1	0.1	0.4
1992	0	0.0	~	0.0	6.7	6	0.1	0.0	0.0	0.3
1993	0	0.0	~	0.0	6.7	7	0.2	0.1	0.1	0.4
1994	1	0.7	0.7	0.0	7.2	10	0.2	0.1	0.1	0.4
1995	0	0.0	~	0.0	6.0	9	0.2	0.1	0.1	0.4
1996	0	0.0	~	0.0	5.8	4	0.1	0.1	0.0	0.3
1997	0	0.0	~	0.0	5.6	7	0.2	0.1	0.1	0.4
1998	0	0.0	~	0.0	5.3	7	0.1	0.1	0.1	0.3
1999	0	0.0	~	0.0	5.0	3	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	4.6	11	0.2	0.1	0.1	0.4
2001	0	0.0	~	0.0	4.1	6	0.1	0.1	0.0	0.3
2002	0	0.0	~	0.0	3.6	1	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ureter, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	113	0.1	0.0	0.1	0.1	108	0.1	0.0	0.1	0.1
1986	8	0.1	0.0	0.1	0.3	8	0.1	0.0	0.1	0.3
1987	6	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.3
1988	7	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.2
1989	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1990	3	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
1991	8	0.1	0.0	0.1	0.3	7	0.1	0.0	0.0	0.3
1992	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.3
1993	11	0.2	0.0	0.1	0.3	10	0.2	0.1	0.1	0.3
1994	11	0.2	0.0	0.1	0.3	11	0.2	0.1	0.1	0.3
1995	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.3
1996	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1997	6	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1998	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1999	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.2
2000	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.2
2001	6	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.2
2002	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5	0.0	0.0	0.0	0.1	0	0.0	~	0.0	0.4
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.6
1988	1	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	11.2
1991	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	1	0.2	0.2	0.0	1.0	0	0.0	~	0.0	8.0
1994	0	0.0	~	0.0	0.6	0	0.0	~	0.0	7.3
1995	0	0.0	~	0.0	0.6	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	0	0.0	~	0.0	4.0
2001	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.4
2002	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	0	0.0	~	0.0	0.2	88	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	4.2	3	0.0	0.0	0.0	0.2
1991	0	0.0	~	0.0	4.2	8	0.1	0.0	0.1	0.3
1992	0	0.0	~	0.0	3.9	7	0.1	0.0	0.0	0.2
1993	0	0.0	~	0.0	3.7	11	0.2	0.0	0.1	0.3
1994	0	0.0	~	0.0	3.5	11	0.2	0.0	0.1	0.3
1995	0	0.0	~	0.0	3.4	7	0.1	0.0	0.0	0.2
1996	0	0.0	~	0.0	3.2	5	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	3.1	6	0.1	0.0	0.0	0.2
1998	0	0.0	~	0.0	3.0	5	0.1	0.0	0.0	0.2
1999	0	0.0	~	0.0	2.9	7	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	2.7	7	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	2.4	6	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	2.1	5	0.1	0.0	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Eye and Orbit, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	165	0.1	0.0	0.1	0.1	156	0.1	0.0	0.1	0.1
1986	11	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1987	13	0.1	0.0	0.1	0.2	10	0.1	0.0	0.1	0.2
1988	10	0.1	0.0	0.0	0.2	9	0.1	0.0	0.0	0.2
1989	14	0.1	0.0	0.1	0.2	13	0.1	0.0	0.1	0.2
1990	11	0.1	0.0	0.1	0.2	11	0.1	0.0	0.1	0.2
1991	8	0.1	0.0	0.0	0.1	7	0.1	0.0	0.0	0.2
1992	6	0.1	0.0	0.0	0.1	6	0.1	0.0	0.0	0.1
1993	7	0.1	0.0	0.0	0.1	7	0.1	0.0	0.0	0.1
1994	15	0.1	0.0	0.1	0.2	14	0.1	0.0	0.1	0.2
1995	7	0.1	0.0	0.0	0.1	6	0.1	0.0	0.0	0.1
1996	10	0.1	0.0	0.0	0.2	10	0.1	0.0	0.0	0.2
1997	10	0.1	0.0	0.0	0.2	10	0.1	0.0	0.0	0.2
1998	9	0.1	0.0	0.0	0.1	8	0.1	0.0	0.0	0.2
1999	12	0.1	0.0	0.1	0.2	12	0.1	0.0	0.1	0.2
2000	10	0.1	0.0	0.0	0.2	10	0.1	0.0	0.0	0.2
2001	5	0.0	0.0	0.0	0.1	5	0.0	0.0	0.0	0.1
2002	7	0.1	0.0	0.0	0.1	7	0.1	0.0	0.0	0.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9	0.0	0.0	0.0	0.1	0	0.0	~	0.0	0.2
1986	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.1
1987	3	0.2	0.2	0.0	0.9	0	0.0	~	0.0	7.6
1988	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	7.2
1989	1	0.0	0.0	0.0	0.6	0	0.0	~	0.0	6.8
1990	0	0.0	~	0.0	0.5	0	0.0	~	0.0	6.7
1991	1	0.0	0.0	0.0	0.5	0	0.0	~	0.0	6.0
1992	0	0.0	~	0.0	0.5	0	0.0	~	0.0	5.4
1993	0	0.0	~	0.0	0.4	0	0.0	~	0.0	4.9
1994	1	0.1	0.1	0.0	0.6	0	0.0	~	0.0	4.6
1995	1	0.0	0.0	0.0	0.5	0	0.0	~	0.0	4.1
1996	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.8
1997	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.6
1998	1	0.1	0.1	0.0	0.5	0	0.0	~	0.0	3.3
1999	0	0.0	~	0.0	0.4	0	0.0	~	0.0	3.1
2000	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.6
2001	0	0.0	~	0.0	0.4	0	0.0	~	0.0	2.3
2002	0	0.0	~	0.0	0.3	0	0.0	~	0.0	2.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	5	0.0	0.0	0.0	0.2	110	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	2.7	10	0.1	0.0	0.0	0.2
1991	2	0.3	0.2	0.0	2.9	6	0.1	0.0	0.0	0.1
1992	0	0.0	~	0.0	2.5	6	0.1	0.0	0.0	0.1
1993	1	0.1	0.1	0.0	2.4	5	0.0	0.0	0.0	0.1
1994	0	0.0	~	0.0	2.3	15	0.1	0.0	0.1	0.2
1995	0	0.0	~	0.0	2.2	7	0.1	0.0	0.0	0.1
1996	0	0.0	~	0.0	2.1	10	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	2.0	10	0.1	0.0	0.0	0.2
1998	0	0.0	~	0.0	1.9	9	0.1	0.0	0.0	0.2
1999	2	0.1	0.1	0.0	1.9	10	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	1.7	10	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	1.5	5	0.0	0.0	0.0	0.1
2002	0	0.0	~	0.0	1.3	7	0.1	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Eye and Orbit, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	79	0.1	0.0	0.1	0.1	74	0.1	0.0	0.1	0.1
1986	5	0.1	0.1	0.0	0.3	5	0.1	0.1	0.0	0.4
1987	5	0.1	0.0	0.0	0.3	3	0.1	0.0	0.0	0.3
1988	3	0.1	0.0	0.0	0.3	2	0.1	0.0	0.0	0.3
1989	9	0.2	0.1	0.1	0.5	8	0.2	0.1	0.1	0.5
1990	7	0.1	0.1	0.1	0.3	7	0.2	0.1	0.1	0.4
1991	2	0.0	0.0	0.0	0.2	2	0.0	0.0	0.0	0.2
1992	4	0.1	0.1	0.0	0.3	4	0.1	0.1	0.0	0.3
1993	6	0.1	0.1	0.0	0.3	6	0.1	0.1	0.1	0.3
1994	9	0.2	0.1	0.1	0.4	9	0.2	0.1	0.1	0.4
1995	3	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1996	3	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1997	4	0.1	0.0	0.0	0.3	4	0.1	0.1	0.0	0.3
1998	4	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1999	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.3
2000	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
2001	3	0.0	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
2002	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5	0.0	0.0	0.0	0.1	0	0.0	~	0.0	0.7
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	2	0.2	0.1	0.0	1.9	0	0.0	~	0.0	19.0
1988	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	17.8
1989	1	0.1	0.1	0.0	1.8	0	0.0	~	0.0	16.6
1990	0	0.0	~	0.0	1.7	0	0.0	~	0.0	16.8
1991	0	0.0	~	0.0	1.7	0	0.0	~	0.0	15.1
1992	0	0.0	~	0.0	1.6	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	0	0.0	~	0.0	1.5	0	0.0	~	0.0	12.3
1995	0	0.0	~	0.0	1.5	0	0.0	~	0.0	11.4
1996	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.9
1997	0	0.0	~	0.0	1.5	0	0.0	~	0.0	10.2
1998	1	0.2	0.2	0.0	1.6	0	0.0	~	0.0	9.6
1999	0	0.0	~	0.0	1.4	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	7.9
2001	0	0.0	~	0.0	1.3	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	0	0.0	~	0.0	5.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	1	0.0	0.0	0.0	0.4	55	0.1	0.0	0.1	0.1
1990	0	0.0	~	0.0	7.6	7	0.2	0.1	0.1	0.4
1991	0	0.0	~	0.0	7.1	2	0.0	0.0	0.0	0.2
1992	0	0.0	~	0.0	6.7	4	0.1	0.1	0.0	0.3
1993	0	0.0	~	0.0	6.7	5	0.1	0.0	0.0	0.3
1994	0	0.0	~	0.0	6.4	9	0.2	0.1	0.1	0.4
1995	0	0.0	~	0.0	6.0	3	0.1	0.0	0.0	0.2
1996	0	0.0	~	0.0	5.8	3	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	5.6	4	0.1	0.0	0.0	0.3
1998	0	0.0	~	0.0	5.3	4	0.1	0.0	0.0	0.2
1999	1	0.1	0.1	0.0	5.1	3	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	4.6	4	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	4.1	3	0.1	0.0	0.0	0.2
2002	0	0.0	~	0.0	3.6	4	0.1	0.0	0.0	0.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Eye and Orbit, Females										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	86	0.1	0.0	0.1	0.1	82	0.1	0.0	0.1	0.1
1986	6	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.3
1987	8	0.1	0.0	0.1	0.3	7	0.1	0.0	0.0	0.3
1988	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.0	0.3
1989	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1990	4	0.1	0.0	0.0	0.2	4	0.1	0.0	0.0	0.2
1991	6	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1992	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.2
1993	1	0.0	0.0	0.0	0.1	1	0.0	0.0	0.0	0.1
1994	6	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1995	4	0.1	0.0	0.0	0.2	3	0.1	0.0	0.0	0.2
1996	7	0.1	0.0	0.0	0.2	7	0.1	0.0	0.1	0.3
1997	6	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.2
1998	5	0.1	0.0	0.0	0.2	5	0.1	0.0	0.0	0.2
1999	8	0.1	0.0	0.0	0.2	8	0.1	0.0	0.1	0.3
2000	6	0.1	0.0	0.0	0.2	6	0.1	0.0	0.0	0.2
2001	2	0.0	0.0	0.0	0.1	2	0.0	0.0	0.0	0.1
2002	3	0.0	0.0	0.0	0.1	3	0.0	0.0	0.0	0.2
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	4	0.0	0.0	0.0	0.1	0	0.0	~	0.0	0.4
1986	0	0.0	~	0.0	0.8	0	0.0	~	0.0	13.4
1987	1	0.2	0.2	0.0	1.2	0	0.0	~	0.0	12.6
1988	0	0.0	~	0.0	0.8	0	0.0	~	0.0	12.0
1989	0	0.0	~	0.0	0.8	0	0.0	~	0.0	11.4
1990	0	0.0	~	0.0	0.7	0	0.0	~	0.0	11.2
1991	1	0.1	0.1	0.0	0.8	0	0.0	~	0.0	10.0
1992	0	0.0	~	0.0	0.7	0	0.0	~	0.0	9.0
1993	0	0.0	~	0.0	0.6	0	0.0	~	0.0	8.0
1994	1	0.1	0.1	0.0	0.9	0	0.0	~	0.0	7.3
1995	1	0.1	0.1	0.0	0.7	0	0.0	~	0.0	6.4
1996	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.6
1998	0	0.0	~	0.0	0.6	0	0.0	~	0.0	5.1
1999	0	0.0	~	0.0	0.6	0	0.0	~	0.0	4.7
2000	0	0.0	~	0.0	0.5	0	0.0	~	0.0	4.0
2001	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.4
2002	0	0.0	~	0.0	0.5	0	0.0	~	0.0	3.0
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	4	0.1	0.0	0.0	0.3	55	0.1	0.0	0.0	0.1
1990	0	0.0	~	0.0	4.2	3	0.0	0.0	0.0	0.2
1991	2	0.6	0.5	0.0	4.8	4	0.1	0.0	0.0	0.2
1992	0	0.0	~	0.0	3.9	2	0.0	0.0	0.0	0.1
1993	1	0.2	0.2	0.0	3.9	0	0.0	~	0.0	0.1
1994	0	0.0	~	0.0	3.5	6	0.1	0.0	0.0	0.2
1995	0	0.0	~	0.0	3.4	4	0.1	0.0	0.0	0.2
1996	0	0.0	~	0.0	3.2	7	0.1	0.0	0.0	0.2
1997	0	0.0	~	0.0	3.1	6	0.1	0.0	0.0	0.2
1998	0	0.0	~	0.0	3.0	5	0.1	0.0	0.0	0.2
1999	1	0.1	0.1	0.0	3.0	7	0.1	0.0	0.0	0.2
2000	0	0.0	~	0.0	2.7	6	0.1	0.0	0.0	0.2
2001	0	0.0	~	0.0	2.4	2	0.0	0.0	0.0	0.1
2002	0	0.0	~	0.0	2.1	3	0.0	0.0	0.0	0.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Brain and Other Nervous System, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,493	4.4	0.0	4.3	4.5	7,800	4.7	0.1	4.6	4.8
1986	491	4.5	0.2	4.1	5.0	451	4.8	0.2	4.3	5.3
1987	442	4.1	0.2	3.7	4.5	414	4.4	0.2	4.0	4.9
1988	473	4.4	0.2	4.0	4.8	440	4.7	0.2	4.3	5.2
1989	527	4.9	0.2	4.5	5.3	471	5.0	0.2	4.6	5.5
1990	505	4.6	0.2	4.2	5.0	467	4.9	0.2	4.4	5.4
1991	489	4.4	0.2	4.0	4.8	446	4.6	0.2	4.2	5.1
1992	537	4.7	0.2	4.3	5.2	489	5.0	0.2	4.6	5.5
1993	531	4.7	0.2	4.3	5.1	490	5.0	0.2	4.6	5.5
1994	519	4.5	0.2	4.1	4.9	478	4.9	0.2	4.4	5.3
1995	479	4.2	0.2	3.8	4.6	432	4.4	0.2	4.0	4.8
1996	471	4.1	0.2	3.7	4.4	438	4.4	0.2	4.0	4.9
1997	505	4.3	0.2	3.9	4.7	476	4.8	0.2	4.4	5.2
1998	475	4.0	0.2	3.7	4.4	438	4.4	0.2	4.0	4.8
1999	527	4.4	0.2	4.0	4.8	493	4.9	0.2	4.4	5.3
2000	502	4.2	0.2	3.8	4.6	458	4.5	0.2	4.1	4.9
2001	553	4.5	0.2	4.2	4.9	498	4.9	0.2	4.4	5.3
2002	467	3.8	0.2	3.5	4.2	421	4.1	0.2	3.7	4.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	634	2.7	0.1	2.5	2.9	59	1.3	0.2	1.0	1.8
1986	39	3.0	0.5	2.1	4.4	1	1.2	1.2	0.0	9.8
1987	28	2.3	0.4	1.5	3.4	0	0.0	~	0.0	7.6
1988	29	2.3	0.4	1.5	3.4	4	1.7	0.9	0.4	8.8
1989	54	4.3	0.6	3.2	5.7	2	1.8	1.4	0.2	9.3
1990	35	2.7	0.5	1.8	3.9	3	1.0	0.6	0.2	7.7
1991	37	2.7	0.5	1.9	3.9	6	3.2	1.4	1.1	9.8
1992	47	3.3	0.5	2.4	4.5	1	0.8	0.8	0.0	6.6
1993	37	2.6	0.4	1.8	3.7	4	1.8	0.9	0.5	7.0
1994	41	2.9	0.5	2.1	4.1	0	0.0	~	0.0	4.6
1995	43	3.2	0.5	2.3	4.4	4	1.1	0.6	0.3	5.3
1996	29	1.9	0.4	1.3	2.9	4	1.2	0.6	0.3	5.2
1997	28	2.0	0.4	1.3	2.9	1	0.4	0.4	0.0	4.2
1998	33	2.1	0.4	1.4	3.1	4	1.5	0.8	0.4	5.3
1999	32	2.1	0.4	1.4	3.1	2	0.5	0.3	0.1	3.6
2000	34	2.3	0.4	1.6	3.3	10	2.8	0.9	1.3	6.2
2001	49	3.4	0.5	2.5	4.6	6	1.4	0.6	0.5	4.1
2002	39	2.5	0.4	1.7	3.4	7	1.4	0.6	0.5	3.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	195	2.3	0.2	1.9	2.7	6,322	4.4	0.1	4.3	4.5
1990	7	2.0	0.9	0.6	5.6	490	4.6	0.2	4.2	5.1
1991	11	1.6	0.5	0.7	4.4	474	4.5	0.2	4.1	4.9
1992	13	2.0	0.6	1.0	4.7	522	4.8	0.2	4.4	5.3
1993	12	2.4	0.8	1.1	5.4	516	4.8	0.2	4.4	5.2
1994	13	1.5	0.6	0.6	4.1	503	4.6	0.2	4.2	5.0
1995	14	1.6	0.5	0.8	3.9	462	4.2	0.2	3.9	4.6
1996	16	2.3	0.7	1.2	4.8	452	4.1	0.2	3.7	4.5
1997	10	1.8	0.7	0.7	4.4	494	4.5	0.2	4.1	4.9
1998	16	2.3	0.7	1.2	4.7	453	4.1	0.2	3.7	4.4
1999	20	2.7	0.8	1.4	5.2	504	4.5	0.2	4.1	4.9
2000	23	3.0	0.8	1.7	5.4	477	4.2	0.2	3.9	4.6
2001	20	3.3	0.9	1.9	5.8	530	4.7	0.2	4.3	5.1
2002	20	2.0	0.6	1.0	4.0	445	3.9	0.2	3.5	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Brain and Other Nervous System, Males										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,652	5.4	0.1	5.3	5.6	4,294	5.8	0.1	5.6	6.0
1986	269	5.8	0.4	5.1	6.6	250	6.1	0.4	5.4	7.0
1987	231	4.8	0.3	4.2	5.5	214	5.1	0.4	4.5	5.9
1988	248	5.3	0.3	4.6	6.1	231	5.6	0.4	4.9	6.5
1989	291	6.2	0.4	5.5	7.0	261	6.4	0.4	5.6	7.3
1990	277	5.6	0.3	4.9	6.3	259	6.0	0.4	5.3	6.8
1991	268	5.5	0.3	4.8	6.2	247	5.8	0.4	5.1	6.7
1992	300	6.0	0.4	5.3	6.8	274	6.3	0.4	5.6	7.2
1993	285	5.8	0.3	5.1	6.5	261	6.1	0.4	5.4	6.9
1994	269	5.3	0.3	4.7	6.1	246	5.7	0.4	5.0	6.5
1995	265	5.2	0.3	4.6	5.9	237	5.4	0.4	4.8	6.2
1996	261	5.0	0.3	4.4	5.6	253	5.7	0.4	5.0	6.4
1997	298	5.7	0.3	5.1	6.4	283	6.3	0.4	5.6	7.1
1998	262	5.0	0.3	4.4	5.7	239	5.4	0.4	4.7	6.1
1999	291	5.5	0.3	4.9	6.2	272	6.1	0.4	5.4	6.9
2000	265	4.9	0.3	4.3	5.6	246	5.4	0.3	4.7	6.1
2001	309	5.8	0.3	5.1	6.5	282	6.1	0.4	5.4	6.9
2002	263	4.7	0.3	4.2	5.4	239	5.1	0.3	4.4	5.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	327	3.2	0.2	2.9	3.6	31	1.3	0.3	0.9	2.1
1986	19	3.4	0.9	2.0	6.1	0	0.0	~	0.0	20.2
1987	17	3.1	0.8	1.8	5.5	0	0.0	~	0.0	19.0
1988	14	3.1	0.9	1.6	5.9	3	2.3	1.4	0.5	19.8
1989	29	5.4	1.1	3.5	8.3	1	1.1	1.1	0.0	17.6
1990	16	2.4	0.7	1.3	4.7	2	1.4	1.1	0.1	18.1
1991	20	3.5	0.8	2.1	6.0	1	1.1	1.1	0.0	16.2
1992	26	4.4	1.0	2.7	7.1	0	0.0	~	0.0	13.7
1993	22	3.6	0.8	2.2	6.1	2	1.6	1.2	0.2	14.3
1994	23	3.8	0.9	2.3	6.2	0	0.0	~	0.0	12.3
1995	24	4.2	0.9	2.5	6.8	4	2.3	1.2	0.6	13.5
1996	7	0.9	0.4	0.4	2.6	1	0.5	0.5	0.0	11.3
1997	14	2.4	0.7	1.3	4.5	1	1.0	1.0	0.0	11.4
1998	20	2.9	0.7	1.7	4.9	3	3.1	1.8	0.6	13.4
1999	17	2.3	0.6	1.3	4.2	2	1.0	0.7	0.1	10.0
2000	15	2.5	0.7	1.3	4.5	4	1.6	0.8	0.4	9.4
2001	25	4.2	0.9	2.7	6.6	2	1.1	0.8	0.1	8.0
2002	19	3.2	0.8	1.9	5.3	5	2.2	1.1	0.6	8.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	119	3.0	0.4	2.3	3.9	3,471	5.5	0.1	5.3	5.7
1990	4	3.9	2.4	0.7	13.5	268	5.6	0.4	5.0	6.4
1991	8	2.0	0.8	0.8	9.0	259	5.6	0.4	4.9	6.3
1992	8	2.8	1.0	1.1	9.4	291	6.1	0.4	5.4	6.9
1993	7	3.5	1.6	1.1	11.0	278	5.9	0.4	5.2	6.7
1994	6	1.0	0.5	0.3	7.1	261	5.5	0.3	4.8	6.2
1995	6	1.1	0.5	0.4	7.0	256	5.4	0.3	4.7	6.1
1996	11	2.5	0.9	1.1	8.3	249	5.1	0.3	4.4	5.8
1997	5	1.4	0.8	0.3	7.0	293	5.9	0.4	5.3	6.7
1998	12	3.3	1.2	1.4	9.0	247	5.1	0.3	4.4	5.7
1999	12	3.5	1.5	1.3	9.5	276	5.6	0.3	5.0	6.3
2000	14	3.3	1.1	1.5	8.4	249	5.0	0.3	4.4	5.6
2001	13	5.1	1.7	2.3	10.8	295	5.9	0.3	5.2	6.6
2002	13	3.6	1.4	1.4	8.5	249	4.8	0.3	4.3	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Brain and Other Nervous System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,841	3.5	0.1	3.4	3.7	3,506	3.8	0.1	3.7	3.9
1986	222	3.7	0.3	3.2	4.2	201	3.9	0.3	3.3	4.5
1987	211	3.5	0.2	3.1	4.0	200	3.9	0.3	3.3	4.5
1988	225	3.7	0.3	3.2	4.3	209	4.0	0.3	3.5	4.6
1989	236	4.0	0.3	3.5	4.5	210	4.1	0.3	3.6	4.7
1990	228	3.8	0.3	3.3	4.3	208	4.0	0.3	3.4	4.6
1991	221	3.5	0.2	3.1	4.0	199	3.6	0.3	3.1	4.2
1992	237	3.7	0.2	3.2	4.2	215	3.9	0.3	3.4	4.5
1993	246	3.9	0.2	3.4	4.4	229	4.2	0.3	3.7	4.8
1994	250	3.9	0.2	3.4	4.4	232	4.2	0.3	3.7	4.8
1995	214	3.3	0.2	2.9	3.8	195	3.5	0.3	3.0	4.1
1996	210	3.3	0.2	2.8	3.7	185	3.4	0.3	2.9	3.9
1997	207	3.2	0.2	2.7	3.6	193	3.5	0.3	3.0	4.0
1998	213	3.2	0.2	2.8	3.7	199	3.6	0.3	3.1	4.1
1999	236	3.5	0.2	3.1	4.0	221	3.9	0.3	3.4	4.5
2000	237	3.6	0.2	3.1	4.0	212	3.8	0.3	3.3	4.3
2001	244	3.6	0.2	3.2	4.1	216	3.9	0.3	3.4	4.4
2002	204	3.0	0.2	2.6	3.4	182	3.2	0.2	2.8	3.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	307	2.3	0.1	2.0	2.5	28	1.2	0.2	0.8	1.9
1986	20	2.7	0.6	1.6	4.4	1	2.1	2.1	0.1	16.4
1987	11	1.6	0.5	0.8	3.1	0	0.0	~	0.0	12.6
1988	15	1.9	0.5	1.0	3.3	1	1.0	1.0	0.0	13.0
1989	25	3.5	0.7	2.3	5.4	1	2.2	2.2	0.1	14.9
1990	19	2.7	0.6	1.6	4.3	1	0.7	0.7	0.0	11.9
1991	17	2.2	0.5	1.2	3.6	5	4.8	2.3	1.4	15.9
1992	21	2.5	0.6	1.6	4.0	1	1.4	1.4	0.0	11.0
1993	15	1.8	0.5	1.0	3.1	2	1.8	1.3	0.2	10.3
1994	18	2.3	0.5	1.3	3.7	0	0.0	~	0.0	7.3
1995	19	2.5	0.6	1.5	3.9	0	0.0	~	0.0	6.4
1996	22	2.6	0.6	1.6	4.1	3	1.8	1.1	0.4	8.1
1997	14	1.7	0.5	0.9	2.9	0	0.0	~	0.0	5.6
1998	13	1.5	0.4	0.8	2.7	1	0.4	0.4	0.0	5.5
1999	15	1.8	0.5	1.0	3.1	0	0.0	~	0.0	4.7
2000	19	2.2	0.5	1.3	3.5	6	3.6	1.5	1.3	9.0
2001	24	2.9	0.6	1.8	4.3	4	1.7	0.9	0.4	5.7
2002	20	2.1	0.5	1.3	3.3	2	0.7	0.5	0.1	3.9
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	76	1.7	0.2	1.3	2.2	2,851	3.5	0.1	3.4	3.7
1990	3	0.9	0.6	0.2	5.3	222	3.8	0.3	3.3	4.4
1991	3	1.1	0.7	0.2	5.4	215	3.6	0.2	3.1	4.1
1992	5	1.3	0.6	0.3	5.3	231	3.7	0.2	3.3	4.3
1993	5	1.7	0.8	0.4	5.8	238	3.9	0.3	3.4	4.4
1994	7	1.9	0.9	0.6	6.0	242	3.9	0.3	3.4	4.5
1995	8	2.0	0.8	0.8	5.7	206	3.3	0.2	2.9	3.8
1996	5	1.9	0.9	0.5	5.8	203	3.3	0.2	2.9	3.8
1997	5	1.9	1.0	0.5	5.9	201	3.2	0.2	2.8	3.7
1998	4	1.3	0.7	0.3	4.7	206	3.3	0.2	2.9	3.8
1999	8	2.1	0.9	0.7	5.6	228	3.6	0.2	3.1	4.1
2000	9	2.7	1.0	1.1	6.3	228	3.6	0.2	3.2	4.1
2001	7	2.0	0.8	0.7	5.1	235	3.7	0.2	3.3	4.3
2002	7	0.8	0.4	0.3	3.0	196	3.1	0.2	2.7	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Endocrine System, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,564	0.8	0.0	0.8	0.8	1,351	0.8	0.0	0.8	0.9
1986	71	0.6	0.1	0.5	0.8	61	0.6	0.1	0.5	0.8
1987	87	0.8	0.1	0.6	1.0	75	0.8	0.1	0.6	1.0
1988	84	0.8	0.1	0.6	1.0	73	0.8	0.1	0.6	1.0
1989	97	0.9	0.1	0.7	1.1	86	0.9	0.1	0.7	1.2
1990	91	0.8	0.1	0.7	1.0	80	0.8	0.1	0.7	1.0
1991	89	0.8	0.1	0.6	1.0	79	0.8	0.1	0.6	1.0
1992	98	0.9	0.1	0.7	1.0	85	0.9	0.1	0.7	1.1
1993	108	0.9	0.1	0.8	1.1	97	1.0	0.1	0.8	1.2
1994	87	0.8	0.1	0.6	0.9	76	0.8	0.1	0.6	1.0
1995	81	0.7	0.1	0.6	0.9	72	0.7	0.1	0.6	0.9
1996	88	0.8	0.1	0.6	0.9	76	0.8	0.1	0.6	1.0
1997	112	1.0	0.1	0.8	1.1	95	0.9	0.1	0.8	1.2
1998	93	0.8	0.1	0.6	1.0	79	0.8	0.1	0.6	1.0
1999	94	0.8	0.1	0.6	1.0	78	0.8	0.1	0.6	1.0
2000	90	0.7	0.1	0.6	0.9	76	0.7	0.1	0.6	0.9
2001	95	0.8	0.1	0.6	1.0	77	0.8	0.1	0.6	0.9
2002	99	0.8	0.1	0.6	1.0	86	0.8	0.1	0.7	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	181	0.8	0.1	0.7	0.9	32	0.8	0.2	0.5	1.2
1986	10	0.8	0.3	0.3	1.6	0	0.0	~	0.0	8.1
1987	11	0.8	0.3	0.4	1.6	1	0.8	0.8	0.0	8.6
1988	10	0.7	0.3	0.3	1.5	1	1.1	1.1	0.0	8.7
1989	9	0.8	0.3	0.4	1.7	2	0.7	0.5	0.1	7.3
1990	9	0.8	0.3	0.4	1.7	2	1.1	0.8	0.1	7.9
1991	8	0.6	0.2	0.2	1.3	2	0.6	0.4	0.1	6.5
1992	13	0.8	0.3	0.4	1.6	0	0.0	~	0.0	5.4
1993	10	0.9	0.3	0.4	1.7	1	0.8	0.8	0.0	6.1
1994	9	0.7	0.2	0.3	1.4	2	1.0	0.8	0.1	5.9
1995	7	0.6	0.2	0.2	1.3	2	0.5	0.3	0.1	4.5
1996	10	0.7	0.2	0.3	1.3	2	0.6	0.5	0.1	4.5
1997	15	1.0	0.3	0.5	1.8	2	0.8	0.6	0.1	4.6
1998	12	0.9	0.3	0.4	1.6	2	0.6	0.4	0.1	4.0
1999	13	0.7	0.2	0.4	1.3	3	1.0	0.7	0.1	4.4
2000	11	0.8	0.2	0.4	1.4	3	0.8	0.5	0.1	3.6
2001	15	1.0	0.3	0.5	1.7	3	1.2	0.8	0.2	4.3
2002	9	0.6	0.2	0.3	1.2	4	0.8	0.4	0.2	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	38	0.5	0.1	0.3	0.8	1,176	0.8	0.0	0.8	0.9
1990	3	0.7	0.5	0.1	3.6	88	0.8	0.1	0.7	1.0
1991	0	0.0	~	0.0	2.6	89	0.8	0.1	0.7	1.0
1992	1	0.2	0.2	0.0	2.7	97	0.9	0.1	0.7	1.1
1993	2	0.1	0.1	0.0	2.4	106	1.0	0.1	0.8	1.2
1994	1	0.1	0.1	0.0	2.3	86	0.8	0.1	0.6	1.0
1995	2	0.7	0.5	0.1	3.1	77	0.7	0.1	0.5	0.9
1996	2	0.5	0.4	0.0	2.8	86	0.8	0.1	0.6	1.0
1997	3	0.5	0.4	0.0	2.7	108	1.0	0.1	0.8	1.2
1998	2	0.7	0.5	0.1	3.1	89	0.8	0.1	0.6	1.0
1999	6	0.9	0.5	0.2	3.2	88	0.8	0.1	0.6	1.0
2000	7	1.1	0.5	0.4	3.2	81	0.7	0.1	0.6	0.9
2001	4	0.6	0.3	0.2	2.3	90	0.8	0.1	0.6	1.0
2002	5	0.5	0.3	0.1	2.0	91	0.8	0.1	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Endocrine System, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	661	0.8	0.0	0.7	0.8	584	0.8	0.0	0.7	0.9
1986	25	0.5	0.1	0.3	0.8	23	0.5	0.1	0.3	0.9
1987	37	0.8	0.1	0.6	1.1	33	0.8	0.1	0.6	1.2
1988	37	0.8	0.1	0.5	1.1	31	0.8	0.1	0.5	1.2
1989	42	1.0	0.2	0.7	1.3	38	1.0	0.2	0.7	1.4
1990	37	0.8	0.1	0.6	1.2	32	0.8	0.2	0.5	1.2
1991	39	0.8	0.1	0.6	1.1	32	0.7	0.1	0.5	1.1
1992	41	0.8	0.1	0.5	1.1	36	0.8	0.1	0.6	1.1
1993	43	0.9	0.1	0.6	1.2	39	0.9	0.1	0.6	1.3
1994	37	0.7	0.1	0.5	1.1	31	0.7	0.1	0.5	1.1
1995	31	0.6	0.1	0.4	0.9	28	0.7	0.1	0.4	1.0
1996	32	0.6	0.1	0.4	0.9	29	0.7	0.1	0.4	1.0
1997	60	1.2	0.2	0.9	1.5	53	1.2	0.2	0.9	1.6
1998	40	0.8	0.1	0.6	1.1	35	0.8	0.1	0.6	1.2
1999	48	0.9	0.1	0.7	1.2	45	1.0	0.2	0.7	1.4
2000	36	0.7	0.1	0.5	1.0	33	0.7	0.1	0.5	1.0
2001	34	0.6	0.1	0.4	0.9	28	0.6	0.1	0.4	0.9
2002	42	0.8	0.1	0.6	1.1	38	0.9	0.1	0.6	1.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	63	0.6	0.1	0.4	0.8	14	0.6	0.2	0.3	1.3
1986	2	0.2	0.2	0.0	2.1	0	0.0	~	0.0	20.2
1987	4	0.8	0.4	0.2	2.7	0	0.0	~	0.0	19.0
1988	5	0.7	0.3	0.2	2.6	1	2.6	2.6	0.1	21.4
1989	3	0.6	0.3	0.1	2.5	1	0.8	0.8	0.0	17.3
1990	4	0.8	0.4	0.2	2.7	1	0.7	0.7	0.0	17.4
1991	6	1.1	0.6	0.3	3.2	1	0.7	0.7	0.0	15.6
1992	5	0.5	0.2	0.2	2.2	0	0.0	~	0.0	13.7
1993	4	0.8	0.4	0.2	2.7	0	0.0	~	0.0	12.7
1994	5	1.0	0.5	0.3	2.9	1	0.5	0.5	0.0	12.7
1995	2	0.3	0.2	0.0	1.8	1	0.5	0.5	0.0	11.8
1996	2	0.2	0.2	0.0	1.7	1	0.5	0.5	0.0	11.3
1997	6	0.9	0.4	0.3	2.7	1	0.8	0.8	0.0	11.1
1998	4	0.7	0.3	0.2	2.3	1	0.4	0.4	0.0	10.0
1999	2	0.2	0.2	0.0	1.6	1	0.4	0.4	0.0	9.5
2000	2	0.2	0.1	0.0	1.5	1	0.5	0.5	0.0	8.4
2001	5	0.7	0.3	0.2	2.2	1	0.4	0.4	0.0	7.2
2002	2	0.2	0.2	0.0	1.5	2	1.0	0.8	0.1	7.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.4	0.1	0.2	0.9	502	0.8	0.0	0.7	0.9
1990	0	0.0	~	0.0	7.6	37	0.9	0.1	0.6	1.2
1991	0	0.0	~	0.0	7.1	39	0.8	0.1	0.6	1.2
1992	0	0.0	~	0.0	6.7	41	0.8	0.1	0.6	1.1
1993	1	0.1	0.1	0.0	6.7	42	0.9	0.1	0.6	1.2
1994	1	0.1	0.1	0.0	6.4	36	0.8	0.1	0.5	1.1
1995	1	1.1	1.1	0.0	7.7	30	0.6	0.1	0.4	1.0
1996	1	1.0	1.0	0.0	7.4	31	0.6	0.1	0.4	0.9
1997	1	0.1	0.1	0.0	5.6	59	1.2	0.2	0.9	1.6
1998	0	0.0	~	0.0	5.3	38	0.8	0.1	0.6	1.1
1999	4	0.8	0.5	0.2	5.8	44	0.9	0.1	0.7	1.2
2000	4	1.1	0.8	0.2	6.0	31	0.6	0.1	0.4	0.9
2001	1	0.1	0.1	0.0	4.1	33	0.7	0.1	0.4	0.9
2002	1	0.3	0.3	0.0	4.0	41	0.9	0.1	0.6	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Endocrine System, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	903	0.8	0.0	0.8	0.9	767	0.8	0.0	0.7	0.9
1986	46	0.7	0.1	0.5	1.0	38	0.7	0.1	0.5	1.0
1987	50	0.8	0.1	0.6	1.1	42	0.8	0.1	0.6	1.1
1988	47	0.7	0.1	0.5	1.0	42	0.8	0.1	0.5	1.0
1989	55	0.9	0.1	0.7	1.2	48	0.9	0.1	0.7	1.2
1990	54	0.8	0.1	0.6	1.1	48	0.8	0.1	0.6	1.1
1991	50	0.8	0.1	0.6	1.0	47	0.8	0.1	0.6	1.1
1992	57	0.9	0.1	0.7	1.1	49	0.9	0.1	0.6	1.2
1993	65	1.0	0.1	0.8	1.3	58	1.1	0.1	0.8	1.4
1994	50	0.7	0.1	0.6	1.0	45	0.8	0.1	0.6	1.0
1995	50	0.7	0.1	0.5	1.0	44	0.7	0.1	0.5	1.0
1996	56	0.8	0.1	0.6	1.1	47	0.8	0.1	0.6	1.1
1997	52	0.8	0.1	0.6	1.0	42	0.7	0.1	0.5	1.0
1998	53	0.8	0.1	0.6	1.0	44	0.8	0.1	0.6	1.1
1999	46	0.7	0.1	0.5	0.9	33	0.6	0.1	0.4	0.8
2000	54	0.8	0.1	0.6	1.0	43	0.7	0.1	0.5	1.0
2001	61	0.9	0.1	0.7	1.2	49	0.9	0.1	0.6	1.1
2002	57	0.8	0.1	0.6	1.1	48	0.8	0.1	0.6	1.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	118	0.9	0.1	0.7	1.1	18	0.9	0.2	0.5	1.5
1986	8	1.1	0.4	0.5	2.4	0	0.0	~	0.0	13.4
1987	7	0.8	0.3	0.3	2.0	1	1.4	1.4	0.0	14.4
1988	5	0.7	0.3	0.2	1.8	0	0.0	~	0.0	12.0
1989	6	0.9	0.4	0.3	2.2	1	0.6	0.6	0.0	11.8
1990	5	0.8	0.4	0.3	2.0	1	1.3	1.3	0.0	12.7
1991	2	0.2	0.2	0.0	1.1	1	0.6	0.6	0.0	10.5
1992	8	1.0	0.4	0.4	2.1	0	0.0	~	0.0	9.0
1993	6	0.9	0.4	0.3	2.0	1	1.3	1.3	0.0	10.0
1994	4	0.5	0.2	0.1	1.4	1	1.2	1.2	0.0	9.1
1995	5	0.7	0.3	0.2	1.7	1	0.5	0.5	0.0	6.9
1996	8	1.0	0.3	0.4	2.0	1	0.7	0.7	0.0	6.7
1997	9	1.1	0.4	0.5	2.1	1	0.8	0.8	0.0	6.6
1998	8	1.0	0.3	0.4	2.0	1	0.6	0.6	0.0	5.9
1999	11	1.1	0.3	0.5	2.1	2	1.4	1.1	0.1	6.7
2000	9	1.1	0.4	0.5	2.2	2	1.0	0.8	0.1	5.4
2001	10	1.2	0.4	0.5	2.2	2	1.7	1.2	0.2	6.3
2002	7	0.8	0.3	0.3	1.7	2	0.7	0.5	0.1	3.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	23	0.7	0.2	0.4	1.1	674	0.8	0.0	0.8	0.9
1990	3	1.3	0.9	0.2	5.9	51	0.8	0.1	0.6	1.1
1991	0	0.0	~	0.0	4.2	50	0.8	0.1	0.6	1.1
1992	1	0.5	0.5	0.0	4.5	56	0.9	0.1	0.7	1.2
1993	1	0.1	0.1	0.0	3.8	64	1.0	0.1	0.8	1.3
1994	0	0.0	~	0.0	3.5	50	0.8	0.1	0.6	1.0
1995	1	0.4	0.4	0.0	3.9	47	0.7	0.1	0.5	1.0
1996	1	0.1	0.1	0.0	3.3	55	0.9	0.1	0.6	1.1
1997	2	0.8	0.7	0.0	4.3	49	0.8	0.1	0.6	1.0
1998	2	1.1	0.9	0.1	4.9	51	0.8	0.1	0.6	1.1
1999	2	0.9	0.8	0.0	4.4	44	0.7	0.1	0.5	0.9
2000	3	1.1	0.7	0.2	4.2	50	0.8	0.1	0.6	1.0
2001	3	1.1	0.6	0.2	3.9	57	0.9	0.1	0.7	1.2
2002	4	0.7	0.4	0.1	3.0	50	0.8	0.1	0.6	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Thyroid, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	872	0.5	0.0	0.4	0.5	779	0.5	0.0	0.4	0.5
1986	39	0.4	0.1	0.3	0.5	36	0.4	0.1	0.3	0.5
1987	48	0.4	0.1	0.3	0.6	42	0.4	0.1	0.3	0.6
1988	42	0.4	0.1	0.3	0.6	38	0.4	0.1	0.3	0.6
1989	51	0.5	0.1	0.4	0.7	45	0.5	0.1	0.4	0.7
1990	54	0.5	0.1	0.4	0.7	48	0.5	0.1	0.4	0.7
1991	53	0.5	0.1	0.4	0.6	50	0.5	0.1	0.4	0.7
1992	52	0.5	0.1	0.3	0.6	47	0.5	0.1	0.4	0.6
1993	54	0.5	0.1	0.4	0.6	51	0.5	0.1	0.4	0.7
1994	55	0.5	0.1	0.4	0.6	50	0.5	0.1	0.4	0.7
1995	49	0.4	0.1	0.3	0.6	45	0.4	0.1	0.3	0.6
1996	52	0.5	0.1	0.3	0.6	43	0.4	0.1	0.3	0.6
1997	58	0.5	0.1	0.4	0.6	50	0.5	0.1	0.4	0.7
1998	55	0.5	0.1	0.4	0.6	47	0.5	0.1	0.3	0.6
1999	41	0.3	0.1	0.2	0.5	36	0.3	0.1	0.2	0.5
2000	54	0.5	0.1	0.3	0.6	48	0.5	0.1	0.3	0.6
2001	53	0.4	0.1	0.3	0.6	46	0.4	0.1	0.3	0.6
2002	62	0.5	0.1	0.4	0.6	57	0.5	0.1	0.4	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	79	0.4	0.0	0.3	0.5	14	0.4	0.1	0.2	0.8
1986	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	8.1
1987	6	0.5	0.2	0.2	1.3	0	0.0	~	0.0	7.6
1988	3	0.3	0.2	0.1	1.0	1	1.1	1.1	0.0	8.7
1989	6	0.6	0.3	0.2	1.4	0	0.0	~	0.0	6.8
1990	5	0.5	0.2	0.2	1.3	1	0.7	0.7	0.0	7.6
1991	2	0.2	0.2	0.0	0.9	1	0.3	0.3	0.0	6.3
1992	5	0.5	0.2	0.1	1.2	0	0.0	~	0.0	5.4
1993	2	0.2	0.1	0.0	0.8	1	0.8	0.8	0.0	6.1
1994	4	0.3	0.1	0.1	0.8	1	0.7	0.7	0.0	5.6
1995	4	0.4	0.2	0.1	1.0	0	0.0	~	0.0	4.1
1996	7	0.5	0.2	0.2	1.1	2	0.6	0.5	0.1	4.5
1997	6	0.5	0.2	0.2	1.2	2	0.8	0.6	0.1	4.6
1998	7	0.6	0.2	0.2	1.2	1	0.4	0.4	0.0	3.7
1999	4	0.3	0.1	0.1	0.8	1	0.6	0.6	0.0	4.1
2000	6	0.5	0.2	0.2	1.1	0	0.0	~	0.0	2.6
2001	6	0.4	0.2	0.2	1.0	1	0.4	0.4	0.0	3.0
2002	3	0.3	0.2	0.1	0.8	2	0.5	0.4	0.1	2.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	20	0.4	0.1	0.2	0.7	666	0.5	0.0	0.4	0.5
1990	2	0.5	0.4	0.0	3.4	52	0.5	0.1	0.4	0.7
1991	0	0.0	~	0.0	2.6	53	0.5	0.1	0.4	0.7
1992	1	0.2	0.2	0.0	2.7	51	0.5	0.1	0.4	0.6
1993	0	0.0	~	0.0	2.4	54	0.5	0.1	0.4	0.6
1994	0	0.0	~	0.0	2.3	55	0.5	0.1	0.4	0.7
1995	1	0.2	0.2	0.0	2.4	48	0.4	0.1	0.3	0.6
1996	1	0.4	0.4	0.0	2.7	51	0.5	0.1	0.3	0.6
1997	1	0.4	0.4	0.0	2.6	56	0.5	0.1	0.4	0.6
1998	2	0.7	0.5	0.1	3.1	51	0.5	0.1	0.3	0.6
1999	3	0.7	0.5	0.1	2.9	38	0.3	0.1	0.2	0.5
2000	5	1.0	0.5	0.3	3.1	48	0.4	0.1	0.3	0.6
2001	3	0.6	0.3	0.1	2.3	50	0.4	0.1	0.3	0.6
2002	1	0.2	0.2	0.0	1.6	59	0.5	0.1	0.4	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Thyroid, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	325	0.4	0.0	0.4	0.5	300	0.4	0.0	0.4	0.5
1986	14	0.3	0.1	0.2	0.6	14	0.4	0.1	0.2	0.6
1987	18	0.4	0.1	0.2	0.7	16	0.4	0.1	0.2	0.7
1988	16	0.4	0.1	0.2	0.7	13	0.4	0.1	0.2	0.7
1989	19	0.5	0.1	0.3	0.8	18	0.5	0.1	0.3	0.9
1990	17	0.4	0.1	0.2	0.7	15	0.4	0.1	0.2	0.8
1991	20	0.4	0.1	0.3	0.7	17	0.4	0.1	0.2	0.7
1992	15	0.3	0.1	0.2	0.5	14	0.3	0.1	0.2	0.6
1993	20	0.4	0.1	0.3	0.7	20	0.5	0.1	0.3	0.8
1994	20	0.4	0.1	0.3	0.7	18	0.4	0.1	0.3	0.7
1995	15	0.3	0.1	0.2	0.6	14	0.4	0.1	0.2	0.6
1996	17	0.3	0.1	0.2	0.6	15	0.4	0.1	0.2	0.6
1997	27	0.5	0.1	0.4	0.8	23	0.5	0.1	0.3	0.8
1998	23	0.5	0.1	0.3	0.7	22	0.5	0.1	0.3	0.8
1999	23	0.5	0.1	0.3	0.7	22	0.5	0.1	0.3	0.8
2000	20	0.4	0.1	0.2	0.6	20	0.5	0.1	0.3	0.7
2001	14	0.3	0.1	0.1	0.5	13	0.3	0.1	0.2	0.5
2002	27	0.5	0.1	0.4	0.8	26	0.6	0.1	0.4	0.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	20	0.2	0.1	0.1	0.4	5	0.3	0.1	0.1	1.0
1986	0	0.0	~	0.0	1.8	0	0.0	~	0.0	20.2
1987	2	0.5	0.3	0.1	2.4	0	0.0	~	0.0	19.0
1988	2	0.4	0.3	0.0	2.2	1	2.6	2.6	0.1	21.4
1989	1	0.2	0.2	0.0	1.9	0	0.0	~	0.0	16.6
1990	2	0.5	0.3	0.1	2.4	0	0.0	~	0.0	16.8
1991	2	0.7	0.5	0.1	2.8	1	0.7	0.7	0.0	15.6
1992	1	0.2	0.2	0.0	1.8	0	0.0	~	0.0	13.7
1993	0	0.0	~	0.0	1.6	0	0.0	~	0.0	12.7
1994	2	0.3	0.2	0.0	1.9	0	0.0	~	0.0	12.3
1995	1	0.2	0.2	0.0	1.7	0	0.0	~	0.0	11.4
1996	1	0.2	0.2	0.0	1.7	1	0.5	0.5	0.0	11.3
1997	3	0.6	0.4	0.1	2.4	1	0.8	0.8	0.0	11.1
1998	1	0.2	0.2	0.0	1.7	0	0.0	~	0.0	9.6
1999	1	0.1	0.1	0.0	1.5	0	0.0	~	0.0	9.1
2000	0	0.0	~	0.0	1.3	0	0.0	~	0.0	7.9
2001	1	0.1	0.1	0.0	1.4	0	0.0	~	0.0	6.9
2002	0	0.0	~	0.0	1.2	1	0.8	0.8	0.0	7.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	5	0.2	0.1	0.0	0.7	250	0.4	0.0	0.4	0.5
1990	0	0.0	~	0.0	7.6	17	0.5	0.1	0.3	0.8
1991	0	0.0	~	0.0	7.1	20	0.5	0.1	0.3	0.7
1992	0	0.0	~	0.0	6.7	15	0.3	0.1	0.2	0.6
1993	0	0.0	~	0.0	6.7	20	0.4	0.1	0.3	0.7
1994	0	0.0	~	0.0	6.4	20	0.4	0.1	0.3	0.7
1995	0	0.0	~	0.0	6.0	15	0.3	0.1	0.2	0.6
1996	1	1.0	1.0	0.0	7.4	16	0.3	0.1	0.2	0.6
1997	0	0.0	~	0.0	5.6	27	0.6	0.1	0.4	0.9
1998	0	0.0	~	0.0	5.3	21	0.5	0.1	0.3	0.7
1999	2	0.4	0.3	0.0	5.4	21	0.5	0.1	0.3	0.7
2000	2	1.0	0.8	0.1	5.9	17	0.4	0.1	0.2	0.6
2001	0	0.0	~	0.0	4.1	14	0.3	0.1	0.2	0.5
2002	0	0.0	~	0.0	3.6	27	0.6	0.1	0.4	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Thyroid, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	547	0.5	0.0	0.4	0.5	479	0.5	0.0	0.4	0.5
1986	25	0.4	0.1	0.3	0.6	22	0.4	0.1	0.2	0.6
1987	30	0.5	0.1	0.3	0.7	26	0.5	0.1	0.3	0.7
1988	26	0.4	0.1	0.3	0.6	25	0.4	0.1	0.3	0.7
1989	32	0.5	0.1	0.4	0.7	27	0.5	0.1	0.3	0.7
1990	37	0.6	0.1	0.4	0.8	33	0.6	0.1	0.4	0.8
1991	33	0.5	0.1	0.4	0.7	33	0.6	0.1	0.4	0.9
1992	37	0.5	0.1	0.4	0.8	33	0.6	0.1	0.4	0.8
1993	34	0.5	0.1	0.4	0.7	31	0.5	0.1	0.4	0.8
1994	35	0.5	0.1	0.3	0.7	32	0.5	0.1	0.4	0.7
1995	34	0.5	0.1	0.3	0.7	31	0.5	0.1	0.3	0.7
1996	35	0.5	0.1	0.4	0.7	28	0.5	0.1	0.3	0.7
1997	31	0.4	0.1	0.3	0.6	27	0.4	0.1	0.3	0.7
1998	32	0.5	0.1	0.3	0.7	25	0.4	0.1	0.3	0.6
1999	18	0.3	0.1	0.2	0.4	14	0.2	0.1	0.1	0.4
2000	34	0.5	0.1	0.3	0.7	28	0.5	0.1	0.3	0.7
2001	39	0.6	0.1	0.4	0.8	33	0.5	0.1	0.4	0.8
2002	35	0.5	0.1	0.3	0.7	31	0.5	0.1	0.3	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	59	0.5	0.1	0.4	0.6	9	0.5	0.2	0.2	1.1
1986	3	0.6	0.3	0.1	1.8	0	0.0	~	0.0	13.4
1987	4	0.6	0.3	0.1	1.6	0	0.0	~	0.0	12.6
1988	1	0.2	0.2	0.0	1.2	0	0.0	~	0.0	12.0
1989	5	0.8	0.4	0.3	2.0	0	0.0	~	0.0	11.4
1990	3	0.5	0.3	0.1	1.6	1	1.3	1.3	0.0	12.7
1991	0	0.0	~	0.0	0.7	0	0.0	~	0.0	10.0
1992	4	0.6	0.3	0.2	1.7	0	0.0	~	0.0	9.0
1993	2	0.3	0.2	0.0	1.2	1	1.3	1.3	0.0	10.0
1994	2	0.2	0.2	0.0	1.0	1	1.2	1.2	0.0	9.1
1995	3	0.4	0.3	0.1	1.3	0	0.0	~	0.0	6.4
1996	6	0.7	0.3	0.3	1.7	1	0.7	0.7	0.0	6.7
1997	3	0.4	0.3	0.1	1.3	1	0.8	0.8	0.0	6.6
1998	6	0.8	0.3	0.3	1.8	1	0.6	0.6	0.0	5.9
1999	3	0.4	0.2	0.1	1.1	1	1.0	1.0	0.0	6.3
2000	6	0.8	0.3	0.3	1.8	0	0.0	~	0.0	4.0
2001	5	0.6	0.3	0.2	1.5	1	0.7	0.7	0.0	4.7
2002	3	0.4	0.2	0.1	1.2	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	15	0.6	0.2	0.3	1.0	416	0.5	0.0	0.4	0.5
1990	2	0.9	0.7	0.1	5.4	35	0.5	0.1	0.4	0.8
1991	0	0.0	~	0.0	4.2	33	0.5	0.1	0.4	0.8
1992	1	0.5	0.5	0.0	4.5	36	0.5	0.1	0.4	0.8
1993	0	0.0	~	0.0	3.7	34	0.5	0.1	0.4	0.7
1994	0	0.0	~	0.0	3.5	35	0.5	0.1	0.4	0.7
1995	1	0.4	0.4	0.0	3.9	33	0.5	0.1	0.3	0.7
1996	0	0.0	~	0.0	3.2	35	0.5	0.1	0.4	0.7
1997	1	0.7	0.7	0.0	4.2	29	0.4	0.1	0.3	0.6
1998	2	1.1	0.9	0.1	4.9	30	0.4	0.1	0.3	0.7
1999	1	0.8	0.8	0.0	4.4	17	0.3	0.1	0.1	0.4
2000	3	1.1	0.7	0.2	4.2	31	0.4	0.1	0.3	0.6
2001	3	1.1	0.6	0.2	3.9	36	0.5	0.1	0.4	0.7
2002	1	0.4	0.4	0.0	2.7	32	0.5	0.1	0.3	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphomas, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	17,273	8.9	0.1	8.8	9.1	15,724	9.3	0.1	9.2	9.4
1986	838	7.9	0.3	7.3	8.4	774	8.2	0.3	7.6	8.8
1987	836	7.8	0.3	7.3	8.4	759	8.1	0.3	7.5	8.7
1988	893	8.3	0.3	7.8	8.9	817	8.7	0.3	8.1	9.3
1989	937	8.6	0.3	8.1	9.2	860	9.0	0.3	8.4	9.6
1990	935	8.6	0.3	8.1	9.2	851	8.9	0.3	8.3	9.5
1991	1,002	9.1	0.3	8.5	9.6	918	9.5	0.3	8.9	10.1
1992	1,032	9.2	0.3	8.7	9.8	945	9.6	0.3	9.0	10.3
1993	1,041	9.2	0.3	8.7	9.8	945	9.6	0.3	9.0	10.2
1994	1,092	9.6	0.3	9.0	10.2	981	9.9	0.3	9.3	10.5
1995	1,138	9.9	0.3	9.3	10.5	1,030	10.2	0.3	9.6	10.9
1996	1,118	9.6	0.3	9.1	10.2	1,009	10.0	0.3	9.4	10.6
1997	1,099	9.4	0.3	8.8	10.0	1,001	9.8	0.3	9.2	10.5
1998	1,080	9.1	0.3	8.6	9.7	970	9.4	0.3	8.8	10.0
1999	1,118	9.4	0.3	8.8	10.0	1,026	9.9	0.3	9.3	10.5
2000	1,065	8.8	0.3	8.3	9.4	977	9.4	0.3	8.8	10.0
2001	1,041	8.5	0.3	8.0	9.1	950	9.0	0.3	8.5	9.6
2002	1,008	8.2	0.3	7.7	8.7	911	8.5	0.3	8.0	9.1
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,409	6.3	0.2	6.0	6.7	140	3.8	0.4	3.2	4.7
1986	60	5.3	0.7	4.0	7.0	4	3.0	1.8	0.6	12.0
1987	72	6.0	0.7	4.6	7.7	5	4.0	1.9	1.2	12.6
1988	65	5.1	0.7	3.9	6.7	11	8.7	3.1	3.8	18.8
1989	68	5.3	0.7	4.1	6.9	9	5.6	2.0	2.4	13.6
1990	81	6.8	0.8	5.3	8.6	3	2.2	1.4	0.4	9.7
1991	79	6.0	0.7	4.7	7.6	5	3.3	1.6	0.9	10.4
1992	85	6.6	0.7	5.2	8.3	2	1.7	1.2	0.2	7.8
1993	91	7.0	0.8	5.6	8.7	5	3.7	1.8	1.1	10.2
1994	101	7.7	0.8	6.2	9.4	10	5.5	1.9	2.4	11.8
1995	98	7.4	0.8	6.0	9.2	10	5.5	1.9	2.4	11.6
1996	102	7.6	0.8	6.2	9.3	7	2.6	1.1	0.9	7.1
1997	83	6.0	0.7	4.7	7.5	15	5.7	1.6	3.0	10.8
1998	101	7.4	0.8	6.0	9.1	9	4.6	1.7	1.9	9.9
1999	86	6.2	0.7	4.9	7.7	6	1.6	0.7	0.6	4.9
2000	75	5.3	0.6	4.1	6.7	13	3.6	1.1	1.7	7.3
2001	80	5.5	0.6	4.3	6.9	11	2.6	0.8	1.2	5.5
2002	82	5.6	0.6	4.4	7.0	15	4.1	1.1	2.2	7.4
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	400	6.3	0.4	5.6	7.2	13,273	9.2	0.1	9.0	9.3
1990	25	5.1	1.1	3.1	8.8	900	8.6	0.3	8.0	9.1
1991	18	4.2	1.2	2.2	8.0	974	9.1	0.3	8.5	9.7
1992	28	6.7	1.5	4.0	11.0	996	9.2	0.3	8.7	9.8
1993	25	4.6	1.0	2.8	7.9	1,013	9.3	0.3	8.7	9.9
1994	30	5.8	1.3	3.6	9.5	1,059	9.7	0.3	9.1	10.3
1995	36	6.1	1.2	3.9	9.7	1,093	9.9	0.3	9.3	10.5
1996	34	8.1	1.7	5.1	12.4	1,072	9.6	0.3	9.0	10.2
1997	27	5.2	1.3	3.1	8.7	1,061	9.5	0.3	8.9	10.0
1998	28	5.4	1.2	3.3	8.7	1,045	9.2	0.3	8.6	9.8
1999	36	8.2	1.6	5.3	12.3	1,080	9.4	0.3	8.9	10.0
2000	39	7.8	1.5	5.2	11.6	1,020	8.9	0.3	8.3	9.4
2001	36	6.4	1.2	4.3	9.6	996	8.6	0.3	8.0	9.1
2002	38	6.9	1.3	4.6	10.1	964	8.2	0.3	7.7	8.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lymphomas, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9,022	11.3	0.1	11.1	11.6	8,138	11.7	0.1	11.5	12.0
1986	422	9.4	0.5	8.5	10.4	382	9.7	0.5	8.7	10.7
1987	431	9.6	0.5	8.7	10.6	380	9.7	0.5	8.7	10.7
1988	457	10.4	0.5	9.4	11.5	417	10.9	0.6	9.8	12.0
1989	488	10.8	0.5	9.8	11.9	442	11.2	0.6	10.1	12.3
1990	527	11.8	0.5	10.7	12.9	481	12.2	0.6	11.1	13.4
1991	520	11.3	0.5	10.3	12.3	472	11.7	0.6	10.7	12.9
1992	550	12.0	0.5	10.9	13.1	495	12.3	0.6	11.2	13.5
1993	513	11.0	0.5	10.1	12.1	461	11.4	0.5	10.3	12.5
1994	571	12.2	0.5	11.2	13.3	508	12.5	0.6	11.4	13.7
1995	585	12.4	0.5	11.3	13.4	529	12.8	0.6	11.7	14.0
1996	581	12.1	0.5	11.1	13.2	515	12.3	0.6	11.3	13.5
1997	560	11.5	0.5	10.6	12.5	496	11.8	0.5	10.7	12.9
1998	584	12.2	0.5	11.2	13.2	519	12.5	0.6	11.4	13.6
1999	603	12.4	0.5	11.4	13.5	551	13.1	0.6	12.0	14.2
2000	570	11.4	0.5	10.5	12.4	520	12.1	0.5	11.0	13.2
2001	547	10.9	0.5	10.0	11.8	502	11.6	0.5	10.6	12.6
2002	513	10.2	0.5	9.4	11.2	468	10.8	0.5	9.8	11.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	793	8.3	0.3	7.6	8.9	91	5.5	0.7	4.3	7.2
1986	37	7.7	1.3	5.3	11.1	3	6.3	4.3	0.9	28.7
1987	48	9.2	1.4	6.6	12.8	3	3.7	2.1	0.8	22.7
1988	34	6.0	1.1	4.1	8.9	6	10.3	4.8	3.1	31.2
1989	40	7.0	1.2	4.9	10.2	6	9.8	4.4	3.2	29.0
1990	44	8.7	1.4	6.1	12.4	2	2.4	1.7	0.3	19.2
1991	44	7.8	1.3	5.5	11.1	4	6.8	3.8	1.6	24.2
1992	55	10.3	1.5	7.5	14.0	0	0.0	~	0.0	13.7
1993	49	8.6	1.3	6.2	11.9	3	4.7	3.1	0.7	19.4
1994	56	9.7	1.4	7.2	13.2	7	7.0	3.0	2.4	20.8
1995	52	9.0	1.3	6.5	12.3	4	5.7	3.1	1.3	19.2
1996	62	11.8	1.6	8.8	15.8	4	3.2	1.8	0.7	14.6
1997	51	8.2	1.2	6.0	11.3	13	11.4	3.6	5.6	24.3
1998	58	9.9	1.4	7.4	13.3	7	8.2	3.6	2.7	21.1
1999	48	8.2	1.3	5.9	11.3	4	2.1	1.1	0.6	11.2
2000	41	6.8	1.1	4.7	9.6	9	6.8	2.8	2.4	17.0
2001	39	6.2	1.0	4.3	8.8	6	3.0	1.3	1.1	10.3
2002	35	5.7	1.0	3.9	8.2	10	5.2	1.9	2.2	12.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	252	7.8	0.6	6.6	9.2	6,918	11.7	0.1	11.4	12.0
1990	20	8.3	2.3	4.5	17.2	503	11.7	0.5	10.7	12.8
1991	10	4.1	1.8	1.4	12.2	506	11.4	0.5	10.4	12.5
1992	19	7.8	2.3	4.0	16.1	525	11.9	0.5	10.9	13.0
1993	19	7.0	2.1	3.6	15.0	491	11.0	0.5	10.0	12.1
1994	20	7.5	2.2	3.9	15.4	548	12.3	0.5	11.3	13.4
1995	24	7.4	2.2	3.8	15.1	557	12.4	0.5	11.3	13.5
1996	20	8.2	2.5	4.1	16.4	554	12.2	0.5	11.1	13.2
1997	15	5.4	1.8	2.5	12.2	538	11.6	0.5	10.6	12.7
1998	18	8.3	2.6	4.1	16.3	562	12.3	0.5	11.3	13.4
1999	15	6.5	2.2	2.9	13.7	587	12.6	0.5	11.6	13.7
2000	26	10.9	2.8	6.2	18.8	542	11.5	0.5	10.5	12.5
2001	28	11.5	2.6	7.1	18.7	513	10.8	0.5	9.9	11.8
2002	18	5.9	1.7	3.1	11.1	492	10.4	0.5	9.5	11.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lymphomas, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,251	7.2	0.1	7.0	7.3	7,586	7.5	0.1	7.4	7.7
1986	416	6.6	0.3	6.0	7.3	392	7.1	0.4	6.4	7.9
1987	405	6.5	0.3	5.8	7.1	379	6.8	0.4	6.1	7.6
1988	436	6.9	0.3	6.2	7.6	400	7.1	0.4	6.4	7.9
1989	449	7.1	0.3	6.4	7.8	418	7.4	0.4	6.7	8.2
1990	408	6.2	0.3	5.6	6.9	370	6.3	0.3	5.7	7.0
1991	482	7.3	0.3	6.7	8.0	446	7.6	0.4	6.9	8.4
1992	482	7.3	0.3	6.6	7.9	450	7.7	0.4	7.0	8.5
1993	528	7.8	0.3	7.2	8.5	484	8.1	0.4	7.4	8.9
1994	521	7.8	0.3	7.1	8.5	473	8.1	0.4	7.4	8.9
1995	553	8.1	0.3	7.4	8.8	501	8.3	0.4	7.6	9.1
1996	537	7.8	0.3	7.2	8.5	494	8.2	0.4	7.5	9.0
1997	539	7.7	0.3	7.1	8.4	505	8.3	0.4	7.6	9.1
1998	496	7.0	0.3	6.4	7.7	451	7.3	0.4	6.7	8.1
1999	515	7.2	0.3	6.6	7.9	475	7.7	0.4	7.0	8.4
2000	495	7.0	0.3	6.3	7.6	457	7.4	0.4	6.8	8.2
2001	494	6.8	0.3	6.2	7.5	448	7.1	0.3	6.5	7.9
2002	495	6.8	0.3	6.2	7.4	443	7.0	0.3	6.4	7.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	616	4.9	0.2	4.5	5.3	49	2.5	0.4	1.8	3.5
1986	23	3.5	0.7	2.2	5.4	1	0.7	0.7	0.0	14.0
1987	24	3.6	0.8	2.3	5.5	2	3.9	2.8	0.5	18.2
1988	31	4.4	0.8	2.9	6.3	5	7.5	3.9	1.9	22.7
1989	28	4.0	0.8	2.6	5.9	3	2.8	1.6	0.6	14.4
1990	37	5.4	0.9	3.8	7.6	1	2.1	2.1	0.1	14.6
1991	35	4.7	0.8	3.3	6.7	1	0.9	0.9	0.0	10.9
1992	30	4.1	0.8	2.7	5.9	2	2.8	2.0	0.3	13.0
1993	42	5.7	0.9	4.1	7.8	2	2.9	2.1	0.3	12.5
1994	45	6.0	0.9	4.4	8.2	3	4.1	2.4	0.8	13.5
1995	46	6.2	0.9	4.5	8.3	6	5.3	2.4	1.7	14.0
1996	40	5.0	0.8	3.6	6.9	3	2.0	1.3	0.3	8.5
1997	32	4.2	0.7	2.8	6.0	2	1.3	1.0	0.1	7.4
1998	43	5.5	0.8	4.0	7.5	2	2.1	1.6	0.2	8.6
1999	38	4.7	0.8	3.3	6.6	2	1.1	0.8	0.1	6.0
2000	34	4.2	0.7	2.9	5.9	4	1.5	0.8	0.4	5.8
2001	41	4.9	0.8	3.5	6.7	5	2.2	1.0	0.6	6.3
2002	47	5.5	0.8	4.0	7.4	5	3.1	1.4	1.0	7.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	148	5.0	0.5	4.2	6.0	6,355	7.3	0.1	7.1	7.5
1990	5	2.2	1.0	0.7	7.0	397	6.2	0.3	5.6	6.9
1991	8	4.0	1.6	1.5	9.6	468	7.3	0.3	6.7	8.0
1992	9	5.1	1.9	2.0	11.1	471	7.3	0.3	6.7	8.0
1993	6	2.4	1.0	0.9	6.8	522	8.0	0.4	7.3	8.7
1994	10	4.3	1.5	1.8	9.4	511	7.9	0.4	7.2	8.6
1995	12	5.0	1.6	2.4	9.9	536	8.1	0.4	7.4	8.8
1996	14	7.5	2.2	3.8	13.6	518	7.8	0.3	7.1	8.5
1997	12	4.8	1.7	2.1	9.8	523	7.8	0.3	7.1	8.5
1998	10	3.3	1.1	1.5	7.2	483	7.1	0.3	6.5	7.8
1999	21	9.5	2.3	5.5	15.5	493	7.2	0.3	6.6	7.9
2000	13	5.3	1.6	2.6	9.9	478	7.0	0.3	6.4	7.6
2001	8	2.3	0.9	0.9	5.4	483	7.0	0.3	6.3	7.6
2002	20	7.5	1.8	4.3	12.3	472	6.8	0.3	6.2	7.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Hodgkin's Disease, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,155	0.6	0.0	0.5	0.6	989	0.6	0.0	0.5	0.6
1986	103	0.9	0.1	0.7	1.1	94	1.0	0.1	0.8	1.2
1987	90	0.8	0.1	0.6	1.0	77	0.8	0.1	0.6	1.0
1988	73	0.7	0.1	0.5	0.8	62	0.7	0.1	0.5	0.9
1989	70	0.6	0.1	0.5	0.8	60	0.6	0.1	0.5	0.8
1990	71	0.6	0.1	0.5	0.8	59	0.6	0.1	0.4	0.8
1991	72	0.6	0.1	0.5	0.8	59	0.6	0.1	0.5	0.8
1992	67	0.6	0.1	0.4	0.7	56	0.6	0.1	0.4	0.7
1993	65	0.6	0.1	0.4	0.7	56	0.6	0.1	0.4	0.7
1994	68	0.6	0.1	0.4	0.7	56	0.6	0.1	0.4	0.7
1995	58	0.5	0.1	0.4	0.6	48	0.5	0.1	0.4	0.6
1996	60	0.5	0.1	0.4	0.7	51	0.5	0.1	0.4	0.7
1997	60	0.5	0.1	0.4	0.7	53	0.5	0.1	0.4	0.7
1998	61	0.5	0.1	0.4	0.7	49	0.5	0.1	0.4	0.6
1999	57	0.5	0.1	0.4	0.6	51	0.5	0.1	0.4	0.7
2000	61	0.5	0.1	0.4	0.6	53	0.5	0.1	0.4	0.7
2001	54	0.4	0.1	0.3	0.6	48	0.5	0.1	0.3	0.6
2002	65	0.5	0.1	0.4	0.7	57	0.5	0.1	0.4	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	152	0.6	0.0	0.5	0.7	14	0.3	0.1	0.1	0.6
1986	9	0.6	0.2	0.3	1.4	0	0.0	~	0.0	8.1
1987	12	0.7	0.2	0.4	1.5	1	0.6	0.6	0.0	8.1
1988	10	0.6	0.2	0.3	1.4	1	0.4	0.4	0.0	7.5
1989	9	0.6	0.2	0.3	1.3	1	0.5	0.5	0.0	7.3
1990	12	0.8	0.2	0.4	1.6	0	0.0	~	0.0	6.7
1991	12	0.7	0.2	0.4	1.4	1	0.5	0.5	0.0	6.5
1992	11	0.6	0.2	0.3	1.3	0	0.0	~	0.0	5.4
1993	9	0.6	0.2	0.2	1.2	0	0.0	~	0.0	4.9
1994	10	0.6	0.2	0.3	1.2	2	0.7	0.5	0.1	5.3
1995	10	0.6	0.2	0.3	1.2	0	0.0	~	0.0	4.1
1996	8	0.5	0.2	0.2	1.1	1	0.6	0.6	0.0	4.7
1997	5	0.3	0.1	0.1	0.9	2	0.5	0.3	0.1	4.1
1998	11	0.8	0.2	0.4	1.4	1	0.2	0.2	0.0	3.6
1999	6	0.3	0.1	0.1	0.9	0	0.0	~	0.0	3.1
2000	7	0.5	0.2	0.2	1.0	1	0.1	0.1	0.0	2.8
2001	5	0.3	0.1	0.1	0.7	1	0.2	0.2	0.0	2.5
2002	6	0.3	0.1	0.1	0.8	2	0.4	0.3	0.0	2.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	47	0.7	0.1	0.5	1.0	767	0.5	0.0	0.5	0.6
1990	6	1.2	0.6	0.3	4.1	65	0.6	0.1	0.5	0.8
1991	0	0.0	~	0.0	2.6	71	0.7	0.1	0.5	0.8
1992	1	0.2	0.2	0.0	2.6	66	0.6	0.1	0.5	0.8
1993	3	0.3	0.2	0.1	2.6	62	0.6	0.1	0.4	0.7
1994	4	0.5	0.3	0.1	2.7	64	0.6	0.1	0.4	0.7
1995	1	0.1	0.1	0.0	2.2	57	0.5	0.1	0.4	0.7
1996	4	0.8	0.5	0.1	3.2	55	0.5	0.1	0.4	0.7
1997	6	1.2	0.6	0.3	3.7	53	0.5	0.1	0.4	0.6
1998	3	0.7	0.5	0.1	2.9	57	0.5	0.1	0.4	0.7
1999	5	1.1	0.6	0.3	3.5	52	0.5	0.1	0.3	0.6
2000	4	0.6	0.4	0.1	2.7	57	0.5	0.1	0.4	0.7
2001	4	0.8	0.4	0.2	2.5	50	0.4	0.1	0.3	0.6
2002	6	0.9	0.4	0.3	2.6	58	0.5	0.1	0.4	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Hodgkin's Disease, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	649	0.7	0.0	0.7	0.8	550	0.7	0.0	0.7	0.8
1986	47	0.9	0.1	0.7	1.3	43	1.0	0.2	0.7	1.3
1987	56	1.0	0.1	0.8	1.4	45	1.0	0.1	0.7	1.3
1988	40	0.8	0.1	0.6	1.1	35	0.8	0.1	0.6	1.2
1989	40	0.8	0.1	0.6	1.1	35	0.8	0.1	0.6	1.2
1990	46	0.9	0.1	0.6	1.2	38	0.8	0.1	0.6	1.2
1991	40	0.8	0.1	0.5	1.1	33	0.7	0.1	0.5	1.1
1992	36	0.7	0.1	0.5	1.0	29	0.6	0.1	0.4	1.0
1993	25	0.5	0.1	0.3	0.7	19	0.4	0.1	0.2	0.7
1994	37	0.7	0.1	0.5	1.0	31	0.7	0.1	0.4	1.0
1995	35	0.6	0.1	0.4	0.9	30	0.6	0.1	0.4	0.9
1996	35	0.7	0.1	0.5	1.0	31	0.7	0.1	0.5	1.1
1997	30	0.6	0.1	0.4	0.9	24	0.6	0.1	0.4	0.9
1998	43	0.8	0.1	0.6	1.1	33	0.7	0.1	0.5	1.0
1999	36	0.7	0.1	0.5	1.0	33	0.8	0.1	0.5	1.1
2000	34	0.6	0.1	0.4	0.9	29	0.6	0.1	0.4	0.9
2001	31	0.6	0.1	0.4	0.8	30	0.6	0.1	0.4	0.9
2002	38	0.7	0.1	0.5	1.0	32	0.7	0.1	0.5	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	88	0.7	0.1	0.6	1.0	11	0.5	0.2	0.2	1.2
1986	4	0.6	0.3	0.2	2.6	0	0.0	~	0.0	20.2
1987	10	1.3	0.4	0.6	3.3	1	1.2	1.2	0.0	20.2
1988	4	0.5	0.3	0.1	2.2	1	0.8	0.8	0.0	18.4
1989	4	0.5	0.2	0.1	2.2	1	1.1	1.1	0.0	17.7
1990	8	1.2	0.4	0.5	3.1	0	0.0	~	0.0	16.8
1991	6	0.9	0.4	0.3	2.7	1	1.1	1.1	0.0	16.2
1992	7	1.0	0.4	0.4	2.7	0	0.0	~	0.0	13.7
1993	6	1.0	0.5	0.3	3.0	0	0.0	~	0.0	12.7
1994	4	0.6	0.3	0.2	2.3	2	1.5	1.1	0.2	13.7
1995	5	0.6	0.3	0.2	2.1	0	0.0	~	0.0	11.4
1996	3	0.4	0.3	0.1	2.0	1	1.6	1.6	0.0	13.0
1997	5	0.7	0.3	0.2	2.4	1	0.6	0.6	0.0	10.8
1998	9	1.5	0.5	0.7	3.4	1	0.5	0.5	0.0	10.0
1999	3	0.4	0.2	0.1	1.8	0	0.0	~	0.0	9.1
2000	5	0.9	0.4	0.3	2.5	0	0.0	~	0.0	7.9
2001	1	0.1	0.1	0.0	1.4	0	0.0	~	0.0	6.9
2002	4	0.5	0.2	0.1	1.8	2	0.8	0.6	0.1	6.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	29	0.9	0.2	0.5	1.5	432	0.7	0.0	0.6	0.7
1990	5	1.9	1.1	0.4	9.7	41	0.8	0.1	0.6	1.2
1991	0	0.0	~	0.0	7.1	39	0.8	0.1	0.6	1.1
1992	1	0.3	0.3	0.0	7.0	35	0.7	0.1	0.5	1.0
1993	2	0.4	0.3	0.0	6.9	23	0.5	0.1	0.3	0.7
1994	3	0.7	0.5	0.1	7.0	34	0.7	0.1	0.5	0.9
1995	1	0.1	0.1	0.0	6.1	34	0.7	0.1	0.5	1.0
1996	3	0.8	0.6	0.1	6.6	31	0.7	0.1	0.5	1.0
1997	2	0.7	0.5	0.1	6.2	27	0.6	0.1	0.4	0.9
1998	2	1.1	0.9	0.1	6.7	40	0.8	0.1	0.6	1.1
1999	3	2.0	1.4	0.2	8.2	33	0.7	0.1	0.5	1.0
2000	3	1.3	1.1	0.1	6.7	31	0.6	0.1	0.4	0.9
2001	2	1.1	0.8	0.1	5.5	29	0.6	0.1	0.4	0.8
2002	2	0.4	0.3	0.0	4.0	35	0.7	0.1	0.5	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Hodgkin's Disease, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	506	0.5	0.0	0.4	0.5	439	0.5	0.0	0.4	0.5
1986	56	0.9	0.1	0.7	1.2	51	1.0	0.1	0.7	1.3
1987	34	0.6	0.1	0.4	0.8	32	0.6	0.1	0.4	0.9
1988	33	0.5	0.1	0.4	0.8	27	0.5	0.1	0.3	0.8
1989	30	0.5	0.1	0.3	0.7	25	0.5	0.1	0.3	0.7
1990	25	0.4	0.1	0.2	0.6	21	0.4	0.1	0.2	0.6
1991	32	0.5	0.1	0.3	0.7	26	0.5	0.1	0.3	0.7
1992	31	0.5	0.1	0.3	0.7	27	0.5	0.1	0.3	0.7
1993	40	0.6	0.1	0.4	0.8	37	0.7	0.1	0.5	0.9
1994	31	0.5	0.1	0.3	0.7	25	0.4	0.1	0.3	0.7
1995	23	0.3	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
1996	25	0.4	0.1	0.3	0.6	20	0.4	0.1	0.2	0.6
1997	30	0.4	0.1	0.3	0.6	29	0.5	0.1	0.3	0.7
1998	18	0.3	0.1	0.2	0.4	16	0.3	0.1	0.1	0.4
1999	21	0.3	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
2000	27	0.4	0.1	0.3	0.6	24	0.4	0.1	0.3	0.7
2001	23	0.3	0.1	0.2	0.5	18	0.3	0.1	0.2	0.5
2002	27	0.4	0.1	0.3	0.6	25	0.5	0.1	0.3	0.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	64	0.4	0.1	0.3	0.5	3	0.1	0.0	0.0	0.5
1986	5	0.6	0.3	0.2	1.7	0	0.0	~	0.0	13.4
1987	2	0.2	0.2	0.0	1.1	0	0.0	~	0.0	12.6
1988	6	0.7	0.3	0.3	1.8	0	0.0	~	0.0	12.0
1989	5	0.6	0.3	0.2	1.7	0	0.0	~	0.0	11.4
1990	4	0.5	0.3	0.1	1.5	0	0.0	~	0.0	11.2
1991	6	0.6	0.2	0.2	1.5	0	0.0	~	0.0	10.0
1992	4	0.4	0.2	0.1	1.2	0	0.0	~	0.0	9.0
1993	3	0.3	0.2	0.1	1.2	0	0.0	~	0.0	8.0
1994	6	0.6	0.3	0.2	1.5	0	0.0	~	0.0	7.3
1995	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	6.4
1996	5	0.6	0.3	0.2	1.5	0	0.0	~	0.0	5.8
1997	0	0.0	~	0.0	0.6	1	0.4	0.4	0.0	5.9
1998	2	0.2	0.1	0.0	0.9	0	0.0	~	0.0	5.1
1999	3	0.3	0.2	0.1	1.1	0	0.0	~	0.0	4.7
2000	2	0.2	0.2	0.0	0.9	1	0.3	0.3	0.0	4.3
2001	4	0.4	0.2	0.1	1.1	1	0.4	0.4	0.0	3.8
2002	2	0.2	0.1	0.0	0.8	0	0.0	~	0.0	3.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	18	0.5	0.1	0.3	0.9	335	0.4	0.0	0.4	0.5
1990	1	0.5	0.5	0.0	4.9	24	0.4	0.1	0.2	0.6
1991	0	0.0	~	0.0	4.2	32	0.5	0.1	0.3	0.7
1992	0	0.0	~	0.0	3.9	31	0.5	0.1	0.3	0.7
1993	1	0.2	0.2	0.0	3.9	39	0.6	0.1	0.4	0.9
1994	1	0.2	0.2	0.0	3.7	30	0.5	0.1	0.3	0.7
1995	0	0.0	~	0.0	3.4	23	0.4	0.1	0.2	0.6
1996	1	0.7	0.7	0.0	4.4	24	0.4	0.1	0.3	0.6
1997	4	1.5	0.9	0.2	5.3	26	0.4	0.1	0.3	0.6
1998	1	0.5	0.5	0.0	3.7	17	0.3	0.1	0.1	0.4
1999	2	0.6	0.4	0.1	3.7	19	0.3	0.1	0.2	0.5
2000	1	0.1	0.1	0.0	2.8	26	0.4	0.1	0.3	0.6
2001	2	0.5	0.4	0.1	3.0	21	0.3	0.1	0.2	0.5
2002	4	1.3	0.8	0.3	4.1	23	0.4	0.1	0.2	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Non-Hodgkin Lymphoma, Both Sexes										
	All Races					Whites				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	16,118	8.3	0.1	8.2	8.5	14,735	8.7	0.1	8.6	8.9
1986	735	7.0	0.3	6.5	7.5	680	7.3	0.3	6.7	7.8
1987	746	7.1	0.3	6.5	7.6	682	7.3	0.3	6.7	7.8
1988	820	7.7	0.3	7.2	8.2	755	8.0	0.3	7.4	8.6
1989	867	8.0	0.3	7.5	8.6	800	8.4	0.3	7.8	9.0
1990	864	8.0	0.3	7.5	8.6	792	8.3	0.3	7.7	8.9
1991	930	8.4	0.3	7.9	9.0	859	8.9	0.3	8.3	9.5
1992	965	8.6	0.3	8.1	9.2	889	9.1	0.3	8.5	9.7
1993	976	8.7	0.3	8.1	9.2	889	9.0	0.3	8.4	9.6
1994	1,024	9.0	0.3	8.5	9.6	925	9.3	0.3	8.7	9.9
1995	1,080	9.4	0.3	8.8	9.9	982	9.7	0.3	9.1	10.4
1996	1,058	9.1	0.3	8.6	9.7	958	9.5	0.3	8.9	10.1
1997	1,039	8.9	0.3	8.4	9.4	948	9.3	0.3	8.7	9.9
1998	1,019	8.6	0.3	8.1	9.2	921	8.9	0.3	8.4	9.5
1999	1,061	8.9	0.3	8.4	9.5	975	9.4	0.3	8.8	10.0
2000	1,004	8.4	0.3	7.8	8.9	924	8.9	0.3	8.3	9.5
2001	987	8.1	0.3	7.6	8.6	902	8.6	0.3	8.0	9.1
2002	943	7.6	0.2	7.2	8.1	854	8.0	0.3	7.5	8.5
	Blacks					Asian and Other Races				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	1,257	5.7	0.2	5.4	6.1	126	3.6	0.4	2.9	4.4
1986	51	4.7	0.7	3.5	6.3	4	3.0	1.8	0.6	12.0
1987	60	5.2	0.7	4.0	6.9	4	3.4	1.8	0.8	12.0
1988	55	4.5	0.6	3.3	5.9	10	8.3	3.0	3.5	18.4
1989	59	4.7	0.6	3.6	6.3	8	5.1	1.9	2.1	13.1
1990	69	6.0	0.7	4.6	7.7	3	2.2	1.4	0.4	9.7
1991	67	5.3	0.7	4.1	6.9	4	2.9	1.6	0.7	9.9
1992	74	6.0	0.7	4.6	7.6	2	1.7	1.2	0.2	7.8
1993	82	6.4	0.7	5.0	8.0	5	3.7	1.8	1.1	10.2
1994	91	7.1	0.8	5.6	8.8	8	4.8	1.8	1.9	11.1
1995	88	6.8	0.8	5.4	8.5	10	5.5	1.9	2.4	11.6
1996	94	7.1	0.8	5.7	8.8	6	1.9	0.9	0.6	6.2
1997	78	5.7	0.7	4.5	7.2	13	5.2	1.6	2.6	10.3
1998	90	6.7	0.7	5.3	8.3	8	4.4	1.7	1.7	9.6
1999	80	5.8	0.7	4.6	7.3	6	1.6	0.7	0.6	4.9
2000	68	4.8	0.6	3.7	6.2	12	3.4	1.1	1.6	7.2
2001	75	5.2	0.6	4.1	6.6	10	2.4	0.8	1.1	5.3
2002	76	5.3	0.6	4.1	6.6	13	3.7	1.1	1.9	7.0
	Hispanics*					Non-Hispanics*				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2002	353	5.7	0.4	5.0	6.4	12,506	8.6	0.1	8.5	8.8
1990	19	3.9	1.0	2.2	7.3	835	8.0	0.3	7.4	8.5
1991	18	4.2	1.2	2.2	8.0	903	8.5	0.3	7.9	9.0
1992	27	6.6	1.5	3.9	10.9	930	8.6	0.3	8.1	9.2
1993	22	4.3	1.0	2.5	7.6	951	8.7	0.3	8.2	9.3
1994	26	5.4	1.3	3.2	9.0	995	9.1	0.3	8.5	9.7
1995	35	6.1	1.2	3.9	9.6	1,036	9.3	0.3	8.8	9.9
1996	30	7.3	1.6	4.4	11.5	1,017	9.1	0.3	8.6	9.7
1997	21	4.1	1.1	2.2	7.3	1,008	9.0	0.3	8.4	9.5
1998	25	4.6	1.1	2.7	7.8	988	8.7	0.3	8.1	9.2
1999	31	7.1	1.5	4.4	11.0	1,028	9.0	0.3	8.4	9.5
2000	35	7.2	1.4	4.7	10.9	963	8.4	0.3	7.8	8.9
2001	32	5.7	1.1	3.7	8.7	946	8.1	0.3	7.6	8.7
2002	32	6.0	1.2	3.9	9.1	906	7.7	0.3	7.2	8.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Non-Hodgkin Lymphoma, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,373	10.6	0.1	10.4	10.8	7,588	11.0	0.1	10.8	11.3
1986	375	8.5	0.5	7.6	9.5	339	8.7	0.5	7.8	9.7
1987	375	8.5	0.5	7.7	9.5	335	8.7	0.5	7.7	9.7
1988	417	9.6	0.5	8.7	10.6	382	10.0	0.5	9.0	11.2
1989	448	10.0	0.5	9.1	11.0	407	10.3	0.5	9.3	11.5
1990	481	10.9	0.5	9.9	12.0	443	11.4	0.6	10.3	12.6
1991	480	10.5	0.5	9.5	11.5	439	11.0	0.5	10.0	12.1
1992	514	11.3	0.5	10.3	12.3	466	11.7	0.6	10.6	12.8
1993	488	10.6	0.5	9.6	11.6	442	11.0	0.5	9.9	12.1
1994	534	11.5	0.5	10.6	12.6	477	11.9	0.6	10.8	13.0
1995	550	11.7	0.5	10.7	12.8	499	12.2	0.6	11.1	13.3
1996	546	11.4	0.5	10.5	12.5	484	11.6	0.5	10.6	12.7
1997	530	10.9	0.5	10.0	11.9	472	11.2	0.5	10.2	12.3
1998	541	11.4	0.5	10.4	12.4	486	11.8	0.5	10.7	12.9
1999	567	11.7	0.5	10.7	12.7	518	12.3	0.5	11.3	13.4
2000	536	10.8	0.5	9.9	11.8	491	11.4	0.5	10.4	12.5
2001	516	10.3	0.5	9.4	11.3	472	10.9	0.5	10.0	12.0
2002	475	9.5	0.4	8.7	10.4	436	10.1	0.5	9.1	11.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	705	7.5	0.3	6.9	8.1	80	5.0	0.6	3.8	6.6
1986	33	7.0	1.3	4.8	10.4	3	6.3	4.3	0.9	28.7
1987	38	7.8	1.4	5.4	11.4	2	2.5	1.7	0.3	21.4
1988	30	5.5	1.0	3.7	8.4	5	9.5	4.8	2.6	30.3
1989	36	6.6	1.2	4.5	9.7	5	8.7	4.2	2.5	27.8
1990	36	7.5	1.4	5.1	11.0	2	2.4	1.7	0.3	19.2
1991	38	6.9	1.2	4.7	10.1	3	5.7	3.6	1.0	23.0
1992	48	9.3	1.5	6.6	13.0	0	0.0	~	0.0	13.7
1993	43	7.6	1.2	5.4	10.7	3	4.7	3.1	0.7	19.4
1994	52	9.1	1.3	6.7	12.5	5	5.5	2.8	1.4	19.1
1995	47	8.4	1.3	6.0	11.7	4	5.7	3.1	1.3	19.2
1996	59	11.4	1.6	8.4	15.3	3	1.6	1.0	0.3	12.4
1997	46	7.5	1.2	5.4	10.5	12	10.8	3.5	5.1	23.7
1998	49	8.4	1.3	6.1	11.6	6	7.7	3.6	2.4	20.7
1999	45	7.8	1.2	5.6	10.9	4	2.1	1.1	0.6	11.2
2000	36	5.9	1.1	4.0	8.6	9	6.8	2.8	2.4	17.0
2001	38	6.1	1.0	4.2	8.7	6	3.0	1.3	1.1	10.3
2002	31	5.2	1.0	3.5	7.7	8	4.4	1.8	1.7	11.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	223	6.9	0.6	5.8	8.3	6,486	11.0	0.1	10.8	11.3
1990	15	6.4	2.0	3.1	14.9	462	10.9	0.5	9.9	12.0
1991	10	4.1	1.8	1.4	12.2	467	10.6	0.5	9.6	11.7
1992	18	7.5	2.3	3.7	15.8	490	11.2	0.5	10.2	12.3
1993	17	6.7	2.0	3.3	14.6	468	10.6	0.5	9.6	11.6
1994	17	6.8	2.1	3.3	14.6	514	11.6	0.5	10.6	12.7
1995	23	7.3	2.1	3.7	15.0	523	11.7	0.5	10.7	12.8
1996	17	7.5	2.4	3.5	15.5	523	11.5	0.5	10.5	12.5
1997	13	4.8	1.7	2.0	11.5	511	11.0	0.5	10.1	12.1
1998	16	7.2	2.4	3.3	15.0	522	11.5	0.5	10.5	12.6
1999	12	4.5	1.7	1.8	10.8	554	12.0	0.5	11.0	13.0
2000	23	9.6	2.5	5.3	17.1	511	10.9	0.5	9.9	11.9
2001	26	10.5	2.4	6.2	17.4	484	10.2	0.5	9.3	11.2
2002	16	5.5	1.6	2.8	10.7	457	9.7	0.5	8.8	10.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Non-Hodgkin Lymphoma, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,745	6.7	0.1	6.6	6.9	7,147	7.1	0.1	6.9	7.2
1986	360	5.7	0.3	5.1	6.4	341	6.1	0.3	5.5	6.8
1987	371	5.9	0.3	5.3	6.5	347	6.2	0.3	5.5	6.9
1988	403	6.4	0.3	5.7	7.0	373	6.6	0.3	6.0	7.3
1989	419	6.6	0.3	6.0	7.3	393	7.0	0.4	6.3	7.7
1990	383	5.9	0.3	5.3	6.5	349	6.0	0.3	5.4	6.7
1991	450	6.8	0.3	6.2	7.5	420	7.2	0.4	6.5	7.9
1992	451	6.8	0.3	6.2	7.4	423	7.2	0.4	6.5	8.0
1993	488	7.2	0.3	6.6	7.9	447	7.5	0.4	6.8	8.2
1994	490	7.3	0.3	6.7	8.0	448	7.6	0.4	6.9	8.4
1995	530	7.7	0.3	7.1	8.4	483	8.0	0.4	7.3	8.8
1996	512	7.4	0.3	6.8	8.1	474	7.8	0.4	7.1	8.6
1997	509	7.3	0.3	6.7	8.0	476	7.8	0.4	7.1	8.5
1998	478	6.8	0.3	6.2	7.4	435	7.1	0.3	6.4	7.8
1999	494	6.9	0.3	6.3	7.6	457	7.3	0.3	6.7	8.1
2000	468	6.5	0.3	6.0	7.2	433	7.0	0.3	6.3	7.7
2001	471	6.5	0.3	5.9	7.1	430	6.8	0.3	6.2	7.5
2002	468	6.4	0.3	5.8	7.0	418	6.5	0.3	5.9	7.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	552	4.4	0.2	4.1	4.8	46	2.4	0.4	1.7	3.4
1986	18	2.9	0.7	1.7	4.7	1	0.7	0.7	0.0	14.0
1987	22	3.4	0.7	2.1	5.3	2	3.9	2.8	0.5	18.2
1988	25	3.6	0.7	2.3	5.5	5	7.5	3.9	1.9	22.7
1989	23	3.3	0.7	2.1	5.1	3	2.8	1.6	0.6	14.4
1990	33	4.9	0.9	3.4	7.0	1	2.1	2.1	0.1	14.6
1991	29	4.1	0.8	2.7	6.0	1	0.9	0.9	0.0	10.9
1992	26	3.7	0.7	2.4	5.5	2	2.8	2.0	0.3	13.0
1993	39	5.3	0.9	3.8	7.4	2	2.9	2.1	0.3	12.5
1994	39	5.4	0.9	3.8	7.5	3	4.1	2.4	0.8	13.5
1995	41	5.6	0.9	4.0	7.6	6	5.3	2.4	1.7	14.0
1996	35	4.4	0.8	3.1	6.3	3	2.0	1.3	0.3	8.5
1997	32	4.2	0.7	2.8	6.0	1	1.0	1.0	0.0	7.0
1998	41	5.3	0.8	3.8	7.2	2	2.1	1.6	0.2	8.6
1999	35	4.4	0.8	3.1	6.2	2	1.1	0.8	0.1	6.0
2000	32	4.0	0.7	2.7	5.6	3	1.2	0.7	0.2	5.5
2001	37	4.5	0.7	3.1	6.2	4	1.8	1.0	0.4	5.9
2002	45	5.3	0.8	3.9	7.1	5	3.1	1.4	1.0	7.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	130	4.5	0.4	3.7	5.5	6,020	6.9	0.1	6.7	7.1
1990	4	1.7	0.9	0.5	6.3	373	5.8	0.3	5.3	6.5
1991	8	4.0	1.6	1.5	9.6	436	6.8	0.3	6.2	7.5
1992	9	5.1	1.9	2.0	11.1	440	6.8	0.3	6.2	7.5
1993	5	2.2	1.0	0.7	6.6	483	7.3	0.3	6.7	8.0
1994	9	4.1	1.5	1.7	9.2	481	7.4	0.3	6.8	8.1
1995	12	5.0	1.6	2.4	9.9	513	7.7	0.3	7.0	8.4
1996	13	6.8	2.1	3.3	12.7	494	7.4	0.3	6.8	8.1
1997	8	3.3	1.4	1.2	7.8	497	7.4	0.3	6.7	8.0
1998	9	2.8	1.0	1.2	6.6	466	6.8	0.3	6.2	7.5
1999	19	8.8	2.2	5.0	14.8	474	6.9	0.3	6.3	7.5
2000	12	5.1	1.6	2.5	9.8	452	6.6	0.3	6.0	7.2
2001	6	1.7	0.8	0.6	4.8	462	6.6	0.3	6.0	7.3
2002	16	6.2	1.7	3.4	10.7	449	6.4	0.3	5.8	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Multiple Myeloma, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,530	3.9	0.0	3.8	4.0	5,899	3.5	0.0	3.4	3.6
1986	407	3.9	0.2	3.5	4.3	324	3.5	0.2	3.1	3.9
1987	385	3.6	0.2	3.3	4.0	298	3.1	0.2	2.8	3.5
1988	381	3.6	0.2	3.2	3.9	316	3.3	0.2	3.0	3.7
1989	422	3.9	0.2	3.5	4.3	329	3.4	0.2	3.1	3.8
1990	384	3.6	0.2	3.2	4.0	309	3.2	0.2	2.9	3.6
1991	415	3.8	0.2	3.5	4.2	332	3.4	0.2	3.1	3.8
1992	447	4.0	0.2	3.7	4.4	355	3.6	0.2	3.2	4.0
1993	457	4.1	0.2	3.7	4.4	347	3.5	0.2	3.1	3.9
1994	439	3.8	0.2	3.5	4.2	353	3.5	0.2	3.1	3.9
1995	492	4.3	0.2	3.9	4.7	378	3.7	0.2	3.4	4.1
1996	442	3.8	0.2	3.5	4.2	341	3.3	0.2	3.0	3.7
1997	448	3.8	0.2	3.5	4.2	352	3.4	0.2	3.1	3.8
1998	485	4.1	0.2	3.8	4.5	359	3.5	0.2	3.1	3.9
1999	483	4.1	0.2	3.7	4.4	379	3.6	0.2	3.3	4.0
2000	501	4.2	0.2	3.8	4.6	382	3.7	0.2	3.3	4.0
2001	469	3.9	0.2	3.5	4.3	367	3.5	0.2	3.2	3.9
2002	473	3.8	0.2	3.5	4.2	378	3.5	0.2	3.2	3.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,575	7.8	0.2	7.4	8.2	56	1.5	0.2	1.1	2.1
1986	82	7.5	0.9	6.0	9.5	1	0.7	0.7	0.0	8.7
1987	87	8.4	0.9	6.7	10.5	0	0.0	~	0.0	7.6
1988	64	5.9	0.8	4.5	7.7	1	0.6	0.6	0.0	7.7
1989	90	8.3	0.9	6.6	10.4	3	1.7	1.0	0.3	8.6
1990	75	7.1	0.8	5.5	9.0	0	0.0	~	0.0	6.7
1991	82	7.7	0.9	6.1	9.7	1	0.4	0.4	0.0	6.4
1992	90	7.9	0.9	6.3	9.8	2	1.5	1.1	0.1	7.6
1993	103	8.8	0.9	7.2	10.8	7	3.9	1.6	1.4	9.9
1994	82	6.9	0.8	5.4	8.6	4	1.6	0.8	0.4	6.5
1995	113	9.5	0.9	7.8	11.4	1	0.4	0.4	0.0	4.6
1996	98	8.1	0.8	6.5	9.9	3	1.0	0.6	0.2	5.0
1997	85	6.7	0.7	5.3	8.3	11	4.5	1.4	2.1	9.4
1998	123	9.9	0.9	8.2	11.9	3	1.3	0.8	0.2	5.1
1999	99	7.8	0.8	6.3	9.5	5	1.4	0.7	0.4	4.8
2000	115	8.8	0.8	7.2	10.6	4	1.9	0.9	0.5	5.3
2001	98	7.4	0.8	6.0	9.0	4	1.4	0.8	0.3	4.4
2002	89	6.5	0.7	5.2	8.1	6	1.6	0.7	0.5	4.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	142	2.9	0.3	2.4	3.5	5,743	3.9	0.1	3.8	4.0
1990	5	2.3	1.2	0.6	6.3	374	3.6	0.2	3.2	4.0
1991	3	1.1	0.8	0.1	4.4	409	3.9	0.2	3.5	4.3
1992	17	6.0	1.6	3.3	10.5	428	4.0	0.2	3.6	4.4
1993	7	1.8	0.8	0.7	4.8	447	4.1	0.2	3.7	4.5
1994	9	2.2	0.8	0.9	5.1	429	3.9	0.2	3.5	4.3
1995	3	0.6	0.4	0.1	2.9	485	4.3	0.2	4.0	4.8
1996	9	3.1	1.1	1.3	6.5	428	3.8	0.2	3.5	4.2
1997	19	4.4	1.1	2.5	7.6	423	3.7	0.2	3.4	4.1
1998	9	3.4	1.2	1.5	6.8	472	4.1	0.2	3.8	4.5
1999	11	2.0	0.7	0.9	4.4	471	4.1	0.2	3.7	4.5
2000	12	2.9	0.9	1.3	5.6	486	4.2	0.2	3.8	4.6
2001	19	4.1	1.0	2.4	6.9	440	3.8	0.2	3.4	4.2
2002	19	3.0	0.7	1.7	5.1	451	3.8	0.2	3.5	4.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Multiple Myeloma, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,684	4.7	0.1	4.6	4.9	2,910	4.3	0.1	4.1	4.4
1986	208	4.8	0.4	4.2	5.6	164	4.3	0.4	3.7	5.1
1987	198	4.7	0.4	4.0	5.5	156	4.2	0.3	3.5	4.9
1988	192	4.6	0.3	3.9	5.3	164	4.4	0.4	3.7	5.2
1989	199	4.6	0.3	4.0	5.4	164	4.4	0.4	3.7	5.1
1990	182	4.2	0.3	3.6	4.9	150	3.9	0.3	3.3	4.7
1991	205	4.9	0.4	4.2	5.6	164	4.4	0.4	3.7	5.2
1992	209	4.6	0.3	4.0	5.3	164	4.2	0.3	3.5	4.9
1993	205	4.3	0.3	3.7	5.0	149	3.6	0.3	3.0	4.2
1994	217	4.8	0.3	4.1	5.5	172	4.3	0.3	3.7	5.0
1995	250	5.5	0.4	4.8	6.2	194	4.8	0.4	4.2	5.6
1996	225	4.9	0.3	4.2	5.6	172	4.3	0.3	3.6	5.0
1997	217	4.5	0.3	3.9	5.1	171	4.1	0.3	3.5	4.8
1998	230	4.9	0.3	4.3	5.6	167	4.1	0.3	3.5	4.7
1999	222	4.6	0.3	4.0	5.3	180	4.3	0.3	3.7	5.0
2000	258	5.4	0.3	4.7	6.1	207	4.9	0.3	4.3	5.7
2001	222	4.5	0.3	3.9	5.2	178	4.2	0.3	3.6	4.8
2002	245	4.9	0.3	4.3	5.6	194	4.5	0.3	3.9	5.2
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	738	9.2	0.4	8.5	9.9	36	2.3	0.4	1.5	3.5
1986	43	9.8	1.6	6.9	13.9	1	1.6	1.6	0.0	21.8
1987	42	10.3	1.7	7.2	14.6	0	0.0	~	0.0	19.0
1988	28	6.9	1.4	4.4	10.5	0	0.0	~	0.0	17.8
1989	34	7.2	1.3	4.9	10.6	1	1.2	1.2	0.0	17.9
1990	32	7.1	1.4	4.7	10.7	0	0.0	~	0.0	16.8
1991	40	9.8	1.7	6.9	14.0	1	1.0	1.0	0.0	16.0
1992	44	9.1	1.4	6.5	12.7	1	2.6	2.6	0.1	17.8
1993	51	10.2	1.5	7.5	13.9	5	5.7	2.7	1.7	19.5
1994	42	9.2	1.5	6.4	13.0	3	2.9	1.8	0.5	15.5
1995	55	11.4	1.6	8.4	15.3	1	0.9	0.9	0.0	12.4
1996	50	10.6	1.6	7.7	14.5	3	2.2	1.4	0.4	13.2
1997	40	6.9	1.1	4.9	9.9	6	6.0	2.7	1.9	17.8
1998	61	13.0	1.8	9.8	17.2	2	1.5	1.1	0.2	11.2
1999	38	7.4	1.3	5.1	10.6	4	2.4	1.3	0.6	11.6
2000	49	9.5	1.4	6.9	12.9	2	2.3	1.6	0.3	11.0
2001	42	7.9	1.3	5.6	11.0	2	2.3	1.9	0.1	10.9
2002	47	9.0	1.4	6.5	12.4	4	2.5	1.3	0.6	9.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	80	3.4	0.4	2.6	4.5	2,779	4.8	0.1	4.6	5.0
1990	4	3.8	2.4	0.7	13.5	176	4.2	0.3	3.6	4.9
1991	2	0.8	0.6	0.1	7.9	202	4.9	0.4	4.3	5.7
1992	10	7.1	2.7	2.9	16.2	199	4.6	0.3	3.9	5.3
1993	4	1.9	1.0	0.5	8.7	199	4.3	0.3	3.7	5.0
1994	5	3.3	1.6	0.9	10.6	211	4.8	0.3	4.2	5.5
1995	1	0.4	0.4	0.0	6.3	245	5.5	0.4	4.9	6.3
1996	2	0.9	0.7	0.1	6.8	221	5.0	0.3	4.3	5.7
1997	10	4.5	1.6	2.0	11.0	203	4.4	0.3	3.8	5.0
1998	6	5.4	2.3	1.8	13.2	223	4.9	0.3	4.3	5.7
1999	2	0.5	0.3	0.1	5.5	219	4.8	0.3	4.1	5.4
2000	7	3.5	1.6	1.1	9.5	249	5.4	0.3	4.7	6.1
2001	13	7.0	2.1	3.5	13.5	202	4.3	0.3	3.7	4.9
2002	14	4.2	1.2	2.2	8.6	230	4.9	0.3	4.3	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Multiple Myeloma, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,846	3.3	0.1	3.2	3.4	2,989	2.9	0.1	2.8	3.0
1986	199	3.2	0.2	2.8	3.7	160	2.9	0.2	2.5	3.4
1987	187	2.9	0.2	2.5	3.4	142	2.5	0.2	2.1	2.9
1988	189	3.0	0.2	2.6	3.5	152	2.7	0.2	2.3	3.2
1989	223	3.4	0.2	3.0	3.9	165	2.8	0.2	2.4	3.3
1990	202	3.1	0.2	2.7	3.6	159	2.7	0.2	2.3	3.2
1991	210	3.2	0.2	2.8	3.7	168	2.9	0.2	2.4	3.4
1992	238	3.5	0.2	3.1	4.0	191	3.2	0.2	2.7	3.7
1993	252	3.7	0.2	3.3	4.2	198	3.3	0.2	2.8	3.8
1994	222	3.3	0.2	2.9	3.7	181	3.0	0.2	2.6	3.5
1995	242	3.5	0.2	3.1	4.0	184	3.1	0.2	2.6	3.6
1996	217	3.1	0.2	2.7	3.6	169	2.8	0.2	2.4	3.2
1997	231	3.3	0.2	2.9	3.8	181	2.9	0.2	2.5	3.4
1998	255	3.6	0.2	3.2	4.1	192	3.2	0.2	2.7	3.6
1999	261	3.7	0.2	3.3	4.2	199	3.2	0.2	2.8	3.7
2000	243	3.4	0.2	3.0	3.9	175	2.8	0.2	2.4	3.3
2001	247	3.5	0.2	3.0	3.9	189	3.0	0.2	2.6	3.5
2002	228	3.1	0.2	2.7	3.5	184	2.8	0.2	2.4	3.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	837	7.0	0.2	6.5	7.5	20	1.0	0.2	0.6	1.6
1986	39	6.1	1.0	4.3	8.5	0	0.0	~	0.0	13.4
1987	45	7.2	1.1	5.2	9.8	0	0.0	~	0.0	12.6
1988	36	5.5	0.9	3.8	7.7	1	1.0	1.0	0.0	13.0
1989	56	8.8	1.2	6.6	11.6	2	2.1	1.5	0.2	13.8
1990	43	7.0	1.1	5.0	9.4	0	0.0	~	0.0	11.2
1991	42	6.5	1.0	4.7	8.8	0	0.0	~	0.0	10.0
1992	46	6.9	1.0	5.0	9.2	1	0.8	0.8	0.0	9.8
1993	52	7.6	1.1	5.7	10.0	2	2.4	1.8	0.2	11.5
1994	40	5.6	0.9	4.0	7.7	1	0.7	0.7	0.0	8.1
1995	58	8.1	1.1	6.1	10.5	0	0.0	~	0.0	6.4
1996	48	6.5	1.0	4.8	8.7	0	0.0	~	0.0	5.8
1997	45	6.2	0.9	4.5	8.3	5	3.4	1.6	1.0	10.2
1998	62	8.1	1.0	6.2	10.4	1	1.1	1.1	0.0	6.8
1999	61	7.9	1.0	6.0	10.1	1	0.6	0.6	0.0	5.5
2000	66	8.3	1.0	6.4	10.7	2	1.5	1.1	0.2	6.4
2001	56	7.0	0.9	5.2	9.1	2	1.0	0.7	0.1	4.8
2002	42	5.1	0.8	3.6	6.9	2	0.8	0.6	0.1	4.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	62	2.4	0.3	1.8	3.2	2,964	3.4	0.1	3.3	3.5
1990	1	1.1	1.1	0.0	6.4	198	3.1	0.2	2.7	3.6
1991	1	1.1	1.1	0.0	6.3	207	3.2	0.2	2.8	3.7
1992	7	5.1	2.0	1.9	11.3	229	3.5	0.2	3.1	4.0
1993	3	1.6	1.0	0.3	6.0	248	3.7	0.2	3.3	4.2
1994	4	1.5	0.8	0.4	5.4	218	3.3	0.2	2.9	3.8
1995	2	0.9	0.6	0.1	4.6	240	3.6	0.2	3.2	4.1
1996	7	4.4	1.7	1.7	9.7	207	3.1	0.2	2.7	3.5
1997	9	4.1	1.5	1.8	8.8	220	3.2	0.2	2.8	3.7
1998	3	2.1	1.2	0.4	6.3	249	3.7	0.2	3.2	4.2
1999	9	3.3	1.2	1.4	7.3	252	3.7	0.2	3.2	4.2
2000	5	2.3	1.1	0.7	6.2	237	3.5	0.2	3.0	3.9
2001	6	2.0	0.8	0.7	5.1	238	3.5	0.2	3.0	3.9
2002	5	1.7	0.8	0.5	4.6	221	3.1	0.2	2.7	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Leukemias, Both Sexes										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,944	8.2	0.1	8.1	8.4	14,215	8.4	0.1	8.3	8.6
1986	872	8.3	0.3	7.8	8.9	777	8.4	0.3	7.8	9.0
1987	810	7.7	0.3	7.2	8.2	731	7.8	0.3	7.3	8.4
1988	849	8.0	0.3	7.5	8.6	750	8.0	0.3	7.4	8.6
1989	911	8.5	0.3	8.0	9.1	825	8.8	0.3	8.2	9.4
1990	929	8.6	0.3	8.0	9.1	830	8.7	0.3	8.1	9.3
1991	948	8.6	0.3	8.1	9.2	854	8.8	0.3	8.3	9.5
1992	945	8.5	0.3	8.0	9.1	849	8.7	0.3	8.1	9.3
1993	970	8.6	0.3	8.0	9.1	872	8.8	0.3	8.2	9.4
1994	940	8.2	0.3	7.7	8.8	836	8.4	0.3	7.8	9.0
1995	967	8.4	0.3	7.9	9.0	862	8.6	0.3	8.0	9.2
1996	933	8.0	0.3	7.5	8.6	828	8.2	0.3	7.6	8.7
1997	956	8.2	0.3	7.6	8.7	846	8.3	0.3	7.7	8.9
1998	930	7.8	0.3	7.3	8.4	802	7.8	0.3	7.3	8.3
1999	979	8.2	0.3	7.7	8.7	879	8.5	0.3	7.9	9.0
2000	989	8.2	0.3	7.7	8.7	889	8.5	0.3	8.0	9.1
2001	1,013	8.3	0.3	7.8	8.8	893	8.5	0.3	7.9	9.0
2002	1,003	8.2	0.3	7.7	8.7	892	8.4	0.3	7.9	9.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,581	7.3	0.2	7.0	7.7	148	3.4	0.3	2.8	4.2
1986	90	8.4	0.9	6.7	10.6	5	3.6	1.7	1.1	12.4
1987	78	7.2	0.8	5.6	9.1	1	0.3	0.3	0.0	7.8
1988	94	8.6	0.9	6.9	10.7	5	3.2	1.5	1.0	10.9
1989	76	6.2	0.7	4.8	7.9	10	4.0	1.3	1.8	11.0
1990	93	7.8	0.9	6.2	9.7	6	2.4	1.2	0.7	9.4
1991	85	7.2	0.8	5.7	9.0	9	5.0	2.1	1.7	12.8
1992	86	7.0	0.8	5.6	8.8	10	6.3	2.3	2.7	13.9
1993	93	7.3	0.8	5.8	9.0	5	1.8	0.9	0.5	7.1
1994	95	7.6	0.8	6.1	9.4	9	3.1	1.2	1.2	8.3
1995	95	7.4	0.8	6.0	9.2	10	3.6	1.3	1.5	8.6
1996	94	7.5	0.8	6.0	9.3	11	4.0	1.5	1.7	9.1
1997	105	8.0	0.8	6.5	9.8	5	1.4	0.7	0.4	5.3
1998	115	8.4	0.8	6.9	10.2	13	4.9	1.5	2.4	9.7
1999	93	6.6	0.7	5.3	8.2	7	2.7	1.2	0.9	6.9
2000	89	6.1	0.7	4.8	7.5	11	3.1	1.0	1.4	6.5
2001	103	7.2	0.7	5.9	8.8	17	4.5	1.2	2.4	8.1
2002	97	7.0	0.7	5.7	8.6	14	3.5	1.0	1.8	6.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	395	5.0	0.3	4.3	5.7	12,031	8.3	0.1	8.2	8.5
1990	24	6.5	1.7	3.6	11.2	898	8.6	0.3	8.0	9.1
1991	28	6.8	1.6	4.0	11.4	914	8.6	0.3	8.1	9.2
1992	16	1.9	0.5	1.0	4.5	924	8.6	0.3	8.1	9.2
1993	28	4.6	1.1	2.8	7.9	937	8.6	0.3	8.1	9.2
1994	33	5.3	1.2	3.2	8.9	900	8.2	0.3	7.7	8.7
1995	30	5.7	1.3	3.4	9.3	927	8.4	0.3	7.9	9.0
1996	27	4.0	0.9	2.4	6.8	894	8.0	0.3	7.5	8.6
1997	30	4.4	1.1	2.6	7.6	922	8.2	0.3	7.7	8.8
1998	28	4.2	1.0	2.4	7.2	897	7.9	0.3	7.4	8.4
1999	35	6.1	1.3	3.8	9.6	943	8.2	0.3	7.7	8.8
2000	47	6.9	1.3	4.5	10.3	938	8.2	0.3	7.6	8.7
2001	33	3.8	0.9	2.2	6.3	972	8.4	0.3	7.9	8.9
2002	36	4.8	1.0	3.0	7.4	965	8.3	0.3	7.7	8.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Leukemias, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	8,558	11.0	0.1	10.8	11.3	7,650	11.3	0.1	11.1	11.6
1986	475	11.3	0.5	10.3	12.5	425	11.5	0.6	10.3	12.7
1987	416	9.8	0.5	8.8	10.9	377	10.1	0.5	9.1	11.2
1988	444	10.5	0.5	9.5	11.6	388	10.4	0.6	9.3	11.6
1989	504	11.4	0.5	10.4	12.5	454	11.8	0.6	10.7	13.0
1990	486	11.1	0.5	10.1	12.2	439	11.4	0.6	10.3	12.6
1991	472	10.5	0.5	9.6	11.6	430	10.9	0.5	9.8	12.0
1992	528	11.9	0.5	10.9	13.0	482	12.4	0.6	11.3	13.6
1993	543	12.1	0.5	11.1	13.2	480	12.3	0.6	11.2	13.5
1994	524	11.4	0.5	10.4	12.5	466	11.6	0.5	10.5	12.7
1995	527	11.6	0.5	10.6	12.7	468	11.8	0.6	10.7	13.0
1996	500	11.0	0.5	10.1	12.1	446	11.3	0.5	10.2	12.4
1997	524	11.2	0.5	10.2	12.2	466	11.4	0.5	10.4	12.6
1998	478	10.0	0.5	9.1	10.9	424	10.2	0.5	9.2	11.2
1999	513	10.8	0.5	9.9	11.8	461	11.1	0.5	10.1	12.2
2000	523	10.6	0.5	9.7	11.6	471	11.1	0.5	10.1	12.2
2001	549	11.2	0.5	10.2	12.2	478	11.3	0.5	10.3	12.3
2002	552	11.2	0.5	10.2	12.1	495	11.6	0.5	10.6	12.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	818	9.4	0.4	8.7	10.2	90	4.4	0.6	3.4	5.9
1986	49	11.7	1.9	8.3	16.3	1	1.3	1.3	0.0	21.4
1987	39	8.3	1.4	5.7	12.0	0	0.0	~	0.0	19.0
1988	53	11.5	1.7	8.4	15.8	3	4.2	2.5	0.8	22.3
1989	42	8.1	1.3	5.7	11.6	8	7.5	2.9	3.0	24.6
1990	44	8.7	1.5	6.0	12.4	3	3.5	2.6	0.4	21.1
1991	38	8.3	1.5	5.6	12.1	4	7.3	4.7	1.2	26.5
1992	40	8.0	1.4	5.5	11.6	6	8.6	4.4	2.3	25.9
1993	60	12.1	1.7	9.0	16.1	3	1.3	0.8	0.3	13.8
1994	53	10.8	1.6	7.8	14.7	5	4.1	2.4	0.8	17.3
1995	53	10.6	1.6	7.8	14.4	6	4.4	2.2	1.2	16.5
1996	49	9.8	1.6	7.0	13.6	5	2.6	1.2	0.8	13.3
1997	56	11.0	1.6	8.1	14.8	2	0.8	0.6	0.1	10.9
1998	47	7.9	1.2	5.7	11.0	7	7.0	3.0	2.4	18.7
1999	47	8.6	1.3	6.1	11.9	5	4.2	2.6	0.7	15.4
2000	44	7.0	1.1	5.0	9.8	8	4.1	1.5	1.7	12.4
2001	57	10.1	1.4	7.5	13.5	14	7.1	2.1	3.6	15.2
2002	47	8.7	1.4	6.2	12.0	10	5.5	1.9	2.4	12.8
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	206	5.3	0.5	4.3	6.5	6,468	11.2	0.1	10.9	11.5
1990	12	5.4	2.2	2.0	14.5	469	11.1	0.5	10.1	12.3
1991	14	7.1	2.9	2.6	17.0	456	10.6	0.5	9.6	11.7
1992	9	1.9	0.8	0.7	8.5	516	12.1	0.6	11.0	13.3
1993	16	4.4	1.3	2.2	11.3	523	12.2	0.6	11.1	13.3
1994	18	5.7	2.0	2.5	13.4	502	11.4	0.5	10.4	12.5
1995	16	8.2	2.7	3.8	16.9	505	11.6	0.5	10.6	12.7
1996	12	2.9	1.1	1.1	9.0	478	11.1	0.5	10.1	12.1
1997	18	4.5	1.8	1.7	11.3	504	11.3	0.5	10.3	12.4
1998	14	4.5	1.5	2.1	10.6	461	10.1	0.5	9.2	11.1
1999	14	3.7	1.2	1.7	9.2	499	11.0	0.5	10.1	12.1
2000	27	10.2	2.7	5.6	17.9	495	10.6	0.5	9.7	11.6
2001	18	3.9	1.4	1.8	9.0	526	11.3	0.5	10.4	12.4
2002	18	5.6	1.7	2.7	11.0	534	11.4	0.5	10.5	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Leukemias, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	7,386	6.5	0.1	6.3	6.6	6,565	6.6	0.1	6.4	6.7
1986	397	6.4	0.3	5.8	7.1	352	6.4	0.3	5.7	7.1
1987	394	6.4	0.3	5.8	7.1	354	6.5	0.4	5.8	7.3
1988	405	6.5	0.3	5.8	7.1	362	6.6	0.4	5.9	7.3
1989	407	6.5	0.3	5.8	7.1	371	6.6	0.4	6.0	7.4
1990	443	7.0	0.3	6.3	7.6	391	6.9	0.4	6.2	7.7
1991	476	7.3	0.3	6.6	8.0	424	7.4	0.4	6.7	8.2
1992	417	6.4	0.3	5.8	7.0	367	6.4	0.3	5.7	7.1
1993	427	6.4	0.3	5.8	7.0	392	6.7	0.3	6.0	7.4
1994	416	6.2	0.3	5.6	6.8	370	6.3	0.3	5.7	7.0
1995	440	6.4	0.3	5.8	7.1	394	6.6	0.3	6.0	7.3
1996	433	6.3	0.3	5.7	6.9	382	6.4	0.3	5.8	7.1
1997	432	6.2	0.3	5.7	6.9	380	6.3	0.3	5.7	7.0
1998	452	6.4	0.3	5.9	7.1	378	6.2	0.3	5.6	6.9
1999	466	6.6	0.3	6.0	7.2	418	6.8	0.3	6.2	7.5
2000	466	6.5	0.3	5.9	7.1	418	6.8	0.3	6.1	7.4
2001	464	6.4	0.3	5.8	7.0	415	6.7	0.3	6.0	7.4
2002	451	6.2	0.3	5.6	6.8	397	6.3	0.3	5.7	7.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	763	6.0	0.2	5.6	6.5	58	2.6	0.4	1.9	3.5
1986	41	6.4	1.0	4.6	8.9	4	5.4	2.9	1.3	20.1
1987	39	6.3	1.0	4.4	8.7	1	0.6	0.6	0.0	13.1
1988	41	6.5	1.0	4.6	9.0	2	2.4	1.7	0.3	14.8
1989	34	4.9	0.9	3.4	7.0	2	1.1	0.8	0.1	12.3
1990	49	7.2	1.1	5.3	9.7	3	1.7	1.0	0.4	12.8
1991	47	6.6	1.0	4.8	8.9	5	3.6	1.7	1.1	14.0
1992	46	6.5	1.0	4.7	8.7	4	4.6	2.4	1.1	15.1
1993	33	4.2	0.8	2.9	6.1	2	2.1	1.5	0.2	10.8
1994	42	5.7	0.9	4.1	7.8	4	2.3	1.2	0.6	9.9
1995	42	5.5	0.9	3.9	7.5	4	3.0	1.6	0.7	10.4
1996	45	6.0	0.9	4.3	8.1	6	4.7	2.2	1.4	12.6
1997	49	6.2	0.9	4.6	8.3	3	1.9	1.2	0.3	8.0
1998	68	8.5	1.0	6.6	10.8	6	3.5	1.6	1.2	9.8
1999	46	5.5	0.8	4.0	7.4	2	1.7	1.2	0.2	7.3
2000	45	5.2	0.8	3.8	7.1	3	2.0	1.2	0.4	6.9
2001	46	5.4	0.8	4.0	7.3	3	2.0	1.2	0.3	6.7
2002	50	6.0	0.9	4.5	8.0	4	1.8	1.0	0.5	5.6
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	189	4.7	0.4	4.0	5.7	5,563	6.5	0.1	6.3	6.6
1990	12	6.9	2.3	3.1	13.9	429	6.9	0.3	6.3	7.7
1991	14	6.8	2.1	3.4	13.2	458	7.2	0.3	6.6	7.9
1992	7	1.8	0.8	0.6	5.9	408	6.5	0.3	5.8	7.1
1993	12	4.6	1.5	2.1	9.6	414	6.4	0.3	5.8	7.1
1994	15	4.9	1.6	2.3	9.9	398	6.1	0.3	5.5	6.8
1995	14	4.2	1.3	2.0	8.6	422	6.4	0.3	5.8	7.0
1996	15	4.9	1.4	2.6	9.4	416	6.3	0.3	5.7	6.9
1997	12	4.4	1.5	2.0	9.0	418	6.3	0.3	5.7	6.9
1998	14	3.8	1.3	1.7	8.2	436	6.5	0.3	5.9	7.1
1999	21	7.6	2.0	4.2	13.2	444	6.5	0.3	5.9	7.2
2000	20	4.5	1.2	2.4	8.4	443	6.4	0.3	5.8	7.1
2001	15	3.6	1.2	1.6	7.3	446	6.5	0.3	5.9	7.1
2002	18	4.2	1.2	2.2	7.6	431	6.2	0.3	5.6	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lymphocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,713	2.4	0.0	2.4	2.5	4,189	2.5	0.0	2.4	2.6
1986	269	2.6	0.2	2.3	2.9	236	2.5	0.2	2.2	2.9
1987	200	1.9	0.1	1.6	2.2	182	2.0	0.1	1.7	2.3
1988	240	2.3	0.1	2.0	2.6	210	2.3	0.2	2.0	2.6
1989	279	2.6	0.2	2.3	2.9	253	2.7	0.2	2.4	3.0
1990	297	2.8	0.2	2.5	3.1	252	2.6	0.2	2.3	3.0
1991	303	2.8	0.2	2.5	3.1	269	2.8	0.2	2.5	3.2
1992	308	2.8	0.2	2.5	3.1	278	2.8	0.2	2.5	3.2
1993	291	2.6	0.2	2.3	2.9	260	2.6	0.2	2.3	3.0
1994	255	2.2	0.1	2.0	2.5	229	2.3	0.2	2.0	2.6
1995	293	2.6	0.1	2.3	2.9	260	2.6	0.2	2.3	2.9
1996	289	2.5	0.1	2.2	2.8	257	2.5	0.2	2.2	2.9
1997	298	2.5	0.1	2.3	2.8	260	2.5	0.2	2.2	2.9
1998	262	2.2	0.1	1.9	2.5	231	2.2	0.1	1.9	2.5
1999	264	2.2	0.1	2.0	2.5	236	2.3	0.1	2.0	2.6
2000	282	2.3	0.1	2.1	2.6	259	2.5	0.2	2.2	2.8
2001	291	2.4	0.1	2.1	2.7	261	2.5	0.2	2.2	2.8
2002	292	2.4	0.1	2.1	2.7	256	2.4	0.2	2.1	2.7
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	499	2.4	0.1	2.2	2.6	25	0.6	0.1	0.3	0.9
1986	33	3.2	0.6	2.1	4.7	0	0.0	~	0.0	8.1
1987	18	1.6	0.4	1.0	2.7	0	0.0	~	0.0	7.6
1988	30	2.8	0.5	1.8	4.1	0	0.0	~	0.0	7.2
1989	24	2.0	0.4	1.3	3.1	2	0.8	0.6	0.1	7.5
1990	42	3.7	0.6	2.6	5.1	3	0.9	0.5	0.2	7.5
1991	33	3.1	0.6	2.1	4.4	1	0.3	0.3	0.0	6.3
1992	28	2.3	0.5	1.5	3.4	2	1.6	1.2	0.2	7.8
1993	30	2.3	0.4	1.5	3.4	1	0.3	0.3	0.0	5.2
1994	24	2.0	0.4	1.3	3.1	2	1.3	1.0	0.1	6.4
1995	29	2.3	0.4	1.5	3.4	4	1.2	0.8	0.2	5.6
1996	31	2.6	0.5	1.7	3.8	1	0.2	0.2	0.0	4.0
1997	38	3.1	0.5	2.2	4.4	0	0.0	~	0.0	3.6
1998	28	2.1	0.4	1.4	3.1	3	1.0	0.6	0.2	4.5
1999	28	1.9	0.4	1.2	2.8	0	0.0	~	0.0	3.1
2000	22	1.5	0.3	0.9	2.3	1	0.5	0.5	0.0	3.4
2001	27	1.9	0.4	1.2	2.8	3	0.7	0.4	0.1	3.2
2002	34	2.3	0.4	1.6	3.3	2	0.5	0.4	0.1	2.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	113	1.1	0.1	0.8	1.4	3,601	2.5	0.0	2.4	2.6
1990	9	2.1	1.0	0.6	5.6	287	2.8	0.2	2.4	3.1
1991	12	2.6	1.0	1.0	6.0	291	2.8	0.2	2.4	3.1
1992	4	0.3	0.1	0.1	2.7	303	2.8	0.2	2.5	3.2
1993	7	1.0	0.4	0.4	3.4	283	2.6	0.2	2.3	2.9
1994	7	1.1	0.6	0.3	3.7	247	2.2	0.1	2.0	2.5
1995	5	0.4	0.2	0.1	2.5	284	2.6	0.2	2.3	2.9
1996	8	1.1	0.5	0.4	3.4	280	2.5	0.2	2.2	2.8
1997	9	1.4	0.7	0.4	4.0	288	2.6	0.2	2.3	2.9
1998	9	0.9	0.4	0.3	2.9	253	2.2	0.1	2.0	2.5
1999	6	0.5	0.2	0.2	2.4	258	2.3	0.1	2.0	2.6
2000	15	1.9	0.6	0.8	4.1	267	2.3	0.1	2.0	2.6
2001	11	0.6	0.2	0.3	2.1	280	2.4	0.1	2.1	2.7
2002	11	0.9	0.3	0.4	2.3	280	2.4	0.1	2.1	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Lymphocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,614	3.4	0.1	3.3	3.6	2,324	3.5	0.1	3.4	3.7
1986	143	3.4	0.3	2.8	4.0	125	3.3	0.3	2.7	4.0
1987	112	2.7	0.3	2.2	3.3	102	2.8	0.3	2.3	3.5
1988	121	2.9	0.3	2.4	3.5	105	2.8	0.3	2.3	3.5
1989	159	3.6	0.3	3.0	4.2	147	3.8	0.3	3.2	4.5
1990	170	4.1	0.3	3.5	4.8	147	4.0	0.3	3.4	4.8
1991	159	3.6	0.3	3.0	4.2	145	3.7	0.3	3.1	4.4
1992	169	4.1	0.3	3.4	4.8	151	4.1	0.3	3.5	4.9
1993	170	3.8	0.3	3.2	4.4	147	3.8	0.3	3.2	4.5
1994	151	3.4	0.3	2.9	4.0	136	3.5	0.3	2.9	4.2
1995	175	3.9	0.3	3.3	4.6	151	3.9	0.3	3.3	4.6
1996	155	3.6	0.3	3.0	4.2	140	3.6	0.3	3.1	4.3
1997	167	3.6	0.3	3.1	4.3	148	3.7	0.3	3.1	4.4
1998	136	3.0	0.3	2.5	3.6	123	3.1	0.3	2.6	3.7
1999	149	3.2	0.3	2.7	3.8	131	3.2	0.3	2.7	3.9
2000	155	3.2	0.3	2.7	3.7	142	3.4	0.3	2.8	4.0
2001	156	3.2	0.3	2.7	3.7	137	3.2	0.3	2.7	3.8
2002	167	3.4	0.3	2.9	4.0	147	3.5	0.3	2.9	4.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	278	3.3	0.2	2.9	3.8	12	0.6	0.2	0.3	1.4
1986	18	3.9	1.1	2.1	7.0	0	0.0	~	0.0	20.2
1987	10	2.3	0.8	1.0	4.8	0	0.0	~	0.0	19.0
1988	16	3.4	0.9	1.8	6.2	0	0.0	~	0.0	17.8
1989	11	2.2	0.7	1.0	4.5	1	1.1	1.1	0.0	17.7
1990	23	5.0	1.2	3.0	8.3	0	0.0	~	0.0	16.8
1991	14	3.4	1.0	1.7	6.4	0	0.0	~	0.0	15.1
1992	18	3.9	1.0	2.2	6.8	0	0.0	~	0.0	13.7
1993	22	4.0	0.9	2.4	6.6	1	0.5	0.5	0.0	13.1
1994	14	2.8	0.8	1.5	5.3	1	2.2	2.2	0.1	15.6
1995	21	4.5	1.1	2.7	7.4	3	2.4	1.7	0.2	14.3
1996	14	3.1	0.9	1.5	5.7	1	0.5	0.5	0.0	11.3
1997	19	4.2	1.1	2.4	7.0	0	0.0	~	0.0	10.2
1998	12	2.3	0.7	1.1	4.4	1	0.5	0.5	0.0	10.0
1999	18	2.9	0.7	1.7	5.1	0	0.0	~	0.0	9.1
2000	13	2.0	0.6	1.0	3.9	0	0.0	~	0.0	7.9
2001	16	3.2	0.9	1.7	5.5	3	1.5	1.0	0.2	8.7
2002	19	3.2	0.8	1.8	5.4	1	0.8	0.8	0.0	7.0
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	64	1.4	0.3	0.9	2.1	2,010	3.6	0.1	3.4	3.7
1990	5	2.4	1.5	0.4	10.6	165	4.1	0.3	3.5	4.9
1991	7	2.9	1.6	0.7	10.9	152	3.6	0.3	3.0	4.3
1992	2	0.2	0.1	0.0	6.8	167	4.2	0.3	3.5	4.9
1993	5	1.3	0.7	0.3	7.9	164	3.8	0.3	3.2	4.5
1994	5	2.1	1.5	0.3	9.3	146	3.4	0.3	2.9	4.1
1995	3	0.5	0.3	0.1	6.4	169	4.0	0.3	3.4	4.6
1996	5	1.5	0.9	0.3	7.5	149	3.6	0.3	3.0	4.2
1997	5	2.0	1.5	0.2	8.8	162	3.7	0.3	3.1	4.3
1998	3	0.7	0.6	0.1	6.1	133	3.1	0.3	2.6	3.6
1999	4	0.6	0.3	0.1	5.5	145	3.3	0.3	2.7	3.9
2000	9	3.1	1.5	0.9	8.8	146	3.2	0.3	2.7	3.7
2001	7	0.9	0.4	0.3	4.9	149	3.2	0.3	2.7	3.8
2002	4	0.6	0.4	0.1	4.1	163	3.5	0.3	3.0	4.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Lymphocytic Leukemia, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,099	1.8	0.0	1.7	1.9	1,865	1.8	0.0	1.7	1.9
1986	126	2.0	0.2	1.7	2.4	111	2.0	0.2	1.6	2.4
1987	88	1.4	0.2	1.1	1.8	80	1.5	0.2	1.2	1.8
1988	119	1.9	0.2	1.6	2.3	105	1.9	0.2	1.5	2.3
1989	120	1.8	0.2	1.5	2.2	106	1.8	0.2	1.5	2.2
1990	127	2.0	0.2	1.6	2.4	105	1.8	0.2	1.5	2.2
1991	144	2.2	0.2	1.8	2.6	124	2.1	0.2	1.8	2.6
1992	139	2.0	0.2	1.7	2.4	127	2.1	0.2	1.7	2.5
1993	121	1.8	0.2	1.5	2.1	113	1.9	0.2	1.6	2.3
1994	104	1.5	0.1	1.2	1.8	93	1.5	0.2	1.2	1.9
1995	118	1.7	0.2	1.4	2.0	109	1.8	0.2	1.4	2.1
1996	134	1.9	0.2	1.6	2.3	117	1.9	0.2	1.6	2.3
1997	131	1.9	0.2	1.5	2.2	112	1.8	0.2	1.5	2.2
1998	126	1.8	0.2	1.5	2.1	108	1.7	0.2	1.4	2.1
1999	115	1.6	0.2	1.3	2.0	105	1.7	0.2	1.4	2.1
2000	127	1.7	0.2	1.4	2.0	117	1.8	0.2	1.5	2.2
2001	135	1.8	0.2	1.5	2.1	124	1.9	0.2	1.6	2.3
2002	125	1.7	0.2	1.4	2.1	109	1.8	0.2	1.4	2.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	221	1.8	0.1	1.5	2.0	13	0.5	0.2	0.3	1.1
1986	15	2.6	0.7	1.5	4.5	0	0.0	~	0.0	13.4
1987	8	1.2	0.4	0.5	2.6	0	0.0	~	0.0	12.6
1988	14	2.3	0.6	1.2	3.9	0	0.0	~	0.0	12.0
1989	13	1.9	0.5	1.0	3.4	1	0.6	0.6	0.0	11.9
1990	19	2.8	0.7	1.7	4.6	3	1.7	1.0	0.4	12.8
1991	19	2.9	0.7	1.7	4.6	1	0.6	0.6	0.0	10.6
1992	10	1.3	0.4	0.6	2.5	2	2.8	2.0	0.3	13.0
1993	8	1.1	0.4	0.5	2.3	0	0.0	~	0.0	8.0
1994	10	1.5	0.5	0.7	2.8	1	0.7	0.7	0.0	8.1
1995	8	1.0	0.4	0.4	2.1	1	0.5	0.5	0.0	6.9
1996	17	2.3	0.6	1.3	3.7	0	0.0	~	0.0	5.8
1997	19	2.6	0.6	1.5	4.1	0	0.0	~	0.0	5.6
1998	16	2.0	0.5	1.1	3.3	2	1.3	1.0	0.1	6.9
1999	10	1.2	0.4	0.6	2.2	0	0.0	~	0.0	4.7
2000	9	1.1	0.4	0.5	2.1	1	0.8	0.8	0.0	5.2
2001	11	1.2	0.4	0.6	2.3	0	0.0	~	0.0	3.4
2002	15	1.8	0.5	1.0	3.0	1	0.4	0.4	0.0	3.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	49	0.9	0.2	0.6	1.3	1,591	1.8	0.0	1.7	1.9
1990	4	1.7	1.2	0.2	6.9	122	1.9	0.2	1.6	2.3
1991	5	2.3	1.2	0.6	7.3	139	2.2	0.2	1.8	2.6
1992	2	0.3	0.2	0.0	4.2	136	2.0	0.2	1.7	2.4
1993	2	0.6	0.4	0.1	4.3	119	1.8	0.2	1.5	2.2
1994	2	0.4	0.3	0.0	3.9	101	1.5	0.2	1.2	1.9
1995	2	0.3	0.2	0.0	3.6	115	1.7	0.2	1.4	2.0
1996	3	0.8	0.5	0.1	4.1	131	1.9	0.2	1.6	2.3
1997	4	1.1	0.7	0.2	4.7	126	1.8	0.2	1.5	2.2
1998	6	1.1	0.5	0.4	4.3	120	1.7	0.2	1.4	2.1
1999	2	0.5	0.3	0.1	3.4	113	1.7	0.2	1.4	2.0
2000	6	1.1	0.5	0.3	3.9	121	1.7	0.2	1.4	2.0
2001	4	0.5	0.2	0.1	2.8	131	1.8	0.2	1.5	2.2
2002	7	1.2	0.5	0.4	3.5	117	1.7	0.2	1.4	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Myeloid and Monocytic Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,470	3.3	0.0	3.3	3.4	5,782	3.4	0.0	3.3	3.5
1986	330	3.2	0.2	2.8	3.5	300	3.3	0.2	2.9	3.7
1987	370	3.5	0.2	3.2	3.9	329	3.6	0.2	3.2	4.0
1988	322	3.0	0.2	2.7	3.4	285	3.0	0.2	2.7	3.4
1989	346	3.2	0.2	2.9	3.6	309	3.3	0.2	2.9	3.7
1990	357	3.3	0.2	2.9	3.6	325	3.4	0.2	3.0	3.8
1991	357	3.2	0.2	2.9	3.6	327	3.4	0.2	3.0	3.8
1992	356	3.2	0.2	2.9	3.5	319	3.3	0.2	2.9	3.7
1993	369	3.2	0.2	2.9	3.6	332	3.3	0.2	3.0	3.7
1994	400	3.5	0.2	3.2	3.9	358	3.6	0.2	3.2	4.0
1995	369	3.2	0.2	2.9	3.5	328	3.3	0.2	2.9	3.7
1996	384	3.3	0.2	3.0	3.6	339	3.3	0.2	3.0	3.7
1997	386	3.3	0.2	3.0	3.6	347	3.4	0.2	3.1	3.8
1998	393	3.3	0.2	3.0	3.7	341	3.3	0.2	3.0	3.7
1999	422	3.5	0.2	3.2	3.9	381	3.7	0.2	3.3	4.1
2000	423	3.5	0.2	3.2	3.9	371	3.6	0.2	3.2	4.0
2001	460	3.8	0.2	3.4	4.1	406	3.9	0.2	3.5	4.3
2002	426	3.5	0.2	3.2	3.8	385	3.7	0.2	3.3	4.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	613	2.7	0.1	2.5	3.0	75	1.7	0.2	1.3	2.3
1986	27	2.5	0.5	1.6	3.8	3	1.9	1.1	0.4	10.1
1987	40	3.7	0.6	2.6	5.1	1	0.3	0.3	0.0	7.8
1988	34	3.1	0.6	2.1	4.4	3	2.2	1.3	0.4	9.7
1989	33	2.6	0.5	1.8	3.8	4	1.2	0.6	0.3	7.8
1990	30	2.2	0.4	1.4	3.2	2	0.5	0.4	0.1	7.2
1991	25	1.9	0.4	1.2	3.0	5	2.8	1.7	0.5	10.2
1992	32	2.6	0.5	1.8	3.8	5	3.2	1.7	0.8	10.1
1993	36	2.7	0.5	1.8	3.8	1	0.4	0.4	0.0	5.3
1994	37	2.7	0.5	1.9	3.9	5	1.3	0.6	0.4	5.9
1995	38	2.8	0.5	2.0	4.0	3	1.4	0.9	0.2	6.0
1996	39	3.0	0.5	2.1	4.3	6	1.7	0.7	0.6	5.6
1997	37	2.6	0.4	1.8	3.7	2	0.7	0.6	0.0	4.6
1998	45	3.1	0.5	2.3	4.3	7	2.7	1.1	1.0	6.9
1999	36	2.5	0.4	1.7	3.6	5	1.6	0.8	0.5	5.3
2000	47	3.1	0.5	2.2	4.1	5	1.2	0.6	0.4	4.2
2001	43	2.9	0.5	2.1	4.0	11	3.0	1.0	1.3	6.4
2002	34	2.5	0.4	1.7	3.6	7	1.7	0.7	0.6	4.2
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	161	2.0	0.2	1.6	2.5	4,902	3.4	0.0	3.3	3.5
1990	4	0.9	0.6	0.2	3.9	348	3.3	0.2	3.0	3.7
1991	10	2.5	1.0	0.9	6.0	345	3.2	0.2	2.9	3.6
1992	4	0.5	0.3	0.1	2.9	348	3.2	0.2	2.9	3.6
1993	11	1.5	0.6	0.6	4.2	356	3.3	0.2	2.9	3.6
1994	14	2.1	0.8	0.9	5.0	382	3.5	0.2	3.1	3.9
1995	15	2.7	0.9	1.3	5.6	351	3.2	0.2	2.9	3.5
1996	14	2.2	0.7	1.0	4.7	362	3.2	0.2	2.9	3.6
1997	16	2.2	0.7	1.1	4.7	368	3.3	0.2	3.0	3.6
1998	11	1.2	0.4	0.5	3.2	379	3.4	0.2	3.0	3.7
1999	14	2.8	1.0	1.2	5.8	408	3.6	0.2	3.2	3.9
2000	21	3.2	1.0	1.6	6.1	402	3.5	0.2	3.2	3.9
2001	12	1.2	0.5	0.4	3.1	443	3.8	0.2	3.5	4.2
2002	15	2.3	0.7	1.2	4.4	410	3.5	0.2	3.2	3.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Myeloid and Monocytic Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	3,489	4.4	0.1	4.3	4.6	3,135	4.5	0.1	4.4	4.7
1986	186	4.5	0.3	3.8	5.2	168	4.5	0.4	3.8	5.3
1987	179	4.2	0.3	3.6	4.9	156	4.2	0.3	3.5	4.9
1988	169	4.0	0.3	3.4	4.7	150	4.0	0.3	3.4	4.8
1989	190	4.3	0.3	3.7	5.0	168	4.4	0.4	3.8	5.2
1990	190	4.2	0.3	3.6	4.9	174	4.5	0.3	3.8	5.2
1991	175	3.8	0.3	3.2	4.4	162	4.0	0.3	3.4	4.7
1992	205	4.5	0.3	3.9	5.2	188	4.7	0.4	4.0	5.4
1993	208	4.6	0.3	4.0	5.3	189	4.8	0.4	4.1	5.5
1994	225	4.7	0.3	4.1	5.4	200	4.8	0.3	4.2	5.6
1995	195	4.2	0.3	3.6	4.9	176	4.3	0.3	3.7	5.1
1996	201	4.3	0.3	3.7	4.9	177	4.3	0.3	3.7	5.0
1997	215	4.3	0.3	3.8	5.0	196	4.6	0.3	3.9	5.3
1998	207	4.1	0.3	3.5	4.7	181	4.2	0.3	3.6	4.8
1999	220	4.6	0.3	4.0	5.2	202	4.8	0.3	4.2	5.5
2000	230	4.6	0.3	4.0	5.3	206	4.8	0.3	4.2	5.5
2001	248	5.0	0.3	4.4	5.7	216	5.1	0.3	4.4	5.8
2002	246	4.9	0.3	4.3	5.5	226	5.2	0.3	4.5	5.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	306	3.3	0.2	2.9	3.8	48	2.1	0.4	1.4	3.2
1986	17	4.4	1.2	2.4	7.7	1	1.3	1.3	0.0	21.4
1987	23	4.7	1.0	2.9	7.6	0	0.0	~	0.0	19.0
1988	18	3.7	0.9	2.1	6.5	1	1.9	1.9	0.0	19.9
1989	18	3.1	0.8	1.8	5.6	4	2.4	1.2	0.6	18.6
1990	14	2.2	0.6	1.2	4.4	2	1.0	0.7	0.1	17.6
1991	10	1.7	0.6	0.8	3.8	3	5.1	4.2	0.4	23.6
1992	13	2.4	0.7	1.2	4.7	4	6.4	4.1	1.1	23.4
1993	19	3.7	0.9	2.1	6.2	0	0.0	~	0.0	12.7
1994	22	4.2	1.0	2.5	7.0	3	1.5	0.9	0.3	13.5
1995	18	3.4	0.9	1.9	5.9	1	0.4	0.4	0.0	11.7
1996	20	4.1	1.0	2.4	6.9	4	2.1	1.1	0.6	12.8
1997	18	3.2	0.8	1.8	5.5	1	0.3	0.3	0.0	10.5
1998	22	3.4	0.8	2.1	5.7	4	3.8	2.2	0.8	14.7
1999	15	2.7	0.8	1.5	5.0	3	1.3	0.8	0.3	10.3
2000	20	3.1	0.7	1.8	5.1	4	1.6	0.8	0.4	9.4
2001	24	3.9	0.8	2.4	6.2	8	3.8	1.5	1.5	11.2
2002	15	3.0	0.8	1.6	5.3	5	2.2	1.1	0.6	8.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	82	2.1	0.3	1.5	3.0	2,658	4.5	0.1	4.3	4.7
1990	2	0.7	0.5	0.1	8.2	184	4.3	0.3	3.7	5.0
1991	6	4.0	2.4	0.8	13.2	168	3.8	0.3	3.2	4.5
1992	2	0.5	0.4	0.0	7.1	200	4.5	0.3	3.9	5.3
1993	4	0.6	0.3	0.2	7.1	202	4.6	0.3	4.0	5.4
1994	8	2.6	1.2	0.8	9.3	215	4.7	0.3	4.1	5.5
1995	8	3.3	1.5	1.1	10.1	185	4.2	0.3	3.6	4.9
1996	5	1.2	0.7	0.3	7.0	190	4.2	0.3	3.6	4.9
1997	11	2.2	0.8	0.9	7.8	203	4.3	0.3	3.8	5.0
1998	7	1.9	0.9	0.6	7.3	198	4.1	0.3	3.6	4.8
1999	5	1.4	0.8	0.3	6.7	215	4.7	0.3	4.1	5.4
2000	11	4.8	2.0	1.7	11.4	219	4.6	0.3	4.0	5.3
2001	6	1.1	0.7	0.2	5.3	240	5.1	0.3	4.5	5.8
2002	7	2.6	1.1	0.9	6.9	239	5.0	0.3	4.4	5.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002										
Myeloid and Monocytic Leukemia, Females										
	All Races					**Whites**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,981	2.7	0.0	2.6	2.8	2,647	2.7	0.1	2.6	2.8
1986	144	2.4	0.2	2.0	2.8	132	2.4	0.2	2.0	2.9
1987	191	3.1	0.2	2.7	3.6	173	3.2	0.2	2.7	3.7
1988	153	2.4	0.2	2.1	2.9	135	2.5	0.2	2.1	3.0
1989	156	2.5	0.2	2.1	3.0	141	2.6	0.2	2.1	3.0
1990	167	2.7	0.2	2.3	3.1	151	2.7	0.2	2.3	3.2
1991	182	2.8	0.2	2.4	3.3	165	2.9	0.2	2.5	3.5
1992	151	2.4	0.2	2.0	2.8	131	2.4	0.2	2.0	2.9
1993	161	2.5	0.2	2.1	2.9	143	2.5	0.2	2.1	3.0
1994	175	2.7	0.2	2.3	3.1	158	2.8	0.2	2.4	3.3
1995	174	2.6	0.2	2.2	3.1	152	2.7	0.2	2.2	3.1
1996	183	2.7	0.2	2.3	3.1	162	2.8	0.2	2.4	3.3
1997	171	2.5	0.2	2.2	2.9	151	2.6	0.2	2.2	3.0
1998	186	2.7	0.2	2.3	3.2	160	2.7	0.2	2.3	3.2
1999	202	2.9	0.2	2.5	3.3	179	3.0	0.2	2.5	3.4
2000	193	2.8	0.2	2.4	3.2	165	2.8	0.2	2.4	3.3
2001	212	3.0	0.2	2.6	3.5	190	3.2	0.2	2.8	3.7
2002	180	2.5	0.2	2.2	2.9	159	2.6	0.2	2.2	3.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	307	2.3	0.1	2.1	2.6	27	1.3	0.3	0.8	2.1
1986	10	1.4	0.5	0.7	2.8	2	2.3	1.6	0.3	15.9
1987	17	2.8	0.7	1.6	4.6	1	0.6	0.6	0.0	13.1
1988	16	2.5	0.6	1.4	4.2	2	2.4	1.7	0.3	14.8
1989	15	2.2	0.6	1.2	3.7	0	0.0	~	0.0	11.4
1990	16	2.1	0.5	1.2	3.6	0	0.0	~	0.0	11.2
1991	15	2.0	0.5	1.1	3.4	2	1.4	1.0	0.2	11.3
1992	19	2.7	0.6	1.6	4.3	1	1.0	1.0	0.0	10.2
1993	17	2.0	0.5	1.2	3.4	1	0.7	0.7	0.0	8.8
1994	15	1.9	0.5	1.0	3.2	2	1.0	0.8	0.1	8.4
1995	20	2.6	0.6	1.5	4.0	2	2.0	1.5	0.2	9.4
1996	19	2.5	0.6	1.5	3.9	2	1.1	0.9	0.1	7.2
1997	19	2.3	0.5	1.3	3.6	1	1.0	1.0	0.0	7.0
1998	23	2.8	0.6	1.8	4.3	3	2.0	1.2	0.4	7.8
1999	21	2.5	0.5	1.5	3.8	2	1.7	1.2	0.2	7.3
2000	27	3.0	0.6	2.0	4.4	1	0.8	0.8	0.0	5.2
2001	19	2.2	0.5	1.3	3.5	3	2.0	1.2	0.3	6.7
2002	19	2.3	0.5	1.4	3.6	2	1.1	0.8	0.1	4.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	79	1.9	0.3	1.4	2.5	2,244	2.7	0.1	2.6	2.8
1990	2	1.0	0.9	0.1	5.7	164	2.7	0.2	2.3	3.2
1991	4	1.7	0.9	0.5	6.3	177	2.8	0.2	2.4	3.3
1992	2	0.5	0.3	0.0	4.4	148	2.4	0.2	2.1	2.9
1993	7	2.3	1.0	0.8	6.7	154	2.5	0.2	2.1	2.9
1994	6	1.6	0.9	0.4	5.7	167	2.7	0.2	2.3	3.1
1995	7	2.3	1.0	0.8	6.4	166	2.6	0.2	2.2	3.0
1996	9	3.0	1.1	1.3	7.1	172	2.6	0.2	2.3	3.1
1997	5	2.1	1.0	0.6	6.0	165	2.5	0.2	2.2	3.0
1998	4	0.5	0.3	0.1	3.5	181	2.8	0.2	2.4	3.2
1999	9	3.7	1.5	1.4	8.4	193	2.9	0.2	2.5	3.3
2000	10	2.1	0.9	0.7	5.5	183	2.8	0.2	2.4	3.2
2001	6	1.3	0.7	0.3	4.2	203	3.1	0.2	2.6	3.5
2002	8	2.1	0.8	0.8	5.0	171	2.5	0.2	2.2	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Other Leukemia, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,761	2.5	0.0	2.4	2.5	4,244	2.5	0.0	2.4	2.6
1986	273	2.6	0.2	2.3	2.9	241	2.6	0.2	2.3	2.9
1987	240	2.2	0.1	2.0	2.5	220	2.3	0.2	2.0	2.7
1988	287	2.7	0.2	2.4	3.0	255	2.7	0.2	2.4	3.1
1989	286	2.7	0.2	2.4	3.0	263	2.8	0.2	2.5	3.2
1990	275	2.5	0.2	2.2	2.8	253	2.6	0.2	2.3	3.0
1991	288	2.6	0.2	2.3	2.9	258	2.7	0.2	2.3	3.0
1992	281	2.5	0.2	2.2	2.8	252	2.6	0.2	2.3	2.9
1993	310	2.8	0.2	2.5	3.1	280	2.8	0.2	2.5	3.2
1994	285	2.5	0.1	2.2	2.8	249	2.5	0.2	2.2	2.8
1995	305	2.7	0.2	2.4	3.0	274	2.7	0.2	2.4	3.1
1996	260	2.2	0.1	2.0	2.5	232	2.3	0.2	2.0	2.6
1997	272	2.3	0.1	2.1	2.6	239	2.3	0.2	2.0	2.6
1998	275	2.3	0.1	2.1	2.6	230	2.2	0.1	1.9	2.5
1999	293	2.4	0.1	2.2	2.7	262	2.5	0.2	2.2	2.8
2000	284	2.4	0.1	2.1	2.6	259	2.5	0.2	2.2	2.8
2001	262	2.2	0.1	1.9	2.4	226	2.1	0.1	1.9	2.4
2002	285	2.3	0.1	2.1	2.6	251	2.3	0.1	2.1	2.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	469	2.2	0.1	2.0	2.5	48	1.1	0.2	0.8	1.6
1986	30	2.7	0.5	1.8	4.0	2	1.7	1.3	0.2	10.2
1987	20	1.9	0.5	1.1	3.0	0	0.0	~	0.0	7.6
1988	30	2.8	0.5	1.8	4.1	2	1.1	0.8	0.1	8.3
1989	19	1.6	0.4	0.9	2.6	4	2.0	1.1	0.5	9.0
1990	21	2.0	0.5	1.2	3.1	1	1.0	1.0	0.0	8.1
1991	27	2.2	0.5	1.4	3.3	3	1.8	1.2	0.3	8.3
1992	26	2.1	0.4	1.4	3.2	3	1.4	0.8	0.3	7.0
1993	27	2.3	0.5	1.5	3.4	3	1.2	0.8	0.1	6.4
1994	34	2.8	0.5	1.9	4.0	2	0.5	0.4	0.1	5.0
1995	28	2.3	0.4	1.5	3.3	3	1.0	0.6	0.2	5.2
1996	24	1.9	0.4	1.2	2.8	4	2.1	1.3	0.4	7.0
1997	30	2.2	0.4	1.5	3.3	3	0.7	0.4	0.1	4.3
1998	42	3.2	0.5	2.3	4.4	3	1.2	0.8	0.2	5.0
1999	29	2.2	0.4	1.5	3.3	2	1.1	0.9	0.1	4.9
2000	20	1.5	0.3	0.9	2.4	5	1.3	0.6	0.4	4.3
2001	33	2.4	0.4	1.6	3.5	3	0.8	0.5	0.1	3.3
2002	29	2.2	0.4	1.5	3.2	5	1.3	0.6	0.4	3.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	121	1.9	0.2	1.5	2.4	3,528	2.4	0.0	2.4	2.5
1990	11	3.5	1.3	1.5	7.5	263	2.5	0.2	2.2	2.8
1991	6	1.7	0.9	0.5	5.1	278	2.6	0.2	2.3	2.9
1992	8	1.1	0.5	0.4	3.7	273	2.5	0.2	2.2	2.9
1993	10	2.1	0.8	0.8	5.1	298	2.8	0.2	2.4	3.1
1994	12	2.1	0.7	0.9	4.9	271	2.5	0.1	2.2	2.8
1995	10	2.5	0.9	1.0	5.6	292	2.6	0.2	2.3	3.0
1996	5	0.6	0.3	0.2	2.8	252	2.3	0.1	2.0	2.6
1997	5	0.8	0.4	0.2	3.0	266	2.4	0.1	2.1	2.7
1998	8	2.1	0.9	0.8	4.9	265	2.3	0.1	2.1	2.6
1999	15	2.7	0.9	1.3	5.5	277	2.4	0.1	2.1	2.7
2000	11	1.8	0.6	0.8	4.0	269	2.3	0.1	2.1	2.6
2001	10	1.9	0.7	0.8	4.2	249	2.1	0.1	1.9	2.4
2002	10	1.6	0.6	0.6	3.6	275	2.3	0.1	2.1	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Other Leukemia, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,455	3.2	0.1	3.1	3.3	2,191	3.3	0.1	3.1	3.4
1986	146	3.5	0.3	3.0	4.2	132	3.6	0.3	3.0	4.3
1987	125	2.9	0.3	2.4	3.5	119	3.1	0.3	2.6	3.8
1988	154	3.6	0.3	3.0	4.3	133	3.5	0.3	2.9	4.2
1989	155	3.5	0.3	3.0	4.1	139	3.6	0.3	3.0	4.3
1990	126	2.8	0.3	2.3	3.4	118	3.0	0.3	2.4	3.6
1991	138	3.1	0.3	2.6	3.8	123	3.1	0.3	2.6	3.8
1992	154	3.4	0.3	2.8	4.0	143	3.6	0.3	3.0	4.3
1993	165	3.8	0.3	3.2	4.4	144	3.7	0.3	3.1	4.4
1994	148	3.3	0.3	2.7	3.9	130	3.3	0.3	2.7	3.9
1995	157	3.5	0.3	3.0	4.1	141	3.6	0.3	3.0	4.3
1996	144	3.2	0.3	2.7	3.8	129	3.3	0.3	2.8	4.0
1997	142	3.2	0.3	2.7	3.8	122	3.2	0.3	2.6	3.8
1998	135	2.9	0.3	2.4	3.4	120	2.9	0.3	2.4	3.5
1999	144	3.0	0.3	2.6	3.6	128	3.1	0.3	2.6	3.7
2000	138	2.9	0.2	2.4	3.4	123	2.9	0.3	2.4	3.5
2001	145	3.0	0.3	2.5	3.6	125	3.0	0.3	2.5	3.6
2002	139	2.9	0.2	2.4	3.4	122	2.9	0.3	2.4	3.5
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	234	2.8	0.2	2.4	3.2	30	1.7	0.4	1.1	2.8
1986	14	3.4	1.0	1.8	6.3	0	0.0	~	0.0	20.2
1987	6	1.3	0.7	0.4	3.7	0	0.0	~	0.0	19.0
1988	19	4.4	1.1	2.5	7.5	2	2.3	1.7	0.3	20.0
1989	13	2.8	0.8	1.4	5.4	3	4.0	2.4	0.8	21.1
1990	7	1.4	0.6	0.5	3.6	1	2.5	2.5	0.1	20.2
1991	14	3.2	1.0	1.6	6.1	1	2.2	2.2	0.1	18.2
1992	9	1.7	0.6	0.7	3.9	2	2.2	1.6	0.2	16.1
1993	19	4.5	1.1	2.5	7.5	2	0.8	0.6	0.1	13.3
1994	17	3.7	1.0	2.0	6.5	1	0.4	0.4	0.0	12.6
1995	14	2.7	0.7	1.4	5.0	2	1.6	1.2	0.2	13.1
1996	15	2.7	0.7	1.4	4.9	0	0.0	~	0.0	10.9
1997	19	3.6	0.9	2.1	6.1	1	0.5	0.5	0.0	10.7
1998	13	2.2	0.7	1.1	4.3	2	2.7	1.9	0.3	13.3
1999	14	2.9	0.8	1.5	5.3	2	2.9	2.5	0.2	14.2
2000	11	2.0	0.6	0.9	3.9	4	2.5	1.3	0.6	10.7
2001	17	3.1	0.8	1.7	5.3	3	1.7	1.1	0.3	8.9
2002	13	2.5	0.7	1.3	4.6	4	2.5	1.4	0.6	9.1
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	60	1.8	0.3	1.2	2.6	1,800	3.2	0.1	3.0	3.3
1990	5	2.4	1.6	0.3	10.8	120	2.8	0.3	2.3	3.3
1991	1	0.2	0.2	0.0	7.2	136	3.2	0.3	2.7	3.8
1992	5	1.2	0.6	0.3	7.8	149	3.4	0.3	2.9	4.0
1993	7	2.4	1.1	0.8	9.2	157	3.8	0.3	3.2	4.4
1994	5	1.0	0.5	0.3	7.2	141	3.2	0.3	2.7	3.8
1995	5	4.3	2.2	1.1	12.5	151	3.5	0.3	2.9	4.1
1996	2	0.2	0.1	0.0	5.9	139	3.3	0.3	2.7	3.9
1997	2	0.3	0.2	0.0	5.8	139	3.3	0.3	2.7	3.9
1998	4	1.9	1.0	0.4	7.6	130	2.9	0.3	2.4	3.5
1999	5	1.7	0.8	0.5	6.9	139	3.1	0.3	2.6	3.7
2000	7	2.3	1.1	0.7	7.5	130	2.8	0.3	2.4	3.4
2001	5	2.0	1.1	0.4	6.8	137	3.0	0.3	2.5	3.6
2002	7	2.5	1.3	0.6	7.3	132	2.9	0.3	2.4	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Other Leukemia, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,306	2.0	0.0	1.9	2.1	2,053	2.0	0.0	1.9	2.1
1986	127	2.0	0.2	1.7	2.4	109	2.0	0.2	1.6	2.4
1987	115	1.9	0.2	1.5	2.3	101	1.9	0.2	1.5	2.3
1988	133	2.1	0.2	1.8	2.5	122	2.2	0.2	1.8	2.7
1989	131	2.1	0.2	1.7	2.5	124	2.3	0.2	1.9	2.7
1990	149	2.3	0.2	1.9	2.7	135	2.4	0.2	2.0	2.8
1991	150	2.3	0.2	1.9	2.7	135	2.3	0.2	1.9	2.7
1992	127	2.0	0.2	1.6	2.3	109	1.9	0.2	1.5	2.3
1993	145	2.1	0.2	1.8	2.5	136	2.3	0.2	1.9	2.7
1994	137	2.0	0.2	1.7	2.4	119	2.0	0.2	1.6	2.4
1995	148	2.1	0.2	1.8	2.5	133	2.2	0.2	1.8	2.6
1996	116	1.7	0.2	1.4	2.0	103	1.7	0.2	1.4	2.1
1997	130	1.9	0.2	1.5	2.2	117	1.9	0.2	1.6	2.3
1998	140	2.0	0.2	1.7	2.3	110	1.8	0.2	1.4	2.1
1999	149	2.1	0.2	1.7	2.4	134	2.1	0.2	1.8	2.5
2000	146	2.0	0.2	1.7	2.4	136	2.2	0.2	1.8	2.6
2001	117	1.6	0.1	1.3	1.9	101	1.6	0.2	1.3	1.9
2002	146	1.9	0.2	1.6	2.3	129	2.0	0.2	1.6	2.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	235	1.9	0.1	1.6	2.2	18	0.7	0.2	0.4	1.3
1986	16	2.4	0.6	1.3	4.0	2	3.1	2.3	0.3	17.5
1987	14	2.2	0.6	1.2	3.9	0	0.0	~	0.0	12.6
1988	11	1.8	0.5	0.9	3.3	0	0.0	~	0.0	12.0
1989	6	0.8	0.3	0.3	2.0	1	0.5	0.5	0.0	11.7
1990	14	2.2	0.6	1.2	3.9	0	0.0	~	0.0	11.2
1991	13	1.7	0.5	0.9	3.0	2	1.6	1.2	0.2	11.8
1992	17	2.4	0.6	1.4	3.9	1	0.8	0.8	0.0	9.8
1993	8	1.1	0.4	0.5	2.2	1	1.3	1.3	0.0	10.0
1994	17	2.3	0.6	1.4	3.8	1	0.6	0.6	0.0	7.9
1995	14	1.9	0.5	1.0	3.3	1	0.5	0.5	0.0	6.9
1996	9	1.2	0.4	0.6	2.4	4	3.6	2.0	0.8	11.2
1997	11	1.4	0.4	0.7	2.5	2	0.9	0.7	0.1	6.5
1998	29	3.7	0.7	2.5	5.4	1	0.2	0.2	0.0	5.3
1999	15	1.8	0.5	1.0	3.1	0	0.0	~	0.0	4.7
2000	9	1.1	0.4	0.5	2.2	1	0.4	0.4	0.0	4.5
2001	16	2.0	0.5	1.1	3.3	0	0.0	~	0.0	3.4
2002	16	2.0	0.5	1.1	3.2	1	0.4	0.4	0.0	3.4
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	61	2.0	0.3	1.4	2.6	1,728	2.0	0.0	1.9	2.1
1990	6	4.2	1.8	1.4	10.3	143	2.3	0.2	1.9	2.7
1991	5	2.8	1.4	0.8	8.2	142	2.2	0.2	1.9	2.6
1992	3	1.0	0.6	0.2	5.1	124	2.0	0.2	1.6	2.4
1993	3	1.6	1.0	0.3	6.0	141	2.1	0.2	1.8	2.5
1994	7	2.8	1.2	1.0	7.4	130	2.0	0.2	1.6	2.3
1995	5	1.6	0.7	0.5	5.3	141	2.1	0.2	1.7	2.5
1996	3	1.0	0.7	0.2	4.5	113	1.7	0.2	1.4	2.0
1997	3	1.2	0.8	0.2	4.8	127	1.9	0.2	1.6	2.2
1998	4	2.2	1.2	0.5	6.4	135	2.0	0.2	1.7	2.4
1999	10	3.5	1.3	1.4	7.8	138	2.0	0.2	1.7	2.3
2000	4	1.3	0.7	0.3	4.5	139	2.0	0.2	1.7	2.3
2001	5	1.8	0.9	0.5	5.2	112	1.6	0.2	1.3	1.9
2002	3	0.9	0.6	0.1	3.5	143	2.0	0.2	1.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ill-defined Sites, Both Sexes

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	30,833	16.0	0.1	15.8	16.2	26,049	15.4	0.1	15.2	15.6
1986	1,625	15.6	0.4	14.8	16.3	1,363	14.6	0.4	13.9	15.4
1987	1,577	14.9	0.4	14.2	15.7	1,335	14.2	0.4	13.4	15.0
1988	1,800	17.0	0.4	16.2	17.8	1,523	16.2	0.4	15.4	17.0
1989	1,827	17.2	0.4	16.4	18.0	1,534	16.3	0.4	15.5	17.1
1990	1,729	16.0	0.4	15.2	16.7	1,466	15.3	0.4	14.5	16.1
1991	1,641	15.0	0.4	14.3	15.8	1,415	14.6	0.4	13.9	15.4
1992	1,844	16.6	0.4	15.9	17.4	1,568	16.0	0.4	15.2	16.8
1993	1,879	16.7	0.4	16.0	17.5	1,594	16.1	0.4	15.3	16.9
1994	1,758	15.5	0.4	14.8	16.3	1,500	15.1	0.4	14.3	15.9
1995	1,781	15.5	0.4	14.8	16.3	1,506	15.0	0.4	14.2	15.7
1996	1,789	15.5	0.4	14.8	16.2	1,507	14.9	0.4	14.1	15.7
1997	1,717	14.7	0.4	14.0	15.4	1,459	14.3	0.4	13.6	15.1
1998	1,668	14.2	0.3	13.5	14.9	1,401	13.6	0.4	12.9	14.4
1999	2,117	17.8	0.4	17.0	18.5	1,761	16.9	0.4	16.2	17.8
2000	2,076	17.3	0.4	16.5	18.0	1,758	16.8	0.4	16.1	17.6
2001	1,981	16.3	0.4	15.6	17.0	1,649	15.7	0.4	14.9	16.4
2002	2,024	16.4	0.4	15.7	17.2	1,710	16.1	0.4	15.3	16.8
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	4,580	22.0	0.3	21.4	22.7	204	5.8	0.4	4.9	6.8
1986	258	24.3	1.6	21.3	27.6	4	4.9	2.7	1.1	15.4
1987	234	22.0	1.5	19.2	25.2	8	6.3	2.6	2.3	15.9
1988	269	23.9	1.5	21.0	27.0	8	4.7	1.8	1.8	12.7
1989	284	25.3	1.6	22.3	28.6	9	7.8	2.9	3.2	17.5
1990	254	22.3	1.4	19.5	25.4	9	6.2	2.2	2.7	14.5
1991	216	18.5	1.3	16.1	21.3	10	5.1	1.7	2.3	12.0
1992	266	22.7	1.4	19.9	25.7	10	7.6	2.6	3.3	15.8
1993	279	23.4	1.4	20.7	26.4	6	2.5	1.0	0.9	7.8
1994	251	20.8	1.3	18.2	23.6	7	4.3	1.8	1.5	10.7
1995	261	21.0	1.3	18.5	23.8	14	7.2	2.2	3.5	13.8
1996	275	21.5	1.3	19.0	24.3	7	2.6	1.0	1.0	7.0
1997	244	19.2	1.3	16.8	21.9	14	5.5	1.6	2.8	10.7
1998	253	19.2	1.2	16.8	21.8	14	5.9	1.7	3.0	11.2
1999	339	26.0	1.4	23.3	29.0	17	6.0	1.6	3.3	10.9
2000	298	21.9	1.3	19.5	24.6	20	7.8	1.9	4.6	13.0
2001	308	22.5	1.3	20.0	25.3	24	6.3	1.4	4.0	10.2
2002	291	21.0	1.3	18.6	23.6	23	6.4	1.4	3.9	10.3
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	472	8.9	0.5	8.0	9.9	23,366	16.1	0.1	15.9	16.3
1990	24	8.8	2.1	5.2	14.3	1,685	16.0	0.4	15.3	16.8
1991	23	7.8	1.8	4.6	12.8	1,608	15.2	0.4	14.4	15.9
1992	25	7.1	1.6	4.3	11.5	1,803	16.7	0.4	16.0	17.5
1993	35	9.8	1.9	6.3	14.8	1,829	16.8	0.4	16.0	17.6
1994	31	9.0	1.9	5.7	13.8	1,713	15.6	0.4	14.9	16.4
1995	37	10.4	2.0	6.9	15.4	1,732	15.6	0.4	14.9	16.4
1996	30	7.6	1.6	4.9	11.7	1,749	15.7	0.4	15.0	16.5
1997	33	6.9	1.4	4.4	10.6	1,677	14.9	0.4	14.2	15.7
1998	30	6.5	1.3	4.2	10.1	1,627	14.4	0.4	13.7	15.1
1999	42	9.3	1.6	6.4	13.5	2,070	18.1	0.4	17.3	18.9
2000	49	9.6	1.6	6.7	13.6	2,016	17.5	0.4	16.7	18.2
2001	65	12.3	1.7	9.2	16.4	1,894	16.3	0.4	15.6	17.0
2002	48	8.7	1.4	6.1	12.2	1,963	16.7	0.4	16.0	17.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ill-defined Sites, Males

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,655	20.1	0.2	19.8	20.4	13,073	19.2	0.2	18.9	19.6
1986	838	19.6	0.7	18.2	21.0	696	18.3	0.7	16.9	19.8
1987	802	18.7	0.7	17.4	20.1	668	17.5	0.7	16.2	19.0
1988	942	22.1	0.8	20.7	23.7	778	20.8	0.8	19.3	22.5
1989	979	22.6	0.8	21.2	24.2	804	21.1	0.8	19.7	22.7
1990	869	19.7	0.7	18.4	21.2	711	18.4	0.7	17.0	19.9
1991	850	19.3	0.7	18.0	20.7	717	18.5	0.7	17.2	20.0
1992	935	21.1	0.7	19.7	22.5	786	20.2	0.7	18.8	21.7
1993	943	21.1	0.7	19.7	22.5	797	20.4	0.7	18.9	21.9
1994	846	18.3	0.6	17.0	19.6	717	17.7	0.7	16.4	19.1
1995	904	19.4	0.7	18.1	20.7	759	18.7	0.7	17.3	20.1
1996	920	19.6	0.7	18.3	20.9	767	18.7	0.7	17.4	20.1
1997	828	17.5	0.6	16.3	18.8	704	17.1	0.7	15.8	18.4
1998	829	17.1	0.6	16.0	18.4	688	16.5	0.6	15.2	17.8
1999	1036	21.6	0.7	20.3	23.0	863	20.7	0.7	19.4	22.2
2000	1062	21.7	0.7	20.4	23.1	890	21.0	0.7	19.6	22.4
2001	1013	20.5	0.7	19.3	21.9	836	19.6	0.7	18.3	21.0
2002	1059	21.1	0.7	19.8	22.4	892	20.6	0.7	19.3	22.1
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,472	29.1	0.6	27.9	30.3	110	6.9	0.7	5.5	8.6
1986	139	31.3	2.9	26.0	37.8	3	9.7	6.3	1.5	35.5
1987	130	30.5	2.9	25.0	37.0	4	5.8	3.8	0.9	26.6
1988	159	33.4	2.8	28.1	39.7	5	7.9	3.9	2.2	27.4
1989	170	36.7	3.0	31.0	43.4	5	9.9	4.9	2.8	30.0
1990	154	33.2	2.9	27.8	39.6	4	6.3	3.3	1.5	24.4
1991	128	27.4	2.6	22.6	33.2	5	6.7	3.2	2.0	23.2
1992	145	29.8	2.6	24.9	35.7	4	6.6	3.6	1.6	22.7
1993	143	29.4	2.6	24.5	35.3	3	2.6	1.5	0.5	15.4
1994	127	24.9	2.3	20.5	30.2	2	3.1	2.4	0.3	16.6
1995	136	26.5	2.4	22.0	32.0	9	7.8	2.8	3.3	20.6
1996	148	28.7	2.5	24.0	34.3	5	3.5	1.6	1.1	14.6
1997	119	23.3	2.3	19.0	28.4	5	6.5	3.1	1.9	19.0
1998	134	23.8	2.1	19.8	28.6	7	6.6	2.6	2.5	17.7
1999	166	32.0	2.6	27.0	37.8	7	5.4	2.2	1.9	15.7
2000	160	29.8	2.5	25.1	35.2	12	11.0	3.6	5.2	22.5
2001	165	31.0	2.5	26.2	36.5	12	6.5	2.0	3.2	14.6
2002	149	25.5	2.2	21.4	30.3	18	10.3	2.6	5.8	18.7
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	248	10.1	0.8	8.6	11.8	11,755	20.1	0.2	19.8	20.5
1990	14	11.5	3.8	5.3	23.2	843	19.8	0.7	18.4	21.2
1991	8	5.4	2.3	1.9	14.3	836	19.6	0.7	18.3	21.1
1992	12	7.6	2.6	3.3	16.6	914	21.3	0.7	19.9	22.8
1993	16	12.0	3.7	5.8	23.0	918	21.2	0.7	19.8	22.7
1994	17	11.8	3.6	5.8	22.5	823	18.4	0.7	17.2	19.8
1995	18	11.7	3.3	6.1	21.5	878	19.5	0.7	18.2	20.9
1996	18	9.7	2.6	5.3	18.0	896	19.9	0.7	18.6	21.3
1997	21	7.5	2.0	4.1	14.6	801	17.7	0.6	16.5	19.0
1998	16	7.0	2.0	3.7	13.9	810	17.5	0.6	16.3	18.8
1999	19	8.9	2.5	4.7	16.6	1,016	22.1	0.7	20.8	23.6
2000	32	14.9	3.2	9.2	23.5	1,025	21.9	0.7	20.6	23.3
2001	33	12.3	2.5	7.8	19.3	970	20.7	0.7	19.4	22.0
2002	24	9.0	2.2	5.3	15.1	1,025	21.5	0.7	20.2	22.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Race and Hispanic Ethnicity, Illinois, 1986-2002

Ill-defined Sites, Females

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15,178	13.2	0.1	13.0	13.4	12,976	12.8	0.1	12.6	13.1
1986	787	12.7	0.5	11.9	13.7	667	12.1	0.5	11.2	13.1
1987	775	12.5	0.5	11.6	13.4	667	12.0	0.5	11.1	13.0
1988	858	13.7	0.5	12.8	14.7	745	13.3	0.5	12.4	14.4
1989	848	13.4	0.5	12.5	14.4	730	13.1	0.5	12.1	14.1
1990	860	13.4	0.5	12.5	14.4	755	13.2	0.5	12.3	14.2
1991	791	12.0	0.4	11.2	12.9	698	11.9	0.5	11.0	12.9
1992	909	13.7	0.5	12.8	14.7	782	13.4	0.5	12.5	14.4
1993	936	13.9	0.5	13.0	14.8	797	13.3	0.5	12.4	14.3
1994	912	13.4	0.4	12.6	14.3	783	13.0	0.5	12.1	14.0
1995	877	12.8	0.4	11.9	13.6	747	12.3	0.5	11.5	13.3
1996	869	12.6	0.4	11.7	13.4	740	12.1	0.5	11.2	13.0
1997	889	12.9	0.4	12.0	13.8	755	12.5	0.5	11.6	13.4
1998	839	11.9	0.4	11.1	12.7	713	11.5	0.4	10.7	12.4
1999	1,081	15.1	0.5	14.2	16.1	898	14.3	0.5	13.4	15.3
2000	1,014	14.2	0.4	13.3	15.1	868	13.9	0.5	13.0	14.9
2001	968	13.6	0.4	12.7	14.4	813	13.2	0.5	12.3	14.1
2002	965	13.2	0.4	12.4	14.1	818	13.0	0.5	12.1	13.9
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,108	17.2	0.4	16.5	18.0	94	4.9	0.5	3.9	6.1
1986	119	19.2	1.8	15.8	23.2	1	1.5	1.5	0.0	15.3
1987	104	16.6	1.7	13.5	20.3	4	6.5	3.5	1.6	21.5
1988	110	16.9	1.6	13.9	20.6	3	2.3	1.4	0.5	14.3
1989	114	17.4	1.7	14.3	21.1	4	6.3	3.6	1.3	20.7
1990	100	15.1	1.5	12.2	18.5	5	6.1	2.9	1.8	19.0
1991	88	12.6	1.4	10.1	15.7	5	4.0	1.8	1.3	14.4
1992	121	17.6	1.6	14.6	21.1	6	8.2	3.6	2.7	20.8
1993	136	19.3	1.7	16.1	22.9	3	2.4	1.4	0.5	10.8
1994	124	17.5	1.6	14.5	20.9	5	5.2	2.6	1.4	14.9
1995	125	17.2	1.6	14.3	20.5	5	6.1	2.9	1.8	15.8
1996	127	16.8	1.5	14.0	20.0	2	1.7	1.3	0.2	8.3
1997	125	16.4	1.5	13.6	19.6	9	5.3	1.9	2.3	12.2
1998	119	15.4	1.4	12.8	18.5	7	5.3	2.2	1.9	12.7
1999	173	22.0	1.7	18.9	25.6	10	6.4	2.2	2.9	13.4
2000	138	16.9	1.5	14.2	20.0	8	5.5	2.1	2.2	11.9
2001	143	17.3	1.5	14.6	20.4	12	6.1	1.8	3.0	11.5
2002	142	17.2	1.5	14.5	20.3	5	3.0	1.4	0.9	7.5
	Hispanics*					**Non-Hispanics***				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1990-2002	224	7.9	0.6	6.8	9.2	11,611	13.4	0.1	13.1	13.6
1990	10	6.8	2.4	3.0	13.9	842	13.5	0.5	12.6	14.5
1991	15	9.6	2.7	5.1	17.2	772	12.1	0.4	11.2	13.0
1992	13	6.8	2.1	3.4	13.0	889	13.8	0.5	12.9	14.8
1993	19	8.9	2.3	5.0	15.3	911	13.9	0.5	13.0	14.8
1994	14	7.3	2.1	3.8	13.4	890	13.5	0.5	12.6	14.4
1995	19	9.6	2.4	5.5	16.2	854	12.8	0.4	11.9	13.7
1996	12	5.8	1.8	2.8	11.2	853	12.7	0.4	11.9	13.6
1997	12	5.9	1.8	2.9	11.2	876	13.1	0.4	12.3	14.0
1998	14	5.9	1.7	3.0	11.0	817	12.0	0.4	11.2	12.9
1999	23	9.7	2.2	5.9	15.6	1,054	15.2	0.5	14.3	16.2
2000	17	5.7	1.6	3.0	10.3	991	14.3	0.5	13.5	15.3
2001	32	12.1	2.3	8.0	17.8	924	13.5	0.4	12.6	14.4
2002	24	8.3	1.9	5.0	13.1	938	13.4	0.4	12.5	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates. *Hispanic/non-Hispanic are not mutually exclusive from whites, blacks and Asian/other races.
Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total U.S. (1969-2002),and Mortality - All COD, Public-Use with State, Total U.S. for Hispanics (1990-2002),National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005.Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

PART III – PEDIATRIC CANCER INCIDENCE

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

All Diagnostic Groups

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	6,226	139.1	1.8	135.7	142.6	8,930	151.0	1.6	147.9	154.2
1986	333	130.9	7.2	117.2	145.8	490	142.2	6.4	129.8	155.4
1987	368	145.8	7.6	131.3	161.6	541	158.5	6.8	145.4	172.5
1988	352	139.8	7.5	125.6	155.3	513	151.5	6.7	138.7	165.3
1989	339	134.1	7.3	120.1	149.2	490	145.6	6.6	133.0	159.1
1990	300	119.2	6.9	106.0	133.5	450	135.4	6.4	123.2	148.6
1991	347	134.2	7.2	120.4	149.2	483	143.6	6.5	131.0	157.0
1992	333	128.4	7.1	115.0	143.0	467	138.8	6.4	126.4	152.0
1993	334	125.4	6.9	112.2	139.6	488	142.5	6.5	130.1	155.8
1994	374	140.8	7.3	126.9	155.9	515	149.1	6.6	136.5	162.6
1995	419	156.2	7.6	141.6	172.0	565	161.0	6.8	148.0	174.9
1996	376	139.5	7.2	125.7	154.4	530	149.6	6.5	137.1	162.9
1997	407	150.6	7.5	136.3	166.0	577	161.7	6.7	148.7	175.4
1998	383	141.9	7.3	128.0	156.9	553	154.3	6.6	141.7	167.8
1999	407	150.4	7.5	136.2	165.8	588	163.5	6.7	150.6	177.3
2000	352	129.7	6.9	116.5	144.0	542	150.6	6.5	138.2	163.8
2001	407	149.7	7.4	135.5	165.0	581	161.3	6.7	148.4	174.9
2002	395	145.8	7.3	131.7	160.9	557	155.1	6.6	142.5	168.5
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2,986	198.3	3.6	191.3	205.6	1,555	105.2	2.7	100.0	110.5
1986	166	192.3	14.9	164.1	223.9	84	100.0	10.9	79.8	123.8
1987	180	210.3	15.7	180.7	243.4	93	109.8	11.4	88.6	134.5
1988	178	208.5	15.6	179.0	241.5	83	98.1	10.8	78.2	121.7
1989	159	184.6	14.6	157.0	215.7	100	118.6	11.9	96.5	144.3
1990	152	176.4	14.3	149.5	206.9	65	78.8	9.8	60.8	100.4
1991	182	205.7	15.3	176.9	237.9	86	103.6	11.2	82.9	128.0
1992	149	165.7	13.6	140.2	194.6	100	120.6	12.1	98.1	146.7
1993	190	208.7	15.1	180.1	240.6	65	78.2	9.7	60.4	99.7
1994	173	188.3	14.3	161.3	218.5	94	111.4	11.5	90.0	136.3
1995	196	212.9	15.2	184.1	244.9	116	134.5	12.5	111.2	161.3
1996	177	194.1	14.6	166.6	225.0	91	102.8	10.8	82.8	126.2
1997	192	212.7	15.4	183.7	245.1	94	103.5	10.7	83.6	126.7
1998	179	200.9	15.0	172.6	232.7	92	100.1	10.4	80.7	122.7
1999	180	204.2	15.2	175.4	236.3	100	107.5	10.8	87.5	130.8
2000	149	169.7	13.9	143.6	199.3	98	105.6	10.7	85.8	128.7
2001	207	235.3	16.4	204.4	269.7	87	94.9	10.2	76.0	117.0
2002	177	201.0	15.1	172.5	232.9	107	118.9	11.5	97.4	143.7
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,685	116.8	2.8	111.3	122.5	2,704	186.5	3.6	179.5	193.7
1986	83	103.6	11.4	82.5	128.4	157	175.5	14.0	149.1	205.2
1987	95	120.5	12.4	97.5	147.4	173	196.1	14.9	168.0	227.6
1988	91	116.2	12.2	93.6	142.7	161	186.4	14.7	158.7	217.5
1989	80	101.5	11.3	80.5	126.3	151	179.9	14.6	152.3	210.9
1990	83	105.1	11.5	83.7	130.2	150	183.9	15.0	155.7	215.8
1991	79	96.9	10.9	76.7	120.7	136	171.4	14.7	143.8	202.8
1992	84	100.9	11.0	80.4	124.9	134	169.6	14.7	142.1	200.9
1993	79	93.3	10.5	73.8	116.2	154	193.5	15.6	164.2	226.6
1994	107	125.1	12.1	102.5	151.1	141	173.8	14.6	146.3	204.9
1995	107	124.2	12.0	101.8	150.1	146	175.1	14.5	147.9	206.0
1996	108	124.2	12.0	101.9	150.0	154	179.7	14.5	152.4	210.4
1997	121	138.5	12.6	114.9	165.5	170	194.6	14.9	166.5	226.2
1998	112	127.5	12.1	105.0	153.5	170	191.4	14.7	163.7	222.4
1999	127	142.1	12.6	118.5	169.1	181	202.5	15.1	174.1	234.3
2000	105	115.7	11.3	94.6	140.0	190	212.9	15.4	183.7	245.4
2001	113	123.1	11.6	101.4	148.0	174	195.7	14.8	167.7	227.1
2002	111	120.2	11.4	98.8	144.7	162	182.9	14.4	155.8	213.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Leukemia

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,916	42.6	1.0	40.7	44.5	2,305	38.6	0.8	37.1	40.2
1986	85	33.1	3.6	26.4	41.0	107	31.0	3.0	25.4	37.5
1987	126	49.7	4.4	41.4	59.2	150	44.1	3.6	37.3	51.7
1988	96	37.9	3.9	30.6	46.3	113	33.3	3.1	27.4	40.1
1989	98	38.3	3.9	31.1	46.8	112	32.9	3.1	27.1	39.6
1990	89	34.9	3.7	28.0	43.0	114	33.8	3.2	27.9	40.7
1991	110	42.7	4.1	35.1	51.5	135	39.9	3.4	33.4	47.2
1992	105	40.5	4.0	33.1	49.1	120	35.1	3.2	29.1	42.0
1993	99	36.9	3.7	30.0	45.0	131	37.8	3.3	31.6	44.9
1994	117	44.1	4.1	36.5	52.9	132	37.7	3.3	31.5	44.7
1995	144	52.9	4.4	44.6	62.3	165	45.9	3.6	39.2	53.5
1996	101	37.1	3.7	30.2	45.1	118	32.7	3.0	27.1	39.2
1997	119	43.7	4.0	36.2	52.4	148	41.1	3.4	34.7	48.3
1998	108	39.6	3.8	32.5	47.8	123	33.9	3.1	28.2	40.4
1999	134	49.3	4.3	41.3	58.4	165	45.6	3.6	38.9	53.2
2000	118	43.4	4.0	35.9	52.0	153	42.3	3.4	35.9	49.6
2001	143	52.8	4.4	44.5	62.2	173	48.0	3.6	41.1	55.7
2002	124	45.8	4.1	38.1	54.7	146	40.6	3.4	34.2	47.7
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,024	68.2	2.1	64.1	72.5	534	36.1	1.6	33.1	39.3
1986	50	58.1	8.2	43.1	76.6	21	25.0	5.5	15.5	38.2
1987	65	76.4	9.5	59.0	97.4	37	43.7	7.2	30.8	60.2
1988	54	63.6	8.7	47.8	83.0	25	29.6	5.9	19.1	43.6
1989	55	64.5	8.7	48.6	84.0	32	38.0	6.7	26.0	53.6
1990	56	65.6	8.8	49.6	85.3	21	25.4	5.6	15.8	38.9
1991	59	67.4	8.8	51.3	87.0	31	37.4	6.7	25.4	53.0
1992	48	53.6	7.7	39.5	71.1	36	43.4	7.2	30.4	60.1
1993	62	68.2	8.7	52.3	87.5	20	24.1	5.4	14.7	37.2
1994	53	57.6	7.9	43.2	75.4	35	41.5	7.0	28.9	57.7
1995	83	89.9	9.9	71.6	111.4	35	40.6	6.9	28.3	56.4
1996	52	56.5	7.8	42.2	74.2	31	35.0	6.3	23.8	49.7
1997	57	62.8	8.3	47.5	81.4	36	39.6	6.6	27.8	54.9
1998	62	69.3	8.8	53.1	88.9	27	29.4	5.7	19.4	42.7
1999	68	77.0	9.3	59.8	97.6	34	36.6	6.3	25.3	51.1
2000	60	68.4	8.8	52.2	88.0	35	37.7	6.4	26.3	52.5
2001	75	85.9	9.9	67.6	107.7	38	41.4	6.7	29.3	56.9
2002	65	74.0	9.2	57.1	94.4	40	44.4	7.0	31.7	60.5
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	358	24.8	1.3	22.3	27.5	389	26.8	1.4	24.2	29.6
1986	14	17.5	4.7	9.6	29.3	22	24.6	5.2	15.4	37.2
1987	24	30.5	6.2	19.5	45.3	24	27.2	5.6	17.4	40.5
1988	17	21.7	5.3	12.7	34.8	17	19.7	4.8	11.5	31.5
1989	11	14.0	4.2	7.0	25.0	14	16.7	4.5	9.1	28.0
1990	12	15.2	4.4	7.8	26.5	25	30.7	6.1	19.8	45.2
1991	20	24.5	5.5	15.0	37.9	25	31.5	6.3	20.4	46.5
1992	21	25.2	5.5	15.6	38.5	15	19.0	4.9	10.6	31.3
1993	17	20.1	4.9	11.7	32.1	32	40.2	7.1	27.5	56.8
1994	29	33.9	6.3	22.7	48.7	15	18.5	4.8	10.3	30.5
1995	26	30.2	5.9	19.7	44.2	21	25.2	5.5	15.6	38.5
1996	18	20.7	4.9	12.3	32.7	17	19.8	4.8	11.6	31.8
1997	26	29.8	5.8	19.4	43.6	29	33.2	6.2	22.2	47.7
1998	19	21.6	5.0	13.0	33.8	15	16.9	4.4	9.5	27.9
1999	32	35.8	6.3	24.5	50.6	31	34.7	6.2	23.6	49.2
2000	23	25.3	5.3	16.1	38.0	35	39.2	6.6	27.3	54.5
2001	30	32.7	6.0	22.0	46.6	30	33.7	6.2	22.8	48.2
2002	19	20.6	4.7	12.4	32.1	22	24.8	5.3	15.6	37.6

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002										
Lymphoma										
	Ages 0-14					Ages 0-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	680	15.6	0.6	14.4	16.8	1,384	23.9	0.6	22.6	25.2
1986	45	18.4	2.7	13.4	24.6	84	24.7	2.7	19.7	30.6
1987	43	17.4	2.7	12.6	23.5	89	26.1	2.8	21.0	32.2
1988	44	18.2	2.7	13.2	24.4	94	28.1	2.9	22.7	34.5
1989	34	14.1	2.4	9.8	19.7	74	22.5	2.6	17.7	28.3
1990	32	13.2	2.3	9.0	18.6	73	22.5	2.6	17.6	28.3
1991	33	13.3	2.3	9.2	18.7	65	20.1	2.5	15.5	25.7
1992	39	15.4	2.5	11.0	21.1	71	21.7	2.6	17.0	27.4
1993	40	15.4	2.4	11.0	21.1	78	23.6	2.7	18.6	29.4
1994	39	15.2	2.4	10.8	20.7	74	22.2	2.6	17.4	27.9
1995	30	11.7	2.1	7.9	16.7	69	20.5	2.5	15.9	26.0
1996	48	18.2	2.6	13.4	24.2	94	27.1	2.8	21.9	33.2
1997	46	17.4	2.6	12.7	23.2	101	28.8	2.9	23.5	35.0
1998	49	18.5	2.6	13.7	24.5	97	27.4	2.8	22.3	33.5
1999	48	17.9	2.6	13.2	23.7	87	24.4	2.6	19.5	30.1
2000	28	10.4	2.0	6.9	15.0	77	21.6	2.5	17.0	27.0
2001	39	14.4	2.3	10.3	19.7	78	21.8	2.5	17.3	27.3
2002	43	16.0	2.4	11.6	21.5	79	22.2	2.5	17.6	27.6
	Ages 0-4					Ages 5-9				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	143	9.5	0.8	8.0	11.2	196	13.3	0.9	11.5	15.2
1986	9	10.5	3.5	4.8	19.9	14	16.7	4.5	9.1	28.0
1987	11	12.8	3.9	6.4	22.9	16	18.9	4.7	10.8	30.7
1988	11	13.0	3.9	6.5	23.3	11	13.0	3.9	6.5	23.3
1989	5	5.9	2.6	1.9	13.8	10	11.9	3.8	5.7	21.8
1990	9	10.5	3.5	4.8	20.0	6	7.3	3.0	2.7	15.8
1991	6	6.7	2.7	2.4	14.6	9	10.8	3.6	5.0	20.6
1992	10	11.1	3.5	5.3	20.5	12	14.5	4.2	7.5	25.3
1993	14	15.4	4.1	8.4	25.9	6	7.2	2.9	2.7	15.7
1994	8	8.7	3.1	3.8	17.2	11	13.0	3.9	6.5	23.3
1995	3	3.2	1.9	0.7	9.5	12	13.9	4.0	7.2	24.3
1996	10	10.9	3.4	5.2	20.1	16	18.1	4.5	10.3	29.4
1997	10	11.1	3.5	5.3	20.4	13	14.3	4.0	7.6	24.5
1998	8	9.0	3.2	3.9	17.8	14	15.2	4.1	8.3	25.6
1999	13	14.8	4.1	7.9	25.3	12	12.9	3.7	6.7	22.5
2000	7	8.0	3.0	3.2	16.4	6	6.5	2.6	2.4	14.1
2001	5	5.8	2.6	1.9	13.4	10	10.9	3.4	5.2	20.1
2002	4	4.6	2.3	1.2	11.7	18	20.0	4.7	11.9	31.6
	Ages 10-14					Ages 15-19				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2002	341	23.6	1.3	21.2	26.3	704	48.6	1.8	45.0	52.3
1986	22	27.5	5.9	17.2	41.6	39	43.6	7.0	31.0	59.6
1987	16	20.3	5.1	11.6	33.0	46	52.1	7.7	38.2	69.6
1988	22	28.1	6.0	17.6	42.5	50	57.9	8.2	43.0	76.3
1989	19	24.1	5.5	14.5	37.6	40	47.6	7.5	34.0	64.9
1990	17	21.5	5.2	12.5	34.5	41	50.3	7.9	36.1	68.2
1991	18	22.1	5.2	13.1	34.9	32	40.3	7.1	27.6	56.9
1992	17	20.4	5.0	11.9	32.7	32	40.5	7.2	27.7	57.2
1993	20	23.6	5.3	14.4	36.5	38	47.8	7.7	33.8	65.6
1994	20	23.4	5.2	14.3	36.1	35	43.1	7.3	30.0	60.0
1995	15	17.4	4.5	9.7	28.7	39	46.8	7.5	33.3	64.0
1996	22	25.3	5.4	15.9	38.3	46	53.7	7.9	39.3	71.6
1997	23	26.3	5.5	16.7	39.5	55	63.0	8.5	47.4	82.0
1998	27	30.7	5.9	20.3	44.7	48	54.0	7.8	39.8	71.6
1999	23	25.7	5.4	16.3	38.6	39	43.6	7.0	31.0	59.7
2000	15	16.5	4.3	9.2	27.3	49	54.9	7.8	40.6	72.6
2001	24	26.1	5.3	16.7	38.9	39	43.9	7.0	31.2	60.0
2002	21	22.7	5.0	14.1	34.7	36	40.6	6.8	28.5	56.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Central Nervous System and Miscellaneous Intracranial and Intraspinal Neoplasms

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	1,292	29.1	0.8	27.5	30.7	1,574	26.7	0.7	25.4	28.0
1986	69	27.5	3.3	21.4	34.8	88	25.9	2.8	20.8	31.9
1987	63	25.2	3.2	19.3	32.3	78	23.1	2.6	18.3	28.9
1988	82	32.6	3.6	25.9	40.5	97	28.7	2.9	23.3	35.1
1989	79	31.6	3.6	25.0	39.5	93	27.9	2.9	22.5	34.2
1990	71	28.5	3.4	22.3	36.1	83	25.1	2.8	20.0	31.1
1991	74	28.9	3.4	22.7	36.3	86	25.4	2.7	20.3	31.4
1992	70	27.7	3.3	21.5	35.0	83	24.8	2.7	19.8	30.8
1993	62	23.5	3.0	18.0	30.2	79	23.0	2.6	18.2	28.7
1994	82	30.9	3.4	24.6	38.4	99	28.4	2.9	23.1	34.6
1995	88	33.4	3.6	26.8	41.1	107	30.7	3.0	25.2	37.1
1996	88	32.8	3.5	26.3	40.4	106	29.8	2.9	24.4	36.1
1997	81	30.1	3.4	23.9	37.5	96	26.9	2.7	21.8	32.8
1998	87	32.3	3.5	25.8	39.8	115	32.1	3.0	26.5	38.5
1999	75	27.6	3.2	21.7	34.7	94	26.0	2.7	21.0	31.9
2000	69	25.4	3.1	19.8	32.2	86	23.8	2.6	19.0	29.4
2001	77	28.4	3.2	22.4	35.4	92	25.5	2.7	20.5	31.2
2002	75	27.7	3.2	21.8	34.8	92	25.6	2.7	20.6	31.4
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	494	32.8	1.5	30.0	35.9	429	29.0	1.4	26.3	31.9
1986	25	29.0	5.8	18.7	42.8	24	28.6	5.8	18.3	42.5
1987	26	30.4	6.0	19.9	44.6	18	21.3	5.0	12.6	33.6
1988	35	41.0	6.9	28.5	57.0	30	35.5	6.5	23.9	50.6
1989	27	31.1	6.0	20.5	45.3	27	32.0	6.2	21.1	46.6
1990	28	32.5	6.1	21.6	47.0	20	24.2	5.4	14.8	37.4
1991	33	37.3	6.5	25.7	52.4	24	28.9	5.9	18.5	43.0
1992	19	21.3	4.9	12.8	33.2	30	36.2	6.6	24.4	51.6
1993	31	34.1	6.1	23.2	48.4	16	19.3	4.8	11.0	31.3
1994	37	40.2	6.6	28.3	55.5	24	28.4	5.8	18.2	42.3
1995	28	30.4	5.7	20.2	44.0	37	42.9	7.1	30.2	59.1
1996	38	41.5	6.7	29.4	57.1	19	21.5	4.9	12.9	33.5
1997	29	32.1	6.0	21.5	46.2	26	28.6	5.6	18.7	42.0
1998	32	35.9	6.4	24.6	50.8	30	32.6	6.0	22.0	46.6
1999	26	29.4	5.8	19.2	43.1	28	30.1	5.7	20.0	43.5
2000	14	15.9	4.3	8.7	26.8	33	35.6	6.2	24.5	50.0
2001	37	42.2	6.9	29.7	58.1	20	21.8	4.9	13.3	33.7
2002	29	33.0	6.1	22.1	47.4	23	25.6	5.3	16.2	38.3
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	369	25.6	1.3	23.0	28.3	282	19.4	1.2	17.2	21.9
1986	20	25.0	5.6	15.2	38.6	19	21.2	4.9	12.8	33.2
1987	19	24.1	5.5	14.5	37.6	15	17.0	4.4	9.5	28.0
1988	17	21.7	5.3	12.7	34.8	15	17.4	4.5	9.7	28.6
1989	25	31.7	6.3	20.5	46.8	14	16.7	4.5	9.1	28.0
1990	23	29.1	6.1	18.5	43.7	12	14.7	4.2	7.6	25.7
1991	17	20.8	5.1	12.1	33.4	12	15.1	4.4	7.8	26.4
1992	21	25.2	5.5	15.6	38.5	13	16.5	4.6	8.8	28.1
1993	15	17.7	4.6	9.9	29.2	17	21.4	5.2	12.4	34.2
1994	21	24.5	5.4	15.2	37.5	17	21.0	5.1	12.2	33.5
1995	23	26.7	5.6	16.9	40.1	19	22.8	5.2	13.7	35.6
1996	31	35.7	6.4	24.2	50.6	18	21.0	5.0	12.4	33.2
1997	26	29.8	5.8	19.4	43.6	15	17.2	4.4	9.6	28.3
1998	25	28.5	5.7	18.4	42.0	28	31.5	6.0	20.9	45.6
1999	21	23.5	5.1	14.5	35.9	19	21.3	4.9	12.8	33.2
2000	22	24.2	5.2	15.2	36.7	17	19.0	4.6	11.1	30.5
2001	20	21.8	4.9	13.3	33.6	15	16.9	4.4	9.4	27.8
2002	23	24.9	5.2	15.8	37.4	17	19.2	4.7	11.2	30.7

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Sympathetic Nervous System

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	481	10.4	0.5	9.4	11.3	496	8.0	0.4	7.3	8.7
1986	25	9.5	1.9	6.1	14.0	26	7.4	1.4	4.8	10.8
1987	31	11.6	2.1	7.9	16.6	33	9.3	1.6	6.4	13.1
1988	25	9.4	1.9	6.1	13.9	25	7.0	1.4	4.5	10.4
1989	26	9.8	1.9	6.4	14.4	29	8.2	1.5	5.5	11.9
1990	19	7.1	1.6	4.3	11.2	19	5.3	1.2	3.2	8.4
1991	38	13.8	2.2	9.8	19.1	38	10.4	1.7	7.3	14.3
1992	24	8.7	1.8	5.6	13.0	25	6.8	1.4	4.4	10.1
1993	28	10.0	1.9	6.6	14.5	28	7.5	1.4	5.0	10.9
1994	30	10.6	1.9	7.2	15.2	30	8.0	1.5	5.4	11.4
1995	34	12.2	2.1	8.4	17.1	34	9.1	1.6	6.3	12.8
1996	19	6.9	1.6	4.2	10.8	19	5.2	1.2	3.1	8.1
1997	33	11.9	2.1	8.2	16.8	35	9.5	1.6	6.6	13.3
1998	24	8.8	1.8	5.6	13.1	25	6.8	1.4	4.4	10.1
1999	29	10.7	2.0	7.1	15.3	33	9.1	1.6	6.3	12.8
2000	25	9.2	1.8	5.9	13.6	25	6.9	1.4	4.4	10.1
2001	36	13.1	2.2	9.2	18.1	36	9.8	1.6	6.9	13.6
2002	35	12.8	2.2	8.9	17.8	36	9.9	1.6	6.9	13.7
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	417	27.6	1.4	25.0	30.4	50	3.4	0.5	2.5	4.5
1986	21	24.3	5.3	15.0	37.1	3	3.6	2.1	0.7	10.4
1987	28	32.4	6.1	21.5	46.8	3	3.5	2.0	0.7	10.4
1988	22	25.3	5.4	15.9	38.4	2	2.4	1.7	0.3	8.5
1989	21	24.0	5.2	14.8	36.7	3	3.6	2.1	0.7	10.4
1990	16	18.2	4.6	10.4	29.6	2	2.4	1.7	0.3	8.8
1991	33	36.6	6.4	25.2	51.5	4	4.8	2.4	1.3	12.3
1992	21	23.1	5.1	14.3	35.4	3	3.6	2.1	0.7	10.6
1993	26	28.4	5.6	18.6	41.7	2	2.4	1.7	0.3	8.7
1994	28	30.5	5.8	20.3	44.1	2	2.4	1.7	0.3	8.6
1995	29	31.7	5.9	21.2	45.5	5	5.8	2.6	1.9	13.5
1996	16	17.8	4.5	10.2	29.0	2	2.3	1.6	0.3	8.2
1997	30	33.5	6.1	22.6	47.9	1	1.1	1.1	0.0	6.1
1998	22	24.9	5.3	15.6	37.8	2	2.2	1.5	0.3	7.9
1999	24	27.3	5.6	17.5	40.7	3	3.2	1.9	0.7	9.4
2000	20	22.8	5.1	13.9	35.2	3	3.2	1.9	0.7	9.5
2001	31	34.9	6.3	23.7	49.5	5	5.5	2.4	1.8	12.7
2002	29	32.8	6.1	21.9	47.1	5	5.6	2.5	1.8	13.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	14	1.0	0.3	0.5	1.6	15	1.0	0.3	0.6	1.7
1986	1	1.2	1.2	0.0	7.0	1	1.1	1.1	0.0	6.2
1987	0	0.0	~	0.0	4.7	2	2.3	1.6	0.3	8.2
1988	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.3
1989	2	2.5	1.8	0.3	9.2	3	3.6	2.1	0.7	10.4
1990	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.5
1991	1	1.2	1.2	0.0	6.8	0	0.0	~	0.0	4.6
1992	0	0.0	~	0.0	4.4	1	1.3	1.3	0.0	7.1
1993	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.6
1994	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.5
1995	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.4
1996	1	1.2	1.2	0.0	6.4	0	0.0	~	0.0	4.3
1997	2	2.3	1.6	0.3	8.3	2	2.3	1.6	0.3	8.3
1998	0	0.0	~	0.0	4.2	1	1.1	1.1	0.0	6.3
1999	2	2.2	1.6	0.3	8.1	4	4.5	2.2	1.2	11.5
2000	2	2.2	1.6	0.3	8.0	0	0.0	~	0.0	4.1
2001	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.1
2002	1	1.1	1.1	0.0	6.0	1	1.1	1.1	0.0	6.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Neuroblastoma and Ganglioneuroblastoma

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	467	10.0	0.5	9.1	11.0	475	7.7	0.4	7.0	8.4
1986	25	9.5	1.9	6.1	14.0	26	7.4	1.4	4.8	10.8
1987	31	11.6	2.1	7.9	16.6	32	9.0	1.6	6.1	12.7
1988	24	9.0	1.8	5.8	13.5	24	6.7	1.4	4.3	10.1
1989	23	8.5	1.8	5.4	12.9	24	6.7	1.4	4.3	10.0
1990	18	6.7	1.6	4.0	10.7	18	5.0	1.2	3.0	8.0
1991	36	13.0	2.2	9.1	18.1	36	9.7	1.6	6.8	13.6
1992	23	8.3	1.7	5.2	12.5	24	6.5	1.3	4.2	9.8
1993	27	9.6	1.8	6.3	14.0	27	7.2	1.4	4.7	10.5
1994	30	10.6	1.9	7.2	15.2	30	8.0	1.5	5.4	11.4
1995	34	12.2	2.1	8.4	17.1	34	9.1	1.6	6.3	12.8
1996	19	6.9	1.6	4.2	10.8	19	5.2	1.2	3.1	8.1
1997	32	11.6	2.0	7.9	16.3	33	8.9	1.6	6.1	12.6
1998	23	8.4	1.8	5.3	12.6	24	6.6	1.3	4.2	9.8
1999	29	10.7	2.0	7.1	15.3	30	8.3	1.5	5.6	11.8
2000	23	8.4	1.8	5.3	12.7	23	6.3	1.3	4.0	9.5
2001	36	13.1	2.2	9.2	18.1	36	9.8	1.6	6.9	13.6
2002	34	12.4	2.1	8.6	17.4	35	9.6	1.6	6.7	13.3
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	412	27.2	1.3	24.7	30.0	44	3.0	0.4	2.2	4.0
1986	21	24.3	5.3	15.0	37.1	3	3.6	2.1	0.7	10.4
1987	28	32.4	6.1	21.5	46.8	3	3.5	2.0	0.7	10.4
1988	21	24.1	5.3	14.9	36.9	2	2.4	1.7	0.3	8.5
1989	21	24.0	5.2	14.8	36.7	2	2.4	1.7	0.3	8.6
1990	16	18.2	4.6	10.4	29.6	1	1.2	1.2	0.0	6.8
1991	33	36.6	6.4	25.2	51.5	2	2.4	1.7	0.3	8.7
1992	21	23.1	5.1	14.3	35.4	2	2.4	1.7	0.3	8.7
1993	26	28.4	5.6	18.6	41.7	1	1.2	1.2	0.0	6.7
1994	28	30.5	5.8	20.3	44.1	2	2.4	1.7	0.3	8.6
1995	29	31.7	5.9	21.2	45.5	5	5.8	2.6	1.9	13.5
1996	16	17.8	4.5	10.2	29.0	2	2.3	1.6	0.3	8.2
1997	30	33.5	6.1	22.6	47.9	1	1.1	1.1	0.0	6.1
1998	21	23.8	5.2	14.7	36.4	2	2.2	1.5	0.3	7.9
1999	24	27.3	5.6	17.5	40.7	3	3.2	1.9	0.7	9.4
2000	18	20.5	4.8	12.1	32.4	3	3.2	1.9	0.7	9.5
2001	31	34.9	6.3	23.7	49.5	5	5.5	2.4	1.8	12.7
2002	28	31.6	6.0	21.0	45.7	5	5.6	2.5	1.8	13.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	11	0.8	0.2	0.4	1.4	8	0.6	0.2	0.2	1.1
1986	1	1.2	1.2	0.0	7.0	1	1.1	1.1	0.0	6.2
1987	0	0.0	~	0.0	4.7	1	1.1	1.1	0.0	6.3
1988	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.3
1989	0	0.0	~	0.0	4.7	1	1.2	1.2	0.0	6.6
1990	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.5
1991	1	1.2	1.2	0.0	6.8	0	0.0	~	0.0	4.6
1992	0	0.0	~	0.0	4.4	1	1.3	1.3	0.0	7.1
1993	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.6
1994	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.5
1995	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.4
1996	1	1.2	1.2	0.0	6.4	0	0.0	~	0.0	4.3
1997	1	1.1	1.1	0.0	6.4	1	1.1	1.1	0.0	6.4
1998	0	0.0	~	0.0	4.2	1	1.1	1.1	0.0	6.3
1999	2	2.2	1.6	0.3	8.1	1	1.1	1.1	0.0	6.2
2000	2	2.2	1.6	0.3	8.0	0	0.0	~	0.0	4.1
2001	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.1
2002	1	1.1	1.1	0.0	6.0	1	1.1	1.1	0.0	6.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Retinoblastoma

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	178	3.8	0.3	3.3	4.4	178	2.8	0.2	2.4	3.3
1986	11	4.2	1.3	2.1	7.5	11	3.1	0.9	1.6	5.6
1987	9	3.4	1.2	1.6	6.6	9	2.6	0.9	1.2	5.0
1988	16	6.0	1.5	3.4	9.8	16	4.5	1.1	2.6	7.4
1989	8	2.9	1.0	1.3	5.9	8	2.2	0.8	1.0	4.4
1990	9	3.3	1.1	1.5	6.4	9	2.5	0.8	1.1	4.8
1991	7	2.5	1.0	1.0	5.3	7	1.9	0.7	0.8	4.0
1992	13	4.6	1.3	2.4	7.9	13	3.4	1.0	1.8	5.9
1993	12	4.2	1.2	2.2	7.5	12	3.2	0.9	1.6	5.6
1994	11	3.9	1.2	2.0	7.1	11	2.9	0.9	1.5	5.3
1995	15	5.3	1.4	3.0	8.8	15	4.0	1.0	2.2	6.6
1996	11	4.0	1.2	2.0	7.2	11	3.0	0.9	1.5	5.4
1997	9	3.2	1.1	1.5	6.2	9	2.4	0.8	1.1	4.6
1998	7	2.5	1.0	1.0	5.3	7	1.9	0.7	0.8	4.0
1999	8	2.9	1.0	1.3	5.8	8	2.2	0.8	0.9	4.3
2000	6	2.2	0.9	0.8	4.8	6	1.6	0.7	0.6	3.6
2001	12	4.3	1.2	2.2	7.5	12	3.2	0.9	1.7	5.7
2002	14	5.1	1.4	2.8	8.6	14	3.8	1.0	2.1	6.4

	Ages 0-4					Ages 5-9				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	171	11.3	0.9	9.7	13.1	5	0.3	0.2	0.1	0.8
1986	9	10.4	3.5	4.8	19.8	1	1.2	1.2	0.0	6.6
1987	8	9.4	3.3	4.0	18.5	0	0.0	~	0.0	4.4
1988	16	18.6	4.7	10.6	30.3	0	0.0	~	0.0	4.4
1989	8	9.2	3.2	3.9	18.1	0	0.0	~	0.0	4.4
1990	9	10.2	3.4	4.7	19.5	0	0.0	~	0.0	4.5
1991	7	7.8	3.0	3.1	16.2	0	0.0	~	0.0	4.4
1992	13	14.2	3.9	7.6	24.4	0	0.0	~	0.0	4.4
1993	12	13.1	3.8	6.8	23.0	0	0.0	~	0.0	4.4
1994	10	10.9	3.5	5.2	20.1	1	1.2	1.2	0.0	6.6
1995	14	15.2	4.1	8.3	25.6	1	1.2	1.2	0.0	6.5
1996	10	11.2	3.5	5.4	20.7	1	1.1	1.1	0.0	6.3
1997	9	10.1	3.4	4.6	19.2	0	0.0	~	0.0	4.1
1998	7	7.9	3.0	3.2	16.3	0	0.0	~	0.0	4.0
1999	8	9.1	3.2	3.9	17.9	0	0.0	~	0.0	4.0
2000	5	5.7	2.5	1.8	13.3	1	1.1	1.1	0.0	6.0
2001	12	13.4	3.9	6.9	23.4	0	0.0	~	0.0	4.0
2002	14	15.8	4.2	8.7	26.6	0	0.0	~	0.0	4.1

	Ages 10-14					Ages 15-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	2	0.1	0.1	0.0	0.5	0	0.0	~	0.0	0.3
1986	1	1.2	1.2	0.0	7.0	0	0.0	~	0.0	4.1
1987	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.2
1988	0	0.0	~	0.0	4.7	0	0.0	~	0.0	4.3
1989	0	0.0	~	0.0	4.7	0	0.0	~	0.0	4.4
1990	0	0.0	~	0.0	4.7	0	0.0	~	0.0	4.5
1991	0	0.0	~	0.0	4.5	0	0.0	~	0.0	4.6
1992	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.7
1993	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.6
1994	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.5
1995	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.4
1996	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.3
1997	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.2
1998	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.2
1999	0	0.0	~	0.0	4.1	0	0.0	~	0.0	4.1
2000	0	0.0	~	0.0	4.1	0	0.0	~	0.0	4.1
2001	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.1
2002	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.2

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Renal Tumor

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	394	8.6	0.4	7.7	9.5	406	6.6	0.3	6.0	7.3
1986	26	9.9	1.9	6.5	14.6	26	7.4	1.5	4.8	10.9
1987	29	11.0	2.1	7.4	15.9	29	8.3	1.5	5.5	11.9
1988	24	9.2	1.9	5.9	13.8	24	6.9	1.4	4.4	10.3
1989	26	9.9	1.9	6.5	14.6	28	8.0	1.5	5.3	11.7
1990	20	7.7	1.7	4.7	12.0	20	5.8	1.3	3.5	9.0
1991	20	7.6	1.7	4.6	11.8	20	5.7	1.3	3.5	8.8
1992	21	8.0	1.7	4.9	12.2	22	6.3	1.3	3.9	9.6
1993	25	9.1	1.8	5.9	13.5	25	6.8	1.4	4.4	10.1
1994	17	6.1	1.5	3.6	9.9	18	4.9	1.2	2.9	7.8
1995	21	7.5	1.6	4.6	11.5	21	5.6	1.2	3.5	8.7
1996	25	8.9	1.8	5.8	13.2	26	7.0	1.4	4.6	10.3
1997	32	11.5	2.0	7.9	16.3	34	9.2	1.6	6.4	12.9
1998	23	8.4	1.8	5.3	12.6	25	6.8	1.4	4.4	10.1
1999	21	7.6	1.7	4.7	11.7	22	6.0	1.3	3.8	9.1
2000	28	10.3	1.9	6.8	14.9	30	8.2	1.5	5.6	11.8
2001	19	7.0	1.6	4.2	10.9	19	5.2	1.2	3.1	8.2
2002	17	6.3	1.5	3.7	10.1	17	4.7	1.1	2.7	7.5
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	304	20.2	1.2	18.0	22.6	75	5.1	0.6	4.0	6.4
1986	19	22.0	5.0	13.2	34.4	7	8.3	3.1	3.4	17.2
1987	23	26.8	5.6	17.0	40.2	5	5.9	2.6	1.9	13.8
1988	19	22.3	5.1	13.4	34.8	4	4.7	2.4	1.3	12.1
1989	20	23.4	5.2	14.3	36.1	6	7.1	2.9	2.6	15.5
1990	16	18.8	4.7	10.7	30.5	3	3.6	2.1	0.7	10.6
1991	14	16.0	4.3	8.7	26.8	5	6.0	2.7	2.0	14.1
1992	12	13.4	3.9	6.9	23.4	8	9.6	3.4	4.2	19.0
1993	20	22.0	4.9	13.4	33.9	4	4.8	2.4	1.3	12.3
1994	13	14.1	3.9	7.5	24.2	3	3.6	2.1	0.7	10.4
1995	17	18.5	4.5	10.8	29.6	3	3.5	2.0	0.7	10.2
1996	20	21.8	4.9	13.3	33.7	4	4.5	2.3	1.2	11.6
1997	27	29.9	5.7	19.7	43.5	3	3.3	1.9	0.7	9.7
1998	18	20.2	4.8	12.0	32.0	3	3.3	1.9	0.7	9.5
1999	15	17.0	4.4	9.5	28.0	6	6.5	2.6	2.4	14.0
2000	22	25.1	5.3	15.7	38.0	5	5.4	2.4	1.8	12.6
2001	17	19.4	4.7	11.3	31.1	1	1.1	1.1	0.0	6.1
2002	12	13.7	3.9	7.1	23.9	5	5.6	2.5	1.8	13.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	15	1.0	0.3	0.6	1.7	12	0.8	0.2	0.4	1.4
1986	0	0.0	~	0.0	4.6	0	0.0	~	0.0	4.1
1987	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.2
1988	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.3
1989	0	0.0	~	0.0	4.7	2	2.4	1.7	0.3	8.6
1990	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.5
1991	1	1.2	1.2	0.0	6.8	0	0.0	~	0.0	4.6
1992	1	1.2	1.2	0.0	6.7	1	1.3	1.3	0.0	7.1
1993	1	1.2	1.2	0.0	6.6	0	0.0	~	0.0	4.6
1994	1	1.2	1.2	0.0	6.5	1	1.2	1.2	0.0	6.9
1995	1	1.2	1.2	0.0	6.5	0	0.0	~	0.0	4.4
1996	1	1.2	1.2	0.0	6.4	1	1.2	1.2	0.0	6.5
1997	2	2.3	1.6	0.3	8.3	2	2.3	1.6	0.3	8.3
1998	2	2.3	1.6	0.3	8.2	2	2.3	1.6	0.3	8.1
1999	0	0.0	~	0.0	4.1	1	1.1	1.1	0.0	6.2
2000	1	1.1	1.1	0.0	6.1	2	2.2	1.6	0.3	8.1
2001	1	1.1	1.1	0.0	6.1	0	0.0	~	0.0	4.1
2002	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.2

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Wilms' Tumor

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	382	8.3	0.4	7.5	9.2	388	6.3	0.3	5.7	7.0
1986	26	9.9	1.9	6.5	14.6	26	7.4	1.5	4.8	10.9
1987	26	9.8	1.9	6.4	14.5	26	7.4	1.4	4.8	10.8
1988	24	9.2	1.9	5.9	13.8	24	6.9	1.4	4.4	10.3
1989	26	9.9	1.9	6.5	14.6	27	7.7	1.5	5.1	11.3
1990	20	7.7	1.7	4.7	12.0	20	5.8	1.3	3.5	9.0
1991	20	7.6	1.7	4.6	11.8	20	5.7	1.3	3.5	8.8
1992	21	8.0	1.7	4.9	12.2	22	6.3	1.3	3.9	9.6
1993	24	8.7	1.8	5.6	13.1	24	6.5	1.3	4.2	9.8
1994	15	5.4	1.4	3.0	8.9	15	4.0	1.0	2.2	6.7
1995	19	6.7	1.5	4.1	10.6	19	5.0	1.2	3.0	7.9
1996	25	8.9	1.8	5.8	13.2	26	7.0	1.4	4.6	10.3
1997	31	11.1	2.0	7.6	15.8	32	8.6	1.5	5.9	12.2
1998	22	8.0	1.7	5.0	12.2	23	6.3	1.3	4.0	9.5
1999	21	7.6	1.7	4.7	11.7	22	6.0	1.3	3.8	9.1
2000	26	9.5	1.9	6.2	14.0	26	7.1	1.4	4.7	10.5
2001	19	7.0	1.6	4.2	10.9	19	5.2	1.2	3.1	8.2
2002	17	6.3	1.5	3.7	10.1	17	4.7	1.1	2.7	7.5
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	301	20.0	1.2	17.8	22.4	71	4.8	0.6	3.8	6.1
1986	19	22.0	5.0	13.2	34.4	7	8.3	3.1	3.4	17.2
1987	22	25.6	5.5	16.0	38.8	4	4.7	2.4	1.3	12.1
1988	19	22.3	5.1	13.4	34.8	4	4.7	2.4	1.3	12.1
1989	20	23.4	5.2	14.3	36.1	6	7.1	2.9	2.6	15.5
1990	16	18.8	4.7	10.7	30.5	3	3.6	2.1	0.7	10.6
1991	14	16.0	4.3	8.7	26.8	5	6.0	2.7	2.0	14.1
1992	12	13.4	3.9	6.9	23.4	8	9.6	3.4	4.2	19.0
1993	19	20.9	4.8	12.6	32.6	4	4.8	2.4	1.3	12.3
1994	13	14.1	3.9	7.5	24.2	2	2.4	1.7	0.3	8.6
1995	17	18.5	4.5	10.8	29.6	2	2.3	1.6	0.3	8.4
1996	20	21.8	4.9	13.3	33.7	4	4.5	2.3	1.2	11.6
1997	27	29.9	5.7	19.7	43.5	3	3.3	1.9	0.7	9.7
1998	18	20.2	4.8	12.0	32.0	2	2.2	1.5	0.3	7.9
1999	15	17.0	4.4	9.5	28.0	6	6.5	2.6	2.4	14.0
2000	21	23.9	5.2	14.8	36.6	5	5.4	2.4	1.8	12.6
2001	17	19.4	4.7	11.3	31.1	1	1.1	1.1	0.0	6.1
2002	12	13.7	3.9	7.1	23.9	5	5.6	2.5	1.8	13.0
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10	0.7	0.2	0.3	1.3	6	0.4	0.2	0.2	0.9
1986	0	0.0	~	0.0	4.6	0	0.0	~	0.0	4.1
1987	0	0.0	~	0.0	4.7	0	0.0	~	0.0	4.2
1988	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.3
1989	0	0.0	~	0.0	4.7	1	1.2	1.2	0.0	6.6
1990	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.5
1991	1	1.2	1.2	0.0	6.8	0	0.0	~	0.0	4.6
1992	1	1.2	1.2	0.0	6.7	1	1.3	1.3	0.0	7.1
1993	1	1.2	1.2	0.0	6.6	0	0.0	~	0.0	4.6
1994	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.5
1995	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.4
1996	1	1.2	1.2	0.0	6.4	1	1.2	1.2	0.0	6.5
1997	1	1.1	1.1	0.0	6.4	1	1.1	1.1	0.0	6.4
1998	2	2.3	1.6	0.3	8.2	1	1.1	1.1	0.0	6.3
1999	0	0.0	~	0.0	4.1	1	1.1	1.1	0.0	6.2
2000	0	0.0	~	0.0	4.1	0	0.0	~	0.0	4.1
2001	1	1.1	1.1	0.0	6.1	0	0.0	~	0.0	4.1
2002	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.2

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Hepatic Tumors

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	84	1.8	0.2	1.5	2.3	97	1.6	0.2	1.3	1.9
1986	8	3.0	1.1	1.3	6.0	9	2.5	0.8	1.2	4.9
1987	6	2.4	1.0	0.9	5.2	6	1.8	0.7	0.7	3.9
1988	0	0.0	~	0.0	1.6	0	0.0	~	0.0	1.2
1989	6	2.3	0.9	0.8	5.1	6	1.7	0.7	0.6	3.8
1990	4	1.5	0.7	0.4	3.9	5	1.4	0.6	0.5	3.4
1991	6	2.2	0.9	0.8	5.0	7	2.0	0.8	0.8	4.2
1992	1	0.4	0.4	0.0	2.1	3	0.9	0.5	0.2	2.7
1993	3	1.1	0.6	0.2	3.2	3	0.8	0.5	0.2	2.4
1994	5	1.8	0.8	0.6	4.3	5	1.3	0.6	0.4	3.2
1995	5	1.8	0.8	0.6	4.3	7	2.0	0.7	0.8	4.1
1996	5	1.8	0.8	0.6	4.3	5	1.4	0.6	0.4	3.2
1997	5	1.8	0.8	0.6	4.2	6	1.6	0.7	0.6	3.6
1998	6	2.2	0.9	0.8	4.8	7	1.9	0.7	0.8	4.0
1999	6	2.2	0.9	0.8	4.9	8	2.2	0.8	1.0	4.4
2000	6	2.2	0.9	0.8	4.8	7	1.9	0.7	0.8	4.0
2001	7	2.5	1.0	1.0	5.2	8	2.2	0.8	0.9	4.3
2002	5	1.8	0.8	0.6	4.3	5	1.4	0.6	0.4	3.2
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	65	4.3	0.5	3.3	5.5	9	0.6	0.2	0.3	1.2
1986	6	6.9	2.8	2.5	15.0	2	2.4	1.7	0.3	8.6
1987	4	4.7	2.4	1.3	12.1	0	0.0	~	0.0	4.4
1988	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.4
1989	5	5.8	2.6	1.9	13.5	0	0.0	~	0.0	4.4
1990	4	4.6	2.3	1.3	11.9	0	0.0	~	0.0	4.5
1991	5	5.7	2.5	1.8	13.3	1	1.2	1.2	0.0	6.7
1992	1	1.1	1.1	0.0	6.3	0	0.0	~	0.0	4.4
1993	3	3.3	1.9	0.7	9.6	0	0.0	~	0.0	4.4
1994	4	4.4	2.2	1.2	11.2	0	0.0	~	0.0	4.4
1995	4	4.4	2.2	1.2	11.3	1	1.2	1.2	0.0	6.5
1996	3	3.3	1.9	0.7	9.6	2	2.3	1.6	0.3	8.2
1997	4	4.4	2.2	1.2	11.3	1	1.1	1.1	0.0	6.1
1998	4	4.5	2.2	1.2	11.5	1	1.1	1.1	0.0	6.1
1999	5	5.7	2.6	1.9	13.4	0	0.0	~	0.0	4.0
2000	4	4.6	2.3	1.2	11.7	0	0.0	~	0.0	4.0
2001	5	5.6	2.5	1.8	13.1	1	1.1	1.1	0.0	6.1
2002	4	4.6	2.3	1.2	11.7	0	0.0	~	0.0	4.1
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	10	0.7	0.2	0.3	1.3	13	0.9	0.2	0.5	1.5
1986	0	0.0	~	0.0	4.6	1	1.1	1.1	0.0	6.2
1987	2	2.5	1.8	0.3	9.2	0	0.0	~	0.0	4.2
1988	0	0.0	~	0.0	4.7	0	0.0	~	0.0	4.3
1989	1	1.3	1.3	0.0	7.1	0	0.0	~	0.0	4.4
1990	0	0.0	~	0.0	4.7	1	1.2	1.2	0.0	6.8
1991	0	0.0	~	0.0	4.5	1	1.3	1.3	0.0	7.0
1992	0	0.0	~	0.0	4.4	2	2.5	1.8	0.3	9.1
1993	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.6
1994	1	1.2	1.2	0.0	6.5	0	0.0	~	0.0	4.5
1995	0	0.0	~	0.0	4.3	2	2.4	1.7	0.3	8.7
1996	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.3
1997	0	0.0	~	0.0	4.2	1	1.1	1.1	0.0	6.4
1998	1	1.1	1.1	0.0	6.3	1	1.1	1.1	0.0	6.3
1999	1	1.1	1.1	0.0	6.2	2	2.2	1.6	0.3	8.1
2000	2	2.2	1.6	0.3	8.0	1	1.1	1.1	0.0	6.2
2001	1	1.1	1.1	0.0	6.1	1	1.1	1.1	0.0	6.3
2002	1	1.1	1.1	0.0	6.0	0	0.0	~	0.0	4.2

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Malignant Bone Tumors

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	251	5.8	0.4	5.1	6.6	455	7.9	0.4	7.2	8.7
1986	8	3.4	1.2	1.5	6.7	19	5.6	1.3	3.4	8.8
1987	8	3.4	1.2	1.5	6.7	24	7.1	1.5	4.5	10.6
1988	8	3.4	1.2	1.5	6.7	23	6.9	1.4	4.4	10.4
1989	12	5.1	1.5	2.6	8.9	22	6.8	1.4	4.2	10.3
1990	14	5.9	1.6	3.2	9.9	24	7.5	1.5	4.8	11.2
1991	10	4.0	1.3	1.9	7.5	22	6.8	1.5	4.3	10.4
1992	12	4.8	1.4	2.5	8.4	18	5.5	1.3	3.3	8.7
1993	17	6.8	1.7	4.0	10.9	27	8.3	1.6	5.4	12.0
1994	15	6.0	1.5	3.3	9.9	24	7.3	1.5	4.7	10.8
1995	23	9.0	1.9	5.7	13.5	40	11.9	1.9	8.5	16.2
1996	12	4.6	1.3	2.4	8.0	26	7.6	1.5	4.9	11.1
1997	19	7.3	1.7	4.4	11.5	29	8.4	1.6	5.6	12.0
1998	24	9.1	1.9	5.8	13.5	36	10.2	1.7	7.1	14.1
1999	19	7.2	1.6	4.3	11.2	31	8.7	1.6	5.9	12.4
2000	23	8.6	1.8	5.4	12.8	39	10.9	1.7	7.8	14.9
2001	12	4.4	1.3	2.3	7.8	22	6.2	1.3	3.9	9.3
2002	15	5.5	1.4	3.1	9.2	29	8.1	1.5	5.4	11.7
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	14	0.9	0.2	0.5	1.6	67	4.5	0.6	3.5	5.8
1986	0	0.0	~	0.0	4.3	1	1.2	1.2	0.0	6.6
1987	0	0.0	~	0.0	4.3	2	2.4	1.7	0.3	8.5
1988	0	0.0	~	0.0	4.4	2	2.4	1.7	0.3	8.5
1989	0	0.0	~	0.0	4.4	4	4.7	2.4	1.3	12.2
1990	0	0.0	~	0.0	4.4	5	6.1	2.7	2.0	14.1
1991	2	2.2	1.6	0.3	8.1	1	1.2	1.2	0.0	6.7
1992	2	2.2	1.6	0.3	8.1	4	4.8	2.4	1.3	12.3
1993	1	1.1	1.1	0.0	6.1	9	10.8	3.6	5.0	20.6
1994	0	0.0	~	0.0	4.0	4	4.7	2.4	1.3	12.1
1995	1	1.1	1.1	0.0	6.1	7	8.1	3.1	3.3	16.7
1996	2	2.2	1.6	0.3	8.1	3	3.4	2.0	0.7	9.9
1997	0	0.0	~	0.0	4.2	3	3.3	1.9	0.7	9.7
1998	3	3.4	2.0	0.7	10.0	8	8.7	3.1	3.8	17.1
1999	1	1.1	1.1	0.0	6.4	3	3.2	1.9	0.7	9.4
2000	2	2.3	1.6	0.3	8.2	5	5.4	2.4	1.8	12.6
2001	0	0.0	~	0.0	4.2	3	3.3	1.9	0.7	9.6
2002	0	0.0	~	0.0	4.2	3	3.3	1.9	0.7	9.7
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	170	11.8	0.9	10.1	13.7	204	14.1	1.0	12.2	16.1
1986	7	8.7	3.3	3.5	18.0	11	12.3	3.7	6.1	22.0
1987	6	7.6	3.1	2.8	16.6	16	18.1	4.5	10.4	29.5
1988	6	7.7	3.1	2.8	16.7	15	17.4	4.5	9.7	28.6
1989	8	10.2	3.6	4.4	20.0	10	11.9	3.8	5.7	21.9
1990	9	11.4	3.8	5.2	21.6	10	12.3	3.9	5.9	22.5
1991	7	8.6	3.2	3.5	17.7	12	15.1	4.4	7.8	26.4
1992	6	7.2	2.9	2.6	15.7	6	7.6	3.1	2.8	16.5
1993	7	8.3	3.1	3.3	17.0	10	12.6	4.0	6.0	23.1
1994	11	12.9	3.9	6.4	23.0	9	11.1	3.7	5.1	21.1
1995	15	17.4	4.5	9.7	28.7	17	20.4	4.9	11.9	32.7
1996	7	8.1	3.0	3.2	16.6	14	16.3	4.4	8.9	27.4
1997	16	18.3	4.6	10.5	29.7	10	11.4	3.6	5.5	21.1
1998	13	14.8	4.1	7.9	25.3	12	13.5	3.9	7.0	23.6
1999	15	16.8	4.3	9.4	27.7	12	13.4	3.9	6.9	23.5
2000	16	17.6	4.4	10.1	28.6	16	17.9	4.5	10.2	29.1
2001	9	9.8	3.3	4.5	18.6	10	11.2	3.6	5.4	20.7
2002	12	13.0	3.7	6.7	22.7	14	15.8	4.2	8.6	26.5

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Ewing's Sarcoma

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	88	2.0	0.2	1.6	2.5	135	2.3	0.2	2.0	2.8
1986	3	1.3	0.7	0.3	3.7	8	2.4	0.8	1.0	4.7
1987	4	1.7	0.8	0.5	4.3	6	1.8	0.7	0.7	4.0
1988	1	0.4	0.4	0.0	2.4	4	1.2	0.6	0.3	3.1
1989	5	2.1	0.9	0.7	4.9	9	2.7	0.9	1.3	5.2
1990	5	2.2	1.0	0.7	5.0	7	2.2	0.8	0.9	4.6
1991	6	2.5	1.0	0.9	5.4	7	2.2	0.8	0.9	4.5
1992	5	2.0	0.9	0.6	4.7	5	1.5	0.7	0.5	3.5
1993	6	2.4	1.0	0.9	5.2	7	2.1	0.8	0.8	4.4
1994	8	3.2	1.1	1.4	6.3	11	3.3	1.0	1.7	5.9
1995	5	2.0	0.9	0.6	4.6	10	3.0	0.9	1.4	5.5
1996	3	1.1	0.6	0.2	3.3	7	2.0	0.8	0.8	4.1
1997	8	3.1	1.1	1.3	6.1	9	2.6	0.9	1.2	5.0
1998	8	3.0	1.1	1.3	6.0	9	2.5	0.8	1.2	4.8
1999	5	1.9	0.8	0.6	4.4	6	1.7	0.7	0.6	3.7
2000	7	2.6	1.0	1.0	5.4	13	3.6	1.0	1.9	6.2
2001	6	2.2	0.9	0.8	4.8	10	2.8	0.9	1.3	5.1
2002	3	1.1	0.6	0.2	3.3	7	2.0	0.7	0.8	4.1
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	9	0.6	0.2	0.3	1.1	20	1.4	0.3	0.8	2.1
1986	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.4
1987	0	0.0	~	0.0	4.3	2	2.4	1.7	0.3	8.5
1988	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.4
1989	0	0.0	~	0.0	4.4	3	3.6	2.1	0.7	10.4
1990	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.5
1991	1	1.2	1.2	0.0	6.4	0	0.0	~	0.0	4.4
1992	1	1.1	1.1	0.0	6.3	1	1.2	1.2	0.0	6.7
1993	1	1.1	1.1	0.0	6.1	3	3.6	2.1	0.7	10.6
1994	0	0.0	~	0.0	4.0	2	2.4	1.7	0.3	8.6
1995	0	0.0	~	0.0	4.1	3	3.5	2.0	0.7	10.2
1996	2	2.2	1.6	0.3	8.1	0	0.0	~	0.0	4.2
1997	0	0.0	~	0.0	4.2	1	1.1	1.1	0.0	6.1
1998	2	2.3	1.6	0.3	8.3	2	2.2	1.5	0.3	7.9
1999	1	1.1	1.1	0.0	6.4	0	0.0	~	0.0	4.0
2000	1	1.1	1.1	0.0	6.4	2	2.2	1.5	0.3	7.8
2001	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.0
2002	0	0.0	~	0.0	4.2	1	1.1	1.1	0.0	6.2
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	59	4.1	0.5	3.1	5.3	47	3.2	0.5	2.4	4.3
1986	3	3.7	2.2	0.8	10.9	5	5.6	2.5	1.8	13.0
1987	2	2.5	1.8	0.3	9.2	2	2.3	1.6	0.3	8.2
1988	1	1.3	1.3	0.0	7.1	3	3.5	2.0	0.7	10.2
1989	2	2.5	1.8	0.3	9.2	4	4.8	2.4	1.3	12.2
1990	5	6.3	2.8	2.1	14.8	2	2.5	1.7	0.3	8.9
1991	5	6.1	2.7	2.0	14.3	1	1.3	1.3	0.0	7.0
1992	3	3.6	2.1	0.7	10.5	0	0.0	~	0.0	4.7
1993	2	2.4	1.7	0.3	8.5	1	1.3	1.3	0.0	7.0
1994	6	7.0	2.9	2.6	15.3	3	3.7	2.1	0.8	10.8
1995	2	2.3	1.6	0.3	8.4	5	6.0	2.7	1.9	14.0
1996	1	1.2	1.2	0.0	6.4	4	4.7	2.3	1.3	11.9
1997	7	8.0	3.0	3.2	16.5	1	1.1	1.1	0.0	6.4
1998	4	4.6	2.3	1.2	11.7	1	1.1	1.1	0.0	6.3
1999	4	4.5	2.2	1.2	11.5	1	1.1	1.1	0.0	6.2
2000	4	4.4	2.2	1.2	11.3	6	6.7	2.7	2.5	14.6
2001	6	6.5	2.7	2.4	14.2	4	4.5	2.2	1.2	11.5
2002	2	2.2	1.5	0.3	7.8	4	4.5	2.3	1.2	11.6

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Soft Tissue Sarcomas

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	452	10.2	0.5	9.2	11.1	655	11.1	0.4	10.3	12.0
1986	27	10.4	2.0	6.9	15.3	48	13.7	2.0	10.1	18.2
1987	27	10.9	2.1	7.1	15.8	43	12.7	1.9	9.2	17.1
1988	27	11.0	2.1	7.3	16.1	41	12.3	1.9	8.9	16.8
1989	21	8.4	1.8	5.2	12.9	33	9.9	1.7	6.8	13.9
1990	20	8.0	1.8	4.9	12.4	31	9.4	1.7	6.4	13.4
1991	24	9.1	1.9	5.8	13.6	32	9.4	1.7	6.4	13.3
1992	26	9.9	1.9	6.4	14.5	41	12.2	1.9	8.7	16.5
1993	20	7.8	1.7	4.7	12.0	29	8.7	1.6	5.8	12.5
1994	26	10.1	2.0	6.6	14.8	36	10.6	1.8	7.4	14.8
1995	25	9.5	1.9	6.1	14.0	37	10.7	1.8	7.5	14.8
1996	37	13.9	2.3	9.8	19.2	50	14.2	2.0	10.5	18.8
1997	31	11.4	2.0	7.7	16.2	37	10.3	1.7	7.2	14.2
1998	29	10.9	2.0	7.3	15.6	40	11.2	1.8	8.0	15.3
1999	27	10.0	1.9	6.6	14.6	37	10.3	1.7	7.3	14.2
2000	25	9.3	1.9	6.0	13.7	36	10.0	1.7	7.0	13.9
2001	27	9.9	1.9	6.6	14.5	42	11.7	1.8	8.4	15.8
2002	33	12.2	2.1	8.4	17.1	42	11.7	1.8	8.4	15.8

	Ages 0-4					Ages 5-9				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	188	12.5	0.9	10.8	14.4	109	7.4	0.7	6.1	8.9
1986	18	20.8	4.9	12.3	33.0	4	4.8	2.4	1.3	12.2
1987	9	10.4	3.5	4.8	19.8	8	9.4	3.3	4.1	18.6
1988	8	9.4	3.3	4.1	18.6	7	8.3	3.1	3.3	17.1
1989	7	8.2	3.1	3.3	16.9	8	9.5	3.4	4.1	18.7
1990	8	9.2	3.3	4.0	18.3	6	7.3	3.0	2.7	15.8
1991	17	19.3	4.7	11.3	31.0	3	3.6	2.1	0.7	10.6
1992	15	16.7	4.3	9.3	27.5	5	6.0	2.7	2.0	14.1
1993	6	6.6	2.7	2.4	14.4	6	7.2	2.9	2.7	15.7
1994	6	6.5	2.7	2.4	14.2	10	11.8	3.7	5.7	21.8
1995	8	8.7	3.1	3.8	17.2	9	10.4	3.5	4.8	19.8
1996	15	16.6	4.3	9.3	27.5	8	9.0	3.2	3.9	17.8
1997	15	16.6	4.3	9.3	27.4	10	11.0	3.5	5.3	20.3
1998	12	13.5	3.9	7.0	23.6	3	3.3	1.9	0.7	9.5
1999	9	10.2	3.4	4.7	19.4	7	7.5	2.8	3.0	15.5
2000	7	8.0	3.0	3.2	16.4	5	5.4	2.4	1.8	12.6
2001	16	18.2	4.6	10.4	29.6	3	3.3	1.9	0.7	9.6
2002	12	13.6	3.9	7.0	23.8	7	7.8	2.9	3.1	16.0

	Ages 10-14					Ages 15-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	155	10.7	0.9	9.1	12.6	203	14.0	1.0	12.1	16.1
1986	5	6.2	2.8	2.0	14.6	21	23.5	5.1	14.5	35.9
1987	10	12.7	4.0	6.1	23.3	16	18.1	4.5	10.4	29.5
1988	12	15.3	4.4	7.9	26.8	14	16.2	4.3	8.9	27.2
1989	6	7.6	3.1	2.8	16.6	12	14.3	4.1	7.4	25.0
1990	6	7.6	3.1	2.8	16.5	11	13.5	4.1	6.7	24.1
1991	4	4.9	2.5	1.3	12.6	8	10.1	3.6	4.4	19.9
1992	6	7.2	2.9	2.6	15.7	15	19.0	4.9	10.6	31.3
1993	8	9.4	3.3	4.1	18.6	9	11.3	3.8	5.2	21.5
1994	10	11.7	3.7	5.6	21.5	10	12.3	3.9	5.9	22.7
1995	8	9.3	3.3	4.0	18.3	12	14.4	4.2	7.4	25.1
1996	14	16.1	4.3	8.8	27.0	13	15.2	4.2	8.1	25.9
1997	6	6.9	2.8	2.5	15.0	6	6.9	2.8	2.5	15.0
1998	14	15.9	4.3	8.7	26.7	11	12.4	3.7	6.2	22.2
1999	11	12.3	3.7	6.1	22.0	10	11.2	3.5	5.4	20.6
2000	13	14.3	4.0	7.6	24.5	11	12.3	3.7	6.2	22.0
2001	8	8.7	3.1	3.8	17.2	15	16.9	4.4	9.4	27.8
2002	14	15.2	4.1	8.3	25.4	9	10.2	3.4	4.6	19.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Germ Cell, Trophoblastic and Other Gonadal Tumors

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	219	4.9	0.3	4.3	5.6	578	9.9	0.4	9.1	10.8
1986	12	4.9	1.4	2.5	8.6	25	7.3	1.5	4.8	10.9
1987	11	4.6	1.4	2.3	8.2	33	9.7	1.7	6.7	13.6
1988	16	6.4	1.6	3.6	10.4	41	12.0	1.9	8.6	16.4
1989	14	5.5	1.5	3.0	9.3	33	9.8	1.7	6.8	13.8
1990	8	3.2	1.1	1.4	6.4	28	8.6	1.6	5.7	12.4
1991	10	4.0	1.3	1.9	7.4	26	8.1	1.6	5.3	11.8
1992	14	5.4	1.5	3.0	9.2	40	12.4	2.0	8.8	16.8
1993	12	4.5	1.3	2.3	7.9	33	10.0	1.7	6.9	14.1
1994	17	6.4	1.6	3.7	10.3	44	13.1	2.0	9.5	17.7
1995	15	5.8	1.5	3.2	9.5	27	7.9	1.5	5.2	11.6
1996	14	5.2	1.4	2.9	8.8	32	9.2	1.6	6.3	13.0
1997	12	4.6	1.3	2.4	8.0	27	7.7	1.5	5.1	11.3
1998	12	4.5	1.3	2.3	7.8	36	10.1	1.7	7.1	14.1
1999	19	7.0	1.6	4.2	11.0	44	12.3	1.9	8.9	16.5
2000	11	4.1	1.2	2.0	7.3	33	9.2	1.6	6.4	13.0
2001	10	3.6	1.2	1.7	6.7	37	10.4	1.7	7.3	14.3
2002	12	4.4	1.3	2.3	7.7	39	11.0	1.8	7.8	15.0
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	87	5.8	0.6	4.6	7.1	35	2.4	0.4	1.6	3.3
1986	2	2.3	1.6	0.3	8.3	2	2.4	1.7	0.3	8.6
1987	3	3.5	2.0	0.7	10.3	1	1.2	1.2	0.0	6.6
1988	10	11.7	3.7	5.6	21.6	1	1.2	1.2	0.0	6.6
1989	6	6.9	2.8	2.5	15.1	5	5.9	2.7	1.9	13.8
1990	3	3.3	1.9	0.7	9.9	1	1.2	1.2	0.0	6.8
1991	2	2.2	1.6	0.3	8.1	4	4.8	2.4	1.3	12.3
1992	5	5.5	2.5	1.8	12.9	2	2.4	1.7	0.3	8.7
1993	7	7.7	2.9	3.1	15.9	0	0.0	~	0.0	4.4
1994	8	8.7	3.1	3.8	17.2	1	1.2	1.2	0.0	6.6
1995	3	3.2	1.9	0.7	9.5	3	3.5	2.0	0.7	10.2
1996	7	7.8	2.9	3.1	16.0	1	1.1	1.1	0.0	6.3
1997	4	4.5	2.3	1.2	11.6	0	0.0	~	0.0	4.1
1998	6	6.8	2.8	2.5	14.9	2	2.2	1.5	0.3	7.9
1999	8	9.1	3.2	3.9	18.0	5	5.4	2.4	1.7	12.5
2000	5	5.7	2.5	1.8	13.3	2	2.2	1.5	0.3	7.8
2001	3	3.3	1.9	0.7	9.7	2	2.2	1.5	0.3	7.9
2002	5	5.6	2.5	1.8	13.0	3	3.3	1.9	0.7	9.7
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	97	6.7	0.7	5.5	8.2	359	24.8	1.3	22.3	27.5
1986	8	10.0	3.5	4.3	19.7	13	14.5	4.0	7.7	24.9
1987	7	8.9	3.4	3.6	18.3	22	24.9	5.3	15.6	37.8
1988	5	6.4	2.9	2.1	14.9	25	28.9	5.8	18.7	42.7
1989	3	3.8	2.2	0.8	11.1	19	22.6	5.2	13.6	35.3
1990	4	5.1	2.5	1.4	13.0	20	24.5	5.5	15.0	37.9
1991	4	4.9	2.5	1.3	12.6	16	20.2	5.0	11.5	32.7
1992	7	8.4	3.2	3.4	17.3	26	32.9	6.5	21.5	48.2
1993	5	5.9	2.6	1.9	13.8	21	26.4	5.8	16.3	40.3
1994	8	9.4	3.3	4.0	18.4	27	33.3	6.4	21.9	48.4
1995	9	10.4	3.5	4.8	19.8	12	14.4	4.2	7.4	25.1
1996	6	6.9	2.8	2.5	15.0	18	21.0	5.0	12.4	33.2
1997	8	9.2	3.2	4.0	18.0	15	17.2	4.4	9.6	28.3
1998	4	4.6	2.3	1.2	11.7	24	27.0	5.5	17.3	40.2
1999	6	6.7	2.7	2.5	14.6	25	28.0	5.6	18.1	41.3
2000	4	4.4	2.2	1.2	11.3	22	24.6	5.3	15.4	37.3
2001	5	5.4	2.4	1.8	12.7	27	30.4	5.8	20.0	44.2
2002	4	4.3	2.2	1.2	11.1	27	30.5	5.9	20.1	44.4

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Carcinomas and Other Malignant Epithelial Neoplasms

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	193	4.5	0.3	3.9	5.2	701	12.2	0.5	11.3	13.1
1986	11	4.5	1.3	2.2	8.0	40	11.5	1.8	8.2	15.7
1987	11	4.6	1.4	2.3	8.3	41	12.0	1.9	8.6	16.3
1988	10	4.3	1.4	2.1	8.0	35	10.5	1.8	7.3	14.7
1989	7	2.9	1.1	1.2	6.0	41	12.3	1.9	8.9	16.8
1990	8	3.4	1.2	1.5	6.8	37	11.5	1.9	8.1	15.9
1991	9	3.7	1.2	1.7	7.0	39	12.3	2.0	8.7	16.8
1992	5	2.0	0.9	0.7	4.8	27	8.5	1.6	5.6	12.4
1993	9	3.6	1.2	1.6	6.8	36	11.2	1.9	7.8	15.5
1994	9	3.5	1.2	1.6	6.6	34	10.4	1.8	7.2	14.5
1995	12	4.7	1.4	2.4	8.2	36	10.7	1.8	7.5	14.9
1996	10	3.9	1.2	1.9	7.2	37	10.8	1.8	7.6	14.9
1997	13	5.0	1.4	2.7	8.6	47	13.6	2.0	10.0	18.0
1998	11	4.2	1.3	2.1	7.5	39	11.0	1.8	7.8	15.1
1999	17	6.4	1.6	3.7	10.3	54	15.2	2.1	11.4	19.9
2000	11	4.1	1.2	2.0	7.3	47	13.2	1.9	9.7	17.6
2001	20	7.4	1.7	4.5	11.4	56	15.7	2.1	11.9	20.4
2002	20	7.4	1.7	4.5	11.4	55	15.5	2.1	11.7	20.1
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	21	1.4	0.3	0.9	2.1	27	1.8	0.4	1.2	2.7
1986	2	2.3	1.6	0.3	8.3	4	4.8	2.4	1.3	12.2
1987	2	2.4	1.7	0.3	8.5	1	1.2	1.2	0.0	6.6
1988	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.4
1989	1	1.1	1.1	0.0	6.4	2	2.4	1.7	0.3	8.6
1990	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.5
1991	1	1.2	1.2	0.0	6.4	1	1.2	1.2	0.0	6.7
1992	0	0.0	~	0.0	4.1	0	0.0	~	0.0	4.4
1993	1	1.1	1.1	0.0	6.1	2	2.4	1.7	0.3	8.7
1994	2	2.2	1.5	0.3	7.9	2	2.4	1.7	0.3	8.6
1995	1	1.1	1.1	0.0	6.1	2	2.3	1.6	0.3	8.4
1996	0	0.0	~	0.0	4.2	2	2.3	1.6	0.3	8.2
1997	1	1.1	1.1	0.0	6.3	0	0.0	~	0.0	4.1
1998	3	3.3	1.9	0.7	9.9	1	1.1	1.1	0.0	6.1
1999	1	1.2	1.2	0.0	6.4	2	2.2	1.5	0.3	7.8
2000	2	2.3	1.6	0.3	8.2	2	2.2	1.5	0.3	7.8
2001	3	3.5	2.0	0.7	10.1	3	3.3	1.9	0.7	9.6
2002	1	1.1	1.1	0.0	6.4	3	3.3	1.9	0.7	9.7
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	145	10.1	0.8	8.5	11.8	508	35.0	1.6	32.1	38.2
1986	5	6.2	2.8	2.0	14.6	29	32.4	6.0	21.7	46.6
1987	8	10.2	3.6	4.4	20.0	30	34.0	6.2	22.9	48.5
1988	10	12.8	4.0	6.1	23.5	25	28.9	5.8	18.7	42.7
1989	4	5.1	2.5	1.4	13.0	34	40.5	6.9	28.0	56.6
1990	8	10.1	3.6	4.4	20.0	29	35.6	6.6	23.8	51.1
1991	7	8.6	3.2	3.5	17.7	30	37.8	6.9	25.5	54.0
1992	5	6.0	2.7	1.9	14.0	22	27.8	5.9	17.5	42.2
1993	6	7.1	2.9	2.6	15.4	27	33.9	6.5	22.4	49.4
1994	5	5.8	2.6	1.9	13.6	25	30.8	6.2	19.9	45.5
1995	9	10.4	3.5	4.8	19.8	24	28.8	5.9	18.4	42.8
1996	8	9.2	3.3	4.0	18.1	27	31.5	6.1	20.8	45.8
1997	12	13.7	4.0	7.1	24.0	34	38.9	6.7	27.0	54.4
1998	7	8.0	3.0	3.2	16.4	28	31.5	6.0	20.9	45.6
1999	14	15.7	4.2	8.6	26.3	37	41.4	6.8	29.1	57.1
2000	7	7.7	2.9	3.1	15.9	36	40.3	6.7	28.2	55.8
2001	14	15.2	4.1	8.3	25.6	36	40.5	6.7	28.4	56.1
2002	16	17.3	4.3	9.9	28.1	35	39.5	6.7	27.5	55.0

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois, 1986-2002

Other and Unspecified Malignant Neoplasms

	Ages 0-14					Ages 0-19				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	31	0.7	0.1	0.5	1.0	44	0.7	0.1	0.5	1.0
1986	1	0.4	0.4	0.0	2.2	2	0.6	0.4	0.1	2.1
1987	2	0.8	0.6	0.1	3.0	4	1.2	0.6	0.3	3.1
1988	1	0.4	0.4	0.0	2.3	1	0.3	0.3	0.0	1.7
1989	2	0.7	0.5	0.1	2.8	4	1.1	0.6	0.3	3.0
1990	4	1.6	0.8	0.4	4.1	5	1.5	0.7	0.5	3.5
1991	2	0.8	0.6	0.1	3.0	2	0.6	0.4	0.1	2.2
1992	2	0.7	0.5	0.1	2.7	3	0.9	0.5	0.2	2.6
1993	5	1.7	0.8	0.6	4.2	5	1.3	0.6	0.4	3.2
1994	0	0.0	~	0.0	1.5	2	0.6	0.4	0.1	2.2
1995	1	0.3	0.3	0.0	2.1	1	0.3	0.3	0.0	1.6
1996	3	1.1	0.7	0.2	3.3	3	0.8	0.5	0.2	2.5
1997	3	1.1	0.6	0.2	3.3	4	1.1	0.6	0.3	2.9
1998	0	0.0	~	0.0	1.4	0	0.0	~	0.0	1.1
1999	2	0.8	0.5	0.1	2.8	3	0.9	0.5	0.2	2.5
2000	0	0.0	~	0.0	1.4	1	0.3	0.3	0.0	1.6
2001	2	0.7	0.5	0.1	2.7	2	0.6	0.4	0.1	2.0
2002	1	0.4	0.4	0.0	2.1	2	0.6	0.4	0.1	2.0
	Ages 0-4					**Ages 5-9**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	18	1.2	0.3	0.7	1.9	8	0.5	0.2	0.2	1.1
1986	1	1.2	1.2	0.0	6.5	0	0.0	~	0.0	4.4
1987	0	0.0	~	0.0	4.3	1	1.2	1.2	0.0	6.6
1988	0	0.0	~	0.0	4.4	1	1.2	1.2	0.0	6.6
1989	2	2.2	1.6	0.3	8.2	0	0.0	~	0.0	4.4
1990	2	2.3	1.6	0.3	8.3	1	1.2	1.2	0.0	6.8
1991	0	0.0	~	0.0	4.3	2	2.4	1.7	0.3	8.7
1992	2	2.2	1.6	0.3	8.1	0	0.0	~	0.0	4.4
1993	5	5.4	2.4	1.8	12.7	0	0.0	~	0.0	4.4
1994	0	0.0	~	0.0	4.0	0	0.0	~	0.0	4.4
1995	1	1.1	1.1	0.0	6.1	0	0.0	~	0.0	4.3
1996	1	1.1	1.1	0.0	6.3	2	2.3	1.6	0.3	8.2
1997	2	2.2	1.6	0.3	8.2	1	1.1	1.1	0.0	6.1
1998	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.0
1999	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.0
2000	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.0
2001	1	1.2	1.2	0.0	6.4	0	0.0	~	0.0	4.0
2002	1	1.1	1.1	0.0	6.4	0	0.0	~	0.0	4.1
	Ages 10-14					**Ages 15-19**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2002	5	0.3	0.2	0.1	0.8	13	0.9	0.2	0.5	1.5
1986	0	0.0	~	0.0	4.6	1	1.1	1.1	0.0	6.2
1987	1	1.3	1.3	0.0	7.1	2	2.3	1.6	0.3	8.2
1988	0	0.0	~	0.0	4.7	0	0.0	~	0.0	4.3
1989	0	0.0	~	0.0	4.7	2	2.4	1.7	0.3	8.6
1990	1	1.3	1.3	0.0	7.1	1	1.2	1.2	0.0	6.8
1991	0	0.0	~	0.0	4.5	0	0.0	~	0.0	4.6
1992	0	0.0	~	0.0	4.4	1	1.3	1.3	0.0	7.1
1993	0	0.0	~	0.0	4.4	0	0.0	~	0.0	4.6
1994	0	0.0	~	0.0	4.3	2	2.5	1.7	0.3	8.9
1995	0	0.0	~	0.0	4.3	0	0.0	~	0.0	4.4
1996	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.3
1997	0	0.0	~	0.0	4.2	1	1.1	1.1	0.0	6.4
1998	0	0.0	~	0.0	4.2	0	0.0	~	0.0	4.2
1999	2	2.2	1.6	0.3	8.1	1	1.1	1.1	0.0	6.2
2000	0	0.0	~	0.0	4.1	1	1.1	1.1	0.0	6.2
2001	1	1.1	1.1	0.0	6.1	0	0.0	~	0.0	4.1
2002	0	0.0	~	0.0	4.0	1	1.1	1.1	0.0	6.3

Rates are per 1,000,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2004

CANCER PROJECTIONS FOR ILLINOIS

Year 2003 – 2006

Projected Invasive Cancer Incidence for All Sites Combined and Selected Sites
All Races by Sex, Illinois, 2003-2006

Site	2003		2004		2005		2006	
	Males	Females	Males	Females	Males	Females	Males	Females
All Sites	29,950	29,130	30,320	29,440	30,720	29,760	31,120	30,090
Oral Cavity and Pharynx	890	430	910	430	920	430	940	440
Esophagus	490	160	490	160	500	170	510	170
Stomach	600	380	610	390	620	400	630	400
Colon and Rectum	3,620	3,580	3,670	3,620	3,720	3,660	3,780	3,700
Liver	390	170	400	170	410	180	420	180
Pancreas	710	770	720	770	730	780	740	790
Lung and Bronchus	4,860	3,960	4,920	3,990	4,980	4,020	5,050	4,050
Bones and Joints	50	50	50	50	50	50	50	60
Melanoma of the Skin	880	630	890	640	900	640	920	650
Breast	90	8660	90	8770	90	8870	90	8990
Cervix	~	610	~	620	~	620	~	630
Corpus and Uterus, NOS	~	1720	~	1740	~	1760	~	1780
Ovary	~	910	~	920	~	940	~	950
Prostate	8,280	~	8,370	~	8,460	~	8,550	~
Testis	310	~	310	~	320	~	320	~
Urinary Bladder	2,080	710	2,100	710	2,130	720	2,160	730
Kidney and Renal Pelvis	1,090	710	1,110	710	1,130	720	1,140	730
Brain and Other Nervous System	370	360	380	370	380	370	380	380
Hodgkin's Disease	190	160	190	160	200	160	200	160
Non-Hodgkin's Lymphomas	1,230	1,090	1,250	1,100	1,260	1,110	1,280	1,120
Multiple Myeloma	400	350	400	350	410	360	410	360
Leukemias	860	680	870	680	880	690	890	700

Note: Figures estimate invasive cancer and bladder cancer *in situ* and are rounded to the nearest 10 cases.
These projections are offered as a rough guide and should not be regarded as definitive.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Projected Cancer Deaths for All Sites Combined and Selected Sites
All Races by Sex, Illinois, 2003-2006

Site	2003		2004		2005		2006	
	Males	Females	Males	Females	Males	Females	Males	Females
All Sites	12,760	12,330	12,950	12,460	13,140	12,600	13,340	12,740
Oral Cavity and Pharynx	210	110	210	110	210	110	220	110
Esophagus	420	150	430	150	440	150	440	160
Stomach	330	230	330	230	340	240	340	240
Colon and Rectum	1,350	1,400	1,370	1,420	1,390	1,440	1,410	1,460
Liver	300	150	300	150	310	150	310	150
Pancreas	680	730	690	740	700	740	710	750
Lung and Bronchus	3,920	3,010	3,960	3,030	4,010	3,060	4,060	3,080
Bones and Joints	30	30	30	30	30	30	30	30
Melanoma of the Skin	190	120	190	120	190	120	200	120
Breast	20	1,930	20	1,950	20	1,980	20	2,000
Cervix	~	210	~	210	~	220	~	220
Corpus and Uterus, NOS	~	330	~	330	~	330	~	340
Ovary	~	630	~	630	~	640	~	650
Prostate	1,360	~	1,390	~	1,410	~	1,440	~
Testis	20	~	20	~	20	~	20	~
Urinary Bladder	350	170	350	170	360	180	360	180
Kidney and Renal Pelvis	330	210	340	220	340	220	350	220
Brain and Other Nervous System	270	210	270	210	270	210	280	210
Hodgkin's Disease	40	30	40	30	40	30	40	30
Non-Hodgkin's Lymphomas	480	480	490	480	500	490	500	490
Multiple Myeloma	250	230	250	240	260	240	260	240
Leukemias	560	460	570	460	580	470	590	470

Note: Figures are rounded to the nearest 10 deaths.
These projections are offered as a rough guide and should not be regarded as definitive.
Source: Expected new deaths were derived based on cancer mortality rates which were calculated using the following database: Mortality – All COD, Public-Use with State, Total U.S. (1969-2002), National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released April 2005. Underlying Mortality data provided by NCHS <www.cdc.gov.nchs>.