

**Illinois County
Cancer Statistics Review
Incidence, 1998 - 2002**

A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, IL 62761

June 2005

Prepared by

Baozhen Qiao, M.D., Ph.D.
Epidemiologist

Tiefu Shen, M.D., Ph.D.
Division Chief

Janice L. Snodgrass, C.T.R.
Illinois State Cancer Registry Manager

Acknowledgments

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number U55/CCU521913-03 from the U.S. Centers for Disease Control and Prevention (CDC), National Cancer Prevention and Control Program. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Qiao B, Shen T, Snodgrass JL. Illinois County Cancer Statistics Review, Incidence, 1998-2002. Epidemiologic Report Series 05:04. Springfield, IL: Illinois Department of Public Health, June 2005.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

**ILLINOIS COUNTY CANCER STATISTICS REVIEW
INCIDENCE, 1998 - 2002**

TABLE OF CONTENTS

OVERVIEW AND TECHNICAL NOTES 1

SECTION I.

Sex-specific Cancer Incidence by County, Illinois, 1998 – 20027
 All Sites Combined9
 Colon and Rectum16
 Lung and Bronchus23
 Female Breast30
 Cervix33
 Prostate36

SECTION II.

Age-specific Cancer Incidence by County, Illinois, 1998 – 200239
 All Sites Combined41
 Colon and Rectum62
 Lung and Bronchus83
 Female Breast104
 Cervix111
 Prostate118

SECTION III.

**Percent Distribution of Stage at Diagnosis by Race and County,
Illinois, 1998 – 2002125**
 Colon and Rectum127
 Female Breast131
 Cervix135
 Prostate139

SECTION IV.

County-specific Cancer Incidence Rate, Illinois, 1998 – 2002 143

County-specific Cancer Incidence, All Races, Illinois, 1998 – 2002145
 All Illinois Counties145
 Adams County146
 Alexander County147
 Bond County 148
 Boone County 149
 Brown County 150
 Bureau County 151

TABLE OF CONTENTS (continued)

Calhoun County	152
Carroll County	153
Cass County	154
Champaign County	155
Christian County	156
Clark County	157
Clay County	158
Clinton County	159
Coles County	160
Cook County	161
Crawford County	162
Cumberland County	163
Dekalb County	164
De Witt County	165
Douglas County	166
DuPage County	167
Edgar County	168
Edwards County	169
Effingham County	170
Fayette County	171
Ford County	172
Franklin County	173
Fulton County	174
Gallatin County	175
Greene County	176
Grundy County	177
Hamilton County	178
Hancock County	179
Hardin County	180
Henderson County	181
Henry County	182
Iroquois County	183
Jackson County	184
Jasper County	185
Jefferson County	186
Jersey County	187
Jo Daviess County	188
Johnson County	189
Kane County	190
Kankakee County	191
Kendall County	192
Knox County	193
Lake County	194
La Salle County	195
Lawrence County	196
Lee County	197
Livingston County	198
Logan County	199
McDonough County	200

TABLE OF CONTENTS (continued)

McHenry County201
McLean County 202
Macon County 203
Macoupin County 204
Madison County 205
Marion County206
Marshall County 207
Mason County 208
Massac County 209
Menard County 210
Mercer County 211
Monroe County 212
Montgomery County 213
Morgan County 214
Moultrie County 215
Ogle County 216
Peoria County 217
Perry County 218
Piatt County 219
Pike County 220
Pope County 221
Pulaski County 222
Putnam County 223
Randolph County 224
Richland County 225
Rock Island County 226
St. Clair County 227
Saline County 228
Sangamon County 229
Schuyler County 230
Scott County 231
Shelby County 232
Stark County 233
Stephenson County 234
Tazewell County 235
Union County 236
Vermilion County 237
Wabash County238
Warren County239
Washington County240
Wayne County241
White County 242
Whiteside County 243
Will County 244
Williamson County 245
Winnebago County 246
Woodford County247

TABLE OF CONTENTS (continued)

County-specific Cancer Incidence, Whites, Illinois, 1998 – 2002	248
All Illinois Counties	248
Champaign County	249
Cook County	250
DuPage County	251
Kane County	252
Kankakee County	253
Lake County	254
Macon County	255
Madison County	256
Peoria County	257
Rock Island County	258
St. Clair County	259
Sangamon County	260
Vermilion County	261
Will County	262
Winnebago County	263
County-specific Cancer Incidence, Blacks, Illinois, 1998 – 2002	264
All Illinois Counties	264
Champaign County	265
Cook County	266
DuPage County	267
Kane County	268
Kankakee County	269
Lake County	270
Macon County	271
Madison County	272
Peoria County	273
Rock Island County	274
St. Clair County	275
Sangamon County	276
Vermilion County	277
Will County	278
Winnebago County	279

SECTION V.

Cancer Incidence by Hispanic Ethnicity for Selected Counties, Illinois, 1998 – 2002	281
Sex-specific Cancer Incidence by County, Illinois, 1998 – 2002	283
All Sites Combined	283
Colon and Rectum	284
Lung and Bronchus	285
Female Breast	286
Cervix	286
Prostate	286

TABLE OF CONTENTS (continued)

Age-specific Cancer Incidence by County, Illinois, 1998 – 2002 287
 All Sites Combined 287
 Colon and Rectum 288
 Lung and Bronchus 289
 Female Breast 290
 Cervix 290
 Prostate 290

Stage of Disease at Diagnosis – Percent Distribution by Hispanic Ethnicity, Illinois, 1998 – 2002 291
 Colon and Rectum 291
 Female Breast 291
 Cervix 292
 Prostate 292

County-specific Cancer Incidence, Hispanics, Illinois, 1998 – 2002 293
 All Illinois Counties 293
 Cook County 294
 DuPage County 295
 Kane County 296
 Lake County 297
 Will County 298

County-specific Cancer Incidence, Non-Hispanics, Illinois, 1998 – 2002 299
 All Illinois Counties 299
 Cook County 300
 DuPage County 301
 Kane County 302
 Lake County 303
 Will County 304

SECTION VI.

Cancer Incidence Projections by Illinois Counties 305
 All Sites Combined 307
 Colon and Rectum 310
 Lung and Bronchus 313
 Female Breast 316
 Cervix 319
 Prostate 322

Appendix A. Illinois County Population Totals, 1998 – 2002 325

Appendix B. Formulas for Rates 365

ILLINOIS COUNTY CANCER STATISTICS REVIEW INCIDENCE, 1998 – 2002

OVERVIEW

This report presents cancer incidence occurring in Illinois' 102 counties for 1998 through 2002. The first three sections of the report include tables designed to facilitate county comparisons. Data for all races and whites are presented for all counties. Cancer incidence data for blacks are included for the 15 counties that have sufficiently large black populations to allow meaningful statistics for the race group. County-specific tables with expanded cancer sites are included in Section IV. County-level cancer incidence data by Hispanic ethnicity for five counties are included in Section V. Finally, Section VI contains projected county cancer incidence estimates for all sites combined and each of the five major cancer control sites. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals are presented for all sites combined, colon and rectum, and lung and bronchus by sex category and for female breast, cervix and prostate. These sites were chosen based on two considerations: the need to facilitate evaluation of various cancer prevention and control programs and sufficient numbers to allow meaningful presentation of rates.

Section II. Age-specific cancer incidence data are displayed with five-year aggregate counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals for three age groups: less than 50 years, between 50 and 64 years, and 65 or more years. Similarly, the age-specific data are presented for all sites combined, colon and rectum, and lung and bronchus by sex category as well as for female breast, cervix and prostate.

Section III. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant and unstaged for cancers of the colon and rectum (both sexes) and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant and unstaged stage categories.

Section IV. In separate tables for each of the state's counties, cancer incidence data are presented including all sites combined, the sites in Sections I-III, as well as additional cancer sites included in the county-level public data set for 1998 – 2002. Data for female breast cancer diagnosed in the *in situ* stage that correlates highly with mammography screening usage also are reported in these tables. These tables contain five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals for each cancer site by sex category for all races. For the 15 counties with large black populations, tables in the same format are presented for whites and blacks.

Section V. Hispanic and non-Hispanic cancer incidence data are featured in this section for Cook, DuPage, Kane, Lake and Will counties. These counties have sufficient

Hispanic populations for meaningful cancer incidence statistics by Hispanic ethnicity. Data are formatted in the same manner as that presented in Sections I-IV.

Section VI. Projected cancer incidence for the five-year time periods 1999 – 2003, 2000 – 2004, 2001 – 2005 and 2002 – 2006 and the average annual projected counts for each respective time period are presented. Projections were calculated for all sites combined, colon and rectum, and lung and bronchus for all races, both sexes, and for female breast, cervix and prostate among all races.

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Newly diagnosed cancer cases among Illinois residents are reported to ISCR by the health care facilities where the cancer is diagnosed and treated. Central cancer registries and facilities in other states also report data to ISCR on Illinois residents diagnosed and treated for cancer in their states. Most out-of-state cases come from Florida, Indiana, Iowa, Kentucky, Minnesota (Mayo Clinic), Missouri (state registry and St. Louis Barnes/Jewish Hospital) and Wisconsin. In addition, data exchange agreements are in effect with Arkansas, California, Michigan, Mississippi, North Carolina, Washington and Wyoming. For data used in this publication, almost 6 percent of ISCR cases are reported from out-of-state agencies and organizations.¹ A death certificate clearance process involving active follow back of cancer deaths in an effort to identify missed cases has served as an additional means of case identification since August 1993.

The preparation and release of this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two-to four-year lag in case identification of Illinois residents from other state central cancer registries. For this report, the database files reflect the status of ISCR as November 2004.

Population Estimates

For 1998 through 2002, estimates of Illinois' resident populations of all races, whites, blacks, Asian/other races, Hispanics and non-Hispanics were provided by NCI's SEER program. The methodology for these estimates is available at the following Web site: <www.seer.cancer.gov/popdata/methods.pdf>. These population estimates are displayed in Appendix A.

Definitions

Cancer Incidence Sites

The *International Classification of Diseases for Oncology* version 2 (ICD-O-2, which was used for cancer cases diagnosed prior to 2001)² or version 3 (ICD-O-3, which was used for cancer cases diagnosed in and after 2001)³ codes and the major and minor cancer site groups of the SEER program were used to define cancer sites. The sites group definitions for major and minor sites are those established by the SEER program of the National Cancer Institute (NCI) and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.⁴⁻⁸ In this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. This change will have slight impact on cancer incidence rates for a few specific cancers, compared to using the previous site grouping method.

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat[®] software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 1998 – 2002. Rates are rounded to the nearest tenth and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95 percent level. The formulas for rate calculations are displayed in Appendix B.

Race Categories

The race-specific categories in this report are all races and whites for all 102 counties. Data for blacks are presented for 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will and Winnebago) with sufficient black population estimates and annual cancer incidence for blacks to allow meaningful statistics. Cases reported as “other” or “unknown” race are included in the “all races” category.

Hispanic Ethnicity

Hispanic ethnicity was determined by the NAACCR Hispanic identification algorithm (NHIA).⁹ NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United State.¹⁰ Section V contains tables

with cancer incidence occurring among Hispanic and non-Hispanics residing in five counties (Cook, DuPage, Kane, Lake and Will) with sufficient Hispanic populations as well as in all counties over 1998 – 2002.

Projections of Future Cancer Incidence in Illinois Counties

The age-sex-specific rates for the 19 standard five-year age groups for all sites combined and selected sites were applied to either aggregated population estimates or extrapolated estimates by individual year for the same age-sex groups to calculate expected number of new invasive cancer incidence counts in Illinois counties. Cancer incidence projections were made for 1999 – 2003, 2000 – 2004, 2001 – 2005 and 2002 – 2006. (Detailed methodology can be found on the IDPH Web site at <http://www.idph.state.il.us/about/epi/index.htm>).

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data. In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for 1996 through 2002.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2004, ISCR quality control data for the diagnosis years considered in this report (1998 – 2002) are as follow:

Year	Completeness (NAACCR Method) (%) (As of 11-04)	Pass EDITS (%)	DCO (%)	Unresolved Duplicate (%)	Missing Data Fields			
					Sex (%)	Age (%)	County (%)	Race (%)
1998-2002	100	100	2.22	0.02	0.0	0.0	0.0	1.32

Data Interpretation

Observed differences in cancer incidence among counties may be real, reflecting differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences may instead be the result of other factors. Any conclusions should be made only after carefully

considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 1998 – 2002 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. However, counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances exceeds 25 percent. At this level, interpretation of the rate is limited by excessive uncertainty and these rates should be evaluated cautiously.
- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95 percent probability where the “true” rate for the county or the state actually falls. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.¹¹
- Population estimates used for denominators may lack precision. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 1990 or 2000 census population counts.

REFERENCES

1. Lehnherr M, Havener LA. Assessment of interstate exchange of cancer data, 1986 – 1998. *ISCR Quality Control Series 02:1*. Springfield, Ill.: Illinois Department of Public Health, January 2002.
2. Percy C, Van Holten V, Muir C (eds). *International Classification of Diseases for Oncology*. 2nd edition. Geneva: World Health Organization, 1990.
3. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, Whelan S (eds). *International Classification of Diseases for Oncology*. 3rd edition. Geneva: World Health Organization, 2000.
4. Havener L and Hultstrom D (eds). *Standards for Cancer Registries, Vol II, Data Standards and Data Dictionary*. Version 11, Tenth Edition. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
5. NAACCR (North American Association of Central Cancer Registries). *Standards for Cancer Registries, Vol III, Standards for Completeness, Quality, Analysis and Management of Data*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
6. Ellison JH, Wu XC, Howe HL, McLaughlin C, Lake A, Firth R, Roney D, Sullivan S, Cormier M, Leonfellner S, Kosary C (eds). *Cancer in North America, 1998-2002. Volume One: Incidence*. Springfield, Ill.: North American Association of Central Cancer Registries, April 2005.
7. Ellison JH, Wu XC, Howe HL, McLaughlin C, Lake A, Firth R, Roney D, Sullivan S, Cormier M, Leonfellner S, Kosary C (eds). *Cancer in North America, 1998-2002. Volume Two: Mortality*. Springfield, Ill.: North American Association of Central Cancer Registries, April 2005.
8. Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, Mariotto A, Feuer EJ, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2002*, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2002, 2005.
9. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on Hispanic Identification 2003*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2003.
10. Howe HL. *Evaluation of NHIA Submissions for 1997 – 2001*. Springfield, Ill.: North American Association of Central Cancer Registries, October 2004.
11. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. *The American Statistician* 2001;55:182-186.

SECTION I.

Sex-specific Cancer Incidence by County Illinois, 1998 – 2002

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	291,741	485.6	483.8	487.3	147,507	577.2	574.2	580.2	144,234	427.4	425.2	429.6
Adams	2,085	490.3	469.0	512.3	1,128	605.9	570.8	642.7	957	411.0	384.3	439.4
Alexander	263	449.9	396.6	509.2	140	563.0	473.3	665.7	123	376.7	311.3	454.6
Bond	498	512.9	468.7	560.6	277	640.7	566.7	722.8	221	442.2	384.2	507.7
Boone	888	464.5	434.3	496.3	461	552.4	501.5	607.9	427	413.6	375.2	455.1
Brown	133	386.3	322.7	461.8	70	445.7	345.1	571.2	63	363.3	275.0	480.2
Bureau	1,096	481.3	452.6	511.6	547	557.7	511.7	607.2	549	440.4	402.4	481.8
Calhoun	140	404.5	339.0	483.2	72	440.7	343.6	563.1	68	379.7	291.6	497.9
Carroll	554	502.2	460.4	547.8	279	547.0	484.0	617.6	275	475.6	419.0	539.9
Cass	368	457.3	411.4	507.4	197	563.7	487.5	649.0	171	382.2	325.5	447.3
Champaign	3,407	477.4	461.5	493.8	1,717	558.8	532.3	586.4	1,690	424.3	404.2	445.3
Christian	1,111	512.4	482.3	544.1	587	628.3	578.3	681.6	524	432.3	394.3	473.7
Clark	495	463.4	422.8	507.4	258	550.6	485.1	623.5	237	400.5	349.0	458.7
Clay	463	489.4	444.5	538.1	247	609.6	535.5	692.0	216	408.3	352.3	472.2
Clinton	873	452.7	423.1	484.1	492	581.9	531.0	636.8	381	360.6	324.6	400.0
Coles	1,310	500.2	473.3	528.4	675	604.5	559.5	652.4	635	434.2	400.2	470.6
Cook	122,115	484.1	481.4	486.8	60,889	578.8	574.1	583.5	61,226	425.4	422.0	428.8
Crawford	639	516.9	477.2	559.6	326	595.5	532.4	665.2	313	472.5	419.7	531.2
Cumberland	328	508.5	454.5	568.0	173	628.6	537.6	732.5	155	434.9	366.8	514.0
DeKalb	1,728	488.7	465.8	512.4	847	558.6	521.2	598.2	881	446.6	417.2	477.5
DeWitt	466	475.3	432.7	521.3	245	565.5	496.4	642.7	221	415.9	361.3	477.6
Douglas	540	466.1	427.3	507.8	285	567.0	502.6	638.2	255	397.5	348.9	451.9
DuPage	19,093	481.3	474.4	488.2	9,342	560.8	549.1	572.7	9,751	434.1	425.5	442.9
Edgar	536	429.4	393.2	468.5	275	525.4	465.0	591.9	261	372.9	326.7	425.0
Edwards	221	491.2	427.3	563.4	114	568.8	468.6	686.6	107	437.0	354.6	536.5
Effingham	889	493.3	461.3	527.2	499	642.1	586.8	701.3	390	387.8	349.4	429.6
Fayette	546	432.5	396.7	471.0	291	529.4	470.0	594.7	255	375.3	329.1	427.2
Ford	436	467.3	423.0	515.9	218	556.4	484.4	637.8	218	419.3	361.6	485.3
Franklin	1,359	528.5	500.2	558.2	741	674.0	626.0	725.0	618	430.5	395.6	468.2
Fulton	1,222	494.1	466.2	523.4	663	601.1	556.0	649.2	559	427.1	390.8	466.5
Gallatin	215	511.8	444.1	589.0	113	607.8	498.6	736.8	102	436.1	352.9	538.9
Greene	485	530.3	483.3	581.3	254	636.0	559.6	720.7	231	464.5	404.2	532.7
Grundy	986	527.3	494.9	561.4	497	605.6	553.0	662.5	489	479.5	437.7	524.6
Hamilton	252	419.8	368.3	477.8	144	560.0	471.3	663.2	108	331.2	268.6	407.4
Hancock	633	479.3	442.1	519.4	337	584.6	523.6	651.9	296	407.7	360.6	460.6
Hardin	153	474.1	401.0	559.9	90	607.6	487.6	754.5	63	362.0	275.6	476.7
Henderson	246	469.9	412.4	534.9	133	572.5	477.4	683.6	113	408.8	335.5	497.8
Henry	1,508	492.8	468.1	518.8	798	593.3	552.7	636.3	710	422.6	391.3	456.3
Iroquois	944	468.7	438.7	500.5	503	560.3	512.1	612.4	441	403.8	365.3	446.3
Jackson	1,178	464.4	438.1	492.0	620	569.5	525.2	617.0	558	392.7	360.2	427.7
Jasper	298	492.0	437.1	553.1	158	588.8	500.4	689.7	140	420.4	351.5	502.3

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1,090	472.8	445.0	502.2	582	576.2	530.2	625.4	508	404.8	369.3	443.2
Jersey	494	414.7	378.8	453.5	255	482.2	424.2	546.8	239	367.8	322.0	419.3
Jo Daviess	787	526.6	490.0	565.8	431	622.4	564.2	685.8	356	452.0	405.1	504.5
Johnson	369	536.0	482.5	594.9	202	617.9	534.1	712.6	167	489.8	416.9	574.1
Kane	7,340	470.5	459.7	481.6	3,581	539.9	521.6	558.9	3,759	428.2	414.4	442.2
Kankakee	2,718	514.3	495.1	534.0	1,443	622.1	590.1	655.7	1,275	439.7	415.7	464.8
Kendall	1,067	476.1	447.4	506.2	533	539.7	492.5	591.1	534	432.8	396.5	471.8
Knox	1,713	489.5	466.3	513.8	840	549.3	512.7	588.1	873	454.9	424.0	487.9
Lake	12,572	489.9	481.2	498.7	6,150	546.9	532.7	561.6	6,422	453.3	442.2	464.6
LaSalle	3,372	506.4	489.2	524.0	1,746	597.4	569.6	626.3	1,626	449.1	426.8	472.5
Lawrence	505	485.7	442.9	532.3	247	547.1	480.4	621.8	258	453.8	396.5	518.9
Lee	993	496.2	465.7	528.4	532	592.0	542.5	645.3	461	432.7	393.5	475.5
Livingston	1,047	471.3	442.9	501.1	511	526.8	482.1	574.7	536	437.0	399.7	477.3
Logan	850	489.0	456.4	523.7	450	605.9	551.1	665.1	400	412.1	371.4	456.7
McDonough	798	472.9	440.1	507.9	391	544.4	491.6	602.1	407	432.8	389.9	480.0
McHenry	5,037	500.9	486.8	515.3	2,524	581.8	558.0	606.4	2,513	447.7	430.2	465.8
McLean	2,873	467.4	450.4	484.9	1,454	552.8	524.1	582.7	1,419	410.4	389.2	432.6
Macon	3,618	551.9	533.9	570.3	2,006	709.8	678.8	742.0	1,612	441.1	419.4	463.7
Macoupin	1,450	479.4	454.7	505.4	744	559.1	519.5	601.2	706	426.5	394.4	461.0
Madison	6,880	489.5	478.0	501.3	3,522	584.3	565.0	604.3	3,358	427.2	412.7	442.1
Marion	1,321	521.8	493.6	551.3	704	652.4	605.0	702.7	617	434.7	399.9	472.3
Marshall	431	488.5	442.6	539.0	238	606.5	531.4	690.9	193	412.0	353.4	480.5
Mason	583	580.1	533.5	630.4	334	721.7	646.1	804.9	249	469.6	411.2	535.3
Massac	460	482.2	438.4	529.6	241	587.5	515.3	667.8	219	420.4	364.6	483.6
Menard	319	479.2	427.6	536.1	160	544.5	462.3	638.5	159	436.5	370.2	513.7
Mercer	506	493.8	451.5	539.7	273	587.0	519.2	662.1	233	425.9	371.9	487.2
Monroe	672	464.2	429.7	501.0	355	561.9	504.0	625.6	317	392.5	349.9	439.7
Montgomery	946	509.5	477.0	543.9	476	589.5	537.6	645.4	470	465.6	422.5	512.9
Morgan	983	464.7	435.8	495.1	492	542.0	495.1	592.5	491	417.5	380.3	458.0
Moultrie	427	468.3	423.9	516.8	211	547.2	475.7	627.6	216	428.5	370.0	495.1
Ogle	1,244	459.4	434.1	485.8	624	510.4	470.8	552.8	620	427.4	394.1	463.2
Peoria	5,100	516.0	501.9	530.5	2,604	620.4	596.6	644.9	2,496	449.6	431.8	468.0
Perry	586	432.6	398.0	469.9	315	541.1	482.8	605.1	271	367.3	323.3	417.0
Piatt	462	472.4	430.1	518.5	238	547.7	479.7	624.3	224	412.7	359.1	473.8
Pike	546	469.3	429.7	512.3	291	568.6	504.7	639.2	255	398.1	348.1	455.2
Pope	86	296.9	236.5	374.4	42	309.4	221.2	433.2	44	280.5	201.4	396.0
Pulaski	193	423.0	364.3	490.1	108	570.5	467.1	693.1	85	321.7	253.7	405.9
Putnam	196	529.4	457.4	611.6	108	636.8	521.1	774.7	88	451.5	360.4	564.5
Randolph	919	469.1	438.9	501.0	487	576.2	526.0	630.2	432	395.7	357.6	437.4
Richland	479	478.9	436.2	525.2	265	603.5	532.5	682.0	214	392.4	339.4	452.4
Rock Island	4,263	501.7	486.7	517.1	2,273	615.8	590.6	641.8	1,990	423.9	405.1	443.4

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	6,685	520.7	508.3	533.4	3,355	621.7	600.6	643.4	3,330	455.9	440.4	471.8
Saline	842	474.2	442.0	508.4	449	610.1	554.7	670.1	393	389.3	349.9	432.8
Sangamon	4,876	484.9	471.4	498.7	2,395	573.5	550.5	597.2	2,481	433.1	416.0	450.7
Schuylar	194	397.2	342.2	460.5	98	448.8	363.7	550.9	96	366.4	294.0	456.9
Scott	137	402.0	336.9	477.8	67	443.8	343.2	569.2	70	372.9	288.1	479.5
Shelby	659	450.7	416.5	487.4	376	567.8	511.6	629.3	283	369.3	326.1	417.7
Stark	215	507.6	440.2	584.7	113	619.3	509.6	750.0	102	445.2	357.5	553.0
Stephenson	1,261	429.7	406.0	454.5	638	501.2	462.9	542.2	623	385.8	355.2	418.8
Tazewell	3,633	500.3	484.1	516.9	1,911	594.9	568.3	622.6	1,722	436.2	415.6	457.7
Union	553	477.8	438.2	520.8	298	581.2	516.7	652.6	255	408.7	358.1	466.1
Vermilion	2,510	506.5	486.7	526.9	1,304	597.9	565.7	631.8	1,206	449.5	423.9	476.4
Wabash	363	464.8	417.6	516.6	194	576.5	498.1	664.8	169	392.9	334.0	461.0
Warren	507	447.8	409.2	489.6	253	520.6	458.0	590.2	254	410.5	359.8	467.6
Washington	513	559.5	511.5	611.5	276	660.3	584.3	744.5	237	490.9	428.3	561.7
Wayne	515	451.3	412.3	493.5	270	557.6	492.5	629.7	245	385.0	336.0	440.6
White	514	469.4	428.5	514.1	265	545.4	481.2	617.4	249	423.6	369.2	485.8
Whiteside	1,754	488.0	465.2	511.7	924	584.3	547.1	623.6	830	423.1	394.1	454.0
Will	9,408	477.4	467.6	487.3	4,783	564.2	547.4	581.4	4,625	420.1	407.9	432.5
Williamson	1,805	478.7	456.7	501.6	995	616.3	578.3	656.3	810	383.7	357.0	412.3
Winnebago	6,901	488.7	477.3	500.4	3,389	556.8	538.0	576.2	3,512	448.1	433.3	463.3
Woodford	901	455.7	426.1	487.0	469	547.6	499.0	600.0	432	401.5	363.4	443.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	246,006	479.3	477.4	481.2	123,839	562.6	559.4	565.8	122,167	427.8	425.4	430.2
Adams	2,036	489.2	467.7	511.5	1,103	604.8	569.4	642.0	933	410.0	383.0	438.8
Alexander	212	480.5	416.5	554.1	117	613.6	506.4	741.9	95	389.6	312.4	486.8
Bond	486	521.5	475.9	570.8	267	644.3	568.6	728.3	219	450.8	391.3	518.2
Boone	868	458.3	428.2	490.1	451	546.1	495.3	601.5	417	408.1	369.8	449.6
Brown	129	392.5	326.8	470.2	66	451.6	348.6	579.9	63	363.6	275.3	480.9
Bureau	1,086	479.3	450.6	509.6	541	554.0	508.0	603.5	545	439.1	401.0	480.6
Calhoun	140	405.4	339.7	484.3	72	441.2	344.0	563.9	68	380.8	292.3	499.3
Carroll	545	497.2	455.4	542.7	273	538.3	475.6	608.7	272	473.6	417.0	538.2
Cass	362	451.0	405.4	500.8	191	547.0	471.9	631.2	171	383.3	326.4	448.5
Champaign	3,027	474.2	457.4	491.4	1,525	551.6	523.9	580.4	1,502	424.5	403.1	446.8
Christian	1,097	511.9	481.6	543.9	575	625.7	575.4	679.5	522	433.1	395.0	474.7
Clark	492	461.4	420.9	505.5	256	546.7	481.4	619.4	236	400.0	348.5	458.3
Clay	460	487.5	442.7	536.3	246	609.2	535.0	691.8	214	404.6	348.8	468.4
Clinton	862	454.3	424.3	486.0	488	587.3	535.8	643.0	374	357.8	321.7	397.2
Coles	1,286	497.6	470.5	525.9	656	595.2	550.3	643.0	630	437.1	402.7	474.0
Cook	87,625	474.2	471.1	477.4	43,235	553.4	548.2	558.7	44,390	428.0	424.0	432.1
Crawford	623	509.5	469.8	552.3	312	579.9	517.1	649.5	311	471.1	418.3	530.0
Cumberland	325	505.4	451.4	564.7	170	619.1	528.7	722.4	155	436.3	368.0	515.6
DeKalb	1,673	483.6	460.6	507.4	814	547.3	510.0	586.8	859	445.6	415.9	476.9
DeWitt	461	471.9	429.4	517.9	242	561.9	492.8	639.2	219	412.6	358.2	474.1
Douglas	532	461.1	422.4	502.8	280	559.2	495.2	630.1	252	394.3	345.8	448.7
DuPage	17,631	483.7	476.5	490.9	8,639	563.9	551.7	576.3	8,992	436.4	427.4	445.6
Edgar	528	426.6	390.3	465.8	270	520.5	460.2	587.2	258	370.4	324.2	422.5
Edwards	217	482.7	419.4	554.4	110	549.9	451.4	666.1	107	438.2	355.5	537.9
Effingham	879	489.1	457.1	522.9	492	635.3	580.3	694.4	387	385.9	347.5	427.7
Fayette	536	430.3	394.2	469.1	284	523.8	464.4	589.3	252	372.8	326.7	424.7
Ford	428	458.9	415.0	507.1	212	540.2	469.4	620.4	216	417.4	359.7	483.5
Franklin	1,355	529.0	500.6	558.7	737	672.9	624.9	724.0	618	432.1	397.1	470.0
Fulton	1,196	488.6	460.7	518.0	641	587.8	543.0	635.8	555	426.3	390.0	465.9
Gallatin	212	508.6	440.8	585.8	111	601.4	492.5	730.4	101	433.5	350.4	536.1
Greene	478	524.2	477.3	574.9	253	635.8	559.3	720.8	225	453.8	394.0	521.4
Grundy	970	520.9	488.5	554.8	488	596.9	544.6	653.5	482	474.6	432.9	519.5
Hamilton	250	418.1	366.6	476.2	142	554.5	466.0	657.5	108	332.4	269.5	409.0
Hancock	623	473.0	436.0	512.9	328	570.8	510.5	637.5	295	406.8	359.8	459.8
Hardin	152	475.0	401.3	561.8	90	618.5	495.8	769.0	62	354.9	269.7	468.6
Henderson	241	459.6	402.8	523.9	129	554.8	461.3	664.5	112	404.4	331.6	493.0
Henry	1,454	479.7	455.1	505.4	760	570.8	530.8	613.3	694	417.3	386.0	451.0
Iroquois	928	464.2	434.3	496.1	492	552.6	504.6	604.6	436	401.9	363.3	444.6
Jackson	1,061	458.1	430.7	486.9	561	562.8	516.9	612.1	500	387.0	353.0	423.9
Jasper	298	492.7	437.7	553.8	158	589.0	500.6	690.0	140	421.3	352.3	503.4

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1,034	469.2	440.8	499.3	551	571.6	524.7	621.9	483	401.8	365.7	441.1
Jersey	491	413.4	377.5	452.2	254	481.0	423.1	545.7	237	365.9	320.2	417.5
Jo Daviess	763	511.6	475.5	550.3	412	595.9	539.0	658.2	351	446.4	399.7	498.7
Johnson	361	541.2	486.4	601.5	195	617.7	532.8	713.7	166	489.2	416.1	573.9
Kane	6,732	457.5	446.5	468.7	3,296	526.1	507.5	545.3	3,436	415.5	401.6	429.8
Kankakee	2,354	501.2	481.1	521.9	1,238	599.2	566.0	634.1	1,116	435.0	409.5	461.8
Kendall	1,025	464.7	436.2	494.7	511	525.5	478.7	576.6	514	423.4	387.3	462.3
Knox	1,619	479.5	456.0	504.1	786	534.7	497.8	573.9	833	446.3	415.2	479.7
Lake	11,455	488.9	479.9	498.1	5,569	540.7	526.0	555.9	5,886	457.5	445.8	469.5
LaSalle	3,320	502.9	485.7	520.6	1,708	590.3	562.5	619.1	1,612	448.7	426.3	472.1
Lawrence	495	479.2	436.5	525.7	244	544.4	477.7	619.1	251	444.4	387.4	509.1
Lee	954	489.9	459.2	522.4	507	584.2	534.2	638.1	447	427.3	387.9	470.3
Livingston	1,007	459.5	431.2	489.3	498	522.9	477.9	571.2	509	417.0	380.4	456.9
Logan	816	479.7	447.0	514.5	428	592.3	537.5	651.7	388	406.9	366.0	451.9
McDonough	787	474.3	441.0	509.8	383	542.7	489.4	601.0	404	436.9	393.3	485.1
McHenry	4,921	497.3	483.2	511.8	2,454	574.0	550.3	598.6	2,467	447.2	429.5	465.5
McLean	2,734	463.3	446.0	481.1	1,372	542.4	513.6	572.6	1,362	411.0	389.3	433.6
Macon	3,299	551.9	533.1	571.3	1,795	691.6	659.7	724.8	1,504	454.9	431.6	479.4
Macoupin	1,425	474.8	450.1	500.8	732	554.1	514.6	596.2	693	422.1	390.0	456.6
Madison	6,489	486.5	474.7	498.5	3,317	578.4	558.7	598.7	3,172	426.3	411.4	441.7
Marion	1,270	518.4	489.9	548.3	672	642.1	594.4	693.0	598	437.2	401.5	475.6
Marshall	425	483.4	437.6	533.7	234	597.7	523.1	681.7	191	409.8	351.1	478.4
Mason	577	575.9	529.3	626.0	328	709.9	634.8	792.5	249	471.6	413.0	537.6
Massac	431	473.0	428.7	521.3	225	571.6	499.1	652.9	206	416.6	359.6	481.5
Menard	317	477.3	425.8	534.2	159	541.9	459.8	635.8	158	434.9	368.6	512.2
Mercer	491	480.2	438.4	525.6	263	567.4	500.7	641.5	228	417.9	364.4	478.8
Monroe	666	461.5	427.0	498.3	350	555.6	498.0	619.1	316	392.8	350.1	440.1
Montgomery	928	506.5	473.8	541.2	464	584.2	532.1	640.4	464	462.0	418.9	509.2
Morgan	950	462.6	433.4	493.6	467	530.4	483.3	581.3	483	422.2	384.2	463.6
Moultrie	424	464.9	420.7	513.2	210	545.1	473.7	625.3	214	424.3	366.2	490.6
Ogle	1,224	454.5	429.3	480.9	617	508.0	468.4	550.5	607	420.1	387.0	455.7
Peoria	4,502	505.2	490.4	520.3	2,290	602.7	578.2	628.1	2,212	444.7	425.9	464.3
Perry	574	435.2	400.0	473.3	305	539.7	480.6	604.7	269	370.6	326.1	421.1
Piatt	458	468.8	426.6	514.8	237	545.5	477.6	621.9	221	407.5	354.3	468.4
Pike	544	469.6	429.8	512.8	289	568.1	504.0	639.1	255	399.0	348.8	456.2
Pope	85	297.6	236.7	375.6	41	302.6	215.4	425.5	44	283.7	203.7	400.2
Pulaski	144	433.5	364.3	514.6	77	544.1	427.6	686.6	67	360.7	275.5	470.7
Putnam	195	528.5	456.5	610.9	107	634.0	518.3	772.0	88	452.4	361.1	565.8
Randolph	878	463.7	433.1	496.2	465	575.0	523.9	630.2	413	386.0	348.0	427.8
Richland	475	477.4	434.7	523.8	262	599.5	528.6	678.1	213	393.1	339.8	453.4
Rock Island	3,913	487.0	471.7	502.7	2,055	588.2	562.9	614.4	1,858	419.0	399.7	439.1

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	5,101	512.2	498.2	526.5	2,582	603.6	580.4	627.6	2,519	453.7	435.8	472.2
Saline	824	475.7	443.1	510.5	439	611.3	555.2	672.2	385	391.4	351.2	435.8
Sangamon	4,542	483.4	469.4	497.8	2,226	567.6	544.1	592.0	2,316	434.4	416.6	452.8
Schuyler	191	391.4	336.7	454.3	95	436.4	352.4	537.4	96	367.0	294.4	457.6
Scott	137	402.9	337.6	478.9	67	444.3	343.6	569.8	70	374.3	289.2	481.4
Shelby	653	447.3	413.2	483.9	370	560.2	504.3	621.4	283	370.1	326.8	418.7
Stark	210	494.5	428.0	570.7	109	596.4	488.9	725.0	101	441.7	354.2	549.3
Stephenson	1,185	422.1	398.1	447.5	601	493.5	454.7	535.3	584	378.1	346.9	412.0
Tazewell	3,541	491.1	475.0	507.7	1,846	578.7	552.3	606.1	1,695	432.1	411.5	453.6
Union	548	478.5	438.6	521.8	295	582.3	517.4	654.2	253	408.9	358.0	466.7
Vermilion	2,290	495.8	475.5	516.9	1,178	579.9	547.0	614.5	1,112	444.2	417.8	472.1
Wabash	361	463.6	416.4	515.4	194	578.9	500.1	667.6	167	388.4	329.8	456.4
Warren	490	439.1	400.6	480.9	243	508.2	445.9	577.7	247	404.4	353.8	461.7
Washington	507	555.6	507.6	607.6	272	652.8	577.2	736.9	235	489.5	426.8	560.4
Wayne	511	448.9	410.0	491.2	270	559.3	494.0	631.7	241	379.0	330.4	434.3
White	509	467.0	426.0	511.7	262	540.9	476.9	612.8	247	422.1	367.7	484.6
Whiteside	1,723	483.3	460.5	506.9	906	578.1	540.9	617.3	817	419.6	390.5	450.5
Will	8,398	472.2	462.0	482.6	4,226	551.7	534.4	569.5	4,172	421.5	408.7	434.5
Williamson	1,775	479.3	457.0	502.4	977	616.2	577.9	656.6	798	384.2	357.1	413.0
Winnebago	6,300	483.2	471.3	495.3	3,071	545.0	525.8	564.9	3,229	448.3	432.8	464.2
Woodford	894	453.5	423.9	484.9	466	545.2	496.6	597.5	428	399.1	361.0	440.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Blacks, All Sites, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	36,835	518.5	513.1	523.9	18,896	664.2	654.2	674.2	17,939	425.8	419.5	432.1
Champaign	283	512.1	451.9	579.1	145	638.7	529.3	774.3	138	429.2	359.1	509.8
Cook	29,536	518.6	512.6	524.7	15,045	665.9	654.8	677.1	14,491	425.7	418.8	432.8
DuPage	331	545.2	472.8	628.7	146	589.7	470.3	745.2	185	509.0	421.2	614.7
Kane	317	539.0	473.6	612.7	155	626.4	512.6	769.2	162	480.6	401.8	572.8
Kankakee	339	614.5	549.6	685.7	190	810.1	695.8	941.5	149	470.8	397.2	555.4
Lake	610	468.1	429.4	509.8	302	533.0	468.0	607.5	308	417.6	370.4	469.7
Macon	297	525.3	466.0	590.9	198	893.5	764.8	1047.1	99	287.1	232.5	351.7
Madison	332	510.4	456.5	569.4	176	670.2	571.7	784.0	156	402.4	341.1	471.9
Peoria	494	581.9	530.1	638.0	253	724.8	633.8	827.8	241	483.6	423.0	551.2
Rock Island	173	449.6	382.8	527.1	96	553.1	437.0	702.6	77	370.2	291.1	466.7
St. Clair	1,498	543.9	516.5	572.6	738	682.6	632.7	736.0	760	457.2	425.1	491.3
Sangamon	284	499.0	440.9	563.3	146	667.5	556.8	798.8	138	399.4	334.4	474.1
Vermilion	164	551.9	470.2	644.3	88	667.6	533.6	830.5	76	465.1	365.9	583.9
Will	729	495.5	456.7	537.3	413	654.8	583.7	735.0	316	375.8	332.4	423.9
Winnebago	475	524.8	476.7	577.4	254	671.0	585.7	770.0	221	416.7	361.8	478.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Colon and Rectum, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	35,927	59.8	59.2	60.4	17,926	72.1	71.0	73.2	18,001	51.0	50.3	51.8
Adams	265	58.7	51.7	66.5	127	67.5	56.2	80.5	138	52.7	43.9	63.1
Alexander	49	82.9	61.1	110.9	20	81.9	49.9	127.8	29	84.1	55.5	126.0
Bond	70	70.9	55.2	90.2	34	79.9	55.1	113.4	36	68.9	47.9	97.9
Boone	119	63.6	52.6	76.2	74	93.1	72.5	118.7	45	43.5	31.7	58.5
Brown	17	50.6	29.3	85.3	9	58.9	26.4	119.6	8	43.1	18.1	102.5
Bureau	152	63.6	53.8	75.2	72	72.2	56.4	91.5	80	56.4	44.2	72.1
Calhoun	22	60.9	37.8	98.7	11	71.1	35.0	136.6	11	52.0	25.7	114.2
Carroll	76	64.1	50.3	81.7	43	81.2	58.6	111.9	33	50.2	34.1	74.7
Cass	48	57.5	42.3	77.0	29	84.7	56.7	122.4	19	39.0	23.1	63.7
Champaign	358	50.4	45.3	55.9	187	62.4	53.7	72.4	171	40.9	34.9	47.6
Christian	152	66.6	56.2	78.5	75	82.6	64.9	103.8	77	55.0	42.9	70.5
Clark	57	50.9	38.4	67.0	31	65.0	44.1	93.7	26	38.2	24.5	59.2
Clay	77	78.3	61.2	99.3	39	95.4	67.6	131.8	38	66.5	45.9	95.3
Clinton	142	73.2	61.6	86.5	71	84.7	65.9	107.7	71	65.0	50.5	83.0
Coles	165	61.4	52.3	71.7	78	71.0	56.0	89.0	87	55.5	44.2	69.4
Cook	14,857	59.2	58.2	60.1	7,371	72.2	70.5	73.9	7,486	50.3	49.1	51.4
Crawford	102	79.6	64.8	97.6	40	75.0	53.5	103.6	62	82.7	62.8	108.7
Cumberland	47	68.9	50.5	92.8	22	78.7	49.1	122.1	25	57.5	36.5	90.0
DeKalb	202	57.3	49.7	65.9	94	63.0	50.8	77.5	108	52.9	43.3	64.2
DeWitt	56	55.8	42.1	73.3	27	64.2	42.1	95.3	29	50.7	33.5	75.4
Douglas	79	66.5	52.5	83.4	39	77.2	54.8	106.8	40	57.2	40.5	79.7
DuPage	2,051	53.3	51.0	55.6	1,013	63.5	59.5	67.8	1,038	46.3	43.5	49.2
Edgar	64	48.8	37.3	63.2	28	53.8	35.7	78.5	36	46.1	31.5	67.0
Edwards	34	75.7	52.0	108.3	16	83.4	47.5	138.8	18	62.3	36.2	106.4
Effingham	125	66.4	55.2	79.4	59	76.8	58.4	99.3	66	58.5	44.9	75.5
Fayette	83	64.7	51.4	80.8	39	71.6	50.8	98.7	44	62.9	45.1	86.6
Ford	75	72.5	56.5	92.8	38	94.9	67.0	132.7	37	60.2	41.3	87.8
Franklin	191	71.3	61.3	82.7	86	80.3	64.1	99.7	105	67.1	54.3	82.9
Fulton	154	61.8	52.3	72.9	80	73.2	58.0	91.6	74	55.1	42.8	70.8
Gallatin	32	77.6	52.4	113.2	12	65.6	33.2	120.3	20	85.0	50.4	141.7
Greene	79	83.7	66.0	105.3	42	104.9	75.5	143.1	37	70.1	48.6	99.8
Grundy	133	71.1	59.5	84.3	63	77.6	59.4	100.1	70	65.5	50.9	83.3
Hamilton	41	62.6	44.6	87.6	22	84.0	52.4	131.2	19	50.2	28.9	86.4
Hancock	86	61.2	48.8	76.6	40	68.7	49.0	95.0	46	53.9	38.9	74.9
Hardin	27	84.3	55.2	127.5	17	121.3	70.4	202.5	10	59.0	27.8	123.8
Henderson	31	57.9	39.2	84.8	19	78.3	46.7	127.2	12	41.2	20.9	80.0
Henry	198	61.9	53.5	71.5	97	72.4	58.7	88.7	101	52.6	42.6	65.0
Iroquois	141	65.5	55.0	77.9	75	82.9	65.1	104.8	66	50.6	38.8	66.4
Jackson	164	64.7	55.1	75.5	84	77.6	61.8	96.5	80	52.8	41.6	66.3
Jasper	48	77.7	57.0	104.8	28	104.2	69.2	152.6	20	57.8	34.6	95.4

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Colon and Rectum, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	152	62.9	53.3	74.1	80	79.8	63.2	99.7	72	48.8	37.9	62.6
Jersey	63	51.1	39.2	65.9	35	67.0	46.4	94.9	28	38.1	25.2	57.1
Jo Daviess	99	65.6	53.2	80.7	47	67.7	49.5	91.5	52	60.1	44.7	81.5
Johnson	43	62.9	45.5	86.0	15	47.9	26.5	81.7	28	74.8	49.6	111.8
Kane	854	57.5	53.7	61.5	426	68.2	61.6	75.5	428	49.5	44.9	54.5
Kankakee	326	61.3	54.8	68.4	171	74.9	63.9	87.3	155	50.9	43.1	59.7
Kendall	128	61.4	51.1	73.2	73	82.3	63.7	105.6	55	46.9	35.2	61.3
Knox	221	59.5	51.9	68.3	103	68.5	55.8	83.4	118	53.0	43.6	64.5
Lake	1,401	57.9	54.9	61.1	731	69.0	63.8	74.6	670	49.4	45.7	53.4
LaSalle	493	70.0	63.9	76.6	257	87.6	77.2	99.1	236	55.4	48.3	63.5
Lawrence	66	59.1	45.3	77.0	35	77.4	53.8	109.6	31	45.4	29.8	69.2
Lee	131	64.2	53.6	76.5	62	69.1	52.9	89.2	69	59.7	46.2	76.9
Livingston	121	51.6	42.7	61.9	62	64.0	49.1	82.3	59	42.3	31.9	55.8
Logan	111	60.8	49.9	73.8	67	90.7	70.3	115.8	44	38.4	27.6	53.4
McDonough	117	65.4	53.9	79.0	48	66.3	48.9	88.7	69	63.5	48.8	82.6
McHenry	593	62.6	57.6	68.0	312	76.0	67.4	85.7	281	52.2	46.3	58.8
McLean	351	57.9	52.0	64.3	180	70.9	60.7	82.4	171	47.9	40.9	55.8
Macon	441	65.6	59.6	72.1	227	80.9	70.6	92.5	214	54.0	46.9	62.1
Macoupin	226	71.4	62.2	81.7	111	82.8	68.0	100.0	115	62.7	51.3	76.4
Madison	937	65.7	61.5	70.0	459	78.6	71.5	86.4	478	57.2	52.1	62.7
Marion	165	62.4	53.1	73.1	73	68.9	54.0	87.0	92	58.9	47.0	73.5
Marshall	61	64.4	49.1	84.5	28	73.0	48.4	107.8	33	60.2	40.8	90.1
Mason	71	68.4	53.3	87.2	47	102.6	75.2	137.8	24	38.4	24.3	60.0
Massac	58	58.5	44.2	76.6	32	78.8	53.8	112.6	26	47.8	30.8	72.7
Menard	48	72.6	53.4	97.5	19	67.3	40.2	107.4	29	78.7	52.3	116.8
Mercer	60	56.8	43.3	74.0	36	76.8	53.7	107.6	24	38.7	24.6	60.6
Monroe	102	69.6	56.7	84.8	43	65.8	47.5	90.3	59	67.0	50.8	88.0
Montgomery	141	72.6	60.9	86.2	67	83.2	64.5	106.2	74	66.5	51.5	85.5
Morgan	143	65.4	55.1	77.5	68	75.8	58.8	96.5	75	59.2	46.2	75.5
Moultrie	55	56.3	42.1	74.6	24	62.5	40.0	94.5	31	55.1	36.6	82.1
Ogle	153	55.4	47.0	65.1	73	60.3	47.2	76.5	80	50.4	39.8	63.5
Peoria	613	60.2	55.5	65.2	293	71.3	63.3	80.1	320	52.0	46.4	58.3
Perry	98	71.1	57.6	87.4	46	79.3	58.0	106.6	52	65.7	48.6	88.8
Piatt	68	68.0	52.7	87.2	38	87.5	61.7	122.3	30	50.0	33.5	74.7
Pike	85	69.8	55.3	87.6	48	93.2	68.6	124.8	37	51.9	35.8	75.6
Pope	12	40.3	20.6	80.4	5	45.9	14.8	122.3	7	41.9	16.6	112.4
Pulaski	26	55.4	35.8	84.2	14	77.9	42.4	135.0	12	41.0	20.2	79.8
Putnam	20	52.1	31.8	83.7	12	76.4	38.7	139.9	8	35.6	15.2	81.8
Randolph	115	56.6	46.6	68.4	60	71.8	54.7	92.8	55	44.8	33.3	59.9
Richland	67	65.1	50.2	83.7	37	86.0	60.4	119.5	30	48.9	32.5	72.5
Rock Island	464	53.3	48.5	58.4	234	64.1	56.1	73.0	230	45.1	39.3	51.6

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Colon and Rectum, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	893	68.9	64.4	73.6	425	81.1	73.5	89.4	468	61.0	55.5	66.9
Saline	143	76.8	64.5	91.2	68	91.3	70.9	116.6	75	68.3	52.9	87.9
Sangamon	593	58.3	53.7	63.3	281	68.5	60.6	77.2	312	51.2	45.6	57.4
Schuyler	31	63.4	42.6	93.2	12	54.6	28.0	100.2	19	71.9	42.1	122.3
Scott	23	67.6	42.7	104.1	10	66.1	31.5	128.3	13	67.0	35.2	122.8
Shelby	104	69.5	56.6	84.9	52	77.6	57.9	102.8	52	64.2	47.5	86.5
Stark	33	71.9	49.0	105.2	18	96.3	56.9	158.8	15	58.1	31.2	107.2
Stephenson	165	53.6	45.7	62.8	81	64.2	51.0	80.3	84	47.0	37.2	59.2
Tazewell	411	55.5	50.2	61.2	197	64.2	55.4	74.1	214	49.3	42.8	56.6
Union	68	55.8	43.1	71.9	30	57.6	38.8	84.0	38	52.8	36.6	76.1
Vermilion	326	63.9	57.2	71.4	166	77.5	66.0	90.6	160	55.0	46.7	64.7
Wabash	58	70.4	53.2	92.3	34	101.6	70.3	143.4	24	48.4	30.4	76.1
Warren	68	57.4	44.5	73.7	33	68.7	47.1	97.6	35	48.2	33.2	69.9
Washington	82	81.7	64.8	102.6	43	104.0	75.2	141.6	39	67.3	47.4	95.3
Wayne	78	65.5	51.5	82.8	40	84.2	59.9	115.9	38	55.0	38.4	78.6
White	79	69.5	54.7	88.2	45	91.7	66.8	125.1	34	52.6	35.4	78.3
Whiteside	193	51.6	44.5	59.6	94	59.8	48.3	73.5	99	43.9	35.5	54.2
Will	1,062	57.1	53.6	60.7	555	69.8	63.7	76.3	507	48.0	43.9	52.4
Williamson	223	56.7	49.5	64.9	110	69.3	56.8	83.8	113	47.9	39.3	58.3
Winnebago	825	58.4	54.5	62.5	426	70.6	64.0	77.8	399	48.5	43.8	53.6
Woodford	101	49.1	39.9	60.2	57	66.6	50.4	86.8	44	36.3	26.0	50.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Colon and Rectum, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	30,453	58.6	57.9	59.3	15,312	71.1	70.0	72.3	15,141	49.5	48.7	50.3
Adams	261	59.0	51.9	66.9	127	68.8	57.3	82.1	134	52.3	43.4	62.8
Alexander	40	88.3	62.6	124.6	16	85.4	48.6	145.9	24	91.5	57.4	147.5
Bond	70	73.3	57.1	93.3	34	82.6	57.0	117.1	36	70.8	49.2	100.8
Boone	113	61.0	50.2	73.4	72	91.7	71.1	117.2	41	39.9	28.6	54.4
Brown	17	51.9	30.1	87.2	9	61.4	27.9	123.3	8	43.1	18.1	102.8
Bureau	152	63.9	54.0	75.6	72	72.4	56.6	91.9	80	56.8	44.5	72.5
Calhoun	22	61.0	37.9	99.0	11	71.1	35.0	136.9	11	52.1	25.7	114.3
Carroll	75	63.8	50.0	81.5	42	80.0	57.5	110.8	33	50.6	34.3	75.4
Cass	48	57.6	42.4	77.1	29	84.8	56.7	122.5	19	39.0	23.2	63.9
Champaign	313	48.5	43.3	54.2	167	61.9	52.8	72.3	146	38.0	32.0	44.9
Christian	152	67.3	56.8	79.5	75	84.3	66.2	106.1	77	55.3	43.1	70.9
Clark	57	51.0	38.5	67.1	31	65.0	44.1	93.8	26	38.3	24.5	59.3
Clay	76	77.5	60.5	98.5	38	93.3	65.8	129.5	38	66.9	46.1	95.9
Clinton	139	72.4	60.8	85.7	69	83.4	64.8	106.5	70	64.5	50.0	82.4
Coles	163	61.4	52.3	71.9	77	71.0	56.0	89.1	86	55.7	44.2	69.7
Cook	10,588	56.4	55.3	57.5	5,345	69.9	68.0	71.8	5,243	46.8	45.6	48.2
Crawford	102	80.6	65.6	98.9	40	76.7	54.7	105.9	62	83.1	63.0	109.3
Cumberland	47	69.0	50.6	93.0	22	78.8	49.2	122.3	25	57.7	36.6	90.2
DeKalb	199	57.5	49.7	66.1	92	62.7	50.4	77.3	107	53.3	43.5	64.7
DeWitt	55	55.0	41.3	72.5	26	62.3	40.5	93.3	29	50.9	33.6	75.7
Douglas	78	65.8	51.9	82.8	39	77.4	55.0	107.2	39	55.8	39.3	78.2
DuPage	1,923	53.8	51.4	56.3	950	64.8	60.6	69.2	973	46.5	43.6	49.6
Edgar	64	49.2	37.7	63.8	28	54.5	36.2	79.6	36	46.3	31.6	67.4
Edwards	34	75.9	52.1	108.6	16	83.7	47.6	139.2	18	62.4	36.3	106.6
Effingham	125	66.6	55.4	79.6	59	77.0	58.6	99.6	66	58.6	45.0	75.7
Fayette	82	64.7	51.3	80.9	39	72.2	51.3	99.6	43	62.1	44.4	85.8
Ford	75	72.8	56.7	93.2	38	95.1	67.1	133.1	37	60.5	41.4	88.2
Franklin	191	71.5	61.5	83.0	86	80.6	64.4	100.1	105	67.4	54.5	83.2
Fulton	152	61.6	52.0	72.8	78	72.2	57.0	90.7	74	55.4	43.0	71.2
Gallatin	32	78.1	52.7	113.8	12	65.9	33.4	120.9	20	85.4	50.7	142.3
Greene	79	83.9	66.1	105.6	42	105.3	75.7	143.6	37	70.2	48.7	100.0
Grundy	131	70.2	58.7	83.4	62	76.6	58.5	99.0	69	64.8	50.3	82.5
Hamilton	41	62.8	44.7	87.8	22	84.3	52.6	131.6	19	50.3	29.0	86.7
Hancock	84	59.8	47.6	75.1	38	65.5	46.3	91.5	46	53.9	38.9	75.1
Hardin	27	85.2	55.8	129.0	17	123.4	71.4	206.3	10	59.3	27.9	124.5
Henderson	31	57.9	39.3	84.8	19	78.3	46.7	127.3	12	41.2	20.9	80.1
Henry	189	59.5	51.3	68.9	91	68.5	55.1	84.5	98	51.5	41.6	63.9
Iroquois	138	64.2	53.8	76.5	72	80.0	62.5	101.6	66	51.0	39.1	66.9
Jackson	150	64.1	54.2	75.5	78	78.1	61.6	97.9	72	50.8	39.5	65.0
Jasper	48	77.8	57.1	105.0	28	104.2	69.2	152.7	20	57.9	34.7	95.6

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Colon and Rectum, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	144	62.2	52.3	73.6	77	80.1	63.1	100.6	67	47.8	36.7	62.0
Jersey	63	51.2	39.3	66.1	35	67.2	46.5	95.0	28	38.2	25.2	57.3
Jo Daviess	98	64.9	52.6	80.0	46	66.3	48.3	89.9	52	60.2	44.7	81.6
Johnson	42	61.8	44.5	84.9	14	45.5	24.6	78.9	28	75.0	49.7	112.3
Kane	795	56.3	52.4	60.4	399	67.4	60.7	74.8	396	47.9	43.3	53.0
Kankakee	295	61.9	55.0	69.4	155	75.7	64.2	89.0	140	51.2	43.0	60.7
Kendall	126	61.2	50.8	73.0	73	83.0	64.3	106.5	53	46.0	34.4	60.5
Knox	216	60.1	52.2	69.0	100	69.0	56.1	84.4	116	53.9	44.2	65.7
Lake	1,266	57.0	53.9	60.3	660	68.2	62.8	73.9	606	48.6	44.8	52.7
LaSalle	488	69.7	63.6	76.3	252	86.7	76.2	98.2	236	55.8	48.6	63.9
Lawrence	65	59.1	45.2	77.1	35	78.2	54.3	110.6	30	45.1	29.4	69.1
Lee	125	62.7	52.1	75.1	61	70.1	53.5	90.7	64	56.1	42.9	73.1
Livingston	121	52.0	43.0	62.6	62	64.8	49.6	83.3	59	42.5	32.0	56.2
Logan	109	60.8	49.8	74.0	66	91.5	70.7	116.9	43	38.3	27.3	53.4
McDonough	117	66.3	54.6	80.3	48	67.3	49.6	90.3	69	64.4	49.4	83.9
McHenry	589	63.1	58.0	68.5	312	77.0	68.2	86.7	277	52.3	46.3	58.9
McLean	335	57.2	51.3	63.7	175	71.4	61.0	83.1	160	46.1	39.1	54.0
Macon	404	65.2	59.0	72.0	202	77.8	67.4	89.7	202	55.7	48.1	64.4
Macoupin	223	71.0	61.8	81.3	109	81.9	67.2	99.2	114	62.6	51.2	76.4
Madison	893	65.7	61.4	70.2	439	78.9	71.6	86.9	454	57.0	51.8	62.7
Marion	161	63.0	53.4	73.9	70	68.3	53.2	86.7	91	60.7	48.3	75.9
Marshall	61	64.6	49.2	84.8	28	73.2	48.5	108.1	33	60.4	40.9	90.5
Mason	71	68.6	53.4	87.4	47	102.8	75.4	138.1	24	38.6	24.5	60.3
Massac	55	57.6	43.2	76.2	31	79.7	54.0	114.6	24	45.2	28.6	70.3
Menard	48	72.8	53.5	97.8	19	67.6	40.4	107.9	29	78.8	52.5	117.0
Mercer	60	56.9	43.4	74.2	36	77.0	53.9	108.0	24	38.7	24.7	60.7
Monroe	101	69.1	56.2	84.3	42	64.5	46.3	88.8	59	67.2	50.9	88.3
Montgomery	138	71.9	60.2	85.6	65	81.8	63.1	104.7	73	65.9	51.0	84.9
Morgan	137	64.4	54.0	76.6	64	73.1	56.3	93.9	73	59.4	46.1	76.1
Moultrie	55	56.3	42.1	74.7	24	62.6	40.1	94.6	31	55.1	36.6	82.2
Ogle	147	53.4	45.1	63.0	70	58.4	45.4	74.4	77	48.4	38.0	61.2
Peoria	554	59.4	54.5	64.7	272	72.7	64.3	82.0	282	49.5	43.8	56.0
Perry	96	71.4	57.7	88.0	44	79.2	57.5	107.1	52	66.9	49.5	90.5
Piatt	67	67.0	51.9	86.2	38	87.5	61.7	122.3	29	48.1	32.0	72.5
Pike	85	70.1	55.5	88.1	48	94.0	69.1	126.2	37	52.0	35.8	75.7
Pope	11	37.9	18.7	77.7	4	36.2	9.7	109.1	7	42.2	16.7	112.8
Pulaski	20	58.1	35.1	94.1	9	66.2	29.9	132.1	11	51.9	24.8	106.9
Putnam	20	52.2	31.9	83.9	12	76.5	38.8	140.2	8	35.6	15.2	82.2
Randolph	111	56.0	46.0	68.0	57	70.2	53.2	91.4	54	45.0	33.4	60.6
Richland	66	64.5	49.6	83.2	37	86.4	60.7	120.2	29	47.5	31.3	71.0
Rock Island	433	52.0	47.2	57.3	218	62.7	54.6	71.7	215	44.0	38.1	50.6

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Colon and Rectum, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	707	69.2	64.2	74.5	349	83.2	74.6	92.6	358	59.8	53.6	66.6
Saline	138	75.7	63.3	90.2	65	89.2	68.8	114.6	73	67.9	52.4	87.9
Sangamon	557	58.2	53.5	63.3	263	68.2	60.1	77.2	294	51.1	45.4	57.6
Schuyler	31	63.5	42.7	93.4	12	54.7	28.1	100.4	19	72.0	42.1	122.5
Scott	23	67.8	42.8	104.4	10	66.2	31.6	128.5	13	67.2	35.3	123.2
Shelby	104	69.6	56.8	85.1	52	77.9	58.1	103.1	52	64.4	47.6	86.7
Stark	33	72.0	49.1	105.3	18	96.3	56.9	158.9	15	58.3	31.3	107.5
Stephenson	159	53.6	45.5	63.1	78	64.4	50.8	81.0	81	47.0	37.0	59.6
Tazewell	405	55.0	49.7	60.6	196	64.1	55.3	74.0	209	48.3	41.9	55.6
Union	68	56.3	43.5	72.6	30	58.2	39.2	84.9	38	53.2	36.9	76.8
Vermilion	296	61.9	55.0	69.5	145	72.0	60.6	85.1	151	55.1	46.5	65.2
Wabash	58	70.5	53.3	92.6	34	101.9	70.6	143.8	24	48.5	30.4	76.4
Warren	66	56.3	43.4	72.5	33	69.6	47.8	99.0	33	45.4	30.9	66.7
Washington	81	81.1	64.2	102.0	42	101.6	73.1	139.0	39	67.5	47.5	95.6
Wayne	78	65.7	51.6	83.0	40	84.3	60.1	116.2	38	55.2	38.5	78.9
White	79	69.7	54.8	88.5	45	91.9	67.0	125.4	34	52.8	35.5	78.6
Whiteside	192	51.7	44.6	59.8	94	60.3	48.7	74.0	98	43.7	35.2	54.0
Will	938	55.5	51.9	59.2	492	68.1	61.9	74.8	446	46.3	42.1	50.8
Williamson	220	56.8	49.5	65.0	108	69.1	56.6	83.8	112	48.1	39.4	58.6
Winnebago	746	56.7	52.7	61.0	387	69.2	62.4	76.6	359	46.8	42.0	52.0
Woodford	100	48.7	39.5	59.8	56	65.5	49.4	85.6	44	36.4	26.1	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Blacks, Colon and Rectum, 1998 - 2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	4,559	67.3	65.3	69.3	2,132	78.7	75.2	82.4	2,427	59.9	57.5	62.3
Champaign	29	55.3	36.4	81.8	15	59.3	32.2	118.4	14	47.8	25.9	81.5
Cook	3,698	67.6	65.4	69.9	1,722	79.8	75.9	83.9	1,976	59.9	57.2	62.6
DuPage	39	73.1	47.3	111.5	15	63.4	27.8	145.6	24	80.9	47.2	135.5
Kane	35	68.2	45.5	100.4	14	54.7	27.2	118.1	21	75.8	44.9	122.3
Kankakee	31	60.3	40.6	87.0	16	73.6	41.3	125.6	15	50.7	28.2	85.5
Lake	77	62.3	48.4	79.5	35	60.6	40.2	91.8	42	62.1	44.3	85.4
Macon	34	65.7	45.1	93.2	23	116.3	70.6	192.2	11	34.6	17.2	63.4
Madison	42	66.6	47.9	90.6	19	73.0	43.5	119.5	23	60.9	38.5	92.2
Peoria	54	69.6	51.8	92.1	19	54.0	31.5	90.1	35	78.3	54.2	110.0
Rock Island	18	44.2	26.0	74.1	9	40.5	17.9	105.0	9	43.8	20.0	87.2
St. Clair	173	65.3	55.9	76.0	71	69.0	53.4	88.5	102	63.1	51.4	76.8
Sangamon	35	64.7	44.7	91.6	18	89.4	51.0	151.3	17	50.2	29.1	81.8
Vermilion	27	93.8	61.7	137.0	19	156.1	92.7	252.2	8	50.7	21.8	101.2
Will	103	76.4	61.0	95.1	51	95.1	66.5	134.4	52	66.4	48.5	89.4
Winnebago	57	68.3	51.0	90.6	31	78.5	51.7	120.9	26	58.6	37.9	87.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Lung and Bronchus, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	43,458	72.8	72.1	73.5	24,549	97.1	95.9	98.4	18,909	55.8	55.0	56.6
Adams	357	83.0	74.4	92.3	217	115.3	100.4	132.0	140	60.1	50.2	71.5
Alexander	56	95.3	71.9	125.0	36	142.0	99.3	198.0	20	58.0	35.2	94.4
Bond	84	86.9	69.2	108.1	54	121.0	90.7	159.6	30	57.7	38.5	84.8
Boone	115	61.9	51.1	74.4	68	82.6	63.7	106.4	47	46.6	34.2	62.3
Brown	19	58.6	35.2	95.3	12	85.2	43.8	154.7	7	43.4	17.2	104.7
Bureau	179	76.6	65.7	89.2	105	104.5	85.4	127.2	74	55.7	43.3	71.7
Calhoun	26	72.0	46.8	111.7	16	94.8	53.9	163.6	10	52.7	24.8	116.9
Carroll	100	90.2	73.1	111.1	58	115.8	87.7	152.0	42	70.5	50.4	99.0
Cass	61	73.3	56.0	94.9	38	107.6	76.0	148.5	23	46.7	29.3	72.7
Champaign	472	67.7	61.8	74.1	255	85.4	75.1	96.8	217	56.0	48.7	64.0
Christian	231	104.6	91.5	119.5	130	138.1	115.3	164.3	101	80.3	65.0	99.1
Clark	75	69.7	54.7	88.4	49	103.5	76.5	138.3	26	43.3	28.0	66.0
Clay	73	73.7	57.5	93.8	42	101.1	72.8	138.0	31	57.4	38.3	84.8
Clinton	137	69.6	58.4	82.5	96	112.7	91.1	138.5	41	36.9	26.3	51.0
Coles	240	90.5	79.4	103.0	136	121.2	101.6	143.7	104	69.1	56.2	84.5
Cook	17,637	70.4	69.3	71.4	9,717	93.2	91.4	95.1	7,920	54.6	53.4	55.8
Crawford	88	69.2	55.4	86.1	57	103.4	78.2	135.5	31	43.9	29.5	64.6
Cumberland	48	72.9	53.6	97.7	33	116.4	79.9	166.2	15	37.9	21.0	66.8
DeKalb	237	68.4	60.0	77.7	128	86.8	72.3	103.6	109	56.0	45.9	67.8
DeWitt	84	82.9	66.0	103.3	59	134.4	102.2	175.2	25	44.1	28.3	67.3
Douglas	83	70.6	56.1	88.1	55	109.9	82.6	144.3	28	41.0	27.1	61.0
DuPage	2,370	62.6	60.1	65.2	1,240	79.2	74.7	83.9	1,130	52.3	49.3	55.5
Edgar	93	73.6	59.3	91.0	59	111.7	85.0	144.8	34	47.8	32.6	69.4
Edwards	42	92.4	66.3	127.1	33	163.8	112.5	233.3	9	34.4	15.5	72.8
Effingham	123	67.9	56.4	81.2	74	95.6	75.1	120.3	49	47.3	34.9	63.3
Fayette	82	65.1	51.7	81.3	53	97.7	73.1	128.6	29	42.3	28.0	62.7
Ford	65	69.4	53.2	90.0	36	91.4	63.9	128.9	29	56.1	36.8	84.5
Franklin	252	96.9	85.2	110.1	161	143.4	122.0	167.9	91	62.8	50.1	78.4
Fulton	217	86.6	75.3	99.5	131	118.0	98.6	140.6	86	62.1	49.3	78.1
Gallatin	42	95.2	68.3	131.8	22	115.5	71.6	180.5	20	81.9	49.7	135.5
Greene	88	93.6	74.8	116.5	57	140.5	106.2	183.4	31	58.7	39.1	86.4
Grundy	133	71.5	59.9	84.8	84	103.3	82.2	128.8	49	47.1	34.8	62.7
Hamilton	44	71.4	51.6	98.2	28	105.1	69.5	155.8	16	45.3	25.5	80.0
Hancock	94	70.6	56.9	87.3	53	91.1	68.2	120.7	41	57.2	40.6	80.2
Hardin	33	98.1	67.3	142.5	18	119.9	70.8	198.6	15	78.7	43.9	144.9
Henderson	42	78.1	56.2	108.1	26	112.9	73.0	170.1	16	53.2	30.3	93.6
Henry	213	68.3	59.4	78.4	135	99.5	83.4	118.1	78	46.0	36.2	58.2
Iroquois	141	68.1	57.2	80.9	85	92.9	74.2	115.7	56	49.8	37.4	66.4
Jackson	170	67.8	58.0	78.9	107	100.0	81.8	121.2	63	44.2	33.8	57.1
Jasper	55	88.6	66.5	117.1	30	112.6	76.0	162.7	25	71.7	45.7	112.0

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Lung and Bronchus, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	154	66.1	56.0	77.7	99	97.9	79.5	119.6	55	42.7	32.0	56.5
Jersey	70	57.3	44.7	73.0	41	77.2	55.2	106.3	29	44.0	29.3	64.8
Jo Daviess	101	65.7	53.4	80.7	58	84.4	63.8	110.6	43	54.3	39.1	75.8
Johnson	54	79.1	59.3	104.5	38	123.6	86.8	172.3	16	42.4	24.2	72.9
Kane	974	66.7	62.6	71.1	539	86.8	79.4	94.9	435	52.8	47.9	58.0
Kankakee	454	85.3	77.6	93.5	267	114.7	101.3	129.7	187	63.8	55.0	73.8
Kendall	149	70.9	59.8	83.5	91	97.6	77.8	121.9	58	50.5	38.2	65.5
Knox	312	86.7	77.2	97.1	177	115.0	98.7	133.6	135	66.4	55.4	79.4
Lake	1,640	67.8	64.5	71.2	830	79.3	73.8	85.2	810	60.2	56.1	64.5
LaSalle	575	85.7	78.8	93.1	339	114.1	102.3	127.1	236	64.3	56.2	73.5
Lawrence	86	79.2	63.1	99.3	56	121.4	91.5	159.5	30	48.5	32.2	73.1
Lee	137	68.8	57.7	81.6	83	91.7	72.9	114.2	54	52.5	39.3	69.4
Livingston	152	69.1	58.5	81.2	86	88.8	71.0	109.8	66	55.5	42.7	71.5
Logan	136	77.5	64.9	92.1	83	111.7	88.9	139.0	53	53.6	39.9	71.4
McDonough	121	70.3	58.2	84.6	67	91.9	71.2	117.6	54	56.5	42.1	75.4
McHenry	678	71.4	66.0	77.1	369	89.4	80.1	99.7	309	58.7	52.3	65.8
McLean	379	63.7	57.4	70.5	210	82.5	71.6	94.8	169	50.9	43.5	59.2
Macon	591	88.5	81.5	96.0	339	117.8	105.5	131.3	252	66.3	58.3	75.3
Macoupin	243	79.4	69.6	90.4	141	104.8	88.2	123.9	102	61.2	49.6	75.3
Madison	1,213	85.5	80.8	90.5	694	115.9	107.3	125.0	519	65.0	59.5	70.9
Marion	229	89.1	77.9	101.8	131	120.6	100.8	143.4	98	66.9	54.1	82.5
Marshall	64	69.7	53.6	90.6	44	109.2	79.3	149.0	20	43.8	26.5	72.3
Mason	100	97.8	79.5	119.8	65	139.3	107.5	178.9	35	64.2	44.4	91.5
Massac	93	94.4	76.0	116.5	56	132.5	100.0	173.4	37	68.5	47.8	96.7
Menard	49	73.1	54.0	97.9	30	103.7	69.5	150.4	19	51.3	30.6	84.1
Mercer	80	76.9	60.9	96.6	46	100.1	73.2	134.7	34	59.6	41.0	86.1
Monroe	92	64.1	51.6	78.9	51	84.1	62.2	112.2	41	52.3	37.4	72.0
Montgomery	171	89.7	76.5	104.8	111	138.1	113.5	166.7	60	55.5	41.8	73.3
Morgan	178	82.7	71.0	96.1	105	115.1	94.1	139.7	73	60.1	46.9	76.7
Moultrie	72	79.8	62.2	101.6	39	101.4	72.0	140.0	33	63.8	43.4	92.9
Ogle	191	69.8	60.2	80.6	107	87.8	71.8	106.6	84	56.6	45.1	70.7
Peoria	834	83.8	78.2	89.7	484	116.1	105.9	127.1	350	62.6	56.1	69.7
Perry	85	64.7	51.6	80.7	53	89.8	67.2	118.1	32	47.3	32.1	68.8
Piatt	63	63.6	48.9	82.5	39	90.7	64.1	126.4	24	44.5	28.3	69.3
Pike	87	72.7	58.0	90.8	51	96.8	72.0	128.5	36	54.4	37.5	78.8
Pope	15	50.2	27.9	92.2	11	74.5	36.9	152.3	4	22.5	5.9	88.2
Pulaski	38	79.5	55.9	111.8	27	138.2	90.7	205.7	11	38.3	18.4	76.2
Putnam	36	96.7	67.7	136.7	21	115.3	71.3	182.5	15	81.9	45.5	143.1
Randolph	141	72.8	61.2	86.3	78	93.0	73.5	116.5	63	58.0	44.2	75.5
Richland	81	78.6	62.2	98.5	50	112.9	83.6	150.0	31	53.6	36.0	78.5
Rock Island	664	76.8	71.1	82.9	371	100.1	90.1	110.9	293	59.7	53.0	67.2

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Races, Lung and Bronchus, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	1,143	88.8	83.7	94.1	657	122.5	113.3	132.5	486	65.8	60.1	72.0
Saline	188	104.8	90.2	121.5	111	149.5	122.9	180.8	77	75.8	59.5	96.4
Sangamon	778	77.4	72.0	83.1	438	105.5	95.8	116.1	340	59.1	52.9	65.8
Schuylar	33	69.1	47.3	99.8	22	99.5	62.2	154.8	11	42.4	20.6	85.8
Scott	21	61.0	37.5	96.1	13	89.6	47.6	159.0	8	38.5	15.9	86.2
Shelby	116	76.9	63.5	93.0	75	111.5	87.6	140.7	41	49.6	35.3	69.4
Stark	32	74.8	50.7	109.5	19	107.1	64.3	173.2	13	53.3	27.6	101.6
Stephenson	165	56.0	47.8	65.6	99	76.4	62.1	93.4	66	40.5	31.1	52.4
Tazewell	587	79.5	73.2	86.3	326	102.2	91.3	114.2	261	64.0	56.4	72.5
Union	97	82.0	66.3	101.0	60	113.5	86.5	147.7	37	56.6	39.5	81.0
Vermilion	463	91.5	83.3	100.3	279	126.4	111.9	142.4	184	65.9	56.6	76.6
Wabash	73	93.7	73.3	118.9	46	135.8	99.4	182.6	27	63.9	41.6	96.1
Warren	76	65.5	51.5	82.7	46	92.1	67.3	123.9	30	46.9	31.3	69.2
Washington	55	58.5	44.0	77.3	33	77.9	53.5	111.0	22	43.4	26.9	68.7
Wayne	96	82.1	66.3	101.3	59	118.8	90.3	154.5	37	56.0	38.9	80.2
White	93	83.5	67.1	103.8	57	114.2	86.4	150.2	36	63.0	43.5	91.1
Whiteside	258	70.3	61.9	79.6	162	101.6	86.5	118.8	96	47.6	38.4	58.7
Will	1,402	75.1	71.2	79.2	794	98.6	91.6	106.2	608	58.3	53.7	63.1
Williamson	308	79.9	71.2	89.6	198	121.2	104.9	139.7	110	50.4	41.3	61.4
Winnebago	1,091	77.2	72.7	81.9	626	103.5	95.4	112.1	465	58.8	53.6	64.5
Woodford	100	50.4	41.0	61.7	59	70.6	53.7	91.5	41	38.1	27.1	52.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Lung and Bronchus, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	36,754	71.6	70.9	72.4	20,583	94.3	93.0	95.6	16,171	55.9	55.0	56.8
Adams	351	83.2	74.6	92.7	213	115.5	100.4	132.3	138	60.4	50.5	72.1
Alexander	44	97.0	70.2	134.3	30	152.9	102.9	225.2	14	51.2	27.7	97.6
Bond	81	86.9	68.9	108.6	52	121.7	90.7	161.2	29	57.4	38.1	85.4
Boone	114	61.8	50.9	74.3	68	83.1	64.1	107.0	46	46.0	33.6	61.6
Brown	18	55.9	33.0	92.2	11	79.3	39.4	147.6	7	43.4	17.2	105.0
Bureau	179	77.0	66.0	89.7	105	104.9	85.7	127.6	74	56.1	43.6	72.2
Calhoun	26	72.1	46.8	111.9	16	94.8	53.9	163.8	10	52.8	24.8	117.2
Carroll	99	90.0	72.9	111.0	57	114.8	86.8	151.1	42	71.1	50.9	99.9
Cass	61	73.5	56.1	95.1	38	107.8	76.2	148.8	23	46.7	29.4	72.9
Champaign	426	67.6	61.3	74.4	230	85.0	74.3	96.9	196	56.3	48.6	64.9
Christian	228	104.0	90.8	118.9	127	136.4	113.6	162.8	101	80.8	65.3	99.6
Clark	75	69.8	54.8	88.6	49	103.6	76.5	138.4	26	43.3	28.0	66.1
Clay	73	73.9	57.6	94.1	42	101.3	72.9	138.3	31	57.6	38.4	85.2
Clinton	137	70.4	59.1	83.5	96	113.9	92.1	140.0	41	37.3	26.6	51.6
Coles	236	90.1	78.9	102.6	134	120.9	101.2	143.6	102	68.5	55.6	84.0
Cook	12,383	66.9	65.7	68.1	6,634	85.7	83.6	87.8	5,749	54.1	52.7	55.5
Crawford	85	66.7	53.2	83.4	54	98.6	74.0	130.2	31	44.1	29.6	65.0
Cumberland	47	71.6	52.5	96.3	32	112.9	77.0	162.2	15	38.0	21.1	67.0
DeKalb	234	68.8	60.2	78.2	127	87.6	73.0	104.6	107	56.1	45.9	68.0
DeWitt	84	83.2	66.3	103.7	59	135.0	102.6	176.0	25	44.2	28.4	67.5
Douglas	82	69.9	55.5	87.4	54	108.4	81.3	142.7	28	41.1	27.1	61.2
DuPage	2,251	64.0	61.3	66.7	1,170	80.4	75.8	85.3	1,081	53.9	50.7	57.3
Edgar	93	74.1	59.6	91.6	59	112.3	85.4	145.6	34	48.1	32.8	69.9
Edwards	41	90.6	64.7	125.2	32	159.7	109.0	228.7	9	34.5	15.6	72.9
Effingham	123	68.0	56.5	81.4	74	96.0	75.3	120.7	49	47.4	34.9	63.4
Fayette	80	64.1	50.7	80.4	51	95.0	70.6	125.6	29	42.4	28.0	62.9
Ford	65	69.6	53.4	90.4	36	91.6	64.0	129.3	29	56.4	37.0	84.9
Franklin	251	96.9	85.1	110.1	160	143.1	121.7	167.6	91	63.0	50.3	78.7
Fulton	216	87.0	75.6	99.9	130	118.3	98.8	141.1	86	62.4	49.6	78.5
Gallatin	42	95.7	68.7	132.5	22	116.1	72.0	181.4	20	82.2	49.9	136.0
Greene	88	93.9	75.0	116.8	57	141.0	106.5	184.0	31	58.8	39.2	86.7
Grundy	133	71.7	60.1	85.1	84	103.7	82.5	129.2	49	47.2	34.9	63.0
Hamilton	44	71.7	51.8	98.5	28	105.5	69.8	156.5	16	45.4	25.5	80.3
Hancock	93	70.1	56.4	86.8	52	89.6	66.9	119.1	41	57.4	40.8	80.4
Hardin	33	98.8	67.7	143.8	18	122.1	71.8	202.8	15	78.9	44.0	145.4
Henderson	41	75.8	54.3	105.4	25	108.6	69.5	165.1	16	53.2	30.4	93.6
Henry	212	68.6	59.6	78.7	134	99.5	83.3	118.2	78	46.4	36.5	58.7
Iroquois	140	68.2	57.3	81.1	85	93.6	74.7	116.6	55	49.5	37.1	66.3
Jackson	154	66.7	56.5	78.4	96	97.7	79.1	119.7	58	44.2	33.4	58.1
Jasper	55	88.7	66.6	117.2	30	112.7	76.0	162.7	25	71.9	45.7	112.2

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Lung and Bronchus, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	148	66.0	55.7	77.9	93	95.9	77.4	118.0	55	44.4	33.2	58.8
Jersey	70	57.5	44.8	73.2	41	77.3	55.3	106.5	29	44.1	29.4	65.0
Jo Daviess	100	65.1	52.9	80.1	57	83.2	62.8	109.4	43	54.5	39.2	76.0
Johnson	53	78.4	58.6	103.9	37	123.7	86.5	173.0	16	42.5	24.3	73.4
Kane	902	65.1	60.9	69.5	493	83.9	76.4	92.0	409	52.3	47.3	57.6
Kankakee	402	84.6	76.5	93.3	236	113.1	99.1	128.9	166	63.7	54.3	74.4
Kendall	146	70.1	59.0	82.7	89	96.1	76.4	120.3	57	50.1	37.8	65.2
Knox	304	87.0	77.4	97.7	175	117.6	100.8	136.8	129	64.9	53.9	78.1
Lake	1,518	68.3	64.8	71.8	766	79.3	73.6	85.4	752	61.1	56.8	65.6
LaSalle	568	85.2	78.3	92.7	335	113.7	101.8	126.7	233	63.8	55.7	72.9
Lawrence	84	78.1	62.0	98.1	55	120.4	90.6	158.6	29	47.2	31.0	71.6
Lee	133	68.4	57.2	81.4	79	90.0	71.2	112.9	54	53.5	40.1	70.8
Livingston	143	65.3	54.9	77.2	81	84.5	67.1	105.3	62	52.0	39.7	67.8
Logan	134	77.6	64.9	92.4	81	111.3	88.4	138.9	53	54.4	40.5	72.6
McDonough	121	71.3	59.1	86.0	67	93.3	72.3	119.5	54	57.4	42.7	76.8
McHenry	669	71.6	66.2	77.3	365	89.6	80.3	100.0	304	58.8	52.3	65.9
McLean	365	63.5	57.1	70.4	203	82.6	71.5	95.2	162	50.5	43.0	58.9
Macon	539	87.8	80.5	95.7	303	114.4	101.9	128.4	236	67.6	59.2	77.2
Macoupin	241	79.4	69.6	90.5	140	104.9	88.2	124.1	101	61.3	49.6	75.5
Madison	1,143	84.7	79.8	89.7	651	114.0	105.3	123.3	492	64.8	59.2	71.0
Marion	220	88.5	77.0	101.3	126	119.4	99.4	142.5	94	67.0	53.8	83.0
Marshall	64	70.0	53.7	91.0	44	109.4	79.4	149.3	20	44.0	26.6	72.7
Mason	100	98.1	79.7	120.1	65	139.5	107.6	179.2	35	64.5	44.6	92.0
Massac	87	92.6	74.0	115.3	54	133.8	100.4	176.2	33	63.8	43.6	92.3
Menard	49	73.2	54.1	98.1	30	103.9	69.6	150.8	19	51.4	30.7	84.4
Mercer	79	76.1	60.2	95.8	45	98.3	71.6	132.8	34	59.7	41.1	86.3
Monroe	91	63.5	51.1	78.3	51	84.2	62.3	112.3	40	51.1	36.5	70.8
Montgomery	169	89.3	76.1	104.5	109	137.1	112.5	165.9	60	55.7	42.0	73.6
Morgan	175	83.3	71.3	97.0	103	115.7	94.4	140.8	72	60.5	47.1	77.5
Moultrie	72	79.9	62.3	101.8	39	101.5	72.1	140.3	33	63.9	43.5	93.0
Ogle	191	70.1	60.5	80.9	107	88.2	72.2	107.1	84	56.8	45.2	70.9
Peoria	741	82.0	76.1	88.2	425	112.2	101.7	123.6	316	62.4	55.6	69.9
Perry	84	65.5	52.2	81.9	52	91.1	68.0	120.3	32	48.1	32.7	70.2
Piatt	62	62.7	48.1	81.5	39	90.7	64.1	126.4	23	43.1	27.1	67.7
Pike	87	72.9	58.1	91.2	51	97.1	72.2	129.1	36	54.5	37.5	79.0
Pope	15	50.7	28.2	93.0	11	75.3	37.3	153.5	4	22.7	6.0	88.5
Pulaski	31	89.8	60.7	131.5	21	138.9	85.4	219.5	10	50.2	23.1	105.4
Putnam	36	97.2	68.0	137.4	21	115.8	71.7	183.5	15	82.1	45.7	143.7
Randolph	135	71.3	59.6	84.8	73	90.7	71.0	114.4	62	57.7	43.9	75.5
Richland	80	78.0	61.6	98.0	49	111.4	82.2	148.5	31	53.9	36.2	78.9
Rock Island	621	75.5	69.7	81.8	345	98.2	88.1	109.3	276	59.0	52.1	66.6

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Whites, Lung and Bronchus, 1998-2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	859	85.1	79.5	91.0	485	113.5	103.6	124.3	374	66.2	59.5	73.4
Saline	187	106.8	91.8	123.9	110	151.5	124.4	183.6	77	77.8	61.0	99.0
Sangamon	722	76.4	71.0	82.3	401	102.3	92.5	113.0	321	59.6	53.2	66.6
Schuyler	33	69.2	47.4	100.0	22	99.6	62.3	155.0	11	42.4	20.6	85.8
Scott	21	61.1	37.6	96.3	13	89.6	47.6	159.0	8	38.6	16.0	86.5
Shelby	116	77.1	63.6	93.2	75	111.8	87.8	141.1	41	49.7	35.4	69.5
Stark	31	72.4	48.7	106.7	19	107.1	64.3	173.3	12	49.2	24.6	96.7
Stephenson	152	53.9	45.6	63.6	90	72.5	58.3	89.8	62	39.6	30.1	51.9
Tazewell	582	79.3	73.0	86.1	322	101.6	90.7	113.6	260	64.1	56.5	72.6
Union	96	81.9	66.2	101.1	60	114.8	87.6	149.5	36	55.5	38.4	79.8
Vermilion	429	90.1	81.7	99.2	264	127.5	112.5	144.2	165	62.6	53.3	73.5
Wabash	73	94.0	73.5	119.3	46	136.4	99.8	183.4	27	64.1	41.7	96.5
Warren	75	65.6	51.5	83.0	45	91.5	66.6	123.7	30	47.4	31.7	70.1
Washington	55	58.8	44.1	77.6	33	78.1	53.7	111.4	22	43.6	27.0	69.1
Wayne	96	82.4	66.5	101.6	59	119.1	90.5	155.0	37	56.2	39.0	80.5
White	93	83.7	67.3	104.0	57	114.5	86.6	150.7	36	63.1	43.6	91.3
Whiteside	257	70.5	62.1	79.9	161	101.8	86.6	119.0	96	47.9	38.7	59.2
Will	1,276	75.2	71.1	79.5	715	97.9	90.6	105.8	561	59.2	54.4	64.3
Williamson	303	80.0	71.2	89.7	193	120.2	103.7	138.7	110	51.3	42.0	62.5
Winnebago	1,008	76.8	72.1	81.7	576	102.2	94.0	111.1	432	59.0	53.5	64.9
Woodford	100	50.5	41.0	61.9	59	70.7	53.8	91.6	41	38.2	27.2	53.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Blacks, Lung and Bronchus, 1998 - 2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	6,088	87	84.8	89.3	3,575	126.4	122.1	130.9	2,513	60.9	58.5	63.4
Champaign	44	82.3	59.3	112.7	23	95.8	59	162.8	21	70.6	43.5	109.2
Cook	4,845	85.6	83.2	88.1	2,822	124.9	120.1	129.8	2,023	60	57.4	62.7
DuPage	42	78.9	52.5	117.7	21	74.9	41.8	151	21	74.1	41.7	127.6
Kane	58	118.7	87.3	159.4	37	173.1	113	266.4	21	80.6	47.9	128.9
Kankakee	51	94.9	70.3	126.3	30	131.2	87.1	194.2	21	69.5	42.9	108
Lake	99	82.1	66	101.6	51	99.7	71.6	138.4	48	70	51.2	94.2
Macon	52	91.2	67.8	121	36	150.1	103.9	223.8	16	48.8	27.8	80.8
Madison	66	102.8	79.3	131.4	41	156.3	110.6	218.4	25	68.2	44.1	101.2
Rock Island	88	106.5	85	132.6	54	157.8	116.9	211.4	34	70.8	48.7	100.2
Peoria	35	91.7	63.5	131.2	20	122	71.3	210.7	15	71.1	39.7	121.2
St. Clair	280	103.4	91.6	116.5	171	157.7	134.3	184.8	109	67.2	55.1	81.2
Sangamon	55	103.8	77.6	136.6	36	176	120.4	253.8	19	59.9	35.9	94.7
Vermilion	32	106.6	72.8	151.5	15	105.2	58.3	183.6	17	107	62.2	172.5
Will	104	78.1	62.8	96.8	66	111	82.9	148.9	38	52.1	36.2	73.5
Winnebago	73	90	69.9	115	43	129.4	91.8	182.6	30	61.4	40.9	89.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), 1998 - 2002**

Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	43,904	132.9	131.6	134.1	37,185	134.0	132.6	135.4	5,349	124.1	120.7	127.5
Adams	252	114.5	100.3	130.5	246	113.6	99.3	129.7	~	~	~	~
Alexander	30	99.8	66.5	147.0	26	116.8	74.7	181.5	~	~	~	~
Bond	53	112.4	83.5	149.3	53	115.5	85.9	153.7	~	~	~	~
Boone	146	140.7	118.8	165.8	146	142.2	120.1	167.6	~	~	~	~
Brown	22	143.4	88.0	230.7	22	143.7	88.2	231.4	~	~	~	~
Bureau	156	131.7	111.0	156.0	155	131.7	110.9	156.1	~	~	~	~
Calhoun	14	78.5	41.4	150.8	14	78.7	41.5	151.2	~	~	~	~
Carroll	71	126.4	97.8	163.2	71	127.6	98.7	164.8	~	~	~	~
Cass	54	127.4	94.8	168.8	54	127.8	95.1	169.4	~	~	~	~
Champaign	546	140.5	128.9	152.8	490	142.0	129.6	155.4	41	117.5	83.8	161.7
Christian	142	124.3	103.8	148.3	142	125.0	104.4	149.2	~	~	~	~
Clark	72	124.2	96.1	159.6	72	124.6	96.3	160.1	~	~	~	~
Clay	60	117.8	88.2	155.8	60	118.5	88.6	156.7	~	~	~	~
Clinton	101	100.1	81.2	122.5	100	100.2	81.1	122.8	~	~	~	~
Coles	195	139.6	120.2	161.5	194	141.0	121.4	163.3	~	~	~	~
Cook	18,382	130.4	128.5	132.3	13,262	132.7	130.4	135.0	4,332	124.9	121.2	128.8
Crawford	88	136.2	108.5	170.2	88	137.1	109.1	171.3	~	~	~	~
Cumberland	42	121.9	87.0	168.7	42	122.3	87.2	169.2	~	~	~	~
DeKalb	292	151.5	134.5	170.2	286	152.0	134.7	171.0	~	~	~	~
DeWitt	74	143.7	111.9	182.9	73	141.5	110.1	180.5	~	~	~	~
Douglas	87	135.9	108.2	169.5	86	135.0	107.3	168.6	~	~	~	~
DuPage	3,344	147.1	142.2	152.2	3,062	147.9	142.7	153.3	66	142.1	101.9	200.3
Edgar	75	114.6	89.2	146.2	73	112.6	87.3	144.3	~	~	~	~
Edwards	39	177.2	124.0	248.9	39	177.8	124.4	249.7	~	~	~	~
Effingham	128	133.7	111.1	159.9	128	134.3	111.5	160.6	~	~	~	~
Fayette	72	111.2	86.4	142.1	72	111.5	86.6	142.5	~	~	~	~
Ford	70	141.6	108.2	184.0	68	138.4	105.3	180.5	~	~	~	~
Franklin	149	106.6	89.5	126.6	149	107.0	89.9	127.1	~	~	~	~
Fulton	156	123.8	104.3	146.5	155	124.0	104.5	146.9	~	~	~	~
Gallatin	19	77.8	46.3	130.8	18	73.6	43.1	125.9	~	~	~	~
Greene	60	129.3	97.6	169.5	54	117.8	87.4	156.7	~	~	~	~
Grundy	156	156.2	132.5	183.1	154	154.8	131.2	181.7	~	~	~	~
Hamilton	35	117.5	80.3	169.5	35	118.1	80.7	170.4	~	~	~	~
Hancock	92	130.1	103.8	162.5	92	130.5	104.1	163.0	~	~	~	~
Hardin	11	69.0	33.9	137.7	10	60.1	28.5	125.6	~	~	~	~
Henderson	41	153.6	109.4	214.8	41	153.8	109.5	215.1	~	~	~	~
Henry	212	133.0	115.3	153.1	206	130.6	113.0	150.8	~	~	~	~
Iroquois	126	120.5	99.6	145.6	124	119.1	98.3	144.1	~	~	~	~
Jackson	190	142.2	122.4	164.5	168	138.8	118.3	162.4	~	~	~	~
Jasper	32	98.2	66.3	144.2	32	98.5	66.5	144.7	~	~	~	~

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	161	133.4	113.0	156.8	151	130.4	109.8	154.2	~	~	~	~
Jersey	73	119.1	93.1	151.2	73	119.5	93.5	151.8	~	~	~	~
Jo Daviess	108	141.0	115.1	172.9	105	137.3	111.7	168.8	~	~	~	~
Johnson	44	126.2	91.3	172.9	43	124.0	89.3	170.7	~	~	~	~
Kane	1,199	135.9	128.2	143.9	1,096	132.3	124.5	140.5	50	126.7	90.9	175.7
Kankakee	352	124.8	112.0	138.7	300	120.5	107.1	135.2	47	141.7	103.9	190.6
Kendall	187	148.4	127.7	171.8	182	147.1	126.3	170.5	~	~	~	~
Knox	252	134.4	117.8	153.2	245	134.5	117.5	153.6	~	~	~	~
Lake	2,128	146.1	139.9	152.5	1,964	149.1	142.5	155.9	92	116.3	92.9	144.6
LaSalle	474	140.5	127.8	154.3	470	140.6	127.9	154.5	~	~	~	~
Lawrence	72	134.5	103.7	173.6	71	133.1	102.4	172.1	~	~	~	~
Lee	129	124.9	104.0	149.4	126	124.3	103.2	149.0	~	~	~	~
Livingston	162	136.5	115.7	160.4	152	128.5	108.3	152.1	~	~	~	~
Logan	121	132.0	109.0	159.3	119	133.0	109.5	160.9	~	~	~	~
McDonough	106	119.4	96.9	146.3	106	121.7	98.8	149.4	~	~	~	~
McHenry	782	135.6	126.2	145.6	769	135.7	126.2	145.8	~	~	~	~
McLean	463	136.1	123.9	149.3	452	138.9	126.3	152.4	~	~	~	~
Macon	492	137.8	125.7	150.9	462	143.6	130.5	157.8	26	75.9	49.3	113.2
Macoupin	195	121.7	104.7	141.2	192	120.3	103.3	139.8	~	~	~	~
Madison	928	121.6	113.8	129.8	888	123.2	115.1	131.7	29	72.0	48.0	104.4
Marion	173	130.2	110.9	152.2	168	130.9	111.2	153.5	~	~	~	~
Marshall	60	131.3	99.0	174.0	60	132.1	99.6	175.0	~	~	~	~
Mason	73	136.3	105.9	174.0	73	136.8	106.3	174.8	~	~	~	~
Massac	67	136.4	104.8	175.9	64	137.4	104.9	178.3	~	~	~	~
Menard	55	150.7	113.0	199.6	55	151.1	113.4	200.3	~	~	~	~
Mercer	75	139.4	109.3	177.2	74	137.6	107.6	175.2	~	~	~	~
Monroe	98	125.0	101.2	153.6	98	125.5	101.7	154.2	~	~	~	~
Montgomery	130	136.1	112.9	163.6	129	135.4	112.2	162.9	~	~	~	~
Morgan	133	117.7	98.1	140.8	132	120.3	100.1	144.1	~	~	~	~
Moultrie	74	152.3	117.9	195.2	74	152.5	118.1	195.5	~	~	~	~
Ogle	163	115.0	97.9	134.6	160	113.3	96.3	132.9	~	~	~	~
Peoria	778	145.9	135.7	156.7	704	148.1	137.1	159.8	66	121.9	93.7	157.1
Perry	59	86.1	64.7	113.7	58	85.6	64.2	113.5	~	~	~	~
Piatt	71	137.1	106.6	175.7	71	137.3	106.8	176.0	~	~	~	~
Pike	56	98.4	73.3	131.3	56	98.7	73.5	131.7	~	~	~	~
Pope	12	81.8	41.6	164.1	12	83.2	42.3	166.2	~	~	~	~
Pulaski	17	67.2	37.9	114.6	13	77.0	39.5	143.0	~	~	~	~
Putnam	26	139.5	90.4	212.3	26	139.7	90.6	212.9	~	~	~	~
Randolph	108	105.8	86.1	129.4	102	101.5	82.1	125.1	~	~	~	~
Richland	62	119.0	90.3	155.0	62	119.7	90.8	156.1	~	~	~	~
Rock Island	581	127.6	117.2	138.7	544	126.9	116.2	138.4	18	85.4	50.4	139.0

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	976	137.1	128.5	146.0	724	134.2	124.5	144.7	234	139.3	121.9	158.6
Saline	90	97.3	77.4	121.7	87	96.4	76.3	121.1	~	~	~	~
Sangamon	816	145.0	135.2	155.5	770	147.7	137.3	158.7	37	109.0	76.4	151.8
Schuylar	26	101.9	65.1	158.8	26	102.1	65.2	159.0	~	~	~	~
Scott	13	60.0	31.3	112.4	13	60.2	31.4	112.7	~	~	~	~
Shelby	77	110.4	86.4	140.2	77	110.7	86.6	140.6	~	~	~	~
Stark	26	123.3	78.0	190.8	26	123.5	78.1	191.1	~	~	~	~
Stephenson	177	112.8	96.4	131.8	162	107.9	91.4	127.1	~	~	~	~
Tazewell	494	129.2	118.0	141.4	485	127.9	116.6	140.1	~	~	~	~
Union	77	126.6	99.3	161.1	77	127.8	100.2	162.7	~	~	~	~
Vermilion	363	141.4	126.9	157.2	333	139.7	124.7	156.2	21	129.0	79.7	198.7
Wabash	56	135.3	101.3	179.0	54	129.8	96.6	172.9	~	~	~	~
Warren	69	115.4	89.1	148.4	67	114.0	87.7	147.2	~	~	~	~
Washington	62	141.1	107.4	183.5	61	139.8	106.1	182.3	~	~	~	~
Wayne	82	138.4	108.8	175.1	82	138.9	109.1	175.8	~	~	~	~
White	71	131.7	101.2	170.8	71	132.3	101.7	171.6	~	~	~	~
Whiteside	248	130.3	114.3	148.3	243	128.7	112.6	146.7	~	~	~	~
Will	1,473	131.0	124.4	138.0	1,336	133.1	126.0	140.5	96	102.3	81.3	128.1
Williamson	245	115.8	101.3	132.1	242	116.4	101.7	132.9	~	~	~	~
Winnebago	1,137	148.0	139.5	157.0	1,046	148.7	139.8	158.1	76	132.1	103.4	167.7
Woodford	141	136.4	114.3	162.1	140	136.0	114.0	161.8	~	~	~	~

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	3,401	10.6	10.3	11.0	2,492	9.5	9.1	9.9	775	17.0	15.8	18.3
Adams	20	11.6	7.0	18.2	20	12.0	7.2	18.8	~	~	~	~
Alexander	0	0.0	0.0	20.3	0	0.0	0.0	34.8	~	~	~	~
Bond	6	15.1	5.5	34.5	6	15.6	5.6	35.9	~	~	~	~
Boone	9	8.4	3.8	16.4	8	7.5	3.3	15.4	~	~	~	~
Brown	1	5.5	0.1	54.7	1	5.5	0.1	55.2	~	~	~	~
Bureau	12	11.7	5.9	21.6	12	11.8	5.9	21.9	~	~	~	~
Calhoun	0	0.0	0.0	52.5	0	0.0	0.0	52.5	~	~	~	~
Carroll	4	7.7	1.8	24.7	4	7.8	1.9	25.0	~	~	~	~
Cass	5	10.0	3.2	26.9	5	10.1	3.2	27.0	~	~	~	~
Champaign	33	8.1	5.5	11.4	23	6.6	4.2	10.1	8	21.4	8.8	45.4
Christian	9	8.6	3.9	17.5	9	8.7	3.9	17.6	~	~	~	~
Clark	7	14.0	5.3	31.4	7	14.0	5.3	31.5	~	~	~	~
Clay	5	13.9	4.2	34.6	5	14.1	4.2	35.0	~	~	~	~
Clinton	9	9.5	4.2	18.8	9	9.6	4.3	19.1	~	~	~	~
Coles	9	7.3	3.3	14.3	9	7.4	3.4	14.7	~	~	~	~
Cook	1,651	12.0	11.4	12.5	943	10.0	9.4	10.7	631	17.5	16.2	19.0
Crawford	10	21.0	9.9	39.9	9	19.0	8.5	37.5	~	~	~	~
Cumberland	4	13.8	3.7	38.3	4	13.8	3.7	38.4	~	~	~	~
DeKalb	21	11.0	6.8	16.9	20	10.9	6.6	16.9	~	~	~	~
DeWitt	6	14.4	5.2	32.7	6	14.5	5.2	33.0	~	~	~	~
Douglas	5	10.8	3.5	25.7	5	10.9	3.5	25.8	~	~	~	~
DuPage	164	7.1	6.0	8.3	144	6.9	5.8	8.2	8	18.5	5.8	54.4
Edgar	6	11.5	4.1	26.8	6	11.6	4.2	27.0	~	~	~	~
Edwards	3	14.8	3.0	49.3	3	14.8	3.0	49.3	~	~	~	~
Effingham	6	6.8	2.4	15.3	6	6.8	2.5	15.4	~	~	~	~
Fayette	6	9.5	3.3	22.9	6	9.6	3.4	23.0	~	~	~	~
Ford	2	2.1	0.2	15.9	2	2.1	0.2	16.0	~	~	~	~
Franklin	9	9.1	4.1	17.8	9	9.1	4.1	17.9	~	~	~	~
Fulton	7	6.8	2.6	15.2	7	6.8	2.6	15.3	~	~	~	~
Gallatin	2	10.4	1.3	47.9	2	10.4	1.3	47.9	~	~	~	~
Greene	3	9.3	1.9	27.8	3	9.3	1.9	27.8	~	~	~	~
Grundy	8	8.2	3.5	16.6	7	7.3	2.9	15.4	~	~	~	~
Hamilton	1	5.2	0.1	31.4	1	5.2	0.1	31.6	~	~	~	~
Hancock	5	9.6	3.0	24.4	5	9.7	3.0	24.5	~	~	~	~
Hardin	2	14.2	1.5	68.4	2	14.3	1.5	68.9	~	~	~	~
Henderson	4	18.5	5.0	53.5	3	13.6	2.7	46.5	~	~	~	~
Henry	20	15.4	9.3	24.3	20	15.6	9.4	24.7	~	~	~	~
Iroquois	11	10.9	5.2	21.6	11	11.0	5.3	21.8	~	~	~	~
Jackson	13	10.3	5.4	18.0	13	12.1	6.3	21.4	~	~	~	~
Jasper	2	9.2	1.1	36.6	2	9.2	1.1	36.7	~	~	~	~

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	18	18.2	10.7	29.2	15	15.5	8.6	26.4	~	~	~	~
Jersey	2	3.8	0.5	15.2	1	1.9	0.0	12.5	~	~	~	~
Jo Daviess	10	18.1	8.6	35.3	10	18.2	8.6	35.5	~	~	~	~
Johnson	6	21.8	7.7	50.7	6	22.0	7.8	51.3	~	~	~	~
Kane	83	8.5	6.8	10.7	75	8.4	6.6	10.6	5	7.5	2.4	29.1
Kankakee	36	13.6	9.5	18.9	30	13.2	8.9	19.0	5	14.0	4.5	36.2
Kendall	6	4.3	1.6	10.0	5	3.7	1.2	9.3	~	~	~	~
Knox	24	16.2	10.2	24.7	21	14.9	9.1	23.4	~	~	~	~
Lake	146	9.3	7.9	11.0	123	8.9	7.4	10.6	11	12.9	6.2	25.0
LaSalle	36	12.4	8.6	17.4	35	12.2	8.4	17.2	~	~	~	~
Lawrence	11	24.1	11.4	46.6	11	24.4	11.6	47.1	~	~	~	~
Lee	10	10.6	5.0	20.5	10	10.9	5.2	21.1	~	~	~	~
Livingston	13	12.7	6.7	22.4	7	6.8	2.6	15.1	~	~	~	~
Logan	9	11.0	5.0	22.0	5	6.1	1.9	15.7	~	~	~	~
McDonough	5	6.9	2.2	17.4	5	7.1	2.2	18.1	~	~	~	~
McHenry	69	10.9	8.4	13.9	68	10.9	8.5	14.0	~	~	~	~
McLean	24	7.0	4.5	10.6	24	7.5	4.8	11.2	~	~	~	~
Macon	28	9.3	6.1	13.6	24	9.1	5.8	13.9	4	10.0	2.7	28.8
Macoupin	13	11.0	5.8	19.1	12	10.4	5.4	18.5	~	~	~	~
Madison	67	9.6	7.4	12.2	57	8.8	6.6	11.5	7	16.3	6.4	35.1
Marion	18	14.9	8.6	24.3	16	13.7	7.6	23.1	~	~	~	~
Marshall	3	8.6	1.5	30.5	3	8.7	1.5	30.7	~	~	~	~
Mason	6	13.5	4.8	31.4	6	13.6	4.8	31.7	~	~	~	~
Massac	4	7.1	1.8	21.7	4	7.5	1.9	23.2	~	~	~	~
Menard	3	9.2	1.9	31.2	3	9.2	1.9	31.4	~	~	~	~
Mercer	7	16.2	6.5	35.6	6	14.5	5.3	33.6	~	~	~	~
Monroe	6	8.4	3.0	19.6	6	8.4	3.0	19.7	~	~	~	~
Montgomery	9	11.7	5.3	23.3	8	10.4	4.4	21.6	~	~	~	~
Morgan	7	7.4	2.9	16.1	6	6.7	2.4	15.6	~	~	~	~
Moultrie	2	5.9	0.7	22.8	2	5.9	0.7	22.9	~	~	~	~
Ogle	16	12.3	7.0	20.5	16	12.4	7.1	20.8	~	~	~	~
Peoria	50	10.5	7.7	13.9	43	10.7	7.7	14.6	6	10.5	3.8	25.1
Perry	9	14.1	6.2	29.4	9	14.4	6.3	30.2	~	~	~	~
Piatt	3	5.9	1.1	21.6	3	5.9	1.1	21.7	~	~	~	~
Pike	8	17.9	7.5	37.7	8	18.0	7.5	37.8	~	~	~	~
Pope	2	16.3	1.8	84.0	2	16.5	1.8	84.4	~	~	~	~
Pulaski	4	24.4	6.6	64.1	3	25.6	5.3	80.2	~	~	~	~
Putnam	2	11.3	1.3	52.3	2	11.3	1.3	52.7	~	~	~	~
Randolph	12	15.2	7.7	27.3	11	14.0	6.8	26.1	~	~	~	~
Richland	6	12.1	4.3	28.6	6	12.2	4.3	28.8	~	~	~	~
Rock Island	67	17.0	13.1	21.7	60	16.5	12.5	21.5	5	21.7	7.0	56.6

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	67	9.9	7.7	12.6	37	7.7	5.4	10.7	29	16.1	10.8	23.5
Saline	9	13.5	5.9	26.6	9	13.9	6.1	27.5	~	~	~	~
Sangamon	44	8.3	6.0	11.3	38	7.9	5.6	11.0	6	15.6	5.5	36.5
Schuyler	3	16.0	3.2	54.4	3	16.0	3.2	54.4	~	~	~	~
Scott	1	6.4	0.2	44.1	1	6.4	0.2	44.2	~	~	~	~
Shelby	4	6.3	1.6	18.5	4	6.4	1.6	18.5	~	~	~	~
Stark	0	0.0	0.0	32.7	0	0.0	0.0	32.9	~	~	~	~
Stephenson	12	9.9	5.1	17.9	9	8.2	3.6	16.2	~	~	~	~
Tazewell	27	7.8	5.1	11.5	27	7.9	5.2	11.7	~	~	~	~
Union	4	7.2	1.9	21.7	3	5.2	1.0	18.9	~	~	~	~
Vermilion	22	9.1	5.7	14.2	21	9.6	5.8	15.1	0	0.0	0.0	25.7
Wabash	3	8.5	1.6	28.0	3	8.6	1.6	28.4	~	~	~	~
Warren	4	8.7	2.3	23.7	4	8.8	2.3	24.2	~	~	~	~
Washington	8	19.1	8.0	40.4	8	19.3	8.0	40.7	~	~	~	~
Wayne	4	8.7	2.3	24.2	3	6.8	1.3	21.8	~	~	~	~
White	7	15.7	6.1	36.0	7	15.8	6.1	36.1	~	~	~	~
Whiteside	26	17.0	11.0	25.2	25	16.5	10.6	24.7	~	~	~	~
Will	99	8.0	6.5	9.8	80	7.4	5.8	9.2	15	13.9	7.2	25.8
Williamson	21	11.9	7.3	18.7	20	11.5	6.9	18.3	~	~	~	~
Winnebago	69	9.5	7.4	12.0	59	9.1	6.9	11.8	8	12.7	5.4	27.9
Woodford	7	8.3	3.3	17.9	7	8.4	3.3	18.1	~	~	~	~

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	41,326	162.4	160.8	164.0	33,289	151.3	149.6	152.9	6,239	227.8	221.9	233.8
Adams	291	153.2	136.0	172.1	277	148.3	131.3	167.2	~	~	~	~
Alexander	47	188.7	138.5	252.2	38	194.1	137.1	273.1	~	~	~	~
Bond	77	181.6	142.9	228.7	73	178.4	139.5	226.0	~	~	~	~
Boone	118	143.3	117.9	173.5	116	142.5	117.1	172.8	~	~	~	~
Brown	18	123.3	72.8	200.8	18	125.0	73.8	203.2	~	~	~	~
Bureau	132	131.9	110.3	157.0	129	129.4	107.9	154.4	~	~	~	~
Calhoun	23	136.8	86.2	214.3	23	136.9	86.3	214.6	~	~	~	~
Carroll	73	137.6	107.7	175.3	72	136.3	106.5	174.0	~	~	~	~
Cass	51	143.2	106.5	189.1	47	131.9	96.8	176.2	~	~	~	~
Champaign	546	179.0	164.2	195.0	485	175.8	160.4	192.4	48	216.1	156.1	304.3
Christian	157	165.7	140.7	194.1	155	165.5	140.4	194.2	~	~	~	~
Clark	60	126.2	96.2	163.9	59	124.2	94.5	161.7	~	~	~	~
Clay	66	156.7	121.1	200.7	66	157.1	121.4	201.2	~	~	~	~
Clinton	135	160.4	134.2	190.9	134	161.1	134.7	191.8	~	~	~	~
Coles	186	163.9	141.1	189.6	174	155.1	132.9	180.3	~	~	~	~
Cook	17,462	167.5	165.0	170.1	11,588	149.2	146.4	151.9	4,963	227.0	220.5	233.7
Crawford	109	197.0	161.6	239.1	105	191.8	156.7	233.7	~	~	~	~
Cumberland	54	196.5	147.1	259.3	52	189.9	141.3	252.0	~	~	~	~
DeKalb	259	176.3	155.4	199.5	241	166.3	145.9	189.1	~	~	~	~
DeWitt	62	141.4	108.2	183.1	61	139.8	106.8	181.5	~	~	~	~
Douglas	78	149.9	118.4	188.4	74	142.6	111.9	180.4	~	~	~	~
DuPage	2,744	165.5	159.2	172.1	2,483	162.1	155.7	168.8	52	251.9	171.4	372.7
Edgar	64	121.0	93.2	155.2	62	117.8	90.3	151.9	~	~	~	~
Edwards	28	134.3	89.1	197.7	27	130.1	85.6	193.0	~	~	~	~
Effingham	168	213.7	182.6	248.9	167	213.1	182.0	248.3	~	~	~	~
Fayette	92	165.3	133.2	203.6	91	165.4	133.0	203.9	~	~	~	~
Ford	58	144.4	109.4	188.9	57	142.0	107.4	186.4	~	~	~	~
Franklin	208	183.4	159.2	210.6	207	183.1	158.9	210.3	~	~	~	~
Fulton	183	163.3	140.5	189.3	175	157.0	134.5	182.6	~	~	~	~
Gallatin	26	130.4	84.9	196.3	25	126.7	81.7	192.2	~	~	~	~
Greene	65	159.4	122.8	204.5	65	159.9	123.2	205.2	~	~	~	~
Grundy	136	170.9	143.1	202.9	132	166.3	138.9	198.1	~	~	~	~
Hamilton	38	150.4	106.0	210.0	36	143.0	99.7	201.6	~	~	~	~
Hancock	103	175.6	143.3	214.4	101	172.7	140.6	211.3	~	~	~	~
Hardin	18	118.5	70.1	196.4	18	118.9	70.3	197.4	~	~	~	~
Henderson	38	165.0	115.7	231.3	37	160.1	111.7	225.6	~	~	~	~
Henry	226	164.6	143.8	187.9	205	150.8	130.8	173.2	~	~	~	~
Iroquois	135	146.7	122.9	174.4	131	143.7	120.0	171.3	~	~	~	~
Jackson	164	153.2	130.5	178.9	146	147.4	124.4	173.8	~	~	~	~
Jasper	46	169.1	123.8	227.5	46	169.1	123.8	227.5	~	~	~	~

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	163	161.1	137.2	188.1	150	154.6	130.8	181.9	~	~	~	~
Jersey	70	129.6	100.8	165.3	69	127.7	99.1	163.1	~	~	~	~
Jo Daviess	127	175.7	146.2	210.6	118	163.4	135.0	197.1	~	~	~	~
Johnson	57	173.5	130.9	227.4	57	176.0	132.8	230.7	~	~	~	~
Kane	1,012	156.5	146.7	167.0	932	152.1	142.2	162.6	44	179.3	120.8	270.0
Kankakee	381	164.4	148.2	182.2	300	144.3	128.3	162.0	75	338.9	264.6	431.3
Kendall	135	140.4	116.7	168.5	126	132.2	109.2	159.7	~	~	~	~
Knox	190	121.8	105.1	140.7	162	107.2	91.3	125.5	~	~	~	~
Lake	1,756	156.5	149.0	164.3	1,530	148.3	140.7	156.2	107	190.9	153.8	237.8
LaSalle	389	131.4	118.6	145.2	378	128.6	115.9	142.4	~	~	~	~
Lawrence	62	131.0	100.3	169.7	62	131.9	101.1	170.9	~	~	~	~
Lee	154	172.1	145.9	202.2	146	167.3	141.1	197.4	~	~	~	~
Livingston	124	128.0	106.4	152.8	122	127.3	105.7	152.2	~	~	~	~
Logan	108	147.3	120.8	178.3	103	142.5	116.3	173.3	~	~	~	~
McDonough	94	129.0	104.2	158.7	89	123.9	99.5	153.5	~	~	~	~
McHenry	642	151.4	139.4	164.3	603	144.4	132.7	157.1	~	~	~	~
McLean	371	142.8	128.5	158.5	340	135.2	121.1	150.7	~	~	~	~
Macon	686	239.4	221.7	258.4	596	225.5	207.6	244.6	84	368.8	291.8	471.3
Macoupin	189	140.1	120.8	161.9	187	139.6	120.2	161.4	~	~	~	~
Madison	1,009	163.5	153.5	174.1	926	157.6	147.6	168.3	71	264.1	205.0	338.7
Marion	221	201.8	176.1	230.6	209	196.8	170.9	225.7	~	~	~	~
Marshall	58	142.2	107.9	186.1	56	137.8	104.0	181.2	~	~	~	~
Mason	84	177.7	141.6	221.4	82	173.7	138.0	217.0	~	~	~	~
Massac	60	143.4	109.3	185.8	54	133.8	100.4	176.0	~	~	~	~
Menard	40	135.0	95.9	186.2	39	131.0	92.7	181.6	~	~	~	~
Mercer	81	169.7	134.6	212.2	77	161.5	127.4	203.2	~	~	~	~
Monroe	104	161.8	131.9	197.7	103	160.6	130.8	196.4	~	~	~	~
Montgomery	102	124.7	101.6	151.9	99	122.1	99.2	149.2	~	~	~	~
Morgan	112	122.0	100.4	147.1	105	116.8	95.5	141.9	~	~	~	~
Moultrie	62	158.8	121.7	204.9	62	158.9	121.8	205.1	~	~	~	~
Ogle	140	113.4	95.2	134.4	140	114.0	95.8	135.1	~	~	~	~
Peoria	743	175.2	162.7	188.4	644	166.5	153.8	180.0	80	245.3	192.2	311.2
Perry	105	178.5	145.9	216.8	102	176.6	143.9	215.2	~	~	~	~
Piatt	68	155.1	120.2	198.8	67	152.6	118.0	196.0	~	~	~	~
Pike	66	126.2	97.5	161.8	65	124.8	96.2	160.5	~	~	~	~
Pope	17	120.3	69.4	209.6	17	121.6	70.1	211.5	~	~	~	~
Pulaski	29	149.3	99.6	218.9	18	128.5	75.3	209.8	~	~	~	~
Putnam	29	166.2	111.0	244.7	28	161.3	106.8	239.3	~	~	~	~
Randolph	160	191.0	162.5	223.3	158	193.9	164.8	227.1	~	~	~	~
Richland	74	162.4	127.3	205.1	73	161.0	126.0	203.7	~	~	~	~
Rock Island	715	191.4	177.6	206.1	610	171.7	158.3	186.0	32	183.3	121.6	280.8

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, 1998 - 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	892	164.0	153.4	175.3	642	149.2	137.8	161.4	237	220.9	193.0	252.3
Saline	87	116.5	93.2	144.4	85	116.6	93.1	145.1	~	~	~	~
Sangamon	662	158.0	146.1	170.8	613	155.0	142.9	168.0	36	168.5	115.2	243.7
Schuylar	14	61.4	33.5	107.8	12	53.5	27.6	98.4	~	~	~	~
Scott	17	106.3	61.6	177.2	17	106.5	61.7	177.4	~	~	~	~
Shelby	111	162.4	133.4	196.5	107	156.8	128.4	190.5	~	~	~	~
Stark	20	105.1	64.0	168.8	19	99.9	60.0	162.7	~	~	~	~
Stephenson	166	127.3	108.6	148.7	154	122.9	104.2	144.5	~	~	~	~
Tazewell	536	163.6	149.9	178.3	513	156.8	143.4	171.3	~	~	~	~
Union	70	134.8	105.0	171.8	68	132.5	102.8	169.5	~	~	~	~
Vermilion	340	153.1	137.2	170.6	289	138.9	123.2	156.2	29	225.9	151.0	331.3
Wabash	36	106.0	74.2	148.2	36	106.3	74.4	148.7	~	~	~	~
Warren	65	128.9	99.4	165.4	59	119.0	90.5	154.8	~	~	~	~
Washington	77	179.8	141.7	226.2	76	177.9	140.1	224.4	~	~	~	~
Wayne	77	154.4	121.7	194.3	77	154.8	122.0	194.7	~	~	~	~
White	63	126.2	96.9	163.8	61	122.6	93.7	159.8	~	~	~	~
Whiteside	297	186.1	165.4	208.8	289	182.5	161.9	205.0	~	~	~	~
Will	1,258	148.5	140.1	157.4	1,056	138.2	129.7	147.3	152	233.6	194.4	281.7
Williamson	266	162.9	143.8	184.0	261	162.5	143.2	183.8	~	~	~	~
Winnebago	799	130.9	121.9	140.5	713	125.5	116.4	135.2	74	208.1	160.1	271.0
Woodford	140	162.0	136.2	191.7	140	162.3	136.5	192.1	~	~	~	~

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

SECTION II.

Age-specific Cancer Incidence by County Illinois, 1998 - 2002

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	41,381	92.6	91.7	93.5	79,304	874.8	868.7	880.9	171,056	2273.7	2263.0	2284.5
Adams	230	101.9	89.1	116.0	456	846.2	770.2	927.8	1,399	2291.5	2171.9	2416.4
Alexander	21	64.5	39.9	99.2	64	823.2	633.3	1053.7	178	2213.8	1899.5	2566.2
Bond	66	103.7	80.2	132.6	113	845.9	697.0	1017.5	319	2460.4	2197.5	2746.6
Boone	149	98.8	83.6	116.2	252	795.0	699.8	899.7	487	2165.7	1977.4	2367.3
Brown	17	61.4	35.4	105.5	32	707.5	483.4	1001.7	84	1865.9	1484.3	2319.2
Bureau	112	95.7	78.7	115.5	254	845.1	744.2	956.2	730	2257.3	2095.1	2429.5
Calhoun	12	72.5	37.4	131.2	32	699.7	476.3	996.7	96	1955.5	1583.4	2390.1
Carroll	68	121.3	94.1	154.9	141	955.2	803.4	1128.3	345	2145.8	1925.1	2385.0
Cass	42	88.9	64.1	120.4	84	758.0	604.1	940.5	242	2210.2	1939.6	2508.6
Champaign	540	91.4	83.8	99.6	950	898.7	842.4	957.7	1,917	2187.8	2090.8	2288.1
Christian	128	104.0	86.8	123.9	261	906.8	799.7	1024.7	722	2382.4	2210.7	2564.2
Clark	50	88.2	65.4	116.8	131	928.3	775.6	1103.6	314	2059.9	1837.1	2303.3
Clay	56	118.1	89.1	153.6	110	906.0	743.8	1094.4	297	2121.2	1883.8	2381.9
Clinton	88	67.8	54.4	83.7	230	881.8	771.3	1004.2	555	2147.7	1972.6	2334.3
Coles	139	85.1	71.4	100.8	341	951.4	853.0	1058.2	830	2341.5	2184.5	2507.1
Cook	17,420	91.7	90.4	93.1	33,172	869.3	860.0	878.7	71,523	2273.9	2257.3	2290.6
Crawford	71	99.4	77.7	126.1	157	936.3	795.0	1096.1	411	2409.7	2181.8	2655.2
Cumberland	40	105.0	75.0	143.6	83	937.2	746.2	1163.5	205	2310.4	2003.3	2653.0
DeKalb	238	82.1	71.9	93.4	456	884.0	804.7	969.1	1,034	2348.0	2206.6	2496.1
DeWitt	74	124.6	97.8	156.9	120	854.8	708.1	1024.3	272	2032.9	1797.5	2291.3
Douglas	54	80.1	60.1	104.7	142	895.2	753.2	1057.0	344	2167.2	1944.0	2409.3
DuPage	3,269	93.1	89.9	96.3	5,787	863.5	841.3	886.1	10,037	2250.5	2206.6	2295.0
Edgar	55	81.4	61.3	106.3	137	838.2	703.4	992.0	344	1937.1	1736.1	2156.2
Edwards	26	109.9	71.7	162.2	65	1069.8	824.7	1367.1	130	1988.0	1658.7	2365.7
Effingham	112	94.6	77.8	113.9	226	902.7	788.7	1028.7	551	2291.0	2102.9	2491.7
Fayette	63	82.5	63.4	105.9	131	772.1	645.0	917.8	352	2033.3	1825.8	2258.4
Ford	53	113.2	84.7	148.9	82	735.7	584.6	915.4	301	2176.4	1934.0	2442.7
Franklin	136	106.8	89.6	126.4	350	999.4	897.0	1110.6	873	2384.4	2228.1	2549.2
Fulton	114	87.2	71.9	105.0	293	924.6	821.4	1037.6	815	2313.0	2155.9	2479.0
Gallatin	27	134.9	88.8	197.4	45	708.9	515.8	954.0	143	2436.5	2050.8	2876.2
Greene	56	113.9	86.0	148.3	102	878.3	715.1	1069.5	327	2501.6	2236.5	2790.7
Grundy	147	104.8	88.6	123.4	278	975.0	863.7	1096.6	561	2415.2	2219.2	2624.2
Hamilton	23	81.7	51.7	123.5	42	531.3	382.1	721.7	187	2223.2	1913.9	2570.5
Hancock	56	81.6	61.5	106.7	148	843.9	713.2	992.1	429	2323.6	2107.9	2556.0
Hardin	15	93.2	52.0	156.9	36	766.2	536.2	1064.4	102	2308.2	1882.0	2802.7
Henderson	28	96.9	64.2	142.4	57	676.3	511.5	881.1	161	2360.2	2008.9	2757.0
Henry	168	95.6	81.7	111.5	401	923.1	834.9	1018.2	939	2256.5	2113.9	2406.5
Iroquois	102	99.3	80.9	121.0	216	794.5	691.8	908.8	626	2196.9	2027.4	2377.3
Jackson	159	89.0	75.4	104.5	298	823.1	732.3	922.1	721	2188.2	2030.9	2354.6
Jasper	32	91.6	62.6	130.7	75	927.4	729.1	1163.7	191	2267.9	1955.9	2617.5

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	127	89.9	75.0	107.2	272	844.6	747.1	951.4	691	2224.1	2060.6	2397.6
Jersey	68	89.5	69.5	114.1	128	727.2	606.5	865.6	298	1905.9	1695.5	2135.4
Jo Daviess	59	79.5	60.5	103.2	216	973.9	847.7	1114.4	512	2555.6	2339.0	2787.1
Johnson	38	81.8	57.6	114.2	98	897.4	727.9	1096.5	233	2708.0	2370.6	3081.4
Kane	1,352	88.2	83.6	93.0	2,110	795.9	762.2	830.8	3,878	2273.6	2202.5	2346.4
Kankakee	370	102.0	91.9	113.0	702	902.8	837.2	972.1	1,646	2414.0	2298.7	2533.7
Kendall	204	97.1	84.2	111.5	342	851.2	763.2	946.7	521	2201.0	2015.9	2398.7
Knox	191	100.7	86.9	116.2	390	822.7	743.0	908.8	1,132	2320.3	2186.5	2460.4
Lake	2,242	89.8	86.1	93.6	3,846	862.6	835.5	890.4	6,484	2338.2	2281.6	2396.0
LaSalle	416	106.9	96.9	117.8	752	855.3	795.1	918.9	2,204	2379.3	2280.5	2481.5
Lawrence	57	110.0	83.2	143.2	124	959.6	797.0	1146.6	324	2074.8	1852.0	2318.2
Lee	121	90.1	74.7	108.1	260	921.0	812.3	1040.3	612	2317.5	2137.2	2509.2
Livingston	151	106.5	90.2	125.0	272	914.2	808.7	1029.8	624	2034.4	1876.5	2202.5
Logan	124	111.8	92.9	133.7	202	860.0	745.4	987.4	524	2209.0	2022.4	2408.6
McDonough	80	87.9	69.4	110.1	167	751.7	641.9	875.0	551	2346.4	2152.9	2553.1
McHenry	934	90.4	84.6	96.4	1,523	865.5	822.3	910.4	2,580	2418.8	2326.3	2514.1
McLean	502	95.4	87.1	104.2	851	919.4	858.6	983.5	1,520	2061.2	1958.8	2167.7
Macon	405	103.2	93.3	113.8	942	994.6	932.1	1060.2	2,271	2595.7	2490.0	2704.8
Macoupin	166	99.9	85.3	116.5	345	877.1	786.8	975.0	939	2180.7	2042.4	2326.2
Madison	863	93.1	87.0	99.6	1,840	907.5	866.5	950.0	4,177	2263.3	2195.1	2333.0
Marion	131	94.8	79.3	112.6	351	999.8	897.7	1110.7	839	2399.2	2238.3	2569.0
Marshall	47	104.6	76.7	140.2	81	697.2	553.5	867.4	303	2439.0	2170.5	2732.4
Mason	60	112.4	85.7	145.0	149	1037.1	876.6	1219.3	374	2716.3	2447.3	3007.4
Massac	52	101.7	75.9	133.6	118	900.8	744.6	1081.8	290	2164.1	1921.2	2429.9
Menard	54	119.5	89.5	157.6	96	891.4	721.9	1089.1	169	2049.2	1749.7	2387.0
Mercer	56	93.9	70.9	122.7	154	991.7	841.0	1162.1	296	2192.8	1949.4	2458.8
Monroe	94	89.1	71.9	109.5	181	870.4	748.1	1007.1	397	2130.4	1925.6	2351.7
Montgomery	106	98.8	80.9	119.8	215	928.1	807.9	1061.6	625	2364.1	2180.7	2559.4
Morgan	110	88.5	72.7	106.9	256	851.1	750.0	962.3	617	2160.2	1992.2	2338.9
Moultrie	39	81.9	58.1	112.5	88	772.2	619.0	952.9	300	2320.4	2061.8	2603.5
Ogle	179	97.1	83.4	112.7	319	776.4	693.5	866.7	746	2157.3	2005.1	2318.2
Peoria	637	101.1	93.4	109.3	1,336	938.9	889.2	990.6	3,127	2390.0	2306.8	2475.5
Perry	47	59.1	43.4	79.1	138	769.6	646.4	910.1	401	2171.4	1963.3	2396.0
Piatt	45	75.8	55.1	102.8	130	902.2	753.6	1072.3	287	2232.6	1981.6	2507.0
Pike	43	74.8	54.0	101.2	140	966.2	812.3	1142.0	363	2139.1	1921.5	2375.7
Pope	10	68.6	32.9	134.6	22	480.7	300.1	737.6	54	1385.8	1039.2	1815.5
Pulaski	16	65.0	37.1	107.2	46	812.5	593.2	1088.8	131	2010.3	1679.6	2390.0
Putnam	21	99.4	61.3	154.6	49	871.0	643.9	1155.4	126	2586.0	2154.0	3080.5
Randolph	102	83.0	67.6	101.0	197	772.4	668.2	888.5	620	2320.0	2139.6	2512.2
Richland	68	127.0	98.6	161.2	110	804.4	659.8	973.0	301	2108.0	1875.7	2361.5
Rock Island	497	96.1	87.8	104.9	1,178	949.4	895.9	1005.3	2,588	2293.1	2205.4	2383.4

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	932	101.2	94.8	107.9	1,790	996.5	950.9	1043.8	3,963	2358.4	2285.5	2433.0
Saline	58	67.1	51.0	87.0	246	1055.5	927.3	1197.2	538	2114.9	1938.7	2303.2
Sangamon	722	102.7	95.3	110.5	1,339	891.5	844.4	940.6	2,815	2190.8	2110.5	2273.4
Schuyler	17	68.5	39.8	111.6	45	731.0	532.6	981.4	132	1883.2	1574.2	2237.0
Scott	9	45.5	20.8	88.5	34	727.5	502.5	1022.2	94	2056.7	1659.6	2522.7
Shelby	59	77.2	58.8	100.0	147	748.6	632.1	881.1	453	2235.4	2033.7	2452.1
Stark	16	78.4	44.7	129.6	51	968.2	720.3	1276.8	148	2418.3	2039.4	2850.6
Stephenson	169	100.4	85.8	117.0	270	669.3	591.7	754.5	822	2030.3	1893.5	2174.7
Tazewell	473	102.8	93.7	112.5	907	850.4	796.0	907.7	2,253	2360.9	2264.3	2460.6
Union	63	103.1	79.2	132.7	158	944.2	802.0	1105.6	332	2069.9	1851.6	2307.6
Vermilion	284	99.4	88.2	111.7	646	925.9	855.7	1000.4	1,580	2339.4	2225.4	2457.7
Wabash	39	87.9	62.4	121.0	92	889.2	716.6	1091.6	232	2119.1	1854.1	2412.2
Warren	45	72.9	53.0	98.1	121	789.0	654.4	943.9	341	2189.5	1962.3	2436.6
Washington	73	136.4	106.8	172.2	122	1000.3	830.0	1196.2	318	2459.2	2194.8	2748.1
Wayne	52	94.0	70.2	123.5	116	764.4	630.9	919.1	347	2125.6	1906.9	2363.1
White	55	106.6	80.2	139.5	108	759.4	621.9	919.8	351	2203.1	1976.2	2449.8
Whiteside	211	99.2	86.3	113.7	457	913.5	831.6	1001.5	1,086	2208.9	2079.2	2344.7
Will	1,739	89.1	85.0	93.4	2,944	876.4	844.9	908.7	4,725	2227.0	2163.9	2291.5
Williamson	181	86.2	74.1	99.8	490	914.6	835.3	999.7	1,134	2208.7	2081.8	2341.6
Winnebago	929	92.7	86.8	98.8	1,903	890.9	851.3	931.9	4,069	2279.3	2209.8	2350.5
Woodford	115	91.9	75.7	110.7	232	830.3	726.9	944.5	554	2094.2	1921.2	2279.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Males, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	15,963	71.6	70.5	72.7	41,036	943.8	934.7	953.0	90,508	3037.0	3017.1	3057.1
Adams	95	85.0	68.7	104.0	241	934.2	819.9	1060.2	792	3198.7	2979.2	3430.6
Alexander	12	72.8	37.6	128.3	28	739.3	490.6	1072.9	100	3160.4	2569.7	3851.1
Bond	20	57.4	35.0	90.2	75	1085.2	853.5	1360.5	182	3453.2	2963.3	4008.6
Boone	60	78.3	59.7	101.1	118	739.1	611.6	885.8	283	3045.4	2693.1	3436.9
Brown	10	48.5	22.2	111.1	16	672.9	384.0	1103.3	44	2451.0	1776.6	3310.7
Bureau	35	59.0	41.1	82.6	131	887.5	741.9	1053.7	381	3021.9	2724.3	3345.4
Calhoun	4	47.1	12.8	128.6	18	773.0	454.2	1241.2	50	2299.6	1703.9	3046.8
Carroll	30	108.1	72.7	156.2	67	891.0	689.9	1135.1	182	2651.7	2278.9	3071.4
Cass	19	77.4	46.6	121.8	44	819.4	594.9	1103.4	134	3044.8	2549.3	3611.5
Champaign	203	67.8	58.6	78.1	480	947.1	864.2	1035.8	1,034	2908.9	2732.8	3094.4
Christian	53	81.2	60.8	106.6	160	1127.4	959.1	1317.8	374	3168.2	2854.1	3509.1
Clark	20	70.1	42.7	109.5	72	1045.5	816.9	1321.0	166	2714.5	2316.2	3164.4
Clay	24	100.4	64.2	149.9	67	1151.2	891.5	1464.6	156	2882.8	2447.2	3375.4
Clinton	39	56.2	40.0	77.6	136	1051.6	882.1	1244.7	317	3034.2	2704.8	3397.0
Coles	53	64.2	47.8	84.6	193	1113.3	961.7	1282.1	429	3094.7	2807.3	3405.6
Cook	6,727	71.7	70.0	73.4	16,847	947.8	933.6	962.3	37,315	3044.3	3013.1	3075.7
Crawford	28	71.6	47.6	105.7	80	959.3	760.4	1195.9	218	3163.5	2755.8	3617.6
Cumberland	16	83.0	47.4	135.7	43	985.1	712.7	1329.4	114	3329.3	2739.0	4023.8
DeKalb	87	58.4	46.6	72.3	228	891.6	779.5	1015.5	532	3027.8	2775.0	3298.8
DeWitt	28	93.6	62.2	136.3	67	978.4	757.8	1245.0	150	2777.0	2346.7	3273.6
Douglas	17	50.6	29.4	81.8	76	1010.4	795.6	1267.1	192	2997.1	2584.7	3464.2
DuPage	1,176	67.7	63.8	71.6	2,896	886.3	854.3	919.4	5,270	2998.0	2916.6	3081.4
Edgar	23	66.0	41.8	99.7	64	807.2	621.5	1031.7	188	2821.4	2432.3	3255.9
Edwards	9	76.6	34.9	147.7	39	1316.1	935.1	1803.8	66	2500.9	1931.3	3194.5
Effingham	51	85.5	63.6	112.8	134	1095.1	917.4	1297.4	314	3291.2	2936.6	3678.1
Fayette	26	63.1	41.2	93.6	76	900.9	709.3	1129.4	189	2758.1	2376.7	3186.5
Ford	20	85.9	52.3	134.8	42	788.5	568.1	1067.3	156	2975.4	2524.8	3485.6
Franklin	63	99.3	76.3	127.2	208	1204.1	1045.5	1380.6	470	3335.7	3039.3	3655.6
Fulton	42	60.4	43.5	82.2	148	953.5	805.8	1121.0	473	3278.4	2989.2	3588.6
Gallatin	18	189.4	112.2	300.6	21	665.3	409.4	1033.5	74	2934.8	2300.2	3700.2
Greene	23	93.1	59.0	140.2	53	955.8	714.8	1255.2	178	3365.1	2885.9	3906.6
Grundy	59	82.9	63.1	107.2	137	954.3	801.1	1128.3	301	3184.9	2833.5	3571.1
Hamilton	12	85.7	44.2	152.0	16	417.5	238.4	681.9	116	3444.9	2841.7	4146.0
Hancock	23	64.5	40.8	98.5	77	902.9	712.5	1129.2	237	3184.7	2791.1	3620.9
Hardin	8	96.9	41.8	199.0	23	980.2	620.8	1478.1	59	3089.1	2348.3	4002.2
Henderson	12	81.4	41.7	147.2	27	622.8	410.1	915.5	94	3324.4	2675.2	4097.4
Henry	65	74.9	57.7	95.9	234	1081.5	947.4	1229.5	499	2981.8	2725.2	3257.3
Iroquois	37	70.2	49.4	97.4	123	911.6	756.9	1089.9	343	2949.2	2644.1	3282.0
Jackson	73	79.5	61.8	100.9	167	947.8	809.4	1103.3	380	2926.3	2637.9	3239.6
Jasper	16	90.2	51.5	148.5	38	967.8	684.7	1329.5	104	2993.8	2445.8	3629.1

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Males, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	51	68.5	51.0	90.5	153	944.3	800.6	1106.5	378	3046.4	2746.2	3372.4
Jersey	29	76.7	51.3	111.4	56	641.1	484.1	833.8	170	2614.9	2231.7	3052.3
Jo Daviess	23	61.2	38.7	92.7	118	1074.8	889.0	1289.3	290	3298.9	2925.2	3712.3
Johnson	18	66.0	38.4	109.6	48	825.2	607.8	1098.1	136	3531.6	2955.2	4198.1
Kane	492	63.2	57.7	69.0	1,093	833.1	784.3	884.3	1,996	2921.9	2792.9	3056.0
Kankakee	135	74.4	62.4	88.1	367	969.0	872.3	1073.5	941	3346.8	3133.9	3572.1
Kendall	85	81.6	65.2	101.2	177	873.7	749.5	1013.0	271	2766.5	2441.1	3128.3
Knox	74	75.1	58.9	94.5	196	840.1	726.6	966.6	570	2919.4	2684.1	3170.8
Lake	853	68.1	63.6	72.8	1,926	869.2	830.7	909.1	3,371	2906.2	2806.6	3009.0
LaSalle	177	88.8	76.2	103.0	381	880.3	794.0	973.5	1,188	3173.7	2995.0	3361.0
Lawrence	17	65.4	38.0	106.3	59	989.1	751.7	1279.5	171	2780.7	2379.3	3231.2
Lee	58	81.6	61.9	106.5	139	977.6	821.8	1154.6	335	3057.0	2736.1	3407.7
Livingston	57	78.8	59.6	102.3	141	977.7	823.0	1153.3	313	2557.1	2281.2	2858.3
Logan	61	106.1	81.1	137.2	104	900.1	735.5	1090.7	285	3118.8	2766.8	3504.3
McDonough	29	62.3	41.2	91.1	85	770.2	615.1	952.8	277	3036.9	2689.2	3418.2
McHenry	353	68.3	61.3	75.9	803	909.0	846.9	974.7	1,368	3133.5	2966.5	3308.5
McLean	209	80.5	69.8	92.3	454	1000.5	910.4	1097.1	791	2725.7	2537.6	2925.3
Macon	168	87.7	74.9	102.2	534	1170.8	1073.6	1274.5	1,304	3724.5	3522.9	3935.9
Macoupin	70	83.3	64.9	105.6	188	967.5	834.0	1116.5	486	2798.8	2555.0	3060.4
Madison	352	76.6	68.8	85.1	975	994.9	933.4	1059.4	2,195	3004.1	2878.2	3134.8
Marion	49	71.8	53.1	95.1	204	1219.0	1057.2	1399.0	451	3304.2	3005.8	3625.0
Marshall	19	82.9	49.8	131.6	45	779.0	568.0	1044.8	174	3399.7	2911.5	3950.5
Mason	19	69.6	41.8	109.6	86	1214.3	970.3	1503.2	229	3871.5	3384.9	4413.9
Massac	19	74.6	44.9	117.5	64	1007.3	774.8	1290.6	158	3025.7	2570.8	3541.7
Menard	22	102.1	63.6	157.8	42	803.7	578.9	1089.0	96	2770.4	2238.1	3397.7
Mercer	22	70.3	44.0	107.9	86	1128.3	902.4	1394.4	165	2903.0	2476.1	3383.6
Monroe	34	65.4	45.1	92.2	110	1082.8	889.9	1305.4	211	2786.9	2416.2	3205.7
Montgomery	45	77.6	56.5	104.5	103	897.3	732.0	1089.6	328	3155.7	2823.1	3517.4
Morgan	44	67.5	49.0	91.2	130	886.8	740.9	1053.4	318	2849.7	2544.5	3183.0
Moultrie	13	52.8	28.0	91.9	45	781.2	569.3	1048.1	153	3100.6	2628.4	3634.2
Ogle	61	66.6	50.8	86.0	165	802.8	684.9	935.6	398	2704.7	2443.5	2988.8
Peoria	243	78.4	68.8	88.9	709	1038.9	963.8	1118.3	1,652	3227.1	3072.5	3388.1
Perry	21	46.5	28.7	72.4	65	734.2	566.5	937.0	229	3144.2	2748.3	3585.2
Piatt	14	43.3	23.6	75.5	72	1016.7	795.4	1281.4	152	2879.7	2434.8	3394.1
Pike	19	64.1	38.5	100.9	72	1018.0	795.5	1285.2	200	2923.8	2531.9	3360.6
Pope	6	79.3	29.0	191.2	12	510.9	262.4	919.0	24	1387.7	880.6	2110.2
Pulaski	7	57.2	22.9	123.3	33	1230.4	844.8	1738.6	68	2726.4	2112.0	3475.6
Putnam	8	78.1	33.4	160.4	26	939.0	612.9	1382.1	74	3477.2	2722.1	4405.1
Randolph	55	78.0	58.7	102.4	114	887.2	731.8	1066.0	318	3059.6	2732.0	3417.0
Richland	25	94.3	61.0	139.7	69	1043.8	810.1	1327.0	171	2996.3	2562.2	3486.7
Rock Island	195	74.6	64.5	85.9	656	1085.3	1003.8	1171.7	1,422	3157.3	2994.5	3327.3

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Males, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	350	78.5	70.5	87.2	958	1132.5	1061.9	1206.6	2,047	3125.6	2990.0	3266.4
Saline	24	55.4	35.4	83.1	136	1251.1	1049.4	1481.1	289	3025.2	2685.2	3398.8
Sangamon	276	80.6	71.4	90.7	681	961.5	890.6	1036.6	1,438	2935.1	2784.2	3092.7
Schuylar	6	48.9	17.8	110.0	23	746.6	473.0	1123.2	69	2385.3	1853.4	3031.3
Scott	3	29.5	6.1	96.3	18	770.0	454.7	1229.5	46	2429.3	1773.4	3266.3
Shelby	24	61.6	39.4	92.2	79	804.2	636.2	1004.6	273	3186.2	2817.8	3592.2
Stark	5	48.3	15.6	118.9	28	1032.3	685.1	1499.2	80	3398.9	2690.6	4244.3
Stephenson	58	69.9	53.1	90.8	150	765.2	647.6	898.6	430	2657.4	2411.0	2923.4
Tazewell	185	80.0	68.9	92.5	490	940.7	859.2	1027.8	1,236	3132.6	2958.1	3315.7
Union	25	80.7	52.1	120.8	85	1021.2	814.7	1266.8	188	2924.4	2520.8	3376.1
Vermilion	103	71.2	58.1	86.4	330	969.7	867.8	1080.7	871	3172.8	2963.5	3394.6
Wabash	18	78.7	46.4	126.3	44	864.1	627.4	1163.0	132	3085.3	2581.2	3659.9
Warren	14	44.8	24.3	76.3	65	847.1	653.4	1082.2	174	2857.6	2445.5	3325.1
Washington	31	113.9	77.2	163.4	61	1004.1	766.9	1293.5	184	3380.8	2908.7	3911.0
Wayne	25	89.6	58.0	132.8	60	815.6	621.6	1053.4	185	2930.7	2521.1	3392.3
White	14	54.2	29.5	92.9	66	938.0	723.9	1199.5	185	2891.5	2489.5	3341.2
Whiteside	84	78.1	62.3	96.9	233	945.3	827.8	1075.2	607	3054.2	2815.0	3309.7
Will	667	68.3	63.2	73.7	1,584	950.9	904.5	999.1	2,532	2944.5	2828.2	3065.1
Williamson	81	77.0	61.1	95.9	277	1061.4	940.0	1194.5	637	3175.8	2932.2	3435.9
Winnebago	351	70.1	62.9	77.8	929	902.0	844.9	961.9	2,109	2934.4	2809.2	3064.3
Woodford	32	52.4	35.7	74.7	124	868.6	722.4	1035.9	313	3002.5	2678.5	3355.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Females, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	25,418	113.3	111.9	114.7	38,268	813.0	804.9	821.2	80,548	1768.7	1756.5	1781.1
Adams	135	118.2	99.1	140.0	215	765.4	666.4	875.4	607	1667.2	1533.9	1809.7
Alexander	9	55.8	25.5	108.4	36	902.8	631.2	1255.0	78	1590.0	1253.8	1991.3
Bond	46	168.9	123.4	226.7	38	590.5	417.2	813.4	137	1830.8	1533.4	2171.7
Boone	89	119.8	96.1	147.8	134	855.0	716.3	1012.9	204	1572.5	1363.3	1805.3
Brown	7	85.3	34.2	187.5	16	770.4	437.5	1268.8	40	1471.6	1038.8	2035.4
Bureau	77	133.0	104.8	166.9	123	808.4	671.5	965.8	349	1764.3	1578.8	1967.6
Calhoun	8	99.5	42.9	210.4	14	622.0	337.9	1059.4	46	1696.5	1238.0	2277.3
Carroll	38	134.4	95.0	187.1	74	1020.9	800.6	1285.2	163	1782.0	1517.3	2080.8
Cass	23	100.1	63.4	150.9	40	695.5	495.9	952.2	108	1625.7	1329.7	1971.5
Champaign	337	114.4	102.4	127.5	470	857.6	781.8	938.8	883	1685.2	1575.0	1801.3
Christian	75	129.9	102.2	163.3	101	697.0	567.2	848.8	348	1849.8	1655.5	2062.0
Clark	30	107.1	72.2	153.8	59	810.7	616.4	1049.4	148	1593.6	1343.1	1879.9
Clay	32	137.2	93.8	194.4	43	679.6	490.2	922.1	141	1638.7	1371.7	1946.8
Clinton	49	81.4	60.2	107.9	94	717.6	579.4	880.0	238	1535.6	1345.4	1746.6
Coles	86	105.9	84.5	131.3	148	806.2	681.4	947.6	401	1872.4	1691.1	2069.0
Cook	10,693	110.9	108.8	113.0	16,325	803.1	790.8	815.5	34,208	1778.2	1759.3	1797.2
Crawford	43	133.2	96.3	180.2	77	923.4	727.8	1157.0	193	1880.4	1621.5	2171.1
Cumberland	24	129.0	82.6	193.8	40	890.5	635.5	1217.2	91	1645.5	1318.4	2035.3
DeKalb	151	106.3	89.9	124.9	228	879.1	768.7	1000.9	502	1881.7	1718.4	2056.9
DeWitt	46	157.1	115.0	210.6	53	745.7	557.0	981.5	122	1506.1	1245.9	1808.3
Douglas	37	110.6	77.8	152.9	66	785.6	605.8	1004.1	152	1580.2	1336.5	1857.0
DuPage	2,093	117.8	112.8	123.0	2,891	841.4	810.9	872.7	4,767	1761.8	1711.7	1813.0
Edgar	32	97.3	66.5	138.2	73	871.3	681.9	1098.6	156	1359.8	1149.1	1601.8
Edwards	17	144.7	83.9	234.9	26	836.6	544.8	1234.6	64	1636.4	1254.9	2102.6
Effingham	61	103.9	79.4	133.7	92	725.4	584.5	890.4	237	1612.9	1410.7	1837.4
Fayette	37	108.4	76.3	150.1	55	644.5	484.4	843.6	163	1584.0	1347.0	1852.3
Ford	33	139.7	96.0	197.6	40	693.3	493.5	951.2	145	1695.0	1420.1	2013.8
Franklin	73	114.1	89.4	143.7	142	805.9	678.2	951.6	403	1796.9	1622.4	1986.4
Fulton	72	117.1	91.5	148.1	145	903.4	761.6	1065.2	342	1636.8	1465.0	1824.5
Gallatin	9	85.3	38.9	167.6	24	753.7	482.2	1127.3	69	2067.7	1598.6	2637.9
Greene	33	135.5	93.2	191.1	49	807.5	595.6	1074.7	149	1941.5	1637.6	2288.8
Grundy	88	127.1	101.9	157.0	141	1000.4	842.0	1180.1	260	1879.4	1656.0	2125.9
Hamilton	11	77.4	38.6	140.9	26	650.7	422.7	963.6	71	1405.0	1089.9	1789.5
Hancock	33	98.0	67.3	139.0	71	792.0	618.1	1001.1	192	1724.5	1484.9	1994.3
Hardin	7	88.2	34.8	193.7	13	557.0	295.8	960.7	43	1698.0	1228.1	2293.0
Henderson	16	113.5	64.8	189.2	30	735.0	494.2	1059.9	67	1712.8	1326.1	2179.6
Henry	103	115.5	94.2	140.6	167	765.6	653.8	891.4	440	1773.7	1609.1	1951.3
Iroquois	65	128.7	99.2	165.2	93	673.0	542.9	826.1	283	1659.1	1468.3	1869.1
Jackson	86	98.5	78.4	122.4	131	707.2	591.3	839.3	341	1703.9	1525.2	1898.7
Jasper	16	93.7	53.4	156.2	37	885.5	622.6	1224.5	87	1739.3	1386.1	2162.3

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Females, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	76	114.6	90.3	143.8	119	745.8	617.6	893.4	313	1661.3	1479.4	1860.8
Jersey	39	102.4	72.8	141.2	72	813.2	635.8	1026.5	128	1358.6	1131.7	1619.4
Jo Daviess	36	98.2	68.6	137.7	98	881.3	714.3	1077.4	222	1968.5	1716.9	2247.7
Johnson	20	121.6	74.2	189.1	50	980.2	726.1	1299.5	97	2016.3	1634.3	2463.0
Kane	860	113.9	106.4	121.7	1,017	759.6	713.5	808.0	1,882	1834.4	1751.7	1920.0
Kankakee	235	129.1	113.2	146.8	335	840.3	752.8	935.4	705	1742.8	1615.9	1877.4
Kendall	119	112.1	92.8	134.5	165	826.1	704.7	962.9	250	1802.8	1585.4	2042.5
Knox	117	128.8	106.4	154.7	194	807.7	697.7	930.5	562	1904.0	1746.9	2072.0
Lake	1,389	111.3	105.5	117.3	1,920	856.6	818.6	895.9	3,113	1933.2	1865.8	2002.4
LaSalle	239	126.0	110.5	143.2	371	835.5	752.4	925.6	1,016	1840.9	1727.3	1960.4
Lawrence	40	157.1	112.1	215.5	65	932.2	717.6	1193.6	153	1584.6	1334.9	1870.8
Lee	63	99.9	76.8	128.7	121	864.5	717.1	1033.8	277	1825.7	1614.4	2057.9
Livingston	94	134.6	108.7	165.2	131	858.6	717.7	1019.8	311	1668.1	1483.4	1871.0
Logan	63	117.4	90.2	151.0	98	821.2	666.4	1002.4	239	1613.9	1411.4	1839.1
McDonough	51	111.9	82.9	148.3	82	735.9	585.2	914.3	274	1910.4	1685.4	2158.8
McHenry	581	112.6	103.6	122.3	720	821.6	762.5	884.3	1,212	1922.5	1815.4	2034.3
McLean	293	109.7	97.4	123.2	397	841.8	760.9	929.0	729	1620.4	1503.7	1744.0
Macon	237	117.5	103.0	133.6	408	833.3	754.3	918.3	967	1828.5	1714.3	1948.6
Macoupin	96	116.0	93.9	142.0	157	790.9	671.8	925.4	453	1772.3	1609.0	1948.4
Madison	511	109.3	100.0	119.2	865	826.7	772.5	883.8	1,982	1773.3	1695.6	1853.8
Marion	82	116.7	92.8	145.1	147	800.8	676.2	942.5	388	1821.2	1639.7	2018.5
Marshall	28	126.6	83.9	186.1	36	617.5	432.3	856.0	129	1802.7	1497.8	2154.2
Mason	41	156.3	112.1	212.8	63	866.4	665.0	1111.5	145	1793.0	1509.2	2117.2
Massac	33	128.0	88.0	180.3	54	803.7	601.8	1055.6	132	1640.0	1368.4	1952.1
Menard	32	136.4	92.9	196.6	54	985.7	740.1	1288.5	73	1503.0	1168.6	1907.8
Mercer	34	116.2	80.4	164.3	68	860.5	667.8	1093.5	131	1683.3	1404.1	2004.1
Monroe	60	114.5	87.3	148.6	71	673.5	525.7	851.0	186	1651.1	1419.5	1911.1
Montgomery	61	123.6	94.5	159.5	112	960.6	790.3	1157.9	297	1836.6	1628.4	2065.8
Morgan	66	110.0	85.0	140.4	126	818.4	681.6	975.2	299	1702.9	1511.5	1913.0
Moultrie	26	109.9	71.6	162.3	43	764.8	552.9	1032.9	147	1853.4	1555.5	2196.1
Ogle	118	128.6	106.4	154.6	154	750.0	636.1	878.6	348	1755.4	1574.1	1952.4
Peoria	394	122.6	110.7	135.4	627	846.6	781.6	915.5	1,475	1850.8	1756.3	1949.2
Perry	26	74.4	48.6	110.3	73	804.1	630.0	1012.9	172	1526.0	1302.7	1778.8
Piatt	31	107.4	72.6	155.0	58	782.4	593.5	1014.7	135	1722.0	1440.4	2045.4
Pike	24	85.3	54.5	128.5	68	908.4	704.6	1156.1	163	1584.2	1343.3	1859.0
Pope	4	55.8	15.2	164.7	10	453.1	215.9	848.0	30	1362.2	909.7	1970.6
Pulaski	9	76.1	34.8	146.3	13	466.5	246.7	807.0	63	1556.3	1191.1	2008.4
Putnam	13	126.3	66.9	222.9	23	804.6	509.4	1217.1	52	1894.8	1410.6	2501.6
Randolph	47	90.7	66.6	121.0	83	658.1	523.9	817.2	302	1830.9	1625.0	2057.6
Richland	43	158.6	114.7	214.2	41	580.9	415.2	794.6	130	1507.6	1255.9	1796.9
Rock Island	302	117.6	104.7	131.7	522	821.2	752.2	894.9	1,166	1706.6	1608.9	1808.9

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, All Races, Females, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	582	122.2	112.5	132.6	832	877.4	818.7	939.1	1,916	1866.4	1783.4	1952.4
Saline	34	78.0	54.0	109.5	110	893.1	732.9	1079.5	249	1573.5	1379.5	1788.4
Sangamon	446	123.5	112.3	135.6	658	829.2	767.0	895.1	1,377	1735.8	1644.4	1831.3
Schuyler	11	87.2	43.4	162.7	22	707.5	442.0	1082.6	63	1560.7	1193.7	2012.1
Scott	6	62.3	22.9	140.4	16	700.8	398.2	1152.1	48	1761.6	1289.5	2357.6
Shelby	35	93.3	65.0	130.8	68	694.5	538.8	882.6	180	1563.6	1340.1	1815.6
Stark	11	113.1	56.2	206.1	23	902.0	570.9	1361.3	68	1805.0	1390.1	2311.2
Stephenson	111	130.6	107.4	157.7	120	585.4	485.1	700.9	392	1610.1	1452.3	1781.1
Tazewell	288	125.5	111.4	141.0	417	769.2	697.0	846.9	1,017	1820.2	1709.4	1936.3
Union	38	125.6	88.8	174.1	73	869.1	680.2	1096.8	144	1483.1	1245.4	1755.4
Vermilion	181	128.2	110.2	148.4	316	886.2	791.0	990.0	709	1771.1	1642.3	1907.6
Wabash	21	96.0	59.4	148.2	48	913.2	673.1	1212.1	100	1475.5	1197.2	1802.2
Warren	31	101.1	68.4	144.7	56	732.2	552.7	952.8	167	1800.1	1532.7	2104.2
Washington	42	159.8	115.0	217.6	61	1009.2	770.6	1300.7	134	1772.2	1478.7	2111.6
Wayne	27	97.5	64.2	142.7	56	719.0	541.8	938.5	162	1634.8	1388.9	1913.7
White	41	159.4	114.2	218.2	42	588.9	423.2	801.3	166	1739.9	1478.6	2036.2
Whiteside	127	120.4	100.3	143.5	224	882.9	770.9	1007.0	479	1610.7	1468.1	1764.1
Will	1,072	109.9	103.4	116.7	1,360	803.2	760.9	847.2	2,193	1741.3	1669.1	1815.9
Williamson	100	95.6	77.8	116.5	213	779.3	677.9	892.2	497	1564.2	1427.9	1710.5
Winnebago	578	115.0	105.8	124.8	974	882.1	827.5	939.3	1,960	1840.4	1759.4	1924.3
Woodford	83	130.4	103.6	162.6	108	790.6	648.5	954.9	241	1492.5	1304.0	1702.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	32,901	91.1	90.1	92.1	64,339	854.4	847.8	861.0	148,766	2257.3	2245.9	2268.9
Adams	222	102.3	89.3	116.7	444	847.5	770.4	930.4	1,370	2279.4	2159.1	2405.0
Alexander	15	74.3	41.4	125.3	53	917.3	685.9	1205.4	144	2287.5	1928.3	2695.6
Bond	65	112.9	87.1	144.4	109	852.4	699.7	1028.9	312	2468.3	2201.7	2758.8
Boone	144	97.4	82.1	114.9	244	779.5	684.7	884.0	480	2143.7	1956.0	2344.8
Brown	14	69.2	37.8	120.3	31	709.1	480.9	1011.0	84	1867.9	1485.9	2321.8
Bureau	110	95.2	78.1	115.0	251	842.7	741.4	954.2	725	2247.4	2085.3	2419.4
Calhoun	12	72.9	37.6	132.0	32	702.9	478.5	1001.3	96	1956.3	1584.0	2391.0
Carroll	65	117.9	90.8	151.3	139	947.5	795.9	1120.8	341	2134.5	1913.8	2374.1
Cass	42	89.6	64.6	121.4	82	739.7	587.8	920.3	238	2177.7	1909.0	2474.5
Champaign	453	92.9	84.4	102.0	817	879.8	820.5	942.3	1,757	2175.8	2075.2	2280.2
Christian	124	105.2	87.4	125.6	257	905.9	798.0	1024.7	716	2373.4	2201.5	2555.3
Clark	50	88.7	65.8	117.5	130	921.5	769.4	1096.3	312	2049.6	1827.2	2292.7
Clay	55	117.2	88.3	152.8	109	901.5	739.4	1089.9	296	2116.6	1879.3	2377.1
Clinton	85	69.6	55.6	86.2	225	877.9	766.7	1001.3	552	2154.3	1978.2	2342.0
Coles	136	85.6	71.6	101.6	332	942.7	843.9	1050.0	818	2328.3	2171.0	2494.2
Cook	11,373	88.1	86.4	89.7	22,001	832.4	821.5	843.5	54,251	2260.3	2241.2	2279.4
Crawford	65	97.7	75.4	125.1	152	913.0	773.1	1071.8	406	2388.7	2161.5	2633.7
Cumberland	40	105.4	75.3	144.1	83	940.1	748.5	1167.1	202	2279.5	1974.3	2620.3
DeKalb	227	82.6	72.1	94.2	436	868.7	789.0	954.3	1,010	2322.5	2181.0	2470.9
DeWitt	72	122.1	95.5	154.3	119	853.4	706.3	1023.4	270	2021.9	1787.0	2280.0
Douglas	54	80.7	60.6	105.6	139	883.5	741.9	1045.1	339	2138.2	1916.4	2378.9
DuPage	2,884	93.6	90.2	97.1	5,220	872.2	848.6	896.2	9,527	2256.1	2210.9	2301.9
Edgar	54	82.1	61.6	107.5	134	826.1	691.8	979.5	340	1924.9	1724.0	2143.9
Edwards	25	105.8	68.3	157.3	64	1055.5	812.0	1351.4	128	1961.5	1634.1	2337.5
Effingham	109	92.8	76.2	112.1	223	894.2	780.5	1019.9	547	2277.3	2089.7	2477.6
Fayette	61	85.3	65.2	109.8	130	774.9	646.9	921.9	345	1997.0	1791.1	2220.3
Ford	51	109.3	81.3	144.6	79	711.8	563.0	889.2	298	2160.6	1918.6	2426.4
Franklin	136	107.4	90.1	127.2	349	1001.7	899.0	1113.4	870	2381.7	2225.3	2546.7
Fulton	107	86.0	70.4	104.1	287	916.2	812.9	1029.5	802	2286.4	2129.8	2451.9
Gallatin	27	135.6	89.3	198.4	44	697.1	505.2	941.3	141	2420.6	2034.8	2860.7
Greene	55	112.9	85.0	147.2	99	857.9	696.1	1047.7	324	2483.2	2218.8	2771.5
Grundy	143	102.9	86.7	121.4	275	969.7	858.5	1091.4	552	2381.2	2186.4	2589.1
Hamilton	23	82.7	52.3	124.9	41	522.3	374.0	712.1	186	2215.0	1906.0	2562.2
Hancock	54	79.5	59.6	104.4	147	841.3	710.6	989.6	422	2288.9	2074.6	2519.8
Hardin	14	92.6	50.4	158.5	36	770.8	539.4	1071.2	102	2313.6	1886.4	2809.3
Henderson	26	90.7	59.1	135.1	57	676.8	511.9	881.8	158	2314.2	1966.6	2707.3
Henry	164	95.0	80.9	110.9	382	887.1	800.3	980.8	908	2199.2	2057.9	2347.9
Iroquois	98	96.7	78.4	118.2	211	785.3	682.6	899.6	619	2187.7	2017.9	2368.4
Jackson	131	87.2	72.6	104.1	269	813.2	718.9	916.4	661	2160.2	1998.2	2332.1
Jasper	32	92.0	62.9	131.2	75	927.7	729.4	1164.1	191	2270.7	1958.2	2620.8

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	117	91.5	75.6	109.9	254	825.2	726.7	933.4	663	2209.9	2044.1	2386.1
Jersey	67	88.9	68.9	113.5	128	729.1	608.0	867.8	296	1896.7	1686.6	2125.9
Jo Daviess	58	78.7	59.7	102.4	209	943.6	819.4	1082.1	496	2477.8	2264.4	2705.9
Johnson	34	90.4	62.5	127.2	95	889.7	718.8	1091.1	232	2709.3	2371.2	3083.7
Kane	1,195	85.1	80.3	90.1	1,897	768.6	734.3	804.1	3,640	2220.7	2149.0	2294.1
Kankakee	313	103.0	91.9	115.1	585	856.9	788.9	929.3	1,456	2359.1	2239.2	2483.7
Kendall	196	95.9	82.9	110.5	325	824.9	737.5	919.9	504	2149.0	1965.3	2345.4
Knox	173	99.7	85.3	115.9	364	796.3	716.5	882.8	1,082	2278.5	2144.0	2419.3
Lake	1,981	90.0	86.1	94.1	3,466	857.9	829.5	887.1	6,008	2335.1	2276.3	2395.0
LaSalle	401	105.9	95.7	116.8	737	848.3	788.0	912.1	2,182	2366.3	2267.5	2468.5
Lawrence	55	107.1	80.6	140.0	119	930.9	770.0	1116.5	321	2073.9	1850.2	2318.5
Lee	111	89.4	73.5	108.1	252	921.2	810.8	1042.5	591	2271.1	2091.3	2462.5
Livingston	125	95.6	79.6	114.1	263	898.7	793.3	1014.4	619	2021.5	1864.0	2189.3
Logan	105	104.3	85.3	126.6	193	838.3	724.1	965.8	518	2203.5	2016.4	2403.8
McDonough	77	89.1	70.0	112.1	161	739.9	629.9	863.7	549	2364.5	2169.1	2573.5
McHenry	913	90.6	84.8	96.8	1,474	853.2	810.0	898.2	2,534	2403.7	2311.0	2499.3
McLean	463	96.2	87.5	105.4	802	905.4	843.7	970.4	1,469	2040.8	1937.6	2148.1
Macon	349	105.1	94.3	116.9	823	970.8	905.6	1039.5	2,127	2613.0	2503.0	2726.6
Macoupin	161	98.1	83.5	114.6	339	869.4	779.2	967.4	925	2163.8	2025.6	2309.3
Madison	774	90.6	84.3	97.3	1,722	901.5	859.4	945.2	3,993	2260.7	2191.1	2332.0
Marion	124	94.0	78.2	112.2	331	976.8	874.1	1088.4	815	2404.5	2241.0	2577.3
Marshall	47	105.4	77.3	141.3	80	690.8	547.6	860.6	298	2401.4	2134.8	2692.9
Mason	60	113.1	86.2	145.9	146	1019.2	860.0	1200.4	371	2699.7	2431.2	2990.3
Massac	46	96.4	70.5	129.0	108	857.1	702.0	1038.1	277	2173.8	1924.2	2447.7
Menard	53	118.4	88.4	156.5	96	894.7	724.6	1093.2	168	2037.3	1738.6	2374.3
Mercer	54	91.2	68.4	119.8	146	943.2	796.3	1110.1	291	2158.3	1916.8	2422.6
Monroe	94	89.5	72.3	110.1	178	860.3	738.5	996.7	394	2118.2	1913.8	2339.1
Montgomery	103	101.7	83.0	123.6	211	921.9	801.3	1055.9	614	2331.2	2148.8	2525.7
Morgan	105	91.1	74.5	110.5	247	843.1	741.1	955.4	598	2138.4	1969.5	2318.4
Moultrie	38	79.7	56.3	110.0	87	764.8	612.2	944.9	299	2314.9	2056.6	2597.9
Ogle	176	96.8	82.9	112.5	310	760.7	678.3	850.5	738	2139.1	1987.4	2299.5
Peoria	523	100.4	92.0	109.5	1,147	915.3	863.1	969.8	2,832	2336.1	2250.5	2424.1
Perry	43	60.6	43.8	82.1	136	777.6	652.2	920.8	395	2174.1	1964.3	2400.8
Piatt	45	76.2	55.3	103.2	128	888.3	740.8	1057.2	285	2219.0	1968.6	2492.7
Pike	42	74.7	53.8	101.6	140	969.8	815.2	1146.3	362	2136.9	1919.2	2373.6
Pope	10	69.8	33.4	136.6	22	487.4	304.3	747.7	53	1376.4	1029.4	1807.1
Pulaski	10	57.5	27.5	108.5	37	888.9	624.1	1231.8	97	2045.9	1657.8	2502.4
Putnam	21	100.1	61.7	155.8	49	873.7	645.9	1158.9	125	2572.0	2140.7	3066.1
Randolph	89	82.3	66.0	101.5	189	766.8	661.3	884.8	600	2288.1	2107.2	2480.9
Richland	68	128.2	99.5	162.8	107	788.1	644.5	955.9	300	2108.5	1875.7	2362.6
Rock Island	451	96.2	87.5	105.5	1,055	911.1	856.9	967.8	2,407	2221.6	2133.5	2312.5

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	642	97.4	90.0	105.3	1,310	976.8	924.6	1031.1	3,149	2335.9	2254.9	2419.1
Saline	58	69.4	52.6	90.0	236	1048.9	918.8	1192.9	530	2122.1	1944.0	2312.6
Sangamon	643	102.5	94.7	110.8	1,238	891.1	842.1	942.2	2,661	2180.9	2098.6	2265.6
Schuyler	17	68.7	39.9	112.0	44	713.7	518.0	961.4	130	1856.5	1549.7	2208.3
Scott	9	45.6	20.8	88.6	34	729.6	504.0	1025.2	94	2061.3	1663.3	2528.3
Shelby	58	76.2	57.9	98.9	144	734.8	619.3	866.3	451	2230.5	2028.9	2447.2
Stark	16	78.6	44.8	130.0	48	910.9	671.0	1211.4	146	2381.2	2005.8	2810.1
Stephenson	146	95.4	80.5	112.5	249	653.9	575.0	740.9	790	2017.6	1878.8	2164.2
Tazewell	460	102.0	92.9	111.8	876	828.1	774.2	884.9	2,205	2319.2	2223.4	2418.2
Union	63	105.2	80.7	135.4	156	943.5	800.5	1106.0	329	2064.5	1845.8	2302.8
Vermilion	256	101.8	89.7	115.1	572	881.9	811.0	957.6	1,462	2293.8	2177.6	2414.6
Wabash	38	86.7	61.2	119.8	91	884.4	711.8	1086.9	232	2122.1	1856.7	2415.6
Warren	44	73.1	52.9	98.7	116	768.3	634.6	922.6	330	2144.6	1918.5	2391.1
Washington	73	137.3	107.5	173.4	121	999.3	828.4	1195.8	313	2424.4	2161.8	2711.6
Wayne	51	92.9	69.1	122.4	115	761.4	627.8	916.3	345	2116.8	1898.4	2354.2
White	55	107.4	80.8	140.6	108	760.3	622.7	921.0	346	2178.0	1952.1	2423.7
Whiteside	202	97.1	84.2	111.6	450	909.3	827.2	997.6	1,071	2188.6	2059.2	2324.1
Will	1,487	87.8	83.4	92.4	2,555	854.9	822.0	888.8	4,356	2219.1	2153.6	2286.1
Williamson	174	85.9	73.6	99.7	480	916.5	836.1	1002.7	1,121	2213.0	2085.0	2346.9
Winnebago	810	92.4	86.2	99.0	1,700	878.5	837.2	921.3	3,790	2251.6	2180.4	2324.5
Woodford	112	90.2	74.2	109.1	231	831.1	727.3	945.6	551	2085.7	1912.9	2270.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Males, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	12,719	69.6	68.4	70.8	32,912	898.8	889.1	908.6	78,208	2986.3	2965.3	3007.5
Adams	93	86.9	70.1	106.6	233	929.1	813.5	1056.7	777	3185.1	2964.5	3418.3
Alexander	10	99.5	47.4	188.8	23	795.9	503.1	1206.3	84	3340.7	2662.8	4143.9
Bond	19	61.8	37.2	97.6	71	1089.8	851.1	1375.2	177	3451.0	2955.0	4014.3
Boone	58	77.1	58.5	100.0	114	724.7	597.5	871.2	279	3019.4	2667.6	3410.5
Brown	7	57.6	22.9	131.4	15	663.8	370.8	1105.6	44	2456.0	1780.4	3317.1
Bureau	35	59.7	41.5	83.6	130	888.5	742.2	1055.7	376	2987.1	2691.1	3309.1
Calhoun	4	47.3	12.9	129.3	18	775.5	455.7	1245.2	50	2299.6	1703.9	3046.8
Carroll	29	105.8	70.7	154.0	65	868.8	669.8	1111.2	179	2622.7	2251.0	3041.5
Cass	19	78.1	47.0	122.8	42	782.1	563.1	1060.6	130	2952.8	2465.3	3511.4
Champaign	168	68.1	58.0	79.5	411	917.6	831.0	1010.9	946	2885.4	2703.3	3077.5
Christian	49	80.6	59.6	107.0	157	1131.0	960.4	1324.3	369	3146.9	2833.0	3487.8
Clark	20	70.6	43.0	110.2	71	1028.9	802.5	1302.3	165	2700.6	2303.1	3149.7
Clay	24	101.4	64.9	151.5	67	1155.2	894.6	1469.8	155	2868.7	2433.8	3360.5
Clinton	38	60.3	42.7	83.4	133	1050.2	879.0	1245.7	317	3055.4	2723.7	3420.7
Coles	50	62.1	45.9	82.6	185	1087.3	936.2	1256.0	421	3063.2	2776.1	3373.9
Cook	4,430	66.9	65.0	69.0	10,891	862.0	845.9	878.4	27,914	2972.8	2937.8	3008.1
Crawford	23	66.2	41.9	101.1	76	919.7	724.2	1153.7	213	3118.5	2712.1	3571.9
Cumberland	16	83.2	47.5	136.0	43	989.7	716.0	1335.7	111	3247.7	2664.4	3935.3
DeKalb	81	57.3	45.4	71.5	216	868.2	756.1	992.4	517	2972.0	2720.5	3242.0
DeWitt	28	94.6	62.8	137.9	66	970.5	750.1	1237.2	148	2752.3	2322.9	3248.4
Douglas	17	51.1	29.7	82.6	74	993.3	779.5	1249.5	189	2953.3	2543.8	3417.6
DuPage	1,040	68.0	63.9	72.2	2,620	899.7	865.4	934.9	4,979	3005.0	2921.3	3090.8
Edgar	23	69.1	43.7	104.4	62	787.2	603.4	1010.2	185	2789.0	2401.4	3222.4
Edwards	8	67.5	29.1	135.6	38	1285.8	909.1	1769.5	64	2438.8	1875.4	3126.8
Effingham	49	82.6	61.1	109.6	132	1083.7	906.6	1285.7	311	3268.0	2914.2	3654.0
Fayette	24	64.1	41.0	96.1	75	905.7	711.8	1137.5	185	2703.3	2325.7	3128.2
Ford	18	76.7	45.4	123.6	40	754.2	538.7	1028.5	154	2940.2	2492.2	3448.0
Franklin	63	99.9	76.8	128.0	207	1204.7	1045.7	1381.8	467	3322.8	3026.6	3642.5
Fulton	36	56.6	39.6	78.7	143	935.4	788.0	1103.0	462	3217.3	2930.3	3525.5
Gallatin	18	190.6	112.9	302.4	21	668.8	411.5	1039.2	72	2873.5	2244.2	3634.3
Greene	23	93.7	59.4	141.3	52	942.1	702.4	1240.4	178	3376.4	2895.5	3920.0
Grundy	58	82.2	62.4	106.6	136	952.7	799.3	1127.1	294	3121.8	2773.3	3505.2
Hamilton	12	86.8	44.8	153.8	15	393.9	220.2	653.6	115	3423.0	2821.1	4122.8
Hancock	22	62.4	39.0	96.1	76	894.0	704.2	1119.7	230	3098.8	2710.2	3530.0
Hardin	8	110.6	47.6	223.4	23	987.4	625.2	1489.9	59	3089.1	2348.3	4002.2
Henderson	11	75.6	37.4	140.3	27	622.8	410.2	915.7	91	3217.7	2579.4	3979.8
Henry	62	72.9	55.8	93.8	220	1026.2	895.0	1171.2	478	2881.6	2628.4	3154.0
Iroquois	35	67.4	46.9	94.4	119	893.9	739.8	1071.8	338	2925.8	2621.0	3258.7
Jackson	58	75.3	56.7	98.5	154	950.4	806.2	1113.2	349	2894.4	2597.2	3218.3
Jasper	16	90.5	51.7	149.1	38	967.8	684.7	1329.5	104	2993.8	2445.8	3629.1

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Males, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	47	71.4	52.5	95.6	140	908.3	764.1	1072.1	364	3035.8	2731.0	3367.2
Jersey	29	77.1	51.5	111.9	56	642.6	485.3	835.7	169	2602.3	2219.9	3038.9
Jo Daviess	22	59.0	36.9	90.2	114	1040.3	857.5	1251.9	276	3143.0	2778.3	3547.5
Johnson	14	67.9	37.0	116.6	46	819.5	598.8	1099.5	135	3525.7	2949.0	4193.3
Kane	441	61.6	55.9	67.6	974	795.6	746.3	847.4	1,881	2866.3	2736.1	3001.7
Kankakee	117	76.1	62.9	91.3	306	914.7	815.0	1023.4	815	3220.2	3000.5	3453.5
Kendall	80	78.9	62.5	98.5	169	850.5	726.9	989.5	262	2697.2	2375.0	3056.1
Knox	65	74.1	57.1	94.8	180	807.1	693.4	934.4	541	2848.6	2613.1	3100.5
Lake	753	67.9	63.1	72.9	1,706	846.5	806.6	887.8	3,110	2885.4	2782.7	2991.4
LaSalle	165	85.9	73.3	100.2	372	870.2	783.9	963.5	1,171	3145.9	2967.4	3332.9
Lawrence	16	61.7	35.2	101.7	58	981.8	744.2	1272.9	170	2789.2	2385.4	3242.4
Lee	51	79.8	59.4	105.8	134	983.0	823.6	1164.6	322	2998.9	2678.2	3349.8
Livingston	52	79.0	58.9	103.9	136	962.9	807.8	1139.3	310	2543.0	2267.3	2844.0
Logan	47	92.6	68.0	123.9	100	887.3	721.9	1079.6	281	3103.6	2750.8	3490.1
McDonough	28	63.7	41.8	93.8	80	739.6	586.4	921.0	275	3051.6	2701.0	3436.3
McHenry	345	68.4	61.4	76.2	775	893.6	831.4	959.3	1,334	3089.5	2922.9	3264.2
McLean	192	80.8	69.6	93.2	425	979.9	888.9	1077.9	755	2666.2	2478.0	2866.1
Macon	145	88.3	74.4	104.1	455	1107.4	1007.9	1214.0	1,195	3652.7	3446.6	3869.3
Macoupin	68	82.0	63.7	104.3	185	959.0	825.7	1108.0	479	2776.8	2533.1	3038.3
Madison	320	75.1	67.1	83.8	904	974.8	912.2	1040.5	2,093	2990.0	2861.7	3123.2
Marion	44	67.3	48.9	90.5	192	1189.0	1026.5	1370.4	436	3284.8	2983.2	3609.6
Marshall	19	83.5	50.1	132.6	44	761.8	553.3	1025.2	171	3347.3	2862.5	3894.6
Mason	19	70.0	42.1	110.3	83	1172.4	932.8	1456.9	226	3825.2	3341.3	4365.0
Massac	16	67.2	38.4	110.2	58	950.2	720.6	1233.3	151	3010.4	2548.3	3535.6
Menard	22	103.2	64.3	159.5	42	805.9	580.5	1092.0	95	2740.5	2211.3	3364.7
Mercer	20	64.3	39.2	100.9	81	1068.0	848.0	1328.2	162	2854.1	2430.7	3331.3
Monroe	34	65.7	45.3	92.6	107	1056.9	866.2	1277.5	209	2766.3	2396.5	3184.0
Montgomery	43	81.9	59.2	110.8	100	886.4	720.7	1079.6	321	3101.7	2771.4	3461.3
Morgan	39	67.3	47.8	92.5	123	862.8	717.0	1030.0	305	2787.6	2483.0	3120.8
Moultrie	13	53.0	28.1	92.2	44	764.7	555.2	1029.4	153	3101.9	2629.5	3635.8
Ogle	61	67.6	51.6	87.3	161	790.2	672.7	922.7	395	2695.1	2434.0	2979.3
Peoria	196	76.2	65.9	87.8	600	992.0	914.2	1074.7	1,494	3155.5	2996.6	3321.1
Perry	18	48.5	28.7	77.4	63	735.4	564.9	942.5	224	3120.4	2723.5	3563.0
Piatt	14	43.3	23.7	75.8	72	1016.7	795.4	1281.4	151	2861.5	2418.0	3374.5
Pike	18	63.7	37.6	101.7	72	1023.2	799.5	1291.8	199	2915.8	2524.0	3352.4
Pope	6	80.2	29.3	192.9	12	515.4	264.9	925.9	23	1323.0	831.0	2032.7
Pulaski	3	35.5	7.3	110.2	24	1186.7	758.2	1780.1	50	2693.4	1985.9	3598.3
Putnam	8	79.1	33.8	162.4	26	943.6	615.9	1388.6	73	3443.6	2691.1	4369.1
Randolph	46	79.2	57.9	106.2	109	886.2	727.6	1069.6	310	3045.0	2715.0	3405.5
Richland	25	95.2	61.6	141.1	66	1006.6	776.4	1286.7	171	3004.3	2569.1	3495.9
Rock Island	171	72.4	61.9	84.2	574	1017.8	936.2	1104.7	1,310	3031.8	2869.1	3202.0

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Males, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	258	78.0	68.7	88.2	697	1073.3	995.1	1156.1	1,627	3055.9	2907.6	3210.7
Saline	24	57.7	36.9	86.5	130	1233.4	1030.2	1465.9	285	3043.0	2698.8	3421.6
Sangamon	249	81.3	71.5	92.1	625	951.6	878.4	1029.3	1,352	2896.6	2743.1	3057.1
Schuyler	6	49.0	17.8	110.3	22	713.1	446.7	1082.8	67	2325.9	1800.1	2966.1
Scott	3	29.5	6.1	96.4	18	770.5	455.1	1230.4	46	2431.8	1775.2	3269.6
Shelby	23	59.3	37.6	89.6	76	774.2	609.5	971.4	271	3174.4	2806.1	3580.4
Stark	5	48.4	15.6	119.2	25	920.7	595.1	1366.5	79	3349.6	2647.5	4188.7
Stephenson	54	71.3	53.5	93.6	136	731.6	613.7	866.1	411	2628.6	2379.6	2898.0
Tazewell	179	79.4	68.2	92.1	466	902.9	822.8	988.8	1,201	3052.3	2879.9	3233.3
Union	25	82.5	53.3	123.4	84	1025.6	817.0	1273.9	186	2917.5	2512.8	3370.5
Vermilion	93	74.4	60.0	91.2	290	914.2	811.8	1026.2	795	3077.7	2865.3	3303.3
Wabash	18	79.4	46.9	127.5	44	868.5	630.5	1168.9	132	3095.0	2589.3	3671.3
Warren	14	45.9	24.9	78.4	62	819.4	627.9	1052.9	167	2786.0	2376.5	3251.3
Washington	31	114.6	77.7	164.5	61	1008.5	770.4	1299.2	180	3312.6	2845.0	3838.5
Wayne	25	90.4	58.5	134.0	60	820.5	625.3	1059.6	185	2934.0	2524.0	3396.0
White	14	54.7	29.8	93.8	66	938.6	724.3	1200.4	182	2852.5	2452.7	3300.0
Whiteside	81	77.0	61.1	96.0	229	940.5	822.6	1071.0	596	3017.2	2778.8	3271.9
Will	565	66.5	61.1	72.2	1,341	901.2	853.4	950.9	2,320	2915.2	2795.1	3039.8
Williamson	79	78.2	61.9	97.7	270	1058.2	935.6	1192.8	628	3172.2	2927.3	3433.8
Winnebago	308	70.0	62.4	78.3	819	871.7	813.0	933.6	1,944	2877.7	2750.0	3010.2
Woodford	31	51.1	34.6	73.3	124	873.5	726.5	1041.7	311	2984.7	2661.7	3336.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Females, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	20,182	112.9	111.3	114.5	31,427	814.5	805.5	823.5	70,558	1772.1	1758.9	1785.4
Adams	129	116.9	97.6	139.0	211	772.5	671.6	884.6	593	1658.3	1524.2	1801.9
Alexander	5	47.2	15.3	117.7	30	1039.1	699.3	1493.4	60	1579.4	1202.3	2042.2
Bond	46	174.5	127.5	234.5	38	608.1	429.6	837.8	135	1845.8	1543.9	2192.4
Boone	86	118.1	94.5	146.3	130	839.6	701.5	997.3	201	1556.5	1347.9	1788.8
Brown	7	85.8	34.4	188.7	16	770.4	437.5	1268.8	40	1471.6	1038.8	2035.4
Bureau	75	131.2	103.0	165.2	121	802.2	665.3	959.9	349	1771.2	1584.8	1975.4
Calhoun	8	100.0	43.1	211.2	14	626.0	340.1	1066.2	46	1697.2	1238.5	2278.2
Carroll	36	129.7	90.7	182.2	74	1027.3	805.6	1293.3	162	1785.9	1519.7	2086.4
Cass	23	100.9	63.9	152.0	40	696.2	496.3	953.2	108	1628.9	1332.2	1975.5
Champaign	285	117.2	103.9	131.9	406	848.5	768.0	935.3	811	1680.6	1565.7	1802.0
Christian	75	131.0	103.0	164.6	100	694.3	564.3	846.4	347	1853.4	1658.3	2066.4
Clark	30	107.7	72.6	154.7	59	812.7	618.0	1052.2	147	1583.5	1333.8	1869.1
Clay	31	134.5	91.3	191.6	42	665.3	478.1	905.9	141	1642.1	1374.5	1951.0
Clinton	47	79.3	58.2	105.8	92	711.2	572.8	874.2	235	1532.8	1341.7	1744.9
Coles	86	108.8	86.8	134.9	147	814.4	687.9	957.8	397	1869.0	1687.0	2066.4
Cook	6,943	109.9	107.4	112.6	11,110	808.4	793.4	823.6	26,337	1797.9	1776.0	1820.0
Crawford	42	132.5	95.4	179.9	76	914.4	719.5	1147.5	193	1884.2	1624.7	2175.6
Cumberland	24	129.7	83.0	194.8	40	891.8	636.4	1219.0	91	1651.1	1322.8	2042.5
DeKalb	146	108.4	91.4	127.7	220	871.7	760.3	994.9	493	1870.6	1706.8	2046.7
DeWitt	44	151.2	109.8	204.0	53	749.8	560.0	986.9	122	1508.9	1248.2	1811.6
Douglas	37	111.3	78.3	153.9	65	778.6	599.1	997.1	150	1559.1	1317.2	1834.2
DuPage	1,844	118.8	113.4	124.4	2,600	846.1	813.8	879.3	4,548	1769.4	1717.7	1822.2
Edgar	31	94.9	64.4	135.7	72	866.6	677.0	1094.4	155	1358.7	1147.4	1601.5
Edwards	17	145.8	84.5	236.5	26	836.6	544.8	1234.6	64	1639.4	1257.1	2106.6
Effingham	60	103.2	78.8	133.2	91	720.2	579.6	885.2	236	1607.4	1405.5	1831.7
Fayette	37	108.9	76.6	150.8	55	647.5	486.7	847.6	160	1558.3	1323.1	1824.9
Ford	33	140.7	96.7	199.0	39	678.7	480.8	935.1	144	1691.8	1416.4	2011.3
Franklin	73	114.7	89.9	144.5	142	809.9	681.5	956.3	403	1801.8	1626.8	1991.8
Fulton	71	116.4	90.8	147.5	144	903.4	761.0	1065.6	340	1634.9	1462.8	1823.0
Gallatin	9	85.6	39.0	168.0	23	725.1	458.9	1093.8	69	2079.5	1607.8	2652.6
Greene	32	132.3	90.4	187.6	47	780.8	571.9	1045.6	146	1906.1	1604.8	2250.8
Grundy	85	123.9	98.9	153.6	139	991.3	833.3	1170.8	258	1869.6	1646.5	2115.9
Hamilton	11	78.1	38.9	142.2	26	654.2	425.0	968.7	71	1406.3	1090.8	1791.5
Hancock	32	95.8	65.4	136.6	71	795.3	620.6	1005.2	192	1726.8	1486.8	1997.0
Hardin	6	76.4	27.3	178.7	13	559.1	297.0	964.5	43	1707.4	1235.0	2305.2
Henderson	15	107.1	59.9	181.7	30	735.8	494.8	1061.1	67	1713.2	1326.5	2180.2
Henry	102	116.2	94.7	141.6	162	748.8	637.9	873.9	430	1748.1	1584.0	1925.2
Iroquois	63	126.3	96.8	162.7	92	673.0	542.2	827.0	281	1658.6	1467.2	1869.5
Jackson	73	100.0	78.0	126.6	115	683.8	564.5	820.9	312	1678.2	1494.3	1879.6
Jasper	16	94.1	53.6	156.8	37	886.3	623.1	1225.7	87	1743.4	1389.2	2167.9

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Females, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	70	112.9	87.9	143.1	114	743.2	612.8	893.9	299	1651.1	1466.2	1854.3
Jersey	38	100.7	71.3	139.5	72	815.6	637.6	1029.6	127	1350.7	1124.3	1611.3
Jo Daviess	36	98.7	69.0	138.5	95	854.1	689.9	1047.5	220	1953.3	1702.6	2231.8
Johnson	20	123.1	75.1	191.5	49	965.1	712.5	1283.3	97	2020.7	1637.9	2468.2
Kane	754	109.4	101.7	117.5	923	742.3	695.1	792.0	1,759	1780.3	1697.2	1866.4
Kankakee	196	130.1	112.5	149.7	279	802.4	711.0	902.4	641	1745.1	1611.6	1887.3
Kendall	116	112.4	92.9	135.3	156	797.2	676.9	933.2	242	1760.6	1544.8	1998.9
Knox	108	125.2	102.6	151.6	184	786.4	676.6	909.5	541	1881.6	1723.3	2051.2
Lake	1,228	112.2	106.0	118.8	1,760	870.2	829.9	912.0	2,898	1944.9	1874.6	2017.2
LaSalle	236	126.5	110.9	143.9	365	831.3	747.9	921.6	1,011	1839.2	1725.4	1959.0
Lawrence	39	154.9	110.0	213.3	61	885.0	675.2	1142.1	151	1579.0	1328.5	1866.3
Lee	60	99.5	75.9	128.9	118	860.5	712.0	1031.3	269	1789.9	1579.7	2021.3
Livingston	73	111.9	87.7	141.3	127	843.0	702.5	1004.0	309	1658.6	1474.3	1861.1
Logan	58	116.1	88.1	150.8	93	792.2	639.0	972.2	237	1615.1	1411.7	1841.3
McDonough	49	112.8	83.0	150.5	81	742.0	589.1	923.0	274	1930.6	1703.0	2181.9
McHenry	568	113.1	103.9	122.9	699	812.6	753.3	875.6	1,200	1926.9	1819.1	2039.6
McLean	271	110.9	98.0	125.1	377	834.2	752.1	923.0	714	1627.1	1508.7	1752.7
Macon	204	121.3	105.1	139.3	368	845.8	761.5	937.0	932	1901.6	1780.5	2029.1
Macoupin	93	113.7	91.7	139.6	154	783.8	664.7	918.6	446	1759.0	1595.8	1935.2
Madison	454	106.0	96.5	116.3	818	833.4	777.2	892.6	1,900	1777.3	1697.8	1859.8
Marion	80	119.6	94.8	149.1	139	784.2	658.9	927.1	379	1843.8	1658.0	2046.3
Marshall	28	127.8	84.7	187.8	36	621.3	434.9	861.2	127	1773.8	1471.4	2123.2
Mason	41	157.2	112.7	214.0	63	871.0	668.6	1117.3	145	1798.5	1513.7	2123.8
Massac	30	124.7	84.1	178.9	50	772.8	571.7	1026.3	126	1665.1	1383.1	1990.4
Menard	31	133.1	90.1	193.1	54	990.1	743.4	1294.2	73	1504.1	1169.4	1909.3
Mercer	34	116.9	80.8	165.2	65	823.8	635.4	1052.6	129	1660.2	1382.8	1979.2
Monroe	60	115.1	87.7	149.4	71	677.5	528.8	856.0	185	1645.2	1413.9	1904.9
Montgomery	60	122.7	93.6	158.5	111	957.7	787.2	1155.4	293	1816.9	1609.7	2045.4
Morgan	66	114.8	88.7	146.6	124	825.3	686.2	984.8	293	1704.1	1510.6	1916.9
Moultrie	25	105.4	68.1	156.9	43	766.6	554.3	1035.3	146	1844.1	1546.6	2186.4
Ogle	115	126.8	104.6	152.8	149	731.2	618.5	858.9	343	1730.3	1550.4	1926.0
Peoria	327	123.6	110.6	137.9	547	844.0	774.7	917.8	1,338	1809.4	1712.2	1911.0
Perry	25	73.2	47.3	109.5	73	818.2	641.0	1030.8	171	1542.6	1316.2	1799.2
Piatt	31	107.8	72.9	155.7	56	754.5	569.4	983.1	134	1711.8	1430.8	2034.6
Pike	24	85.7	54.8	129.1	68	910.7	706.4	1159.0	163	1586.0	1344.8	1861.2
Pope	4	56.6	15.4	166.2	10	463.2	220.5	866.6	30	1371.0	916.0	1982.2
Pulaski	7	84.6	34.0	179.8	13	635.1	336.5	1094.7	47	1616.1	1181.6	2175.7
Putnam	13	126.7	67.1	223.9	23	804.9	509.6	1217.9	52	1899.2	1413.7	2507.9
Randolph	43	85.7	62.0	116.0	80	649.8	514.9	810.2	290	1792.2	1586.8	2018.9
Richland	43	160.0	115.7	216.1	41	584.6	417.8	799.8	129	1500.4	1248.9	1789.6
Rock Island	280	119.7	106.0	134.7	481	810.6	739.7	886.6	1,097	1668.0	1569.4	1771.4

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Whites, Females, 1998-2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	384	116.9	105.5	129.3	613	889.2	820.1	962.6	1,522	1865.1	1771.8	1962.2
Saline	34	80.4	55.6	112.9	106	894.5	731.1	1085.1	245	1575.0	1379.2	1792.2
Sangamon	394	122.6	110.7	135.5	613	837.4	772.4	906.4	1,309	1741.3	1647.1	1839.7
Schuylar	11	87.5	43.6	163.2	22	708.4	442.6	1083.9	63	1562.0	1194.6	2014.0
Scott	6	62.5	22.9	140.7	16	705.2	400.5	1159.7	48	1766.8	1293.4	2364.5
Shelby	35	93.7	65.2	131.2	68	696.4	540.2	885.0	180	1565.8	1342.1	1818.2
Stark	11	113.3	56.3	206.7	23	902.0	570.9	1361.3	67	1775.5	1364.4	2277.9
Stephenson	92	119.7	96.4	147.4	113	586.3	482.8	705.9	379	1610.7	1450.0	1785.4
Tazewell	281	124.2	110.1	139.7	410	762.3	690.1	840.0	1,004	1803.4	1693.0	1919.3
Union	38	127.8	90.3	177.1	72	863.9	675.0	1092.1	143	1478.4	1240.6	1751.0
Vermilion	163	128.9	109.8	150.4	282	852.9	756.0	959.1	667	1764.7	1632.4	1905.2
Wabash	20	92.6	56.5	144.7	47	899.3	660.6	1197.2	100	1475.9	1197.5	1802.7
Warren	30	100.1	67.3	144.2	54	717.5	538.7	938.0	163	1775.5	1508.5	2079.5
Washington	42	160.9	115.9	219.2	60	1002.7	763.9	1294.9	133	1762.0	1469.1	2101.0
Wayne	26	94.5	61.7	139.3	55	708.9	532.7	927.7	160	1616.6	1371.9	1894.5
White	41	160.4	115.0	219.6	42	590.0	424.0	802.9	164	1721.6	1461.4	2016.8
Whiteside	121	117.3	97.3	140.4	221	879.3	767.0	1003.7	475	1604.9	1462.2	1758.3
Will	922	109.5	102.5	116.8	1,214	809.6	764.6	856.6	2,036	1747.3	1672.0	1825.2
Williamson	95	93.5	75.6	114.5	210	786.0	682.9	900.7	493	1571.8	1434.3	1719.6
Winnebago	502	115.1	105.3	125.7	881	886.1	828.6	946.6	1,846	1836.4	1752.9	1922.9
Woodford	81	128.4	101.7	160.6	107	787.4	645.3	951.8	240	1488.5	1300.1	1698.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Blacks, Both Sexes, 1998 – 2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	6,505	99.4	97.0	101.9	11,988	1006.7	988.7	1024.8	18,342	2338.5	2304.4	2373.0
Champaign	58	92.6	70.0	120.5	104	1138.1	929.4	1380.6	121	2170.7	1796.5	2605.9
Cook	4,969	101.5	98.7	104.4	9,576	1003.3	983.3	1023.6	14,991	2331.9	2294.3	2370.1
DuPage	105	91.8	74.9	111.5	130	980.1	814.3	1172.3	96	2625.3	2106.8	3247.7
Kane	86	102.0	81.4	126.5	111	919.2	754.9	1110.1	120	2590.0	2134.7	3121.6
Kankakee	51	93.9	69.7	123.8	109	1241.1	1018.9	1498.1	179	2851.8	2443.7	3313.4
Lake	126	77.1	64.1	92.1	212	928.7	807.6	1062.9	272	2160.1	1904.5	2443.3
Macon	53	97.7	73.0	128.2	114	1209.4	997.5	1453.7	130	2162.1	1802.7	2575.9
Madison	74	123.2	96.5	155.0	94	943.1	762.0	1154.5	164	2214.6	1888.1	2583.1
Peoria	95	101.4	81.9	124.3	158	1068.7	908.2	1250.1	241	2755.3	2416.0	3132.1
Rock Island	26	69.4	45.2	102.2	64	928.3	714.8	1185.9	83	2058.6	1630.1	2579.9
St. Clair	272	111.7	98.8	125.9	451	1047.9	953.4	1149.2	775	2420.9	2252.2	2599.4
Sangamon	64	102.8	79.0	131.8	85	909.2	726.0	1125.0	135	2280.5	1909.1	2706.7
Vermilion	20	69.2	42.0	107.7	58	1365.6	1036.9	1766.3	86	2350.6	1879.0	2908.1
Will	169	85.8	73.3	99.9	286	1022.6	906.3	1150.2	274	2215.8	1954.8	2504.7
Winnebago	86	89.7	71.6	111.0	159	955.8	812.7	1117.2	230	2504.5	2185.7	2862.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Blacks, Males, 1998 – 2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,496	83.5	80.2	86.8	6,556	1260.1	1229.8	1291.0	9,844	3282.0	3215.0	3350.2
Champaign	23	74.7	46.6	114.1	56	1351.8	1020.8	1757.4	66	3021.7	2290.9	3983.9
Cook	1,897	87.5	83.6	91.5	5,145	1256.2	1222.1	1291.0	8,003	3277.3	3203.2	3353.0
DuPage	33	63.4	43.5	89.8	68	1084.4	837.9	1384.8	45	3015.5	2149.5	4209.3
Kane	27	65.3	42.7	96.0	70	1224.0	951.9	1553.0	58	3129.6	2321.4	4200.1
Kankakee	15	59.8	33.3	99.5	57	1425.1	1079.0	1848.6	118	4376.6	3603.4	5292.3
Lake	53	68.7	51.3	90.3	116	1070.9	884.5	1285.5	133	2553.6	2109.4	3082.7
Macon	23	99.5	62.9	149.7	76	1762.3	1388.1	2208.2	99	4409.0	3538.9	5495.8
Madison	27	104.9	69.0	152.9	59	1314.7	1000.7	1696.3	90	3142.8	2510.4	3906.6
Peoria	37	89.2	62.6	123.4	91	1353.8	1089.5	1663.9	125	3617.7	3000.8	4339.7
Rock Island	14	71.7	39.0	121.3	41	1210.3	868.2	1644.6	41	2529.6	1760.5	3599.8
St. Clair	86	80.7	64.4	100.0	250	1325.4	1166.1	1500.7	402	3365.9	3036.8	3725.4
Sangamon	23	80.3	50.7	121.2	49	1168.2	864.1	1545.6	74	3436.2	2675.8	4375.4
Vermilion	6	39.1	14.3	86.2	31	1594.6	1083.4	2264.1	51	3166.0	2346.6	4223.9
Will	71	75.0	58.4	94.9	185	1388.8	1194.0	1607.6	157	3104.1	2608.3	3682.6
Winnebago	28	65.1	43.2	94.5	89	1204.6	966.3	1485.7	137	3507.3	2918.8	4213.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
All Sites, Blacks, Females, 1998 – 2002**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	4,009	112.8	109.3	116.3	5,432	811.1	789.7	833.0	8,498	1760.7	1723.3	1798.7
Champaign	35	109.0	75.6	152.6	48	953.7	702.3	1268.4	55	1639.7	1234.6	2137.1
Cook	3,072	112.3	108.3	116.3	4,431	814.3	790.5	838.7	6,988	1759.4	1718.2	1801.4
DuPage	72	116.6	91.0	147.4	62	862.9	653.8	1125.4	51	2335.9	1723.8	3117.8
Kane	59	135.9	103.1	176.0	41	641.6	459.2	875.8	62	2263.5	1726.8	2923.9
Kankakee	36	123.3	86.2	171.4	52	1093.9	816.7	1436.4	61	1720.7	1312.7	2222.8
Lake	73	85.2	66.6	107.6	96	800.2	647.9	977.9	139	1866.6	1565.6	2211.1
Macon	30	96.3	64.7	138.2	38	742.8	525.5	1020.7	31	838.7	568.5	1197.8
Madison	47	138.9	101.8	185.4	35	634.8	442.0	884.2	74	1635.4	1283.0	2056.8
Peoria	58	111.3	84.3	144.3	67	826.4	639.9	1051.7	116	2208.8	1823.9	2653.9
Rock Island	12	66.6	34.1	117.4	23	653.9	414.4	982.2	42	1771.8	1273.5	2417.6
St. Clair	186	135.1	116.3	156.1	201	831.3	720.3	954.5	373	1857.8	1673.1	2058.1
Sangamon	41	123.0	87.9	167.8	36	699.8	489.7	970.9	61	1625.5	1242.6	2092.1
Vermilion	14	107.3	58.1	182.9	27	1174.3	773.7	1711.6	35	1672.3	1162.6	2338.9
Will	98	96.3	78.1	117.4	101	679.3	552.0	828.7	117	1615.8	1333.4	1942.7
Winnebago	58	110.6	83.8	143.5	70	761.3	593.4	962.5	93	1759.8	1417.4	2164.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,670	6.0	5.8	6.3	8,034	88.6	86.7	90.6	25,223	333.4	329.3	337.6
Adams	14	6.2	3.4	10.5	43	80.8	58.4	109.0	208	332.9	288.8	382.3
Alexander	2	6.4	0.8	23.6	13	170.5	90.5	293.5	34	416.8	288.2	584.7
Bond	6	9.5	3.5	21.5	11	82.6	41.2	148.2	53	408.8	306.2	535.4
Boone	11	7.4	3.7	13.4	25	78.9	51.1	116.7	83	367.0	292.3	455.4
Brown	1	3.2	0.1	31.2	3	67.3	13.8	199.6	13	302.1	160.0	521.9
Bureau	7	5.8	2.3	12.3	31	103.4	70.2	147.3	114	347.7	286.3	419.2
Calhoun	1	6.3	0.2	42.1	6	123.0	44.7	279.5	15	299.5	167.4	496.9
Carroll	3	5.4	1.1	17.3	14	93.4	50.9	158.8	59	365.7	278.3	472.1
Cass	2	4.1	0.5	15.3	10	89.8	43.0	167.4	36	325.2	227.4	451.7
Champaign	42	7.3	5.3	9.9	72	68.1	53.3	85.7	244	275.9	242.3	312.9
Christian	15	12.0	6.7	20.1	25	88.0	56.8	130.6	112	353.3	290.3	426.3
Clark	2	3.4	0.4	13.3	12	83.4	43.0	148.0	43	284.3	205.3	384.9
Clay	7	15.0	6.0	31.2	19	154.2	92.6	243.3	51	350.3	259.4	465.0
Clinton	8	6.2	2.7	12.6	32	123.6	84.4	175.0	102	396.9	323.6	482.0
Coles	15	9.1	5.1	15.2	32	89.0	60.8	125.8	118	328.1	271.4	393.4
Cook	1,071	5.7	5.4	6.1	3,411	89.3	86.3	92.3	10,375	329.4	323.1	335.8
Crawford	11	15.2	7.6	28.1	16	95.9	54.7	156.9	75	428.9	337.1	538.5
Cumberland	2	5.3	0.6	20.2	10	111.1	53.2	206.6	35	382.8	266.1	535.9
DeKalb	13	4.5	2.4	7.7	43	83.2	60.2	112.1	146	329.3	277.9	387.7
DeWitt	6	10.2	3.7	22.8	10	73.3	35.0	136.8	40	296.6	211.6	405.4
Douglas	6	8.7	3.2	19.3	18	111.4	65.8	177.9	55	344.1	259.1	448.4
DuPage	179	5.0	4.3	5.8	552	82.8	76.1	90.1	1,320	294.3	278.6	310.6
Edgar	5	7.3	2.4	17.7	12	74.9	38.6	131.7	47	255.0	186.8	341.6
Edwards	3	12.7	2.6	38.8	12	199.9	103.0	352.4	19	289.0	173.1	455.9
Effingham	5	4.2	1.3	9.9	25	97.8	63.3	144.8	95	385.8	311.8	472.6
Fayette	9	11.8	5.4	22.9	13	75.6	40.1	131.1	61	354.4	270.9	456.0
Ford	2	4.1	0.5	16.4	12	110.9	57.2	195.6	61	418.5	318.7	542.3
Franklin	18	13.9	8.2	22.1	32	93.8	64.0	133.0	141	373.2	313.9	441.1
Fulton	13	9.9	5.3	17.3	40	122.7	87.6	167.9	101	286.6	233.1	349.2
Gallatin	6	29.7	10.9	66.2	4	66.2	17.8	174.3	22	365.8	228.3	559.5
Greene	6	12.1	4.4	26.9	12	102.7	52.9	182.5	61	470.7	359.5	606.7
Grundy	9	6.4	2.9	12.3	31	109.0	74.0	154.7	93	396.5	319.9	486.3
Hamilton	2	6.9	0.8	26.8	2	25.3	3.0	96.2	37	425.9	298.9	591.7
Hancock	1	1.3	0.0	9.0	23	130.3	82.6	196.3	62	321.9	246.4	414.1
Hardin	4	23.3	6.3	64.8	4	87.8	23.8	228.5	19	429.5	258.6	671.5
Henderson	2	6.5	0.8	27.7	3	34.3	7.1	108.4	26	379.9	247.9	559.3
Henry	10	5.6	2.7	10.6	39	89.7	63.8	122.8	149	351.3	296.9	413.0
Iroquois	3	2.7	0.6	8.7	29	106.8	71.4	154.2	109	375.9	308.3	454.5
Jackson	11	6.7	3.4	12.1	51	141.1	105.1	185.6	102	305.8	249.1	371.7
Jasper	6	16.9	6.2	38.6	11	134.1	66.8	241.5	31	358.9	243.2	513.2

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	4	2.9	0.8	7.6	32	99.4	68.0	140.6	116	363.6	300.1	437.1
Jersey	3	3.8	0.8	12.2	12	66.3	34.2	117.0	48	303.6	223.8	403.0
Jo Daviess	8	10.4	4.5	21.4	27	117.0	76.9	171.8	64	320.3	246.6	409.2
Johnson	0	0.0	0.0	12.0	8	74.8	32.2	150.2	35	408.8	284.5	570.7
Kane	93	6.2	5.0	7.6	189	71.7	61.8	82.8	572	334.5	307.6	363.2
Kankakee	27	7.4	4.9	10.8	63	81.4	62.6	104.2	236	345.9	303.2	393.2
Kendall	9	4.5	2.1	8.8	33	81.6	56.1	114.9	86	362.7	290.1	448.2
Knox	13	6.8	3.6	11.8	37	76.7	54.0	106.1	171	341.1	291.6	396.8
Lake	146	5.8	4.9	6.9	340	76.4	68.5	85.0	915	334.3	313.0	356.8
LaSalle	24	6.1	3.9	9.2	89	100.5	80.6	123.8	380	399.5	360.1	442.2
Lawrence	6	10.9	4.0	24.8	15	113.8	63.3	190.0	45	270.7	196.1	366.2
Lee	12	8.8	4.6	16.0	22	78.3	49.0	118.7	97	364.4	295.4	445.1
Livingston	4	2.8	0.8	7.3	29	96.6	64.7	138.9	88	277.5	222.0	343.3
Logan	8	7.2	3.1	14.8	23	96.8	61.3	145.7	80	324.8	257.0	405.8
McDonough	4	4.4	1.2	11.7	22	99.0	62.0	150.3	91	374.6	301.0	461.8
McHenry	57	5.5	4.2	7.2	153	86.4	73.2	101.3	383	361.4	326.1	399.6
McLean	37	7.2	5.1	10.0	83	90.1	71.7	111.8	231	310.0	271.2	352.8
Macon	16	4.0	2.3	6.5	105	110.6	90.5	133.9	320	364.8	326.0	407.2
Macoupin	17	10.0	5.8	16.2	39	99.2	70.5	135.9	170	389.8	332.9	453.9
Madison	70	7.5	5.9	9.5	185	90.8	78.1	104.9	682	368.8	341.7	397.6
Marion	16	11.3	6.5	18.5	31	88.3	60.0	125.8	118	324.0	267.7	389.4
Marshall	3	6.3	1.3	20.3	10	85.2	40.8	157.9	48	372.8	274.1	496.8
Mason	3	5.6	1.1	16.9	19	131.5	79.0	207.0	49	353.0	260.9	467.8
Massac	3	5.9	1.2	17.7	16	121.9	69.4	200.8	39	284.5	202.0	390.6
Menard	8	18.1	7.7	37.6	14	128.6	70.3	216.7	26	318.1	207.0	469.5
Mercer	1	1.7	0.0	10.9	15	97.2	54.4	161.3	44	324.2	235.4	436.5
Monroe	6	5.5	2.0	12.8	18	86.3	51.1	136.7	78	416.2	328.8	520.5
Montgomery	7	6.4	2.6	13.7	23	100.5	63.6	151.3	111	418.3	343.5	505.5
Morgan	8	6.5	2.8	13.0	31	102.6	69.7	145.9	104	359.0	292.9	436.0
Moultrie	2	4.0	0.5	15.6	8	71.7	30.9	142.6	45	337.1	244.7	454.6
Ogle	10	5.3	2.5	10.1	29	70.6	47.3	101.7	114	324.2	267.3	389.7
Peoria	33	5.3	3.7	7.5	119	83.6	69.3	100.1	461	346.7	315.7	380.0
Perry	9	11.0	5.0	21.7	18	99.1	58.7	157.6	71	381.9	298.0	482.7
Piatt	3	4.6	1.0	15.7	21	145.0	89.7	222.8	44	339.1	246.3	455.9
Pike	5	8.7	2.8	20.8	20	135.4	82.6	211.0	60	341.7	259.3	443.5
Pope	1	6.4	0.2	50.8	1	19.3	0.5	131.0	10	259.3	123.5	484.4
Pulaski	1	3.9	0.1	25.3	7	128.6	51.3	268.1	18	263.5	156.1	421.6
Putnam	0	0.0	0.0	23.1	5	88.9	28.8	212.7	15	306.8	171.7	507.9
Randolph	4	3.3	0.9	8.9	20	79.1	48.3	122.5	91	335.4	269.5	413.2
Richland	4	7.4	2.0	19.4	15	119.9	66.8	199.5	48	330.4	243.2	439.3
Rock Island	31	5.9	4.0	8.4	105	84.4	69.0	102.2	328	287.7	257.3	320.7

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, All Races, Both Sexes, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	75	8.1	6.4	10.2	189	105.2	90.7	121.3	629	373.8	345.1	404.2
Saline	7	8.0	3.2	16.8	30	127.1	85.6	182.5	106	411.2	336.1	498.5
Sangamon	50	7.1	5.3	9.4	134	89.3	74.8	105.7	409	315.1	285.3	347.3
Schuyler	3	12.0	2.4	37.8	6	104.3	38.2	228.6	22	309.2	193.3	471.7
Scott	0	0.0	0.0	22.9	5	108.9	35.0	259.5	18	406.1	240.0	645.1
Shelby	7	8.9	3.6	18.9	20	100.7	61.4	156.8	77	379.0	298.9	474.4
Stark	1	5.1	0.1	31.5	4	75.4	20.4	198.1	28	450.2	297.7	658.2
Stephenson	9	5.3	2.4	10.4	30	73.3	49.4	105.1	126	306.6	255.3	365.6
Tazewell	22	4.7	2.9	7.2	72	67.0	52.4	84.4	317	332.5	296.9	371.3
Union	5	8.0	2.6	19.8	18	106.5	62.9	170.5	45	268.9	195.5	362.0
Vermilion	11	3.9	1.9	6.9	78	111.3	87.9	139.1	237	351.8	308.4	399.6
Wabash	3	6.3	1.3	19.9	14	138.4	75.6	232.9	41	356.5	255.3	485.8
Warren	3	4.3	0.9	13.7	15	99.6	55.6	165.3	50	311.5	230.9	412.6
Washington	1	1.8	0.0	11.8	11	89.7	44.7	162.2	70	529.6	412.3	671.8
Wayne	5	8.7	2.8	20.8	15	98.9	55.1	165.2	58	350.9	266.1	455.0
White	2	4.0	0.5	15.7	22	156.6	97.8	239.8	55	341.0	256.0	446.4
Whiteside	14	6.6	3.6	11.3	36	71.1	49.8	98.7	143	285.8	240.8	337.1
Will	112	5.8	4.7	6.9	271	80.5	71.2	90.8	679	323.0	299.1	348.3
Williamson	11	5.2	2.6	9.4	45	82.9	60.5	111.3	167	320.5	273.6	373.2
Winnebago	68	6.8	5.3	8.6	183	85.7	73.7	99.1	574	321.2	295.5	348.6
Woodford	6	4.8	1.7	11.0	22	78.9	49.5	119.7	73	267.7	209.1	338.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, All Races, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,399	6.4	6.0	6.7	4,541	104.5	101.4	107.5	11,986	410.0	402.6	417.5
Adams	7	6.4	2.6	13.2	20	78.2	47.8	121.1	100	404.5	328.9	492.8
Alexander	1	6.2	0.2	35.9	6	158.2	57.9	349.6	13	425.0	225.7	732.8
Bond	1	2.9	0.1	18.7	6	87.5	32.1	190.7	27	512.3	335.6	758.6
Boone	5	6.6	2.1	15.8	16	100.0	57.1	163.0	53	580.5	431.7	770.6
Brown	1	4.3	0.1	56.6	1	48.2	1.2	268.3	7	383.9	153.5	814.9
Bureau	4	6.7	1.8	17.9	14	95.5	52.2	160.8	54	419.1	314.5	550.4
Calhoun	1	12.8	0.3	78.7	4	171.4	46.0	459.5	6	285.8	103.9	637.2
Carroll	2	7.4	0.9	29.5	6	78.0	28.5	174.6	35	507.5	352.9	710.8
Cass	2	7.8	0.9	29.9	6	110.3	40.4	244.6	21	495.0	305.9	760.0
Champaign	23	8.3	5.2	12.5	45	87.9	64.1	117.7	119	342.3	283.0	411.3
Christian	12	18.1	9.3	32.1	13	94.3	50.1	162.4	50	437.8	324.4	579.6
Clark	0	0.0	0.0	15.7	10	141.7	67.6	265.8	21	345.8	213.7	532.7
Clay	4	17.3	4.7	44.8	11	188.9	94.1	340.8	24	431.1	275.9	645.0
Clinton	3	4.4	0.9	14.0	19	148.3	89.2	232.3	49	468.8	345.4	627.1
Coles	5	5.9	1.9	14.4	23	132.8	84.1	199.5	50	370.4	274.4	491.1
Cook	561	6.1	5.6	6.7	1,881	105.8	101.1	110.7	4,929	410.2	398.7	422.0
Crawford	6	15.3	5.6	36.5	9	108.5	49.6	208.1	25	376.4	243.0	559.9
Cumberland	2	10.4	1.3	39.0	6	134.0	49.2	295.9	14	404.0	219.5	702.1
DeKalb	5	3.0	1.0	7.4	25	96.6	62.5	143.0	64	366.2	281.7	469.8
DeWitt	4	13.2	3.6	35.3	4	59.2	16.0	154.3	19	362.1	216.4	581.0
Douglas	4	11.9	3.2	31.4	9	118.4	54.0	227.7	26	402.0	261.9	600.3
DuPage	84	4.8	3.8	5.9	307	93.9	83.7	105.1	622	363.9	335.5	394.3
Edgar	3	8.6	1.8	26.2	4	50.1	13.6	129.7	21	317.1	196.2	485.8
Edwards	2	17.5	2.1	65.7	9	311.6	142.3	595.1	5	190.3	61.4	459.3
Effingham	2	3.3	0.4	12.5	14	113.0	61.8	190.3	43	454.9	329.0	614.3
Fayette	3	7.4	1.5	23.4	5	58.1	18.8	138.2	31	454.8	308.2	650.9
Ford	1	4.0	0.1	26.9	8	151.3	65.3	299.8	29	548.6	366.6	792.5
Franklin	9	13.8	6.3	26.6	16	95.9	54.7	156.6	61	442.5	337.8	572.0
Fulton	5	7.0	2.3	17.2	21	133.5	82.6	205.1	54	380.6	285.8	497.3
Gallatin	3	31.0	6.4	92.7	1	30.0	0.8	196.8	8	305.6	131.4	621.0
Greene	3	12.0	2.5	36.1	8	138.6	59.7	279.5	31	597.1	404.5	855.7
Grundy	5	7.0	2.3	16.7	19	132.5	79.7	207.1	39	416.3	295.3	573.9
Hamilton	0	0.0	0.0	31.1	0	0.0	0.0	104.5	22	665.0	414.9	1019.0
Hancock	0	0.0	0.0	14.0	14	162.3	88.7	273.3	26	350.8	228.9	517.8
Hardin	2	24.0	2.9	97.9	2	86.1	10.3	321.1	13	720.2	382.4	1245.2
Henderson	0	0.0	0.0	34.5	3	68.5	14.1	215.1	16	538.2	304.9	901.3
Henry	7	7.9	3.2	16.8	25	115.5	74.7	170.6	65	390.6	301.2	499.6
Iroquois	2	3.6	0.4	14.2	22	164.4	102.7	250.8	51	440.5	327.4	582.6
Jackson	7	8.5	3.4	17.7	37	210.0	147.9	289.9	40	316.0	225.2	433.1
Jasper	4	22.3	6.1	60.1	5	127.2	41.3	298.4	19	545.6	328.3	853.7

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, All Races, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	3	4.1	0.9	12.7	20	123.3	75.3	190.6	57	461.5	349.2	600.5
Jersey	3	7.5	1.5	23.9	7	78.8	31.7	164.4	25	394.0	252.7	594.2
Jo Daviess	5	13.2	4.3	32.0	19	168.3	101.1	265.3	23	260.3	164.3	399.2
Johnson	0	0.0	0.0	22.9	3	53.5	11.0	160.6	12	315.7	161.4	570.4
Kane	47	6.2	4.5	8.2	106	80.6	65.9	97.6	273	408.9	360.9	462.2
Kankakee	14	7.7	4.2	13.0	33	87.6	60.3	123.2	124	444.2	368.7	532.6
Kendall	3	3.1	0.6	9.4	22	108.1	67.7	164.3	48	505.2	369.7	679.6
Knox	10	10.1	4.8	19.0	19	81.2	48.9	127.1	74	387.6	304.0	487.8
Lake	81	6.5	5.2	8.1	203	91.2	79.0	104.7	447	400.5	363.3	441.1
LaSalle	15	7.5	4.2	12.5	60	138.4	105.6	178.4	182	485.8	417.5	562.9
Lawrence	4	14.1	3.8	38.7	9	148.1	67.3	285.1	22	356.3	223.2	540.7
Lee	4	5.4	1.5	15.5	14	99.1	54.2	166.5	44	398.2	288.6	538.8
Livingston	3	4.1	0.8	12.4	20	138.9	84.8	214.7	39	318.4	226.2	436.9
Logan	7	12.3	5.0	26.7	14	121.1	66.2	203.2	46	503.7	368.6	673.3
McDonough	1	2.1	0.1	13.7	14	127.2	69.5	213.9	33	361.3	248.5	509.1
McHenry	30	5.7	3.8	8.2	87	96.0	76.8	118.8	195	455.2	392.4	526.2
McLean	15	5.9	3.3	9.8	52	115.0	85.9	151.0	113	390.4	321.2	471.4
Macon	7	3.4	1.4	7.3	57	125.0	94.7	162.0	163	472.4	401.7	553.3
Macoupin	11	13.0	6.5	23.6	22	113.1	70.8	171.6	78	446.3	352.6	558.1
Madison	39	8.5	6.0	11.6	90	91.5	73.6	112.5	330	465.1	415.6	519.5
Marion	8	11.5	5.0	22.9	15	89.5	50.0	148.4	50	373.3	276.9	493.2
Marshall	2	8.0	1.0	33.0	6	105.2	38.5	231.9	20	407.0	247.8	634.0
Mason	3	10.9	2.2	33.4	14	198.9	108.4	337.0	30	513.3	345.6	740.4
Massac	1	3.8	0.1	23.1	9	142.7	64.9	275.6	22	432.8	270.6	660.4
Menard	5	24.1	7.7	59.9	4	76.3	20.7	199.1	10	304.2	144.9	568.8
Mercer	1	3.3	0.1	20.9	12	157.7	81.5	276.5	23	401.6	254.2	604.7
Monroe	3	5.2	1.1	16.8	10	98.3	47.1	181.1	30	374.2	251.1	547.1
Montgomery	2	3.3	0.4	13.3	12	104.9	54.1	184.7	53	515.1	385.8	674.7
Morgan	3	4.8	1.0	14.6	13	88.7	47.2	152.1	52	467.3	348.8	615.0
Moultrie	1	3.9	0.1	24.7	4	69.7	18.9	182.0	19	389.8	234.7	609.9
Ogle	5	5.2	1.7	12.7	16	78.2	44.7	127.6	52	355.0	264.4	469.9
Peoria	20	6.7	4.1	10.3	74	108.3	85.0	136.0	199	397.2	343.5	457.4
Perry	8	17.4	7.5	35.9	7	78.7	31.6	163.8	31	434.9	294.8	623.2
Piatt	3	9.1	1.9	31.1	13	183.4	97.6	314.8	22	422.1	263.3	656.3
Pike	4	13.4	3.6	35.2	11	151.7	75.4	275.2	33	480.9	330.7	677.5
Pope	1	12.8	0.3	99.3	0	0.0	0.0	208.5	4	289.8	77.8	760.0
Pulaski	1	7.3	0.2	51.4	5	191.5	61.6	457.1	8	347.5	148.7	699.1
Putnam	0	0.0	0.0	47.7	4	146.1	39.7	381.3	8	430.8	181.1	887.6
Randolph	3	4.4	0.9	14.2	13	101.1	53.8	173.2	44	422.9	307.1	569.7
Richland	2	7.6	0.9	28.1	11	187.0	93.1	336.4	24	414.8	265.4	623.2
Rock Island	18	6.7	4.0	10.7	60	99.4	75.8	128.0	156	350.5	297.3	411.1

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, All Races, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	28	6.3	4.2	9.1	101	119.0	96.9	144.7	296	464.6	412.5	522.2
Saline	1	2.2	0.1	13.6	16	146.9	83.9	240.0	51	535.3	398.2	707.3
Sangamon	28	8.2	5.4	11.9	77	108.6	85.7	135.8	176	365.9	313.3	425.4
Schuyler	0	0.0	0.0	36.1	3	102.7	21.2	300.0	9	310.4	140.9	604.4
Scott	0	0.0	0.0	51.8	3	134.5	27.4	404.2	7	363.2	145.1	779.1
Shelby	2	5.2	0.6	19.6	9	93.2	42.5	179.2	41	474.1	339.7	647.6
Stark	0	0.0	0.0	46.3	3	111.6	22.9	335.3	15	629.8	351.0	1052.8
Stephenson	4	4.6	1.3	12.6	15	76.7	42.9	127.3	62	390.6	299.0	502.9
Tazewell	15	6.5	3.6	10.7	39	75.0	53.3	102.5	143	381.8	320.9	451.8
Union	2	6.3	0.8	25.3	10	117.1	55.9	220.3	18	280.8	166.3	446.3
Vermilion	4	2.8	0.8	7.1	43	125.6	90.9	169.7	119	448.4	370.3	539.7
Wabash	2	7.9	1.0	32.5	9	185.3	84.7	353.1	23	538.7	341.4	809.4
Warren	3	8.5	1.8	27.1	9	121.3	55.3	232.5	21	350.8	216.0	545.6
Washington	0	0.0	0.0	17.5	8	134.5	57.8	268.1	35	663.2	461.3	926.4
Wayne	4	14.0	3.8	36.7	5	68.5	22.1	163.7	31	504.6	341.6	722.9
White	0	0.0	0.0	18.3	15	216.4	120.5	362.7	30	469.0	316.3	671.2
Whiteside	10	9.4	4.5	17.5	20	80.2	49.0	124.4	64	324.2	249.3	416.0
Will	60	6.2	4.7	8.0	168	99.9	85.3	116.3	327	398.1	354.9	445.7
Williamson	7	6.6	2.6	13.8	24	92.5	59.2	138.1	79	400.7	316.6	502.2
Winnebago	35	7.1	4.9	9.8	112	108.9	89.6	131.0	279	388.9	344.2	438.5
Woodford	3	5.2	1.0	16.0	14	98.0	53.5	164.7	40	381.2	272.2	520.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, All Races, Females, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals.												
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.												
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,271	5.7	5.4	6.0	3,493	74.1	71.7	76.6	13,237	283.3	278.5	288.2
Adams	7	6.2	2.5	12.8	23	83.1	52.7	125.1	108	283.1	230.9	344.7
Alexander	1	6.1	0.2	38.3	7	183.1	73.4	380.6	21	413.5	254.3	639.5
Bond	5	17.7	5.7	43.2	5	77.1	24.9	183.4	26	352.8	229.5	521.7
Boone	6	8.1	3.0	18.2	9	57.3	26.2	109.2	30	229.6	154.7	329.0
Brown	0	0.0	0.0	66.5	2	86.3	10.4	346.2	6	238.6	84.5	540.7
Bureau	3	4.8	1.0	15.4	17	111.4	64.8	179.7	60	286.8	216.9	374.7
Calhoun	0	0.0	0.0	72.6	2	75.8	9.2	310.4	9	321.8	145.4	628.2
Carroll	1	3.3	0.1	24.2	8	109.7	47.1	220.2	24	247.7	158.0	372.2
Cass	0	0.0	0.0	17.7	4	70.6	19.2	186.2	15	224.5	124.0	378.4
Champaign	19	6.4	3.8	10.2	27	49.5	32.6	72.0	125	227.8	189.3	272.2
Christian	3	5.1	1.0	15.7	12	81.8	42.2	144.8	62	309.3	234.9	401.7
Clark	2	7.0	0.8	27.0	2	26.4	3.2	102.2	22	230.9	143.2	356.1
Clay	3	13.0	2.7	38.8	8	121.8	52.2	248.0	27	307.3	198.7	459.3
Clinton	5	8.3	2.7	19.9	13	100.3	53.2	173.3	53	348.0	259.9	457.8
Coles	10	12.2	5.8	23.0	9	48.4	22.1	92.6	68	311.8	241.1	398.1
Cook	510	5.3	4.9	5.8	1,530	75.0	71.3	78.9	5,446	278.1	270.7	285.6
Crawford	5	14.9	4.8	36.1	7	84.2	33.7	176.1	50	469.4	346.7	624.4
Cumberland	0	0.0	0.0	24.3	4	90.5	24.5	236.7	21	347.9	212.3	547.6
DeKalb	8	6.0	2.6	11.8	18	69.4	41.1	109.7	82	302.2	239.6	377.2
DeWitt	2	7.0	0.9	27.0	6	85.8	31.1	193.1	21	259.1	158.4	404.3
Douglas	2	5.6	0.7	21.5	9	106.0	48.0	205.8	29	294.6	196.3	427.1
DuPage	95	5.3	4.3	6.5	245	72.1	63.3	81.8	698	250.7	232.3	270.3
Edgar	2	5.9	0.7	23.2	8	100.5	43.2	200.0	26	211.5	136.2	318.9
Edwards	1	7.6	0.2	50.0	3	89.6	18.3	277.9	14	343.1	185.1	589.1
Effingham	3	5.0	1.0	15.2	11	84.3	42.0	152.1	52	334.2	247.9	443.0
Fayette	6	17.2	6.3	38.6	8	93.4	40.0	189.3	30	288.1	193.2	415.3
Ford	1	4.1	0.1	25.8	4	75.1	20.2	197.5	32	364.1	245.0	528.9
Franklin	9	13.9	6.4	26.8	16	92.2	52.5	151.3	80	342.0	269.8	429.4
Fulton	8	13.3	5.7	27.0	19	112.8	67.7	178.4	47	226.1	165.3	303.6
Gallatin	3	28.4	5.8	90.1	3	98.9	20.3	293.1	14	393.0	210.6	680.0
Greene	3	12.4	2.5	37.4	4	72.8	19.6	190.9	30	397.4	266.1	574.6
Grundy	4	5.7	1.6	15.3	12	84.8	43.8	148.5	54	384.9	288.4	505.2
Hamilton	2	13.8	1.7	53.5	2	49.0	5.7	190.9	15	260.2	142.9	448.1
Hancock	1	2.7	0.1	18.2	9	102.1	46.6	195.7	36	289.6	201.2	407.9
Hardin	2	21.5	2.6	97.4	2	86.6	10.4	323.1	6	240.9	88.2	530.3
Henderson	2	13.8	1.7	58.0	0	0.0	0.0	111.9	10	247.2	117.9	461.0
Henry	3	3.5	0.7	10.9	14	64.4	35.2	108.5	84	320.2	254.1	399.2
Iroquois	1	1.8	0.0	12.6	7	50.3	20.2	105.8	58	330.4	249.5	430.9
Jackson	4	4.9	1.3	12.8	14	75.1	41.1	126.2	62	300.2	229.1	387.8
Jasper	2	11.2	1.4	47.5	6	139.1	50.8	308.7	12	227.7	115.7	414.3

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, All Races, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1	1.4	0.0	8.8	12	76.8	39.6	134.9	59	287.1	217.6	374.1
Jersey	0	0.0	0.0	12.8	5	54.2	17.6	130.3	23	237.2	149.3	360.3
Jo Daviess	3	7.5	1.5	25.1	8	67.9	29.1	138.1	41	352.1	252.3	480.1
Johnson	0	0.0	0.0	25.1	5	98.6	31.7	238.7	23	475.1	300.8	716.4
Kane	46	6.2	4.5	8.2	83	62.8	50.0	78.0	299	282.3	250.9	316.7
Kankakee	13	7.1	3.8	12.2	30	75.4	50.9	107.7	112	272.3	224.0	328.5
Kendall	6	6.0	2.2	13.5	11	54.2	27.0	97.8	38	272.4	192.5	375.4
Knox	3	3.4	0.7	10.3	18	72.0	42.6	114.8	97	314.4	253.7	386.1
Lake	65	5.2	4.0	6.6	137	61.7	51.7	73.0	468	288.5	262.9	316.0
LaSalle	9	4.8	2.2	9.2	29	64.2	43.0	92.8	198	335.1	289.1	387.0
Lawrence	2	7.4	0.9	29.7	6	83.0	30.0	187.1	23	218.4	134.6	340.3
Lee	8	12.8	5.5	26.3	8	56.5	24.3	112.3	53	332.0	247.5	437.7
Livingston	1	1.4	0.0	9.1	9	58.8	26.8	112.6	49	256.6	188.1	343.9
Logan	1	1.8	0.0	12.0	9	72.9	33.3	140.6	34	207.1	142.1	294.9
McDonough	3	6.6	1.3	20.4	8	71.4	30.8	141.7	58	380.3	286.3	497.7
McHenry	27	5.4	3.5	8.0	66	76.3	59.0	97.4	188	292.0	251.6	337.1
McLean	22	8.5	5.3	12.9	31	66.1	44.9	93.9	118	252.1	208.2	303.0
Macon	9	4.5	2.0	8.6	48	97.4	71.8	129.2	157	286.5	243.1	335.8
Macoupin	6	7.0	2.6	15.7	17	86.1	50.1	138.4	92	353.8	283.5	437.4
Madison	31	6.6	4.5	9.4	95	90.2	73.0	110.3	352	307.9	276.4	342.2
Marion	8	11.2	4.8	22.4	16	87.4	49.8	143.1	68	298.1	229.2	382.9
Marshall	1	4.5	0.1	30.9	4	64.6	17.6	168.8	28	374.0	245.0	550.9
Mason	0	0.0	0.0	15.9	5	66.0	21.4	158.7	19	225.5	134.3	359.0
Massac	2	7.9	1.0	29.4	7	101.2	40.4	216.3	17	212.8	123.0	345.7
Menard	3	12.2	2.5	42.2	10	176.6	84.6	328.4	16	343.2	193.1	568.4
Mercer	0	0.0	0.0	17.1	3	38.8	8.0	116.7	21	259.8	160.1	402.6
Monroe	3	5.9	1.2	19.2	8	73.9	31.8	147.6	48	408.9	300.0	546.3
Montgomery	5	10.1	3.3	24.6	11	96.2	47.9	173.9	58	354.0	266.9	462.7
Morgan	5	8.3	2.7	20.1	18	115.7	68.5	183.8	52	283.5	210.1	376.0
Moultrie	1	4.0	0.1	24.9	4	73.9	20.1	191.2	26	325.2	208.9	488.2
Ogle	5	5.5	1.8	13.6	13	63.1	33.6	108.4	62	292.7	223.6	377.5
Peoria	13	4.0	2.1	7.0	45	60.8	44.3	81.3	262	316.3	278.6	358.0
Perry	1	3.3	0.1	19.4	11	118.8	59.3	215.0	40	359.9	255.6	495.0
Piatt	0	0.0	0.0	18.1	8	106.5	45.9	214.1	22	268.9	167.4	413.7
Pike	1	3.7	0.1	23.1	9	116.0	53.0	225.9	27	252.3	163.2	376.8
Pope	0	0.0	0.0	85.9	1	38.6	1.0	255.7	6	285.9	102.8	639.7
Pulaski	0	0.0	0.0	35.3	2	79.7	9.6	287.8	10	229.8	109.1	442.9
Putnam	0	0.0	0.0	49.8	1	34.8	0.9	211.8	7	240.3	95.3	517.7
Randolph	1	1.8	0.0	11.1	7	57.9	23.2	120.3	47	275.3	200.5	371.6
Richland	2	7.5	0.9	27.7	4	56.2	15.0	151.7	24	277.7	176.6	418.1
Rock Island	13	5.1	2.7	8.7	45	70.0	51.0	93.8	172	244.7	209.1	285.0

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, All Races, Females, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	47	9.8	7.2	13.1	88	92.8	74.4	114.4	333	316.3	283.1	352.6
Saline	6	13.6	5.0	30.1	14	109.8	59.7	187.6	55	332.2	248.3	437.4
Sangamon	22	6.1	3.8	9.3	57	71.9	54.5	93.2	233	285.1	249.2	324.9
Schuyler	3	23.9	4.9	78.8	3	101.5	20.7	307.8	13	311.6	164.7	546.8
Scott	0	0.0	0.0	47.1	2	87.1	10.2	333.0	11	427.0	210.8	776.8
Shelby	5	12.9	4.2	31.5	11	108.0	53.8	196.1	36	306.5	213.3	429.2
Stark	1	10.9	0.3	64.6	1	37.5	1.0	227.0	13	353.2	185.2	618.4
Stephenson	5	6.0	1.9	14.5	15	70.3	39.3	117.2	64	254.6	195.1	327.7
Tazewell	7	3.0	1.2	6.3	33	59.5	40.9	83.8	174	302.3	258.7	351.3
Union	3	9.9	2.0	31.4	8	95.4	41.0	192.4	27	247.6	161.3	368.5
Vermilion	7	5.0	2.0	10.4	35	98.2	68.3	136.9	118	290.1	239.8	348.2
Wabash	1	4.4	0.1	27.7	5	94.3	30.6	222.0	18	245.8	144.3	396.8
Warren	0	0.0	0.0	14.3	6	78.6	28.7	173.3	29	288.5	191.5	422.8
Washington	1	3.7	0.1	24.0	3	47.0	9.6	144.5	35	455.6	314.9	643.7
Wayne	1	3.4	0.1	21.1	10	127.7	60.7	240.1	27	264.3	172.9	389.8
White	2	8.1	1.0	32.3	7	99.7	39.8	210.8	25	251.4	160.3	378.5
Whiteside	4	3.9	1.1	10.3	16	62.3	35.6	101.7	79	251.3	198.3	315.1
Will	52	5.3	4.0	7.0	103	61.2	49.9	74.3	352	276.7	248.5	307.2
Williamson	4	3.9	1.1	10.2	21	73.2	45.3	112.9	88	269.6	215.6	333.9
Winnebago	33	6.6	4.5	9.2	71	64.3	50.2	81.1	295	270.0	239.9	303.1
Woodford	3	4.3	0.9	14.3	8	59.0	25.5	116.6	33	192.5	130.4	276.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,081	5.8	5.5	6.0	6,315	83.9	81.8	85.9	22,057	331.1	326.7	335.5
Adams	14	6.5	3.5	10.9	42	81.1	58.4	109.8	205	333.6	289.0	383.4
Alexander	1	5.5	0.1	33.3	12	209.1	107.6	370.7	27	419.2	275.9	612.7
Bond	6	10.2	3.7	23.0	11	86.2	43.0	154.9	53	419.2	313.9	549.1
Boone	10	6.8	3.3	12.7	22	70.3	44.1	106.7	81	360.0	285.8	447.8
Brown	1	4.7	0.1	34.2	3	68.5	14.0	205.7	13	302.5	160.2	522.5
Bureau	7	5.8	2.3	12.4	31	104.4	70.9	148.7	114	348.6	287.0	420.3
Calhoun	1	6.4	0.2	42.3	6	123.6	44.9	280.8	15	299.8	167.5	497.2
Carroll	3	5.4	1.1	17.6	14	94.0	51.2	159.8	58	361.9	274.7	468.3
Cass	2	4.1	0.5	15.4	10	90.0	43.1	167.7	36	325.6	227.7	452.4
Champaign	31	6.4	4.3	9.2	58	62.5	47.4	80.8	224	273.1	238.4	311.4
Christian	15	12.5	7.0	21.0	25	89.3	57.7	132.7	112	354.9	291.6	428.3
Clark	2	3.4	0.4	13.4	12	83.6	43.1	148.3	43	284.6	205.5	385.4
Clay	7	15.2	6.1	31.5	19	155.1	93.1	244.6	50	342.3	252.6	455.6
Clinton	8	6.5	2.8	13.1	29	113.9	76.2	164.3	102	400.4	326.4	486.3
Coles	15	9.3	5.2	15.6	31	87.8	59.7	124.9	117	328.2	271.3	393.9
Cook	661	5.2	4.8	5.6	2,085	78.8	75.5	82.3	7,842	322.9	315.8	330.2
Crawford	11	16.1	8.1	29.7	16	96.9	55.3	158.6	75	430.5	338.4	540.7
Cumberland	2	5.3	0.6	20.2	10	111.4	53.4	207.1	35	383.6	266.6	537.0
DeKalb	13	4.7	2.5	8.1	41	81.5	58.5	110.7	145	330.9	279.1	389.8
DeWitt	6	10.3	3.8	23.0	10	73.8	35.2	137.7	39	289.2	205.3	396.9
Douglas	6	8.7	3.2	19.4	18	112.1	66.2	178.9	54	338.0	253.8	441.5
DuPage	153	4.9	4.1	5.7	495	83.3	76.1	91.0	1,275	299.2	282.9	316.1
Edgar	5	7.6	2.4	18.2	12	75.6	39.0	133.0	47	256.2	187.7	343.3
Edwards	3	12.8	2.6	39.0	12	200.0	103.0	352.5	19	289.8	173.6	457.2
Effingham	5	4.2	1.4	10.0	25	98.2	63.5	145.4	95	386.3	312.2	473.2
Fayette	9	12.4	5.7	24.0	13	76.6	40.6	132.8	60	349.7	266.6	450.8
Ford	2	4.1	0.5	16.6	12	111.6	57.5	196.6	61	419.6	319.4	543.7
Franklin	18	14.0	8.3	22.2	32	94.2	64.3	133.7	141	374.2	314.7	442.2
Fulton	12	9.7	5.0	17.3	39	121.1	86.0	166.3	101	287.9	234.2	350.9
Gallatin	6	29.8	10.9	66.5	4	66.4	17.9	175.0	22	368.1	229.7	562.9
Greene	6	12.2	4.5	27.1	12	103.1	53.1	183.2	61	471.4	360.0	607.6
Grundy	9	6.4	2.9	12.4	31	109.5	74.4	155.5	91	388.5	312.7	477.6
Hamilton	2	7.0	0.8	27.0	2	25.4	3.0	96.6	37	426.6	299.4	592.8
Hancock	1	1.3	0.0	9.0	23	130.8	82.9	197.0	60	310.7	236.7	401.5
Hardin	4	24.3	6.6	67.1	4	88.6	24.0	230.6	19	430.2	259.0	672.9
Henderson	2	6.5	0.8	27.8	3	34.3	7.1	108.5	26	380.0	247.9	559.4
Henry	8	4.6	2.0	9.3	37	86.0	60.5	118.6	144	342.7	288.8	404.1
Iroquois	2	1.8	0.2	7.5	27	100.3	66.0	146.8	109	378.4	310.3	457.5
Jackson	8	5.6	2.4	11.3	49	148.1	109.5	195.8	93	299.3	241.4	367.2
Jasper	6	17.0	6.2	38.7	11	134.1	66.9	241.6	31	359.3	243.4	513.8

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	4	3.1	0.9	8.4	32	104.1	71.2	147.2	108	350.4	287.1	424.1
Jersey	3	3.8	0.8	12.3	12	66.4	34.3	117.2	48	304.2	224.2	403.8
Jo Daviess	8	10.5	4.5	21.5	26	112.1	73.1	165.8	64	320.5	246.8	409.5
Johnson	0	0.0	0.0	12.2	7	65.6	26.2	139.1	35	410.9	286.0	573.5
Kane	84	6.1	4.8	7.5	170	69.2	59.2	80.5	541	328.3	301.2	357.2
Kankakee	25	8.1	5.2	12.0	53	78.3	58.7	102.5	217	350.1	305.0	400.2
Kendall	9	4.7	2.1	9.1	32	80.7	55.2	114.2	85	361.4	288.6	447.1
Knox	12	6.9	3.5	12.3	36	77.2	54.0	107.2	168	344.4	294.0	401.3
Lake	122	5.5	4.6	6.6	296	73.1	65.0	82.0	848	333.0	310.9	356.2
LaSalle	23	6.0	3.8	9.1	86	98.4	78.7	121.7	379	400.2	360.7	443.1
Lawrence	6	11.0	4.0	25.0	15	114.8	63.9	191.7	44	268.7	193.9	364.6
Lee	10	8.0	3.8	15.3	21	77.3	47.8	118.4	94	358.3	289.4	439.0
Livingston	4	3.0	0.8	8.0	29	98.1	65.7	141.1	88	278.2	222.5	344.1
Logan	7	7.0	2.8	14.9	23	98.6	62.5	148.6	79	324.3	256.2	405.7
McDonough	4	4.6	1.2	12.4	22	101.1	63.4	153.4	91	378.4	303.9	466.5
McHenry	56	5.6	4.2	7.3	152	87.4	74.0	102.6	381	363.5	327.8	401.9
McLean	31	6.6	4.5	9.4	76	86.0	67.7	107.7	228	313.1	273.7	356.7
Macon	13	3.8	2.0	6.7	93	109.3	88.2	133.9	298	364.5	324.2	408.4
Macoupin	17	10.1	5.9	16.4	39	100.1	71.1	137.1	167	384.9	328.3	448.8
Madison	63	7.3	5.6	9.4	174	90.6	77.6	105.1	656	370.3	342.5	399.8
Marion	16	11.8	6.8	19.4	29	85.6	57.3	123.4	116	328.7	271.1	395.6
Marshall	3	6.3	1.3	20.5	10	85.5	40.9	158.4	48	373.5	274.6	497.7
Mason	3	5.6	1.2	17.1	19	132.0	79.3	207.8	49	353.7	261.4	468.7
Massac	2	4.1	0.5	15.7	14	112.6	61.2	191.9	39	298.7	212.0	410.2
Menard	8	18.2	7.8	37.9	14	129.1	70.6	217.5	26	318.4	207.2	470.0
Mercer	1	1.7	0.0	10.9	15	97.5	54.6	161.8	44	324.7	235.7	437.0
Monroe	6	5.6	2.0	12.9	18	86.6	51.3	137.2	77	411.9	324.9	515.8
Montgomery	7	6.9	2.8	14.5	23	101.8	64.4	153.4	108	409.2	335.0	495.7
Morgan	7	6.1	2.4	12.9	31	105.3	71.5	149.8	99	349.8	283.9	427.0
Moultrie	2	4.0	0.5	15.7	8	71.9	31.0	143.0	45	337.2	244.8	454.8
Ogle	10	5.4	2.6	10.2	25	61.4	39.7	90.9	112	319.1	262.6	384.2
Peoria	28	5.4	3.6	7.8	102	81.3	66.3	98.7	424	342.8	310.8	377.2
Perry	8	11.1	4.8	22.6	17	95.2	55.4	153.6	71	388.2	302.9	490.7
Piatt	3	4.6	1.0	15.8	20	138.5	84.5	215.0	44	339.3	246.5	456.2
Pike	5	8.9	2.9	21.6	20	135.9	82.8	211.7	60	342.2	259.7	444.2
Pope	1	6.5	0.2	50.9	1	19.6	0.5	132.3	9	239.6	108.9	460.9
Pulaski	0	0.0	0.0	26.7	6	146.9	53.5	325.4	14	285.5	156.0	486.6
Putnam	0	0.0	0.0	23.4	5	89.1	28.8	213.2	15	307.3	172.0	508.9
Randolph	3	2.7	0.5	8.3	20	81.9	50.0	127.0	88	330.7	264.7	408.9
Richland	4	7.5	2.0	19.6	15	120.9	67.3	201.2	47	324.4	237.9	432.7
Rock Island	25	5.1	3.3	7.7	95	81.7	66.1	99.9	313	285.4	254.6	319.0

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, Whites, Both Sexes, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	52	7.8	5.8	10.2	139	103.7	87.2	122.4	516	379.9	347.8	414.2
Saline	7	8.2	3.3	17.3	27	118.7	78.1	173.9	104	410.9	335.2	499.1
Sangamon	45	7.1	5.2	9.6	123	88.6	73.6	105.7	389	314.9	284.3	347.9
Schuyler	3	12.1	2.5	38.0	6	104.5	38.3	228.9	22	309.5	193.5	472.2
Scott	0	0.0	0.0	22.9	5	109.2	35.1	260.4	18	406.9	240.5	646.4
Shelby	7	9.0	3.6	19.0	20	101.0	61.6	157.2	77	379.9	299.6	475.6
Stark	1	5.1	0.1	31.7	4	75.4	20.4	198.1	28	450.8	298.0	659.1
Stephenson	8	5.2	2.2	10.6	28	72.0	47.8	104.6	123	309.1	256.7	369.5
Tazewell	22	4.8	3.0	7.3	71	66.6	52.0	84.0	312	328.3	292.9	367.0
Union	5	8.2	2.6	20.2	18	107.8	63.7	172.6	45	270.6	196.8	364.4
Vermilion	11	4.3	2.2	7.8	67	102.9	79.7	130.9	218	342.5	298.6	391.3
Wabash	3	6.3	1.3	20.1	14	139.0	75.9	234.0	41	356.8	255.5	486.3
Warren	3	4.4	0.9	14.0	14	93.9	51.2	158.6	49	309.0	228.3	410.5
Washington	1	1.8	0.0	11.9	11	90.3	45.0	163.3	69	524.0	407.1	665.8
Wayne	5	8.7	2.8	20.9	15	99.3	55.4	166.0	58	351.5	266.5	455.9
White	2	4.1	0.5	15.8	22	156.8	97.9	240.1	55	342.1	256.8	447.8
Whiteside	14	6.8	3.7	11.5	35	69.9	48.7	97.5	143	287.2	241.9	338.6
Will	90	5.3	4.3	6.5	226	75.6	66.0	86.2	622	318.9	294.3	345.0
Williamson	11	5.4	2.7	9.7	43	81.0	58.6	109.5	166	322.4	275.1	375.6
Winnebago	59	6.7	5.1	8.7	156	80.6	68.5	94.3	531	314.8	288.6	342.8
Woodford	6	4.8	1.7	11.0	22	79.3	49.7	120.3	72	264.0	205.8	334.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,132	6.2	5.9	6.6	3,629	99.1	95.9	102.4	10,551	409.4	401.5	417.3
Adams	7	6.6	2.7	13.8	20	80.5	49.1	124.5	100	410.6	333.9	500.2
Alexander	1	10.1	0.3	64.5	5	166.7	54.0	405.7	10	419.8	200.9	776.7
Bond	1	3.2	0.1	19.8	6	92.8	34.1	202.5	27	525.2	344.1	777.6
Boone	5	6.7	2.2	16.1	15	95.5	53.4	158.2	52	573.6	425.3	763.5
Brown	1	7.3	0.2	62.0	1	50.2	1.3	280.0	7	384.8	153.9	816.4
Bureau	4	6.8	1.8	18.1	14	96.3	52.6	162.2	54	419.6	314.8	551.1
Calhoun	1	12.8	0.3	79.1	4	172.0	46.1	461.0	6	285.8	103.9	637.2
Carroll	2	7.6	0.9	30.1	6	78.4	28.7	175.8	34	496.8	343.4	699.2
Cass	2	7.8	1.0	30.1	6	110.5	40.5	245.1	21	495.1	306.0	760.1
Champaign	15	6.4	3.6	10.7	38	83.8	59.3	115.2	114	353.4	291.1	426.1
Christian	12	19.5	10.1	34.6	13	97.0	51.5	167.4	50	440.2	326.2	582.6
Clark	0	0.0	0.0	15.7	10	141.7	67.6	266.0	21	346.2	213.9	533.2
Clay	4	17.5	4.8	45.3	11	189.6	94.4	342.0	23	412.8	261.4	623.1
Clinton	3	4.7	1.0	14.8	17	135.8	79.1	218.4	49	472.0	347.8	631.4
Coles	5	6.1	2.0	14.8	22	129.6	81.2	196.4	50	373.5	276.7	495.2
Cook	375	5.8	5.2	6.4	1,196	94.7	89.4	100.2	3,774	407.5	394.5	420.8
Crawford	6	17.0	6.2	39.4	9	109.6	50.1	210.9	25	379.4	244.9	564.3
Cumberland	2	10.4	1.3	39.1	6	134.5	49.3	297.1	14	404.3	219.6	702.5
DeKalb	5	3.2	1.0	7.9	24	95.1	60.9	141.9	63	364.6	279.9	468.5
DeWitt	4	13.3	3.6	35.8	4	59.7	16.2	155.7	18	346.2	203.5	563.1
Douglas	4	12.0	3.3	31.7	9	119.3	54.4	229.5	26	402.3	262.1	600.8
DuPage	71	4.6	3.6	5.8	275	94.5	83.7	106.5	604	374.1	344.5	405.8
Edgar	3	9.1	1.9	27.6	4	50.5	13.7	131.1	21	319.0	197.4	488.9
Edwards	2	17.5	2.1	66.0	9	311.9	142.4	595.7	5	191.3	61.8	461.1
Effingham	2	3.3	0.4	12.6	14	113.5	62.0	191.2	43	455.9	329.7	615.7
Fayette	3	8.0	1.6	24.5	5	59.1	19.1	141.1	31	455.9	308.9	652.6
Ford	1	4.0	0.1	27.3	8	152.1	65.6	301.3	29	549.0	366.9	793.3
Franklin	9	13.9	6.4	26.7	16	96.4	55.0	157.5	61	443.6	338.6	573.4
Fulton	4	6.2	1.7	16.6	20	129.2	78.8	200.8	54	382.4	287.2	499.6
Gallatin	3	31.2	6.4	93.1	1	30.2	0.8	198.0	8	307.3	132.2	624.3
Greene	3	12.1	2.5	36.4	8	139.0	59.9	280.3	31	599.2	405.8	858.9
Grundy	5	7.1	2.3	16.9	19	133.2	80.2	208.2	38	407.2	287.4	563.7
Hamilton	0	0.0	0.0	31.2	0	0.0	0.0	105.2	22	667.1	416.2	1021.9
Hancock	0	0.0	0.0	14.2	14	162.6	88.9	273.9	24	325.3	208.2	487.7
Hardin	2	26.6	3.2	104.5	2	87.5	10.4	326.8	13	720.2	382.4	1245.2
Henderson	0	0.0	0.0	34.7	3	68.5	14.1	215.3	16	538.2	304.9	901.3
Henry	6	6.7	2.5	15.2	23	107.5	68.1	161.4	62	375.9	287.9	483.7
Iroquois	1	1.8	0.0	11.6	20	150.9	91.9	235.1	51	443.4	329.6	586.5
Jackson	6	8.3	3.0	18.7	35	216.3	150.6	301.1	37	313.7	220.3	435.4
Jasper	4	22.4	6.1	60.3	5	127.2	41.3	298.4	19	545.6	328.3	853.7

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	3	4.7	1.0	14.5	20	129.5	79.1	200.3	54	453.0	340.0	593.7
Jersey	3	7.5	1.5	24.0	7	79.1	31.8	164.8	25	394.7	253.1	595.1
Jo Daviess	5	13.3	4.3	32.3	18	158.2	93.6	252.7	23	260.4	164.3	399.3
Johnson	0	0.0	0.0	23.2	2	35.0	4.2	136.5	12	318.2	162.7	574.6
Kane	44	6.3	4.5	8.4	94	76.7	61.9	94.0	261	406.7	357.9	460.9
Kankakee	14	9.0	4.9	15.2	28	84.7	56.3	122.7	113	447.3	367.9	540.9
Kendall	3	3.2	0.7	9.7	22	110.1	68.9	167.3	48	508.2	372.0	683.4
Knox	9	10.2	4.7	19.9	18	80.0	47.4	126.9	73	392.6	307.5	494.8
Lake	66	5.9	4.6	7.6	176	86.4	74.1	100.2	418	402.9	364.2	445.0
LaSalle	14	7.3	4.0	12.3	57	133.4	101.0	173.1	181	485.7	417.2	563.0
Lawrence	4	14.3	3.9	39.0	9	149.2	67.8	287.2	22	359.7	225.3	545.6
Lee	3	4.5	0.9	14.7	14	103.5	56.6	174.0	44	405.9	294.3	549.1
Livingston	3	4.4	0.9	13.4	20	141.4	86.4	218.7	39	319.4	227.0	438.4
Logan	6	11.9	4.4	27.0	14	123.9	67.7	208.4	46	508.3	372.0	679.6
McDonough	1	2.2	0.1	14.6	14	129.9	71.0	218.5	33	365.4	251.3	514.9
McHenry	30	5.8	3.9	8.4	87	97.8	78.3	121.0	195	459.5	396.1	531.2
McLean	13	5.6	2.9	9.6	51	118.0	87.8	155.3	111	392.7	322.6	474.9
Macon	5	2.8	0.9	6.9	50	121.7	90.3	160.5	147	455.3	383.9	537.6
Macoupin	11	13.2	6.6	23.9	22	113.9	71.3	172.9	76	437.4	344.4	548.7
Madison	37	8.6	6.1	11.9	85	91.4	73.0	113.0	317	466.9	416.2	522.6
Marion	8	12.0	5.2	23.9	13	80.2	42.7	138.0	49	376.9	278.7	499.5
Marshall	2	8.1	1.0	33.3	6	105.5	38.6	232.4	20	407.5	248.2	634.7
Mason	3	11.0	2.2	33.6	14	199.2	108.6	337.6	30	513.6	345.9	740.9
Massac	1	4.0	0.1	24.9	8	134.5	57.7	270.0	22	447.7	280.0	682.4
Menard	5	24.4	7.8	60.7	4	76.5	20.8	199.5	10	304.6	145.1	569.4
Mercer	1	3.3	0.1	21.1	12	158.4	81.9	277.8	23	402.1	254.6	605.6
Monroe	3	5.3	1.1	16.9	10	98.6	47.3	181.6	29	363.1	241.8	534.4
Montgomery	2	3.7	0.5	14.4	12	106.9	55.1	188.2	51	498.6	371.2	656.4
Morgan	2	3.6	0.4	13.6	13	91.2	48.6	156.6	49	449.7	332.4	596.6
Moultrie	1	3.9	0.1	24.7	4	69.9	19.0	182.5	19	389.9	234.7	610.1
Ogle	5	5.2	1.7	12.9	14	69.4	37.9	116.9	51	350.0	259.9	464.4
Peoria	19	7.5	4.5	11.8	65	107.3	82.8	136.8	188	405.0	348.8	468.3
Perry	7	18.2	7.3	38.6	6	68.6	25.1	151.9	31	441.1	299.1	631.8
Piatt	3	9.2	1.9	31.3	13	183.4	97.6	314.8	22	422.3	263.4	656.6
Pike	4	14.1	3.8	37.2	11	152.5	75.8	276.5	33	482.1	331.6	679.1
Pope	1	12.9	0.3	99.5	0	0.0	0.0	208.5	3	212.6	42.9	647.6
Pulaski	0	0.0	0.0	53.8	4	199.0	53.7	526.5	5	287.3	90.9	714.7
Putnam	0	0.0	0.0	48.1	4	146.3	39.8	382.1	8	431.5	181.5	888.6
Randolph	2	3.4	0.4	13.5	13	105.5	56.2	181.2	42	410.9	296.0	557.4
Richland	2	7.6	0.9	28.5	11	188.7	93.9	339.6	24	415.9	266.1	624.7
Rock Island	14	5.6	3.1	9.6	53	93.9	70.3	123.0	151	352.5	298.2	414.5

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	22	6.6	4.1	10.0	76	116.5	91.8	145.9	251	482.6	424.0	547.8
Saline	1	2.3	0.1	14.3	14	132.8	72.5	224.4	50	534.7	396.5	708.4
Sangamon	27	8.8	5.8	12.9	71	107.9	84.3	136.2	165	361.5	307.9	422.3
Schuyler	0	0.0	0.0	36.3	3	102.8	21.2	300.5	9	310.7	141.0	604.9
Scott	0	0.0	0.0	51.8	3	134.5	27.4	404.3	7	363.8	145.3	780.2
Shelby	2	5.2	0.6	19.6	9	93.4	42.6	179.6	41	475.8	340.9	649.8
Stark	0	0.0	0.0	46.6	3	111.6	22.9	335.3	15	629.8	351.0	1052.8
Stephenson	4	5.0	1.4	13.8	14	75.6	41.3	127.6	60	391.2	298.1	505.6
Tazewell	15	6.6	3.7	11.0	39	75.7	53.8	103.4	142	379.4	318.7	449.2
Union	2	6.5	0.8	25.9	10	118.6	56.6	223.3	18	282.9	167.6	449.6
Vermilion	4	3.1	0.8	8.2	36	113.4	79.3	157.4	105	417.3	340.3	508.3
Wabash	2	8.0	1.0	32.7	9	186.2	85.1	355.0	23	539.8	342.1	811.0
Warren	3	8.6	1.8	27.8	9	123.1	56.1	235.9	21	355.3	218.8	551.8
Washington	0	0.0	0.0	17.7	8	135.0	58.0	269.2	34	644.0	445.3	904.2
Wayne	4	14.1	3.8	36.9	5	68.9	22.2	164.7	31	505.1	342.0	723.7
White	0	0.0	0.0	18.5	15	216.5	120.6	363.0	30	470.4	317.3	673.2
Whiteside	10	9.6	4.6	17.9	20	81.2	49.6	125.9	64	325.8	250.6	418.1
Will	52	6.1	4.6	8.0	139	92.9	78.0	109.8	301	393.3	349.1	442.4
Williamson	7	6.8	2.7	14.2	23	90.7	57.5	136.7	78	400.4	315.9	502.5
Winnebago	31	7.0	4.8	10.0	94	100.1	80.9	122.6	262	388.2	342.2	439.3
Woodford	3	5.2	1.1	16.1	14	98.5	53.8	165.6	39	371.5	264.0	508.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	949	5.3	5.0	5.6	2,686	69.5	66.9	72.1	11,506	279.2	274.1	284.4
Adams	7	6.4	2.6	13.3	22	81.6	51.1	124.0	105	280.4	228.0	342.3
Alexander	0	0.0	0.0	48.1	7	251.8	100.8	527.1	17	424.9	246.0	691.3
Bond	5	18.3	5.9	45.1	5	79.2	25.6	188.7	26	361.3	235.1	534.4
Boone	5	6.9	2.2	16.6	7	45.1	18.1	93.3	29	222.5	148.8	320.9
Brown	0	0.0	0.0	67.1	2	86.3	10.4	346.2	6	238.6	84.5	540.7
Bureau	3	4.9	1.0	15.6	17	112.6	65.4	181.6	60	287.8	217.7	376.1
Calhoun	0	0.0	0.0	72.6	2	76.0	9.2	311.8	9	322.0	145.5	628.6
Carroll	1	3.4	0.1	24.5	8	110.5	47.4	221.9	24	249.8	159.3	375.4
Cass	0	0.0	0.0	17.9	4	70.7	19.2	186.5	15	225.1	124.3	379.4
Champaign	16	6.4	3.6	10.7	20	41.9	25.6	64.7	110	214.2	175.7	259.2
Christian	3	5.1	1.1	15.8	12	82.3	42.4	145.7	62	310.6	235.8	403.5
Clark	2	7.1	0.9	27.2	2	26.4	3.2	102.6	22	231.2	143.4	356.7
Clay	3	13.2	2.7	39.3	8	122.8	52.6	249.8	27	307.9	199.1	460.4
Clinton	5	8.4	2.7	20.2	12	92.9	47.8	164.5	53	351.6	262.6	462.5
Coles	10	12.5	6.0	23.6	9	49.2	22.5	94.2	67	310.2	239.3	396.9
Cook	286	4.5	4.0	5.1	889	64.5	60.3	68.8	4,068	268.2	259.9	276.7
Crawford	5	15.2	4.9	36.8	7	84.6	33.8	177.0	50	470.3	347.3	625.7
Cumberland	0	0.0	0.0	24.3	4	90.6	24.6	237.0	21	348.9	212.8	549.3
DeKalb	8	6.2	2.7	12.3	17	67.4	39.2	107.9	82	306.0	242.5	381.9
DeWitt	2	7.1	0.9	27.1	6	86.3	31.3	194.1	21	259.7	158.8	405.2
Douglas	2	5.6	0.7	21.6	9	106.4	48.2	206.6	28	283.1	187.1	413.3
DuPage	82	5.2	4.1	6.4	220	72.4	63.2	82.7	671	252.5	233.5	272.7
Edgar	2	6.0	0.7	23.4	8	101.2	43.5	201.4	26	212.3	136.8	320.4
Edwards	1	7.7	0.2	50.1	3	89.6	18.3	277.9	14	343.7	185.4	590.3
Effingham	3	5.1	1.0	15.3	11	84.6	42.1	152.6	52	334.3	248.0	443.2
Fayette	6	17.3	6.3	38.8	8	93.8	40.2	190.3	29	280.9	187.1	407.3
Ford	1	4.1	0.1	26.0	4	75.5	20.3	198.5	32	365.4	245.9	530.9
Franklin	9	14.0	6.4	26.9	16	92.7	52.8	152.1	80	343.0	270.5	430.5
Fulton	8	13.4	5.8	27.2	19	113.5	68.1	179.5	47	227.1	166.1	305.0
Gallatin	3	28.4	5.8	90.2	3	99.1	20.3	293.6	14	395.7	212.2	684.3
Greene	3	12.4	2.6	37.5	4	73.1	19.7	191.9	30	397.7	266.3	575.0
Grundy	4	5.7	1.6	15.4	12	85.1	44.0	149.2	53	378.5	282.7	498.1
Hamilton	2	13.9	1.7	54.0	2	49.3	5.8	191.9	15	260.2	142.9	448.4
Hancock	1	2.7	0.1	18.3	9	102.5	46.8	196.5	36	289.8	201.3	408.3
Hardin	2	21.8	2.6	98.3	2	87.0	10.4	324.5	6	241.0	88.3	530.7
Henderson	2	13.8	1.7	58.1	0	0.0	0.0	112.0	10	247.3	118.0	461.1
Henry	2	2.4	0.3	9.6	14	64.9	35.5	109.4	82	316.8	250.7	395.9
Iroquois	1	1.8	0.0	12.8	7	50.8	20.4	106.9	58	332.6	251.2	433.9
Jackson	2	2.8	0.3	11.2	14	82.1	44.9	138.1	56	288.1	216.5	377.6
Jasper	2	11.3	1.4	47.6	6	139.3	50.9	309.1	12	228.1	115.8	415.4

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Whites, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1	1.5	0.0	9.6	12	80.1	41.3	140.7	54	274.7	205.3	362.3
Jersey	0	0.0	0.0	13.0	5	54.2	17.6	130.6	23	237.7	149.7	361.2
Jo Daviess	3	7.5	1.5	25.2	8	68.2	29.3	138.6	41	352.5	252.5	480.6
Johnson	0	0.0	0.0	25.9	5	98.9	31.8	239.5	23	476.2	301.5	717.9
Kane	40	5.8	4.2	8.0	76	61.8	48.6	77.5	280	272.5	241.2	307.0
Kankakee	11	7.2	3.6	13.0	25	72.1	46.7	106.6	104	278.4	227.1	338.6
Kendall	6	6.2	2.2	14.0	10	50.4	24.2	93.5	37	269.0	189.1	372.2
Knox	3	3.6	0.7	11.0	18	74.1	43.9	118.2	95	317.9	255.9	391.3
Lake	56	5.0	3.8	6.6	120	59.7	49.5	71.4	430	284.9	258.6	313.3
LaSalle	9	4.8	2.2	9.4	29	65.0	43.4	93.8	198	336.4	290.2	388.5
Lawrence	2	7.5	0.9	30.0	6	84.0	30.4	189.2	22	214.3	130.5	336.9
Lee	7	11.8	4.7	25.3	7	50.9	20.4	105.8	50	316.3	233.5	420.4
Livingston	1	1.5	0.0	9.6	9	59.6	27.2	114.2	49	257.0	188.4	344.4
Logan	1	1.9	0.0	12.4	9	74.0	33.8	142.9	33	204.1	139.2	292.0
McDonough	3	6.9	1.4	21.4	8	73.0	31.5	144.8	58	383.8	288.8	502.5
McHenry	26	5.3	3.5	8.0	65	76.7	59.1	97.9	186	292.1	251.5	337.5
McLean	18	7.6	4.5	12.0	25	55.2	35.7	81.7	117	255.8	211.0	307.7
Macon	8	4.8	2.1	9.7	43	97.8	70.8	132.0	151	297.1	251.2	349.5
Macoupin	6	7.1	2.6	15.9	17	86.9	50.6	139.8	91	351.7	281.4	435.2
Madison	26	6.0	3.9	8.9	89	90.0	72.2	110.8	339	309.7	277.4	345.0
Marion	8	11.8	5.1	23.6	16	90.6	51.7	148.4	67	305.2	234.3	392.8
Marshall	1	4.6	0.1	31.2	4	64.8	17.6	169.6	28	375.0	245.6	552.6
Mason	0	0.0	0.0	16.1	5	66.5	21.5	159.7	19	226.3	134.7	360.3
Massac	1	4.3	0.1	24.9	6	91.1	33.1	206.8	17	225.2	130.1	366.3
Menard	3	12.2	2.5	42.4	10	177.2	84.9	329.6	16	343.5	193.2	569.0
Mercer	0	0.0	0.0	17.2	3	38.9	8.0	117.0	21	260.2	160.3	403.1
Monroe	3	5.9	1.2	19.3	8	74.3	32.0	148.5	48	410.0	300.8	547.8
Montgomery	5	10.2	3.3	24.8	11	96.9	48.2	175.2	57	347.9	261.6	455.9
Morgan	5	8.6	2.8	21.0	18	118.6	70.2	188.3	50	279.6	205.9	373.1
Moultrie	1	4.0	0.1	25.0	4	74.1	20.1	191.5	26	325.4	209.1	488.6
Ogle	5	5.5	1.8	13.7	11	53.6	26.7	96.4	61	287.6	219.2	371.7
Peoria	9	3.3	1.5	6.4	37	56.9	40.1	78.5	236	305.6	267.2	348.5
Perry	1	3.4	0.1	20.3	11	120.8	60.2	218.7	40	366.5	260.2	504.2
Piatt	0	0.0	0.0	18.2	7	94.0	37.6	197.7	22	269.1	167.5	414.0
Pike	1	3.7	0.1	23.1	9	116.3	53.2	226.5	27	252.6	163.3	377.3
Pope	0	0.0	0.0	85.9	1	39.1	1.0	259.6	6	287.3	103.5	642.2
Pulaski	0	0.0	0.0	55.2	2	104.9	12.7	379.1	9	286.0	129.8	575.9
Putnam	0	0.0	0.0	50.4	1	34.8	0.9	212.1	7	240.8	95.4	519.1
Randolph	1	1.8	0.0	11.8	7	59.3	23.8	123.4	46	275.3	199.8	372.7
Richland	2	7.5	0.9	28.0	4	56.5	15.1	152.7	23	265.4	166.9	403.3
Rock Island	11	4.7	2.3	8.5	42	70.0	50.4	94.8	162	238.0	202.3	278.7

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, Whites, Females, 1998-2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	30	9.0	6.1	13.0	63	90.8	69.7	116.3	265	313.7	276.7	354.5
Saline	6	14.0	5.1	31.2	13	106.6	56.4	185.7	54	331.0	246.5	436.9
Sangamon	18	5.6	3.3	9.0	52	71.2	53.2	93.4	224	287.8	250.9	329.0
Schuyler	3	24.0	4.9	79.0	3	101.8	20.8	308.4	13	311.6	164.7	547.0
Scott	0	0.0	0.0	47.3	2	87.8	10.2	335.8	11	427.9	211.3	778.4
Shelby	5	12.9	4.2	31.6	11	108.3	54.0	196.7	36	306.9	213.6	429.8
Stark	1	10.9	0.3	64.8	1	37.5	1.0	227.0	13	354.2	185.7	620.0
Stephenson	4	5.4	1.4	14.5	14	68.8	37.5	116.8	63	259.5	198.3	335.0
Tazewell	7	3.0	1.2	6.4	32	58.0	39.6	82.1	170	296.3	253.1	344.9
Union	3	10.1	2.1	31.9	8	96.4	41.4	194.5	27	249.0	162.2	370.5
Vermilion	7	5.5	2.2	11.6	31	93.2	63.3	132.8	113	293.5	241.6	353.9
Wabash	1	4.4	0.1	28.3	5	94.8	30.7	223.2	18	245.8	144.3	396.9
Warren	0	0.0	0.0	14.6	5	65.6	21.2	155.5	28	281.6	185.3	415.7
Washington	1	3.7	0.1	24.2	3	47.5	9.7	145.7	35	456.5	315.6	645.0
Wayne	1	3.4	0.1	21.2	10	128.2	60.9	241.1	27	265.0	173.3	391.0
White	2	8.2	1.0	32.4	7	99.9	39.8	211.3	25	252.1	160.7	379.7
Whiteside	4	4.0	1.1	10.5	15	59.2	33.1	98.1	79	252.4	199.1	316.5
Will	38	4.5	3.2	6.2	87	58.2	46.6	71.9	321	271.6	242.6	303.1
Williamson	4	4.0	1.1	10.6	20	71.3	43.5	111.1	88	273.1	218.4	338.2
Winnebago	28	6.3	4.2	9.2	62	62.3	47.8	79.9	269	259.8	229.4	293.2
Woodford	3	4.4	0.9	14.4	8	59.3	25.6	117.0	33	192.8	130.7	277.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, Blacks, Both Sexes, 1998 – 2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	470	7.4	6.7	8.1	1,393	116.9	110.8	123.2	2,696	351.2	337.9	364.9
Champaign	7	12.4	5.0	25.6	8	87.4	37.7	173.9	14	262.6	142.5	450.0
Cook	346	7.2	6.5	8.0	1,128	118.0	111.2	125.1	2,224	353.6	338.8	368.8
DuPage	7	6.3	2.5	13.3	19	144.7	85.4	232.6	13	370.2	190.9	665.6
Kane	7	8.8	3.5	18.4	9	70.4	31.9	137.4	19	405.7	240.6	651.7
Kankakee	2	3.9	0.5	14.2	10	113.9	54.6	210.7	19	319.5	190.7	507.2
Lake	16	10.3	5.9	16.8	22	98.6	61.8	149.6	39	316.8	223.3	439.6
Macon	3	5.8	1.2	17.1	11	117.4	58.6	211.0	20	347.0	210.6	542.2
Madison	5	8.4	2.7	19.8	11	111.8	55.8	200.4	26	346.4	226.2	510.2
Peoria	4	4.2	1.1	11.1	16	106.0	60.5	173.3	34	400.8	276.5	565.2
Rock Island	3	8.2	1.7	24.3	7	101.5	40.8	209.7	8	182.2	78.4	388.4
St. Clair	21	9.0	5.6	13.8	46	106.7	78.1	142.4	106	338.5	276.8	410.6
Sangamon	5	8.7	2.8	20.4	11	116.5	58.1	209.4	19	324.4	194.4	512.8
Vermilion	0	0.0	0.0	14.0	11	257.6	128.6	462.2	16	436.3	248.9	714.1
Will	22	11.5	7.2	17.5	32	113.9	77.6	162.2	49	403.6	295.6	541.1
Winnebago	4	4.0	1.1	10.7	23	140.0	88.7	210.8	30	351.1	235.1	510.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Blacks, Males, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	208	7.3	6.3	8.3	720	138.5	128.5	148.9	1,204	417.1	392.9	442.5
Champaign	5	19.0	6.2	44.3	5	121.6	39.5	285.8	5	216.7	69.2	655.4
Cook	152	7.3	6.2	8.5	571	139.3	128.1	151.2	999	424.3	397.4	452.8
DuPage	4	7.5	2.0	20.1	7	117.6	46.3	249.8	4	318.9	82.0	972.6
Kane	3	8.2	1.7	24.0	5	81.2	26.0	198.7	6	289.2	103.7	786.1
Kankakee	0	0.0	0.0	16.0	5	127.8	41.4	300.0	11	430.4	210.2	815.3
Lake	10	13.1	6.3	24.4	12	114.7	59.2	200.8	13	268.1	137.0	497.6
Macon	2	8.7	1.1	31.8	6	138.5	50.8	304.7	15	705.8	378.6	1,287.3
Madison	1	4.0	0.1	22.2	5	112.8	36.6	263.3	13	420.9	221.2	761.2
Peoria	1	2.1	0.1	13.2	9	130.5	59.6	250.2	9	259.9	116.2	523.9
Rock Island	3	15.6	3.2	46.5	5	143.0	46.4	338.9	1	61.9	1.6	546.2
St. Clair	5	5.0	1.6	11.6	25	133.2	86.2	196.9	41	359.3	255.4	496.4
Sangamon	1	3.6	0.1	20.6	6	144.5	53.0	315.3	11	515.4	249.0	982.4
Vermilion	0	0.0	0.0	26.1	7	358.7	144.2	740.3	12	809.8	407.4	1,483.8
Will	8	8.9	3.8	17.7	20	144.8	87.9	226.7	23	529.3	323.3	831.4
Winnebago	3	6.5	1.3	19.9	16	222.6	126.9	364.0	12	319.7	158.5	622.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Colon and Rectum, Blacks, Females, 1998 – 2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	262	7.5	6.6	8.5	673	100.3	92.9	108.2	1,492	311.6	296.0	328.0
Champaign	2	6.8	0.8	24.6	3	58.0	11.8	175.9	9	270.8	123.6	516.4
Cook	194	7.2	6.2	8.3	557	102.0	93.7	110.9	1,225	311.4	294.1	329.5
DuPage	3	5.4	1.1	16.0	12	167.8	83.5	310.6	9	410.4	181.2	827.4
Kane	4	9.4	2.5	24.7	4	60.5	16.3	162.5	13	474.3	248.8	831.8
Kankakee	2	7.4	0.9	26.8	5	104.8	34.0	247.0	8	234.2	100.4	472.4
Lake	6	7.5	2.7	16.6	10	84.3	40.4	155.6	26	348.6	226.2	516.3
Macon	1	3.5	0.1	19.7	5	98.6	32.0	231.4	5	136.4	44.0	326.3
Madison	4	11.9	3.2	31.1	6	110.1	40.4	241.0	13	283.3	150.3	488.7
Peoria	3	5.9	1.2	17.5	7	85.6	34.3	179.2	25	483.9	312.5	718.7
Rock Island	0	0.0	0.0	21.8	2	56.7	6.9	206.6	7	279.4	112.2	605.8
St. Clair	16	12.1	6.9	19.7	21	87.0	53.8	133.0	65	327.0	251.9	418.1
Sangamon	4	13.2	3.6	34.0	5	92.4	29.9	220.0	8	212.1	91.5	422.7
Vermilion	0	0.0	0.0	32.8	4	175.4	47.8	452.4	4	193.0	52.0	510.3
Will	14	14.0	7.6	23.5	12	84.4	43.2	149.8	26	344.9	223.8	511.8
Winnebago	1	2.0	0.1	11.4	7	76.1	30.6	157.6	18	361.7	213.7	577.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,527	5.7	5.5	6.0	11,567	127.6	125.3	129.9	29,364	391.6	387.2	396.1
Adams	21	9.3	5.8	14.3	82	151.6	120.6	188.4	254	423.2	372.3	479.4
Alexander	4	12.1	3.3	31.8	12	149.6	77.1	264.5	40	507.5	362.3	692.3
Bond	5	8.1	2.6	19.6	23	172.0	109.0	258.6	56	437.0	330.0	568.0
Boone	8	5.4	2.3	10.8	24	75.8	48.5	113.0	83	369.0	293.8	457.8
Brown	0	0.0	0.0	27.2	4	84.2	22.8	221.3	15	363.5	202.8	602.7
Bureau	2	1.5	0.2	6.2	54	178.1	133.7	232.9	123	386.0	320.2	462.0
Calhoun	0	0.0	0.0	31.9	5	117.2	37.6	279.6	21	430.7	266.5	660.1
Carroll	7	12.1	4.9	26.4	36	244.1	170.7	339.7	57	354.2	268.2	459.3
Cass	2	4.3	0.5	15.8	12	107.2	55.3	189.5	47	428.5	314.5	571.1
Champaign	21	3.9	2.4	5.9	140	132.6	111.5	156.5	311	356.6	318.0	398.6
Christian	11	8.8	4.4	16.0	48	166.9	122.9	222.1	172	579.7	495.9	673.8
Clark	4	6.8	1.9	18.3	27	189.2	124.5	277.3	44	288.2	209.1	388.9
Clay	1	2.2	0.1	12.5	19	153.8	92.3	242.7	53	387.7	289.5	510.2
Clinton	4	3.1	0.8	8.2	33	125.4	86.2	176.8	100	384.0	312.4	467.4
Coles	10	6.3	3.0	11.8	57	159.2	120.6	206.5	173	491.5	420.8	570.9
Cook	1,078	5.9	5.5	6.2	4,745	124.1	120.6	127.7	11,814	375.9	369.1	382.7
Crawford	5	6.9	2.2	17.2	18	105.8	62.6	168.7	65	382.3	294.9	487.8
Cumberland	2	5.2	0.6	19.8	8	91.6	39.5	182.3	38	438.3	309.6	604.1
DeKalb	10	3.7	1.8	6.8	63	123.0	94.5	157.4	164	374.3	319.0	436.5
DeWitt	2	3.2	0.4	12.6	18	128.0	75.7	204.2	64	485.5	373.5	621.4
Douglas	6	8.9	3.3	19.7	17	107.7	62.5	174.1	60	379.6	289.6	488.9
DuPage	127	3.6	3.0	4.3	655	99.6	92.1	107.5	1,588	356.9	339.5	374.9
Edgar	5	7.1	2.3	17.3	26	155.8	101.6	229.4	62	356.9	273.2	459.3
Edwards	1	3.9	0.1	24.7	16	265.7	151.5	434.6	25	393.0	253.6	583.6
Effingham	4	3.4	0.9	8.8	25	99.4	64.3	147.0	94	399.8	322.9	489.8
Fayette	7	9.2	3.7	19.5	23	134.4	85.0	203.2	52	302.8	225.9	397.8
Ford	3	6.8	1.4	20.9	14	121.6	66.3	206.6	48	365.5	268.5	487.8
Franklin	15	11.6	6.5	19.3	75	213.4	167.6	268.2	162	447.3	380.8	522.5
Fulton	7	5.3	2.1	11.2	61	189.8	145.0	244.5	149	430.1	363.4	505.9
Gallatin	2	9.6	1.2	37.2	10	148.7	71.1	280.4	30	521.6	351.0	748.8
Greene	6	12.2	4.5	27.0	18	155.6	91.9	248.9	64	486.2	373.9	623.0
Grundy	7	4.9	2.0	10.3	37	129.5	91.2	178.6	89	384.2	308.4	473.3
Hamilton	1	3.6	0.1	21.6	9	115.1	52.3	222.2	34	408.2	282.1	573.9
Hancock	6	8.6	3.1	19.6	23	128.0	81.1	192.9	65	357.4	275.6	456.6
Hardin	2	12.1	1.4	49.1	4	81.7	22.3	215.8	27	609.8	401.8	888.0
Henderson	1	3.2	0.1	22.7	8	91.1	39.3	186.1	33	491.6	338.0	692.7
Henry	10	5.3	2.6	10.1	53	121.9	91.3	159.6	150	365.3	309.0	429.1
Iroquois	6	5.5	2.0	12.6	31	112.7	76.5	160.8	104	373.3	304.8	453.0
Jackson	14	8.6	4.7	14.5	32	88.6	60.6	125.1	124	382.1	317.7	455.9
Jasper	5	14.3	4.6	35.1	10	125.7	60.2	232.0	40	470.2	335.2	643.8

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	7	4.9	2.0	10.4	44	135.5	98.4	182.2	103	334.3	272.5	406.2
Jersey	1	1.3	0.0	8.4	17	94.3	54.9	152.2	52	334.5	249.8	438.9
Jo Daviess	3	4.0	0.8	12.6	26	116.6	76.0	172.1	72	358.5	280.5	451.7
Johnson	3	7.0	1.4	22.6	11	96.1	47.9	175.6	40	471.5	336.5	644.1
Kane	60	4.0	3.1	5.2	247	93.9	82.5	106.5	667	393.6	364.2	424.7
Kankakee	26	7.2	4.7	10.5	119	152.9	126.7	183.0	309	452.3	403.2	505.8
Kendall	13	6.3	3.3	10.9	43	107.9	78.1	145.7	93	397.3	320.6	486.8
Knox	11	5.5	2.8	10.1	73	154.1	120.8	194.0	228	471.0	411.6	536.7
Lake	108	4.3	3.5	5.2	455	103.6	94.3	113.6	1,077	388.6	365.7	412.6
LaSalle	34	8.6	5.9	12.0	140	158.1	132.9	186.7	401	441.5	399.2	487.3
Lawrence	3	5.5	1.1	17.5	17	130.0	75.4	210.2	66	441.0	340.1	563.3
Lee	7	5.2	2.1	11.3	48	168.5	124.2	223.7	82	314.5	250.0	390.7
Livingston	13	9.1	4.8	15.7	40	133.8	95.6	182.4	99	336.2	272.9	410.2
Logan	11	9.9	5.0	18.3	28	117.7	78.2	170.5	97	416.6	337.4	509.4
McDonough	2	2.1	0.3	8.2	29	128.6	86.1	185.1	90	391.5	314.3	482.6
McHenry	51	5.0	3.7	6.6	204	117.6	101.9	135.0	423	396.8	359.9	436.6
McLean	28	5.5	3.7	8.0	112	121.9	100.3	146.8	239	327.5	287.2	371.8
Macon	26	6.3	4.1	9.4	153	161.4	136.8	189.1	412	472.5	428.0	520.5
Macoupin	21	12.3	7.6	19.0	51	129.9	96.7	171.0	171	403.5	344.9	469.5
Madison	83	8.9	7.0	11.0	328	161.4	144.4	179.9	802	434.6	405.0	465.8
Marion	9	6.5	3.0	12.5	54	153.5	115.3	200.8	166	485.6	414.1	566.2
Marshall	1	2.0	0.1	14.0	12	102.9	53.1	180.7	51	418.1	310.7	551.4
Mason	4	7.0	1.9	18.8	24	169.3	108.2	253.3	72	532.7	416.6	671.6
Massac	6	11.3	4.1	25.1	24	174.3	111.5	262.3	63	475.4	365.0	609.5
Menard	2	4.1	0.5	18.0	12	111.1	57.4	194.9	35	422.7	293.7	591.3
Mercer	7	11.3	4.5	24.4	23	147.6	93.5	222.4	50	368.9	273.6	487.6
Monroe	8	7.1	3.1	14.8	25	120.7	78.1	178.4	59	323.1	245.8	417.6
Montgomery	7	6.5	2.6	13.8	37	158.8	111.7	219.5	127	484.2	402.9	577.8
Morgan	5	3.9	1.3	9.5	45	149.0	108.6	199.7	128	455.4	379.6	542.3
Moultrie	3	6.0	1.2	18.7	16	140.7	80.3	229.9	53	429.5	321.0	564.0
Ogle	6	3.1	1.1	7.2	47	113.8	83.6	151.5	138	399.2	335.3	471.9
Peoria	49	7.8	5.7	10.3	221	155.3	135.5	177.2	564	434.3	399.1	471.8
Perry	5	6.4	2.1	15.7	27	152.4	100.4	222.5	53	294.8	220.7	386.1
Piatt	4	6.2	1.7	17.8	22	151.7	95.0	230.7	37	288.3	202.9	397.8
Pike	2	3.4	0.4	13.1	22	146.2	91.5	223.4	63	382.5	292.9	491.9
Pope	1	6.4	0.2	50.8	4	86.1	23.3	233.3	10	257.8	123.2	481.1
Pulaski	1	3.9	0.1	25.3	9	149.2	67.7	289.8	28	429.1	284.7	624.5
Putnam	3	13.2	2.7	43.1	7	123.8	49.7	259.9	26	542.8	354.5	796.5
Randolph	8	6.5	2.8	13.3	32	126.4	86.4	178.7	101	388.7	316.2	473.3
Richland	6	10.9	4.0	24.1	21	151.9	93.6	235.2	54	378.9	284.4	495.4
Rock Island	28	5.3	3.6	7.8	168	134.4	114.9	156.4	468	417.7	380.6	457.4

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Lung and Bronchus, All Races, Both Sexes, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	75	8.1	6.4	10.2	305	169.8	151.3	190.0	763	454.5	422.8	488.0
Saline	7	7.9	3.2	16.6	53	223.0	166.9	292.8	128	519.3	432.8	618.2
Sangamon	54	7.5	5.6	9.8	202	135.0	117.0	154.9	522	409.5	375.1	446.2
Schuyler	0	0.0	0.0	18.9	15	241.9	135.2	402.6	18	259.6	153.6	413.3
Scott	1	5.0	0.1	31.3	3	71.1	14.7	208.9	17	369.7	214.5	596.8
Shelby	4	5.3	1.4	14.1	26	128.9	84.1	190.2	86	425.4	340.1	526.1
Stark	1	4.3	0.1	29.6	8	153.8	66.2	306.9	23	385.0	242.3	584.7
Stephenson	9	5.4	2.5	10.5	43	107.8	78.0	145.6	113	284.6	234.5	342.6
Tazewell	34	7.3	5.1	10.3	122	114.1	94.7	136.2	431	452.2	410.5	497.1
Union	6	9.2	3.4	21.2	30	174.4	117.5	251.1	61	389.0	297.1	501.2
Vermilion	30	10.3	6.9	14.7	115	163.4	134.9	196.4	318	470.8	420.5	525.6
Wabash	4	8.6	2.3	23.3	25	239.0	154.6	354.1	44	408.2	296.3	549.2
Warren	3	4.3	0.9	13.7	14	91.8	50.1	155.2	59	384.5	292.5	497.4
Washington	5	9.1	2.9	22.4	14	108.2	59.0	183.8	36	282.8	197.7	393.7
Wayne	4	7.3	2.0	18.9	28	180.4	119.6	262.9	64	394.3	303.4	504.7
White	5	9.1	2.9	22.5	27	181.5	119.2	267.2	61	393.3	300.1	506.9
Whiteside	8	3.8	1.6	7.6	73	144.8	113.5	182.3	177	362.7	311.1	420.5
Will	87	4.6	3.7	5.7	452	136.0	123.8	149.3	863	406.7	380.0	434.9
Williamson	11	5.3	2.6	9.5	82	150.8	119.9	187.6	215	423.4	368.6	484.2
Winnebago	66	6.6	5.1	8.4	298	139.8	124.4	156.7	727	407.3	378.2	438.0
Woodford	5	3.8	1.2	9.4	20	72.0	44.0	111.3	75	292.0	229.1	367.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,357	6.2	5.9	6.6	6,676	153.7	150.0	157.4	16,516	550.7	542.2	559.2
Adams	12	10.7	5.5	18.9	43	167.0	120.8	225.1	162	652.6	555.8	762.1
Alexander	4	23.7	6.4	62.3	8	206.3	88.8	412.4	24	743.2	475.5	1113.9
Bond	3	8.6	1.8	27.3	16	231.4	132.3	376.1	35	633.9	439.8	895.2
Boone	2	2.7	0.3	10.1	15	94.3	52.7	156.0	51	526.3	389.7	703.2
Brown	0	0.0	0.0	52.1	2	81.3	9.9	312.6	10	577.9	275.9	1080.3
Bureau	1	1.5	0.0	9.9	31	208.0	141.3	295.9	73	571.4	447.4	721.9
Calhoun	0	0.0	0.0	56.8	2	103.4	12.5	373.5	14	627.3	342.3	1069.5
Carroll	6	20.7	7.6	47.7	22	295.6	184.9	451.1	30	447.3	301.1	643.1
Cass	1	4.6	0.1	25.5	8	147.9	63.8	295.5	29	649.8	434.4	938.5
Champaign	8	3.0	1.3	5.9	71	140.0	109.4	176.7	176	492.1	421.5	572.2
Christian	5	7.5	2.4	18.1	33	232.2	159.7	327.4	92	774.1	623.6	952.0
Clark	4	13.5	3.7	36.5	17	240.1	139.4	389.4	28	456.9	303.1	664.6
Clay	0	0.0	0.0	16.8	8	134.4	57.9	268.5	34	640.6	443.2	897.4
Clinton	1	1.5	0.0	9.7	24	184.6	118.2	275.4	71	664.2	517.2	845.3
Coles	4	5.1	1.4	13.5	35	201.8	140.5	280.8	97	690.5	559.5	845.3
Cook	607	6.8	6.3	7.4	2,727	153.4	147.7	159.3	6,383	516.4	503.7	529.4
Crawford	3	7.7	1.6	26.0	13	154.2	82.0	266.1	41	590.8	423.6	806.1
Cumberland	2	10.2	1.2	38.5	7	163.4	65.6	339.0	24	668.5	426.9	1018.2
DeKalb	5	3.6	1.2	8.5	34	133.9	92.7	187.5	89	507.3	407.0	626.3
DeWitt	2	6.4	0.8	25.1	13	192.0	102.1	330.6	44	799.5	579.4	1088.0
Douglas	4	11.9	3.2	31.4	12	162.5	83.8	286.1	39	608.3	431.5	842.4
DuPage	60	3.4	2.6	4.4	337	104.4	93.5	116.2	843	482.8	450.3	517.1
Edgar	3	8.3	1.7	25.7	14	174.9	95.6	294.7	42	628.3	452.8	850.5
Edwards	1	8.1	0.2	50.0	13	446.8	237.6	767.7	19	719.1	431.9	1135.6
Effingham	3	5.0	1.0	15.1	17	139.6	81.3	224.0	54	562.7	422.6	736.0
Fayette	4	9.8	2.7	26.7	17	202.2	117.6	325.6	32	477.3	325.5	678.8
Ford	1	4.1	0.1	27.3	8	149.8	64.6	297.3	27	521.8	343.4	762.9
Franklin	7	10.8	4.3	22.6	50	291.8	216.3	385.8	104	726.8	593.4	884.1
Fulton	4	5.8	1.6	15.6	39	251.1	178.5	344.2	88	602.6	483.2	743.4
Gallatin	2	21.4	2.6	78.6	5	153.5	49.0	379.5	15	609.3	338.9	1020.0
Greene	4	16.3	4.4	42.5	10	180.0	86.0	336.2	43	805.1	581.6	1092.8
Grundy	3	4.1	0.8	12.4	26	180.8	118.1	265.1	55	579.7	436.1	759.3
Hamilton	1	7.2	0.2	43.7	6	160.5	58.8	352.6	21	599.7	369.9	930.9
Hancock	2	5.8	0.7	23.4	12	137.4	71.0	241.3	39	524.5	372.7	720.7
Hardin	2	23.4	2.8	96.5	1	42.5	1.1	249.5	15	764.4	427.1	1280.7
Henderson	1	5.9	0.1	43.3	6	136.9	50.3	310.8	19	696.6	415.5	1111.1
Henry	5	5.2	1.7	12.8	33	153.1	105.4	215.2	97	575.7	466.7	704.0
Iroquois	3	5.6	1.1	17.3	18	132.4	78.3	211.2	64	546.2	420.3	700.7
Jackson	7	8.5	3.4	17.7	23	131.5	83.3	197.6	77	586.2	462.0	735.7
Jasper	2	11.0	1.3	43.3	7	181.4	72.9	374.2	21	613.3	379.5	938.3

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	6	8.0	2.9	18.0	27	166.3	109.6	242.1	66	531.9	411.1	679.3
Jersey	1	2.5	0.1	16.6	5	55.6	18.0	132.0	35	530.3	367.7	749.6
Jo Daviess	0	0.0	0.0	11.8	11	103.0	51.3	186.1	47	545.7	398.6	735.1
Johnson	3	11.9	2.4	40.3	7	118.0	47.3	248.6	28	769.9	507.9	1129.5
Kane	28	3.7	2.5	5.4	147	112.3	94.8	132.1	364	532.2	478.2	591.5
Kankakee	13	7.1	3.8	12.2	67	177.2	137.4	225.2	187	656.8	565.2	761.0
Kendall	7	6.8	2.7	14.3	30	147.1	99.2	210.6	54	559.1	418.5	737.6
Knox	8	7.9	3.4	16.0	39	167.8	119.3	229.7	130	665.7	556.0	791.8
Lake	55	4.4	3.3	5.8	218	99.5	86.7	113.7	557	483.8	443.6	527.2
LaSalle	19	9.3	5.6	14.6	81	187.0	148.5	232.7	239	628.0	550.7	713.9
Lawrence	1	3.5	0.1	23.1	13	217.7	115.4	375.7	42	681.7	491.2	922.6
Lee	3	4.2	0.9	13.9	26	182.1	119.0	267.3	54	485.1	363.8	637.2
Livingston	4	5.4	1.5	14.3	23	160.1	101.5	240.4	59	481.3	366.3	622.4
Logan	7	12.4	5.0	26.9	16	138.3	79.1	224.7	60	648.4	494.7	836.3
McDonough	0	0.0	0.0	10.1	14	125.9	68.8	211.9	53	578.0	432.8	757.7
McHenry	29	5.6	3.7	8.1	109	123.8	101.5	149.7	231	528.8	461.6	604.2
McLean	14	5.6	3.1	9.5	63	140.1	107.6	179.4	133	454.2	379.8	540.3
Macon	15	7.6	4.2	12.6	99	217.1	176.4	264.3	225	631.3	550.9	721.8
Macoupin	12	13.7	7.1	24.3	31	159.0	108.0	226.1	98	562.0	456.0	685.9
Madison	49	10.6	7.8	14.0	190	193.9	167.3	223.6	455	626.5	569.5	688.3
Marion	4	5.9	1.6	15.3	34	204.8	141.8	286.9	93	677.4	546.6	831.1
Marshall	0	0.0	0.0	20.5	6	101.1	37.1	224.0	38	744.4	525.8	1027.9
Mason	2	6.8	0.8	26.7	15	215.6	120.2	358.6	48	807.7	595.1	1078.2
Massac	3	11.5	2.4	35.1	14	210.4	114.9	358.4	39	733.2	520.8	1008.2
Menard	1	4.2	0.1	29.9	6	113.0	41.4	249.9	23	662.4	417.0	1007.2
Mercer	3	9.3	1.9	29.7	12	158.4	81.8	277.8	31	550.5	373.7	783.0
Monroe	1	1.7	0.0	11.6	17	168.5	98.1	269.9	33	455.2	310.5	651.9
Montgomery	5	8.5	2.8	20.9	23	202.3	128.1	304.8	83	803.6	639.9	997.1
Morgan	3	4.4	0.9	13.9	25	169.7	109.8	251.0	77	684.2	539.8	857.2
Moultrie	2	8.2	1.0	31.8	11	193.5	96.4	348.8	26	525.5	343.1	771.8
Ogle	4	4.1	1.1	11.2	26	126.5	82.6	185.9	77	521.0	410.5	655.2
Peoria	25	8.1	5.3	12.1	134	196.4	164.6	232.7	325	639.1	571.1	713.6
Perry	4	8.7	2.4	24.3	12	136.2	70.3	239.2	37	498.7	350.8	693.4
Piatt	2	6.1	0.7	26.7	13	180.8	96.3	310.7	24	467.9	296.9	715.0
Pike	0	0.0	0.0	13.9	13	177.3	94.1	307.1	38	555.5	392.8	764.5
Pope	1	12.8	0.3	99.3	4	169.1	45.8	465.0	6	315.7	115.1	744.7
Pulaski	0	0.0	0.0	40.0	9	328.9	149.4	637.3	18	702.9	414.5	1131.3
Putnam	0	0.0	0.0	47.7	4	144.3	39.2	377.7	17	740.8	431.1	1230.2
Randolph	5	7.2	2.3	18.1	21	164.8	102.0	252.1	52	499.4	372.8	656.8
Richland	2	7.6	0.9	28.2	14	212.3	115.3	361.8	34	597.6	413.1	841.0
Rock Island	15	5.8	3.2	9.6	99	163.5	132.8	199.1	257	564.5	497.3	639.0

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	38	8.6	6.1	11.8	182	215.7	185.5	249.4	437	664.5	603.0	731.3
Saline	5	11.5	3.7	27.6	32	292.4	199.9	414.1	74	769.7	603.8	969.9
Sangamon	35	10.0	7.0	14.0	112	158.5	130.5	190.8	291	589.2	523.1	662.1
Schuyler	0	0.0	0.0	36.1	10	322.6	154.6	596.9	12	404.2	208.4	720.6
Scott	1	9.4	0.2	66.2	2	95.8	11.6	349.8	10	541.6	259.0	1019.9
Shelby	3	8.0	1.7	24.1	20	196.6	120.0	306.5	52	602.6	449.5	794.4
Stark	1	8.9	0.2	60.5	5	186.1	60.1	442.8	13	575.5	305.0	994.5
Stephenson	3	3.5	0.7	11.1	31	159.3	108.2	226.8	65	395.3	304.8	506.0
Tazewell	17	7.2	4.2	11.7	69	132.8	103.3	168.1	240	609.6	534.0	694.0
Union	3	9.0	1.9	29.0	19	224.7	134.9	355.1	38	579.9	410.2	798.7
Vermilion	14	9.6	5.2	16.1	72	211.1	165.1	266.3	193	694.4	599.1	802.3
Wabash	4	16.7	4.5	45.6	12	229.4	118.3	404.8	30	706.9	476.9	1010.0
Warren	1	2.8	0.1	18.6	9	116.9	53.3	224.9	36	573.5	401.0	802.9
Washington	3	10.8	2.2	34.2	8	131.9	56.6	263.6	22	397.8	249.1	607.3
Wayne	2	7.2	0.9	26.8	21	277.4	171.3	428.1	36	569.3	397.9	794.9
White	1	3.6	0.1	24.0	15	206.1	114.8	346.7	41	638.4	458.0	867.7
Whiteside	2	1.8	0.2	6.8	46	186.9	136.8	249.7	114	572.3	471.6	689.6
Will	44	4.6	3.4	6.2	261	157.5	138.9	178.0	489	567.0	516.9	621.5
Williamson	6	5.7	2.1	12.7	54	204.8	153.9	267.8	138	683.4	573.5	810.3
Winnebago	29	5.8	3.9	8.4	177	172.2	147.7	199.5	420	581.2	526.5	640.7
Woodford	0	0.0	0.0	7.5	8	57.0	24.6	112.4	51	490.9	365.4	646.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,170	5.2	5.0	5.6	4,891	103.6	100.7	106.5	12,848	288.5	283.5	293.6
Adams	9	7.9	3.6	15.2	39	137.1	97.5	188.0	92	267.0	214.3	329.5
Alexander	0	0.0	0.0	28.0	4	98.2	26.5	259.0	16	342.7	195.2	559.9
Bond	2	7.7	0.9	29.3	7	105.3	42.1	221.1	21	287.2	176.4	444.4
Boone	6	8.2	3.0	18.3	9	57.5	26.3	109.5	32	254.1	173.6	359.3
Brown	0	0.0	0.0	66.5	2	96.6	11.2	371.7	5	228.7	74.2	537.3
Bureau	1	1.5	0.0	10.4	23	151.2	95.7	228.1	50	252.9	185.7	338.7
Calhoun	0	0.0	0.0	72.6	3	132.0	26.7	405.7	7	260.1	103.5	550.3
Carroll	1	3.5	0.1	24.5	14	193.5	105.4	328.2	27	308.6	203.1	450.4
Cass	1	4.3	0.1	25.4	4	65.0	17.6	175.2	18	267.6	157.8	429.6
Champaign	13	4.7	2.5	8.0	69	126.0	98.0	159.4	135	266.6	223.3	316.0
Christian	6	10.3	3.8	23.1	15	104.4	58.2	173.8	80	452.8	357.4	567.0
Clark	0	0.0	0.0	15.4	10	135.8	64.9	254.3	16	181.3	103.0	298.7
Clay	1	4.4	0.1	25.2	11	171.4	85.0	313.9	19	225.7	134.3	361.1
Clinton	3	5.0	1.0	15.1	9	67.3	30.7	130.0	29	183.8	122.8	266.3
Coles	6	7.5	2.8	16.8	22	120.9	75.7	183.4	76	360.0	282.8	453.0
Cook	471	5.0	4.6	5.5	2,018	98.7	94.4	103.1	5,431	286.5	278.9	294.3
Crawford	2	6.0	0.7	23.2	5	61.6	19.9	145.9	24	239.7	152.9	360.4
Cumberland	0	0.0	0.0	24.3	1	22.5	0.6	132.2	14	273.1	148.3	466.9
DeKalb	5	3.7	1.2	8.7	29	111.8	74.9	160.5	75	289.5	227.0	364.5
DeWitt	0	0.0	0.0	15.2	5	69.3	22.3	168.9	20	266.4	161.4	417.1
Douglas	2	5.7	0.7	21.8	5	54.9	17.6	134.5	21	226.7	139.7	349.1
DuPage	67	3.7	2.9	4.7	318	94.9	84.7	105.9	745	280.3	260.4	301.4
Edgar	2	5.9	0.7	23.2	12	138.4	71.2	245.5	20	180.3	108.6	285.9
Edwards	0	0.0	0.0	37.5	3	89.6	18.3	277.9	6	166.3	60.3	368.5
Effingham	1	1.7	0.0	10.0	8	60.3	26.0	120.2	40	293.2	208.6	401.8
Fayette	3	9.1	1.9	27.4	6	66.2	24.3	150.4	20	204.1	123.8	318.2
Ford	2	9.3	1.1	34.8	6	93.7	34.3	214.8	21	279.8	170.2	439.1
Franklin	8	12.4	5.3	24.8	25	138.0	89.0	205.4	58	262.1	198.0	341.9
Fulton	3	4.7	1.0	14.9	22	131.8	82.4	201.8	61	307.5	234.3	397.7
Gallatin	0	0.0	0.0	45.9	5	146.4	47.5	352.5	15	474.2	262.5	794.6
Greene	2	8.1	1.0	30.7	8	134.0	57.4	271.2	21	258.6	159.0	403.0
Grundy	4	5.7	1.5	15.2	11	78.0	38.9	139.9	34	247.6	171.1	348.2
Hamilton	0	0.0	0.0	30.9	3	71.5	14.3	224.0	13	273.3	143.6	479.0
Hancock	4	11.3	3.1	31.2	11	120.1	59.8	217.6	26	245.4	159.3	363.8
Hardin	0	0.0	0.0	66.5	3	121.0	24.9	369.4	12	479.2	247.4	842.5
Henderson	0	0.0	0.0	37.1	2	44.4	5.4	181.4	14	367.9	200.8	620.2
Henry	5	5.4	1.8	13.5	20	90.0	55.0	139.6	53	225.7	168.5	296.7
Iroquois	3	5.5	1.1	18.0	13	93.6	49.8	161.9	40	251.6	179.2	344.7
Jackson	7	8.7	3.5	18.0	9	48.6	22.2	92.4	47	242.4	177.6	324.2
Jasper	3	17.7	3.6	57.2	3	69.5	14.2	209.9	19	384.0	228.3	613.9

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, All Races, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1	1.4	0.0	8.8	17	104.7	61.0	168.8	37	206.0	144.2	286.6
Jersey	0	0.0	0.0	12.8	12	132.7	68.4	234.8	17	190.3	110.6	307.0
Jo Daviess	3	8.0	1.6	26.3	15	129.2	72.0	216.8	25	230.5	149.0	341.6
Johnson	0	0.0	0.0	25.1	4	71.1	19.4	194.9	12	251.4	129.7	442.4
Kane	32	4.3	3.0	6.1	100	75.7	61.5	92.2	303	302.9	269.5	339.4
Kankakee	13	7.2	3.8	12.3	52	130.3	97.3	171.0	122	309.3	256.6	370.0
Kendall	6	5.8	2.1	13.1	13	67.8	36.1	116.3	39	285.7	202.9	391.8
Knox	3	3.2	0.7	9.8	34	140.5	97.2	197.1	98	340.4	275.3	416.8
Lake	53	4.2	3.2	5.5	237	107.7	94.4	122.3	520	324.3	297.0	353.5
LaSalle	15	7.8	4.3	13.0	59	130.0	98.9	168.1	162	310.2	263.7	363.0
Lawrence	2	7.7	0.9	30.4	4	52.8	14.2	143.2	24	277.3	175.7	418.8
Lee	4	6.3	1.7	17.5	22	154.5	96.7	234.8	28	195.6	129.6	284.0
Livingston	9	12.8	5.9	25.0	17	108.5	63.1	174.9	40	237.1	168.6	325.4
Logan	4	7.3	2.0	20.0	12	96.9	50.0	171.4	37	267.2	187.1	371.6
McDonough	2	4.1	0.5	16.3	15	131.2	73.4	217.6	37	268.0	187.1	373.7
McHenry	22	4.3	2.7	6.7	95	111.1	89.8	136.0	192	308.4	266.3	355.5
McLean	14	5.5	3.0	9.2	49	104.4	77.2	138.2	106	247.3	202.3	299.6
Macon	11	5.2	2.6	9.4	54	109.6	82.3	143.1	187	365.0	314.3	421.8
Macoupin	9	10.9	5.0	21.0	20	102.3	62.5	158.6	73	300.8	234.7	380.6
Madison	34	7.2	5.0	10.1	138	131.1	110.2	155.0	347	317.6	284.9	353.1
Marion	5	7.2	2.3	17.0	20	105.9	64.6	164.8	73	363.1	283.2	459.7
Marshall	1	4.1	0.1	29.9	6	103.9	38.1	227.1	13	199.7	105.3	346.0
Mason	2	7.2	0.9	27.8	9	123.6	56.4	237.9	24	319.7	204.1	479.1
Massac	3	11.1	2.3	33.8	10	141.6	67.6	268.2	24	310.1	197.8	465.2
Menard	1	4.1	0.1	30.8	6	107.7	39.5	237.8	12	254.6	129.1	455.8
Mercer	4	13.3	3.6	37.0	11	135.3	67.5	245.5	19	234.9	140.3	372.7
Monroe	7	12.9	5.2	28.5	8	74.3	32.0	148.5	26	251.3	163.9	369.5
Montgomery	2	4.0	0.5	15.7	14	116.2	63.4	197.5	44	278.0	200.1	378.4
Morgan	2	3.3	0.4	12.7	20	129.6	79.1	201.0	51	303.0	224.3	401.5
Moultrie	1	3.8	0.1	24.6	5	89.8	29.1	212.6	27	376.6	246.0	555.6
Ogle	2	2.2	0.3	8.9	21	101.2	62.6	155.1	61	315.4	240.7	406.3
Peoria	24	7.4	4.7	11.1	87	117.5	94.1	144.9	239	313.7	274.8	356.7
Perry	1	2.9	0.1	18.4	15	168.7	94.3	279.9	16	157.4	89.7	257.9
Piatt	2	6.2	0.8	27.3	9	123.4	56.3	237.8	13	170.2	89.8	296.2
Pike	2	6.9	0.8	27.9	9	114.3	52.3	223.2	25	254.8	162.9	383.3
Pope	0	0.0	0.0	85.9	0	0.0	0.0	193.3	4	178.1	46.9	481.2
Pulaski	1	8.5	0.2	50.4	0	0.0	0.0	146.9	10	254.2	119.8	484.9
Putnam	3	27.9	5.7	91.5	3	102.8	21.2	315.9	9	366.5	166.6	704.4
Randolph	3	5.6	1.2	17.1	11	85.0	42.4	153.9	49	325.9	239.8	434.6
Richland	4	13.6	3.7	36.2	7	93.8	37.6	201.1	20	235.0	142.5	367.2
Rock Island	13	4.9	2.6	8.5	69	106.7	83.0	135.2	211	317.8	276.0	364.4

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Lung and Bronchus, All Races, Females, 1998-2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	37	7.7	5.4	10.7	123	128.6	106.9	153.5	326	324.2	289.8	361.5
Saline	2	4.4	0.5	16.8	21	165.5	102.1	256.0	54	378.6	283.5	496.1
Sangamon	19	5.1	3.0	8.0	90	113.9	91.6	140.0	231	303.3	265.1	345.6
Schuyler	0	0.0	0.0	42.9	5	158.9	51.2	385.4	6	146.9	52.8	335.2
Scott	0	0.0	0.0	47.1	1	50.3	1.3	280.1	7	244.8	95.6	527.3
Shelby	1	2.6	0.1	16.5	6	62.8	23.0	138.7	34	303.1	208.9	427.4
Stark	0	0.0	0.0	45.2	3	118.0	24.2	355.3	10	282.0	132.9	531.1
Stephenson	6	7.2	2.7	16.3	12	61.0	31.5	107.1	48	206.6	151.8	275.6
Tazewell	17	7.4	4.3	12.0	53	97.5	73.0	127.7	191	348.3	300.5	401.7
Union	3	9.3	1.9	30.0	11	125.5	62.5	229.4	23	246.1	154.4	374.8
Vermilion	16	11.0	6.3	18.0	43	118.7	85.8	160.4	125	317.7	264.2	379.1
Wabash	0	0.0	0.0	20.3	13	247.3	131.6	424.4	14	211.9	114.9	360.9
Warren	2	5.8	0.7	23.4	5	67.4	21.8	158.7	23	257.6	162.2	392.4
Washington	2	7.4	0.9	29.7	6	87.3	32.0	198.3	14	197.8	106.6	340.4
Wayne	2	7.4	0.9	27.7	7	90.8	36.4	191.8	28	293.6	194.0	428.2
White	4	14.6	4.0	40.9	12	159.0	81.7	284.5	20	225.7	136.6	352.8
Whiteside	6	5.8	2.1	12.9	27	104.3	68.7	152.3	63	219.5	168.3	282.1
Will	43	4.5	3.3	6.2	191	114.7	98.9	132.2	374	299.1	269.5	331.1
Williamson	5	4.8	1.6	11.4	28	100.8	66.9	146.6	77	252.0	198.3	316.4
Winnebago	37	7.3	5.2	10.1	121	109.8	91.1	131.2	307	293.0	261.0	328.0
Woodford	5	7.4	2.4	18.7	12	87.8	45.4	153.8	24	154.5	97.8	234.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,827	5.1	4.8	5.3	9,277	123.1	120.6	125.7	25,650	391.5	386.7	396.3
Adams	21	9.6	6.0	14.8	80	152.1	120.6	189.5	250	422.8	371.6	479.5
Alexander	3	13.8	2.8	44.6	8	129.9	55.9	263.9	33	534.3	367.6	752.1
Bond	5	8.8	2.9	21.3	22	171.7	107.5	260.7	54	432.9	325.1	565.5
Boone	8	5.5	2.4	11.0	24	76.7	49.1	114.3	82	366.2	291.2	455.0
Brown	0	0.0	0.0	27.3	3	65.9	13.4	200.4	15	363.8	203.0	603.2
Bureau	2	1.6	0.2	6.3	54	179.8	135.0	235.1	123	387.1	321.1	463.3
Calhoun	0	0.0	0.0	32.0	5	117.7	37.7	280.9	21	430.8	266.5	660.1
Carroll	7	12.3	4.9	26.8	36	245.7	171.8	341.9	56	350.1	264.4	455.1
Cass	2	4.3	0.5	15.9	12	107.4	55.4	189.8	47	429.1	315.0	571.9
Champaign	17	3.7	2.1	5.9	120	129.5	107.4	154.9	289	360.4	320.0	404.6
Christian	9	7.5	3.4	14.5	48	169.3	124.6	225.3	171	579.2	495.2	673.6
Clark	4	6.9	1.9	18.4	27	189.4	124.6	277.7	44	288.5	209.3	389.3
Clay	1	2.2	0.1	12.6	19	154.7	92.8	244.0	53	388.4	290.0	511.2
Clinton	4	3.3	0.9	8.7	33	127.6	87.7	180.0	100	387.2	315.0	471.3
Coles	10	6.5	3.1	12.1	56	159.3	120.3	207.1	170	487.0	416.4	566.4
Cook	553	4.4	4.1	4.8	2,951	111.5	107.5	115.6	8,879	371.9	364.2	379.7
Crawford	4	5.8	1.6	15.9	16	93.4	53.3	153.4	65	383.8	296.1	489.8
Cumberland	2	5.2	0.6	19.9	8	91.9	39.6	183.0	37	427.8	300.7	592.2
DeKalb	9	3.5	1.6	6.6	62	124.3	95.3	159.5	163	376.9	321.1	439.7
DeWitt	2	3.2	0.4	12.8	18	128.9	76.2	205.7	64	486.7	374.4	622.9
Douglas	6	9.0	3.3	19.9	16	102.7	58.5	168.4	60	380.0	289.9	489.4
DuPage	117	3.7	3.1	4.5	608	103.2	95.1	111.8	1,526	362.4	344.4	381.1
Edgar	5	7.3	2.4	17.6	26	156.9	102.4	231.1	62	358.4	274.3	461.2
Edwards	1	4.0	0.1	24.9	16	265.7	151.6	434.7	24	378.9	242.0	567.1
Effingham	4	3.4	0.9	8.9	25	99.8	64.5	147.6	94	400.4	323.4	490.6
Fayette	6	8.4	3.1	18.7	23	136.0	86.0	205.7	51	298.0	221.7	392.5
Ford	3	6.9	1.4	21.1	14	122.1	66.6	207.5	48	366.7	269.4	489.4
Franklin	15	11.7	6.5	19.4	74	211.8	166.1	266.6	162	448.5	381.8	523.9
Fulton	7	5.5	2.2	11.6	61	191.9	146.6	247.3	148	429.1	362.4	505.1
Gallatin	2	9.7	1.2	37.4	10	149.2	71.3	281.4	30	524.8	353.1	753.4
Greene	6	12.3	4.5	27.2	18	156.2	92.3	249.9	64	486.9	374.5	623.9
Grundy	7	4.9	2.0	10.3	37	130.2	91.7	179.5	89	385.1	309.2	474.4
Hamilton	1	3.6	0.1	21.7	9	115.7	52.5	223.3	34	408.9	282.6	575.1
Hancock	6	8.6	3.2	19.8	23	128.3	81.3	193.4	64	352.6	271.3	451.3
Hardin	2	13.0	1.5	51.6	4	82.0	22.3	216.9	27	610.2	402.1	888.8
Henderson	0	0.0	0.0	17.9	8	91.2	39.4	186.3	33	491.6	338.0	692.8
Henry	10	5.4	2.6	10.3	53	123.0	92.1	161.0	149	365.8	309.2	429.8
Iroquois	6	5.6	2.0	12.8	31	113.9	77.3	162.6	103	372.7	304.0	452.7
Jackson	12	8.7	4.5	15.4	26	78.6	51.3	115.1	116	384.8	317.8	461.9
Jasper	5	14.3	4.6	35.1	10	125.7	60.2	232.0	40	470.7	335.6	644.6

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Both Sexes, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	6	4.5	1.7	10.3	41	132.0	94.7	179.4	101	339.6	276.3	413.5
Jersey	1	1.3	0.0	8.5	17	94.5	55.0	152.5	52	335.2	250.3	439.8
Jo Daviess	3	4.0	0.8	12.7	26	116.9	76.2	172.5	71	353.8	276.3	446.5
Johnson	2	5.3	0.6	20.8	11	97.7	48.6	179.3	40	473.8	338.2	647.2
Kane	48	3.5	2.6	4.6	229	93.6	81.8	106.6	625	383.9	354.4	415.3
Kankakee	22	7.1	4.5	10.8	102	149.3	121.7	181.3	278	451.0	399.5	507.5
Kendall	13	6.4	3.4	11.2	43	109.8	79.4	148.1	90	387.4	311.5	476.4
Knox	10	5.5	2.6	10.4	70	153.1	119.3	193.7	224	475.3	414.8	542.3
Lake	93	4.2	3.4	5.2	418	105.2	95.3	115.8	1,007	391.2	367.4	416.2
LaSalle	33	8.5	5.8	12.0	136	155.3	130.3	183.9	399	441.5	399.0	487.3
Lawrence	3	5.6	1.2	17.7	16	124.4	70.8	204.1	65	438.1	337.2	560.8
Lee	6	4.9	1.8	11.2	46	166.3	121.7	222.2	81	315.7	250.6	392.7
Livingston	6	4.5	1.7	10.2	39	132.5	94.2	181.3	98	333.5	270.4	407.3
Logan	10	10.0	4.8	18.8	27	115.2	75.9	168.2	97	420.1	340.2	513.6
McDonough	2	2.2	0.3	8.7	29	131.2	87.9	188.9	90	396.4	318.1	488.7
McHenry	50	5.0	3.7	6.6	197	115.8	100.1	133.3	422	400.5	363.2	440.7
McLean	25	5.4	3.5	8.0	108	122.6	100.5	148.1	232	326.0	285.3	370.8
Macon	21	5.9	3.6	9.1	131	154.1	128.9	182.9	387	478.0	431.5	528.1
Macoupin	21	12.5	7.7	19.3	51	131.0	97.5	172.5	169	401.6	342.9	467.6
Madison	67	7.7	5.9	9.8	310	161.9	144.4	181.0	766	433.8	403.6	465.7
Marion	9	6.8	3.1	13.1	51	149.6	111.3	197.1	160	483.3	410.9	565.2
Marshall	1	2.0	0.1	14.1	12	103.3	53.3	181.5	51	419.2	311.5	552.9
Mason	4	7.1	1.9	18.9	24	169.9	108.6	254.2	72	533.9	417.6	673.2
Massac	5	10.1	3.3	24.3	23	174.3	110.3	264.9	59	468.3	356.1	605.6
Menard	2	4.2	0.5	18.1	12	111.6	57.6	195.6	35	423.0	293.9	591.7
Mercer	7	11.3	4.6	24.5	23	148.1	93.8	223.2	49	361.7	267.4	479.4
Monroe	8	7.2	3.1	14.9	25	121.2	78.4	179.2	58	317.7	241.1	411.5
Montgomery	7	6.8	2.7	14.4	37	160.7	113.0	222.3	125	477.1	396.4	570.2
Morgan	5	4.2	1.4	10.2	43	145.9	105.5	196.8	127	461.7	384.6	550.2
Moultrie	3	6.1	1.2	18.8	16	141.1	80.5	230.5	53	430.0	321.3	564.5
Ogle	6	3.2	1.2	7.3	47	114.7	84.2	152.7	138	400.2	336.2	473.1
Peoria	40	7.6	5.4	10.4	188	149.9	129.3	173.0	513	427.1	390.8	465.9
Perry	4	5.8	1.6	15.4	27	156.6	103.1	228.7	53	299.6	224.3	392.5
Piatt	4	6.2	1.7	17.9	22	151.7	95.0	230.8	36	281.1	196.8	389.7
Pike	2	3.5	0.4	13.6	22	146.7	91.8	224.2	63	383.0	293.3	492.5
Pope	1	6.5	0.2	50.9	4	87.4	23.6	236.4	10	260.1	124.3	484.9
Pulaski	1	5.5	0.1	35.7	7	157.5	62.7	334.1	23	492.3	311.4	745.1
Putnam	3	13.3	2.7	43.4	7	124.2	49.8	260.8	26	545.2	356.1	800.2
Randolph	6	5.5	2.0	12.4	28	115.0	76.3	166.6	101	395.8	322.0	482.1
Richland	6	11.0	4.0	24.4	20	146.5	89.1	229.3	54	380.3	285.4	497.2
Rock Island	23	4.8	3.1	7.3	154	132.0	112.0	154.7	444	413.1	375.5	453.6

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Lung and Bronchus, Whites, Both Sexes, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	46	6.9	5.0	9.2	207	154.1	133.8	176.6	606	451.1	415.9	488.6
Saline	7	8.1	3.3	17.1	52	226.5	168.9	298.2	128	529.5	441.3	630.4
Sangamon	45	6.9	5.0	9.3	188	135.7	117.0	156.6	489	404.4	369.3	442.0
Schuyler	0	0.0	0.0	19.1	15	242.2	135.3	403.1	18	259.9	153.7	413.7
Scott	1	5.0	0.1	31.4	3	71.4	14.7	209.6	17	370.4	215.0	598.1
Shelby	4	5.3	1.4	14.1	26	129.2	84.3	190.6	86	426.4	340.9	527.4
Stark	1	4.3	0.1	29.7	8	153.8	66.2	306.9	22	365.5	227.4	560.6
Stephenson	7	4.6	1.9	9.9	40	106.2	75.8	145.1	105	274.0	224.0	332.2
Tazewell	34	7.5	5.2	10.5	119	112.1	92.8	134.2	429	451.9	410.1	496.8
Union	6	9.4	3.4	21.6	30	176.6	118.9	254.2	60	384.9	293.3	497.0
Vermilion	25	9.6	6.2	14.2	103	156.7	127.8	190.3	301	472.1	420.2	528.6
Wabash	4	8.7	2.4	23.6	25	240.3	155.4	355.9	44	408.9	296.7	550.1
Warren	3	4.4	0.9	14.0	14	93.3	50.9	157.6	58	383.0	290.6	496.6
Washington	5	9.1	3.0	22.5	14	108.9	59.4	185.0	36	283.4	198.1	394.5
Wayne	4	7.3	2.0	19.0	28	181.2	120.2	264.2	64	395.1	303.9	505.8
White	5	9.1	3.0	22.6	27	181.7	119.4	267.5	61	394.5	301.1	508.6
Whiteside	8	3.8	1.6	7.7	73	146.4	114.7	184.3	176	362.4	310.8	420.4
Will	77	4.7	3.7	5.8	395	133.9	121.0	147.8	804	409.4	381.6	438.8
Williamson	11	5.4	2.7	9.8	79	148.5	117.5	185.4	213	425.7	370.3	487.1
Winnebago	56	6.3	4.7	8.2	278	143.9	127.5	161.8	674	400.9	371.2	432.4
Woodford	5	3.8	1.2	9.5	20	72.4	44.2	111.9	75	292.5	229.4	367.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	954	5.3	4.9	5.6	5,266	143.9	140.1	147.9	14,363	545.0	536.0	554.0
Adams	12	11.2	5.8	19.6	42	167.8	120.9	227.1	159	650.4	553.0	760.6
Alexander	3	26.8	5.5	88.0	6	198.2	72.6	448.1	21	821.0	507.6	1263.7
Bond	3	9.7	2.0	30.0	15	230.7	129.1	381.1	34	633.7	437.2	899.3
Boone	2	2.7	0.3	10.3	15	95.4	53.4	158.0	51	528.7	391.4	706.2
Brown	0	0.0	0.0	52.2	1	41.5	1.0	256.4	10	578.3	276.1	1081.0
Bureau	1	1.6	0.0	10.1	31	209.7	142.5	298.5	73	572.0	447.9	722.7
Calhoun	0	0.0	0.0	57.3	2	103.6	12.6	374.4	14	627.3	342.3	1069.5
Carroll	6	20.9	7.6	48.3	22	297.6	186.1	454.2	29	435.8	291.2	630.4
Cass	1	4.6	0.1	25.7	8	148.2	63.9	296.1	29	650.6	434.9	939.6
Champaign	4	1.8	0.5	4.7	61	136.3	104.3	175.2	165	500.6	426.7	584.6
Christian	3	4.7	1.0	14.7	33	237.1	163.0	334.7	91	770.7	620.0	948.8
Clark	4	13.6	3.7	36.6	17	240.1	139.5	389.5	28	457.2	303.3	665.0
Clay	0	0.0	0.0	17.0	8	134.9	58.1	269.4	34	641.5	443.9	898.6
Clinton	1	1.6	0.0	10.0	24	188.4	120.6	281.4	71	668.7	520.8	851.1
Coles	4	5.2	1.4	13.9	34	199.9	138.4	279.6	96	689.6	558.1	845.1
Cook	309	4.9	4.4	5.5	1,639	129.8	123.6	136.3	4,686	495.7	481.5	510.2
Crawford	2	5.6	0.7	23.4	11	129.0	64.4	234.4	41	594.9	426.5	811.8
Cumberland	2	10.2	1.2	38.7	7	164.3	66.0	341.0	23	639.5	404.0	983.4
DeKalb	4	3.0	0.8	7.8	34	137.7	95.3	192.7	89	512.6	411.3	632.7
DeWitt	2	6.4	0.8	25.5	13	193.4	102.8	333.0	44	802.4	581.5	1092.3
Douglas	4	12.0	3.3	31.7	11	151.4	75.4	272.9	39	608.9	431.9	843.2
DuPage	55	3.5	2.7	4.6	312	108.3	96.6	121.1	803	487.5	454.0	523.0
Edgar	3	8.5	1.8	26.3	14	176.1	96.2	296.8	42	630.7	454.5	853.8
Edwards	1	8.2	0.2	50.3	13	447.0	237.7	768.2	18	686.3	405.8	1097.0
Effingham	3	5.0	1.0	15.2	17	140.4	81.7	225.2	54	564.2	423.7	737.9
Fayette	3	8.0	1.6	24.6	17	206.3	120.0	332.4	31	460.9	312.3	659.4
Ford	1	4.1	0.1	27.6	8	150.5	64.9	298.4	27	522.7	344.0	764.3
Franklin	7	10.9	4.4	22.7	49	287.9	212.7	381.8	104	728.6	594.9	886.3
Fulton	4	6.1	1.7	16.4	39	255.1	181.3	349.9	87	598.4	479.2	739.1
Gallatin	2	21.5	2.6	78.9	5	154.4	49.3	381.9	15	612.4	340.7	1025.0
Greene	4	16.4	4.5	42.8	10	180.5	86.2	337.3	43	807.4	583.2	1096.2
Grundy	3	4.1	0.8	12.5	26	181.9	118.8	266.7	55	581.1	437.1	761.2
Hamilton	1	7.3	0.2	44.1	6	161.2	59.0	354.3	21	601.6	371.0	933.7
Hancock	2	5.9	0.7	23.6	12	137.5	71.0	241.5	38	512.2	362.2	706.7
Hardin	2	26.5	3.1	104.6	1	42.5	1.1	252.3	15	764.4	427.1	1280.7
Henderson	0	0.0	0.0	34.7	6	136.9	50.3	311.0	19	696.6	415.5	1111.1
Henry	5	5.2	1.7	13.0	33	154.6	106.4	217.2	96	573.9	464.7	702.5
Iroquois	3	5.6	1.2	17.6	18	134.0	79.3	213.8	64	549.4	422.8	704.8
Jackson	5	7.3	2.4	17.6	20	124.2	75.8	192.0	71	583.6	455.3	739.3
Jasper	2	11.0	1.3	43.5	7	181.4	72.9	374.2	21	613.3	379.5	938.3

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	5	7.4	2.4	18.3	24	155.3	99.5	231.4	64	532.0	409.4	682.0
Jersey	1	2.6	0.1	16.7	5	55.7	18.1	132.2	35	531.3	368.4	750.8
Jo Daviess	0	0.0	0.0	11.9	11	103.3	51.4	186.5	46	536.1	390.2	724.5
Johnson	2	10.1	1.2	39.7	7	122.2	48.8	259.8	28	775.5	511.8	1137.7
Kane	22	3.2	2.0	4.8	130	106.5	88.9	126.6	341	519.0	464.7	578.7
Kankakee	9	5.7	2.6	10.9	59	176.6	134.4	228.0	168	653.1	557.4	762.7
Kendall	7	6.9	2.8	14.7	30	149.7	100.9	214.3	52	543.2	404.2	720.4
Knox	7	7.7	3.1	16.4	39	175.4	124.7	240.1	129	678.5	566.3	807.4
Lake	47	4.2	3.1	5.7	198	99.5	86.1	114.5	521	484.9	443.3	529.8
LaSalle	18	9.0	5.3	14.4	80	187.1	148.3	233.1	237	626.2	548.8	712.3
Lawrence	1	3.6	0.1	23.2	13	219.2	116.2	378.4	41	672.4	482.4	913.2
Lee	2	3.2	0.4	13.0	24	175.1	112.1	260.9	53	486.4	363.7	640.2
Livingston	1	1.5	0.0	8.8	22	156.2	97.9	236.8	58	475.2	360.7	615.8
Logan	6	12.1	4.4	27.3	15	132.5	74.2	219.2	60	654.3	499.1	843.8
McDonough	0	0.0	0.0	11.1	14	128.5	70.2	216.3	53	585.8	438.5	767.9
McHenry	29	5.7	3.8	8.3	106	122.8	100.5	148.9	230	530.6	463.1	606.4
McLean	11	4.9	2.4	8.8	62	143.8	110.2	184.5	130	455.2	379.9	542.5
Macon	12	6.9	3.5	12.3	83	202.0	160.9	250.5	208	626.5	543.6	719.9
Macoupin	12	13.9	7.2	24.6	31	160.1	108.8	227.8	97	560.2	454.1	684.5
Madison	39	9.0	6.4	12.3	177	190.8	163.7	221.1	435	624.4	566.4	687.4
Marion	4	6.1	1.7	16.0	31	192.6	130.8	274.2	91	680.8	547.9	837.2
Marshall	0	0.0	0.0	20.7	6	101.4	37.2	224.6	38	745.6	526.7	1029.5
Mason	2	6.8	0.8	26.8	15	216.0	120.5	359.3	48	808.5	595.7	1079.2
Massac	3	12.5	2.6	38.0	14	219.8	120.0	374.7	37	726.8	511.3	1007.0
Menard	1	4.2	0.1	30.3	6	113.4	41.5	250.6	23	663.3	417.5	1008.5
Mercer	3	9.4	1.9	29.9	12	159.1	82.2	278.9	30	535.4	361.0	765.9
Monroe	1	1.8	0.0	11.7	17	169.0	98.4	270.8	33	455.5	310.7	652.3
Montgomery	5	9.4	3.0	22.6	23	206.1	130.5	310.5	81	786.9	624.8	979.0
Morgan	3	4.9	1.0	15.3	24	167.1	107.1	249.3	76	689.1	542.8	864.5
Moultrie	2	8.3	1.0	31.9	11	194.1	96.7	349.9	26	525.8	343.3	772.1
Ogle	4	4.1	1.1	11.3	26	127.7	83.3	187.6	77	522.9	412.0	657.6
Peoria	22	8.5	5.3	13.0	108	178.8	146.6	215.9	295	627.0	557.1	703.9
Perry	3	8.2	1.7	25.0	12	141.0	72.8	248.1	37	506.5	356.3	703.9
Piatt	2	6.1	0.7	27.0	13	180.8	96.3	310.7	24	468.1	297.1	715.3
Pike	0	0.0	0.0	14.9	13	178.2	94.5	308.5	38	556.6	393.6	765.9
Pope	1	12.9	0.3	99.5	4	170.6	46.2	467.8	6	319.6	116.4	755.4
Pulaski	0	0.0	0.0	53.8	7	338.5	135.1	716.0	14	697.6	378.2	1220.6
Putnam	0	0.0	0.0	48.1	4	145.2	39.4	379.8	17	744.4	433.3	1235.5
Randolph	4	7.0	1.9	18.8	17	141.2	82.2	226.5	52	509.8	380.6	670.5
Richland	2	7.7	0.9	28.5	13	200.6	106.1	348.5	34	599.2	414.2	843.1
Rock Island	12	5.2	2.7	9.2	90	159.3	128.1	196.0	243	558.2	490.0	634.0

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Males, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	22	6.6	4.1	10.1	113	174.5	143.8	209.8	350	653.4	586.1	727.1
Saline	5	11.8	3.8	28.5	31	292.0	198.3	415.9	74	784.8	615.7	988.8
Sangamon	29	9.2	6.2	13.3	103	157.2	128.3	190.7	269	570.3	503.8	643.8
Schuyler	0	0.0	0.0	36.3	10	323.0	154.8	597.6	12	404.5	208.6	721.1
Scott	1	9.4	0.2	66.2	2	95.8	11.6	349.8	10	541.8	259.1	1020.3
Shelby	3	8.1	1.7	24.1	20	197.1	120.3	307.2	52	604.7	451.1	797.1
Stark	1	8.9	0.2	60.8	5	186.1	60.1	442.8	13	575.5	305.0	994.5
Stephenson	3	3.8	0.8	12.2	28	151.5	100.6	219.7	59	372.2	283.1	482.2
Tazewell	17	7.4	4.3	12.0	67	130.1	100.8	165.2	238	607.1	531.5	691.5
Union	3	9.2	1.9	29.6	19	228.1	137.0	360.5	38	585.4	414.1	806.0
Vermilion	11	8.5	4.2	15.3	67	209.8	162.5	266.9	186	711.4	612.0	824.2
Wabash	4	16.8	4.6	46.1	12	230.6	118.9	406.9	30	709.4	478.5	1013.4
Warren	1	2.9	0.1	19.3	9	118.7	54.2	228.4	35	566.4	393.9	796.2
Washington	3	10.8	2.2	34.5	8	132.4	56.8	264.7	22	398.4	249.5	608.5
Wayne	2	7.3	0.9	27.1	21	279.0	172.3	430.6	36	569.9	398.3	795.6
White	1	3.6	0.1	24.3	15	206.1	114.9	346.9	41	640.5	459.5	870.6
Whiteside	2	1.8	0.2	6.9	46	189.2	138.5	252.8	113	570.4	469.7	687.8
Will	36	4.3	3.0	6.0	223	151.2	131.9	172.5	456	570.6	518.5	627.3
Williamson	6	5.9	2.2	13.2	51	197.6	147.1	260.4	136	682.5	571.9	810.0
Winnebago	26	5.8	3.8	8.6	165	175.9	150.1	204.9	385	566.7	511.0	627.3
Woodford	0	0.0	0.0	7.6	8	57.3	24.7	113.0	51	491.1	365.5	646.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	873	4.9	4.6	5.2	4,011	103.5	100.3	106.8	11,287	291.5	286.1	297.0
Adams	9	8.2	3.8	15.7	38	137.3	97.2	189.0	91	268.3	215.1	331.5
Alexander	0	0.0	0.0	48.1	2	65.1	7.8	254.3	12	327.9	168.9	579.0
Bond	2	8.0	1.0	31.0	7	108.4	43.4	227.7	20	280.1	169.7	438.3
Boone	6	8.3	3.0	18.6	9	58.3	26.6	111.0	31	247.0	167.6	351.3
Brown	0	0.0	0.0	67.1	2	96.6	11.2	371.7	5	228.7	74.2	537.3
Bureau	1	1.5	0.0	10.5	23	152.8	96.7	230.5	50	254.0	186.5	340.2
Calhoun	0	0.0	0.0	72.6	3	132.8	26.8	408.3	7	260.2	103.5	550.5
Carroll	1	3.5	0.1	24.8	14	194.8	106.1	330.5	27	311.4	204.9	454.5
Cass	1	4.3	0.1	25.5	4	65.1	17.6	175.3	18	268.0	158.0	430.4
Champaign	13	5.5	2.9	9.6	59	123.3	93.9	159.1	124	267.4	222.1	319.5
Christian	6	10.4	3.8	23.3	15	105.1	58.6	175.0	80	454.8	359.0	569.6
Clark	0	0.0	0.0	15.5	10	136.1	65.0	254.9	16	181.5	103.1	299.0
Clay	1	4.4	0.1	25.5	11	172.7	85.6	316.1	19	226.1	134.6	361.9
Clinton	3	5.0	1.0	15.4	9	68.2	31.1	131.9	29	185.4	123.9	268.8
Coles	6	7.7	2.8	17.3	22	122.9	77.0	186.6	74	351.9	275.4	444.3
Cook	244	3.9	3.5	4.5	1,312	94.7	89.7	100.0	4,193	292.8	283.9	301.9
Crawford	2	6.1	0.7	23.6	5	61.9	20.0	146.6	24	240.3	153.2	361.4
Cumberland	0	0.0	0.0	24.3	1	22.5	0.6	132.5	14	274.3	148.9	468.9
DeKalb	5	3.9	1.3	9.1	28	110.7	73.6	160.1	74	290.2	227.1	366.0
DeWitt	0	0.0	0.0	15.3	5	69.9	22.5	170.1	20	266.9	161.7	417.9
Douglas	2	5.8	0.7	21.9	5	55.1	17.7	135.2	21	226.9	139.9	349.5
DuPage	62	3.9	3.0	5.0	296	98.3	87.4	110.2	723	287.6	266.9	309.6
Edgar	2	6.0	0.7	23.4	12	139.3	71.6	247.1	20	181.2	109.1	287.4
Edwards	0	0.0	0.0	37.5	3	89.6	18.3	277.9	6	166.7	60.4	369.5
Effingham	1	1.7	0.0	10.1	8	60.4	26.0	120.6	40	293.4	208.8	402.1
Fayette	3	9.1	1.9	27.5	6	66.5	24.4	151.1	20	204.2	123.9	318.4
Ford	2	9.3	1.1	35.0	6	94.2	34.4	215.8	21	281.1	170.9	441.0
Franklin	8	12.4	5.4	24.9	25	138.6	89.5	206.4	58	262.9	198.6	342.8
Fulton	3	4.8	1.0	15.0	22	132.6	82.9	203.0	61	309.1	235.4	399.8
Gallatin	0	0.0	0.0	45.9	5	146.6	47.6	353.1	15	476.6	263.8	798.4
Greene	2	8.2	1.0	30.9	8	134.6	57.6	272.4	21	258.8	159.1	403.3
Grundy	4	5.7	1.6	15.4	11	78.4	39.1	140.6	34	248.1	171.4	349.0
Hamilton	0	0.0	0.0	31.2	3	71.9	14.4	225.1	13	273.6	143.7	479.8
Hancock	4	11.4	3.1	31.3	11	120.6	60.0	218.5	26	245.8	159.6	364.4
Hardin	0	0.0	0.0	67.0	3	121.4	25.0	370.7	12	480.2	247.9	844.2
Henderson	0	0.0	0.0	37.1	2	44.5	5.4	181.7	14	368.0	200.8	620.3
Henry	5	5.5	1.8	13.7	20	90.7	55.4	140.8	53	227.6	169.9	299.2
Iroquois	3	5.5	1.1	18.1	13	94.5	50.3	163.6	39	248.3	176.0	341.5
Jackson	7	10.1	4.0	21.4	6	35.9	13.2	78.4	45	249.7	181.5	336.4
Jasper	3	17.7	3.6	57.2	3	69.6	14.2	210.1	19	384.9	228.8	615.8

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Whites, Females, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	1	1.5	0.0	9.6	17	108.9	63.4	175.6	37	213.3	149.3	296.9
Jersey	0	0.0	0.0	13.0	12	133.0	68.6	235.5	17	190.8	110.8	307.8
Jo Daviess	3	8.1	1.7	26.5	15	129.7	72.3	217.6	25	230.7	149.1	342.0
Johnson	0	0.0	0.0	25.9	4	71.2	19.4	195.5	12	251.9	130.0	443.1
Kane	26	3.8	2.5	5.7	99	80.7	65.5	98.3	284	295.8	262.1	332.6
Kankakee	13	8.6	4.6	14.7	43	123.5	89.4	166.4	110	308.7	253.3	373.1
Kendall	6	5.9	2.2	13.5	13	68.9	36.6	118.1	38	280.5	198.2	386.4
Knox	3	3.4	0.7	10.5	31	131.3	89.1	187.3	95	338.3	272.6	415.7
Lake	46	4.1	3.0	5.6	220	110.8	96.6	126.6	486	327.9	299.4	358.5
LaSalle	15	7.9	4.4	13.2	56	124.5	94.0	162.2	162	311.7	265.0	364.8
Lawrence	2	7.8	0.9	30.8	3	40.9	8.3	127.4	24	280.0	177.4	423.2
Lee	4	6.6	1.8	18.2	22	157.7	98.7	239.7	28	198.1	131.2	287.7
Livingston	5	7.6	2.5	18.7	17	109.8	63.9	177.1	40	237.6	168.9	326.1
Logan	4	7.8	2.1	21.1	12	98.3	50.7	174.0	37	269.3	188.6	374.6
McDonough	2	4.2	0.5	17.2	15	134.1	75.0	222.3	37	271.1	189.1	378.2
McHenry	21	4.2	2.6	6.6	91	108.5	87.2	133.4	192	312.4	269.7	360.1
McLean	14	5.9	3.2	10.0	46	102.2	74.8	136.4	102	244.4	199.1	297.2
Macon	9	5.0	2.3	9.7	48	109.0	80.4	144.7	179	377.2	323.6	437.4
Macoupin	9	11.0	5.0	21.3	20	103.3	63.1	160.1	72	299.5	233.2	379.5
Madison	28	6.4	4.2	9.3	133	134.7	112.8	159.7	331	316.5	283.1	352.8
Marion	5	7.5	2.4	17.9	20	109.9	67.1	171.1	69	356.4	275.8	454.4
Marshall	1	4.1	0.1	30.1	6	104.6	38.3	228.6	13	200.5	105.7	347.5
Mason	2	7.3	0.9	28.1	9	124.3	56.7	239.3	24	320.9	204.8	480.8
Massac	2	7.9	1.0	30.4	9	133.4	60.6	261.6	22	301.5	188.0	460.9
Menard	1	4.1	0.1	31.0	6	108.2	39.6	239.0	12	254.7	129.2	456.2
Mercer	4	13.4	3.6	37.2	11	135.5	67.6	245.9	19	235.3	140.6	373.3
Monroe	7	13.0	5.2	28.7	8	74.8	32.2	149.3	25	241.6	156.0	357.9
Montgomery	2	4.0	0.5	15.8	14	117.0	63.8	198.8	44	279.0	200.8	379.7
Morgan	2	3.4	0.4	13.4	19	125.9	75.7	197.5	51	309.8	229.3	410.8
Moultrie	1	3.8	0.1	24.6	5	90.0	29.1	213.0	27	377.1	246.3	556.4
Ogle	2	2.2	0.3	9.0	21	101.9	63.1	156.3	61	315.9	241.1	407.0
Peoria	18	6.7	4.0	10.7	80	123.1	97.6	153.3	218	309.3	269.1	354.0
Perry	1	3.0	0.1	19.1	15	171.9	96.0	285.3	16	159.8	91.1	262.1
Piatt	2	6.2	0.8	27.4	9	123.5	56.3	237.9	12	158.7	81.2	282.2
Pike	2	7.0	0.8	28.0	9	114.6	52.4	223.7	25	255.2	163.1	383.8
Pope	0	0.0	0.0	85.9	0	0.0	0.0	196.5	4	179.5	47.4	483.9
Pulaski	1	12.0	0.3	75.5	0	0.0	0.0	193.6	9	328.0	147.2	649.3
Putnam	3	27.9	5.8	92.0	3	102.8	21.2	316.2	9	368.1	167.3	707.8
Randolph	2	4.0	0.5	15.3	11	86.8	43.3	157.2	49	331.1	243.7	441.5
Richland	4	13.7	3.7	36.5	7	94.4	37.8	202.4	20	236.0	143.1	368.8
Rock Island	11	4.5	2.2	8.3	64	106.0	81.6	135.5	201	315.0	272.5	362.6

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Lung and Bronchus, Whites, Females, 1998-2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	24	7.1	4.6	10.7	94	134.1	108.4	164.3	256	323.5	284.9	366.1
Saline	2	4.5	0.5	17.5	21	171.6	105.8	265.5	54	386.2	289.1	506.1
Sangamon	16	4.7	2.7	7.8	85	116.5	93.1	144.1	220	306.2	266.7	350.1
Schuyler	0	0.0	0.0	42.9	5	159.0	51.2	385.7	6	147.0	52.8	335.6
Scott	0	0.0	0.0	47.3	1	50.8	1.3	282.8	7	245.4	95.8	528.4
Shelby	1	2.6	0.1	16.5	6	63.0	23.0	139.0	34	303.6	209.2	428.1
Stark	0	0.0	0.0	45.5	3	118.0	24.2	355.3	9	249.4	111.8	487.1
Stephenson	4	5.5	1.5	14.6	12	64.9	33.5	114.0	46	205.3	149.7	275.8
Tazewell	17	7.5	4.4	12.1	52	96.4	72.0	126.6	191	349.8	301.8	403.4
Union	3	9.4	1.9	30.5	11	126.6	63.1	231.6	22	234.6	145.4	361.0
Vermilion	14	10.6	5.8	18.1	36	106.6	74.6	148.2	115	308.2	254.2	370.8
Wabash	0	0.0	0.0	20.9	13	248.5	132.3	426.4	14	211.9	115.0	361.0
Warren	2	5.9	0.7	23.8	5	68.3	22.1	160.8	23	260.6	164.1	397.1
Washington	2	7.4	0.9	29.9	6	88.0	32.2	199.8	14	198.2	106.8	341.2
Wayne	2	7.4	0.9	27.8	7	91.3	36.5	192.7	28	294.4	194.6	429.5
White	4	14.7	4.0	41.1	12	159.3	81.9	285.1	20	226.4	137.0	353.9
Whiteside	6	5.9	2.1	13.1	27	105.3	69.3	153.8	63	220.7	169.2	283.6
Will	41	5.0	3.6	6.9	172	116.6	99.8	135.5	348	301.2	270.3	334.7
Williamson	5	4.9	1.6	11.8	28	103.0	68.4	149.8	77	255.6	201.1	320.9
Winnebago	30	6.7	4.5	9.7	113	113.8	93.8	136.9	289	292.9	259.9	329.1
Woodford	5	7.4	2.4	18.8	12	88.3	45.6	154.6	24	154.7	98.0	234.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Blacks, Both Sexes, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	651	10.4	9.6	11.2	2,101	176.3	168.9	184.1	3,336	419.7	405.4	434.4
Champaign	3	5.3	1.1	15.5	20	212.6	129.7	330.2	21	368.5	226.5	574.7
Cook	497	10.5	9.6	11.5	1,671	174.7	166.4	183.3	2,677	409.9	394.4	426.0
DuPage	5	4.4	1.4	10.7	23	179.1	112.2	274.3	14	386.1	204.7	681.8
Kane	12	15.6	8.1	27.4	15	126.6	70.5	211.4	31	699.5	470.6	1,009.1
Kankakee	4	7.8	2.1	20.0	17	194.0	112.9	311.6	30	476.5	319.4	690.0
Lake	12	8.0	4.1	14.0	33	144.4	99.3	203.3	54	432.4	322.3	571.3
Macon	5	9.8	3.2	22.9	22	230.8	144.6	350.5	25	391.4	252.3	586.0
Madison	15	26.5	14.8	43.7	17	169.6	98.8	272.2	34	460.4	318.6	645.8
Peoria	9	10.2	4.7	19.4	32	216.6	148.0	306.7	47	527.5	387.0	706.6
Rock Island	3	8.5	1.7	24.8	10	147.2	70.6	270.9	22	502.4	313.3	786.1
St. Clair	29	12.4	8.3	17.9	97	225.4	182.8	275.0	154	479.7	406.4	563.0
Sangamon	9	15.8	7.2	30.1	13	139.9	74.4	239.9	33	564.7	387.7	798.8
Vermilion	5	18.2	5.9	42.8	12	284.5	147.0	497.8	15	401.9	224.6	669.1
Will	8	4.2	1.8	8.3	47	164.5	120.4	220.2	49	398.9	293.3	533.6
Winnebago	8	9.0	3.9	17.7	16	96.6	55.1	157.6	49	546.3	402.2	731.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Blacks, Males, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	372	13.3	12.0	14.7	1,292	248.3	234.9	262.2	1,911	629.7	600.8	659.8
Champaign	3	11.4	2.4	33.3	10	235.2	112.7	435.8	10	413.6	190.7	904.6
Cook	280	13.7	12.1	15.4	1,012	247.0	232.0	262.7	1,530	616.6	585.1	649.7
DuPage	2	3.8	0.5	14.5	13	206.5	108.8	361.1	6	325.9	116.1	922.3
Kane	6	16.1	5.9	35.1	14	249.2	135.4	423.5	17	982.1	549.1	1,704.6
Kankakee	4	16.7	4.5	43.1	8	197.6	85.2	392.5	18	708.4	412.3	1,164.3
Lake	7	9.7	3.9	20.1	16	148.0	84.5	241.3	28	557.3	358.9	848.4
Macon	3	13.3	2.8	39.2	16	366.8	209.6	598.7	17	675.7	389.4	1,202.0
Madison	10	39.6	19.0	72.8	12	264.3	136.5	462.6	19	696.8	412.6	1,124.7
Peoria	3	7.4	1.5	22.0	25	371.0	239.9	549.4	26	765.7	497.5	1,145.7
Rock Island	2	11.0	1.3	39.8	5	152.8	49.5	358.0	13	720.9	365.1	1,397.6
St. Clair	16	15.9	9.1	25.8	69	366.5	285.1	464.1	86	722.0	574.1	901.6
Sangamon	6	22.5	8.3	49.2	8	191.5	82.7	378.5	22	1,036.2	641.1	1,620.5
Vermilion	3	19.5	4.0	58.4	5	258.8	84.0	604.2	7	413.8	165.7	930.1
Will	6	6.8	2.5	14.9	31	226.5	153.2	324.4	29	570.6	375.1	853.5
Winnebago	2	5.0	0.6	18.0	10	136.8	65.3	254.6	31	833.2	557.0	1,238.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Lung and Bronchus, Blacks, Females, 1998 – 2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	279	8.1	7.2	9.1	809	120.6	112.4	129.2	1,425	292.4	277.4	308.1
Champaign	0	0.0	0.0	12.6	10	193.4	92.5	360.6	11	329.4	164.3	592.0
Cook	217	8.1	7.1	9.3	659	120.6	111.6	130.2	1,147	285.4	269.0	302.5
DuPage	3	5.0	1.0	15.2	10	151.4	70.2	293.0	8	378.3	159.3	787.1
Kane	6	15.2	5.6	33.2	1	15.0	0.4	93.3	14	532.3	288.9	908.2
Kankakee	0	0.0	0.0	13.7	9	193.0	88.2	367.7	12	320.6	164.6	575.0
Lake	5	6.4	2.1	15.1	17	141.3	82.2	227.0	26	349.7	227.1	517.8
Macon	2	7.0	0.9	25.4	6	115.8	42.5	254.1	8	208.5	89.5	420.5
Madison	5	15.9	5.2	37.2	5	92.4	30.0	216.7	15	339.2	189.7	561.5
Peoria	6	12.4	4.6	27.1	7	85.7	34.4	179.3	21	386.9	239.2	596.9
Rock Island	1	5.9	0.1	32.9	5	142.4	46.2	333.6	9	359.7	164.3	711.2
St. Clair	13	9.8	5.2	16.8	28	115.9	77.0	167.5	68	337.9	262.1	429.9
Sangamon	3	9.7	2.0	28.8	5	98.8	32.0	232.4	11	301.5	150.3	542.5
Vermilion	2	16.4	2.0	60.9	7	305.2	122.7	632.4	8	390.5	168.1	781.7
Will	2	2.0	0.2	7.2	16	105.8	59.9	174.8	20	275.8	167.5	431.0
Winnebago	6	12.3	4.5	26.8	6	65.2	23.9	142.8	18	337.8	199.2	542.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), All Races, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	9,446	42.3	41.4	43.1	14,358	305.4	300.4	310.4	20,100	447.0	440.8	453.2
Adams	52	45.1	33.7	59.3	64	228.3	175.8	292.0	136	377.1	314.9	449.0
Alexander	4	24.8	6.8	66.5	11	285.6	142.2	514.7	15	309.1	172.0	515.1
Bond	14	51.1	27.9	87.2	10	162.8	77.9	301.0	29	403.3	268.9	583.9
Boone	35	47.3	32.9	66.2	55	349.3	263.1	454.9	56	427.9	322.8	557.1
Brown	4	49.9	13.6	140.2	9	428.3	194.0	832.3	9	341.2	152.0	672.2
Bureau	29	48.3	32.3	70.1	37	243.8	171.5	337.2	90	476.6	380.8	591.1
Calhoun	2	24.5	3.0	108.5	3	142.0	28.7	427.6	9	312.2	142.0	610.2
Carroll	12	41.5	21.4	75.6	21	289.6	178.8	446.2	38	418.7	295.7	576.9
Cass	10	43.5	20.9	80.8	17	297.8	173.0	481.8	27	405.4	264.9	597.8
Champaign	116	40.9	33.8	49.1	193	352.4	304.4	405.8	237	459.1	402.1	522.1
Christian	28	48.2	32.0	70.2	33	228.8	157.2	323.0	81	436.0	343.9	546.5
Clark	12	43.0	22.2	76.2	18	245.3	145.1	391.7	42	445.7	319.6	608.4
Clay	13	54.5	29.0	94.0	10	160.1	76.2	300.8	37	430.4	299.8	603.7
Clinton	17	28.0	16.3	45.2	36	273.7	191.4	380.7	48	307.1	225.9	409.6
Coles	36	45.1	31.5	62.8	53	288.1	215.7	377.3	106	504.3	411.6	612.8
Cook	3,987	41.9	40.6	43.2	6,051	298.4	290.9	306.0	8,344	438.0	428.6	447.5
Crawford	10	30.2	14.5	56.7	26	323.3	210.9	475.5	52	521.2	388.0	687.5
Cumberland	6	32.2	11.8	72.4	14	312.8	170.6	529.5	22	409.5	254.2	631.5
DeKalb	53	39.0	29.2	51.0	96	370.0	299.7	451.9	143	536.7	451.3	634.5
DeWitt	17	58.8	34.2	95.3	22	316.3	197.1	484.5	35	424.8	293.9	598.7
Douglas	11	32.3	16.1	58.5	27	319.2	209.3	468.9	49	511.7	377.3	680.1
DuPage	839	46.3	43.3	49.6	1,223	353.3	333.7	373.7	1,282	479.6	453.5	506.9
Edgar	10	30.1	14.4	56.5	30	355.4	239.3	510.3	35	312.3	215.6	441.8
Edwards	11	93.5	46.4	170.7	11	357.5	177.5	648.3	17	441.9	255.6	717.2
Effingham	25	42.6	27.6	63.2	41	330.6	237.1	449.0	62	421.7	321.7	544.8
Fayette	11	31.6	15.8	57.5	23	271.4	171.4	411.9	38	377.0	265.6	520.9
Ford	12	49.7	25.7	88.5	16	300.9	171.3	493.1	42	478.8	339.8	663.3
Franklin	15	23.2	13.0	38.7	45	254.7	185.5	342.4	89	408.1	326.4	505.4
Fulton	20	32.3	19.7	50.6	54	337.8	253.3	442.7	82	393.5	311.5	492.0
Gallatin	0	0.0	0.0	45.9	6	187.9	68.7	415.8	13	392.5	205.6	687.1
Greene	12	48.5	25.0	85.7	19	315.1	188.7	499.1	29	371.9	247.3	541.7
Grundy	31	44.2	30.0	63.2	59	417.9	318.1	539.4	66	486.6	375.4	621.8
Hamilton	5	34.9	11.3	84.3	11	281.9	139.6	513.3	19	395.1	233.8	631.4
Hancock	10	30.3	14.5	57.2	28	316.8	210.2	459.7	54	479.7	358.3	631.8
Hardin	2	23.4	2.8	101.4	4	176.0	47.7	457.9	5	203.5	65.9	479.9
Henderson	6	43.7	16.0	100.9	16	404.8	230.0	667.6	19	484.8	291.2	761.5
Henry	41	45.6	32.7	62.4	69	316.9	246.5	401.5	102	415.3	337.5	506.4
Iroquois	19	36.3	21.8	57.9	42	306.8	220.9	416.2	65	381.7	293.1	490.2
Jackson	37	45.0	31.6	62.3	61	329.5	252.1	423.4	92	476.6	383.0	586.9
Jasper	4	23.4	6.3	65.4	7	165.1	66.1	345.1	21	446.9	273.2	696.3

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), All Races, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	35	52.1	36.3	72.9	40	252.0	179.9	344.0	86	457.9	364.9	568.8
Jersey	17	44.4	25.8	72.4	27	309.7	203.7	452.8	29	320.6	214.4	462.7
Jo Daviess	13	34.3	18.2	60.9	34	311.4	215.0	438.0	61	549.8	420.0	708.1
Johnson	4	22.8	6.2	60.7	20	378.8	230.8	593.0	20	418.7	255.4	649.7
Kane	297	39.8	35.4	44.6	396	293.3	265.1	323.9	506	499.0	456.2	544.9
Kankakee	72	39.8	31.1	50.1	122	305.8	254.0	365.2	158	396.9	337.1	464.5
Kendall	38	35.5	25.1	49.2	77	384.9	303.6	481.6	72	514.6	402.2	649.6
Knox	37	39.3	27.6	54.5	67	279.2	216.2	355.4	148	507.2	427.5	598.1
Lake	565	44.7	41.1	48.6	755	333.6	310.2	358.4	808	504.0	469.8	540.1
LaSalle	94	49.2	39.7	60.3	140	316.9	266.4	374.4	240	454.1	397.6	516.8
Lawrence	14	52.8	28.8	90.5	25	357.5	230.4	532.7	33	337.5	229.2	483.5
Lee	22	34.6	21.7	53.3	38	269.1	190.3	370.2	69	470.4	365.0	597.6
Livingston	35	49.9	34.8	70.0	44	291.5	211.7	392.1	83	448.0	354.5	560.1
Logan	26	47.9	31.3	71.1	34	292.7	202.5	410.2	61	423.2	321.7	548.4
McDonough	13	29.1	15.4	50.5	31	279.9	190.1	398.0	62	445.8	339.4	576.6
McHenry	213	41.0	35.7	47.0	283	320.4	284.0	360.3	286	458.0	406.3	514.5
McLean	99	38.1	31.0	46.5	159	337.1	286.7	393.9	205	458.9	397.6	527.3
Macon	73	36.0	28.2	45.4	157	322.1	273.7	376.7	262	502.0	442.7	567.3
Macoupin	29	34.0	22.8	49.2	56	283.4	213.9	368.6	110	432.1	353.4	524.2
Madison	173	36.9	31.6	42.8	282	270.8	240.1	304.4	473	429.7	391.6	470.6
Marion	33	46.4	32.0	65.5	53	291.5	218.1	382.3	87	418.1	332.8	519.9
Marshall	12	51.9	26.8	94.5	8	139.2	60.1	275.0	40	576.3	408.5	792.9
Mason	12	44.1	22.8	78.2	21	285.6	176.5	439.9	40	486.5	345.7	668.6
Massac	13	50.0	26.6	86.3	20	297.5	180.6	466.4	34	440.1	303.3	619.6
Menard	10	40.7	19.5	79.8	23	424.6	268.9	639.2	22	455.2	280.5	703.4
Mercer	12	39.1	20.2	70.7	23	290.7	184.1	438.9	40	534.0	380.1	731.5
Monroe	23	43.5	27.5	66.6	29	274.4	183.6	395.5	46	414.7	302.5	556.2
Montgomery	16	31.9	18.2	52.6	42	358.7	258.2	486.9	72	468.6	364.5	595.1
Morgan	24	39.3	25.2	59.0	38	250.4	177.1	344.3	71	409.3	318.2	519.7
Moultrie	10	39.6	19.0	74.6	19	343.5	206.5	538.8	45	570.3	410.4	776.6
Ogle	39	42.0	29.9	58.0	49	239.9	177.5	317.6	75	384.3	301.6	483.1
Peoria	152	47.4	40.2	55.7	257	347.0	305.9	392.1	369	470.9	423.5	522.3
Perry	11	31.3	15.6	57.4	17	191.8	111.6	308.7	31	274.3	184.8	394.9
Piatt	13	43.2	22.9	76.9	22	297.1	186.0	453.1	36	484.8	338.3	675.4
Pike	8	27.8	11.9	56.8	23	312.3	197.5	473.1	25	249.4	159.2	375.9
Pope	1	14.0	0.4	106.2	5	235.6	76.1	561.4	6	287.7	103.5	643.0
Pulaski	2	17.0	2.1	64.0	4	140.0	37.6	370.0	11	268.4	132.8	497.5
Putnam	6	57.0	20.9	132.3	9	314.6	143.6	608.4	11	403.8	200.6	737.7
Randolph	15	28.8	16.1	47.9	30	238.6	160.8	342.0	63	389.6	297.2	504.0
Richland	13	47.7	25.4	82.2	14	205.2	111.3	350.0	35	424.8	294.6	594.5
Rock Island	105	40.5	33.1	49.1	184	291.5	250.8	336.9	292	431.7	383.1	485.1

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Female Breast (Invasive), All Races, 1998-2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	217	45.5	39.6	51.9	276	292.9	259.3	329.6	483	476.8	435.1	521.5
Saline	13	29.3	15.6	50.6	30	250.7	168.6	360.2	47	304.9	222.3	409.5
Sangamon	172	46.8	40.1	54.4	264	332.4	293.5	375.0	380	485.2	437.1	537.3
Schuyler	4	31.9	8.6	90.0	5	169.6	54.6	406.1	17	422.7	243.9	690.4
Scott	0	0.0	0.0	47.1	2	73.7	8.9	300.9	11	387.6	188.4	717.6
Shelby	19	51.1	30.7	80.8	23	233.5	147.8	352.6	35	304.0	210.6	427.2
Stark	4	38.2	10.2	104.2	10	391.6	187.3	728.8	12	292.2	145.5	534.7
Stephenson	41	47.4	34.0	64.8	33	162.7	111.9	229.2	103	428.0	348.4	521.4
Tazewell	107	45.9	37.6	55.5	146	270.5	228.4	318.3	241	438.9	385.0	498.3
Union	12	37.4	19.3	67.4	24	285.4	182.3	428.6	41	449.4	320.5	614.9
Vermilion	74	51.7	40.6	65.0	117	330.6	273.3	396.6	172	430.3	368.0	500.4
Wabash	8	36.5	15.7	73.7	16	307.3	175.6	500.2	32	497.0	338.4	706.7
Warren	9	28.3	12.9	55.1	17	222.9	129.6	358.8	43	486.7	350.4	661.8
Washington	17	63.8	37.1	104.0	22	366.0	228.7	558.3	23	316.7	198.0	485.3
Wayne	14	49.9	27.3	84.6	22	286.0	178.3	437.8	46	470.3	342.6	632.2
White	16	62.5	35.7	103.7	13	191.1	101.2	331.0	42	457.5	327.2	624.4
Whiteside	42	39.1	28.2	53.2	82	324.9	258.3	403.8	124	421.6	349.9	504.4
Will	418	43.0	39.0	47.4	505	295.6	270.3	322.7	550	439.6	403.6	478.0
Williamson	27	25.4	16.8	37.2	72	265.9	207.9	335.6	146	454.9	383.3	536.9
Winnebago	224	44.4	38.8	50.7	383	346.7	312.8	383.2	530	505.7	463.3	551.0
Woodford	31	46.6	31.6	67.1	48	350.3	258.2	464.8	62	396.8	301.3	514.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), Whites, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	7,449	41.6	40.7	42.6	11,953	310.2	304.7	315.8	17,783	453.9	447.2	460.7
Adams	47	42.1	30.9	56.1	63	231.3	177.7	296.4	136	383.5	320.2	456.6
Alexander	3	28.4	5.9	91.5	10	356.9	170.4	665.0	13	338.2	179.0	587.7
Bond	14	52.7	28.7	90.3	10	167.8	80.3	310.4	29	413.2	275.5	598.3
Boone	35	48.3	33.6	67.5	55	353.5	266.2	460.4	56	429.7	324.2	559.4
Brown	4	50.3	13.7	141.4	9	428.3	194.0	832.3	9	341.2	152.0	672.2
Bureau	29	48.9	32.7	71.0	36	239.0	167.2	332.1	90	478.6	382.3	593.7
Calhoun	2	24.7	3.0	108.8	3	142.8	28.8	430.1	9	312.3	142.1	610.3
Carroll	12	42.1	21.8	76.7	21	291.5	179.9	449.2	38	422.4	298.3	582.1
Cass	10	43.8	21.0	81.4	17	298.2	173.2	482.4	27	406.2	265.5	599.2
Champaign	93	39.0	31.5	48.0	168	351.2	300.1	408.6	229	483.4	422.3	551.2
Christian	28	48.6	32.3	70.7	33	230.3	158.2	325.1	81	438.0	345.5	549.2
Clark	12	43.3	22.3	76.6	18	245.9	145.5	392.8	42	446.2	319.9	609.1
Clay	13	55.0	29.2	95.0	10	161.2	76.8	302.7	37	431.2	300.3	605.0
Clinton	17	28.4	16.5	45.9	35	269.7	187.6	377.1	48	310.0	228.0	413.5
Coles	36	46.2	32.3	64.4	53	292.9	219.2	383.6	105	503.6	410.6	612.6
Cook	2,544	40.8	39.2	42.4	4,225	308.2	299.0	317.6	6,493	450.6	439.5	461.8
Crawford	10	30.8	14.8	57.7	26	325.0	212.0	478.0	52	522.4	388.8	689.1
Cumberland	6	32.3	11.8	72.7	14	313.3	170.9	530.4	22	411.1	255.1	634.0
DeKalb	52	40.0	29.8	52.4	93	368.5	297.4	451.5	141	536.7	450.5	635.3
DeWitt	16	55.4	31.7	91.2	22	317.8	198.1	486.9	35	425.4	294.3	599.5
Douglas	11	32.6	16.2	58.9	27	320.6	210.2	471.0	48	501.3	368.4	668.4
DuPage	735	46.2	42.9	49.7	1,102	356.1	335.4	377.9	1,225	483.3	456.3	511.5
Edgar	10	30.3	14.5	56.9	29	347.3	232.1	501.7	34	305.9	209.9	435.1
Edwards	11	94.2	46.8	171.9	11	357.5	177.5	648.3	17	442.6	256.0	718.5
Effingham	25	43.0	27.8	63.7	41	332.2	238.3	451.2	62	421.9	321.8	545.0
Fayette	11	31.7	15.8	57.7	23	272.7	172.2	413.8	38	377.2	265.8	521.2
Ford	12	50.1	25.8	89.2	15	284.5	158.5	473.5	41	470.9	332.5	655.0
Franklin	15	23.3	13.1	38.9	45	256.0	186.4	344.1	89	409.3	327.3	506.9
Fulton	20	32.5	19.9	50.9	54	339.9	254.8	445.3	81	391.9	309.8	490.7
Gallatin	0	0.0	0.0	45.9	5	158.4	51.2	376.2	13	394.7	206.8	690.7
Greene	11	44.9	22.4	81.3	17	286.0	165.6	464.9	26	335.3	217.4	498.7
Grundy	30	43.1	29.1	62.0	58	412.9	313.5	534.1	66	488.0	376.5	623.7
Hamilton	5	35.2	11.4	85.2	11	283.4	140.4	516.0	19	396.0	234.3	633.0
Hancock	10	30.5	14.5	57.5	28	318.1	211.1	461.7	54	480.2	358.8	632.6
Hardin	1	10.9	0.3	82.8	4	176.6	47.9	459.6	5	203.6	66.0	480.3
Henderson	6	43.9	16.0	101.1	16	405.3	230.3	668.4	19	484.9	291.3	761.7
Henry	41	46.2	33.2	63.3	67	310.7	240.7	395.0	98	400.3	323.9	490.2
Iroquois	18	34.7	20.5	56.1	41	302.9	217.1	412.5	65	384.3	295.1	493.6
Jackson	30	43.3	29.2	62.2	52	309.1	230.8	405.5	86	484.0	385.9	600.4
Jasper	4	23.6	6.4	65.7	7	165.2	66.1	345.5	21	448.5	274.1	699.2

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (Invasive), Whites, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	33	52.6	36.2	74.4	35	228.6	159.1	318.9	83	459.1	364.3	572.6
Jersey	17	44.7	26.0	73.0	27	310.8	204.5	454.6	29	321.2	214.8	463.6
Jo Daviess	13	34.5	18.3	61.2	32	292.8	199.7	416.3	60	541.2	412.4	698.5
Johnson	4	23.0	6.3	61.7	19	361.8	217.3	573.3	20	419.6	256.0	651.1
Kane	258	37.7	33.3	42.6	362	288.6	259.6	320.1	476	488.5	445.2	534.9
Kankakee	55	36.3	27.4	47.4	105	301.8	246.8	365.4	140	386.9	325.0	457.8
Kendall	36	34.6	24.2	48.3	75	382.4	300.7	479.9	71	512.0	399.4	647.4
Knox	35	39.1	27.2	54.8	65	278.7	214.9	356.0	145	509.4	428.5	601.9
Lake	507	45.5	41.6	49.7	697	341.6	316.6	368.0	760	514.0	478.0	551.9
LaSalle	94	50.0	40.4	61.3	138	315.9	265.2	373.6	238	451.9	395.4	514.6
Lawrence	13	49.5	26.3	86.6	25	361.6	233.1	538.6	33	340.4	231.1	488.0
Lee	21	34.5	21.3	53.6	37	267.1	187.9	369.0	68	468.8	363.0	596.7
Livingston	28	42.2	28.0	61.6	41	275.5	197.5	374.5	83	448.7	355.1	561.1
Logan	25	49.6	32.1	74.0	33	288.2	198.2	406.1	61	426.9	324.5	553.1
McDonough	13	30.2	16.0	52.7	31	285.6	194.0	406.1	62	451.0	343.3	583.5
McHenry	208	41.0	35.6	47.1	279	321.7	284.9	362.1	282	457.4	405.4	514.2
McLean	94	39.2	31.6	48.0	155	343.3	291.3	401.9	203	467.2	404.5	537.3
Macon	64	37.5	28.9	48.1	145	334.9	282.6	394.2	253	523.8	460.8	593.4
Macoupin	27	31.9	21.0	46.9	55	281.4	211.9	366.9	110	435.2	355.9	527.8
Madison	157	36.4	30.9	42.6	269	275.6	243.6	310.7	462	439.5	400.1	481.8
Marion	33	48.7	33.5	68.8	48	273.0	201.1	363.0	87	432.4	344.1	537.8
Marshall	12	52.4	27.0	95.3	8	140.2	60.5	276.9	40	578.4	409.9	796.0
Mason	12	44.3	22.9	78.5	21	287.1	177.4	442.2	40	487.8	346.6	670.5
Massac	12	49.5	25.5	87.4	19	291.9	174.6	463.4	33	457.6	313.5	647.3
Menard	10	40.9	19.6	80.3	23	426.4	270.0	642.0	22	455.7	280.7	704.1
Mercer	12	39.3	20.3	71.1	22	276.9	173.3	422.0	40	534.8	380.7	732.6
Monroe	23	43.7	27.6	67.0	29	276.0	184.6	397.8	46	415.8	303.3	557.7
Montgomery	16	32.2	18.4	53.1	41	351.5	251.9	478.9	72	470.2	365.7	597.1
Morgan	24	40.8	26.1	61.4	38	256.7	181.5	352.9	70	413.5	320.9	526.2
Moultrie	10	39.8	19.1	74.8	19	344.2	206.9	539.8	45	570.8	410.7	777.3
Ogle	37	40.3	28.4	56.1	48	237.0	174.7	314.6	75	384.9	302.1	483.9
Peoria	126	47.3	39.4	56.4	229	353.7	309.3	402.6	349	481.5	431.6	535.8
Perry	10	28.9	13.8	55.0	17	195.5	113.7	314.8	31	279.4	188.2	402.3
Piatt	13	43.4	23.0	77.2	22	297.2	186.1	453.3	36	485.3	338.6	676.1
Pike	8	27.9	12.0	57.1	23	313.2	198.0	474.3	25	249.7	159.4	376.4
Pope	1	14.2	0.4	106.6	5	242.0	78.0	575.6	6	289.9	104.4	647.0
Pulaski	2	24.0	2.9	94.3	4	193.4	52.1	505.5	7	242.3	95.8	529.1
Putnam	6	57.2	21.0	133.0	9	314.7	143.6	608.9	11	404.6	201.0	739.6
Randolph	13	25.7	13.6	44.6	29	236.0	157.9	340.5	60	376.4	285.1	490.0
Richland	13	48.1	25.6	82.9	14	206.6	112.1	352.6	35	426.7	295.9	597.3
Rock Island	98	41.1	33.3	50.2	172	292.0	249.9	339.2	274	422.2	373.1	476.3

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Female Breast (Invasive), Whites, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	137	40.9	34.4	48.5	198	289.8	250.8	333.2	389	484.0	436.8	535.2
Saline	13	30.1	16.0	52.2	28	242.5	160.5	353.0	46	302.6	219.7	407.8
Sangamon	160	48.4	41.2	56.6	250	341.4	300.4	386.5	360	486.3	436.7	540.1
Schuylar	4	32.0	8.7	90.2	5	169.9	54.7	406.6	17	423.1	244.1	691.3
Scott	0	0.0	0.0	47.3	2	74.0	9.0	302.9	11	388.6	188.9	719.2
Shelby	19	51.3	30.8	81.1	23	234.2	148.3	353.7	35	304.5	210.9	427.8
Stark	4	38.3	10.3	104.5	10	391.6	187.3	728.8	12	292.7	145.7	535.6
Stephenson	33	41.9	28.8	59.5	31	162.9	110.5	232.1	98	420.2	340.0	514.8
Tazewell	105	45.6	37.3	55.3	144	269.2	226.9	317.1	236	431.4	377.9	490.4
Union	12	38.0	19.6	68.6	24	288.3	184.1	433.1	41	451.8	322.2	618.3
Vermilion	66	51.1	39.5	65.2	108	329.4	270.1	398.1	159	421.8	358.4	493.6
Wabash	7	32.4	13.0	68.8	15	290.3	162.4	479.8	32	497.2	338.5	707.0
Warren	9	28.8	13.1	56.2	17	226.5	131.8	364.4	41	468.3	334.3	641.6
Washington	17	64.3	37.4	104.8	21	354.6	218.9	545.8	23	317.4	198.5	486.3
Wayne	14	50.1	27.4	85.0	22	287.1	179.0	439.5	46	471.7	343.6	634.0
White	16	63.0	35.9	104.4	13	191.5	101.4	331.7	42	459.2	328.4	626.7
Whiteside	39	37.2	26.4	51.1	81	323.8	257.1	403.0	123	421.0	349.1	504.0
Will	362	42.9	38.6	47.7	460	304.7	277.5	334.0	514	445.5	407.7	485.9
Williamson	26	25.2	16.4	37.1	71	268.4	209.5	339.3	145	458.3	385.8	541.2
Winnebago	194	43.9	38.0	50.6	343	344.8	309.3	383.4	509	515.8	471.6	563.1
Woodford	30	45.5	30.6	65.9	48	352.1	259.6	467.2	62	398.2	302.3	516.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Female Breast (Invasive), Blacks, 1998 – 2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,567	44.7	42.5	47.0	1,846	276.3	263.8	289.2	1,936	397.6	380.0	415.9
Champaign	16	51.6	29.4	84.3	19	384.9	231.3	604.4	6	177.5	65.0	390.0
Cook	1,194	44.0	41.6	46.6	1,508	278.4	264.5	292.8	1,630	406.2	386.6	426.6
DuPage	36	60.0	41.9	83.6	20	277.2	165.5	445.1	10	451.8	210.2	878.7
Kane	23	54.7	34.6	82.5	17	261.3	151.6	424.0	10	378.8	180.7	711.0
Kankakee	16	57.5	32.8	93.5	16	334.7	191.2	545.7	15	394.8	220.4	665.6
Lake	30	36.9	24.9	52.9	33	269.7	185.5	379.7	29	388.7	258.9	563.6
Macon	8	27.1	11.7	53.8	12	230.1	118.9	403.9	6	172.4	62.9	380.1
Madison	13	39.6	21.0	68.1	8	145.1	62.6	287.5	8	170.7	73.4	341.6
Peoria	24	48.1	30.8	71.8	24	291.1	186.2	435.7	18	343.9	203.4	548.2
Rock Island	5	29.1	9.5	68.2	5	141.6	46.0	332.1	8	341.0	146.8	696.1
St. Clair	77	56.8	44.8	71.0	69	285.8	222.4	361.7	88	437.8	350.7	540.9
Sangamon	8	24.3	10.4	48.7	11	211.8	105.5	381.5	18	472.1	279.4	751.0
Vermilion	5	39.9	12.9	94.9	5	218.6	70.9	513.7	11	533.0	265.3	966.4
Will	40	39.8	28.4	54.2	32	207.0	140.9	295.4	24	335.9	214.2	504.5
Winnebago	27	53.8	35.4	78.4	30	326.6	220.3	466.8	19	349.9	209.5	555.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Cervix (Invasive), All Races, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,784	7.9	7.5	8.3	854	18.2	17.0	19.5	763	17.2	16.0	18.4
Adams	15	13.3	7.5	22.1	2	7.4	0.9	27.1	3	6.4	1.2	22.7
Alexander	0	0.0	0.0	28.0	0	0.0	0.0	102.6	0	0.0	0.0	84.8
Bond	5	18.0	5.8	44.0	1	13.8	0.4	86.3	0	0.0	0.0	58.8
Boone	6	7.8	2.8	17.5	2	12.7	1.5	46.5	1	6.8	0.2	42.2
Brown	0	0.0	0.0	66.5	0	0.0	0.0	208.5	1	43.4	1.1	253.4
Bureau	5	8.3	2.7	20.4	2	13.2	1.6	49.3	5	29.1	9.3	71.0
Calhoun	0	0.0	0.0	72.6	0	0.0	0.0	192.1	0	0.0	0.0	161.3
Carroll	1	4.3	0.1	26.4	1	13.4	0.3	81.1	2	20.5	2.4	79.1
Cass	0	0.0	0.0	17.7	2	31.1	3.8	124.2	3	42.6	8.3	135.4
Champaign	18	5.9	3.5	9.5	6	10.9	4.0	23.9	9	17.0	7.7	32.9
Christian	2	3.3	0.4	12.9	4	27.0	7.3	71.5	3	17.5	3.5	53.6
Clark	3	10.6	2.2	32.5	1	16.0	0.4	88.9	3	30.8	6.1	98.1
Clay	4	18.1	4.9	46.6	0	0.0	0.0	70.9	1	6.9	0.2	67.3
Clinton	4	7.0	1.9	18.2	1	8.7	0.2	48.3	4	24.7	6.6	66.9
Coles	5	5.8	1.9	14.2	2	11.3	1.4	41.0	2	10.9	1.3	40.3
Cook	808	8.2	7.7	8.8	464	23.0	20.9	25.2	379	20.2	18.2	22.3
Crawford	7	22.9	9.2	47.8	2	22.6	2.7	86.8	1	8.6	0.2	57.5
Cumberland	2	10.6	1.3	41.6	1	20.5	0.5	127.0	1	23.8	0.6	132.5
DeKalb	11	7.9	3.9	14.1	4	15.4	4.2	39.5	6	23.4	8.5	52.4
DeWitt	5	17.8	5.8	42.7	0	0.0	0.0	63.1	1	12.1	0.3	78.2
Douglas	4	12.1	3.3	31.5	1	13.8	0.4	77.2	0	0.0	0.0	44.0
DuPage	85	4.7	3.8	5.9	45	13.1	9.5	17.5	34	13.4	9.3	18.8
Edgar	3	9.2	1.9	28.2	2	24.6	3.0	91.7	1	9.4	0.2	61.2
Edwards	1	7.6	0.2	50.0	2	61.9	7.4	238.4	0	0.0	0.0	112.0
Effingham	3	5.3	1.1	15.7	2	14.4	1.7	54.8	1	6.3	0.2	41.2
Fayette	2	5.8	0.7	22.3	1	11.2	0.3	71.4	3	28.9	5.8	88.9
Ford	0	0.0	0.0	18.9	0	0.0	0.0	77.1	2	16.8	2.0	87.5
Franklin	5	7.8	2.5	18.6	3	18.5	3.8	55.0	1	5.1	0.1	30.6
Fulton	4	6.6	1.8	17.8	1	5.5	0.1	35.7	2	8.9	1.1	36.7
Gallatin	0	0.0	0.0	45.9	2	69.2	8.4	250.1	0	0.0	0.0	134.6
Greene	3	12.9	2.6	38.4	0	0.0	0.0	74.3	0	0.0	0.0	60.3
Grundy	6	8.6	3.1	19.2	1	7.3	0.2	40.8	1	7.4	0.2	44.6
Hamilton	1	7.1	0.2	43.3	0	0.0	0.0	109.6	0	0.0	0.0	96.2
Hancock	3	9.1	1.9	28.3	1	12.3	0.3	68.7	1	9.3	0.2	58.0
Hardin	1	12.6	0.3	86.3	0	0.0	0.0	174.1	1	39.9	1.0	231.4
Henderson	3	20.5	4.2	67.6	1	24.4	0.6	153.2	0	0.0	0.0	102.6
Henry	12	14.1	7.2	25.2	5	23.7	7.7	55.5	3	12.8	2.6	38.9
Iroquois	4	7.5	2.0	20.9	1	7.0	0.2	42.7	6	35.0	12.6	79.4
Jackson	8	9.4	4.0	18.9	1	5.4	0.1	30.3	4	21.2	5.6	56.2
Jasper	2	12.7	1.5	50.6	0	0.0	0.0	95.9	0	0.0	0.0	98.1

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), All Races, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	11	17.0	8.5	30.8	3	17.5	3.6	53.4	4	25.6	6.9	66.2
Jersey	2	5.2	0.6	21.1	0	0.0	0.0	47.1	0	0.0	0.0	45.5
Jo Daviess	6	16.6	6.0	38.3	4	40.8	11.1	105.4	0	0.0	0.0	36.8
Johnson	3	18.6	3.8	55.8	2	39.4	4.8	152.3	1	19.1	0.5	116.7
Kane	56	7.4	5.6	9.6	15	11.1	6.2	18.5	12	12.2	6.3	21.5
Kankakee	17	9.5	5.5	15.2	13	32.7	17.4	56.1	6	14.5	5.3	32.6
Kendall	4	3.7	1.0	10.2	1	4.7	0.1	28.2	1	7.1	0.2	42.1
Knox	11	12.6	6.3	22.8	6	25.8	9.4	56.9	7	25.3	10.0	53.1
Lake	89	7.2	5.7	8.8	24	10.6	6.8	15.8	33	20.4	14.0	28.7
LaSalle	22	11.6	7.3	17.8	6	13.5	4.9	29.9	8	15.3	6.6	31.1
Lawrence	4	16.9	4.6	44.7	5	66.2	21.2	162.3	2	15.6	1.7	73.5
Lee	5	7.8	2.5	19.5	4	29.1	7.9	75.1	1	4.8	0.1	35.1
Livingston	10	14.3	6.9	27.0	1	6.6	0.2	38.2	2	10.4	1.1	43.0
Logan	4	7.7	2.1	20.8	2	17.1	2.0	63.9	3	22.5	4.6	68.5
McDonough	2	4.6	0.5	17.7	1	9.2	0.2	51.9	2	16.8	2.0	61.8
McHenry	39	7.5	5.3	10.4	16	18.0	10.3	29.5	14	21.7	11.9	36.7
McLean	11	4.3	2.1	7.7	8	16.8	7.2	33.3	5	11.4	3.7	27.4
Macon	16	8.3	4.7	13.6	7	14.1	5.7	29.3	5	9.1	2.9	22.1
Macoupin	9	11.0	5.0	21.2	4	20.2	5.5	52.6	0	0.0	0.0	18.0
Madison	34	7.3	5.1	10.3	17	16.4	9.5	26.3	16	14.5	8.2	23.7
Marion	9	12.8	5.9	24.7	4	19.9	5.4	53.5	5	20.4	6.6	52.2
Marshall	2	10.4	1.3	40.6	0	0.0	0.0	65.4	1	9.0	0.2	75.3
Mason	2	8.0	1.0	29.6	2	28.2	3.4	105.3	2	27.7	3.3	102.7
Massac	1	3.7	0.1	22.3	0	0.0	0.0	67.4	3	35.2	7.1	110.2
Menard	3	12.7	2.6	43.2	0	0.0	0.0	72.6	0	0.0	0.0	93.7
Mercer	5	17.3	5.6	42.9	2	24.5	3.0	93.7	0	0.0	0.0	55.9
Monroe	3	6.1	1.2	19.7	2	20.6	2.5	74.5	1	6.5	0.2	47.6
Montgomery	4	8.2	2.2	21.9	3	26.5	5.5	79.3	2	14.6	1.7	55.2
Morgan	3	5.1	1.0	15.5	2	13.1	1.6	48.3	2	14.2	1.7	51.2
Moultrie	1	4.5	0.1	26.2	1	17.6	0.4	103.1	0	0.0	0.0	63.1
Ogle	9	10.0	4.6	19.6	5	24.9	8.1	58.4	2	10.9	1.3	39.8
Peoria	29	9.1	6.1	13.2	9	12.2	5.6	23.1	12	16.1	8.3	28.6
Perry	3	8.8	1.8	27.5	2	21.9	2.7	82.2	4	35.5	9.3	96.6
Piatt	2	6.5	0.8	27.9	0	0.0	0.0	57.2	1	9.7	0.2	71.2
Pike	4	14.6	4.0	39.5	2	29.3	3.5	109.6	2	23.0	2.7	87.1
Pope	1	13.9	0.4	106.1	0	0.0	0.0	193.3	1	49.3	1.2	289.3
Pulaski	3	25.4	5.2	76.7	1	39.8	1.0	221.9	0	0.0	0.0	122.4
Putnam	1	9.5	0.2	64.7	0	0.0	0.0	151.4	1	34.9	0.9	223.0
Randolph	9	17.6	8.0	33.9	0	0.0	0.0	32.3	3	19.2	3.7	61.3
Richland	2	7.5	0.9	27.7	1	12.3	0.3	83.5	3	38.9	8.0	115.0
Rock Island	35	13.9	9.6	19.3	17	27.3	15.9	43.8	15	22.7	12.6	37.9

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Cervix (Invasive), All Races, 1998-2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	40	8.5	6.1	11.6	12	12.7	6.6	22.2	15	14.6	8.2	24.3
Saline	6	14.6	5.3	32.0	1	8.5	0.2	50.3	2	12.9	1.5	50.4
Sangamon	23	6.5	4.1	9.8	9	11.3	5.2	21.5	12	15.5	8.0	27.5
Schuylar	2	15.9	1.9	67.1	1	29.6	0.8	190.9	0	0.0	0.0	114.8
Scott	0	0.0	0.0	47.1	1	42.6	1.1	259.4	0	0.0	0.0	162.4
Shelby	2	5.7	0.7	21.8	1	9.3	0.2	58.0	1	6.4	0.2	48.7
Stark	0	0.0	0.0	45.2	0	0.0	0.0	161.4	0	0.0	0.0	121.9
Stephenson	9	11.1	5.1	21.5	2	10.3	1.2	37.6	1	2.9	0.1	22.6
Tazewell	15	6.6	3.7	11.0	8	14.6	6.3	29.0	4	6.9	1.9	18.1
Union	1	3.0	0.1	20.6	1	14.1	0.4	78.6	2	23.4	2.8	87.5
Vermilion	8	5.8	2.5	11.6	5	13.9	4.5	33.0	9	22.6	10.3	43.6
Wabash	2	9.4	1.1	35.9	0	0.0	0.0	73.2	1	13.5	0.3	87.3
Warren	1	3.9	0.1	21.5	3	39.1	8.0	116.8	0	0.0	0.0	52.0
Washington	4	15.7	4.2	42.4	2	32.9	3.9	124.9	2	22.4	2.7	98.6
Wayne	2	7.2	0.9	27.3	1	12.9	0.3	78.7	1	12.1	0.3	67.6
White	5	18.2	5.9	45.8	0	0.0	0.0	61.8	2	20.0	2.3	79.6
Whiteside	19	18.4	11.1	29.0	3	12.4	2.6	36.4	4	14.0	3.8	37.1
Will	60	6.1	4.7	7.9	25	14.7	9.5	21.8	14	11.0	6.0	18.5
Williamson	9	8.6	3.9	16.5	4	14.9	4.0	39.0	8	27.4	11.8	54.9
Winnebago	35	7.0	4.8	9.7	17	15.4	9.0	24.7	17	16.8	9.7	27.0
Woodford	4	7.0	1.9	18.9	2	14.6	1.8	53.3	1	8.3	0.2	46.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Cervix (Invasive), Whites, 1998-2002												
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,301	7.2	6.8	7.6	617	16.0	14.8	17.4	574	14.8	13.6	16.1
Adams	15	13.8	7.7	22.9	2	7.6	0.9	28.0	3	6.5	1.3	23.1
Alexander	0	0.0	0.0	48.1	0	0.0	0.0	147.5	0	0.0	0.0	112.9
Bond	5	18.6	6.0	45.9	1	14.2	0.4	89.0	0	0.0	0.0	60.5
Boone	6	7.9	2.9	18.0	1	6.2	0.2	36.0	1	6.9	0.2	42.4
Brown	0	0.0	0.0	67.1	0	0.0	0.0	208.5	1	43.4	1.1	253.4
Bureau	5	8.4	2.7	20.6	2	13.3	1.6	49.9	5	29.2	9.3	71.4
Calhoun	0	0.0	0.0	72.6	0	0.0	0.0	193.3	0	0.0	0.0	161.3
Carroll	1	4.3	0.1	26.8	1	13.4	0.3	81.6	2	20.6	2.4	79.7
Cass	0	0.0	0.0	17.9	2	31.1	3.8	124.3	3	42.7	8.4	135.8
Champaign	13	5.2	2.8	9.2	5	10.5	3.4	24.4	5	10.0	3.2	24.3
Christian	2	3.3	0.4	13.0	4	27.2	7.3	72.0	3	17.5	3.5	53.9
Clark	3	10.7	2.2	32.6	1	16.0	0.4	89.4	3	30.8	6.1	98.3
Clay	4	18.3	5.0	47.2	0	0.0	0.0	71.0	1	6.9	0.2	67.5
Clinton	4	7.1	1.9	18.5	1	8.8	0.2	49.1	4	24.9	6.6	67.6
Coles	5	5.9	1.9	14.7	2	11.5	1.4	41.8	2	11.0	1.3	40.8
Cook	454	7.0	6.4	7.7	270	19.8	17.5	22.3	219	15.6	13.6	17.9
Crawford	6	20.1	7.4	44.4	2	22.7	2.7	87.2	1	8.6	0.2	57.7
Cumberland	2	10.7	1.3	41.7	1	20.5	0.5	127.3	1	23.9	0.6	133.1
DeKalb	11	8.3	4.1	14.9	4	15.9	4.3	40.8	5	19.8	6.3	47.7
DeWitt	5	18.0	5.8	43.1	0	0.0	0.0	63.4	1	12.1	0.3	78.4
Douglas	4	12.1	3.3	31.7	1	13.9	0.4	77.7	0	0.0	0.0	44.0
DuPage	72	4.6	3.6	5.8	40	12.9	9.2	17.6	32	13.4	9.2	19.0
Edgar	3	9.3	1.9	28.5	2	24.8	3.0	92.4	1	9.5	0.2	61.7
Edwards	1	7.7	0.2	50.1	2	61.9	7.4	238.4	0	0.0	0.0	112.4
Effingham	3	5.3	1.1	15.8	2	14.4	1.7	55.0	1	6.3	0.2	41.2
Fayette	2	5.8	0.7	22.4	1	11.3	0.3	71.7	3	28.9	5.8	88.9
Ford	0	0.0	0.0	19.1	0	0.0	0.0	77.3	2	16.8	2.0	87.8
Franklin	5	7.8	2.5	18.7	3	18.6	3.8	55.3	1	5.2	0.1	30.7
Fulton	4	6.7	1.8	18.0	1	5.6	0.1	35.9	2	8.9	1.1	36.9
Gallatin	0	0.0	0.0	45.9	2	69.4	8.4	250.7	0	0.0	0.0	134.8
Greene	3	12.9	2.6	38.5	0	0.0	0.0	74.9	0	0.0	0.0	60.3
Grundy	5	7.2	2.3	17.5	1	7.4	0.2	41.1	1	7.4	0.2	44.7
Hamilton	1	7.2	0.2	43.7	0	0.0	0.0	110.1	0	0.0	0.0	96.7
Hancock	3	9.1	1.9	28.5	1	12.4	0.3	69.1	1	9.3	0.2	58.1
Hardin	1	12.8	0.3	87.1	0	0.0	0.0	174.9	1	39.9	1.0	231.6
Henderson	2	13.7	1.7	57.8	1	24.4	0.6	153.4	0	0.0	0.0	102.6
Henry	12	14.3	7.4	25.6	5	23.9	7.8	56.1	3	12.9	2.6	39.2
Iroquois	4	7.5	2.0	21.1	1	7.1	0.2	43.2	6	35.2	12.7	80.0
Jackson	8	11.3	4.9	23.1	1	6.1	0.2	33.8	4	23.2	6.1	61.6
Jasper	2	12.7	1.5	50.7	0	0.0	0.0	96.1	0	0.0	0.0	98.9

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Cervix (Invasive), Whites, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	8	13.1	5.6	26.3	3	18.2	3.8	55.7	4	26.5	7.2	68.8
Jersey	1	2.6	0.1	17.2	0	0.0	0.0	47.4	0	0.0	0.0	45.7
Jo Daviess	6	16.7	6.1	38.6	4	41.0	11.1	105.9	0	0.0	0.0	36.9
Johnson	3	18.8	3.9	56.7	2	39.5	4.8	152.8	1	19.2	0.5	117.0
Kane	48	6.9	5.1	9.2	15	12.0	6.7	20.0	12	12.8	6.6	22.4
Kankakee	14	9.5	5.2	16.0	10	28.9	13.9	53.3	6	16.0	5.8	36.1
Kendall	3	2.9	0.6	9.2	1	4.8	0.1	28.7	1	7.2	0.2	42.6
Knox	10	12.0	5.7	22.4	5	21.9	7.1	52.0	6	23.1	8.4	51.3
Lake	74	6.8	5.4	8.6	21	10.3	6.4	15.9	28	18.9	12.5	27.3
LaSalle	21	11.3	7.0	17.5	6	13.6	5.0	30.2	8	15.4	6.6	31.3
Lawrence	4	17.1	4.6	45.1	5	67.1	21.5	164.2	2	15.7	1.8	74.4
Lee	5	8.1	2.6	20.2	4	29.7	8.1	76.7	1	4.8	0.1	35.5
Livingston	4	6.2	1.7	16.8	1	6.7	0.2	38.7	2	10.4	1.1	43.1
Logan	1	2.3	0.1	13.3	2	17.5	2.1	65.2	2	14.7	1.8	56.5
McDonough	2	4.9	0.6	18.7	1	9.4	0.2	52.9	2	17.1	2.1	62.8
McHenry	38	7.5	5.3	10.4	16	18.3	10.5	30.1	14	22.0	12.0	37.2
McLean	11	4.7	2.3	8.4	8	17.5	7.6	34.8	5	11.8	3.8	28.1
Macon	13	8.0	4.3	13.9	6	13.7	5.0	30.0	5	9.8	3.1	23.9
Macoupin	9	11.1	5.1	21.5	3	15.7	3.2	46.5	0	0.0	0.0	18.1
Madison	28	6.7	4.4	9.7	14	14.5	7.9	24.4	15	14.1	7.8	23.5
Marion	8	12.0	5.2	24.0	3	15.5	3.2	48.0	5	21.0	6.8	53.9
Marshall	2	10.4	1.3	40.9	0	0.0	0.0	65.8	1	9.0	0.2	75.8
Mason	2	8.1	1.0	29.9	2	28.3	3.4	105.8	2	27.8	3.3	102.8
Massac	1	4.0	0.1	24.1	0	0.0	0.0	70.6	3	37.1	7.5	116.7
Menard	3	12.7	2.6	43.4	0	0.0	0.0	73.0	0	0.0	0.0	93.9
Mercer	5	17.4	5.7	43.2	1	12.6	0.3	75.2	0	0.0	0.0	55.9
Monroe	3	6.2	1.3	19.8	2	20.7	2.5	74.9	1	6.6	0.2	47.7
Montgomery	3	6.3	1.3	19.3	3	26.7	5.5	79.9	2	14.6	1.7	55.3
Morgan	3	5.3	1.1	16.2	2	13.4	1.6	49.4	1	7.3	0.2	40.8
Moultrie	1	4.5	0.1	26.3	1	17.7	0.4	103.3	0	0.0	0.0	63.2
Ogle	9	10.1	4.6	19.9	5	25.1	8.1	58.9	2	10.9	1.3	39.9
Peoria	27	10.4	6.9	15.3	5	7.7	2.5	18.0	11	15.9	7.9	28.9
Perry	3	9.0	1.8	28.4	2	22.3	2.7	83.8	4	36.2	9.4	98.6
Piatt	2	6.5	0.8	28.0	0	0.0	0.0	57.2	1	9.7	0.2	71.2
Pike	4	14.7	4.0	39.6	2	29.4	3.5	109.9	2	23.1	2.7	87.2
Pope	1	14.2	0.4	106.6	0	0.0	0.0	196.5	1	49.3	1.2	289.3
Pulaski	2	24.5	3.0	95.3	1	52.5	1.3	292.4	0	0.0	0.0	178.3
Putnam	1	9.5	0.2	65.2	0	0.0	0.0	151.8	1	34.9	0.9	223.9
Randolph	8	16.0	6.9	32.1	0	0.0	0.0	33.3	3	19.5	3.7	62.1
Richland	2	7.5	0.9	28.0	1	12.3	0.3	84.1	3	39.1	8.0	115.5
Rock Island	32	14.0	9.6	19.9	14	24.1	13.2	40.6	14	22.0	11.9	37.5

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Cervix (Invasive), Whites, 1998-2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	18	5.7	3.4	9.1	9	13.3	6.1	25.3	10	12.3	5.8	23.0
Saline	6	15.0	5.5	33.1	1	8.9	0.2	52.3	2	13.1	1.5	51.3
Sangamon	20	6.3	3.9	9.9	7	9.5	3.8	19.7	11	15.1	7.5	27.4
Schuyler	2	16.0	1.9	67.2	1	29.6	0.8	190.9	0	0.0	0.0	115.2
Scott	0	0.0	0.0	47.3	1	42.6	1.1	260.9	0	0.0	0.0	162.6
Shelby	2	5.8	0.7	21.9	1	9.3	0.2	58.1	1	6.4	0.2	48.7
Stark	0	0.0	0.0	45.5	0	0.0	0.0	161.4	0	0.0	0.0	121.9
Stephenson	6	8.5	3.1	19.0	2	10.9	1.3	40.1	1	2.9	0.1	23.6
Tazewell	15	6.7	3.7	11.1	8	14.8	6.4	29.3	4	6.9	1.9	18.2
Union	1	3.0	0.1	20.9	0	0.0	0.0	52.7	2	23.5	2.8	87.9
Vermilion	8	6.5	2.8	12.9	5	15.0	4.8	35.6	8	21.0	9.0	42.3
Wabash	2	9.5	1.1	36.5	0	0.0	0.0	73.5	1	13.5	0.3	87.3
Warren	1	4.0	0.1	22.1	3	39.7	8.2	118.6	0	0.0	0.0	52.6
Washington	4	15.8	4.3	42.7	2	33.1	3.9	125.6	2	22.4	2.7	98.7
Wayne	2	7.2	0.9	27.5	0	0.0	0.0	56.7	1	12.1	0.3	67.7
White	5	18.3	5.9	46.0	0	0.0	0.0	62.0	2	20.1	2.4	79.9
Whiteside	18	17.8	10.5	28.3	3	12.5	2.6	36.7	4	14.1	3.8	37.3
Will	49	5.8	4.3	7.7	20	13.4	8.2	20.7	11	9.4	4.7	16.9
Williamson	8	7.9	3.4	15.8	4	15.2	4.1	40.0	8	27.8	11.9	55.7
Winnebago	29	6.7	4.5	9.7	14	14.1	7.7	23.7	16	16.9	9.6	27.6
Woodford	4	7.1	1.9	19.1	2	14.7	1.8	53.7	1	8.3	0.2	46.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County Cervix (Invasive), Blacks, 1998 – 2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	414	11.6	10.5	12.7	194	29.1	25.1	33.5	167	33.9	29.0	39.6
Champaign	5	14.8	4.7	35.7	1	19.8	0.5	116.4	2	61.3	7.4	223.0
Cook	319	11.6	10.4	12.9	167	31.0	26.5	36.1	145	35.7	30.1	42.1
DuPage	5	8.0	2.6	19.4	1	10.3	0.3	90.8	2	88.2	10.7	374.6
Kane	5	10.3	3.3	25.4	0	0.0	0.0	67.7	0	0.0	0.0	166.9
Kankakee	2	6.6	0.8	25.0	3	61.5	12.7	183.4	0	0.0	0.0	127.3
Lake	5	6.1	2.0	14.5	2	15.4	1.9	58.3	4	48.9	13.1	133.8
Macon	3	9.6	2.0	28.7	1	20.3	0.5	113.1	0	0.0	0.0	113.9
Madison	5	14.6	4.7	34.8	1	19.0	0.5	105.7	1	22.6	0.6	129.8
Peoria	2	3.8	0.5	14.2	3	36.6	7.5	110.3	1	18.1	0.5	111.3
Rock Island	2	11.4	1.4	41.8	2	55.9	6.8	204.7	1	40.2	1.0	268.4
St. Clair	21	15.2	9.4	23.2	3	12.3	2.5	36.2	5	26.4	8.5	62.7
Sangamon	3	8.8	1.8	26.7	2	37.2	4.5	139.4	1	29.1	0.7	161.9
Vermilion	0	0.0	0.0	32.8	0	0.0	0.0	167.6	0	0.0	0.0	203.4
Will	10	9.8	4.7	18.1	3	18.2	3.7	57.8	2	32.0	3.9	116.2
Winnebago	5	9.8	3.2	23.2	2	21.5	2.6	78.9	1	18.4	0.5	116.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, All Races, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	855	3.9	3.7	4.2	12,711	292.7	287.7	297.9	27,760	915.1	904.3	926.1
Adams	3	2.6	0.5	7.9	61	234.2	179.1	301.1	227	918.9	803.0	1047.5
Alexander	2	12.1	1.5	45.3	9	239.6	109.3	459.3	36	1139.3	797.1	1584.1
Bond	1	2.9	0.1	18.7	20	291.1	177.8	449.8	56	1075.4	809.0	1409.8
Boone	2	2.7	0.3	10.1	34	212.8	147.3	298.0	82	865.8	684.9	1086.8
Brown	0	0.0	0.0	52.1	6	251.5	92.0	559.9	12	677.6	348.4	1203.5
Bureau	0	0.0	0.0	7.4	29	194.4	130.1	279.9	103	812.8	662.7	989.3
Calhoun	0	0.0	0.0	56.8	6	268.4	96.9	600.9	17	763.6	443.6	1239.5
Carroll	1	3.2	0.1	22.6	19	259.1	155.7	407.7	53	763.0	570.8	1002.9
Cass	1	3.9	0.1	23.7	9	161.1	73.6	310.6	41	919.7	659.1	1252.7
Champaign	10	3.7	1.8	6.8	187	369.9	318.8	426.9	349	956.6	858.2	1064.3
Christian	1	1.5	0.0	9.2	42	297.4	214.1	403.3	114	949.4	782.8	1143.0
Clark	1	3.2	0.1	21.0	11	159.8	79.4	290.7	48	790.4	582.3	1051.8
Clay	0	0.0	0.0	16.8	18	305.2	180.6	485.4	48	877.9	646.8	1167.0
Clinton	2	2.9	0.4	11.8	39	297.9	211.8	408.1	94	899.3	724.0	1109.0
Coles	4	4.8	1.3	12.9	62	356.8	273.5	457.7	120	846.2	701.1	1014.9
Cook	360	4.1	3.7	4.5	5,182	291.7	283.8	299.7	11,920	956.1	938.9	973.6
Crawford	1	2.6	0.1	18.8	33	394.3	271.2	555.7	75	1075.7	845.3	1353.2
Cumberland	1	4.8	0.1	29.4	11	247.9	123.7	446.9	42	1233.5	884.9	1690.1
DeKalb	4	2.9	0.8	7.5	68	268.5	208.4	340.7	187	1059.8	912.8	1225.2
DeWitt	0	0.0	0.0	14.8	19	270.2	162.5	424.9	43	798.5	576.4	1089.7
Douglas	1	2.7	0.1	17.1	25	324.4	209.7	481.8	52	785.6	585.6	1041.4
DuPage	67	3.8	3.0	4.9	1,028	316.8	297.6	336.8	1,649	912.1	868.1	958.0
Edgar	1	2.8	0.1	17.2	16	199.5	114.0	325.2	47	704.6	517.7	938.2
Edwards	0	0.0	0.0	36.0	9	296.4	135.2	569.3	19	710.9	426.8	1123.9
Effingham	5	8.2	2.7	19.8	61	496.2	379.5	637.9	102	1055.2	860.1	1282.7
Fayette	3	7.4	1.5	23.4	31	368.3	250.0	524.5	58	828.5	628.2	1076.6
Ford	1	4.1	0.1	27.3	11	203.7	101.7	366.7	46	876.9	641.1	1173.9
Franklin	2	3.1	0.4	11.5	61	345.8	264.3	445.4	145	1023.2	862.7	1207.7
Fulton	0	0.0	0.0	6.7	36	231.7	162.2	321.6	147	1017.4	859.4	1196.6
Gallatin	0	0.0	0.0	41.4	4	130.2	34.9	350.8	22	877.3	547.7	1343.5
Greene	0	0.0	0.0	16.3	16	288.7	164.4	474.0	49	918.8	678.6	1223.1
Grundy	4	5.5	1.5	14.4	32	223.8	153.1	316.1	100	1055.1	857.6	1288.0
Hamilton	2	14.5	1.7	55.3	5	128.1	41.5	304.4	31	955.1	646.4	1367.2
Hancock	0	0.0	0.0	14.0	23	269.8	171.0	405.6	80	1069.4	847.5	1334.7
Hardin	0	0.0	0.0	60.2	7	303.2	121.7	631.9	11	578.1	287.4	1053.5
Henderson	1	5.9	0.1	43.3	4	91.3	24.9	247.8	33	1163.1	793.3	1661.3
Henry	2	2.1	0.3	8.4	74	342.0	268.6	429.5	150	884.9	748.7	1040.2
Iroquois	2	3.7	0.4	14.5	25	182.6	118.0	271.7	108	922.8	756.5	1117.4
Jackson	4	4.8	1.3	12.4	39	221.4	157.4	303.1	121	922.1	764.4	1104.7
Jasper	2	11.0	1.3	43.4	13	327.3	174.2	561.4	31	886.8	602.4	1260.6

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, All Races, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	3	4.0	0.8	12.5	44	271.1	197.0	364.1	116	929.7	767.9	1117.7
Jersey	0	0.0	0.0	12.4	17	195.2	113.6	313.8	53	794.0	592.7	1050.7
Jo Daviess	1	2.4	0.1	15.7	33	298.8	205.4	421.8	93	1022.1	822.9	1261.4
Johnson	0	0.0	0.0	22.9	10	171.5	82.0	320.1	47	1169.3	855.8	1574.0
Kane	24	3.3	2.1	4.8	368	283.7	255.4	314.4	620	883.1	813.8	957.5
Kankakee	7	3.8	1.5	8.0	88	232.3	186.3	286.3	286	1003.7	889.6	1130.2
Kendall	5	4.8	1.6	11.7	54	269.5	202.3	352.1	76	763.7	598.6	966.2
Knox	1	1.1	0.0	6.4	54	229.6	172.5	299.9	135	685.2	574.2	812.3
Lake	56	4.5	3.4	5.9	673	306.8	284.0	331.0	1,027	848.3	796.2	903.5
LaSalle	2	1.0	0.1	3.7	85	195.0	155.7	241.3	302	802.4	714.1	899.3
Lawrence	0	0.0	0.0	17.3	11	170.0	84.5	309.7	51	834.5	621.2	1098.1
Lee	0	0.0	0.0	7.7	40	279.7	199.8	381.3	114	1029.9	848.5	1241.5
Livingston	3	4.1	0.8	12.3	40	277.9	198.5	378.7	81	659.5	523.6	821.2
Logan	3	5.4	1.1	17.2	26	224.9	146.9	329.6	79	867.7	686.8	1082.8
McDonough	1	2.1	0.1	13.7	24	216.2	138.5	322.2	69	752.2	585.0	953.6
McHenry	19	3.6	2.2	5.8	241	277.4	243.3	315.1	382	848.0	763.6	940.4
McLean	12	4.9	2.6	8.6	138	306.1	257.1	361.9	221	738.3	643.6	844.4
Macon	18	8.7	5.2	14.0	175	383.9	329.1	445.2	493	1388.9	1268.0	1519.6
Macoupin	3	3.3	0.7	10.4	58	296.8	225.3	384.1	128	737.5	615.0	877.9
Madison	29	6.3	4.2	9.0	327	332.5	297.4	370.6	653	863.2	797.6	933.4
Marion	3	4.3	0.9	12.9	62	366.8	281.1	470.9	156	1137.2	965.5	1331.6
Marshall	0	0.0	0.0	20.5	13	223.2	118.7	384.6	45	860.4	627.1	1157.5
Mason	0	0.0	0.0	15.6	18	241.1	142.7	385.4	66	1120.1	865.4	1432.3
Massac	1	3.8	0.1	23.1	10	157.2	75.1	293.6	49	926.6	684.9	1230.4
Menard	0	0.0	0.0	23.6	10	195.5	93.6	361.9	30	836.1	560.7	1208.3
Mercer	0	0.0	0.0	15.3	33	431.0	296.7	606.4	48	831.1	612.2	1104.3
Monroe	3	5.2	1.1	16.8	39	384.1	273.1	525.4	62	794.5	606.3	1031.5
Montgomery	1	1.7	0.0	10.9	23	194.8	123.3	293.9	78	745.8	589.4	931.9
Morgan	1	1.5	0.0	9.5	34	230.8	159.8	322.9	77	682.6	538.5	855.2
Moultrie	1	3.9	0.1	24.7	10	171.7	82.2	319.3	51	1030.4	767.0	1356.4
Ogle	2	2.0	0.2	8.2	38	182.1	128.8	250.5	100	669.5	543.9	818.6
Peoria	16	5.1	2.9	8.3	226	330.8	289.1	376.9	501	964.4	881.4	1053.7
Perry	0	0.0	0.0	11.2	16	178.8	102.2	291.9	89	1200.0	963.1	1482.5
Piatt	0	0.0	0.0	17.8	18	253.9	150.4	402.5	50	925.7	685.0	1237.7
Pike	0	0.0	0.0	13.9	17	236.9	137.6	382.8	49	717.4	530.4	950.5
Pope	0	0.0	0.0	81.0	5	218.5	69.7	539.3	12	692.4	353.5	1254.7
Pulaski	1	7.3	0.2	51.4	5	187.7	60.5	449.6	23	916.4	578.5	1393.9
Putnam	1	9.0	0.2	62.0	8	280.4	121.0	561.3	20	930.7	565.9	1478.1
Randolph	2	3.0	0.4	12.1	44	340.9	247.7	457.9	114	1089.5	898.5	1310.7
Richland	3	10.8	2.2	32.6	19	267.2	160.3	423.9	52	906.1	675.6	1194.3
Rock Island	18	6.5	3.9	10.4	221	364.3	317.9	415.8	476	1044.7	952.5	1144.0

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, All Races, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	24	5.4	3.4	8.0	325	385.7	344.9	430.0	543	809.5	742.0	882.1
Saline	0	0.0	0.0	9.7	35	321.9	224.1	449.0	52	539.5	402.5	711.1
Sangamon	18	5.1	3.0	8.2	221	311.9	272.1	355.9	423	851.1	771.4	937.6
Schuyler	0	0.0	0.0	36.1	2	63.0	7.6	234.4	12	410.9	211.7	731.7
Scott	0	0.0	0.0	51.8	6	239.8	87.7	541.0	11	556.6	275.5	1028.7
Shelby	1	2.5	0.1	15.1	25	248.3	160.4	369.2	85	975.8	778.7	1211.0
Stark	0	0.0	0.0	46.3	8	294.8	127.0	589.1	12	481.5	247.8	858.2
Stephenson	2	2.3	0.3	9.1	38	192.4	136.1	264.8	126	766.1	637.8	914.3
Tazewell	9	3.8	1.7	7.3	157	301.8	256.4	352.9	370	914.4	822.6	1014.8
Union	1	3.0	0.1	20.0	19	227.9	136.8	359.9	50	779.0	577.9	1029.4
Vermilion	7	4.7	1.9	9.8	83	242.4	193.0	300.9	250	897.3	788.8	1018.4
Wabash	0	0.0	0.0	20.2	9	176.5	80.4	338.4	27	629.1	414.5	916.5
Warren	1	2.8	0.1	18.6	20	257.6	157.2	400.6	44	698.2	506.4	946.3
Washington	1	3.4	0.1	23.0	17	281.8	163.7	454.6	59	1068.2	812.6	1382.8
Wayne	0	0.0	0.0	14.5	13	182.7	97.1	315.1	64	1005.2	772.8	1290.5
White	1	3.6	0.1	24.0	16	221.5	126.1	366.3	46	715.2	523.5	955.7
Whiteside	5	4.4	1.4	10.6	72	290.2	227.0	365.8	220	1102.7	961.2	1260.7
Will	40	4.2	3.0	5.8	517	312.9	286.5	341.3	701	779.2	721.3	841.4
Williamson	2	1.9	0.2	7.2	73	281.4	220.5	354.3	191	943.6	813.6	1090.3
Winnebago	10	2.0	1.0	3.7	249	242.0	212.9	274.1	540	737.5	676.0	803.7
Woodford	2	2.8	0.3	11.8	46	321.4	235.3	429.1	92	884.3	712.7	1085.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, Whites, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	609	3.4	3.1	3.6	9,941	271.8	266.5	277.2	22,739	855.1	843.9	866.3
Adams	3	2.8	0.6	8.2	57	225.2	170.6	292.2	217	890.7	775.9	1018.4
Alexander	2	18.2	2.2	75.6	8	275.6	118.4	556.6	28	1105.0	733.3	1605.4
Bond	1	3.2	0.1	19.8	20	307.7	187.9	475.7	52	1028.7	765.0	1362.4
Boone	2	2.7	0.3	10.2	32	203.9	139.4	288.4	82	870.2	688.3	1092.2
Brown	0	0.0	0.0	52.2	6	261.4	95.6	582.6	12	678.5	348.9	1204.9
Bureau	0	0.0	0.0	7.5	29	196.1	131.2	282.3	100	790.8	642.8	965.4
Calhoun	0	0.0	0.0	57.3	6	269.2	97.2	602.7	17	763.6	443.6	1239.5
Carroll	1	3.2	0.1	22.9	18	247.1	146.2	393.8	53	766.7	573.5	1007.7
Cass	1	3.9	0.1	23.8	8	142.9	61.7	286.8	38	851.2	601.6	1173.5
Champaign	9	3.8	1.7	7.4	159	356.2	302.9	416.1	317	946.3	844.5	1058.0
Christian	1	1.6	0.0	9.9	42	304.3	219.0	413.1	112	939.5	773.2	1132.9
Clark	1	3.3	0.1	21.0	11	159.9	79.4	290.8	47	774.6	568.6	1033.8
Clay	0	0.0	0.0	17.0	18	306.2	181.2	487.0	48	879.7	648.1	1169.3
Clinton	2	3.1	0.4	12.4	38	295.8	209.2	407.2	94	905.8	729.2	1116.9
Coles	3	3.7	0.8	11.4	57	333.8	252.8	432.8	114	810.1	667.7	976.2
Cook	196	3.1	2.7	3.6	3,210	254.4	245.6	263.3	8,182	860.4	841.8	879.4
Crawford	1	2.8	0.1	19.3	32	387.3	264.7	549.5	72	1042.0	814.5	1317.2
Cumberland	1	4.8	0.1	29.6	11	248.8	124.2	448.9	40	1180.0	838.9	1629.7
DeKalb	4	3.0	0.8	7.8	61	247.6	189.4	318.4	176	1004.8	861.4	1166.8
DeWitt	0	0.0	0.0	15.2	19	272.1	163.6	428.1	42	783.6	563.2	1073.7
Douglas	1	2.8	0.1	17.3	24	314.4	201.2	470.7	49	739.7	546.1	989.2
DuPage	56	3.6	2.7	4.7	927	320.0	299.6	341.3	1,500	882.7	838.2	929.2
Edgar	1	2.8	0.1	17.6	16	200.5	114.6	327.1	45	678.1	494.6	908.7
Edwards	0	0.0	0.0	36.2	8	265.6	114.4	529.8	19	714.2	428.8	1128.7
Effingham	5	8.3	2.7	19.9	61	498.6	381.3	641.0	101	1047.1	852.7	1274.2
Fayette	3	8.0	1.6	24.5	31	375.6	254.9	535.3	57	817.5	618.2	1064.7
Ford	1	4.1	0.1	27.6	10	186.3	89.3	344.8	46	878.6	642.4	1176.3
Franklin	2	3.1	0.4	11.6	61	347.3	265.5	447.5	144	1018.7	858.3	1203.0
Fulton	0	0.0	0.0	6.7	33	214.9	147.8	303.0	142	987.1	831.3	1164.4
Gallatin	0	0.0	0.0	41.5	4	130.8	35.1	352.8	21	847.1	522.4	1309.8
Greene	0	0.0	0.0	16.7	16	289.4	164.8	475.2	49	922.0	680.8	1227.5
Grundy	4	5.5	1.5	14.5	32	225.0	153.9	317.8	96	1017.5	823.3	1247.3
Hamilton	2	14.7	1.8	55.8	4	103.2	28.1	270.0	30	925.0	621.6	1332.1
Hancock	0	0.0	0.0	14.2	23	270.6	171.5	406.8	78	1045.4	825.8	1308.3
Hardin	0	0.0	0.0	61.5	7	305.5	122.5	638.0	11	578.1	287.4	1053.5
Henderson	1	5.9	0.1	43.5	4	91.3	24.9	248.0	32	1124.4	761.7	1615.6
Henry	2	2.1	0.3	8.5	66	307.6	237.9	391.4	137	815.8	684.7	966.3
Iroquois	2	3.7	0.4	14.7	24	178.0	113.9	267.0	105	904.3	739.1	1097.9
Jackson	4	5.5	1.5	14.7	33	203.2	139.9	285.7	109	894.0	733.5	1081.5
Jasper	2	11.0	1.3	43.6	13	327.3	174.2	561.4	31	886.8	602.4	1260.6

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, Whites, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jefferson	3	4.4	0.9	14.0	36	233.1	163.2	322.9	111	921.2	757.4	1112.1
Jersey	0	0.0	0.0	12.5	17	195.6	113.9	314.5	52	777.9	578.9	1032.2
Jo Daviess	1	2.4	0.1	15.9	32	289.8	197.9	411.3	85	934.9	744.9	1165.0
Johnson	0	0.0	0.0	23.2	10	178.6	85.2	335.5	47	1180.9	864.5	1589.2
Kane	20	2.9	1.8	4.5	330	272.2	243.5	303.4	582	863.4	793.7	938.5
Kankakee	6	3.8	1.4	8.4	71	212.8	166.2	268.6	223	867.7	756.6	992.7
Kendall	5	5.0	1.6	12.0	51	259.8	193.3	342.0	70	709.7	550.4	906.5
Knox	0	0.0	0.0	5.0	46	205.0	150.1	273.9	116	605.1	499.8	727.0
Lake	47	4.2	3.1	5.6	586	293.8	270.4	318.7	897	800.4	747.9	856.1
LaSalle	2	1.0	0.1	3.8	83	192.3	153.1	238.6	293	783.7	696.1	879.8
Lawrence	0	0.0	0.0	17.3	11	170.8	84.8	311.3	51	841.0	626.1	1106.6
Lee	0	0.0	0.0	8.0	40	290.8	207.7	396.3	106	978.7	800.4	1187.8
Livingston	3	4.3	0.9	13.2	40	283.3	202.4	386.0	79	646.2	511.4	806.9
Logan	2	3.8	0.5	15.3	26	230.3	150.4	337.9	75	832.1	654.3	1044.4
McDonough	1	2.2	0.1	14.6	21	193.1	119.5	295.8	67	738.7	572.2	939.9
McHenry	19	3.7	2.2	5.9	225	263.2	229.8	300.3	359	809.2	726.2	900.2
McLean	10	4.4	2.1	8.2	128	296.7	247.5	353.0	202	692.2	599.6	796.6
Macon	11	6.0	3.0	11.1	141	343.1	288.8	404.6	444	1342.4	1219.5	1475.7
Macoupin	3	3.4	0.7	10.5	58	298.9	226.9	386.8	126	730.3	608.1	870.7
Madison	22	5.1	3.2	7.7	291	312.5	277.6	350.6	613	847.2	780.9	918.5
Marion	3	4.5	0.9	13.5	57	349.7	264.8	453.9	149	1116.3	944.0	1312.1
Marshall	0	0.0	0.0	20.7	13	223.7	119.0	385.6	43	824.7	596.4	1117.0
Mason	0	0.0	0.0	15.7	18	241.4	142.8	385.9	64	1087.7	836.8	1396.3
Massac	1	4.0	0.1	24.9	7	109.6	44.0	232.6	46	905.3	662.4	1212.3
Menard	0	0.0	0.0	23.9	10	196.1	93.9	362.8	29	803.7	534.9	1169.2
Mercer	0	0.0	0.0	15.4	31	407.1	276.6	578.8	46	795.1	581.6	1063.1
Monroe	3	5.3	1.1	16.9	38	375.6	265.8	515.8	62	795.1	606.7	1032.3
Montgomery	1	1.9	0.0	11.4	23	197.8	125.2	298.6	75	721.0	566.9	904.7
Morgan	1	1.6	0.0	10.3	31	216.0	146.7	307.2	73	658.8	516.2	830.5
Moultrie	1	3.9	0.1	24.7	10	172.3	82.4	320.3	51	1030.9	767.4	1357.1
Ogle	2	2.0	0.2	8.4	38	183.6	129.9	252.6	100	672.3	546.2	821.9
Peoria	10	3.7	1.8	6.9	192	316.7	273.5	364.9	442	920.4	836.3	1011.4
Perry	0	0.0	0.0	11.7	15	173.0	96.8	287.3	87	1192.0	954.1	1475.9
Piatt	0	0.0	0.0	18.0	18	253.9	150.4	402.5	49	906.5	668.6	1215.7
Pike	0	0.0	0.0	14.9	17	238.1	138.3	384.5	48	705.0	519.4	936.6
Pope	0	0.0	0.0	81.0	5	220.3	70.3	542.5	12	700.7	357.6	1271.0
Pulaski	0	0.0	0.0	53.8	4	206.3	55.9	540.9	14	771.6	415.5	1340.1
Putnam	1	9.1	0.2	62.5	8	281.7	121.6	563.8	19	890.0	533.3	1430.2
Randolph	2	3.6	0.4	13.9	44	354.2	257.3	476.3	112	1093.5	900.2	1317.6
Richland	3	10.8	2.2	32.9	18	255.3	150.7	410.4	52	908.8	677.7	1197.8
Rock Island	14	5.5	3.0	9.4	187	330.4	284.8	381.5	409	934.8	846.1	1031.0

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, Whites, 1998-2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
St. Clair	18	5.3	3.1	8.4	240	371.2	325.7	421.3	384	710.0	640.0	786.5
Saline	0	0.0	0.0	10.4	34	322.7	223.3	452.3	51	539.5	401.3	713.0
Sangamon	16	4.9	2.8	8.2	199	303.3	262.6	348.5	398	838.7	757.8	926.6
Schuyler	0	0.0	0.0	36.3	2	63.1	7.6	234.7	10	348.8	166.7	654.4
Scott	0	0.0	0.0	51.8	6	240.0	87.8	541.5	11	557.5	275.9	1030.1
Shelby	0	0.0	0.0	10.9	24	239.3	153.1	358.8	83	956.9	761.4	1190.6
Stark	0	0.0	0.0	46.6	7	260.2	104.3	543.9	12	481.5	247.8	858.2
Stephenson	2	2.5	0.3	10.1	33	176.0	121.1	248.0	119	749.7	620.7	899.2
Tazewell	9	3.9	1.8	7.5	153	296.7	251.5	347.6	351	866.8	777.6	964.6
Union	1	3.0	0.1	20.3	18	220.2	130.1	352.0	49	769.9	569.4	1020.0
Vermilion	7	5.2	2.1	11.0	68	213.0	165.3	270.5	214	816.2	709.7	935.9
Wabash	0	0.0	0.0	20.3	9	177.4	80.9	340.3	27	630.9	415.7	919.1
Warren	1	2.9	0.1	19.3	20	261.6	159.7	406.9	38	614.8	434.3	852.6
Washington	1	3.4	0.1	23.2	17	283.0	164.4	456.5	58	1052.5	798.5	1365.6
Wayne	0	0.0	0.0	14.6	13	183.8	97.6	317.0	64	1006.4	773.8	1292.0
White	1	3.6	0.1	24.3	16	221.6	126.1	366.5	44	686.3	498.5	923.1
Whiteside	5	4.5	1.4	10.8	70	285.4	222.4	361.0	214	1079.5	939.1	1236.4
Will	25	3.0	1.9	4.5	414	279.4	253.1	307.8	617	744.9	686.1	808.3
Williamson	2	2.0	0.2	7.5	71	280.0	218.6	353.7	188	941.7	811.1	1089.3
Winnebago	8	1.8	0.8	3.6	215	228.7	199.2	261.5	490	711.4	649.3	778.4
Woodford	2	2.8	0.3	11.9	46	323.3	236.7	431.6	92	884.6	712.9	1085.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, Blacks, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.

Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

County	<50 Years				50-65 Years				65+ Years			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	209	7.6	6.6	8.7	2,219	426.8	409.2	444.9	3,811	1,252.7	1,211.7	1,294.9
Champaign	1	3.8	0.1	21.2	22	529.0	331.3	803.1	25	1,060.7	667.3	1,697.4
Cook	151	7.5	6.3	8.7	1,696	413.5	394.1	433.7	3,116	1,262.7	1,217.0	1,309.8
DuPage	3	6.5	1.3	19.2	30	483.5	323.7	698.7	19	1,382.2	798.4	2,324.6
Kane	4	10.9	3.0	27.9	24	435.0	277.6	652.1	16	840.5	444.5	1,530.2
Kankakee	1	4.3	0.1	24.2	15	379.9	212.5	628.6	59	2,206.0	1,665.2	2,893.7
Lake	6	8.7	3.2	18.9	47	436.3	320.4	581.1	54	943.3	694.0	1,277.9
Macon	7	30.7	12.4	63.6	32	750.6	513.2	1,061.7	45	1,851.1	1,341.6	2,578.8
Madison	6	23.7	8.7	51.7	31	691.7	469.9	982.2	34	1,133.1	776.9	1,623.0
Peoria	5	12.5	4.1	29.4	29	438.6	293.5	631.1	46	1,348.5	979.6	1,827.2
Rock Island	1	5.5	0.1	30.8	17	508.1	295.8	815.9	14	816.1	428.5	1,522.9
St. Clair	6	6.0	2.2	13.0	80	425.1	337.0	529.4	151	1,208.9	1,019.9	1,428.2
Sangamon	2	7.1	0.9	26.4	17	400.8	233.4	643.2	17	816.8	467.7	1,360.2
Vermilion	0	0.0	0.0	26.1	11	566.6	282.9	1,014.6	18	1,114.8	658.6	1,821.8
Will	12	13.9	7.2	24.3	81	622.6	493.2	776.6	59	1,029.7	772.0	1,368.4
Winnebago	1	2.5	0.1	13.9	29	397.0	265.3	573.0	44	1,161.0	825.1	1,624.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

SECTION III.

Percentage Distribution of Stage at Diagnosis By Race and County, Illinois, 1998 - 2002

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	33.9	40.4	17.0	8.8	34.5	40.8	16.7	8.0	29.2	38.0	20.1	12.8
Adams	40.0	40.0	11.7	8.3	40.2	39.9	11.9	8.1	-	-	-	-
Alexander	34.7	38.8	22.5	4.1	40.0	40.0	17.5	2.5	-	-	-	-
Bond	35.7	40.0	14.3	10.0	35.7	40.0	14.3	10.0	-	-	-	-
Boone	34.5	37.8	18.5	9.2	36.3	36.3	19.5	8.0	-	-	-	-
Brown	52.9	41.2	5.9	0.0	52.9	41.2	5.9	0.0	-	-	-	-
Bureau	40.1	38.2	12.5	9.2	40.1	38.2	12.5	9.2	-	-	-	-
Calhoun	40.9	27.3	13.6	18.2	40.9	27.3	13.6	18.2	-	-	-	-
Carroll	31.6	38.2	9.2	21.1	32.0	38.7	8.0	21.3	-	-	-	-
Cass	31.3	39.6	27.1	2.1	31.3	39.6	27.1	2.1	-	-	-	-
Champaign	39.7	39.4	15.6	5.3	39.6	39.6	15.7	5.1	27.6	37.9	24.1	10.3
Christian	31.6	47.4	15.1	5.9	31.6	47.4	15.1	5.9	-	-	-	-
Clark	36.8	38.6	14.0	10.5	36.8	38.6	14.0	10.5	-	-	-	-
Clay	36.4	40.3	15.6	7.8	35.5	40.8	15.8	7.9	-	-	-	-
Clinton	43.0	36.6	16.2	4.2	42.5	36.7	16.6	4.3	-	-	-	-
Coles	39.4	37.6	17.6	5.5	39.9	37.4	17.2	5.5	-	-	-	-
Cook	31.9	41.2	17.6	9.3	33.1	42.1	17.2	7.7	27.8	39.1	19.5	13.6
Crawford	30.4	46.1	18.6	4.9	30.4	46.1	18.6	4.9	-	-	-	-
Cumberland	34.0	38.3	19.2	8.5	34.0	38.3	19.2	8.5	-	-	-	-
DeKalb	36.1	39.6	16.3	7.9	35.7	40.2	16.1	8.0	-	-	-	-
DeWitt	26.8	44.6	14.3	14.3	27.3	45.5	14.6	12.7	-	-	-	-
Douglas	44.3	36.7	17.7	1.3	43.6	37.2	18.0	1.3	-	-	-	-
DuPage	37.4	39.4	16.8	6.4	37.8	39.0	16.9	6.4	35.9	33.3	20.5	10.3
Edgar	34.4	54.7	6.3	4.7	34.4	54.7	6.3	4.7	-	-	-	-
Edwards	26.5	47.1	11.8	14.7	26.5	47.1	11.8	14.7	-	-	-	-
Effingham	36.8	38.4	17.6	7.2	36.8	38.4	17.6	7.2	-	-	-	-
Fayette	43.4	31.3	14.5	10.8	43.9	31.7	14.6	9.8	-	-	-	-
Ford	24.0	53.3	18.7	4.0	24.0	53.3	18.7	4.0	-	-	-	-
Franklin	34.0	35.6	18.3	12.0	34.0	35.6	18.3	12.0	-	-	-	-
Fulton	41.6	36.4	13.6	8.4	42.1	36.2	13.2	8.6	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Gallatin	37.5	43.8	9.4	9.4	37.5	43.8	9.4	9.4	-	-	-	-
Greene	32.9	40.5	19.0	7.6	32.9	40.5	19.0	7.6	-	-	-	-
Grundy	33.8	43.6	12.8	9.8	32.8	44.3	13.0	9.9	-	-	-	-
Hamilton	36.6	39.0	14.6	9.8	36.6	39.0	14.6	9.8	-	-	-	-
Hancock	29.1	38.4	19.8	12.8	28.6	39.3	19.1	13.1	-	-	-	-
Hardin	48.2	37.0	7.4	7.4	48.2	37.0	7.4	7.4	-	-	-	-
Henderson	35.5	38.7	9.7	16.1	35.5	38.7	9.7	16.1	-	-	-	-
Henry	37.9	36.4	17.7	8.1	37.6	36.0	18.5	7.9	-	-	-	-
Iroquois	35.5	40.4	18.4	5.7	35.5	40.6	18.1	5.8	-	-	-	-
Jackson	36.0	41.5	12.2	10.4	36.7	40.0	12.0	11.3	-	-	-	-
Jasper	35.4	35.4	22.9	6.3	35.4	35.4	22.9	6.3	-	-	-	-
Jefferson	42.1	33.6	15.1	9.2	42.4	34.0	15.3	8.3	-	-	-	-
Jersey	41.3	38.1	12.7	7.9	41.3	38.1	12.7	7.9	-	-	-	-
Jo Daviess	33.3	30.3	14.1	22.2	33.7	30.6	14.3	21.4	-	-	-	-
Johnson	27.9	34.9	18.6	18.6	28.6	33.3	19.1	19.1	-	-	-	-
Kane	33.8	40.1	18.5	7.6	33.6	40.8	18.5	7.2	40.0	28.6	22.9	8.6
Kankakee	34.4	41.7	16.3	7.7	35.6	41.7	15.6	7.1	22.6	41.9	22.6	12.9
Kendall	18.0	50.8	20.3	10.9	18.3	50.8	20.6	10.3	-	-	-	-
Knox	44.8	32.1	18.1	5.0	44.4	32.9	18.1	4.6	-	-	-	-
Lake	32.7	41.3	17.4	8.6	32.9	42.1	16.8	8.2	39.0	28.6	24.7	7.8
LaSalle	35.1	39.6	17.0	8.3	35.0	39.6	17.0	8.4	-	-	-	-
Lawrence	24.2	42.4	22.7	10.6	24.6	43.1	21.5	10.8	-	-	-	-
Lee	38.9	35.1	13.0	13.0	40.8	35.2	11.2	12.8	-	-	-	-
Livingston	32.2	38.0	13.2	16.5	32.2	38.0	13.2	16.5	-	-	-	-
Logan	31.5	46.0	14.4	8.1	32.1	45.9	14.7	7.3	-	-	-	-
McDonough	46.2	34.2	8.6	11.1	46.2	34.2	8.6	11.1	-	-	-	-
McHenry	33.7	39.8	18.0	8.4	33.8	39.9	17.8	8.5	-	-	-	-
McLean	29.6	48.4	15.4	6.6	30.2	47.2	15.8	6.9	-	-	-	-
Macon	37.0	39.5	17.9	5.7	36.6	40.8	17.3	5.2	38.2	23.5	26.5	11.8
Macoupin	30.5	46.0	15.0	8.4	30.5	45.7	15.3	8.5	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Madison	29.9	46.3	16.4	7.4	30.1	46.1	16.1	7.6	26.2	50.0	23.8	0.0
Marion	34.6	40.6	19.4	5.5	35.4	40.4	18.6	5.6	-	-	-	-
Marshall	23.0	59.0	11.5	6.6	23.0	59.0	11.5	6.6	-	-	-	-
Mason	47.9	35.2	7.0	9.9	47.9	35.2	7.0	9.9	-	-	-	-
Massac	51.7	32.8	12.1	3.5	52.7	32.7	10.9	3.6	-	-	-	-
Menard	35.4	41.7	16.7	6.3	35.4	41.7	16.7	6.3	-	-	-	-
Mercer	36.7	40.0	18.3	5.0	36.7	40.0	18.3	5.0	-	-	-	-
Monroe	38.2	33.3	15.7	12.8	37.6	33.7	15.8	12.9	-	-	-	-
Montgomery	27.7	40.4	18.4	13.5	28.3	40.6	18.1	13.0	-	-	-	-
Morgan	32.2	44.1	20.3	3.5	30.7	44.5	21.2	3.7	-	-	-	-
Moultrie	45.5	29.1	16.4	9.1	45.5	29.1	16.4	9.1	-	-	-	-
Ogle	34.6	37.3	17.7	10.5	35.4	37.4	18.4	8.8	-	-	-	-
Peoria	34.1	38.2	18.6	9.1	33.4	39.2	18.6	8.8	44.4	29.6	18.5	7.4
Perry	32.7	46.9	12.2	8.2	32.3	46.9	12.5	8.3	-	-	-	-
Piatt	32.4	44.1	16.2	7.4	32.8	43.3	16.4	7.5	-	-	-	-
Pike	36.5	38.8	11.8	12.9	36.5	38.8	11.8	12.9	-	-	-	-
Pope	25.0	16.7	58.3	0.0	27.3	18.2	54.6	0.0	-	-	-	-
Pulaski	26.9	38.5	15.4	19.2	25.0	45.0	15.0	15.0	-	-	-	-
Putnam	40.0	35.0	10.0	15.0	40.0	35.0	10.0	15.0	-	-	-	-
Randolph	43.5	33.9	16.5	6.1	43.2	33.3	17.1	6.3	-	-	-	-
Richland	37.3	44.8	9.0	9.0	36.4	45.5	9.1	9.1	-	-	-	-
Rock Island	36.9	36.4	16.0	10.8	37.4	36.3	16.2	10.2	27.8	44.4	16.7	11.1
St. Clair	35.1	35.5	18.9	10.5	35.5	36.4	18.1	10.0	34.7	32.4	23.1	9.8
Saline	33.6	44.8	9.1	12.6	34.1	43.5	9.4	13.0	-	-	-	-
Sangamon	28.8	48.2	15.7	7.3	28.9	49.0	14.9	7.2	25.7	37.1	28.6	8.6
Schuyler	38.7	38.7	16.1	6.5	38.7	38.7	16.1	6.5	-	-	-	-
Scott	39.1	47.8	13.0	0.0	39.1	47.8	13.0	0.0	-	-	-	-
Shelby	36.5	31.7	22.1	9.6	36.5	31.7	22.1	9.6	-	-	-	-
Stark	18.2	51.5	18.2	12.1	18.2	51.5	18.2	12.1	-	-	-	-
Stephenson	43.6	30.3	15.8	10.3	44.0	30.2	15.7	10.1	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum, Both Sexes, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Tazewell	35.3	38.7	17.8	8.3	35.1	38.8	18.0	8.2	-	-	-	-
Union	42.7	39.7	13.2	4.4	42.7	39.7	13.2	4.4	-	-	-	-
Vermilion	36.2	40.8	17.2	5.8	36.2	41.2	16.6	6.1	37.0	37.0	22.2	3.7
Wabash	29.3	43.1	17.2	10.3	29.3	43.1	17.2	10.3	-	-	-	-
Warren	36.8	39.7	16.2	7.4	34.9	40.9	16.7	7.6	-	-	-	-
Washington	48.8	32.9	11.0	7.3	48.2	33.3	11.1	7.4	-	-	-	-
Wayne	37.2	43.6	14.1	5.1	37.2	43.6	14.1	5.1	-	-	-	-
White	22.8	43.0	19.0	15.2	22.8	43.0	19.0	15.2	-	-	-	-
Whiteside	40.4	33.7	13.5	12.4	40.6	33.9	13.5	12.0	-	-	-	-
Will	36.9	35.8	18.4	9.0	37.3	36.7	17.7	8.3	35.0	26.2	25.2	13.6
Williamson	32.7	38.6	17.9	10.8	33.2	38.6	17.7	10.5	-	-	-	-
Winnebago	36.5	38.4	15.8	9.3	35.5	39.4	16.2	8.9	52.6	29.8	14.0	3.5
Woodford	31.7	53.5	10.9	4.0	32.0	53.0	11.0	4.0	-	-	-	-

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1998 - 2002**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
All Counties	17.5	49.5	24.8	4.1	4.1	17.6	50.7	24.1	3.9	3.7	14.9	42.3	30.2	6.5	6.1
Adams	19.2	47.8	25.6	2.9	4.5	19.6	48.4	24.8	2.9	4.3	-	-	-	-	-
Alexander	6.3	71.9	15.6	3.1	3.1	7.1	67.9	17.9	3.6	3.6	-	-	-	-	-
Bond	10.2	47.5	27.1	10.2	5.1	10.2	47.5	27.1	10.2	5.1	-	-	-	-	-
Boone	18.0	53.9	21.4	4.5	2.3	18.0	53.9	21.4	4.5	2.3	-	-	-	-	-
Brown	8.3	58.3	20.8	12.5	0.0	8.3	58.3	20.8	12.5	0.0	-	-	-	-	-
Bureau	10.9	53.7	22.3	4.6	8.6	10.9	53.5	22.4	4.6	8.6	-	-	-	-	-
Calhoun	30.0	50.0	5.0	5.0	10.0	30.0	50.0	5.0	5.0	10.0	-	-	-	-	-
Carroll	12.4	49.4	19.8	8.6	9.9	12.4	49.4	19.8	8.6	9.9	-	-	-	-	-
Cass	16.9	52.3	23.1	4.6	3.1	16.9	52.3	23.1	4.6	3.1	-	-	-	-	-
Champaign	20.9	50.1	24.9	2.6	1.5	20.8	51.5	23.4	2.8	1.5	21.2	36.5	38.5	1.9	1.9
Christian	22.0	48.9	21.4	3.3	4.4	22.0	48.9	21.4	3.3	4.4	-	-	-	-	-
Clark	14.3	41.7	31.0	4.8	8.3	14.3	41.7	31.0	4.8	8.3	-	-	-	-	-
Clay	15.5	47.9	26.8	5.6	4.2	14.3	48.6	27.1	5.7	4.3	-	-	-	-	-
Clinton	11.4	58.8	18.4	8.8	2.6	11.5	58.4	18.6	8.9	2.7	-	-	-	-	-
Coles	17.0	51.9	26.0	3.8	1.3	16.0	52.8	26.0	3.9	1.3	-	-	-	-	-
Cook	17.5	48.1	25.2	4.8	4.4	17.9	50.2	23.9	4.3	3.7	14.8	42.3	29.6	7.1	6.3
Crawford	13.7	46.1	26.5	9.8	3.9	13.7	46.1	26.5	9.8	3.9	-	-	-	-	-
Cumberland	10.6	70.2	12.8	4.3	2.1	10.6	70.2	12.8	4.3	2.1	-	-	-	-	-
DeKalb	17.1	48.9	24.7	3.4	6.0	17.1	49.3	24.4	3.5	5.8	-	-	-	-	-
DeWitt	15.9	46.6	22.7	8.0	6.8	16.1	46.0	23.0	8.1	6.9	-	-	-	-	-
Douglas	16.4	57.7	18.3	6.7	1.0	16.5	57.3	18.5	6.8	1.0	-	-	-	-	-
DuPage	19.6	49.0	24.9	3.2	3.3	19.1	49.9	24.6	3.3	3.2	19.5	36.6	35.4	0.0	8.5
Edgar	14.8	54.6	21.6	6.8	2.3	15.1	54.7	20.9	7.0	2.3	-	-	-	-	-
Edwards	15.2	56.5	23.9	4.4	0.0	15.2	56.5	23.9	4.4	0.0	-	-	-	-	-
Effingham	12.9	50.3	29.3	4.8	2.7	12.9	50.3	29.3	4.8	2.7	-	-	-	-	-
Fayette	13.3	57.8	21.7	3.6	3.6	13.3	57.8	21.7	3.6	3.6	-	-	-	-	-
Ford	14.6	54.9	28.1	1.2	1.2	15.0	55.0	27.5	1.3	1.3	-	-	-	-	-
Franklin	13.9	50.3	26.6	2.9	6.4	13.4	50.6	26.7	2.9	6.4	-	-	-	-	-
Fulton	7.1	60.1	24.4	2.4	6.0	7.2	60.5	24.6	2.4	5.4	-	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1998 - 2002**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Gallatin	26.9	53.9	19.2	0.0	0.0	28.0	56.0	16.0	0.0	0.0	-	-	-	-	-
Greene	13.0	42.0	33.3	4.4	7.3	14.3	46.0	33.3	4.8	1.6	-	-	-	-	-
Grundy	14.8	54.6	24.0	2.7	3.8	14.9	54.1	24.3	2.8	3.9	-	-	-	-	-
Hamilton	14.6	56.1	17.1	4.9	7.3	14.6	56.1	17.1	4.9	7.3	-	-	-	-	-
Hancock	10.7	56.3	19.4	2.9	10.7	10.7	56.3	19.4	2.9	10.7	-	-	-	-	-
Hardin	8.3	66.7	25.0	0.0	0.0	9.1	63.6	27.3	0.0	0.0	-	-	-	-	-
Henderson	16.3	38.8	26.5	4.1	14.3	16.3	38.8	26.5	4.1	14.3	-	-	-	-	-
Henry	13.5	48.6	27.4	6.1	4.5	13.5	49.2	26.5	6.3	4.6	-	-	-	-	-
Iroquois	14.9	46.6	27.7	8.1	2.7	15.1	46.6	27.4	8.2	2.7	-	-	-	-	-
Jackson	17.0	56.3	21.8	3.5	1.3	18.1	55.6	21.5	3.4	1.5	-	-	-	-	-
Jasper	11.1	52.8	33.3	2.8	0.0	11.1	52.8	33.3	2.8	0.0	-	-	-	-	-
Jefferson	9.0	57.6	24.9	5.1	3.4	9.0	57.8	24.1	5.4	3.6	-	-	-	-	-
Jersey	13.1	57.1	25.0	4.8	0.0	13.1	57.1	25.0	4.8	0.0	-	-	-	-	-
Jo Daviess	14.3	44.4	20.6	3.2	17.5	14.6	43.9	21.1	3.3	17.1	-	-	-	-	-
Johnson	10.2	40.8	26.5	8.2	14.3	10.4	41.7	27.1	8.3	12.5	-	-	-	-	-
Kane	19.0	46.5	26.1	4.2	4.3	19.0	47.0	26.1	4.2	3.7	16.7	40.0	38.3	3.3	1.7
Kankakee	13.7	50.0	28.7	5.4	2.2	14.5	51.9	26.8	4.6	2.3	6.0	40.0	40.0	12.0	2.0
Kendall	22.7	47.9	21.9	4.6	2.9	21.2	48.5	22.9	4.8	2.6	-	-	-	-	-
Knox	16.0	58.0	22.0	2.7	1.3	16.1	58.6	21.2	2.7	1.4	-	-	-	-	-
Lake	20.2	47.7	25.9	2.7	3.5	20.4	48.3	25.3	2.6	3.4	13.2	43.4	34.0	5.7	3.8
LaSalle	10.6	56.2	26.0	2.8	4.3	10.3	56.7	25.8	2.9	4.4	-	-	-	-	-
Lawrence	10.0	62.5	17.5	5.0	5.0	10.1	63.3	17.7	5.1	3.8	-	-	-	-	-
Lee	12.8	57.4	23.0	3.4	3.4	13.1	57.2	22.8	3.5	3.5	-	-	-	-	-
Livingston	14.7	48.4	28.4	2.6	5.8	15.1	50.8	27.4	2.8	3.9	-	-	-	-	-
Logan	16.0	54.9	26.4	2.1	0.7	15.6	55.3	26.2	2.1	0.7	-	-	-	-	-
McDonough	16.5	52.0	18.9	1.6	11.0	16.5	52.0	18.9	1.6	11.0	-	-	-	-	-
McHenry	16.3	53.0	23.6	4.8	2.4	16.0	53.4	23.5	4.8	2.3	-	-	-	-	-
McLean	17.2	49.2	25.0	4.1	4.5	16.8	49.4	25.4	3.9	4.6	-	-	-	-	-
Macon	21.0	51.4	22.5	3.9	1.3	21.2	51.5	22.0	3.9	1.4	18.8	46.9	31.3	3.1	0.0
Macoupin	17.4	49.6	23.7	1.7	7.6	17.6	49.8	24.0	1.7	6.9	-	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1998 - 2002**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Madison	17.7	49.2	22.3	2.8	8.0	17.6	49.6	22.3	2.7	7.8	21.6	29.7	27.0	5.4	16.2
Marion	12.2	50.8	30.5	5.1	1.5	12.5	50.5	30.7	4.7	1.6	-	-	-	-	-
Marshall	11.8	57.4	17.7	7.4	5.9	11.8	57.4	17.7	7.4	5.9	-	-	-	-	-
Mason	23.2	47.4	20.0	3.2	6.3	23.2	47.4	20.0	3.2	6.3	-	-	-	-	-
Massac	8.2	56.2	27.4	5.5	2.7	8.6	55.7	27.1	5.7	2.9	-	-	-	-	-
Menard	16.7	54.6	21.2	1.5	6.1	15.4	55.4	21.5	1.5	6.2	-	-	-	-	-
Mercer	10.7	57.1	26.2	3.6	2.4	10.8	57.8	25.3	3.6	2.4	-	-	-	-	-
Monroe	14.0	50.0	28.1	1.8	6.1	14.0	50.0	28.1	1.8	6.1	-	-	-	-	-
Montgomery	11.6	53.7	26.5	3.4	4.8	11.6	54.1	26.0	3.4	4.8	-	-	-	-	-
Morgan	19.4	50.9	24.9	2.4	2.4	19.5	50.6	25.0	2.4	2.4	-	-	-	-	-
Moultrie	11.9	53.6	23.8	6.0	4.8	11.9	53.6	23.8	6.0	4.8	-	-	-	-	-
Ogle	17.7	54.0	20.7	3.5	4.0	18.0	54.9	19.5	3.6	4.1	-	-	-	-	-
Peoria	17.3	53.7	23.6	1.9	3.5	18.0	55.0	21.2	2.1	3.7	10.8	37.8	50.0	0.0	1.4
Perry	11.9	55.2	29.9	3.0	0.0	12.1	56.1	28.8	3.0	0.0	-	-	-	-	-
Piatt	13.4	62.2	18.3	3.7	2.4	13.4	62.2	18.3	3.7	2.4	-	-	-	-	-
Pike	12.5	56.3	23.4	4.7	3.1	12.5	56.3	23.4	4.7	3.1	-	-	-	-	-
Pope	7.7	53.9	30.8	7.7	0.0	7.7	53.9	30.8	7.7	0.0	-	-	-	-	-
Pulaski	5.6	55.6	16.7	16.7	5.6	7.1	57.1	21.4	14.3	0.0	-	-	-	-	-
Putnam	23.5	29.4	29.4	8.8	8.8	23.5	29.4	29.4	8.8	8.8	-	-	-	-	-
Randolph	11.5	51.6	25.4	3.3	8.2	12.1	50.9	25.0	3.5	8.6	-	-	-	-	-
Richland	12.7	53.5	26.8	5.6	1.4	12.7	53.5	26.8	5.6	1.4	-	-	-	-	-
Rock Island	17.1	49.6	26.3	3.6	3.4	16.8	50.6	26.2	3.2	3.2	14.3	23.8	38.1	9.5	14.3
St. Clair	15.9	48.9	26.6	3.8	4.7	16.8	49.3	26.0	3.7	4.3	13.7	45.4	29.9	4.4	6.6
Saline	12.6	49.5	25.2	1.9	10.7	13.0	50.0	24.0	2.0	11.0	-	-	-	-	-
Sangamon	21.2	49.2	22.9	3.9	2.8	21.3	49.3	22.8	3.9	2.8	24.5	44.9	22.5	4.1	4.1
Schuyler	3.7	51.9	37.0	3.7	3.7	3.7	51.9	37.0	3.7	3.7	-	-	-	-	-
Scott	18.8	56.3	25.0	0.0	0.0	18.8	56.3	25.0	0.0	0.0	-	-	-	-	-
Shelby	26.0	42.3	27.9	1.9	1.9	26.0	42.3	27.9	1.9	1.9	-	-	-	-	-
Stark	16.1	41.9	32.3	3.2	6.5	16.1	41.9	32.3	3.2	6.5	-	-	-	-	-
Stephenson	14.1	55.8	19.9	4.9	5.3	14.3	57.1	18.5	4.8	5.3	-	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 1998 - 2002**

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Tazewell	16.4	52.5	24.4	3.9	2.9	16.7	52.6	24.4	4.0	2.4	-	-	-	-	-
Union	10.5	59.3	26.7	3.5	0.0	10.5	59.3	26.7	3.5	0.0	-	-	-	-	-
Vermilion	16.6	57.0	20.7	2.3	3.5	17.0	56.9	21.0	2.2	3.0	12.5	62.5	16.7	4.2	4.2
Wabash	12.5	54.7	26.6	3.1	3.1	12.9	54.8	27.4	3.2	1.6	-	-	-	-	-
Warren	12.7	55.7	22.8	5.1	3.8	13.0	55.8	23.4	5.2	2.6	-	-	-	-	-
Washington	15.1	37.0	34.3	5.5	8.2	14.1	38.0	35.2	5.6	7.0	-	-	-	-	-
Wayne	11.8	51.6	28.0	3.2	5.4	11.8	51.6	28.0	3.2	5.4	-	-	-	-	-
White	11.3	46.3	32.5	3.8	6.3	11.3	46.3	32.5	3.8	6.3	-	-	-	-	-
Whiteside	12.4	53.7	23.7	3.5	6.7	12.6	53.2	24.1	3.6	6.5	-	-	-	-	-
Will	19.2	47.8	25.9	4.3	2.9	18.3	48.5	25.8	4.4	2.9	19.3	42.9	29.4	4.2	4.2
Williamson	11.6	52.7	21.7	7.2	6.9	11.4	52.8	22.0	7.0	7.0	-	-	-	-	-
Winnebago	22.6	51.4	21.1	3.0	2.0	23.0	51.3	20.8	3.0	2.0	17.4	47.8	29.4	4.4	1.1
Woodford	13.0	56.2	24.7	0.6	5.6	13.0	55.9	24.8	0.6	5.6	-	-	-	-	-

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	51.8	31.7	8.9	7.7	53.7	30.6	9.2	6.6	44.9	35.6	8.4	11.1
Adams	45.0	50.0	5.0	0.0	45.0	50.0	5.0	0.0	-	-	-	-
Alexander	~	~	~	~	~	~	~	~	-	-	-	-
Bond	33.3	66.7	0.0	0.0	33.3	66.7	0.0	0.0	-	-	-	-
Boone	55.6	44.4	0.0	0.0	50.0	50.0	0.0	0.0	-	-	-	-
Brown	100.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	-	-	-	-
Bureau	75.0	8.3	8.3	8.3	75.0	8.3	8.3	8.3	-	-	-	-
Calhoun	~	~	~	~	~	~	~	~	-	-	-	-
Carroll	50.0	25.0	25.0	0.0	50.0	25.0	25.0	0.0	-	-	-	-
Cass	40.0	40.0	0.0	20.0	40.0	40.0	0.0	20.0	-	-	-	-
Champaign	54.6	39.4	3.0	3.0	56.5	39.1	4.4	0.0	50.0	37.5	0.0	12.5
Christian	55.6	22.2	22.2	0.0	55.6	22.2	22.2	0.0	-	-	-	-
Clark	28.6	28.6	28.6	14.3	28.6	28.6	28.6	14.3	-	-	-	-
Clay	20.0	60.0	20.0	0.0	20.0	60.0	20.0	0.0	-	-	-	-
Clinton	55.6	22.2	22.2	0.0	55.6	22.2	22.2	0.0	-	-	-	-
Coles	44.4	33.3	22.2	0.0	44.4	33.3	22.2	0.0	-	-	-	-
Cook	50.8	31.9	9.0	8.3	53.8	29.8	10.1	6.4	46.3	34.6	8.1	11.1
Crawford	70.0	10.0	20.0	0.0	66.7	11.1	22.2	0.0	-	-	-	-
Cumberland	50.0	50.0	0.0	0.0	50.0	50.0	0.0	0.0	-	-	-	-
DeKalb	57.1	28.6	0.0	14.3	60.0	30.0	0.0	10.0	-	-	-	-
DeWitt	66.7	33.3	0.0	0.0	66.7	33.3	0.0	0.0	-	-	-	-
Douglas	60.0	20.0	20.0	0.0	60.0	20.0	20.0	0.0	-	-	-	-
DuPage	56.7	28.1	9.2	6.1	57.6	27.1	9.7	5.6	50.0	25.0	0.0	25.0
Edgar	50.0	33.3	16.7	0.0	50.0	33.3	16.7	0.0	-	-	-	-
Edwards	33.3	66.7	0.0	0.0	33.3	66.7	0.0	0.0	-	-	-	-
Effingham	83.3	0.0	0.0	16.7	83.3	0.0	0.0	16.7	-	-	-	-
Fayette	66.7	33.3	0.0	0.0	66.7	33.3	0.0	0.0	-	-	-	-
Ford	0.0	50.0	0.0	50.0	0.0	50.0	0.0	50.0	-	-	-	-
Franklin	44.4	33.3	11.1	11.1	44.4	33.3	11.1	11.1	-	-	-	-
Fulton	57.1	14.3	14.3	14.3	57.1	14.3	14.3	14.3	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Gallatin	100.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	-	-	-	-
Greene	66.7	0.0	33.3	0.0	66.7	0.0	33.3	0.0	-	-	-	-
Grundy	50.0	37.5	12.5	0.0	42.9	42.9	14.3	0.0	-	-	-	-
Hamilton	0.0	0.0	100.0	0.0	0.0	0.0	100.0	0.0	-	-	-	-
Hancock	40.0	60.0	0.0	0.0	40.0	60.0	0.0	0.0	-	-	-	-
Hardin	0.0	100.0	0.0	0.0	0.0	100.0	0.0	0.0	-	-	-	-
Henderson	75.0	25.0	0.0	0.0	66.7	33.3	0.0	0.0	-	-	-	-
Henry	55.0	35.0	10.0	0.0	55.0	35.0	10.0	0.0	-	-	-	-
Iroquois	18.2	63.6	9.1	9.1	18.2	63.6	9.1	9.1	-	-	-	-
Jackson	46.2	53.9	0.0	0.0	46.2	53.9	0.0	0.0	-	-	-	-
Jasper	50.0	50.0	0.0	0.0	50.0	50.0	0.0	0.0	-	-	-	-
Jefferson	44.4	33.3	16.7	5.6	53.3	33.3	13.3	0.0	-	-	-	-
Jersey	100.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	-	-	-	-
Jo Daviess	60.0	10.0	0.0	30.0	60.0	10.0	0.0	30.0	-	-	-	-
Johnson	50.0	33.3	0.0	16.7	50.0	33.3	0.0	16.7	-	-	-	-
Kane	59.0	27.7	12.1	1.2	61.3	25.3	12.0	1.3	40.0	40.0	20.0	0.0
Kankakee	47.2	38.9	2.8	11.1	43.3	40.0	3.3	13.3	60.0	40.0	0.0	0.0
Kendall	66.7	16.7	0.0	16.7	60.0	20.0	0.0	20.0	-	-	-	-
Knox	70.8	16.7	8.3	4.2	81.0	14.3	4.8	0.0	-	-	-	-
Lake	54.1	27.4	7.5	11.0	55.3	27.6	7.3	9.8	36.4	27.3	0.0	36.4
LaSalle	52.8	30.6	5.6	11.1	51.4	31.4	5.7	11.4	-	-	-	-
Lawrence	45.5	36.4	9.1	9.1	45.5	36.4	9.1	9.1	-	-	-	-
Lee	60.0	20.0	10.0	10.0	60.0	20.0	10.0	10.0	-	-	-	-
Livingston	61.5	23.1	15.4	0.0	42.9	28.6	28.6	0.0	-	-	-	-
Logan	55.6	33.3	11.1	0.0	60.0	20.0	20.0	0.0	-	-	-	-
McDonough	40.0	20.0	20.0	20.0	40.0	20.0	20.0	20.0	-	-	-	-
McHenry	50.7	33.3	11.6	4.4	50.0	33.8	11.8	4.4	-	-	-	-
McLean	70.8	16.7	4.2	8.3	70.8	16.7	4.2	8.3	-	-	-	-
Macon	64.3	25.0	10.7	0.0	70.8	16.7	12.5	0.0	25.0	75.0	0.0	0.0
Macoupin	61.5	38.5	0.0	0.0	58.3	41.7	0.0	0.0	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Madison	50.8	29.9	9.0	10.5	52.6	28.1	8.8	10.5	28.6	57.1	14.3	0.0
Marion	66.7	27.8	0.0	5.6	68.8	25.0	0.0	6.3	-	-	-	-
Marshall	33.3	66.7	0.0	0.0	33.3	66.7	0.0	0.0	-	-	-	-
Mason	50.0	33.3	16.7	0.0	50.0	33.3	16.7	0.0	-	-	-	-
Massac	0.0	75.0	25.0	0.0	0.0	75.0	25.0	0.0	-	-	-	-
Menard	100.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	-	-	-	-
Mercer	85.7	0.0	0.0	14.3	83.3	0.0	0.0	16.7	-	-	-	-
Monroe	50.0	33.3	16.7	0.0	50.0	33.3	16.7	0.0	-	-	-	-
Montgomery	66.7	11.1	0.0	22.2	62.5	12.5	0.0	25.0	-	-	-	-
Morgan	0.0	71.4	28.6	0.0	0.0	83.3	16.7	0.0	-	-	-	-
Moultrie	50.0	50.0	0.0	0.0	50.0	50.0	0.0	0.0	-	-	-	-
Ogle	75.0	18.8	0.0	6.3	75.0	18.8	0.0	6.3	-	-	-	-
Peoria	54.0	30.0	12.0	4.0	53.5	30.2	11.6	4.7	50.0	33.3	16.7	0.0
Perry	11.1	77.8	11.1	0.0	11.1	77.8	11.1	0.0	-	-	-	-
Piatt	33.3	33.3	0.0	33.3	33.3	33.3	0.0	33.3	-	-	-	-
Pike	87.5	12.5	0.0	0.0	87.5	12.5	0.0	0.0	-	-	-	-
Pope	50.0	0.0	0.0	50.0	50.0	0.0	0.0	50.0	-	-	-	-
Pulaski	25.0	75.0	0.0	0.0	33.3	66.7	0.0	0.0	-	-	-	-
Putnam	50.0	50.0	0.0	0.0	50.0	50.0	0.0	0.0	-	-	-	-
Randolph	75.0	25.0	0.0	0.0	72.7	27.3	0.0	0.0	-	-	-	-
Richland	33.3	50.0	16.7	0.0	33.3	50.0	16.7	0.0	-	-	-	-
Rock Island	47.8	34.3	11.9	6.0	51.7	36.7	6.7	5.0	0.0	20.0	60.0	20.0
St. Clair	46.3	38.8	6.0	9.0	56.8	27.0	5.4	10.8	31.0	55.2	6.9	6.9
Saline	66.7	33.3	0.0	0.0	66.7	33.3	0.0	0.0	-	-	-	-
Sangamon	50.0	31.8	11.4	6.8	50.0	29.0	13.2	7.9	50.0	50.0	0.0	0.0
Schuyler	66.7	0.0	0.0	33.3	66.7	0.0	0.0	33.3	-	-	-	-
Scott	0.0	100.0	0.0	0.0	0.0	100.0	0.0	0.0	-	-	-	-
Shelby	50.0	25.0	0.0	25.0	50.0	25.0	0.0	25.0	-	-	-	-
Stark	~	~	~	~	~	~	~	~	-	-	-	-
Stephenson	50.0	25.0	16.7	8.3	66.7	22.2	11.1	0.0	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Invasive Cervix, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Tazewell	55.6	29.6	7.4	7.4	55.6	29.6	7.4	7.4	-	-	-	-
Union	25.0	25.0	25.0	25.0	33.3	33.3	33.3	0.0	-	-	-	-
Vermilion	50.0	27.3	13.6	9.1	47.6	28.6	14.3	9.5	-	-	-	-
Wabash	33.3	66.7	0.0	0.0	33.3	66.7	0.0	0.0	-	-	-	-
Warren	50.0	25.0	25.0	0.0	50.0	25.0	25.0	0.0	-	-	-	-
Washington	50.0	37.5	12.5	0.0	50.0	37.5	12.5	0.0	-	-	-	-
Wayne	75.0	0.0	25.0	0.0	66.7	0.0	33.3	0.0	-	-	-	-
White	71.4	0.0	14.3	14.3	71.4	0.0	14.3	14.3	-	-	-	-
Whiteside	53.9	34.6	0.0	11.5	52.0	36.0	0.0	12.0	-	-	-	-
Will	45.5	34.3	6.1	14.1	45.0	36.3	6.3	12.5	40.0	33.3	6.7	20.0
Williamson	28.6	47.6	14.3	9.5	30.0	45.0	15.0	10.0	-	-	-	-
Winnebago	44.9	37.7	10.1	7.3	45.8	35.6	10.2	8.5	37.5	50.0	12.5	0.0
Woodford	57.1	28.6	14.3	0.0	57.1	28.6	14.3	0.0	-	-	-	-

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	76.4	9.4	4.9	9.4	77.7	9.6	4.3	8.3	70.8	9.0	8.4	11.8
Adams	82.5	8.9	3.1	5.5	82.3	9.0	3.3	5.4	-	-	-	-
Alexander	76.6	14.9	6.4	2.1	76.3	15.8	5.3	2.6	-	-	-	-
Bond	64.9	6.5	13.0	15.6	67.1	6.9	11.0	15.1	-	-	-	-
Boone	70.3	14.4	6.8	8.5	69.8	14.7	6.9	8.6	-	-	-	-
Brown	88.9	0.0	11.1	0.0	88.9	0.0	11.1	0.0	-	-	-	-
Bureau	69.7	2.3	5.3	22.7	70.5	2.3	5.4	21.7	-	-	-	-
Calhoun	78.3	13.0	4.4	4.4	78.3	13.0	4.4	4.4	-	-	-	-
Carroll	71.2	5.5	2.7	20.6	72.2	5.6	2.8	19.4	-	-	-	-
Cass	76.5	9.8	0.0	13.7	80.9	10.6	0.0	8.5	-	-	-	-
Champaign	86.6	7.3	3.5	2.6	86.2	8.0	3.5	2.3	87.5	2.1	4.2	6.3
Christian	87.3	7.0	3.8	1.9	87.1	7.1	3.9	1.9	-	-	-	-
Clark	73.3	6.7	11.7	8.3	74.6	6.8	11.9	6.8	-	-	-	-
Clay	78.8	10.6	0.0	10.6	78.8	10.6	0.0	10.6	-	-	-	-
Clinton	80.7	9.6	5.9	3.7	81.3	9.0	6.0	3.7	-	-	-	-
Coles	76.3	7.0	7.0	9.7	77.0	6.3	7.5	9.2	-	-	-	-
Cook	75.7	8.7	6.0	9.6	77.8	9.1	5.0	8.1	70.3	8.5	9.0	12.2
Crawford	79.8	10.1	4.6	5.5	81.0	10.5	4.8	3.8	-	-	-	-
Cumberland	75.9	3.7	3.7	16.7	78.9	3.9	3.9	13.5	-	-	-	-
DeKalb	75.3	8.1	3.1	13.5	78.8	7.5	2.9	10.8	-	-	-	-
DeWitt	61.3	19.4	8.1	11.3	60.7	19.7	8.2	11.5	-	-	-	-
Douglas	79.5	11.5	3.9	5.1	81.1	12.2	4.1	2.7	-	-	-	-
DuPage	80.5	9.7	3.4	6.4	81.1	10.0	3.3	5.6	73.1	11.5	7.7	7.7
Edgar	76.6	10.9	1.6	10.9	79.0	11.3	1.6	8.1	-	-	-	-
Edwards	82.1	7.1	7.1	3.6	85.2	3.7	7.4	3.7	-	-	-	-
Effingham	83.3	8.9	3.6	4.2	83.8	9.0	3.6	3.6	-	-	-	-
Fayette	77.2	8.7	5.4	8.7	76.9	8.8	5.5	8.8	-	-	-	-
Ford	77.6	10.3	8.6	3.5	79.0	8.8	8.8	3.5	-	-	-	-
Franklin	74.0	9.1	3.9	13.0	73.9	9.2	3.9	13.0	-	-	-	-
Fulton	70.0	8.2	4.9	16.9	71.4	8.6	5.1	14.9	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Gallatin	69.2	3.9	7.7	19.2	68.0	4.0	8.0	20.0	-	-	-	-
Greene	75.4	7.7	7.7	9.2	75.4	7.7	7.7	9.2	-	-	-	-
Grundy	75.7	10.3	1.5	12.5	75.8	10.6	1.5	12.1	-	-	-	-
Hamilton	81.6	7.9	2.6	7.9	80.6	8.3	2.8	8.3	-	-	-	-
Hancock	62.1	5.8	4.9	27.2	63.4	5.9	5.0	25.7	-	-	-	-
Hardin	72.2	11.1	0.0	16.7	72.2	11.1	0.0	16.7	-	-	-	-
Henderson	63.2	5.3	5.3	26.3	62.2	5.4	5.4	27.0	-	-	-	-
Henry	74.8	7.1	1.8	16.4	78.5	6.8	1.5	13.2	-	-	-	-
Iroquois	77.0	6.7	5.2	11.1	77.1	6.9	4.6	11.5	-	-	-	-
Jackson	79.9	8.5	1.8	9.8	80.1	9.6	2.1	8.2	-	-	-	-
Jasper	87.0	4.4	6.5	2.2	87.0	4.4	6.5	2.2	-	-	-	-
Jefferson	81.0	7.4	3.1	8.6	83.3	7.3	1.3	8.0	-	-	-	-
Jersey	75.7	18.6	0.0	5.7	76.8	18.8	0.0	4.4	-	-	-	-
Jo Daviess	61.4	8.7	5.5	24.4	64.4	9.3	5.9	20.3	-	-	-	-
Johnson	80.7	5.3	7.0	7.0	80.7	5.3	7.0	7.0	-	-	-	-
Kane	77.4	10.9	3.5	8.3	79.2	10.5	3.2	7.1	65.9	18.2	4.6	11.4
Kankakee	74.5	12.1	8.9	4.5	76.3	12.0	8.7	3.0	66.7	13.3	10.7	9.3
Kendall	72.6	18.5	0.7	8.2	73.8	19.1	0.8	6.4	-	-	-	-
Knox	69.0	12.1	5.8	13.2	71.0	12.4	6.8	9.9	-	-	-	-
Lake	78.1	9.7	3.4	8.8	78.4	10.0	3.7	7.9	72.9	12.2	2.8	12.2
LaSalle	68.4	6.4	6.9	18.3	69.3	6.4	6.9	17.5	-	-	-	-
Lawrence	88.7	8.1	1.6	1.6	88.7	8.1	1.6	1.6	-	-	-	-
Lee	78.6	5.8	2.6	13.0	80.1	6.2	2.7	11.0	-	-	-	-
Livingston	67.7	22.6	4.0	5.7	68.0	22.1	4.1	5.7	-	-	-	-
Logan	76.9	11.1	3.7	8.3	78.6	10.7	3.9	6.8	-	-	-	-
McDonough	70.2	7.5	2.1	20.2	71.9	7.9	1.1	19.1	-	-	-	-
McHenry	80.4	8.1	5.5	6.1	80.4	8.3	5.3	6.0	-	-	-	-
McLean	69.8	17.3	3.8	9.2	69.7	17.9	3.8	8.5	-	-	-	-
Macon	81.6	8.2	4.4	5.8	81.7	8.4	4.2	5.7	82.1	7.1	6.0	4.8
Macoupin	70.4	9.5	3.2	16.9	70.6	9.6	3.2	16.6	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Madison	75.0	12.0	3.3	9.7	75.6	12.3	2.9	9.2	71.8	9.9	5.6	12.7
Marion	80.1	8.6	6.3	5.0	81.3	8.1	6.2	4.3	-	-	-	-
Marshall	69.0	12.1	6.9	12.1	69.6	12.5	7.1	10.7	-	-	-	-
Mason	73.8	10.7	4.8	10.7	75.6	11.0	4.9	8.5	-	-	-	-
Massac	86.7	5.0	1.7	6.7	88.9	3.7	1.9	5.6	-	-	-	-
Menard	75.0	12.5	2.5	10.0	74.4	12.8	2.6	10.3	-	-	-	-
Mercer	75.3	13.6	1.2	9.9	76.6	13.0	1.3	9.1	-	-	-	-
Monroe	75.0	14.4	5.8	4.8	75.7	13.6	5.8	4.9	-	-	-	-
Montgomery	62.8	7.8	4.9	24.5	64.7	8.1	5.1	22.2	-	-	-	-
Morgan	70.5	10.7	5.4	13.4	72.4	11.4	5.7	10.5	-	-	-	-
Moultrie	72.6	6.5	4.8	16.1	72.6	6.5	4.8	16.1	-	-	-	-
Ogle	70.0	17.1	5.0	7.9	70.0	17.1	5.0	7.9	-	-	-	-
Peoria	76.6	9.7	3.0	10.8	76.9	9.9	3.0	10.3	82.5	10.0	2.5	5.0
Perry	83.8	4.8	2.9	8.6	83.3	4.9	2.9	8.8	-	-	-	-
Piatt	86.8	7.4	4.4	1.5	86.6	7.5	4.5	1.5	-	-	-	-
Pike	69.7	10.6	7.6	12.1	69.2	10.8	7.7	12.3	-	-	-	-
Pope	76.5	11.8	0.0	11.8	76.5	11.8	0.0	11.8	-	-	-	-
Pulaski	72.4	6.9	6.9	13.8	83.3	5.6	5.6	5.6	-	-	-	-
Putnam	82.8	0.0	6.9	10.3	82.1	0.0	7.1	10.7	-	-	-	-
Randolph	76.9	8.8	4.4	10.0	77.9	8.9	3.8	9.5	-	-	-	-
Richland	81.1	16.2	1.4	1.4	82.2	15.1	1.4	1.4	-	-	-	-
Rock Island	84.1	5.2	1.7	9.1	85.9	5.9	1.8	6.4	87.5	3.1	3.1	6.3
St. Clair	72.8	10.5	4.6	12.1	72.9	11.1	3.9	12.2	73.4	8.9	6.3	11.4
Saline	63.2	14.9	6.9	14.9	64.7	14.1	5.9	15.3	-	-	-	-
Sangamon	79.3	7.9	6.0	6.8	80.9	7.7	5.7	5.7	66.7	13.9	13.9	5.6
Schuyler	78.6	0.0	0.0	21.4	83.3	0.0	0.0	16.7	-	-	-	-
Scott	88.2	11.8	0.0	0.0	88.2	11.8	0.0	0.0	-	-	-	-
Shelby	82.0	10.8	3.6	3.6	81.3	11.2	3.7	3.7	-	-	-	-
Stark	80.0	10.0	0.0	10.0	84.2	10.5	0.0	5.3	-	-	-	-
Stephenson	81.3	4.2	6.0	8.4	83.1	3.3	5.8	7.8	-	-	-	-

**Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate, Illinois, 1998 - 2002**

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Tazewell	76.1	10.6	2.8	10.5	76.8	10.9	2.9	9.4	-	-	-	-
Union	77.1	15.7	2.9	4.3	76.5	16.2	2.9	4.4	-	-	-	-
Vermilion	80.0	7.7	5.3	7.1	82.4	7.6	5.2	4.8	72.4	10.3	10.3	6.9
Wabash	75.0	8.3	11.1	5.6	75.0	8.3	11.1	5.6	-	-	-	-
Warren	75.4	7.7	6.2	10.8	72.9	8.5	6.8	11.9	-	-	-	-
Washington	83.1	11.7	1.3	3.9	82.9	11.8	1.3	4.0	-	-	-	-
Wayne	76.6	9.1	5.2	9.1	76.6	9.1	5.2	9.1	-	-	-	-
White	79.4	9.5	3.2	7.9	78.7	9.8	3.3	8.2	-	-	-	-
Whiteside	77.1	7.1	2.0	13.8	77.2	7.3	2.1	13.5	-	-	-	-
Will	74.7	11.4	3.5	10.4	74.9	11.3	3.6	10.2	73.7	12.5	2.6	11.2
Williamson	72.9	10.5	4.5	12.0	73.6	10.7	4.2	11.5	-	-	-	-
Winnebago	72.0	15.5	4.1	8.4	72.7	15.0	3.9	8.4	67.6	21.6	4.1	6.8
Woodford	74.3	11.4	4.3	10.0	74.3	11.4	4.3	10.0	-	-	-	-

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

SECTION IV.

County-specific Cancer Incidence Illinois, 1998 - 2002

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	291,741	485.6	483.8	487.3	147,507	577.2	574.2	580.2	144,234	427.4	425.2	429.6
Oral Cavity and Pharynx	6,403	10.7	10.4	10.9	4,361	16.2	15.7	16.7	2,042	6.1	5.8	6.4
Esophagus	3,365	5.6	5.4	5.8	2,564	9.9	9.6	10.3	801	2.3	2.1	2.5
Stomach	4,749	7.9	7.7	8.1	2,842	11.3	10.9	11.8	1,907	5.4	5.1	5.6
Colon and Rectum	35,927	59.8	59.2	60.4	17,926	72.1	71.0	73.2	18,001	51.0	50.3	51.8
Liver	2,676	4.5	4.3	4.6	1,814	6.9	6.6	7.3	862	2.5	2.3	2.7
Pancreas	7,261	12.1	11.8	12.4	3,509	14.0	13.5	14.4	3,752	10.6	10.3	11.0
Lung and Bronchus	43,458	72.8	72.1	73.5	24,549	97.1	95.9	98.4	18,909	55.8	55.0	56.6
Bones and Joints	521	0.8	0.8	0.9	271	0.9	0.8	1.0	250	0.8	0.7	0.9
Melanoma of the Skin	7,336	12.1	11.8	12.4	4,174	15.7	15.2	16.1	3,162	9.7	9.3	10.0
Breast (invasive)	44,273	73.6	72.9	74.2	369	1.4	1.3	1.6	43,904	132.9	131.6	134.1
Cervix (invasive)	-	-	-	-	-	-	-	-	3,401	10.6	10.3	11.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8,363	25.4	24.8	25.9
Ovary	-	-	-	-	-	-	-	-	4,545	13.7	13.3	14.1
Prostate	-	-	-	-	41,326	162.4	160.8	164.0	-	-	-	-
Testis	-	-	-	-	1,561	5.0	4.7	5.2	-	-	-	-
Urinary Bladder	13,334	22.2	21.9	22.6	9,755	39.7	38.9	40.5	3,579	10.2	9.9	10.5
Kidney and Renal Pelvis	8,096	13.5	13.2	13.8	4,825	18.4	17.9	18.9	3,271	9.7	9.4	10.1
Brain and Other Nervous System	3,812	6.3	6.1	6.5	2,043	7.3	7.0	7.7	1,769	5.4	5.2	5.7
Hodgkin's Disease	1,739	2.8	2.7	2.9	973	3.3	3.1	3.5	766	2.4	2.2	2.6
Non-Hodgkin's Lymphomas	11,529	19.1	18.8	19.5	6,043	23.2	22.6	23.8	5,486	16.0	15.6	16.5
Multiple Myeloma	3,565	5.9	5.8	6.1	1,814	7.2	6.9	7.5	1,751	5.1	4.8	5.3
Leukemias	7,736	12.8	12.5	13.0	4,283	16.6	16.1	17.2	3,453	10.0	9.7	10.3
All Other Sites	26,765	44.3	43.7	44.8	12,505	48.5	47.7	49.4	14,260	42.0	41.3	42.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9,321	28.9	28.4	29.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Adams County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,085	490.3	469.0	512.3	1,128	605.9	570.8	642.7	957	411.0	384.3	439.4
Oral Cavity and Pharynx	55	13.7	10.3	18.0	44	24.5	17.8	33.1	11	4.8	2.3	9.1
Esophagus	30	7.0	4.7	10.2	23	12.3	7.8	18.8	7	2.5	1.0	5.8
Stomach	19	4.4	2.6	7.1	11	5.8	2.9	10.7	8	3.1	1.3	6.9
Colon and Rectum	265	58.7	51.7	66.5	127	67.5	56.2	80.5	138	52.7	43.9	63.1
Liver	16	3.7	2.1	6.2	10	5.4	2.6	10.2	6	2.3	0.8	5.8
Pancreas	47	10.4	7.6	14.0	18	9.6	5.6	15.4	29	10.9	7.1	16.3
Lung and Bronchus	357	83.0	74.4	92.3	217	115.3	100.4	132.0	140	60.1	50.2	71.5
Bones and Joints	3	0.9	0.2	2.7	3	1.8	0.4	5.5	0	0.0	0.0	2.5
Melanoma of the Skin	53	13.8	10.3	18.3	34	18.9	13.0	26.6	19	10.2	6.0	16.3
Breast (invasive)	253	62.6	55.0	71.1	1	0.6	0.0	3.6	252	114.5	100.3	130.5
Cervix (invasive)	-	-	-	-	-	-	-	-	20	11.6	7.0	18.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	53	23.2	17.2	30.9
Ovary	-	-	-	-	-	-	-	-	27	11.0	7.1	16.6
Prostate	-	-	-	-	291	153.2	136.0	172.1	-	-	-	-
Testis	-	-	-	-	10	6.5	3.1	12.1	-	-	-	-
Urinary Bladder	100	21.8	17.7	26.8	76	39.9	31.4	50.2	24	8.5	5.4	13.4
Kidney and Renal Pelvis	61	15.4	11.7	20.0	35	19.9	13.9	27.9	26	11.1	7.1	16.9
Brain and Other Nervous System	25	6.5	4.2	9.8	11	6.5	3.2	11.8	14	6.2	3.3	10.9
Hodgkin's Disease	12	3.4	1.7	6.1	7	4.1	1.6	8.6	5	3.1	1.0	7.4
Non-Hodgkin's Lymphomas	96	23.2	18.7	28.6	48	26.6	19.6	35.5	48	21.3	15.5	28.9
Multiple Myeloma	45	10.1	7.3	13.7	27	14.7	9.6	21.6	18	6.9	4.0	11.5
Leukemias	68	16.2	12.5	20.8	41	22.3	15.9	30.5	27	11.1	7.1	16.9
All Other Sites	179	41.5	35.5	48.4	94	50.6	40.9	62.2	85	35.9	28.4	45.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	60	30.8	23.3	40.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Alexander County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	263	449.9	396.6	509.2	140	563.0	473.3	665.7	123	376.7	311.3	454.6
Oral Cavity and Pharynx	5	7.5	2.4	19.8	4	16.8	4.6	44.4	1	2.7	0.1	23.8
Esophagus	2	3.2	0.4	13.9	1	3.8	0.1	24.1	1	3.3	0.1	25.1
Stomach	4	6.3	1.7	18.1	4	15.6	4.3	42.1	0	0.0	0.0	20.3
Colon and Rectum	49	82.9	61.1	110.9	20	81.9	49.9	127.8	29	84.1	55.5	126.0
Liver	1	1.7	0.0	11.7	0	0.0	0.0	17.8	1	2.9	0.1	24.2
Pancreas	6	10.4	3.8	24.2	4	15.5	4.2	41.7	2	6.6	0.8	29.8
Lung and Bronchus	56	95.3	71.9	125.0	36	142.0	99.3	198.0	20	58.0	35.2	94.4
Bones and Joints	0	0.0	0.0	9.1	0	0.0	0.0	17.8	0	0.0	0.0	20.3
Melanoma of the Skin	2	3.5	0.4	14.6	2	8.6	1.0	32.3	0	0.0	0.0	20.3
Breast (invasive)	32	57.8	39.4	82.9	2	7.5	0.9	29.8	30	99.8	66.5	147.0
Cervix (invasive)	-	-	-	-	-	-	-	-	0	0.0	0.0	20.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	35.0	17.3	67.1
Ovary	-	-	-	-	-	-	-	-	3	9.5	1.9	33.8
Prostate	-	-	-	-	47	188.7	138.5	252.2	-	-	-	-
Testis	-	-	-	-	2	8.9	1.1	33.1	-	-	-	-
Urinary Bladder	6	10.3	3.7	24.0	3	12.0	2.5	37.1	3	9.1	1.7	33.4
Kidney and Renal Pelvis	5	8.8	2.8	22.2	2	8.6	1.0	32.4	3	9.0	1.8	33.0
Brain and Other Nervous System	0	0.0	0.0	9.1	0	0.0	0.0	17.8	0	0.0	0.0	20.3
Hodgkin's Disease	1	2.3	0.1	13.2	0	0.0	0.0	17.8	1	4.7	0.1	28.6
Non-Hodgkin's Lymphomas	6	10.1	3.7	23.7	1	3.7	0.1	24.0	5	15.4	4.9	41.5
Multiple Myeloma	2	3.1	0.4	13.7	0	0.0	0.0	17.8	2	5.3	0.6	27.4
Leukemias	3	4.9	0.9	16.5	2	8.4	1.0	31.9	1	2.0	0.1	22.5
All Other Sites	20	34.6	21.0	54.9	10	41.1	19.6	76.9	10	29.2	13.3	59.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2	7.3	0.8	31.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Bond County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	498	512.9	468.7	560.6	277	640.7	566.7	722.8	221	442.2	384.2	507.7
Oral Cavity and Pharynx	10	10.6	5.1	20.3	7	15.0	6.0	33.2	3	6.0	1.0	21.1
Esophagus	6	6.3	2.3	14.5	6	12.9	4.7	30.5	0	0.0	0.0	12.0
Stomach	8	8.6	3.7	17.7	4	9.5	2.5	26.7	4	8.4	2.2	24.4
Colon and Rectum	70	70.9	55.2	90.2	34	79.9	55.1	113.4	36	68.9	47.9	97.9
Liver	2	1.8	0.2	8.1	0	0.0	0.0	12.1	2	2.8	0.3	15.4
Pancreas	15	14.9	8.3	25.4	11	28.5	14.0	52.7	4	7.1	1.8	21.9
Lung and Bronchus	84	86.9	69.2	108.1	54	121.0	90.7	159.6	30	57.7	38.5	84.8
Bones and Joints	2	2.6	0.3	9.7	2	4.7	0.6	19.4	0	0.0	0.0	12.0
Melanoma of the Skin	12	13.1	6.8	23.5	7	15.1	6.1	33.3	5	11.1	3.4	28.5
Breast (invasive)	53	55.8	41.7	73.5	0	0.0	0.0	12.1	53	112.4	83.5	149.3
Cervix (invasive)	-	-	-	-	-	-	-	-	6	15.1	5.5	34.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	13.0	5.2	29.8
Ovary	-	-	-	-	-	-	-	-	5	9.7	3.0	25.9
Prostate	-	-	-	-	77	181.6	142.9	228.7	-	-	-	-
Testis	-	-	-	-	2	3.8	0.4	17.5	-	-	-	-
Urinary Bladder	25	25.2	16.3	37.9	17	40.1	23.2	65.9	8	14.3	6.1	31.3
Kidney and Renal Pelvis	16	16.4	9.4	27.4	10	21.8	10.4	42.0	6	12.0	4.2	29.0
Brain and Other Nervous System	3	3.1	0.6	10.1	2	4.4	0.5	18.8	1	1.7	0.0	14.3
Hodgkin's Disease	4	4.2	1.1	11.6	1	2.5	0.1	16.3	3	6.6	1.3	22.1
Non-Hodgkin's Lymphomas	18	18.6	11.0	30.1	9	19.5	8.9	39.1	9	17.2	7.7	35.5
Multiple Myeloma	6	6.0	2.2	14.0	3	6.8	1.4	22.4	3	5.2	1.0	19.1
Leukemias	20	20.3	12.4	32.1	9	21.5	9.7	42.7	11	22.0	10.5	42.3
All Other Sites	47	48.4	35.5	65.1	22	52.0	32.3	80.5	25	51.0	32.4	78.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	12.2	4.4	29.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Boone County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	888	464.5	434.3	496.3	461	552.4	501.5	607.9	427	413.6	375.2	455.1
Oral Cavity and Pharynx	26	13.3	8.7	19.6	18	19.1	11.3	32.1	8	7.9	3.4	15.9
Esophagus	6	3.2	1.2	7.1	5	7.1	2.1	18.5	1	1.0	0.0	6.2
Stomach	9	4.8	2.2	9.3	9	11.3	5.0	23.3	0	0.0	0.0	4.3
Colon and Rectum	119	63.6	52.6	76.2	74	93.1	72.5	118.7	45	43.5	31.7	58.5
Liver	7	3.5	1.4	7.4	4	4.0	1.1	12.9	3	3.0	0.6	9.2
Pancreas	19	10.0	6.0	15.7	9	12.4	5.4	25.5	10	9.4	4.5	17.7
Lung and Bronchus	115	61.9	51.1	74.4	68	82.6	63.7	106.4	47	46.6	34.2	62.3
Bones and Joints	1	0.5	0.0	2.9	0	0.0	0.0	7.6	1	0.9	0.0	5.8
Melanoma of the Skin	20	10.2	6.2	15.9	13	14.7	7.7	27.0	7	6.8	2.7	14.4
Breast (invasive)	148	75.4	63.7	88.7	2	2.2	0.2	10.8	146	140.7	118.8	165.8
Cervix (invasive)	-	-	-	-	-	-	-	-	9	8.4	3.8	16.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	29	28.4	19.0	41.0
Ovary	-	-	-	-	-	-	-	-	14	13.7	7.5	23.3
Prostate	-	-	-	-	118	143.3	117.9	173.5	-	-	-	-
Testis	-	-	-	-	5	4.6	1.5	13.6	-	-	-	-
Urinary Bladder	38	20.7	14.7	28.6	28	37.4	24.4	55.7	10	9.9	4.7	18.5
Kidney and Renal Pelvis	30	15.6	10.5	22.4	22	25.9	16.0	41.0	8	7.5	3.2	15.2
Brain and Other Nervous System	6	2.8	1.0	6.4	4	3.5	0.9	12.0	2	2.2	0.3	8.1
Hodgkin's Disease	8	3.9	1.7	7.9	3	3.4	0.7	12.5	5	4.8	1.6	11.7
Non-Hodgkin's Lymphomas	40	20.5	14.6	28.1	19	18.9	11.3	31.5	21	20.1	12.4	31.0
Multiple Myeloma	15	7.8	4.3	13.0	7	8.0	3.2	18.6	8	7.8	3.4	15.8
Leukemias	30	15.4	10.4	22.2	14	14.8	8.0	26.8	16	15.2	8.7	25.1
All Other Sites	76	40.1	31.6	50.4	39	45.8	32.1	64.6	37	35.7	25.1	49.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	32	31.7	21.7	45.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Brown County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	133	386.3	322.7	461.8	70	445.7	345.1	571.2	63	363.3	275.0	480.2
Oral Cavity and Pharynx	6	16.8	6.1	42.2	5	34.8	11.1	88.5	1	3.0	0.1	50.8
Esophagus	1	3.5	0.1	25.1	1	6.1	0.2	46.5	0	0.0	0.0	48.1
Stomach	2	4.3	0.5	24.9	2	8.6	0.8	49.2	0	0.0	0.0	48.1
Colon and Rectum	17	50.6	29.3	85.3	9	58.9	26.4	119.6	8	43.1	18.1	102.5
Liver	2	5.3	0.6	26.7	1	6.2	0.2	46.9	1	3.0	0.1	50.8
Pancreas	3	9.7	2.0	33.7	1	7.0	0.2	48.6	2	14.5	1.7	68.5
Lung and Bronchus	19	58.6	35.2	95.3	12	85.2	43.8	154.7	7	43.4	17.2	104.7
Bones and Joints	0	0.0	0.0	19.7	0	0.0	0.0	37.7	0	0.0	0.0	48.1
Melanoma of the Skin	1	2.2	0.1	22.3	0	0.0	0.0	37.7	1	3.0	0.1	50.8
Breast (invasive)	22	65.9	41.0	103.9	0	0.0	0.0	37.7	22	143.4	88.0	230.7
Cervix (invasive)	-	-	-	-	-	-	-	-	1	5.5	0.1	54.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	12.2	1.2	64.9
Ovary	-	-	-	-	-	-	-	-	1	3.0	0.1	50.8
Prostate	-	-	-	-	18	123.3	72.8	200.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	37.7	-	-	-	-
Urinary Bladder	4	9.8	2.6	32.4	3	23.1	4.7	73.7	1	3.7	0.1	51.9
Kidney and Renal Pelvis	2	5.1	0.6	26.3	1	4.1	0.1	42.6	1	3.0	0.1	50.8
Brain and Other Nervous System	0	0.0	0.0	19.7	0	0.0	0.0	37.7	0	0.0	0.0	48.1
Hodgkin's Disease	2	6.0	0.7	28.1	0	0.0	0.0	37.7	2	17.5	2.1	74.6
Non-Hodgkin's Lymphomas	8	25.0	10.6	53.9	7	39.2	15.2	91.4	1	5.5	0.1	54.7
Multiple Myeloma	1	2.3	0.1	22.6	0	0.0	0.0	37.7	1	3.7	0.1	51.9
Leukemias	5	12.8	4.1	36.6	3	14.9	2.7	58.2	2	9.4	1.1	59.1
All Other Sites	16	43.6	24.7	75.9	7	34.3	13.1	83.5	9	46.3	20.2	106.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2	14.2	1.7	67.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Bureau County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,096	481.3	452.6	511.6	547	557.7	511.7	607.2	549	440.4	402.4	481.8
Oral Cavity and Pharynx	17	7.8	4.5	13.1	10	10.9	5.2	20.7	7	4.9	1.9	12.3
Esophagus	9	4.3	1.9	8.7	8	8.2	3.5	17.0	1	0.8	0.0	6.8
Stomach	28	10.9	7.2	16.4	18	19.1	11.2	30.8	10	6.4	2.9	13.8
Colon and Rectum	152	63.6	53.8	75.2	72	72.2	56.4	91.5	80	56.4	44.2	72.1
Liver	9	3.7	1.7	7.7	6	6.1	2.2	14.2	3	2.3	0.5	8.9
Pancreas	30	12.3	8.2	18.1	12	12.3	6.3	22.2	18	11.7	6.8	20.4
Lung and Bronchus	179	76.6	65.7	89.2	105	104.5	85.4	127.2	74	55.7	43.3	71.7
Bones and Joints	1	0.5	0.0	3.6	0	0.0	0.0	5.3	1	1.1	0.0	7.6
Melanoma of the Skin	30	15.5	10.3	22.5	17	17.1	9.9	28.0	13	14.7	7.6	26.2
Breast (invasive)	156	71.6	60.6	84.4	0	0.0	0.0	5.3	156	131.7	111.0	156.0
Cervix (invasive)	-	-	-	-	-	-	-	-	12	11.7	5.9	21.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	26	22.7	14.6	34.6
Ovary	-	-	-	-	-	-	-	-	14	12.7	6.8	22.7
Prostate	-	-	-	-	132	131.9	110.3	157.0	-	-	-	-
Testis	-	-	-	-	6	7.8	2.9	17.3	-	-	-	-
Urinary Bladder	54	22.2	16.6	29.6	35	35.7	24.8	50.3	19	13.7	8.0	23.1
Kidney and Renal Pelvis	22	10.5	6.5	16.4	13	13.4	7.1	23.6	9	8.1	3.6	16.7
Brain and Other Nervous System	12	5.5	2.8	10.2	9	9.4	4.3	18.6	3	2.4	0.4	9.1
Hodgkin's Disease	8	4.9	2.1	10.1	1	1.0	0.0	6.8	7	9.0	3.5	19.3
Non-Hodgkin's Lymphomas	46	20.0	14.6	27.3	23	23.7	15.0	36.3	23	18.4	11.4	29.3
Multiple Myeloma	10	3.9	1.8	7.9	4	3.8	1.0	10.9	6	4.0	1.4	10.9
Leukemias	34	14.1	9.6	20.4	21	22.5	13.9	35.1	13	9.6	4.8	18.5
All Other Sites	109	48.9	39.9	59.6	55	58.2	43.7	76.5	54	42.3	31.0	57.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	19	17.5	10.4	28.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Calhoun County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	140	404.5	339.0	483.2	72	440.7	343.6	563.1	68	379.7	291.6	497.9
Oral Cavity and Pharynx	3	7.7	1.5	32.6	2	13.8	1.7	61.2	1	6.3	0.2	60.4
Esophagus	0	0.0	0.0	23.1	0	0.0	0.0	41.1	0	0.0	0.0	52.5
Stomach	1	2.7	0.1	26.4	0	0.0	0.0	41.1	1	5.5	0.1	59.0
Colon and Rectum	22	60.9	37.8	98.7	11	71.1	35.0	136.6	11	52.0	25.7	114.2
Liver	3	7.5	1.5	32.2	1	6.9	0.2	51.3	2	9.3	1.1	62.8
Pancreas	4	10.7	2.9	36.4	1	5.3	0.1	48.0	3	15.4	3.2	70.5
Lung and Bronchus	26	72.0	46.8	111.7	16	94.8	53.9	163.6	10	52.7	24.8	116.9
Bones and Joints	1	2.5	0.1	26.1	1	5.3	0.1	47.9	0	0.0	0.0	52.5
Melanoma of the Skin	0	0.0	0.0	23.1	0	0.0	0.0	41.1	0	0.0	0.0	52.5
Breast (invasive)	14	42.0	22.5	77.2	0	0.0	0.0	41.1	14	78.5	41.4	150.8
Cervix (invasive)	-	-	-	-	-	-	-	-	0	0.0	0.0	52.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	8.9	0.2	65.7
Ovary	-	-	-	-	-	-	-	-	1	5.5	0.1	59.0
Prostate	-	-	-	-	23	136.8	86.2	214.3	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	41.1	-	-	-	-
Urinary Bladder	7	18.2	7.3	45.8	5	30.4	9.8	82.5	2	9.9	1.2	63.7
Kidney and Renal Pelvis	3	10.3	2.0	37.4	2	13.5	1.5	61.1	1	6.3	0.2	60.4
Brain and Other Nervous System	0	0.0	0.0	23.1	0	0.0	0.0	41.1	0	0.0	0.0	52.5
Hodgkin's Disease	0	0.0	0.0	23.1	0	0.0	0.0	41.1	0	0.0	0.0	52.5
Non-Hodgkin's Lymphomas	4	13.8	3.6	42.4	0	0.0	0.0	41.1	4	27.4	6.9	89.5
Multiple Myeloma	2	5.4	0.7	29.8	1	5.3	0.1	48.0	1	5.5	0.1	59.0
Leukemias	5	15.9	4.9	44.6	1	8.5	0.2	55.1	4	21.2	5.4	78.5
All Other Sites	20	63.0	37.8	103.4	8	49.0	20.8	107.3	12	75.3	37.3	149.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	33.1	11.3	94.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Carroll County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	554	502.2	460.4	547.8	279	547.0	484.0	617.6	275	475.6	419.0	539.9
Oral Cavity and Pharynx	16	15.6	8.8	26.9	9	18.6	8.4	38.2	7	12.7	4.8	30.8
Esophagus	7	6.1	2.4	14.6	6	12.0	4.3	29.3	1	1.5	0.0	15.7
Stomach	6	5.3	1.9	13.6	4	8.1	2.1	24.3	2	3.0	0.4	17.5
Colon and Rectum	76	64.1	50.3	81.7	43	81.2	58.6	111.9	33	50.2	34.1	74.7
Liver	2	1.8	0.2	9.1	2	3.7	0.4	17.7	0	0.0	0.0	13.9
Pancreas	14	12.1	6.5	22.2	5	9.4	3.0	25.4	9	14.3	6.2	32.3
Lung and Bronchus	100	90.2	73.1	111.1	58	115.8	87.7	152.0	42	70.5	50.4	99.0
Bones and Joints	1	0.7	0.0	7.4	1	2.2	0.1	16.0	0	0.0	0.0	13.9
Melanoma of the Skin	21	21.0	12.8	33.7	11	22.3	11.0	42.6	10	21.1	9.7	42.6
Breast (invasive)	71	66.7	51.8	85.6	0	0.0	0.0	12.7	71	126.4	97.8	163.2
Cervix (invasive)	-	-	-	-	-	-	-	-	4	7.7	1.8	24.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	38.6	23.0	63.5
Ovary	-	-	-	-	-	-	-	-	16	29.7	16.7	51.9
Prostate	-	-	-	-	73	137.6	107.7	175.3	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	12.7	-	-	-	-
Urinary Bladder	20	16.3	9.9	27.0	14	26.5	14.4	47.3	6	8.1	2.9	23.6
Kidney and Renal Pelvis	16	14.4	8.1	25.0	10	19.8	9.4	39.3	6	9.3	3.3	25.7
Brain and Other Nervous System	6	6.1	2.1	15.3	4	9.0	2.3	26.3	2	2.9	0.4	17.3
Hodgkin's Disease	4	5.9	1.6	15.7	3	9.1	1.9	27.5	1	2.5	0.1	17.6
Non-Hodgkin's Lymphomas	20	18.6	11.1	30.4	7	15.0	5.9	33.9	13	21.2	11.0	40.7
Multiple Myeloma	4	3.3	0.9	10.8	4	7.1	1.9	22.3	0	0.0	0.0	13.9
Leukemias	12	10.0	5.1	19.3	7	13.1	5.3	30.4	5	8.3	2.6	24.6
All Other Sites	46	42.9	31.1	58.8	18	36.5	21.5	60.3	28	47.7	31.0	73.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	19.6	9.1	40.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cass County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	368	457.3	411.4	507.4	197	563.7	487.5	649.0	171	382.2	325.5	447.3
Oral Cavity and Pharynx	8	10.8	4.6	21.8	6	17.7	6.5	39.3	2	4.4	0.5	19.4
Esophagus	6	8.6	3.1	19.1	5	14.8	4.8	35.3	1	3.1	0.1	18.3
Stomach	3	3.5	0.7	11.3	2	5.2	0.6	20.5	1	2.3	0.1	16.4
Colon and Rectum	48	57.5	42.3	77.0	29	84.7	56.7	122.4	19	39.0	23.1	63.7
Liver	4	5.0	1.3	13.6	1	3.1	0.1	17.8	3	5.7	1.2	20.8
Pancreas	7	8.3	3.3	18.0	2	5.6	0.7	21.6	5	10.4	3.4	27.3
Lung and Bronchus	61	73.3	56.0	94.9	38	107.6	76.0	148.5	23	46.7	29.3	72.7
Bones and Joints	2	3.1	0.4	11.3	0	0.0	0.0	12.2	2	6.4	0.8	23.9
Melanoma of the Skin	14	18.6	10.1	31.8	10	29.8	14.3	55.4	4	9.8	2.6	27.5
Breast (invasive)	55	69.9	52.5	91.7	1	3.0	0.1	17.7	54	127.4	94.8	168.8
Cervix (invasive)	-	-	-	-	-	-	-	-	5	10.0	3.2	26.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	17.1	6.8	37.5
Ovary	-	-	-	-	-	-	-	-	3	5.7	1.2	20.8
Prostate	-	-	-	-	51	143.2	106.5	189.1	-	-	-	-
Testis	-	-	-	-	1	3.1	0.1	17.8	-	-	-	-
Urinary Bladder	27	32.4	21.3	47.8	21	59.8	37.0	92.3	6	11.0	4.0	27.7
Kidney and Renal Pelvis	7	9.0	3.6	19.4	2	6.1	0.7	22.6	5	12.0	3.7	30.8
Brain and Other Nervous System	3	4.0	0.8	12.5	2	6.0	0.7	22.4	1	3.1	0.1	18.3
Hodgkin's Disease	5	6.8	2.2	16.5	4	11.4	3.1	30.1	1	2.7	0.1	17.4
Non-Hodgkin's Lymphomas	8	10.3	4.4	21.0	4	10.7	2.9	28.8	4	8.6	2.3	25.2
Multiple Myeloma	1	1.5	0.0	8.7	1	2.8	0.1	17.1	0	0.0	0.0	12.8
Leukemias	14	17.9	9.7	30.7	7	19.5	7.8	41.1	7	17.0	6.6	37.6
All Other Sites	28	35.4	23.3	51.9	10	29.5	14.1	55.0	18	39.6	22.8	65.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	28.4	14.0	52.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,407	477.4	461.5	493.8	1,717	558.8	532.3	586.4	1,690	424.3	404.2	445.3
Oral Cavity and Pharynx	70	9.7	7.6	12.3	45	14.3	10.4	19.4	25	6.0	3.9	9.0
Esophagus	33	4.7	3.2	6.6	20	7.0	4.2	11.0	13	2.9	1.5	5.0
Stomach	44	6.1	4.5	8.3	30	9.8	6.5	14.2	14	3.0	1.6	5.2
Colon and Rectum	358	50.4	45.3	55.9	187	62.4	53.7	72.4	171	40.9	34.9	47.6
Liver	31	4.4	3.0	6.3	20	6.7	4.0	10.6	11	2.8	1.4	5.1
Pancreas	75	10.7	8.4	13.4	43	14.5	10.5	19.8	32	8.0	5.5	11.4
Lung and Bronchus	472	67.7	61.8	74.1	255	85.4	75.1	96.8	217	56.0	48.7	64.0
Bones and Joints	4	0.5	0.1	1.4	3	0.9	0.2	3.0	1	0.2	0.0	1.3
Melanoma of the Skin	109	14.5	11.9	17.5	52	15.7	11.6	20.9	57	14.0	10.6	18.3
Breast (invasive)	550	77.2	70.8	83.9	4	1.2	0.3	3.5	546	140.5	128.9	152.8
Cervix (invasive)	-	-	-	-	-	-	-	-	33	8.1	5.5	11.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	105	27.2	22.2	33.0
Ovary	-	-	-	-	-	-	-	-	47	11.8	8.7	15.8
Prostate	-	-	-	-	546	179.0	164.2	195.0	-	-	-	-
Testis	-	-	-	-	19	3.6	2.1	6.3	-	-	-	-
Urinary Bladder	112	16.0	13.2	19.3	76	26.6	20.9	33.5	36	9.0	6.3	12.5
Kidney and Renal Pelvis	76	10.8	8.5	13.5	41	13.5	9.6	18.5	35	8.9	6.2	12.4
Brain and Other Nervous System	46	6.2	4.5	8.3	27	8.0	5.3	12.0	19	4.8	2.9	7.5
Hodgkin's Disease	24	2.6	1.6	4.0	12	2.8	1.4	5.5	12	2.4	1.2	4.5
Non-Hodgkin's Lymphomas	146	20.4	17.2	24.0	87	28.0	22.3	34.8	59	14.7	11.1	19.0
Multiple Myeloma	45	6.3	4.6	8.5	26	8.9	5.8	13.3	19	4.6	2.8	7.3
Leukemias	116	15.7	12.9	18.9	57	17.5	13.1	23.0	59	14.6	11.1	19.0
All Other Sites	346	47.7	42.7	53.0	167	53.1	45.2	62.1	179	44.0	37.7	51.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	144	37.9	31.9	44.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Christian County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,111	512.4	482.3	544.1	587	628.3	578.3	681.6	524	432.3	394.3	473.7
Oral Cavity and Pharynx	29	14.4	9.6	21.1	19	20.3	12.2	32.1	10	9.1	4.3	18.0
Esophagus	14	6.3	3.4	11.1	12	13.0	6.7	23.1	2	1.5	0.2	7.4
Stomach	11	5.2	2.6	9.8	8	8.4	3.6	17.0	3	2.1	0.4	8.3
Colon and Rectum	152	66.6	56.2	78.5	75	82.6	64.9	103.8	77	55.0	42.9	70.5
Liver	9	4.5	2.0	8.9	7	7.5	3.0	16.0	2	1.5	0.2	7.5
Pancreas	29	12.8	8.5	18.8	14	14.4	7.9	24.6	15	10.3	5.6	18.7
Lung and Bronchus	231	104.6	91.5	119.5	130	138.1	115.3	164.3	101	80.3	65.0	99.1
Bones and Joints	2	1.0	0.1	4.2	1	1.0	0.0	6.5	1	1.2	0.0	7.5
Melanoma of the Skin	27	13.2	8.7	19.6	12	12.9	6.6	22.9	15	14.9	8.1	25.6
Breast (invasive)	143	67.3	56.6	79.8	1	1.0	0.0	6.4	142	124.3	103.8	148.3
Cervix (invasive)	-	-	-	-	-	-	-	-	9	8.6	3.9	17.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	27.4	18.6	40.0
Ovary	-	-	-	-	-	-	-	-	13	11.3	5.7	20.8
Prostate	-	-	-	-	157	165.7	140.7	194.1	-	-	-	-
Testis	-	-	-	-	5	5.6	1.8	13.4	-	-	-	-
Urinary Bladder	42	18.4	13.2	25.2	36	38.3	26.8	53.4	6	4.7	1.5	12.1
Kidney and Renal Pelvis	27	12.7	8.3	18.8	18	19.2	11.4	30.7	9	7.0	3.1	15.0
Brain and Other Nervous System	15	8.4	4.7	14.1	8	9.1	3.9	18.2	7	7.9	3.1	17.0
Hodgkin's Disease	3	1.9	0.4	5.7	2	2.3	0.3	8.7	1	1.5	0.0	8.3
Non-Hodgkin's Lymphomas	41	19.3	13.7	26.6	17	18.4	10.7	29.9	24	18.8	11.7	29.7
Multiple Myeloma	11	4.6	2.3	8.7	6	6.5	2.4	14.6	5	3.1	1.0	9.5
Leukemias	29	13.5	9.0	19.9	17	19.2	11.2	31.1	12	11.2	5.5	21.0
All Other Sites	80	36.9	29.1	46.4	42	44.8	32.3	61.0	38	30.5	21.0	43.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	40	38.0	26.8	53.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Clark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	495	463.4	422.8	507.4	258	550.6	485.1	623.5	237	400.5	349.0	458.7
Oral Cavity and Pharynx	12	11.9	6.1	21.9	9	19.1	8.7	38.0	3	6.6	1.3	21.4
Esophagus	4	4.0	1.1	11.4	4	8.8	2.4	24.5	0	0.0	0.0	11.2
Stomach	6	5.3	1.9	13.0	3	6.6	1.3	21.3	3	5.4	1.1	18.9
Colon and Rectum	57	50.9	38.4	67.0	31	65.0	44.1	93.7	26	38.2	24.5	59.2
Liver	3	2.3	0.5	8.8	1	1.9	0.0	14.2	2	2.4	0.3	14.0
Pancreas	15	13.3	7.4	23.2	7	14.1	5.7	31.3	8	12.3	5.0	27.7
Lung and Bronchus	75	69.7	54.7	88.4	49	103.5	76.5	138.3	26	43.3	28.0	66.0
Bones and Joints	1	1.2	0.0	7.7	1	2.3	0.1	15.2	0	0.0	0.0	11.2
Melanoma of the Skin	14	14.9	8.0	25.9	2	4.1	0.5	17.6	12	24.4	12.3	44.9
Breast (invasive)	73	69.2	53.9	88.1	1	2.2	0.1	14.8	72	124.2	96.1	159.6
Cervix (invasive)	-	-	-	-	-	-	-	-	7	14.0	5.3	31.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	21.8	11.5	39.9
Ovary	-	-	-	-	-	-	-	-	8	12.3	5.1	27.7
Prostate	-	-	-	-	60	126.2	96.2	163.9	-	-	-	-
Testis	-	-	-	-	2	5.5	0.7	20.7	-	-	-	-
Urinary Bladder	32	27.9	19.0	40.5	27	56.0	36.9	83.1	5	6.7	2.1	19.9
Kidney and Renal Pelvis	15	14.6	8.1	25.1	9	19.8	9.1	39.3	6	9.9	3.5	24.8
Brain and Other Nervous System	7	7.3	2.9	16.1	4	9.4	2.5	25.8	3	6.1	1.2	20.3
Hodgkin's Disease	2	2.6	0.3	9.9	0	0.0	0.0	11.4	2	5.3	0.6	20.1
Non-Hodgkin's Lymphomas	14	14.1	7.6	24.7	9	19.8	9.0	39.3	5	8.9	2.6	24.0
Multiple Myeloma	6	5.6	2.0	13.5	4	9.1	2.5	25.2	2	2.5	0.3	14.2
Leukemias	25	23.7	15.1	36.0	15	33.1	18.4	56.1	10	15.8	7.2	32.5
All Other Sites	44	42.6	30.8	58.2	20	44.0	26.7	69.5	24	40.5	25.6	63.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	24.5	12.5	44.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Clay County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	463	489.4	444.5	538.1	247	609.6	535.5	692.0	216	408.3	352.3	472.2
Oral Cavity and Pharynx	11	13.3	6.6	24.6	9	23.4	10.7	45.6	2	3.9	0.5	17.9
Esophagus	5	6.1	1.9	15.2	4	10.8	2.9	29.0	1	1.5	0.0	14.4
Stomach	5	5.2	1.6	13.6	4	9.7	2.6	26.8	1	2.1	0.1	15.6
Colon and Rectum	77	78.3	61.2	99.3	39	95.4	67.6	131.8	38	66.5	45.9	95.3
Liver	3	3.2	0.6	10.9	3	7.6	1.6	24.1	0	0.0	0.0	12.5
Pancreas	9	8.2	3.7	17.2	4	8.9	2.4	25.2	5	7.1	2.2	21.6
Lung and Bronchus	73	73.7	57.5	93.8	42	101.1	72.8	138.0	31	57.4	38.3	84.8
Bones and Joints	1	1.6	0.0	9.1	1	3.3	0.1	18.3	0	0.0	0.0	12.5
Melanoma of the Skin	10	11.4	5.4	22.1	8	20.5	8.8	41.8	2	3.8	0.5	17.8
Breast (invasive)	61	66.0	50.0	86.2	1	2.9	0.1	17.1	60	117.8	88.2	155.8
Cervix (invasive)	-	-	-	-	-	-	-	-	5	13.9	4.2	34.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	21.3	10.4	41.1
Ovary	-	-	-	-	-	-	-	-	6	10.6	3.6	27.0
Prostate	-	-	-	-	66	156.7	121.1	200.7	-	-	-	-
Testis	-	-	-	-	1	2.9	0.1	17.1	-	-	-	-
Urinary Bladder	19	18.6	10.9	30.4	15	36.4	20.3	61.6	4	6.2	1.6	20.5
Kidney and Renal Pelvis	14	16.6	9.0	28.9	7	18.2	7.3	38.8	7	15.9	6.1	35.6
Brain and Other Nervous System	7	9.0	3.5	19.4	5	14.6	4.7	34.8	2	3.7	0.3	18.2
Hodgkin's Disease	2	3.1	0.4	11.4	0	0.0	0.0	12.1	2	6.2	0.7	23.1
Non-Hodgkin's Lymphomas	18	19.6	11.4	32.1	9	23.4	10.6	45.9	9	15.9	7.0	33.9
Multiple Myeloma	4	3.8	1.0	11.6	1	2.5	0.1	16.4	3	4.9	0.8	19.2
Leukemias	9	9.7	4.3	19.8	4	10.6	2.9	28.5	5	10.3	3.0	27.5
All Other Sites	45	48.8	35.2	66.7	24	60.9	38.9	91.9	21	39.5	23.4	64.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	22.8	11.1	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Clinton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	873	452.7	423.1	484.1	492	581.9	531.0	636.8	381	360.6	324.6	400.0
Oral Cavity and Pharynx	16	8.3	4.7	13.8	10	11.3	5.4	21.9	6	5.6	2.0	13.3
Esophagus	11	5.7	2.8	10.5	8	9.3	4.0	19.5	3	2.5	0.5	8.8
Stomach	13	6.7	3.6	11.8	10	13.1	6.2	25.1	3	2.8	0.5	9.3
Colon and Rectum	142	73.2	61.6	86.5	71	84.7	65.9	107.7	71	65.0	50.5	83.0
Liver	7	3.7	1.5	8.0	4	4.3	1.2	12.4	3	2.4	0.5	8.4
Pancreas	18	9.4	5.5	15.1	10	12.0	5.7	23.2	8	7.3	3.1	15.3
Lung and Bronchus	137	69.6	58.4	82.5	96	112.7	91.1	138.5	41	36.9	26.3	51.0
Bones and Joints	0	0.0	0.0	2.5	0	0.0	0.0	6.4	0	0.0	0.0	5.1
Melanoma of the Skin	25	13.4	8.7	20.0	14	15.5	8.5	27.1	11	10.9	5.3	20.5
Breast (invasive)	101	53.6	43.6	65.3	0	0.0	0.0	6.4	101	100.1	81.2	122.5
Cervix (invasive)	-	-	-	-	-	-	-	-	9	9.5	4.2	18.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	15.2	8.6	25.6
Ovary	-	-	-	-	-	-	-	-	9	8.5	3.8	17.1
Prostate	-	-	-	-	135	160.4	134.2	190.9	-	-	-	-
Testis	-	-	-	-	6	6.2	2.3	14.9	-	-	-	-
Urinary Bladder	37	18.3	12.8	25.4	29	34.2	22.8	50.0	8	6.5	2.8	14.0
Kidney and Renal Pelvis	19	10.2	6.1	16.2	10	12.0	5.7	23.2	9	9.2	4.1	18.3
Brain and Other Nervous System	9	4.8	2.2	9.3	3	3.3	0.7	11.2	6	6.5	2.3	14.8
Hodgkin's Disease	4	2.3	0.6	6.1	3	3.3	0.7	11.2	1	1.3	0.0	7.4
Non-Hodgkin's Lymphomas	28	15.2	10.1	22.3	15	18.1	10.1	30.9	13	12.8	6.7	22.7
Multiple Myeloma	9	4.7	2.1	9.2	5	6.3	2.0	15.8	4	3.9	1.1	10.9
Leukemias	29	14.7	9.8	21.4	17	21.6	12.5	35.4	12	10.7	5.4	19.7
All Other Sites	93	48.8	39.4	60.0	46	53.6	39.1	72.3	47	43.0	31.4	58.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	13.1	6.9	23.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Coles County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,310	500.2	473.3	528.4	675	604.5	559.5	652.4	635	434.2	400.2	470.6
Oral Cavity and Pharynx	23	8.8	5.5	13.4	14	13.4	7.3	22.8	9	6.2	2.8	12.5
Esophagus	17	6.5	3.8	10.7	16	14.7	8.4	24.3	1	0.8	0.0	5.2
Stomach	10	3.6	1.7	6.9	6	5.3	1.9	12.1	4	2.0	0.5	6.6
Colon and Rectum	165	61.4	52.3	71.7	78	71.0	56.0	89.0	87	55.5	44.2	69.4
Liver	4	1.5	0.4	4.1	4	3.6	1.0	9.7	0	0.0	0.0	4.0
Pancreas	20	7.3	4.4	11.5	9	8.6	3.9	16.8	11	6.7	3.3	12.9
Lung and Bronchus	240	90.5	79.4	103.0	136	121.2	101.6	143.7	104	69.1	56.2	84.5
Bones and Joints	0	0.0	0.0	1.9	0	0.0	0.0	4.2	0	0.0	0.0	4.0
Melanoma of the Skin	25	10.1	6.5	15.1	17	15.2	8.9	24.8	8	5.9	2.4	12.3
Breast (invasive)	199	78.4	67.8	90.3	4	3.5	0.9	9.5	195	139.6	120.2	161.5
Cervix (invasive)	-	-	-	-	-	-	-	-	9	7.3	3.3	14.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	37	26.3	18.3	37.0
Ovary	-	-	-	-	-	-	-	-	22	15.2	9.4	23.8
Prostate	-	-	-	-	186	163.9	141.1	189.6	-	-	-	-
Testis	-	-	-	-	8	6.8	2.8	14.1	-	-	-	-
Urinary Bladder	85	31.2	24.9	38.9	64	57.6	44.3	73.9	21	13.0	7.9	20.9
Kidney and Renal Pelvis	29	11.4	7.6	16.7	17	15.2	8.8	24.8	12	9.1	4.6	16.5
Brain and Other Nervous System	13	5.0	2.6	8.9	7	5.4	2.0	12.2	6	4.3	1.5	10.3
Hodgkin's Disease	6	2.6	1.0	5.9	5	4.6	1.5	11.1	1	0.7	0.0	5.1
Non-Hodgkin's Lymphomas	55	21.4	16.1	28.1	28	26.1	17.3	38.0	27	18.3	11.9	27.4
Multiple Myeloma	22	7.9	5.0	12.3	10	9.3	4.4	17.5	12	7.3	3.7	13.8
Leukemias	41	15.3	11.0	21.0	24	21.9	14.0	33.1	17	11.0	6.3	18.5
All Other Sites	94	36.5	29.4	44.9	42	37.4	26.9	50.9	52	36.0	26.6	48.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	40	28.1	20.0	38.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	122,115	484.1	481.4	486.8	60,889	578.8	574.1	583.5	61,226	425.4	422.0	428.8
Oral Cavity and Pharynx	2,779	11.0	10.6	11.4	1,881	16.8	16.0	17.6	898	6.3	5.9	6.7
Esophagus	1,507	6.0	5.7	6.3	1,121	10.6	10.0	11.2	386	2.6	2.4	2.9
Stomach	2,536	10.1	9.7	10.5	1,488	14.4	13.7	15.2	1,048	7.0	6.6	7.4
Colon and Rectum	14,857	59.2	58.2	60.1	7,371	72.2	70.5	73.9	7,486	50.3	49.1	51.4
Liver	1,424	5.7	5.4	6.0	962	8.9	8.3	9.5	462	3.1	2.9	3.5
Pancreas	3,278	13.1	12.6	13.5	1,490	14.4	13.7	15.2	1,788	12.0	11.4	12.5
Lung and Bronchus	17,637	70.4	69.3	71.4	9,717	93.2	91.4	95.1	7,920	54.6	53.4	55.8
Bones and Joints	231	0.9	0.8	1.0	114	0.9	0.8	1.1	117	0.8	0.7	1.0
Melanoma of the Skin	2,243	8.8	8.4	9.1	1,263	11.5	10.9	12.2	980	6.9	6.5	7.4
Breast (invasive)	18,545	73.5	72.5	74.6	163	1.6	1.3	1.8	18,382	130.4	128.5	132.3
Cervix (invasive)	-	-	-	-	-	-	-	-	1,651	12.0	11.4	12.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3,572	25.3	24.5	26.1
Ovary	-	-	-	-	-	-	-	-	1,938	13.7	13.1	14.3
Prostate	-	-	-	-	17,462	167.5	165.0	170.1	-	-	-	-
Testis	-	-	-	-	608	4.4	4.0	4.7	-	-	-	-
Urinary Bladder	5,276	21.0	20.5	21.6	3,749	37.4	36.2	38.6	1,527	10.2	9.7	10.8
Kidney and Renal Pelvis	3,229	12.8	12.4	13.3	1,906	17.7	16.9	18.5	1,323	9.2	8.7	9.7
Brain and Other Nervous System	1,485	5.7	5.5	6.0	795	6.9	6.4	7.4	690	4.9	4.5	5.2
Hodgkin's Disease	714	2.7	2.5	2.9	409	3.2	2.9	3.5	305	2.2	1.9	2.4
Non-Hodgkin's Lymphomas	4,729	18.6	18.1	19.2	2,471	22.8	21.9	23.8	2,258	15.5	14.9	16.2
Multiple Myeloma	1,643	6.5	6.2	6.9	808	7.8	7.2	8.3	835	5.7	5.3	6.1
Leukemias	3,139	12.3	11.9	12.7	1,671	15.6	14.8	16.4	1,468	10.0	9.5	10.5
All Other Sites	11,632	45.8	44.9	46.6	5,440	50.9	49.6	52.3	6,192	42.7	41.6	43.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3,906	28.3	27.5	29.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Crawford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	639	516.9	477.2	559.6	326	595.5	532.4	665.2	313	472.5	419.7	531.2
Oral Cavity and Pharynx	10	7.9	3.8	15.7	7	12.9	5.2	28.8	3	4.3	0.9	15.6
Esophagus	1	0.8	0.0	6.1	1	1.9	0.0	13.6	0	0.0	0.0	9.7
Stomach	7	5.4	2.2	12.4	3	5.8	1.2	19.3	4	5.0	1.4	16.2
Colon and Rectum	102	79.6	64.8	97.6	40	75.0	53.5	103.6	62	82.7	62.8	108.7
Liver	6	4.1	1.5	10.4	3	6.3	1.3	20.3	3	3.0	0.6	13.2
Pancreas	8	6.3	2.7	13.5	5	9.5	3.1	24.4	3	4.2	0.9	15.4
Lung and Bronchus	88	69.2	55.4	86.1	57	103.4	78.2	135.5	31	43.9	29.5	64.6
Bones and Joints	1	1.0	0.0	6.7	0	0.0	0.0	10.7	1	2.2	0.1	13.4
Melanoma of the Skin	12	10.7	5.5	19.5	6	10.7	3.9	25.7	6	10.2	3.5	24.4
Breast (invasive)	88	73.1	58.5	90.9	0	0.0	0.0	10.7	88	136.2	108.5	170.2
Cervix (invasive)	-	-	-	-	-	-	-	-	10	21.0	9.9	39.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	31.7	18.8	51.4
Ovary	-	-	-	-	-	-	-	-	10	15.5	7.2	30.9
Prostate	-	-	-	-	109	197.0	161.6	239.1	-	-	-	-
Testis	-	-	-	-	3	5.5	1.1	18.8	-	-	-	-
Urinary Bladder	36	28.6	20.0	40.5	27	47.7	31.4	71.2	9	13.0	5.7	27.5
Kidney and Renal Pelvis	19	17.0	10.2	27.4	12	22.5	11.6	41.2	7	12.5	4.8	27.8
Brain and Other Nervous System	3	2.4	0.5	8.3	2	3.5	0.4	15.9	1	1.3	0.0	11.5
Hodgkin's Disease	3	2.5	0.5	8.7	2	3.6	0.4	15.9	1	1.5	0.0	11.8
Non-Hodgkin's Lymphomas	23	18.6	11.7	28.8	10	18.8	9.0	36.6	13	20.2	10.6	36.8
Multiple Myeloma	10	7.7	3.7	15.3	5	8.8	2.9	23.1	5	7.5	2.4	20.0
Leukemias	17	14.1	8.2	23.5	6	11.0	4.0	26.3	11	16.8	8.2	32.4
All Other Sites	54	44.4	33.2	58.8	28	51.7	34.3	76.3	26	39.8	25.4	61.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	25.1	13.5	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cumberland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	328	508.5	454.5	568.0	173	628.6	537.6	732.5	155	434.9	366.8	514.0
Oral Cavity and Pharynx	10	17.9	8.6	33.7	7	25.9	10.4	56.5	3	10.2	2.0	33.3
Esophagus	3	4.9	1.0	15.8	2	6.9	0.8	29.9	1	3.7	0.1	23.8
Stomach	1	1.3	0.0	9.9	1	5.3	0.1	29.5	0	0.0	0.0	17.6
Colon and Rectum	47	68.9	50.5	92.8	22	78.7	49.1	122.1	25	57.5	36.5	90.0
Liver	1	1.7	0.0	10.9	0	0.0	0.0	19.5	1	3.4	0.1	22.9
Pancreas	3	4.1	0.8	14.1	2	7.0	0.8	30.1	1	1.9	0.0	19.8
Lung and Bronchus	48	72.9	53.6	97.7	33	116.4	79.9	166.2	15	37.9	21.0	66.8
Bones and Joints	1	1.6	0.0	10.7	1	3.4	0.1	24.6	0	0.0	0.0	17.6
Melanoma of the Skin	3	5.0	1.0	15.9	1	3.6	0.1	25.0	2	6.3	0.7	27.2
Breast (invasive)	45	70.9	51.5	95.9	3	10.5	2.2	35.1	42	121.9	87.0	168.7
Cervix (invasive)	-	-	-	-	-	-	-	-	4	13.8	3.7	38.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	22.2	9.8	47.4
Ovary	-	-	-	-	-	-	-	-	6	18.0	6.2	43.6
Prostate	-	-	-	-	54	196.5	147.1	259.3	-	-	-	-
Testis	-	-	-	-	2	7.1	0.9	30.3	-	-	-	-
Urinary Bladder	18	28.0	16.5	45.4	15	53.2	29.7	90.8	3	8.9	1.8	30.5
Kidney and Renal Pelvis	10	15.9	7.6	30.3	5	17.7	5.7	45.1	5	13.7	4.3	36.8
Brain and Other Nervous System	4	6.8	1.8	18.6	1	3.4	0.1	24.6	3	10.1	2.0	33.0
Hodgkin's Disease	1	1.2	0.0	9.7	1	3.3	0.1	24.3	0	0.0	0.0	17.6
Non-Hodgkin's Lymphomas	14	21.2	11.5	36.8	2	6.9	0.8	29.9	12	32.0	15.9	60.9
Multiple Myeloma	5	7.8	2.5	19.7	3	12.9	2.6	40.3	2	5.5	0.6	25.3
Leukemias	8	13.2	5.6	27.1	3	10.6	2.2	35.2	5	15.0	4.7	39.3
All Other Sites	31	49.6	33.5	71.5	15	59.2	32.7	100.6	16	52.8	29.7	88.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	14.6	4.7	38.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DeKalb County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,728	488.7	465.8	512.4	847	558.6	521.2	598.2	881	446.6	417.2	477.5
Oral Cavity and Pharynx	37	10.6	7.5	14.6	26	16.5	10.8	24.6	11	5.6	2.8	10.3
Esophagus	24	7.0	4.5	10.4	19	12.4	7.4	19.8	5	2.4	0.8	5.8
Stomach	24	6.8	4.3	10.1	11	7.5	3.7	13.8	13	6.4	3.4	11.1
Colon and Rectum	202	57.3	49.7	65.9	94	63.0	50.8	77.5	108	52.9	43.3	64.2
Liver	14	4.0	2.2	6.8	10	6.0	2.9	11.6	4	2.0	0.5	5.4
Pancreas	40	11.5	8.2	15.8	19	12.0	7.2	19.2	21	10.7	6.6	16.5
Lung and Bronchus	237	68.4	60.0	77.7	128	86.8	72.3	103.6	109	56.0	45.9	67.8
Bones and Joints	4	0.8	0.2	2.4	2	1.0	0.1	4.7	2	0.7	0.1	3.2
Melanoma of the Skin	48	13.2	9.7	17.6	26	16.4	10.6	24.4	22	11.3	7.0	17.3
Breast (invasive)	294	82.9	73.7	93.0	2	1.1	0.1	5.0	292	151.5	134.5	170.2
Cervix (invasive)	-	-	-	-	-	-	-	-	21	11.0	6.8	16.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	47	25.3	18.6	33.8
Ovary	-	-	-	-	-	-	-	-	37	19.5	13.7	27.0
Prostate	-	-	-	-	259	176.3	155.4	199.5	-	-	-	-
Testis	-	-	-	-	9	4.4	2.0	9.2	-	-	-	-
Urinary Bladder	72	20.5	16.0	25.8	50	34.9	25.8	46.3	22	10.6	6.6	16.2
Kidney and Renal Pelvis	38	10.6	7.5	14.6	20	12.2	7.4	19.3	18	8.5	5.0	13.7
Brain and Other Nervous System	24	6.4	4.1	9.6	14	7.4	4.0	13.1	10	5.2	2.5	9.7
Hodgkin's Disease	8	1.7	0.7	3.6	6	2.7	0.9	7.0	2	0.6	0.1	3.0
Non-Hodgkin's Lymphomas	59	16.2	12.3	21.0	33	20.2	13.8	28.9	26	11.8	7.7	17.6
Multiple Myeloma	21	5.7	3.5	8.8	13	9.2	4.8	16.2	8	3.5	1.5	7.2
Leukemias	62	17.0	13.0	21.8	35	21.5	14.9	30.5	27	13.0	8.5	19.1
All Other Sites	147	40.7	34.4	48.0	71	47.0	36.6	59.7	76	37.9	29.7	47.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	60	32.6	24.9	42.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DeWitt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	466	475.3	432.7	521.3	245	565.5	496.4	642.7	221	415.9	361.3	477.6
Oral Cavity and Pharynx	13	13.9	7.4	24.6	12	27.2	14.1	49.7	1	1.1	0.0	12.3
Esophagus	1	0.9	0.0	6.9	1	2.5	0.1	16.7	0	0.0	0.0	11.0
Stomach	7	7.0	2.8	15.4	5	12.4	3.9	31.3	2	3.7	0.4	16.4
Colon and Rectum	56	55.8	42.1	73.3	27	64.2	42.1	95.3	29	50.7	33.5	75.4
Liver	1	1.1	0.0	7.1	1	2.3	0.1	16.2	0	0.0	0.0	11.0
Pancreas	7	7.9	3.2	17.1	3	7.1	1.5	23.4	4	8.7	2.3	24.3
Lung and Bronchus	84	82.9	66.0	103.3	59	134.4	102.2	175.2	25	44.1	28.3	67.3
Bones and Joints	0	0.0	0.0	5.4	0	0.0	0.0	12.7	0	0.0	0.0	11.0
Melanoma of the Skin	16	17.0	9.7	28.4	9	20.6	9.4	41.4	7	13.7	5.4	30.5
Breast (invasive)	74	77.5	60.7	98.1	0	0.0	0.0	12.7	74	143.7	111.9	182.9
Cervix (invasive)	-	-	-	-	-	-	-	-	6	14.4	5.2	32.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	19.2	9.3	37.0
Ovary	-	-	-	-	-	-	-	-	8	13.7	5.8	29.7
Prostate	-	-	-	-	62	141.4	108.2	183.1	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	12.7	-	-	-	-
Urinary Bladder	20	19.4	11.8	30.8	16	36.0	20.5	60.5	4	6.8	1.8	20.6
Kidney and Renal Pelvis	14	14.5	7.9	25.1	5	11.6	3.7	29.5	9	17.1	7.7	34.8
Brain and Other Nervous System	7	7.8	3.1	16.7	3	7.4	1.5	24.0	4	8.2	2.2	23.3
Hodgkin's Disease	1	1.3	0.0	7.8	1	2.5	0.1	16.8	0	0.0	0.0	11.0
Non-Hodgkin's Lymphomas	14	14.3	7.8	24.9	8	19.5	8.3	40.7	6	10.1	3.7	24.9
Multiple Myeloma	8	8.5	3.6	17.5	4	8.7	2.4	25.2	4	9.2	2.5	25.1
Leukemias	13	13.6	7.2	24.1	7	16.5	6.6	36.2	6	10.9	3.9	26.4
All Other Sites	43	45.0	32.4	61.3	22	51.1	31.9	79.3	21	40.5	24.4	64.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	27.5	14.8	48.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Douglas County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	540	466.1	427.3	507.8	285	567.0	502.6	638.2	255	397.5	348.9	451.9
Oral Cavity and Pharynx	12	10.7	5.5	19.3	10	19.4	9.3	37.3	2	3.3	0.3	14.2
Esophagus	5	3.9	1.3	10.1	4	8.5	2.2	23.4	1	1.5	0.0	11.0
Stomach	6	5.2	1.9	12.0	4	8.1	2.2	22.6	2	2.7	0.3	12.6
Colon and Rectum	79	66.5	52.5	83.4	39	77.2	54.8	106.8	40	57.2	40.5	79.7
Liver	5	4.5	1.4	11.2	4	8.3	2.2	22.9	1	1.4	0.0	10.8
Pancreas	12	9.5	4.9	17.4	7	15.6	6.2	33.4	5	6.3	2.0	17.5
Lung and Bronchus	83	70.6	56.1	88.1	55	109.9	82.6	144.3	28	41.0	27.1	61.0
Bones and Joints	1	0.8	0.0	5.7	0	0.0	0.0	10.4	1	1.5	0.0	11.2
Melanoma of the Skin	13	11.5	6.1	20.3	6	12.3	4.4	28.5	7	12.1	4.7	26.6
Breast (invasive)	87	75.3	60.2	93.5	0	0.0	0.0	10.4	87	135.9	108.2	169.5
Cervix (invasive)	-	-	-	-	-	-	-	-	5	10.8	3.5	25.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	29.2	17.0	47.8
Ovary	-	-	-	-	-	-	-	-	9	16.3	7.2	32.6
Prostate	-	-	-	-	78	149.9	118.4	188.4	-	-	-	-
Testis	-	-	-	-	2	4.9	0.6	18.6	-	-	-	-
Urinary Bladder	23	19.4	12.3	29.7	22	42.9	26.8	66.5	1	2.1	0.1	12.5
Kidney and Renal Pelvis	10	9.2	4.4	17.5	8	16.2	7.0	33.4	2	3.0	0.4	13.3
Brain and Other Nervous System	6	5.2	1.9	12.1	3	5.9	1.2	19.3	3	5.5	1.1	17.5
Hodgkin's Disease	2	2.1	0.3	8.0	2	4.3	0.5	17.2	0	0.0	0.0	8.8
Non-Hodgkin's Lymphomas	19	16.6	9.9	26.5	9	18.9	8.6	37.4	10	15.9	7.5	30.9
Multiple Myeloma	9	7.2	3.3	14.4	4	8.4	2.2	23.4	5	6.8	2.2	18.3
Leukemias	12	10.7	5.5	19.4	7	14.1	5.6	30.9	5	9.5	3.0	23.4
All Other Sites	44	38.4	27.8	52.2	21	42.1	26.0	65.8	23	35.4	22.0	55.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	17	29.2	16.8	48.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	19,093	481.3	474.4	488.2	9,342	560.8	549.1	572.7	9,751	434.1	425.5	442.9
Oral Cavity and Pharynx	366	9.0	8.1	10.0	237	12.8	11.2	14.7	129	5.8	4.9	7.0
Esophagus	212	5.5	4.8	6.3	162	9.7	8.2	11.4	50	2.3	1.7	3.0
Stomach	293	7.5	6.7	8.5	175	10.7	9.1	12.5	118	5.1	4.2	6.2
Colon and Rectum	2,051	53.3	51.0	55.6	1,013	63.5	59.5	67.8	1,038	46.3	43.5	49.2
Liver	179	4.6	4.0	5.4	133	7.9	6.6	9.5	46	2.1	1.6	2.9
Pancreas	474	12.4	11.3	13.6	243	15.1	13.2	17.2	231	10.5	9.2	12.0
Lung and Bronchus	2,370	62.6	60.1	65.2	1,240	79.2	74.7	83.9	1,130	52.3	49.3	55.5
Bones and Joints	46	1.1	0.8	1.5	22	1.0	0.6	1.6	24	1.1	0.7	1.6
Melanoma of the Skin	575	13.6	12.5	14.8	329	17.9	15.9	20.0	246	10.7	9.4	12.1
Breast (invasive)	3,367	80.8	78.0	83.6	23	1.4	0.9	2.2	3,344	147.1	142.2	152.2
Cervix (invasive)	-	-	-	-	-	-	-	-	164	7.1	6.0	8.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	588	26.4	24.3	28.7
Ovary	-	-	-	-	-	-	-	-	293	13.0	11.5	14.5
Prostate	-	-	-	-	2,744	165.5	159.2	172.1	-	-	-	-
Testis	-	-	-	-	142	6.1	5.1	7.2	-	-	-	-
Urinary Bladder	915	24.2	22.6	25.8	678	43.9	40.5	47.5	237	10.7	9.3	12.1
Kidney and Renal Pelvis	531	13.2	12.1	14.4	340	18.9	16.9	21.1	191	8.7	7.5	10.0
Brain and Other Nervous System	313	7.4	6.6	8.3	174	8.9	7.6	10.5	139	6.2	5.2	7.3
Hodgkin's Disease	155	3.5	3.0	4.1	84	4.0	3.1	5.0	71	3.1	2.4	4.0
Non-Hodgkin's Lymphomas	795	20.0	18.6	21.5	444	25.6	23.1	28.2	351	15.7	14.1	17.5
Multiple Myeloma	201	5.2	4.5	6.0	102	6.0	4.8	7.4	99	4.5	3.6	5.5
Leukemias	486	12.1	11.1	13.3	276	16.4	14.5	18.7	210	9.3	8.1	10.7
All Other Sites	1,833	45.2	43.1	47.3	781	46.4	43.1	49.9	1,052	46.0	43.3	48.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	817	35.9	33.4	38.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Edgar County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	536	429.4	393.2	468.5	275	525.4	465.0	591.9	261	372.9	326.7	425.0
Oral Cavity and Pharynx	15	12.2	6.7	20.9	12	23.0	11.9	41.1	3	3.2	0.7	13.7
Esophagus	10	7.0	3.3	14.0	8	15.1	6.5	30.8	2	1.7	0.2	11.7
Stomach	5	4.3	1.3	10.9	4	7.9	2.2	21.3	1	1.0	0.0	10.9
Colon and Rectum	64	48.8	37.3	63.2	28	53.8	35.7	78.5	36	46.1	31.5	67.0
Liver	1	1.0	0.0	6.4	1	2.0	0.1	12.4	0	0.0	0.0	9.7
Pancreas	20	14.7	8.9	23.7	8	15.6	6.7	31.6	12	13.8	6.9	27.4
Lung and Bronchus	93	73.6	59.3	91.0	59	111.7	85.0	144.8	34	47.8	32.6	69.4
Bones and Joints	2	2.2	0.3	8.3	1	2.0	0.1	12.4	1	2.2	0.1	13.6
Melanoma of the Skin	13	11.3	6.0	20.2	8	15.2	6.5	30.9	5	9.6	3.0	24.3
Breast (invasive)	76	63.5	49.8	80.3	1	2.0	0.1	12.4	75	114.6	89.2	146.2
Cervix (invasive)	-	-	-	-	-	-	-	-	6	11.5	4.1	26.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	31.7	18.7	51.6
Ovary	-	-	-	-	-	-	-	-	6	8.4	2.8	21.5
Prostate	-	-	-	-	64	121.0	93.2	155.2	-	-	-	-
Testis	-	-	-	-	4	8.5	2.3	22.5	-	-	-	-
Urinary Bladder	29	21.2	14.1	31.3	20	38.1	23.3	59.7	9	9.8	4.4	22.2
Kidney and Renal Pelvis	21	15.8	9.7	25.1	14	26.7	14.6	45.6	7	7.7	3.0	19.4
Brain and Other Nervous System	4	3.3	0.9	9.6	2	4.1	0.5	15.7	2	2.0	0.2	12.1
Hodgkin's Disease	3	2.9	0.6	9.1	0	0.0	0.0	9.0	3	5.8	1.2	18.6
Non-Hodgkin's Lymphomas	12	9.8	5.0	17.9	5	9.4	3.0	23.0	7	9.8	3.8	23.2
Multiple Myeloma	5	3.4	1.1	9.4	1	1.9	0.0	12.2	4	3.8	0.9	14.4
Leukemias	12	9.3	4.8	17.3	10	19.1	9.1	36.0	2	3.5	0.4	15.4
All Other Sites	52	43.2	32.0	57.4	25	48.4	31.3	72.2	27	38.8	24.9	59.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	21.3	11.0	38.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Edwards County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	221	491.2	427.3	563.4	114	568.8	468.6	686.6	107	437.0	354.6	536.5
Oral Cavity and Pharynx	1	1.6	0.0	15.0	0	0.0	0.0	26.1	1	2.4	0.1	29.8
Esophagus	3	6.0	1.2	21.5	2	9.2	1.1	39.7	1	3.8	0.1	32.3
Stomach	3	6.9	1.4	23.2	1	5.3	0.1	34.6	2	7.6	0.9	37.3
Colon and Rectum	34	75.7	52.0	108.3	16	83.4	47.5	138.8	18	62.3	36.2	106.4
Liver	1	2.8	0.1	17.9	1	5.9	0.1	36.2	0	0.0	0.0	27.2
Pancreas	5	9.2	3.0	25.5	1	4.3	0.1	32.3	4	12.7	3.4	43.4
Lung and Bronchus	42	92.4	66.3	127.1	33	163.8	112.5	233.3	9	34.4	15.5	72.8
Bones and Joints	0	0.0	0.0	13.1	0	0.0	0.0	26.1	0	0.0	0.0	27.2
Melanoma of the Skin	4	8.7	2.3	25.7	4	20.7	5.6	57.4	0	0.0	0.0	27.2
Breast (invasive)	39	94.8	66.9	131.9	0	0.0	0.0	26.1	39	177.2	124.0	248.9
Cervix (invasive)	-	-	-	-	-	-	-	-	3	14.8	3.0	49.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	22.7	9.0	56.2
Ovary	-	-	-	-	-	-	-	-	5	24.9	7.8	64.0
Prostate	-	-	-	-	28	134.3	89.1	197.7	-	-	-	-
Testis	-	-	-	-	1	6.7	0.2	38.4	-	-	-	-
Urinary Bladder	7	14.3	5.6	32.7	7	35.7	14.3	77.6	0	0.0	0.0	27.2
Kidney and Renal Pelvis	4	10.2	2.7	28.6	2	12.0	1.4	46.0	2	9.3	1.1	40.9
Brain and Other Nervous System	2	5.3	0.6	21.6	1	4.6	0.1	32.9	1	7.0	0.2	40.1
Hodgkin's Disease	0	0.0	0.0	13.1	0	0.0	0.0	26.1	0	0.0	0.0	27.2
Non-Hodgkin's Lymphomas	4	8.9	2.3	25.9	1	5.9	0.1	36.2	3	9.9	2.0	39.8
Multiple Myeloma	0	0.0	0.0	13.1	0	0.0	0.0	26.1	0	0.0	0.0	27.2
Leukemias	12	24.4	12.4	45.7	9	42.8	19.4	85.8	3	11.4	2.1	43.2
All Other Sites	16	34.9	19.7	59.5	7	34.4	13.8	75.3	9	36.4	15.6	77.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	32.3	12.7	72.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Effingham County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	889	493.3	461.3	527.2	499	642.1	586.8	701.3	390	387.8	349.4	429.6
Oral Cavity and Pharynx	14	7.8	4.3	13.4	5	6.5	2.1	15.5	9	9.0	4.0	17.9
Esophagus	6	3.3	1.2	7.4	4	5.5	1.5	14.2	2	2.2	0.3	8.7
Stomach	7	3.9	1.5	8.2	6	8.0	2.9	17.7	1	1.2	0.0	7.2
Colon and Rectum	125	66.4	55.2	79.4	59	76.8	58.4	99.3	66	58.5	44.9	75.5
Liver	3	1.6	0.3	5.1	1	1.2	0.0	7.6	2	1.5	0.2	7.2
Pancreas	27	14.9	9.8	21.9	17	21.3	12.4	34.4	10	8.3	3.9	16.5
Lung and Bronchus	123	67.9	56.4	81.2	74	95.6	75.1	120.3	49	47.3	34.9	63.3
Bones and Joints	0	0.0	0.0	2.5	0	0.0	0.0	5.4	0	0.0	0.0	5.1
Melanoma of the Skin	23	13.3	8.4	20.2	13	16.3	8.7	28.2	10	10.8	5.1	20.6
Breast (invasive)	128	72.3	60.3	86.2	0	0.0	0.0	5.4	128	133.7	111.1	159.9
Cervix (invasive)	-	-	-	-	-	-	-	-	6	6.8	2.4	15.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	17.6	10.1	28.8
Ovary	-	-	-	-	-	-	-	-	6	6.3	2.3	14.6
Prostate	-	-	-	-	168	213.7	182.6	248.9	-	-	-	-
Testis	-	-	-	-	4	5.0	1.3	13.2	-	-	-	-
Urinary Bladder	46	24.6	18.0	33.1	41	54.1	38.8	73.7	5	4.5	1.4	11.7
Kidney and Renal Pelvis	22	12.1	7.5	18.5	14	18.0	9.8	30.6	8	8.3	3.5	17.1
Brain and Other Nervous System	13	7.8	4.1	13.5	6	7.4	2.7	16.7	7	8.1	3.2	17.2
Hodgkin's Disease	5	2.9	0.9	7.1	3	3.9	0.8	11.8	2	2.4	0.3	9.2
Non-Hodgkin's Lymphomas	37	20.0	14.0	27.8	25	32.7	21.1	48.5	12	11.0	5.6	20.1
Multiple Myeloma	9	5.1	2.3	9.9	7	8.6	3.5	18.2	2	1.9	0.2	7.9
Leukemias	30	16.5	11.1	23.8	19	24.8	14.9	39.0	11	10.5	5.2	19.7
All Other Sites	70	39.2	30.5	49.8	33	42.5	29.2	60.0	37	37.7	26.4	52.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	19	21.3	12.8	33.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Fayette County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	546	432.5	396.7	471.0	291	529.4	470.0	594.7	255	375.3	329.1	427.2
Oral Cavity and Pharynx	8	6.6	2.8	13.6	7	12.2	4.9	26.2	1	1.4	0.0	11.2
Esophagus	3	2.5	0.5	8.0	3	5.2	1.1	16.6	0	0.0	0.0	9.1
Stomach	6	4.9	1.8	11.3	4	7.6	2.1	20.4	2	2.3	0.3	12.2
Colon and Rectum	83	64.7	51.4	80.8	39	71.6	50.8	98.7	44	62.9	45.1	86.6
Liver	2	1.6	0.2	6.6	1	1.9	0.0	11.8	1	1.3	0.0	10.9
Pancreas	10	7.1	3.4	13.9	3	5.4	1.1	16.9	7	7.8	3.1	19.3
Lung and Bronchus	82	65.1	51.7	81.3	53	97.7	73.1	128.6	29	42.3	28.0	62.7
Bones and Joints	0	0.0	0.0	4.2	0	0.0	0.0	8.5	0	0.0	0.0	9.1
Melanoma of the Skin	13	10.7	5.7	18.9	8	14.8	6.4	30.1	5	7.5	2.3	20.0
Breast (invasive)	73	59.9	46.8	75.8	1	1.8	0.0	11.5	72	111.2	86.4	142.1
Cervix (invasive)	-	-	-	-	-	-	-	-	6	9.5	3.3	22.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	21.3	11.5	37.7
Ovary	-	-	-	-	-	-	-	-	16	24.4	13.5	41.8
Prostate	-	-	-	-	92	165.3	133.2	203.6	-	-	-	-
Testis	-	-	-	-	2	3.3	0.4	13.7	-	-	-	-
Urinary Bladder	29	21.4	14.3	31.4	22	41.5	25.9	63.6	7	8.0	3.2	19.6
Kidney and Renal Pelvis	12	9.3	4.8	16.9	8	14.5	6.3	29.6	4	4.7	1.2	15.4
Brain and Other Nervous System	9	7.4	3.3	14.7	5	8.6	2.8	21.3	4	6.3	1.5	18.6
Hodgkin's Disease	1	0.7	0.0	5.1	0	0.0	0.0	8.5	1	0.9	0.0	10.2
Non-Hodgkin's Lymphomas	22	17.1	10.7	26.5	11	19.2	9.6	35.4	11	15.6	7.5	30.4
Multiple Myeloma	6	4.6	1.7	10.7	3	4.9	1.0	15.9	3	3.8	0.7	14.2
Leukemias	15	11.9	6.6	20.2	9	16.8	7.6	32.8	6	8.6	3.0	21.2
All Other Sites	42	33.2	23.9	45.5	20	37.0	22.5	57.9	22	35.3	21.7	55.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	16.3	8.0	31.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Ford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	436	467.3	423.0	515.9	218	556.4	484.4	637.8	218	419.3	361.6	485.3
Oral Cavity and Pharynx	10	11.1	5.2	22.1	7	17.2	6.8	38.8	3	6.8	1.4	23.3
Esophagus	2	2.4	0.3	10.6	1	2.8	0.1	19.4	1	1.7	0.0	15.8
Stomach	2	2.0	0.2	9.8	2	5.4	0.7	23.1	0	0.0	0.0	13.7
Colon and Rectum	75	72.5	56.5	92.8	38	94.9	67.0	132.7	37	60.2	41.3	87.8
Liver	3	2.7	0.5	10.7	1	2.7	0.1	19.1	2	2.1	0.2	15.9
Pancreas	8	7.2	3.0	16.5	5	12.2	3.9	32.2	3	3.4	0.6	17.4
Lung and Bronchus	65	69.4	53.2	90.0	36	91.4	63.9	128.9	29	56.1	36.8	84.5
Bones and Joints	1	1.6	0.0	9.7	0	0.0	0.0	14.9	1	3.0	0.1	18.6
Melanoma of the Skin	10	11.9	5.6	23.4	6	16.4	6.0	38.6	4	8.6	2.2	26.0
Breast (invasive)	71	79.1	61.2	101.7	1	2.3	0.1	18.2	70	141.6	108.2	184.0
Cervix (invasive)	-	-	-	-	-	-	-	-	2	2.1	0.2	15.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	17.2	7.4	36.9
Ovary	-	-	-	-	-	-	-	-	3	5.7	1.1	21.6
Prostate	-	-	-	-	58	144.4	109.4	188.9	-	-	-	-
Testis	-	-	-	-	1	4.0	0.1	22.5	-	-	-	-
Urinary Bladder	19	17.8	10.6	29.7	16	39.2	22.3	66.4	3	4.7	0.9	19.8
Kidney and Renal Pelvis	11	12.5	6.1	24.2	8	21.3	9.1	44.7	3	5.7	1.1	21.3
Brain and Other Nervous System	11	14.6	7.2	27.3	5	14.3	4.6	35.8	6	15.5	5.5	36.4
Hodgkin's Disease	4	6.1	1.6	16.8	2	6.1	0.7	24.7	2	6.7	0.8	25.1
Non-Hodgkin's Lymphomas	17	18.1	10.4	30.8	9	22.5	10.3	45.8	8	15.2	6.1	34.4
Multiple Myeloma	9	8.6	3.8	18.6	4	10.2	2.8	29.7	5	8.3	2.4	24.7
Leukemias	11	13.5	6.5	25.7	4	11.4	3.0	32.1	7	14.8	5.6	34.4
All Other Sites	34	39.2	26.6	56.6	14	37.5	20.4	65.5	20	39.9	23.1	66.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	26.8	13.3	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Franklin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,359	528.5	500.2	558.2	741	674.0	626.0	725.0	618	430.5	395.6	468.2
Oral Cavity and Pharynx	33	13.8	9.4	19.8	27	26.3	17.2	38.8	6	4.5	1.6	11.0
Esophagus	25	9.5	6.1	14.4	17	15.5	9.0	25.5	8	4.7	2.0	10.8
Stomach	14	5.1	2.8	9.1	7	6.4	2.6	13.9	7	4.4	1.7	10.6
Colon and Rectum	191	71.3	61.3	82.7	86	80.3	64.1	99.7	105	67.1	54.3	82.9
Liver	8	3.1	1.3	6.5	5	4.5	1.5	11.2	3	2.0	0.4	7.3
Pancreas	26	10.1	6.6	15.3	10	9.0	4.3	17.1	16	10.1	5.7	17.8
Lung and Bronchus	252	96.9	85.2	110.1	161	143.4	122.0	167.9	91	62.8	50.1	78.4
Bones and Joints	1	0.6	0.0	3.4	1	1.2	0.0	6.7	0	0.0	0.0	4.7
Melanoma of the Skin	26	11.7	7.6	17.5	15	14.5	8.1	24.5	11	9.4	4.4	18.0
Breast (invasive)	149	58.9	49.7	69.6	0	0.0	0.0	4.5	149	106.6	89.5	126.6
Cervix (invasive)	-	-	-	-	-	-	-	-	9	9.1	4.1	17.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	35	25.4	17.5	36.4
Ovary	-	-	-	-	-	-	-	-	21	16.5	9.9	26.5
Prostate	-	-	-	-	208	183.4	159.2	210.6	-	-	-	-
Testis	-	-	-	-	6	6.7	2.5	14.8	-	-	-	-
Urinary Bladder	58	20.9	15.8	27.4	46	42.1	30.7	56.7	12	7.0	3.5	13.6
Kidney and Renal Pelvis	40	15.8	11.2	22.0	25	22.4	14.4	33.6	15	10.8	5.8	19.0
Brain and Other Nervous System	20	8.6	5.2	13.7	8	7.8	3.3	15.9	12	9.8	4.8	18.2
Hodgkin's Disease	4	2.2	0.6	5.9	3	3.3	0.7	10.0	1	1.2	0.0	6.8
Non-Hodgkin's Lymphomas	72	28.5	22.2	36.3	35	32.0	22.2	45.0	37	25.9	18.0	37.0
Multiple Myeloma	20	7.3	4.4	11.7	15	13.2	7.4	22.4	5	3.5	1.0	9.6
Leukemias	31	12.7	8.5	18.5	17	16.4	9.5	26.8	14	9.7	4.9	17.9
All Other Sites	110	43.3	35.4	52.7	49	45.4	33.5	60.6	61	40.2	30.3	53.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	24	18.2	11.5	28.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Fulton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,222	494.1	466.2	523.4	663	601.1	556.0	649.2	559	427.1	390.8	466.5
Oral Cavity and Pharynx	16	6.4	3.6	11.0	7	6.3	2.5	13.8	9	6.6	2.8	14.3
Esophagus	13	4.9	2.6	9.0	11	9.7	4.9	18.2	2	1.3	0.1	7.1
Stomach	9	3.2	1.5	6.8	7	6.2	2.5	13.6	2	1.4	0.1	7.4
Colon and Rectum	154	61.8	52.3	72.9	80	73.2	58.0	91.6	74	55.1	42.8	70.8
Liver	8	3.5	1.5	7.5	4	3.8	1.0	10.6	4	3.2	0.8	9.9
Pancreas	29	10.4	7.0	15.5	11	9.9	4.9	18.4	18	10.2	6.0	17.9
Lung and Bronchus	217	86.6	75.3	99.5	131	118.0	98.6	140.6	86	62.1	49.3	78.1
Bones and Joints	0	0.0	0.0	2.6	0	0.0	0.0	4.8	0	0.0	0.0	5.5
Melanoma of the Skin	39	17.6	12.4	24.5	23	21.3	13.5	32.5	16	15.3	8.5	26.0
Breast (invasive)	161	67.9	57.6	79.8	5	4.5	1.4	11.3	156	123.8	104.3	146.5
Cervix (invasive)	-	-	-	-	-	-	-	-	7	6.8	2.6	15.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	30	25.5	17.0	37.7
Ovary	-	-	-	-	-	-	-	-	17	14.1	8.0	23.9
Prostate	-	-	-	-	183	163.3	140.5	189.3	-	-	-	-
Testis	-	-	-	-	2	1.9	0.2	7.7	-	-	-	-
Urinary Bladder	65	25.1	19.3	32.5	58	51.9	39.4	67.7	7	4.7	1.7	11.7
Kidney and Renal Pelvis	38	16.0	11.2	22.5	24	22.5	14.4	34.1	14	11.0	5.7	20.1
Brain and Other Nervous System	8	3.5	1.5	7.4	3	2.9	0.6	9.2	5	4.0	1.2	11.1
Hodgkin's Disease	9	4.2	1.9	8.5	6	6.0	2.2	13.6	3	1.9	0.4	7.8
Non-Hodgkin's Lymphomas	53	21.4	15.9	28.6	28	25.8	17.1	37.9	25	17.2	10.9	27.0
Multiple Myeloma	10	3.5	1.7	7.1	8	7.2	3.1	14.9	2	1.2	0.1	6.9
Leukemias	30	12.5	8.3	18.4	16	15.3	8.7	25.4	14	10.5	5.4	19.4
All Other Sites	124	50.6	41.9	60.9	56	51.6	39.0	67.6	68	51.4	39.3	66.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	11.6	5.9	21.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Gallatin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	215	511.8	444.1	589.0	113	607.8	498.6	736.8	102	436.1	352.9	538.9
Oral Cavity and Pharynx	3	6.2	1.2	23.6	2	9.4	1.1	43.3	1	4.6	0.1	39.4
Esophagus	1	2.5	0.1	18.9	1	6.1	0.2	39.9	0	0.0	0.0	33.2
Stomach	3	6.0	1.2	23.3	0	0.0	0.0	30.0	3	11.0	2.1	47.0
Colon and Rectum	32	77.6	52.4	113.2	12	65.6	33.2	120.3	20	85.0	50.4	141.7
Liver	1	2.2	0.1	18.3	1	4.4	0.1	36.1	0	0.0	0.0	33.2
Pancreas	10	22.7	10.7	45.8	5	23.5	7.6	62.5	5	22.0	6.7	62.8
Lung and Bronchus	42	95.2	68.3	131.8	22	115.5	71.6	180.5	20	81.9	49.7	135.5
Bones and Joints	0	0.0	0.0	15.4	0	0.0	0.0	30.0	0	0.0	0.0	33.2
Melanoma of the Skin	7	21.2	8.3	46.4	3	18.2	3.5	58.5	4	23.5	5.9	68.4
Breast (invasive)	20	44.4	27.0	72.0	1	4.4	0.1	36.1	19	77.8	46.3	130.8
Cervix (invasive)	-	-	-	-	-	-	-	-	2	10.4	1.3	47.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	5	21.1	6.6	61.0
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	33.2
Prostate	-	-	-	-	26	130.4	84.9	196.3	-	-	-	-
Testis	-	-	-	-	2	15.8	1.9	57.7	-	-	-	-
Urinary Bladder	13	28.4	14.9	52.6	8	46.0	19.6	95.5	5	19.6	6.2	58.3
Kidney and Renal Pelvis	9	21.7	9.8	44.8	7	37.0	14.4	82.8	2	8.9	1.1	44.9
Brain and Other Nervous System	3	10.0	2.0	31.5	1	8.1	0.2	45.3	2	12.4	1.4	52.8
Hodgkin's Disease	1	3.5	0.1	21.4	1	7.3	0.2	42.9	0	0.0	0.0	33.2
Non-Hodgkin's Lymphomas	6	15.0	5.4	36.4	5	27.1	8.4	69.8	1	4.3	0.1	38.7
Multiple Myeloma	1	2.2	0.1	18.3	1	4.2	0.1	35.6	0	0.0	0.0	33.2
Leukemias	7	18.0	6.8	41.2	5	29.1	9.1	73.4	2	7.3	0.8	42.1
All Other Sites	21	51.5	31.4	82.3	10	55.8	26.1	108.4	11	46.3	22.4	93.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7	36.9	14.3	84.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Greene County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	485	530.3	483.3	581.3	254	636.0	559.6	720.7	231	464.5	404.2	532.7
Oral Cavity and Pharynx	11	12.6	6.2	23.6	9	22.2	10.1	43.7	2	5.0	0.6	20.3
Esophagus	5	5.8	1.8	14.6	4	11.1	3.0	29.3	1	2.1	0.1	15.4
Stomach	2	1.8	0.2	8.5	2	5.2	0.6	20.5	0	0.0	0.0	12.3
Colon and Rectum	79	83.7	66.0	105.3	42	104.9	75.5	143.1	37	70.1	48.6	99.8
Liver	5	6.0	1.9	15.2	4	10.9	2.9	29.0	1	3.0	0.1	17.6
Pancreas	14	16.4	8.8	28.4	9	24.1	10.9	46.8	5	10.1	3.2	26.7
Lung and Bronchus	88	93.6	74.8	116.5	57	140.5	106.2	183.4	31	58.7	39.1	86.4
Bones and Joints	1	1.5	0.0	8.8	0	0.0	0.0	11.8	1	3.0	0.1	17.7
Melanoma of the Skin	12	13.9	7.1	25.2	7	17.9	7.1	38.1	5	10.1	3.1	26.9
Breast (invasive)	60	69.9	53.0	91.0	0	0.0	0.0	11.8	60	129.3	97.6	169.5
Cervix (invasive)	-	-	-	-	-	-	-	-	3	9.3	1.9	27.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	33.4	18.7	56.9
Ovary	-	-	-	-	-	-	-	-	10	23.0	10.7	44.7
Prostate	-	-	-	-	65	159.4	122.8	204.5	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	11.8	-	-	-	-
Urinary Bladder	22	22.2	13.8	34.7	11	26.2	13.0	48.5	11	19.7	9.7	38.5
Kidney and Renal Pelvis	12	12.8	6.5	23.5	7	18.0	7.2	38.3	5	10.6	3.1	28.1
Brain and Other Nervous System	8	8.7	3.7	18.4	3	8.4	1.7	25.6	5	7.9	2.5	22.6
Hodgkin's Disease	2	2.6	0.3	10.2	1	3.0	0.1	17.1	1	2.1	0.1	15.4
Non-Hodgkin's Lymphomas	14	15.3	8.3	26.7	8	19.9	8.5	40.6	6	10.6	3.8	26.7
Multiple Myeloma	4	4.0	1.1	11.7	3	6.9	1.4	22.2	1	1.8	0.0	14.7
Leukemias	18	20.4	12.0	33.3	10	26.3	12.5	49.6	8	14.2	6.0	31.4
All Other Sites	34	35.3	24.2	50.4	12	31.0	15.9	55.4	22	40.5	24.8	64.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	21.5	9.6	42.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Grundy County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	986	527.3	494.9	561.4	497	605.6	553.0	662.5	489	479.5	437.7	524.6
Oral Cavity and Pharynx	36	19.0	13.3	26.4	21	23.3	14.4	36.7	15	14.7	8.2	24.8
Esophagus	10	5.4	2.6	10.0	8	10.2	4.4	21.1	2	1.8	0.2	7.4
Stomach	14	7.5	4.1	12.7	8	10.8	4.6	22.0	6	5.5	2.0	12.8
Colon and Rectum	133	71.1	59.5	84.3	63	77.6	59.4	100.1	70	65.5	50.9	83.3
Liver	6	3.2	1.2	7.2	5	5.9	1.9	14.9	1	1.0	0.0	6.4
Pancreas	18	9.8	5.8	15.5	13	15.1	8.0	26.8	5	4.6	1.5	11.5
Lung and Bronchus	133	71.5	59.9	84.8	84	103.3	82.2	128.8	49	47.1	34.8	62.7
Bones and Joints	0	0.0	0.0	2.2	0	0.0	0.0	6.3	0	0.0	0.0	4.6
Melanoma of the Skin	28	14.8	9.8	21.5	13	13.9	7.4	24.9	15	14.9	8.3	25.0
Breast (invasive)	157	83.4	70.8	97.6	1	1.3	0.0	8.4	156	156.2	132.5	183.1
Cervix (invasive)	-	-	-	-	-	-	-	-	8	8.2	3.5	16.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	21	21.8	13.5	33.7
Ovary	-	-	-	-	-	-	-	-	20	20.1	12.3	31.5
Prostate	-	-	-	-	136	170.9	143.1	202.9	-	-	-	-
Testis	-	-	-	-	6	6.4	2.3	15.2	-	-	-	-
Urinary Bladder	55	29.2	22.0	38.1	37	46.8	32.8	65.3	18	16.9	9.9	27.2
Kidney and Renal Pelvis	23	12.3	7.8	18.6	14	16.3	8.9	28.3	9	8.5	3.9	16.8
Brain and Other Nervous System	16	8.6	4.9	14.0	6	7.0	2.5	16.4	10	10.4	5.0	19.6
Hodgkin's Disease	7	3.6	1.4	7.5	5	4.9	1.6	13.1	2	2.0	0.2	7.9
Non-Hodgkin's Lymphomas	32	17.0	11.6	24.1	15	18.4	10.3	31.3	17	16.5	9.5	26.9
Multiple Myeloma	10	5.4	2.6	10.0	6	6.7	2.4	15.8	4	4.0	1.1	10.8
Leukemias	41	22.0	15.8	30.0	25	29.4	19.0	44.3	16	15.9	9.0	26.3
All Other Sites	76	40.2	31.6	50.4	31	37.5	25.3	54.2	45	44.1	32.1	59.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	27	28.0	18.4	41.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Hamilton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	252	419.8	368.3	477.8	144	560.0	471.3	663.2	108	331.2	268.6	407.4
Oral Cavity and Pharynx	6	11.0	4.0	26.5	5	20.4	6.6	52.0	1	3.1	0.1	26.6
Esophagus	3	4.5	0.9	17.0	3	10.7	2.2	37.7	0	0.0	0.0	22.3
Stomach	3	4.4	0.9	16.8	2	7.3	0.9	33.0	1	1.7	0.0	24.0
Colon and Rectum	41	62.6	44.6	87.6	22	84.0	52.4	131.2	19	50.2	28.9	86.4
Liver	1	1.6	0.0	13.2	1	3.2	0.1	26.8	0	0.0	0.0	22.3
Pancreas	4	6.8	1.8	20.7	3	12.2	2.5	40.7	1	4.2	0.1	29.0
Lung and Bronchus	44	71.4	51.6	98.2	28	105.1	69.5	155.8	16	45.3	25.5	80.0
Bones and Joints	1	1.6	0.0	13.2	0	0.0	0.0	22.5	1	2.6	0.1	25.5
Melanoma of the Skin	8	15.8	6.6	33.5	5	20.1	6.3	51.9	3	11.2	2.1	39.1
Breast (invasive)	35	63.3	43.7	90.3	0	0.0	0.0	22.5	35	117.5	80.3	169.5
Cervix (invasive)	-	-	-	-	-	-	-	-	1	5.2	0.1	31.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	11.4	2.2	39.2
Ovary	-	-	-	-	-	-	-	-	5	14.7	4.5	42.1
Prostate	-	-	-	-	38	150.4	106.0	210.0	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	22.5	-	-	-	-
Urinary Bladder	8	14.1	5.8	30.7	7	28.9	11.4	64.1	1	2.6	0.1	25.5
Kidney and Renal Pelvis	7	12.4	4.9	28.2	4	16.5	4.4	46.8	3	10.7	2.1	37.7
Brain and Other Nervous System	1	2.6	0.1	15.5	1	5.5	0.1	32.2	0	0.0	0.0	22.3
Hodgkin's Disease	0	0.0	0.0	11.1	0	0.0	0.0	22.5	0	0.0	0.0	22.3
Non-Hodgkin's Lymphomas	8	12.6	5.4	27.7	5	17.1	5.5	46.0	3	7.4	1.4	31.5
Multiple Myeloma	3	4.6	0.9	17.3	2	7.5	0.9	33.5	1	3.1	0.1	26.6
Leukemias	9	13.9	6.2	29.4	6	23.0	8.4	55.0	3	6.4	1.3	29.9
All Other Sites	23	40.1	25.1	62.7	12	48.2	24.6	88.3	11	34.0	16.3	67.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	22.6	8.0	54.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Hancock County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	633	479.3	442.1	519.4	337	584.6	523.6	651.9	296	407.7	360.6	460.6
Oral Cavity and Pharynx	15	12.2	6.7	21.2	13	23.9	12.7	42.5	2	2.7	0.3	13.7
Esophagus	3	2.6	0.5	8.8	3	5.5	1.1	18.4	0	0.0	0.0	10.1
Stomach	7	5.1	2.0	11.9	6	10.4	3.8	24.8	1	0.8	0.0	10.9
Colon and Rectum	86	61.2	48.8	76.6	40	68.7	49.0	95.0	46	53.9	38.9	74.9
Liver	4	3.0	0.8	9.2	0	0.0	0.0	10.2	4	5.5	1.5	17.6
Pancreas	15	11.1	6.1	19.5	9	15.9	7.3	32.1	6	8.3	2.8	21.5
Lung and Bronchus	94	70.6	56.9	87.3	53	91.1	68.2	120.7	41	57.2	40.6	80.2
Bones and Joints	0	0.0	0.0	5.0	0	0.0	0.0	10.2	0	0.0	0.0	10.1
Melanoma of the Skin	16	12.3	7.0	21.0	10	16.9	8.1	33.1	6	8.7	3.1	21.9
Breast (invasive)	93	72.3	58.1	89.6	1	1.7	0.0	12.7	92	130.1	103.8	162.5
Cervix (invasive)	-	-	-	-	-	-	-	-	5	9.6	3.0	24.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	16	23.5	13.3	40.5
Ovary	-	-	-	-	-	-	-	-	8	10.1	4.1	23.4
Prostate	-	-	-	-	103	175.6	143.3	214.4	-	-	-	-
Testis	-	-	-	-	6	12.5	4.5	28.6	-	-	-	-
Urinary Bladder	35	25.3	17.6	36.3	31	53.7	36.5	77.9	4	5.3	1.4	17.0
Kidney and Renal Pelvis	16	12.8	7.3	21.9	7	12.2	4.9	27.2	9	14.0	6.2	29.3
Brain and Other Nervous System	6	4.6	1.7	11.4	3	5.3	1.1	17.9	3	3.8	0.8	15.0
Hodgkin's Disease	2	2.1	0.2	8.5	1	1.7	0.0	12.6	1	2.7	0.1	15.1
Non-Hodgkin's Lymphomas	22	16.6	10.3	26.2	11	19.1	9.5	36.0	11	14.1	6.8	28.3
Multiple Myeloma	6	4.1	1.5	10.4	4	7.0	1.9	20.2	2	2.2	0.3	12.7
Leukemias	20	15.8	9.5	25.6	9	16.0	7.2	32.3	11	15.4	7.4	30.5
All Other Sites	55	42.5	31.8	56.4	27	47.5	31.3	70.7	28	40.0	25.9	60.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	19.1	9.4	36.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Hardin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	153	474.1	401.0	559.9	90	607.6	487.6	754.5	63	362.0	275.6	476.7
Oral Cavity and Pharynx	6	18.2	6.7	45.9	5	30.9	10.0	85.0	1	5.0	0.1	54.0
Esophagus	0	0.0	0.0	21.6	0	0.0	0.0	43.6	0	0.0	0.0	48.1
Stomach	3	8.5	1.8	32.8	2	13.4	1.6	62.5	1	5.0	0.1	53.9
Colon and Rectum	27	84.3	55.2	127.5	17	121.3	70.4	202.5	10	59.0	27.8	123.8
Liver	4	12.4	3.4	38.4	1	7.5	0.2	54.7	3	17.6	3.5	70.7
Pancreas	1	2.8	0.1	25.3	0	0.0	0.0	43.6	1	5.4	0.1	54.7
Lung and Bronchus	33	98.1	67.3	142.5	18	119.9	70.8	198.6	15	78.7	43.9	144.9
Bones and Joints	0	0.0	0.0	21.6	0	0.0	0.0	43.6	0	0.0	0.0	48.1
Melanoma of the Skin	4	15.0	3.9	43.5	3	21.3	4.3	74.1	1	9.1	0.2	62.5
Breast (invasive)	11	35.9	17.7	69.4	0	0.0	0.0	43.6	11	69.0	33.9	137.7
Cervix (invasive)	-	-	-	-	-	-	-	-	2	14.2	1.5	68.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	9.1	1.1	58.5
Ovary	-	-	-	-	-	-	-	-	3	17.2	3.4	70.0
Prostate	-	-	-	-	18	118.5	70.1	196.4	-	-	-	-
Testis	-	-	-	-	1	8.8	0.2	57.8	-	-	-	-
Urinary Bladder	7	22.2	8.7	51.7	5	35.8	11.5	94.0	2	10.5	1.2	60.8
Kidney and Renal Pelvis	6	18.1	6.6	45.8	5	31.1	10.1	85.5	1	5.4	0.1	54.7
Brain and Other Nervous System	0	0.0	0.0	21.6	0	0.0	0.0	43.6	0	0.0	0.0	48.1
Hodgkin's Disease	1	5.1	0.1	30.5	1	9.7	0.2	60.2	0	0.0	0.0	48.1
Non-Hodgkin's Lymphomas	4	14.4	3.7	42.6	2	13.3	1.6	62.3	2	17.6	1.5	77.5
Multiple Myeloma	1	2.8	0.1	25.2	1	6.3	0.2	52.2	0	0.0	0.0	48.1
Leukemias	4	11.7	3.2	37.2	2	12.3	1.5	60.2	2	10.1	1.2	60.0
All Other Sites	15	43.4	24.3	77.0	9	57.6	26.2	120.3	6	28.8	10.5	82.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	6.3	0.2	56.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Henderson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	246	469.9	412.4	534.9	133	572.5	477.4	683.6	113	408.8	335.5	497.8
Oral Cavity and Pharynx	4	7.5	2.0	23.2	4	14.8	4.0	45.3	0	0.0	0.0	26.8
Esophagus	4	6.9	1.9	22.0	3	10.3	2.1	38.7	1	2.6	0.1	29.8
Stomach	1	1.8	0.0	15.3	1	3.7	0.1	30.1	0	0.0	0.0	26.8
Colon and Rectum	31	57.9	39.2	84.8	19	78.3	46.7	127.2	12	41.2	20.9	80.0
Liver	2	3.7	0.4	18.1	1	4.9	0.1	32.8	1	3.3	0.1	31.0
Pancreas	2	3.6	0.4	17.8	0	0.0	0.0	25.0	2	6.4	0.8	34.8
Lung and Bronchus	42	78.1	56.2	108.1	26	112.9	73.0	170.1	16	53.2	30.3	93.6
Bones and Joints	0	0.0	0.0	12.9	0	0.0	0.0	25.0	0	0.0	0.0	26.8
Melanoma of the Skin	10	19.8	9.4	39.4	9	38.3	17.3	78.0	1	5.0	0.1	34.7
Breast (invasive)	41	80.6	57.5	112.0	0	0.0	0.0	25.0	41	153.6	109.4	214.8
Cervix (invasive)	-	-	-	-	-	-	-	-	4	18.5	5.0	53.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	25.1	10.0	60.0
Ovary	-	-	-	-	-	-	-	-	4	14.5	3.9	46.2
Prostate	-	-	-	-	38	165.0	115.7	231.3	-	-	-	-
Testis	-	-	-	-	3	16.7	3.4	51.7	-	-	-	-
Urinary Bladder	11	21.4	10.6	41.4	7	28.5	11.3	64.6	4	14.6	3.8	46.5
Kidney and Renal Pelvis	8	14.8	6.4	32.7	4	15.2	4.1	46.2	4	13.4	3.6	44.1
Brain and Other Nervous System	3	6.4	1.2	22.4	0	0.0	0.0	25.0	3	12.8	2.4	45.3
Hodgkin's Disease	0	0.0	0.0	12.9	0	0.0	0.0	25.0	0	0.0	0.0	26.8
Non-Hodgkin's Lymphomas	13	25.6	13.6	46.7	8	36.2	15.4	76.1	5	17.8	5.6	50.6
Multiple Myeloma	4	7.1	1.9	22.3	2	9.7	1.1	40.5	2	6.6	0.8	35.3
Leukemias	4	7.5	2.0	23.1	2	8.5	1.0	37.5	2	6.7	0.8	35.5
All Other Sites	10	19.7	9.3	39.5	6	29.4	10.5	68.4	4	13.5	3.7	44.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	27.4	11.7	62.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Henry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,508	492.8	468.1	518.8	798	593.3	552.7	636.3	710	422.6	391.3	456.3
Oral Cavity and Pharynx	43	14.5	10.4	19.8	31	23.3	15.8	33.5	12	7.4	3.7	13.9
Esophagus	20	6.5	4.0	10.4	18	13.0	7.7	21.0	2	1.2	0.1	5.6
Stomach	19	6.0	3.6	9.7	13	9.5	5.0	16.7	6	3.2	1.2	8.2
Colon and Rectum	198	61.9	53.5	71.5	97	72.4	58.7	88.7	101	52.6	42.6	65.0
Liver	12	4.0	2.1	7.3	3	2.1	0.4	6.9	9	5.3	2.4	11.1
Pancreas	30	9.5	6.4	13.9	12	8.8	4.5	15.8	18	9.4	5.5	15.9
Lung and Bronchus	213	68.3	59.4	78.4	135	99.5	83.4	118.1	78	46.0	36.2	58.2
Bones and Joints	4	1.5	0.4	4.1	4	2.9	0.8	8.1	0	0.0	0.0	3.9
Melanoma of the Skin	59	20.7	15.7	26.9	33	24.8	17.0	35.2	26	18.2	11.8	27.4
Breast (invasive)	213	71.5	62.2	82.1	1	0.7	0.0	4.8	212	133.0	115.3	153.1
Cervix (invasive)	-	-	-	-	-	-	-	-	20	15.4	9.3	24.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	51	30.6	22.7	41.1
Ovary	-	-	-	-	-	-	-	-	29	16.9	11.2	25.2
Prostate	-	-	-	-	226	164.6	143.8	187.9	-	-	-	-
Testis	-	-	-	-	6	5.0	1.8	11.2	-	-	-	-
Urinary Bladder	70	22.4	17.5	28.7	52	39.8	29.7	52.5	18	10.6	6.2	17.7
Kidney and Renal Pelvis	41	13.5	9.7	18.7	21	15.4	9.5	24.0	20	11.3	6.8	18.4
Brain and Other Nervous System	23	8.1	5.1	12.4	16	12.4	7.1	20.6	7	4.3	1.7	9.9
Hodgkin's Disease	8	3.7	1.6	7.3	6	5.4	2.0	12.0	2	2.0	0.2	7.4
Non-Hodgkin's Lymphomas	66	21.2	16.4	27.3	36	27.2	19.0	38.0	30	15.8	10.5	23.6
Multiple Myeloma	16	4.9	2.8	8.3	10	7.3	3.5	14.0	6	3.0	1.0	7.8
Leukemias	34	11.1	7.7	15.8	20	15.0	9.2	23.6	14	7.9	4.3	14.3
All Other Sites	107	34.4	28.1	41.8	58	44.1	33.5	57.4	49	28.4	20.7	38.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	33	21.3	14.6	30.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Iroquois County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	944	468.7	438.7	500.5	503	560.3	512.1	612.4	441	403.8	365.3	446.3
Oral Cavity and Pharynx	14	8.0	4.3	14.0	12	14.3	7.4	26.0	2	2.6	0.3	11.1
Esophagus	11	5.6	2.7	10.7	8	9.0	3.9	18.7	3	2.8	0.6	10.8
Stomach	13	6.2	3.3	11.5	8	9.3	4.0	19.2	5	3.9	1.2	12.0
Colon and Rectum	141	65.5	55.0	77.9	75	82.9	65.1	104.8	66	50.6	38.8	66.4
Liver	2	0.9	0.1	4.6	1	1.1	0.0	7.8	1	0.9	0.0	8.3
Pancreas	26	12.1	7.8	18.5	11	12.5	6.2	23.4	15	11.2	6.2	20.9
Lung and Bronchus	141	68.1	57.2	80.9	85	92.9	74.2	115.7	56	49.8	37.4	66.4
Bones and Joints	2	1.0	0.1	4.7	0	0.0	0.0	6.2	2	2.0	0.2	9.7
Melanoma of the Skin	24	13.1	8.2	20.2	13	15.2	8.0	26.9	11	12.1	5.7	23.8
Breast (invasive)	128	66.2	55.0	79.4	2	2.4	0.3	9.8	126	120.5	99.6	145.6
Cervix (invasive)	-	-	-	-	-	-	-	-	11	10.9	5.2	21.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	14.5	8.3	25.5
Ovary	-	-	-	-	-	-	-	-	19	18.8	11.2	31.3
Prostate	-	-	-	-	135	146.7	122.9	174.4	-	-	-	-
Testis	-	-	-	-	6	8.1	2.9	18.3	-	-	-	-
Urinary Bladder	51	24.7	18.3	33.2	37	40.3	28.3	56.5	14	11.6	6.2	21.8
Kidney and Renal Pelvis	19	9.5	5.7	15.6	12	13.6	7.0	24.7	7	6.5	2.5	15.6
Brain and Other Nervous System	8	4.1	1.8	8.9	4	4.6	1.2	13.0	4	3.4	0.9	11.3
Hodgkin's Disease	8	5.4	2.3	11.1	4	5.8	1.5	15.3	4	4.9	1.2	14.3
Non-Hodgkin's Lymphomas	36	19.7	13.7	28.0	26	30.3	19.7	45.3	10	10.3	4.7	21.0
Multiple Myeloma	16	7.4	4.2	12.8	9	9.5	4.3	19.1	7	5.5	2.1	14.0
Leukemias	30	14.7	9.8	21.7	19	21.2	12.7	34.0	11	10.6	4.9	21.4
All Other Sites	86	44.8	35.5	56.1	36	40.7	28.5	57.3	50	50.3	36.4	68.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	22	21.2	13.1	34.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Jackson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,178	464.4	438.1	492.0	620	569.5	525.2	617.0	558	392.7	360.2	427.7
Oral Cavity and Pharynx	28	10.9	7.2	15.9	19	16.2	9.6	26.1	9	6.4	2.9	12.7
Esophagus	14	5.3	2.9	9.1	9	8.6	3.9	16.7	5	3.0	1.0	7.9
Stomach	13	5.0	2.6	8.7	7	6.2	2.5	13.4	6	3.4	1.2	8.4
Colon and Rectum	164	64.7	55.1	75.5	84	77.6	61.8	96.5	80	52.8	41.6	66.3
Liver	9	3.4	1.5	6.6	5	4.8	1.5	11.8	4	2.5	0.6	7.4
Pancreas	28	11.1	7.4	16.2	15	14.0	7.8	23.6	13	8.5	4.5	15.1
Lung and Bronchus	170	67.8	58.0	78.9	107	100.0	81.8	121.2	63	44.2	33.8	57.1
Bones and Joints	2	0.8	0.1	3.1	1	1.0	0.0	6.2	1	0.8	0.0	5.0
Melanoma of the Skin	24	9.8	6.3	14.7	17	15.0	8.7	24.6	7	5.2	2.1	11.3
Breast (invasive)	190	76.9	66.3	88.7	0	0.0	0.0	4.4	190	142.2	122.4	164.5
Cervix (invasive)	-	-	-	-	-	-	-	-	13	10.3	5.4	18.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	27	19.0	12.4	28.2
Ovary	-	-	-	-	-	-	-	-	10	7.2	3.4	13.8
Prostate	-	-	-	-	164	153.2	130.5	178.9	-	-	-	-
Testis	-	-	-	-	7	4.2	1.5	10.3	-	-	-	-
Urinary Bladder	64	25.3	19.5	32.4	47	43.4	31.8	58.2	17	11.8	6.8	19.4
Kidney and Renal Pelvis	29	11.8	7.9	17.1	15	13.3	7.4	22.5	14	10.3	5.6	17.8
Brain and Other Nervous System	20	7.6	4.6	12.1	11	10.4	5.1	19.0	9	5.9	2.6	12.1
Hodgkin's Disease	7	2.1	0.8	4.9	3	1.9	0.3	7.2	4	2.4	0.6	7.1
Non-Hodgkin's Lymphomas	37	14.5	10.2	20.1	21	18.4	11.3	28.8	16	11.6	6.6	19.2
Multiple Myeloma	18	7.0	4.1	11.2	9	8.9	4.0	17.3	9	6.5	3.0	12.8
Leukemias	27	10.4	6.8	15.2	17	16.2	9.4	26.3	10	6.2	2.9	12.2
All Other Sites	113	42.9	35.3	51.8	62	56.3	42.9	72.8	51	32.4	23.8	43.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	39	29.0	20.6	40.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Jasper County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	298	492.0	437.1	553.1	158	588.8	500.4	689.7	140	420.4	351.5	502.3
Oral Cavity and Pharynx	6	10.8	3.9	25.4	4	15.2	4.1	41.7	2	6.0	0.6	30.3
Esophagus	2	2.7	0.3	13.6	2	7.2	0.9	29.7	0	0.0	0.0	22.0
Stomach	6	9.8	3.6	23.7	4	14.8	4.0	40.8	2	6.5	0.7	31.1
Colon and Rectum	48	77.7	57.0	104.8	28	104.2	69.2	152.6	20	57.8	34.6	95.4
Liver	3	4.3	0.9	15.9	1	3.7	0.1	24.4	2	4.0	0.5	26.5
Pancreas	8	13.4	5.8	28.5	3	11.3	2.3	36.1	5	14.7	4.7	41.4
Lung and Bronchus	55	88.6	66.5	117.1	30	112.6	76.0	162.7	25	71.7	45.7	112.0
Bones and Joints	0	0.0	0.0	9.9	0	0.0	0.0	18.5	0	0.0	0.0	22.0
Melanoma of the Skin	8	14.5	6.2	30.3	6	22.6	8.3	51.8	2	6.0	0.6	30.3
Breast (invasive)	32	53.3	36.2	77.0	0	0.0	0.0	18.5	32	98.2	66.3	144.2
Cervix (invasive)	-	-	-	-	-	-	-	-	2	9.2	1.1	36.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	22.4	8.8	52.2
Ovary	-	-	-	-	-	-	-	-	4	13.5	3.6	40.8
Prostate	-	-	-	-	46	169.1	123.8	227.5	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	18.5	-	-	-	-
Urinary Bladder	16	26.2	14.8	44.5	13	48.7	25.9	85.5	3	9.4	1.6	35.6
Kidney and Renal Pelvis	7	11.8	4.7	26.4	2	7.3	0.9	29.9	5	17.0	5.5	45.6
Brain and Other Nervous System	3	5.0	1.0	17.2	1	3.8	0.1	24.7	2	7.2	0.9	32.3
Hodgkin's Disease	3	5.9	1.2	19.0	1	4.8	0.1	27.2	2	7.2	0.9	32.3
Non-Hodgkin's Lymphomas	11	18.1	9.0	34.4	3	10.8	2.2	35.0	8	24.8	10.5	55.1
Multiple Myeloma	3	4.8	1.0	16.8	1	3.5	0.1	24.1	2	5.4	0.6	29.0
Leukemias	7	10.6	4.2	24.5	4	14.7	4.0	40.6	3	6.2	1.3	29.0
All Other Sites	21	34.3	21.0	54.4	9	34.3	15.7	67.4	12	33.3	16.6	65.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	4	12.7	3.4	39.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Jefferson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,090	472.8	445.0	502.2	582	576.2	530.2	625.4	508	404.8	369.3	443.2
Oral Cavity and Pharynx	29	13.2	8.8	19.3	22	21.3	13.3	32.7	7	6.0	2.3	13.2
Esophagus	5	2.1	0.7	5.4	4	3.8	1.0	10.3	1	0.6	0.0	5.3
Stomach	13	5.2	2.8	9.3	8	8.4	3.6	16.9	5	3.2	1.0	8.9
Colon and Rectum	152	62.9	53.3	74.1	80	79.8	63.2	99.7	72	48.8	37.9	62.6
Liver	14	6.5	3.5	11.2	7	6.8	2.7	14.5	7	6.5	2.6	14.2
Pancreas	18	7.6	4.5	12.4	13	13.1	7.0	22.8	5	3.9	1.2	10.2
Lung and Bronchus	154	66.1	56.0	77.7	99	97.9	79.5	119.6	55	42.7	32.0	56.5
Bones and Joints	0	0.0	0.0	2.3	0	0.0	0.0	4.6	0	0.0	0.0	4.7
Melanoma of the Skin	31	13.7	9.3	19.8	22	22.0	13.7	33.6	9	7.3	3.2	14.9
Breast (invasive)	161	71.1	60.5	83.3	0	0.0	0.0	4.6	161	133.4	113.0	156.8
Cervix (invasive)	-	-	-	-	-	-	-	-	18	18.2	10.7	29.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	29	26.0	17.3	38.0
Ovary	-	-	-	-	-	-	-	-	17	14.3	8.3	23.8
Prostate	-	-	-	-	163	161.1	137.2	188.1	-	-	-	-
Testis	-	-	-	-	4	3.8	1.0	10.4	-	-	-	-
Urinary Bladder	32	13.5	9.2	19.3	25	24.9	16.1	37.1	7	4.9	1.9	11.4
Kidney and Renal Pelvis	35	16.1	11.2	22.6	23	22.4	14.2	34.0	12	10.5	5.4	19.1
Brain and Other Nervous System	8	3.6	1.6	7.5	4	3.9	1.1	10.6	4	3.1	0.8	9.1
Hodgkin's Disease	3	1.6	0.3	4.8	2	1.9	0.2	7.5	1	1.2	0.0	6.8
Non-Hodgkin's Lymphomas	44	19.0	13.8	25.8	21	20.8	12.9	32.2	23	18.0	11.3	28.0
Multiple Myeloma	14	5.9	3.2	10.2	9	8.7	4.0	17.1	5	3.6	1.1	9.8
Leukemias	31	13.3	9.0	19.3	19	19.4	11.6	30.6	12	8.8	4.4	16.5
All Other Sites	115	49.6	40.9	59.9	57	56.2	42.5	73.2	58	43.9	33.0	58.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	13.1	7.3	22.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Jersey County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	494	414.7	378.8	453.5	255	482.2	424.2	546.8	239	367.8	322.0	419.3
Oral Cavity and Pharynx	14	12.2	6.6	21.1	10	18.3	8.7	35.4	4	6.2	1.6	18.2
Esophagus	5	3.9	1.3	10.2	5	10.7	3.3	26.5	0	0.0	0.0	9.3
Stomach	5	4.1	1.3	10.5	4	7.9	2.1	22.0	1	1.3	0.0	11.1
Colon and Rectum	63	51.1	39.2	65.9	35	67.0	46.4	94.9	28	38.1	25.2	57.1
Liver	2	1.8	0.2	7.3	2	4.0	0.5	16.6	0	0.0	0.0	9.3
Pancreas	7	6.0	2.4	13.2	4	7.9	2.1	22.1	3	3.9	0.8	14.6
Lung and Bronchus	70	57.3	44.7	73.0	41	77.2	55.2	106.3	29	44.0	29.3	64.8
Bones and Joints	0	0.0	0.0	4.6	0	0.0	0.0	10.2	0	0.0	0.0	9.3
Melanoma of the Skin	13	11.6	6.2	20.5	6	10.7	3.9	25.4	7	11.7	4.6	26.1
Breast (invasive)	74	63.5	49.8	80.3	1	1.8	0.0	12.9	73	119.1	93.1	151.2
Cervix (invasive)	-	-	-	-	-	-	-	-	2	3.8	0.5	15.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	27.1	15.7	45.2
Ovary	-	-	-	-	-	-	-	-	12	18.6	9.5	34.5
Prostate	-	-	-	-	70	129.6	100.8	165.3	-	-	-	-
Testis	-	-	-	-	7	14.5	5.8	31.2	-	-	-	-
Urinary Bladder	35	29.0	20.2	40.9	25	46.2	29.8	69.7	10	14.9	7.1	29.5
Kidney and Renal Pelvis	12	10.7	5.5	19.3	7	13.4	5.4	29.4	5	8.3	2.6	21.3
Brain and Other Nervous System	9	8.0	3.6	15.8	4	7.1	1.9	20.4	5	8.5	2.7	21.6
Hodgkin's Disease	1	1.1	0.0	6.6	1	2.3	0.1	14.2	0	0.0	0.0	9.3
Non-Hodgkin's Lymphomas	28	23.2	15.4	34.2	12	23.0	11.8	42.0	16	23.3	13.2	39.8
Multiple Myeloma	6	5.1	1.9	11.9	4	7.6	2.1	21.4	2	2.8	0.3	13.2
Leukemias	9	7.4	3.4	14.8	4	7.4	2.0	21.2	5	6.9	2.2	18.8
All Other Sites	33	27.3	18.8	39.0	13	25.5	13.4	45.4	20	29.2	17.6	47.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	17.9	8.9	33.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Jo Daviess County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	787	526.6	490.0	565.8	431	622.4	564.2	685.8	356	452.0	405.1	504.5
Oral Cavity and Pharynx	24	15.9	10.2	24.7	16	23.2	13.1	39.3	8	9.6	4.1	22.5
Esophagus	12	7.6	3.9	14.4	9	13.1	5.8	26.7	3	3.2	0.6	14.0
Stomach	8	5.1	2.2	11.4	6	9.9	3.6	23.0	2	2.1	0.3	12.8
Colon and Rectum	99	65.6	53.2	80.7	47	67.7	49.5	91.5	52	60.1	44.7	81.5
Liver	6	3.9	1.4	9.8	5	7.0	2.2	18.3	1	1.0	0.0	11.3
Pancreas	15	9.8	5.5	17.2	7	9.8	3.9	22.1	8	9.2	3.9	21.8
Lung and Bronchus	101	65.7	53.4	80.7	58	84.4	63.8	110.6	43	54.3	39.1	75.8
Bones and Joints	1	0.8	0.0	5.8	1	1.5	0.0	10.9	0	0.0	0.0	10.3
Melanoma of the Skin	25	17.2	11.1	26.5	18	26.0	15.3	42.6	7	9.4	3.6	22.8
Breast (invasive)	110	75.7	62.1	92.2	2	2.7	0.3	12.3	108	141.0	115.1	172.9
Cervix (invasive)	-	-	-	-	-	-	-	-	10	18.1	8.6	35.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	24.5	14.6	41.0
Ovary	-	-	-	-	-	-	-	-	13	16.2	8.6	30.8
Prostate	-	-	-	-	127	175.7	146.2	210.6	-	-	-	-
Testis	-	-	-	-	5	9.9	3.2	23.8	-	-	-	-
Urinary Bladder	49	31.0	22.9	41.8	39	56.3	39.8	78.4	10	11.2	5.4	24.2
Kidney and Renal Pelvis	20	13.7	8.3	22.2	11	15.7	7.8	29.9	9	12.1	5.3	26.1
Brain and Other Nervous System	12	9.4	4.7	17.4	6	9.4	3.4	22.1	6	9.7	3.4	24.0
Hodgkin's Disease	3	2.2	0.4	7.9	0	0.0	0.0	8.5	3	4.3	0.8	16.3
Non-Hodgkin's Lymphomas	30	20.2	13.5	29.9	15	22.3	12.4	38.4	15	20.5	11.1	36.9
Multiple Myeloma	7	4.4	1.8	10.5	3	4.2	0.9	14.5	4	4.2	1.1	15.2
Leukemias	24	16.2	10.3	25.2	17	26.1	15.0	43.3	7	7.4	3.0	19.3
All Other Sites	67	45.5	35.2	58.7	39	57.5	40.7	80.1	28	33.9	22.4	51.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	18	24.8	14.6	41.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Johnson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	369	536.0	482.5	594.9	202	617.9	534.1	712.6	167	489.8	416.9	574.1
Oral Cavity and Pharynx	10	15.6	7.4	30.2	9	24.9	11.3	50.8	1	2.6	0.1	21.7
Esophagus	7	9.7	3.9	22.0	7	19.2	7.7	43.1	0	0.0	0.0	18.2
Stomach	4	5.6	1.5	16.6	3	8.8	1.8	29.8	1	2.4	0.1	21.3
Colon and Rectum	43	62.9	45.5	86.0	15	47.9	26.5	81.7	28	74.8	49.6	111.8
Liver	1	1.6	0.0	11.2	1	2.9	0.1	21.1	0	0.0	0.0	18.2
Pancreas	9	12.8	5.8	26.1	5	16.9	5.4	42.0	4	11.0	3.0	33.4
Lung and Bronchus	54	79.1	59.3	104.5	38	123.6	86.8	172.3	16	42.4	24.2	72.9
Bones and Joints	0	0.0	0.0	8.7	0	0.0	0.0	16.6	0	0.0	0.0	18.2
Melanoma of the Skin	16	23.3	13.3	39.4	10	27.7	13.1	54.3	6	17.5	6.1	42.8
Breast (invasive)	45	63.7	46.4	86.7	1	2.7	0.1	20.6	44	126.2	91.3	172.9
Cervix (invasive)	-	-	-	-	-	-	-	-	6	21.8	7.7	50.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	20.2	7.1	47.6
Ovary	-	-	-	-	-	-	-	-	10	31.8	14.9	62.2
Prostate	-	-	-	-	57	173.5	130.9	227.4	-	-	-	-
Testis	-	-	-	-	2	4.3	0.5	22.3	-	-	-	-
Urinary Bladder	24	34.7	22.2	53.1	18	58.4	34.1	95.1	6	15.8	5.8	39.4
Kidney and Renal Pelvis	7	10.1	4.0	22.6	4	10.7	2.9	31.7	3	9.1	1.8	31.3
Brain and Other Nervous System	5	7.9	2.5	20.2	4	11.5	2.9	33.7	1	2.9	0.1	22.3
Hodgkin's Disease	1	1.3	0.0	10.4	0	0.0	0.0	16.6	1	4.2	0.1	25.6
Non-Hodgkin's Lymphomas	13	18.9	10.0	33.9	6	18.0	6.6	42.4	7	20.5	8.1	46.5
Multiple Myeloma	8	11.4	4.9	24.3	6	17.2	6.2	41.1	2	5.7	0.7	26.3
Leukemias	9	14.6	6.6	29.2	4	13.6	3.5	37.6	5	16.0	4.9	41.7
All Other Sites	32	46.4	31.7	66.9	12	35.9	18.2	65.9	20	64.9	38.9	104.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	16.1	5.1	41.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,340	470.5	459.7	481.6	3,581	539.9	521.6	558.9	3,759	428.2	414.4	442.2
Oral Cavity and Pharynx	175	10.8	9.2	12.5	101	13.2	10.6	16.3	74	8.6	6.7	10.9
Esophagus	76	5.0	3.9	6.3	55	8.2	6.1	11.0	21	2.5	1.6	3.9
Stomach	102	6.6	5.4	8.0	61	8.8	6.7	11.6	41	4.7	3.4	6.4
Colon and Rectum	854	57.5	53.7	61.5	426	68.2	61.6	75.5	428	49.5	44.9	54.5
Liver	63	4.1	3.1	5.2	46	7.1	5.1	9.7	17	1.9	1.1	3.0
Pancreas	141	9.5	8.0	11.2	69	10.5	8.1	13.6	72	8.4	6.6	10.7
Lung and Bronchus	974	66.7	62.6	71.1	539	86.8	79.4	94.9	435	52.8	47.9	58.0
Bones and Joints	17	0.9	0.5	1.4	12	1.1	0.6	2.4	5	0.6	0.2	1.4
Melanoma of the Skin	233	13.1	11.4	14.9	124	15.4	12.6	18.7	109	11.6	9.5	14.0
Breast (invasive)	1,208	74.4	70.2	78.8	9	1.3	0.6	2.8	1,199	135.9	128.2	143.9
Cervix (invasive)	-	-	-	-	-	-	-	-	83	8.5	6.8	10.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	220	25.1	21.9	28.8
Ovary	-	-	-	-	-	-	-	-	135	15.2	12.7	18.1
Prostate	-	-	-	-	1,012	156.5	146.7	167.0	-	-	-	-
Testis	-	-	-	-	58	5.3	4.0	7.2	-	-	-	-
Urinary Bladder	344	23.6	21.1	26.2	244	39.8	34.8	45.4	100	11.6	9.4	14.1
Kidney and Renal Pelvis	214	13.5	11.7	15.4	137	19.5	16.2	23.4	77	8.8	6.9	11.0
Brain and Other Nervous System	111	6.3	5.1	7.6	55	6.9	5.1	9.4	56	6.0	4.5	7.8
Hodgkin's Disease	62	3.2	2.4	4.1	26	2.8	1.8	4.4	36	3.6	2.5	5.1
Non-Hodgkin's Lymphomas	292	18.3	16.2	20.6	153	22.2	18.6	26.4	139	15.8	13.3	18.7
Multiple Myeloma	79	5.2	4.1	6.5	37	5.8	4.0	8.2	42	4.8	3.5	6.6
Leukemias	215	13.2	11.5	15.2	121	17.5	14.3	21.3	94	10.3	8.3	12.7
All Other Sites	672	41.8	38.6	45.1	296	43.0	38.0	48.7	376	41.9	37.7	46.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	281	31.7	28.1	35.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,718	514.3	495.1	534.0	1,443	622.1	590.1	655.7	1,275	439.7	415.7	464.8
Oral Cavity and Pharynx	72	13.7	10.7	17.2	51	22.0	16.3	29.3	21	7.1	4.4	11.0
Esophagus	30	5.7	3.8	8.1	23	9.4	6.0	14.5	7	2.3	0.9	4.9
Stomach	58	10.9	8.3	14.1	42	18.6	13.3	25.5	16	5.0	2.8	8.3
Colon and Rectum	326	61.3	54.8	68.4	171	74.9	63.9	87.3	155	50.9	43.1	59.7
Liver	23	4.3	2.7	6.5	13	5.4	2.9	9.7	10	3.4	1.6	6.4
Pancreas	56	10.7	8.0	13.9	31	13.6	9.2	19.7	25	7.9	5.1	11.8
Lung and Bronchus	454	85.3	77.6	93.5	267	114.7	101.3	129.7	187	63.8	55.0	73.8
Bones and Joints	2	0.4	0.0	1.4	1	0.5	0.0	3.2	1	0.3	0.0	2.1
Melanoma of the Skin	57	11.0	8.3	14.3	26	11.2	7.2	16.8	31	11.2	7.6	16.0
Breast (invasive)	355	67.9	61.0	75.4	3	1.3	0.3	4.4	352	124.8	112.0	138.7
Cervix (invasive)	-	-	-	-	-	-	-	-	36	13.6	9.5	18.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	65	22.7	17.5	29.0
Ovary	-	-	-	-	-	-	-	-	41	14.0	10.0	19.1
Prostate	-	-	-	-	381	164.4	148.2	182.2	-	-	-	-
Testis	-	-	-	-	13	5.2	2.8	9.4	-	-	-	-
Urinary Bladder	130	24.4	20.4	29.0	95	41.8	33.8	51.6	35	11.5	8.0	16.1
Kidney and Renal Pelvis	87	16.5	13.2	20.4	54	22.6	17.0	29.9	33	11.5	7.9	16.3
Brain and Other Nervous System	40	7.6	5.4	10.3	22	9.0	5.7	14.1	18	6.4	3.8	10.2
Hodgkin's Disease	13	2.5	1.3	4.3	7	2.8	1.1	6.3	6	2.3	0.9	5.1
Non-Hodgkin's Lymphomas	104	19.7	16.1	23.9	56	24.1	18.1	31.7	48	16.1	11.9	21.6
Multiple Myeloma	31	5.9	4.0	8.4	11	4.8	2.4	9.1	20	6.7	4.1	10.5
Leukemias	79	14.9	11.8	18.6	47	19.4	14.3	26.2	32	10.8	7.4	15.4
All Other Sites	265	50.4	44.5	56.9	129	56.3	46.9	67.3	136	47.3	39.7	56.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	56	20.1	15.2	26.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kendall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,067	476.1	447.4	506.2	533	539.7	492.5	591.1	534	432.8	396.5	471.8
Oral Cavity and Pharynx	21	8.9	5.4	13.9	16	14.6	8.0	26.0	5	4.3	1.4	10.5
Esophagus	13	5.3	2.8	9.4	6	4.8	1.7	13.1	7	5.7	2.3	12.2
Stomach	16	7.7	4.4	12.7	9	10.3	4.5	21.4	7	5.9	2.4	12.6
Colon and Rectum	128	61.4	51.1	73.2	73	82.3	63.7	105.6	55	46.9	35.2	61.3
Liver	5	2.0	0.6	4.9	5	4.0	1.2	12.2	0	0.0	0.0	3.7
Pancreas	22	10.2	6.3	15.6	8	8.8	3.6	19.4	14	11.8	6.4	20.1
Lung and Bronchus	149	70.9	59.8	83.5	91	97.6	77.8	121.9	58	50.5	38.2	65.5
Bones and Joints	3	1.2	0.2	3.9	3	2.7	0.5	10.8	0	0.0	0.0	3.7
Melanoma of the Skin	36	13.6	9.4	19.1	18	14.3	8.4	24.8	18	12.9	7.6	20.8
Breast (invasive)	189	80.8	69.5	93.6	2	1.5	0.2	8.8	187	148.4	127.7	171.8
Cervix (invasive)	-	-	-	-	-	-	-	-	6	4.3	1.6	10.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	26.5	18.1	37.7
Ovary	-	-	-	-	-	-	-	-	20	16.7	10.1	26.2
Prostate	-	-	-	-	135	140.4	116.7	168.5	-	-	-	-
Testis	-	-	-	-	9	6.8	3.1	15.4	-	-	-	-
Urinary Bladder	50	23.6	17.4	31.3	42	45.4	32.2	63.1	8	6.6	2.8	13.4
Kidney and Renal Pelvis	29	13.5	9.0	19.6	17	18.7	10.7	31.7	12	9.8	5.0	17.5
Brain and Other Nervous System	21	8.2	5.0	12.8	9	7.7	3.2	17.3	12	8.8	4.5	15.9
Hodgkin's Disease	9	3.2	1.4	6.4	4	2.7	0.7	10.1	5	3.7	1.2	9.2
Non-Hodgkin's Lymphomas	43	19.1	13.7	26.0	21	19.8	11.9	32.3	22	18.1	11.3	27.7
Multiple Myeloma	11	5.5	2.7	9.9	7	8.0	3.0	18.5	4	3.9	1.1	10.0
Leukemias	25	10.0	6.4	15.2	11	8.8	4.2	18.2	14	10.6	5.8	18.3
All Other Sites	95	39.7	32.0	48.9	47	40.6	29.4	56.2	48	37.5	27.5	50.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	55	43.1	32.3	56.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Knox County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,713	489.5	466.3	513.8	840	549.3	512.7	588.1	873	454.9	424.0	487.9
Oral Cavity and Pharynx	41	12.3	8.8	16.9	26	17.0	11.1	25.3	15	8.1	4.4	14.2
Esophagus	19	5.4	3.2	8.7	16	10.2	5.8	16.9	3	1.3	0.2	5.1
Stomach	18	4.9	2.9	8.1	14	9.3	5.0	15.9	4	1.9	0.4	6.2
Colon and Rectum	221	59.5	51.9	68.3	103	68.5	55.8	83.4	118	53.0	43.6	64.5
Liver	11	3.2	1.6	6.0	8	5.3	2.3	10.8	3	1.2	0.2	4.9
Pancreas	45	12.7	9.2	17.2	17	11.1	6.5	18.2	28	13.7	9.0	20.7
Lung and Bronchus	312	86.7	77.2	97.1	177	115.0	98.7	133.6	135	66.4	55.4	79.4
Bones and Joints	2	0.7	0.1	2.7	2	1.3	0.2	5.4	0	0.0	0.0	3.4
Melanoma of the Skin	63	19.8	15.1	25.6	36	24.1	16.9	33.7	27	17.3	11.1	25.9
Breast (invasive)	254	73.7	64.7	83.6	2	1.2	0.2	5.2	252	134.4	117.8	153.2
Cervix (invasive)	-	-	-	-	-	-	-	-	24	16.2	10.2	24.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	44	24.0	17.3	33.1
Ovary	-	-	-	-	-	-	-	-	24	14.6	9.2	22.3
Prostate	-	-	-	-	190	121.8	105.1	140.7	-	-	-	-
Testis	-	-	-	-	2	1.4	0.2	5.6	-	-	-	-
Urinary Bladder	98	26.9	21.8	33.0	75	49.2	38.7	62.0	23	10.9	6.7	17.4
Kidney and Renal Pelvis	52	15.1	11.2	20.1	34	22.0	15.2	31.0	18	9.5	5.5	15.8
Brain and Other Nervous System	22	7.2	4.5	11.2	11	7.2	3.6	13.3	11	7.4	3.6	13.9
Hodgkin's Disease	6	2.2	0.8	4.9	4	2.9	0.8	7.8	2	1.3	0.1	5.6
Non-Hodgkin's Lymphomas	69	20.3	15.7	25.9	30	19.7	13.3	28.5	39	21.2	14.9	29.7
Multiple Myeloma	10	3.1	1.5	6.1	7	4.8	1.9	10.3	3	1.4	0.3	5.3
Leukemias	34	10.1	6.9	14.5	19	12.8	7.7	20.4	15	7.7	4.1	13.7
All Other Sites	152	43.5	36.8	51.4	67	44.4	34.3	56.7	85	43.6	34.3	55.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	48	27.3	20.0	37.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,572	489.9	481.2	498.7	6,150	546.9	532.7	561.6	6,422	453.3	442.2	464.6
Oral Cavity and Pharynx	276	10.2	9.0	11.5	179	14.5	12.3	17.0	97	6.7	5.4	8.2
Esophagus	114	4.6	3.7	5.5	88	8.0	6.4	10.1	26	1.9	1.2	2.8
Stomach	194	8.0	6.9	9.2	110	10.3	8.4	12.7	84	6.1	4.8	7.5
Colon and Rectum	1,401	57.9	54.9	61.1	731	69.0	63.8	74.6	670	49.4	45.7	53.4
Liver	96	3.8	3.1	4.7	70	5.9	4.5	7.6	26	1.9	1.3	2.9
Pancreas	296	12.4	11.0	13.9	152	14.8	12.5	17.6	144	10.8	9.1	12.7
Lung and Bronchus	1,640	67.8	64.5	71.2	830	79.3	73.8	85.2	810	60.2	56.1	64.5
Bones and Joints	19	0.6	0.4	1.0	10	0.8	0.3	1.6	9	0.6	0.3	1.1
Melanoma of the Skin	446	16.0	14.5	17.6	260	20.9	18.3	23.8	186	12.3	10.6	14.2
Breast (invasive)	2,141	78.6	75.2	82.1	13	1.1	0.6	2.1	2,128	146.1	139.9	152.5
Cervix (invasive)	-	-	-	-	-	-	-	-	146	9.3	7.9	11.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	334	23.5	21.0	26.2
Ovary	-	-	-	-	-	-	-	-	219	15.3	13.3	17.4
Prostate	-	-	-	-	1,756	156.5	149.0	164.3	-	-	-	-
Testis	-	-	-	-	94	5.6	4.5	7.0	-	-	-	-
Urinary Bladder	560	22.9	21.0	24.9	405	37.7	33.9	41.8	155	11.4	9.7	13.4
Kidney and Renal Pelvis	354	13.7	12.3	15.2	211	17.9	15.5	20.7	143	10.3	8.6	12.1
Brain and Other Nervous System	201	7.0	6.1	8.1	104	7.7	6.2	9.6	97	6.6	5.3	8.1
Hodgkin's Disease	84	2.7	2.1	3.3	49	3.1	2.3	4.3	35	2.3	1.6	3.2
Non-Hodgkin's Lymphomas	546	21.3	19.5	23.2	287	25.0	22.0	28.3	259	18.7	16.5	21.1
Multiple Myeloma	108	4.3	3.5	5.3	54	4.5	3.3	6.1	54	4.1	3.1	5.3
Leukemias	386	14.7	13.2	16.2	237	19.8	17.2	22.8	149	10.6	8.9	12.5
All Other Sites	1,161	44.7	42.1	47.4	510	44.5	40.5	48.9	651	45.4	41.9	49.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	539	36.6	33.6	39.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

LaSalle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,372	506.4	489.2	524.0	1,746	597.4	569.6	626.3	1,626	449.1	426.8	472.5
Oral Cavity and Pharynx	62	9.6	7.4	12.5	44	15.5	11.2	20.9	18	4.7	2.7	7.9
Esophagus	47	6.8	5.0	9.2	37	12.5	8.8	17.3	10	2.5	1.2	5.0
Stomach	41	5.7	4.1	7.8	25	8.5	5.5	12.7	16	3.4	1.9	6.0
Colon and Rectum	493	70.0	63.9	76.6	257	87.6	77.2	99.1	236	55.4	48.3	63.5
Liver	29	4.5	3.0	6.6	19	6.6	4.0	10.4	10	2.6	1.2	5.3
Pancreas	79	11.7	9.2	14.7	41	14.0	10.0	19.1	38	9.7	6.8	13.8
Lung and Bronchus	575	85.7	78.8	93.1	339	114.1	102.3	127.1	236	64.3	56.2	73.5
Bones and Joints	5	0.9	0.3	2.2	4	1.4	0.4	3.8	1	0.4	0.0	2.3
Melanoma of the Skin	88	13.8	11.0	17.1	55	19.3	14.6	25.3	33	9.8	6.7	14.2
Breast (invasive)	480	75.6	69.0	82.9	6	2.0	0.7	4.5	474	140.5	127.8	154.3
Cervix (invasive)	-	-	-	-	-	-	-	-	36	12.4	8.6	17.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	84	23.4	18.6	29.4
Ovary	-	-	-	-	-	-	-	-	51	15.0	11.1	20.2
Prostate	-	-	-	-	389	131.4	118.6	145.2	-	-	-	-
Testis	-	-	-	-	19	7.1	4.3	11.2	-	-	-	-
Urinary Bladder	172	24.4	20.9	28.5	119	41.6	34.4	49.9	53	13.0	9.6	17.4
Kidney and Renal Pelvis	105	15.9	13.0	19.4	68	23.5	18.2	29.8	37	9.5	6.6	13.5
Brain and Other Nervous System	51	8.5	6.3	11.2	25	8.7	5.6	13.0	26	8.3	5.4	12.5
Hodgkin's Disease	20	3.4	2.1	5.3	11	3.8	1.9	6.9	9	3.1	1.4	6.1
Non-Hodgkin's Lymphomas	133	19.5	16.3	23.2	74	25.4	19.9	32.0	59	15.5	11.7	20.5
Multiple Myeloma	32	4.6	3.1	6.6	19	6.5	3.9	10.2	13	2.9	1.5	5.4
Leukemias	88	13.3	10.7	16.5	49	17.1	12.6	22.7	39	10.9	7.6	15.3
All Other Sites	293	44.9	39.9	50.5	146	50.8	42.9	59.8	147	41.7	35.0	49.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	56	17.9	13.5	23.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lawrence County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	505	485.7	442.9	532.3	247	547.1	480.4	621.8	258	453.8	396.5	518.9
Oral Cavity and Pharynx	7	7.9	3.1	17.7	4	9.1	2.4	25.8	3	7.8	1.5	25.2
Esophagus	6	6.5	2.3	15.6	6	13.9	5.1	32.6	0	0.0	0.0	13.0
Stomach	4	2.9	0.8	10.1	4	8.1	2.2	23.8	0	0.0	0.0	13.0
Colon and Rectum	66	59.1	45.3	77.0	35	77.4	53.8	109.6	31	45.4	29.8	69.2
Liver	3	3.2	0.6	11.3	2	4.2	0.5	18.7	1	3.2	0.1	18.8
Pancreas	12	10.2	5.1	19.9	2	4.7	0.5	19.8	10	13.6	5.9	30.6
Lung and Bronchus	86	79.2	63.1	99.3	56	121.4	91.5	159.5	30	48.5	32.2	73.1
Bones and Joints	3	3.3	0.6	11.3	2	5.4	0.7	21.4	1	0.8	0.0	13.7
Melanoma of the Skin	14	16.3	8.7	28.6	6	15.4	5.5	35.3	8	17.2	7.0	37.4
Breast (invasive)	73	73.8	57.3	94.3	1	1.9	0.0	15.3	72	134.5	103.7	173.6
Cervix (invasive)	-	-	-	-	-	-	-	-	11	24.1	11.4	46.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	19	32.7	19.1	55.1
Ovary	-	-	-	-	-	-	-	-	6	9.7	3.6	25.6
Prostate	-	-	-	-	62	131.0	100.3	169.7	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	12.5	-	-	-	-
Urinary Bladder	21	19.7	12.0	31.8	11	25.8	12.8	48.3	10	13.9	6.4	30.6
Kidney and Renal Pelvis	22	21.8	13.5	34.6	8	18.9	8.1	39.4	14	24.5	13.0	45.1
Brain and Other Nervous System	2	2.2	0.2	9.6	1	2.1	0.1	15.7	1	2.5	0.1	17.0
Hodgkin's Disease	3	3.8	0.7	12.3	1	2.9	0.1	17.6	2	4.7	0.4	20.6
Non-Hodgkin's Lymphomas	30	30.5	20.3	45.1	15	35.2	19.5	60.1	15	27.2	14.5	49.0
Multiple Myeloma	1	0.5	0.0	7.0	0	0.0	0.0	12.5	1	0.8	0.0	13.7
Leukemias	12	11.0	5.5	21.0	11	24.1	12.0	45.5	1	2.6	0.1	17.4
All Other Sites	42	42.1	30.0	58.6	20	45.5	27.6	72.4	22	40.1	24.1	65.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	8.7	3.6	23.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	993	496.2	465.7	528.4	532	592.0	542.5	645.3	461	432.7	393.5	475.5
Oral Cavity and Pharynx	27	13.6	8.9	20.2	18	19.3	11.4	31.3	9	8.0	3.6	16.6
Esophagus	13	6.3	3.4	11.3	9	10.3	4.7	20.3	4	3.0	0.8	9.7
Stomach	15	7.6	4.2	12.9	11	12.3	6.1	22.8	4	4.1	1.1	11.7
Colon and Rectum	131	64.2	53.6	76.5	62	69.1	52.9	89.2	69	59.7	46.2	76.9
Liver	9	4.5	2.0	9.0	4	4.1	1.1	11.6	5	4.3	1.3	11.7
Pancreas	21	10.1	6.2	15.9	10	10.7	5.1	20.5	11	9.2	4.5	18.0
Lung and Bronchus	137	68.8	57.7	81.6	83	91.7	72.9	114.2	54	52.5	39.3	69.4
Bones and Joints	4	2.4	0.6	6.4	4	4.4	1.2	12.1	0	0.0	0.0	5.7
Melanoma of the Skin	30	15.5	10.5	22.6	20	21.7	13.2	34.3	10	10.6	5.1	20.5
Breast (invasive)	130	65.6	54.8	78.3	1	1.1	0.0	7.3	129	124.9	104.0	149.4
Cervix (invasive)	-	-	-	-	-	-	-	-	10	10.6	5.0	20.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	33	32.1	22.0	46.1
Ovary	-	-	-	-	-	-	-	-	15	12.7	7.0	22.4
Prostate	-	-	-	-	154	172.1	145.9	202.2	-	-	-	-
Testis	-	-	-	-	7	7.4	3.0	16.2	-	-	-	-
Urinary Bladder	52	25.3	18.9	33.6	42	48.2	34.6	65.7	10	7.9	3.7	16.2
Kidney and Renal Pelvis	22	10.8	6.8	16.9	10	11.3	5.4	21.5	12	11.0	5.6	20.6
Brain and Other Nervous System	13	6.9	3.6	12.2	8	8.5	3.6	17.6	5	5.2	1.6	13.3
Hodgkin's Disease	3	1.5	0.3	5.1	0	0.0	0.0	5.6	3	3.0	0.6	10.2
Non-Hodgkin's Lymphomas	37	18.5	13.0	25.9	20	22.3	13.6	35.2	17	16.0	9.3	26.7
Multiple Myeloma	13	6.6	3.5	11.7	5	5.2	1.7	13.1	8	7.4	3.1	15.9
Leukemias	29	14.5	9.7	21.2	17	18.6	10.8	30.6	12	10.1	5.2	19.1
All Other Sites	88	44.2	35.4	54.8	47	53.6	39.3	72.0	41	40.4	28.8	55.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	19	18.9	11.3	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Livingston County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,047	471.3	442.9	501.1	511	526.8	482.1	574.7	536	437.0	399.7	477.3
Oral Cavity and Pharynx	13	6.0	3.2	10.5	8	8.3	3.6	16.6	5	4.6	1.5	11.6
Esophagus	12	5.2	2.6	9.3	9	9.1	4.1	17.5	3	1.8	0.3	7.2
Stomach	16	6.9	3.9	11.5	12	12.2	6.3	21.5	4	2.6	0.6	8.4
Colon and Rectum	121	51.6	42.7	61.9	62	64.0	49.1	82.3	59	42.3	31.9	55.8
Liver	1	0.5	0.0	3.0	1	1.1	0.0	6.2	0	0.0	0.0	4.9
Pancreas	22	9.1	5.7	14.1	9	9.2	4.2	17.8	13	8.6	4.5	16.1
Lung and Bronchus	152	69.1	58.5	81.2	86	88.8	71.0	109.8	66	55.5	42.7	71.5
Bones and Joints	2	0.8	0.1	3.4	1	1.0	0.0	6.1	1	0.4	0.0	5.3
Melanoma of the Skin	33	15.4	10.6	21.9	19	19.3	11.6	30.4	14	11.2	6.0	19.9
Breast (invasive)	163	74.2	63.1	86.8	1	1.1	0.0	6.3	162	136.5	115.7	160.4
Cervix (invasive)	-	-	-	-	-	-	-	-	13	12.7	6.7	22.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	34	29.8	20.5	42.4
Ovary	-	-	-	-	-	-	-	-	18	13.7	8.0	22.7
Prostate	-	-	-	-	124	128.0	106.4	152.8	-	-	-	-
Testis	-	-	-	-	10	10.2	4.9	19.0	-	-	-	-
Urinary Bladder	65	28.4	21.9	36.5	46	48.0	35.1	64.2	19	15.3	9.0	24.9
Kidney and Renal Pelvis	20	9.6	5.8	14.9	9	9.3	4.3	17.9	11	10.1	5.0	18.8
Brain and Other Nervous System	14	6.7	3.6	11.4	6	6.2	2.3	13.7	8	6.7	2.9	14.3
Hodgkin's Disease	8	3.9	1.7	7.9	4	4.1	1.1	10.9	4	3.9	1.0	10.7
Non-Hodgkin's Lymphomas	44	18.9	13.7	25.6	24	24.7	15.8	37.0	20	14.6	8.7	23.9
Multiple Myeloma	15	6.2	3.4	10.6	7	7.3	2.9	15.3	8	5.4	2.2	12.2
Leukemias	41	18.0	12.8	24.6	21	21.8	13.5	33.6	20	14.8	8.8	24.1
All Other Sites	106	49.0	40.0	59.5	52	53.1	39.6	69.8	54	46.6	34.7	61.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	28	25.4	16.8	37.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Logan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	850	489.0	456.4	523.7	450	605.9	551.1	665.1	400	412.1	371.4	456.7
Oral Cavity and Pharynx	18	10.8	6.4	17.5	14	18.4	10.1	31.6	4	4.4	1.2	12.7
Esophagus	13	7.2	3.8	12.9	9	11.9	5.4	23.4	4	3.3	0.8	10.9
Stomach	9	5.3	2.4	10.6	5	7.1	2.3	17.2	4	4.8	1.3	13.6
Colon and Rectum	111	60.8	49.9	73.8	67	90.7	70.3	115.8	44	38.4	27.6	53.4
Liver	13	6.8	3.6	12.4	9	11.9	5.5	23.5	4	2.5	0.7	9.5
Pancreas	26	14.8	9.6	22.2	10	13.6	6.5	25.8	16	15.7	8.8	27.2
Lung and Bronchus	136	77.5	64.9	92.1	83	111.7	88.9	139.0	53	53.6	39.9	71.4
Bones and Joints	3	1.9	0.4	6.1	0	0.0	0.0	6.5	3	3.5	0.7	11.7
Melanoma of the Skin	28	16.5	10.9	24.3	17	23.2	13.5	37.8	11	12.5	6.2	23.7
Breast (invasive)	122	71.8	59.5	86.2	1	1.4	0.0	8.7	121	132.0	109.0	159.3
Cervix (invasive)	-	-	-	-	-	-	-	-	9	11.0	5.0	22.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	18.2	10.5	30.6
Ovary	-	-	-	-	-	-	-	-	14	11.4	6.1	21.2
Prostate	-	-	-	-	108	147.3	120.8	178.3	-	-	-	-
Testis	-	-	-	-	5	6.0	1.9	15.2	-	-	-	-
Urinary Bladder	38	21.2	14.9	29.6	26	35.1	22.9	52.0	12	11.4	5.8	21.7
Kidney and Renal Pelvis	26	15.8	10.3	23.6	14	18.6	10.2	32.0	12	13.0	6.6	24.2
Brain and Other Nervous System	8	5.3	2.3	10.8	6	7.8	2.8	17.9	2	2.4	0.3	10.3
Hodgkin's Disease	4	2.5	0.7	7.0	3	3.9	0.8	12.6	1	1.3	0.0	8.5
Non-Hodgkin's Lymphomas	36	21.6	15.1	30.3	17	22.3	13.0	36.5	19	22.3	13.3	36.0
Multiple Myeloma	15	8.4	4.7	14.5	5	6.8	2.2	16.7	10	10.5	4.9	20.8
Leukemias	15	8.9	4.9	15.2	8	11.0	4.7	22.4	7	7.7	2.9	17.5
All Other Sites	76	43.8	34.4	55.3	43	57.2	41.3	77.7	33	32.1	21.7	46.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	23	24.6	15.4	38.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

McDonough County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	798	472.9	440.1	507.9	391	544.4	491.6	602.1	407	432.8	389.9	480.0
Oral Cavity and Pharynx	22	13.5	8.4	21.2	17	23.9	13.9	39.3	5	5.7	1.7	15.4
Esophagus	7	4.0	1.6	9.0	5	6.9	2.2	17.5	2	2.2	0.3	10.2
Stomach	4	2.3	0.6	6.8	4	5.7	1.5	15.8	0	0.0	0.0	7.1
Colon and Rectum	117	65.4	53.9	79.0	48	66.3	48.9	88.7	69	63.5	48.8	82.6
Liver	5	3.2	1.0	8.2	2	2.7	0.3	11.4	3	3.3	0.6	12.1
Pancreas	17	9.5	5.5	15.9	10	14.1	6.8	27.0	7	6.0	2.4	14.9
Lung and Bronchus	121	70.3	58.2	84.6	67	91.9	71.2	117.6	54	56.5	42.1	75.4
Bones and Joints	1	0.9	0.0	5.2	0	0.0	0.0	7.3	1	1.9	0.0	10.6
Melanoma of the Skin	36	22.9	15.9	32.3	19	26.7	16.0	42.7	17	19.8	11.2	33.5
Breast (invasive)	110	67.4	55.2	81.9	4	5.6	1.5	15.7	106	119.4	96.9	146.3
Cervix (invasive)	-	-	-	-	-	-	-	-	5	6.9	2.2	17.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	23	26.2	16.4	41.0
Ovary	-	-	-	-	-	-	-	-	16	18.0	10.0	31.1
Prostate	-	-	-	-	94	129.0	104.2	158.7	-	-	-	-
Testis	-	-	-	-	3	4.7	0.9	14.7	-	-	-	-
Urinary Bladder	36	20.3	14.1	28.8	31	44.0	29.9	63.4	5	4.8	1.5	13.5
Kidney and Renal Pelvis	31	19.7	13.3	28.6	13	18.6	9.9	32.9	18	19.8	11.4	33.2
Brain and Other Nervous System	9	6.5	2.9	12.9	4	6.2	1.6	16.9	5	6.7	2.0	17.3
Hodgkin's Disease	4	3.4	0.9	8.9	2	3.1	0.4	12.3	2	3.7	0.4	13.5
Non-Hodgkin's Lymphomas	46	28.2	20.5	38.3	23	33.5	21.2	51.2	23	23.8	14.7	37.6
Multiple Myeloma	11	5.8	2.9	11.2	7	9.7	3.9	21.2	4	3.5	0.9	11.6
Leukemias	21	11.4	6.9	18.4	14	18.8	10.1	32.9	7	6.1	2.1	15.4
All Other Sites	59	33.2	25.1	43.6	24	32.9	20.9	50.0	35	35.0	23.9	50.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	21	27.6	16.9	43.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

McHenry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,037	500.9	486.8	515.3	2,524	581.8	558.0	606.4	2,513	447.7	430.2	465.8
Oral Cavity and Pharynx	112	10.3	8.4	12.5	84	16.6	13.1	21.0	28	4.7	3.1	6.8
Esophagus	57	5.9	4.5	7.8	47	11.3	8.2	15.5	10	1.9	0.9	3.6
Stomach	76	8.0	6.2	10.0	47	11.3	8.1	15.5	29	5.2	3.5	7.5
Colon and Rectum	593	62.6	57.6	68.0	312	76.0	67.4	85.7	281	52.2	46.3	58.8
Liver	43	4.6	3.3	6.2	27	6.4	4.1	9.8	16	3.1	1.8	5.1
Pancreas	113	11.9	9.8	14.4	57	13.8	10.4	18.3	56	10.2	7.7	13.4
Lung and Bronchus	678	71.4	66.0	77.1	369	89.4	80.1	99.7	309	58.7	52.3	65.8
Bones and Joints	9	0.7	0.3	1.3	4	0.5	0.1	2.2	5	0.8	0.2	1.9
Melanoma of the Skin	209	18.7	16.2	21.5	120	23.6	19.3	28.8	89	14.7	11.7	18.2
Breast (invasive)	787	72.9	67.7	78.3	5	1.0	0.3	2.9	782	135.6	126.2	145.6
Cervix (invasive)	-	-	-	-	-	-	-	-	69	10.9	8.4	13.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	157	28.4	24.1	33.3
Ovary	-	-	-	-	-	-	-	-	75	12.8	10.1	16.2
Prostate	-	-	-	-	642	151.4	139.4	164.3	-	-	-	-
Testis	-	-	-	-	47	7.2	5.3	10.0	-	-	-	-
Urinary Bladder	236	24.8	21.7	28.3	178	44.3	37.7	51.9	58	10.9	8.2	14.1
Kidney and Renal Pelvis	152	15.2	12.8	17.9	96	21.8	17.4	27.3	56	10.2	7.7	13.3
Brain and Other Nervous System	89	7.4	5.9	9.2	55	9.4	6.9	12.8	34	5.6	3.8	7.9
Hodgkin's Disease	30	2.6	1.7	3.7	14	2.3	1.2	4.4	16	2.8	1.6	4.6
Non-Hodgkin's Lymphomas	222	22.3	19.4	25.5	112	24.7	20.1	30.3	110	20.1	16.5	24.3
Multiple Myeloma	55	5.7	4.2	7.4	27	6.3	4.0	9.5	28	5.3	3.5	7.8
Leukemias	129	12.1	10.1	14.5	73	15.9	12.2	20.5	56	9.4	7.1	12.3
All Other Sites	457	45.4	41.2	49.9	208	48.5	41.7	56.2	249	44.1	38.7	50.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	152	25.8	21.8	30.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

McLean County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,873	467.4	450.4	484.9	1,454	552.8	524.1	582.7	1,419	410.4	389.2	432.6
Oral Cavity and Pharynx	50	7.8	5.8	10.4	37	13.4	9.3	18.8	13	3.5	1.8	6.1
Esophagus	40	6.6	4.7	9.0	28	10.5	6.9	15.5	12	3.1	1.6	5.6
Stomach	38	6.3	4.5	8.7	23	9.7	6.1	14.8	15	4.2	2.4	7.1
Colon and Rectum	351	57.9	52.0	64.3	180	70.9	60.7	82.4	171	47.9	40.9	55.8
Liver	12	2.0	1.0	3.5	9	3.8	1.7	7.6	3	0.7	0.1	2.4
Pancreas	49	8.1	6.0	10.7	30	11.8	7.9	17.2	19	5.2	3.1	8.3
Lung and Bronchus	379	63.7	57.4	70.5	210	82.5	71.6	94.8	169	50.9	43.5	59.2
Bones and Joints	5	0.7	0.2	1.7	3	0.7	0.1	3.0	2	0.5	0.1	2.1
Melanoma of the Skin	133	20.3	16.9	24.1	75	26.6	20.7	33.8	58	16.1	12.2	20.9
Breast (invasive)	467	75.3	68.6	82.5	4	1.8	0.4	4.9	463	136.1	123.9	149.3
Cervix (invasive)	-	-	-	-	-	-	-	-	24	7.0	4.5	10.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	93	28.5	23.0	34.9
Ovary	-	-	-	-	-	-	-	-	34	9.6	6.6	13.5
Prostate	-	-	-	-	371	142.8	128.5	158.5	-	-	-	-
Testis	-	-	-	-	32	8.7	5.9	13.0	-	-	-	-
Urinary Bladder	135	22.4	18.8	26.6	95	38.0	30.6	46.9	40	11.5	8.2	15.7
Kidney and Renal Pelvis	68	11.1	8.6	14.1	41	15.2	10.8	20.9	27	7.9	5.2	11.6
Brain and Other Nervous System	55	8.6	6.4	11.2	30	9.9	6.6	14.6	25	7.2	4.6	10.8
Hodgkin's Disease	20	2.7	1.7	4.3	11	3.1	1.5	6.3	9	2.4	1.1	4.7
Non-Hodgkin's Lymphomas	129	20.8	17.3	24.7	70	25.9	20.1	33.3	59	16.8	12.8	21.8
Multiple Myeloma	38	6.3	4.5	8.7	19	7.6	4.5	12.3	19	5.5	3.3	8.6
Leukemias	82	13.1	10.4	16.3	50	18.2	13.4	24.5	32	9.3	6.4	13.2
All Other Sites	268	42.4	37.5	47.9	136	51.7	43.2	61.6	132	36.4	30.4	43.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	96	28.7	23.3	35.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,618	551.9	533.9	570.3	2,006	709.8	678.8	742.0	1,612	441.1	419.4	463.7
Oral Cavity and Pharynx	83	13.0	10.4	16.2	61	21.9	16.7	28.4	22	6.2	3.9	9.7
Esophagus	39	5.9	4.2	8.2	34	11.6	8.0	16.5	5	1.2	0.4	3.2
Stomach	31	4.6	3.2	6.7	24	8.6	5.5	13.2	7	1.7	0.7	3.8
Colon and Rectum	441	65.6	59.6	72.1	227	80.9	70.6	92.5	214	54.0	46.9	62.1
Liver	17	2.7	1.5	4.4	10	3.6	1.7	6.9	7	1.8	0.7	4.0
Pancreas	74	11.0	8.7	13.9	40	14.4	10.3	20.0	34	8.5	5.9	12.2
Lung and Bronchus	591	88.5	81.5	96.0	339	117.8	105.5	131.3	252	66.3	58.3	75.3
Bones and Joints	4	0.6	0.2	1.7	1	0.3	0.0	2.4	3	0.8	0.2	2.7
Melanoma of the Skin	100	15.7	12.8	19.2	54	19.0	14.3	25.1	46	13.2	9.6	17.8
Breast (invasive)	505	78.2	71.5	85.4	13	4.7	2.5	8.4	492	137.8	125.7	150.9
Cervix (invasive)	-	-	-	-	-	-	-	-	28	9.3	6.1	13.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	77	22.0	17.3	27.7
Ovary	-	-	-	-	-	-	-	-	57	15.7	11.8	20.5
Prostate	-	-	-	-	686	239.4	221.7	258.4	-	-	-	-
Testis	-	-	-	-	28	11.0	7.3	16.2	-	-	-	-
Urinary Bladder	159	23.8	20.2	27.9	117	41.6	34.4	50.2	42	10.7	7.7	14.7
Kidney and Renal Pelvis	97	14.8	12.0	18.2	54	19.1	14.3	25.2	43	11.5	8.2	15.7
Brain and Other Nervous System	44	7.0	5.0	9.4	30	10.7	7.2	15.5	14	4.1	2.2	7.2
Hodgkin's Disease	18	3.1	1.9	5.0	11	4.0	2.0	7.5	7	2.3	0.9	4.9
Non-Hodgkin's Lymphomas	150	23.0	19.5	27.1	73	26.6	20.8	33.8	77	21.1	16.6	26.6
Multiple Myeloma	36	5.4	3.8	7.6	22	7.8	4.9	12.2	14	3.7	2.0	6.4
Leukemias	82	12.9	10.2	16.1	47	17.4	12.7	23.4	35	10.0	6.9	14.1
All Other Sites	271	42.7	37.7	48.2	135	49.3	41.2	58.7	136	39.3	32.8	46.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	131	37.9	31.6	45.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Macoupin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,450	479.4	454.7	505.4	744	559.1	519.5	601.2	706	426.5	394.4	461.0
Oral Cavity and Pharynx	23	8.0	5.1	12.3	18	13.4	7.9	21.6	5	3.6	1.2	9.1
Esophagus	13	4.5	2.4	8.0	12	9.1	4.7	16.4	1	0.4	0.0	4.3
Stomach	19	5.8	3.4	9.4	11	8.1	4.0	14.9	8	4.2	1.7	9.5
Colon and Rectum	226	71.4	62.2	81.7	111	82.8	68.0	100.0	115	62.7	51.3	76.4
Liver	6	1.8	0.6	4.3	4	3.1	0.8	8.4	2	1.0	0.1	5.2
Pancreas	35	11.2	7.8	15.9	21	15.5	9.6	24.1	14	7.8	4.2	14.0
Lung and Bronchus	243	79.4	69.6	90.4	141	104.8	88.2	123.9	102	61.2	49.6	75.3
Bones and Joints	1	0.3	0.0	2.2	0	0.0	0.0	3.7	1	0.4	0.0	4.3
Melanoma of the Skin	51	18.5	13.7	24.6	20	15.3	9.3	24.0	31	22.7	15.2	33.0
Breast (invasive)	199	67.3	58.1	77.6	4	3.0	0.8	8.2	195	121.7	104.7	141.2
Cervix (invasive)	-	-	-	-	-	-	-	-	13	11.0	5.8	19.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	36	22.7	15.8	32.3
Ovary	-	-	-	-	-	-	-	-	22	12.0	7.4	19.0
Prostate	-	-	-	-	189	140.1	120.8	161.9	-	-	-	-
Testis	-	-	-	-	9	8.2	3.7	15.7	-	-	-	-
Urinary Bladder	70	22.3	17.3	28.5	56	42.0	31.7	54.9	14	7.8	4.2	14.1
Kidney and Renal Pelvis	42	13.8	9.9	18.9	30	22.6	15.2	32.6	12	6.6	3.3	12.7
Brain and Other Nervous System	18	6.7	3.9	10.8	6	4.7	1.7	10.6	12	8.5	4.2	15.7
Hodgkin's Disease	8	3.4	1.4	6.9	4	3.5	1.0	9.3	4	3.2	0.8	8.9
Non-Hodgkin's Lymphomas	55	17.9	13.4	23.6	30	23.5	15.8	33.9	25	12.9	8.2	20.2
Multiple Myeloma	18	5.3	3.1	8.8	4	3.1	0.8	8.3	14	6.9	3.7	12.8
Leukemias	44	14.5	10.4	19.8	23	17.9	11.3	27.2	21	11.7	7.0	18.9
All Other Sites	110	37.2	30.4	45.1	51	38.5	28.6	51.0	59	37.5	28.2	49.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	41	27.5	19.5	38.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,880	489.5	478.0	501.3	3,522	584.3	565.0	604.3	3,358	427.2	412.7	442.1
Oral Cavity and Pharynx	136	9.8	8.2	11.6	96	15.6	12.6	19.2	40	5.1	3.6	7.0
Esophagus	67	4.8	3.7	6.1	57	9.5	7.2	12.4	10	1.2	0.6	2.3
Stomach	77	5.4	4.3	6.8	29	4.8	3.2	7.1	48	5.8	4.3	7.8
Colon and Rectum	937	65.7	61.5	70.0	459	78.6	71.5	86.4	478	57.2	52.1	62.7
Liver	44	3.1	2.3	4.2	29	4.9	3.2	7.1	15	1.7	1.0	3.0
Pancreas	163	11.5	9.8	13.4	72	11.9	9.3	15.1	91	11.0	8.8	13.6
Lung and Bronchus	1,213	85.5	80.8	90.5	694	115.9	107.3	125.0	519	65.0	59.5	70.9
Bones and Joints	10	0.8	0.4	1.4	3	0.5	0.1	1.6	7	1.1	0.4	2.3
Melanoma of the Skin	191	14.0	12.1	16.1	108	17.8	14.6	21.7	83	11.4	9.1	14.2
Breast (invasive)	934	67.3	63.1	71.8	6	1.0	0.4	2.4	928	121.6	113.8	129.8
Cervix (invasive)	-	-	-	-	-	-	-	-	67	9.6	7.4	12.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	191	24.7	21.3	28.5
Ovary	-	-	-	-	-	-	-	-	117	15.0	12.4	18.1
Prostate	-	-	-	-	1,009	163.5	153.5	174.1	-	-	-	-
Testis	-	-	-	-	20	3.2	2.0	5.1	-	-	-	-
Urinary Bladder	311	21.8	19.4	24.4	230	39.1	34.1	44.6	81	9.5	7.5	11.9
Kidney and Renal Pelvis	197	14.1	12.2	16.2	115	19.4	16.0	23.5	82	10.7	8.5	13.3
Brain and Other Nervous System	84	6.2	4.9	7.7	46	7.3	5.3	9.9	38	5.3	3.7	7.3
Hodgkin's Disease	47	3.6	2.6	4.8	24	3.8	2.4	5.8	23	3.3	2.1	5.1
Non-Hodgkin's Lymphomas	239	17.0	14.9	19.3	122	20.4	16.9	24.5	117	14.5	12.0	17.5
Multiple Myeloma	76	5.3	4.2	6.7	39	6.4	4.5	8.9	37	4.6	3.2	6.4
Leukemias	168	12.0	10.2	13.9	82	14.1	11.2	17.6	86	10.5	8.4	13.1
All Other Sites	582	41.8	38.5	45.4	282	46.6	41.3	52.5	300	38.5	34.2	43.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	200	27.0	23.4	31.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Marion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,321	521.8	493.6	551.3	704	652.4	605.0	702.7	617	434.7	399.9	472.3
Oral Cavity and Pharynx	36	14.6	10.2	20.5	22	20.2	12.6	31.0	14	10.6	5.6	18.6
Esophagus	15	5.7	3.2	9.8	9	8.1	3.7	15.9	6	3.7	1.3	9.3
Stomach	16	6.0	3.4	10.2	6	5.8	2.1	12.9	10	6.3	2.9	12.9
Colon and Rectum	165	62.4	53.1	73.1	73	68.9	54.0	87.0	92	58.9	47.0	73.5
Liver	12	4.4	2.2	8.0	8	7.7	3.3	15.5	4	2.3	0.6	7.3
Pancreas	27	9.9	6.5	14.8	16	15.0	8.6	24.7	11	6.4	3.1	12.7
Lung and Bronchus	229	89.1	77.9	101.8	131	120.6	100.8	143.4	98	66.9	54.1	82.5
Bones and Joints	2	0.7	0.1	3.2	0	0.0	0.0	4.2	2	1.2	0.1	5.9
Melanoma of the Skin	30	12.9	8.7	18.7	19	17.6	10.6	27.9	11	8.8	4.2	16.7
Breast (invasive)	174	71.7	61.3	83.6	1	0.9	0.0	5.7	173	130.2	110.9	152.2
Cervix (invasive)	-	-	-	-	-	-	-	-	18	14.9	8.6	24.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	32	22.8	15.4	33.2
Ovary	-	-	-	-	-	-	-	-	15	10.6	5.8	18.3
Prostate	-	-	-	-	221	201.8	176.1	230.6	-	-	-	-
Testis	-	-	-	-	6	6.3	2.3	13.9	-	-	-	-
Urinary Bladder	77	29.4	23.1	37.1	56	52.5	39.6	68.5	21	12.8	7.8	20.7
Kidney and Renal Pelvis	35	14.5	10.1	20.4	22	20.2	12.7	31.0	13	9.6	5.1	17.2
Brain and Other Nervous System	16	6.7	3.8	11.2	5	4.7	1.5	11.3	11	8.2	3.9	15.6
Hodgkin's Disease	5	2.5	0.8	6.0	3	3.0	0.6	9.0	2	2.1	0.3	7.9
Non-Hodgkin's Lymphomas	55	22.1	16.6	29.1	34	31.7	22.0	44.7	21	14.6	8.9	23.4
Multiple Myeloma	20	7.8	4.7	12.3	13	12.2	6.5	21.3	7	4.5	1.8	10.4
Leukemias	27	11.2	7.4	16.7	15	14.0	7.8	23.4	12	8.5	4.3	15.9
All Other Sites	88	35.1	28.1	43.6	44	41.1	29.9	55.5	44	30.8	22.1	42.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	24	19.1	12.1	29.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Marshall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	431	488.5	442.6	539.0	238	606.5	531.4	690.9	193	412.0	353.4	480.5
Oral Cavity and Pharynx	3	3.9	0.8	13.4	2	5.2	0.6	22.7	1	2.6	0.1	20.9
Esophagus	6	6.8	2.5	17.1	5	12.7	4.1	33.0	1	1.1	0.0	18.2
Stomach	4	4.3	1.1	13.6	3	7.9	1.6	26.4	1	1.8	0.0	19.2
Colon and Rectum	61	64.4	49.1	84.5	28	73.0	48.4	107.8	33	60.2	40.8	90.1
Liver	4	4.9	1.3	14.7	3	7.8	1.6	26.4	1	2.2	0.1	19.9
Pancreas	13	13.4	7.1	25.0	5	12.5	4.0	32.5	8	15.2	6.4	36.2
Lung and Bronchus	64	69.7	53.6	90.6	44	109.2	79.3	149.0	20	43.8	26.5	72.3
Bones and Joints	0	0.0	0.0	7.8	0	0.0	0.0	14.8	0	0.0	0.0	17.2
Melanoma of the Skin	13	16.3	8.5	29.6	11	30.7	15.2	57.3	2	4.1	0.4	22.6
Breast (invasive)	61	71.1	54.1	93.0	1	2.5	0.1	18.6	60	131.3	99.0	174.0
Cervix (invasive)	-	-	-	-	-	-	-	-	3	8.6	1.5	30.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	34.0	18.7	60.8
Ovary	-	-	-	-	-	-	-	-	3	6.3	1.2	25.4
Prostate	-	-	-	-	58	142.2	107.9	186.1	-	-	-	-
Testis	-	-	-	-	1	3.7	0.1	21.6	-	-	-	-
Urinary Bladder	29	30.8	20.5	46.2	24	59.9	38.3	91.6	5	11.5	3.3	33.3
Kidney and Renal Pelvis	16	20.5	11.6	34.9	12	31.5	16.1	57.7	4	10.4	2.8	31.6
Brain and Other Nervous System	5	6.7	2.1	17.4	4	9.9	2.7	29.1	1	4.0	0.1	24.2
Hodgkin's Disease	0	0.0	0.0	7.8	0	0.0	0.0	14.8	0	0.0	0.0	17.2
Non-Hodgkin's Lymphomas	25	29.2	18.7	44.8	15	39.0	21.8	66.8	10	23.6	11.1	48.3
Multiple Myeloma	2	1.6	0.2	9.7	2	5.9	0.7	24.0	0	0.0	0.0	17.2
Leukemias	8	9.8	4.0	21.3	3	8.5	1.7	28.0	5	9.9	2.9	30.1
All Other Sites	37	43.7	30.3	62.2	17	44.2	25.5	73.4	20	41.3	24.1	69.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	20.6	8.7	45.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Mason County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	583	580.1	533.5	630.4	334	721.7	646.1	804.9	249	469.6	411.2	535.3
Oral Cavity and Pharynx	13	13.4	7.1	23.8	8	16.9	7.3	35.2	5	9.8	3.1	25.7
Esophagus	7	7.2	2.9	15.9	5	10.9	3.5	27.4	2	3.8	0.5	17.0
Stomach	5	5.0	1.6	12.9	4	9.1	2.4	25.1	1	1.6	0.0	13.7
Colon and Rectum	71	68.4	53.3	87.2	47	102.6	75.2	137.8	24	38.4	24.3	60.0
Liver	5	5.4	1.7	13.7	4	9.4	2.5	25.6	1	1.4	0.0	13.2
Pancreas	14	12.7	6.9	22.5	7	15.1	6.0	33.0	7	11.0	4.3	26.0
Lung and Bronchus	100	97.8	79.5	119.8	65	139.3	107.5	178.9	35	64.2	44.4	91.5
Bones and Joints	1	1.2	0.0	7.6	1	2.4	0.1	15.2	0	0.0	0.0	11.5
Melanoma of the Skin	24	24.7	15.7	37.7	17	37.6	21.8	61.6	7	12.8	4.9	29.5
Breast (invasive)	74	74.5	58.3	94.4	1	2.3	0.1	15.0	73	136.3	105.9	174.0
Cervix (invasive)	-	-	-	-	-	-	-	-	6	13.5	4.8	31.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	32.5	18.0	55.5
Ovary	-	-	-	-	-	-	-	-	9	16.7	7.5	34.3
Prostate	-	-	-	-	84	177.7	141.6	221.4	-	-	-	-
Testis	-	-	-	-	3	8.9	1.8	26.1	-	-	-	-
Urinary Bladder	27	25.3	16.6	37.7	23	49.7	31.5	76.1	4	6.7	1.8	20.7
Kidney and Renal Pelvis	22	21.6	13.5	33.7	17	36.4	21.2	59.9	5	8.7	2.7	23.7
Brain and Other Nervous System	8	8.4	3.6	17.6	5	11.3	3.7	28.1	3	6.3	1.3	21.0
Hodgkin's Disease	3	4.1	0.8	12.3	0	0.0	0.0	11.3	3	8.0	1.6	24.7
Non-Hodgkin's Lymphomas	18	17.5	10.3	28.6	10	21.0	10.1	40.4	8	14.2	5.8	31.1
Multiple Myeloma	5	4.3	1.4	11.5	3	6.4	1.3	20.8	2	2.3	0.3	14.1
Leukemias	14	14.3	7.7	25.0	7	14.6	5.9	32.1	7	14.7	5.6	32.8
All Other Sites	55	58.6	43.9	77.2	23	50.1	31.7	76.6	32	66.8	44.9	97.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	22	41.3	25.6	65.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Massac County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	460	482.2	438.4	529.6	241	587.5	515.3	667.8	219	420.4	364.6	483.6
Oral Cavity and Pharynx	12	14.0	7.2	25.4	9	23.1	10.5	45.2	3	4.9	0.9	18.2
Esophagus	1	1.0	0.0	7.4	1	2.2	0.1	15.3	0	0.0	0.0	11.5
Stomach	3	3.3	0.7	10.8	2	5.0	0.6	20.1	1	1.3	0.0	13.1
Colon and Rectum	58	58.5	44.2	76.6	32	78.8	53.8	112.6	26	47.8	30.8	72.7
Liver	0	0.0	0.0	5.9	0	0.0	0.0	12.0	0	0.0	0.0	11.5
Pancreas	18	19.0	11.1	31.0	9	22.5	10.3	44.1	9	17.9	7.8	36.7
Lung and Bronchus	93	94.4	76.0	116.5	56	132.5	100.0	173.4	37	68.5	47.8	96.7
Bones and Joints	2	2.6	0.3	10.3	1	2.3	0.1	15.6	1	3.1	0.1	17.3
Melanoma of the Skin	20	23.5	14.2	37.2	12	30.9	15.9	55.3	8	18.3	7.6	38.1
Breast (invasive)	67	74.0	57.1	94.9	0	0.0	0.0	12.0	67	136.4	104.8	175.9
Cervix (invasive)	-	-	-	-	-	-	-	-	4	7.1	1.8	21.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	16.6	7.1	34.9
Ovary	-	-	-	-	-	-	-	-	4	8.5	2.0	24.8
Prostate	-	-	-	-	60	143.4	109.3	185.8	-	-	-	-
Testis	-	-	-	-	1	2.9	0.1	17.2	-	-	-	-
Urinary Bladder	16	15.4	8.8	26.2	10	23.4	11.2	44.6	6	9.4	3.4	23.9
Kidney and Renal Pelvis	11	11.5	5.7	21.7	4	9.5	2.6	26.3	7	12.1	4.7	28.2
Brain and Other Nervous System	5	4.6	1.5	12.2	2	5.2	0.6	20.5	3	4.5	0.9	17.5
Hodgkin's Disease	3	3.5	0.7	11.3	3	7.6	1.6	23.9	0	0.0	0.0	11.5
Non-Hodgkin's Lymphomas	16	16.7	9.4	28.1	5	12.3	4.0	30.5	11	18.3	8.9	35.8
Multiple Myeloma	8	7.2	3.1	15.7	5	12.8	4.1	31.3	3	3.6	0.7	15.8
Leukemias	13	13.7	7.2	24.6	8	20.0	8.6	41.0	5	10.6	3.2	27.4
All Other Sites	37	40.1	28.0	56.3	21	52.9	32.6	82.2	16	31.4	17.4	53.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	13.7	4.9	31.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Menard County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	319	479.2	427.6	536.1	160	544.5	462.3	638.5	159	436.5	370.2	513.7
Oral Cavity and Pharynx	3	4.4	0.9	14.9	3	11.1	2.2	34.7	0	0.0	0.0	17.9
Esophagus	0	0.0	0.0	8.5	0	0.0	0.0	17.1	0	0.0	0.0	17.9
Stomach	6	8.3	3.0	20.1	3	9.0	1.8	30.2	3	6.4	1.2	26.2
Colon and Rectum	48	72.6	53.4	97.5	19	67.3	40.2	107.4	29	78.7	52.3	116.8
Liver	0	0.0	0.0	8.5	0	0.0	0.0	17.1	0	0.0	0.0	17.9
Pancreas	6	8.9	3.3	21.2	5	17.2	5.5	42.8	1	2.7	0.1	21.7
Lung and Bronchus	49	73.1	54.0	97.9	30	103.7	69.5	150.4	19	51.3	30.6	84.1
Bones and Joints	1	1.7	0.0	11.4	0	0.0	0.0	17.1	1	3.4	0.1	23.3
Melanoma of the Skin	14	20.6	11.2	36.0	9	30.7	13.9	60.9	5	11.7	3.7	33.5
Breast (invasive)	56	81.9	61.8	107.7	1	2.9	0.1	21.3	55	150.7	113.0	199.6
Cervix (invasive)	-	-	-	-	-	-	-	-	3	9.2	1.9	31.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	33.5	17.2	62.5
Ovary	-	-	-	-	-	-	-	-	1	3.0	0.1	22.2
Prostate	-	-	-	-	40	135.0	95.9	186.2	-	-	-	-
Testis	-	-	-	-	5	15.9	5.1	40.3	-	-	-	-
Urinary Bladder	16	24.5	14.0	41.2	12	40.1	20.5	72.6	4	10.2	2.7	31.9
Kidney and Renal Pelvis	8	12.4	5.3	26.2	3	10.1	1.9	33.0	5	13.9	4.3	37.3
Brain and Other Nervous System	3	5.1	1.0	16.3	3	10.7	2.2	33.7	0	0.0	0.0	17.9
Hodgkin's Disease	2	3.8	0.4	14.8	1	4.4	0.1	25.2	1	2.7	0.1	21.7
Non-Hodgkin's Lymphomas	14	20.6	11.1	36.2	8	26.1	11.1	54.5	6	15.9	5.2	40.6
Multiple Myeloma	2	3.4	0.4	13.9	1	4.2	0.1	24.7	1	3.2	0.1	22.8
Leukemias	6	9.5	3.5	22.2	5	15.7	5.1	39.9	1	4.1	0.1	25.0
All Other Sites	24	36.2	23.1	55.1	12	40.3	20.6	73.0	12	36.0	18.6	66.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	31.1	15.4	59.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Mercer County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	506	493.8	451.5	539.7	273	587.0	519.2	662.1	233	425.9	371.9	487.2
Oral Cavity and Pharynx	12	11.9	6.1	21.9	11	24.0	11.9	44.4	1	1.8	0.0	14.8
Esophagus	6	5.7	2.1	13.7	5	10.5	3.4	26.4	1	1.3	0.0	13.9
Stomach	6	5.8	2.1	13.9	1	1.9	0.0	13.9	5	9.0	2.9	24.5
Colon and Rectum	60	56.8	43.3	74.0	36	76.8	53.7	107.6	24	38.7	24.6	60.6
Liver	0	0.0	0.0	5.8	0	0.0	0.0	11.0	0	0.0	0.0	12.4
Pancreas	9	8.7	4.0	17.8	4	8.9	2.4	24.5	5	8.6	2.8	23.9
Lung and Bronchus	80	76.9	60.9	96.6	46	100.1	73.2	134.7	34	59.6	41.0	86.1
Bones and Joints	0	0.0	0.0	5.8	0	0.0	0.0	11.0	0	0.0	0.0	12.4
Melanoma of the Skin	22	24.2	15.1	37.5	10	22.0	10.5	41.9	12	27.5	14.1	50.1
Breast (invasive)	76	74.8	58.9	94.6	1	2.4	0.1	15.0	75	139.4	109.3	177.2
Cervix (invasive)	-	-	-	-	-	-	-	-	7	16.2	6.5	35.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	33.5	19.8	55.6
Ovary	-	-	-	-	-	-	-	-	6	11.6	4.1	28.8
Prostate	-	-	-	-	81	169.7	134.6	212.2	-	-	-	-
Testis	-	-	-	-	2	4.1	0.5	17.4	-	-	-	-
Urinary Bladder	21	19.8	12.2	31.3	18	38.6	22.8	62.4	3	5.3	1.0	19.7
Kidney and Renal Pelvis	14	13.8	7.5	24.3	11	23.9	11.9	44.3	3	6.2	1.1	21.8
Brain and Other Nervous System	5	4.5	1.4	12.0	4	8.8	2.4	24.3	1	1.3	0.0	13.9
Hodgkin's Disease	2	2.2	0.3	9.1	2	4.4	0.5	17.9	0	0.0	0.0	12.4
Non-Hodgkin's Lymphomas	16	15.6	8.9	26.4	5	11.0	3.6	27.3	11	19.2	9.4	37.8
Multiple Myeloma	4	3.9	1.1	11.5	2	4.5	0.5	18.2	2	3.5	0.4	17.2
Leukemias	12	11.4	5.9	21.2	8	17.7	7.6	36.5	4	6.6	1.7	21.2
All Other Sites	47	46.2	33.9	62.4	26	57.6	37.6	85.7	21	36.5	22.3	58.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	17.6	8.0	36.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Monroe County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	672	464.2	429.7	501.0	355	561.9	504.0	625.6	317	392.5	349.9	439.7
Oral Cavity and Pharynx	13	9.0	4.8	15.9	11	17.5	8.6	33.2	2	2.8	0.3	11.7
Esophagus	5	3.3	1.1	8.3	3	4.4	0.9	15.4	2	1.7	0.2	9.4
Stomach	3	2.1	0.4	6.7	3	5.8	1.1	18.5	0	0.0	0.0	7.4
Colon and Rectum	102	69.6	56.7	84.8	43	65.8	47.5	90.3	59	67.0	50.8	88.0
Liver	6	4.1	1.5	9.5	5	7.6	2.4	19.9	1	1.0	0.0	8.8
Pancreas	14	9.9	5.4	17.0	7	10.3	4.1	23.3	7	8.5	3.4	19.2
Lung and Bronchus	92	64.1	51.6	78.9	51	84.1	62.2	112.2	41	52.3	37.4	72.0
Bones and Joints	0	0.0	0.0	3.4	0	0.0	0.0	9.3	0	0.0	0.0	7.4
Melanoma of the Skin	21	14.8	9.2	23.1	11	15.8	7.9	30.3	10	13.2	6.3	25.8
Breast (invasive)	98	67.3	54.6	82.3	0	0.0	0.0	9.3	98	125.0	101.2	153.6
Cervix (invasive)	-	-	-	-	-	-	-	-	6	8.4	3.0	19.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	23.2	13.7	37.9
Ovary	-	-	-	-	-	-	-	-	8	10.7	4.6	22.4
Prostate	-	-	-	-	104	161.8	131.9	197.7	-	-	-	-
Testis	-	-	-	-	2	2.7	0.3	13.0	-	-	-	-
Urinary Bladder	37	25.2	17.7	35.1	31	50.9	34.2	74.1	6	7.4	2.7	17.7
Kidney and Renal Pelvis	21	14.6	9.0	22.7	9	13.1	6.0	27.0	12	14.2	7.3	26.4
Brain and Other Nervous System	12	8.1	4.2	14.6	6	9.9	3.5	23.6	6	7.8	2.8	18.5
Hodgkin's Disease	4	2.9	0.8	7.8	4	5.8	1.6	17.4	0	0.0	0.0	7.4
Non-Hodgkin's Lymphomas	25	17.5	11.3	26.2	16	25.9	14.6	43.8	9	11.6	5.3	23.5
Multiple Myeloma	6	4.1	1.5	9.5	6	10.7	3.8	25.0	0	0.0	0.0	7.4
Leukemias	18	12.5	7.4	20.2	11	17.3	8.6	32.8	7	8.4	3.2	19.3
All Other Sites	57	39.3	29.7	51.2	32	52.6	35.7	75.9	25	29.4	18.8	44.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	21.4	12.2	35.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Montgomery County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	946	509.5	477.0	543.9	476	589.5	537.6	645.4	470	465.6	422.5	512.9
Oral Cavity and Pharynx	20	10.9	6.6	17.3	14	17.0	9.3	29.2	6	5.6	2.0	14.2
Esophagus	15	7.9	4.3	13.6	12	15.1	7.8	26.9	3	2.0	0.4	9.0
Stomach	13	7.1	3.7	12.8	9	11.2	5.1	21.9	4	3.4	0.8	11.3
Colon and Rectum	141	72.6	60.9	86.2	67	83.2	64.5	106.2	74	66.5	51.5	85.5
Liver	7	3.8	1.5	8.5	5	6.1	2.0	15.1	2	2.0	0.2	9.6
Pancreas	29	15.2	10.1	22.4	11	13.7	6.8	25.2	18	15.1	8.8	25.8
Lung and Bronchus	171	89.7	76.5	104.8	111	138.1	113.5	166.7	60	55.5	41.8	73.3
Bones and Joints	1	0.7	0.0	4.4	1	1.2	0.0	7.9	0	0.0	0.0	6.6
Melanoma of the Skin	31	18.7	12.6	26.9	11	13.7	6.8	25.1	20	24.7	14.8	39.4
Breast (invasive)	131	73.4	61.2	87.7	1	1.2	0.0	7.9	130	136.1	112.9	163.6
Cervix (invasive)	-	-	-	-	-	-	-	-	9	11.7	5.3	23.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	25	27.1	17.2	41.6
Ovary	-	-	-	-	-	-	-	-	12	13.8	7.0	25.5
Prostate	-	-	-	-	102	124.7	101.6	151.9	-	-	-	-
Testis	-	-	-	-	2	2.3	0.3	9.5	-	-	-	-
Urinary Bladder	42	21.7	15.5	29.9	33	40.8	28.0	57.8	9	7.8	3.4	16.9
Kidney and Renal Pelvis	21	12.1	7.5	19.1	13	16.1	8.6	28.2	8	8.7	3.5	19.0
Brain and Other Nervous System	12	7.4	3.8	13.4	7	8.5	3.4	18.3	5	5.7	1.7	14.9
Hodgkin's Disease	4	2.6	0.7	7.1	1	1.3	0.0	8.1	3	4.2	0.9	13.3
Non-Hodgkin's Lymphomas	39	20.4	14.4	28.5	18	22.1	13.1	35.5	21	18.3	10.9	30.3
Multiple Myeloma	9	4.8	2.2	9.9	6	7.6	2.8	17.3	3	1.9	0.4	8.8
Leukemias	31	16.2	10.9	23.6	13	16.8	8.9	29.3	18	14.6	8.4	25.3
All Other Sites	79	42.5	33.4	53.6	39	48.9	34.7	67.4	40	40.9	28.6	57.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	17	18.0	10.2	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Morgan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	983	464.7	435.8	495.1	492	542.0	495.1	592.5	491	417.5	380.3	458.0
Oral Cavity and Pharynx	23	11.5	7.2	17.5	19	20.6	12.4	32.6	4	3.5	0.9	10.2
Esophagus	14	6.7	3.7	11.7	10	10.8	5.2	20.4	4	3.2	0.9	9.8
Stomach	11	5.0	2.5	9.4	7	7.9	3.1	16.7	4	3.4	0.9	10.2
Colon and Rectum	143	65.4	55.1	77.5	68	75.8	58.8	96.5	75	59.2	46.2	75.5
Liver	6	2.8	1.0	6.5	5	5.9	1.9	14.2	1	0.5	0.0	5.8
Pancreas	27	12.0	7.9	17.9	12	13.1	6.8	23.3	15	10.0	5.4	18.1
Lung and Bronchus	178	82.7	71.0	96.1	105	115.1	94.1	139.7	73	60.1	46.9	76.7
Bones and Joints	1	0.5	0.0	3.3	0	0.0	0.0	5.0	1	0.9	0.0	6.7
Melanoma of the Skin	21	11.0	6.8	17.1	10	11.1	5.3	20.8	11	11.4	5.6	21.3
Breast (invasive)	134	64.6	54.1	76.9	1	1.0	0.0	6.6	133	117.7	98.1	140.8
Cervix (invasive)	-	-	-	-	-	-	-	-	7	7.4	2.9	16.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	35	29.3	20.2	41.9
Ovary	-	-	-	-	-	-	-	-	10	9.1	4.3	17.8
Prostate	-	-	-	-	112	122.0	100.4	147.1	-	-	-	-
Testis	-	-	-	-	7	7.5	3.0	16.1	-	-	-	-
Urinary Bladder	54	24.4	18.3	32.3	40	44.4	31.7	60.8	14	10.3	5.5	18.8
Kidney and Renal Pelvis	27	13.4	8.8	19.8	17	18.3	10.6	29.7	10	8.6	4.1	17.1
Brain and Other Nervous System	16	8.3	4.7	13.8	8	8.9	3.8	17.9	8	7.7	3.2	16.2
Hodgkin's Disease	6	3.1	1.1	7.1	3	3.5	0.7	10.7	3	2.9	0.6	9.6
Non-Hodgkin's Lymphomas	33	15.2	10.4	21.8	12	13.4	6.9	23.9	21	17.3	10.5	27.7
Multiple Myeloma	8	3.9	1.7	8.1	5	5.4	1.8	13.2	3	2.6	0.5	9.1
Leukemias	17	8.3	4.8	13.7	9	9.9	4.5	19.3	8	7.3	3.1	15.5
All Other Sites	93	44.2	35.6	54.6	42	47.5	34.2	64.6	51	44.9	33.0	60.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	32	29.9	20.3	43.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Moultrie County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	427	468.3	423.9	516.8	211	547.2	475.7	627.6	216	428.5	370.0	495.1
Oral Cavity and Pharynx	10	11.6	5.4	22.8	5	13.8	4.5	33.9	5	8.4	2.2	25.1
Esophagus	3	3.4	0.7	11.5	3	7.5	1.5	24.5	0	0.0	0.0	13.1
Stomach	2	2.8	0.3	11.1	1	2.4	0.1	17.0	1	3.2	0.1	18.9
Colon and Rectum	55	56.3	42.1	74.6	24	62.5	40.0	94.5	31	55.1	36.6	82.1
Liver	2	2.4	0.3	10.3	2	5.3	0.6	21.4	0	0.0	0.0	13.1
Pancreas	14	16.0	8.5	28.2	9	23.7	10.8	46.7	5	10.6	3.2	28.7
Lung and Bronchus	72	79.8	62.2	101.6	39	101.4	72.0	140.0	33	63.8	43.4	92.9
Bones and Joints	0	0.0	0.0	6.5	0	0.0	0.0	13.2	0	0.0	0.0	13.1
Melanoma of the Skin	19	22.9	13.5	37.0	11	28.7	14.3	53.0	8	20.0	8.0	42.5
Breast (invasive)	74	83.8	65.3	106.6	0	0.0	0.0	13.2	74	152.3	117.9	195.2
Cervix (invasive)	-	-	-	-	-	-	-	-	2	5.9	0.7	22.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	21.5	10.4	42.1
Ovary	-	-	-	-	-	-	-	-	3	4.9	1.0	19.6
Prostate	-	-	-	-	62	158.8	121.7	204.9	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	13.2	-	-	-	-
Urinary Bladder	21	21.5	13.2	34.2	20	51.6	31.5	81.3	1	0.9	0.0	14.0
Kidney and Renal Pelvis	13	15.1	8.0	27.0	7	18.4	7.4	39.9	6	13.6	4.9	32.6
Brain and Other Nervous System	3	4.0	0.8	12.8	1	2.4	0.1	17.0	2	5.5	0.6	22.3
Hodgkin's Disease	1	1.1	0.0	8.2	0	0.0	0.0	13.2	1	1.9	0.0	15.8
Non-Hodgkin's Lymphomas	15	16.0	8.8	28.0	7	19.1	7.6	41.1	8	12.0	4.9	28.8
Multiple Myeloma	11	11.4	5.6	21.9	8	20.6	8.9	42.5	3	4.3	0.8	18.5
Leukemias	8	10.3	4.3	21.5	2	5.1	0.6	21.2	6	14.7	4.9	35.2
All Other Sites	26	26.5	17.0	40.4	10	25.9	12.4	49.5	16	29.8	16.3	52.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	25.7	12.1	49.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Ogle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,244	459.4	434.1	485.8	624	510.4	470.8	552.8	620	427.4	394.1	463.2
Oral Cavity and Pharynx	34	12.5	8.7	17.7	30	24.1	16.2	35.1	4	2.9	0.8	8.2
Esophagus	19	7.0	4.2	11.1	16	12.7	7.3	21.3	3	1.9	0.4	6.7
Stomach	16	5.9	3.3	9.8	9	7.7	3.5	15.4	7	4.8	1.9	10.8
Colon and Rectum	153	55.4	47.0	65.1	73	60.3	47.2	76.5	80	50.4	39.8	63.5
Liver	15	5.5	3.1	9.3	14	11.3	6.2	19.6	1	0.5	0.0	4.6
Pancreas	33	12.0	8.3	17.1	15	12.3	6.8	20.9	18	11.7	6.9	19.3
Lung and Bronchus	191	69.8	60.2	80.6	107	87.8	71.8	106.6	84	56.6	45.1	70.7
Bones and Joints	5	1.8	0.6	4.5	2	1.4	0.2	6.4	3	2.2	0.5	7.4
Melanoma of the Skin	42	15.8	11.4	21.6	23	18.2	11.5	27.9	19	13.7	8.2	21.9
Breast (invasive)	165	61.2	52.2	71.5	2	2.0	0.2	7.6	163	115.0	97.9	134.6
Cervix (invasive)	-	-	-	-	-	-	-	-	16	12.3	7.0	20.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	40	27.9	19.9	38.5
Ovary	-	-	-	-	-	-	-	-	20	14.8	9.0	23.3
Prostate	-	-	-	-	140	113.4	95.2	134.4	-	-	-	-
Testis	-	-	-	-	7	6.2	2.5	13.4	-	-	-	-
Urinary Bladder	62	22.8	17.5	29.4	44	37.2	27.0	50.5	18	12.2	7.2	20.0
Kidney and Renal Pelvis	43	15.9	11.5	21.6	21	16.2	10.0	25.5	22	15.5	9.7	24.1
Brain and Other Nervous System	18	6.9	4.1	11.2	8	6.5	2.8	13.5	10	7.2	3.4	13.9
Hodgkin's Disease	10	4.2	2.0	7.9	8	6.6	2.8	13.7	2	1.7	0.2	6.7
Non-Hodgkin's Lymphomas	55	20.5	15.4	26.9	31	24.4	16.5	35.2	24	16.6	10.6	25.4
Multiple Myeloma	21	7.7	4.8	12.0	7	5.7	2.3	12.4	14	9.4	5.1	16.5
Leukemias	41	15.5	11.1	21.2	30	25.1	16.8	36.4	11	8.4	4.1	15.8
All Other Sites	98	36.0	29.2	44.1	37	31.2	21.9	43.6	61	41.8	31.8	54.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	35	25.5	17.7	35.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,100	516.0	501.9	530.5	2,604	620.4	596.6	644.9	2,496	449.6	431.8	468.0
Oral Cavity and Pharynx	126	12.9	10.7	15.4	86	20.4	16.3	25.4	40	7.0	5.0	9.7
Esophagus	55	5.5	4.1	7.2	42	10.2	7.3	13.9	13	2.3	1.2	4.0
Stomach	71	7.0	5.5	8.9	51	12.3	9.1	16.3	20	3.0	1.8	4.9
Colon and Rectum	613	60.2	55.5	65.2	293	71.3	63.3	80.1	320	52.0	46.4	58.3
Liver	36	3.6	2.5	5.0	29	6.7	4.5	9.8	7	1.1	0.4	2.5
Pancreas	128	12.6	10.5	15.0	57	14.1	10.6	18.3	71	11.7	9.1	15.0
Lung and Bronchus	834	83.8	78.2	89.7	484	116.1	105.9	127.1	350	62.6	56.1	69.7
Bones and Joints	5	0.5	0.2	1.3	4	0.9	0.2	2.5	1	0.2	0.0	1.2
Melanoma of the Skin	159	16.6	14.1	19.4	87	20.6	16.5	25.6	72	13.7	10.7	17.4
Breast (invasive)	785	81.0	75.4	86.9	7	1.6	0.7	3.5	778	145.9	135.7	156.7
Cervix (invasive)	-	-	-	-	-	-	-	-	50	10.5	7.7	13.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	121	22.6	18.7	27.1
Ovary	-	-	-	-	-	-	-	-	77	13.8	10.8	17.4
Prostate	-	-	-	-	743	175.2	162.7	188.4	-	-	-	-
Testis	-	-	-	-	21	5.0	3.1	7.7	-	-	-	-
Urinary Bladder	260	25.7	22.6	29.0	190	45.7	39.4	52.8	70	11.8	9.2	15.1
Kidney and Renal Pelvis	171	17.3	14.8	20.2	102	23.7	19.3	28.9	69	12.2	9.5	15.6
Brain and Other Nervous System	59	6.1	4.7	7.9	35	8.0	5.6	11.3	24	4.5	2.9	6.8
Hodgkin's Disease	26	2.8	1.9	4.2	16	3.6	2.1	6.0	10	2.2	1.0	4.0
Non-Hodgkin's Lymphomas	216	21.7	18.9	24.9	110	26.2	21.5	31.7	106	18.2	14.8	22.2
Multiple Myeloma	42	4.2	3.0	5.7	21	5.0	3.1	7.8	21	3.6	2.2	5.6
Leukemias	111	10.9	9.0	13.2	57	13.8	10.4	18.0	54	8.9	6.7	11.9
All Other Sites	391	40.5	36.5	44.7	169	40.0	34.2	46.6	222	41.9	36.4	47.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	163	31.1	26.4	36.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Perry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	586	432.6	398.0	469.9	315	541.1	482.8	605.1	271	367.3	323.3	417.0
Oral Cavity and Pharynx	5	4.0	1.3	10.3	5	8.7	2.8	21.4	0	0.0	0.0	9.8
Esophagus	4	3.0	0.8	8.7	4	7.0	1.9	19.0	0	0.0	0.0	9.8
Stomach	9	5.8	2.7	12.2	6	11.2	4.1	25.2	3	3.0	0.6	13.4
Colon and Rectum	98	71.1	57.6	87.4	46	79.3	58.0	106.6	52	65.7	48.6	88.8
Liver	2	1.5	0.2	6.6	1	1.7	0.0	10.9	1	1.0	0.0	10.9
Pancreas	20	14.3	8.7	23.0	6	10.2	3.7	23.2	14	17.4	9.2	32.2
Lung and Bronchus	85	64.7	51.6	80.7	53	89.8	67.2	118.1	32	47.3	32.1	68.8
Bones and Joints	2	1.3	0.2	6.3	2	3.9	0.5	14.8	0	0.0	0.0	9.8
Melanoma of the Skin	15	10.2	5.7	17.8	8	14.7	6.3	29.8	7	7.8	3.1	19.7
Breast (invasive)	59	45.4	34.4	59.2	0	0.0	0.0	8.2	59	86.1	64.7	113.7
Cervix (invasive)	-	-	-	-	-	-	-	-	9	14.1	6.2	29.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	27.1	15.8	45.2
Ovary	-	-	-	-	-	-	-	-	13	16.8	8.7	31.8
Prostate	-	-	-	-	105	178.5	145.9	216.8	-	-	-	-
Testis	-	-	-	-	2	3.0	0.4	12.7	-	-	-	-
Urinary Bladder	26	19.0	12.4	28.6	15	25.3	14.1	42.6	11	13.3	6.5	27.0
Kidney and Renal Pelvis	21	15.7	9.7	24.7	11	19.1	9.5	35.0	10	12.9	6.1	26.5
Brain and Other Nervous System	8	6.2	2.6	13.0	4	6.7	1.8	18.3	4	4.6	1.2	15.7
Hodgkin's Disease	2	1.5	0.2	6.7	2	3.3	0.4	13.4	0	0.0	0.0	9.8
Non-Hodgkin's Lymphomas	16	11.4	6.5	19.5	9	15.5	7.0	30.4	7	9.6	3.7	22.8
Multiple Myeloma	10	7.3	3.5	14.3	5	8.8	2.8	21.5	5	6.7	2.1	18.8
Leukemias	15	10.4	5.8	18.1	9	16.7	7.6	32.3	6	7.4	2.6	19.5
All Other Sites	42	31.8	22.8	43.8	22	37.8	23.7	58.1	20	26.5	15.7	43.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	12.4	5.2	26.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Piatt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	462	472.4	430.1	518.5	238	547.7	479.7	624.3	224	412.7	359.1	473.8
Oral Cavity and Pharynx	10	10.3	4.9	20.3	5	12.2	3.8	31.6	5	9.3	2.9	25.6
Esophagus	5	5.2	1.7	13.8	4	8.9	2.4	26.3	1	2.1	0.1	16.1
Stomach	4	4.2	1.1	12.4	3	6.9	1.4	23.5	1	1.9	0.0	15.8
Colon and Rectum	68	68.0	52.7	87.2	38	87.5	61.7	122.3	30	50.0	33.5	74.7
Liver	2	2.0	0.2	9.4	2	4.3	0.5	19.7	0	0.0	0.0	13.1
Pancreas	13	13.2	7.0	23.9	7	15.1	6.1	34.2	6	9.0	3.3	24.5
Lung and Bronchus	63	63.6	48.9	82.5	39	90.7	64.1	126.4	24	44.5	28.3	69.3
Bones and Joints	0	0.0	0.0	6.5	0	0.0	0.0	13.6	0	0.0	0.0	13.1
Melanoma of the Skin	18	20.7	12.1	34.0	10	22.4	10.7	43.9	8	19.5	8.0	41.3
Breast (invasive)	72	75.0	58.6	95.5	1	2.2	0.1	16.8	71	137.1	106.6	175.7
Cervix (invasive)	-	-	-	-	-	-	-	-	3	5.9	1.1	21.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	31.6	18.5	53.5
Ovary	-	-	-	-	-	-	-	-	7	12.9	5.1	30.4
Prostate	-	-	-	-	68	155.1	120.2	198.8	-	-	-	-
Testis	-	-	-	-	1	2.3	0.1	17.0	-	-	-	-
Urinary Bladder	16	16.0	9.1	27.3	11	26.3	12.9	49.7	5	8.9	2.8	25.1
Kidney and Renal Pelvis	13	12.8	6.8	23.3	10	22.9	10.9	44.8	3	5.1	1.0	19.7
Brain and Other Nervous System	5	5.3	1.7	14.0	2	5.9	0.6	23.4	3	6.4	1.3	22.3
Hodgkin's Disease	2	1.9	0.2	9.1	1	2.5	0.1	17.4	1	1.2	0.0	14.5
Non-Hodgkin's Lymphomas	15	15.4	8.6	26.6	10	23.3	11.2	45.4	5	8.4	2.7	24.1
Multiple Myeloma	10	9.7	4.6	19.4	3	6.8	1.4	23.4	7	10.3	4.1	26.0
Leukemias	10	10.0	4.8	20.0	3	7.9	1.5	25.9	7	12.0	4.6	29.1
All Other Sites	39	40.4	28.7	56.4	20	44.6	27.2	71.3	19	36.5	21.7	60.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	21.2	10.5	41.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Pike County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	546	469.3	429.7	512.3	291	568.6	504.7	639.2	255	398.1	348.1	455.2
Oral Cavity and Pharynx	10	8.7	4.1	17.3	8	15.6	6.7	32.3	2	2.8	0.3	15.9
Esophagus	7	6.3	2.5	14.3	7	14.0	5.6	30.4	0	0.0	0.0	12.2
Stomach	6	5.1	1.8	12.5	3	6.1	1.2	19.5	3	4.3	0.8	17.7
Colon and Rectum	85	69.8	55.3	87.6	48	93.2	68.6	124.8	37	51.9	35.8	75.6
Liver	4	3.0	0.8	9.5	3	5.5	1.1	18.3	1	1.3	0.0	13.7
Pancreas	16	12.1	6.8	21.0	8	14.8	6.4	31.0	8	11.1	4.6	26.2
Lung and Bronchus	87	72.7	58.0	90.8	51	96.8	72.0	128.5	36	54.4	37.5	78.8
Bones and Joints	1	1.2	0.0	7.4	0	0.0	0.0	10.1	1	2.4	0.1	16.0
Melanoma of the Skin	14	14.2	7.6	24.8	7	14.7	5.8	31.6	7	14.8	5.7	33.5
Breast (invasive)	58	54.0	40.7	70.9	2	3.7	0.4	15.7	56	98.4	73.3	131.3
Cervix (invasive)	-	-	-	-	-	-	-	-	8	17.9	7.5	37.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	18	29.4	17.0	49.9
Ovary	-	-	-	-	-	-	-	-	11	18.8	9.0	37.3
Prostate	-	-	-	-	66	126.2	97.5	161.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	10.1	-	-	-	-
Urinary Bladder	29	23.7	15.8	35.3	19	37.2	22.3	59.4	10	11.8	5.5	26.6
Kidney and Renal Pelvis	15	12.4	6.8	21.7	8	16.2	7.0	33.3	7	8.8	3.4	23.1
Brain and Other Nervous System	5	5.2	1.6	13.2	3	7.2	1.5	21.8	2	2.9	0.3	15.9
Hodgkin's Disease	3	3.4	0.6	10.8	2	5.3	0.6	19.4	1	1.0	0.0	13.2
Non-Hodgkin's Lymphomas	26	22.4	14.5	34.1	14	28.2	15.4	48.6	12	16.7	8.1	33.8
Multiple Myeloma	7	6.2	2.4	14.1	0	0.0	0.0	10.1	7	11.2	4.2	27.4
Leukemias	17	14.9	8.5	25.1	13	26.1	13.8	46.0	4	4.2	1.1	17.1
All Other Sites	53	44.5	32.9	59.6	29	57.7	38.4	84.2	24	34.0	21.1	54.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	13.6	5.8	30.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Pope County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	86	296.9	236.5	374.4	42	309.4	221.2	433.2	44	280.5	201.4	396.0
Oral Cavity and Pharynx	1	2.9	0.1	33.4	1	5.8	0.1	65.2	0	0.0	0.0	62.2
Esophagus	1	2.9	0.1	33.4	1	5.8	0.1	65.2	0	0.0	0.0	62.2
Stomach	1	3.5	0.1	34.4	0	0.0	0.0	58.6	1	6.9	0.2	70.4
Colon and Rectum	12	40.3	20.6	80.4	5	45.9	14.8	122.3	7	41.9	16.6	112.4
Liver	0	0.0	0.0	30.2	0	0.0	0.0	58.6	0	0.0	0.0	62.2
Pancreas	4	14.9	4.0	49.4	1	9.3	0.2	71.8	3	19.4	4.0	85.3
Lung and Bronchus	15	50.2	27.9	92.2	11	74.5	36.9	152.3	4	22.5	5.9	88.2
Bones and Joints	0	0.0	0.0	30.2	0	0.0	0.0	58.6	0	0.0	0.0	62.2
Melanoma of the Skin	2	6.6	0.8	38.1	1	5.7	0.1	64.9	1	7.4	0.2	71.3
Breast (invasive)	12	41.6	21.2	82.4	0	0.0	0.0	58.6	12	81.8	41.6	164.1
Cervix (invasive)	-	-	-	-	-	-	-	-	2	16.3	1.8	84.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	0	0.0	0.0	62.2
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	62.2
Prostate	-	-	-	-	17	120.3	69.4	209.6	-	-	-	-
Testis	-	-	-	-	1	11.1	0.3	76.0	-	-	-	-
Urinary Bladder	3	11.2	2.2	44.7	3	21.8	4.3	87.0	0	0.0	0.0	62.2
Kidney and Renal Pelvis	3	13.5	2.6	49.2	0	0.0	0.0	58.6	3	26.0	5.1	97.9
Brain and Other Nervous System	0	0.0	0.0	30.2	0	0.0	0.0	58.6	0	0.0	0.0	62.2
Hodgkin's Disease	0	0.0	0.0	30.2	0	0.0	0.0	58.6	0	0.0	0.0	62.2
Non-Hodgkin's Lymphomas	3	9.5	1.9	41.7	0	0.0	0.0	58.6	3	15.3	2.7	79.6
Multiple Myeloma	0	0.0	0.0	30.2	0	0.0	0.0	58.6	0	0.0	0.0	62.2
Leukemias	2	6.4	0.7	37.9	0	0.0	0.0	58.6	2	9.9	1.1	72.8
All Other Sites	7	23.4	9.2	59.5	1	9.3	0.2	71.8	6	33.2	11.7	101.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	6.9	0.2	70.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Pulaski County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	193	423.0	364.3	490.1	108	570.5	467.1	693.1	85	321.7	253.7	405.9
Oral Cavity and Pharynx	3	6.2	1.3	22.3	1	5.0	0.1	36.5	2	6.6	0.7	34.4
Esophagus	3	7.1	1.4	24.2	3	15.1	3.1	51.2	0	0.0	0.0	25.5
Stomach	8	16.7	7.1	36.3	3	16.1	3.2	53.1	5	18.2	5.6	50.7
Colon and Rectum	26	55.4	35.8	84.2	14	77.9	42.4	135.0	12	41.0	20.2	79.8
Liver	1	2.3	0.1	16.9	1	4.9	0.1	36.2	0	0.0	0.0	25.5
Pancreas	6	14.9	5.3	35.2	3	17.8	3.6	56.9	3	12.9	2.4	44.7
Lung and Bronchus	38	79.5	55.9	111.8	27	138.2	90.7	205.7	11	38.3	18.4	76.2
Bones and Joints	0	0.0	0.0	13.6	0	0.0	0.0	29.0	0	0.0	0.0	25.5
Melanoma of the Skin	3	7.9	1.5	25.8	3	19.5	4.0	60.0	0	0.0	0.0	25.5
Breast (invasive)	17	37.9	21.8	63.5	0	0.0	0.0	29.0	17	67.2	37.9	114.6
Cervix (invasive)	-	-	-	-	-	-	-	-	4	24.4	6.6	64.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	17.7	4.5	51.9
Ovary	-	-	-	-	-	-	-	-	6	24.4	8.2	60.6
Prostate	-	-	-	-	29	149.3	99.6	218.9	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	29.0	-	-	-	-
Urinary Bladder	9	17.7	8.1	37.1	6	30.2	11.0	71.7	3	10.1	2.1	38.8
Kidney and Renal Pelvis	5	10.9	3.5	29.0	2	11.1	1.3	46.3	3	10.4	2.1	39.5
Brain and Other Nervous System	3	7.1	1.4	24.2	2	10.9	1.3	45.6	1	3.5	0.1	30.1
Hodgkin's Disease	0	0.0	0.0	13.6	0	0.0	0.0	29.0	0	0.0	0.0	25.5
Non-Hodgkin's Lymphomas	7	15.6	6.1	35.4	3	16.8	3.4	54.5	4	11.8	3.2	40.5
Multiple Myeloma	2	4.9	0.6	21.1	1	6.4	0.2	39.9	1	3.5	0.1	30.1
Leukemias	7	15.0	5.9	34.2	4	21.5	5.8	60.8	3	9.6	1.9	38.2
All Other Sites	12	26.4	13.5	49.1	6	29.9	10.9	71.2	6	22.1	7.6	56.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	3.5	0.1	30.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Putnam County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	196	529.4	457.4	611.6	108	636.8	521.1	774.7	88	451.5	360.4	564.5
Oral Cavity and Pharynx	3	7.8	1.6	27.6	2	10.5	1.3	49.2	1	3.7	0.1	40.2
Esophagus	3	7.6	1.6	27.4	2	11.6	1.4	51.4	1	4.4	0.1	41.6
Stomach	2	5.3	0.6	24.2	1	5.9	0.1	43.3	1	5.6	0.1	44.1
Colon and Rectum	20	52.1	31.8	83.7	12	76.4	38.7	139.9	8	35.6	15.2	81.8
Liver	0	0.0	0.0	16.7	0	0.0	0.0	34.5	0	0.0	0.0	36.0
Pancreas	7	18.4	7.4	41.9	3	17.3	3.6	59.4	4	18.1	4.9	59.4
Lung and Bronchus	36	96.7	67.7	136.7	21	115.3	71.3	182.5	15	81.9	45.5	143.1
Bones and Joints	0	0.0	0.0	16.7	0	0.0	0.0	34.5	0	0.0	0.0	36.0
Melanoma of the Skin	10	28.6	13.7	55.8	3	17.3	3.5	59.4	7	37.0	14.5	86.4
Breast (invasive)	26	72.2	47.0	108.7	0	0.0	0.0	34.5	26	139.5	90.4	212.3
Cervix (invasive)	-	-	-	-	-	-	-	-	2	11.3	1.3	52.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	15.2	3.1	56.5
Ovary	-	-	-	-	-	-	-	-	2	10.2	1.2	49.8
Prostate	-	-	-	-	29	166.2	111.0	244.7	-	-	-	-
Testis	-	-	-	-	2	16.3	2.0	62.0	-	-	-	-
Urinary Bladder	11	29.3	14.6	55.9	8	45.6	19.6	97.2	3	14.3	2.9	55.1
Kidney and Renal Pelvis	5	12.7	4.1	34.2	2	12.0	1.5	52.4	3	12.3	2.5	51.2
Brain and Other Nervous System	2	5.7	0.7	25.1	1	5.9	0.1	43.3	1	4.3	0.1	41.3
Hodgkin's Disease	3	9.7	1.8	32.0	2	10.3	1.3	48.9	1	9.8	0.2	54.4
Non-Hodgkin's Lymphomas	3	8.5	1.7	29.0	2	11.3	1.4	50.9	1	5.6	0.1	44.1
Multiple Myeloma	4	11.1	3.0	32.7	2	13.0	1.6	54.6	2	9.9	1.2	49.3
Leukemias	8	20.5	8.8	44.4	6	35.5	13.0	84.6	2	9.3	1.1	48.1
All Other Sites	15	41.0	22.8	71.0	10	66.4	31.3	128.0	5	23.6	7.5	67.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	43.1	18.5	94.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Randolph County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	919	469.1	438.9	501.0	487	576.2	526.0	630.2	432	395.7	357.6	437.4
Oral Cavity and Pharynx	9	4.8	2.2	9.6	6	6.5	2.4	15.0	3	3.0	0.5	10.4
Esophagus	5	2.5	0.8	6.5	2	2.2	0.3	9.0	3	2.5	0.5	9.4
Stomach	4	2.1	0.6	5.9	1	1.2	0.0	7.4	3	3.0	0.6	10.4
Colon and Rectum	115	56.6	46.6	68.4	60	71.8	54.7	92.8	55	44.8	33.3	59.9
Liver	10	5.1	2.4	9.9	6	6.9	2.5	15.6	4	3.7	0.9	11.3
Pancreas	28	13.6	9.0	20.1	12	14.2	7.3	25.4	16	12.4	6.9	21.9
Lung and Bronchus	141	72.8	61.2	86.3	78	93.0	73.5	116.5	63	58.0	44.2	75.5
Bones and Joints	2	1.2	0.1	4.7	1	1.1	0.0	7.3	1	1.3	0.0	8.1
Melanoma of the Skin	23	11.7	7.4	18.0	10	11.2	5.3	21.2	13	12.0	6.0	22.3
Breast (invasive)	109	56.4	46.2	68.5	1	1.4	0.0	8.0	108	105.8	86.1	129.4
Cervix (invasive)	-	-	-	-	-	-	-	-	12	15.2	7.7	27.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	17.7	10.6	28.8
Ovary	-	-	-	-	-	-	-	-	14	13.2	7.0	23.7
Prostate	-	-	-	-	160	191.0	162.5	223.3	-	-	-	-
Testis	-	-	-	-	8	7.9	3.4	16.5	-	-	-	-
Urinary Bladder	49	24.3	17.9	32.6	37	44.8	31.5	62.1	12	9.9	5.0	18.9
Kidney and Renal Pelvis	26	13.9	9.0	20.8	16	18.4	10.5	30.5	10	9.6	4.3	19.2
Brain and Other Nervous System	8	4.1	1.7	8.6	4	4.7	1.3	12.7	4	3.0	0.7	10.0
Hodgkin's Disease	2	1.1	0.1	4.6	1	1.0	0.0	7.0	1	1.3	0.0	8.1
Non-Hodgkin's Lymphomas	35	17.9	12.4	25.3	16	18.3	10.5	30.3	19	15.7	9.3	26.1
Multiple Myeloma	12	5.9	3.0	10.8	7	8.4	3.4	17.8	5	4.0	1.2	11.3
Leukemias	35	18.0	12.4	25.4	18	21.3	12.6	34.1	17	15.3	8.6	26.1
All Other Sites	92	46.1	37.0	57.0	43	51.0	36.8	69.2	49	44.4	32.4	60.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	15.9	8.6	27.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Richland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	479	478.9	436.2	525.2	265	603.5	532.5	682.0	214	392.4	339.4	452.4
Oral Cavity and Pharynx	7	6.7	2.6	14.9	4	9.1	2.5	24.8	3	4.9	1.0	17.6
Esophagus	7	7.6	3.0	16.6	4	10.1	2.7	26.8	3	6.9	1.4	21.9
Stomach	2	2.4	0.3	9.4	2	5.0	0.6	19.3	0	0.0	0.0	10.8
Colon and Rectum	67	65.1	50.2	83.7	37	86.0	60.4	119.5	30	48.9	32.5	72.5
Liver	1	1.0	0.0	6.9	1	2.0	0.0	13.9	0	0.0	0.0	10.8
Pancreas	14	13.1	7.0	23.0	10	22.8	10.9	43.3	4	5.7	1.3	18.8
Lung and Bronchus	81	78.6	62.2	98.5	50	112.9	83.6	150.0	31	53.6	36.0	78.5
Bones and Joints	0	0.0	0.0	5.4	0	0.0	0.0	10.9	0	0.0	0.0	10.8
Melanoma of the Skin	21	22.9	14.0	35.8	15	34.7	19.4	58.4	6	14.8	5.2	33.6
Breast (invasive)	63	66.1	50.5	85.5	1	2.9	0.1	16.4	62	119.0	90.3	155.0
Cervix (invasive)	-	-	-	-	-	-	-	-	6	12.1	4.3	28.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	15	29.8	16.4	51.1
Ovary	-	-	-	-	-	-	-	-	7	13.1	4.9	29.8
Prostate	-	-	-	-	74	162.4	127.3	205.1	-	-	-	-
Testis	-	-	-	-	2	5.9	0.7	21.3	-	-	-	-
Urinary Bladder	24	22.3	14.2	34.1	21	46.9	29.0	72.9	3	4.2	0.8	16.4
Kidney and Renal Pelvis	9	9.5	4.3	18.9	5	11.6	3.7	28.4	4	7.1	1.7	21.4
Brain and Other Nervous System	7	7.3	2.9	16.0	6	13.8	5.0	31.3	1	1.3	0.0	12.5
Hodgkin's Disease	2	2.4	0.3	9.5	0	0.0	0.0	10.9	2	4.8	0.5	18.8
Non-Hodgkin's Lymphomas	18	17.6	10.3	28.8	7	16.1	6.4	34.5	11	17.4	8.4	34.1
Multiple Myeloma	4	4.1	1.1	11.5	1	2.0	0.0	13.9	3	5.5	1.0	19.0
Leukemias	15	15.1	8.3	25.9	6	13.7	5.0	31.2	9	16.5	7.0	34.3
All Other Sites	33	34.5	23.5	49.3	19	45.7	27.4	72.4	14	26.8	14.1	47.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	17.5	7.9	35.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,263	501.7	486.7	517.1	2,273	615.8	590.6	641.8	1,990	423.9	405.1	443.4
Oral Cavity and Pharynx	90	10.8	8.7	13.4	65	17.1	13.2	22.0	25	5.2	3.3	7.8
Esophagus	57	6.6	5.0	8.6	44	11.8	8.5	15.9	13	2.5	1.3	4.5
Stomach	34	3.7	2.6	5.3	18	5.0	3.0	8.1	16	2.7	1.5	4.7
Colon and Rectum	464	53.3	48.5	58.4	234	64.1	56.1	73.0	230	45.1	39.3	51.6
Liver	34	4.0	2.8	5.7	21	5.5	3.4	8.5	13	2.6	1.4	4.7
Pancreas	108	12.4	10.1	15.0	60	16.1	12.3	20.9	48	9.0	6.6	12.2
Lung and Bronchus	664	76.8	71.1	82.9	371	100.1	90.1	110.9	293	59.7	53.0	67.2
Bones and Joints	6	0.8	0.3	1.7	4	1.1	0.3	2.9	2	0.5	0.1	1.9
Melanoma of the Skin	159	19.9	16.9	23.3	96	26.1	21.2	32.1	63	15.2	11.6	19.6
Breast (invasive)	583	69.7	64.2	75.7	2	0.5	0.1	2.2	581	127.6	117.2	138.7
Cervix (invasive)	-	-	-	-	-	-	-	-	67	17.0	13.1	21.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	123	27.3	22.6	32.7
Ovary	-	-	-	-	-	-	-	-	64	14.2	10.9	18.3
Prostate	-	-	-	-	715	191.4	177.6	206.1	-	-	-	-
Testis	-	-	-	-	17	4.7	2.8	7.7	-	-	-	-
Urinary Bladder	213	24.3	21.1	27.8	167	46.7	39.9	54.5	46	9.1	6.6	12.4
Kidney and Renal Pelvis	123	14.4	12.0	17.2	77	20.8	16.4	26.1	46	9.2	6.7	12.5
Brain and Other Nervous System	39	4.9	3.5	6.8	22	5.7	3.6	8.8	17	4.3	2.5	6.9
Hodgkin's Disease	22	2.9	1.8	4.4	14	4.0	2.2	6.8	8	2.0	0.8	4.1
Non-Hodgkin's Lymphomas	157	18.4	15.6	21.6	82	22.2	17.6	27.6	75	15.5	12.1	19.7
Multiple Myeloma	37	4.5	3.1	6.2	21	5.5	3.4	8.5	16	3.5	2.0	5.8
Leukemias	78	9.1	7.2	11.4	49	13.7	10.1	18.3	29	5.6	3.7	8.2
All Other Sites	409	48.5	43.9	53.5	194	53.6	46.3	61.8	215	46.2	40.1	53.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	120	27.1	22.4	32.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,685	520.7	508.3	533.4	3,355	621.7	600.6	643.4	3,330	455.9	440.4	471.8
Oral Cavity and Pharynx	142	11.0	9.3	13.0	94	16.9	13.7	20.9	48	6.8	5.0	9.1
Esophagus	83	6.5	5.2	8.0	59	10.9	8.3	14.2	24	3.2	2.0	4.8
Stomach	78	6.0	4.8	7.5	46	8.7	6.3	11.7	32	4.1	2.8	5.9
Colon and Rectum	893	68.9	64.4	73.6	425	81.1	73.5	89.4	468	61.0	55.5	66.9
Liver	55	4.3	3.2	5.6	40	7.1	5.1	9.8	15	2.1	1.2	3.5
Pancreas	166	12.8	11.0	15.0	89	16.9	13.5	20.9	77	10.0	7.9	12.5
Lung and Bronchus	1,143	88.8	83.7	94.1	657	122.5	113.3	132.5	486	65.8	60.1	72.0
Bones and Joints	15	1.2	0.6	1.9	7	1.1	0.4	2.5	8	1.1	0.5	2.2
Melanoma of the Skin	169	13.3	11.4	15.5	96	17.3	14.0	21.3	73	10.5	8.2	13.3
Breast (invasive)	981	76.9	72.1	81.9	5	0.9	0.3	2.3	976	137.1	128.5	146.0
Cervix (invasive)	-	-	-	-	-	-	-	-	67	9.9	7.7	12.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	181	25.4	21.8	29.4
Ovary	-	-	-	-	-	-	-	-	106	14.5	11.9	17.6
Prostate	-	-	-	-	892	164.0	153.4	175.3	-	-	-	-
Testis	-	-	-	-	17	2.8	1.6	4.7	-	-	-	-
Urinary Bladder	290	22.4	19.9	25.1	227	43.2	37.7	49.3	63	8.3	6.3	10.7
Kidney and Renal Pelvis	240	18.8	16.5	21.3	150	27.3	23.1	32.2	90	12.3	9.9	15.2
Brain and Other Nervous System	73	5.7	4.5	7.2	35	6.1	4.2	8.7	38	5.2	3.7	7.2
Hodgkin's Disease	30	2.4	1.6	3.4	17	3.1	1.8	5.2	13	2.0	1.1	3.4
Non-Hodgkin's Lymphomas	232	18.1	15.8	20.6	127	23.1	19.2	27.7	105	14.1	11.5	17.2
Multiple Myeloma	87	6.7	5.4	8.3	32	6.1	4.1	8.8	55	7.2	5.4	9.5
Leukemias	177	13.7	11.7	15.9	94	17.3	13.9	21.4	83	11.1	8.8	13.8
All Other Sites	568	44.2	40.7	48.1	246	45.1	39.6	51.3	322	44.1	39.4	49.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	185	26.3	22.6	30.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Saline County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	842	474.2	442.0	508.4	449	610.1	554.7	670.1	393	389.3	349.9	432.8
Oral Cavity and Pharynx	15	8.4	4.6	14.5	9	11.8	5.4	23.6	6	5.2	1.8	13.8
Esophagus	8	4.9	2.1	10.3	7	9.8	3.9	21.2	1	1.3	0.0	8.9
Stomach	14	7.3	3.9	13.0	9	11.9	5.4	23.7	5	3.6	1.1	11.4
Colon and Rectum	143	76.8	64.5	91.2	68	91.3	70.9	116.6	75	68.3	52.9	87.9
Liver	9	5.3	2.4	10.9	6	8.4	3.1	19.4	3	3.0	0.6	10.9
Pancreas	15	8.5	4.7	14.8	9	12.7	5.7	25.0	6	4.8	1.7	13.0
Lung and Bronchus	188	104.8	90.2	121.5	111	149.5	122.9	180.8	77	75.8	59.5	96.4
Bones and Joints	0	0.0	0.0	3.5	0	0.0	0.0	7.0	0	0.0	0.0	6.9
Melanoma of the Skin	27	16.4	10.6	24.7	19	27.2	16.2	43.3	8	9.1	3.6	20.1
Breast (invasive)	91	54.4	43.5	67.5	1	1.2	0.0	8.8	90	97.3	77.4	121.7
Cervix (invasive)	-	-	-	-	-	-	-	-	9	13.5	5.9	26.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	24	25.4	16.1	39.4
Ovary	-	-	-	-	-	-	-	-	8	7.8	3.2	17.4
Prostate	-	-	-	-	87	116.5	93.2	144.4	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	7.0	-	-	-	-
Urinary Bladder	30	15.8	10.6	23.3	25	34.0	21.9	51.0	5	3.8	1.2	11.7
Kidney and Renal Pelvis	21	12.8	7.9	20.2	15	20.6	11.5	34.9	6	7.2	2.6	17.2
Brain and Other Nervous System	8	5.1	2.2	10.6	7	9.4	3.8	20.6	1	0.9	0.0	8.0
Hodgkin's Disease	2	1.4	0.1	5.7	1	1.8	0.0	10.5	1	0.6	0.0	7.6
Non-Hodgkin's Lymphomas	41	21.4	15.2	29.8	17	23.9	13.9	39.1	24	19.7	12.3	31.5
Multiple Myeloma	9	5.2	2.3	10.7	7	9.4	3.8	20.5	2	2.2	0.2	10.3
Leukemias	15	7.6	4.2	13.3	9	12.2	5.6	24.2	6	4.9	1.7	13.3
All Other Sites	78	43.5	34.1	55.0	42	58.6	42.1	80.1	36	34.9	23.8	50.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	13	14.6	7.7	26.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,876	484.9	471.4	498.7	2,395	573.5	550.5	597.2	2,481	433.1	416.0	450.7
Oral Cavity and Pharynx	122	12.3	10.2	14.7	80	18.1	14.3	22.6	42	7.7	5.6	10.6
Esophagus	51	5.0	3.8	6.7	35	8.1	5.6	11.5	16	2.6	1.5	4.3
Stomach	45	4.4	3.2	6.0	27	6.5	4.3	9.7	18	3.0	1.8	4.9
Colon and Rectum	593	58.3	53.7	63.3	281	68.5	60.6	77.2	312	51.2	45.6	57.4
Liver	33	3.2	2.2	4.6	27	6.4	4.2	9.5	6	0.9	0.3	2.1
Pancreas	100	9.7	7.9	11.9	47	11.5	8.4	15.5	53	8.5	6.4	11.3
Lung and Bronchus	778	77.4	72.0	83.1	438	105.5	95.8	116.1	340	59.1	52.9	65.8
Bones and Joints	7	0.7	0.3	1.6	3	0.7	0.1	2.2	4	0.8	0.2	2.2
Melanoma of the Skin	124	12.4	10.3	14.8	69	16.7	13.0	21.4	55	10.1	7.6	13.2
Breast (invasive)	827	82.2	76.7	88.0	11	2.5	1.2	4.6	816	145.0	135.2	155.5
Cervix (invasive)	-	-	-	-	-	-	-	-	44	8.3	6.0	11.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	126	22.2	18.5	26.6
Ovary	-	-	-	-	-	-	-	-	76	13.2	10.3	16.6
Prostate	-	-	-	-	662	158.0	146.1	170.8	-	-	-	-
Testis	-	-	-	-	25	5.4	3.5	8.2	-	-	-	-
Urinary Bladder	204	20.1	17.4	23.1	155	38.6	32.7	45.4	49	8.1	6.0	10.9
Kidney and Renal Pelvis	145	14.5	12.2	17.1	89	21.2	17.0	26.3	56	9.8	7.4	12.9
Brain and Other Nervous System	61	6.2	4.7	8.0	26	5.8	3.8	8.7	35	6.5	4.5	9.2
Hodgkin's Disease	35	3.7	2.6	5.1	17	3.9	2.3	6.5	18	3.7	2.2	5.9
Non-Hodgkin's Lymphomas	175	17.4	14.9	20.2	93	21.6	17.4	26.7	82	14.2	11.3	17.8
Multiple Myeloma	45	4.4	3.2	6.0	23	5.5	3.5	8.5	22	3.7	2.3	5.7
Leukemias	122	12.3	10.2	14.8	67	15.8	12.2	20.2	55	9.6	7.2	12.6
All Other Sites	476	47.4	43.2	51.9	220	53.1	46.2	60.7	256	44.6	39.3	50.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	220	40.3	35.2	46.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Schuyler County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	194	397.2	342.2	460.5	98	448.8	363.7	550.9	96	366.4	294.0	456.9
Oral Cavity and Pharynx	4	8.3	2.2	25.2	1	4.6	0.1	33.0	3	12.2	2.3	47.5
Esophagus	2	3.9	0.5	19.0	1	4.2	0.1	32.1	1	3.3	0.1	34.9
Stomach	0	0.0	0.0	13.7	0	0.0	0.0	26.1	0	0.0	0.0	31.0
Colon and Rectum	31	63.4	42.6	93.2	12	54.6	28.0	100.2	19	71.9	42.1	122.3
Liver	1	2.3	0.1	17.0	1	4.6	0.1	33.2	0	0.0	0.0	31.0
Pancreas	8	15.9	6.7	35.2	2	9.8	1.2	41.1	6	18.9	6.6	54.3
Lung and Bronchus	33	69.1	47.3	99.8	22	99.5	62.2	154.8	11	42.4	20.6	85.8
Bones and Joints	2	3.8	0.5	18.7	0	0.0	0.0	26.1	2	6.6	0.8	38.9
Melanoma of the Skin	2	4.1	0.5	19.5	1	4.4	0.1	32.5	1	4.4	0.1	37.1
Breast (invasive)	27	56.5	36.8	85.3	1	4.2	0.1	32.1	26	101.9	65.1	158.8
Cervix (invasive)	-	-	-	-	-	-	-	-	3	16.0	3.2	54.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	6.5	0.6	39.1
Ovary	-	-	-	-	-	-	-	-	1	3.3	0.1	34.9
Prostate	-	-	-	-	14	61.4	33.5	107.8	-	-	-	-
Testis	-	-	-	-	2	10.8	1.2	43.9	-	-	-	-
Urinary Bladder	10	17.0	8.1	35.4	8	35.1	15.0	74.6	2	5.4	0.6	37.0
Kidney and Renal Pelvis	7	13.4	5.2	31.7	3	14.3	2.9	47.6	4	13.4	3.4	47.8
Brain and Other Nervous System	3	6.1	1.2	22.2	3	13.8	2.8	46.3	0	0.0	0.0	31.0
Hodgkin's Disease	2	5.4	0.6	22.4	1	7.0	0.2	39.3	1	3.9	0.1	36.1
Non-Hodgkin's Lymphomas	10	21.9	10.3	43.6	9	44.3	20.1	88.2	1	3.9	0.1	36.1
Multiple Myeloma	2	3.5	0.4	18.3	2	9.5	1.1	40.5	0	0.0	0.0	31.0
Leukemias	7	13.8	5.4	32.2	5	21.2	6.8	56.0	2	7.0	0.8	39.7
All Other Sites	21	43.1	26.5	69.0	10	45.7	21.9	88.8	11	45.4	22.2	90.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	1	4.7	0.1	37.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Scott County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	137	402.0	336.9	477.8	67	443.8	343.2	569.2	70	372.9	288.1	479.5
Oral Cavity and Pharynx	1	3.0	0.1	21.3	1	6.7	0.2	47.8	0	0.0	0.0	34.1
Esophagus	3	8.7	1.8	29.4	3	19.6	4.0	66.2	0	0.0	0.0	34.1
Stomach	2	6.4	0.8	26.6	1	5.8	0.1	45.7	1	7.7	0.2	47.4
Colon and Rectum	23	67.6	42.7	104.1	10	66.1	31.5	128.3	13	67.0	35.2	122.8
Liver	1	2.6	0.1	20.4	1	5.5	0.1	45.1	0	0.0	0.0	34.1
Pancreas	1	3.0	0.1	21.3	0	0.0	0.0	37.5	1	5.2	0.1	41.4
Lung and Bronchus	21	61.0	37.5	96.1	13	89.6	47.6	159.0	8	38.5	15.9	86.2
Bones and Joints	0	0.0	0.0	16.6	0	0.0	0.0	37.5	0	0.0	0.0	34.1
Melanoma of the Skin	1	2.2	0.1	19.4	1	8.5	0.2	52.1	0	0.0	0.0	34.1
Breast (invasive)	13	34.5	18.3	62.5	0	0.0	0.0	37.5	13	60.0	31.3	112.4
Cervix (invasive)	-	-	-	-	-	-	-	-	1	6.4	0.2	44.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	42.6	16.9	94.6
Ovary	-	-	-	-	-	-	-	-	0	0.0	0.0	34.1
Prostate	-	-	-	-	17	106.3	61.6	177.2	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	37.5	-	-	-	-
Urinary Bladder	6	16.8	6.1	40.2	4	23.4	6.3	70.1	2	11.8	1.2	52.3
Kidney and Renal Pelvis	4	12.7	3.4	35.6	2	12.3	1.5	55.3	2	12.0	1.4	51.9
Brain and Other Nervous System	2	5.2	0.6	24.1	1	7.3	0.2	49.2	1	2.9	0.1	37.2
Hodgkin's Disease	1	3.5	0.1	22.5	1	7.8	0.2	50.4	0	0.0	0.0	34.1
Non-Hodgkin's Lymphomas	11	33.5	16.5	62.8	2	13.2	1.6	57.3	9	49.7	21.8	103.0
Multiple Myeloma	2	6.5	0.8	26.7	2	14.2	1.7	59.2	0	0.0	0.0	34.1
Leukemias	5	13.0	4.1	34.8	4	30.4	8.2	83.8	1	4.1	0.1	39.2
All Other Sites	15	46.9	26.1	79.9	4	27.2	7.4	77.3	11	64.9	31.7	123.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	20.0	4.0	64.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Shelby County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	659	450.7	416.5	487.4	376	567.8	511.6	629.3	283	369.3	326.1	417.7
Oral Cavity and Pharynx	10	7.4	3.5	14.4	7	11.1	4.4	24.0	3	4.5	0.8	15.5
Esophagus	7	4.6	1.8	10.4	6	9.2	3.4	21.3	1	1.2	0.0	10.4
Stomach	6	3.6	1.3	9.0	4	6.6	1.8	18.0	2	2.2	0.3	11.7
Colon and Rectum	104	69.5	56.6	84.9	52	77.6	57.9	102.8	52	64.2	47.5	86.5
Liver	3	2.4	0.5	7.8	2	3.4	0.4	13.5	1	1.3	0.0	10.7
Pancreas	13	8.9	4.7	16.0	6	9.3	3.4	21.5	7	9.0	3.6	21.0
Lung and Bronchus	116	76.9	63.5	93.0	75	111.5	87.6	140.7	41	49.6	35.3	69.4
Bones and Joints	1	0.9	0.0	5.6	0	0.0	0.0	7.8	1	1.8	0.0	11.8
Melanoma of the Skin	14	10.0	5.4	17.6	8	12.3	5.3	25.3	6	8.7	3.1	21.0
Breast (invasive)	77	57.8	45.4	72.9	0	0.0	0.0	7.8	77	110.4	86.4	140.2
Cervix (invasive)	-	-	-	-	-	-	-	-	4	6.3	1.6	18.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	20	26.7	16.0	43.3
Ovary	-	-	-	-	-	-	-	-	6	7.2	2.5	18.5
Prostate	-	-	-	-	111	162.4	133.4	196.5	-	-	-	-
Testis	-	-	-	-	2	3.4	0.4	13.5	-	-	-	-
Urinary Bladder	46	30.0	21.9	40.9	34	53.5	37.0	75.7	12	12.2	6.1	24.3
Kidney and Renal Pelvis	20	12.9	7.8	20.7	10	15.0	7.2	28.8	10	12.4	5.8	25.2
Brain and Other Nervous System	12	8.8	4.5	16.1	6	9.8	3.5	22.4	6	8.5	3.1	20.5
Hodgkin's Disease	2	1.5	0.2	6.3	2	2.9	0.4	12.3	0	0.0	0.0	8.8
Non-Hodgkin's Lymphomas	19	13.4	8.0	21.7	12	18.1	9.3	32.7	7	9.4	3.8	21.7
Multiple Myeloma	14	9.3	5.0	16.4	8	11.9	5.1	24.7	6	7.4	2.7	18.7
Leukemias	11	6.9	3.4	13.4	7	10.8	4.3	23.4	4	3.9	1.0	13.7
All Other Sites	41	29.7	21.1	41.0	24	38.9	24.8	58.7	17	22.4	12.8	38.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	27	37.2	24.3	56.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Stark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	215	507.6	440.2	584.7	113	619.3	509.6	750.0	102	445.2	357.5	553.0
Oral Cavity and Pharynx	2	3.3	0.4	20.3	0	0.0	0.0	33.5	2	4.8	0.6	37.7
Esophagus	4	7.9	2.1	26.8	3	16.8	3.5	57.7	1	3.8	0.1	37.4
Stomach	1	2.7	0.1	20.5	1	5.4	0.1	41.3	0	0.0	0.0	32.7
Colon and Rectum	33	71.9	49.0	105.2	18	96.3	56.9	158.8	15	58.1	31.2	107.2
Liver	2	5.3	0.6	24.3	2	11.0	1.3	49.6	0	0.0	0.0	32.7
Pancreas	4	7.9	2.1	26.7	2	11.1	1.3	49.7	2	4.8	0.6	37.7
Lung and Bronchus	32	74.8	50.7	109.5	19	107.1	64.3	173.2	13	53.3	27.6	101.6
Bones and Joints	1	2.2	0.1	19.5	0	0.0	0.0	33.5	1	4.1	0.1	38.0
Melanoma of the Skin	7	20.4	7.9	45.8	3	18.7	3.7	61.8	4	23.0	5.6	67.6
Breast (invasive)	26	65.1	41.9	99.4	0	0.0	0.0	33.5	26	123.3	78.0	190.8
Cervix (invasive)	-	-	-	-	-	-	-	-	0	0.0	0.0	32.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	29.1	10.5	72.3
Ovary	-	-	-	-	-	-	-	-	4	20.4	4.9	62.6
Prostate	-	-	-	-	20	105.1	64.0	168.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	33.5	-	-	-	-
Urinary Bladder	15	32.6	17.9	58.5	14	75.9	41.3	134.0	1	3.8	0.1	37.4
Kidney and Renal Pelvis	9	21.2	9.5	44.7	5	27.6	8.8	72.4	4	15.7	3.9	53.4
Brain and Other Nervous System	2	4.3	0.5	22.2	1	5.8	0.1	42.2	1	5.6	0.1	41.2
Hodgkin's Disease	0	0.0	0.0	16.6	0	0.0	0.0	33.5	0	0.0	0.0	32.7
Non-Hodgkin's Lymphomas	9	21.1	9.3	45.0	5	27.7	8.9	72.6	4	16.2	3.3	56.0
Multiple Myeloma	2	4.8	0.6	23.2	1	5.2	0.1	40.9	1	3.8	0.1	37.4
Leukemias	10	24.4	11.2	49.7	7	39.8	15.7	89.5	3	12.5	2.1	50.1
All Other Sites	26	63.0	40.7	96.2	12	65.8	33.8	121.7	14	62.7	32.5	116.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	5	21.8	6.7	62.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Stephenson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,261	429.7	406.0	454.5	638	501.2	462.9	542.2	623	385.8	355.2	418.8
Oral Cavity and Pharynx	20	7.4	4.5	11.7	9	7.2	3.3	14.2	11	7.4	3.6	14.1
Esophagus	16	5.3	3.0	9.0	14	10.9	6.0	18.9	2	1.3	0.2	5.9
Stomach	20	6.8	4.1	10.8	17	13.4	7.8	22.0	3	1.9	0.4	6.6
Colon and Rectum	165	53.6	45.7	62.8	81	64.2	51.0	80.3	84	47.0	37.2	59.2
Liver	7	2.4	1.0	5.4	4	3.1	0.8	8.6	3	1.7	0.4	6.3
Pancreas	43	13.9	10.0	19.1	23	18.3	11.6	28.0	20	10.8	6.5	17.9
Lung and Bronchus	165	56.0	47.8	65.6	99	76.4	62.1	93.4	66	40.5	31.1	52.4
Bones and Joints	0	0.0	0.0	2.0	0	0.0	0.0	4.0	0	0.0	0.0	3.9
Melanoma of the Skin	28	10.0	6.6	14.7	18	13.9	8.2	22.4	10	7.1	3.4	13.8
Breast (invasive)	178	62.2	53.3	72.3	1	0.7	0.0	5.1	177	112.8	96.4	131.8
Cervix (invasive)	-	-	-	-	-	-	-	-	12	9.9	5.1	17.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	39	26.0	18.4	36.3
Ovary	-	-	-	-	-	-	-	-	21	14.6	8.9	23.0
Prostate	-	-	-	-	166	127.3	108.6	148.7	-	-	-	-
Testis	-	-	-	-	9	7.9	3.6	15.4	-	-	-	-
Urinary Bladder	52	16.9	12.6	22.4	41	32.3	23.2	44.3	11	5.6	2.8	11.1
Kidney and Renal Pelvis	41	14.0	10.0	19.3	18	13.9	8.2	22.4	23	13.4	8.5	21.0
Brain and Other Nervous System	18	6.9	4.0	11.2	10	8.3	4.0	15.8	8	5.9	2.5	12.5
Hodgkin's Disease	4	1.9	0.5	5.0	3	2.8	0.6	8.5	1	1.0	0.0	5.7
Non-Hodgkin's Lymphomas	68	23.4	18.1	30.0	33	26.5	18.2	37.6	35	20.8	14.3	29.9
Multiple Myeloma	20	6.5	3.9	10.4	13	10.7	5.7	18.8	7	4.0	1.6	9.4
Leukemias	30	10.3	6.9	15.0	16	13.2	7.5	21.8	14	8.1	4.3	14.6
All Other Sites	139	46.8	39.3	55.6	63	50.1	38.5	64.5	76	45.8	35.7	58.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	29	19.5	12.9	28.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Tazewell County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,633	500.3	484.1	516.9	1,911	594.9	568.3	622.6	1,722	436.2	415.6	457.7
Oral Cavity and Pharynx	64	8.9	6.8	11.4	44	13.6	9.9	18.5	20	4.8	2.9	7.7
Esophagus	33	4.5	3.1	6.3	27	8.3	5.4	12.3	6	1.5	0.5	3.5
Stomach	47	6.4	4.7	8.6	26	7.9	5.1	11.8	21	4.9	3.0	7.8
Colon and Rectum	411	55.5	50.2	61.2	197	64.2	55.4	74.1	214	49.3	42.8	56.6
Liver	30	4.1	2.8	6.0	25	7.8	5.0	11.7	5	1.2	0.4	3.1
Pancreas	74	10.0	7.9	12.6	40	12.6	9.0	17.4	34	7.8	5.4	11.1
Lung and Bronchus	587	79.5	73.2	86.3	326	102.2	91.3	114.2	261	64.0	56.4	72.5
Bones and Joints	9	1.3	0.6	2.6	6	1.8	0.7	4.3	3	0.8	0.2	2.6
Melanoma of the Skin	120	17.1	14.2	20.5	74	22.4	17.6	28.4	46	12.7	9.2	17.1
Breast (invasive)	495	69.2	63.3	75.7	1	0.3	0.0	2.2	494	129.2	118.0	141.4
Cervix (invasive)	-	-	-	-	-	-	-	-	27	7.8	5.1	11.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	119	31.1	25.7	37.4
Ovary	-	-	-	-	-	-	-	-	42	10.6	7.6	14.6
Prostate	-	-	-	-	536	163.6	149.9	178.3	-	-	-	-
Testis	-	-	-	-	12	3.8	2.0	6.9	-	-	-	-
Urinary Bladder	199	27.1	23.5	31.2	145	45.4	38.2	53.6	54	12.9	9.6	17.0
Kidney and Renal Pelvis	123	17.0	14.1	20.4	75	22.6	17.7	28.5	48	12.1	8.9	16.3
Brain and Other Nervous System	62	8.8	6.7	11.3	39	11.8	8.4	16.4	23	6.1	3.9	9.4
Hodgkin's Disease	22	3.3	2.1	5.1	14	4.3	2.3	7.5	8	2.5	1.0	5.0
Non-Hodgkin's Lymphomas	163	22.6	19.2	26.4	85	26.9	21.4	33.5	78	19.7	15.5	24.8
Multiple Myeloma	34	4.6	3.2	6.5	25	8.2	5.2	12.3	9	2.2	1.0	4.4
Leukemias	97	13.6	11.0	16.6	56	18.4	13.9	24.2	41	10.3	7.4	14.2
All Other Sites	327	46.0	41.2	51.4	158	48.9	41.5	57.3	169	44.7	38.1	52.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	97	26.0	21.0	31.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Union County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	553	477.8	438.2	520.8	298	581.2	516.7	652.6	255	408.7	358.1	466.1
Oral Cavity and Pharynx	15	13.8	7.7	24.0	9	17.9	8.2	36.0	6	10.9	3.9	26.7
Esophagus	2	1.9	0.2	8.5	1	2.1	0.1	14.5	1	1.7	0.0	13.9
Stomach	8	7.2	3.1	15.5	7	13.8	5.5	30.5	1	1.6	0.0	13.8
Colon and Rectum	68	55.8	43.1	71.9	30	57.6	38.8	84.0	38	52.8	36.6	76.1
Liver	2	1.7	0.2	8.1	2	3.5	0.4	16.1	0	0.0	0.0	11.6
Pancreas	12	9.8	5.0	18.6	8	15.6	6.7	32.9	4	6.3	1.6	20.0
Lung and Bronchus	97	82.0	66.3	101.0	60	113.5	86.5	147.7	37	56.6	39.5	81.0
Bones and Joints	0	0.0	0.0	5.7	0	0.0	0.0	11.1	0	0.0	0.0	11.6
Melanoma of the Skin	16	13.7	7.7	23.6	10	19.3	9.2	37.5	6	10.8	3.6	27.0
Breast (invasive)	77	67.9	53.4	86.0	0	0.0	0.0	11.1	77	126.6	99.3	161.1
Cervix (invasive)	-	-	-	-	-	-	-	-	4	7.2	1.9	21.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	28.4	16.4	48.3
Ovary	-	-	-	-	-	-	-	-	11	19.8	9.4	38.6
Prostate	-	-	-	-	70	134.8	105.0	171.8	-	-	-	-
Testis	-	-	-	-	2	5.5	0.7	20.6	-	-	-	-
Urinary Bladder	30	24.2	16.2	35.8	21	41.5	25.6	65.1	9	10.9	4.6	25.5
Kidney and Renal Pelvis	13	11.0	5.8	20.2	11	21.4	10.7	40.3	2	3.0	0.3	15.8
Brain and Other Nervous System	15	15.8	8.7	27.1	9	19.3	8.7	38.4	6	13.8	4.9	31.9
Hodgkin's Disease	3	3.2	0.6	10.4	2	4.5	0.5	18.2	1	1.6	0.0	13.7
Non-Hodgkin's Lymphomas	31	25.7	17.4	37.6	22	42.2	26.4	65.6	9	13.2	5.9	28.6
Multiple Myeloma	1	0.9	0.0	6.9	0	0.0	0.0	11.1	1	1.6	0.0	13.8
Leukemias	14	13.4	7.2	23.6	10	20.7	9.9	39.8	4	8.0	2.0	23.3
All Other Sites	45	40.5	29.3	55.4	24	48.0	30.7	73.2	21	33.9	20.3	55.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	15.0	6.7	31.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,510	506.5	486.7	526.9	1,304	597.9	565.7	631.8	1,206	449.5	423.9	476.4
Oral Cavity and Pharynx	54	11.4	8.6	15.0	41	18.8	13.5	25.8	13	4.7	2.5	8.5
Esophagus	29	5.7	3.8	8.2	23	10.7	6.7	16.4	6	2.0	0.7	4.8
Stomach	37	7.3	5.1	10.1	28	12.5	8.3	18.5	9	3.1	1.4	6.4
Colon and Rectum	326	63.9	57.2	71.4	166	77.5	66.0	90.6	160	55.0	46.7	64.7
Liver	14	2.8	1.5	4.8	10	4.5	2.1	8.6	4	1.5	0.4	4.2
Pancreas	66	12.8	9.9	16.4	32	15.2	10.4	21.8	34	11.6	8.0	16.6
Lung and Bronchus	463	91.5	83.3	100.3	279	126.4	111.9	142.4	184	65.9	56.6	76.6
Bones and Joints	3	0.7	0.2	2.2	2	1.0	0.1	4.0	1	0.4	0.0	2.8
Melanoma of the Skin	71	15.2	11.9	19.3	49	22.4	16.5	29.9	22	9.6	6.0	14.9
Breast (invasive)	364	76.4	68.7	84.8	1	0.4	0.0	3.0	363	141.4	126.9	157.2
Cervix (invasive)	-	-	-	-	-	-	-	-	22	9.1	5.7	14.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	67	26.2	20.1	33.6
Ovary	-	-	-	-	-	-	-	-	30	10.5	7.1	15.4
Prostate	-	-	-	-	340	153.1	137.2	170.6	-	-	-	-
Testis	-	-	-	-	7	3.4	1.4	7.4	-	-	-	-
Urinary Bladder	124	24.7	20.5	29.6	88	41.6	33.2	51.6	36	13.3	9.3	18.8
Kidney and Renal Pelvis	71	14.9	11.6	18.9	38	17.7	12.5	24.6	33	12.6	8.6	18.0
Brain and Other Nervous System	20	4.4	2.7	7.0	11	5.5	2.7	10.2	9	4.1	1.8	8.0
Hodgkin's Disease	12	2.8	1.4	5.0	6	2.7	1.0	6.4	6	3.0	1.1	6.8
Non-Hodgkin's Lymphomas	83	16.6	13.2	20.7	40	18.4	13.1	25.4	43	15.1	10.8	20.7
Multiple Myeloma	32	6.3	4.3	9.0	16	7.4	4.2	12.4	16	5.6	3.2	9.5
Leukemias	81	16.6	13.1	20.7	39	17.8	12.7	24.7	42	15.3	10.9	21.1
All Other Sites	194	39.8	34.4	46.0	88	40.8	32.7	50.6	106	39.4	32.1	48.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	72	29.4	22.9	37.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Wabash County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	363	464.8	417.6	516.6	194	576.5	498.1	664.8	169	392.9	334.0	461.0
Oral Cavity and Pharynx	7	9.2	3.7	20.4	5	14.8	4.8	36.6	2	5.6	0.6	23.5
Esophagus	4	5.6	1.4	15.8	4	12.6	3.4	34.2	0	0.0	0.0	14.7
Stomach	3	4.2	0.9	13.7	3	8.8	1.8	28.2	0	0.0	0.0	14.7
Colon and Rectum	58	70.4	53.2	92.3	34	101.6	70.3	143.4	24	48.4	30.4	76.1
Liver	2	2.2	0.3	10.4	1	2.8	0.1	19.1	1	1.4	0.0	16.2
Pancreas	10	12.8	6.1	24.9	5	14.5	4.7	36.1	5	10.6	3.3	29.3
Lung and Bronchus	73	93.7	73.3	118.9	46	135.8	99.4	182.6	27	63.9	41.6	96.1
Bones and Joints	0	0.0	0.0	7.3	0	0.0	0.0	14.6	0	0.0	0.0	14.7
Melanoma of the Skin	15	18.5	10.2	31.9	9	26.5	12.1	52.2	6	12.6	4.3	32.0
Breast (invasive)	57	75.1	56.7	98.5	1	2.8	0.1	19.1	56	135.3	101.3	179.0
Cervix (invasive)	-	-	-	-	-	-	-	-	3	8.5	1.6	28.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	19.0	7.6	41.8
Ovary	-	-	-	-	-	-	-	-	7	19.1	7.4	42.5
Prostate	-	-	-	-	36	106.0	74.2	148.2	-	-	-	-
Testis	-	-	-	-	1	4.0	0.1	22.0	-	-	-	-
Urinary Bladder	16	19.9	11.3	33.7	11	32.8	16.4	60.4	5	10.2	3.0	28.8
Kidney and Renal Pelvis	11	13.2	6.6	25.1	6	17.6	6.4	40.3	5	10.7	3.4	29.3
Brain and Other Nervous System	6	9.3	3.4	21.2	5	15.7	5.0	38.4	1	2.2	0.1	17.8
Hodgkin's Disease	0	0.0	0.0	7.3	0	0.0	0.0	14.6	0	0.0	0.0	14.7
Non-Hodgkin's Lymphomas	10	12.2	5.8	23.9	5	14.7	4.8	36.5	5	11.3	3.4	30.7
Multiple Myeloma	3	4.0	0.8	13.3	2	5.8	0.7	23.8	1	3.0	0.1	19.5
Leukemias	7	9.9	4.0	21.7	5	15.2	4.9	37.4	2	5.1	0.6	22.5
All Other Sites	27	34.0	22.3	50.7	15	44.4	24.9	74.9	12	26.1	13.2	49.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	17.5	7.4	38.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Warren County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	507	447.8	409.2	489.6	253	520.6	458.0	590.2	254	410.5	359.8	467.6
Oral Cavity and Pharynx	7	5.8	2.3	13.1	4	7.7	2.1	21.5	3	4.1	0.8	15.9
Esophagus	5	4.4	1.4	11.4	5	9.8	3.2	24.6	0	0.0	0.0	10.3
Stomach	7	5.6	2.2	12.7	4	9.3	2.5	24.9	3	4.6	0.9	16.7
Colon and Rectum	68	57.4	44.5	73.7	33	68.7	47.1	97.6	35	48.2	33.2	69.9
Liver	2	1.6	0.2	7.5	0	0.0	0.0	10.1	2	2.9	0.3	14.2
Pancreas	12	9.8	5.0	18.2	3	6.0	1.2	19.2	9	12.5	5.5	26.9
Lung and Bronchus	76	65.5	51.5	82.7	46	92.1	67.3	123.9	30	46.9	31.3	69.2
Bones and Joints	0	0.0	0.0	5.1	0	0.0	0.0	10.1	0	0.0	0.0	10.3
Melanoma of the Skin	24	22.0	14.0	33.5	14	28.0	15.2	48.3	10	18.0	8.4	35.5
Breast (invasive)	70	63.5	49.3	81.0	1	2.7	0.1	15.2	69	115.4	89.1	148.4
Cervix (invasive)	-	-	-	-	-	-	-	-	4	8.7	2.3	23.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	17	28.3	16.1	47.7
Ovary	-	-	-	-	-	-	-	-	7	10.8	4.2	25.1
Prostate	-	-	-	-	65	128.9	99.4	165.4	-	-	-	-
Testis	-	-	-	-	3	6.7	1.3	20.8	-	-	-	-
Urinary Bladder	27	22.0	14.5	33.1	22	48.3	30.1	74.2	5	6.5	2.1	18.7
Kidney and Renal Pelvis	14	12.8	6.9	22.4	5	10.4	3.3	25.6	9	14.5	6.4	30.1
Brain and Other Nervous System	5	5.4	1.7	13.4	1	2.6	0.1	14.9	4	7.8	2.0	22.2
Hodgkin's Disease	3	2.9	0.5	9.6	1	2.7	0.1	15.2	2	4.2	0.4	17.4
Non-Hodgkin's Lymphomas	24	21.5	13.7	32.8	13	27.0	14.3	47.5	11	17.2	8.4	33.4
Multiple Myeloma	8	6.6	2.8	14.2	4	7.9	2.2	22.0	4	5.2	1.3	17.3
Leukemias	9	7.8	3.5	15.9	5	12.0	3.8	28.8	4	7.9	2.1	22.3
All Other Sites	50	47.3	34.9	63.3	24	49.8	31.8	75.3	26	46.9	30.0	71.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	17.1	7.9	33.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Washington County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	513	559.5	511.5	611.5	276	660.3	584.3	744.5	237	490.9	428.3	561.7
Oral Cavity and Pharynx	14	16.5	9.0	28.8	10	24.4	11.6	46.7	4	9.2	2.4	26.6
Esophagus	3	3.3	0.7	11.2	3	7.0	1.4	23.1	0	0.0	0.0	13.0
Stomach	8	8.2	3.5	17.6	3	6.6	1.4	22.3	5	9.3	2.9	25.9
Colon and Rectum	82	81.7	64.8	102.6	43	104.0	75.2	141.6	39	67.3	47.4	95.3
Liver	4	4.9	1.3	13.7	3	7.7	1.6	24.5	1	1.9	0.0	15.6
Pancreas	15	16.1	9.0	27.8	10	23.0	11.0	44.4	5	11.4	3.6	29.4
Lung and Bronchus	55	58.5	44.0	77.3	33	77.9	53.5	111.0	22	43.4	26.9	68.7
Bones and Joints	0	0.0	0.0	6.4	0	0.0	0.0	12.7	0	0.0	0.0	13.0
Melanoma of the Skin	25	29.0	18.7	43.8	16	38.5	22.0	64.3	9	21.9	9.8	43.9
Breast (invasive)	62	72.9	55.7	94.4	0	0.0	0.0	12.7	62	141.1	107.4	183.5
Cervix (invasive)	-	-	-	-	-	-	-	-	8	19.1	8.0	40.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	18.3	8.5	37.5
Ovary	-	-	-	-	-	-	-	-	7	12.9	4.9	30.6
Prostate	-	-	-	-	77	179.8	141.7	226.2	-	-	-	-
Testis	-	-	-	-	3	9.1	1.9	27.6	-	-	-	-
Urinary Bladder	28	28.8	19.0	42.8	16	38.3	21.9	64.0	12	22.1	11.1	42.3
Kidney and Renal Pelvis	12	12.8	6.6	23.7	7	17.5	7.0	37.9	5	8.2	2.6	23.6
Brain and Other Nervous System	6	7.9	2.9	18.1	4	10.4	2.8	28.5	2	5.3	0.6	21.5
Hodgkin's Disease	4	5.2	1.4	14.4	4	10.7	2.8	29.2	0	0.0	0.0	13.0
Non-Hodgkin's Lymphomas	22	24.4	15.2	38.0	12	29.1	15.0	52.6	10	21.4	10.0	42.4
Multiple Myeloma	2	2.1	0.2	9.6	1	2.7	0.1	17.2	1	2.5	0.1	16.9
Leukemias	23	25.1	15.8	38.8	13	30.8	16.4	54.6	10	18.8	8.7	38.3
All Other Sites	43	49.7	35.7	68.1	18	43.0	25.4	69.7	25	56.7	36.0	86.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	23.8	11.8	45.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Wayne County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	515	451.3	412.3	493.5	270	557.6	492.5	629.7	245	385.0	336.0	440.6
Oral Cavity and Pharynx	8	7.8	3.3	16.3	7	15.0	6.0	32.4	1	1.2	0.0	12.4
Esophagus	0	0.0	0.0	5.2	0	0.0	0.0	10.5	0	0.0	0.0	11.0
Stomach	4	3.7	0.9	10.7	1	1.9	0.0	13.5	3	5.4	0.9	19.1
Colon and Rectum	78	65.5	51.5	82.8	40	84.2	59.9	115.9	38	55.0	38.4	78.6
Liver	2	2.2	0.3	8.7	1	2.1	0.1	13.9	1	2.3	0.1	14.8
Pancreas	11	9.1	4.5	17.4	5	10.2	3.3	25.5	6	8.5	3.0	22.1
Lung and Bronchus	96	82.1	66.3	101.3	59	118.8	90.3	154.5	37	56.0	38.9	80.2
Bones and Joints	1	0.9	0.0	6.5	0	0.0	0.0	10.5	1	1.5	0.0	13.1
Melanoma of the Skin	9	8.3	3.7	16.8	4	9.5	2.6	25.4	5	7.2	2.2	20.6
Breast (invasive)	82	75.6	59.8	95.0	0	0.0	0.0	10.5	82	138.4	108.8	175.1
Cervix (invasive)	-	-	-	-	-	-	-	-	4	8.7	2.3	24.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	22.0	11.7	40.0
Ovary	-	-	-	-	-	-	-	-	5	6.8	2.2	19.9
Prostate	-	-	-	-	77	154.4	121.7	194.3	-	-	-	-
Testis	-	-	-	-	2	5.2	0.6	19.4	-	-	-	-
Urinary Bladder	25	19.9	12.8	30.6	17	34.5	20.0	56.6	8	9.2	3.8	22.4
Kidney and Renal Pelvis	11	10.4	5.1	19.6	5	9.9	3.2	24.9	6	10.8	3.7	26.6
Brain and Other Nervous System	8	7.8	3.2	16.5	5	10.5	3.3	26.0	3	5.2	0.8	19.1
Hodgkin's Disease	2	2.4	0.3	9.2	1	2.1	0.1	13.9	1	2.7	0.1	15.8
Non-Hodgkin's Lymphomas	16	14.4	8.1	24.4	7	15.0	5.9	32.4	9	13.8	6.2	29.2
Multiple Myeloma	3	2.2	0.5	8.2	1	1.8	0.0	13.3	2	2.0	0.2	13.3
Leukemias	12	9.5	4.8	17.8	9	18.5	8.4	36.6	3	2.9	0.6	14.3
All Other Sites	45	42.7	30.8	58.2	29	63.9	42.6	93.0	16	25.4	14.0	44.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	18.5	8.8	36.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

White County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	514	469.4	428.5	514.1	265	545.4	481.2	617.4	249	423.6	369.2	485.8
Oral Cavity and Pharynx	10	9.2	4.3	18.7	5	10.8	3.4	28.4	5	7.5	2.3	23.2
Esophagus	8	7.5	3.1	16.6	5	10.3	3.3	27.5	3	5.8	1.1	21.9
Stomach	6	4.5	1.6	12.3	4	8.0	2.2	24.2	2	2.5	0.3	16.7
Colon and Rectum	79	69.5	54.7	88.2	45	91.7	66.8	125.1	34	52.6	35.4	78.3
Liver	4	3.2	0.8	10.7	2	4.0	0.5	18.8	2	2.4	0.2	16.5
Pancreas	18	15.4	9.0	26.2	9	18.9	8.6	38.8	9	12.1	5.4	28.6
Lung and Bronchus	93	83.5	67.1	103.8	57	114.2	86.4	150.2	36	63.0	43.5	91.1
Bones and Joints	1	0.9	0.0	7.8	0	0.0	0.0	13.2	1	1.6	0.0	15.8
Melanoma of the Skin	9	10.4	4.6	21.2	4	9.4	2.5	27.0	5	11.0	3.3	29.8
Breast (invasive)	73	72.4	56.2	92.8	2	3.9	0.5	18.6	71	131.7	101.2	170.8
Cervix (invasive)	-	-	-	-	-	-	-	-	7	15.7	6.1	36.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	21.8	11.4	41.6
Ovary	-	-	-	-	-	-	-	-	5	7.6	2.0	24.0
Prostate	-	-	-	-	63	126.2	96.9	163.8	-	-	-	-
Testis	-	-	-	-	1	3.3	0.1	19.2	-	-	-	-
Urinary Bladder	24	20.5	13.0	32.2	16	33.4	19.0	56.9	8	11.7	4.9	28.5
Kidney and Renal Pelvis	9	8.0	3.6	17.1	5	10.4	3.4	27.6	4	5.8	1.3	21.5
Brain and Other Nervous System	8	8.0	3.1	17.8	5	12.0	3.8	30.8	3	5.4	0.8	21.8
Hodgkin's Disease	1	0.7	0.0	7.4	1	2.0	0.1	16.0	0	0.0	0.0	13.8
Non-Hodgkin's Lymphomas	15	12.7	7.0	22.9	9	18.4	8.3	38.2	6	8.0	2.8	23.4
Multiple Myeloma	11	9.1	4.4	18.3	5	10.1	3.3	27.1	6	8.8	2.9	25.1
Leukemias	14	13.0	6.9	23.7	6	12.7	4.6	30.8	8	15.0	6.1	34.1
All Other Sites	41	38.9	27.5	54.6	21	45.9	28.2	72.7	20	33.5	19.4	57.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9	13.4	6.0	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Whiteside County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,754	488.0	465.2	511.7	924	584.3	547.1	623.6	830	423.1	394.1	454.0
Oral Cavity and Pharynx	37	10.5	7.4	14.7	25	15.8	10.2	23.6	12	5.5	2.8	10.3
Esophagus	22	6.2	3.9	9.5	21	13.0	8.0	20.2	1	0.5	0.0	3.7
Stomach	29	7.9	5.3	11.6	17	11.3	6.6	18.4	12	6.0	3.0	11.2
Colon and Rectum	193	51.6	44.5	59.6	94	59.8	48.3	73.5	99	43.9	35.5	54.2
Liver	12	3.2	1.6	5.8	5	3.2	1.0	7.7	7	2.9	1.2	6.9
Pancreas	33	8.9	6.1	12.6	21	13.0	8.0	20.2	12	5.7	2.9	10.7
Lung and Bronchus	258	70.3	61.9	79.6	162	101.6	86.5	118.8	96	47.6	38.4	58.7
Bones and Joints	3	1.0	0.2	3.0	2	1.4	0.2	5.2	1	0.7	0.0	4.2
Melanoma of the Skin	70	21.2	16.4	26.9	39	25.2	17.9	34.7	31	18.5	12.4	26.8
Breast (invasive)	249	71.0	62.4	80.6	1	0.6	0.0	4.1	248	130.3	114.3	148.3
Cervix (invasive)	-	-	-	-	-	-	-	-	26	17.0	11.0	25.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	63	33.1	25.3	42.9
Ovary	-	-	-	-	-	-	-	-	34	17.5	12.0	25.0
Prostate	-	-	-	-	297	186.1	165.4	208.8	-	-	-	-
Testis	-	-	-	-	9	6.5	2.9	12.4	-	-	-	-
Urinary Bladder	72	19.2	15.0	24.4	57	36.0	27.3	46.9	15	7.2	4.0	12.5
Kidney and Renal Pelvis	44	12.3	8.9	16.7	23	14.5	9.2	22.0	21	10.1	6.2	16.0
Brain and Other Nervous System	22	6.6	4.1	10.2	8	5.1	2.2	10.4	14	7.7	4.1	13.4
Hodgkin's Disease	7	2.3	0.9	4.8	4	2.6	0.7	7.0	3	2.0	0.4	6.2
Non-Hodgkin's Lymphomas	77	21.7	17.1	27.3	40	25.1	17.9	34.5	37	19.1	13.3	26.9
Multiple Myeloma	21	5.7	3.5	8.9	13	8.2	4.4	14.4	8	3.7	1.6	8.0
Leukemias	38	10.4	7.3	14.5	18	12.0	7.1	19.2	20	9.5	5.7	15.4
All Other Sites	138	38.4	32.2	45.5	68	43.3	33.6	55.2	70	34.7	26.8	44.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	35	19.2	13.3	27.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	9,408	477.4	467.6	487.3	4,783	564.2	547.4	581.4	4,625	420.1	407.9	432.5
Oral Cavity and Pharynx	216	10.4	9.0	11.9	150	15.5	13.0	18.5	66	6.0	4.7	7.7
Esophagus	99	5.2	4.2	6.3	74	8.5	6.6	11.0	25	2.4	1.6	3.6
Stomach	141	7.4	6.2	8.8	88	10.8	8.5	13.6	53	4.8	3.6	6.4
Colon and Rectum	1,062	57.1	53.6	60.7	555	69.8	63.7	76.3	507	48.0	43.9	52.4
Liver	82	4.0	3.1	5.0	53	5.3	3.9	7.3	29	2.7	1.8	3.9
Pancreas	232	12.6	11.0	14.3	122	14.7	12.1	17.8	110	10.5	8.6	12.7
Lung and Bronchus	1,402	75.1	71.2	79.2	794	98.6	91.6	106.2	608	58.3	53.7	63.1
Bones and Joints	23	0.9	0.6	1.4	17	1.4	0.8	2.5	6	0.5	0.2	1.1
Melanoma of the Skin	247	11.4	10.0	13.0	136	14.9	12.3	18.0	111	9.3	7.7	11.3
Breast (invasive)	1,484	71.0	67.4	74.8	11	1.3	0.6	2.7	1,473	131.0	124.4	138.0
Cervix (invasive)	-	-	-	-	-	-	-	-	99	8.0	6.5	9.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	298	27.1	24.1	30.4
Ovary	-	-	-	-	-	-	-	-	139	12.4	10.4	14.7
Prostate	-	-	-	-	1,258	148.5	140.1	157.4	-	-	-	-
Testis	-	-	-	-	61	4.5	3.5	6.1	-	-	-	-
Urinary Bladder	433	23.3	21.1	25.7	318	41.2	36.5	46.4	115	10.9	9.0	13.1
Kidney and Renal Pelvis	293	14.5	12.9	16.3	184	20.2	17.2	23.6	109	9.9	8.1	12.0
Brain and Other Nervous System	136	6.0	5.0	7.2	79	7.4	5.8	9.5	57	4.8	3.6	6.3
Hodgkin's Disease	78	3.2	2.5	4.0	47	3.8	2.8	5.4	31	2.5	1.7	3.5
Non-Hodgkin's Lymphomas	360	18.3	16.4	20.4	193	21.4	18.3	25.0	167	15.6	13.3	18.2
Multiple Myeloma	107	5.6	4.6	6.8	66	7.9	6.1	10.3	41	3.8	2.7	5.2
Leukemias	259	13.2	11.6	15.0	147	17.7	14.7	21.1	112	10.2	8.4	12.4
All Other Sites	899	44.3	41.4	47.3	430	50.8	45.8	56.3	469	41.1	37.4	45.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	349	30.2	27.1	33.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Williamson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,805	478.7	456.7	501.6	995	616.3	578.3	656.3	810	383.7	357.0	412.3
Oral Cavity and Pharynx	40	10.7	7.6	14.7	33	20.2	13.9	28.8	7	3.6	1.4	8.0
Esophagus	22	5.9	3.7	9.2	20	12.4	7.5	19.5	2	0.8	0.1	4.0
Stomach	16	3.9	2.2	6.5	9	5.5	2.5	10.8	7	2.6	1.0	6.4
Colon and Rectum	223	56.7	49.5	64.9	110	69.3	56.8	83.8	113	47.9	39.3	58.3
Liver	12	3.2	1.6	5.8	7	4.1	1.6	9.0	5	2.4	0.7	6.3
Pancreas	39	10.2	7.2	14.1	20	12.4	7.5	19.5	19	8.0	4.7	13.2
Lung and Bronchus	308	79.9	71.2	89.6	198	121.2	104.9	139.7	110	50.4	41.3	61.4
Bones and Joints	5	1.7	0.6	4.1	2	1.3	0.2	5.3	3	2.1	0.4	6.4
Melanoma of the Skin	41	11.4	8.1	15.6	29	17.8	11.9	25.9	12	6.3	3.2	11.6
Breast (invasive)	248	65.9	57.8	74.8	3	1.8	0.4	5.9	245	115.8	101.3	132.1
Cervix (invasive)	-	-	-	-	-	-	-	-	21	11.9	7.3	18.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	42	20.6	14.7	28.3
Ovary	-	-	-	-	-	-	-	-	14	6.7	3.6	11.8
Prostate	-	-	-	-	266	162.9	143.8	184.0	-	-	-	-
Testis	-	-	-	-	9	6.0	2.8	11.8	-	-	-	-
Urinary Bladder	97	25.1	20.3	30.9	72	46.2	36.1	58.5	25	11.1	7.0	17.1
Kidney and Renal Pelvis	51	13.9	10.3	18.4	28	16.8	11.2	24.7	23	11.2	7.0	17.4
Brain and Other Nervous System	23	6.7	4.2	10.3	9	5.7	2.6	11.3	14	7.4	4.0	13.0
Hodgkin's Disease	9	2.9	1.3	5.7	4	2.6	0.7	7.1	5	3.3	1.0	7.9
Non-Hodgkin's Lymphomas	71	19.0	14.8	24.2	46	28.4	20.8	38.2	25	11.6	7.4	17.8
Multiple Myeloma	28	7.4	4.9	10.9	13	8.0	4.2	14.1	15	6.4	3.5	11.4
Leukemias	47	13.5	9.9	18.1	30	19.4	13.1	28.1	17	9.7	5.6	16.0
All Other Sites	173	47.3	40.4	55.1	87	54.2	43.4	67.2	86	44.0	34.9	55.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	32	16.7	11.3	24.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,901	488.7	477.3	500.4	3,389	556.8	538.0	576.2	3,512	448.1	433.3	463.3
Oral Cavity and Pharynx	142	10.1	8.5	11.9	91	14.5	11.6	17.9	51	6.6	4.9	8.7
Esophagus	83	5.8	4.6	7.2	63	10.0	7.7	13.0	20	2.5	1.5	3.9
Stomach	117	8.3	6.8	9.9	66	11.0	8.5	14.1	51	6.0	4.4	7.9
Colon and Rectum	825	58.4	54.5	62.5	426	70.6	64.0	77.8	399	48.5	43.8	53.6
Liver	37	2.6	1.8	3.6	23	3.9	2.4	5.9	14	1.8	1.0	3.0
Pancreas	190	13.4	11.6	15.5	118	19.7	16.3	23.7	72	8.7	6.8	11.0
Lung and Bronchus	1,091	77.2	72.7	81.9	626	103.5	95.4	112.1	465	58.8	53.6	64.5
Bones and Joints	9	0.7	0.3	1.3	3	0.5	0.1	1.6	6	0.9	0.3	1.9
Melanoma of the Skin	173	12.3	10.5	14.3	109	17.3	14.2	21.0	64	8.6	6.6	11.0
Breast (invasive)	1,142	80.9	76.3	85.8	5	0.8	0.3	2.2	1,137	148.0	139.5	157.0
Cervix (invasive)	-	-	-	-	-	-	-	-	69	9.5	7.4	12.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	227	29.5	25.8	33.6
Ovary	-	-	-	-	-	-	-	-	121	15.7	13.0	18.8
Prostate	-	-	-	-	799	130.9	121.9	140.5	-	-	-	-
Testis	-	-	-	-	40	5.9	4.2	8.2	-	-	-	-
Urinary Bladder	320	22.6	20.2	25.2	243	41.2	36.1	46.9	77	9.5	7.5	11.9
Kidney and Renal Pelvis	194	13.7	11.9	15.8	115	18.5	15.2	22.3	79	9.9	7.9	12.4
Brain and Other Nervous System	104	7.4	6.0	8.9	53	8.1	6.1	10.7	51	6.7	5.0	8.8
Hodgkin's Disease	31	2.3	1.5	3.2	20	3.1	1.9	4.9	11	1.6	0.8	2.9
Non-Hodgkin's Lymphomas	284	20.1	17.8	22.6	139	22.6	19.0	26.8	145	18.1	15.3	21.4
Multiple Myeloma	92	6.5	5.2	8.0	38	6.2	4.4	8.7	54	6.8	5.1	9.0
Leukemias	196	13.9	12.0	16.0	120	20.2	16.7	24.3	76	9.6	7.5	12.1
All Other Sites	615	43.6	40.2	47.2	292	48.4	42.9	54.5	323	41.0	36.6	45.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	331	44.2	39.6	49.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Woodford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	901	455.7	426.1	487.0	469	547.6	499.0	600.0	432	401.5	363.4	443.2
Oral Cavity and Pharynx	12	6.3	3.2	11.5	7	8.5	3.4	18.0	5	3.9	1.2	10.9
Esophagus	9	4.4	2.0	8.9	8	9.0	3.9	18.5	1	0.5	0.0	6.2
Stomach	13	6.1	3.2	11.0	7	8.1	3.2	17.3	6	4.7	1.6	12.1
Colon and Rectum	101	49.1	39.9	60.2	57	66.6	50.4	86.8	44	36.3	26.0	50.2
Liver	4	1.9	0.5	5.6	2	2.1	0.3	8.7	2	1.4	0.1	7.4
Pancreas	17	8.2	4.7	13.6	9	10.4	4.7	20.3	8	6.5	2.7	14.5
Lung and Bronchus	100	50.4	41.0	61.7	59	70.6	53.7	91.5	41	38.1	27.1	52.8
Bones and Joints	4	2.6	0.7	6.9	3	3.6	0.7	11.3	1	1.5	0.0	8.6
Melanoma of the Skin	29	15.3	10.2	22.4	14	16.0	8.7	27.4	15	15.1	8.3	26.0
Breast (invasive)	141	72.2	60.7	85.5	0	0.0	0.0	5.5	141	136.4	114.3	162.1
Cervix (invasive)	-	-	-	-	-	-	-	-	7	8.3	3.3	17.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	27	24.2	15.8	36.5
Ovary	-	-	-	-	-	-	-	-	17	16.2	9.3	27.1
Prostate	-	-	-	-	140	162.0	136.2	191.7	-	-	-	-
Testis	-	-	-	-	2	2.3	0.3	9.1	-	-	-	-
Urinary Bladder	54	26.0	19.5	34.4	43	51.0	36.9	69.2	11	6.9	3.3	14.4
Kidney and Renal Pelvis	31	15.3	10.3	22.1	18	20.7	12.2	33.3	13	12.7	6.7	22.8
Brain and Other Nervous System	11	6.2	3.1	11.5	4	4.9	1.3	13.2	7	7.9	3.1	17.1
Hodgkin's Disease	8	4.9	2.1	9.9	3	3.5	0.7	11.1	5	6.0	1.9	14.9
Non-Hodgkin's Lymphomas	44	23.0	16.7	31.2	25	29.5	19.1	44.0	19	19.1	11.4	30.8
Multiple Myeloma	13	6.1	3.2	11.0	7	8.0	3.2	17.2	6	5.2	1.8	12.8
Leukemias	27	13.2	8.6	19.7	19	21.1	12.7	33.6	8	5.7	2.3	13.2
All Other Sites	90	45.4	36.4	56.3	42	49.6	35.7	67.5	48	45.0	32.7	61.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	21	22.6	14.0	35.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	246,006	479.3	477.4	481.2	123,839	562.6	559.4	565.8	122,167	427.8	425.4	430.2
Oral Cavity and Pharynx	5,206	10.2	10.0	10.5	3,508	15.3	14.8	15.9	1,698	6.0	5.7	6.3
Esophagus	2,719	5.3	5.1	5.5	2,102	9.5	9.1	9.9	617	2.0	1.9	2.2
Stomach	3,626	7.0	6.7	7.2	2,195	10.1	9.7	10.6	1,431	4.6	4.4	4.9
Colon and Rectum	30,453	58.6	57.9	59.3	15,312	71.1	70.0	72.3	15,141	49.5	48.7	50.3
Liver	2,013	3.9	3.8	4.1	1,371	6.1	5.8	6.5	642	2.1	2.0	2.3
Pancreas	6,058	11.7	11.4	12.0	2,955	13.6	13.1	14.1	3,103	10.1	9.8	10.5
Lung and Bronchus	36,754	71.6	70.9	72.4	20,583	94.3	93.0	95.6	16,171	55.9	55.0	56.8
Bones and Joints	440	0.9	0.8	1.0	229	0.9	0.8	1.1	211	0.8	0.7	0.9
Melanoma of the Skin	6,864	13.5	13.2	13.8	3,920	17.2	16.7	17.7	2,944	10.9	10.5	11.3
Breast (invasive)	37,485	73.4	72.7	74.2	300	1.4	1.2	1.5	37,185	134.0	132.6	135.4
Cervix (invasive)	-	-	-	-	-	-	-	-	2,492	9.5	9.1	9.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7,253	26.2	25.6	26.8
Ovary	-	-	-	-	-	-	-	-	3,977	14.2	13.8	14.7
Prostate	-	-	-	-	33,289	151.3	149.6	152.9	-	-	-	-
Testis	-	-	-	-	1,432	5.6	5.3	5.9	-	-	-	-
Urinary Bladder	12,177	23.5	23.1	23.9	9,018	42.1	41.3	43.0	3,159	10.5	10.1	10.9
Kidney and Renal Pelvis	6,883	13.5	13.2	13.8	4,113	18.3	17.7	18.9	2,770	9.7	9.4	10.1
Brain and Other Nervous System	3,394	6.7	6.5	6.9	1,813	7.8	7.4	8.1	1,581	5.9	5.6	6.2
Hodgkin's Disease	1,455	2.9	2.7	3.0	815	3.3	3.1	3.6	640	2.5	2.3	2.7
Non-Hodgkin's Lymphomas	10,225	19.9	19.5	20.3	5,336	24.0	23.3	24.6	4,889	16.8	16.3	17.3
Multiple Myeloma	2,654	5.1	4.9	5.3	1,405	6.5	6.1	6.8	1,249	4.2	3.9	4.4
Leukemias	6,727	13.1	12.7	13.4	3,732	17.0	16.4	17.5	2,995	10.2	9.9	10.6
All Other Sites	22,430	43.6	43.0	44.2	10,411	47.2	46.3	48.1	12,019	42.0	41.2	42.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	7,940	29.7	29.0	30.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,027	474.2	457.4	491.4	1,525	551.6	523.9	580.4	1,502	424.5	403.1	446.8
Oral Cavity and Pharynx	60	9.3	7.1	12.0	38	13.4	9.5	18.7	22	5.9	3.7	9.1
Esophagus	29	4.5	3.0	6.5	18	6.8	4.0	11.0	11	2.6	1.3	4.9
Stomach	36	5.5	3.9	7.7	24	8.6	5.5	13.1	12	2.9	1.5	5.3
Colon and Rectum	313	48.5	43.3	54.2	167	61.9	52.8	72.3	146	38.0	32.0	44.9
Liver	21	3.3	2.0	5.1	15	5.5	3.0	9.3	6	1.6	0.6	3.8
Pancreas	68	10.7	8.3	13.6	41	15.2	10.9	20.8	27	7.6	5.0	11.2
Lung and Bronchus	426	67.6	61.3	74.4	230	85.0	74.3	96.9	196	56.3	48.6	64.9
Bones and Joints	4	0.6	0.2	1.7	3	1.0	0.2	3.4	1	0.2	0.0	1.8
Melanoma of the Skin	108	16.5	13.5	20.0	52	17.6	13.1	23.4	56	16.2	12.2	21.3
Breast (invasive)	492	77.6	70.9	84.8	2	0.7	0.1	2.9	490	142.0	129.6	155.4
Cervix (invasive)	-	-	-	-	-	-	-	-	23	6.6	4.2	10.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	97	28.3	22.9	34.7
Ovary	-	-	-	-	-	-	-	-	44	12.7	9.2	17.2
Prostate	-	-	-	-	485	175.8	160.4	192.4	-	-	-	-
Testis	-	-	-	-	16	4.1	2.3	7.1	-	-	-	-
Urinary Bladder	103	16.2	13.2	19.7	70	26.6	20.7	33.9	33	9.1	6.3	13.0
Kidney and Renal Pelvis	65	10.2	7.9	13.1	36	13.2	9.2	18.5	29	8.1	5.4	11.8
Brain and Other Nervous System	44	6.8	4.9	9.2	26	8.8	5.7	13.2	18	5.3	3.1	8.6
Hodgkin's Disease	21	2.8	1.7	4.3	12	3.4	1.7	6.3	9	2.2	1.0	4.5
Non-Hodgkin's Lymphomas	138	21.5	18.0	25.4	84	30.1	23.9	37.5	54	14.8	11.1	19.6
Multiple Myeloma	35	5.4	3.8	7.6	19	7.3	4.4	11.6	16	4.3	2.5	7.2
Leukemias	97	15.0	12.1	18.4	44	15.5	11.2	21.2	53	15.0	11.2	19.8
All Other Sites	302	47.1	41.9	52.7	143	51.0	42.9	60.4	159	44.5	37.8	52.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	129	38.4	32.1	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	87,625	474.2	471.1	477.4	43,235	553.4	548.2	558.7	44,390	428.0	424.0	432.1
Oral Cavity and Pharynx	1,861	10.3	9.8	10.7	1,226	15.1	14.3	16.0	635	6.2	5.7	6.7
Esophagus	989	5.4	5.0	5.7	748	9.6	8.9	10.3	241	2.2	1.9	2.5
Stomach	1,652	8.8	8.4	9.2	973	12.6	11.8	13.4	679	6.0	5.6	6.5
Colon and Rectum	10,588	56.4	55.3	57.5	5,345	69.9	68.0	71.8	5,243	46.8	45.6	48.2
Liver	900	4.9	4.6	5.2	617	7.8	7.2	8.4	283	2.6	2.3	2.9
Pancreas	2,334	12.4	11.9	13.0	1,068	13.9	13.1	14.8	1,266	11.3	10.7	11.9
Lung and Bronchus	12,383	66.9	65.7	68.1	6,634	85.7	83.6	87.8	5,749	54.1	52.7	55.5
Bones and Joints	171	0.9	0.8	1.1	82	1.0	0.8	1.2	89	0.9	0.8	1.2
Melanoma of the Skin	2,048	11.2	10.7	11.6	1,163	14.4	13.6	15.2	885	9.0	8.4	9.7
Breast (invasive)	13,372	73.3	72.1	74.6	110	1.4	1.2	1.7	13,262	132.7	130.4	135.0
Cervix (invasive)	-	-	-	-	-	-	-	-	943	10.0	9.4	10.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2,731	27.4	26.3	28.4
Ovary	-	-	-	-	-	-	-	-	1,511	15.2	14.4	16.0
Prostate	-	-	-	-	11,588	149.2	146.4	151.9	-	-	-	-
Testis	-	-	-	-	531	5.4	4.9	5.9	-	-	-	-
Urinary Bladder	4,477	23.9	23.2	24.7	3,254	42.8	41.3	44.3	1,223	11.2	10.5	11.8
Kidney and Renal Pelvis	2,357	12.9	12.3	13.4	1,405	17.7	16.8	18.7	952	9.2	8.6	9.8
Brain and Other Nervous System	1,187	6.5	6.1	6.9	626	7.6	7.0	8.2	561	5.7	5.2	6.2
Hodgkin's Disease	508	2.7	2.5	3.0	289	3.2	2.9	3.6	219	2.3	2.0	2.7
Non-Hodgkin's Lymphomas	3,764	20.3	19.6	20.9	1,938	24.4	23.3	25.6	1,826	17.3	16.5	18.1
Multiple Myeloma	928	5.0	4.7	5.3	497	6.5	5.9	7.1	431	3.9	3.6	4.3
Leukemias	2,423	13.0	12.5	13.5	1,279	16.3	15.4	17.2	1,144	10.7	10.1	11.4
All Other Sites	8,379	45.1	44.2	46.1	3,862	49.1	47.6	50.7	4,517	43.3	42.0	44.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	2,896	30.3	29.2	31.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	17,631	483.7	476.5	490.9	8,639	563.9	551.7	576.3	8,992	436.4	427.4	445.6
Oral Cavity and Pharynx	336	9.0	8.1	10.1	218	12.9	11.2	14.9	118	5.8	4.8	7.0
Esophagus	203	5.7	4.9	6.5	155	10.1	8.5	11.9	48	2.4	1.7	3.2
Stomach	254	7.1	6.2	8.0	157	10.3	8.7	12.2	97	4.5	3.7	5.6
Colon and Rectum	1,923	53.8	51.4	56.3	950	64.8	60.6	69.2	973	46.5	43.6	49.6
Liver	146	4.1	3.4	4.8	110	7.2	5.9	8.7	36	1.8	1.2	2.5
Pancreas	452	12.7	11.6	14.0	232	15.5	13.5	17.8	220	10.7	9.3	12.2
Lung and Bronchus	2,251	64.0	61.3	66.7	1,170	80.4	75.8	85.3	1,081	53.9	50.7	57.3
Bones and Joints	42	1.1	0.8	1.5	20	1.0	0.6	1.7	22	1.1	0.7	1.7
Melanoma of the Skin	521	13.6	12.5	14.8	295	17.7	15.6	19.9	226	10.9	9.5	12.5
Breast (invasive)	3,084	81.3	78.4	84.2	22	1.4	0.9	2.3	3,062	147.9	142.7	153.3
Cervix (invasive)	-	-	-	-	-	-	-	-	144	6.9	5.8	8.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	548	26.9	24.7	29.3
Ovary	-	-	-	-	-	-	-	-	273	13.2	11.7	14.9
Prostate	-	-	-	-	2,483	162.1	155.7	168.8	-	-	-	-
Testis	-	-	-	-	129	6.3	5.3	7.6	-	-	-	-
Urinary Bladder	869	24.7	23.1	26.4	651	45.4	41.9	49.1	218	10.5	9.1	12.0
Kidney and Renal Pelvis	497	13.5	12.3	14.7	324	19.7	17.6	22.1	173	8.6	7.3	10.0
Brain and Other Nervous System	292	7.7	6.8	8.6	164	9.4	7.9	11.0	128	6.3	5.3	7.5
Hodgkin's Disease	144	3.7	3.1	4.4	80	4.3	3.4	5.4	64	3.2	2.5	4.1
Non-Hodgkin's Lymphomas	742	20.3	18.9	21.8	417	26.2	23.7	29.0	325	15.8	14.1	17.6
Multiple Myeloma	183	5.2	4.4	6.0	95	6.1	4.9	7.5	88	4.3	3.4	5.3
Leukemias	434	11.8	10.7	13.0	246	16.2	14.1	18.4	188	9.0	7.8	10.5
All Other Sites	1,681	45.3	43.2	47.6	721	46.9	43.4	50.6	960	46.1	43.2	49.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	721	35.1	32.6	37.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,732	457.5	446.5	468.7	3,296	526.1	507.5	545.3	3,436	415.5	401.6	429.8
Oral Cavity and Pharynx	150	9.9	8.4	11.6	84	11.8	9.3	14.9	66	8.2	6.3	10.4
Esophagus	72	5.0	3.9	6.4	51	8.1	5.9	10.9	21	2.7	1.6	4.1
Stomach	91	6.3	5.0	7.7	55	8.5	6.3	11.3	36	4.4	3.1	6.1
Colon and Rectum	795	56.3	52.4	60.4	399	67.4	60.7	74.8	396	47.9	43.3	53.0
Liver	53	3.6	2.7	4.8	39	6.3	4.4	8.9	14	1.6	0.9	2.8
Pancreas	126	9.0	7.4	10.7	64	10.3	7.9	13.4	62	7.6	5.8	9.8
Lung and Bronchus	902	65.1	60.9	69.5	493	83.9	76.4	92.0	409	52.3	47.3	57.6
Bones and Joints	14	0.8	0.4	1.4	11	1.2	0.6	2.5	3	0.4	0.1	1.2
Melanoma of the Skin	206	12.3	10.7	14.2	113	14.9	12.2	18.3	93	10.6	8.5	13.0
Breast (invasive)	1,105	72.4	68.1	76.9	9	1.4	0.6	2.9	1,096	132.3	124.5	140.5
Cervix (invasive)	-	-	-	-	-	-	-	-	75	8.4	6.6	10.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	191	23.3	20.1	26.9
Ovary	-	-	-	-	-	-	-	-	122	14.7	12.2	17.6
Prostate	-	-	-	-	932	152.1	142.2	162.6	-	-	-	-
Testis	-	-	-	-	52	5.2	3.9	7.1	-	-	-	-
Urinary Bladder	320	23.1	20.6	25.8	231	39.6	34.5	45.4	89	10.7	8.6	13.3
Kidney and Renal Pelvis	202	13.5	11.7	15.6	129	19.5	16.2	23.5	73	8.8	6.9	11.1
Brain and Other Nervous System	103	6.3	5.1	7.7	53	7.1	5.2	9.6	50	5.8	4.3	7.7
Hodgkin's Disease	54	3.0	2.3	4.0	22	2.5	1.6	4.2	32	3.5	2.4	5.0
Non-Hodgkin's Lymphomas	273	18.1	16.0	20.5	145	22.2	18.5	26.5	128	15.5	12.9	18.4
Multiple Myeloma	71	4.9	3.8	6.2	33	5.5	3.7	8.0	38	4.6	3.2	6.3
Leukemias	202	13.1	11.4	15.2	113	17.3	14.1	21.2	89	10.3	8.3	12.8
All Other Sites	621	41.0	37.8	44.4	268	41.3	36.3	47.0	353	41.8	37.5	46.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	257	31.1	27.4	35.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,354	501.2	481.1	521.9	1,238	599.2	566.0	634.1	1,116	435.0	409.5	461.8
Oral Cavity and Pharynx	60	12.8	9.8	16.6	40	19.6	13.9	27.1	20	7.6	4.6	11.9
Esophagus	20	4.2	2.6	6.6	17	7.9	4.6	13.1	3	1.0	0.2	3.3
Stomach	49	10.2	7.6	13.6	38	18.9	13.3	26.3	11	3.6	1.8	6.8
Colon and Rectum	295	61.9	55.0	69.4	155	75.7	64.2	89.0	140	51.2	43.0	60.7
Liver	19	4.0	2.4	6.2	10	4.6	2.2	9.0	9	3.4	1.5	6.8
Pancreas	48	10.2	7.5	13.5	26	12.7	8.3	19.1	22	7.7	4.8	12.0
Lung and Bronchus	402	84.6	76.5	93.3	236	113.1	99.1	128.9	166	63.7	54.3	74.4
Bones and Joints	2	0.4	0.0	1.5	1	0.5	0.0	3.5	1	0.4	0.0	2.4
Melanoma of the Skin	52	11.5	8.6	15.1	23	11.3	7.1	17.4	29	12.1	8.1	17.6
Breast (invasive)	303	65.4	58.3	73.3	3	1.4	0.3	4.8	300	120.5	107.1	135.2
Cervix (invasive)	-	-	-	-	-	-	-	-	30	13.2	8.9	19.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	59	23.4	17.7	30.4
Ovary	-	-	-	-	-	-	-	-	37	14.4	10.1	20.1
Prostate	-	-	-	-	300	144.3	128.3	162.0	-	-	-	-
Testis	-	-	-	-	12	5.8	3.0	10.5	-	-	-	-
Urinary Bladder	127	26.7	22.2	31.8	93	45.8	36.8	56.5	34	12.4	8.5	17.6
Kidney and Renal Pelvis	74	16.0	12.5	20.1	46	21.9	16.0	29.6	28	11.3	7.4	16.5
Brain and Other Nervous System	38	8.4	5.9	11.5	20	9.5	5.8	15.0	18	7.6	4.5	12.2
Hodgkin's Disease	10	2.3	1.1	4.3	7	3.3	1.3	7.2	3	1.5	0.3	4.3
Non-Hodgkin's Lymphomas	94	20.1	16.2	24.6	52	25.2	18.8	33.5	42	15.9	11.4	21.8
Multiple Myeloma	26	5.6	3.6	8.2	7	3.6	1.4	7.8	19	7.2	4.3	11.5
Leukemias	67	14.2	11.0	18.1	40	18.8	13.4	26.0	27	10.2	6.7	15.1
All Other Sites	230	49.3	43.1	56.2	112	55.4	45.5	67.1	118	46.6	38.5	56.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	51	20.9	15.5	27.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	11,455	488.9	479.9	498.1	5,569	540.7	526.0	555.9	5,886	457.5	445.8	469.5
Oral Cavity and Pharynx	246	10.0	8.8	11.4	159	14.2	12.0	16.8	87	6.6	5.3	8.2
Esophagus	107	4.7	3.8	5.6	82	8.0	6.3	10.2	25	2.0	1.3	3.0
Stomach	163	7.4	6.3	8.6	94	9.7	7.8	12.1	69	5.4	4.2	6.9
Colon and Rectum	1,266	57.0	53.9	60.3	660	68.2	62.8	73.9	606	48.6	44.8	52.7
Liver	82	3.6	2.9	4.5	58	5.5	4.1	7.2	24	2.0	1.3	2.9
Pancreas	267	12.1	10.7	13.7	141	15.0	12.5	17.9	126	10.3	8.5	12.2
Lung and Bronchus	1,518	68.3	64.8	71.8	766	79.3	73.6	85.4	752	61.1	56.8	65.6
Bones and Joints	15	0.5	0.3	0.9	8	0.6	0.2	1.4	7	0.5	0.2	1.1
Melanoma of the Skin	412	16.4	14.8	18.1	236	21.0	18.3	24.1	176	13.0	11.2	15.1
Breast (invasive)	1,976	79.8	76.3	83.5	12	1.1	0.6	2.2	1,964	149.1	142.5	155.9
Cervix (invasive)	-	-	-	-	-	-	-	-	123	8.9	7.4	10.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	316	24.5	21.9	27.4
Ovary	-	-	-	-	-	-	-	-	196	15.0	13.0	17.3
Prostate	-	-	-	-	1,530	148.3	140.7	156.2	-	-	-	-
Testis	-	-	-	-	86	5.8	4.7	7.4	-	-	-	-
Urinary Bladder	546	24.3	22.2	26.4	397	39.9	36.0	44.3	149	12.0	10.1	14.1
Kidney and Renal Pelvis	320	13.6	12.1	15.2	189	17.7	15.2	20.7	131	10.4	8.7	12.3
Brain and Other Nervous System	195	7.6	6.6	8.8	103	8.5	6.8	10.5	92	7.0	5.7	8.7
Hodgkin's Disease	77	2.8	2.2	3.5	44	3.1	2.2	4.3	33	2.5	1.7	3.5
Non-Hodgkin's Lymphomas	506	21.6	19.8	23.6	269	25.6	22.5	29.2	237	18.8	16.5	21.4
Multiple Myeloma	96	4.2	3.4	5.2	48	4.3	3.2	6.0	48	3.9	2.9	5.2
Leukemias	353	14.8	13.2	16.4	220	20.1	17.4	23.3	133	10.4	8.7	12.4
All Other Sites	1,059	44.8	42.1	47.6	467	44.8	40.6	49.4	592	45.5	41.9	49.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	504	37.9	34.7	41.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,299	551.9	533.1	571.3	1,795	691.6	659.7	724.8	1,504	454.9	431.6	479.4
Oral Cavity and Pharynx	75	13.0	10.2	16.4	54	21.3	16.0	28.1	21	6.6	4.1	10.5
Esophagus	36	6.0	4.2	8.5	31	11.6	7.9	16.7	5	1.3	0.4	3.6
Stomach	26	4.2	2.7	6.3	22	8.6	5.4	13.3	4	0.9	0.3	3.1
Colon and Rectum	404	65.2	59.0	72.0	202	77.8	67.4	89.7	202	55.7	48.1	64.4
Liver	14	2.3	1.3	4.1	7	2.7	1.1	5.8	7	2.0	0.8	4.6
Pancreas	68	11.0	8.5	14.1	36	14.2	9.9	19.9	32	8.6	5.9	12.6
Lung and Bronchus	539	87.8	80.5	95.7	303	114.4	101.9	128.4	236	67.6	59.2	77.2
Bones and Joints	3	0.5	0.1	1.6	1	0.4	0.0	2.6	2	0.5	0.1	2.5
Melanoma of the Skin	98	17.2	13.9	21.1	52	20.1	15.0	26.6	46	14.9	10.8	20.2
Breast (invasive)	474	80.9	73.7	88.6	12	4.8	2.4	8.6	462	143.6	130.5	157.8
Cervix (invasive)	-	-	-	-	-	-	-	-	24	9.1	5.8	13.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	70	22.1	17.2	28.3
Ovary	-	-	-	-	-	-	-	-	53	16.1	11.9	21.4
Prostate	-	-	-	-	596	225.5	207.6	244.6	-	-	-	-
Testis	-	-	-	-	28	13.0	8.6	18.9	-	-	-	-
Urinary Bladder	151	24.7	20.9	29.1	114	43.8	36.0	52.8	37	10.3	7.2	14.7
Kidney and Renal Pelvis	88	14.9	11.9	18.5	47	18.2	13.3	24.5	41	12.3	8.7	17.1
Brain and Other Nervous System	43	7.7	5.5	10.5	29	11.3	7.5	16.4	14	4.7	2.5	8.3
Hodgkin's Disease	16	3.3	1.9	5.5	10	4.3	2.1	8.2	6	2.3	0.8	5.3
Non-Hodgkin's Lymphomas	140	23.4	19.7	27.8	68	27.0	20.9	34.5	72	21.4	16.6	27.4
Multiple Myeloma	28	4.6	3.0	6.8	17	6.5	3.8	10.7	11	3.1	1.5	5.9
Leukemias	77	13.6	10.7	17.2	43	17.3	12.5	23.6	34	11.1	7.5	16.0
All Other Sites	248	43.3	38.0	49.2	123	49.1	40.7	58.8	125	40.7	33.6	49.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	124	40.4	33.5	48.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,489	486.5	474.7	498.5	3,317	578.4	558.7	598.7	3,172	426.3	411.4	441.7
Oral Cavity and Pharynx	132	10.0	8.4	11.9	92	15.8	12.7	19.5	40	5.3	3.8	7.4
Esophagus	61	4.6	3.5	5.9	52	9.1	6.8	12.1	9	1.1	0.5	2.3
Stomach	71	5.3	4.1	6.7	29	5.1	3.4	7.4	42	5.3	3.8	7.4
Colon and Rectum	893	65.7	61.4	70.2	439	78.9	71.6	86.9	454	57.0	51.8	62.7
Liver	40	3.0	2.1	4.1	27	4.8	3.1	7.1	13	1.6	0.8	2.9
Pancreas	154	11.4	9.7	13.4	68	11.7	9.1	15.0	86	10.9	8.7	13.6
Lung and Bronchus	1,143	84.7	79.8	89.7	651	114.0	105.3	123.3	492	64.8	59.2	71.0
Bones and Joints	8	0.7	0.3	1.3	2	0.3	0.0	1.5	6	1.0	0.4	2.2
Melanoma of the Skin	184	14.3	12.3	16.6	104	18.1	14.8	22.1	80	11.9	9.4	14.9
Breast (invasive)	894	68.0	63.6	72.6	6	1.0	0.4	2.5	888	123.2	115.1	131.7
Cervix (invasive)	-	-	-	-	-	-	-	-	57	8.8	6.6	11.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	174	23.6	20.2	27.6
Ovary	-	-	-	-	-	-	-	-	113	15.5	12.7	18.7
Prostate	-	-	-	-	926	157.6	147.6	168.3	-	-	-	-
Testis	-	-	-	-	20	3.5	2.1	5.5	-	-	-	-
Urinary Bladder	305	22.4	20.0	25.1	225	40.0	34.9	45.7	80	9.9	7.8	12.5
Kidney and Renal Pelvis	186	14.0	12.1	16.2	111	19.7	16.2	23.9	75	10.3	8.1	13.1
Brain and Other Nervous System	79	6.3	4.9	7.8	44	7.4	5.4	10.1	35	5.2	3.6	7.4
Hodgkin's Disease	45	3.8	2.7	5.1	23	3.9	2.5	6.0	22	3.5	2.2	5.4
Non-Hodgkin's Lymphomas	226	16.9	14.8	19.3	114	20.0	16.5	24.2	112	14.5	11.9	17.6
Multiple Myeloma	66	4.9	3.8	6.3	36	6.1	4.3	8.6	30	3.9	2.6	5.8
Leukemias	166	12.5	10.7	14.6	81	14.6	11.6	18.3	85	11.0	8.8	13.8
All Other Sites	546	41.4	38.0	45.1	267	46.5	41.0	52.6	279	37.8	33.4	42.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	190	27.3	23.5	31.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,502	505.2	490.4	520.3	2,290	602.7	578.2	628.1	2,212	444.7	425.9	464.3
Oral Cavity and Pharynx	102	11.5	9.4	14.1	69	18.5	14.3	23.5	33	6.2	4.2	9.0
Esophagus	42	4.5	3.2	6.2	35	9.4	6.5	13.2	7	1.2	0.5	2.9
Stomach	63	6.8	5.2	8.8	46	12.1	8.9	16.3	17	2.8	1.6	4.8
Colon and Rectum	554	59.4	54.5	64.7	272	72.7	64.3	82.0	282	49.5	43.8	56.0
Liver	32	3.5	2.4	5.0	25	6.4	4.1	9.5	7	1.2	0.5	2.8
Pancreas	111	11.9	9.8	14.4	48	13.0	9.6	17.4	63	11.3	8.6	14.8
Lung and Bronchus	741	82.0	76.1	88.2	425	112.2	101.7	123.6	316	62.4	55.6	69.9
Bones and Joints	4	0.5	0.1	1.3	3	0.8	0.2	2.5	1	0.2	0.0	1.5
Melanoma of the Skin	157	18.7	15.9	21.9	87	23.2	18.6	28.8	70	15.4	12.0	19.7
Breast (invasive)	709	81.7	75.8	88.1	5	1.3	0.4	3.1	704	148.1	137.1	159.8
Cervix (invasive)	-	-	-	-	-	-	-	-	43	10.7	7.7	14.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	110	23.1	18.9	28.1
Ovary	-	-	-	-	-	-	-	-	64	12.8	9.8	16.7
Prostate	-	-	-	-	644	166.5	153.8	180.0	-	-	-	-
Testis	-	-	-	-	21	6.1	3.8	9.4	-	-	-	-
Urinary Bladder	230	24.8	21.7	28.3	174	45.8	39.2	53.3	56	10.2	7.7	13.5
Kidney and Renal Pelvis	146	16.4	13.8	19.4	88	22.5	18.1	27.9	58	11.4	8.6	15.0
Brain and Other Nervous System	54	6.4	4.8	8.4	31	8.1	5.5	11.7	23	4.9	3.1	7.6
Hodgkin's Disease	22	2.9	1.8	4.5	14	3.8	2.1	6.5	8	2.1	0.9	4.3
Non-Hodgkin's Lymphomas	198	22.1	19.1	25.5	98	25.8	20.9	31.5	100	19.2	15.5	23.6
Multiple Myeloma	32	3.5	2.4	5.0	16	4.2	2.4	7.0	16	3.0	1.7	5.1
Leukemias	92	10.0	8.0	12.3	50	13.5	10.0	18.0	42	7.4	5.2	10.3
All Other Sites	331	38.6	34.5	43.0	139	36.8	30.9	43.5	192	41.5	35.7	48.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	154	33.2	28.1	39.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,913	487.0	471.7	502.7	2,055	588.2	562.9	614.4	1,858	419.0	399.7	439.1
Oral Cavity and Pharynx	82	10.5	8.4	13.2	60	16.9	12.9	21.9	22	4.8	2.9	7.5
Esophagus	53	6.5	4.9	8.6	40	11.3	8.1	15.5	13	2.6	1.4	4.9
Stomach	30	3.4	2.3	5.0	15	4.5	2.5	7.5	15	2.6	1.4	4.7
Colon and Rectum	433	52.0	47.2	57.3	218	62.7	54.6	71.7	215	44.0	38.1	50.6
Liver	34	4.3	2.9	6.0	21	5.8	3.6	9.1	13	2.8	1.5	5.0
Pancreas	99	11.8	9.6	14.5	54	15.3	11.5	20.1	45	8.8	6.4	12.1
Lung and Bronchus	621	75.5	69.7	81.8	345	98.2	88.1	109.3	276	59.0	52.1	66.6
Bones and Joints	6	0.8	0.3	1.9	4	1.2	0.3	3.1	2	0.5	0.1	2.1
Melanoma of the Skin	147	19.8	16.7	23.4	88	25.8	20.6	31.9	59	15.4	11.7	20.1
Breast (invasive)	546	69.3	63.6	75.5	2	0.6	0.1	2.3	544	126.9	116.2	138.4
Cervix (invasive)	-	-	-	-	-	-	-	-	60	16.5	12.5	21.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	119	28.0	23.1	33.7
Ovary	-	-	-	-	-	-	-	-	59	13.8	10.4	18.1
Prostate	-	-	-	-	610	171.7	158.3	186.0	-	-	-	-
Testis	-	-	-	-	17	5.3	3.1	8.6	-	-	-	-
Urinary Bladder	196	23.3	20.1	26.9	157	46.1	39.2	54.1	39	8.1	5.7	11.3
Kidney and Renal Pelvis	112	13.8	11.4	16.7	69	19.7	15.3	25.0	43	9.1	6.6	12.6
Brain and Other Nervous System	36	5.0	3.5	7.0	21	5.9	3.7	9.2	15	4.2	2.3	7.1
Hodgkin's Disease	22	3.1	2.0	4.8	14	4.3	2.3	7.3	8	2.2	0.9	4.5
Non-Hodgkin's Lymphomas	148	18.3	15.4	21.6	75	21.5	16.9	27.0	73	15.9	12.4	20.3
Multiple Myeloma	30	3.8	2.5	5.5	16	4.4	2.5	7.4	14	3.2	1.7	5.6
Leukemias	75	9.3	7.3	11.7	48	14.2	10.5	19.0	27	5.4	3.5	8.2
All Other Sites	378	47.7	42.9	52.8	181	52.9	45.4	61.3	197	45.2	39.0	52.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	110	26.6	21.8	32.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,101	512.2	498.2	526.5	2,582	603.6	580.4	627.6	2,519	453.7	435.8	472.2
Oral Cavity and Pharynx	109	11.0	9.0	13.3	74	16.9	13.2	21.4	35	6.7	4.6	9.4
Esophagus	59	5.9	4.5	7.6	42	9.9	7.1	13.5	17	2.9	1.6	4.8
Stomach	42	4.2	3.0	5.7	26	6.1	4.0	9.2	16	2.7	1.5	4.6
Colon and Rectum	707	69.2	64.2	74.5	349	83.2	74.6	92.6	358	59.8	53.6	66.6
Liver	36	3.7	2.6	5.2	26	5.9	3.8	8.8	10	2.0	0.9	3.8
Pancreas	119	11.7	9.7	14.0	64	15.1	11.6	19.4	55	9.1	6.8	12.0
Lung and Bronchus	859	85.1	79.5	91.0	485	113.5	103.6	124.3	374	66.2	59.5	73.4
Bones and Joints	13	1.4	0.8	2.5	6	1.4	0.5	3.2	7	1.4	0.5	3.0
Melanoma of the Skin	157	16.4	14.0	19.3	88	20.3	16.3	25.2	69	13.7	10.6	17.5
Breast (invasive)	727	73.8	68.5	79.4	3	0.7	0.1	2.3	724	134.2	124.5	144.7
Cervix (invasive)	-	-	-	-	-	-	-	-	37	7.7	5.4	10.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	133	24.9	20.8	29.6
Ovary	-	-	-	-	-	-	-	-	90	16.4	13.1	20.3
Prostate	-	-	-	-	642	149.2	137.8	161.4	-	-	-	-
Testis	-	-	-	-	15	3.4	1.9	5.8	-	-	-	-
Urinary Bladder	256	25.1	22.1	28.4	203	47.8	41.4	55.0	53	8.9	6.6	11.8
Kidney and Renal Pelvis	184	18.6	16.0	21.5	119	27.6	22.8	33.1	65	11.7	9.0	15.1
Brain and Other Nervous System	62	6.4	4.9	8.2	31	7.0	4.8	10.2	31	5.6	3.8	8.1
Hodgkin's Disease	27	3.0	1.9	4.3	15	3.7	2.0	6.2	12	2.7	1.4	4.8
Non-Hodgkin's Lymphomas	192	19.5	16.8	22.5	107	25.1	20.5	30.5	85	15.0	11.9	18.7
Multiple Myeloma	58	5.7	4.3	7.4	21	4.9	3.0	7.7	37	6.2	4.3	8.7
Leukemias	138	14.0	11.8	16.6	77	18.0	14.2	22.6	61	11.1	8.5	14.5
All Other Sites	439	44.2	40.2	48.6	189	44.0	37.9	50.9	250	45.2	39.6	51.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	146	27.8	23.4	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,542	483.4	469.4	497.8	2,226	567.6	544.1	592.0	2,316	434.4	416.6	452.8
Oral Cavity and Pharynx	115	12.4	10.3	15.0	76	18.3	14.4	23.1	39	7.8	5.5	10.8
Esophagus	47	5.0	3.6	6.7	31	7.7	5.2	11.2	16	2.7	1.6	4.7
Stomach	37	3.9	2.7	5.4	24	6.0	3.9	9.2	13	2.3	1.2	4.1
Colon and Rectum	557	58.2	53.5	63.3	263	68.2	60.1	77.2	294	51.1	45.4	57.6
Liver	28	2.9	1.9	4.3	23	5.9	3.7	9.1	5	0.8	0.3	2.2
Pancreas	94	9.7	7.8	11.9	44	11.5	8.3	15.6	50	8.4	6.2	11.3
Lung and Bronchus	722	76.4	71.0	82.3	401	102.3	92.5	113.0	321	59.6	53.2	66.6
Bones and Joints	5	0.6	0.2	1.5	2	0.5	0.1	2.1	3	0.8	0.2	2.3
Melanoma of the Skin	113	12.2	10.1	14.7	67	17.4	13.4	22.2	46	9.2	6.7	12.5
Breast (invasive)	780	83.3	77.5	89.4	10	2.4	1.2	4.7	770	147.7	137.3	158.7
Cervix (invasive)	-	-	-	-	-	-	-	-	38	7.9	5.6	11.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	121	23.0	19.1	27.7
Ovary	-	-	-	-	-	-	-	-	70	13.0	10.1	16.6
Prostate	-	-	-	-	613	155.0	142.9	168.0	-	-	-	-
Testis	-	-	-	-	25	6.1	3.9	9.2	-	-	-	-
Urinary Bladder	194	20.3	17.5	23.4	147	38.8	32.7	45.7	47	8.3	6.1	11.2
Kidney and Renal Pelvis	131	14.0	11.7	16.7	80	20.5	16.2	25.6	51	9.7	7.2	12.9
Brain and Other Nervous System	57	6.3	4.8	8.2	25	6.0	3.9	9.1	32	6.5	4.4	9.4
Hodgkin's Disease	33	3.9	2.7	5.5	17	4.3	2.5	7.1	16	3.8	2.2	6.2
Non-Hodgkin's Lymphomas	164	17.4	14.9	20.4	87	21.7	17.3	26.9	77	14.2	11.2	17.9
Multiple Myeloma	42	4.4	3.2	6.0	21	5.4	3.3	8.4	21	3.7	2.3	5.9
Leukemias	116	12.8	10.5	15.4	65	16.7	12.9	21.5	51	9.7	7.2	13.0
All Other Sites	440	47.0	42.7	51.7	205	52.8	45.8	60.7	235	44.1	38.5	50.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	208	41.3	35.8	47.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,290	495.8	475.5	516.9	1,178	579.9	547.0	614.5	1,112	444.2	417.8	472.1
Oral Cavity and Pharynx	52	11.9	8.8	15.7	40	19.9	14.2	27.4	12	4.7	2.4	8.7
Esophagus	25	5.1	3.3	7.8	21	10.4	6.4	16.3	4	1.3	0.4	4.2
Stomach	33	6.9	4.7	9.8	24	11.5	7.3	17.4	9	3.3	1.5	7.0
Colon and Rectum	296	61.9	55.0	69.5	145	72.0	60.6	85.1	151	55.1	46.5	65.2
Liver	13	2.8	1.5	4.9	10	4.8	2.3	9.2	3	1.1	0.2	3.9
Pancreas	59	12.2	9.2	15.8	30	15.3	10.3	22.2	29	10.5	7.0	15.6
Lung and Bronchus	429	90.1	81.7	99.2	264	127.5	112.5	144.2	165	62.6	53.3	73.5
Bones and Joints	3	0.8	0.2	2.6	2	1.2	0.1	4.6	1	0.5	0.0	3.1
Melanoma of the Skin	69	16.1	12.5	20.5	47	23.2	17.0	31.1	22	10.6	6.5	16.4
Breast (invasive)	334	75.6	67.7	84.4	1	0.5	0.0	3.2	333	139.7	124.7	156.2
Cervix (invasive)	-	-	-	-	-	-	-	-	21	9.6	5.8	15.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	66	27.9	21.4	36.0
Ovary	-	-	-	-	-	-	-	-	29	10.8	7.2	16.1
Prostate	-	-	-	-	289	138.9	123.2	156.2	-	-	-	-
Testis	-	-	-	-	7	4.0	1.6	8.5	-	-	-	-
Urinary Bladder	109	23.1	19.0	28.1	78	39.8	31.3	50.0	31	12.1	8.2	17.7
Kidney and Renal Pelvis	68	15.4	11.9	19.7	36	18.1	12.6	25.4	32	13.2	8.9	19.1
Brain and Other Nervous System	18	4.4	2.6	7.1	10	5.5	2.6	10.3	8	4.0	1.7	8.3
Hodgkin's Disease	11	2.9	1.4	5.4	5	2.5	0.8	6.3	6	3.5	1.3	7.7
Non-Hodgkin's Lymphomas	80	17.1	13.5	21.4	38	19.0	13.4	26.3	42	15.5	11.1	21.5
Multiple Myeloma	23	4.8	3.1	7.5	11	5.6	2.8	10.4	12	4.5	2.3	8.3
Leukemias	75	16.6	13.0	21.1	37	18.6	13.0	25.9	38	14.8	10.3	20.9
All Other Sites	181	40.1	34.4	46.6	83	41.8	33.2	52.2	98	38.9	31.4	48.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	68	30.0	23.2	38.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	8,398	472.2	462.0	482.6	4,226	551.7	534.4	569.5	4,172	421.5	408.7	434.5
Oral Cavity and Pharynx	198	10.6	9.2	12.3	138	15.9	13.3	19.1	60	6.1	4.7	7.9
Esophagus	92	5.3	4.3	6.5	71	9.0	7.0	11.7	21	2.2	1.4	3.4
Stomach	121	7.0	5.8	8.4	78	10.5	8.2	13.4	43	4.3	3.1	5.9
Colon and Rectum	938	55.5	51.9	59.2	492	68.1	61.9	74.8	446	46.3	42.1	50.8
Liver	69	3.7	2.9	4.8	46	5.3	3.8	7.4	23	2.4	1.5	3.6
Pancreas	206	12.2	10.6	14.0	105	13.7	11.1	16.9	101	10.5	8.6	12.8
Lung and Bronchus	1,276	75.2	71.1	79.5	715	97.9	90.6	105.8	561	59.2	54.4	64.3
Bones and Joints	23	1.0	0.7	1.6	17	1.6	0.9	2.9	6	0.5	0.2	1.2
Melanoma of the Skin	231	12.0	10.5	13.8	131	15.9	13.2	19.3	100	9.6	7.8	11.7
Breast (invasive)	1,344	71.7	67.9	75.8	8	1.1	0.5	2.4	1,336	133.1	126.0	140.5
Cervix (invasive)	-	-	-	-	-	-	-	-	80	7.4	5.8	9.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	280	28.3	25.1	31.9
Ovary	-	-	-	-	-	-	-	-	130	12.9	10.8	15.4
Prostate	-	-	-	-	1,056	138.2	129.7	147.3	-	-	-	-
Testis	-	-	-	-	59	5.1	3.9	6.8	-	-	-	-
Urinary Bladder	395	23.3	21.1	25.8	292	41.6	36.7	47.0	103	10.7	8.7	13.0
Kidney and Renal Pelvis	263	14.5	12.7	16.4	163	19.7	16.7	23.3	100	10.1	8.2	12.3
Brain and Other Nervous System	119	6.0	5.0	7.3	67	7.2	5.5	9.4	52	5.0	3.7	6.6
Hodgkin's Disease	65	3.0	2.3	3.9	41	3.8	2.7	5.4	24	2.1	1.4	3.2
Non-Hodgkin's Lymphomas	337	19.0	17.0	21.2	181	22.3	19.0	26.1	156	16.1	13.7	18.9
Multiple Myeloma	88	5.1	4.1	6.4	57	7.6	5.7	10.1	31	3.2	2.2	4.6
Leukemias	241	13.6	11.9	15.5	137	18.2	15.1	21.9	104	10.5	8.6	12.8
All Other Sites	787	43.2	40.1	46.4	372	48.9	43.8	54.6	415	40.7	36.8	44.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	300	29.3	26.0	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,300	483.2	471.3	495.3	3,071	545.0	525.8	564.9	3,229	448.3	432.8	464.2
Oral Cavity and Pharynx	126	9.7	8.1	11.6	80	13.9	11.0	17.4	46	6.4	4.7	8.7
Esophagus	71	5.4	4.2	6.8	56	9.6	7.3	12.6	15	1.9	1.1	3.3
Stomach	97	7.3	5.9	9.0	49	8.9	6.6	11.9	48	6.0	4.4	8.0
Colon and Rectum	746	56.7	52.7	61.0	387	69.2	62.4	76.6	359	46.8	42.0	52.0
Liver	33	2.5	1.7	3.5	20	3.6	2.2	5.8	13	1.8	0.9	3.1
Pancreas	172	13.0	11.2	15.2	106	19.0	15.5	23.1	66	8.6	6.6	11.0
Lung and Bronchus	1,008	76.8	72.1	81.7	576	102.2	94.0	111.1	432	59.0	53.5	64.9
Bones and Joints	9	0.8	0.3	1.5	3	0.5	0.1	1.7	6	1.0	0.4	2.2
Melanoma of the Skin	169	13.2	11.3	15.4	106	18.3	14.9	22.2	63	9.4	7.2	12.1
Breast (invasive)	1,051	81.1	76.2	86.1	5	0.9	0.3	2.3	1,046	148.7	139.8	158.1
Cervix (invasive)	-	-	-	-	-	-	-	-	59	9.1	6.9	11.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	209	29.8	25.8	34.2
Ovary	-	-	-	-	-	-	-	-	116	16.5	13.6	19.9
Prostate	-	-	-	-	713	125.5	116.4	135.2	-	-	-	-
Testis	-	-	-	-	38	6.3	4.5	8.8	-	-	-	-
Urinary Bladder	307	23.3	20.8	26.1	232	42.2	36.9	48.1	75	9.9	7.8	12.6
Kidney and Renal Pelvis	175	13.4	11.5	15.6	101	17.7	14.4	21.6	74	10.1	7.9	12.8
Brain and Other Nervous System	97	7.6	6.2	9.3	52	8.8	6.6	11.7	45	6.5	4.7	8.8
Hodgkin's Disease	28	2.4	1.6	3.4	17	3.0	1.7	4.9	11	1.9	0.9	3.4
Non-Hodgkin's Lymphomas	260	19.9	17.5	22.5	129	22.8	19.0	27.2	131	17.7	14.7	21.1
Multiple Myeloma	80	6.1	4.8	7.6	34	6.0	4.1	8.5	46	6.3	4.6	8.5
Leukemias	184	14.2	12.2	16.4	113	20.7	17.0	25.1	71	9.7	7.5	12.3
All Other Sites	552	42.5	39.1	46.3	254	45.9	40.4	52.1	298	41.4	36.8	46.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	312	46.0	41.0	51.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	36,835	518.5	513.1	523.9	18,896	664.2	654.2	674.2	17,939	425.8	419.5	432.1
Oral Cavity and Pharynx	967	12.6	11.8	13.4	710	21.7	20.1	23.4	257	5.9	5.2	6.6
Esophagus	589	8.3	7.6	9.0	421	14.4	13.0	15.9	168	4.0	3.5	4.7
Stomach	877	13.2	12.3	14.1	498	18.6	16.9	20.4	379	9.6	8.7	10.6
Colon and Rectum	4,559	67.3	65.3	69.3	2,132	78.7	75.2	82.4	2,427	59.9	57.5	62.3
Liver	483	6.8	6.2	7.5	315	10.6	9.4	11.9	168	4.1	3.5	4.8
Pancreas	1,053	15.6	14.7	16.6	482	17.2	15.6	18.9	571	14.3	13.1	15.5
Lung and Bronchus	6,088	87.0	84.8	89.3	3,575	126.4	122.1	130.9	2,513	60.9	58.5	63.4
Bones and Joints	61	0.7	0.5	0.9	31	0.8	0.5	1.3	30	0.6	0.4	0.9
Melanoma of the Skin	63	0.9	0.7	1.1	29	0.9	0.6	1.4	34	0.8	0.6	1.2
Breast (invasive)	5,407	73.1	71.1	75.1	58	2.0	1.5	2.7	5,349	124.1	120.7	127.5
Cervix (invasive)	-	-	-	-	-	-	-	-	775	17.0	15.8	18.3
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	836	19.9	18.5	21.3
Ovary	-	-	-	-	-	-	-	-	417	9.7	8.8	10.7
Prostate	-	-	-	-	6,239	227.8	221.9	233.8	-	-	-	-
Testis	-	-	-	-	59	1.3	1.0	1.8	-	-	-	-
Urinary Bladder	811	12.5	11.6	13.4	481	18.9	17.2	20.8	330	8.5	7.6	9.4
Kidney and Renal Pelvis	1,030	14.1	13.3	15.1	594	19.6	18.0	21.4	436	10.3	9.4	11.4
Brain and Other Nervous System	305	3.7	3.3	4.2	169	4.7	4.0	5.6	136	3.0	2.5	3.5
Hodgkin's Disease	208	2.2	1.9	2.6	114	2.6	2.2	3.2	94	1.9	1.5	2.3
Non-Hodgkin's Lymphomas	973	12.7	11.9	13.6	527	15.7	14.3	17.2	446	10.4	9.4	11.4
Multiple Myeloma	819	11.8	11.0	12.7	359	12.7	11.4	14.2	460	11.2	10.2	12.3
Leukemias	759	10.3	9.6	11.1	399	13.2	11.8	14.7	360	8.4	7.5	9.3
All Other Sites	3,457	47.6	46.0	49.3	1,704	56.2	53.5	59.2	1,753	41.4	39.5	43.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	934	21.5	20.2	23.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	283	512.1	451.9	579.1	145	638.7	529.3	774.3	138	429.2	359.1	509.8
Oral Cavity and Pharynx	7	11.6	4.4	27.1	4	18.5	4.9	70.4	3	6.6	1.2	24.1
Esophagus	3	6.3	1.3	20.4	2	9.9	1.1	60.4	1	3.8	0.1	21.6
Stomach	7	15.9	6.2	34.5	5	23.1	7.3	76.0	2	7.7	0.9	28.0
Colon and Rectum	29	55.3	36.4	81.8	15	59.3	32.2	118.4	14	47.8	25.9	81.5
Liver	7	14.6	5.7	32.1	3	21.1	2.9	81.5	4	13.6	3.7	36.3
Pancreas	6	11.8	4.1	28.2	1	3.8	0.1	52.3	5	16.4	5.1	40.2
Lung and Bronchus	44	82.3	59.3	112.7	23	95.8	59.0	162.8	21	70.6	43.5	109.2
Bones and Joints	0	0.0	0.0	10.9	0	0.0	0.0	48.5	0	0.0	0.0	14.6
Melanoma of the Skin	0	0.0	0.0	10.9	0	0.0	0.0	48.5	0	0.0	0.0	14.6
Breast (invasive)	42	66.9	47.6	93.1	1	3.8	0.1	52.3	41	117.5	83.8	161.7
Cervix (invasive)	-	-	-	-	-	-	-	-	8	21.4	8.8	45.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3	10.1	2.0	31.2
Ovary	-	-	-	-	-	-	-	-	2	5.2	0.5	23.1
Prostate	-	-	-	-	48	216.1	156.1	304.3	-	-	-	-
Testis	-	-	-	-	2	2.5	0.3	50.2	-	-	-	-
Urinary Bladder	8	17.0	7.1	35.5	5	30.6	7.8	92.4	3	10.3	2.1	31.5
Kidney and Renal Pelvis	10	18.6	8.9	36.4	4	16.1	4.3	66.4	6	20.4	7.4	45.6
Brain and Other Nervous System	0	0.0	0.0	10.9	0	0.0	0.0	48.5	0	0.0	0.0	14.6
Hodgkin's Disease	2	3.0	0.4	15.1	0	0.0	0.0	48.5	2	5.7	0.7	23.5
Non-Hodgkin's Lymphomas	5	7.6	2.3	21.4	2	4.0	0.4	51.8	3	10.4	2.1	31.5
Multiple Myeloma	10	18.8	8.7	37.3	7	31.7	11.0	88.8	3	10.1	2.1	31.0
Leukemias	11	16.6	8.0	33.0	6	23.7	8.0	76.0	5	12.0	3.9	31.5
All Other Sites	29	53.2	34.9	79.2	17	78.6	40.9	149.2	12	39.4	20.1	70.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	11	34.7	17.2	63.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	29,536	518.6	512.6	524.7	15,045	665.9	654.8	677.1	14,491	425.7	418.8	432.8
Oral Cavity and Pharynx	794	13.1	12.2	14.0	582	22.9	21.0	24.9	212	6.1	5.3	6.9
Esophagus	488	8.5	7.7	9.3	352	15.1	13.5	16.9	136	4.0	3.4	4.8
Stomach	721	13.4	12.5	14.5	412	19.2	17.3	21.3	309	9.6	8.6	10.8
Colon and Rectum	3,698	67.6	65.4	69.9	1,722	79.8	75.9	83.9	1,976	59.9	57.2	62.6
Liver	403	7.1	6.4	7.8	260	11.1	9.7	12.6	143	4.3	3.6	5.1
Pancreas	857	15.7	14.6	16.8	379	16.8	15.1	18.7	478	14.6	13.4	16.0
Lung and Bronchus	4,845	85.6	83.2	88.1	2,822	124.9	120.1	129.8	2,023	60.0	57.4	62.7
Bones and Joints	47	0.7	0.5	1.0	24	0.8	0.5	1.3	23	0.6	0.4	1.0
Melanoma of the Skin	49	0.9	0.6	1.2	20	0.8	0.5	1.4	29	0.9	0.6	1.3
Breast (invasive)	4,379	74.6	72.4	76.9	47	2.1	1.5	2.9	4,332	124.9	121.2	128.8
Cervix (invasive)	-	-	-	-	-	-	-	-	631	17.5	16.2	19.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	684	20.0	18.5	21.6
Ovary	-	-	-	-	-	-	-	-	340	9.8	8.8	10.9
Prostate	-	-	-	-	4,963	227.0	220.5	233.7	-	-	-	-
Testis	-	-	-	-	46	1.4	1.0	2.0	-	-	-	-
Urinary Bladder	640	12.3	11.3	13.3	372	18.5	16.5	20.6	268	8.4	7.5	9.5
Kidney and Renal Pelvis	767	13.2	12.2	14.2	439	18.4	16.7	20.4	328	9.6	8.6	10.7
Brain and Other Nervous System	239	3.8	3.3	4.3	136	5.0	4.1	6.0	103	2.9	2.4	3.5
Hodgkin's Disease	164	2.4	2.0	2.8	92	2.9	2.3	3.7	72	1.9	1.5	2.4
Non-Hodgkin's Lymphomas	780	13.0	12.1	13.9	424	16.5	14.9	18.3	356	10.3	9.3	11.5
Multiple Myeloma	650	11.6	10.7	12.6	273	12.1	10.7	13.8	377	11.3	10.2	12.5
Leukemias	595	10.1	9.3	11.0	317	13.2	11.7	14.9	278	8.0	7.1	9.1
All Other Sites	2,756	47.7	46.0	49.6	1,363	57.4	54.2	60.7	1,393	41.0	38.8	43.2
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	753	21.5	19.9	23.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	331	545.2	472.8	628.7	146	589.7	470.3	745.2	185	509.0	421.2	614.7
Oral Cavity and Pharynx	7	6.6	2.4	25.9	6	12.2	4.2	75.9	1	1.2	0.0	31.4
Esophagus	2	3.0	0.3	22.7	1	4.7	0.1	70.4	1	1.5	0.0	31.8
Stomach	8	19.5	6.6	47.7	3	10.9	1.9	76.5	5	22.6	5.6	65.3
Colon and Rectum	39	73.1	47.3	111.5	15	63.4	27.8	145.6	24	80.9	47.2	135.5
Liver	6	12.0	3.3	36.0	2	6.4	0.5	71.6	4	15.1	2.9	52.6
Pancreas	6	10.2	2.9	32.6	4	13.4	2.2	80.2	2	7.7	0.7	41.3
Lung and Bronchus	42	78.9	52.5	117.7	21	74.9	41.8	151.0	21	74.1	41.7	127.6
Bones and Joints	1	0.5	0.0	19.7	0	0.0	0.0	65.8	1	1.0	0.0	31.2
Melanoma of the Skin	2	4.3	0.2	25.9	0	0.0	0.0	65.8	2	7.1	0.4	41.3
Breast (invasive)	66	79.7	55.9	114.9	0	0.0	0.0	65.8	66	142.1	101.9	200.3
Cervix (invasive)	-	-	-	-	-	-	-	-	8	18.5	5.8	54.4
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	19.0	4.5	58.6
Ovary	-	-	-	-	-	-	-	-	4	17.5	3.9	56.3
Prostate	-	-	-	-	52	251.9	171.4	372.7	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	65.8	-	-	-	-
Urinary Bladder	8	11.1	4.0	32.6	6	20.9	6.0	88.1	2	3.1	0.4	33.2
Kidney and Renal Pelvis	16	22.8	11.6	47.0	7	18.7	5.3	85.0	9	26.6	10.9	64.2
Brain and Other Nervous System	5	5.7	1.0	26.4	3	3.8	0.8	68.3	2	6.9	0.5	40.3
Hodgkin's Disease	1	0.6	0.0	19.8	0	0.0	0.0	65.8	1	1.2	0.0	31.5
Non-Hodgkin's Lymphomas	7	10.7	2.7	34.1	3	12.8	1.0	82.1	4	9.6	1.3	43.6
Multiple Myeloma	6	13.7	3.8	39.1	3	9.1	1.5	74.1	3	15.4	2.3	55.2
Leukemias	10	17.1	6.5	42.1	6	26.3	5.9	99.5	4	12.1	2.7	45.9
All Other Sites	29	37.8	21.5	66.9	14	60.1	24.4	143.6	15	25.5	12.9	59.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	38.5	20.1	77.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	317	539.0	473.6	612.7	155	626.4	512.6	769.2	162	480.6	401.8	572.8
Oral Cavity and Pharynx	10	14.6	6.5	32.4	8	26.0	10.0	81.7	2	5.1	0.5	27.8
Esophagus	2	4.0	0.4	19.5	2	9.2	0.8	63.9	0	0.0	0.0	21.1
Stomach	8	13.0	4.9	31.5	5	13.0	3.8	65.5	3	11.8	2.2	39.5
Colon and Rectum	35	68.2	45.5	100.4	14	54.7	27.2	118.1	21	75.8	44.9	122.3
Liver	5	10.8	3.2	29.2	4	20.8	5.0	78.7	1	3.3	0.1	25.8
Pancreas	9	15.6	6.7	34.6	3	12.1	1.8	67.0	6	18.4	6.4	46.5
Lung and Bronchus	58	118.7	87.3	159.4	37	173.1	113.0	266.4	21	80.6	47.9	128.9
Bones and Joints	2	1.0	0.1	14.5	1	1.0	0.0	53.6	1	1.0	0.0	21.9
Melanoma of the Skin	0	0.0	0.0	13.7	0	0.0	0.0	53.0	0	0.0	0.0	21.1
Breast (invasive)	50	71.3	50.2	101.1	0	0.0	0.0	53.0	50	126.7	90.9	175.7
Cervix (invasive)	-	-	-	-	-	-	-	-	5	7.5	2.4	29.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	33.2	15.6	66.1
Ovary	-	-	-	-	-	-	-	-	6	20.0	6.3	50.6
Prostate	-	-	-	-	44	179.3	120.8	270.0	-	-	-	-
Testis	-	-	-	-	1	1.5	0.0	54.0	-	-	-	-
Urinary Bladder	8	15.2	5.9	34.9	2	6.7	0.7	59.5	6	20.4	6.9	50.5
Kidney and Renal Pelvis	7	12.0	4.3	30.2	5	22.0	5.1	81.2	2	5.5	0.7	28.3
Brain and Other Nervous System	5	4.6	1.2	18.9	2	5.3	0.3	58.2	3	4.5	0.9	25.8
Hodgkin's Disease	4	2.8	0.8	16.3	2	3.0	0.4	55.1	2	2.7	0.3	23.7
Non-Hodgkin's Lymphomas	7	7.4	2.7	22.3	5	10.6	3.4	62.2	2	4.3	0.3	26.7
Multiple Myeloma	6	11.9	3.7	30.9	4	13.9	2.8	68.6	2	9.0	1.0	36.1
Leukemias	7	13.6	4.7	33.2	5	24.4	5.8	85.3	2	6.4	0.5	31.0
All Other Sites	26	44.4	27.1	70.9	11	49.8	19.7	118.9	15	44.5	23.1	81.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	10	29.3	13.3	60.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	339	614.5	549.6	685.7	190	810.1	695.8	941.5	149	470.8	397.2	555.4
Oral Cavity and Pharynx	11	18.0	8.8	34.3	10	38.4	18.1	78.6	1	1.8	0.0	18.3
Esophagus	10	18.2	8.7	35.0	6	24.4	8.8	60.9	4	13.1	3.5	36.0
Stomach	7	13.6	5.3	29.5	2	7.6	0.9	38.0	5	17.2	5.5	42.4
Colon and Rectum	31	60.3	40.6	87.0	16	73.6	41.3	125.6	15	50.7	28.2	85.5
Liver	3	4.9	1.0	16.7	3	10.6	2.1	41.6	0	0.0	0.0	16.1
Pancreas	8	15.9	6.7	32.8	5	20.3	6.3	56.0	3	11.6	2.3	35.0
Lung and Bronchus	51	94.9	70.3	126.3	30	131.2	87.1	194.2	21	69.5	42.9	108.0
Bones and Joints	0	0.0	0.0	9.6	0	0.0	0.0	27.9	0	0.0	0.0	16.1
Melanoma of the Skin	1	1.8	0.0	12.4	0	0.0	0.0	27.9	1	3.3	0.1	21.5
Breast (invasive)	47	77.5	56.7	104.7	0	0.0	0.0	27.9	47	141.7	103.9	190.6
Cervix (invasive)	-	-	-	-	-	-	-	-	5	14.0	4.5	36.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	6	19.4	7.1	44.7
Ovary	-	-	-	-	-	-	-	-	4	12.4	3.1	35.3
Prostate	-	-	-	-	75	338.9	264.6	431.3	-	-	-	-
Testis	-	-	-	-	1	3.0	0.1	31.4	-	-	-	-
Urinary Bladder	3	5.2	1.1	17.2	2	7.8	0.9	38.5	1	3.0	0.1	20.7
Kidney and Renal Pelvis	13	23.8	12.5	42.3	8	32.1	13.7	70.7	5	16.9	5.3	41.9
Brain and Other Nervous System	2	2.6	0.3	13.3	2	5.6	0.5	34.9	0	0.0	0.0	16.1
Hodgkin's Disease	3	4.0	0.7	15.1	0	0.0	0.0	27.9	3	7.5	1.4	27.0
Non-Hodgkin's Lymphomas	10	18.3	8.6	35.4	4	14.4	3.9	46.7	6	20.7	7.4	47.3
Multiple Myeloma	5	9.8	3.2	24.3	4	18.4	4.9	54.2	1	3.3	0.1	21.5
Leukemias	8	14.2	6.0	29.7	5	19.1	6.2	53.2	3	10.3	2.0	32.5
All Other Sites	35	59.3	41.0	84.2	17	64.8	37.4	110.8	18	54.3	31.8	88.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	10.4	2.1	32.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	610	468.1	429.4	509.8	302	533.0	468.0	607.5	308	417.6	370.4	469.7
Oral Cavity and Pharynx	20	15.4	9.1	25.3	15	25.6	13.2	49.8	5	7.3	2.2	18.3
Esophagus	7	5.8	2.2	13.3	6	13.8	4.3	37.0	1	0.9	0.0	8.5
Stomach	15	15.2	8.3	26.0	7	18.2	6.4	43.8	8	13.9	5.9	28.1
Colon and Rectum	77	62.3	48.4	79.5	35	60.6	40.2	91.8	42	62.1	44.3	85.4
Liver	6	4.3	1.5	11.0	5	8.4	2.4	27.8	1	1.2	0.0	9.0
Pancreas	17	14.9	8.5	25.0	8	16.2	6.0	39.4	9	14.5	6.5	28.3
Lung and Bronchus	99	82.1	66.0	101.6	51	99.7	71.6	138.4	48	70.0	51.2	94.2
Bones and Joints	3	2.5	0.4	8.9	2	5.7	0.4	27.2	1	1.3	0.0	9.4
Melanoma of the Skin	2	1.3	0.1	6.9	2	3.0	0.3	20.8	0	0.0	0.0	7.4
Breast (invasive)	93	66.5	52.7	83.4	1	2.2	0.1	20.1	92	116.3	92.9	144.6
Cervix (invasive)	-	-	-	-	-	-	-	-	11	12.9	6.2	25.0
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8	11.0	4.6	23.1
Ovary	-	-	-	-	-	-	-	-	9	12.4	5.4	25.1
Prostate	-	-	-	-	107	190.9	153.8	237.8	-	-	-	-
Testis	-	-	-	-	1	0.9	0.0	18.2	-	-	-	-
Urinary Bladder	7	5.9	2.2	13.6	3	4.0	0.8	21.6	4	6.4	1.7	17.4
Kidney and Renal Pelvis	22	15.1	9.1	24.5	12	17.6	8.8	38.1	10	12.1	5.4	24.2
Brain and Other Nervous System	4	1.2	0.3	6.2	1	0.6	0.0	17.8	3	1.7	0.4	9.2
Hodgkin's Disease	5	2.6	0.7	8.4	4	4.7	1.0	22.5	1	0.8	0.0	8.3
Non-Hodgkin's Lymphomas	20	12.7	7.4	21.5	10	11.2	5.2	29.6	10	12.8	5.8	25.5
Multiple Myeloma	12	8.6	4.3	16.6	6	11.3	3.1	33.3	6	7.9	2.8	18.6
Leukemias	16	12.3	6.6	21.6	6	8.8	2.9	27.8	10	13.8	6.2	27.3
All Other Sites	49	35.4	25.6	48.5	20	29.5	17.3	52.7	29	38.3	25.1	56.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	14	17.1	9.0	30.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	297	525.3	466.0	590.9	198	893.5	764.8	1047.1	99	287.1	232.5	351.7
Oral Cavity and Pharynx	8	11.7	5.0	25.4	7	24.4	9.7	73.7	1	1.6	0.0	16.3
Esophagus	3	4.9	1.0	16.5	3	11.1	2.2	58.8	0	0.0	0.0	14.4
Stomach	5	9.6	3.0	23.9	2	9.5	1.0	58.5	3	8.8	1.8	28.0
Colon and Rectum	34	65.7	45.1	93.2	23	116.3	70.6	192.2	11	34.6	17.2	63.4
Liver	3	4.7	0.9	16.2	3	11.3	2.2	59.2	0	0.0	0.0	14.4
Pancreas	5	8.8	2.8	22.5	4	17.7	4.6	68.0	1	2.6	0.1	18.3
Lung and Bronchus	52	91.2	67.8	121.0	36	150.1	103.9	223.8	16	48.8	27.8	80.8
Bones and Joints	1	0.8	0.0	10.3	0	0.0	0.0	46.9	1	1.6	0.0	16.3
Melanoma of the Skin	0	0.0	0.0	9.4	0	0.0	0.0	46.9	0	0.0	0.0	14.4
Breast (invasive)	27	45.0	29.3	67.2	1	3.7	0.1	50.7	26	75.9	49.3	113.2
Cervix (invasive)	-	-	-	-	-	-	-	-	4	10.0	2.7	28.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	7	20.6	8.3	44.3
Ovary	-	-	-	-	-	-	-	-	4	11.6	3.1	31.9
Prostate	-	-	-	-	84	368.8	291.8	471.3	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	46.9	-	-	-	-
Urinary Bladder	7	14.5	5.7	31.1	3	20.6	2.9	79.2	4	13.4	3.6	35.5
Kidney and Renal Pelvis	9	17.8	8.0	35.1	7	30.9	12.2	83.8	2	7.1	0.8	26.6
Brain and Other Nervous System	1	2.6	0.1	14.2	1	12.7	0.3	70.8	0	0.0	0.0	14.4
Hodgkin's Disease	2	2.6	0.3	13.0	1	3.3	0.1	50.1	1	1.9	0.0	16.9
Non-Hodgkin's Lymphomas	6	8.6	3.1	21.2	2	6.6	0.8	53.5	4	10.0	2.7	28.9
Multiple Myeloma	8	13.7	5.8	28.8	5	26.1	6.0	84.5	3	9.1	1.9	28.6
Leukemias	5	8.1	2.2	21.8	4	24.9	4.6	85.1	1	1.5	0.0	16.2
All Other Sites	22	38.8	23.9	60.6	12	55.3	27.5	115.1	10	28.1	13.2	54.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	6	18.5	6.8	41.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	332	510.4	456.5	569.4	176	670.2	571.7	784.0	156	402.4	341.1	471.9
Oral Cavity and Pharynx	4	6.0	1.6	16.3	4	13.8	3.7	43.4	0	0.0	0.0	11.2
Esophagus	4	5.6	1.5	15.5	3	9.5	1.9	37.1	1	2.6	0.1	15.6
Stomach	6	10.0	3.7	22.2	0	0.0	0.0	24.7	6	16.7	6.1	36.8
Colon and Rectum	42	66.6	47.9	90.6	19	73.0	43.5	119.5	23	60.9	38.5	92.2
Liver	3	5.2	1.1	15.6	1	3.4	0.1	29.2	2	6.0	0.7	21.8
Pancreas	8	12.7	5.4	25.6	4	18.0	4.6	51.8	4	10.1	2.7	26.9
Lung and Bronchus	66	102.8	79.3	131.4	41	156.3	110.6	218.4	25	68.2	44.1	101.2
Bones and Joints	1	0.7	0.0	7.8	0	0.0	0.0	24.7	1	1.5	0.0	13.2
Melanoma of the Skin	2	2.7	0.3	11.2	1	2.9	0.1	28.3	1	2.6	0.1	15.6
Breast (invasive)	29	41.4	27.6	60.3	0	0.0	0.0	24.7	29	72.0	48.0	104.4
Cervix (invasive)	-	-	-	-	-	-	-	-	7	16.3	6.4	35.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	10	27.1	12.9	50.5
Ovary	-	-	-	-	-	-	-	-	3	8.8	1.8	25.8
Prostate	-	-	-	-	71	264.1	205.0	338.7	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	24.7	-	-	-	-
Urinary Bladder	3	5.6	1.1	16.4	2	9.3	1.1	39.0	1	2.6	0.1	15.8
Kidney and Renal Pelvis	10	14.8	7.0	28.1	3	9.1	1.9	36.4	7	17.5	7.0	37.1
Brain and Other Nervous System	5	6.8	2.1	17.4	2	7.5	0.8	35.6	3	6.2	1.2	20.7
Hodgkin's Disease	2	2.3	0.3	10.5	1	3.2	0.1	28.9	1	1.6	0.0	13.4
Non-Hodgkin's Lymphomas	11	17.3	8.6	31.6	7	28.8	11.1	65.4	4	10.9	3.0	28.6
Multiple Myeloma	10	17.1	8.2	31.8	3	14.3	2.7	47.1	7	19.8	7.9	41.2
Leukemias	2	3.4	0.4	12.8	1	6.7	0.2	37.3	1	2.3	0.1	14.9
All Other Sites	33	48.3	32.9	68.8	13	50.4	25.6	93.2	20	48.7	29.5	76.5
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	21.3	9.1	42.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	494	581.9	530.1	638.0	253	724.8	633.8	827.8	241	483.6	423.0	551.2
Oral Cavity and Pharynx	16	16.3	9.1	28.2	11	27.1	13.0	55.2	5	8.5	2.6	22.4
Esophagus	11	12.3	6.0	23.5	6	14.5	5.1	38.8	5	10.3	3.2	25.7
Stomach	6	7.9	2.8	18.3	3	7.5	1.4	30.0	3	7.6	1.6	22.7
Colon and Rectum	54	69.6	51.8	92.1	19	54.0	31.5	90.1	35	78.3	54.2	110.0
Liver	4	4.5	1.2	13.2	4	11.1	2.8	35.2	0	0.0	0.0	10.1
Pancreas	16	20.3	11.5	34.1	9	27.0	11.8	57.1	7	15.7	6.3	33.4
Lung and Bronchus	88	106.5	85.0	132.6	54	157.8	116.9	211.4	34	70.8	48.7	100.2
Bones and Joints	1	0.8	0.0	7.7	1	1.8	0.0	21.9	0	0.0	0.0	10.1
Melanoma of the Skin	0	0.0	0.0	6.7	0	0.0	0.0	19.9	0	0.0	0.0	10.1
Breast (invasive)	68	71.3	54.8	92.1	2	5.5	0.5	27.6	66	121.9	93.7	157.1
Cervix (invasive)	-	-	-	-	-	-	-	-	6	10.5	3.8	25.1
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	22.4	11.0	41.5
Ovary	-	-	-	-	-	-	-	-	11	22.2	10.7	41.7
Prostate	-	-	-	-	80	245.3	192.2	311.2	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	19.9	-	-	-	-
Urinary Bladder	10	11.6	5.4	22.8	4	10.8	2.7	34.7	6	12.4	4.5	28.6
Kidney and Renal Pelvis	24	27.8	17.4	43.1	13	37.0	18.6	69.8	11	21.0	10.0	39.9
Brain and Other Nervous System	4	4.1	1.1	12.5	4	9.0	2.4	31.2	0	0.0	0.0	10.1
Hodgkin's Disease	1	0.8	0.0	7.8	0	0.0	0.0	19.9	1	1.5	0.0	12.2
Non-Hodgkin's Lymphomas	11	13.6	6.6	25.7	7	21.3	8.1	49.5	4	8.5	2.2	23.5
Multiple Myeloma	10	13.5	6.4	25.8	5	17.8	5.6	45.8	5	10.8	3.5	26.6
Leukemias	9	11.4	5.0	23.0	4	13.6	3.5	40.0	5	10.3	3.1	26.0
All Other Sites	53	57.1	42.3	76.4	27	63.8	41.1	99.2	26	50.8	32.8	76.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	8	15.3	6.5	31.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	173	449.6	382.8	527.1	96	553.1	437.0	702.6	77	370.2	291.1	466.7
Oral Cavity and Pharynx	2	4.3	0.5	22.8	1	4.0	0.1	62.5	1	4.2	0.1	32.0
Esophagus	3	7.9	1.6	28.5	3	17.5	3.6	79.3	0	0.0	0.0	25.8
Stomach	2	7.3	0.8	29.5	2	22.2	2.0	95.7	0	0.0	0.0	25.8
Colon and Rectum	18	44.2	26.0	74.1	9	40.5	17.9	105.0	9	43.8	20.0	87.2
Liver	0	0.0	0.0	17.4	0	0.0	0.0	58.8	0	0.0	0.0	25.8
Pancreas	5	10.3	3.4	30.6	4	15.9	4.3	75.1	1	4.4	0.1	32.3
Lung and Bronchus	35	91.7	63.5	131.2	20	122.0	71.3	210.7	15	71.1	39.7	121.2
Bones and Joints	0	0.0	0.0	17.4	0	0.0	0.0	58.8	0	0.0	0.0	25.8
Melanoma of the Skin	0	0.0	0.0	17.4	0	0.0	0.0	58.8	0	0.0	0.0	25.8
Breast (invasive)	18	46.5	27.0	78.0	0	0.0	0.0	58.8	18	85.4	50.4	139.0
Cervix (invasive)	-	-	-	-	-	-	-	-	5	21.7	7.0	56.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	2	8.5	1.0	38.1
Ovary	-	-	-	-	-	-	-	-	3	13.2	2.7	45.0
Prostate	-	-	-	-	32	183.3	121.6	280.8	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	58.8	-	-	-	-
Urinary Bladder	7	19.8	7.6	45.2	2	8.1	1.0	66.8	5	26.2	8.4	65.0
Kidney and Renal Pelvis	9	26.2	11.3	54.4	6	38.1	11.3	110.6	3	16.8	3.3	52.6
Brain and Other Nervous System	0	0.0	0.0	17.4	0	0.0	0.0	58.8	0	0.0	0.0	25.8
Hodgkin's Disease	0	0.0	0.0	17.4	0	0.0	0.0	58.8	0	0.0	0.0	25.8
Non-Hodgkin's Lymphomas	5	9.9	3.2	29.9	4	15.4	4.1	74.6	1	4.4	0.1	32.3
Multiple Myeloma	6	13.9	5.0	35.7	4	18.9	5.0	79.6	2	9.0	1.1	39.1
Leukemias	3	8.9	1.4	31.7	1	7.8	0.2	69.0	2	9.0	0.7	41.0
All Other Sites	18	55.1	31.4	91.7	8	59.2	21.1	142.9	10	52.4	24.7	100.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	13.6	2.8	45.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,498	543.9	516.5	572.6	738	682.6	632.7	736.0	760	457.2	425.1	491.3
Oral Cavity and Pharynx	33	11.2	7.7	16.0	20	16.5	10.0	27.0	13	7.3	3.9	12.8
Esophagus	23	8.5	5.4	12.9	17	15.0	8.7	25.5	6	3.7	1.4	8.4
Stomach	32	12.3	8.4	17.6	18	17.7	10.3	29.4	14	9.0	4.9	15.2
Colon and Rectum	173	65.3	55.9	76.0	71	69.0	53.4	88.5	102	63.1	51.4	76.8
Liver	19	7.0	4.2	11.1	14	12.7	6.8	22.8	5	3.0	1.0	7.2
Pancreas	44	17.1	12.4	23.1	24	25.0	15.7	38.6	20	12.5	7.6	19.4
Lung and Bronchus	280	103.4	91.6	116.5	171	157.7	134.3	184.8	109	67.2	55.1	81.2
Bones and Joints	2	0.5	0.1	2.4	1	0.7	0.0	6.9	1	0.4	0.0	3.2
Melanoma of the Skin	6	2.2	0.8	4.9	5	4.3	1.4	11.8	1	0.6	0.0	3.7
Breast (invasive)	236	82.8	72.5	94.3	2	2.0	0.2	8.9	234	139.3	121.9	158.6
Cervix (invasive)	-	-	-	-	-	-	-	-	29	16.1	10.8	23.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	46	28.6	20.9	38.3
Ovary	-	-	-	-	-	-	-	-	14	7.9	4.3	13.6
Prostate	-	-	-	-	237	220.9	193.0	252.3	-	-	-	-
Testis	-	-	-	-	1	0.6	0.0	6.8	-	-	-	-
Urinary Bladder	31	11.7	8.0	16.8	21	22.3	13.4	35.5	10	6.4	3.1	12.0
Kidney and Renal Pelvis	55	19.6	14.7	25.7	31	26.1	17.6	38.4	24	14.5	9.3	21.9
Brain and Other Nervous System	9	2.8	1.3	5.8	3	2.5	0.4	9.5	6	3.3	1.2	7.6
Hodgkin's Disease	2	0.6	0.1	2.7	1	1.0	0.0	7.4	1	0.5	0.0	3.4
Non-Hodgkin's Lymphomas	37	12.7	8.9	17.8	19	14.5	8.7	24.3	18	10.9	6.4	17.5
Multiple Myeloma	29	11.1	7.4	16.0	11	12.1	5.9	22.8	18	10.8	6.4	17.3
Leukemias	38	13.4	9.4	18.6	16	14.0	7.5	24.8	22	12.9	8.0	19.8
All Other Sites	122	42.7	35.4	51.3	55	48.0	35.8	64.1	67	39.2	30.3	50.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	37	22.7	15.9	31.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	284	499.0	440.9	563.3	146	667.5	556.8	798.8	138	399.4	334.4	474.1
Oral Cavity and Pharynx	7	10.0	4.0	23.1	4	14.0	3.7	50.8	3	6.9	1.4	23.5
Esophagus	4	6.5	1.8	18.7	4	14.3	3.9	51.0	0	0.0	0.0	13.5
Stomach	8	15.8	6.7	32.4	3	20.0	3.6	66.0	5	16.2	5.2	38.8
Colon and Rectum	35	64.7	44.7	91.6	18	89.4	51.0	151.3	17	50.2	29.1	81.8
Liver	3	5.3	1.1	17.4	2	7.1	0.9	42.1	1	3.0	0.1	18.7
Pancreas	6	10.2	3.7	24.0	3	13.6	2.6	52.4	3	8.7	1.8	27.2
Lung and Bronchus	55	103.8	77.6	136.6	36	176.0	120.4	253.8	19	59.9	35.9	94.7
Bones and Joints	2	2.7	0.3	13.2	1	2.2	0.1	35.8	1	3.1	0.1	18.9
Melanoma of the Skin	0	0.0	0.0	9.4	0	0.0	0.0	33.8	0	0.0	0.0	13.5
Breast (invasive)	38	65.9	46.1	92.4	1	2.5	0.1	36.2	37	109.0	76.4	151.8
Cervix (invasive)	-	-	-	-	-	-	-	-	6	15.6	5.5	36.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	4	12.3	3.3	32.8
Ovary	-	-	-	-	-	-	-	-	4	9.6	2.6	27.7
Prostate	-	-	-	-	36	168.5	115.2	243.7	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	33.8	-	-	-	-
Urinary Bladder	9	17.7	8.0	35.0	7	34.5	13.0	81.4	2	6.6	0.8	24.7
Kidney and Renal Pelvis	13	23.7	12.4	42.3	9	37.3	16.2	82.8	4	13.1	3.5	34.5
Brain and Other Nervous System	4	4.0	1.0	14.5	1	2.2	0.1	35.8	3	5.8	1.0	21.9
Hodgkin's Disease	2	2.3	0.3	12.4	0	0.0	0.0	33.8	2	4.4	0.5	19.8
Non-Hodgkin's Lymphomas	8	11.1	4.6	24.7	5	16.6	4.6	55.0	3	7.8	1.5	25.6
Multiple Myeloma	3	4.8	1.0	16.4	2	7.0	0.8	42.0	1	3.0	0.1	18.6
Leukemias	4	6.4	1.4	19.5	1	2.2	0.1	35.8	3	8.7	1.5	28.0
All Other Sites	33	56.4	38.2	81.3	13	60.2	30.5	113.7	20	55.5	33.5	87.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	32.4	16.5	58.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	164	551.9	470.2	644.3	88	667.6	533.6	830.5	76	465.1	365.9	583.9
Oral Cavity and Pharynx	1	3.5	0.1	20.4	0	0.0	0.0	45.0	1	6.3	0.2	37.1
Esophagus	4	14.5	4.0	37.6	2	15.7	1.9	68.4	2	11.9	1.4	45.7
Stomach	2	6.3	0.8	24.5	2	13.5	1.6	63.7	0	0.0	0.0	25.7
Colon and Rectum	27	93.8	61.7	137.0	19	156.1	92.7	252.2	8	50.7	21.8	101.2
Liver	1	3.6	0.1	20.7	0	0.0	0.0	45.0	1	6.7	0.2	38.0
Pancreas	6	21.4	7.8	47.1	2	15.3	1.9	67.6	4	25.7	7.0	66.9
Lung and Bronchus	32	106.6	72.8	151.5	15	105.2	58.3	183.6	17	107.0	62.2	172.5
Bones and Joints	0	0.0	0.0	14.2	0	0.0	0.0	45.0	0	0.0	0.0	25.7
Melanoma of the Skin	0	0.0	0.0	14.2	0	0.0	0.0	45.0	0	0.0	0.0	25.7
Breast (invasive)	21	69.5	42.8	107.3	0	0.0	0.0	45.0	21	129.0	79.7	198.7
Cervix (invasive)	-	-	-	-	-	-	-	-	0	0.0	0.0	25.7
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	1	5.1	0.1	33.8
Ovary	-	-	-	-	-	-	-	-	1	5.9	0.1	35.9
Prostate	-	-	-	-	29	225.9	151.0	331.3	-	-	-	-
Testis	-	-	-	-	0	0.0	0.0	45.0	-	-	-	-
Urinary Bladder	8	26.9	11.6	53.9	6	43.7	15.8	106.2	2	13.1	1.6	48.5
Kidney and Renal Pelvis	1	3.5	0.1	20.4	0	0.0	0.0	45.0	1	6.3	0.2	37.1
Brain and Other Nervous System	1	2.6	0.1	18.1	1	4.5	0.1	50.2	0	0.0	0.0	25.7
Hodgkin's Disease	0	0.0	0.0	14.2	0	0.0	0.0	45.0	0	0.0	0.0	25.7
Non-Hodgkin's Lymphomas	1	2.6	0.1	18.1	0	0.0	0.0	45.0	1	5.9	0.2	36.0
Multiple Myeloma	9	30.5	13.9	58.8	5	37.2	12.0	97.4	4	23.8	6.4	63.2
Leukemias	6	17.6	6.2	40.7	2	14.7	1.8	66.2	4	19.9	5.1	55.9
All Other Sites	13	41.0	21.6	71.7	5	35.7	11.4	95.0	8	47.8	20.4	96.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3	19.6	4.0	58.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	729	495.5	456.7	537.3	413	654.8	583.7	735.0	316	375.8	332.4	423.9
Oral Cavity and Pharynx	16	8.2	4.4	15.6	10	9.0	4.2	25.8	6	6.8	2.2	17.2
Esophagus	6	4.8	1.6	12.1	3	3.9	0.7	20.7	3	4.9	0.9	15.6
Stomach	12	8.1	3.9	16.0	7	13.3	4.5	34.7	5	4.9	1.4	14.3
Colon and Rectum	103	76.4	61.0	95.1	51	95.1	66.5	134.4	52	66.4	48.5	89.4
Liver	9	5.6	2.3	12.8	4	3.3	0.8	19.6	5	7.0	2.1	18.0
Pancreas	21	18.5	11.0	29.7	13	27.2	13.0	53.4	8	12.8	5.3	26.3
Lung and Bronchus	104	78.1	62.8	96.8	66	111.0	82.9	148.9	38	52.1	36.2	73.5
Bones and Joints	0	0.0	0.0	5.1	0	0.0	0.0	16.5	0	0.0	0.0	7.6
Melanoma of the Skin	0	0.0	0.0	5.1	0	0.0	0.0	16.5	0	0.0	0.0	7.6
Breast (invasive)	99	59.4	46.9	75.0	3	6.5	0.7	26.9	96	102.3	81.3	128.1
Cervix (invasive)	-	-	-	-	-	-	-	-	15	13.9	7.2	25.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	9	10.4	4.5	21.8
Ovary	-	-	-	-	-	-	-	-	6	6.9	2.3	17.4
Prostate	-	-	-	-	152	233.6	194.4	281.7	-	-	-	-
Testis	-	-	-	-	1	0.6	0.0	16.9	-	-	-	-
Urinary Bladder	22	17.1	10.2	27.5	17	28.0	15.0	52.1	5	7.9	2.4	19.8
Kidney and Renal Pelvis	24	16.8	10.3	26.9	15	25.2	12.2	49.9	9	11.5	4.9	23.9
Brain and Other Nervous System	11	5.6	2.4	12.4	6	6.3	1.6	24.0	5	5.0	1.4	14.5
Hodgkin's Disease	6	2.7	1.0	8.4	4	3.1	0.8	19.3	2	2.4	0.3	11.0
Non-Hodgkin's Lymphomas	17	8.9	4.8	16.5	10	11.9	4.0	32.2	7	7.4	2.8	17.6
Multiple Myeloma	17	10.9	6.1	19.3	7	9.3	3.5	27.3	10	11.8	5.4	23.8
Leukemias	15	10.2	5.3	18.7	7	8.5	3.1	26.4	8	10.7	4.2	23.2
All Other Sites	64	42.4	31.6	56.5	37	59.2	38.8	90.2	27	30.8	19.5	47.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	23	26.0	15.9	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	475	524.8	476.7	577.4	254	671.0	585.7	770.0	221	416.7	361.8	478.6
Oral Cavity and Pharynx	10	10.3	4.7	21.5	7	14.9	5.9	42.6	3	6.0	1.1	20.2
Esophagus	12	12.9	6.5	24.7	7	19.2	7.1	50.0	5	9.1	2.9	23.8
Stomach	13	14.8	7.7	27.4	11	31.6	14.4	66.9	2	3.3	0.4	15.5
Colon and Rectum	57	68.3	51.0	90.6	31	78.5	51.7	120.9	26	58.6	37.9	87.4
Liver	2	2.2	0.3	10.6	2	5.2	0.6	31.4	0	0.0	0.0	10.8
Pancreas	16	20.4	11.4	34.8	11	30.9	14.8	64.5	5	11.7	3.7	28.8
Lung and Bronchus	73	90.0	69.9	115.0	43	129.4	91.8	182.6	30	61.4	40.9	89.6
Bones and Joints	0	0.0	0.0	7.6	0	0.0	0.0	25.4	0	0.0	0.0	10.8
Melanoma of the Skin	1	1.0	0.0	8.8	1	2.3	0.1	27.9	0	0.0	0.0	10.8
Breast (invasive)	76	73.7	57.6	94.4	0	0.0	0.0	25.4	76	132.1	103.4	167.7
Cervix (invasive)	-	-	-	-	-	-	-	-	8	12.7	5.4	27.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	11	21.4	10.5	40.4
Ovary	-	-	-	-	-	-	-	-	3	6.6	1.3	21.1
Prostate	-	-	-	-	74	208.1	160.1	271.0	-	-	-	-
Testis	-	-	-	-	1	1.4	0.0	26.7	-	-	-	-
Urinary Bladder	11	13.0	6.4	25.1	9	23.8	10.6	54.9	2	4.3	0.5	17.7
Kidney and Renal Pelvis	15	15.3	8.3	27.6	11	25.2	12.2	55.7	4	6.8	1.7	20.7
Brain and Other Nervous System	4	2.7	0.7	10.8	0	0.0	0.0	25.4	4	5.1	1.3	17.4
Hodgkin's Disease	2	1.6	0.2	9.5	2	3.4	0.4	28.8	0	0.0	0.0	10.8
Non-Hodgkin's Lymphomas	21	21.0	12.9	34.2	8	16.6	7.0	44.4	13	24.4	12.8	44.0
Multiple Myeloma	9	9.4	4.2	20.1	3	7.4	1.5	34.1	6	11.3	4.0	27.0
Leukemias	7	6.7	2.6	16.4	4	8.9	2.3	35.6	3	5.0	1.0	17.9
All Other Sites	49	50.3	36.5	69.0	29	64.3	42.4	101.4	20	36.8	21.7	59.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	16	31.1	17.4	52.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

SECTION V.

Cancer Incidence by Hispanic Ethnicity for Selected Counties, Illinois, 1998 - 2002

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Hispanic Ethnicity, All Sites, Illinois, 1998 – 2002**

Figures include invasive cancer and bladder *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Hispanics*

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	10,738	349.5	341.8	357.5	5,315	407.3	394.1	421.1	5,423	311.5	302.1	321.1
Cook	7,693	339.3	330.5	348.4	3,845	401.2	386.0	417.1	3,848	297.5	287.0	308.5
DuPage	575	393.8	355.7	436.3	293	477.5	410.1	557.1	282	339.7	295.2	390.9
Kane	488	308.7	273.2	349.0	218	317.1	264.3	381.9	270	306.6	259.7	362.1
Lake	486	321.9	286.3	362.2	217	350.4	290.3	423.2	269	313.0	268.9	365.1
Will	326	354.6	310.6	405.5	169	406.8	336.1	495.1	157	313.5	259.4	379.7

Non-Hispanics*

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	281,003	493.4	491.6	495.3	142,192	587.2	584.1	590.3	138,811	433.6	431.3	435.9
Cook	114,422	499.0	496.1	501.9	57,044	598.1	593.2	603.1	57,378	437.1	433.5	440.7
DuPage	18,518	484.9	477.9	492.0	9,049	564.2	552.3	576.4	9,469	437.8	428.9	446.7
Kane	6,852	486.7	475.2	498.5	3,363	561.7	542.3	581.9	3,489	439.8	425.2	454.8
Lake	12,086	498.9	489.9	508.0	5,933	558.0	543.2	573.1	6,153	460.3	448.8	472.0
Will	9,082	482.3	472.3	492.5	4,614	570.5	553.3	588.2	4,468	424.3	411.9	437.0

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County
Hispanic Ethnicity, Colon and Rectum, Illinois, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Hispanics*

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	995	38.2	35.6	41.1	564	47.2	42.7	52.3	431	31	27.9	34.5
Cook	712	36.3	33.4	39.6	411	46.4	41.2	52.3	301	28.4	25	32.3
DuPage	52	43.2	30.8	60.5	25	44.8	26.6	77.3	27	42.1	26.3	65.9
Kane	35	22.2	14.2	35.5	19	28.1	15.1	55.5	16	17.3	8.7	36.1
Lake	32	33.5	21.1	51.9	14	31.6	14.3	65	18	33.6	18.2	59.4
Will	27	38.2	23.6	61.4	18	57.7	31.1	106.1	9	21.5	8.4	50.5

Non-Hispanics*

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	34,932	60.7	60.1	61.4	17,362	73.3	72.2	74.4	17,570	51.8	51.1	52.6
Cook	14,145	61	60	62	6,960	74.4	72.7	76.2	7,185	51.8	50.6	53
DuPage	1,999	53.5	51.2	55.9	988	64.1	60	68.4	1,011	46.4	43.5	49.4
Kane	819	59.7	55.7	64	407	71.4	64.4	79	412	51.2	46.3	56.4
Lake	1,369	59.2	56.1	62.5	717	70.8	65.5	76.6	652	50.2	46.4	54.3
Will	1,035	57.8	54.3	61.5	537	70.3	64.2	77	498	48.9	44.7	53.4

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Lung and Bronchus, Illinois, 1998 – 2002												
<p>Figures include invasive cancer. Incidence counts are five-year totals . Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.</p>												
Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	850	35.5	32.9	38.3	501	46.5	41.9	51.5	349	26.6	23.6	29.9
Cook	578	31.8	29	34.9	352	43.1	38.1	48.8	226	22.6	19.5	26.2
DuPage	34	34.9	22.6	52.7	22	56.1	31.5	96.3	12	19.9	9	39.9
Kane	34	36.2	23.1	55.4	22	45.1	26.1	78.6	12	24.2	10.3	49.9
Lake	39	36.1	24.3	53.4	18	35	18.3	66.9	21	37.3	21.7	62.8
Will	28	43.7	27.6	68.4	16	49.7	25.7	95.8	12	37.5	18.2	72.3
Non-Hispanics*												
	Both Sexes				Males				Females			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	42,608	74.7	74	75.4	24,048	99.7	98.5	101	18,560	57.3	56.4	58.1
Cook	17,059	74	72.9	75.1	9,365	98.2	96.2	100.2	7,694	57.4	56.1	58.7
DuPage	2,336	63.6	61	66.2	1,218	80.1	75.5	84.9	1,118	53.3	50.2	56.6
Kane	940	69.6	65.2	74.3	517	90.4	82.5	98.9	423	55.4	50.3	61.1
Lake	1,601	69.2	65.8	72.7	812	81.2	75.5	87.3	789	61.3	57	65.7
Will	1,374	76.5	72.4	80.7	778	100.6	93.4	108.4	596	59.3	54.6	64.3
<p>* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.</p>												

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Female Breast (Invasive), Illinois, 1998 – 2002								
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.								
County	Hispanics*				Non-Hispanics*			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,568	85.3	80.7	90.2	42,336	135.5	134.2	136.8
Cook	1,084	79.8	74.7	85.3	17,298	135.6	133.5	137.6
DuPage	94	108.4	84.9	138.8	3,250	148.5	143.4	153.8
Kane	76	82.5	60.2	113.8	1,123	140.7	132.5	149.3
Lake	78	69.9	53.5	94.3	2,050	149.5	143.1	156.2
Will	50	92.3	66.0	131.0	1,423	132.5	125.7	139.7
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.								

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Cervix (Invasive), Illinois, 1998 – 2002								
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.								
County	Hispanics*				Non-Hispanics*			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	389	17.1	15.3	19.2	3,012	10.2	9.8	10.6
Cook	297	18.0	15.8	20.6	1,354	11.2	10.6	11.8
DuPage	10	8.6	3.9	21.9	154	7.0	5.9	8.2
Kane	17	12.4	6.6	28.6	66	8.2	6.4	10.5
Lake	21	17.4	10.0	34.5	125	8.8	7.3	10.6
Will	9	12.2	5.1	34.8	90	7.7	6.2	9.5
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.								

Sex-specific Cancer Incidence Counts and Age-adjusted Rates by County Hispanic Ethnicity, Prostate (Invasive), Illinois, 1998 – 2002								
Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.								
County	Hispanics*				Non-Hispanics*			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,391	129.9	122.3	138.0	39,935	164.5	162.9	166.1
Cook	1,032	131.5	122.5	141.1	16,430	171.8	169.2	174.5
DuPage	78	156.6	118.9	207.3	2,666	166.0	159.6	172.6
Kane	46	85.6	59.3	125.1	966	162.8	152.4	173.9
Lake	54	120.9	85.4	170.3	1,702	158.6	150.9	166.7
Will	42	124.0	84.9	182.8	1,216	149.8	141.2	158.9
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races. Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.								

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Hispanic Ethnicity, All Sites, Illinois, 1998 – 2002**

Figures include invasive cancer and bladder *in situ*. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Both Sexes												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	3,469	67.9	65.5	70.3	3,212	568.5	549.0	588.6	4,057	1,702.3	1,647.3	1,758.9
Cook	2,413	66.8	64.1	69.7	2,300	544.5	522.4	567.3	2,980	1,656.0	1,593.5	1,720.7
DuPage	191	68.3	58.4	79.6	208	809.7	702.7	928.9	176	1,764.3	1,500.9	2,067.4
Kane	224	73.7	63.6	85.1	119	413.5	341.9	496.5	145	1,529.7	1,272.8	1,831.4
Lake	208	68.4	58.7	79.4	132	524.6	438.1	623.8	146	1,532.9	1,281.0	1,828.7
Will	111	72.7	59.1	88.7	110	708.1	581.1	855.6	105	1,549.7	1,252.8	1,910.2
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	37,912	95.6	94.7	96.6	76,092	895.1	888.7	901.5	166,999	2,294.7	2,283.7	2,305.7
Cook	15,007	96.9	95.4	98.5	30,872	909.7	899.6	919.9	68,543	2,314.1	2,296.8	2,331.5
DuPage	3,078	95.5	92.1	99.0	5,579	865.7	843.0	888.8	9,861	2,262.7	2,218.3	2,307.9
Kane	1,128	92.9	87.5	98.5	1,991	841.3	804.7	879.2	3,733	2,321.1	2,247.1	2,396.9
Lake	2,034	93.0	89.0	97.2	3,714	883.6	855.3	912.6	6,338	2,366.5	2,308.5	2,425.6
Will	1,628	90.3	86.0	94.8	2,834	884.4	852.1	917.7	4,620	2,249.7	2,185.3	2,315.7
Males												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,335	46.2	43.6	48.9	1,568	561.5	533.9	590.2	2,412	2,292.2	2,193.9	2,394.6
Cook	927	46.1	43.0	49.4	1,136	549.2	517.6	582.3	1,782	2,258.9	2,146.0	2,377.3
DuPage	82	49.4	38.6	62.8	100	786.7	638.4	960.5	111	2,561.7	2,070.4	3,161.3
Kane	80	48.4	37.5	61.8	48	323.5	237.6	431.7	90	1,847.8	1,454.0	2,346.0
Lake	77	43.7	33.6	56.2	61	479.4	365.6	618.8	79	1,953.8	1,510.0	2,510.9
Will	45	50.4	35.8	69.6	58	743.7	563.2	965.8	66	2,048.1	1,551.0	2,701.3
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	14,628	74.9	73.7	76.1	39,468	970.2	960.7	979.8	88,096	3,066.0	3,045.6	3,086.5
Cook	5,800	77.6	75.6	79.6	15,711	1,000.7	985.1	1,016.5	35,533	3,100.9	3,068.5	3,133.6
DuPage	1,094	69.5	65.4	73.7	2,796	890.6	857.8	924.3	5,159	3,010.0	2,927.5	3,094.5
Kane	412	68.6	62.1	75.6	1,045	895.2	841.6	951.4	1,906	2,989.8	2,855.1	3,129.9
Lake	776	72.1	67.1	77.4	1,865	893.7	853.5	935.4	3,292	2,941.4	2,839.5	3,046.6
Will	622	69.6	64.2	75.3	1,526	961.4	913.6	1,011.1	2,466	2,974.7	2,855.8	3,098.0
Females												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,134	92.8	88.8	97.0	1,644	578.3	550.6	607.0	1,645	1,246.6	1,184.6	1,311.3
Cook	1,486	90.1	85.4	95.0	1,164	542.4	511.7	574.6	1,198	1,194.7	1,125.1	1,268.0
DuPage	109	90.2	73.3	110.0	108	844.4	692.2	1,020.8	65	1,169.4	894.5	1,510.8
Kane	144	104.8	87.2	125.1	71	510.7	397.8	647.0	55	1,220.3	901.3	1,625.3
Lake	131	98.1	81.0	118.1	71	572.6	446.2	725.3	67	1,235.5	946.5	1,600.7
Will	66	98.7	75.6	127.2	52	678.8	506.3	893.5	39	1,110.2	776.0	1,560.5
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	23,284	115.6	114.1	117.1	36,624	827.9	819.5	836.4	78,903	1,786.3	1,773.8	1,798.9
Cook	9,207	114.7	112.4	117.1	15,161	833.6	820.4	847.0	33,010	1,812.2	1,792.6	1,832.0
DuPage	1,984	120.5	115.2	126.0	2,783	841.3	810.3	873.3	4,702	1,775.5	1,724.6	1,827.6
Kane	716	116.7	108.3	125.7	946	788.7	739.1	840.8	1,827	1,876.1	1,790.1	1,965.3
Lake	1,258	113.2	107.0	119.7	1,849	874.0	834.5	914.9	3,046	1,956.8	1,887.8	2,027.7
Will	1,006	110.8	104.0	117.9	1,308	808.8	765.5	854.0	2,154	1,763.1	1,689.3	1,839.4

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Colon and Rectum, Hispanic Ethnicity, Illinois, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Both Sexes												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	186	4.0	3.4	4.7	316	56.5	50.4	63.1	493	212.5	193.1	233.6
Cook	135	4.2	3.5	5.0	224	53.6	46.8	61.2	353	200.0	178.4	223.7
DuPage	9	3.6	1.6	7.2	22	87.0	54.4	132.7	21	218.1	132.3	347.5
Kane	11	3.3	1.5	6.6	13	47.7	25.3	82.4	11	99.8	48.1	200.4
Lake	6	2.3	0.8	5.3	8	28.3	12.1	58.0	18	218.2	125.0	362.5
Will	5	4.3	1.4	10.3	11	75.0	37.3	135.5	11	188.8	90.4	363.4
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,484	6.2	6.0	6.5	7,718	90.8	88.7	92.8	24,730	337.2	333.0	341.4
Cook	936	6.0	5.7	6.4	3,187	93.7	90.5	97.0	10,022	336.6	330.1	343.3
DuPage	170	5.1	4.4	6.0	530	82.7	75.8	90.1	1,299	295.9	280.0	312.4
Kane	82	6.6	5.2	8.2	176	74.7	64.0	86.6	561	346.3	318.2	376.2
Lake	140	6.2	5.3	7.4	332	79.2	70.9	88.3	897	338.6	316.8	361.6
Will	107	5.9	4.8	7.2	260	80.9	71.3	91.4	668	327.5	303.1	353.4
Males												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	102	4.1	3.3	5.0	192	69.0	59.6	79.6	270	268.5	234.8	306.5
Cook	77	4.5	3.5	5.7	137	66.6	55.9	78.8	197	262.6	224.1	307.1
DuPage	4	2.6	0.6	7.8	12	98.5	50.6	174.4	9	222.4	99.9	472.1
Kane	6	3.6	1.2	8.8	4	28.6	7.8	75.1	9	167.4	74.4	383.1
Lake	2	1.7	0.2	6.5	5	35.0	11.1	86.5	7	198.3	72.0	462.6
Will	1	1.5	0.0	9.3	8	105.5	45.2	211.3	9	322.7	137.4	697.9
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,297	6.6	6.3	7.0	4,349	106.9	103.8	110.2	11,716	415.0	407.4	422.6
Cook	484	6.5	5.9	7.1	1,744	111.0	105.9	116.4	4,732	420.0	408.0	432.3
DuPage	80	4.9	3.9	6.2	295	93.9	83.5	105.3	613	367.3	338.5	398.3
Kane	41	6.6	4.7	9.1	102	87.1	71.0	105.9	264	423.3	373.0	479.3
Lake	79	7.2	5.7	9.0	198	94.5	81.8	108.8	440	407.4	369.2	448.9
Will	59	6.6	5.0	8.5	160	99.7	84.8	116.6	318	400.5	356.5	449.0
Females												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	84	3.9	3.1	4.9	124	44.1	36.7	52.7	223	170.5	148.0	195.8
Cook	58	3.8	2.9	5.0	87	41.0	32.8	50.7	156	154.4	130.1	182.4
DuPage	5	4.7	1.5	11.5	10	77.5	37.1	144.0	12	214.2	108.1	392.2
Kane	5	3.0	0.8	8.4	9	67.8	30.8	130.8	2	39.1	3.7	179.7
Lake	4	2.9	0.8	8.5	3	21.2	4.3	67.5	11	223.5	108.5	426.0
Will	4	7.5	2.0	19.6	3	42.8	8.8	126.8	2	76.3	8.7	297.1
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,187	5.8	5.5	6.2	3,369	76.0	73.4	78.6	13,014	286.5	281.5	291.5
Cook	452	5.6	5.1	6.2	1,443	79.0	75.0	83.2	5,290	284.0	276.4	291.9
DuPage	90	5.3	4.3	6.6	235	71.9	63.0	81.8	686	251.2	232.5	271.0
Kane	41	6.5	4.7	9.0	74	62.3	48.9	78.4	297	293.4	260.6	329.4
Lake	61	5.4	4.1	7.0	134	64.0	53.6	75.8	457	290.8	264.7	318.8
Will	48	5.2	3.9	7.0	100	62.1	50.5	75.6	350	283.2	254.3	314.6

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Age-specific Cancer Incidence Counts and Age-adjusted Rates by County
Lung and Bronchus, Hispanic Ethnicity, Illinois, 1998 – 2002**

Figures include invasive cancer. Incidence counts are five-year totals.
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Both Sexes												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	90	2.2	1.7	2.7	265	48.0	42.3	54.1	495	211.6	192.3	232.5
Cook	60	2.1	1.6	2.7	174	41.9	35.9	48.7	344	190.3	169.5	213.2
DuPage	3	1.3	0.2	4.1	15	59.7	33.2	99.5	16	198.4	110.1	334.4
Kane	8	3.1	1.3	6.5	6	23.4	8.5	51.3	20	240.8	141.5	391.3
Lake	3	1.1	0.2	3.8	18	74.0	43.6	118.0	18	191.4	109.5	322.2
Will	2	1.3	0.1	5.8	12	82.7	42.5	145.6	14	240.3	127.7	427.2
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	2,437	6.1	5.9	6.3	11,302	132.8	130.4	135.3	28,869	398.5	393.9	403.1
Cook	1,018	6.6	6.2	7.0	4,571	134.3	130.4	138.2	11,470	388.3	381.2	395.5
DuPage	124	3.7	3.1	4.5	640	101.1	93.4	109.3	1,572	361.7	344.0	380.0
Kane	52	4.2	3.1	5.5	241	102.3	89.8	116.2	647	405.7	375.0	438.2
Lake	105	4.7	3.8	5.7	437	105.4	95.7	115.8	1,059	395.5	372.0	420.1
Will	85	4.8	3.8	5.9	440	138.7	126.0	152.3	849	413.3	385.9	442.1
Males												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	44	2.1	1.5	2.8	159	57.8	49.1	67.6	298	287.4	253.2	325.7
Cook	30	2.0	1.4	2.9	109	53.2	43.7	64.3	213	266.2	229.0	309.2
DuPage	1	1.0	0.0	5.8	9	73.4	33.2	141.9	12	350.8	169.6	665.8
Kane	4	3.2	0.8	8.7	4	30.9	8.4	79.6	14	302.2	158.7	565.0
Lake	1	0.8	0.0	4.8	10	79.9	38.0	149.4	7	178.1	65.0	425.8
Will	1	0.7	0.0	7.5	8	109.8	47.0	219.0	7	259.0	97.7	614.4
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,313	6.7	6.3	7.1	6,517	160.2	156.4	164.2	16,218	560.7	552.1	569.5
Cook	577	7.8	7.2	8.5	2,618	166.7	160.4	173.2	6,170	534.1	520.8	547.8
DuPage	59	3.6	2.8	4.7	328	105.7	94.5	117.8	831	487.2	454.3	522.1
Kane	24	3.9	2.5	5.8	143	122.4	103.1	144.3	350	547.6	491.1	609.7
Lake	54	4.9	3.7	6.4	208	100.8	87.5	115.5	550	494.7	453.4	539.4
Will	43	4.8	3.5	6.5	253	160.0	140.9	181.1	482	578.6	527.2	634.5
Females												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	46	2.3	1.7	3.1	106	38.3	31.3	46.3	197	151.9	130.5	176.0
Cook	30	2.1	1.4	3.0	65	30.9	23.9	39.5	131	130.5	108.1	156.7
DuPage	2	1.6	0.1	6.8	6	46.7	17.1	103.4	4	93.1	24.6	245.4
Kane	4	3.1	0.8	8.9	2	15.4	1.8	57.7	6	155.3	53.5	358.2
Lake	2	1.6	0.2	6.8	8	67.8	29.1	135.6	11	205.1	97.9	398.8
Will	1	2.0	0.1	11.2	4	54.9	14.9	143.5	7	219.9	85.4	487.3
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,124	5.5	5.2	5.9	4,785	107.7	104.7	110.8	12,651	293.6	288.5	298.8
Cook	441	5.5	5.0	6.0	1,953	106.5	101.9	111.4	5,300	296.4	288.4	304.5
DuPage	65	3.8	2.9	4.9	312	96.7	86.2	108.1	741	285.4	265.1	307.0
Kane	28	4.4	2.9	6.5	98	82.6	67.0	100.8	297	315.3	280.2	353.8
Lake	51	4.5	3.3	5.9	229	110.1	96.2	125.3	509	328.6	300.6	358.5
Will	42	4.7	3.4	6.4	187	117.4	101.2	135.6	367	302.8	272.6	335.6

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

Age-specific Cancer Incidence Counts and Age-adjusted Rates by County												
Invasive Female Breast, Invasive Cervix, Prostate, Hispanic Ethnicity, Illinois, 1998 – 2002												
Figures include invasive cancer. Incidence counts are five-year totals.												
Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population.												
Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.												
Invasive Female Breast												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	662	32.5	30.0	35.1	552	193.7	177.8	210.6	354	259.0	231.7	289.0
Cook	438	29.9	27.1	32.9	396	184.6	166.8	203.8	250	241.6	211.4	275.4
DuPage	43	40.6	29.1	55.3	34	268.4	185.6	376.2	17	306.7	176.4	507.2
Kane	45	38.0	27.3	51.7	16	105.8	60.2	175.1	15	309.9	165.8	543.1
Lake	48	40.4	29.4	54.4	23	180.2	113.8	273.3	7	108.0	42.2	260.2
Will	24	40.3	25.6	60.8	15	191.9	107.1	320.4	11	271.5	129.7	535.4
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	8,784	43.3	42.4	44.2	13,806	312.7	307.5	317.9	19,746	453.3	446.9	459.7
Cook	3,549	44.1	42.7	45.6	5,655	312.1	304.0	320.3	8,094	449.8	440.0	459.7
DuPage	796	46.8	43.6	50.2	1,189	356.6	336.5	377.5	1,265	483.9	457.4	511.7
Kane	252	40.0	35.2	45.3	380	314.9	283.9	348.3	491	510.4	465.8	558.2
Lake	517	45.1	41.3	49.2	732	343.0	318.5	368.9	801	517.7	482.4	554.9
Will	394	43.2	39.1	47.8	490	300.4	274.3	328.3	539	444.7	407.9	484.0
Invasive Cervix												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	242	10.7	9.3	12.2	100	34.6	28.2	42.2	47	33.2	24.1	45.2
Cook	181	11.1	9.5	12.9	79	36.1	28.6	45.1	37	36.3	25.1	51.4
DuPage	5	3.7	1.2	9.4	5	39.9	12.9	94.4	0	0.0	0.0	95.0
Kane	13	10.1	5.2	18.1	3	20.1	4.1	62.8	1	16.9	0.4	142.3
Lake	16	13.7	7.6	22.9	2	14.5	1.7	58.0	3	42.5	8.6	171.5
Will	6	8.2	2.9	19.3	2	27.1	3.2	101.6	1	17.7	0.4	189.5
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	1,542	7.6	7.3	8.0	754	17.1	15.9	18.4	716	16.6	15.4	17.9
Cook	627	7.7	7.1	8.3	385	21.4	19.3	23.6	342	19.4	17.4	21.6
DuPage	80	4.8	3.8	6.0	40	12.0	8.6	16.4	34	13.8	9.5	19.3
Kane	43	7.2	5.2	9.8	12	10.0	5.2	17.7	11	11.8	5.9	21.2
Lake	73	6.7	5.3	8.5	22	10.3	6.5	15.7	30	19.1	12.9	27.4
Will	54	5.9	4.4	7.8	23	14.1	8.9	21.3	13	10.4	5.5	17.9
Prostate												
Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	33	1.6	1.1	2.3	466	169.7	154.5	185.9	892	817.1	759.7	878.5
Cook	18	1.3	0.7	2.0	340	167.0	149.7	185.9	674	835.1	767.6	908.2
DuPage	3	2.9	0.6	8.6	31	247.6	167.3	354.4	44	929.1	653.2	1,316.3
Kane	2	1.9	0.2	6.9	17	117.8	68.2	191.0	27	526.3	332.3	832.1
Lake	5	4.4	1.4	10.5	18	149.7	88.5	238.1	31	753.4	489.5	1,136.3
Will	1	1.5	0.0	9.3	19	238.9	143.0	377.6	22	689.1	412.2	1,136.9
Non-Hispanics*	<50 Years				50-64 Years				65+ Years			
County	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Counties	822	4.2	3.9	4.5	12,245	301.2	295.8	306.5	26,868	920.1	909.1	931.3
Cook	342	4.6	4.2	5.2	4,842	308.1	299.5	316.9	11,246	967.3	949.4	985.5
DuPage	64	3.9	3.0	5.0	997	319.6	300.0	340.1	1,605	912.2	867.6	958.6
Kane	22	3.5	2.2	5.4	351	303.8	272.8	337.5	593	907.8	835.3	985.8
Lake	51	4.5	3.4	6.0	655	316.7	292.9	342.1	996	853.3	800.2	909.7
Will	39	4.4	3.1	6.1	498	316.5	289.2	345.7	679	784.4	725.2	848.0
* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.												
Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.												

**Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County
Colon and Rectum, Both Sexes, Illinois, 1998 - 2002**

County	Hispanics*				Non-Hispanics*			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	34.4	40.1	17.6	7.9	33.8	40.4	17.0	8.8
Cook	32.6	42.3	17.0	8.2	31.9	41.2	17.6	9.3
DuPage	46.2	28.9	17.3	7.7	37.2	39.6	16.8	6.4
Kane	37.1	28.6	28.6	5.7	33.7	40.5	18.1	7.7
Lake	31.3	43.8	18.8	6.3	32.7	41.2	17.4	8.7
Will	59.3	22.2	11.1	7.4	36.3	36.1	18.6	9.0

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County
Female Breast, Illinois, 1998 - 2002**

County	Hispanics*					Non-Hispanics*				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
All Counties	18.3	43.7	30.9	4.1	3.0	17.5	49.7	24.6	4.1	4.1
Cook	18.3	43.8	29.8	4.5	3.5	17.5	48.4	24.9	4.8	4.4
DuPage	20.3	47.5	25.4	5.1	1.7	19.6	49.1	24.9	3.1	3.4
Kane	19.2	44.7	30.9	4.3	1.1	19.0	46.6	25.8	4.2	4.5
Lake	13.3	36.7	48.9	0.0	1.1	20.5	48.1	25.1	2.8	3.6
Will	26.5	29.4	38.2	2.9	2.9	18.9	48.5	25.4	4.3	2.9

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County
Invasive Cervix, Illinois, 1998 - 2002**

County	Hispanics*				Non-Hispanics*			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	59.6	29.6	5.4	5.4	50.7	32.0	9.3	8.0
Cook	58.6	29.3	6.4	5.7	49.0	32.5	9.6	8.9
DuPage	60.0	30.0	0.0	10.0	56.5	27.9	9.7	5.8
Kane	76.5	23.5	0.0	0.0	54.6	28.8	15.2	1.5
Lake	52.4	33.3	0.0	14.3	54.4	26.4	8.8	10.4
Will	66.7	33.3	0.0	0.0	43.3	34.4	6.7	15.6

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Percent Distribution of Stage at Diagnosis by Hispanic Ethnicity and County
Prostate, Illinois, 1998 - 2002**

County	Hispanics*				Non-Hispanics*			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
All Counties	73.2	10.1	6.5	10.2	76.5	9.3	4.8	9.3
Cook	72.3	9.8	7.1	10.9	75.9	8.6	5.9	9.5
DuPage	80.8	11.5	2.6	5.1	80.5	9.6	3.4	6.5
Kane	78.3	8.7	6.5	6.5	77.3	11.0	3.3	8.4
Lake	74.1	7.4	9.3	9.3	78.2	9.8	3.2	8.8
Will	76.2	14.3	0.0	9.5	74.7	11.3	3.6	10.4

* Hispanics/Non-Hispanics are not mutually exclusive from whites, blacks, and Asian/other races.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	10,738	349.5	341.8	357.5	5,315	407.3	394.1	421.1	5,423	311.5	302.1	321.1
Oral Cavity and Pharynx	218	6.7	5.7	7.9	146	9.2	7.5	11.4	72	4.4	3.3	5.9
Esophagus	93	3.9	3.1	5.0	71	6.2	4.6	8.4	22	2.0	1.2	3.2
Stomach	336	11.8	10.4	13.4	188	15.5	12.9	18.7	148	9.1	7.6	11.0
Colon and Rectum	995	38.2	35.6	41.1	564	47.2	42.7	52.3	431	31.0	27.9	34.5
Liver	254	9.5	8.2	10.9	182	13.3	11.1	15.9	72	6.0	4.6	7.7
Pancreas	230	9.3	8.0	10.8	112	9.5	7.5	11.9	118	9.0	7.3	11.0
Lung and Bronchus	850	35.5	32.9	38.3	501	46.5	41.9	51.5	349	26.6	23.6	29.9
Bones and Joints	59	0.9	0.6	1.3	31	0.8	0.4	1.8	28	0.9	0.5	1.5
Melanoma of the Skin	117	3.0	2.4	3.8	54	3.6	2.5	5.3	63	2.7	2.0	3.7
Breast (invasive)	1,574	44.0	41.6	46.7	6	0.5	0.1	1.6	1,568	85.3	80.7	90.2
Cervix (invasive)	-	-	-	-	-	-	-	-	389	17.1	15.3	19.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	334	19.4	17.1	22.0
Ovary	-	-	-	-	-	-	-	-	196	10.3	8.7	12.1
Prostate	-	-	-	-	1,391	129.9	122.3	138.0	-	-	-	-
Testis	-	-	-	-	152	3.2	2.5	4.3	-	-	-	-
Urinary Bladder	312	12.9	11.3	14.6	221	20.8	17.7	24.4	91	6.6	5.2	8.3
Kidney and Renal Pelvis	369	11.1	9.9	12.6	225	14.1	12.0	16.7	144	8.4	7.0	10.2
Brain and Other Nervous System	267	5.7	4.9	6.8	155	6.8	5.4	8.6	112	4.8	3.8	6.1
Hodgkin's Disease	141	2.7	2.1	3.4	86	3.3	2.4	4.7	55	2.1	1.5	3.1
Non-Hodgkin's Lymphomas	550	17.1	15.4	18.9	325	21.3	18.4	24.7	225	13.7	11.7	15.9
Multiple Myeloma	159	5.9	4.9	7.1	89	7.0	5.4	9.1	70	5.0	3.8	6.5
Leukemias	457	9.6	8.4	10.9	257	11.9	9.9	14.5	200	7.8	6.5	9.4
All Other Sites	1,295	37.7	35.2	40.3	559	36.7	32.9	41.0	736	39.3	36.1	42.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	350	9.1	8.1	10.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,693	339.3	330.5	348.4	3,845	401.2	386.0	417.1	3,848	297.5	287.0	308.5
Oral Cavity and Pharynx	159	6.9	5.7	8.3	116	10.1	8.0	12.8	43	3.9	2.7	5.6
Esophagus	68	3.9	3.0	5.2	55	6.6	4.7	9.3	13	1.7	0.9	3.1
Stomach	246	11.7	10.1	13.6	136	15.5	12.4	19.2	110	9.1	7.3	11.2
Colon and Rectum	712	36.3	33.4	39.6	411	46.4	41.2	52.3	301	28.4	25.0	32.3
Liver	188	9.4	8.0	11.2	133	12.8	10.4	15.9	55	6.2	4.6	8.3
Pancreas	166	9.0	7.5	10.8	79	9.0	6.8	11.8	87	8.9	7.0	11.3
Lung and Bronchus	578	31.8	29.0	34.9	352	43.1	38.1	48.8	226	22.6	19.5	26.2
Bones and Joints	45	1.0	0.6	1.6	21	0.9	0.4	2.3	24	1.0	0.6	1.9
Melanoma of the Skin	62	2.2	1.6	3.1	32	2.8	1.7	4.7	30	1.8	1.1	2.9
Breast (invasive)	1,087	41.4	38.7	44.4	3	0.2	0.0	1.4	1,084	79.8	74.7	85.3
Cervix (invasive)	-	-	-	-	-	-	-	-	297	18.0	15.8	20.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	252	19.6	17.0	22.6
Ovary	-	-	-	-	-	-	-	-	147	10.3	8.5	12.5
Prostate	-	-	-	-	1,032	131.5	122.5	141.1	-	-	-	-
Testis	-	-	-	-	103	3.2	2.5	4.7	-	-	-	-
Urinary Bladder	210	11.5	9.8	13.5	150	18.8	15.4	22.8	60	5.7	4.2	7.7
Kidney and Renal Pelvis	254	10.7	9.2	12.4	154	13.6	11.2	16.7	100	8.1	6.4	10.1
Brain and Other Nervous System	182	5.3	4.4	6.5	108	6.6	5.1	8.8	74	4.1	3.1	5.6
Hodgkin's Disease	100	2.7	2.0	3.5	62	3.4	2.3	5.1	38	2.0	1.3	3.2
Non-Hodgkin's Lymphomas	402	17.1	15.1	19.3	238	21.7	18.2	25.8	164	13.5	11.3	16.1
Multiple Myeloma	120	5.9	4.8	7.3	70	7.2	5.4	9.7	50	4.7	3.4	6.5
Leukemias	320	9.4	8.1	11.0	168	10.9	8.6	13.8	152	8.5	6.9	10.5
All Other Sites	963	38.0	35.2	41.1	422	37.0	32.7	41.9	541	39.5	35.7	43.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	243	8.6	7.5	10.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	575	393.8	355.7	436.3	293	477.5	410.1	557.1	282	339.7	295.2	390.9
Oral Cavity and Pharynx	13	8.4	3.7	18.7	6	6.7	2.1	29.1	7	9.2	2.9	24.9
Esophagus	7	7.5	2.5	18.7	3	4.0	0.8	26.2	4	9.2	2.2	26.4
Stomach	14	8.7	4.0	18.8	12	16.5	6.2	43.3	2	2.3	0.2	14.7
Colon and Rectum	52	43.2	30.8	60.5	25	44.8	26.6	77.3	27	42.1	26.3	65.9
Liver	8	7.5	3.0	17.6	6	12.4	3.9	38.1	2	3.6	0.4	17.0
Pancreas	9	5.6	2.3	14.6	5	5.6	1.7	27.8	4	5.2	1.1	19.1
Lung and Bronchus	34	34.9	22.6	52.7	22	56.1	31.5	96.3	12	19.9	9.0	39.9
Bones and Joints	4	1.0	0.3	8.6	2	0.9	0.1	23.0	2	1.1	0.1	13.0
Melanoma of the Skin	10	4.8	1.8	13.4	4	6.0	1.0	29.7	6	4.2	1.4	16.4
Breast (invasive)	95	56.4	43.7	73.6	1	1.4	0.0	23.7	94	108.4	84.9	138.8
Cervix (invasive)	-	-	-	-	-	-	-	-	10	8.6	3.9	21.9
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	17.6	9.4	33.8
Ovary	-	-	-	-	-	-	-	-	10	12.0	4.9	27.8
Prostate	-	-	-	-	78	156.6	118.9	207.3	-	-	-	-
Testis	-	-	-	-	10	4.4	1.8	25.9	-	-	-	-
Urinary Bladder	24	19.8	12.0	32.7	14	28.0	13.9	57.4	10	13.8	6.2	30.0
Kidney and Renal Pelvis	23	15.2	8.8	26.7	15	23.9	10.9	52.7	8	8.9	3.5	23.0
Brain and Other Nervous System	18	8.4	4.3	17.9	10	9.0	3.3	31.9	8	7.7	2.6	21.9
Hodgkin's Disease	9	2.7	1.1	10.4	4	1.5	0.4	23.4	5	4.1	1.2	16.5
Non-Hodgkin's Lymphomas	39	23.4	15.1	36.5	24	28.6	15.1	57.0	15	19.2	9.8	36.8
Multiple Myeloma	5	4.4	1.3	13.6	4	8.3	1.9	32.6	1	1.3	0.0	13.5
Leukemias	20	5.8	3.0	14.0	16	9.3	4.2	31.4	4	2.2	0.5	14.2
All Other Sites	69	43.9	31.4	61.2	32	53.5	31.1	90.9	37	39.0	25.1	60.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	24	14.2	8.1	25.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	488	308.7	273.2	349.0	218	317.1	264.3	381.9	270	306.6	259.7	362.1
Oral Cavity and Pharynx	5	1.9	0.5	10.5	3	2.7	0.5	24.3	2	1.0	0.1	15.9
Esophagus	4	2.2	0.4	11.3	3	4.1	0.6	26.4	1	0.5	0.0	15.5
Stomach	20	15.5	7.9	29.2	9	19.4	7.0	48.4	11	12.8	4.8	32.1
Colon and Rectum	35	22.2	14.2	35.5	19	28.1	15.1	55.5	16	17.3	8.7	36.1
Liver	10	6.3	2.4	16.5	5	7.6	2.0	30.7	5	4.7	1.0	20.5
Pancreas	12	9.5	4.0	21.4	6	11.1	2.3	38.1	6	9.1	2.5	27.4
Lung and Bronchus	34	36.2	23.1	55.4	22	45.1	26.1	78.6	12	24.2	10.3	49.9
Bones and Joints	3	0.4	0.1	9.1	3	0.8	0.2	22.5	0	0.0	0.0	15.1
Melanoma of the Skin	6	3.1	0.9	12.3	2	1.8	0.1	23.7	4	4.3	0.9	20.1
Breast (invasive)	77	40.5	29.3	56.9	1	0.7	0.0	22.5	76	82.5	60.2	113.8
Cervix (invasive)	-	-	-	-	-	-	-	-	17	12.4	6.6	28.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	14	16.1	7.2	35.6
Ovary	-	-	-	-	-	-	-	-	9	12.8	4.1	33.3
Prostate	-	-	-	-	46	85.6	59.3	125.1	-	-	-	-
Testis	-	-	-	-	9	2.9	1.2	24.1	-	-	-	-
Urinary Bladder	9	10.9	4.3	24.2	6	15.8	4.6	44.4	3	6.9	1.0	25.8
Kidney and Renal Pelvis	33	18.6	11.3	31.6	19	23.0	12.1	48.5	14	13.9	5.8	32.9
Brain and Other Nervous System	18	7.8	3.5	18.3	8	5.7	1.2	28.3	10	10.0	3.6	27.7
Hodgkin's Disease	8	1.4	0.5	9.9	4	1.0	0.3	22.6	4	1.9	0.4	16.7
Non-Hodgkin's Lymphomas	19	12.2	6.5	23.7	11	14.8	6.2	39.3	8	9.9	3.4	27.8
Multiple Myeloma	8	6.8	2.4	18.0	3	2.7	0.5	24.2	5	10.3	2.8	29.9
Leukemias	27	13.6	6.7	26.7	14	18.1	6.4	46.4	13	9.9	3.1	28.4
All Other Sites	65	35.7	24.4	52.3	25	26.1	13.2	53.9	40	46.0	28.5	73.3
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	18	7.3	4.0	16.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	486	321.9	286.3	362.2	217	350.4	290.3	423.2	269	313.0	268.9	365.1
Oral Cavity and Pharynx	11	6.0	2.5	15.9	5	7.7	2.0	30.9	6	4.8	1.2	20.2
Esophagus	3	1.4	0.3	10.2	2	1.4	0.2	23.2	1	1.4	0.0	16.4
Stomach	17	14.3	7.2	27.5	8	13.3	4.2	39.4	9	14.4	5.9	33.7
Colon and Rectum	32	33.5	21.1	51.9	14	31.6	14.3	65.0	18	33.6	18.2	59.4
Liver	9	8.4	3.0	20.5	6	7.7	1.7	31.5	3	8.3	1.5	27.7
Pancreas	10	7.3	3.1	17.7	6	8.1	2.3	31.3	4	6.4	1.6	23.0
Lung and Bronchus	39	36.1	24.3	53.4	18	35.0	18.3	66.9	21	37.3	21.7	62.8
Bones and Joints	2	0.4	0.0	9.0	1	0.3	0.0	22.3	1	0.4	0.0	15.1
Melanoma of the Skin	8	4.4	1.5	14.1	4	6.5	1.4	29.7	4	2.6	0.4	17.5
Breast (invasive)	78	34.1	25.8	47.1	0	0.0	0.0	22.2	78	69.9	53.5	94.3
Cervix (invasive)	-	-	-	-	-	-	-	-	21	17.4	10.0	34.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	13	15.8	7.6	34.3
Ovary	-	-	-	-	-	-	-	-	11	11.3	4.8	28.3
Prostate	-	-	-	-	54	120.9	85.4	170.3	-	-	-	-
Testis	-	-	-	-	9	2.2	1.0	23.6	-	-	-	-
Urinary Bladder	15	13.7	7.0	26.5	10	17.0	7.6	42.0	5	10.5	2.8	30.1
Kidney and Renal Pelvis	7	5.3	1.7	15.6	4	3.9	1.0	25.6	3	5.5	0.9	22.4
Brain and Other Nervous System	15	7.0	2.8	17.6	9	4.1	1.6	25.5	6	8.9	2.4	27.2
Hodgkin's Disease	6	1.8	0.4	10.6	4	3.2	0.5	25.3	2	0.6	0.1	15.2
Non-Hodgkin's Lymphomas	21	13.1	7.3	24.7	10	15.7	5.0	43.5	11	12.7	5.9	29.7
Multiple Myeloma	6	4.7	1.7	14.3	3	4.5	0.9	26.7	3	4.9	1.0	21.0
Leukemias	36	13.3	7.3	25.2	22	23.1	8.8	54.2	14	7.8	3.3	23.2
All Other Sites	63	40.0	27.8	57.7	28	44.3	24.1	79.5	35	38.6	24.0	62.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	12	6.3	2.7	16.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	326	354.6	310.6	405.5	169	406.8	336.1	495.1	157	313.5	259.4	379.7
Oral Cavity and Pharynx	9	9.2	3.4	24.4	6	15.7	3.6	54.1	3	5.1	1.0	26.8
Esophagus	2	2.6	0.3	16.1	2	5.2	0.5	38.2	0	0.0	0.0	21.3
Stomach	8	7.0	2.8	20.8	5	9.7	2.7	42.6	3	4.4	0.8	25.9
Colon and Rectum	27	38.2	23.6	61.4	18	57.7	31.1	106.1	9	21.5	8.4	50.5
Liver	14	14.2	7.3	29.7	12	24.4	11.6	59.9	2	3.9	0.5	25.6
Pancreas	6	9.9	2.9	27.2	2	5.7	0.6	38.8	4	12.5	2.5	40.7
Lung and Bronchus	28	43.7	27.6	68.4	16	49.7	25.7	95.8	12	37.5	18.2	72.3
Bones and Joints	4	1.6	0.4	14.2	3	1.8	0.4	33.7	1	1.5	0.0	22.7
Melanoma of the Skin	4	3.3	0.8	16.3	3	4.3	0.6	36.5	1	2.2	0.1	24.0
Breast (invasive)	50	45.6	32.1	66.6	0	0.0	0.0	32.5	50	92.3	66.0	131.0
Cervix (invasive)	-	-	-	-	-	-	-	-	9	12.2	5.1	34.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	12	26.2	12.3	55.2
Ovary	-	-	-	-	-	-	-	-	6	12.5	3.9	37.5
Prostate	-	-	-	-	42	124.0	84.9	182.8	-	-	-	-
Testis	-	-	-	-	4	2.3	0.6	34.1	-	-	-	-
Urinary Bladder	5	6.6	2.0	20.9	4	10.9	2.8	44.9	1	2.2	0.1	24.0
Kidney and Renal Pelvis	15	15.5	8.2	31.3	10	18.5	8.3	52.2	5	11.6	3.5	36.2
Brain and Other Nervous System	8	3.8	1.5	16.3	6	5.9	1.9	37.4	2	1.5	0.2	22.5
Hodgkin's Disease	4	1.5	0.4	14.0	4	2.6	0.6	34.4	0	0.0	0.0	21.3
Non-Hodgkin's Lymphomas	20	25.7	14.1	45.9	10	28.3	12.0	67.7	10	23.1	9.2	52.8
Multiple Myeloma	3	3.5	0.7	16.8	3	7.2	1.5	40.0	0	0.0	0.0	21.3
Leukemias	17	13.4	6.7	28.9	11	17.2	6.3	52.3	6	9.9	2.9	33.4
All Other Sites	29	24.1	14.5	41.7	8	15.9	5.3	51.2	21	33.3	18.7	61.9
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	18	16.5	9.1	32.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

All Illinois Counties
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	281,003	493.4	491.6	495.3	142,192	587.2	584.1	590.3	138,811	433.6	431.3	435.9
Oral Cavity and Pharynx	6,185	10.9	10.7	11.2	4,215	16.7	16.2	17.2	1,970	6.2	6.0	6.5
Esophagus	3,272	5.7	5.5	5.9	2,493	10.2	9.8	10.6	779	2.3	2.2	2.5
Stomach	4,413	7.7	7.4	7.9	2,654	11.2	10.7	11.6	1,759	5.1	4.9	5.3
Colon and Rectum	34,932	60.7	60.1	61.4	17,362	73.3	72.2	74.4	17,570	51.8	51.1	52.6
Liver	2,422	4.3	4.1	4.4	1,632	6.6	6.3	7.0	790	2.4	2.2	2.6
Pancreas	7,031	12.2	12.0	12.5	3,397	14.2	13.7	14.7	3,634	10.7	10.3	11.0
Lung and Bronchus	42,608	74.7	74.0	75.4	24,048	99.7	98.5	101.0	18,560	57.3	56.4	58.1
Bones and Joints	462	0.8	0.8	0.9	240	0.9	0.8	1.1	222	0.8	0.7	0.9
Melanoma of the Skin	7,219	12.8	12.5	13.1	4,120	16.5	16.0	17.0	3,099	10.2	9.9	10.6
Breast (invasive)	42,699	75.2	74.5	76.0	363	1.5	1.3	1.7	42,336	135.5	134.2	136.8
Cervix (invasive)	-	-	-	-	-	-	-	-	3,012	10.2	9.8	10.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	8,029	25.7	25.1	26.2
Ovary	-	-	-	-	-	-	-	-	4,349	13.8	13.4	14.2
Prostate	-	-	-	-	39,935	164.5	162.9	166.1	-	-	-	-
Testis	-	-	-	-	1,409	5.2	5.0	5.5	-	-	-	-
Urinary Bladder	13,022	22.7	22.3	23.1	9,534	40.6	39.8	41.4	3,488	10.3	10.0	10.7
Kidney and Renal Pelvis	7,727	13.6	13.3	13.9	4,600	18.6	18.1	19.1	3,127	9.8	9.4	10.1
Brain and Other Nervous System	3,545	6.4	6.1	6.6	1,888	7.4	7.1	7.8	1,657	5.5	5.2	5.8
Hodgkin's Disease	1,598	2.9	2.8	3.1	887	3.4	3.2	3.6	711	2.5	2.3	2.7
Non-Hodgkin's Lymphomas	10,979	19.3	18.9	19.6	5,718	23.4	22.8	24.0	5,261	16.2	15.7	16.6
Multiple Myeloma	3,406	5.9	5.7	6.1	1,725	7.2	6.9	7.5	1,681	5.1	4.8	5.3
Leukemias	7,279	12.8	12.5	13.1	4,026	16.8	16.3	17.3	3,253	10.0	9.6	10.3
All Other Sites	25,470	44.8	44.2	45.3	11,946	49.3	48.4	50.2	13,524	42.3	41.5	43.0
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	9,005	16.0	15.7	16.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	114,422	499.0	496.1	501.9	57,044	598.1	593.2	603.1	57,378	437.1	433.5	440.7
Oral Cavity and Pharynx	2,620	11.6	11.2	12.1	1,765	17.8	16.9	18.6	855	6.6	6.2	7.1
Esophagus	1,439	6.3	5.9	6.6	1,066	11.1	10.4	11.7	373	2.8	2.5	3.1
Stomach	2,290	9.9	9.5	10.3	1,352	14.4	13.6	15.2	938	6.6	6.2	7.1
Colon and Rectum	14,145	61.0	60.0	62.0	6,960	74.4	72.7	76.2	7,185	51.8	50.6	53.0
Liver	1,236	5.4	5.1	5.7	829	8.5	8.0	9.1	407	3.0	2.7	3.3
Pancreas	3,112	13.4	12.9	13.9	1,411	15.0	14.2	15.8	1,701	12.2	11.6	12.8
Lung and Bronchus	17,059	74.0	72.9	75.1	9,365	98.2	96.2	100.2	7,694	57.4	56.1	58.7
Bones and Joints	186	0.9	0.7	1.0	93	0.9	0.8	1.2	93	0.8	0.6	1.0
Melanoma of the Skin	2,181	9.6	9.2	10.0	1,231	12.7	11.9	13.4	950	7.6	7.1	8.1
Breast (invasive)	17,458	76.9	75.8	78.1	160	1.7	1.4	2.0	17,298	135.6	133.5	137.6
Cervix (invasive)	-	-	-	-	-	-	-	-	1,354	11.2	10.6	11.8
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	3,320	25.8	24.9	26.7
Ovary	-	-	-	-	-	-	-	-	1,791	14.0	13.4	14.7
Prostate	-	-	-	-	16,430	171.8	169.2	174.5	-	-	-	-
Testis	-	-	-	-	505	4.8	4.3	5.2	-	-	-	-
Urinary Bladder	5,066	21.8	21.2	22.4	3,599	38.9	37.7	40.2	1,467	10.6	10.0	11.1
Kidney and Renal Pelvis	2,975	13.0	12.6	13.5	1,752	18.1	17.3	19.0	1,223	9.3	8.8	9.9
Brain and Other Nervous System	1,303	5.8	5.5	6.2	687	7.0	6.5	7.5	616	5.0	4.6	5.4
Hodgkin's Disease	614	2.8	2.6	3.0	347	3.4	3.0	3.8	267	2.3	2.0	2.6
Non-Hodgkin's Lymphomas	4,327	18.9	18.4	19.5	2,233	23.3	22.3	24.3	2,094	15.7	15.1	16.4
Multiple Myeloma	1,523	6.6	6.3	7.0	738	7.8	7.2	8.4	785	5.8	5.4	6.3
Leukemias	2,819	12.4	11.9	12.8	1,503	15.9	15.1	16.8	1,316	9.9	9.3	10.4
All Other Sites	10,669	46.7	45.8	47.6	5,018	52.5	51.1	54.0	5,651	43.0	41.9	44.1
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	3,675	16.4	15.8	16.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	18,518	484.9	477.9	492.0	9,049	564.2	552.3	576.4	9,469	437.8	428.9	446.7
Oral Cavity and Pharynx	353	9.0	8.1	10.0	231	13.0	11.4	14.9	122	5.7	4.8	6.9
Esophagus	205	5.5	4.8	6.3	159	9.9	8.4	11.6	46	2.2	1.6	2.9
Stomach	279	7.4	6.6	8.4	163	10.4	8.8	12.2	116	5.2	4.3	6.2
Colon and Rectum	1,999	53.5	51.2	55.9	988	64.1	60.0	68.4	1,011	46.4	43.5	49.4
Liver	171	4.5	3.9	5.3	127	7.8	6.5	9.4	44	2.1	1.5	2.8
Pancreas	465	12.6	11.5	13.8	238	15.3	13.4	17.5	227	10.7	9.3	12.2
Lung and Bronchus	2,336	63.6	61.0	66.2	1,218	80.1	75.5	84.9	1,118	53.3	50.2	56.6
Bones and Joints	42	1.1	0.8	1.5	20	1.0	0.6	1.7	22	1.1	0.7	1.7
Melanoma of the Skin	565	14.1	13.0	15.3	325	18.5	16.5	20.8	240	11.0	9.7	12.6
Breast (invasive)	3,272	81.7	78.9	84.6	22	1.4	0.8	2.2	3,250	148.5	143.4	153.8
Cervix (invasive)	-	-	-	-	-	-	-	-	154	7.0	5.9	8.2
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	574	26.7	24.6	29.0
Ovary	-	-	-	-	-	-	-	-	283	13.0	11.5	14.6
Prostate	-	-	-	-	2,666	166.0	159.6	172.6	-	-	-	-
Testis	-	-	-	-	132	6.4	5.3	7.6	-	-	-	-
Urinary Bladder	891	24.3	22.7	25.9	664	44.4	41.0	48.0	227	10.5	9.2	12.0
Kidney and Renal Pelvis	508	13.1	12.0	14.3	325	18.8	16.8	21.1	183	8.7	7.5	10.1
Brain and Other Nervous System	295	7.4	6.6	8.3	164	9.0	7.6	10.6	131	6.2	5.2	7.4
Hodgkin's Disease	146	3.7	3.1	4.3	80	4.2	3.3	5.3	66	3.2	2.5	4.1
Non-Hodgkin's Lymphomas	756	19.8	18.4	21.3	420	25.4	23.0	28.1	336	15.6	14.0	17.4
Multiple Myeloma	196	5.2	4.5	6.0	98	5.9	4.8	7.3	98	4.6	3.7	5.6
Leukemias	466	12.2	11.1	13.4	260	16.4	14.4	18.7	206	9.6	8.3	11.0
All Other Sites	1,764	45.5	43.4	47.7	749	46.3	42.9	49.9	1,015	46.6	43.7	49.6
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	796	19.3	18.0	20.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	6,852	486.7	475.2	498.5	3,363	561.7	542.3	581.9	3,489	439.8	425.2	454.8
Oral Cavity and Pharynx	170	11.7	10.0	13.6	98	14.4	11.6	17.8	72	9.3	7.2	11.8
Esophagus	72	5.2	4.1	6.6	52	8.6	6.3	11.5	20	2.6	1.6	4.1
Stomach	82	5.9	4.7	7.4	52	8.2	6.1	11.0	30	3.8	2.6	5.5
Colon and Rectum	819	59.7	55.7	64.0	407	71.4	64.4	79.0	412	51.2	46.3	56.4
Liver	53	3.8	2.9	5.0	41	7.0	5.0	9.8	12	1.5	0.8	2.7
Pancreas	129	9.5	7.9	11.3	63	10.6	8.1	13.7	66	8.2	6.3	10.6
Lung and Bronchus	940	69.6	65.2	74.3	517	90.4	82.5	98.9	423	55.4	50.3	61.1
Bones and Joints	14	1.0	0.5	1.6	9	1.2	0.5	2.6	5	0.7	0.2	1.7
Melanoma of the Skin	227	14.9	13.0	17.0	122	17.5	14.4	21.2	105	13.1	10.7	16.0
Breast (invasive)	1,131	77.4	72.9	82.1	8	1.3	0.5	2.9	1,123	140.7	132.5	149.3
Cervix (invasive)	-	-	-	-	-	-	-	-	66	8.2	6.4	10.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	206	26.1	22.7	30.0
Ovary	-	-	-	-	-	-	-	-	126	15.9	13.2	19.0
Prostate	-	-	-	-	966	162.8	152.4	173.9	-	-	-	-
Testis	-	-	-	-	49	6.2	4.6	8.4	-	-	-	-
Urinary Bladder	335	24.7	22.1	27.6	238	42.0	36.7	47.9	97	12.0	9.7	14.7
Kidney and Renal Pelvis	181	12.8	10.9	14.8	118	18.9	15.5	22.9	63	8.0	6.2	10.3
Brain and Other Nervous System	93	6.3	5.1	7.7	47	7.1	5.1	9.7	46	5.9	4.3	7.9
Hodgkin's Disease	54	3.7	2.7	4.8	22	3.1	1.9	5.0	32	4.2	2.8	6.0
Non-Hodgkin's Lymphomas	273	19.0	16.8	21.4	142	23.1	19.3	27.6	131	16.4	13.7	19.5
Multiple Myeloma	71	5.1	4.0	6.5	34	5.9	4.0	8.5	37	4.5	3.2	6.3
Leukemias	188	13.2	11.4	15.3	107	17.7	14.3	21.7	81	10.2	8.0	12.7
All Other Sites	607	42.5	39.1	46.1	271	44.6	39.2	50.6	336	41.9	37.5	46.7
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	268	17.9	15.8	20.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,086	498.9	489.9	508.0	5,933	558.0	543.2	573.1	6,153	460.3	448.8	472.0
Oral Cavity and Pharynx	265	10.4	9.2	11.8	174	15.0	12.7	17.6	91	6.7	5.4	8.2
Esophagus	111	4.7	3.8	5.6	86	8.3	6.5	10.4	25	1.9	1.2	2.9
Stomach	177	7.7	6.6	8.9	102	10.1	8.2	12.5	75	5.7	4.5	7.2
Colon and Rectum	1,369	59.2	56.1	62.5	717	70.8	65.5	76.6	652	50.2	46.4	54.3
Liver	87	3.6	2.9	4.5	64	5.8	4.4	7.5	23	1.8	1.1	2.7
Pancreas	286	12.5	11.1	14.1	146	15.0	12.6	17.9	140	11.0	9.2	13.0
Lung and Bronchus	1,601	69.2	65.8	72.7	812	81.2	75.5	87.3	789	61.3	57.0	65.7
Bones and Joints	17	0.6	0.4	1.0	9	0.8	0.3	1.7	8	0.6	0.3	1.2
Melanoma of the Skin	438	16.9	15.4	18.6	256	22.0	19.3	25.1	182	13.1	11.2	15.2
Breast (invasive)	2,063	80.7	77.2	84.3	13	1.2	0.6	2.2	2,050	149.5	143.1	156.2
Cervix (invasive)	-	-	-	-	-	-	-	-	125	8.8	7.3	10.6
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	321	23.8	21.3	26.6
Ovary	-	-	-	-	-	-	-	-	208	15.4	13.3	17.7
Prostate	-	-	-	-	1,702	158.6	150.9	166.7	-	-	-	-
Testis	-	-	-	-	85	6.2	4.9	7.8	-	-	-	-
Urinary Bladder	545	23.3	21.4	25.4	395	38.5	34.7	42.8	150	11.6	9.8	13.6
Kidney and Renal Pelvis	347	14.2	12.7	15.8	207	18.6	16.1	21.6	140	10.6	8.9	12.6
Brain and Other Nervous System	186	7.2	6.2	8.3	95	7.9	6.3	9.8	91	6.8	5.5	8.4
Hodgkin's Disease	78	2.9	2.3	3.6	45	3.3	2.4	4.6	33	2.5	1.7	3.6
Non-Hodgkin's Lymphomas	525	21.7	19.8	23.7	277	25.6	22.5	29.1	248	18.9	16.6	21.4
Multiple Myeloma	102	4.3	3.5	5.2	51	4.5	3.3	6.2	51	4.0	3.0	5.3
Leukemias	350	14.4	13.0	16.1	215	19.6	17.0	22.7	135	10.3	8.6	12.2
All Other Sites	1,098	45.2	42.5	48.0	482	44.9	40.8	49.4	616	45.9	42.3	49.8
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	527	20.0	18.3	21.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanics, Illinois, 1998-2002

Figures include invasive cancer with the exceptions of urinary bladder *in situ* and breast cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	9,082	482.3	472.3	492.5	4,614	570.5	553.3	588.2	4,468	424.3	411.9	437.0
Oral Cavity and Pharynx	207	10.4	9.0	12.0	144	15.6	13.0	18.6	63	6.1	4.7	7.8
Esophagus	97	5.3	4.3	6.5	72	8.7	6.7	11.2	25	2.5	1.6	3.7
Stomach	133	7.3	6.1	8.7	83	10.7	8.4	13.6	50	4.8	3.5	6.3
Colon and Rectum	1,035	57.8	54.3	61.5	537	70.3	64.2	77.0	498	48.9	44.7	53.4
Liver	68	3.5	2.7	4.5	41	4.4	3.1	6.3	27	2.7	1.7	3.9
Pancreas	226	12.7	11.1	14.5	120	15.0	12.3	18.3	106	10.5	8.6	12.7
Lung and Bronchus	1,374	76.5	72.4	80.7	778	100.6	93.4	108.4	596	59.3	54.6	64.3
Bones and Joints	19	0.8	0.5	1.3	14	1.3	0.7	2.5	5	0.4	0.1	1.0
Melanoma of the Skin	243	11.9	10.4	13.5	133	15.3	12.6	18.5	110	9.8	8.1	11.9
Breast (invasive)	1,434	72.0	68.3	75.9	11	1.4	0.7	2.8	1,423	132.5	125.7	139.7
Cervix (invasive)	-	-	-	-	-	-	-	-	90	7.7	6.2	9.5
Corpus and Uterus, NOS	-	-	-	-	-	-	-	-	286	27.2	24.1	30.6
Ovary	-	-	-	-	-	-	-	-	133	12.4	10.4	14.8
Prostate	-	-	-	-	1,216	149.8	141.2	158.9	-	-	-	-
Testis	-	-	-	-	57	4.7	3.6	6.4	-	-	-	-
Urinary Bladder	428	23.9	21.7	26.3	314	42.3	37.5	47.6	114	11.2	9.2	13.5
Kidney and Renal Pelvis	278	14.4	12.8	16.3	174	20.1	17.1	23.6	104	9.9	8.1	12.0
Brain and Other Nervous System	128	6.1	5.1	7.3	73	7.4	5.7	9.6	55	5.0	3.7	6.5
Hodgkin's Disease	74	3.3	2.6	4.2	43	3.9	2.8	5.5	31	2.6	1.8	3.8
Non-Hodgkin's Lymphomas	340	18.1	16.2	20.2	183	21.3	18.2	24.9	157	15.4	13.0	18.0
Multiple Myeloma	104	5.7	4.6	6.9	63	7.9	6.0	10.4	41	4.0	2.8	5.4
Leukemias	242	13.1	11.5	14.9	136	17.5	14.5	21.0	106	10.2	8.3	12.4
All Other Sites	870	45.1	42.1	48.3	422	52.3	47.1	58.0	448	41.3	37.5	45.4
Breast <i>in situ</i>	-	-	-	-	-	-	-	-	332	15.8	14.2	17.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004

SECTION VI.

Cancer Incidence Projections by Illinois County

**Projected Cancer Incidence for All Sites Combined by County, All Races, Both Sexes
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and bladder cancer *in situ* and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
All Counties	294,860	58,970	298,110	59,620	301,500	60,300	305,050	61,010
Adams	2,095	420	2,110	420	2,125	425	2,145	430
Alexander	260	50	260	50	255	50	250	50
Bond	505	100	510	100	515	105	520	105
Boone	915	180	940	190	970	195	1,005	200
Brown	130	25	135	25	135	25	135	25
Bureau	1,100	220	1,100	220	1,105	220	1,110	220
Calhoun	140	25	140	25	140	25	135	25
Carroll	555	110	560	110	565	110	570	115
Cass	365	75	365	70	365	75	365	75
Champaign	3,470	695	3,530	705	3,595	720	3,655	730
Christian	1,115	220	1,115	225	1,120	225	1,125	225
Clark	495	100	500	100	500	100	505	100
Clay	460	90	460	90	460	90	465	95
Clinton	880	175	890	180	900	180	915	180
Coles	1,315	260	1,320	265	1,325	265	1,335	265
Cook	122,860	24,570	123,600	24,720	124,350	24,870	125,160	25,030
Crawford	640	125	640	125	640	125	640	130
Cumberland	330	65	335	65	335	65	340	65
DeKalb	1,755	350	1,780	355	1,815	360	1,845	370
DeWitt	465	95	470	95	470	95	475	95
Douglas	545	110	545	110	550	110	555	110
DuPage	19,625	3,925	20,190	4,040	20,800	4,160	21,445	4,290
Edgar	535	105	535	105	535	105	540	105
Edwards	220	45	220	45	220	45	220	45
Effingham	900	180	910	180	925	185	940	185
Fayette	545	110	545	110	545	110	550	110
Ford	435	85	440	85	440	85	440	90
Franklin	1,360	270	1,355	270	1,355	270	1,355	270
Fulton	1,225	245	1,225	245	1,230	245	1,230	245
Gallatin	215	40	210	40	210	40	210	40
Greene	480	95	480	95	475	95	475	95
Grundy	1,005	200	1,025	205	1,045	210	1,065	215
Hamilton	250	50	250	50	250	50	250	50
Hancock	630	125	625	125	625	125	620	125
Hardin	155	30	150	30	150	30	150	30
Henderson	245	50	250	50	250	50	250	50
Henry	1,515	305	1,525	305	1,530	305	1,540	305
Iroquois	945	190	950	190	950	190	955	190
Jackson	1,185	235	1,190	240	1,200	240	1,210	240
Jasper	295	60	295	60	295	60	295	60

**Projected Cancer Incidence for All Sites Combined by County, All Races, Both Sexes
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and bladder cancer *in situ* and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
Jefferson	1,095	220	1,105	220	1,120	225	1,130	225
Jersey	500	100	505	100	510	100	520	105
Jo Daviess	795	160	805	160	820	165	830	165
Johnson	370	75	375	75	375	75	380	75
Kane	7,550	1,510	7,765	1,550	7,980	1,595	8,185	1,635
Kankakee	2,740	550	2,765	555	2,795	560	2,825	565
Kendall	1,115	220	1,165	230	1,215	240	1,265	255
Knox	1,715	345	1,720	345	1,725	345	1,730	345
Lake	12,930	2,585	13,325	2,665	13,740	2,750	14,170	2,835
LaSalle	3,385	675	3,400	680	3,415	685	3,440	685
Lawrence	500	100	500	100	500	100	500	100
Lee	1,000	200	1,010	200	1,020	205	1,035	205
Livingston	1,050	210	1,050	210	1,055	210	1,060	210
Logan	850	170	850	170	855	170	855	170
McDonough	795	160	795	160	795	160	795	160
McHenry	5,215	1,045	5,410	1,080	5,610	1,120	5,810	1,160
McLean	2,920	585	2,975	595	3,035	605	3,095	620
Macon	3,630	725	3,650	730	3,670	735	3,690	740
Macoupin	1,455	290	1,460	290	1,465	295	1,475	295
Madison	6,940	1,390	7,000	1,400	7,070	1,415	7,140	1,430
Marion	1,325	265	1,330	265	1,335	265	1,345	270
Marshall	430	85	435	85	435	85	440	90
Mason	585	115	585	115	585	115	585	115
Massac	460	90	460	90	460	90	460	90
Menard	320	65	325	65	330	65	335	65
Mercer	510	100	510	100	515	100	515	105
Monroe	685	135	705	140	720	145	735	145
Montgomery	945	190	945	190	945	190	945	190
Morgan	985	195	990	200	995	200	1,000	200
Moultrie	425	85	425	85	425	85	430	85
Ogle	1,255	250	1,275	255	1,290	260	1,310	260
Peoria	5,120	1,025	5,145	1,030	5,180	1,035	5,220	1,045
Perry	590	115	595	120	595	120	600	120
Piatt	465	95	470	95	475	95	485	95
Pike	545	110	540	110	540	110	540	110
Pope	85	15	85	15	90	15	90	15
Pulaski	190	40	190	35	185	35	185	35
Putnam	200	40	200	40	205	40	210	40
Randolph	920	185	925	185	925	185	930	185
Richland	480	95	480	95	480	95	485	95
Rock Island	4,285	855	4,305	860	4,335	865	4,365	875

**Projected Cancer Incidence for All Sites Combined by County, All Races, Both Sexes
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and bladder cancer *in situ* and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
St. Clair	6,715	1,340	6,745	1,350	6,775	1,355	6,810	1,360
Saline	840	170	840	170	840	170	840	170
Sangamon	4,920	985	4,980	995	5,040	1,010	5,110	1,020
Schuyler	195	40	195	40	195	40	195	40
Scott	135	25	135	25	135	25	135	25
Shelby	660	130	665	130	665	135	670	135
Stark	215	40	215	40	215	40	215	40
Stephenson	1,270	255	1,280	255	1,290	260	1,305	260
Tazewell	3,675	735	3,725	745	3,780	755	3,840	770
Union	555	110	555	110	560	110	560	110
Vermilion	2,505	500	2,505	500	2,510	500	2,510	500
Wabash	365	70	365	70	365	75	370	75
Warren	505	100	505	100	500	100	505	100
Washington	510	100	515	100	515	100	515	105
Wayne	515	105	515	105	515	105	520	105
White	510	100	510	100	510	100	510	100
Whiteside	1,775	355	1,795	360	1,815	360	1,835	365
Will	9,800	1,960	10,220	2,045	10,665	2,135	11,125	2,225
Williamson	1,825	365	1,845	370	1,870	375	1,895	380
Winnebago	7,000	1,400	7,105	1,420	7,215	1,445	7,335	1,465
Woodford	915	185	930	185	950	190	965	195

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

Projected Colon and Rectum Cancer Incidence by County, All Races, Both Sexes Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006								
Figures estimate invasive cancer and are rounded to the nearest 5 cases. These projections are offered as a rough guide and should not be regarded as definitive.								
	1999-2003		2000-2004		2001-2005		2002-2006	
County	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
All Counties	36,325	7,265	36,745	7,350	37,185	7,435	37,650	7,530
Adams	265	55	270	55	270	55	275	55
Alexander	50	10	50	10	45	10	45	10
Bond	70	15	70	15	70	15	70	15
Boone	120	25	125	25	130	25	135	25
Brown	15	5	15	5	15	5	15	5
Bureau	150	30	155	30	155	30	155	30
Calhoun	20	5	20	5	20	5	20	5
Carroll	75	15	75	15	75	15	75	15
Cass	45	10	45	10	45	10	45	10
Champaign	365	75	375	75	380	75	390	75
Christian	150	30	155	30	155	30	155	30
Clark	55	10	55	10	55	10	55	10
Clay	75	15	75	15	75	15	75	15
Clinton	145	30	145	30	145	30	150	30
Coles	165	35	165	35	165	35	170	35
Cook	14,960	2,990	15,060	3,010	15,165	3,035	15,280	3,055
Crawford	100	20	100	20	105	20	105	20
Cumberland	45	10	50	10	50	10	50	10
DeKalb	205	40	210	40	210	40	215	45
DeWitt	55	10	55	10	55	10	55	10
Douglas	80	15	80	15	80	15	80	15
DuPage	2,115	420	2,180	435	2,250	450	2,330	465
Edgar	65	10	65	10	65	10	65	10
Edwards	35	5	35	5	35	5	35	5
Effingham	125	25	130	25	130	25	130	25
Fayette	80	15	80	15	80	15	80	15
Ford	75	15	75	15	75	15	75	15
Franklin	190	40	190	40	190	40	190	40
Fulton	155	30	155	30	155	30	155	30
Gallatin	30	5	30	5	30	5	30	5
Greene	80	15	75	15	75	15	75	15
Grundy	135	25	135	25	140	30	140	30
Hamilton	40	10	40	10	40	10	40	10
Hancock	85	15	85	15	85	15	85	15
Hardin	25	5	25	5	25	5	25	5
Henderson	30	5	30	5	30	5	30	5
Henry	200	40	200	40	200	40	200	40
Iroquois	140	30	140	30	140	30	145	30
Jackson	165	35	165	35	170	35	170	35
Jasper	45	10	45	10	45	10	45	10

Projected Colon and Rectum Cancer Incidence by County, All Races, Both Sexes Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006								
Figures estimate invasive cancer and are rounded to the nearest 5 cases. These projections are offered as a rough guide and should not be regarded as definitive.								
County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
Jefferson	155	30	155	30	155	30	160	30
Jersey	65	10	65	10	65	15	65	15
Jo Daviess	100	20	100	20	100	20	105	20
Johnson	45	10	45	10	45	10	45	10
Kane	875	175	900	180	925	185	945	190
Kankakee	330	65	330	65	335	65	340	65
Kendall	135	25	140	25	145	30	150	30
Knox	220	45	220	45	220	45	225	45
Lake	1,440	290	1,485	295	1,535	305	1,585	315
LaSalle	495	100	500	100	500	100	505	100
Lawrence	65	15	65	15	65	15	65	15
Lee	130	25	135	25	135	25	135	25
Livingston	120	25	120	25	120	25	120	25
Logan	110	20	110	20	110	20	110	20
McDonough	115	25	115	25	115	25	115	25
McHenry	615	120	635	125	660	130	680	135
McLean	355	70	360	70	370	75	375	75
Macon	445	90	445	90	445	90	450	90
Macoupin	225	45	225	45	230	45	230	45
Madison	945	190	955	190	965	195	975	195
Marion	165	35	165	35	170	35	170	35
Marshall	60	10	60	10	60	10	60	10
Mason	70	15	70	15	70	15	70	15
Massac	55	10	55	10	55	10	55	10
Menard	50	10	50	10	50	10	50	10
Mercer	60	10	60	10	60	10	60	10
Monroe	105	20	105	20	110	20	110	20
Montgomery	140	30	140	30	140	30	140	30
Morgan	145	30	145	30	145	30	145	30
Moultrie	55	10	55	10	55	10	55	10
Ogle	155	30	155	30	160	30	160	30
Peoria	615	125	620	125	625	125	630	125
Perry	100	20	100	20	100	20	100	20
Piatt	70	15	70	15	70	15	70	15
Pike	85	15	85	15	85	15	85	15
Pope	10	0	10	0	10	0	10	0
Pulaski	25	5	25	5	25	5	25	5
Putnam	20	5	20	5	20	5	20	5
Randolph	115	25	115	25	115	25	115	25
Richland	65	15	65	15	65	15	70	15
Rock Island	465	95	470	95	475	95	475	95

Projected Colon and Rectum Cancer Incidence by County, All Races, Both Sexes Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006								
Figures estimate invasive cancer and are rounded to the nearest 5 cases. These projections are offered as a rough guide and should not be regarded as definitive.								
	1999-2003		2000-2004		2001-2005		2002-2006	
County	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
St. Clair	900	180	905	180	910	180	915	185
Saline	140	30	140	30	140	30	140	30
Sangamon	600	120	605	120	610	120	620	125
Schuyler	30	5	30	5	30	5	30	5
Scott	20	5	20	5	20	5	20	5
Shelby	105	20	105	20	105	20	105	20
Stark	30	5	30	5	30	5	30	5
Stephenson	165	35	170	35	170	35	170	35
Tazewell	415	85	425	85	430	85	440	85
Union	70	15	70	15	70	15	70	15
Vermilion	325	65	325	65	325	65	325	65
Wabash	60	10	60	10	60	10	60	10
Warren	65	15	65	15	70	15	70	15
Washington	80	15	80	15	80	15	80	15
Wayne	80	15	80	15	80	15	80	15
White	80	15	80	15	80	15	80	15
Whiteside	195	40	200	40	200	40	205	40
Will	1,105	220	1,150	230	1,205	240	1,255	250
Williamson	225	45	230	45	230	45	235	45
Winnebago	835	165	850	170	860	170	875	175
Woodford	100	20	105	20	105	20	110	20

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Projected Lung Cancer Incidence by County, All Races, Both Sexes
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
All Counties	43,835	8,765	44,240	8,850	44,670	8,935	45,120	9,025
Adams	360	70	360	70	365	70	365	75
Alexander	55	10	55	10	55	10	50	10
Bond	85	15	85	15	85	15	85	15
Boone	115	25	120	25	125	25	130	25
Brown	20	5	20	5	20	5	20	5
Bureau	180	35	180	35	180	35	180	35
Calhoun	25	5	25	5	25	5	25	5
Carroll	100	20	100	20	100	20	105	20
Cass	60	10	60	10	60	10	60	10
Champaign	480	95	490	95	495	100	505	100
Christian	230	45	230	45	230	45	230	45
Clark	75	15	75	15	75	15	75	15
Clay	70	15	70	15	70	15	70	15
Clinton	140	25	140	25	140	30	145	30
Coles	240	50	240	50	240	50	245	50
Cook	17,710	3,540	17,785	3,555	17,860	3,570	17,940	3,590
Crawford	85	15	85	15	85	15	85	15
Cumberland	50	10	50	10	50	10	50	10
DeKalb	240	50	245	50	245	50	250	50
DeWitt	85	15	85	15	85	15	85	15
Douglas	85	15	85	15	85	15	85	15
DuPage	2,435	485	2,510	500	2,585	515	2,670	535
Edgar	90	20	90	20	90	20	90	20
Edwards	40	10	40	10	40	10	40	10
Effingham	125	25	125	25	125	25	125	25
Fayette	80	15	80	15	80	15	80	15
Ford	65	10	65	10	65	10	65	10
Franklin	250	50	250	50	250	50	250	50
Fulton	215	45	215	45	215	45	215	45
Gallatin	40	10	40	10	40	10	40	10
Greene	85	15	85	15	85	15	85	15
Grundy	135	25	140	25	140	30	145	30
Hamilton	45	10	45	10	45	10	45	10
Hancock	95	20	90	20	90	20	90	20
Hardin	30	5	30	5	30	5	30	5
Henderson	40	10	40	10	40	10	40	10
Henry	215	40	215	40	215	45	215	45
Iroquois	140	30	140	30	140	30	140	30
Jackson	170	35	170	35	170	35	170	35
Jasper	55	10	55	10	55	10	55	10

**Projected Lung Cancer Incidence by County, All Races, Both Sexes
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
Jefferson	155	30	155	30	155	30	160	30
Jersey	70	15	70	15	70	15	70	15
Jo Daviess	100	20	105	20	105	20	105	20
Johnson	55	10	55	10	55	10	55	10
Kane	1,000	200	1,025	205	1,050	210	1,075	215
Kankakee	455	90	460	90	465	90	465	95
Kendall	155	30	160	30	170	35	175	35
Knox	310	60	315	60	315	60	315	65
Lake	1,685	335	1,735	345	1,790	355	1,845	370
LaSalle	575	115	575	115	580	115	580	115
Lawrence	85	15	85	15	85	15	85	15
Lee	135	25	140	25	140	25	140	30
Livingston	150	30	150	30	150	30	150	30
Logan	135	25	135	25	135	25	135	25
McDonough	120	25	120	25	120	25	120	25
McHenry	700	140	725	145	750	150	775	155
McLean	385	75	390	80	395	80	405	80
Macon	590	120	595	120	595	120	600	120
Macoupin	245	50	245	50	245	50	245	50
Madison	1,225	245	1,235	245	1,245	250	1,260	250
Marion	230	45	230	45	230	45	230	45
Marshall	65	10	65	10	65	10	65	15
Mason	100	20	100	20	100	20	100	20
Massac	90	20	90	20	90	20	90	20
Menard	50	10	50	10	50	10	50	10
Mercer	80	15	80	15	80	15	80	15
Monroe	95	20	95	20	100	20	100	20
Montgomery	170	35	170	35	170	35	170	35
Morgan	180	35	180	35	180	35	180	35
Moultrie	70	15	70	15	70	15	70	15
Ogle	190	40	195	40	195	40	200	40
Peoria	835	165	840	170	845	170	850	170
Perry	85	15	85	15	85	15	85	15
Piatt	65	10	65	10	65	15	65	15
Pike	85	15	85	15	85	15	85	15
Pope	15	0	15	5	15	5	15	5
Pulaski	35	5	35	5	35	5	35	5
Putnam	35	5	35	5	35	5	35	5
Randolph	140	30	140	30	140	30	140	30
Richland	80	15	80	15	80	15	80	15
Rock Island	665	135	665	135	670	135	675	135

**Projected Lung Cancer Incidence by County, All Races, Both Sexes
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
St. Clair	1,145	230	1,150	230	1,150	230	1,155	230
Saline	185	35	185	35	185	35	185	35
Sangamon	785	155	790	160	800	160	810	160
Schuyler	30	5	30	5	30	5	35	5
Scott	20	5	20	5	20	5	20	5
Shelby	115	25	115	25	115	25	115	25
Stark	30	5	30	5	30	5	30	5
Stephenson	165	35	165	35	165	35	170	35
Tazewell	595	120	600	120	610	120	620	125
Union	95	20	95	20	95	20	95	20
Vermilion	460	90	460	90	460	90	460	90
Wabash	70	15	70	15	70	15	75	15
Warren	75	15	75	15	75	15	75	15
Washington	55	10	55	10	55	10	55	10
Wayne	95	20	95	20	95	20	95	20
White	90	20	90	20	90	20	90	20
Whiteside	260	50	265	50	265	55	270	55
Will	1,455	290	1,520	305	1,585	315	1,650	330
Williamson	310	60	315	60	315	65	320	65
Winnebago	1,105	220	1,120	225	1,140	225	1,160	230
Woodford	100	20	100	20	105	20	105	20

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Projected Female Breast Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

	1999-2003		2000-2004		2001-2005		2002-2006	
County	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
All Counties	44,420	8,885	44,945	8,990	45,490	9,095	46,060	9,210
Adams	255	50	255	50	255	50	260	50
Alexander	30	5	30	5	30	5	30	5
Bond	55	10	55	10	55	10	55	10
Boone	150	30	155	30	160	30	165	35
Brown	20	5	20	5	20	5	20	5
Bureau	155	30	155	30	155	30	155	30
Calhoun	15	0	15	0	15	0	15	0
Carroll	70	15	70	15	70	15	70	15
Cass	55	10	55	10	55	10	55	10
Champaign	555	110	565	115	575	115	585	115
Christian	140	30	140	30	140	30	140	30
Clark	70	15	70	15	70	15	75	15
Clay	60	10	60	10	60	10	60	10
Clinton	100	20	105	20	105	20	105	20
Coles	195	40	195	40	195	40	195	40
Cook	18,515	3,705	18,650	3,730	18,780	3,755	18,920	3,785
Crawford	85	15	85	15	90	15	90	15
Cumberland	40	10	40	10	40	10	45	10
DeKalb	295	60	300	60	305	60	315	60
DeWitt	75	15	75	15	75	15	75	15
Douglas	85	15	90	15	90	15	90	15
DuPage	3,440	685	3,535	705	3,645	730	3,755	750
Edgar	75	15	75	15	75	15	75	15
Edwards	40	5	40	5	40	5	40	5
Effingham	130	25	130	25	135	25	135	25
Fayette	70	15	70	15	70	15	70	15
Ford	70	15	70	15	70	15	70	15
Franklin	150	30	150	30	145	30	145	30
Fulton	155	30	155	30	155	30	155	30
Gallatin	20	5	20	5	20	5	20	5
Greene	60	10	60	10	60	10	60	10
Grundy	160	30	160	30	165	35	170	35
Hamilton	35	5	35	5	35	5	35	5
Hancock	90	20	90	20	90	20	90	20
Hardin	10	0	10	0	10	0	10	0
Henderson	40	10	40	10	40	10	40	10
Henry	215	40	215	40	215	45	215	45
Iroquois	125	25	125	25	125	25	130	25
Jackson	190	40	190	40	190	40	195	40
Jasper	30	5	30	5	30	5	30	5

**Projected Female Breast Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
Jefferson	160	30	165	30	165	30	165	35
Jersey	75	15	75	15	75	15	75	15
Jo Daviess	110	20	110	20	110	20	115	20
Johnson	45	10	45	10	45	10	45	10
Kane	1,235	245	1,270	255	1,305	260	1,345	270
Kankakee	355	70	360	70	365	70	365	75
Kendall	195	40	205	40	215	40	225	45
Knox	250	50	250	50	250	50	255	50
Lake	2,190	440	2,260	450	2,330	465	2,405	480
LaSalle	475	95	475	95	480	95	480	95
Lawrence	70	15	70	15	70	15	70	15
Lee	130	25	130	25	130	25	130	25
Livingston	160	30	165	30	165	30	165	35
Logan	120	25	120	25	120	25	120	25
McDonough	105	20	105	20	105	20	105	20
McHenry	810	160	845	170	880	175	915	185
McLean	470	95	480	95	490	95	500	100
Macon	495	100	495	100	495	100	500	100
Macoupin	195	40	195	40	195	40	200	40
Madison	935	185	940	190	950	190	960	190
Marion	175	35	175	35	175	35	175	35
Marshall	60	10	60	10	60	10	60	10
Mason	75	15	75	15	75	15	75	15
Massac	65	15	65	15	65	15	65	15
Menard	55	10	55	10	55	10	55	10
Mercer	75	15	75	15	75	15	75	15
Monroe	100	20	105	20	105	20	110	20
Montgomery	130	25	130	25	130	25	130	25
Morgan	135	25	135	25	135	25	135	25
Moultrie	75	15	75	15	75	15	75	15
Ogle	165	35	165	35	170	35	170	35
Peoria	780	155	785	155	790	160	795	160
Perry	60	10	60	10	60	10	60	10
Piatt	70	15	70	15	70	15	75	15
Pike	55	10	55	10	55	10	55	10
Pope	10	0	10	0	10	0	10	0
Pulaski	15	5	15	5	15	5	15	5
Putnam	25	5	25	5	25	5	30	5
Randolph	110	20	110	20	110	20	110	20
Richland	60	10	60	10	60	10	60	10
Rock Island	585	115	585	115	590	120	595	120

**Projected Female Breast Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
St. Clair	980	195	985	195	990	200	995	200
Saline	90	15	90	15	90	20	90	20
Sangamon	825	165	835	165	845	170	855	170
Schuyler	25	5	25	5	25	5	25	5
Scott	10	0	10	0	10	0	10	0
Shelby	75	15	75	15	75	15	80	15
Stark	25	5	25	5	25	5	25	5
Stephenson	180	35	180	35	180	35	185	35
Tazewell	500	100	505	100	510	100	515	105
Union	75	15	75	15	75	15	75	15
Vermilion	365	70	365	70	365	70	365	70
Wabash	55	10	55	10	55	10	55	10
Warren	70	15	70	15	70	15	70	15
Washington	60	10	60	10	65	10	65	10
Wayne	80	15	80	15	80	15	80	15
White	70	15	70	15	70	15	70	15
Whiteside	250	50	255	50	255	50	260	50
Will	1,535	305	1,605	320	1,675	335	1,750	350
Williamson	245	50	250	50	255	50	255	50
Winnebago	1,155	230	1,170	235	1,185	235	1,205	240
Woodford	145	30	145	30	150	30	150	30

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Projected Cervical Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
All Counties	3,440	685	3,480	695	3,520	705	3,565	710
Adams	20	5	20	5	20	5	20	5
Alexander	0	0	0	0	0	0	0	0
Bond	5	0	5	0	5	0	5	0
Boone	10	0	10	0	10	0	10	0
Brown	0	0	0	0	0	0	0	0
Bureau	10	0	10	0	10	0	10	0
Calhoun	0	0	0	0	0	0	0	0
Carroll	5	0	5	0	5	0	5	0
Cass	5	0	5	0	5	0	5	0
Champaign	35	5	35	5	35	5	35	5
Christian	10	0	10	0	10	0	10	0
Clark	5	0	5	0	5	0	5	0
Clay	5	0	5	0	5	0	5	0
Clinton	10	0	10	0	10	0	10	0
Coles	10	0	10	0	10	0	10	0
Cook	1,665	330	1,675	335	1,690	335	1,705	340
Crawford	10	0	10	0	10	0	10	0
Cumberland	5	0	5	0	5	0	5	0
DeKalb	20	5	20	5	20	5	20	5
DeWitt	5	0	5	0	5	0	5	0
Douglas	5	0	5	0	5	0	5	0
DuPage	165	35	170	35	175	35	180	35
Edgar	5	0	5	0	5	0	5	0
Edwards	5	0	5	0	5	0	5	0
Effingham	5	0	5	0	5	0	5	0
Fayette	5	0	5	0	5	0	5	0
Ford	0	0	0	0	0	0	0	0
Franklin	10	0	10	0	10	0	10	0
Fulton	5	0	5	0	5	0	5	0
Gallatin	0	0	0	0	0	0	0	0
Greene	0	0	0	0	0	0	0	0
Grundy	10	0	10	0	10	0	10	0
Hamilton	0	0	0	0	0	0	0	0
Hancock	5	0	5	0	5	0	5	0
Hardin	0	0	0	0	0	0	0	0
Henderson	5	0	5	0	5	0	5	0
Henry	20	5	20	5	20	5	20	5
Iroquois	10	0	10	0	10	0	10	0
Jackson	10	0	10	0	15	0	15	0
Jasper	0	0	0	0	0	0	0	0

**Projected Cervical Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
Jefferson	15	5	15	5	15	5	15	5
Jersey	0	0	0	0	0	0	0	0
Jo Daviess	10	0	10	0	10	0	10	0
Johnson	5	0	5	0	5	0	5	0
Kane	85	15	85	15	90	20	90	20
Kankakee	35	5	35	5	35	5	35	5
Kendall	5	0	5	0	5	0	5	0
Knox	25	5	25	5	25	5	25	5
Lake	150	30	155	30	155	30	160	30
LaSalle	35	5	35	5	35	5	35	5
Lawrence	10	0	10	0	10	0	10	0
Lee	10	0	10	0	10	0	10	0
Livingston	10	0	10	0	10	0	15	0
Logan	10	0	10	0	10	0	10	0
McDonough	5	0	5	0	5	0	5	0
McHenry	70	15	75	15	75	15	80	15
McLean	25	5	25	5	25	5	25	5
Macon	25	5	25	5	25	5	25	5
Macoupin	15	0	15	0	15	0	15	0
Madison	65	15	65	15	70	15	70	15
Marion	15	5	15	5	15	5	20	5
Marshall	0	0	0	0	0	0	0	0
Mason	5	0	5	0	5	0	5	0
Massac	5	0	5	0	5	0	5	0
Menard	5	0	5	0	5	0	5	0
Mercer	5	0	5	0	5	0	5	0
Monroe	5	0	5	0	5	0	5	0
Montgomery	10	0	10	0	10	0	10	0
Morgan	5	0	5	0	5	0	5	0
Moultrie	0	0	0	0	0	0	0	0
Ogle	15	5	15	5	15	5	15	5
Peoria	50	10	50	10	50	10	50	10
Perry	10	0	10	0	10	0	10	0
Piatt	5	0	5	0	5	0	5	0
Pike	5	0	5	0	5	0	5	0
Pope	0	0	0	0	0	0	0	0
Pulaski	5	0	5	0	5	0	5	0
Putnam	0	0	0	0	0	0	0	0
Randolph	10	0	10	0	10	0	10	0
Richland	5	0	5	0	5	0	5	0
Rock Island	65	15	65	15	65	15	65	15

**Projected Cervical Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
St. Clair	65	15	65	15	65	15	65	15
Saline	10	0	10	0	10	0	10	0
Sangamon	45	10	45	10	45	10	45	10
Schuyler	5	0	5	0	5	0	5	0
Scott	0	0	0	0	0	0	0	0
Shelby	5	0	5	0	5	0	5	0
Stark	0	0	0	0	0	0	0	0
Stephenson	10	0	10	0	10	0	10	0
Tazewell	25	5	25	5	25	5	30	5
Union	5	0	5	0	5	0	5	0
Vermilion	20	5	20	5	20	5	20	5
Wabash	0	0	0	0	0	0	0	0
Warren	5	0	5	0	5	0	5	0
Washington	10	0	10	0	10	0	10	0
Wayne	5	0	5	0	5	0	5	0
White	5	0	5	0	5	0	5	0
Whiteside	25	5	25	5	25	5	25	5
Will	105	20	110	20	115	20	120	25
Williamson	20	5	20	5	20	5	20	5
Winnebago	70	15	70	15	70	15	70	15
Woodford	5	0	5	0	5	0	5	0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

**Projected Prostate Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
All Counties	41,715	8,340	42,120	8,425	42,545	8,510	42,975	8,595
Adams	290	60	295	60	295	60	300	60
Alexander	45	10	45	10	45	10	45	10
Bond	80	15	80	15	80	15	80	15
Boone	120	25	125	25	130	25	135	25
Brown	15	5	20	5	20	5	20	5
Bureau	130	25	130	25	130	25	130	25
Calhoun	20	5	20	5	20	5	20	5
Carroll	75	15	75	15	75	15	75	15
Cass	50	10	50	10	50	10	50	10
Champaign	555	110	565	115	575	115	585	115
Christian	155	30	160	30	160	30	160	30
Clark	60	10	60	10	60	10	60	10
Clay	65	15	65	15	65	15	65	15
Clinton	135	25	135	25	140	25	140	30
Coles	185	35	185	35	190	35	190	40
Cook	17,530	3,505	17,595	3,520	17,665	3,530	17,735	3,545
Crawford	110	20	110	20	110	20	110	20
Cumberland	55	10	55	10	55	10	55	10
DeKalb	260	50	265	55	270	55	275	55
DeWitt	60	10	60	10	60	10	60	10
Douglas	80	15	80	15	80	15	80	15
DuPage	2,825	565	2,905	580	2,995	600	3,090	615
Edgar	65	10	65	10	65	10	65	10
Edwards	25	5	25	5	25	5	25	5
Effingham	170	35	170	35	175	35	175	35
Fayette	90	20	90	20	90	20	90	20
Ford	55	10	55	10	55	10	55	10
Franklin	205	40	205	40	205	40	205	40
Fulton	185	35	185	35	185	35	185	35
Gallatin	25	5	25	5	25	5	25	5
Greene	65	10	65	10	65	10	65	10
Grundy	140	25	140	30	140	30	145	30
Hamilton	40	5	40	5	40	5	40	5
Hancock	100	20	100	20	100	20	100	20
Hardin	15	5	15	5	15	5	20	5
Henderson	35	5	40	5	40	5	40	5
Henry	225	45	230	45	230	45	230	45
Iroquois	135	25	135	25	135	25	135	25
Jackson	165	30	165	35	165	35	170	35
Jasper	45	10	45	10	45	10	45	10

**Projected Prostate Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
Jefferson	165	30	165	35	165	35	170	35
Jersey	70	15	70	15	70	15	70	15
Jo Daviess	130	25	130	25	130	25	135	25
Johnson	55	10	55	10	60	10	60	10
Kane	1,040	210	1,070	215	1,105	220	1,130	225
Kankakee	385	75	385	75	390	75	390	80
Kendall	140	30	145	30	155	30	160	30
Knox	190	40	190	40	190	40	190	40
Lake	1,805	360	1,860	370	1,920	385	1,980	395
LaSalle	390	75	390	80	390	80	395	80
Lawrence	60	10	60	10	60	10	60	10
Lee	155	30	155	30	160	30	160	30
Livingston	125	25	125	25	125	25	125	25
Logan	110	20	110	20	110	20	110	20
McDonough	95	20	95	20	95	20	95	20
McHenry	665	130	690	135	715	140	735	145
McLean	375	75	385	75	390	80	400	80
Macon	690	135	695	140	700	140	705	140
Macoupin	190	35	190	40	190	40	190	40
Madison	1,015	205	1,025	205	1,035	205	1,040	210
Marion	220	45	220	45	225	45	225	45
Marshall	60	10	60	10	60	10	60	10
Mason	85	15	85	15	85	15	85	15
Massac	60	10	60	10	60	10	60	10
Menard	40	10	40	10	40	10	40	10
Mercer	80	15	80	15	80	15	85	15
Monroe	105	20	110	20	110	20	110	20
Montgomery	100	20	100	20	100	20	100	20
Morgan	110	20	110	20	115	20	115	20
Moultrie	60	10	60	10	60	10	60	10
Ogle	140	30	140	30	145	30	145	30
Peoria	745	150	750	150	750	150	755	150
Perry	105	20	105	20	105	20	105	20
Piatt	70	15	70	15	70	15	70	15
Pike	65	15	65	15	65	15	65	10
Pope	15	5	15	5	15	5	15	5
Pulaski	30	5	25	5	25	5	25	5
Putnam	30	5	30	5	30	5	30	5
Randolph	160	30	160	30	160	30	160	30
Richland	75	15	75	15	75	15	75	15
Rock Island	715	145	720	145	725	145	730	145

**Projected Prostate Cancer Incidence by County, All Races
Illinois, 1999 – 2003, 2000 – 2004, 2001 – 2005, 2002 - 2006**

Figures estimate invasive cancer and are rounded to the nearest 5 cases.
These projections are offered as a rough guide and should not be regarded as definitive.

County	1999-2003		2000-2004		2001-2005		2002-2006	
	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count	5-year Count	Average Annual Count
St. Clair	895	180	895	180	895	180	900	180
Saline	85	15	85	15	85	15	85	15
Sangamon	670	135	675	135	685	135	695	140
Schuyler	15	0	15	0	15	0	15	0
Scott	15	5	15	5	15	5	15	5
Shelby	110	20	110	20	110	20	110	20
Stark	20	5	20	5	20	5	20	5
Stephenson	165	35	170	35	170	35	170	35
Tazewell	540	110	550	110	560	110	565	115
Union	70	15	70	15	70	15	70	15
Vermilion	340	65	340	65	340	70	340	70
Wabash	35	5	35	5	35	5	35	5
Warren	65	10	65	10	65	10	65	10
Washington	75	15	75	15	75	15	75	15
Wayne	75	15	75	15	75	15	75	15
White	60	10	60	10	60	10	60	10
Whiteside	300	60	300	60	305	60	310	60
Will	1,310	260	1,365	275	1,425	285	1,485	295
Williamson	270	55	270	55	275	55	280	55
Winnebago	810	160	820	165	830	165	845	170
Woodford	140	30	145	30	145	30	150	30

Source: Illinois Department of Public Health, Illinois State Cancer Registry, November 2004.

APPENDIX A

Illinois County Population Totals, 1998 - 2002

Illinois	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	452,442	349,096	84,433	434,480	332,904	83,016
1-4	1,800,416	1,377,459	348,515	1,723,162	1,309,368	338,939
5-9	2,352,607	1,785,522	479,135	2,241,546	1,693,175	462,408
10-14	2,312,836	1,776,298	449,346	2,208,497	1,687,848	437,745
15-19	2,297,147	1,787,718	412,902	2,152,258	1,656,926	406,199
20-24	2,186,649	1,727,463	349,304	2,078,520	1,603,348	370,150
25-29	2,239,854	1,784,369	325,688	2,185,810	1,677,855	371,486
30-34	2,351,721	1,906,797	323,569	2,321,852	1,819,661	375,044
35-39	2,463,765	2,020,405	336,136	2,478,128	1,974,445	395,186
40-44	2,439,333	2,018,343	326,943	2,488,474	1,995,122	393,639
45-49	2,160,913	1,805,170	270,862	2,231,043	1,798,753	338,140
50-54	1,845,037	1,550,856	219,820	1,936,175	1,576,476	278,542
55-59	1,414,222	1,193,443	165,966	1,520,491	1,250,735	211,434
60-64	1,109,985	934,658	135,191	1,235,412	1,014,901	177,984
65-69	909,342	774,121	109,452	1,088,249	906,457	151,257
70-74	806,861	704,888	84,357	1,052,799	903,392	125,544
75-79	634,754	563,321	59,597	940,521	827,689	95,668
80-84	394,955	357,255	31,074	710,656	639,941	60,456
85+	270,514	245,027	21,752	701,880	638,456	56,038
Total	30,443,353	24,662,209	4,534,042	31,729,953	25,307,452	5,128,875
Adams	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,137	1,998	~	2,040	1,908	~
1-4	8,628	8,050	~	8,347	7,754	~
5-9	11,785	11,107	~	11,396	10,648	~
10-14	12,452	11,759	~	12,476	11,720	~
15-19	12,669	11,889	~	12,581	11,885	~
20-24	10,407	9,752	~	10,097	9,640	~
25-29	9,475	8,979	~	9,361	8,930	~
30-34	10,286	9,807	~	10,701	10,255	~
35-39	11,907	11,352	~	12,563	12,142	~
40-44	12,582	12,098	~	12,582	12,144	~
45-49	11,424	11,046	~	11,872	11,576	~
50-54	10,350	10,036	~	10,827	10,484	~
55-59	8,167	7,929	~	9,122	8,880	~
60-64	6,969	6,812	~	7,631	7,428	~
65-69	6,182	6,061	~	7,497	7,336	~
70-74	6,396	6,295	~	7,913	7,758	~
75-79	5,639	5,559	~	7,452	7,377	~
80-84	3,743	3,695	~	5,807	5,724	~
85+	2,711	2,679	~	6,865	6,768	~
Total	163,909	156,903	~	177,130	170,357	~
Alexander	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	287	148	~	363	158	~
1-4	1,188	603	~	1,281	591	~
5-9	1,755	894	~	1,528	769	~
10-14	1,888	1,102	~	1,761	943	~
15-19	1,835	1,064	~	1,591	930	~
20-24	1,374	829	~	1,342	734	~
25-29	1,487	806	~	1,364	775	~
30-34	1,678	1,039	~	1,352	800	~
35-39	1,801	1,102	~	1,469	916	~
40-44	1,785	1,196	~	1,740	1,165	~
45-49	1,723	1,146	~	1,633	1,064	~
50-54	1,450	1,013	~	1,504	1,046	~
55-59	1,146	895	~	1,226	908	~
60-64	1,063	821	~	1,174	877	~
65-69	918	692	~	1,208	886	~
70-74	830	692	~	1,093	870	~
75-79	596	482	~	999	824	~
80-84	475	377	~	751	612	~
85+	365	288	~	783	579	~
Total	23,644	15,189	~	24,162	15,447	~

Bond	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	529	511	~	426	395	~
1-4	2,012	1,951	~	1,907	1,804	~
5-9	2,791	2,655	~	2,538	2,398	~
10-14	2,716	2,577	~	2,645	2,511	~
15-19	3,413	3,203	~	3,325	3,145	~
20-24	3,985	3,338	~	3,387	3,281	~
25-29	3,823	2,646	~	2,102	2,031	~
30-34	4,118	3,155	~	2,328	2,262	~
35-39	4,085	3,342	~	2,785	2,708	~
40-44	3,905	3,347	~	2,945	2,832	~
45-49	3,491	3,146	~	2,879	2,795	~
50-54	2,954	2,737	~	2,456	2,378	~
55-59	2,202	2,056	~	1,962	1,910	~
60-64	1,795	1,727	~	1,869	1,816	~
65-69	1,633	1,576	~	1,700	1,654	~
70-74	1,447	1,406	~	1,686	1,658	~
75-79	1,216	1,186	~	1,580	1,532	~
80-84	701	692	~	1,164	1,139	~
85+	472	461	~	1,271	1,238	~
Total	47,288	41,712	~	40,955	39,487	~
Boone	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,541	1,508	~	1,498	1,463	~
1-4	6,402	6,158	~	6,130	5,901	~
5-9	9,266	8,939	~	8,642	8,392	~
10-14	9,335	9,101	~	8,729	8,520	~
15-19	8,087	7,921	~	7,553	7,373	~
20-24	6,099	5,939	~	5,687	5,494	~
25-29	6,402	6,216	~	6,255	6,079	~
30-34	7,975	7,799	~	7,715	7,495	~
35-39	8,877	8,670	~	8,943	8,741	~
40-44	8,451	8,279	~	8,448	8,305	~
45-49	7,474	7,378	~	7,103	6,966	~
50-54	6,376	6,263	~	6,369	6,261	~
55-59	5,688	5,615	~	5,241	5,180	~
60-64	3,984	3,942	~	4,057	4,031	~
65-69	3,149	3,137	~	3,378	3,361	~
70-74	2,596	2,576	~	3,044	3,026	~
75-79	1,932	1,927	~	2,616	2,603	~
80-84	1,159	1,152	~	2,063	2,058	~
85+	749	747	~	1,894	1,893	~
Total	105,542	103,267	~	105,365	103,142	~
Brown	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	153	153	~	106	105	~
1-4	541	540	~	572	570	~
5-9	882	882	~	808	804	~
10-14	913	906	~	814	805	~
15-19	1,304	1,057	~	907	906	~
20-24	2,787	1,460	~	629	622	~
25-29	2,768	1,379	~	651	648	~
30-34	2,599	1,408	~	751	743	~
35-39	2,587	1,537	~	869	858	~
40-44	1,981	1,365	~	876	873	~
45-49	1,418	1,050	~	884	882	~
50-54	1,030	922	~	740	740	~
55-59	671	643	~	700	700	~
60-64	636	624	~	645	645	~
65-69	549	544	~	571	571	~
70-74	403	403	~	579	579	~
75-79	385	385	~	473	473	~
80-84	286	286	~	477	477	~
85+	184	184	~	518	518	~
Total	22,077	15,728	~	12,570	12,519	~

Bureau	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,048	1,019	~	975	944	~
1-4	4,496	4,348	~	4,025	3,927	~
5-9	5,927	5,795	~	5,918	5,783	~
10-14	6,346	6,234	~	6,352	6,236	~
15-19	6,911	6,779	~	6,305	6,181	~
20-24	4,600	4,515	~	4,271	4,213	~
25-29	4,565	4,483	~	4,497	4,422	~
30-34	5,382	5,338	~	5,494	5,392	~
35-39	6,480	6,396	~	6,228	6,157	~
40-44	6,716	6,654	~	6,858	6,799	~
45-49	6,449	6,392	~	6,523	6,444	~
50-54	5,839	5,779	~	5,782	5,711	~
55-59	4,624	4,590	~	4,811	4,754	~
60-64	4,011	3,976	~	4,343	4,313	~
65-69	3,403	3,402	~	3,818	3,788	~
70-74	3,313	3,309	~	3,996	3,974	~
75-79	2,788	2,782	~	4,095	4,092	~
80-84	1,942	1,939	~	3,355	3,351	~
85+	1,217	1,217	~	3,484	3,468	~
Total	86,057	84,947	~	91,130	89,949	~
Calhoun	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	124	123	~	97	97	~
1-4	539	539	~	542	541	~
5-9	742	742	~	824	822	~
10-14	888	888	~	817	817	~
15-19	950	950	~	820	814	~
20-24	698	694	~	606	606	~
25-29	677	671	~	573	573	~
30-34	769	769	~	778	773	~
35-39	981	973	~	917	915	~
40-44	1,000	993	~	875	860	~
45-49	849	845	~	813	808	~
50-54	809	807	~	803	798	~
55-59	769	766	~	769	762	~
60-64	726	723	~	683	681	~
65-69	646	646	~	707	707	~
70-74	594	594	~	575	575	~
75-79	459	459	~	539	539	~
80-84	280	280	~	417	417	~
85+	225	225	~	462	460	~
Total	12,725	12,687	~	12,617	12,565	~
Carroll	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	497	490	~	368	363	~
1-4	1,938	1,877	~	1,747	1,704	~
5-9	2,728	2,669	~	2,551	2,506	~
10-14	3,188	3,111	~	2,937	2,884	~
15-19	3,004	2,962	~	2,915	2,855	~
20-24	1,924	1,887	~	1,801	1,777	~
25-29	2,262	2,223	~	1,896	1,866	~
30-34	2,286	2,266	~	2,305	2,262	~
35-39	3,012	2,953	~	2,977	2,939	~
40-44	3,092	3,056	~	3,252	3,203	~
45-49	3,103	3,076	~	2,976	2,931	~
50-54	2,711	2,685	~	2,672	2,647	~
55-59	2,341	2,319	~	2,413	2,407	~
60-64	2,122	2,118	~	2,097	2,083	~
65-69	1,999	1,992	~	2,248	2,229	~
70-74	1,885	1,876	~	2,090	2,071	~
75-79	1,394	1,379	~	1,934	1,906	~
80-84	952	952	~	1,402	1,397	~
85+	705	702	~	1,444	1,444	~
Total	41,143	40,593	~	42,025	41,474	~

Cass	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	490	484	~	397	395	~
1-4	1,884	1,870	~	1,794	1,772	~
5-9	2,437	2,415	~	2,236	2,211	~
10-14	2,509	2,490	~	2,273	2,261	~
15-19	2,641	2,601	~	2,175	2,160	~
20-24	2,165	2,130	~	1,923	1,897	~
25-29	2,217	2,200	~	1,989	1,973	~
30-34	2,224	2,208	~	2,327	2,307	~
35-39	2,683	2,647	~	2,494	2,473	~
40-44	2,472	2,453	~	2,539	2,519	~
45-49	2,556	2,540	~	2,329	2,312	~
50-54	2,028	2,020	~	2,073	2,071	~
55-59	1,763	1,760	~	1,762	1,758	~
60-64	1,490	1,489	~	1,662	1,662	~
65-69	1,305	1,299	~	1,475	1,469	~
70-74	1,045	1,045	~	1,512	1,508	~
75-79	1,048	1,048	~	1,364	1,363	~
80-84	564	564	~	1,082	1,082	~
85+	484	484	~	1,101	1,100	~
Total	34,005	33,747	~	34,507	34,293	~
Champaign	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	5,640	4,134	1,112	5,518	4,075	1,075
1-4	21,857	16,050	4,425	20,852	15,558	3,929
5-9	27,154	20,203	5,624	25,547	19,091	5,241
10-14	27,478	21,334	5,049	25,489	19,822	4,593
15-19	50,411	39,121	5,829	44,446	35,172	6,116
20-24	75,199	59,203	6,196	64,781	50,601	7,555
25-29	39,115	29,582	4,039	35,870	26,130	4,541
30-34	32,235	25,011	3,445	30,114	23,245	3,499
35-39	29,279	23,955	3,167	29,860	24,576	3,262
40-44	29,705	25,428	2,972	30,813	25,975	3,474
45-49	27,280	23,719	2,629	28,776	24,706	2,972
50-54	22,700	20,028	1,895	23,285	20,050	2,319
55-59	16,077	14,235	1,278	17,426	15,354	1,471
60-64	12,934	11,420	1,092	14,244	12,459	1,309
65-69	11,140	10,029	819	12,788	11,366	1,070
70-74	9,800	8,976	657	11,765	10,724	838
75-79	7,146	6,624	441	10,659	9,829	698
80-84	4,634	4,398	189	8,198	7,700	451
85+	3,296	3,140	118	8,240	7,780	405
Total	453,080	366,590	50,976	448,671	364,213	54,818
Christian	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,076	1,066	~	932	925	~
1-4	4,527	4,434	~	4,000	3,934	~
5-9	5,946	5,847	~	5,717	5,645	~
10-14	6,396	6,289	~	6,116	6,034	~
15-19	6,203	5,888	~	5,562	5,484	~
20-24	5,116	4,701	~	4,461	4,428	~
25-29	5,433	5,026	~	5,006	4,962	~
30-34	6,154	5,642	~	5,189	5,152	~
35-39	7,443	6,634	~	6,156	6,086	~
40-44	7,520	6,878	~	6,597	6,544	~
45-49	6,666	6,313	~	6,052	6,020	~
50-54	5,312	5,089	~	5,358	5,316	~
55-59	4,562	4,492	~	4,640	4,614	~
60-64	3,933	3,883	~	4,233	4,212	~
65-69	3,556	3,516	~	3,997	3,956	~
70-74	3,062	3,042	~	3,998	3,988	~
75-79	2,474	2,465	~	3,685	3,672	~
80-84	1,537	1,533	~	3,215	3,214	~
85+	1,222	1,218	~	3,619	3,611	~
Total	88,138	83,956	~	88,533	87,797	~

Clark		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	449	449	~	464	461	~	
1-4	1,930	1,904	~	2,172	2,157	~	
5-9	3,201	3,155	~	2,810	2,758	~	
10-14	3,258	3,220	~	2,851	2,826	~	
15-19	3,089	3,061	~	2,743	2,728	~	
20-24	2,271	2,250	~	2,196	2,188	~	
25-29	2,175	2,147	~	2,240	2,227	~	
30-34	2,637	2,619	~	2,655	2,642	~	
35-39	3,253	3,223	~	3,102	3,083	~	
40-44	3,211	3,204	~	3,230	3,210	~	
45-49	3,080	3,066	~	2,919	2,904	~	
50-54	2,472	2,469	~	2,621	2,606	~	
55-59	2,241	2,241	~	2,500	2,499	~	
60-64	1,965	1,965	~	1,925	1,919	~	
65-69	1,529	1,526	~	2,024	2,020	~	
70-74	1,643	1,643	~	2,072	2,067	~	
75-79	1,396	1,396	~	1,893	1,893	~	
80-84	840	837	~	1,537	1,536	~	
85+	651	651	~	1,664	1,661	~	
Total	41,291	41,026	~	43,618	43,385	~	
Clay		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	479	468	~	448	440	~	
1-4	1,769	1,745	~	1,648	1,620	~	
5-9	2,537	2,495	~	2,303	2,259	~	
10-14	2,548	2,537	~	2,479	2,453	~	
15-19	2,359	2,342	~	2,527	2,499	~	
20-24	2,020	1,999	~	2,006	2,004	~	
25-29	1,974	1,954	~	1,987	1,964	~	
30-34	2,247	2,220	~	2,099	2,068	~	
35-39	2,475	2,449	~	2,560	2,546	~	
40-44	2,776	2,735	~	2,561	2,531	~	
45-49	2,530	2,510	~	2,541	2,527	~	
50-54	2,247	2,238	~	2,177	2,173	~	
55-59	1,779	1,771	~	1,958	1,944	~	
60-64	1,636	1,632	~	1,860	1,840	~	
65-69	1,413	1,413	~	1,699	1,692	~	
70-74	1,436	1,431	~	1,799	1,793	~	
75-79	1,062	1,061	~	1,778	1,777	~	
80-84	847	844	~	1,505	1,505	~	
85+	656	656	~	1,786	1,781	~	
Total	34,790	34,500	~	37,721	37,416	~	
Clinton		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	970	955	~	1,052	1,024	~	
1-4	4,447	4,364	~	4,239	4,124	~	
5-9	6,229	6,046	~	5,988	5,887	~	
10-14	6,642	6,512	~	6,237	6,103	~	
15-19	7,125	6,737	~	5,834	5,757	~	
20-24	7,061	5,934	~	4,816	4,733	~	
25-29	6,370	5,252	~	4,654	4,561	~	
30-34	6,922	5,895	~	5,650	5,556	~	
35-39	8,105	7,152	~	6,958	6,864	~	
40-44	7,942	7,258	~	6,982	6,870	~	
45-49	6,765	6,317	~	5,963	5,878	~	
50-54	5,113	4,927	~	4,826	4,742	~	
55-59	4,021	3,943	~	4,163	4,106	~	
60-64	3,528	3,486	~	3,749	3,702	~	
65-69	3,208	3,178	~	3,510	3,467	~	
70-74	3,068	3,047	~	3,761	3,734	~	
75-79	2,210	2,196	~	3,277	3,244	~	
80-84	1,256	1,250	~	2,296	2,274	~	
85+	898	891	~	2,355	2,336	~	
Total	91,880	85,340	~	86,310	84,962	~	

Coles	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,505	1,437	~	1,414	1,328	~
1-4	5,758	5,494	~	5,559	5,244	~
5-9	7,145	6,856	~	6,749	6,417	~
10-14	7,512	7,301	~	7,059	6,804	~
15-19	11,716	11,104	~	13,670	12,846	~
20-24	20,764	19,429	~	23,393	22,097	~
25-29	8,836	8,390	~	7,830	7,440	~
30-34	7,207	7,002	~	6,964	6,729	~
35-39	7,452	7,253	~	8,172	7,977	~
40-44	8,759	8,545	~	8,866	8,641	~
45-49	8,345	8,157	~	8,585	8,395	~
50-54	7,056	6,914	~	7,314	7,164	~
55-59	5,505	5,393	~	5,776	5,705	~
60-64	4,595	4,517	~	5,152	5,077	~
65-69	4,135	4,101	~	4,651	4,580	~
70-74	3,683	3,656	~	4,994	4,952	~
75-79	2,944	2,906	~	4,612	4,563	~
80-84	1,871	1,855	~	3,529	3,507	~
85+	1,354	1,349	~	3,608	3,587	~
Total	126,142	121,659	~	137,897	133,053	~
Cook	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	206,211	134,275	60,814	198,275	128,018	59,466
1-4	794,195	503,748	248,203	763,714	478,933	243,175
5-9	1,021,997	623,771	348,512	976,899	591,837	336,827
10-14	969,205	592,190	327,929	932,034	564,292	320,880
15-19	933,155	591,028	288,067	890,761	546,378	292,820
20-24	945,280	649,879	231,749	933,150	604,176	265,522
25-29	1,090,925	788,909	219,273	1,091,737	725,817	279,125
30-34	1,090,101	791,323	223,101	1,083,149	721,593	284,863
35-39	1,049,173	746,639	238,264	1,058,830	693,898	302,642
40-44	1,001,843	707,335	238,152	1,048,424	683,988	306,051
45-49	871,571	620,488	199,770	938,022	617,429	263,949
50-54	748,607	536,239	166,814	826,682	555,021	221,644
55-59	572,114	408,143	130,094	651,802	442,926	171,754
60-64	459,349	324,299	109,081	543,021	367,390	147,433
65-69	377,579	271,143	89,120	472,654	327,130	124,977
70-74	331,911	250,701	68,839	453,258	333,036	103,722
75-79	263,003	205,722	48,735	401,322	310,092	78,983
80-84	161,168	130,803	25,490	295,369	238,268	49,643
85+	108,701	88,391	17,594	278,744	228,178	45,144
Total	12,996,088	8,965,026	3,279,601	13,837,847	9,158,400	3,898,620
Crawford	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	475	470	~	543	526	~
1-4	2,388	2,299	~	2,151	2,091	~
5-9	3,251	3,159	~	2,835	2,773	~
10-14	3,605	3,512	~	3,385	3,317	~
15-19	3,884	3,600	~	3,331	3,278	~
20-24	3,752	2,974	~	2,532	2,491	~
25-29	3,740	2,741	~	2,623	2,599	~
30-34	3,975	3,226	~	2,922	2,871	~
35-39	4,338	3,695	~	3,552	3,507	~
40-44	4,498	4,061	~	3,688	3,624	~
45-49	3,838	3,597	~	3,411	3,345	~
50-54	3,159	3,039	~	3,147	3,131	~
55-59	2,599	2,573	~	2,608	2,591	~
60-64	2,289	2,265	~	2,532	2,528	~
65-69	2,060	2,043	~	2,292	2,279	~
70-74	1,848	1,840	~	2,459	2,453	~
75-79	1,434	1,422	~	2,010	2,008	~
80-84	916	910	~	1,640	1,640	~
85+	707	700	~	1,654	1,654	~
Total	52,756	48,126	~	49,315	48,706	~

Cumberland		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	340	339	~	293	290	~	
1-4	1,412	1,402	~	1,438	1,406	~	
5-9	1,996	1,992	~	1,951	1,935	~	
10-14	2,233	2,227	~	2,153	2,148	~	
15-19	2,214	2,206	~	2,153	2,138	~	
20-24	1,633	1,620	~	1,396	1,392	~	
25-29	1,557	1,543	~	1,552	1,544	~	
30-34	1,956	1,952	~	1,835	1,830	~	
35-39	2,059	2,059	~	2,019	2,010	~	
40-44	2,090	2,084	~	2,223	2,211	~	
45-49	2,073	2,071	~	1,807	1,799	~	
50-54	1,703	1,691	~	1,679	1,674	~	
55-59	1,459	1,456	~	1,435	1,435	~	
60-64	1,149	1,143	~	1,261	1,259	~	
65-69	963	961	~	1,140	1,135	~	
70-74	958	958	~	1,196	1,189	~	
75-79	725	725	~	1,104	1,099	~	
80-84	547	546	~	947	947	~	
85+	293	293	~	941	941	~	
Total	27,360	27,268	~	28,523	28,382	~	
DeKalb		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	2,914	2,653	~	2,750	2,504	~	
1-4	11,413	10,320	~	10,869	9,846	~	
5-9	14,563	13,528	~	13,891	12,939	~	
10-14	14,679	13,897	~	14,416	13,619	~	
15-19	21,992	19,528	~	23,334	19,581	~	
20-24	34,730	29,912	~	33,938	28,147	~	
25-29	17,718	15,940	~	15,371	13,685	~	
30-34	14,960	14,024	~	14,333	13,345	~	
35-39	15,489	14,743	~	15,653	14,896	~	
40-44	15,645	14,975	~	15,514	14,862	~	
45-49	13,590	13,062	~	13,150	12,664	~	
50-54	11,301	10,975	~	10,817	10,468	~	
55-59	8,501	8,294	~	8,411	8,198	~	
60-64	6,289	6,112	~	6,702	6,535	~	
65-69	5,158	5,039	~	6,049	5,914	~	
70-74	4,527	4,471	~	5,811	5,724	~	
75-79	3,802	3,775	~	5,405	5,342	~	
80-84	2,475	2,463	~	4,343	4,321	~	
85+	1,743	1,733	~	4,414	4,375	~	
Total	221,489	205,444	~	225,171	206,965	~	
DeWitt		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	486	481	~	534	530	~	
1-4	1,966	1,914	~	2,244	2,226	~	
5-9	2,890	2,841	~	2,859	2,832	~	
10-14	3,032	2,982	~	2,789	2,764	~	
15-19	3,066	3,025	~	2,656	2,633	~	
20-24	2,294	2,225	~	2,229	2,212	~	
25-29	2,552	2,476	~	2,424	2,405	~	
30-34	2,812	2,769	~	2,599	2,570	~	
35-39	3,283	3,256	~	3,092	3,073	~	
40-44	3,468	3,451	~	3,291	3,270	~	
45-49	3,135	3,115	~	3,104	3,083	~	
50-54	2,608	2,583	~	2,445	2,433	~	
55-59	2,138	2,125	~	2,445	2,420	~	
60-64	1,910	1,896	~	2,054	2,050	~	
65-69	1,570	1,565	~	1,719	1,714	~	
70-74	1,423	1,418	~	1,767	1,767	~	
75-79	1,080	1,077	~	1,763	1,761	~	
80-84	842	839	~	1,352	1,349	~	
85+	449	445	~	1,390	1,385	~	
Total	41,004	40,483	~	42,756	42,477	~	

Douglas	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	732	728	~	717	711	~
1-4	2,770	2,741	~	2,730	2,698	~
5-9	3,432	3,393	~	3,485	3,420	~
10-14	4,005	3,976	~	3,845	3,815	~
15-19	3,954	3,934	~	3,632	3,609	~
20-24	2,758	2,715	~	2,787	2,775	~
25-29	2,860	2,805	~	2,692	2,675	~
30-34	2,904	2,873	~	3,080	3,061	~
35-39	3,729	3,687	~	3,536	3,511	~
40-44	3,952	3,927	~	3,941	3,925	~
45-49	3,644	3,617	~	3,383	3,349	~
50-54	2,837	2,811	~	3,020	3,000	~
55-59	2,390	2,373	~	2,373	2,368	~
60-64	2,091	2,076	~	2,520	2,511	~
65-69	1,883	1,880	~	2,274	2,271	~
70-74	1,770	1,770	~	2,137	2,135	~
75-79	1,330	1,327	~	1,965	1,964	~
80-84	869	869	~	1,544	1,541	~
85+	550	550	~	1,540	1,540	~
Total	48,460	48,052	~	51,201	50,879	~
DuPage	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	33,109	28,570	1,372	32,308	27,703	1,494
1-4	134,926	116,358	5,931	128,819	110,269	5,746
5-9	175,857	152,763	8,010	166,277	144,632	7,306
10-14	173,406	150,745	7,207	163,360	142,074	6,996
15-19	160,737	140,001	6,129	146,856	127,034	6,137
20-24	137,426	119,641	5,120	125,087	106,872	5,328
25-29	154,651	131,901	6,170	151,516	125,883	7,120
30-34	177,260	152,629	6,693	177,005	149,956	7,503
35-39	195,849	172,475	6,322	201,712	176,204	7,519
40-44	197,752	176,594	5,625	204,352	180,833	6,904
45-49	175,197	155,801	4,443	181,620	160,332	5,293
50-54	149,084	131,937	3,445	154,260	136,393	4,072
55-59	111,265	98,949	2,183	114,619	102,918	2,241
60-64	77,419	69,477	1,317	80,128	72,417	1,234
65-69	56,421	51,873	722	64,520	59,591	868
70-74	47,674	44,889	401	61,305	57,702	570
75-79	37,038	35,171	268	55,136	52,519	437
80-84	22,543	21,575	124	43,306	41,779	216
85+	15,331	14,791	87	42,570	41,483	241
Total	2,232,945	1,966,140	71,569	2,294,756	2,016,594	77,225
Edgar	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	575	569	~	590	578	~
1-4	2,274	2,244	~	2,154	2,127	~
5-9	3,018	2,996	~	3,262	3,200	~
10-14	3,516	3,490	~	3,474	3,445	~
15-19	3,633	3,537	~	3,269	3,252	~
20-24	3,030	2,701	~	2,665	2,642	~
25-29	3,110	2,748	~	2,601	2,567	~
30-34	3,074	2,846	~	2,692	2,650	~
35-39	3,646	3,364	~	3,429	3,386	~
40-44	4,097	3,906	~	3,762	3,746	~
45-49	3,584	3,513	~	3,398	3,391	~
50-54	3,177	3,115	~	3,112	3,090	~
55-59	2,512	2,507	~	2,626	2,605	~
60-64	2,148	2,136	~	2,464	2,451	~
65-69	1,855	1,846	~	2,193	2,171	~
70-74	1,670	1,668	~	2,548	2,541	~
75-79	1,458	1,455	~	2,262	2,251	~
80-84	906	896	~	1,810	1,807	~
85+	776	767	~	2,074	2,066	~
Total	48,059	46,304	~	50,385	49,966	~

Edwards	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	209	209	~	216	214	~
1-4	783	778	~	778	773	~
5-9	1,095	1,082	~	1,107	1,099	~
10-14	1,153	1,146	~	1,152	1,126	~
15-19	1,213	1,207	~	1,026	1,011	~
20-24	983	982	~	1,025	1,018	~
25-29	957	954	~	958	950	~
30-34	1,059	1,054	~	1,033	1,016	~
35-39	1,195	1,190	~	1,097	1,097	~
40-44	1,362	1,361	~	1,342	1,336	~
45-49	1,225	1,221	~	1,307	1,297	~
50-54	1,149	1,146	~	1,143	1,143	~
55-59	919	919	~	942	942	~
60-64	837	837	~	936	936	~
65-69	753	743	~	893	890	~
70-74	594	594	~	853	850	~
75-79	590	585	~	784	784	~
80-84	419	419	~	729	729	~
85+	272	272	~	570	570	~
Total	16,767	16,699	~	17,891	17,781	~
Effingham	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,209	1,198	~	1,132	1,118	~
1-4	5,279	5,205	~	4,528	4,479	~
5-9	7,165	7,085	~	6,286	6,223	~
10-14	7,188	7,117	~	6,918	6,833	~
15-19	6,985	6,932	~	6,293	6,250	~
20-24	4,810	4,773	~	4,840	4,819	~
25-29	5,197	5,141	~	5,059	5,015	~
30-34	5,476	5,425	~	5,309	5,242	~
35-39	6,652	6,568	~	6,620	6,573	~
40-44	6,948	6,900	~	6,864	6,801	~
45-49	6,026	5,975	~	5,688	5,653	~
50-54	5,033	5,002	~	5,029	4,998	~
55-59	3,812	3,785	~	3,995	3,980	~
60-64	3,288	3,279	~	3,594	3,588	~
65-69	2,812	2,802	~	3,237	3,235	~
70-74	2,450	2,442	~	3,285	3,280	~
75-79	1,992	1,989	~	2,977	2,976	~
80-84	1,293	1,293	~	2,236	2,236	~
85+	1,057	1,054	~	2,543	2,543	~
Total	84,672	83,965	~	86,433	85,842	~
Fayette	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	597	596	~	615	610	~
1-4	2,650	2,634	~	2,675	2,649	~
5-9	3,408	3,400	~	3,380	3,362	~
10-14	3,823	3,818	~	3,754	3,744	~
15-19	4,054	3,743	~	3,641	3,616	~
20-24	4,273	3,254	~	2,682	2,670	~
25-29	4,282	3,167	~	2,915	2,896	~
30-34	4,357	3,405	~	2,985	2,970	~
35-39	4,918	4,148	~	3,697	3,676	~
40-44	4,828	4,216	~	3,747	3,733	~
45-49	4,016	3,758	~	3,577	3,562	~
50-54	3,245	3,148	~	2,938	2,923	~
55-59	2,617	2,565	~	2,873	2,863	~
60-64	2,364	2,334	~	2,440	2,426	~
65-69	2,116	2,113	~	2,398	2,395	~
70-74	1,876	1,871	~	2,251	2,251	~
75-79	1,413	1,410	~	2,045	2,044	~
80-84	1,011	1,011	~	1,753	1,751	~
85+	697	694	~	1,682	1,682	~
Total	56,545	51,285	~	52,048	51,823	~

Ford		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	504	502	~	420	416	~	
1-4	1,902	1,849	~	1,711	1,682	~	
5-9	2,488	2,476	~	2,352	2,320	~	
10-14	2,819	2,805	~	2,660	2,638	~	
15-19	2,579	2,554	~	2,405	2,396	~	
20-24	1,644	1,616	~	1,796	1,786	~	
25-29	1,894	1,866	~	1,752	1,724	~	
30-34	2,000	1,968	~	2,085	2,064	~	
35-39	2,482	2,466	~	2,727	2,716	~	
40-44	2,853	2,832	~	2,875	2,869	~	
45-49	2,420	2,415	~	2,397	2,376	~	
50-54	2,110	2,103	~	2,002	1,995	~	
55-59	1,702	1,688	~	1,772	1,750	~	
60-64	1,418	1,413	~	1,713	1,708	~	
65-69	1,479	1,474	~	1,526	1,520	~	
70-74	1,356	1,355	~	1,863	1,850	~	
75-79	997	994	~	1,729	1,725	~	
80-84	863	863	~	1,463	1,463	~	
85+	593	593	~	1,713	1,710	~	
Total	34,103	33,832	~	36,961	36,708	~	
Franklin		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	1,138	1,133	~	1,083	1,079	~	
1-4	4,520	4,493	~	4,362	4,324	~	
5-9	6,356	6,331	~	5,827	5,806	~	
10-14	6,805	6,764	~	6,541	6,487	~	
15-19	6,365	6,307	~	6,357	6,341	~	
20-24	5,632	5,590	~	5,393	5,363	~	
25-29	5,594	5,534	~	5,553	5,504	~	
30-34	6,054	6,007	~	6,165	6,135	~	
35-39	6,592	6,543	~	6,821	6,782	~	
40-44	7,185	7,140	~	7,270	7,239	~	
45-49	6,638	6,604	~	6,813	6,778	~	
50-54	6,456	6,413	~	6,428	6,391	~	
55-59	5,354	5,322	~	5,850	5,822	~	
60-64	4,817	4,800	~	5,079	5,059	~	
65-69	4,068	4,053	~	4,655	4,641	~	
70-74	3,611	3,602	~	4,884	4,876	~	
75-79	3,153	3,149	~	4,776	4,756	~	
80-84	2,001	1,993	~	3,869	3,861	~	
85+	1,315	1,314	~	3,952	3,946	~	
Total	93,654	93,092	~	101,678	101,190	~	
Fulton		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	1,057	1,045	~	934	924	~	
1-4	4,355	4,294	~	4,123	4,072	~	
5-9	5,922	5,811	~	5,537	5,436	~	
10-14	6,369	6,291	~	5,949	5,846	~	
15-19	6,759	6,460	~	5,628	5,543	~	
20-24	6,946	5,747	~	4,865	4,840	~	
25-29	7,119	5,621	~	4,787	4,735	~	
30-34	7,488	6,100	~	5,463	5,413	~	
35-39	7,696	6,712	~	6,435	6,397	~	
40-44	7,535	6,919	~	6,708	6,653	~	
45-49	6,978	6,627	~	6,569	6,530	~	
50-54	5,986	5,779	~	5,799	5,769	~	
55-59	4,809	4,740	~	5,038	5,006	~	
60-64	4,246	4,204	~	4,683	4,653	~	
65-69	3,833	3,807	~	4,369	4,333	~	
70-74	3,570	3,553	~	4,651	4,632	~	
75-79	3,187	3,176	~	4,447	4,432	~	
80-84	2,224	2,214	~	3,458	3,446	~	
85+	1,641	1,636	~	3,478	3,461	~	
Total	97,720	90,736	~	92,921	92,121	~	

Gallatin	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	176	174	~	184	184	~
1-4	714	702	~	615	615	~
5-9	1,047	1,042	~	973	966	~
10-14	1,070	1,050	~	949	936	~
15-19	1,116	1,112	~	1,046	1,033	~
20-24	874	869	~	888	882	~
25-29	889	884	~	964	964	~
30-34	874	872	~	914	902	~
35-39	1,048	1,044	~	1,183	1,175	~
40-44	1,171	1,157	~	1,047	1,046	~
45-49	932	928	~	1,134	1,132	~
50-54	1,044	1,036	~	1,208	1,205	~
55-59	1,162	1,156	~	1,089	1,089	~
60-64	861	858	~	901	898	~
65-69	774	768	~	802	797	~
70-74	658	653	~	689	688	~
75-79	445	443	~	653	648	~
80-84	315	315	~	632	623	~
85+	299	299	~	633	632	~
Total	15,469	15,362	~	16,504	16,415	~
Greene	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	432	423	~	415	414	~
1-4	1,862	1,839	~	1,851	1,839	~
5-9	2,561	2,532	~	2,485	2,469	~
10-14	2,782	2,760	~	2,734	2,716	~
15-19	3,136	2,947	~	2,488	2,470	~
20-24	2,463	2,267	~	1,994	1,983	~
25-29	2,120	2,037	~	1,977	1,970	~
30-34	2,259	2,197	~	2,172	2,171	~
35-39	2,669	2,660	~	2,600	2,576	~
40-44	2,771	2,757	~	2,788	2,778	~
45-49	2,509	2,498	~	2,603	2,588	~
50-54	2,020	2,013	~	2,076	2,061	~
55-59	1,756	1,748	~	1,989	1,987	~
60-64	1,592	1,591	~	1,798	1,785	~
65-69	1,440	1,437	~	1,659	1,659	~
70-74	1,430	1,424	~	1,823	1,823	~
75-79	1,174	1,173	~	1,521	1,518	~
80-84	814	813	~	1,200	1,198	~
85+	515	511	~	1,392	1,392	~
Total	36,305	35,627	~	37,565	37,397	~
Grundy	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,281	1,271	~	1,170	1,157	~
1-4	5,042	4,955	~	4,853	4,777	~
5-9	6,837	6,745	~	6,789	6,720	~
10-14	7,360	7,284	~	7,161	7,083	~
15-19	7,327	7,269	~	6,791	6,745	~
20-24	5,895	5,796	~	5,285	5,211	~
25-29	6,084	6,018	~	5,657	5,605	~
30-34	6,711	6,631	~	6,672	6,616	~
35-39	7,630	7,578	~	7,772	7,717	~
40-44	8,329	8,255	~	8,013	7,955	~
45-49	7,288	7,250	~	7,012	6,958	~
50-54	6,201	6,147	~	5,717	5,674	~
55-59	4,666	4,633	~	4,640	4,621	~
60-64	3,649	3,635	~	3,681	3,668	~
65-69	2,689	2,680	~	3,155	3,140	~
70-74	2,421	2,413	~	3,206	3,202	~
75-79	2,169	2,167	~	2,894	2,890	~
80-84	1,353	1,352	~	2,043	2,035	~
85+	911	908	~	2,193	2,188	~
Total	93,843	92,987	~	94,704	93,962	~

Hamilton	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	247	245	~	242	241	~
1-4	1,017	1,010	~	978	959	~
5-9	1,477	1,468	~	1,347	1,336	~
10-14	1,339	1,319	~	1,504	1,494	~
15-19	1,635	1,623	~	1,463	1,434	~
20-24	1,089	1,086	~	1,206	1,201	~
25-29	1,058	1,055	~	1,095	1,090	~
30-34	1,257	1,248	~	1,173	1,162	~
35-39	1,450	1,431	~	1,429	1,414	~
40-44	1,571	1,544	~	1,582	1,574	~
45-49	1,473	1,454	~	1,500	1,483	~
50-54	1,476	1,467	~	1,408	1,401	~
55-59	1,179	1,175	~	1,150	1,144	~
60-64	1,028	1,025	~	1,237	1,230	~
65-69	902	898	~	1,040	1,034	~
70-74	1,000	997	~	1,025	1,025	~
75-79	660	656	~	1,051	1,051	~
80-84	522	522	~	817	817	~
85+	336	336	~	922	922	~
Total	20,716	20,559	~	22,169	22,012	~
Hancock	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	554	553	~	542	535	~
1-4	2,284	2,239	~	2,214	2,187	~
5-9	3,445	3,403	~	3,338	3,320	~
10-14	3,777	3,742	~	3,524	3,491	~
15-19	3,846	3,827	~	3,401	3,383	~
20-24	2,414	2,389	~	2,487	2,471	~
25-29	2,553	2,523	~	2,354	2,347	~
30-34	3,002	2,969	~	3,013	3,003	~
35-39	3,402	3,373	~	3,566	3,545	~
40-44	3,750	3,718	~	3,984	3,967	~
45-49	3,888	3,875	~	3,707	3,692	~
50-54	3,426	3,416	~	3,392	3,371	~
55-59	2,674	2,656	~	2,885	2,877	~
60-64	2,289	2,289	~	2,518	2,510	~
65-69	2,146	2,142	~	2,370	2,363	~
70-74	1,914	1,905	~	2,409	2,401	~
75-79	1,573	1,569	~	2,294	2,294	~
80-84	1,088	1,087	~	1,779	1,779	~
85+	775	775	~	1,942	1,942	~
Total	48,800	48,450	~	51,719	51,478	~
Hardin	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	134	130	~	119	119	~
1-4	500	485	~	541	536	~
5-9	614	601	~	625	613	~
10-14	679	673	~	631	618	~
15-19	860	838	~	787	780	~
20-24	683	643	~	627	623	~
25-29	758	655	~	495	491	~
30-34	810	664	~	673	669	~
35-39	941	811	~	800	795	~
40-44	942	852	~	896	886	~
45-49	886	854	~	925	915	~
50-54	891	873	~	886	882	~
55-59	825	817	~	766	766	~
60-64	608	608	~	656	653	~
65-69	580	580	~	629	628	~
70-74	505	505	~	630	630	~
75-79	389	389	~	535	535	~
80-84	239	239	~	377	377	~
85+	196	196	~	339	331	~
Total	12,040	11,413	~	11,937	11,847	~

Henderson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	204	203	~	190	190	~
1-4	926	921	~	955	936	~
5-9	1,212	1,196	~	1,303	1,301	~
10-14	1,357	1,340	~	1,379	1,366	~
15-19	1,484	1,452	~	1,373	1,367	~
20-24	1,161	1,140	~	1,028	1,025	~
25-29	1,059	1,051	~	978	974	~
30-34	1,122	1,120	~	1,151	1,145	~
35-39	1,423	1,423	~	1,539	1,539	~
40-44	1,744	1,741	~	1,659	1,656	~
45-49	1,687	1,687	~	1,436	1,427	~
50-54	1,429	1,426	~	1,379	1,377	~
55-59	1,419	1,419	~	1,322	1,322	~
60-64	1,132	1,132	~	1,165	1,163	~
65-69	959	959	~	1,037	1,036	~
70-74	856	856	~	955	955	~
75-79	552	552	~	768	768	~
80-84	340	340	~	583	583	~
85+	257	257	~	588	588	~
Total	20,323	20,215	~	20,788	20,718	~
Henry	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,518	1,478	~	1,383	1,337	~
1-4	6,214	5,973	~	5,946	5,691	~
5-9	8,931	8,635	~	8,269	7,988	~
10-14	10,111	9,904	~	9,216	8,955	~
15-19	9,899	9,693	~	8,966	8,702	~
20-24	7,039	6,883	~	6,214	6,075	~
25-29	6,475	6,324	~	6,383	6,240	~
30-34	7,427	7,271	~	7,651	7,507	~
35-39	8,944	8,817	~	9,495	9,365	~
40-44	9,946	9,806	~	10,160	10,025	~
45-49	9,606	9,504	~	9,455	9,319	~
50-54	8,898	8,820	~	8,557	8,471	~
55-59	7,148	7,096	~	7,187	7,111	~
60-64	5,563	5,504	~	5,793	5,759	~
65-69	4,817	4,759	~	5,653	5,616	~
70-74	4,364	4,324	~	5,483	5,424	~
75-79	3,552	3,542	~	4,953	4,920	~
80-84	2,367	2,352	~	4,381	4,337	~
85+	1,711	1,696	~	4,314	4,277	~
Total	124,530	122,381	~	129,459	127,119	~
Iroquois	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	910	896	~	890	882	~
1-4	4,005	3,883	~	3,590	3,483	~
5-9	5,435	5,260	~	5,100	5,005	~
10-14	6,233	6,058	~	5,572	5,492	~
15-19	6,122	5,928	~	5,340	5,270	~
20-24	3,986	3,919	~	3,466	3,418	~
25-29	4,004	3,949	~	3,764	3,712	~
30-34	4,258	4,209	~	4,538	4,468	~
35-39	5,548	5,479	~	5,824	5,759	~
40-44	5,976	5,882	~	5,902	5,862	~
45-49	5,571	5,540	~	5,466	5,437	~
50-54	4,895	4,837	~	5,057	4,997	~
55-59	4,113	4,069	~	4,627	4,590	~
60-64	3,819	3,767	~	3,680	3,636	~
65-69	3,119	3,091	~	3,727	3,695	~
70-74	3,039	3,018	~	3,666	3,636	~
75-79	2,519	2,516	~	3,570	3,546	~
80-84	1,808	1,791	~	2,725	2,704	~
85+	1,144	1,136	~	2,968	2,963	~
Total	76,504	75,228	~	79,472	78,555	~

Jackson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,712	1,201	~	1,558	1,140	~
1-4	6,230	4,494	~	5,872	4,328	~
5-9	7,818	5,892	~	7,526	5,834	~
10-14	8,014	6,394	~	7,761	6,040	~
15-19	16,824	13,203	~	14,191	10,900	~
20-24	29,814	24,864	~	24,334	18,693	~
25-29	15,132	11,991	~	11,763	8,828	~
30-34	9,565	7,843	~	8,627	6,906	~
35-39	8,610	7,416	~	8,683	7,191	~
40-44	8,726	7,512	~	8,835	7,592	~
45-49	8,632	7,572	~	8,446	7,354	~
50-54	7,610	6,912	~	7,722	6,901	~
55-59	5,822	5,321	~	5,911	5,354	~
60-64	4,364	4,071	~	4,883	4,509	~
65-69	4,063	3,764	~	4,521	4,109	~
70-74	3,392	3,140	~	4,476	4,130	~
75-79	2,604	2,446	~	4,037	3,798	~
80-84	1,813	1,674	~	3,210	3,012	~
85+	1,298	1,213	~	3,433	3,145	~
Total	152,043	126,923	~	145,789	119,764	~
Jasper	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	284	284	~	232	232	~
1-4	1,145	1,141	~	1,209	1,206	~
5-9	1,706	1,695	~	1,677	1,657	~
10-14	2,080	2,063	~	1,989	1,978	~
15-19	2,248	2,243	~	1,902	1,898	~
20-24	1,551	1,537	~	1,433	1,430	~
25-29	1,358	1,348	~	1,314	1,308	~
30-34	1,414	1,407	~	1,479	1,474	~
35-39	2,035	2,029	~	1,885	1,885	~
40-44	2,016	2,009	~	1,928	1,923	~
45-49	1,810	1,807	~	1,856	1,840	~
50-54	1,621	1,621	~	1,609	1,605	~
55-59	1,235	1,235	~	1,247	1,247	~
60-64	1,061	1,061	~	1,186	1,185	~
65-69	970	970	~	1,019	1,011	~
70-74	848	848	~	1,116	1,114	~
75-79	786	786	~	1,034	1,034	~
80-84	475	475	~	829	829	~
85+	413	413	~	829	829	~
Total	25,056	24,972	~	25,773	25,685	~
Jefferson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,144	992	~	1,093	978	~
1-4	4,861	4,271	~	4,575	4,040	~
5-9	6,586	5,874	~	6,794	5,905	~
10-14	7,463	6,753	~	7,116	6,341	~
15-19	7,525	6,579	~	6,377	5,841	~
20-24	7,163	5,868	~	5,338	4,984	~
25-29	7,061	5,727	~	5,521	5,098	~
30-34	7,620	6,315	~	6,183	5,695	~
35-39	8,253	7,022	~	6,797	6,309	~
40-44	8,221	7,235	~	7,274	6,849	~
45-49	7,537	6,977	~	7,212	6,807	~
50-54	6,630	6,286	~	6,137	5,850	~
55-59	5,262	5,007	~	5,048	4,860	~
60-64	4,215	4,016	~	4,431	4,259	~
65-69	3,399	3,257	~	4,044	3,889	~
70-74	3,191	3,073	~	4,066	3,921	~
75-79	2,799	2,721	~	3,925	3,799	~
80-84	1,784	1,739	~	3,228	3,120	~
85+	1,257	1,215	~	3,035	2,956	~
Total	101,971	90,927	~	98,194	91,501	~

Jersey	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	568	564	~	549	543	~
1-4	2,589	2,562	~	2,640	2,604	~
5-9	3,540	3,494	~	3,710	3,684	~
10-14	4,309	4,221	~	3,783	3,764	~
15-19	4,925	4,665	~	4,392	4,323	~
20-24	3,695	3,594	~	3,670	3,562	~
25-29	2,808	2,775	~	2,862	2,844	~
30-34	3,192	3,164	~	3,527	3,508	~
35-39	4,085	4,054	~	4,387	4,348	~
40-44	4,589	4,569	~	4,348	4,308	~
45-49	3,910	3,904	~	3,838	3,818	~
50-54	3,406	3,399	~	3,278	3,254	~
55-59	2,775	2,762	~	2,890	2,887	~
60-64	2,356	2,354	~	2,441	2,437	~
65-69	2,005	1,998	~	2,327	2,326	~
70-74	1,803	1,803	~	2,039	2,031	~
75-79	1,227	1,225	~	2,000	1,995	~
80-84	815	811	~	1,366	1,363	~
85+	559	559	~	1,529	1,527	~
Total	53,156	52,477	~	55,576	55,126	~
JoDaviss	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	608	603	~	569	562	~
1-4	2,609	2,577	~	2,397	2,384	~
5-9	3,713	3,680	~	3,289	3,267	~
10-14	4,036	4,022	~	3,572	3,559	~
15-19	4,004	3,985	~	3,419	3,394	~
20-24	2,883	2,844	~	2,391	2,377	~
25-29	2,815	2,769	~	2,827	2,802	~
30-34	3,343	3,303	~	3,127	3,101	~
35-39	3,951	3,929	~	3,743	3,715	~
40-44	4,328	4,303	~	4,228	4,204	~
45-49	4,114	4,096	~	4,173	4,162	~
50-54	4,070	4,052	~	3,948	3,929	~
55-59	3,379	3,370	~	3,572	3,567	~
60-64	3,091	3,090	~	3,295	3,280	~
65-69	2,782	2,777	~	2,718	2,713	~
70-74	2,449	2,449	~	2,706	2,706	~
75-79	1,884	1,884	~	2,296	2,291	~
80-84	1,101	1,101	~	1,747	1,746	~
85+	755	755	~	1,630	1,628	~
Total	55,915	55,589	~	55,647	55,387	~
Johnson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	356	355	~	319	316	~
1-4	1,229	1,213	~	1,123	1,106	~
5-9	1,710	1,690	~	1,496	1,475	~
10-14	1,737	1,707	~	1,644	1,637	~
15-19	2,421	1,974	~	1,674	1,637	~
20-24	4,112	2,296	~	1,359	1,306	~
25-29	4,178	2,345	~	1,508	1,469	~
30-34	3,938	2,261	~	1,676	1,636	~
35-39	3,821	2,483	~	1,731	1,714	~
40-44	3,252	2,242	~	1,969	1,954	~
45-49	2,367	1,966	~	1,782	1,776	~
50-54	2,132	1,949	~	1,769	1,758	~
55-59	1,816	1,739	~	1,639	1,637	~
60-64	1,605	1,575	~	1,456	1,453	~
65-69	1,256	1,234	~	1,362	1,355	~
70-74	1,098	1,083	~	1,108	1,108	~
75-79	730	730	~	1,007	1,005	~
80-84	479	479	~	739	735	~
85+	345	342	~	599	599	~
Total	38,582	29,663	~	25,960	25,676	~

Kane		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	18,661	16,850	1,294	17,609	15,763	1,348	
1-4	73,295	65,175	6,033	69,591	61,911	5,494	
5-9	90,576	80,727	7,594	86,651	76,715	7,416	
10-14	84,334	74,529	7,341	80,422	71,739	6,500	
15-19	82,329	72,168	8,017	71,794	63,894	5,864	
20-24	71,133	64,627	4,409	63,651	56,562	5,099	
25-29	76,193	69,260	4,435	71,495	63,681	5,171	
30-34	84,613	77,471	4,338	80,954	73,101	4,937	
35-39	88,175	81,245	4,507	86,441	78,957	4,826	
40-44	85,929	79,510	4,112	82,695	76,150	4,391	
45-49	72,878	67,405	3,667	72,815	66,961	3,950	
50-54	61,570	57,291	2,813	60,726	56,159	3,080	
55-59	43,920	40,878	1,998	44,418	41,187	2,154	
60-64	31,032	29,059	1,268	31,363	29,251	1,409	
65-69	23,068	21,853	775	25,901	24,431	1,041	
70-74	18,318	17,603	468	23,015	22,022	666	
75-79	14,148	13,597	382	20,331	19,571	529	
80-84	8,684	8,451	169	15,699	15,269	312	
85+	5,583	5,426	108	16,663	16,255	311	
Total	1,034,439	943,125	63,728	1,022,234	929,579	64,498	
Kankakee		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	3,800	2,887	871	3,671	2,758	873	
1-4	14,996	11,444	3,393	14,431	10,955	3,255	
5-9	20,312	15,649	4,453	19,359	14,702	4,446	
10-14	20,936	15,989	4,731	19,306	14,685	4,405	
15-19	20,212	15,784	4,154	19,646	15,437	3,963	
20-24	17,152	14,257	2,692	17,954	14,474	3,273	
25-29	16,294	13,694	2,415	16,648	13,440	2,949	
30-34	17,234	14,623	2,421	17,274	14,156	2,918	
35-39	18,751	15,862	2,701	19,773	16,411	3,168	
40-44	19,609	16,789	2,601	20,080	16,748	3,120	
45-49	18,648	16,049	2,428	18,527	15,643	2,682	
50-54	15,237	13,336	1,754	16,361	14,240	1,931	
55-59	12,760	11,388	1,223	12,902	11,321	1,457	
60-64	9,680	8,531	1,066	10,455	9,072	1,300	
65-69	8,331	7,368	894	9,441	8,209	1,157	
70-74	7,601	6,786	794	9,817	8,808	961	
75-79	6,181	5,658	501	8,552	7,827	705	
80-84	3,826	3,520	300	6,491	6,070	409	
85+	2,338	2,132	205	5,478	5,063	393	
Total	253,898	211,746	39,597	266,166	220,019	43,365	
Kendall		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	2,174	2,090	~	2,025	1,950	~	
1-4	8,932	8,531	~	8,639	8,243	~	
5-9	11,914	11,477	~	11,213	10,766	~	
10-14	11,752	11,338	~	10,933	10,570	~	
15-19	10,477	10,191	~	9,964	9,693	~	
20-24	7,889	7,623	~	7,414	7,148	~	
25-29	9,061	8,692	~	9,137	8,825	~	
30-34	11,109	10,718	~	11,629	11,245	~	
35-39	12,651	12,316	~	12,677	12,279	~	
40-44	11,780	11,460	~	12,190	11,889	~	
45-49	10,268	10,023	~	10,179	9,908	~	
50-54	8,757	8,546	~	8,856	8,653	~	
55-59	6,954	6,828	~	6,647	6,512	~	
60-64	4,894	4,825	~	4,812	4,749	~	
65-69	3,345	3,312	~	3,571	3,529	~	
70-74	2,621	2,606	~	3,159	3,122	~	
75-79	1,943	1,930	~	2,988	2,957	~	
80-84	1,249	1,245	~	2,057	2,044	~	
85+	815	813	~	2,026	2,013	~	
Total	138,585	134,564	~	140,116	136,095	~	

Knox	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,565	1,399	~	1,492	1,357	~
1-4	6,816	6,076	~	6,304	5,613	~
5-9	8,800	7,833	~	7,993	7,150	~
10-14	9,200	8,316	~	8,439	7,760	~
15-19	9,826	8,934	~	9,249	8,385	~
20-24	10,329	8,414	~	8,781	8,003	~
25-29	9,189	7,407	~	7,410	6,910	~
30-34	9,081	7,651	~	8,074	7,626	~
35-39	10,205	8,767	~	9,228	8,737	~
40-44	10,541	9,312	~	9,862	9,452	~
45-49	10,407	9,602	~	10,215	9,793	~
50-54	9,338	8,844	~	9,057	8,756	~
55-59	7,415	7,142	~	7,660	7,413	~
60-64	6,217	5,957	~	6,657	6,483	~
65-69	5,710	5,505	~	6,643	6,412	~
70-74	4,959	4,788	~	6,391	6,223	~
75-79	4,239	4,158	~	5,833	5,657	~
80-84	2,644	2,605	~	4,965	4,847	~
85+	2,051	2,017	~	5,338	5,234	~
Total	138,532	124,727	~	139,591	131,811	~
Lake	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	26,184	22,658	2,277	25,213	21,781	2,196
1-4	108,726	93,697	9,765	103,405	88,393	9,427
5-9	142,006	122,549	13,010	133,826	114,710	12,556
10-14	133,262	114,920	12,114	127,045	109,833	11,342
15-19	135,046	114,946	13,324	111,253	94,406	11,232
20-24	108,125	91,812	10,670	86,732	72,761	9,382
25-29	100,733	86,459	8,423	97,196	81,827	9,105
30-34	121,890	106,471	8,792	122,903	105,252	9,391
35-39	141,628	125,045	9,131	145,818	127,300	10,262
40-44	141,870	126,795	8,630	143,862	127,441	9,050
45-49	123,244	110,668	6,884	124,358	110,568	7,445
50-54	101,567	92,130	5,038	100,660	90,411	5,415
55-59	74,533	67,948	3,440	74,238	67,225	3,715
60-64	52,138	47,330	2,656	52,909	47,755	2,961
65-69	38,385	34,973	2,089	43,137	38,828	2,629
70-74	33,310	30,953	1,464	40,081	36,858	1,914
75-79	23,787	22,345	938	32,413	30,188	1,379
80-84	13,918	13,261	407	23,027	21,678	892
85+	8,909	8,441	330	22,049	20,918	867
Total	1,629,261	1,433,401	119,382	1,610,125	1,408,133	121,160
LaSalle	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	3,460	3,367	~	3,416	3,327	~
1-4	14,444	13,950	~	14,062	13,526	~
5-9	19,091	18,449	~	18,834	18,233	~
10-14	20,853	20,319	~	20,161	19,705	~
15-19	20,663	19,904	~	19,136	18,774	~
20-24	17,478	16,072	~	14,469	14,224	~
25-29	16,417	15,166	~	14,654	14,353	~
30-34	18,323	17,205	~	17,434	17,091	~
35-39	22,041	21,052	~	21,371	21,011	~
40-44	22,839	22,199	~	22,106	21,762	~
45-49	20,594	20,171	~	19,319	19,043	~
50-54	17,226	16,967	~	16,710	16,482	~
55-59	13,236	13,030	~	14,096	13,899	~
60-64	11,744	11,642	~	12,560	12,460	~
65-69	10,098	10,014	~	11,621	11,527	~
70-74	9,970	9,910	~	12,179	12,112	~
75-79	8,035	7,995	~	11,505	11,473	~
80-84	5,780	5,769	~	9,091	9,072	~
85+	3,685	3,675	~	9,630	9,604	~
Total	275,977	266,856	~	282,354	277,678	~

Lawrence	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	407	407	~	391	388	~
1-4	1,763	1,748	~	1,641	1,615	~
5-9	2,487	2,449	~	2,285	2,233	~
10-14	2,663	2,596	~	2,514	2,457	~
15-19	2,475	2,446	~	2,670	2,625	~
20-24	2,026	2,004	~	2,065	2,054	~
25-29	2,152	2,111	~	2,096	2,077	~
30-34	2,410	2,393	~	2,170	2,148	~
35-39	2,642	2,611	~	2,733	2,698	~
40-44	2,946	2,917	~	3,032	2,992	~
45-49	2,827	2,793	~	2,724	2,709	~
50-54	2,319	2,295	~	2,500	2,478	~
55-59	1,765	1,750	~	2,062	2,042	~
60-64	1,794	1,790	~	2,090	2,061	~
65-69	1,624	1,603	~	1,949	1,918	~
70-74	1,594	1,584	~	2,020	2,010	~
75-79	1,258	1,256	~	1,922	1,905	~
80-84	867	851	~	1,487	1,475	~
85+	799	793	~	2,022	2,009	~
Total	36,818	36,397	~	40,373	39,894	~
Lee	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	917	886	~	887	859	~
1-4	4,026	3,826	~	4,052	3,858	~
5-9	6,220	6,017	~	5,614	5,417	~
10-14	7,123	6,897	~	6,469	6,276	~
15-19	6,487	6,215	~	6,077	5,867	~
20-24	5,405	4,650	~	4,590	4,301	~
25-29	5,847	4,849	~	4,611	4,235	~
30-34	6,682	5,750	~	5,896	5,478	~
35-39	8,490	7,433	~	6,966	6,602	~
40-44	8,273	7,372	~	7,266	6,971	~
45-49	7,321	6,639	~	6,419	6,217	~
50-54	5,876	5,543	~	5,589	5,470	~
55-59	4,456	4,301	~	4,278	4,199	~
60-64	3,798	3,663	~	3,929	3,842	~
65-69	3,348	3,254	~	3,580	3,525	~
70-74	3,040	2,973	~	3,430	3,380	~
75-79	2,243	2,203	~	3,057	3,033	~
80-84	1,433	1,414	~	2,598	2,579	~
85+	1,067	1,057	~	2,571	2,552	~
Total	92,052	84,942	~	87,879	84,661	~
Livingston	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,312	1,235	~	1,169	1,109	~
1-4	4,995	4,823	~	4,666	4,503	~
5-9	6,699	6,519	~	6,515	6,364	~
10-14	7,416	7,222	~	7,202	7,089	~
15-19	7,411	7,010	~	6,981	6,781	~
20-24	6,571	5,388	~	5,055	4,685	~
25-29	6,687	5,315	~	5,709	4,965	~
30-34	6,762	5,763	~	6,798	5,948	~
35-39	7,713	6,835	~	7,985	7,237	~
40-44	8,261	7,730	~	7,930	7,388	~
45-49	7,370	6,980	~	7,042	6,801	~
50-54	6,138	5,939	~	5,917	5,803	~
55-59	4,541	4,445	~	4,874	4,832	~
60-64	3,772	3,723	~	4,256	4,210	~
65-69	3,289	3,258	~	3,899	3,884	~
70-74	3,196	3,183	~	4,128	4,119	~
75-79	2,506	2,498	~	3,491	3,489	~
80-84	1,827	1,827	~	3,081	3,079	~
85+	1,330	1,325	~	3,544	3,542	~
Total	97,796	91,018	~	100,242	95,828	~

Logan	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	784	766	~	784	765	~
1-4	3,473	3,359	~	3,345	3,227	~
5-9	4,724	4,592	~	4,539	4,339	~
10-14	5,086	4,949	~	4,853	4,708	~
15-19	6,645	6,137	~	6,012	5,775	~
20-24	6,930	5,406	~	4,970	4,654	~
25-29	5,637	4,176	~	4,716	4,123	~
30-34	5,946	4,711	~	5,006	4,326	~
35-39	6,248	5,226	~	5,858	5,189	~
40-44	6,415	5,720	~	6,213	5,791	~
45-49	5,587	5,204	~	5,456	5,186	~
50-54	4,820	4,558	~	4,479	4,378	~
55-59	3,723	3,669	~	3,864	3,811	~
60-64	3,001	2,962	~	3,315	3,271	~
65-69	2,552	2,532	~	3,128	3,109	~
70-74	2,185	2,169	~	3,164	3,122	~
75-79	1,998	1,980	~	2,926	2,907	~
80-84	1,367	1,353	~	2,514	2,498	~
85+	1,029	1,017	~	2,579	2,545	~
Total	78,150	70,486	~	77,721	73,724	~
McDonough	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	754	703	~	807	737	~
1-4	2,786	2,551	~	3,024	2,742	~
5-9	4,096	3,846	~	3,768	3,521	~
10-14	4,459	4,240	~	4,100	3,879	~
15-19	8,856	8,184	~	10,050	9,174	~
20-24	16,458	14,918	~	15,037	13,473	~
25-29	5,629	4,927	~	4,654	3,942	~
30-34	4,037	3,696	~	3,766	3,535	~
35-39	4,419	4,206	~	4,455	4,250	~
40-44	4,599	4,409	~	4,903	4,742	~
45-49	4,662	4,493	~	4,887	4,717	~
50-54	4,462	4,348	~	4,422	4,342	~
55-59	3,508	3,436	~	3,526	3,448	~
60-64	2,926	2,874	~	3,066	3,001	~
65-69	2,450	2,390	~	3,076	3,024	~
70-74	2,462	2,440	~	2,987	2,941	~
75-79	1,849	1,820	~	2,975	2,960	~
80-84	1,333	1,330	~	2,387	2,375	~
85+	1,023	1,013	~	2,627	2,619	~
Total	80,768	75,824	~	84,517	79,422	~
McHenry	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	10,162	9,819	~	9,707	9,379	~
1-4	43,738	42,143	~	40,570	39,002	~
5-9	58,482	56,539	~	55,351	53,433	~
10-14	57,449	55,877	~	53,878	52,367	~
15-19	48,455	47,155	~	43,914	42,780	~
20-24	35,393	34,243	~	31,579	30,589	~
25-29	38,766	37,266	~	38,124	36,667	~
30-34	52,788	51,028	~	54,574	52,762	~
35-39	63,362	61,774	~	63,553	61,884	~
40-44	61,983	60,557	~	61,590	60,154	~
45-49	51,392	50,258	~	48,921	47,872	~
50-54	41,254	40,339	~	40,167	39,349	~
55-59	30,414	29,873	~	29,433	28,929	~
60-64	20,062	19,749	~	20,183	19,851	~
65-69	14,675	14,499	~	16,294	16,021	~
70-74	12,195	12,053	~	14,877	14,704	~
75-79	9,044	8,944	~	12,786	12,599	~
80-84	5,187	5,160	~	9,410	9,320	~
85+	3,662	3,642	~	9,096	9,022	~
Total	658,463	640,918	~	654,007	636,684	~

McLean	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	5,024	4,367	~	4,748	4,098	~
1-4	19,916	16,928	~	19,196	16,367	~
5-9	25,959	22,553	~	24,660	21,434	~
10-14	24,957	22,012	~	23,916	21,217	~
15-19	32,256	29,066	~	37,569	33,653	~
20-24	46,549	42,438	~	50,491	45,313	~
25-29	28,486	24,840	~	27,393	23,763	~
30-34	26,502	23,362	~	26,741	23,772	~
35-39	27,939	25,383	~	28,680	25,986	~
40-44	27,050	24,864	~	28,307	25,987	~
45-49	24,309	22,602	~	25,679	24,124	~
50-54	20,674	19,485	~	20,976	19,894	~
55-59	14,720	14,062	~	15,306	14,683	~
60-64	11,102	10,722	~	11,599	11,186	~
65-69	8,776	8,524	~	10,615	10,267	~
70-74	7,855	7,651	~	10,432	10,159	~
75-79	6,027	5,911	~	8,983	8,764	~
80-84	3,863	3,785	~	7,045	6,917	~
85+	2,664	2,626	~	7,379	7,244	~
Total	364,628	331,181	~	389,715	354,828	~
Macon	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	3,712	2,776	909	3,658	2,692	929
1-4	14,726	10,900	3,653	14,779	10,858	3,777
5-9	20,223	15,327	4,683	19,082	14,148	4,703
10-14	20,549	16,117	4,233	20,171	15,481	4,502
15-19	20,885	17,028	3,676	20,512	16,710	3,601
20-24	18,102	15,167	2,740	20,065	16,368	3,448
25-29	15,698	13,178	2,368	16,552	13,209	3,080
30-34	16,387	13,961	2,197	17,455	14,273	2,995
35-39	18,898	16,248	2,469	20,591	16,851	3,504
40-44	21,224	18,511	2,514	22,620	19,152	3,243
45-49	21,112	18,635	2,291	22,266	19,186	2,822
50-54	19,139	17,116	1,876	19,904	17,477	2,230
55-59	14,817	13,328	1,421	15,610	13,852	1,645
60-64	11,719	10,619	1,044	13,171	11,843	1,274
65-69	10,533	9,722	782	12,361	11,220	1,112
70-74	9,454	8,770	665	12,541	11,514	999
75-79	7,617	7,173	435	11,172	10,467	692
80-84	4,566	4,321	243	8,085	7,610	462
85+	2,917	2,789	122	8,089	7,579	485
Total	272,278	231,686	38,321	298,684	250,490	45,503
Macoupin	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,492	1,463	~	1,367	1,342	~
1-4	5,797	5,689	~	5,355	5,241	~
5-9	8,364	8,167	~	7,648	7,522	~
10-14	9,241	9,060	~	8,747	8,577	~
15-19	9,685	9,425	~	9,026	8,837	~
20-24	7,113	6,931	~	7,056	6,931	~
25-29	6,483	6,380	~	6,518	6,423	~
30-34	7,186	7,097	~	7,544	7,433	~
35-39	8,725	8,601	~	9,254	9,160	~
40-44	9,474	9,349	~	9,523	9,438	~
45-49	8,944	8,824	~	8,871	8,763	~
50-54	7,707	7,631	~	7,702	7,629	~
55-59	6,182	6,125	~	6,246	6,184	~
60-64	5,215	5,189	~	5,518	5,467	~
65-69	4,804	4,776	~	5,559	5,531	~
70-74	4,748	4,727	~	5,410	5,373	~
75-79	3,497	3,455	~	5,148	5,106	~
80-84	2,538	2,526	~	4,219	4,198	~
85+	1,909	1,894	~	4,872	4,818	~
Total	119,104	117,309	~	125,583	123,973	~

Madison	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	8,382	7,299	977	7,680	6,745	832
1-4	34,401	29,855	4,113	31,636	27,574	3,633
5-9	45,614	39,627	5,464	43,070	37,387	5,179
10-14	47,991	42,254	5,138	45,709	40,070	5,103
15-19	46,784	41,869	4,401	46,722	41,065	5,174
20-24	40,231	36,341	3,181	45,794	39,948	5,115
25-29	40,271	36,526	3,078	41,550	36,889	4,007
30-34	43,518	39,945	3,123	44,219	39,987	3,662
35-39	49,107	45,734	2,801	51,025	46,742	3,674
40-44	52,323	48,951	2,906	52,593	48,498	3,501
45-49	46,423	43,558	2,503	47,978	44,313	3,108
50-54	39,327	37,046	1,947	41,740	38,835	2,439
55-59	31,586	29,870	1,435	33,299	31,168	1,761
60-64	25,985	24,671	1,146	28,333	26,764	1,363
65-69	21,963	20,934	925	26,414	25,105	1,197
70-74	20,470	19,568	817	26,626	25,389	1,108
75-79	15,823	15,206	579	23,576	22,638	893
80-84	9,163	8,876	266	17,163	16,450	674
85+	6,162	5,914	232	16,933	16,229	674
Total	625,524	574,044	45,032	672,060	611,796	53,097
Marion	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,389	1,252	~	1,386	1,234	~
1-4	5,337	4,841	~	5,240	4,791	~
5-9	7,674	7,044	~	7,024	6,443	~
10-14	8,044	7,509	~	7,187	6,656	~
15-19	7,684	7,171	~	7,204	6,774	~
20-24	5,825	5,548	~	5,774	5,437	~
25-29	5,796	5,504	~	5,770	5,480	~
30-34	6,211	5,889	~	6,263	5,968	~
35-39	7,185	6,897	~	7,751	7,332	~
40-44	7,707	7,408	~	8,151	7,818	~
45-49	7,044	6,769	~	7,224	6,883	~
50-54	6,506	6,239	~	6,852	6,624	~
55-59	5,306	5,132	~	5,755	5,534	~
60-64	4,566	4,399	~	5,189	5,002	~
65-69	3,904	3,797	~	4,413	4,248	~
70-74	3,611	3,505	~	4,528	4,391	~
75-79	2,851	2,789	~	4,394	4,240	~
80-84	1,871	1,826	~	3,628	3,531	~
85+	1,511	1,456	~	4,032	3,899	~
Total	100,022	94,975	~	107,765	102,285	~
Marshall	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	344	341	~	310	307	~
1-4	1,485	1,455	~	1,377	1,345	~
5-9	2,347	2,289	~	2,198	2,151	~
10-14	2,225	2,187	~	2,222	2,195	~
15-19	2,095	2,076	~	2,221	2,213	~
20-24	1,826	1,802	~	1,429	1,418	~
25-29	1,747	1,722	~	1,591	1,589	~
30-34	1,990	1,977	~	1,851	1,846	~
35-39	2,158	2,157	~	2,196	2,187	~
40-44	2,585	2,577	~	2,491	2,461	~
45-49	2,481	2,462	~	2,434	2,412	~
50-54	2,209	2,206	~	2,359	2,343	~
55-59	1,920	1,912	~	1,839	1,825	~
60-64	1,534	1,532	~	1,656	1,652	~
65-69	1,474	1,473	~	1,583	1,570	~
70-74	1,371	1,365	~	1,479	1,474	~
75-79	1,122	1,122	~	1,511	1,510	~
80-84	709	709	~	1,178	1,178	~
85+	529	529	~	1,371	1,371	~
Total	32,151	31,893	~	33,296	33,047	~

Mason	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	463	457	~	449	447	~
1-4	1,923	1,909	~	1,778	1,755	~
5-9	2,790	2,777	~	2,596	2,562	~
10-14	3,035	3,025	~	2,861	2,838	~
15-19	2,819	2,796	~	2,763	2,749	~
20-24	2,175	2,156	~	2,164	2,158	~
25-29	2,249	2,218	~	2,121	2,104	~
30-34	2,379	2,346	~	2,333	2,323	~
35-39	2,861	2,846	~	2,947	2,916	~
40-44	3,143	3,128	~	3,132	3,126	~
45-49	2,923	2,914	~	2,754	2,735	~
50-54	2,631	2,623	~	2,707	2,696	~
55-59	2,138	2,135	~	2,317	2,296	~
60-64	2,013	2,011	~	2,034	2,025	~
65-69	1,645	1,645	~	1,825	1,823	~
70-74	1,475	1,470	~	1,812	1,796	~
75-79	1,320	1,320	~	1,660	1,657	~
80-84	849	849	~	1,279	1,279	~
85+	562	562	~	1,366	1,366	~
Total	39,393	39,187	~	40,898	40,651	~
Massac	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	464	418	~	488	448	~
1-4	1,850	1,693	~	1,910	1,719	~
5-9	2,552	2,346	~	2,376	2,152	~
10-14	2,462	2,234	~	2,371	2,212	~
15-19	2,613	2,392	~	2,349	2,146	~
20-24	2,044	1,893	~	2,140	1,966	~
25-29	2,247	2,115	~	2,380	2,257	~
30-34	2,426	2,295	~	2,335	2,209	~
35-39	2,755	2,585	~	2,815	2,610	~
40-44	2,844	2,592	~	2,998	2,803	~
45-49	2,654	2,464	~	2,689	2,520	~
50-54	2,304	2,180	~	2,288	2,186	~
55-59	2,058	1,980	~	2,280	2,170	~
60-64	1,782	1,706	~	1,972	1,892	~
65-69	1,488	1,396	~	1,841	1,718	~
70-74	1,343	1,304	~	1,804	1,713	~
75-79	1,195	1,144	~	1,780	1,707	~
80-84	674	654	~	1,329	1,261	~
85+	545	535	~	1,479	1,396	~
Total	36,300	33,926	~	39,624	37,085	~
Menard	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	353	352	~	308	306	~
1-4	1,566	1,553	~	1,355	1,326	~
5-9	2,337	2,311	~	2,247	2,220	~
10-14	2,688	2,657	~	2,368	2,351	~
15-19	2,391	2,374	~	2,280	2,273	~
20-24	1,508	1,491	~	1,368	1,359	~
25-29	1,395	1,374	~	1,447	1,430	~
30-34	2,011	1,974	~	2,084	2,074	~
35-39	2,566	2,542	~	2,873	2,845	~
40-44	2,707	2,681	~	2,748	2,732	~
45-49	2,299	2,288	~	2,455	2,447	~
50-54	2,318	2,313	~	2,124	2,114	~
55-59	1,552	1,552	~	1,781	1,764	~
60-64	1,383	1,376	~	1,501	1,499	~
65-69	1,188	1,187	~	1,129	1,129	~
70-74	894	893	~	990	988	~
75-79	640	638	~	909	909	~
80-84	435	435	~	883	883	~
85+	352	352	~	913	913	~
Total	30,583	30,343	~	31,763	31,562	~

Mercer	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	478	476	~	504	504	~
1-4	2,056	2,029	~	1,832	1,809	~
5-9	2,850	2,803	~	2,675	2,664	~
10-14	3,203	3,162	~	3,218	3,187	~
15-19	3,302	3,269	~	3,026	3,020	~
20-24	2,221	2,195	~	1,982	1,972	~
25-29	2,172	2,138	~	2,058	2,043	~
30-34	2,385	2,361	~	2,661	2,653	~
35-39	3,028	3,012	~	3,419	3,394	~
40-44	3,402	3,384	~	3,295	3,265	~
45-49	3,314	3,306	~	3,100	3,090	~
50-54	3,035	3,033	~	2,923	2,914	~
55-59	2,481	2,466	~	2,564	2,561	~
60-64	2,013	2,000	~	2,167	2,163	~
65-69	1,741	1,738	~	1,812	1,806	~
70-74	1,457	1,455	~	1,659	1,659	~
75-79	1,151	1,151	~	1,680	1,679	~
80-84	758	757	~	1,352	1,349	~
85+	659	657	~	1,212	1,209	~
Total	41,706	41,392	~	43,139	42,941	~
Monroe	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	877	873	~	800	798	~
1-4	3,708	3,681	~	3,580	3,553	~
5-9	5,034	4,992	~	4,780	4,726	~
10-14	5,735	5,689	~	5,109	5,060	~
15-19	5,246	5,213	~	4,933	4,890	~
20-24	3,860	3,828	~	3,303	3,284	~
25-29	3,764	3,743	~	3,809	3,797	~
30-34	4,461	4,452	~	5,016	4,980	~
35-39	5,829	5,791	~	6,125	6,097	~
40-44	6,488	6,457	~	6,699	6,659	~
45-49	5,702	5,680	~	5,076	5,050	~
50-54	4,313	4,308	~	4,058	4,033	~
55-59	3,222	3,212	~	3,283	3,262	~
60-64	2,668	2,659	~	2,947	2,932	~
65-69	2,393	2,393	~	2,837	2,829	~
70-74	2,167	2,165	~	2,528	2,521	~
75-79	1,496	1,495	~	2,085	2,084	~
80-84	895	892	~	1,705	1,701	~
85+	618	618	~	1,876	1,866	~
Total	68,476	68,141	~	70,549	70,122	~
Montgomery	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	861	853	~	774	768	~
1-4	3,672	3,606	~	3,417	3,360	~
5-9	5,068	5,001	~	4,911	4,827	~
10-14	5,512	5,467	~	5,195	5,121	~
15-19	5,674	5,420	~	5,026	4,939	~
20-24	5,422	4,264	~	3,691	3,671	~
25-29	5,934	4,886	~	3,787	3,762	~
30-34	6,310	5,250	~	4,463	4,439	~
35-39	6,600	5,747	~	5,414	5,380	~
40-44	6,747	6,103	~	5,473	5,452	~
45-49	5,774	5,372	~	5,102	5,049	~
50-54	4,663	4,506	~	4,339	4,303	~
55-59	3,414	3,359	~	3,656	3,629	~
60-64	3,219	3,184	~	3,359	3,340	~
65-69	2,712	2,682	~	3,302	3,291	~
70-74	2,757	2,753	~	3,463	3,455	~
75-79	2,255	2,240	~	3,347	3,335	~
80-84	1,471	1,470	~	2,649	2,643	~
85+	1,191	1,191	~	2,953	2,933	~
Total	79,256	73,354	~	74,321	73,697	~

Morgan	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,026	938	~	969	908	~
1-4	4,078	3,773	~	3,959	3,683	~
5-9	5,748	5,339	~	5,270	4,830	~
10-14	6,243	5,794	~	5,922	5,467	~
15-19	7,790	6,951	~	7,608	7,131	~
20-24	7,123	6,086	~	6,115	5,793	~
25-29	5,799	4,829	~	4,634	4,421	~
30-34	6,036	5,164	~	5,277	5,025	~
35-39	7,093	6,303	~	6,480	6,216	~
40-44	7,233	6,669	~	6,780	6,484	~
45-49	6,571	6,115	~	6,334	6,123	~
50-54	5,881	5,657	~	6,005	5,864	~
55-59	4,744	4,598	~	4,935	4,780	~
60-64	3,872	3,792	~	4,224	4,150	~
65-69	3,150	3,074	~	3,825	3,703	~
70-74	2,965	2,915	~	3,816	3,749	~
75-79	2,322	2,283	~	3,583	3,517	~
80-84	1,567	1,530	~	2,920	2,859	~
85+	1,184	1,164	~	3,118	3,064	~
Total	90,425	82,974	~	91,774	87,767	~
Moultrie	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	493	491	~	451	447	~
1-4	2,022	2,000	~	1,661	1,634	~
5-9	2,502	2,478	~	2,459	2,449	~
10-14	2,623	2,621	~	2,621	2,600	~
15-19	2,598	2,597	~	2,578	2,560	~
20-24	2,018	1,998	~	1,866	1,862	~
25-29	1,940	1,932	~	1,997	1,985	~
30-34	1,986	1,981	~	2,018	2,009	~
35-39	2,558	2,546	~	2,525	2,516	~
40-44	2,597	2,588	~	2,846	2,837	~
45-49	2,579	2,570	~	2,596	2,589	~
50-54	2,199	2,193	~	2,162	2,161	~
55-59	1,767	1,762	~	1,834	1,827	~
60-64	1,598	1,592	~	1,625	1,620	~
65-69	1,431	1,429	~	1,586	1,582	~
70-74	1,265	1,264	~	1,641	1,641	~
75-79	1,005	1,005	~	1,578	1,576	~
80-84	682	682	~	1,290	1,290	~
85+	600	600	~	1,664	1,663	~
Total	34,463	34,329	~	36,998	36,848	~
Ogle	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,486	1,454	~	1,530	1,491	~
1-4	6,659	6,473	~	6,285	6,127	~
5-9	9,836	9,644	~	9,485	9,286	~
10-14	10,682	10,528	~	10,680	10,487	~
15-19	10,279	10,132	~	9,012	8,865	~
20-24	6,740	6,571	~	6,174	6,058	~
25-29	6,844	6,666	~	7,024	6,909	~
30-34	8,352	8,225	~	8,561	8,445	~
35-39	10,035	9,891	~	10,490	10,364	~
40-44	11,147	11,037	~	10,704	10,632	~
45-49	9,830	9,734	~	9,206	9,105	~
50-54	8,026	7,946	~	8,156	8,080	~
55-59	6,767	6,723	~	6,726	6,676	~
60-64	5,481	5,430	~	5,442	5,407	~
65-69	4,322	4,289	~	4,818	4,804	~
70-74	3,991	3,977	~	4,605	4,595	~
75-79	3,111	3,105	~	3,915	3,914	~
80-84	2,050	2,043	~	3,163	3,163	~
85+	1,322	1,322	~	3,261	3,251	~
Total	126,960	125,190	~	129,237	127,659	~

Peoria	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	6,525	4,504	1,865	6,386	4,329	1,889
1-4	26,542	18,457	7,380	24,561	16,933	6,980
5-9	33,749	23,001	10,087	31,996	21,947	9,415
10-14	32,464	23,141	8,699	31,053	21,957	8,491
15-19	33,845	25,948	7,282	33,558	25,258	7,727
20-24	32,159	25,805	5,406	33,243	25,920	6,432
25-29	29,970	23,579	4,821	30,867	23,886	5,848
30-34	29,870	24,087	4,610	30,718	24,032	5,673
35-39	30,920	25,524	4,510	31,720	25,445	5,417
40-44	32,280	27,303	4,340	35,257	29,222	5,432
45-49	32,476	27,903	4,022	33,851	28,520	4,817
50-54	28,210	24,695	3,068	31,013	26,741	3,662
55-59	22,485	19,934	2,149	23,898	20,958	2,565
60-64	17,507	15,631	1,634	19,160	16,983	1,896
65-69	14,757	13,390	1,183	17,852	16,182	1,498
70-74	13,893	12,852	907	17,776	16,133	1,483
75-79	11,138	10,353	736	16,776	15,626	1,082
80-84	7,050	6,627	390	12,787	12,024	685
85+	4,871	4,559	287	13,106	12,492	565
Total	440,711	357,293	73,376	475,578	384,588	81,557
Perry	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	627	602	~	521	494	~
1-4	2,612	2,432	~	2,335	2,186	~
5-9	3,427	3,238	~	3,428	3,285	~
10-14	4,011	3,855	~	3,607	3,478	~
15-19	4,338	3,828	~	3,547	3,422	~
20-24	5,043	3,626	~	3,114	3,000	~
25-29	4,656	3,405	~	2,993	2,916	~
30-34	4,488	3,329	~	2,973	2,894	~
35-39	5,040	4,069	~	3,731	3,608	~
40-44	4,730	3,958	~	3,900	3,818	~
45-49	4,411	4,019	~	3,837	3,758	~
50-54	3,450	3,291	~	3,439	3,357	~
55-59	2,882	2,789	~	2,947	2,895	~
60-64	2,393	2,333	~	2,494	2,464	~
65-69	2,180	2,139	~	2,450	2,388	~
70-74	1,869	1,838	~	2,415	2,387	~
75-79	1,608	1,586	~	2,421	2,380	~
80-84	974	959	~	1,797	1,767	~
85+	701	697	~	1,987	1,949	~
Total	59,440	51,993	~	53,936	52,446	~
Piatt	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	448	448	~	430	426	~
1-4	2,024	1,985	~	1,993	1,963	~
5-9	2,989	2,954	~	2,660	2,630	~
10-14	3,021	2,995	~	2,854	2,834	~
15-19	3,012	3,001	~	2,800	2,795	~
20-24	1,909	1,880	~	1,870	1,857	~
25-29	1,982	1,968	~	2,068	2,044	~
30-34	2,279	2,261	~	2,404	2,386	~
35-39	3,079	3,065	~	3,285	3,280	~
40-44	3,553	3,543	~	3,621	3,619	~
45-49	3,268	3,264	~	3,205	3,193	~
50-54	2,820	2,820	~	2,699	2,698	~
55-59	2,305	2,305	~	2,307	2,305	~
60-64	1,893	1,893	~	2,052	2,052	~
65-69	1,602	1,602	~	1,810	1,804	~
70-74	1,468	1,465	~	1,633	1,631	~
75-79	1,082	1,082	~	1,603	1,603	~
80-84	700	700	~	1,206	1,206	~
85+	422	422	~	1,270	1,270	~
Total	39,856	39,653	~	41,770	41,596	~

Pike	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	507	506	~	438	438	~
1-4	2,143	2,118	~	1,890	1,879	~
5-9	2,889	2,884	~	2,781	2,766	~
10-14	3,066	3,056	~	3,075	3,065	~
15-19	3,250	3,192	~	2,811	2,805	~
20-24	2,689	2,282	~	2,011	2,011	~
25-29	2,737	2,484	~	2,148	2,136	~
30-34	2,659	2,552	~	2,582	2,574	~
35-39	3,008	2,760	~	2,861	2,851	~
40-44	3,183	3,013	~	3,081	3,066	~
45-49	3,265	3,181	~	3,064	3,046	~
50-54	2,722	2,692	~	2,602	2,596	~
55-59	2,053	2,049	~	2,438	2,430	~
60-64	2,023	2,015	~	2,081	2,077	~
65-69	1,751	1,751	~	2,087	2,082	~
70-74	1,589	1,589	~	1,972	1,969	~
75-79	1,540	1,535	~	2,077	2,077	~
80-84	1,005	1,005	~	1,786	1,783	~
85+	909	901	~	1,908	1,908	~
Total	42,988	41,565	~	43,693	43,559	~
Pope	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	87	87	~	82	82	~
1-4	445	439	~	382	379	~
5-9	573	566	~	578	571	~
10-14	650	644	~	664	654	~
15-19	1,312	844	~	779	693	~
20-24	845	624	~	545	510	~
25-29	521	502	~	485	479	~
30-34	573	554	~	558	553	~
35-39	726	698	~	803	788	~
40-44	740	718	~	809	799	~
45-49	779	773	~	772	762	~
50-54	740	740	~	798	785	~
55-59	705	702	~	656	637	~
60-64	668	659	~	670	662	~
65-69	604	602	~	541	532	~
70-74	445	438	~	462	462	~
75-79	351	346	~	433	433	~
80-84	191	191	~	289	289	~
85+	154	151	~	419	411	~
Total	11,109	10,278	~	10,725	10,481	~
Pulaski	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	226	131	~	272	171	~
1-4	924	549	~	904	511	~
5-9	1,258	721	~	1,447	788	~
10-14	1,497	855	~	1,547	895	~
15-19	1,502	975	~	1,385	808	~
20-24	1,046	678	~	1,047	739	~
25-29	944	668	~	947	645	~
30-34	905	674	~	1,026	680	~
35-39	1,202	874	~	1,327	894	~
40-44	1,359	994	~	1,384	865	~
45-49	1,357	999	~	1,173	829	~
50-54	1,071	802	~	1,050	797	~
55-59	755	565	~	887	630	~
60-64	774	577	~	948	674	~
65-69	702	521	~	817	561	~
70-74	726	527	~	918	675	~
75-79	573	467	~	857	616	~
80-84	338	240	~	579	436	~
85+	245	161	~	647	447	~
Total	17,404	11,978	~	19,162	12,661	~

Putnam Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks
00	163	162	~	178	176	~
1-4	736	719	~	661	636	~
5-9	1,043	1,023	~	972	938	~
10-14	1,122	1,094	~	1,192	1,168	~
15-19	1,118	1,104	~	1,036	1,028	~
20-24	710	704	~	755	754	~
25-29	764	752	~	661	653	~
30-34	870	853	~	939	929	~
35-39	1,128	1,118	~	1,207	1,201	~
40-44	1,250	1,242	~	1,268	1,262	~
45-49	1,225	1,218	~	1,052	1,052	~
50-54	1,048	1,045	~	1,019	1,016	~
55-59	937	927	~	929	929	~
60-64	731	730	~	779	779	~
65-69	647	642	~	607	603	~
70-74	587	584	~	640	638	~
75-79	439	439	~	628	628	~
80-84	303	303	~	404	404	~
85+	176	176	~	421	421	~
Total	14,997	14,835	~	15,348	15,215	~
Randolph Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks
00	937	900	~	879	808	~
1-4	3,870	3,601	~	3,513	3,249	~
5-9	4,952	4,647	~	5,013	4,698	~
10-14	5,603	5,331	~	5,462	5,199	~
15-19	6,377	5,689	~	5,130	4,840	~
20-24	7,754	5,184	~	4,180	3,981	~
25-29	7,702	5,076	~	4,174	3,995	~
30-34	7,307	5,328	~	4,614	4,454	~
35-39	8,217	6,375	~	5,483	5,274	~
40-44	7,659	6,265	~	5,759	5,641	~
45-49	7,040	6,178	~	5,584	5,430	~
50-54	5,243	4,887	~	4,770	4,636	~
55-59	4,130	3,933	~	4,156	4,053	~
60-64	3,383	3,304	~	3,441	3,384	~
65-69	2,960	2,882	~	3,302	3,266	~
70-74	2,612	2,550	~	3,617	3,550	~
75-79	2,289	2,243	~	3,251	3,188	~
80-84	1,485	1,469	~	2,718	2,689	~
85+	1,124	1,106	~	3,017	2,979	~
Total	90,644	76,948	~	78,063	75,314	~
Richland Age	Males			Females		
	All Races	Whites	Blacks	All Races	Whites	Blacks
00	495	488	~	479	475	~
1-4	2,019	1,976	~	1,954	1,921	~
5-9	2,699	2,632	~	2,488	2,440	~
10-14	2,972	2,949	~	2,800	2,757	~
15-19	3,046	2,998	~	2,848	2,834	~
20-24	2,365	2,284	~	2,294	2,281	~
25-29	2,191	2,137	~	2,207	2,190	~
30-34	2,429	2,424	~	2,456	2,425	~
35-39	2,881	2,850	~	2,903	2,879	~
40-44	3,056	3,032	~	3,322	3,304	~
45-49	2,768	2,759	~	2,763	2,735	~
50-54	2,346	2,320	~	2,408	2,386	~
55-59	1,976	1,964	~	2,267	2,249	~
60-64	1,969	1,961	~	2,109	2,103	~
65-69	1,728	1,713	~	2,025	2,014	~
70-74	1,513	1,510	~	1,859	1,848	~
75-79	1,213	1,210	~	1,762	1,757	~
80-84	673	673	~	1,322	1,319	~
85+	696	696	~	1,519	1,515	~
Total	39,035	38,576	~	41,785	41,432	~

Rock Island		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	4,899	4,142	663	4,795	3,989	697	
1-4	19,652	16,483	2,691	19,054	15,856	2,741	
5-9	24,614	20,757	3,355	23,538	19,782	3,315	
10-14	25,754	22,301	3,116	24,814	21,408	3,060	
15-19	27,360	24,285	2,703	26,637	23,690	2,468	
20-24	25,310	22,500	2,438	26,162	23,219	2,415	
25-29	23,054	19,977	2,463	22,630	19,879	2,079	
30-34	23,852	20,821	2,447	23,307	20,911	1,846	
35-39	26,706	23,699	2,459	26,130	23,796	1,892	
40-44	28,297	25,921	2,032	28,919	26,649	1,915	
45-49	27,822	25,665	1,819	27,679	25,576	1,743	
50-54	24,374	22,579	1,505	25,036	23,142	1,519	
55-59	19,424	18,080	1,122	20,431	19,101	1,110	
60-64	16,060	15,082	828	17,259	16,203	913	
65-69	13,137	12,438	607	15,462	14,609	725	
70-74	12,235	11,696	510	15,676	14,967	626	
75-79	9,329	8,949	345	14,137	13,587	508	
80-84	6,204	6,084	112	11,294	10,987	280	
85+	4,345	4,203	106	10,956	10,711	222	
Total	362,428	325,662	31,321	383,916	348,062	30,074	
St Clair		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	8,862	5,366	3,340	8,737	5,107	3,489	
1-4	36,429	21,851	13,977	36,032	21,223	14,192	
5-9	50,500	30,174	19,568	48,219	28,061	19,402	
10-14	52,828	32,880	19,120	50,647	31,005	18,864	
15-19	49,723	32,032	16,945	48,015	30,104	17,058	
20-24	39,632	26,692	12,216	41,024	26,130	14,110	
25-29	39,026	26,910	11,344	41,950	26,413	14,588	
30-34	41,361	29,802	11,004	45,278	29,674	14,669	
35-39	49,086	36,909	11,432	52,400	36,003	15,439	
40-44	50,228	38,304	11,270	54,024	38,166	14,708	
45-49	44,593	34,056	10,065	48,191	33,882	13,269	
50-54	36,808	28,125	8,263	38,585	27,604	10,103	
55-59	27,467	21,089	6,159	29,662	21,478	7,724	
60-64	21,225	16,344	4,684	25,791	19,069	6,317	
65-69	19,494	15,256	4,104	25,216	18,945	5,977	
70-74	18,561	15,186	3,286	24,894	19,316	5,368	
75-79	13,807	11,368	2,379	21,144	17,232	3,805	
80-84	8,545	7,146	1,358	15,274	12,760	2,448	
85+	5,560	4,589	953	15,558	12,841	2,666	
Total	613,735	434,079	171,467	670,641	455,013	204,196	
Saline		Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks	
00	725	680	~	743	702	~	
1-4	3,058	2,886	~	3,054	2,868	~	
5-9	4,152	3,880	~	3,925	3,702	~	
10-14	4,611	4,402	~	4,280	4,110	~	
15-19	6,867	5,064	~	4,230	4,036	~	
20-24	3,601	3,336	~	3,575	3,425	~	
25-29	3,381	3,206	~	3,482	3,341	~	
30-34	3,831	3,730	~	3,916	3,797	~	
35-39	4,437	4,252	~	4,703	4,581	~	
40-44	4,725	4,571	~	4,917	4,750	~	
45-49	4,433	4,333	~	4,549	4,423	~	
50-54	4,173	4,023	~	4,405	4,235	~	
55-59	3,521	3,404	~	3,781	3,633	~	
60-64	2,916	2,845	~	3,715	3,601	~	
65-69	2,892	2,810	~	3,483	3,415	~	
70-74	2,439	2,397	~	3,325	3,263	~	
75-79	1,993	1,974	~	3,137	3,059	~	
80-84	1,340	1,311	~	2,752	2,715	~	
85+	962	944	~	2,953	2,911	~	
Total	64,057	60,048	~	68,925	66,567	~	

Sangamon	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	6,334	5,164	1,058	6,172	4,989	1,096
1-4	25,215	20,485	4,309	24,436	19,862	4,104
5-9	34,472	27,990	5,866	31,658	25,651	5,476
10-14	34,467	28,963	5,001	32,870	27,437	4,941
15-19	32,105	27,315	4,333	31,486	26,536	4,533
20-24	26,533	22,725	3,278	28,278	23,989	3,876
25-29	28,945	25,345	2,931	31,610	26,973	3,763
30-34	32,830	28,982	3,206	33,267	28,968	3,638
35-39	36,882	32,962	3,266	39,314	34,780	3,891
40-44	37,951	34,202	3,184	40,391	36,260	3,550
45-49	35,897	32,830	2,588	38,476	34,960	2,920
50-54	31,200	28,948	1,853	34,393	31,521	2,417
55-59	22,231	20,640	1,318	25,104	23,167	1,620
60-64	18,246	16,904	1,070	20,336	18,848	1,260
65-69	14,863	13,881	880	17,947	16,732	1,072
70-74	13,264	12,696	505	18,341	17,229	969
75-79	10,397	9,986	388	16,550	15,745	735
80-84	6,577	6,367	195	12,659	12,105	503
85+	4,583	4,359	207	12,941	12,386	513
Total	452,992	400,744	45,436	496,229	438,138	50,877
Schuyler	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	195	194	~	177	177	~
1-4	901	895	~	747	743	~
5-9	1,187	1,184	~	1,005	1,000	~
10-14	1,151	1,138	~	1,213	1,202	~
15-19	1,218	1,214	~	1,167	1,166	~
20-24	999	986	~	790	790	~
25-29	966	962	~	915	913	~
30-34	1,187	1,187	~	992	988	~
35-39	1,152	1,146	~	1,242	1,238	~
40-44	1,437	1,436	~	1,421	1,417	~
45-49	1,376	1,374	~	1,334	1,328	~
50-54	1,222	1,220	~	1,087	1,087	~
55-59	1,003	1,001	~	1,025	1,020	~
60-64	839	839	~	873	873	~
65-69	822	821	~	871	868	~
70-74	730	726	~	960	960	~
75-79	591	591	~	875	875	~
80-84	470	470	~	619	619	~
85+	293	293	~	758	758	~
Total	17,739	17,677	~	18,071	18,022	~
Scott	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	136	136	~	173	173	~
1-4	725	725	~	695	695	~
5-9	983	983	~	918	918	~
10-14	984	983	~	937	932	~
15-19	925	923	~	1,119	1,115	~
20-24	760	760	~	719	717	~
25-29	725	725	~	789	781	~
30-34	829	826	~	793	788	~
35-39	1,000	1,000	~	1,096	1,091	~
40-44	1,209	1,209	~	1,059	1,058	~
45-49	932	932	~	991	987	~
50-54	901	901	~	832	824	~
55-59	654	654	~	758	758	~
60-64	669	668	~	702	699	~
65-69	508	506	~	616	615	~
70-74	576	576	~	623	623	~
75-79	369	369	~	518	515	~
80-84	273	273	~	438	438	~
85+	183	183	~	526	523	~
Total	13,341	13,332	~	14,302	14,250	~

Shelby	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	652	648	~	590	584	~
1-4	2,678	2,647	~	2,633	2,630	~
5-9	4,110	4,087	~	3,850	3,842	~
10-14	4,386	4,365	~	4,117	4,094	~
15-19	4,235	4,195	~	3,936	3,913	~
20-24	3,182	3,148	~	2,783	2,770	~
25-29	3,046	3,037	~	2,883	2,864	~
30-34	3,447	3,435	~	3,266	3,257	~
35-39	4,127	4,113	~	4,294	4,260	~
40-44	4,441	4,419	~	4,300	4,281	~
45-49	4,018	4,011	~	3,873	3,869	~
50-54	3,608	3,604	~	3,655	3,650	~
55-59	3,028	3,018	~	3,167	3,153	~
60-64	2,726	2,720	~	2,785	2,779	~
65-69	2,435	2,424	~	2,919	2,917	~
70-74	2,374	2,363	~	2,360	2,355	~
75-79	1,781	1,779	~	2,413	2,408	~
80-84	1,179	1,174	~	2,041	2,040	~
85+	860	859	~	1,911	1,908	~
Total	56,313	56,046	~	57,776	57,574	~
Stark	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	189	189	~	221	221	~
1-4	765	762	~	805	800	~
5-9	1,109	1,103	~	1,094	1,094	~
10-14	1,119	1,116	~	1,106	1,103	~
15-19	1,171	1,169	~	1,033	1,027	~
20-24	732	727	~	749	745	~
25-29	809	805	~	771	771	~
30-34	936	932	~	994	987	~
35-39	1,068	1,067	~	1,147	1,145	~
40-44	1,188	1,183	~	1,039	1,039	~
45-49	1,115	1,115	~	1,212	1,203	~
50-54	1,017	1,017	~	956	956	~
55-59	902	902	~	880	880	~
60-64	747	747	~	689	689	~
65-69	710	710	~	830	827	~
70-74	510	510	~	761	761	~
75-79	553	553	~	709	706	~
80-84	381	381	~	656	656	~
85+	267	267	~	732	732	~
Total	15,288	15,255	~	16,384	16,342	~
Stephensen	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,461	1,215	~	1,503	1,244	~
1-4	5,959	4,911	~	6,259	5,040	~
5-9	8,553	7,294	~	8,415	7,116	~
10-14	9,318	8,222	~	8,835	7,606	~
15-19	8,937	7,875	~	8,695	7,680	~
20-24	6,173	5,346	~	6,252	5,488	~
25-29	6,478	5,836	~	6,570	5,805	~
30-34	7,893	7,188	~	7,777	6,922	~
35-39	9,223	8,436	~	9,129	8,227	~
40-44	9,560	8,892	~	9,723	8,839	~
45-49	8,711	8,131	~	8,949	8,313	~
50-54	7,499	7,085	~	7,826	7,309	~
55-59	6,302	5,965	~	6,572	6,220	~
60-64	5,217	4,975	~	5,902	5,583	~
65-69	4,638	4,437	~	5,388	5,120	~
70-74	4,334	4,167	~	5,351	5,132	~
75-79	3,643	3,555	~	5,096	4,939	~
80-84	2,099	2,044	~	3,818	3,727	~
85+	1,638	1,597	~	4,267	4,183	~
Total	117,636	107,171	~	126,327	114,493	~

Tazewell	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	4,046	3,983	~	3,802	3,733	~
1-4	16,244	15,966	~	15,807	15,380	~
5-9	22,228	21,827	~	20,793	20,341	~
10-14	22,833	22,545	~	22,049	21,690	~
15-19	22,852	22,452	~	21,065	20,765	~
20-24	18,919	18,312	~	17,867	17,591	~
25-29	20,065	19,010	~	19,265	18,853	~
30-34	22,051	21,041	~	20,960	20,531	~
35-39	24,473	23,667	~	24,829	24,457	~
40-44	25,530	24,849	~	25,876	25,527	~
45-49	24,128	23,686	~	24,546	24,250	~
50-54	22,107	21,810	~	21,539	21,262	~
55-59	16,882	16,731	~	17,053	16,915	~
60-64	13,347	13,254	~	14,979	14,910	~
65-69	12,105	12,033	~	14,252	14,130	~
70-74	11,347	11,312	~	13,242	13,191	~
75-79	8,224	8,205	~	11,164	11,134	~
80-84	4,789	4,776	~	8,353	8,341	~
85+	3,452	3,447	~	8,765	8,733	~
Total	315,622	308,906	~	326,206	321,734	~
Union	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	460	454	~	441	435	~
1-4	1,949	1,910	~	1,944	1,908	~
5-9	2,963	2,925	~	2,812	2,777	~
10-14	3,368	3,305	~	3,114	3,076	~
15-19	3,121	3,080	~	3,065	3,014	~
20-24	2,404	2,374	~	2,359	2,340	~
25-29	2,416	2,351	~	2,638	2,593	~
30-34	2,770	2,712	~	2,683	2,616	~
35-39	3,352	3,237	~	3,363	3,312	~
40-44	3,652	3,581	~	3,475	3,416	~
45-49	3,373	3,297	~	3,356	3,297	~
50-54	2,932	2,887	~	2,965	2,927	~
55-59	2,770	2,722	~	2,858	2,827	~
60-64	2,337	2,308	~	2,332	2,313	~
65-69	1,855	1,830	~	2,153	2,137	~
70-74	1,604	1,591	~	1,951	1,939	~
75-79	1,344	1,341	~	1,984	1,982	~
80-84	936	923	~	1,641	1,629	~
85+	715	715	~	1,737	1,729	~
Total	44,321	43,543	~	46,871	46,267	~
Vermilion	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	2,869	2,400	442	2,755	2,288	440
1-4	11,553	9,541	1,891	10,952	8,965	1,876
5-9	14,928	12,371	2,419	14,487	12,016	2,363
10-14	14,972	12,553	2,243	14,344	12,313	1,918
15-19	14,476	12,473	1,856	14,079	12,151	1,741
20-24	13,281	10,655	2,542	11,783	10,133	1,556
25-29	13,569	10,613	2,829	12,019	10,457	1,453
30-34	13,602	11,358	2,145	12,939	11,417	1,381
35-39	15,438	13,134	2,198	14,758	13,372	1,257
40-44	15,934	13,956	1,815	15,453	13,886	1,378
45-49	14,886	13,315	1,408	14,932	13,533	1,217
50-54	13,127	12,186	805	13,783	12,700	942
55-59	10,820	10,091	624	11,300	10,493	711
60-64	9,308	8,717	506	10,071	9,386	613
65-69	8,108	7,574	509	9,552	8,911	581
70-74	7,498	7,077	400	9,207	8,708	456
75-79	6,084	5,743	333	8,832	8,351	457
80-84	3,606	3,408	189	6,214	5,926	276
85+	2,378	2,247	127	5,908	5,593	306
Total	206,437	179,412	25,281	213,368	190,599	20,922

Wabash	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	351	347	~	347	337	~
1-4	1,483	1,460	~	1,443	1,409	~
5-9	2,227	2,211	~	1,960	1,918	~
10-14	2,301	2,272	~	2,305	2,265	~
15-19	2,526	2,470	~	2,437	2,395	~
20-24	2,102	2,039	~	1,902	1,842	~
25-29	1,726	1,711	~	1,677	1,666	~
30-34	1,796	1,782	~	1,854	1,830	~
35-39	2,315	2,278	~	2,381	2,357	~
40-44	2,654	2,640	~	2,567	2,553	~
45-49	2,523	2,502	~	2,294	2,278	~
50-54	2,129	2,121	~	2,149	2,144	~
55-59	1,514	1,505	~	1,629	1,622	~
60-64	1,420	1,413	~	1,421	1,412	~
65-69	1,209	1,206	~	1,539	1,537	~
70-74	1,057	1,048	~	1,538	1,538	~
75-79	886	886	~	1,355	1,355	~
80-84	623	623	~	1,045	1,045	~
85+	512	512	~	1,138	1,138	~
Total	31,354	31,026	~	32,981	32,641	~
Warren	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	505	480	~	530	507	~
1-4	2,166	2,068	~	2,074	2,006	~
5-9	2,911	2,789	~	2,779	2,668	~
10-14	3,300	3,200	~	3,133	3,030	~
15-19	4,157	3,966	~	4,199	4,037	~
20-24	3,797	3,547	~	3,737	3,549	~
25-29	2,367	2,272	~	2,306	2,253	~
30-34	2,601	2,543	~	2,631	2,605	~
35-39	3,086	3,022	~	3,102	3,066	~
40-44	3,258	3,184	~	3,412	3,327	~
45-49	3,512	3,461	~	3,442	3,399	~
50-54	2,863	2,824	~	2,957	2,925	~
55-59	2,437	2,399	~	2,505	2,463	~
60-64	2,086	2,053	~	2,147	2,100	~
65-69	1,762	1,734	~	1,925	1,902	~
70-74	1,632	1,596	~	2,200	2,169	~
75-79	1,401	1,378	~	1,899	1,876	~
80-84	849	842	~	1,438	1,429	~
85+	568	568	~	1,713	1,697	~
Total	45,258	43,926	~	48,129	47,008	~
Washington	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	402	397	~	452	444	~
1-4	1,792	1,763	~	1,654	1,620	~
5-9	2,486	2,475	~	2,578	2,535	~
10-14	3,083	3,050	~	2,828	2,810	~
15-19	3,044	2,935	~	2,794	2,772	~
20-24	1,970	1,955	~	1,885	1,869	~
25-29	1,934	1,909	~	1,917	1,902	~
30-34	2,370	2,353	~	2,334	2,318	~
35-39	2,935	2,909	~	2,906	2,891	~
40-44	3,180	3,161	~	3,062	3,042	~
45-49	2,911	2,908	~	2,705	2,683	~
50-54	2,412	2,403	~	2,236	2,225	~
55-59	1,769	1,764	~	1,967	1,946	~
60-64	1,760	1,749	~	1,826	1,812	~
65-69	1,469	1,469	~	1,524	1,521	~
70-74	1,359	1,359	~	1,688	1,685	~
75-79	1,272	1,266	~	1,557	1,552	~
80-84	791	791	~	1,260	1,259	~
85+	577	572	~	1,244	1,241	~
Total	37,516	37,188	~	38,417	38,127	~

Wayne	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	490	488	~	524	511	~
1-4	1,984	1,958	~	2,101	2,059	~
5-9	2,805	2,769	~	2,479	2,462	~
10-14	3,264	3,233	~	2,739	2,718	~
15-19	3,100	3,059	~	2,748	2,723	~
20-24	2,345	2,320	~	2,434	2,414	~
25-29	2,401	2,369	~	2,160	2,147	~
30-34	2,639	2,599	~	2,533	2,516	~
35-39	2,978	2,938	~	3,011	3,000	~
40-44	3,169	3,138	~	3,103	3,085	~
45-49	2,868	2,860	~	2,904	2,897	~
50-54	2,696	2,677	~	2,733	2,720	~
55-59	2,279	2,267	~	2,512	2,499	~
60-64	2,102	2,090	~	2,307	2,302	~
65-69	1,858	1,853	~	2,241	2,237	~
70-74	1,645	1,641	~	2,068	2,061	~
75-79	1,401	1,401	~	2,055	2,045	~
80-84	919	919	~	1,549	1,548	~
85+	619	619	~	1,755	1,755	~
Total	41,562	41,198	~	43,956	43,699	~
White	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	410	410	~	369	367	~
1-4	1,658	1,644	~	1,477	1,470	~
5-9	2,020	1,996	~	2,254	2,224	~
10-14	2,407	2,363	~	2,531	2,504	~
15-19	2,567	2,521	~	2,609	2,588	~
20-24	2,018	1,989	~	2,087	2,080	~
25-29	1,915	1,875	~	1,783	1,764	~
30-34	2,237	2,192	~	2,167	2,152	~
35-39	2,679	2,654	~	2,755	2,727	~
40-44	2,997	2,963	~	2,947	2,922	~
45-49	2,781	2,769	~	2,769	2,760	~
50-54	2,397	2,388	~	2,495	2,487	~
55-59	2,091	2,091	~	2,265	2,263	~
60-64	2,040	2,040	~	2,061	2,058	~
65-69	1,627	1,619	~	2,145	2,136	~
70-74	1,659	1,656	~	1,966	1,960	~
75-79	1,437	1,436	~	1,876	1,866	~
80-84	893	887	~	1,641	1,641	~
85+	780	780	~	1,964	1,958	~
Total	36,613	36,273	~	40,161	39,927	~
Whiteside	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,957	1,891	~	1,801	1,751	~
1-4	7,962	7,680	~	7,751	7,410	~
5-9	10,565	10,191	~	10,185	9,831	~
10-14	11,381	11,029	~	10,559	10,190	~
15-19	11,314	10,909	~	10,264	9,930	~
20-24	8,745	8,449	~	8,185	7,989	~
25-29	8,668	8,425	~	8,366	8,186	~
30-34	9,373	9,220	~	9,402	9,218	~
35-39	11,004	10,753	~	11,030	10,751	~
40-44	11,672	11,421	~	11,723	11,522	~
45-49	11,347	11,184	~	11,405	11,237	~
50-54	9,691	9,534	~	9,958	9,857	~
55-59	8,045	7,932	~	8,103	8,020	~
60-64	6,565	6,510	~	7,091	7,033	~
65-69	5,589	5,537	~	6,718	6,677	~
70-74	5,331	5,309	~	6,821	6,793	~
75-79	4,346	4,333	~	5,869	5,833	~
80-84	2,760	2,736	~	4,756	4,722	~
85+	1,934	1,932	~	4,670	4,667	~
Total	148,249	144,975	~	154,657	151,617	~

Will	Males			Females		
	Age	All Races	Whites	Blacks	All Races	Whites
00	20,799	17,751	2,426	19,714	16,672	2,398
1-4	86,707	73,167	10,921	81,979	69,475	9,879
5-9	112,605	95,086	14,229	107,926	91,091	13,533
10-14	107,778	90,860	13,717	102,132	85,635	13,384
15-19	96,620	79,972	13,911	88,374	73,876	11,838
20-24	79,183	65,259	11,716	71,989	59,997	9,899
25-29	84,566	70,774	11,238	83,097	70,071	9,953
30-34	105,011	90,535	11,318	106,172	91,276	10,879
35-39	117,566	103,164	11,039	117,779	102,887	11,272
40-44	111,481	97,984	10,628	110,936	96,267	11,494
45-49	92,423	81,528	8,340	91,149	78,803	9,726
50-54	76,438	67,519	6,869	75,934	66,403	7,488
55-59	56,490	50,580	4,527	55,961	49,725	4,622
60-64	39,096	35,066	2,971	40,064	35,859	3,225
65-69	29,168	26,522	2,036	33,099	29,808	2,509
70-74	23,766	21,988	1,417	30,128	27,643	1,869
75-79	17,810	16,589	944	25,959	24,138	1,423
80-84	10,395	9,844	399	18,931	17,800	893
85+	6,486	6,037	370	17,331	16,483	757
Total	1,274,388	1,100,225	139,016	1,278,654	1,103,909	137,041
Williamson	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	1,879	1,784	~	1,746	1,660	~
1-4	7,268	6,880	~	7,427	6,968	~
5-9	9,619	9,165	~	9,665	9,151	~
10-14	10,487	9,912	~	9,924	9,441	~
15-19	9,987	9,557	~	9,682	9,344	~
20-24	9,637	9,129	~	9,455	9,130	~
25-29	10,118	9,373	~	9,674	9,384	~
30-34	10,660	9,861	~	9,863	9,514	~
35-39	11,623	11,024	~	11,370	11,034	~
40-44	11,651	11,207	~	11,382	11,084	~
45-49	10,762	10,494	~	10,872	10,608	~
50-54	10,055	9,775	~	10,197	9,946	~
55-59	8,445	8,218	~	8,855	8,673	~
60-64	6,993	6,893	~	7,723	7,568	~
65-69	5,997	5,874	~	7,105	6,970	~
70-74	5,260	5,172	~	6,793	6,698	~
75-79	4,392	4,345	~	6,636	6,557	~
80-84	2,776	2,765	~	5,129	5,075	~
85+	1,852	1,840	~	4,992	4,936	~
Total	149,461	143,268	~	158,490	153,741	~
Winnabago	Males			Females		
Age	All Races	Whites	Blacks	All Races	Whites	Blacks
00	10,038	8,064	1,693	9,568	7,688	1,618
1-4	41,032	32,653	7,255	38,484	30,624	6,654
5-9	52,556	42,265	8,859	50,521	40,450	8,654
10-14	53,393	43,354	8,645	51,402	41,663	8,362
15-19	49,333	40,764	7,172	46,190	38,233	6,781
20-24	41,235	35,010	5,079	41,436	34,150	6,105
25-29	46,335	39,877	5,141	46,212	38,326	6,242
30-34	49,992	43,593	4,990	50,107	42,644	5,966
35-39	55,051	48,951	4,856	55,333	47,811	5,942
40-44	55,290	49,228	4,754	55,137	48,170	5,593
45-49	50,365	45,291	3,989	51,687	45,718	4,797
50-54	43,550	39,150	3,505	45,732	40,833	3,952
55-59	34,281	31,299	2,404	36,435	32,881	2,971
60-64	25,915	23,798	1,705	28,269	25,575	2,289
65-69	21,564	19,971	1,328	25,077	23,042	1,762
70-74	19,830	18,561	1,120	25,161	23,586	1,369
75-79	15,676	14,793	794	22,520	21,320	1,028
80-84	9,540	9,137	346	16,538	15,801	676
85+	6,316	6,064	225	15,725	15,136	529
Total	681,292	591,823	73,860	711,534	613,651	81,290

Woodford	Males			Females			
	Age	All Races	Whites	Blacks	All Races	Whites	Blacks
	00	1,135	1,125	~	1,099	1,086	~
	1-4	4,759	4,669	~	4,601	4,503	~
	5-9	6,535	6,455	~	6,469	6,354	~
	10-14	7,268	7,213	~	6,745	6,665	~
	15-19	7,047	6,977	~	7,059	6,960	~
	20-24	5,442	5,331	~	4,800	4,713	~
	25-29	4,360	4,312	~	4,188	4,141	~
	30-34	5,071	5,031	~	5,395	5,341	~
	35-39	6,390	6,370	~	6,586	6,534	~
	40-44	7,018	6,985	~	7,340	7,302	~
	45-49	7,093	7,079	~	7,162	7,113	~
	50-54	6,041	6,008	~	5,734	5,681	~
	55-59	4,762	4,729	~	4,534	4,519	~
	60-64	3,588	3,571	~	3,431	3,422	~
	65-69	2,986	2,986	~	3,283	3,254	~
	70-74	2,467	2,464	~	3,329	3,327	~
	75-79	2,168	2,168	~	3,109	3,105	~
	80-84	1,608	1,608	~	2,754	2,754	~
	85+	1,235	1,235	~	3,196	3,191	~
	Total	86,973	86,316	~	90,814	89,965	~

Hispanic Ethnicity Populations for Selected Counties						
Illinois	Males			Females		
Age	All Ethnicities	Hispanics	Non-Hispanics	All Ethnicities	Hispanics	Non-Hispanics
00	452,442	97,146	355,296	434,480	92,281	342,199
1-4	1,800,416	356,345	1,444,071	1,723,162	338,859	1,384,303
5-9	2,352,607	408,606	1,944,001	2,241,546	390,479	1,851,067
10-14	2,312,836	343,562	1,969,274	2,208,497	331,075	1,877,422
15-19	2,297,147	368,172	1,928,975	2,152,258	316,182	1,836,076
20-24	2,186,649	453,331	1,733,318	2,078,520	359,733	1,718,787
25-29	2,239,854	462,719	1,777,135	2,185,810	368,662	1,817,148
30-34	2,351,721	394,592	1,957,129	2,321,852	323,746	1,998,106
35-39	2,463,765	322,523	2,141,242	2,478,128	270,848	2,207,280
40-44	2,439,333	257,014	2,182,319	2,488,474	223,062	2,265,412
45-49	2,160,913	189,016	1,971,897	2,231,043	170,882	2,060,161
50-54	1,845,037	138,012	1,707,025	1,936,175	130,337	1,805,838
55-59	1,414,222	90,940	1,323,282	1,520,491	90,738	1,429,753
60-64	1,109,985	65,111	1,044,874	1,235,412	67,520	1,167,892
65-69	909,342	46,342	863,000	1,088,249	52,829	1,035,420
70-74	806,861	32,468	774,393	1,052,799	37,974	1,014,825
75-79	634,754	19,443	615,311	940,521	24,511	916,010
80-84	394,955	8,736	386,219	710,656	13,091	697,565
85+	270,514	6,453	264,061	701,880	11,077	690,803
Total	30,443,353	4,060,531	26,382,822	31,729,953	3,613,886	28,116,067
Cook	Males			Females		
Age	All Ethnicities	Hispanics	Non-Hispanics	All Ethnicities	Hispanics	Non-Hispanics
00	206,211	65,833	140,378	198,275	62,719	135,556
1-4	794,195	241,117	553,078	763,714	230,192	533,522
5-9	1,021,997	282,386	739,611	976,899	270,331	706,568
10-14	969,205	239,589	729,616	932,034	231,636	700,398
15-19	933,155	250,349	682,806	890,761	220,974	669,787
20-24	945,280	299,969	645,311	933,150	248,500	684,650
25-29	1,090,925	313,426	777,499	1,091,737	258,170	833,567
30-34	1,090,101	269,348	820,753	1,083,149	227,419	855,730
35-39	1,049,173	222,784	826,389	1,058,830	191,286	867,544
40-44	1,001,843	180,703	821,140	1,048,424	160,419	888,005
45-49	871,571	135,099	736,472	938,022	124,798	813,224
50-54	748,607	100,723	647,884	826,682	97,543	729,139
55-59	572,114	67,062	505,052	651,802	68,218	583,584
60-64	459,349	48,845	410,504	543,021	51,523	491,498
65-69	377,579	34,884	342,695	472,654	39,999	432,655
70-74	331,911	24,390	307,521	453,258	28,772	424,486
75-79	263,003	14,411	248,592	401,322	18,387	382,935
80-84	161,168	6,608	154,560	295,369	9,700	285,669
85+	108,701	4,702	103,999	278,744	8,263	270,481
Total	12,996,088	2,802,228	10,193,860	13,837,847	2,548,849	11,288,998
DuPage	Males			Females		
Age	All Ethnicities	Hispanics	Non-Hispanics	All Ethnicities	Hispanics	Non-Hispanics
00	33,109	5,486	27,623	32,308	5,273	27,035
1-4	134,926	19,331	115,595	128,819	18,008	110,811
5-9	175,857	20,563	155,294	166,277	19,635	146,642
10-14	173,406	17,063	156,343	163,360	16,379	146,981
15-19	160,737	20,090	140,647	146,856	15,577	131,279
20-24	137,426	27,742	109,684	125,087	19,138	105,949
25-29	154,651	28,304	126,347	151,516	20,528	130,988
30-34	177,260	23,356	153,904	177,005	18,011	158,994
35-39	195,849	18,419	177,430	201,712	15,286	186,426
40-44	197,752	13,942	183,810	204,352	12,108	192,244
45-49	175,197	9,649	165,548	181,620	8,721	172,899
50-54	149,084	6,679	142,405	154,260	5,942	148,318
55-59	111,265	4,374	106,891	114,619	4,087	110,532
60-64	77,419	2,804	74,615	80,128	3,029	77,099
65-69	56,421	1,970	54,451	64,520	2,166	62,354
70-74	47,674	1,402	46,272	61,305	1,594	59,711
75-79	37,038	760	36,278	55,136	1,070	54,066
80-84	22,543	294	22,249	43,306	548	42,758
85+	15,331	289	15,042	42,570	503	42,067
Total	2,232,945	222,517	2,010,428	2,294,756	187,603	2,107,153

Kane		Males			Females		
Age	All Ethnicities	Hispanics	Non-Hispanics	All Ethnicities	Hispanics	Non-Hispanics	
00	18,661	7,467	11,194	17,609	7,023	10,586	
1-4	73,295	25,855	47,440	69,591	25,020	44,571	
5-9	90,576	27,747	62,829	86,651	26,495	60,156	
10-14	84,334	21,703	62,631	80,422	21,530	58,892	
15-19	82,329	23,950	58,379	71,794	19,375	52,419	
20-24	71,133	30,704	40,429	63,651	23,835	39,816	
25-29	76,193	32,045	44,148	71,495	24,583	46,912	
30-34	84,613	26,963	57,650	80,954	20,897	60,057	
35-39	88,175	20,159	68,016	86,441	15,825	70,616	
40-44	85,929	15,367	70,562	82,695	12,420	70,275	
45-49	72,878	10,505	62,373	72,815	9,036	63,779	
50-54	61,570	7,598	53,972	60,726	6,767	53,959	
55-59	43,920	4,699	39,221	44,418	4,657	39,761	
60-64	31,032	3,237	27,795	31,363	3,051	28,312	
65-69	23,068	2,176	20,892	25,901	2,276	23,625	
70-74	18,318	1,237	17,081	23,015	1,489	21,526	
75-79	14,148	876	13,272	20,331	786	19,545	
80-84	8,684	344	8,340	15,699	436	15,263	
85+	5,583	260	5,323	16,663	391	16,272	
Total	1,034,439	262,892	771,547	1,022,234	225,892	796,342	
Lake		Males			Females		
Age	All Ethnicities	Hispanics	Non-Hispanics	All Ethnicities	Hispanics	Non-Hispanics	
00	26,184	6,472	19,712	25,213	6,234	18,979	
1-4	108,726	23,854	84,872	103,405	22,063	81,342	
5-9	142,006	26,214	115,792	133,826	24,821	109,005	
10-14	133,262	20,617	112,645	127,045	19,419	107,626	
15-19	135,046	24,397	110,649	111,253	18,585	92,668	
20-24	108,125	31,427	76,698	86,732	22,428	64,304	
25-29	100,733	29,608	71,125	97,196	23,590	73,606	
30-34	121,890	25,834	96,056	122,903	20,275	102,628	
35-39	141,628	21,113	120,515	145,818	17,107	128,711	
40-44	141,870	15,016	126,854	143,862	12,576	131,286	
45-49	123,244	10,238	113,006	124,358	8,893	115,465	
50-54	101,567	6,955	94,612	100,660	6,265	94,395	
55-59	74,533	4,084	70,449	74,238	4,109	70,129	
60-64	52,138	2,855	49,283	52,909	2,756	50,153	
65-69	38,385	1,788	36,597	43,137	2,114	41,023	
70-74	33,310	1,255	32,055	40,081	1,493	38,588	
75-79	23,787	710	23,077	32,413	926	31,487	
80-84	13,918	297	13,621	23,027	610	22,417	
85+	8,909	264	8,645	22,049	386	21,663	
Total	1,629,261	252,998	1,376,263	1,610,125	214,650	1,395,475	
Will		Males			Females		
Age	All Ethnicities	Hispanics	Non-Hispanics	All Ethnicities	Hispanics	Non-Hispanics	
00	20,799	2,799	18,000	19,714	2,476	17,238	
1-4	86,707	10,969	75,738	81,979	10,599	71,380	
5-9	112,605	12,910	99,695	107,926	12,316	95,610	
10-14	107,778	11,103	96,675	102,132	10,423	91,709	
15-19	96,620	11,509	85,111	88,374	9,101	79,273	
20-24	79,183	13,015	66,168	71,989	9,823	62,166	
25-29	84,566	13,441	71,125	83,097	10,049	73,048	
30-34	105,011	12,205	92,806	106,172	9,674	96,498	
35-39	117,566	9,685	107,881	117,779	8,125	109,654	
40-44	111,481	7,640	103,841	110,936	6,428	104,508	
45-49	92,423	5,442	86,981	91,149	4,950	86,199	
50-54	76,438	3,922	72,516	75,934	3,449	72,485	
55-59	56,490	2,705	53,785	55,961	2,509	53,452	
60-64	39,096	1,754	37,342	40,064	1,728	38,336	
65-69	29,168	1,378	27,790	33,099	1,530	31,569	
70-74	23,766	922	22,844	30,128	943	29,185	
75-79	17,810	516	17,294	25,959	700	25,259	
80-84	10,395	233	10,162	18,931	411	18,520	
85+	6,486	176	6,310	17,331	268	17,063	
Total	1,274,388	122,324	1,152,064	1,278,654	105,502	1,173,152	

