

Invasive Cancer Incidence by Race Illinois, 1986-2003

Brain and Other Nervous System, Both Sexes

Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	13,148	6.3	0.1	6.2	6.4	11,836	6.7	0.1	6.6	6.8
1986	640	5.8	0.2	5.4	6.3	584	6.2	0.3	5.7	6.7
1987	673	6.2	0.2	5.8	6.7	600	6.5	0.3	6.0	7.1
1988	696	6.3	0.2	5.8	6.8	625	6.6	0.3	6.1	7.2
1989	750	6.8	0.3	6.3	7.3	676	7.1	0.3	6.6	7.7
1990	662	5.9	0.2	5.5	6.4	608	6.4	0.3	5.9	6.9
1991	713	6.3	0.2	5.9	6.8	652	6.8	0.3	6.3	7.4
1992	696	6.1	0.2	5.7	6.6	629	6.5	0.3	6.0	7.0
1993	689	6.0	0.2	5.5	6.5	624	6.4	0.3	5.9	6.9
1994	743	6.4	0.2	6.0	6.9	665	6.8	0.3	6.3	7.3
1995	722	6.2	0.2	5.7	6.7	663	6.8	0.3	6.3	7.3
1996	758	6.4	0.2	5.9	6.9	679	6.8	0.3	6.3	7.4
1997	789	6.7	0.2	6.2	7.1	711	7.2	0.3	6.7	7.7
1998	756	6.3	0.2	5.9	6.8	663	6.6	0.3	6.2	7.2
1999	785	6.5	0.2	6.1	7.0	694	6.9	0.3	6.4	7.4
2000	765	6.3	0.2	5.9	6.8	683	6.8	0.3	6.3	7.3
2001	787	6.4	0.2	6.0	6.9	715	7.0	0.3	6.5	7.6
2002	749	6.0	0.2	5.6	6.5	665	6.5	0.3	6.0	7.0
2003	775	6.2	0.2	5.8	6.7	700	6.8	0.3	6.3	7.3
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	1,056	3.8	0.1	3.6	4.0	213	3.7	0.3	3.2	4.4
1986	52	3.6	0.5	2.7	4.9	4	1.5	0.7	0.4	9.4
1987	64	4.8	0.6	3.7	6.3	8	5.1	2.4	1.6	14.5
1988	63	4.4	0.6	3.3	5.8	7	3.1	1.4	1.0	10.7
1989	67	4.5	0.6	3.5	5.9	6	3.4	1.6	1.1	10.9
1990	46	3.1	0.5	2.2	4.3	8	3.2	1.2	1.4	10.2
1991	45	3.1	0.5	2.2	4.3	10	3.7	1.2	1.7	10.1
1992	64	4.2	0.5	3.2	5.5	3	1.0	0.6	0.2	6.3
1993	52	3.6	0.5	2.6	4.8	12	4.3	1.3	2.1	9.9
1994	71	4.7	0.6	3.7	6.1	4	1.0	0.5	0.3	5.5
1995	52	3.4	0.5	2.5	4.6	7	1.7	0.7	0.7	5.9
1996	63	3.8	0.5	2.9	4.9	15	3.9	1.1	2.1	8.2
1997	53	3.2	0.5	2.3	4.2	23	6.2	1.4	3.8	10.9
1998	66	4.0	0.5	3.0	5.2	24	6.9	1.6	4.1	11.8
1999	68	4.1	0.5	3.2	5.3	18	4.5	1.1	2.6	8.4
2000	67	4.1	0.5	3.1	5.3	12	2.7	0.8	1.3	5.8
2001	51	3.2	0.5	2.4	4.3	18	4.1	1.1	2.3	7.4
2002	57	3.3	0.5	2.5	4.4	22	4.6	1.0	2.8	7.6
2003	55	3.4	0.5	2.5	4.4	12	3.5	1.1	1.6	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Brain and Other Nervous System, Males

Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	7,157	7.5	0.1	7.3	7.7	6,461	8.0	0.1	7.8	8.2
1986	335	6.7	0.4	6.0	7.5	311	7.2	0.4	6.4	8.1
1987	366	7.5	0.4	6.7	8.4	322	7.7	0.4	6.8	8.6
1988	371	7.4	0.4	6.6	8.2	341	7.9	0.4	7.1	8.8
1989	392	7.9	0.4	7.1	8.7	355	8.3	0.5	7.4	9.2
1990	364	7.1	0.4	6.4	7.9	331	7.6	0.4	6.7	8.5
1991	389	7.7	0.4	6.9	8.5	356	8.2	0.4	7.3	9.1
1992	377	7.4	0.4	6.6	8.2	344	7.9	0.4	7.1	8.8
1993	383	7.4	0.4	6.7	8.2	351	8.0	0.4	7.2	8.9
1994	424	8.2	0.4	7.4	9.0	382	8.6	0.4	7.8	9.6
1995	397	7.4	0.4	6.7	8.2	369	8.1	0.4	7.3	9.0
1996	417	7.6	0.4	6.9	8.4	378	8.2	0.4	7.4	9.1
1997	447	8.3	0.4	7.5	9.1	400	8.8	0.4	7.9	9.7
1998	418	7.6	0.4	6.9	8.4	363	7.9	0.4	7.1	8.8
1999	425	7.8	0.4	7.1	8.6	376	8.2	0.4	7.4	9.1
2000	402	7.2	0.4	6.5	8.0	357	7.6	0.4	6.8	8.5
2001	437	7.9	0.4	7.1	8.6	393	8.4	0.4	7.6	9.3
2002	377	6.6	0.3	5.9	7.3	339	7.1	0.4	6.3	7.9
2003	436	7.5	0.4	6.8	8.3	393	8.1	0.4	7.3	9.0
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	554	4.5	0.2	4.1	5.0	123	4.6	0.5	3.7	5.8
1986	21	3.3	0.8	2.0	5.8	3	2.1	1.2	0.4	21.9
1987	37	6.2	1.1	4.2	9.2	6	9.9	5.6	2.1	33.2
1988	26	4.0	0.8	2.5	6.6	3	1.7	1.0	0.4	19.1
1989	34	5.0	1.0	3.3	7.8	3	1.8	1.0	0.4	18.0
1990	29	4.3	0.9	2.7	6.8	4	4.4	2.2	1.2	21.2
1991	25	4.2	0.9	2.6	6.9	6	3.9	1.6	1.4	18.7
1992	31	4.5	0.9	3.0	7.0	2	1.2	0.9	0.2	14.8
1993	25	3.8	0.8	2.4	6.2	7	5.8	2.5	1.9	19.3
1994	40	6.3	1.1	4.4	9.2	2	1.0	0.7	0.1	13.1
1995	23	3.4	0.8	2.0	5.7	5	2.6	1.2	0.8	13.8
1996	28	3.3	0.7	2.2	5.4	10	6.1	2.1	2.7	17.4
1997	32	4.6	0.9	3.0	7.1	13	8.0	2.5	3.9	19.2
1998	39	4.8	0.8	3.3	7.1	14	7.7	2.2	4.0	17.9
1999	36	5.0	0.9	3.4	7.4	10	4.9	1.6	2.3	14.3
2000	36	5.1	0.9	3.4	7.6	6	2.5	1.1	0.8	10.4
2001	32	4.9	0.9	3.3	7.3	12	6.7	2.2	3.1	15.2
2002	27	3.9	0.8	2.4	6.1	10	4.4	1.4	2.0	11.0
2003	33	4.6	0.8	3.1	6.8	7	5.0	2.1	1.8	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Brain and Other Nervous System, Females

Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	5,991	5.3	0.1	5.1	5.4	5,375	5.6	0.1	5.5	5.8
1986	305	5.1	0.3	4.5	5.7	273	5.3	0.3	4.7	6.0
1987	307	5.2	0.3	4.6	5.8	278	5.5	0.3	4.8	6.2
1988	325	5.4	0.3	4.9	6.1	284	5.6	0.3	4.9	6.3
1989	358	6.0	0.3	5.4	6.7	321	6.4	0.4	5.7	7.1
1990	298	4.9	0.3	4.4	5.5	277	5.4	0.3	4.8	6.1
1991	324	5.2	0.3	4.7	5.8	296	5.6	0.3	5.0	6.3
1992	319	5.1	0.3	4.6	5.7	285	5.4	0.3	4.8	6.1
1993	306	4.8	0.3	4.3	5.4	273	5.1	0.3	4.5	5.7
1994	319	5.0	0.3	4.4	5.6	283	5.2	0.3	4.6	5.8
1995	325	5.1	0.3	4.6	5.7	294	5.6	0.3	4.9	6.3
1996	341	5.3	0.3	4.8	5.9	301	5.7	0.3	5.0	6.4
1997	342	5.3	0.3	4.8	5.9	311	5.8	0.3	5.2	6.5
1998	338	5.2	0.3	4.7	5.8	300	5.6	0.3	5.0	6.3
1999	360	5.5	0.3	4.9	6.1	318	5.8	0.3	5.2	6.5
2000	363	5.6	0.3	5.0	6.2	326	6.1	0.3	5.4	6.8
2001	350	5.3	0.3	4.8	5.9	322	6.0	0.3	5.3	6.7
2002	372	5.6	0.3	5.0	6.2	326	6.0	0.3	5.3	6.6
2003	339	5.0	0.3	4.5	5.6	307	5.6	0.3	5.0	6.3
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	502	3.3	0.1	3.0	3.6	90	3.0	0.3	2.3	3.8
1986	31	3.8	0.7	2.6	5.7	1	0.8	0.8	0.0	14.2
1987	27	3.7	0.7	2.4	5.5	2	1.6	1.2	0.2	14.2
1988	37	4.7	0.8	3.3	6.6	4	4.1	2.3	0.9	17.0
1989	33	4.2	0.8	2.8	6.0	3	4.4	2.5	0.9	17.1
1990	17	2.1	0.5	1.2	3.6	4	2.5	1.3	0.6	13.7
1991	20	2.4	0.6	1.4	3.8	4	3.3	1.7	0.8	13.7
1992	33	3.9	0.7	2.6	5.6	1	0.7	0.7	0.0	9.7
1993	27	3.3	0.7	2.2	5.0	5	3.2	1.4	1.0	11.6
1994	31	3.6	0.7	2.4	5.2	2	1.0	0.7	0.1	8.3
1995	29	3.5	0.7	2.3	5.1	2	0.8	0.6	0.1	7.2
1996	35	3.9	0.7	2.7	5.6	5	2.0	0.9	0.6	8.0
1997	21	2.2	0.5	1.3	3.4	10	4.9	1.6	2.3	11.4
1998	27	3.1	0.6	2.0	4.6	10	5.7	2.1	2.4	12.8
1999	32	3.5	0.6	2.4	5.0	8	4.1	1.5	1.7	9.8
2000	31	3.4	0.6	2.3	4.9	6	2.9	1.2	1.0	7.7
2001	19	2.0	0.5	1.2	3.3	6	2.2	0.9	0.8	6.1
2002	30	3.1	0.6	2.1	4.5	12	4.7	1.4	2.4	9.2
2003	22	2.4	0.5	1.5	3.7	5	2.3	1.1	0.6	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Brain, Both Sexes

Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	12,352	5.9	0.1	5.8	6.0	11,197	6.3	0.1	6.2	6.5
1986	595	5.4	0.2	5.0	5.9	548	5.8	0.3	5.3	6.3
1987	613	5.7	0.2	5.2	6.2	552	6.0	0.3	5.5	6.5
1988	635	5.7	0.2	5.3	6.2	579	6.1	0.3	5.6	6.7
1989	698	6.3	0.2	5.8	6.8	638	6.7	0.3	6.2	7.3
1990	609	5.4	0.2	5.0	5.9	563	5.9	0.3	5.4	6.4
1991	669	5.9	0.2	5.5	6.4	618	6.4	0.3	5.9	7.0
1992	663	5.8	0.2	5.4	6.3	601	6.2	0.3	5.7	6.7
1993	632	5.5	0.2	5.1	5.9	577	5.9	0.2	5.4	6.4
1994	705	6.1	0.2	5.7	6.6	634	6.5	0.3	6.0	7.0
1995	690	5.9	0.2	5.5	6.4	636	6.5	0.3	6.0	7.0
1996	707	6.0	0.2	5.5	6.4	643	6.5	0.3	6.0	7.0
1997	749	6.3	0.2	5.9	6.8	676	6.8	0.3	6.3	7.3
1998	711	5.9	0.2	5.5	6.4	627	6.3	0.3	5.8	6.8
1999	740	6.1	0.2	5.7	6.6	656	6.5	0.3	6.0	7.0
2000	724	6.0	0.2	5.5	6.4	651	6.4	0.3	6.0	7.0
2001	751	6.1	0.2	5.7	6.6	686	6.7	0.3	6.3	7.3
2002	715	5.8	0.2	5.4	6.2	639	6.2	0.2	5.8	6.7
2003	746	6.0	0.2	5.6	6.4	673	6.5	0.3	6.0	7.0
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	924	3.3	0.1	3.1	3.6	191	3.3	0.3	2.8	3.9
1986	43	3.0	0.5	2.1	4.2	4	1.5	0.7	0.4	9.4
1987	53	4.0	0.6	3.0	5.4	7	4.6	2.3	1.2	13.9
1988	49	3.3	0.5	2.4	4.6	6	2.6	1.3	0.7	10.1
1989	54	3.6	0.5	2.7	4.9	5	2.7	1.4	0.7	10.0
1990	38	2.7	0.5	1.8	3.8	8	3.2	1.2	1.4	10.2
1991	37	2.6	0.4	1.8	3.7	8	2.6	1.0	1.1	8.7
1992	60	3.9	0.5	3.0	5.2	2	0.7	0.5	0.1	6.0
1993	44	3.0	0.5	2.2	4.2	10	3.5	1.2	1.5	8.9
1994	64	4.2	0.6	3.2	5.5	4	1.0	0.5	0.3	5.5
1995	49	3.2	0.5	2.3	4.3	5	1.3	0.6	0.4	5.4
1996	54	3.2	0.5	2.3	4.2	10	2.6	0.9	1.2	6.7
1997	50	3.0	0.4	2.2	4.1	21	5.6	1.3	3.3	10.1
1998	59	3.5	0.5	2.6	4.6	23	6.7	1.6	3.9	11.5
1999	62	3.8	0.5	2.9	5.0	17	4.3	1.1	2.5	8.2
2000	58	3.6	0.5	2.7	4.7	12	2.7	0.8	1.3	5.8
2001	46	2.9	0.4	2.1	4.0	16	3.4	0.9	1.9	6.5
2002	51	3.0	0.4	2.2	4.0	21	4.4	1.0	2.6	7.4
2003	53	3.2	0.5	2.4	4.3	12	3.5	1.1	1.6	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Brain, Males

Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	6,777	7.1	0.1	6.9	7.3	6,158	7.6	0.1	7.4	7.8
1986	315	6.3	0.4	5.6	7.1	296	6.8	0.4	6.1	7.7
1987	333	6.8	0.4	6.1	7.6	297	7.0	0.4	6.2	7.9
1988	353	7.0	0.4	6.3	7.8	328	7.6	0.4	6.8	8.5
1989	371	7.4	0.4	6.7	8.3	339	7.9	0.4	7.0	8.8
1990	338	6.6	0.4	5.9	7.4	309	7.0	0.4	6.3	7.9
1991	362	7.1	0.4	6.4	7.9	333	7.6	0.4	6.8	8.5
1992	361	7.0	0.4	6.3	7.9	331	7.6	0.4	6.8	8.5
1993	354	6.9	0.4	6.2	7.7	327	7.5	0.4	6.7	8.4
1994	411	7.9	0.4	7.2	8.8	371	8.4	0.4	7.6	9.3
1995	381	7.1	0.4	6.4	7.9	355	7.8	0.4	7.0	8.7
1996	392	7.2	0.4	6.5	8.0	362	7.9	0.4	7.1	8.7
1997	426	7.9	0.4	7.2	8.7	383	8.4	0.4	7.6	9.3
1998	393	7.2	0.4	6.5	7.9	340	7.4	0.4	6.6	8.3
1999	402	7.4	0.4	6.7	8.2	358	7.8	0.4	7.0	8.7
2000	385	6.9	0.4	6.2	7.7	344	7.3	0.4	6.6	8.2
2001	418	7.5	0.4	6.8	8.3	377	8.0	0.4	7.3	8.9
2002	359	6.3	0.3	5.6	7.0	326	6.8	0.4	6.1	7.6
2003	423	7.3	0.4	6.6	8.1	382	7.9	0.4	7.1	8.8
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	492	4.1	0.2	3.7	4.5	110	4.1	0.5	3.3	5.3
1986	16	2.5	0.6	1.4	4.7	3	2.1	1.2	0.4	21.9
1987	29	5.2	1.0	3.4	8.1	6	9.9	5.6	2.1	33.2
1988	21	3.3	0.8	2.0	5.8	3	1.7	1.0	0.4	19.1
1989	29	4.4	0.9	2.8	7.1	3	1.8	1.0	0.4	18.0
1990	25	3.7	0.8	2.3	6.2	4	4.4	2.2	1.2	21.2
1991	21	3.7	0.9	2.2	6.3	6	3.9	1.6	1.4	18.7
1992	29	4.2	0.8	2.7	6.6	1	0.6	0.6	0.0	14.2
1993	21	3.3	0.7	2.0	5.6	6	4.8	2.3	1.4	18.1
1994	38	6.0	1.0	4.1	8.8	2	1.0	0.7	0.1	13.1
1995	22	3.2	0.8	1.9	5.6	4	2.1	1.0	0.6	13.3
1996	24	2.9	0.6	1.8	4.9	6	3.9	1.7	1.3	15.0
1997	30	4.4	0.9	2.9	6.9	11	6.6	2.2	3.0	17.5
1998	38	4.7	0.8	3.2	7.0	13	7.2	2.1	3.7	17.4
1999	32	4.5	0.8	3.0	6.8	9	4.6	1.6	2.0	14.0
2000	32	4.5	0.9	2.9	7.0	6	2.5	1.1	0.8	10.4
2001	30	4.7	0.9	3.1	7.1	11	5.4	1.8	2.5	13.3
2002	24	3.4	0.7	2.1	5.5	9	4.0	1.4	1.7	10.6
2003	31	4.2	0.8	2.8	6.4	7	5.0	2.1	1.8	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Brain, Females

Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	5,575	4.9	0.1	4.8	5.0	5,039	5.3	0.1	5.1	5.4
1986	280	4.7	0.3	4.1	5.3	252	4.9	0.3	4.3	5.6
1987	280	4.7	0.3	4.2	5.3	255	5.0	0.3	4.4	5.7
1988	282	4.7	0.3	4.2	5.3	251	4.9	0.3	4.3	5.6
1989	327	5.5	0.3	4.9	6.1	299	5.9	0.4	5.3	6.7
1990	271	4.5	0.3	4.0	5.1	254	5.0	0.3	4.4	5.7
1991	307	4.9	0.3	4.4	5.5	285	5.4	0.3	4.8	6.1
1992	302	4.8	0.3	4.3	5.4	270	5.1	0.3	4.5	5.8
1993	278	4.4	0.3	3.9	4.9	250	4.6	0.3	4.1	5.3
1994	294	4.6	0.3	4.1	5.2	263	4.8	0.3	4.3	5.5
1995	309	4.9	0.3	4.3	5.5	281	5.3	0.3	4.7	6.0
1996	315	4.9	0.3	4.4	5.5	281	5.3	0.3	4.7	6.0
1997	323	5.0	0.3	4.5	5.6	293	5.5	0.3	4.9	6.1
1998	318	4.9	0.3	4.4	5.5	287	5.4	0.3	4.8	6.1
1999	338	5.1	0.3	4.6	5.7	298	5.5	0.3	4.9	6.1
2000	339	5.2	0.3	4.6	5.8	307	5.7	0.3	5.1	6.4
2001	333	5.1	0.3	4.5	5.6	309	5.7	0.3	5.1	6.4
2002	356	5.3	0.3	4.8	5.9	313	5.7	0.3	5.1	6.4
2003	323	4.8	0.3	4.3	5.4	291	5.3	0.3	4.7	5.9
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2003	432	2.8	0.1	2.5	3.1	81	2.7	0.3	2.1	3.4
1986	27	3.3	0.7	2.2	5.1	1	0.8	0.8	0.0	14.2
1987	24	3.1	0.7	2.0	4.9	1	0.5	0.5	0.0	13.0
1988	28	3.4	0.7	2.2	5.1	3	3.1	2.1	0.5	15.8
1989	25	3.1	0.6	2.0	4.7	2	3.0	2.2	0.4	15.4
1990	13	1.8	0.5	0.9	3.1	4	2.5	1.3	0.6	13.7
1991	16	1.8	0.5	1.0	3.1	2	1.3	0.9	0.1	11.2
1992	31	3.7	0.7	2.5	5.4	1	0.7	0.7	0.0	9.7
1993	23	2.8	0.6	1.8	4.3	4	2.4	1.2	0.7	10.7
1994	26	3.0	0.6	1.9	4.5	2	1.0	0.7	0.1	8.3
1995	27	3.2	0.6	2.1	4.7	1	0.5	0.5	0.0	6.9
1996	30	3.3	0.6	2.2	4.8	4	1.5	0.8	0.4	7.4
1997	20	2.1	0.5	1.2	3.3	10	4.9	1.6	2.3	11.4
1998	21	2.4	0.5	1.5	3.7	10	5.7	2.1	2.4	12.8
1999	30	3.2	0.6	2.2	4.7	8	4.1	1.5	1.7	9.8
2000	26	2.9	0.6	1.9	4.3	6	2.9	1.2	1.0	7.7
2001	16	1.7	0.4	1.0	2.9	5	1.9	0.8	0.6	5.8
2002	27	2.8	0.5	1.9	4.2	12	4.7	1.4	2.4	9.2
2003	22	2.4	0.5	1.5	3.7	5	2.3	1.1	0.6	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005