Invasive Cancer Incidence Illinois, 1986-2003

Male Genital System

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	135,009	157.2	0.4	156.3	158.0	112,439	149.1	0.5	148.2	150.0
1986	4,446	108.3	1.7	105.0	111.7	3,840	104.8	1.8	101.4	108.4
1987	4,842	115.8	1.7	112.4	119.3	4,260	113.8	1.8	110.3	117.5
1988	4,886	115.7	1.7	112.4	119.2	4,221	112.4	1.8	108.9	116.1
1989	5,147	120.4	1.7	117.0	123.9	4,488	118.1	1.8	114.6	121.8
1990	5,832	135.0	1.8	131.4	138.6	5,100	132.0	1.9	128.3	135.9
1991	7,359	165.1	2.0	161.2	169.0	6,473	163.4	2.1	159.3	167.5
1992	8,916	194.4	2.1	190.3	198.7	7,811	191.8	2.2	187.5	196.2
1993	8,544	183.3	2.0	179.3	187.4	7,349	178.4	2.1	174.2	182.6
1994	8,338	177.0	2.0	173.1	180.9	6,962	167.2	2.0	163.2	171.3
1995	7,804	162.3	1.9	158.7	166.1	6,454	152.8	1.9	149.0	156.7
1996	7,955	162.6	1.9	159.0	166.3	6,499	151.9	1.9	148.2	155.7
1997	8,255	167.2	1.9	163.5	170.9	6,839	159.0	1.9	155.2	162.8
1998	8,143	163.3	1.8	159.7	166.9	6,552	151.3	1.9	147.6	155.0
1999	8,641	170.8	1.9	167.2	174.5	7,064	161.2	1.9	157.5	165.1
2000	8,628	168.9	1.8	165.4	172.6	6,916	156.8	1.9	153.1	160.6
2001	9,199	177.8	1.9	174.2	181.5	7,438	166.8	1.9	163.0	170.7
2002	9,457	180.0	1.9	176.3	183.7	7,469	165.1	1.9	161.4	168.9
2003	8,617	160.7	1.8	157.3	164.2	6,704	145.7	1.8	142.2	149.3
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	18,524	212.9	1.7	209.7	216.2	1,300	79.1	2.5	74.3	84.2
1986	574	148.3	6.7	135.6	162.2	23	43.7	10.8	25.1	75.7
1987	557	144.8	6.5	132.2	158.4	16	32.5	9.6	16.5	61.7
1988	608	148.6	6.5	136.2	162.0	37	67.2	12.3	45.3	100.1
1989	605	146.7	6.4	134.5	159.9	23	43.5	10.3	25.7	72.4
1990	654	166.5	7.0	153.1	181.0	38	57.1	10.6	38.3	86.2
1991	750	174.7	6.8	161.6	188.9	44	77.1	13.2	53.5	110.5
1992	1,016	231.5	7.8	216.6	247.4	56	100.6	15.1	73.2	136.8
1993	1,096	239.0	7.7	224.2	254.8	50	77.1	12.2	55.1	107.2
1994	1,245	272.8	8.3	256.8	289.7	72	99.0	13.3	74.6	130.9
1995	1,222	255.0	7.8	240.0	270.8	69	81.1	11.1	60.8	108.2
1996	1,318	263.1	7.7	248.3	278.8	78	89.8	11.7	68.4	117.9
1997	1,175	228.8	7.0	215.2	243.3	83	72.5	9.0	56.0	94.8
1998	1,222	233.8	7.0	220.2	248.2	81	73.9	9.3	56.9	96.5
1999	1,191	221.5	6.7	208.5	235.3	124	104.0	10.9	83.8	129.5
2000	1,386	252.4	7.1	238.7	266.9	107	85.7	9.3	68.3	107.5
2001	1,338	238.9	6.8	225.7	252.7	114	83.4	8.8	67.0	103.9
2002	1,289	221.5	6.4	209.1	234.6	150	93.5	8.4	77.8	112.6
2003	1,278	212.2	6.1	200.4	224.7	135	78.3	7.4	64.6	95.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Prostate

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	128,840	151.3	0.4	150.5	152.2	106,756	142.7	0.4	141.8	143.6
1986	4,164	103.2	1.7	100.0	106.6	3,576	99.3	1.7	95.9	102.7
1987	4,525	110.1	1.7	106.7	113.5	3,962	107.6	1.8	104.1	111.1
1988	4,574	110.3	1.7	106.9	113.7	3,927	106.4	1.8	102.9	109.9
1989	4,820	114.6	1.7	111.2	118.0	4,190	111.8	1.8	108.4	115.4
1990	5,498	129.2	1.8	125.7	132.8	4,791	125.8	1.9	122.1	129.5
1991	7,045	159.6	2.0	155.8	163.6	6,182	157.4	2.1	153.4	161.6
1992	8,613	189.4	2.1	185.3	193.5	7,527	186.1	2.2	181.8	190.5
1993	8,203	177.4	2.0	173.5	181.4	7,030	171.9	2.1	167.8	176.0
1994	7,994	171.2	2.0	167.4	175.1	6,641	160.8	2.0	156.8	164.8
1995	7,466	156.8	1.9	153.1	160.4	6,142	146.7	1.9	143.0	150.5
1996	7,602	156.8	1.8	153.3	160.5	6,182	145.6	1.9	142.0	149.4
1997	7,870	160.8	1.8	157.2	164.4	6,483	151.8	1.9	148.1	155.6
1998	7,787	157.3	1.8	153.8	160.9	6,223	144.6	1.8	141.0	148.3
1999	8,268	164.7	1.8	161.1	168.3	6,736	154.7	1.9	151.0	158.5
2000	8,274	163.1	1.8	159.6	166.7	6,591	150.3	1.9	146.6	154.0
2001	8,806	171.3	1.8	167.7	175.0	7,080	159.6	1.9	155.9	163.4
2002	9,086	174.0	1.8	170.4	177.6	7,135	158.5	1.9	154.8	162.3
2003	8,245	154.7	1.7	151.4	158.1	6,358	138.9	1.8	135.5	142.4
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	18,214	210.3	1.6	207.1	213.5	1,212	76.5	2.5	71.8	81.6
1986	561	146.0	6.6	133.3	159.8	20	42.0	10.8	23.6	74.0
1987	543	142.0	6.5	129.6	155.5	13	31.0	9.5	15.2	60.2
1988	595	146.2	6.4	133.9	159.6	33	65.0	12.2	43.2	97.9
1989	581	142.6	6.3	130.6	155.7	21	42.5	10.3	24.8	71.4
1990	635	162.6	6.9	149.3	176.9	33	54.5	10.5	35.9	83.5
1991	734	171.9	6.8	158.8	185.9	41	72.2	12.5	49.8	104.3
1992	1,001	229.2	7.7	214.3	245.0	54	98.8	15.0	71.6	135.0
1993	1,077	236.3	7.7	221.5	252.0	49	76.7	12.2	54.7	106.8
1994	1,228	270.2	8.2	254.3	287.1	67	94.9	13.1	70.9	126.4
1995	1,207	252.6	7.7	237.7	268.4	63	78.4	11.0	58.2	105.4
1996	1,297	260.1	7.6	245.3	275.7	72	87.7	11.7	66.3	115.8
1997	1,157	226.2	7.0	212.6	240.5	79	71.0	8.9	54.6	93.3
1998	1,205	231.6	7.0	218.1	246.0	76	70.6	9.1	53.9	92.9
1999	1,172	219.1	6.7	206.2	232.9	111	96.0	10.4	76.7	120.6
2000	1,369	250.0	7.1	236.3	264.4	101	83.1	9.2	65.9	104.8
2001	1,321	236.6	6.8	223.5	250.4	104	80.3	8.8	64.1	100.8
2002	1,269	218.9	6.4	206.6	231.9	145	92.0	8.4	76.4	111.1
2003	1,262	210.1	6.1	198.3	222.6	130	77.0	7.3	63.3	93.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Testis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	5,181	4.7	0.1	4.5	4.8	4,847	5.3	0.1	5.1	5.4
1986	229	3.9	0.3	3.4	4.5	218	4.4	0.3	3.9	5.1
1987	252	4.2	0.3	3.7	4.8	240	4.8	0.3	4.2	5.5
1988	271	4.6	0.3	4.0	5.2	260	5.2	0.3	4.6	5.9
1989	269	4.6	0.3	4.0	5.2	252	5.1	0.3	4.5	5.8
1990	273	4.4	0.3	3.9	5.0	258	5.0	0.3	4.4	5.7
1991	263	4.2	0.3	3.7	4.8	251	4.9	0.3	4.3	5.6
1992	259	4.1	0.3	3.6	4.7	245	4.7	0.3	4.1	5.4
1993	285	4.6	0.3	4.1	5.2	268	5.2	0.3	4.6	5.9
1994	286	4.6	0.3	4.0	5.1	274	5.3	0.3	4.7	6.0
1995	280	4.4	0.3	3.9	5.0	261	5.0	0.3	4.4	5.7
1996	292	4.6	0.3	4.1	5.2	264	5.1	0.3	4.5	5.7
1997	335	5.4	0.3	4.8	6.0	316	6.2	0.3	5.5	6.9
1998	296	4.7	0.3	4.2	5.3	277	5.4	0.3	4.8	6.1
1999	323	5.1	0.3	4.6	5.7	289	5.6	0.3	5.0	6.3
2000	296	4.7	0.3	4.2	5.2	276	5.4	0.3	4.7	6.1
2001	327	5.2	0.3	4.6	5.8	300	5.9	0.3	5.2	6.6
2002	323	5.1	0.3	4.6	5.7	294	5.7	0.3	5.1	6.4
2003	322	5.1	0.3	4.5	5.7	304	5.9	0.3	5.3	6.6
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	181	1.2	0.1	1.0	1.4	74	1.6	0.2	1.3	2.3
1986	7	0.9	0.3	0.3	2.7	2	1.1	0.8	0.1	21.0
1987	7	0.9	0.4	0.3	2.8	3	1.5	0.9	0.3	20.1
1988	6	0.8	0.4	0.3	2.7	4	2.2	1.1	0.6	19.5
1989	14	1.7	0.5	0.9	3.6	2	0.9	0.7	0.1	17.3
1990	10	1.5	0.5	0.7	3.5	4	2.0	1.0	0.5	18.4
1991	6	0.6	0.2	0.2	2.3	2	0.8	0.6	0.1	15.7
1992	11	1.1	0.3	0.6	2.9	1	0.8	0.8	0.0	14.5
1993	15	1.9	0.5	1.0	3.8	1	0.4	0.4	0.0	13.0
1994	8	0.8	0.3	0.4	2.4	4	2.0	1.0	0.5	13.9
1995	8	0.9	0.3	0.4	2.6	6	2.7	1.1	1.0	13.8
1996	13	1.6	0.5	0.8	3.4	6	2.1	0.9	0.8	12.6
1997	9	1.2	0.4	0.5	2.9	4	1.5	0.8	0.4	11.5
1998	12	1.3	0.4	0.6	2.8	2	0.8	0.6	0.1	10.3
1999	14	1.6	0.4	0.9	3.2	10	3.5	1.1	1.6	12.3
2000	9	1.0	0.3	0.4	2.4	5	1.4	0.6	0.5	9.1
2001	11	1.2	0.4	0.6	2.6	9	2.6	0.9	1.2	9.5
2002	13	1.5	0.4	0.8	3.0	4	1.1	0.6	0.3	7.1
2003	8	0.9	0.3	0.4	2.2	5	1.4	0.6	0.4	6.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005

Invasive Cancer Incidence by Race Illinois, 1986-2003

Penis

	All Races					Whites				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	786	0.9	0.0	0.9	1.0	654	0.9	0.0	0.8	1.0
1986	42	0.9	0.2	0.7	1.3	35	0.9	0.2	0.6	1.3
1987	57	1.4	0.2	1.0	1.8	50	1.3	0.2	1.0	1.8
1988	32	0.7	0.1	0.5	1.1	28	0.7	0.1	0.5	1.1
1989	45	1.0	0.2	0.7	1.4	33	0.8	0.2	0.6	1.2
1990	38	0.9	0.1	0.6	1.3	31	0.8	0.1	0.5	1.2
1991	41	1.0	0.2	0.7	1.3	31	0.8	0.1	0.5	1.2
1992	38	0.8	0.1	0.6	1.2	33	0.8	0.1	0.5	1.2
1993	41	0.9	0.2	0.7	1.3	37	1.0	0.2	0.7	1.4
1994	49	1.0	0.1	0.8	1.4	38	0.9	0.2	0.6	1.3
1995	45	0.9	0.1	0.6	1.2	39	0.9	0.1	0.6	1.2
1996	47	0.9	0.1	0.7	1.3	40	0.9	0.1	0.6	1.3
1997	42	0.9	0.1	0.6	1.2	33	0.8	0.1	0.6	1.2
1998	46	1.0	0.1	0.7	1.3	40	1.0	0.2	0.7	1.4
1999	49	1.0	0.1	0.7	1.3	38	0.9	0.1	0.6	1.2
2000	46	0.9	0.1	0.7	1.3	39	0.9	0.1	0.6	1.3
2001	53	1.1	0.1	0.8	1.4	46	1.1	0.2	0.8	1.4
2002	37	0.7	0.1	0.5	1.0	31	0.7	0.1	0.5	1.0
2003	38	0.7	0.1	0.5	1.0	32	0.7	0.1	0.5	1.0
	Blacks					**Asian and Other Races**				
Years	**Count**	**Rate**	**SE**	**LCI**	**UCI**	**Count**	**Rate**	**SE**	**LCI**	**UCI**
1986-2003	112	1.3	0.1	1.0	1.6	12	0.9	0.3	0.4	1.8
1986	6	1.5	0.7	0.5	4.0	1	0.7	0.7	0.0	20.7
1987	7	1.9	0.8	0.7	4.5	0	~	~	~	~
1988	4	0.7	0.3	0.2	2.6	0	~	~	~	~
1989	10	2.3	0.8	1.1	4.8	0	~	~	~	~
1990	7	2.1	0.8	0.8	4.7	0	~	~	~	~
1991	9	2.2	0.8	0.9	4.7	1	4.1	4.1	0.1	22.8
1992	4	1.2	0.6	0.3	3.4	1	0.9	0.9	0.0	14.6
1993	4	0.8	0.4	0.2	2.7	0	~	~	~	~
1994	9	1.8	0.6	0.8	3.8	1	2.2	2.2	0.1	15.6
1995	6	1.3	0.5	0.4	3.3	0	~	~	~	~
1996	7	1.2	0.5	0.4	3.0	0	~	~	~	~
1997	8	1.4	0.5	0.6	3.2	0	~	~	~	~
1998	4	0.8	0.5	0.2	2.6	2	1.5	1.1	0.2	11.2
1999	5	0.8	0.4	0.2	2.4	3	4.5	3.0	0.7	16.4
2000	6	1.1	0.5	0.4	2.8	1	1.1	1.1	0.0	9.5
2001	5	0.9	0.4	0.3	2.6	1	0.4	0.4	0.0	7.4
2002	5	0.8	0.4	0.3	2.3	1	0.4	0.4	0.0	6.5
2003	6	0.9	0.4	0.3	2.3	0	~	~	~	~

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. SE - standard error. Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2005