

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Lymphoma, Both Sexes										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	543	6.1	0.31	5.5	6.7	17,139	8.9	0.07	8.8	9.0
1990	25	5.1	1.14	3.1	7.9	910	8.7	0.29	8.1	9.2
1991	18	4.2	1.21	2.2	7.1	984	9.2	0.30	8.6	9.8
1992	28	6.7	1.55	4.0	10.3	1,004	9.3	0.30	8.7	9.9
1993	25	4.6	1.05	2.8	7.1	1,016	9.3	0.29	8.8	9.9
1994	30	5.8	1.30	3.6	8.9	1,062	9.7	0.30	9.1	10.3
1995	36	6.1	1.25	3.9	9.0	1,102	9.9	0.30	9.4	10.5
1996	34	8.1	1.70	5.1	11.9	1,084	9.7	0.30	9.2	10.3
1997	27	5.2	1.26	3.1	8.2	1,072	9.6	0.29	9.0	10.1
1998	28	5.4	1.19	3.3	8.1	1,052	9.3	0.29	8.7	9.8
1999	36	8.2	1.61	5.3	11.8	1,082	9.5	0.29	8.9	10.1
2000	39	7.8	1.50	5.2	11.2	1,026	8.9	0.28	8.4	9.5
2001	36	6.5	1.23	4.3	9.3	1,005	8.7	0.27	8.1	9.2
2002	38	7.2	1.34	4.8	10.2	970	8.3	0.27	7.8	8.8
2003	32	5.4	1.07	3.5	7.8	947	8.0	0.26	7.5	8.5
2004	41	6.0	1.09	4.1	8.4	950	8.0	0.26	7.5	8.6
2005	30	5.1	1.03	3.3	7.4	970	8.1	0.26	7.6	8.6
2006	40	4.9	0.91	3.3	7.0	903	7.5	0.25	7.0	8.0
Non-Hispanic Whites					Non-Hispanic Blacks					
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	15,542	9.3	0.08	9.2	9.5	1,424	6.1	0.17	5.8	6.4
1990	828	9.0	0.31	8.3	9.6	79	6.7	0.79	5.3	8.5
1991	900	9.6	0.32	9.0	10.3	79	6.1	0.72	4.8	7.7
1992	917	9.7	0.32	9.1	10.4	85	6.7	0.76	5.3	8.3
1993	921	9.7	0.32	9.1	10.3	90	7.0	0.76	5.6	8.6
1994	951	10.0	0.32	9.3	10.6	101	7.8	0.80	6.3	9.5
1995	994	10.3	0.33	9.7	11.0	98	7.5	0.79	6.1	9.2
1996	976	10.1	0.32	9.5	10.7	101	7.6	0.78	6.2	9.3
1997	974	10.0	0.32	9.4	10.7	83	6.1	0.68	4.8	7.6
1998	942	9.6	0.31	9.0	10.2	101	7.5	0.76	6.1	9.1
1999	991	10.0	0.32	9.4	10.7	86	6.3	0.69	5.0	7.7
2000	938	9.5	0.31	8.9	10.1	75	5.4	0.63	4.2	6.7
2001	914	9.2	0.30	8.6	9.8	80	5.5	0.63	4.4	6.9
2002	874	8.7	0.30	8.1	9.3	81	5.6	0.63	4.4	6.9
2003	864	8.5	0.29	7.9	9.1	65	4.5	0.56	3.4	5.7
2004	868	8.6	0.29	8.0	9.2	67	4.5	0.56	3.5	5.7
2005	875	8.5	0.29	8.0	9.1	77	5.2	0.60	4.1	6.5
2006	815	7.9	0.28	7.4	8.5	76	5.0	0.58	3.9	6.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Lymphoma, Males										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	336	7.5	0.52	6.5	8.5	8,929	11.4	0.12	11.2	11.6
1990	20	8.3	2.25	4.5	14.1	507	11.8	0.54	10.8	12.9
1991	10	4.1	1.80	1.4	9.1	510	11.5	0.53	10.5	12.6
1992	19	7.8	2.28	4.0	13.6	531	12.1	0.54	11.0	13.2
1993	19	7.0	2.06	3.6	12.3	494	11.1	0.51	10.1	12.2
1994	20	7.5	2.18	3.9	13.0	551	12.4	0.54	11.3	13.5
1995	24	7.4	2.15	3.8	12.8	561	12.4	0.54	11.4	13.5
1996	20	8.2	2.49	4.1	14.3	561	12.3	0.53	11.3	13.4
1997	15	5.4	1.78	2.5	10.0	545	11.8	0.51	10.8	12.8
1998	18	8.3	2.56	4.1	14.5	566	12.4	0.53	11.4	13.5
1999	15	6.5	2.21	2.9	11.9	588	12.7	0.53	11.7	13.8
2000	26	10.9	2.76	6.2	17.4	544	11.5	0.50	10.6	12.5
2001	28	11.7	2.61	7.2	17.7	519	10.9	0.48	10.0	11.9
2002	18	6.1	1.73	3.2	10.2	495	10.5	0.48	9.6	11.5
2003	16	5.7	1.64	2.9	9.7	478	10.0	0.46	9.1	10.9
2004	28	8.4	2.00	4.9	13.0	487	10.1	0.46	9.2	11.1
2005	18	6.1	1.70	3.2	10.1	499	10.4	0.47	9.5	11.4
2006	22	6.4	1.67	3.5	10.3	493	10.0	0.45	9.1	10.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	8,038	11.9	0.13	11.6	12.2	786	7.9	0.30	7.4	8.5
1990	462	12.3	0.59	11.2	13.5	43	8.7	1.45	6.1	11.9
1991	462	12.0	0.57	10.9	13.2	44	7.9	1.29	5.6	10.8
1992	476	12.4	0.58	11.3	13.6	55	10.4	1.54	7.6	13.8
1993	443	11.5	0.56	10.4	12.6	48	8.6	1.33	6.2	11.6
1994	488	12.6	0.58	11.5	13.8	56	9.9	1.40	7.3	13.0
1995	505	12.9	0.58	11.8	14.1	52	9.1	1.36	6.6	12.1
1996	496	12.5	0.57	11.4	13.7	61	11.9	1.66	8.8	15.5
1997	481	12.1	0.56	11.0	13.2	51	8.3	1.23	6.1	11.1
1998	501	12.7	0.57	11.6	13.8	58	10.1	1.39	7.5	13.1
1999	536	13.4	0.58	12.3	14.6	48	8.3	1.27	6.0	11.1
2000	494	12.2	0.55	11.1	13.3	41	6.8	1.15	4.8	9.5
2001	474	11.6	0.54	10.6	12.8	39	6.2	1.05	4.4	8.6
2002	450	11.1	0.53	10.1	12.2	35	5.7	1.01	3.9	8.0
2003	431	10.5	0.51	9.5	11.5	38	6.2	1.07	4.3	8.7
2004	447	10.9	0.52	9.9	11.9	34	5.5	1.00	3.7	7.8
2005	449	10.9	0.52	9.9	11.9	42	6.9	1.10	4.9	9.3
2006	443	10.5	0.50	9.6	11.6	41	6.4	1.04	4.5	8.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Lymphoma, Females										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	207	4.8	0.37	4.1	5.6	8,210	7.1	0.08	7.0	7.3
1990	5	2.2	1.00	0.7	5.3	403	6.3	0.32	5.7	7.0
1991	8	4.0	1.60	1.5	8.2	474	7.4	0.34	6.7	8.1
1992	9	5.1	1.92	2.0	9.9	473	7.4	0.34	6.7	8.1
1993	6	2.4	1.04	0.9	5.4	522	8.0	0.35	7.3	8.7
1994	10	4.3	1.55	1.8	8.3	511	7.9	0.35	7.2	8.6
1995	12	5.0	1.56	2.4	8.9	541	8.1	0.35	7.5	8.9
1996	14	7.5	2.21	3.8	12.8	523	7.9	0.35	7.2	8.6
1997	12	4.8	1.65	2.1	8.9	527	7.8	0.34	7.2	8.5
1998	10	3.3	1.10	1.5	6.2	486	7.1	0.33	6.5	7.8
1999	21	9.5	2.28	5.5	14.8	494	7.2	0.33	6.6	7.9
2000	13	5.3	1.61	2.6	9.2	482	7.0	0.32	6.4	7.7
2001	8	2.3	0.88	0.9	4.7	486	7.0	0.32	6.4	7.7
2002	20	7.8	1.92	4.5	12.2	475	6.8	0.32	6.2	7.5
2003	16	5.1	1.41	2.7	8.5	469	6.5	0.30	5.9	7.1
2004	13	4.1	1.21	2.1	7.0	463	6.6	0.31	6.0	7.3
2005	12	4.1	1.25	2.0	7.1	471	6.6	0.31	6.0	7.2
2006	18	4.0	1.05	2.2	6.5	410	5.7	0.29	5.1	6.3
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	7,504	7.5	0.09	7.3	7.7	638	4.8	0.19	4.4	5.2
1990	366	6.4	0.34	5.8	7.2	36	5.3	0.91	3.7	7.4
1991	438	7.7	0.37	7.0	8.5	35	4.8	0.83	3.3	6.7
1992	441	7.8	0.38	7.1	8.6	30	4.1	0.77	2.8	5.9
1993	478	8.3	0.39	7.6	9.1	42	5.7	0.90	4.1	7.8
1994	463	8.2	0.39	7.4	9.0	45	6.1	0.93	4.4	8.2
1995	489	8.4	0.39	7.7	9.2	46	6.2	0.93	4.5	8.3
1996	480	8.3	0.39	7.6	9.1	40	5.1	0.81	3.6	6.9
1997	493	8.4	0.39	7.7	9.2	32	4.2	0.75	2.9	5.9
1998	441	7.5	0.36	6.8	8.2	43	5.6	0.86	4.0	7.5
1999	455	7.6	0.36	6.9	8.4	38	4.8	0.78	3.4	6.6
2000	444	7.6	0.37	6.9	8.3	34	4.2	0.73	2.9	5.9
2001	440	7.4	0.36	6.7	8.1	41	4.9	0.77	3.5	6.7
2002	424	7.1	0.35	6.4	7.8	46	5.5	0.81	4.0	7.3
2003	433	7.0	0.34	6.3	7.7	27	3.3	0.63	2.1	4.7
2004	421	7.0	0.35	6.4	7.8	33	3.8	0.67	2.6	5.4
2005	426	6.9	0.34	6.2	7.6	35	4.0	0.67	2.7	5.5
2006	372	6.0	0.32	5.4	6.7	35	4.0	0.67	2.7	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Hodgkin Lymphoma, Both Sexes										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	57	0.6	0.09	0.4	0.8	978	0.5	0.02	0.5	0.6
1990	6	1.2	0.57	0.4	2.9	65	0.6	0.07	0.5	0.8
1991	0					72	0.7	0.08	0.5	0.8
1992	1	0.2	0.17	0.0	1.2	66	0.6	0.07	0.5	0.8
1993	3	0.3	0.17	0.1	1.3	62	0.6	0.07	0.4	0.7
1994	4	0.5	0.26	0.1	1.5	64	0.6	0.07	0.4	0.7
1995	1	0.1	0.05	0.0	0.9	57	0.5	0.07	0.4	0.7
1996	4	0.8	0.51	0.1	2.3	56	0.5	0.07	0.4	0.7
1997	6	1.2	0.63	0.3	2.9	54	0.5	0.07	0.4	0.6
1998	3	0.7	0.46	0.1	2.1	58	0.5	0.07	0.4	0.7
1999	5	1.1	0.60	0.3	2.8	52	0.5	0.06	0.4	0.6
2000	4	0.6	0.45	0.1	2.0	57	0.5	0.07	0.4	0.7
2001	4	0.8	0.41	0.2	2.0	50	0.4	0.06	0.3	0.6
2002	6	0.9	0.47	0.3	2.2	59	0.5	0.07	0.4	0.7
2003	2	0.2	0.20	0.0	1.0	50	0.4	0.06	0.3	0.6
2004	1	0.3	0.32	0.0	1.3	55	0.5	0.06	0.4	0.6
2005	3	0.4	0.26	0.0	1.2	47	0.4	0.06	0.3	0.6
2006	4	0.4	0.26	0.1	1.2	54	0.5	0.06	0.4	0.6
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	823	0.5	0.02	0.5	0.6	140	0.5	0.04	0.4	0.6
1990	53	0.6	0.08	0.4	0.7	12	0.8	0.24	0.4	1.5
1991	59	0.6	0.08	0.5	0.8	12	0.7	0.21	0.4	1.3
1992	55	0.6	0.08	0.4	0.8	11	0.6	0.20	0.3	1.2
1993	54	0.6	0.08	0.4	0.8	8	0.5	0.20	0.2	1.1
1994	52	0.5	0.08	0.4	0.7	10	0.6	0.20	0.3	1.2
1995	47	0.5	0.07	0.4	0.7	10	0.6	0.20	0.3	1.1
1996	47	0.5	0.07	0.4	0.7	8	0.5	0.19	0.2	1.1
1997	47	0.5	0.07	0.4	0.7	5	0.3	0.15	0.1	0.8
1998	46	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
1999	46	0.5	0.07	0.4	0.7	6	0.4	0.15	0.1	0.8
2000	49	0.5	0.08	0.4	0.7	7	0.5	0.18	0.2	1.0
2001	44	0.5	0.07	0.3	0.6	5	0.3	0.12	0.1	0.7
2002	51	0.5	0.08	0.4	0.7	6	0.3	0.14	0.1	0.8
2003	44	0.5	0.07	0.3	0.6	5	0.3	0.15	0.1	0.8
2004	48	0.5	0.07	0.4	0.7	7	0.4	0.14	0.1	0.8
2005	38	0.4	0.07	0.3	0.6	8	0.5	0.16	0.2	0.9
2006	43	0.5	0.07	0.3	0.6	9	0.6	0.21	0.3	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Hodgkin Lymphoma, Males										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	34	0.7	0.17	0.4	1.1	556	0.7	0.03	0.6	0.7
1990	5	1.9	1.12	0.4	5.7	41	0.8	0.13	0.6	1.1
1991	0					40	0.8	0.13	0.6	1.1
1992	1	0.3	0.34	0.0	2.9	35	0.7	0.12	0.5	1.0
1993	2	0.4	0.27	0.0	2.7	23	0.5	0.10	0.3	0.7
1994	3	0.8	0.47	0.1	3.2	34	0.7	0.11	0.5	0.9
1995	1	0.1	0.09	0.0	2.2	34	0.7	0.11	0.5	0.9
1996	3	0.8	0.62	0.1	3.3	32	0.7	0.12	0.5	1.0
1997	2	0.7	0.48	0.1	2.9	28	0.6	0.12	0.4	0.9
1998	2	1.1	0.89	0.1	4.0	41	0.8	0.13	0.6	1.1
1999	3	2.0	1.44	0.2	6.1	33	0.7	0.12	0.5	1.0
2000	3	1.3	1.09	0.1	4.6	31	0.6	0.11	0.4	0.9
2001	2	1.1	0.79	0.1	3.6	29	0.6	0.10	0.4	0.8
2002	2	0.4	0.28	0.1	1.9	36	0.7	0.12	0.5	1.0
2003	1	0.4	0.42	0.0	2.1	27	0.5	0.10	0.4	0.8
2004	1	0.8	0.84	0.0	3.4	36	0.7	0.12	0.5	1.0
2005	0					24	0.5	0.10	0.3	0.7
2006	3	0.7	0.54	0.1	2.4	32	0.6	0.11	0.4	0.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	464	0.7	0.03	0.6	0.7	82	0.7	0.08	0.6	0.9
1990	33	0.8	0.14	0.5	1.1	8	1.2	0.45	0.5	2.5
1991	33	0.8	0.14	0.5	1.1	6	0.9	0.38	0.3	2.0
1992	28	0.7	0.13	0.4	1.0	7	1.0	0.38	0.4	2.1
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.50	0.2	2.4
1994	28	0.6	0.12	0.4	0.9	4	0.6	0.33	0.2	1.7
1995	29	0.7	0.13	0.5	1.0	5	0.6	0.27	0.2	1.5
1996	28	0.7	0.14	0.5	1.0	3	0.5	0.26	0.1	1.4
1997	22	0.6	0.12	0.4	0.9	5	0.8	0.35	0.2	1.8
1998	31	0.7	0.13	0.5	1.1	9	1.6	0.53	0.7	3.0
1999	30	0.7	0.14	0.5	1.1	3	0.4	0.24	0.1	1.2
2000	26	0.6	0.12	0.4	0.9	5	0.9	0.41	0.3	2.1
2001	28	0.7	0.12	0.4	1.0	1	0.1	0.09	0.0	0.7
2002	30	0.7	0.14	0.5	1.1	4	0.5	0.24	0.1	1.3
2003	23	0.6	0.12	0.4	0.8	4	0.6	0.28	0.2	1.4
2004	34	0.8	0.14	0.6	1.1	2	0.2	0.17	0.0	0.9
2005	18	0.4	0.10	0.3	0.7	6	0.8	0.34	0.3	1.8
2006	25	0.6	0.12	0.4	0.9	5	0.8	0.37	0.3	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Hodgkin Lymphoma, Females										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	23	0.4	0.11	0.3	0.7	422	0.4	0.02	0.4	0.4
1990	1	0.5	0.52	0.0	2.8	24	0.4	0.08	0.2	0.6
1991	0					32	0.5	0.09	0.3	0.7
1992	0					31	0.5	0.09	0.4	0.7
1993	1	0.2	0.21	0.0	1.9	39	0.6	0.10	0.4	0.9
1994	1	0.2	0.20	0.0	1.8	30	0.5	0.09	0.3	0.7
1995	0					23	0.4	0.08	0.2	0.6
1996	1	0.7	0.69	0.0	3.1	24	0.4	0.08	0.3	0.6
1997	4	1.5	0.94	0.2	4.2	26	0.4	0.08	0.3	0.6
1998	1	0.5	0.47	0.0	2.3	17	0.3	0.06	0.2	0.4
1999	2	0.6	0.45	0.1	2.3	19	0.3	0.07	0.2	0.5
2000	1	0.1	0.11	0.0	1.3	26	0.4	0.08	0.3	0.6
2001	2	0.5	0.38	0.1	2.0	21	0.3	0.07	0.2	0.5
2002	4	1.3	0.78	0.3	3.5	23	0.4	0.08	0.2	0.6
2003	1	0.1	0.10	0.0	1.0	23	0.4	0.08	0.2	0.6
2004	0					19	0.3	0.07	0.2	0.5
2005	3	0.7	0.46	0.1	2.1	23	0.4	0.08	0.2	0.6
2006	1	0.2	0.21	0.0	1.1	22	0.4	0.07	0.2	0.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	359	0.4	0.02	0.4	0.5	58	0.4	0.05	0.3	0.5
1990	20	0.4	0.08	0.2	0.6	4	0.5	0.26	0.1	1.3
1991	26	0.5	0.09	0.3	0.7	6	0.6	0.25	0.2	1.4
1992	27	0.5	0.10	0.3	0.8	4	0.4	0.19	0.1	1.1
1993	36	0.7	0.11	0.5	0.9	3	0.4	0.21	0.1	1.1
1994	24	0.4	0.09	0.3	0.7	6	0.6	0.26	0.2	1.4
1995	18	0.3	0.08	0.2	0.5	5	0.6	0.27	0.2	1.4
1996	19	0.4	0.09	0.2	0.6	5	0.6	0.27	0.2	1.4
1997	25	0.5	0.09	0.3	0.7	0				
1998	15	0.3	0.07	0.1	0.4	2	0.2	0.15	0.0	0.8
1999	16	0.3	0.08	0.2	0.5	3	0.3	0.19	0.1	1.0
2000	23	0.5	0.10	0.3	0.7	2	0.2	0.16	0.0	0.8
2001	16	0.3	0.07	0.2	0.5	4	0.4	0.21	0.1	1.1
2002	21	0.4	0.10	0.3	0.7	2	0.2	0.15	0.0	0.8
2003	21	0.4	0.09	0.3	0.6	1	0.1	0.14	0.0	0.7
2004	14	0.3	0.07	0.2	0.5	5	0.5	0.22	0.2	1.1
2005	20	0.4	0.09	0.2	0.6	2	0.2	0.14	0.0	0.7
2006	18	0.4	0.09	0.2	0.6	4	0.5	0.23	0.1	1.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Non-Hodgkin Lymphoma, Both Sexes										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	486	5.5	0.29	4.9	6.1	16,161	8.4	0.07	8.3	8.5
1990	19	3.9	0.99	2.2	6.4	845	8.1	0.28	7.5	8.6
1991	18	4.2	1.21	2.2	7.1	912	8.5	0.28	8.0	9.1
1992	27	6.6	1.54	3.9	10.2	938	8.7	0.29	8.2	9.3
1993	22	4.3	1.03	2.5	6.8	954	8.8	0.29	8.2	9.3
1994	26	5.4	1.27	3.2	8.4	998	9.1	0.29	8.6	9.7
1995	35	6.1	1.25	3.9	9.0	1,045	9.4	0.29	8.9	10.0
1996	30	7.3	1.62	4.5	11.0	1,028	9.2	0.29	8.7	9.8
1997	21	4.1	1.09	2.2	6.7	1,018	9.1	0.28	8.5	9.6
1998	25	4.6	1.10	2.7	7.2	994	8.7	0.28	8.2	9.3
1999	31	7.1	1.50	4.4	10.5	1,030	9.0	0.28	8.5	9.6
2000	35	7.2	1.43	4.7	10.4	969	8.4	0.27	7.9	9.0
2001	32	5.7	1.16	3.7	8.4	955	8.2	0.27	7.7	8.8
2002	32	6.2	1.26	4.0	9.1	911	7.8	0.26	7.3	8.3
2003	30	5.1	1.06	3.3	7.5	897	7.5	0.25	7.0	8.0
2004	40	5.7	1.04	3.8	8.0	895	7.5	0.25	7.1	8.1
2005	27	4.7	1.00	3.0	7.0	923	7.7	0.25	7.2	8.2
2006	36	4.5	0.87	3.0	6.5	849	7.0	0.24	6.5	7.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	14,719	8.8	0.07	8.7	9.0	1,284	5.6	0.16	5.3	5.9
1990	775	8.4	0.30	7.8	9.0	67	5.9	0.75	4.5	7.6
1991	841	9.0	0.31	8.4	9.6	67	5.4	0.69	4.1	6.9
1992	862	9.1	0.31	8.5	9.8	74	6.0	0.73	4.7	7.6
1993	867	9.1	0.31	8.5	9.7	82	6.5	0.73	5.1	8.0
1994	899	9.4	0.32	8.8	10.1	91	7.1	0.77	5.7	8.8
1995	947	9.8	0.32	9.2	10.4	88	6.9	0.76	5.5	8.6
1996	929	9.6	0.32	9.0	10.2	93	7.1	0.76	5.7	8.7
1997	927	9.5	0.31	8.9	10.1	78	5.8	0.67	4.5	7.2
1998	896	9.1	0.30	8.5	9.7	90	6.7	0.73	5.4	8.3
1999	945	9.5	0.31	8.9	10.2	80	5.9	0.67	4.7	7.4
2000	889	9.0	0.30	8.4	9.6	68	4.9	0.61	3.8	6.2
2001	870	8.7	0.30	8.1	9.3	75	5.2	0.62	4.1	6.6
2002	823	8.1	0.29	7.6	8.7	75	5.2	0.61	4.1	6.6
2003	820	8.0	0.28	7.5	8.6	60	4.1	0.54	3.1	5.3
2004	820	8.1	0.28	7.5	8.7	60	4.1	0.54	3.1	5.3
2005	837	8.1	0.28	7.6	8.7	69	4.7	0.57	3.6	6.0
2006	772	7.5	0.27	7.0	8.0	67	4.4	0.55	3.4	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Non-Hodgkin Lymphoma, Males										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	302	6.7	0.49	5.8	7.7	8,373	10.7	0.12	10.5	11.0
1990	15	6.4	1.95	3.2	11.6	466	11.0	0.53	10.0	12.1
1991	10	4.1	1.80	1.4	9.1	470	10.7	0.51	9.7	11.7
1992	18	7.5	2.26	3.8	13.2	496	11.4	0.53	10.3	12.4
1993	17	6.7	2.05	3.3	11.9	471	10.7	0.50	9.7	11.7
1994	17	6.8	2.13	3.3	12.2	517	11.7	0.53	10.7	12.8
1995	23	7.3	2.15	3.8	12.7	527	11.8	0.52	10.8	12.8
1996	17	7.5	2.41	3.5	13.4	529	11.6	0.51	10.6	12.7
1997	13	4.8	1.71	2.0	9.2	517	11.2	0.50	10.2	12.2
1998	16	7.3	2.40	3.3	13.1	525	11.6	0.51	10.6	12.6
1999	12	4.5	1.67	1.8	8.8	555	12.0	0.52	11.0	13.1
2000	23	9.6	2.53	5.3	15.6	513	10.9	0.49	10.0	11.9
2001	26	10.6	2.48	6.3	16.4	490	10.4	0.47	9.5	11.3
2002	16	5.7	1.71	2.8	9.8	459	9.8	0.46	8.9	10.7
2003	15	5.3	1.59	2.6	9.1	451	9.4	0.45	8.6	10.3
2004	27	7.5	1.81	4.4	11.7	451	9.4	0.45	8.6	10.4
2005	18	6.1	1.70	3.2	10.1	475	9.9	0.46	9.1	10.9
2006	19	5.6	1.58	3.0	9.4	461	9.3	0.44	8.5	10.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	7,574	11.2	0.13	11.0	11.5	704	7.2	0.29	6.7	7.8
1990	429	11.5	0.57	10.4	12.7	35	7.5	1.38	5.0	10.6
1991	429	11.2	0.56	10.1	12.3	38	7.0	1.23	4.8	9.8
1992	448	11.8	0.57	10.7	12.9	48	9.4	1.49	6.7	12.8
1993	425	11.1	0.55	10.0	12.2	43	7.7	1.23	5.5	10.5
1994	460	12.0	0.57	10.9	13.2	52	9.2	1.36	6.8	12.3
1995	476	12.2	0.57	11.1	13.4	47	8.5	1.34	6.1	11.5
1996	468	11.8	0.55	10.8	13.0	58	11.4	1.63	8.4	15.0
1997	459	11.5	0.54	10.4	12.6	46	7.6	1.18	5.5	10.3
1998	470	11.9	0.56	10.9	13.1	49	8.5	1.29	6.2	11.4
1999	506	12.6	0.57	11.6	13.8	45	7.9	1.25	5.6	10.7
2000	468	11.5	0.54	10.5	12.6	36	6.0	1.08	4.1	8.4
2001	446	11.0	0.52	10.0	12.1	38	6.2	1.05	4.3	8.5
2002	420	10.4	0.51	9.4	11.4	31	5.2	0.98	3.5	7.5
2003	408	9.9	0.49	9.0	10.9	34	5.7	1.03	3.8	8.0
2004	413	10.1	0.50	9.1	11.1	32	5.3	0.98	3.5	7.5
2005	431	10.5	0.51	9.5	11.5	36	6.0	1.05	4.2	8.4
2006	418	9.9	0.49	9.0	10.9	36	5.6	0.97	3.8	7.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).

Cancer Mortality by Hispanic Ethnicity and Race, Illinois, 1990-2006										
Non-Hodgkin Lymphoma, Females										
Years	Hispanic (any race)					Non-Hispanic (any race)				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	184	4.4	0.36	3.7	5.1	7,788	6.7	0.08	6.6	6.9
1990	4	1.7	0.86	0.5	4.5	379	5.9	0.31	5.3	6.6
1991	8	4.0	1.60	1.5	8.2	442	6.9	0.33	6.3	7.6
1992	9	5.1	1.92	2.0	9.9	442	6.9	0.33	6.2	7.5
1993	5	2.2	1.02	0.7	5.2	483	7.3	0.34	6.7	8.0
1994	9	4.1	1.54	1.7	8.1	481	7.4	0.34	6.8	8.1
1995	12	5.0	1.56	2.4	8.9	518	7.8	0.34	7.1	8.5
1996	13	6.8	2.10	3.3	11.8	499	7.5	0.34	6.8	8.2
1997	8	3.3	1.36	1.2	6.9	501	7.4	0.33	6.8	8.1
1998	9	2.9	0.99	1.3	5.5	469	6.9	0.32	6.3	7.5
1999	19	8.8	2.24	5.0	14.1	475	6.9	0.32	6.3	7.5
2000	12	5.1	1.60	2.5	9.1	456	6.6	0.31	6.0	7.3
2001	6	1.8	0.80	0.6	4.0	465	6.7	0.31	6.1	7.3
2002	16	6.5	1.76	3.5	10.6	452	6.4	0.31	5.8	7.1
2003	15	5.0	1.41	2.6	8.4	446	6.1	0.29	5.6	6.7
2004	13	4.1	1.21	2.1	7.0	444	6.3	0.30	5.7	6.9
2005	9	3.4	1.17	1.5	6.3	448	6.2	0.30	5.6	6.8
2006	17	3.8	1.03	2.0	6.3	388	5.3	0.28	4.8	5.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Years	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2006	7,145	7.1	0.09	6.9	7.3	580	4.4	0.18	4.0	4.8
1990	346	6.1	0.33	5.5	6.8	32	4.8	0.87	3.3	6.8
1991	412	7.2	0.36	6.5	8.0	29	4.2	0.79	2.8	6.0
1992	414	7.3	0.37	6.6	8.1	26	3.8	0.75	2.4	5.5
1993	442	7.6	0.37	6.9	8.4	39	5.4	0.88	3.8	7.4
1994	439	7.7	0.38	7.0	8.5	39	5.5	0.89	3.9	7.5
1995	471	8.1	0.38	7.4	8.9	41	5.6	0.89	4.0	7.7
1996	461	7.9	0.38	7.2	8.7	35	4.5	0.77	3.1	6.2
1997	468	8.0	0.37	7.2	8.7	32	4.2	0.75	2.9	5.9
1998	426	7.2	0.35	6.5	7.9	41	5.4	0.84	3.8	7.3
1999	439	7.3	0.35	6.6	8.0	35	4.5	0.76	3.1	6.2
2000	421	7.1	0.35	6.4	7.8	32	4.0	0.71	2.7	5.6
2001	424	7.1	0.35	6.4	7.8	37	4.5	0.75	3.2	6.2
2002	403	6.6	0.34	6.0	7.3	44	5.2	0.80	3.8	7.0
2003	412	6.6	0.33	5.9	7.3	26	3.1	0.61	2.0	4.6
2004	407	6.8	0.34	6.1	7.5	28	3.3	0.63	2.2	4.8
2005	406	6.5	0.33	5.9	7.2	33	3.8	0.66	2.6	5.3
2006	354	5.7	0.31	5.1	6.3	31	3.5	0.63	2.4	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Surveillance, Epidemiology and End Results (SEER) Program (www.seer.cancer.gov)SEER*Stat Database: Mortality - All COD, Public-Use with State, Total United States (1990-2006), and Mortality - All COD, Public-Use with State, National Cancer Institute, DCCPS, Surveillance Research Program, Cancer Statistics Branch, released May 2009. Underlying Mortality data provided by NCHS (www.cdc.gov/nchs).