

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Leukemias, Both Sexes</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	29,979	12.2	0.07	12.1	12.4	26,427	12.6	0.08	12.4	12.7
<b>1986</b>	986	9.3	0.30	8.7	9.9	886	9.5	0.32	8.9	10.2
<b>1987</b>	1,093	10.1	0.31	9.5	10.7	993	10.5	0.34	9.8	11.2
<b>1988</b>	1,072	10.0	0.31	9.4	10.6	943	10.0	0.33	9.4	10.7
<b>1989</b>	1,078	10.0	0.31	9.4	10.6	963	10.2	0.33	9.6	10.9
<b>1990</b>	1,180	10.7	0.31	10.1	11.3	1,070	11.1	0.34	10.5	11.8
<b>1991</b>	1,153	10.3	0.31	9.7	11.0	1,033	10.7	0.34	10.1	11.4
<b>1992</b>	1,234	11.0	0.31	10.4	11.6	1,094	11.2	0.34	10.6	11.9
<b>1993</b>	1,299	11.4	0.32	10.8	12.0	1,169	11.9	0.35	11.2	12.6
<b>1994</b>	1,569	13.7	0.35	13.0	14.4	1,400	14.1	0.38	13.4	14.9
<b>1995</b>	1,558	13.4	0.34	12.8	14.1	1,389	14.0	0.38	13.2	14.7
<b>1996</b>	1,496	12.8	0.33	12.2	13.5	1,329	13.3	0.37	12.6	14.0
<b>1997</b>	1,499	12.7	0.33	12.1	13.4	1,317	13.1	0.36	12.4	13.8
<b>1998</b>	1,497	12.6	0.33	12.0	13.2	1,317	13.0	0.36	12.3	13.7
<b>1999</b>	1,626	13.5	0.34	12.9	14.2	1,440	14.1	0.37	13.4	14.8
<b>2000</b>	1,643	13.6	0.34	12.9	14.3	1,429	13.9	0.37	13.2	14.7
<b>2001</b>	1,715	14.1	0.34	13.4	14.8	1,475	14.3	0.37	13.5	15.0
<b>2002</b>	1,701	13.8	0.34	13.2	14.5	1,477	14.1	0.37	13.4	14.9
<b>2003</b>	1,703	13.7	0.33	13.1	14.4	1,503	14.3	0.37	13.6	15.0
<b>2004</b>	1,709	13.6	0.33	12.9	14.2	1,448	13.6	0.36	12.9	14.4
<b>2005</b>	1,591	12.6	0.32	12.0	13.2	1,371	12.9	0.35	12.2	13.6
<b>2006</b>	1,577	12.3	0.31	11.7	13.0	1,381	12.8	0.35	12.2	13.5
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	2,831	9.8	0.19	9.4	10.1	463	6.8	0.36	6.1	7.5
<b>1986</b>	90	7.8	0.87	6.2	9.7	7	3.1	1.27	1.2	7.2
<b>1987</b>	80	6.7	0.80	5.2	8.4	15	8.5	2.61	4.2	15.1
<b>1988</b>	110	9.5	0.96	7.7	11.6	14	5.8	1.76	2.9	10.6
<b>1989</b>	105	8.6	0.87	6.9	10.4	9	3.3	1.14	1.4	6.8
<b>1990</b>	98	7.7	0.82	6.1	9.4	8	6.0	2.60	2.1	12.7
<b>1991</b>	103	7.9	0.82	6.4	9.7	13	4.9	1.90	1.9	9.9
<b>1992</b>	114	8.9	0.88	7.3	10.8	20	9.2	2.47	5.0	15.2
<b>1993</b>	110	8.2	0.82	6.6	9.9	16	5.0	1.38	2.7	8.7
<b>1994</b>	141	10.6	0.93	8.9	12.6	23	7.2	1.70	4.2	11.4
<b>1995</b>	143	10.5	0.92	8.8	12.5	20	7.6	1.93	4.3	12.3
<b>1996</b>	134	9.7	0.88	8.1	11.6	28	8.9	2.07	5.3	13.8
<b>1997</b>	156	10.9	0.91	9.2	12.8	19	5.2	1.44	2.7	8.8
<b>1998</b>	145	10.1	0.87	8.5	11.9	27	9.3	2.07	5.7	14.2
<b>1999</b>	149	10.1	0.85	8.5	11.9	23	6.9	1.61	4.1	10.8
<b>2000</b>	174	11.9	0.93	10.2	13.9	23	6.0	1.42	3.5	9.4
<b>2001</b>	177	11.5	0.90	9.9	13.4	39	8.5	1.48	5.9	12.0
<b>2002</b>	164	11.4	0.92	9.7	13.3	31	7.4	1.42	4.8	10.7
<b>2003</b>	155	10.2	0.84	8.6	11.9	27	5.9	1.20	3.8	8.8
<b>2004</b>	161	10.2	0.83	8.6	11.9	39	8.3	1.43	5.7	11.5
<b>2005</b>	159	10.3	0.84	8.8	12.1	37	8.0	1.42	5.4	11.2
<b>2006</b>	163	10.4	0.84	8.9	12.2	25	4.7	0.98	3.0	7.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

Invasive Cancer Incidence by Race, Illinois, 1986-2006										
Leukemias, Males										
Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	16,653	16.1	0.13	15.9	16.4	14,742	16.6	0.14	16.3	16.9
<b>1986</b>	533	12.1	0.55	11.0	13.2	481	12.4	0.59	11.3	13.6
<b>1987</b>	596	13.0	0.56	11.9	14.1	549	13.7	0.61	12.6	15.0
<b>1988</b>	578	12.9	0.56	11.8	14.1	504	12.9	0.59	11.7	14.1
<b>1989</b>	586	12.6	0.54	11.6	13.7	530	13.1	0.59	12.0	14.3
<b>1990</b>	627	13.5	0.56	12.4	14.6	567	13.9	0.60	12.7	15.1
<b>1991</b>	648	13.5	0.55	12.4	14.6	584	14.0	0.59	12.9	15.2
<b>1992</b>	721	15.1	0.58	13.9	16.2	640	15.4	0.62	14.2	16.6
<b>1993</b>	713	14.8	0.57	13.7	15.9	634	15.3	0.62	14.1	16.5
<b>1994</b>	868	18.3	0.64	17.1	19.6	771	18.8	0.69	17.5	20.2
<b>1995</b>	853	17.5	0.62	16.3	18.7	766	18.3	0.67	17.0	19.6
<b>1996</b>	842	17.4	0.62	16.2	18.7	745	17.8	0.67	16.5	19.2
<b>1997</b>	829	16.7	0.59	15.6	18.0	737	17.4	0.65	16.1	18.7
<b>1998</b>	835	16.5	0.58	15.3	17.6	742	17.0	0.63	15.8	18.3
<b>1999</b>	900	17.7	0.60	16.6	18.9	810	18.6	0.66	17.3	20.0
<b>2000</b>	893	17.3	0.59	16.2	18.5	774	17.6	0.64	16.3	18.8
<b>2001</b>	956	18.5	0.61	17.3	19.7	814	18.5	0.66	17.3	19.9
<b>2002</b>	961	18.6	0.61	17.4	19.8	835	18.9	0.66	17.6	20.2
<b>2003</b>	951	18.1	0.59	16.9	19.3	848	18.9	0.65	17.6	20.2
<b>2004</b>	946	17.7	0.58	16.6	18.9	816	18.0	0.64	16.8	19.3
<b>2005</b>	913	16.9	0.57	15.8	18.1	793	17.3	0.62	16.1	18.6
<b>2006</b>	904	16.5	0.56	15.5	17.7	802	17.3	0.62	16.1	18.6
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	1,508	12.6	0.35	11.9	13.3	255	8.4	0.63	7.2	9.7
<b>1986</b>	47	10.3	1.73	7.2	14.2	3	2.7	1.78	0.4	10.6
<b>1987</b>	36	6.5	1.16	4.4	9.2	9	13.7	5.64	4.9	28.6
<b>1988</b>	64	13.1	1.84	9.7	17.1	6	5.1	2.16	1.8	12.8
<b>1989</b>	49	9.7	1.51	7.0	13.1	6	4.8	2.09	1.6	12.1
<b>1990</b>	52	10.3	1.64	7.4	14.0	6	11.9	6.04	3.1	27.8
<b>1991</b>	54	9.6	1.42	7.1	12.8	8	7.5	4.30	1.6	19.5
<b>1992</b>	67	12.6	1.69	9.5	16.3	11	10.7	4.44	3.8	22.3
<b>1993</b>	65	11.0	1.49	8.2	14.2	10	5.9	2.02	2.7	12.2
<b>1994</b>	82	15.2	1.88	11.8	19.3	12	7.8	2.85	3.2	15.6
<b>1995</b>	73	12.5	1.59	9.6	16.0	12	9.8	3.33	4.4	18.5
<b>1996</b>	82	15.2	1.84	11.8	19.1	13	9.3	3.55	3.7	18.5
<b>1997</b>	82	13.6	1.64	10.6	17.2	6	2.6	1.08	0.9	6.7
<b>1998</b>	75	12.4	1.53	9.6	15.8	15	14.3	4.48	6.9	25.2
<b>1999</b>	67	11.0	1.46	8.3	14.2	14	9.2	2.89	4.5	16.6
<b>2000</b>	95	15.9	1.72	12.7	19.6	15	8.2	2.43	4.1	14.5
<b>2001</b>	102	16.4	1.75	13.1	20.2	28	11.4	2.34	7.3	17.3
<b>2002</b>	87	15.0	1.71	11.8	18.7	19	10.8	2.79	6.0	17.6
<b>2003</b>	79	12.4	1.48	9.7	15.6	13	5.6	1.65	2.9	10.0
<b>2004</b>	76	11.4	1.42	8.8	14.5	18	8.4	2.32	4.5	14.1
<b>2005</b>	89	14.3	1.62	11.3	17.8	19	10.1	2.59	5.6	16.3
<b>2006</b>	85	12.9	1.47	10.1	16.0	12	4.9	1.53	2.4	8.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Leukemias, Females</b>										
<b>Years</b>	<b>All Races</b>					<b>Whites</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	13,326	9.5	0.08	9.4	9.7	11,685	9.8	0.09	9.6	10.0
<b>1986</b>	453	7.5	0.36	6.8	8.2	405	7.7	0.39	6.9	8.5
<b>1987</b>	497	8.1	0.37	7.4	8.9	444	8.4	0.40	7.6	9.2
<b>1988</b>	494	8.0	0.36	7.3	8.8	439	8.2	0.40	7.4	9.0
<b>1989</b>	492	8.0	0.37	7.3	8.8	433	8.1	0.40	7.4	8.9
<b>1990</b>	553	8.7	0.38	8.0	9.5	503	9.2	0.42	8.4	10.1
<b>1991</b>	505	8.0	0.36	7.3	8.7	449	8.3	0.40	7.5	9.1
<b>1992</b>	513	8.0	0.36	7.4	8.8	454	8.3	0.40	7.5	9.1
<b>1993</b>	586	9.0	0.37	8.2	9.7	535	9.5	0.42	8.7	10.3
<b>1994</b>	701	10.7	0.41	9.9	11.5	629	11.1	0.45	10.3	12.0
<b>1995</b>	705	10.7	0.40	9.9	11.5	623	11.0	0.45	10.2	12.0
<b>1996</b>	654	9.8	0.39	9.0	10.6	584	10.2	0.43	9.4	11.1
<b>1997</b>	670	9.9	0.39	9.2	10.7	580	10.1	0.42	9.2	10.9
<b>1998</b>	662	9.7	0.38	8.9	10.4	575	9.8	0.42	9.0	10.7
<b>1999</b>	726	10.7	0.40	9.9	11.5	630	10.9	0.44	10.1	11.8
<b>2000</b>	750	10.9	0.40	10.1	11.7	655	11.3	0.45	10.4	12.2
<b>2001</b>	759	11.0	0.40	10.2	11.8	661	11.3	0.45	10.5	12.2
<b>2002</b>	740	10.5	0.39	9.7	11.3	642	10.8	0.43	9.9	11.7
<b>2003</b>	752	10.6	0.39	9.9	11.4	655	11.0	0.44	10.2	11.9
<b>2004</b>	763	10.8	0.39	10.0	11.6	632	10.6	0.43	9.8	11.5
<b>2005</b>	678	9.5	0.37	8.8	10.3	578	9.8	0.41	9.0	10.6
<b>2006</b>	673	9.3	0.36	8.6	10.0	579	9.5	0.40	8.7	10.3
<b>Years</b>	<b>Blacks</b>					<b>Asian and Other Races</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	1,323	7.9	0.22	7.5	8.3	208	5.6	0.42	4.8	6.5
<b>1986</b>	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
<b>1987</b>	44	6.6	1.05	4.8	9.0	6	4.8	1.99	1.7	11.4
<b>1988</b>	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
<b>1989</b>	56	7.8	1.07	5.9	10.2	3	2.0	1.20	0.4	7.1
<b>1990</b>	46	6.1	0.93	4.4	8.2	2	1.8	1.38	0.2	7.2
<b>1991</b>	49	6.5	0.96	4.8	8.7	5	3.0	1.36	0.9	7.9
<b>1992</b>	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
<b>1993</b>	45	6.0	0.92	4.3	8.1	6	4.1	1.84	1.3	9.6
<b>1994</b>	59	7.8	1.03	5.9	10.1	11	6.8	2.18	3.2	12.7
<b>1995</b>	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
<b>1996</b>	52	6.4	0.90	4.7	8.4	15	8.7	2.60	4.4	15.3
<b>1997</b>	74	9.1	1.07	7.1	11.4	13	7.0	2.27	3.3	12.9
<b>1998</b>	70	8.3	1.01	6.4	10.5	12	6.3	1.97	3.0	11.4
<b>1999</b>	82	9.5	1.07	7.5	11.8	9	5.1	1.84	2.2	10.0
<b>2000</b>	79	9.2	1.05	7.3	11.5	8	3.9	1.57	1.5	8.2
<b>2001</b>	75	8.4	0.98	6.6	10.5	11	5.6	1.77	2.7	10.1
<b>2002</b>	77	9.0	1.04	7.1	11.3	12	4.9	1.44	2.5	8.7
<b>2003</b>	76	8.6	1.00	6.7	10.7	14	6.0	1.67	3.2	10.2
<b>2004</b>	85	9.3	1.02	7.4	11.5	21	8.5	1.91	5.1	13.1
<b>2005</b>	70	7.8	0.94	6.0	9.8	18	6.6	1.64	3.8	10.7
<b>2006</b>	78	8.6	0.99	6.8	10.8	13	4.6	1.31	2.4	8.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Acute Lymphocytic Leukemia, Both Sexes</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	3,582	1.4	0.02	1.4	1.5	3,086	1.5	0.03	1.5	1.6
<b>1986</b>	125	1.1	0.10	0.9	1.3	111	1.2	0.11	1.0	1.4
<b>1987</b>	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
<b>1988</b>	137	1.2	0.10	1.0	1.4	116	1.2	0.12	1.0	1.5
<b>1989</b>	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
<b>1990</b>	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
<b>1991</b>	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
<b>1992</b>	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
<b>1993</b>	169	1.4	0.11	1.2	1.7	144	1.5	0.13	1.3	1.8
<b>1994</b>	159	1.3	0.10	1.1	1.5	134	1.4	0.12	1.2	1.6
<b>1995</b>	203	1.7	0.12	1.4	1.9	183	1.9	0.14	1.6	2.2
<b>1996</b>	166	1.4	0.10	1.2	1.6	143	1.5	0.12	1.2	1.7
<b>1997</b>	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
<b>1998</b>	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
<b>1999</b>	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
<b>2000</b>	172	1.4	0.11	1.2	1.6	154	1.6	0.13	1.3	1.8
<b>2001</b>	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
<b>2002</b>	186	1.5	0.11	1.3	1.7	163	1.6	0.13	1.4	1.9
<b>2003</b>	191	1.5	0.11	1.3	1.8	166	1.7	0.13	1.4	2.0
<b>2004</b>	188	1.5	0.11	1.3	1.7	153	1.5	0.12	1.3	1.8
<b>2005</b>	198	1.6	0.11	1.4	1.8	176	1.8	0.13	1.5	2.1
<b>2006</b>	200	1.6	0.11	1.4	1.8	169	1.7	0.13	1.4	2.0
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	365	0.9	0.05	0.8	1.0	114	1.3	0.12	1.0	1.5
<b>1986</b>	10	0.6	0.21	0.3	1.2	4	1.2	0.61	0.3	4.3
<b>1987</b>	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
<b>1988</b>	17	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
<b>1989</b>	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
<b>1990</b>	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
<b>1991</b>	18	1.0	0.24	0.6	1.6	6	1.6	0.64	0.6	4.1
<b>1992</b>	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
<b>1993</b>	18	1.0	0.25	0.6	1.6	4	0.9	0.45	0.2	2.9
<b>1994</b>	15	0.7	0.20	0.4	1.3	9	1.9	0.65	0.9	4.1
<b>1995</b>	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
<b>1996</b>	19	1.0	0.23	0.6	1.6	3	0.6	0.33	0.1	2.2
<b>1997</b>	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
<b>1998</b>	12	0.6	0.20	0.3	1.2	8	1.7	0.63	0.7	3.7
<b>1999</b>	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
<b>2000</b>	13	0.7	0.21	0.4	1.3	3	0.6	0.36	0.1	2.0
<b>2001</b>	32	1.6	0.29	1.1	2.3	7	1.3	0.50	0.5	2.9
<b>2002</b>	14	0.7	0.18	0.4	1.2	9	1.8	0.59	0.8	3.4
<b>2003</b>	19	0.9	0.20	0.5	1.4	5	0.9	0.41	0.3	2.3
<b>2004</b>	24	1.2	0.26	0.8	1.9	10	1.9	0.59	0.9	3.5
<b>2005</b>	15	0.7	0.17	0.4	1.1	5	1.0	0.45	0.3	2.3
<b>2006</b>	20	1.0	0.24	0.6	1.6	10	1.7	0.54	0.8	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Acute Lymphocytic Leukemia, Males</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	1,966	1.6	0.04	1.5	1.7	1,699	1.7	0.04	1.6	1.8
<b>1986</b>	65	1.2	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
<b>1987</b>	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
<b>1988</b>	73	1.3	0.16	1.0	1.7	64	1.4	0.18	1.1	1.8
<b>1989</b>	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
<b>1990</b>	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
<b>1991</b>	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
<b>1992</b>	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
<b>1993</b>	96	1.7	0.18	1.4	2.1	83	1.8	0.20	1.5	2.3
<b>1994</b>	93	1.6	0.17	1.3	2.0	76	1.6	0.19	1.3	2.0
<b>1995</b>	114	1.9	0.18	1.6	2.3	100	2.1	0.21	1.7	2.6
<b>1996</b>	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
<b>1997</b>	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
<b>1998</b>	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
<b>1999</b>	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
<b>2000</b>	75	1.2	0.14	1.0	1.5	65	1.3	0.16	1.0	1.7
<b>2001</b>	110	1.8	0.17	1.5	2.2	89	1.8	0.20	1.5	2.3
<b>2002</b>	112	1.8	0.18	1.5	2.2	97	2.0	0.20	1.6	2.4
<b>2003</b>	101	1.6	0.16	1.3	2.0	89	1.8	0.19	1.5	2.2
<b>2004</b>	92	1.5	0.16	1.2	1.8	73	1.5	0.17	1.2	1.9
<b>2005</b>	108	1.7	0.17	1.4	2.1	97	2.0	0.20	1.6	2.4
<b>2006</b>	117	1.9	0.17	1.5	2.2	102	2.0	0.20	1.7	2.5
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	202	1.0	0.08	0.9	1.2	56	1.2	0.17	0.9	1.6
<b>1986</b>	5	0.7	0.36	0.2	1.8	2	1.2	0.81	0.1	8.0
<b>1987</b>	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
<b>1988</b>	9	1.1	0.43	0.4	2.4	0				
<b>1989</b>	6	0.6	0.25	0.2	1.5	0				
<b>1990</b>	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
<b>1991</b>	11	1.2	0.38	0.6	2.3	4	2.0	1.01	0.6	7.3
<b>1992</b>	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
<b>1993</b>	8	0.8	0.31	0.3	1.8	2	0.9	0.61	0.1	5.3
<b>1994</b>	11	1.0	0.31	0.5	2.0	6	2.5	1.05	0.9	7.1
<b>1995</b>	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
<b>1996</b>	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
<b>1997</b>	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
<b>1998</b>	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
<b>1999</b>	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
<b>2000</b>	7	0.8	0.32	0.3	1.8	2	0.8	0.60	0.1	3.9
<b>2001</b>	17	1.8	0.49	1.0	3.1	4	1.5	0.73	0.4	4.5
<b>2002</b>	10	1.1	0.35	0.5	2.1	5	2.1	0.95	0.7	5.3
<b>2003</b>	9	0.8	0.29	0.4	1.7	3	1.1	0.63	0.2	3.7
<b>2004</b>	16	2.0	0.57	1.0	3.4	3	1.1	0.66	0.2	3.7
<b>2005</b>	8	0.7	0.23	0.3	1.4	3	1.3	0.80	0.2	4.0
<b>2006</b>	11	1.2	0.39	0.6	2.3	4	1.5	0.73	0.4	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Acute Lymphocytic Leukemia, Females</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	1,616	1.2	0.03	1.2	1.3	1,387	1.3	0.04	1.3	1.4
<b>1986</b>	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
<b>1987</b>	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
<b>1988</b>	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
<b>1989</b>	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
<b>1990</b>	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
<b>1991</b>	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
<b>1992</b>	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
<b>1993</b>	73	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
<b>1994</b>	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
<b>1995</b>	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
<b>1996</b>	73	1.2	0.14	0.9	1.5	62	1.3	0.16	1.0	1.6
<b>1997</b>	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
<b>1998</b>	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
<b>1999</b>	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
<b>2000</b>	97	1.5	0.15	1.2	1.9	89	1.8	0.19	1.4	2.2
<b>2001</b>	78	1.2	0.14	1.0	1.5	60	1.2	0.15	0.9	1.5
<b>2002</b>	74	1.2	0.14	0.9	1.5	66	1.3	0.16	1.0	1.7
<b>2003</b>	90	1.4	0.15	1.1	1.7	77	1.5	0.18	1.2	1.9
<b>2004</b>	96	1.5	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
<b>2005</b>	90	1.4	0.15	1.1	1.7	79	1.6	0.18	1.2	2.0
<b>2006</b>	83	1.3	0.14	1.0	1.6	67	1.3	0.16	1.0	1.6
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	163	0.8	0.06	0.7	0.9	58	1.3	0.17	1.0	1.7
<b>1986</b>	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
<b>1987</b>	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
<b>1988</b>	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
<b>1989</b>	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
<b>1990</b>	7	0.9	0.37	0.4	2.0	0				
<b>1991</b>	7	0.8	0.30	0.3	1.6	2	1.1	0.76	0.1	5.1
<b>1992</b>	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
<b>1993</b>	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
<b>1994</b>	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
<b>1995</b>	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
<b>1996</b>	10	1.0	0.33	0.5	1.9	1	0.5	0.46	0.0	3.2
<b>1997</b>	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
<b>1998</b>	7	0.7	0.26	0.3	1.4	4	1.5	0.74	0.4	4.3
<b>1999</b>	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
<b>2000</b>	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
<b>2001</b>	15	1.4	0.37	0.8	2.3	3	1.2	0.67	0.2	3.6
<b>2002</b>	4	0.4	0.17	0.1	0.9	4	1.5	0.73	0.4	4.0
<b>2003</b>	10	0.9	0.29	0.4	1.7	2	0.7	0.52	0.1	2.8
<b>2004</b>	8	0.7	0.26	0.3	1.5	7	2.6	0.99	1.1	5.5
<b>2005</b>	7	0.6	0.24	0.3	1.3	2	0.7	0.50	0.1	2.7
<b>2006</b>	9	0.9	0.28	0.4	1.6	6	1.9	0.80	0.7	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Chronic Lymphocytic Leukemia, Both Sexes</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	9,206	3.8	0.04	3.7	3.9	8,182	3.9	0.04	3.8	3.9
<b>1986</b>	272	2.6	0.16	2.3	2.9	248	2.7	0.17	2.3	3.0
<b>1987</b>	316	3.0	0.17	2.6	3.3	286	3.0	0.18	2.7	3.4
<b>1988</b>	349	3.3	0.18	2.9	3.7	311	3.3	0.19	2.9	3.7
<b>1989</b>	331	3.1	0.17	2.7	3.4	301	3.2	0.18	2.8	3.5
<b>1990</b>	366	3.4	0.18	3.0	3.7	335	3.5	0.19	3.1	3.9
<b>1991</b>	379	3.4	0.18	3.1	3.8	341	3.5	0.19	3.1	3.9
<b>1992</b>	417	3.8	0.18	3.4	4.1	376	3.8	0.20	3.4	4.2
<b>1993</b>	397	3.5	0.18	3.2	3.9	364	3.7	0.19	3.3	4.1
<b>1994</b>	522	4.6	0.20	4.2	5.0	470	4.7	0.22	4.3	5.2
<b>1995</b>	452	4.0	0.19	3.6	4.4	407	4.1	0.20	3.7	4.5
<b>1996</b>	449	3.9	0.18	3.6	4.3	411	4.1	0.20	3.7	4.5
<b>1997</b>	422	3.6	0.18	3.3	4.0	380	3.8	0.19	3.4	4.2
<b>1998</b>	436	3.7	0.18	3.4	4.1	391	3.8	0.19	3.5	4.2
<b>1999</b>	465	3.9	0.18	3.6	4.3	423	4.1	0.20	3.7	4.5
<b>2000</b>	464	3.9	0.18	3.5	4.3	383	3.7	0.19	3.4	4.1
<b>2001</b>	539	4.5	0.19	4.1	4.9	462	4.4	0.21	4.0	4.8
<b>2002</b>	557	4.6	0.19	4.2	4.9	474	4.5	0.21	4.1	4.9
<b>2003</b>	568	4.6	0.19	4.2	5.0	513	4.8	0.21	4.4	5.3
<b>2004</b>	539	4.3	0.19	4.0	4.7	457	4.3	0.20	3.9	4.7
<b>2005</b>	480	3.8	0.18	3.5	4.2	416	3.9	0.19	3.5	4.3
<b>2006</b>	486	3.8	0.17	3.5	4.2	433	4.0	0.19	3.6	4.4
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	830	3.1	0.11	2.9	3.4	45	0.8	0.13	0.6	1.1
<b>1986</b>	24	2.4	0.51	1.5	3.6	0				
<b>1987</b>	23	2.3	0.50	1.4	3.5	3	2.6	1.67	0.4	7.7
<b>1988</b>	36	3.6	0.61	2.5	5.0	0				
<b>1989</b>	29	2.6	0.49	1.7	3.7	1	0.5	0.50	0.0	3.2
<b>1990</b>	29	2.7	0.52	1.8	3.9	1	0.7	0.72	0.0	3.7
<b>1991</b>	37	3.2	0.55	2.2	4.5	0				
<b>1992</b>	38	3.4	0.56	2.4	4.6	0				
<b>1993</b>	33	2.8	0.49	1.9	3.9	0				
<b>1994</b>	47	3.8	0.57	2.8	5.1	3	1.7	1.07	0.3	4.9
<b>1995</b>	38	3.1	0.51	2.2	4.3	2	0.9	0.70	0.1	3.3
<b>1996</b>	34	2.8	0.49	1.9	3.9	0				
<b>1997</b>	37	2.8	0.47	2.0	3.9	3	0.7	0.40	0.1	2.3
<b>1998</b>	39	2.9	0.47	2.1	4.0	4	1.2	0.61	0.3	3.2
<b>1999</b>	31	2.2	0.40	1.5	3.1	3	1.4	0.85	0.3	3.9
<b>2000</b>	70	5.1	0.62	4.0	6.5	2	0.7	0.55	0.0	2.5
<b>2001</b>	50	3.6	0.52	2.7	4.8	7	2.2	0.86	0.8	4.5
<b>2002</b>	60	4.4	0.58	3.4	5.7	6	2.1	0.88	0.7	4.4
<b>2003</b>	42	2.9	0.46	2.1	4.0	3	0.6	0.36	0.1	1.9
<b>2004</b>	36	2.4	0.40	1.6	3.3	1	0.2	0.18	0.0	1.2
<b>2005</b>	48	3.3	0.48	2.4	4.4	4	0.8	0.38	0.2	2.0
<b>2006</b>	49	3.3	0.47	2.4	4.3	2	0.5	0.38	0.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

Invasive Cancer Incidence by Race, Illinois, 1986-2006										
Chronic Lymphocytic Leukemia, Males										
Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	5,258	5.3	0.07	5.1	5.4	4,672	5.4	0.08	5.2	5.5
<b>1986</b>	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
<b>1987</b>	171	3.9	0.31	3.3	4.6	156	4.0	0.34	3.4	4.8
<b>1988</b>	186	4.4	0.33	3.7	5.1	161	4.2	0.35	3.6	5.0
<b>1989</b>	173	3.9	0.31	3.3	4.5	161	4.1	0.33	3.4	4.8
<b>1990</b>	215	4.8	0.34	4.2	5.5	197	4.9	0.36	4.2	5.7
<b>1991</b>	226	4.9	0.33	4.2	5.6	200	4.9	0.35	4.2	5.6
<b>1992</b>	246	5.4	0.35	4.7	6.1	223	5.5	0.38	4.8	6.3
<b>1993</b>	207	4.4	0.31	3.8	5.1	185	4.5	0.34	3.8	5.2
<b>1994</b>	307	6.9	0.40	6.1	7.7	278	7.1	0.43	6.2	8.0
<b>1995</b>	255	5.5	0.36	4.9	6.3	229	5.7	0.38	5.0	6.5
<b>1996</b>	267	5.8	0.36	5.1	6.5	243	6.0	0.39	5.3	6.8
<b>1997</b>	249	5.2	0.34	4.6	5.9	223	5.4	0.36	4.7	6.1
<b>1998</b>	250	5.1	0.32	4.4	5.7	222	5.2	0.35	4.5	5.9
<b>1999</b>	268	5.5	0.34	4.8	6.2	247	5.8	0.37	5.1	6.6
<b>2000</b>	278	5.5	0.33	4.9	6.2	229	5.3	0.35	4.6	6.0
<b>2001</b>	293	5.9	0.35	5.2	6.6	249	5.8	0.37	5.1	6.6
<b>2002</b>	310	6.2	0.36	5.6	7.0	265	6.2	0.38	5.4	7.0
<b>2003</b>	335	6.5	0.36	5.8	7.3	307	6.9	0.40	6.1	7.7
<b>2004</b>	318	6.1	0.35	5.5	6.9	271	6.1	0.37	5.4	6.9
<b>2005</b>	278	5.3	0.32	4.7	6.0	241	5.4	0.35	4.7	6.1
<b>2006</b>	284	5.4	0.32	4.8	6.1	256	5.7	0.36	5.0	6.4
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	483	4.5	0.22	4.1	4.9	25	1.2	0.26	0.7	1.8
<b>1986</b>	13	3.2	1.00	1.6	5.7	0				
<b>1987</b>	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
<b>1988</b>	23	5.3	1.19	3.2	8.1	0				
<b>1989</b>	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
<b>1990</b>	17	4.5	1.18	2.5	7.3	0				
<b>1991</b>	26	5.1	1.05	3.2	7.6	0				
<b>1992</b>	22	4.7	1.04	2.9	7.2	0				
<b>1993</b>	22	4.2	0.94	2.6	6.5	0				
<b>1994</b>	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
<b>1995</b>	23	4.7	1.03	2.9	7.1	2	2.1	1.71	0.1	8.0
<b>1996</b>	23	4.7	1.05	2.9	7.1	0				
<b>1997</b>	24	4.4	0.93	2.8	6.6	1	0.5	0.48	0.0	4.0
<b>1998</b>	25	4.3	0.91	2.8	6.5	3	2.1	1.25	0.4	6.5
<b>1999</b>	14	2.4	0.69	1.3	4.1	1	1.5	1.53	0.0	6.7
<b>2000</b>	43	7.5	1.18	5.4	10.2	2	1.6	1.40	0.1	6.3
<b>2001</b>	32	6.1	1.15	4.1	8.8	4	2.4	1.32	0.5	6.5
<b>2002</b>	30	5.6	1.08	3.7	8.0	4	3.4	1.81	0.9	8.6
<b>2003</b>	22	3.7	0.83	2.3	5.7	1	0.4	0.40	0.0	2.8
<b>2004</b>	21	3.4	0.78	2.1	5.3	0				
<b>2005</b>	30	5.2	1.00	3.4	7.5	1	0.5	0.45	0.0	2.7
<b>2006</b>	24	3.5	0.73	2.2	5.2	2	1.2	0.94	0.1	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008



<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Chronic Lymphocytic Leukemia, Females</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	3,948	2.7	0.04	2.7	2.8	3,510	2.8	0.05	2.7	2.9
<b>1986</b>	130	2.1	0.18	1.7	2.5	119	2.1	0.20	1.8	2.6
<b>1987</b>	145	2.3	0.19	2.0	2.7	130	2.3	0.21	2.0	2.8
<b>1988</b>	163	2.6	0.21	2.2	3.0	150	2.7	0.22	2.3	3.1
<b>1989</b>	158	2.5	0.20	2.1	2.9	140	2.5	0.21	2.1	3.0
<b>1990</b>	151	2.4	0.19	2.0	2.8	138	2.5	0.21	2.1	2.9
<b>1991</b>	153	2.3	0.19	2.0	2.7	141	2.4	0.20	2.0	2.8
<b>1992</b>	171	2.6	0.20	2.2	3.0	153	2.6	0.21	2.2	3.0
<b>1993</b>	190	2.8	0.20	2.4	3.2	179	3.0	0.22	2.5	3.4
<b>1994</b>	215	3.2	0.22	2.8	3.6	192	3.2	0.23	2.7	3.7
<b>1995</b>	197	2.9	0.21	2.5	3.4	178	3.0	0.23	2.6	3.5
<b>1996</b>	182	2.7	0.20	2.3	3.1	168	2.8	0.22	2.4	3.3
<b>1997</b>	173	2.5	0.19	2.1	2.9	157	2.5	0.20	2.1	3.0
<b>1998</b>	186	2.6	0.19	2.3	3.0	169	2.7	0.21	2.3	3.2
<b>1999</b>	197	2.9	0.21	2.5	3.3	176	3.0	0.23	2.5	3.5
<b>2000</b>	186	2.6	0.19	2.3	3.1	154	2.5	0.21	2.1	3.0
<b>2001</b>	246	3.5	0.22	3.0	3.9	213	3.4	0.24	3.0	3.9
<b>2002</b>	247	3.4	0.22	3.0	3.8	209	3.3	0.23	2.8	3.8
<b>2003</b>	233	3.2	0.21	2.8	3.6	206	3.3	0.23	2.8	3.8
<b>2004</b>	221	3.0	0.20	2.6	3.4	186	2.9	0.22	2.5	3.4
<b>2005</b>	202	2.8	0.20	2.4	3.2	175	2.8	0.21	2.4	3.2
<b>2006</b>	202	2.7	0.19	2.3	3.1	177	2.7	0.21	2.3	3.2
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	347	2.2	0.12	2.0	2.5	20	0.6	0.14	0.4	1.0
<b>1986</b>	11	1.9	0.59	1.0	3.4	0				
<b>1987</b>	11	2.1	0.63	1.0	3.6	2	2.1	1.48	0.3	8.1
<b>1988</b>	13	2.4	0.65	1.2	3.9	0				
<b>1989</b>	18	2.6	0.61	1.5	4.0	0				
<b>1990</b>	12	1.7	0.51	0.9	3.0	1	1.3	1.26	0.0	6.5
<b>1991</b>	11	1.8	0.54	0.9	3.1	0				
<b>1992</b>	16	2.4	0.60	1.4	3.8	0				
<b>1993</b>	11	1.6	0.50	0.8	2.9	0				
<b>1994</b>	21	2.8	0.62	1.8	4.3	1	0.7	0.68	0.0	4.1
<b>1995</b>	15	2.0	0.53	1.1	3.3	0				
<b>1996</b>	11	1.5	0.46	0.8	2.7	0				
<b>1997</b>	13	1.7	0.47	0.9	2.9	2	0.9	0.61	0.1	3.7
<b>1998</b>	14	1.8	0.49	1.0	3.0	1	0.5	0.48	0.0	3.0
<b>1999</b>	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
<b>2000</b>	27	3.4	0.66	2.2	4.9	0				
<b>2001</b>	18	2.2	0.51	1.3	3.4	3	1.9	1.12	0.4	5.3
<b>2002</b>	30	3.7	0.68	2.5	5.3	2	1.1	0.81	0.1	3.9
<b>2003</b>	20	2.4	0.54	1.5	3.7	2	0.8	0.59	0.1	3.0
<b>2004</b>	15	1.7	0.44	0.9	2.8	1	0.4	0.35	0.0	2.2
<b>2005</b>	18	2.1	0.50	1.3	3.4	3	1.0	0.61	0.2	3.2
<b>2006</b>	25	3.0	0.60	1.9	4.4	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Acute Myeloid Leukemia, Both Sexes</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	8,721	3.6	0.04	3.5	3.6	7,756	3.7	0.04	3.6	3.8
<b>1986</b>	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
<b>1987</b>	276	2.5	0.16	2.3	2.9	251	2.6	0.17	2.3	3.0
<b>1988</b>	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
<b>1989</b>	264	2.4	0.15	2.1	2.7	240	2.5	0.16	2.2	2.9
<b>1990</b>	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
<b>1991</b>	305	2.7	0.16	2.4	3.1	276	2.9	0.17	2.5	3.2
<b>1992</b>	340	3.0	0.16	2.7	3.3	306	3.1	0.18	2.8	3.5
<b>1993</b>	354	3.1	0.17	2.8	3.5	324	3.3	0.18	3.0	3.7
<b>1994</b>	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
<b>1995</b>	431	3.7	0.18	3.4	4.1	385	3.9	0.20	3.5	4.3
<b>1996</b>	437	3.7	0.18	3.4	4.1	388	3.9	0.20	3.5	4.3
<b>1997</b>	473	4.0	0.19	3.7	4.4	415	4.1	0.20	3.7	4.5
<b>1998</b>	444	3.7	0.18	3.4	4.1	383	3.8	0.19	3.4	4.2
<b>1999</b>	483	4.0	0.18	3.7	4.4	432	4.2	0.20	3.8	4.7
<b>2000</b>	531	4.4	0.19	4.0	4.8	479	4.7	0.21	4.3	5.1
<b>2001</b>	540	4.4	0.19	4.1	4.8	470	4.5	0.21	4.1	5.0
<b>2002</b>	522	4.3	0.19	3.9	4.6	472	4.5	0.21	4.1	4.9
<b>2003</b>	495	4.0	0.18	3.6	4.4	434	4.1	0.20	3.7	4.5
<b>2004</b>	520	4.1	0.18	3.8	4.5	451	4.3	0.20	3.9	4.7
<b>2005</b>	509	4.0	0.18	3.7	4.4	439	4.1	0.20	3.8	4.5
<b>2006</b>	494	3.9	0.17	3.5	4.2	439	4.1	0.20	3.7	4.5
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	784	2.7	0.10	2.5	2.9	161	2.5	0.22	2.1	2.9
<b>1986</b>	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
<b>1987</b>	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
<b>1988</b>	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
<b>1989</b>	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
<b>1990</b>	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
<b>1991</b>	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
<b>1992</b>	23	1.8	0.39	1.1	2.7	10	4.6	1.84	1.7	9.4
<b>1993</b>	25	1.7	0.36	1.1	2.6	4	1.3	0.66	0.3	3.7
<b>1994</b>	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
<b>1995</b>	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
<b>1996</b>	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
<b>1997</b>	52	3.6	0.51	2.7	4.8	6	1.7	0.77	0.5	4.0
<b>1998</b>	50	3.4	0.50	2.5	4.6	9	3.7	1.36	1.5	7.2
<b>1999</b>	43	2.9	0.45	2.1	3.9	8	1.9	0.71	0.8	4.0
<b>2000</b>	44	2.8	0.44	2.0	3.8	7	2.3	0.97	0.8	4.9
<b>2001</b>	57	3.7	0.50	2.8	4.8	12	2.3	0.70	1.2	4.3
<b>2002</b>	38	2.5	0.42	1.8	3.5	8	1.7	0.67	0.7	3.6
<b>2003</b>	49	3.2	0.47	2.3	4.2	11	2.3	0.73	1.1	4.2
<b>2004</b>	55	3.5	0.48	2.6	4.6	13	2.9	0.85	1.5	5.0
<b>2005</b>	50	3.3	0.48	2.4	4.3	17	3.4	0.91	1.9	5.6
<b>2006</b>	44	2.8	0.43	2.0	3.8	9	1.7	0.59	0.7	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Acute Myeloid Leukemia, Males</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	4,582	4.4	0.07	4.3	4.6	4,126	4.6	0.07	4.5	4.8
<b>1986</b>	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
<b>1987</b>	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
<b>1988</b>	152	3.5	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
<b>1989</b>	151	3.2	0.27	2.7	3.8	138	3.3	0.29	2.8	4.0
<b>1990</b>	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
<b>1991</b>	160	3.4	0.28	2.9	4.0	149	3.6	0.30	3.0	4.2
<b>1992</b>	194	4.0	0.30	3.4	4.6	177	4.2	0.32	3.6	4.8
<b>1993</b>	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
<b>1994</b>	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
<b>1995</b>	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
<b>1996</b>	219	4.4	0.31	3.9	5.1	193	4.5	0.33	3.9	5.2
<b>1997</b>	228	4.5	0.30	4.0	5.2	205	4.7	0.33	4.1	5.4
<b>1998</b>	229	4.4	0.30	3.9	5.1	201	4.5	0.32	3.9	5.2
<b>1999</b>	246	4.8	0.31	4.2	5.5	225	5.1	0.35	4.5	5.9
<b>2000</b>	273	5.3	0.33	4.7	6.0	248	5.6	0.36	5.0	6.4
<b>2001</b>	294	5.7	0.34	5.1	6.4	252	5.8	0.37	5.1	6.5
<b>2002</b>	286	5.6	0.33	4.9	6.3	260	5.9	0.37	5.2	6.6
<b>2003</b>	255	4.9	0.31	4.3	5.5	230	5.1	0.34	4.5	5.8
<b>2004</b>	262	4.9	0.31	4.3	5.5	237	5.2	0.34	4.5	5.9
<b>2005</b>	268	5.0	0.31	4.4	5.6	237	5.2	0.34	4.5	5.9
<b>2006</b>	262	4.8	0.30	4.2	5.4	240	5.2	0.34	4.5	5.9
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	358	2.9	0.17	2.6	3.3	86	2.9	0.38	2.2	3.8
<b>1986</b>	13	2.9	0.95	1.4	5.3	0				
<b>1987</b>	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
<b>1988</b>	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
<b>1989</b>	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
<b>1990</b>	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
<b>1991</b>	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
<b>1992</b>	11	2.1	0.69	1.0	3.8	6	6.7	3.98	1.3	17.8
<b>1993</b>	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
<b>1994</b>	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
<b>1995</b>	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
<b>1996</b>	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
<b>1997</b>	20	3.3	0.77	2.0	5.2	3	1.3	0.75	0.3	5.0
<b>1998</b>	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
<b>1999</b>	15	2.2	0.58	1.2	3.7	6	3.4	1.47	1.1	8.0
<b>2000</b>	21	3.4	0.79	2.0	5.3	4	2.0	1.00	0.5	5.6
<b>2001</b>	32	4.7	0.85	3.2	6.6	9	3.8	1.37	1.6	7.9
<b>2002</b>	18	3.2	0.82	1.8	5.2	5	2.6	1.37	0.7	6.8
<b>2003</b>	19	3.1	0.76	1.8	4.9	5	2.2	1.09	0.6	5.7
<b>2004</b>	19	2.7	0.67	1.6	4.4	5	2.5	1.25	0.7	6.2
<b>2005</b>	21	3.4	0.78	2.0	5.2	8	3.3	1.32	1.3	7.1
<b>2006</b>	17	2.3	0.59	1.3	3.8	4	1.3	0.65	0.4	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Acute Myeloid Leukemia, Females</b>										
<b>Years</b>	<b>All Races</b>					<b>Whites</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	4,139	3.0	0.05	2.9	3.1	3,630	3.1	0.05	3.0	3.2
<b>1986</b>	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
<b>1987</b>	129	2.1	0.19	1.8	2.5	115	2.2	0.21	1.8	2.6
<b>1988</b>	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
<b>1989</b>	113	1.8	0.17	1.5	2.2	102	1.9	0.19	1.5	2.3
<b>1990</b>	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
<b>1991</b>	145	2.4	0.20	2.0	2.8	127	2.4	0.22	2.0	2.9
<b>1992</b>	146	2.3	0.20	2.0	2.7	129	2.4	0.22	2.0	2.9
<b>1993</b>	153	2.4	0.20	2.0	2.8	142	2.6	0.22	2.2	3.1
<b>1994</b>	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
<b>1995</b>	195	3.0	0.22	2.6	3.4	170	3.1	0.24	2.6	3.6
<b>1996</b>	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
<b>1997</b>	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
<b>1998</b>	215	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
<b>1999</b>	237	3.5	0.23	3.1	4.0	207	3.7	0.26	3.2	4.2
<b>2000</b>	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
<b>2001</b>	246	3.6	0.23	3.2	4.1	218	3.8	0.26	3.3	4.3
<b>2002</b>	236	3.4	0.22	3.0	3.9	212	3.6	0.25	3.1	4.1
<b>2003</b>	240	3.4	0.22	3.0	3.9	204	3.5	0.25	3.0	4.0
<b>2004</b>	258	3.7	0.23	3.2	4.2	214	3.7	0.25	3.2	4.2
<b>2005</b>	241	3.4	0.22	3.0	3.9	202	3.5	0.25	3.0	4.0
<b>2006</b>	232	3.3	0.22	2.9	3.7	199	3.4	0.24	2.9	3.9
<b>Years</b>	<b>Blacks</b>					<b>Asian and Other Races</b>				
	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	426	2.5	0.12	2.3	2.7	75	2.1	0.27	1.7	2.7
<b>1986</b>	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
<b>1987</b>	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
<b>1988</b>	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
<b>1989</b>	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
<b>1990</b>	16	2.1	0.54	1.2	3.4	0				
<b>1991</b>	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
<b>1992</b>	12	1.6	0.48	0.8	2.9	4	3.2	1.61	0.8	8.4
<b>1993</b>	10	1.3	0.41	0.6	2.3	1	0.6	0.57	0.0	4.0
<b>1994</b>	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
<b>1995</b>	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8
<b>1996</b>	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
<b>1997</b>	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
<b>1998</b>	26	3.0	0.60	2.0	4.4	6	3.9	1.70	1.3	8.6
<b>1999</b>	28	3.2	0.62	2.1	4.7	2	0.7	0.49	0.1	3.1
<b>2000</b>	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.2
<b>2001</b>	25	2.9	0.58	1.9	4.2	3	1.0	0.61	0.2	3.4
<b>2002</b>	20	2.2	0.50	1.3	3.4	3	1.1	0.64	0.2	3.5
<b>2003</b>	30	3.3	0.61	2.2	4.8	6	2.4	0.99	0.8	5.3
<b>2004</b>	36	3.9	0.66	2.8	5.5	8	3.3	1.21	1.4	6.6
<b>2005</b>	29	3.2	0.60	2.1	4.6	9	3.3	1.19	1.4	6.5
<b>2006</b>	27	3.0	0.59	2.0	4.4	5	2.0	0.92	0.6	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Chronic Myeloid Leukemia, Both Sexes</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	3,879	1.6	0.03	1.5	1.6	3,315	1.6	0.03	1.5	1.6
<b>1986</b>	140	1.3	0.11	1.1	1.6	123	1.4	0.12	1.1	1.6
<b>1987</b>	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
<b>1988</b>	112	1.1	0.10	0.9	1.3	97	1.1	0.11	0.9	1.3
<b>1989</b>	130	1.3	0.11	1.0	1.5	105	1.2	0.11	0.9	1.4
<b>1990</b>	156	1.4	0.12	1.2	1.7	135	1.4	0.12	1.2	1.7
<b>1991</b>	165	1.5	0.12	1.3	1.7	150	1.6	0.13	1.3	1.8
<b>1992</b>	155	1.4	0.11	1.2	1.6	135	1.4	0.12	1.2	1.7
<b>1993</b>	173	1.5	0.12	1.3	1.8	148	1.5	0.12	1.3	1.8
<b>1994</b>	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
<b>1995</b>	217	1.9	0.13	1.6	2.1	181	1.8	0.13	1.6	2.1
<b>1996</b>	204	1.8	0.12	1.5	2.0	175	1.7	0.13	1.5	2.0
<b>1997</b>	186	1.6	0.12	1.4	1.8	159	1.6	0.13	1.3	1.8
<b>1998</b>	202	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
<b>1999</b>	221	1.8	0.12	1.6	2.1	182	1.8	0.13	1.5	2.1
<b>2000</b>	213	1.8	0.12	1.5	2.0	178	1.7	0.13	1.5	2.0
<b>2001</b>	227	1.9	0.12	1.6	2.1	197	1.9	0.14	1.7	2.2
<b>2002</b>	182	1.5	0.11	1.3	1.7	150	1.4	0.12	1.2	1.7
<b>2003</b>	225	1.8	0.12	1.6	2.1	195	1.8	0.13	1.6	2.1
<b>2004</b>	240	1.9	0.12	1.7	2.2	199	1.9	0.13	1.6	2.2
<b>2005</b>	189	1.5	0.11	1.3	1.7	156	1.5	0.12	1.2	1.7
<b>2006</b>	194	1.5	0.11	1.3	1.8	165	1.5	0.12	1.3	1.8
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	446	1.6	0.08	1.4	1.7	80	1.3	0.16	1.0	1.6
<b>1986</b>	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
<b>1987</b>	7	0.6	0.23	0.2	1.2	2	0.7	0.51	0.1	3.6
<b>1988</b>	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
<b>1989</b>	22	2.0	0.43	1.2	3.0	3	1.1	0.69	0.2	4.0
<b>1990</b>	19	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
<b>1991</b>	15	1.2	0.32	0.7	2.0	0				
<b>1992</b>	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
<b>1993</b>	21	1.6	0.37	1.0	2.5	4	1.2	0.62	0.3	3.5
<b>1994</b>	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
<b>1995</b>	33	2.4	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
<b>1996</b>	22	1.6	0.36	1.0	2.5	7	1.5	0.57	0.6	3.4
<b>1997</b>	21	1.5	0.34	0.9	2.3	3	0.7	0.39	0.1	2.3
<b>1998</b>	20	1.3	0.30	0.8	2.0	5	2.5	1.27	0.7	6.0
<b>1999</b>	29	2.1	0.40	1.4	3.0	5	2.0	0.98	0.6	4.8
<b>2000</b>	27	1.8	0.35	1.1	2.6	7	1.7	0.69	0.6	3.7
<b>2001</b>	19	1.3	0.31	0.8	2.1	8	1.9	0.76	0.7	4.0
<b>2002</b>	25	1.8	0.36	1.1	2.6	4	0.8	0.39	0.2	2.1
<b>2003</b>	24	1.7	0.35	1.1	2.5	5	1.4	0.67	0.4	3.3
<b>2004</b>	25	1.7	0.35	1.1	2.5	9	1.9	0.72	0.8	3.8
<b>2005</b>	24	1.6	0.33	1.0	2.4	4	1.0	0.51	0.2	2.5
<b>2006</b>	26	1.6	0.32	1.1	2.4	1	0.1	0.14	0.0	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

Invasive Cancer Incidence by Race, Illinois, 1986-2006										
Chronic Myeloid Leukemia, Males										
Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	2,245	2.2	0.05	2.1	2.3	1,927	2.2	0.05	2.1	2.3
<b>1986</b>	86	1.9	0.21	1.5	2.3	75	1.9	0.22	1.5	2.4
<b>1987</b>	80	1.8	0.21	1.4	2.2	75	1.9	0.23	1.5	2.4
<b>1988</b>	63	1.5	0.20	1.2	2.0	54	1.5	0.21	1.1	1.9
<b>1989</b>	77	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
<b>1990</b>	82	1.8	0.20	1.4	2.2	68	1.7	0.21	1.3	2.1
<b>1991</b>	89	1.9	0.21	1.5	2.3	84	2.0	0.23	1.6	2.5
<b>1992</b>	90	1.9	0.21	1.5	2.3	77	1.9	0.22	1.5	2.3
<b>1993</b>	100	2.1	0.22	1.7	2.5	86	2.1	0.23	1.7	2.6
<b>1994</b>	112	2.3	0.22	1.9	2.8	98	2.3	0.24	1.9	2.8
<b>1995</b>	116	2.3	0.22	1.9	2.8	100	2.3	0.24	1.9	2.8
<b>1996</b>	119	2.5	0.24	2.1	3.0	104	2.6	0.26	2.1	3.1
<b>1997</b>	110	2.3	0.22	1.8	2.7	95	2.3	0.23	1.8	2.8
<b>1998</b>	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
<b>1999</b>	133	2.6	0.23	2.2	3.1	113	2.5	0.24	2.1	3.1
<b>2000</b>	122	2.3	0.22	1.9	2.8	101	2.3	0.23	1.8	2.8
<b>2001</b>	129	2.6	0.23	2.1	3.0	111	2.6	0.25	2.1	3.1
<b>2002</b>	103	2.0	0.20	1.6	2.5	83	1.9	0.21	1.5	2.4
<b>2003</b>	132	2.5	0.22	2.1	3.0	111	2.5	0.24	2.0	3.0
<b>2004</b>	141	2.7	0.23	2.2	3.1	123	2.7	0.25	2.3	3.2
<b>2005</b>	127	2.3	0.21	1.9	2.7	107	2.3	0.22	1.9	2.8
<b>2006</b>	117	2.1	0.20	1.8	2.6	99	2.1	0.22	1.7	2.6
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	246	2.1	0.15	1.8	2.4	48	1.7	0.30	1.1	2.4
<b>1986</b>	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
<b>1987</b>	3	0.6	0.35	0.1	1.7	2	1.4	1.01	0.2	8.0
<b>1988</b>	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
<b>1989</b>	12	2.7	0.82	1.3	4.7	3	2.5	1.54	0.5	9.1
<b>1990</b>	12	2.1	0.73	1.0	4.0	1	4.6	4.56	0.1	18.3
<b>1991</b>	5	0.8	0.37	0.3	2.0	0				
<b>1992</b>	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
<b>1993</b>	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
<b>1994</b>	11	2.0	0.65	1.0	3.7	1	0.5	0.54	0.0	4.8
<b>1995</b>	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
<b>1996</b>	11	1.8	0.57	0.9	3.3	4	1.7	0.88	0.5	5.7
<b>1997</b>	13	2.4	0.73	1.2	4.2	0				
<b>1998</b>	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
<b>1999</b>	14	2.6	0.76	1.3	4.5	3	2.8	1.80	0.5	8.4
<b>2000</b>	16	2.8	0.76	1.5	4.6	4	2.5	1.43	0.5	7.0
<b>2001</b>	9	1.7	0.58	0.7	3.2	6	2.1	0.89	0.8	5.4
<b>2002</b>	15	2.8	0.75	1.5	4.6	3	1.2	0.69	0.3	4.1
<b>2003</b>	17	2.8	0.72	1.6	4.6	3	1.1	0.64	0.2	3.7
<b>2004</b>	10	1.8	0.59	0.8	3.3	5	2.5	1.43	0.5	6.7
<b>2005</b>	15	2.3	0.62	1.2	3.8	2	1.0	0.74	0.1	3.7
<b>2006</b>	17	2.8	0.72	1.6	4.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Chronic Myeloid Leukemia, Females</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	1,634	1.2	0.03	1.1	1.2	1,388	1.2	0.03	1.1	1.2
<b>1986</b>	54	1.0	0.13	0.7	1.2	48	1.0	0.15	0.7	1.3
<b>1987</b>	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
<b>1988</b>	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
<b>1989</b>	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
<b>1990</b>	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.6
<b>1991</b>	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
<b>1992</b>	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
<b>1993</b>	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
<b>1994</b>	101	1.6	0.16	1.3	1.9	86	1.6	0.17	1.2	1.9
<b>1995</b>	101	1.5	0.15	1.2	1.9	81	1.4	0.16	1.1	1.8
<b>1996</b>	85	1.3	0.14	1.0	1.6	71	1.2	0.14	0.9	1.5
<b>1997</b>	76	1.1	0.13	0.9	1.4	64	1.1	0.14	0.9	1.4
<b>1998</b>	85	1.3	0.14	1.0	1.5	75	1.3	0.15	1.0	1.6
<b>1999</b>	88	1.3	0.14	1.0	1.6	69	1.2	0.14	0.9	1.5
<b>2000</b>	91	1.3	0.14	1.1	1.7	77	1.3	0.15	1.1	1.7
<b>2001</b>	98	1.4	0.15	1.2	1.8	86	1.5	0.17	1.2	1.9
<b>2002</b>	79	1.1	0.13	0.9	1.4	67	1.1	0.14	0.9	1.5
<b>2003</b>	93	1.3	0.14	1.1	1.6	84	1.4	0.16	1.1	1.8
<b>2004</b>	99	1.4	0.14	1.1	1.7	76	1.3	0.15	1.0	1.6
<b>2005</b>	62	0.9	0.11	0.7	1.1	49	0.8	0.12	0.6	1.1
<b>2006</b>	77	1.0	0.12	0.8	1.3	66	1.1	0.13	0.8	1.4
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	200	1.2	0.09	1.0	1.4	32	0.9	0.18	0.6	1.4
<b>1986</b>	6	0.9	0.35	0.3	1.9	0				
<b>1987</b>	4	0.6	0.31	0.2	1.6	0				
<b>1988</b>	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
<b>1989</b>	10	1.5	0.49	0.7	2.8	0				
<b>1990</b>	7	0.9	0.34	0.4	1.9	0				
<b>1991</b>	10	1.4	0.45	0.7	2.5	0				
<b>1992</b>	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
<b>1993</b>	9	1.3	0.45	0.6	2.5	2	1.2	0.90	0.1	5.1
<b>1994</b>	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
<b>1995</b>	19	2.5	0.58	1.5	3.9	1	0.6	0.60	0.0	3.7
<b>1996</b>	11	1.4	0.44	0.7	2.6	3	1.3	0.74	0.2	4.3
<b>1997</b>	8	1.0	0.34	0.4	1.9	3	1.3	0.76	0.3	4.3
<b>1998</b>	8	0.9	0.32	0.4	1.8	1	0.4	0.44	0.0	2.9
<b>1999</b>	15	1.8	0.47	1.0	2.9	2	1.5	1.10	0.2	5.1
<b>2000</b>	11	1.2	0.36	0.6	2.1	3	1.1	0.61	0.2	3.5
<b>2001</b>	10	1.2	0.37	0.5	2.1	2	1.5	1.03	0.2	4.7
<b>2002</b>	10	1.1	0.37	0.5	2.1	1	0.4	0.39	0.0	2.4
<b>2003</b>	7	0.9	0.33	0.3	1.7	2	1.4	0.97	0.2	4.4
<b>2004</b>	15	1.7	0.45	1.0	2.8	4	1.5	0.82	0.4	4.1
<b>2005</b>	9	1.0	0.35	0.5	2.0	2	0.9	0.67	0.1	3.2
<b>2006</b>	9	0.9	0.29	0.4	1.7	1	0.3	0.30	0.0	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

Invasive Cancer Incidence by Race, Illinois, 1986-2006										
Other Leukemia, Both Sexes										
Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2006	4,591	1.9	0.03	1.8	1.9	4,088	1.9	0.03	1.9	2.0
1986	189	1.8	0.13	1.6	2.1	173	1.9	0.14	1.6	2.2
1987	203	1.9	0.13	1.6	2.2	188	2.0	0.15	1.7	2.3
1988	187	1.7	0.13	1.5	2.0	165	1.7	0.14	1.5	2.0
1989	186	1.8	0.13	1.5	2.0	169	1.8	0.14	1.6	2.1
1990	189	1.7	0.13	1.5	2.0	175	1.8	0.14	1.6	2.1
1991	157	1.4	0.12	1.2	1.7	143	1.5	0.13	1.3	1.8
1992	160	1.5	0.12	1.2	1.7	146	1.5	0.13	1.3	1.8
1993	206	1.8	0.13	1.6	2.1	189	1.9	0.14	1.7	2.2
1994	252	2.2	0.14	2.0	2.5	228	2.3	0.15	2.0	2.6
1995	255	2.2	0.14	2.0	2.5	233	2.3	0.15	2.0	2.7
1996	240	2.1	0.13	1.8	2.4	212	2.1	0.14	1.8	2.4
1997	234	2.0	0.13	1.8	2.3	205	2.0	0.14	1.8	2.3
1998	250	2.1	0.13	1.9	2.4	223	2.2	0.15	1.9	2.5
1999	281	2.3	0.14	2.1	2.6	247	2.4	0.15	2.1	2.7
2000	263	2.2	0.13	1.9	2.5	235	2.3	0.15	2.0	2.6
2001	221	1.8	0.12	1.6	2.1	197	1.9	0.13	1.6	2.2
2002	254	2.1	0.13	1.8	2.3	218	2.1	0.14	1.8	2.4
2003	224	1.8	0.12	1.6	2.1	195	1.8	0.13	1.6	2.1
2004	222	1.7	0.12	1.5	2.0	188	1.7	0.12	1.5	2.0
2005	215	1.7	0.11	1.5	1.9	184	1.7	0.12	1.4	1.9
2006	203	1.6	0.11	1.4	1.8	175	1.6	0.12	1.4	1.8
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2006	406	1.5	0.08	1.4	1.7	63	1.0	0.14	0.7	1.3
1986	14	1.2	0.34	0.6	2.1	0				
1987	13	1.1	0.32	0.6	1.9	2	0.9	0.68	0.1	4.0
1988	16	1.3	0.35	0.7	2.2	4	1.4	0.73	0.4	4.4
1989	15	1.2	0.31	0.7	2.0	2	0.5	0.37	0.1	3.0
1990	11	0.9	0.27	0.4	1.6	2	0.5	0.38	0.1	3.0
1991	13	1.0	0.31	0.5	1.8	0				
1992	14	1.1	0.32	0.6	1.9	0				
1993	13	1.1	0.31	0.6	1.9	4	1.6	0.94	0.3	4.6
1994	23	1.9	0.41	1.2	2.9	1	0.3	0.30	0.0	2.1
1995	18	1.4	0.34	0.8	2.2	4	2.2	1.21	0.5	5.7
1996	23	1.8	0.39	1.1	2.7	5	1.6	0.79	0.4	4.0
1997	26	2.0	0.41	1.3	2.9	2	1.2	1.01	0.1	4.3
1998	24	1.8	0.39	1.2	2.7	1	0.2	0.17	0.0	1.5
1999	29	2.2	0.41	1.4	3.1	4	1.0	0.54	0.2	2.8
2000	20	1.5	0.34	0.9	2.3	4	0.8	0.40	0.2	2.2
2001	19	1.3	0.31	0.8	2.1	5	0.8	0.38	0.3	2.2
2002	27	2.1	0.40	1.3	3.0	4	1.0	0.55	0.2	2.7
2003	21	1.5	0.33	0.9	2.3	3	0.7	0.42	0.1	2.1
2004	21	1.4	0.32	0.9	2.2	6	1.5	0.64	0.5	3.3
2005	22	1.5	0.33	0.9	2.3	7	1.9	0.77	0.7	4.0
2006	24	1.7	0.36	1.1	2.6	3	0.6	0.38	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008



Invasive Cancer Incidence by Race, Illinois, 1986-2006										
Other Leukemia, Males										
Years	All Races					Whites				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	2,602	2.6	0.05	2.5	2.7	2,318	2.7	0.06	2.6	2.8
<b>1986</b>	104	2.4	0.25	2.0	3.0	96	2.5	0.27	2.0	3.1
<b>1987</b>	111	2.5	0.24	2.0	3.0	104	2.6	0.27	2.1	3.2
<b>1988</b>	104	2.3	0.23	1.9	2.8	91	2.3	0.25	1.8	2.8
<b>1989</b>	104	2.3	0.23	1.9	2.8	95	2.4	0.25	1.9	3.0
<b>1990</b>	98	2.1	0.22	1.7	2.6	90	2.2	0.24	1.8	2.8
<b>1991</b>	85	1.8	0.20	1.5	2.3	78	1.9	0.22	1.5	2.4
<b>1992</b>	104	2.3	0.23	1.8	2.8	96	2.4	0.25	1.9	2.9
<b>1993</b>	109	2.4	0.24	2.0	2.9	98	2.5	0.26	2.0	3.0
<b>1994</b>	141	3.1	0.27	2.6	3.6	129	3.2	0.29	2.7	3.8
<b>1995</b>	132	2.9	0.25	2.4	3.4	122	3.0	0.28	2.5	3.6
<b>1996</b>	144	3.2	0.27	2.7	3.7	124	3.1	0.28	2.6	3.7
<b>1997</b>	133	2.9	0.26	2.4	3.5	120	3.0	0.28	2.5	3.6
<b>1998</b>	141	3.0	0.26	2.5	3.5	130	3.2	0.28	2.7	3.8
<b>1999</b>	150	3.2	0.26	2.7	3.7	132	3.2	0.28	2.7	3.8
<b>2000</b>	145	2.9	0.24	2.4	3.4	131	3.0	0.27	2.5	3.6
<b>2001</b>	130	2.5	0.22	2.1	3.0	113	2.6	0.24	2.1	3.1
<b>2002</b>	150	2.9	0.24	2.5	3.4	130	3.0	0.26	2.5	3.5
<b>2003</b>	128	2.5	0.23	2.1	3.0	111	2.6	0.25	2.1	3.1
<b>2004</b>	133	2.5	0.22	2.1	3.0	112	2.5	0.24	2.1	3.0
<b>2005</b>	132	2.6	0.23	2.2	3.1	111	2.5	0.24	2.1	3.1
<b>2006</b>	124	2.4	0.21	2.0	2.8	105	2.3	0.23	1.9	2.8
Years	Blacks					Asian and Other Races				
	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
<b>1986-2006</b>	219	2.0	0.15	1.7	2.3	40	1.4	0.26	0.9	1.9
<b>1986</b>	6	1.6	0.68	0.6	3.5	0				
<b>1987</b>	5	1.0	0.45	0.3	2.3	2	2.0	1.56	0.2	9.4
<b>1988</b>	9	1.8	0.71	0.7	3.7	2	1.8	1.34	0.2	8.5
<b>1989</b>	8	1.4	0.52	0.6	2.9	1	0.5	0.48	0.0	6.1
<b>1990</b>	7	1.5	0.63	0.5	3.2	1	0.6	0.57	0.0	6.1
<b>1991</b>	6	1.4	0.64	0.5	3.2	0				
<b>1992</b>	8	1.7	0.67	0.7	3.5	0				
<b>1993</b>	8	1.6	0.62	0.6	3.2	3	1.8	1.17	0.3	6.9
<b>1994</b>	12	2.5	0.81	1.1	4.5	0				
<b>1995</b>	8	1.5	0.53	0.6	2.9	2	2.8	2.14	0.2	9.6
<b>1996</b>	18	3.7	0.97	2.1	6.0	2	1.2	0.85	0.1	5.3
<b>1997</b>	12	2.3	0.75	1.1	4.2	1	0.5	0.53	0.0	4.1
<b>1998</b>	9	1.5	0.51	0.7	2.9	1	0.3	0.33	0.0	3.6
<b>1999</b>	16	3.1	0.83	1.7	5.1	2	0.8	0.55	0.1	4.0
<b>2000</b>	8	1.4	0.51	0.6	2.7	3	1.3	0.75	0.3	4.5
<b>2001</b>	12	2.1	0.66	1.0	3.8	5	1.7	0.75	0.5	4.7
<b>2002</b>	14	2.3	0.65	1.2	4.0	2	1.5	1.13	0.1	5.3
<b>2003</b>	12	1.9	0.57	1.0	3.4	1	0.8	0.77	0.0	3.8
<b>2004</b>	10	1.6	0.54	0.7	3.0	5	2.3	1.16	0.6	5.8
<b>2005</b>	15	2.8	0.77	1.5	4.7	5	4.0	1.90	1.2	9.1
<b>2006</b>	16	3.0	0.78	1.7	4.9	2	1.0	0.71	0.1	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008

<b>Invasive Cancer Incidence by Race, Illinois, 1986-2006</b>										
<b>Other Leukemia, Females</b>										
	<b>All Races</b>					<b>Whites</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	1,989	1.4	0.03	1.3	1.5	1,770	1.4	0.03	1.4	1.5
<b>1986</b>	85	1.4	0.16	1.1	1.8	77	1.5	0.17	1.2	1.9
<b>1987</b>	92	1.5	0.16	1.2	1.8	84	1.5	0.17	1.2	1.9
<b>1988</b>	83	1.3	0.15	1.1	1.7	74	1.4	0.16	1.1	1.7
<b>1989</b>	82	1.3	0.15	1.1	1.7	74	1.4	0.16	1.1	1.7
<b>1990</b>	91	1.4	0.15	1.1	1.7	85	1.5	0.16	1.2	1.9
<b>1991</b>	72	1.1	0.14	0.9	1.4	65	1.2	0.15	0.9	1.5
<b>1992</b>	56	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
<b>1993</b>	97	1.5	0.15	1.2	1.8	91	1.6	0.17	1.3	1.9
<b>1994</b>	111	1.6	0.16	1.3	2.0	99	1.7	0.17	1.3	2.0
<b>1995</b>	123	1.8	0.16	1.5	2.1	111	1.8	0.17	1.5	2.2
<b>1996</b>	96	1.4	0.14	1.1	1.7	88	1.4	0.15	1.1	1.7
<b>1997</b>	101	1.5	0.15	1.2	1.8	85	1.4	0.16	1.1	1.8
<b>1998</b>	109	1.5	0.15	1.3	1.9	93	1.5	0.16	1.2	1.9
<b>1999</b>	131	1.8	0.16	1.5	2.2	115	1.9	0.18	1.5	2.2
<b>2000</b>	118	1.6	0.15	1.4	2.0	104	1.7	0.17	1.4	2.1
<b>2001</b>	91	1.3	0.14	1.0	1.6	84	1.4	0.15	1.1	1.7
<b>2002</b>	104	1.4	0.14	1.2	1.8	88	1.5	0.16	1.2	1.8
<b>2003</b>	96	1.3	0.13	1.0	1.6	84	1.3	0.15	1.1	1.7
<b>2004</b>	89	1.2	0.12	0.9	1.4	76	1.2	0.14	0.9	1.5
<b>2005</b>	83	1.1	0.12	0.9	1.4	73	1.1	0.13	0.9	1.4
<b>2006</b>	79	1.0	0.12	0.8	1.3	70	1.1	0.13	0.8	1.3
	<b>Blacks</b>					<b>Asian and Other Races</b>				
<b>Years</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
<b>1986-2006</b>	187	1.2	0.09	1.0	1.3	23	0.7	0.15	0.4	1.0
<b>1986</b>	8	1.0	0.38	0.4	2.1	0				
<b>1987</b>	8	1.2	0.43	0.5	2.3	0				
<b>1988</b>	7	1.1	0.40	0.4	2.1	2	1.1	0.80	0.1	5.8
<b>1989</b>	7	1.0	0.38	0.4	2.0	1	0.5	0.54	0.0	4.9
<b>1990</b>	4	0.5	0.25	0.1	1.3	1	0.6	0.56	0.0	4.8
<b>1991</b>	7	0.8	0.33	0.3	1.8	0				
<b>1992</b>	6	0.8	0.34	0.3	1.7	0				
<b>1993</b>	5	0.7	0.32	0.2	1.6	1	1.3	1.33	0.0	6.2
<b>1994</b>	11	1.6	0.48	0.8	2.8	1	0.6	0.60	0.0	3.9
<b>1995</b>	10	1.3	0.42	0.6	2.4	2	1.9	1.44	0.2	6.5
<b>1996</b>	5	0.7	0.31	0.2	1.6	3	1.8	1.17	0.3	5.7
<b>1997</b>	14	1.9	0.50	1.0	3.1	1	1.5	1.51	0.0	6.3
<b>1998</b>	15	1.9	0.50	1.1	3.1	0				
<b>1999</b>	13	1.6	0.44	0.8	2.7	2	1.1	0.82	0.1	4.1
<b>2000</b>	12	1.5	0.44	0.8	2.6	1	0.3	0.29	0.0	2.3
<b>2001</b>	7	0.8	0.31	0.3	1.7	0				
<b>2002</b>	13	1.7	0.46	0.9	2.8	2	0.8	0.55	0.1	3.0
<b>2003</b>	9	1.1	0.36	0.5	2.0	2	0.7	0.50	0.1	2.8
<b>2004</b>	11	1.3	0.38	0.6	2.2	1	0.6	0.64	0.0	3.0
<b>2005</b>	7	0.8	0.30	0.3	1.6	2	0.6	0.45	0.1	2.5
<b>2006</b>	8	0.9	0.32	0.4	1.8	1	0.4	0.39	0.0	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.  
Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2008