SECTION III

County-specific Cancer Incidence Rates
All Races, Illinois, 2004-2008

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	313,965	490.4	488.7	492.1	160,250	577.0	574.2	579.9	153,715	433.8	431.6	436.0
Oral Cavity and Pharynx	7,194	11.0	10.8	11.3	4,976	16.7	16.2	17.1	2,218	6.3	6.0	6.5
Esophagus	3,476	5.4	5.2	5.6	2,698	9.6	9.2	10.0	778	2.2	2.0	2.3
Stomach	4,767	7.5	7.3	7.7	2,873	10.6	10.2	11.0	1,894	5.2	5.0	5.4
Colon and Rectum	34,513	53.9	53.3	54.5	17,415	63.9	62.9	64.9	17,098	46.5	45.8	47.2
Liver	3,464	5.3	5.2	5.5	2,465	8.4	8.1	8.8	999	2.8	2.6	2.9
Pancreas	8,199	12.8	12.5	13.1	4,058	14.9	14.4	15.3	4,141	11.2	10.8	11.5
Lung and Bronchus	45,657	72.1	71.4	72.8	24,339	89.9	88.8	91.1	21,318	59.8	59.0	60.7
Bones and Joints	563	0.9	0.8	1.0	304	1.0	0.9	1.1	259	0.8	0.7	0.9
Melanoma of the Skin	9,990	15.6	15.3	15.9	5,559	19.7	19.2	20.2	4,431	13.1	12.7	13.4
Breast (invasive)	43,644	67.6	67.0	68.2	332	1.2	1.1	1.4	43,312	123.9	122.7	125.1
Cervix									2,916	8.8	8.5	9.1
Corpus and Uterus, NOS									9,449	26.7	26.2	27.3
Ovary									4,621	13.1	12.7	13.5
Prostate					44,518	157.7	156.2	159.2				
Testis					1,688	5.3	5.1	5.6				
Urinary Bladder (includes *in situ*)	14,290	22.5	22.2	22.9	10,523	40.1	39.4	40.9	3,767	10.2	9.9	10.6
Kidney and Renal Pelvis	10,756	16.8	16.4	17.1	6,518	22.8	22.2	23.3	4,238	12.0	11.6	12.3
Brain and Nervous System	4,200	6.6	6.4	6.8	2,219	7.5	7.2	7.9	1,981	5.8	5.5	6.1
Hodgkin Lymphoma	1,876	3.0	2.8	3.1	1,043	3.4	3.2	3.6	833	2.6	2.4	2.8
Non-Hodgkin Lymphoma	12,561	19.7	19.3	20.0	6,705	24.2	23.6	24.8	5,856	16.3	15.9	16.7
Myeloma	3,762	5.9	5.7	6.1	2,032	7.5	7.1	7.8	1,730	4.8	4.5	5.0
Leukemia	8,179	12.8	12.6	13.1	4,660	17.1	16.6	17.6	3,519	9.8	9.5	10.1
All Other Sites	33,682	52.7	52.1	53.2	15,325	55.5	54.6	56.4	18,357	52.2	51.4	52.9
Breast *in situ* (not in total)									10,893	31.6	31.0	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Adams County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,013	472.5	451.6	494.2	1,049	557.1	523.6	592.2	964	417.0	389.8	445.7
Oral Cavity and Pharynx	48	11.7	8.6	15.6	29	15.4	10.3	22.2	19	8.9	5.2	14.1
Esophagus	26	6.0	3.9	9.0	21	11.1	6.8	17.1	5	1.9	0.6	4.9
Stomach	19	4.3	2.5	6.9	16	8.6	4.9	14.1	3	1.3	0.3	4.3
Colon and Rectum	229	50.5	44.1	57.8	108	57.1	46.7	69.1	121	45.8	37.5	55.5
Liver	8	1.9	0.8	3.8	6	3.2	1.2	7.2	2	0.7	0.1	3.2
Pancreas	59	12.9	9.8	16.8	24	12.9	8.2	19.3	35	12.3	8.4	17.6
Lung and Bronchus	304	69.5	61.8	77.9	178	92.3	79.2	107.1	126	54.5	45.2	65.4
Bones and Joints	5	1.3	0.4	3.2	2	1.2	0.1	4.5	3	1.4	0.3	4.3
Melanoma of the Skin	86	22.1	17.5	27.5	48	26.5	19.5	35.3	38	18.8	13.0	26.3
Breast (invasive)	278	68.1	60.1	76.8	3	1.5	0.3	4.7	275	125.4	110.4	141.9
Cervix									12	6.7	3.4	12.0
Corpus and Uterus, NOS									59	25.8	19.5	33.6
Ovary									32	13.6	9.1	19.7
Prostate					291	152.5	135.4	171.2				
Testis					6	4.5	1.6	9.5				
Urinary Bladder (includes *in situ*)	104	22.2	18.1	27.1	85	44.5	35.5	55.2	19	6.4	3.7	10.5
Kidney and Renal Pelvis	58	13.9	10.5	18.1	34	17.6	12.1	24.8	24	11.0	6.9	16.7
Brain and Nervous System	37	10.3	7.2	14.3	21	12.3	7.6	19.0	16	8.9	5.0	14.7
Hodgkin Lymphoma	8	2.5	1.1	4.9	4	2.4	0.7	6.3	4	2.5	0.7	6.4
Non-Hodgkin Lymphoma	85	18.7	14.8	23.4	42	23.0	16.5	31.3	43	15.9	11.3	21.9
Myeloma	21	4.4	2.7	6.9	12	6.1	3.1	10.8	9	3.0	1.3	6.2
Leukemia	40	9.4	6.6	13.0	24	13.6	8.6	20.3	16	5.8	3.2	10.0
All Other Sites	198	47.7	41.1	55.1	95	50.9	41.1	62.4	103	46.4	37.4	57.1
Breast *in situ* (not in total)									57	27.0	20.3	35.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Alexander County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	297	535.6	475.4	601.8	157	667.3	566.0	782.1	140	449.4	374.9	535.5
Oral Cavity and Pharynx	8	14.8	6.3	30.1	8	32.9	14.1	66.4	0	0.0	0.0	17.3
Esophagus	2	4.1	0.5	15.5	1	3.7	0.1	24.2	1	4.4	0.1	25.2
Stomach	3	5.2	1.1	16.6	1	3.7	0.1	24.2	2	5.9	0.7	25.9
Colon and Rectum	41	75.2	53.4	103.4	17	75.7	43.7	122.4	24	76.0	47.0	117.7
Liver	4	7.1	1.9	19.5	3	11.6	2.4	36.4	1	2.5	0.1	20.7
Pancreas	2	3.2	0.4	13.6	1	4.5	0.1	26.2	1	2.0	0.1	19.7
Lung and Bronchus	75	131.7	103.3	166.2	40	170.2	121.2	233.2	35	107.3	73.9	152.5
Bones and Joints	1	2.4	0.1	13.3	0	0.0	0.0	18.2	1	5.1	0.1	27.2
Melanoma of the Skin	8	14.2	6.0	29.1	5	21.6	6.9	51.7	3	10.8	1.8	35.3
Breast (invasive)	40	71.1	50.7	97.7	1	4.5	0.1	26.2	39	123.8	87.5	171.9
Cervix									2	9.5	0.9	35.2
Corpus and Uterus, NOS									6	22.1	7.6	51.2
Ovary									3	8.3	1.6	29.2
Prostate					34	133.4	92.2	187.9				
Testis					1	4.7	0.1	26.7				
Urinary Bladder (includes *in situ*)	13	22.6	12.0	39.8	13	55.0	29.2	95.3	0	0.0	0.0	17.3
Kidney and Renal Pelvis	5	9.2	2.9	22.6	4	17.4	4.6	45.8	1	3.4	0.1	22.6
Brain and Nervous System	2	5.1	0.5	18.5	0	0.0	0.0	18.2	2	10.0	0.9	36.8
Hodgkin Lymphoma	1	1.7	0.0	11.4	0	0.0	0.0	18.2	1	2.9	0.1	21.4
Non-Hodgkin Lymphoma	6	11.9	4.2	27.0	4	18.7	5.0	48.6	2	6.4	0.6	27.5
Myeloma	2	3.4	0.4	13.9	0	0.0	0.0	18.2	2	5.8	0.7	25.7
Leukemia	5	10.0	3.0	24.6	3	16.6	3.3	47.5	2	5.4	0.6	24.8
All Other Sites	33	59.0	40.4	83.9	21	93.5	57.5	144.0	12	37.7	19.0	69.0
Breast *in situ* (not in total)									4	13.1	3.4	36.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Bond County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	521	515.1	471.5	561.7	271	582.3	514.3	656.9	250	488.8	428.4	555.7
Oral Cavity and Pharynx	10	10.1	4.8	18.7	8	15.5	6.7	31.0	2	5.0	0.6	18.0
Esophagus	5	4.9	1.6	11.7	3	5.9	1.2	17.8	2	4.1	0.5	15.7
Stomach	8	7.9	3.4	15.8	5	10.4	3.4	24.5	3	4.8	0.9	16.2
Colon and Rectum	63	60.7	46.6	77.9	29	63.7	42.5	91.8	34	61.3	42.0	87.2
Liver	4	3.6	1.0	9.8	3	5.3	1.1	16.4	1	1.4	0.0	11.0
Pancreas	15	14.8	8.3	24.7	8	16.0	6.9	32.0	7	14.0	5.3	30.3
Lung and Bronchus	91	89.3	71.8	109.8	53	114.4	85.4	150.1	38	70.6	49.7	98.1
Bones and Joints	0	0.0	0.0	4.1	0	0.0	0.0	8.1	0	0.0	0.0	8.9
Melanoma of the Skin	13	13.2	7.0	22.8	8	19.0	8.1	37.2	5	10.8	3.0	26.7
Breast (invasive)	72	72.2	56.4	91.1	0	0.0	0.0	8.1	72	143.2	111.5	181.5
Cervix									7	15.2	5.9	32.2
Corpus and Uterus, NOS									19	39.9	23.7	63.2
Ovary									5	8.9	2.7	22.3
Prostate					59	123.7	94.0	160.0				
Testis					1	1.6	0.0	10.7				
Urinary Bladder (includes *in situ*)	17	16.4	9.5	26.5	13	29.1	15.4	49.9	4	7.5	2.0	20.4
Kidney and Renal Pelvis	26	25.9	16.9	38.2	18	38.5	22.6	61.2	8	14.9	6.3	30.4
Brain and Nervous System	10	9.7	4.6	18.2	8	16.3	6.9	32.6	2	5.0	0.5	18.6
Hodgkin Lymphoma	3	3.3	0.7	9.7	0	0.0	0.0	8.1	3	7.9	1.6	22.8
Non-Hodgkin Lymphoma	30	29.9	20.1	42.9	17	35.7	20.7	57.5	13	25.0	12.7	44.5
Myeloma	2	2.1	0.3	7.7	2	4.9	0.6	17.1	0	0.0	0.0	8.9
Leukemia	19	19.1	11.4	30.1	13	29.1	15.3	50.0	6	12.0	4.3	27.2
All Other Sites	42	41.1	29.5	55.8	23	53.2	33.5	80.0	19	37.1	22.0	59.2
Breast *in situ* (not in total)									9	18.3	8.3	35.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Boone County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,152	479.3	451.6	508.2	574	536.4	491.6	584.1	578	448.8	412.7	487.2
Oral Cavity and Pharynx	33	12.9	8.8	18.2	22	18.7	11.4	28.7	11	8.2	4.1	14.8
Esophagus	12	5.4	2.8	9.4	10	10.4	4.8	19.2	2	1.5	0.2	5.5
Stomach	15	6.1	3.4	10.1	10	8.6	3.9	16.2	5	3.9	1.3	9.2
Colon and Rectum	117	50.5	41.6	60.6	52	52.2	38.4	68.9	65	49.6	38.2	63.4
Liver	10	4.2	2.0	7.8	6	4.8	1.7	10.8	4	3.5	1.0	8.8
Pancreas	25	10.9	7.0	16.1	12	12.2	6.2	21.3	13	9.6	5.1	16.6
Lung and Bronchus	166	70.5	60.0	82.2	78	76.5	59.8	96.2	88	69.3	55.5	85.6
Bones and Joints	5	2.1	0.7	4.8	2	1.5	0.2	5.8	3	2.3	0.5	6.9
Melanoma of the Skin	42	17.0	12.2	23.0	22	20.0	12.2	30.7	20	15.7	9.6	24.3
Breast (invasive)	165	66.4	56.5	77.4	2	1.5	0.2	5.8	163	126.0	107.3	147.1
Cervix									8	6.8	2.9	13.3
Corpus and Uterus, NOS									37	27.4	19.3	37.9
Ovary									18	13.3	7.9	21.2
Prostate					145	129.9	108.8	153.8				
Testis					8	6.0	2.6	12.1				
Urinary Bladder (includes *in situ*)	63	28.1	21.5	36.1	51	56.0	41.2	73.9	12	8.9	4.6	15.8
Kidney and Renal Pelvis	30	12.3	8.2	17.6	18	14.7	8.6	23.6	12	9.8	5.1	17.2
Brain and Nervous System	15	6.5	3.6	10.7	6	5.5	2.0	11.9	9	7.4	3.4	14.1
Hodgkin Lymphoma	8	3.2	1.4	6.3	6	4.4	1.6	9.9	2	2.0	0.2	6.7
Non-Hodgkin Lymphoma	45	18.9	13.7	25.4	22	20.9	12.8	32.0	23	17.6	11.1	26.5
Myeloma	15	6.9	3.8	11.3	10	10.8	5.0	19.8	5	3.9	1.2	9.2
Leukemia	42	17.2	12.3	23.4	29	24.2	16.0	35.1	13	10.5	5.6	18.0
All Other Sites	128	53.8	44.8	64.1	63	57.8	44.0	74.6	65	51.4	39.6	65.7
Breast *in situ* (not in total)									29	21.8	14.6	31.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Brown County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	171	528.3	451.6	614.5	103	698.5	564.5	853.7	68	406.4	313.5	521.1
Oral Cavity and Pharynx	6	18.5	6.8	41.0	5	26.0	8.3	64.0	1	3.5	0.1	36.1
Esophagus	1	2.9	0.1	17.6	0	0.0	0.0	25.2	1	5.6	0.1	40.5
Stomach	3	9.6	1.9	28.5	2	16.5	1.9	56.6	1	3.5	0.1	36.1
Colon and Rectum	19	60.1	36.1	94.3	11	82.7	40.4	147.9	8	44.9	19.1	94.8
Liver	2	6.5	0.8	23.7	1	5.8	0.1	35.0	1	7.4	0.2	44.7
Pancreas	9	28.0	12.8	53.6	6	36.0	13.2	79.8	3	18.2	3.7	59.2
Lung and Bronchus	24	74.4	47.6	111.2	12	88.3	44.1	155.7	12	67.5	34.6	123.4
Bones and Joints	0	0.0	0.0	12.6	0	0.0	0.0	25.2	0	0.0	0.0	32.0
Melanoma of the Skin	4	11.1	3.0	29.8	3	27.8	5.4	77.3	1	5.9	0.1	41.1
Breast (invasive)	19	59.6	35.8	93.5	0	0.0	0.0	25.2	19	115.8	69.2	185.4
Cervix									1	11.7	0.3	57.1
Corpus and Uterus, NOS									5	32.9	10.6	81.1
Ovary									1	5.4	0.1	39.8
Prostate					23	164.4	102.3	248.8				
Testis					1	3.4	0.1	29.6				
Urinary Bladder (includes *in situ*)	10	30.4	14.6	56.6	10	63.7	29.8	118.8	0	0.0	0.0	32.0
Kidney and Renal Pelvis	8	26.0	11.2	51.5	6	41.8	14.6	92.1	2	11.2	1.4	48.5
Brain and Nervous System	1	2.9	0.1	17.6	0	0.0	0.0	25.2	1	5.6	0.1	40.5
Hodgkin Lymphoma	2	6.4	0.6	24.3	2	10.9	0.8	45.4	0	0.0	0.0	32.0
Non-Hodgkin Lymphoma	11	34.1	17.0	61.6	8	50.3	21.2	100.8	3	12.8	2.5	49.3
Myeloma	1	2.9	0.1	17.7	1	5.9	0.1	35.4	0	0.0	0.0	32.0
Leukemia	10	28.6	13.6	53.8	7	41.9	14.5	92.5	3	19.7	3.9	62.8
All Other Sites	10	30.5	14.5	56.9	5	33.0	9.9	79.1	5	34.9	10.9	85.6
Breast *in situ* (not in total)									6	52.3	18.8	114.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Bureau County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,135	504.6	475.0	535.7	616	614.4	566.4	665.6	519	430.1	392.2	471.0
Oral Cavity and Pharynx	29	13.1	8.8	19.1	21	19.8	12.2	30.7	8	7.3	3.2	14.9
Esophagus	12	5.3	2.7	9.6	9	9.2	4.2	17.8	3	2.8	0.6	8.7
Stomach	6	2.6	0.9	5.9	3	3.0	0.6	9.1	3	2.2	0.4	7.4
Colon and Rectum	153	65.2	55.1	76.9	72	71.6	55.9	90.6	81	60.3	47.2	76.2
Liver	4	1.7	0.5	4.7	3	2.8	0.6	8.9	1	0.5	0.0	5.0
Pancreas	31	13.0	8.8	18.8	14	13.1	7.1	22.4	17	13.1	7.6	21.8
Lung and Bronchus	167	71.2	60.7	83.2	103	100.9	82.3	122.8	64	49.1	37.5	63.6
Bones and Joints	4	2.3	0.6	6.0	1	1.6	0.0	7.8	3	3.0	0.6	9.2
Melanoma of the Skin	41	18.7	13.2	25.9	26	27.1	17.5	40.2	15	13.9	7.4	23.8
Breast (invasive)	147	67.2	56.5	79.3	1	1.1	0.0	6.3	146	125.4	105.2	148.7
Cervix									5	5.8	1.8	13.6
Corpus and Uterus, NOS									24	20.1	12.6	30.8
Ovary									14	12.3	6.4	21.7
Prostate					151	148.3	125.5	174.3				
Testis					6	8.3	3.0	17.8				
Urinary Bladder (includes *in situ*)	56	23.2	17.4	30.4	43	42.2	30.5	57.2	13	9.9	5.2	17.8
Kidney and Renal Pelvis	46	21.1	15.3	28.4	27	27.8	18.2	40.8	19	15.9	9.4	25.5
Brain and Nervous System	14	6.9	3.7	11.8	5	6.1	2.0	14.2	9	7.1	3.1	14.5
Hodgkin Lymphoma	4	2.7	0.7	6.8	2	2.3	0.3	8.4	2	3.4	0.4	11.1
Non-Hodgkin Lymphoma	52	23.6	17.5	31.2	36	35.5	24.7	49.6	16	12.8	7.3	21.5
Myeloma	13	5.4	2.9	9.6	8	7.6	3.3	15.4	5	3.9	1.2	9.9
Leukemia	37	15.2	10.6	21.4	21	20.8	12.8	32.1	16	12.5	6.8	21.6
All Other Sites	119	54.5	44.8	65.7	64	65.3	50.1	83.8	55	48.7	35.9	64.7
Breast *in situ* (not in total)									27	22.1	14.4	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Calhoun County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	179	507.3	434.1	590.5	104	615.0	500.5	750.1	75	433.8	337.0	552.0
Oral Cavity and Pharynx	8	22.4	9.4	46.9	6	34.9	12.4	81.2	2	8.0	1.0	41.1
Esophagus	4	11.0	3.0	31.0	3	18.0	3.7	57.5	1	5.2	0.1	38.4
Stomach	1	2.8	0.1	19.4	0	0.0	0.0	29.8	1	5.2	0.1	38.4
Colon and Rectum	19	47.3	28.4	76.5	11	63.1	30.9	117.9	8	36.1	15.5	78.8
Liver	2	5.1	0.6	22.6	1	6.2	0.2	40.1	1	4.6	0.1	37.2
Pancreas	6	15.2	5.5	36.2	3	18.7	3.7	59.5	3	15.2	3.1	52.4
Lung and Bronchus	20	54.5	33.1	86.5	13	71.5	37.8	127.1	7	38.8	15.1	86.2
Bones and Joints	0	0.0	0.0	15.0	0	0.0	0.0	29.8	0	0.0	0.0	30.8
Melanoma of the Skin	10	31.7	14.7	60.7	5	30.3	9.5	75.4	5	38.0	11.6	91.5
Breast (invasive)	17	55.0	31.1	90.7	0	0.0	0.0	29.8	17	111.1	62.1	184.6
Cervix									1	4.4	0.1	36.7
Corpus and Uterus, NOS									5	31.4	10.0	77.9
Ovary									0	0.0	0.0	30.8
Prostate					33	201.3	137.8	286.4				
Testis					0	0.0	0.0	29.8				
Urinary Bladder (includes *in situ*)	6	17.3	6.3	40.1	4	22.7	6.1	63.7	2	11.2	1.4	47.5
Kidney and Renal Pelvis	5	13.2	4.2	33.9	4	21.0	5.6	60.4	1	5.2	0.1	38.4
Brain and Nervous System	0	0.0	0.0	15.0	0	0.0	0.0	29.8	0	0.0	0.0	30.8
Hodgkin Lymphoma	3	11.5	2.3	34.2	1	8.0	0.2	44.6	2	14.4	1.5	55.6
Non-Hodgkin Lymphoma	9	28.1	12.3	55.9	5	32.4	9.8	80.5	4	21.3	5.8	61.3
Myeloma	3	7.5	1.5	25.8	3	14.9	3.0	51.2	0	0.0	0.0	30.8
Leukemia	6	16.2	5.9	38.0	2	11.9	1.4	48.4	4	18.6	5.0	56.4
All Other Sites	21	60.1	36.8	94.3	10	60.0	28.2	114.7	11	65.1	31.4	122.4
Breast *in situ* (not in total)									5	29.1	9.3	73.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Carroll County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	542	470.7	430.5	514.0	306	563.3	500.8	632.3	236	394.3	342.3	452.9
Oral Cavity and Pharynx	15	12.9	7.2	22.1	13	23.1	12.2	41.0	2	3.3	0.4	14.9
Esophagus	6	4.7	1.7	11.4	6	10.5	3.9	24.7	0	0.0	0.0	10.2
Stomach	10	8.0	3.8	15.8	9	15.8	7.2	31.7	1	1.5	0.0	12.3
Colon and Rectum	63	51.4	39.4	66.5	34	60.7	42.0	86.2	29	41.5	27.6	61.9
Liver	4	3.4	0.9	9.9	2	3.9	0.4	15.9	2	2.5	0.3	13.4
Pancreas	8	6.7	2.8	14.2	4	7.3	1.9	20.7	4	5.7	1.5	17.8
Lung and Bronchus	80	67.3	53.1	84.6	45	82.2	59.8	111.2	35	57.3	39.5	81.7
Bones and Joints	2	1.5	0.2	7.1	2	3.8	0.5	15.6	0	0.0	0.0	10.2
Melanoma of the Skin	14	13.4	7.0	23.6	12	24.7	12.3	45.0	2	3.0	0.4	14.3
Breast (invasive)	68	60.9	46.7	78.4	0	0.0	0.0	9.8	68	115.1	87.8	149.1
Cervix									2	8.1	1.0	26.4
Corpus and Uterus, NOS									16	28.4	15.8	48.4
Ovary									11	14.8	7.3	29.4
Prostate					72	126.0	98.4	160.0				
Testis					4	12.4	3.2	31.4				
Urinary Bladder (includes *in situ*)	31	26.8	17.9	39.1	26	50.1	32.3	74.9	5	7.2	2.3	19.9
Kidney and Renal Pelvis	19	15.5	9.3	25.0	14	24.0	13.1	41.8	5	7.8	2.4	21.0
Brain and Nervous System	10	9.5	4.4	18.6	4	8.0	2.1	22.2	6	10.7	3.5	26.1
Hodgkin Lymphoma	4	4.7	1.1	12.9	1	1.6	0.0	12.1	3	7.9	1.2	24.9
Non-Hodgkin Lymphoma	25	21.7	13.8	33.0	15	29.4	16.2	50.0	10	13.7	6.3	28.1
Myeloma	9	7.0	3.2	14.3	6	10.3	3.8	24.3	3	3.7	0.7	14.9
Leukemia	8	6.3	2.7	13.6	5	9.0	2.9	22.8	3	4.0	0.8	15.4
All Other Sites	61	57.9	43.6	75.8	32	60.5	40.9	87.0	29	58.0	37.3	86.3
Breast *in situ* (not in total)									8	11.8	5.1	25.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cass County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	398	497.3	449.2	549.4	207	579.9	502.9	665.4	191	457.5	393.3	529.6
Oral Cavity and Pharynx	9	11.2	5.1	21.7	5	15.1	4.8	35.1	4	9.4	2.5	25.5
Esophagus	8	10.3	4.4	20.6	5	14.4	4.6	33.8	3	6.6	1.3	21.2
Stomach	6	7.6	2.8	17.0	4	10.8	2.9	28.4	2	4.4	0.5	17.8
Colon and Rectum	59	69.9	53.1	90.7	30	86.2	57.9	123.4	29	60.2	39.7	88.5
Liver	5	6.2	2.0	14.9	4	12.7	3.4	32.3	1	2.8	0.1	16.0
Pancreas	9	11.2	5.1	21.7	7	18.8	7.5	39.3	2	5.5	0.6	20.2
Lung and Bronchus	78	98.2	77.5	123.0	42	115.9	83.3	157.2	36	87.6	61.0	122.4
Bones and Joints	0	0.0	0.0	5.3	0	0.0	0.0	10.9	0	0.0	0.0	10.8
Melanoma of the Skin	17	21.7	12.6	35.2	10	26.9	12.8	50.1	7	19.1	7.6	39.8
Breast (invasive)	48	61.3	45.0	81.8	0	0.0	0.0	10.9	48	114.4	83.6	153.3
Cervix									10	29.9	14.1	55.1
Corpus and Uterus, NOS									12	28.3	14.2	51.0
Ovary									4	10.8	2.8	28.3
Prostate					36	97.4	68.0	135.4				
Testis					3	8.9	1.8	26.0				
Urinary Bladder (includes *in situ*)	17	19.8	11.5	32.2	14	41.6	22.6	69.9	3	6.9	1.4	21.7
Kidney and Renal Pelvis	9	11.9	5.4	22.9	5	15.1	4.9	35.1	4	10.3	2.8	27.1
Brain and Nervous System	3	3.6	0.7	11.0	3	8.7	1.7	25.5	0	0.0	0.0	10.8
Hodgkin Lymphoma	2	2.9	0.4	10.5	2	5.9	0.7	21.3	0	0.0	0.0	10.8
Non-Hodgkin Lymphoma	19	22.3	13.4	35.3	10	26.4	12.6	49.2	9	20.3	9.1	39.8
Myeloma	5	6.3	2.0	15.0	4	10.8	2.9	28.4	1	2.2	0.1	14.4
Leukemia	6	6.7	2.4	15.3	4	11.2	3.0	29.0	2	2.9	0.3	14.7
All Other Sites	33	42.8	29.3	60.5	19	53.2	31.9	83.5	14	36.1	19.3	61.8
Breast *in situ* (not in total)									11	26.7	13.2	48.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,951	506.3	490.5	522.4	2,048	592.5	566.7	619.1	1,903	447.9	427.7	468.8
Oral Cavity and Pharynx	92	11.6	9.3	14.2	58	16.0	12.1	20.8	34	7.9	5.4	11.0
Esophagus	44	5.7	4.1	7.6	33	9.8	6.7	13.7	11	2.6	1.3	4.6
Stomach	43	5.4	3.9	7.3	25	7.2	4.6	10.6	18	4.2	2.5	6.7
Colon and Rectum	366	47.1	42.3	52.2	209	60.1	52.1	68.9	157	35.9	30.4	42.1
Liver	40	5.1	3.6	7.0	26	7.0	4.5	10.3	14	3.3	1.8	5.5
Pancreas	91	11.6	9.3	14.2	44	13.0	9.4	17.5	47	10.7	7.8	14.2
Lung and Bronchus	487	63.3	57.8	69.2	263	78.6	69.2	88.7	224	52.5	45.8	59.9
Bones and Joints	9	1.0	0.4	2.0	4	1.2	0.3	3.1	5	0.9	0.3	2.3
Melanoma of the Skin	185	23.2	19.9	26.8	96	27.6	22.3	33.8	89	21.1	16.8	26.1
Breast (invasive)	588	75.7	69.7	82.1	4	1.2	0.3	3.0	584	140.3	129.0	152.2
Cervix									36	9.3	6.5	12.8
Corpus and Uterus, NOS									113	27.0	22.2	32.5
Ovary									61	14.2	10.9	18.3
Prostate					651	187.4	173.1	202.5				
Testis					28	6.6	4.3	9.6				
Urinary Bladder (includes *in situ*)	162	21.4	18.2	25.0	121	37.7	31.2	45.0	41	9.6	6.9	13.0
Kidney and Renal Pelvis	143	18.5	15.6	21.8	88	24.8	19.8	30.6	55	12.9	9.7	16.8
Brain and Nervous System	40	4.8	3.4	6.5	25	6.0	3.9	9.0	15	3.4	1.9	5.7
Hodgkin Lymphoma	27	2.7	1.7	4.0	15	3.2	1.7	5.6	12	2.3	1.1	4.2
Non-Hodgkin Lymphoma	152	19.7	16.7	23.1	79	23.6	18.6	29.4	73	17.3	13.5	21.8
Myeloma	41	5.4	3.9	7.3	27	8.5	5.5	12.3	14	3.3	1.8	5.6
Leukemia	114	14.7	12.1	17.7	69	20.2	15.6	25.6	45	10.4	7.5	13.9
All Other Sites	438	55.2	50.1	60.7	183	52.9	45.4	61.3	255	59.0	51.8	66.9
Breast *in situ* (not in total)									202	48.9	42.3	56.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Christian County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,252	573.0	541.3	606.2	681	710.5	657.7	766.4	571	490.5	449.5	534.6
Oral Cavity and Pharynx	26	12.2	8.0	18.1	19	18.9	11.4	29.8	7	6.4	2.5	13.6
Esophagus	26	11.6	7.6	17.2	23	24.4	15.4	36.8	3	2.8	0.6	8.6
Stomach	12	5.5	2.8	9.8	9	9.3	4.2	17.9	3	1.9	0.4	7.0
Colon and Rectum	145	65.4	55.1	77.3	67	71.2	55.0	90.7	78	63.0	49.4	79.6
Liver	9	4.3	2.0	8.3	9	9.0	4.1	17.4	0	0.0	0.0	4.4
Pancreas	24	10.2	6.5	15.5	15	15.7	8.7	26.1	9	6.0	2.6	12.7
Lung and Bronchus	280	125.5	111.1	141.3	151	157.0	132.8	184.4	129	105.4	87.6	126.2
Bones and Joints	1	0.3	0.0	2.5	0	0.0	0.0	4.3	1	0.4	0.0	4.8
Melanoma of the Skin	34	17.1	11.7	24.1	19	19.9	11.9	31.2	15	16.1	8.7	27.2
Breast (invasive)	149	71.4	60.2	84.1	0	0.0	0.0	4.3	149	136.3	114.5	161.2
Cervix									4	4.8	1.2	12.4
Corpus and Uterus, NOS									41	35.7	25.3	49.2
Ovary									14	11.7	6.3	20.3
Prostate					143	145.8	122.7	172.0				
Testis					5	6.0	1.9	14.0				
Urinary Bladder (includes *in situ*)	57	24.3	18.4	31.7	51	52.8	39.3	69.7	6	3.6	1.2	9.2
Kidney and Renal Pelvis	46	21.5	15.7	29.0	31	32.4	22.0	46.2	15	13.1	7.1	22.4
Brain and Nervous System	19	9.2	5.4	14.6	10	10.2	4.9	19.1	9	8.8	3.7	17.7
Hodgkin Lymphoma	9	5.1	2.3	9.8	8	8.7	3.7	17.2	1	1.5	0.0	7.4
Non-Hodgkin Lymphoma	46	20.5	14.9	27.6	28	29.7	19.7	43.2	18	13.5	7.8	22.4
Myeloma	6	2.7	1.0	6.1	5	5.2	1.7	12.4	1	0.9	0.0	5.8
Leukemia	26	11.3	7.3	16.8	15	15.8	8.8	26.3	11	8.4	4.0	16.1
All Other Sites	130	59.4	49.4	70.9	73	78.6	61.4	99.1	57	50.3	37.5	66.4
Breast *in situ* (not in total)									39	36.2	25.5	50.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Clark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	497	460.9	420.6	504.4	275	582.4	515.0	656.5	222	383.5	332.6	440.5
Oral Cavity and Pharynx	14	12.3	6.7	21.2	9	18.9	8.6	36.7	5	7.2	2.3	19.0
Esophagus	3	2.8	0.6	8.8	3	6.4	1.3	19.5	0	0.0	0.0	8.8
Stomach	3	2.3	0.5	7.8	2	4.2	0.5	16.1	1	1.2	0.0	10.4
Colon and Rectum	54	47.1	35.2	62.1	26	56.7	36.9	83.6	28	37.8	24.8	56.6
Liver	4	4.0	1.0	10.8	3	6.7	1.4	20.2	1	0.9	0.0	9.8
Pancreas	8	7.1	3.0	14.6	7	14.8	5.9	31.2	1	1.7	0.0	11.5
Lung and Bronchus	80	71.1	56.2	89.1	45	95.3	69.3	128.2	35	56.1	38.9	79.5
Bones and Joints	0	0.0	0.0	4.4	0	0.0	0.0	9.1	0	0.0	0.0	8.8
Melanoma of the Skin	16	16.4	9.3	27.0	14	30.7	16.7	52.0	2	5.4	0.7	18.6
Breast (invasive)	62	59.0	45.0	76.2	0	0.0	0.0	9.1	62	109.1	82.9	141.7
Cervix									3	6.8	1.4	20.2
Corpus and Uterus, NOS									13	20.8	10.8	37.3
Ovary									9	16.8	7.5	33.1
Prostate					67	134.7	104.2	172.0				
Testis					2	5.6	0.7	19.4				
Urinary Bladder (includes *in situ*)	34	31.0	21.3	43.8	29	61.0	40.7	88.3	5	9.5	3.0	23.4
Kidney and Renal Pelvis	24	24.4	15.5	36.9	14	30.6	16.6	52.0	10	19.0	8.6	36.6
Brain and Nervous System	5	5.6	1.8	13.2	2	4.3	0.5	16.4	3	6.7	1.3	20.2
Hodgkin Lymphoma	1	1.6	0.0	7.9	0	0.0	0.0	9.1	1	3.2	0.1	15.7
Non-Hodgkin Lymphoma	19	17.7	10.6	28.2	10	23.0	11.0	42.8	9	14.9	6.6	30.0
Myeloma	5	4.3	1.4	10.8	1	1.8	0.0	12.0	4	6.3	1.5	18.3
Leukemia	12	11.4	5.7	20.5	8	17.3	7.4	34.7	4	6.0	1.4	18.0
All Other Sites	59	57.7	43.6	75.0	33	70.5	48.3	99.6	26	53.9	34.7	80.1
Breast *in situ* (not in total)									13	23.5	12.4	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Clay County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	500	546.5	498.7	598.0	286	706.9	626.8	795.0	214	430.8	372.4	496.5
Oral Cavity and Pharynx	13	15.2	7.9	26.6	5	12.0	3.9	29.2	8	18.3	7.6	37.6
Esophagus	4	4.6	1.2	12.4	4	10.3	2.8	27.2	0	0.0	0.0	10.6
Stomach	8	8.5	3.6	17.4	5	12.1	3.9	29.4	3	5.5	1.1	18.6
Colon and Rectum	64	67.0	51.4	86.2	34	82.6	57.2	116.3	30	51.8	34.4	76.4
Liver	4	4.4	1.2	12.1	4	10.1	2.7	26.8	0	0.0	0.0	10.6
Pancreas	5	5.3	1.7	13.3	2	5.2	0.6	19.7	3	4.9	0.9	17.5
Lung and Bronchus	83	86.0	68.3	107.3	48	117.1	86.2	156.1	35	64.8	44.6	92.3
Bones and Joints	0	0.0	0.0	5.3	0	0.0	0.0	11.0	0	0.0	0.0	10.6
Melanoma of the Skin	18	22.4	13.0	36.0	9	25.1	11.3	48.2	9	21.5	9.6	42.1
Breast (invasive)	49	56.9	41.7	76.1	0	0.0	0.0	11.0	49	106.6	77.5	143.6
Cervix									3	4.8	0.9	17.3
Corpus and Uterus, NOS									13	27.4	14.3	48.6
Ovary									1	2.1	0.1	14.1
Prostate					87	208.2	166.7	257.7				
Testis					3	10.7	2.2	30.0				
Urinary Bladder (includes *in situ*)	33	33.6	23.0	47.9	25	59.9	38.7	89.4	8	13.6	5.6	29.5
Kidney and Renal Pelvis	21	22.8	14.0	35.6	13	33.6	17.8	58.1	8	13.5	5.7	29.0
Brain and Nervous System	10	11.6	5.4	22.2	4	9.8	2.7	26.3	6	14.9	5.1	33.8
Hodgkin Lymphoma	1	1.7	0.0	8.7	0	0.0	0.0	11.0	1	3.2	0.1	17.0
Non-Hodgkin Lymphoma	19	23.4	13.8	37.4	15	41.1	22.6	68.8	4	8.6	2.3	23.6
Myeloma	2	2.4	0.3	9.3	0	0.0	0.0	11.0	2	4.6	0.5	18.0
Leukemia	8	7.4	3.2	15.6	2	4.7	0.6	18.7	6	9.2	3.3	23.2
All Other Sites	51	58.1	42.9	77.2	26	64.5	42.0	95.3	25	55.5	34.9	84.3
Breast *in situ* (not in total)									20	49.7	29.5	78.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Clinton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,005	486.9	457.2	518.2	541	586.6	537.9	638.5	464	420.8	382.5	462.2
Oral Cavity and Pharynx	23	11.4	7.2	17.2	17	17.9	10.4	28.8	6	6.0	2.2	13.3
Esophagus	14	6.5	3.6	11.1	14	16.1	8.7	27.0	0	0.0	0.0	4.2
Stomach	8	3.7	1.6	7.4	5	5.7	1.8	13.4	3	1.9	0.4	6.8
Colon and Rectum	128	59.9	49.9	71.4	62	68.0	52.0	87.2	66	52.7	40.5	67.9
Liver	6	2.8	1.0	6.3	5	5.4	1.7	12.7	1	0.9	0.0	5.8
Pancreas	25	11.8	7.6	17.5	12	13.3	6.8	23.4	13	11.1	5.8	19.5
Lung and Bronchus	150	71.7	60.7	84.3	91	98.9	79.5	121.6	59	51.6	39.2	67.1
Bones and Joints	1	0.6	0.0	3.1	0	0.0	0.0	4.1	1	1.4	0.0	7.1
Melanoma of the Skin	34	17.0	11.8	23.9	22	22.8	14.3	34.7	12	13.5	6.8	23.9
Breast (invasive)	135	67.0	56.1	79.4	1	1.1	0.0	6.1	134	128.7	107.4	153.0
Cervix									2	2.6	0.3	9.1
Corpus and Uterus, NOS									25	23.7	15.3	35.4
Ovary									16	15.1	8.5	25.0
Prostate					128	137.2	114.3	163.3				
Testis					8	8.7	3.8	17.3				
Urinary Bladder (includes *in situ*)	53	25.1	18.8	32.9	46	50.0	36.5	66.8	7	6.2	2.4	13.5
Kidney and Renal Pelvis	29	14.7	9.8	21.1	16	16.9	9.6	27.5	13	13.3	7.0	23.1
Brain and Nervous System	20	10.1	6.1	15.6	10	10.3	4.9	19.1	10	9.3	4.4	17.7
Hodgkin Lymphoma	6	3.2	1.2	7.1	3	2.9	0.6	8.8	3	3.1	0.6	9.4
Non-Hodgkin Lymphoma	48	23.5	17.3	31.3	28	29.9	19.8	43.3	20	18.0	10.8	28.4
Myeloma	11	5.2	2.6	9.4	7	8.3	3.3	17.0	4	3.4	0.9	9.4
Leukemia	28	13.0	8.6	19.0	18	21.2	12.5	33.5	10	8.1	3.8	15.7
All Other Sites	107	51.6	42.3	62.5	48	52.0	38.3	69.1	59	50.2	37.9	65.5
Breast *in situ* (not in total)									27	27.0	17.8	39.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Coles County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,397	526.5	498.8	555.4	707	611.7	567.0	659.1	690	475.6	439.4	514.0
Oral Cavity and Pharynx	31	11.9	8.0	17.1	23	19.4	12.3	29.3	8	5.8	2.4	12.0
Esophagus	25	9.4	6.1	14.1	21	17.7	10.9	27.3	4	2.5	0.7	7.0
Stomach	15	5.4	3.0	9.1	8	6.8	2.9	13.5	7	3.9	1.5	8.7
Colon and Rectum	193	73.0	62.9	84.3	107	93.6	76.6	113.4	86	57.9	45.8	72.3
Liver	10	3.8	1.8	7.1	8	6.3	2.7	12.7	2	1.6	0.2	6.0
Pancreas	28	9.9	6.6	14.5	10	8.7	4.1	16.1	18	10.8	6.3	17.7
Lung and Bronchus	233	85.5	74.8	97.4	129	111.6	93.1	132.8	104	67.7	55.1	82.6
Bones and Joints	1	0.1	0.0	1.8	1	0.3	0.0	3.7	0	0.0	0.0	3.3
Melanoma of the Skin	53	20.8	15.5	27.5	32	29.3	19.9	41.6	21	15.4	9.3	24.1
Breast (invasive)	177	68.1	58.3	79.1	1	1.1	0.0	5.7	176	125.1	106.8	145.7
Cervix									16	11.9	6.7	19.7
Corpus and Uterus, NOS									40	29.1	20.6	40.1
Ovary									22	14.9	9.2	22.9
Prostate					166	140.5	119.9	163.8				
Testis					7	4.3	1.6	9.9				
Urinary Bladder (includes *in situ*)	50	18.7	13.8	24.7	34	30.6	21.1	42.8	16	11.3	6.3	18.8
Kidney and Renal Pelvis	29	10.6	7.1	15.4	14	12.4	6.7	20.9	15	8.7	4.7	15.0
Brain and Nervous System	19	8.5	5.1	13.4	12	11.9	6.1	20.7	7	5.1	2.0	10.9
Hodgkin Lymphoma	7	2.6	0.9	5.7	4	3.5	0.9	9.2	3	1.6	0.2	6.0
Non-Hodgkin Lymphoma	56	21.3	16.0	27.8	26	21.6	14.0	32.0	30	20.5	13.7	29.7
Myeloma	23	8.1	5.1	12.3	10	8.6	4.1	16.0	13	8.0	4.2	14.3
Leukemia	34	14.0	9.6	19.8	19	17.1	10.2	26.9	15	12.0	6.4	20.3
All Other Sites	162	61.3	52.0	71.8	75	66.4	52.1	83.5	87	61.8	48.8	77.2
Breast *in situ* (not in total)									39	30.0	21.2	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	124,191	484.4	481.7	487.1	62,494	574.7	570.1	579.3	61,697	426.2	422.8	429.6
Oral Cavity and Pharynx	2,844	10.9	10.5	11.3	1,953	16.7	16.0	17.5	891	6.1	5.7	6.6
Esophagus	1,328	5.2	4.9	5.4	979	8.9	8.4	9.5	349	2.4	2.1	2.6
Stomach	2,470	9.7	9.3	10.1	1,460	13.8	13.1	14.5	1,010	6.8	6.4	7.2
Colon and Rectum	13,936	54.5	53.6	55.4	6,923	65.1	63.5	66.6	7,013	47.0	45.9	48.2
Liver	1,761	6.8	6.5	7.1	1,282	11.2	10.6	11.9	479	3.3	3.0	3.6
Pancreas	3,591	14.1	13.6	14.6	1,713	16.2	15.4	17.0	1,878	12.5	11.9	13.1
Lung and Bronchus	17,376	68.7	67.7	69.7	9,081	85.7	83.9	87.5	8,295	57.0	55.8	58.3
Bones and Joints	230	0.9	0.8	1.0	137	1.1	0.9	1.3	93	0.7	0.5	0.8
Melanoma of the Skin	2,866	11.1	10.7	11.5	1,621	14.6	13.9	15.4	1,245	8.8	8.3	9.3
Breast (invasive)	17,451	67.7	66.7	68.7	144	1.3	1.1	1.6	17,307	121.5	119.7	123.3
Cervix									1,407	10.2	9.7	10.7
Corpus and Uterus, NOS									3,854	26.8	25.9	27.7
Ovary									1,927	13.4	12.8	14.0
Prostate					18,220	166.2	163.7	168.7				
Testis					662	4.9	4.5	5.3				
Urinary Bladder (includes *in situ*)	5,071	20.0	19.5	20.6	3,578	35.1	33.9	36.3	1,493	9.9	9.4	10.5
Kidney and Renal Pelvis	4,093	15.9	15.4	16.4	2,413	21.5	20.6	22.4	1,680	11.6	11.1	12.2
Brain and Nervous System	1,519	5.9	5.6	6.2	797	6.8	6.3	7.3	722	5.1	4.8	5.5
Hodgkin Lymphoma	759	2.9	2.7	3.1	409	3.3	3.0	3.6	350	2.5	2.3	2.8
Non-Hodgkin Lymphoma	4,739	18.5	18.0	19.0	2,546	23.3	22.4	24.3	2,193	14.9	14.3	15.6
Myeloma	1,676	6.6	6.3	6.9	842	7.9	7.3	8.4	834	5.7	5.3	6.1
Leukemia	3,128	12.2	11.7	12.6	1,722	15.9	15.1	16.7	1,406	9.6	9.1	10.1
All Other Sites	13,283	51.7	50.8	52.6	6,012	55.1	53.7	56.6	7,271	50.3	49.2	51.5
Breast *in situ* (not in total)									4,470	31.8	30.9	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Crawford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	639	517.0	477.3	559.3	339	598.0	535.7	665.7	300	460.3	407.9	518.2
Oral Cavity and Pharynx	15	13.4	7.4	22.5	13	22.8	12.1	39.6	2	4.3	0.4	16.1
Esophagus	12	10.2	5.2	18.1	11	19.3	9.6	35.1	1	1.9	0.0	11.4
Stomach	6	5.0	1.8	11.5	5	9.2	3.0	22.0	1	0.9	0.0	9.3
Colon and Rectum	115	90.4	74.5	108.9	61	109.9	83.9	141.6	54	72.8	54.2	96.7
Liver	4	3.0	0.8	8.3	0	0.0	0.0	7.5	4	5.4	1.4	15.8
Pancreas	18	14.5	8.6	23.3	10	18.2	8.7	33.9	8	12.4	5.2	25.9
Lung and Bronchus	106	84.6	69.2	102.7	58	101.0	76.6	131.1	48	72.4	52.9	97.5
Bones and Joints	1	0.8	0.0	5.2	0	0.0	0.0	7.5	1	1.4	0.0	10.2
Melanoma of the Skin	16	14.2	8.0	23.5	7	12.4	5.0	26.0	9	17.4	7.5	34.4
Breast (invasive)	81	65.8	52.1	82.1	2	3.4	0.4	13.2	79	123.2	96.8	155.1
Cervix									8	12.9	5.2	27.2
Corpus and Uterus, NOS									18	28.2	16.5	45.9
Ovary									5	7.6	2.5	19.2
Prostate					75	130.3	102.4	163.8				
Testis					3	5.5	1.1	16.5				
Urinary Bladder (includes *in situ*)	20	14.7	9.0	23.2	18	30.7	18.1	49.2	2	2.1	0.3	10.9
Kidney and Renal Pelvis	20	16.8	10.2	26.2	13	23.2	12.3	40.1	7	11.8	4.7	25.5
Brain and Nervous System	6	5.7	2.0	12.6	2	3.6	0.4	13.7	4	8.3	2.1	22.0
Hodgkin Lymphoma	0	0.0	0.0	3.8	0	0.0	0.0	7.5	0	0.0	0.0	8.1
Non-Hodgkin Lymphoma	15	11.8	6.6	19.9	7	11.6	4.7	24.7	8	11.0	4.7	23.3
Myeloma	8	6.5	2.8	13.2	8	13.6	5.8	27.4	0	0.0	0.0	8.1
Leukemia	16	13.5	7.6	22.3	8	14.9	6.4	29.8	8	13.2	5.5	27.4
All Other Sites	71	59.0	45.9	74.8	38	68.2	48.2	94.0	33	53.0	35.8	76.0
Breast *in situ* (not in total)									10	16.2	7.7	30.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cumberland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	349	522.2	468.1	581.1	182	622.6	534.4	721.6	167	464.5	394.8	543.7
Oral Cavity and Pharynx	10	14.5	6.8	27.4	7	22.8	9.0	48.4	3	10.6	2.1	31.2
Esophagus	4	6.0	1.6	16.1	3	10.4	2.1	31.4	1	2.9	0.1	18.2
Stomach	2	2.5	0.3	10.6	0	0.0	0.0	14.1	2	4.3	0.5	19.6
Colon and Rectum	45	68.0	49.4	91.7	24	84.5	53.8	126.5	21	56.1	34.4	87.7
Liver	4	5.7	1.5	15.5	2	6.3	0.7	24.6	2	5.0	0.6	21.2
Pancreas	16	21.5	12.2	35.8	8	25.2	10.7	51.1	8	17.2	7.2	37.1
Lung and Bronchus	57	86.8	65.6	113.1	32	111.1	75.7	157.7	25	66.7	42.7	100.4
Bones and Joints	0	0.0	0.0	6.8	0	0.0	0.0	14.1	0	0.0	0.0	13.4
Melanoma of the Skin	9	12.9	5.8	25.4	4	15.8	4.3	40.3	5	13.9	4.3	34.5
Breast (invasive)	38	57.4	40.3	79.6	0	0.0	0.0	14.1	38	111.7	78.2	155.5
Cervix									1	2.9	0.1	18.2
Corpus and Uterus, NOS									14	38.2	20.7	65.8
Ovary									9	27.7	12.3	54.2
Prostate					45	145.1	105.4	195.5				
Testis					5	18.8	6.0	44.2				
Urinary Bladder (includes *in situ*)	15	21.7	12.1	36.5	12	41.7	21.5	73.6	3	7.7	1.5	25.4
Kidney and Renal Pelvis	12	18.1	9.2	32.4	8	25.7	10.8	52.2	4	10.2	2.7	28.5
Brain and Nervous System	5	9.0	2.9	21.3	1	4.3	0.1	22.6	4	14.0	3.7	36.3
Hodgkin Lymphoma	5	10.3	3.3	23.8	4	16.8	4.5	42.5	1	3.9	0.1	20.8
Non-Hodgkin Lymphoma	14	20.4	11.0	35.0	6	22.5	8.2	49.1	8	20.6	8.5	43.2
Myeloma	4	5.5	1.5	15.2	2	8.1	1.0	28.8	2	6.7	0.8	24.9
Leukemia	7	10.1	4.0	21.5	6	18.9	6.9	42.6	1	2.9	0.1	18.2
All Other Sites	28	41.0	27.1	60.1	13	44.7	23.6	77.3	15	41.5	22.7	70.7
Breast *in situ* (not in total)									8	22.1	9.1	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DeKalb County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,956	479.4	458.2	501.3	986	547.9	513.5	584.0	970	438.7	411.2	467.5
Oral Cavity and Pharynx	55	13.2	9.9	17.2	36	17.7	12.3	24.6	19	8.8	5.3	13.7
Esophagus	15	3.7	2.1	6.1	12	7.2	3.7	12.5	3	1.4	0.3	4.1
Stomach	29	7.1	4.7	10.2	16	9.1	5.1	14.7	13	5.5	2.9	9.5
Colon and Rectum	236	58.3	51.0	66.3	112	63.7	52.1	76.8	124	54.5	45.2	65.1
Liver	17	4.3	2.5	6.8	10	5.4	2.6	9.9	7	3.3	1.3	6.7
Pancreas	45	11.0	8.0	14.7	24	13.2	8.4	19.6	21	8.9	5.4	13.6
Lung and Bronchus	243	61.2	53.7	69.4	135	77.7	64.9	92.1	108	49.2	40.3	59.5
Bones and Joints	5	1.0	0.3	2.5	1	0.4	0.0	2.6	4	1.6	0.4	4.3
Melanoma of the Skin	58	13.9	10.5	18.0	33	17.2	11.7	24.3	25	11.9	7.7	17.5
Breast (invasive)	266	64.4	56.9	72.7	1	0.6	0.0	2.9	265	122.5	108.1	138.2
Cervix									13	6.1	3.2	10.5
Corpus and Uterus, NOS									74	34.9	27.4	43.8
Ovary									36	16.1	11.2	22.4
Prostate					262	144.9	127.6	163.7				
Testis					21	8.4	5.0	13.2				
Urinary Bladder (includes *in situ*)	115	29.0	23.9	34.8	88	54.9	43.8	67.7	27	11.4	7.4	16.7
Kidney and Renal Pelvis	44	10.6	7.7	14.2	28	14.4	9.5	20.9	16	7.0	3.9	11.4
Brain and Nervous System	36	8.6	6.0	12.0	19	10.1	6.0	15.8	17	7.4	4.2	11.9
Hodgkin Lymphoma	9	1.6	0.7	3.2	6	2.3	0.8	5.4	3	0.8	0.1	3.0
Non-Hodgkin Lymphoma	84	20.7	16.5	25.7	41	24.3	17.3	33.0	43	19.3	13.9	26.0
Myeloma	24	5.9	3.8	8.7	18	9.7	5.7	15.4	6	2.9	1.1	6.2
Leukemia	57	13.8	10.4	17.9	33	18.8	12.8	26.5	24	11.0	7.0	16.4
All Other Sites	212	50.6	44.0	58.0	90	48.1	38.4	59.3	122	54.4	45.0	65.1
Breast *in situ* (not in total)									56	26.3	19.8	34.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DeWitt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	496	492.4	449.5	538.5	250	558.5	490.8	633.1	246	454.0	397.2	517.2
Oral Cavity and Pharynx	11	11.1	5.5	20.3	9	18.6	8.4	36.1	2	3.2	0.4	13.9
Esophagus	6	5.9	2.1	13.3	6	13.7	5.0	30.3	0	0.0	0.0	9.0
Stomach	4	3.9	1.1	10.6	4	9.1	2.5	23.9	0	0.0	0.0	9.0
Colon and Rectum	57	55.6	41.9	72.6	25	57.7	37.2	85.6	32	54.8	36.7	79.4
Liver	5	4.8	1.5	11.7	5	10.7	3.4	25.8	0	0.0	0.0	9.0
Pancreas	19	18.2	10.9	28.9	10	21.0	10.0	39.4	9	15.6	7.0	31.1
Lung and Bronchus	86	83.4	66.6	103.4	45	102.5	74.5	137.6	41	73.9	52.6	101.7
Bones and Joints	0	0.0	0.0	4.5	0	0.0	0.0	9.2	0	0.0	0.0	9.0
Melanoma of the Skin	24	25.4	16.1	38.2	14	31.8	17.2	53.9	10	21.0	9.6	39.9
Breast (invasive)	59	61.8	46.8	80.2	0	0.0	0.0	9.2	59	117.8	88.8	153.6
Cervix									3	6.0	1.1	19.0
Corpus and Uterus, NOS									14	24.9	13.5	42.9
Ovary									6	12.5	4.4	28.3
Prostate					59	129.8	98.6	168.2				
Testis					1	2.7	0.1	14.5				
Urinary Bladder (includes *in situ*)	35	34.1	23.7	47.8	27	61.6	40.5	90.1	8	12.9	5.5	27.1
Kidney and Renal Pelvis	9	8.9	4.0	17.5	3	6.9	1.4	20.5	6	10.0	3.3	24.2
Brain and Nervous System	4	4.4	1.2	11.6	2	4.4	0.5	16.8	2	4.8	0.5	17.6
Hodgkin Lymphoma	2	2.4	0.3	8.7	2	5.3	0.6	18.9	0	0.0	0.0	9.0
Non-Hodgkin Lymphoma	22	22.1	13.8	33.9	14	29.9	16.2	51.0	8	15.0	6.4	30.6
Myeloma	6	6.0	2.2	13.4	2	5.2	0.6	18.6	4	7.3	1.9	20.1
Leukemia	8	7.4	3.2	15.2	6	13.3	4.8	29.6	2	3.1	0.3	13.7
All Other Sites	56	55.2	41.5	72.1	16	34.3	19.5	56.4	40	71.2	50.3	98.5
Breast *in situ* (not in total)									13	23.7	12.5	41.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Douglas County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	593	508.0	467.4	551.3	323	648.1	578.9	723.5	270	426.9	375.5	483.6
Oral Cavity and Pharynx	15	13.0	7.2	21.8	10	19.1	9.1	35.7	5	7.4	2.4	18.4
Esophagus	12	8.9	4.6	16.1	10	21.7	10.3	39.9	2	1.8	0.2	9.6
Stomach	6	5.1	1.8	11.3	5	10.2	3.3	24.0	1	1.5	0.0	9.9
Colon and Rectum	70	59.4	46.1	75.4	35	69.7	48.4	97.2	35	49.5	33.8	70.4
Liver	1	0.9	0.0	5.4	1	1.9	0.0	11.1	0	0.0	0.0	7.3
Pancreas	11	9.3	4.6	17.0	4	7.6	2.0	20.0	7	10.0	3.8	22.0
Lung and Bronchus	85	69.3	55.3	86.1	51	102.4	76.0	135.0	34	49.7	34.0	70.7
Bones and Joints	1	0.9	0.0	5.3	0	0.0	0.0	7.8	1	1.5	0.0	9.9
Melanoma of the Skin	26	23.9	15.5	35.4	13	28.2	14.9	48.1	13	25.1	13.0	43.5
Breast (invasive)	77	69.3	54.4	87.1	2	3.7	0.4	13.9	75	127.5	99.4	161.3
Cervix									3	6.6	1.3	19.0
Corpus and Uterus, NOS									19	30.0	17.8	48.0
Ovary									7	9.9	3.9	21.8
Prostate					81	158.8	125.9	197.7				
Testis					1	1.8	0.0	11.0				
Urinary Bladder (includes *in situ*)	31	25.8	17.5	36.9	25	49.5	31.9	73.3	6	8.3	2.9	19.5
Kidney and Renal Pelvis	20	17.4	10.6	27.1	10	19.4	9.3	36.0	10	15.2	7.2	28.8
Brain and Nervous System	7	7.1	2.8	14.6	1	1.9	0.0	11.1	6	12.0	4.3	26.5
Hodgkin Lymphoma	2	2.7	0.3	8.9	1	2.5	0.1	12.8	1	2.7	0.1	13.2
Non-Hodgkin Lymphoma	28	24.4	16.1	35.6	17	35.4	20.5	56.9	11	16.0	7.9	29.8
Myeloma	6	5.2	1.9	11.5	6	12.8	4.7	27.8	0	0.0	0.0	7.3
Leukemia	19	16.3	9.7	25.7	14	28.5	15.6	48.1	5	6.6	2.0	17.0
All Other Sites	65	55.5	42.6	71.1	36	73.2	51.1	101.6	29	45.6	29.9	66.9
Breast *in situ* (not in total)									23	36.2	22.7	55.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	21,044	476.9	470.3	483.5	10,364	537.7	527.1	548.6	10,680	437.8	429.4	446.4
Oral Cavity and Pharynx	460	10.1	9.2	11.1	315	15.3	13.6	17.1	145	6.0	5.0	7.0
Esophagus	194	4.5	3.9	5.2	144	7.5	6.3	8.8	50	2.2	1.6	2.9
Stomach	297	6.9	6.1	7.7	177	9.9	8.5	11.5	120	4.9	4.0	5.8
Colon and Rectum	2,001	45.8	43.8	47.9	1,037	54.8	51.4	58.4	964	38.9	36.4	41.5
Liver	219	5.0	4.3	5.7	144	7.2	6.0	8.5	75	3.1	2.5	3.9
Pancreas	532	12.3	11.3	13.5	255	13.5	11.9	15.3	277	11.4	10.1	12.9
Lung and Bronchus	2,619	62.3	59.9	64.8	1,300	72.1	68.1	76.2	1,319	56.1	53.1	59.3
Bones and Joints	42	1.0	0.7	1.3	23	1.1	0.7	1.6	19	0.9	0.5	1.3
Melanoma of the Skin	755	16.5	15.3	17.7	411	20.2	18.2	22.3	344	14.2	12.7	15.8
Breast (invasive)	3,358	72.9	70.4	75.5	20	1.1	0.6	1.7	3,338	135.0	130.4	139.8
Cervix									135	5.6	4.7	6.7
Corpus and Uterus, NOS									694	27.7	25.7	29.9
Ovary									329	13.3	11.9	14.9
Prostate					3,151	159.0	153.3	164.8				
Testis					124	5.4	4.5	6.5				
Urinary Bladder (includes *in situ*)	951	22.6	21.1	24.1	693	39.3	36.3	42.4	258	10.4	9.2	11.8
Kidney and Renal Pelvis	633	14.3	13.1	15.4	371	18.1	16.2	20.1	262	11.0	9.7	12.5
Brain and Nervous System	334	7.4	6.6	8.3	170	8.1	6.9	9.5	164	7.0	5.9	8.1
Hodgkin Lymphoma	128	2.9	2.4	3.4	71	3.2	2.5	4.0	57	2.6	1.9	3.3
Non-Hodgkin Lymphoma	930	21.4	20.0	22.9	473	24.7	22.5	27.1	457	18.8	17.1	20.6
Myeloma	224	5.1	4.5	5.9	134	6.8	5.7	8.1	90	3.7	2.9	4.5
Leukemia	579	13.3	12.2	14.5	323	17.0	15.1	19.0	256	10.6	9.3	12.0
All Other Sites	2,355	52.8	50.7	55.0	1,028	53.6	50.3	57.1	1,327	54.4	51.5	57.5
Breast *in situ* (not in total)									846	34.1	31.8	36.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Edgar County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	603	490.2	451.0	532.0	302	569.5	506.6	638.2	301	439.2	388.4	495.3
Oral Cavity and Pharynx	9	7.6	3.4	14.9	7	13.4	5.3	28.2	2	3.1	0.4	12.6
Esophagus	9	7.0	3.1	13.8	5	8.5	2.7	20.8	4	5.2	1.3	15.6
Stomach	14	11.4	6.2	19.6	10	19.3	9.2	36.0	4	5.5	1.4	16.1
Colon and Rectum	69	53.9	41.8	68.8	33	60.2	41.4	85.2	36	46.5	32.1	66.2
Liver	4	3.3	0.9	9.0	4	7.1	1.9	19.1	0	0.0	0.0	7.9
Pancreas	15	12.5	6.9	21.1	10	19.6	9.3	36.5	5	6.7	2.1	17.6
Lung and Bronchus	86	67.6	53.9	84.1	58	110.6	83.8	143.6	28	38.2	25.0	56.8
Bones and Joints	1	1.2	0.0	6.2	1	2.2	0.1	12.1	0	0.0	0.0	7.9
Melanoma of the Skin	25	21.6	13.8	32.4	13	24.5	12.9	42.6	12	18.3	9.2	33.4
Breast (invasive)	83	69.9	55.3	87.3	0	0.0	0.0	8.1	83	129.5	101.9	162.8
Cervix									7	15.5	6.1	32.1
Corpus and Uterus, NOS									18	27.5	15.6	45.5
Ovary									8	9.8	4.1	21.3
Prostate					78	144.9	114.4	181.4				
Testis					2	3.7	0.4	14.1				
Urinary Bladder (includes *in situ*)	20	15.9	9.6	25.2	15	28.2	15.7	47.2	5	7.2	2.2	18.6
Kidney and Renal Pelvis	33	25.9	17.7	37.0	19	35.6	21.3	56.1	14	18.2	9.6	32.5
Brain and Nervous System	10	9.5	4.5	17.8	3	6.0	1.2	18.0	7	13.3	5.1	28.2
Hodgkin Lymphoma	3	3.1	0.6	9.3	2	4.6	0.6	16.3	1	1.0	0.0	9.2
Non-Hodgkin Lymphoma	16	13.5	7.6	22.5	8	15.4	6.6	30.9	8	11.6	4.5	25.1
Myeloma	5	3.6	1.1	9.2	3	5.6	1.1	17.0	2	2.5	0.3	11.4
Leukemia	18	14.3	8.3	23.3	9	17.4	7.9	33.5	9	13.4	5.5	27.6
All Other Sites	70	54.7	42.4	69.8	22	42.8	26.7	65.2	48	66.3	48.2	89.8
Breast *in situ* (not in total)									23	37.3	23.4	57.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Edwards County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	216	482.5	418.7	553.9	122	606.5	502.2	727.4	94	396.8	317.1	492.1
Oral Cavity and Pharynx	1	2.1	0.1	14.7	1	4.3	0.1	29.9	0	0.0	0.0	22.9
Esophagus	5	10.5	3.4	26.6	4	19.7	5.2	53.8	1	3.8	0.1	28.5
Stomach	2	4.3	0.5	18.1	2	9.4	1.1	38.3	0	0.0	0.0	22.9
Colon and Rectum	27	59.4	38.8	88.1	15	70.4	39.1	119.1	12	51.2	25.5	94.2
Liver	1	3.8	0.1	19.1	1	7.2	0.2	37.7	0	0.0	0.0	22.9
Pancreas	7	15.7	6.2	34.1	3	14.9	3.0	46.8	4	16.2	4.1	46.9
Lung and Bronchus	45	93.3	67.7	126.6	30	147.1	98.8	212.7	15	50.8	28.2	89.0
Bones and Joints	0	0.0	0.0	11.4	0	0.0	0.0	23.3	0	0.0	0.0	22.9
Melanoma of the Skin	6	12.1	4.4	28.6	2	10.2	1.2	40.0	4	14.6	3.9	43.4
Breast (invasive)	27	64.6	41.9	95.9	0	0.0	0.0	23.3	27	122.7	79.0	183.3
Cervix									2	7.8	0.9	34.2
Corpus and Uterus, NOS									6	32.4	11.0	73.8
Ovary									1	3.8	0.1	28.5
Prostate					21	95.9	59.2	149.6				
Testis					1	7.9	0.2	39.8				
Urinary Bladder (includes *in situ*)	14	30.2	16.4	52.3	11	56.5	28.0	103.4	3	13.0	2.7	42.4
Kidney and Renal Pelvis	8	17.0	7.3	35.4	6	28.4	10.4	65.1	2	6.9	0.8	32.4
Brain and Nervous System	4	11.8	3.0	31.0	3	15.6	3.0	48.8	1	7.7	0.2	38.7
Hodgkin Lymphoma	2	4.5	0.5	18.5	2	9.1	1.1	37.5	0	0.0	0.0	22.9
Non-Hodgkin Lymphoma	8	18.1	7.7	37.4	5	25.3	8.1	61.9	3	11.6	2.3	39.8
Myeloma	3	7.8	1.4	24.5	3	18.3	3.7	54.1	0	0.0	0.0	22.9
Leukemia	3	7.8	1.4	24.5	3	18.7	3.8	55.0	0	0.0	0.0	22.9
All Other Sites	22	49.0	30.3	76.1	9	47.5	21.4	92.5	13	54.4	28.1	97.5
Breast *in situ* (not in total)									4	16.0	4.3	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Effingham County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	985	502.2	471.1	534.9	530	612.2	560.8	667.0	455	430.4	390.9	473.0
Oral Cavity and Pharynx	15	7.4	4.1	12.4	13	15.7	8.3	26.9	2	1.5	0.2	6.6
Esophagus	12	6.0	3.1	10.6	10	10.8	5.2	20.1	2	1.3	0.2	6.0
Stomach	8	4.0	1.7	8.0	6	6.8	2.5	14.9	2	1.7	0.2	7.0
Colon and Rectum	107	53.3	43.6	64.6	52	60.6	45.2	79.7	55	48.6	36.4	63.9
Liver	6	3.1	1.1	6.9	5	5.9	1.9	13.8	1	1.3	0.0	6.8
Pancreas	25	12.2	7.9	18.1	13	15.0	7.9	25.7	12	9.1	4.6	16.7
Lung and Bronchus	135	69.1	57.9	81.9	79	91.5	72.3	114.2	56	52.8	39.6	69.1
Bones and Joints	1	0.6	0.0	3.2	1	1.2	0.0	6.8	0	0.0	0.0	4.2
Melanoma of the Skin	42	22.3	16.1	30.3	24	27.4	17.5	41.0	18	19.4	11.4	30.9
Breast (invasive)	139	72.3	60.7	85.6	0	0.0	0.0	4.4	139	136.5	114.3	161.8
Cervix									6	6.4	2.3	14.1
Corpus and Uterus, NOS									32	30.2	20.6	43.0
Ovary									11	10.0	4.8	18.5
Prostate					169	193.1	164.9	224.8				
Testis					3	3.9	0.8	11.2				
Urinary Bladder (includes *in situ*)	54	26.2	19.7	34.4	42	50.6	36.4	68.5	12	10.0	5.1	18.2
Kidney and Renal Pelvis	35	17.8	12.4	24.9	25	29.3	18.9	43.4	10	8.3	3.9	16.0
Brain and Nervous System	15	7.9	4.4	13.2	10	11.3	5.4	21.0	5	5.1	1.6	12.2
Hodgkin Lymphoma	1	0.6	0.0	3.2	1	1.1	0.0	6.5	0	0.0	0.0	4.2
Non-Hodgkin Lymphoma	45	23.2	16.9	31.3	23	26.8	16.9	40.4	22	20.3	12.5	31.2
Myeloma	14	7.4	4.0	12.6	8	9.4	4.0	18.6	6	6.0	2.2	13.3
Leukemia	16	7.9	4.5	13.0	10	11.7	5.6	21.7	6	5.5	2.0	12.4
All Other Sites	94	48.3	39.0	59.3	36	40.0	27.9	55.6	58	56.5	42.6	73.7
Breast *in situ* (not in total)									23	22.0	13.9	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Fayette County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	629	495.4	457.2	536.1	348	625.4	560.7	695.7	281	414.5	366.0	468.0
Oral Cavity and Pharynx	15	12.2	6.8	20.4	9	15.7	7.2	30.1	6	10.2	3.6	23.0
Esophagus	4	3.0	0.8	8.1	4	6.9	1.9	18.0	0	0.0	0.0	7.2
Stomach	7	5.2	2.1	11.1	3	5.4	1.1	16.1	4	4.9	1.3	14.3
Colon and Rectum	73	55.3	43.3	69.8	40	71.9	51.1	98.4	33	44.7	30.5	64.0
Liver	8	6.2	2.7	12.5	7	11.8	4.7	24.7	1	1.4	0.0	9.4
Pancreas	15	11.1	6.2	18.7	8	14.0	6.0	27.9	7	7.7	3.0	17.7
Lung and Bronchus	101	79.0	64.3	96.3	57	103.4	78.1	134.4	44	62.4	45.1	84.7
Bones and Joints	0	0.0	0.0	3.5	0	0.0	0.0	7.1	0	0.0	0.0	7.2
Melanoma of the Skin	25	20.5	13.2	30.5	18	31.4	18.6	50.0	7	10.7	4.0	23.5
Breast (invasive)	73	59.4	46.4	75.0	1	1.7	0.0	10.1	72	113.1	87.8	143.7
Cervix									4	5.9	1.5	16.2
Corpus and Uterus, NOS									16	26.3	14.8	43.4
Ovary									8	10.3	4.4	21.8
Prostate					104	184.5	150.4	224.2				
Testis					3	5.4	1.1	16.0				
Urinary Bladder (includes *in situ*)	26	19.4	12.7	28.8	22	43.5	26.9	66.2	4	4.8	1.3	14.1
Kidney and Renal Pelvis	28	23.2	15.4	33.8	16	27.4	15.6	44.9	12	18.6	9.2	33.7
Brain and Nervous System	7	5.5	2.2	11.6	2	3.8	0.5	13.8	5	7.3	2.4	18.0
Hodgkin Lymphoma	2	1.7	0.2	6.3	2	3.4	0.4	12.9	0	0.0	0.0	7.2
Non-Hodgkin Lymphoma	27	21.9	14.4	32.1	14	24.0	13.1	40.7	13	19.6	10.2	34.6
Myeloma	4	3.0	0.8	8.1	3	5.7	1.2	16.7	1	0.9	0.0	8.4
Leukemia	13	10.5	5.5	18.3	5	11.2	3.5	25.7	8	11.0	4.7	22.8
All Other Sites	66	52.5	40.5	67.2	30	54.4	36.4	78.3	36	54.9	37.8	77.5
Breast *in situ* (not in total)									16	28.2	15.9	46.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Ford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	509	564.9	515.5	617.9	270	693.7	612.9	782.6	239	487.1	423.4	558.2
Oral Cavity and Pharynx	10	10.9	5.2	20.7	7	18.2	7.3	38.2	3	6.5	1.3	20.6
Esophagus	11	12.1	6.0	22.3	9	23.0	10.5	44.5	2	4.0	0.5	16.6
Stomach	4	4.3	1.1	12.0	4	10.1	2.7	26.9	0	0.0	0.0	10.5
Colon and Rectum	63	66.5	50.6	86.2	32	84.5	57.7	119.9	31	57.0	37.3	84.3
Liver	4	4.2	1.1	11.6	2	4.5	0.5	18.1	2	3.2	0.4	15.0
Pancreas	9	9.9	4.5	19.5	9	22.5	10.3	43.6	0	0.0	0.0	10.5
Lung and Bronchus	68	74.2	57.4	94.6	33	83.7	57.6	118.2	35	72.7	50.2	102.8
Bones and Joints	1	0.7	0.0	6.2	0	0.0	0.0	11.0	1	0.9	0.0	11.4
Melanoma of the Skin	19	24.8	14.5	39.6	11	31.7	15.4	57.5	8	18.7	7.3	39.2
Breast (invasive)	65	72.4	55.3	93.5	0	0.0	0.0	11.0	65	131.8	99.7	171.6
Cervix									6	19.6	6.8	42.6
Corpus and Uterus, NOS									8	16.4	6.9	34.1
Ovary									3	5.6	1.0	19.1
Prostate					66	164.8	127.4	210.4				
Testis					2	7.7	0.9	25.9				
Urinary Bladder (includes *in situ*)	23	23.7	14.7	36.5	19	50.0	30.0	78.8	4	4.5	1.1	16.1
Kidney and Renal Pelvis	20	23.4	14.1	36.7	9	24.9	11.2	47.9	11	24.1	11.9	44.5
Brain and Nervous System	8	10.0	4.2	20.2	4	10.0	2.7	26.6	4	10.4	2.6	27.7
Hodgkin Lymphoma	1	1.9	0.0	9.4	0	0.0	0.0	11.0	1	3.7	0.1	18.3
Non-Hodgkin Lymphoma	29	30.5	20.2	44.6	15	37.6	21.0	62.7	14	25.9	13.5	46.1
Myeloma	4	3.8	1.0	10.9	2	4.8	0.6	18.7	2	2.3	0.3	13.3
Leukemia	17	17.8	10.1	29.4	11	28.6	14.2	51.9	6	11.2	3.6	27.4
All Other Sites	68	75.1	58.0	95.9	35	87.1	60.5	121.9	33	68.7	46.3	98.8
Breast *in situ* (not in total)									16	33.5	18.9	55.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Franklin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,463	560.4	531.4	590.6	779	691.7	643.4	742.8	684	480.3	443.4	519.6
Oral Cavity and Pharynx	44	17.8	12.8	24.2	33	29.2	20.0	41.5	11	8.6	4.1	16.1
Esophagus	14	5.1	2.8	8.8	12	10.2	5.3	18.3	2	1.0	0.1	5.2
Stomach	9	3.1	1.4	6.3	4	3.1	0.8	8.5	5	2.9	0.9	7.8
Colon and Rectum	180	68.0	58.2	79.0	97	86.0	69.6	105.3	83	55.2	43.5	69.4
Liver	16	5.9	3.4	9.9	8	6.9	3.0	14.0	8	5.4	2.2	11.3
Pancreas	35	13.2	9.1	18.7	16	15.0	8.5	24.7	19	11.3	6.6	18.6
Lung and Bronchus	292	108.3	96.1	121.8	170	152.3	130.1	177.4	122	80.6	66.6	97.0
Bones and Joints	2	0.9	0.1	3.4	1	1.1	0.0	6.0	1	1.2	0.0	6.2
Melanoma of the Skin	54	22.2	16.5	29.2	29	27.4	18.2	39.7	25	19.6	12.4	29.6
Breast (invasive)	158	64.1	54.3	75.4	1	0.7	0.0	5.1	157	117.5	99.1	138.6
Cervix									15	13.1	7.1	22.2
Corpus and Uterus, NOS									34	25.2	17.1	36.0
Ovary									25	17.8	11.3	27.0
Prostate					179	154.6	132.5	179.4				
Testis					7	7.7	3.1	15.8				
Urinary Bladder (includes *in situ*)	67	23.9	18.5	30.5	52	44.2	32.9	58.4	15	9.0	5.0	15.7
Kidney and Renal Pelvis	50	18.8	13.9	25.1	28	24.0	15.9	35.1	22	15.0	9.2	23.5
Brain and Nervous System	29	12.8	8.5	18.6	16	16.1	9.1	26.3	13	9.7	5.0	17.3
Hodgkin Lymphoma	2	1.1	0.1	3.8	2	2.2	0.3	7.8	0	0.0	0.0	3.7
Non-Hodgkin Lymphoma	66	25.5	19.6	32.8	34	30.4	20.9	42.8	32	22.1	14.8	32.1
Myeloma	10	3.4	1.6	6.6	5	4.4	1.4	10.6	5	2.3	0.7	6.7
Leukemia	42	16.3	11.6	22.4	21	19.0	11.7	29.4	21	14.4	8.7	22.9
All Other Sites	133	51.2	42.7	61.1	64	57.1	43.8	73.4	69	48.2	37.1	61.9
Breast *in situ* (not in total)									28	22.7	14.9	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Fulton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,307	543.2	513.7	574.2	725	666.8	618.9	717.5	582	457.4	419.1	498.4
Oral Cavity and Pharynx	19	8.4	5.0	13.4	14	13.3	7.2	22.5	5	3.8	1.1	10.0
Esophagus	25	10.5	6.7	15.7	19	17.6	10.6	27.8	6	4.8	1.6	11.6
Stomach	11	4.6	2.3	8.6	9	8.7	4.0	16.7	2	0.9	0.1	5.3
Colon and Rectum	180	73.3	62.8	85.1	91	84.2	67.7	103.6	89	63.3	50.2	79.1
Liver	12	4.8	2.4	8.6	7	6.3	2.5	13.3	5	3.2	1.0	8.6
Pancreas	46	18.1	13.2	24.4	20	18.5	11.2	28.8	26	16.5	10.6	25.2
Lung and Bronchus	228	91.4	79.7	104.3	132	120.4	100.7	143.1	96	71.2	57.3	87.9
Bones and Joints	1	0.4	0.0	2.7	0	0.0	0.0	3.9	1	0.7	0.0	5.3
Melanoma of the Skin	52	22.9	17.0	30.3	31	28.4	19.2	40.6	21	20.9	12.6	32.7
Breast (invasive)	141	61.6	51.7	73.0	2	2.1	0.2	7.6	139	116.0	96.8	138.2
Cervix									13	13.8	7.0	24.3
Corpus and Uterus, NOS									31	26.9	18.1	38.8
Ovary									20	14.2	8.5	22.9
Prostate					188	170.8	147.2	197.3				
Testis					5	5.2	1.7	12.2				
Urinary Bladder (includes *in situ*)	73	29.1	22.8	36.9	58	52.5	39.8	68.1	15	11.4	6.3	19.6
Kidney and Renal Pelvis	38	16.7	11.7	23.1	27	25.6	16.8	37.4	11	9.7	4.7	18.1
Brain and Nervous System	13	6.0	3.2	10.5	9	8.9	4.1	17.1	4	3.5	0.8	10.0
Hodgkin Lymphoma	5	2.7	0.9	6.3	3	2.7	0.6	8.3	2	2.1	0.2	7.9
Non-Hodgkin Lymphoma	45	18.7	13.5	25.4	27	25.4	16.7	37.2	18	12.2	7.1	20.3
Myeloma	9	3.1	1.4	6.3	3	2.6	0.5	8.0	6	3.7	1.3	9.3
Leukemia	33	13.0	8.9	18.6	22	19.4	12.1	29.7	11	8.0	3.8	15.5
All Other Sites	119	50.1	41.3	60.3	58	54.1	41.1	70.2	61	50.5	38.0	66.1
Breast *in situ* (not in total)									19	15.7	9.2	25.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Gallatin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	236	565.2	493.0	645.9	129	683.5	567.3	818.2	107	479.5	388.0	587.9
Oral Cavity and Pharynx	5	10.6	3.4	27.5	4	18.5	5.0	53.0	1	3.7	0.1	30.0
Esophagus	1	2.3	0.1	16.1	1	5.0	0.1	34.0	0	0.0	0.0	25.0
Stomach	3	7.9	1.6	24.9	1	5.0	0.1	34.0	2	10.4	1.2	41.5
Colon and Rectum	28	63.7	41.7	94.6	15	92.6	51.5	154.6	13	49.5	24.8	92.2
Liver	1	2.4	0.1	16.2	0	0.0	0.0	26.1	1	4.4	0.1	31.6
Pancreas	4	8.8	2.4	25.3	3	13.6	2.7	46.1	1	3.6	0.1	29.9
Lung and Bronchus	56	123.5	92.8	162.7	30	153.2	102.3	223.0	26	105.5	67.6	160.3
Bones and Joints	0	0.0	0.0	12.6	0	0.0	0.0	26.1	0	0.0	0.0	25.0
Melanoma of the Skin	10	25.4	11.8	48.8	9	44.3	20.0	88.4	1	8.5	0.2	42.5
Breast (invasive)	26	69.0	44.2	103.2	0	0.0	0.0	26.1	26	127.0	80.5	192.1
Cervix									1	4.6	0.1	32.1
Corpus and Uterus, NOS									8	38.5	16.0	80.5
Ovary									4	16.8	3.4	52.0
Prostate					27	127.6	83.2	190.4				
Testis					2	17.6	2.1	59.6				
Urinary Bladder (includes *in situ*)	12	28.4	14.4	51.8	9	50.0	22.4	98.4	3	12.4	2.6	42.6
Kidney and Renal Pelvis	14	36.9	19.5	64.2	11	62.8	30.1	116.8	3	12.6	2.6	43.0
Brain and Nervous System	3	6.7	1.4	22.5	1	5.0	0.1	34.1	2	8.3	1.0	37.0
Hodgkin Lymphoma	1	1.8	0.0	15.1	0	0.0	0.0	26.1	1	3.7	0.1	30.0
Non-Hodgkin Lymphoma	9	24.2	10.7	47.8	3	18.8	3.5	57.8	6	27.1	9.6	64.1
Myeloma	4	8.0	2.2	23.8	3	13.0	2.6	44.8	1	2.3	0.1	27.4
Leukemia	6	13.6	4.9	31.9	3	16.9	3.4	52.9	3	13.3	2.7	44.4
All Other Sites	11	32.8	15.9	60.3	7	39.6	15.1	85.9	4	27.3	7.1	70.4
Breast *in situ* (not in total)									6	32.8	11.2	75.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Greene County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	470	529.1	481.5	580.4	247	628.6	552.2	713.0	223	463.2	402.1	531.7
Oral Cavity and Pharynx	10	12.0	5.7	22.6	7	18.1	7.2	38.0	3	7.5	1.5	22.7
Esophagus	5	5.8	1.9	14.1	5	12.5	4.0	30.1	0	0.0	0.0	10.6
Stomach	3	3.6	0.7	11.1	3	7.8	1.6	23.5	0	0.0	0.0	10.6
Colon and Rectum	53	58.4	43.6	77.1	24	60.8	38.9	91.1	29	58.6	38.7	86.1
Liver	3	3.5	0.7	10.8	3	7.4	1.5	22.7	0	0.0	0.0	10.6
Pancreas	19	21.3	12.6	33.9	6	16.3	6.0	36.1	13	26.5	13.8	47.3
Lung and Bronchus	83	93.2	74.0	116.1	48	119.5	88.0	159.1	35	74.9	51.6	105.9
Bones and Joints	1	0.8	0.0	6.4	1	2.7	0.1	15.8	0	0.0	0.0	10.6
Melanoma of the Skin	15	19.6	10.8	32.8	9	25.3	11.4	48.7	6	14.0	4.9	32.1
Breast (invasive)	49	56.7	41.7	75.6	0	0.0	0.0	10.9	49	105.8	77.3	141.9
Cervix									6	14.2	4.9	32.5
Corpus and Uterus, NOS									20	41.6	25.1	65.8
Ovary									2	3.5	0.4	15.6
Prostate					67	166.1	128.7	211.6				
Testis					1	3.9	0.1	19.2				
Urinary Bladder (includes *in situ*)	31	32.1	21.7	46.2	20	49.4	30.1	77.0	11	19.9	9.7	37.9
Kidney and Renal Pelvis	12	13.0	6.7	23.3	8	19.7	8.5	39.7	4	7.3	1.9	21.3
Brain and Nervous System	4	5.4	1.4	14.2	2	5.0	0.6	19.2	2	5.9	0.6	21.7
Hodgkin Lymphoma	3	5.0	1.0	14.2	2	6.6	0.8	23.3	1	3.6	0.1	18.1
Non-Hodgkin Lymphoma	19	21.8	13.0	34.6	8	21.2	9.1	42.4	11	23.8	11.6	44.2
Myeloma	5	5.5	1.8	13.5	3	7.6	1.6	23.1	2	3.3	0.4	15.2
Leukemia	19	21.6	12.8	34.4	12	32.2	16.6	56.9	7	11.4	4.4	26.4
All Other Sites	40	45.1	31.9	62.2	18	46.6	27.4	74.4	22	41.5	24.9	65.8
Breast *in situ* (not in total)									11	24.0	11.9	44.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Grundy County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,192	555.1	523.7	587.8	651	673.4	621.5	728.3	541	465.3	426.6	506.5
Oral Cavity and Pharynx	22	9.8	6.1	14.9	20	18.4	11.1	28.7	2	1.4	0.2	5.6
Esophagus	18	7.9	4.7	12.6	16	15.8	8.9	25.8	2	1.7	0.2	6.1
Stomach	17	7.9	4.5	12.6	9	9.4	4.2	17.9	8	6.6	2.8	13.1
Colon and Rectum	141	66.2	55.6	78.2	78	84.7	66.6	106.0	63	52.4	40.2	67.3
Liver	14	6.1	3.3	10.3	9	7.9	3.6	15.3	5	4.0	1.3	9.6
Pancreas	38	18.0	12.7	24.7	18	18.3	10.7	29.0	20	17.0	10.4	26.4
Lung and Bronchus	175	82.3	70.5	95.6	97	102.1	82.4	124.9	78	68.5	54.0	85.6
Bones and Joints	4	1.8	0.5	4.6	4	3.5	0.9	9.1	0	0.0	0.0	3.3
Melanoma of the Skin	47	20.6	15.1	27.5	29	26.0	17.3	37.6	18	15.1	8.9	24.0
Breast (invasive)	146	67.6	57.0	79.6	0	0.0	0.0	3.5	146	127.7	107.7	150.3
Cervix									12	10.4	5.3	18.2
Corpus and Uterus, NOS									32	27.9	19.0	39.4
Ovary									18	15.4	9.1	24.5
Prostate					152	158.6	133.9	186.4				
Testis					8	7.1	3.0	14.1				
Urinary Bladder (includes *in situ*)	59	28.0	21.2	36.1	48	51.5	37.7	68.5	11	9.5	4.7	17.2
Kidney and Renal Pelvis	44	20.5	14.8	27.5	29	29.1	19.3	42.0	15	12.9	7.2	21.4
Brain and Nervous System	16	7.3	4.2	11.9	6	6.4	2.3	13.8	10	8.8	4.2	16.3
Hodgkin Lymphoma	5	2.2	0.7	5.2	4	3.8	1.0	9.8	1	0.9	0.0	4.9
Non-Hodgkin Lymphoma	52	24.9	18.6	32.7	26	27.2	17.6	40.0	26	22.6	14.7	33.3
Myeloma	12	5.5	2.8	9.7	8	8.0	3.4	15.9	4	3.5	0.9	9.0
Leukemia	28	13.3	8.8	19.3	21	22.1	13.5	33.8	7	5.7	2.3	12.0
All Other Sites	132	61.2	51.2	72.7	69	73.5	56.8	93.4	63	53.2	40.7	68.3
Breast *in situ* (not in total)									14	12.1	6.6	20.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Hamilton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	253	435.6	382.4	495.0	140	537.6	451.6	636.6	113	368.3	300.3	448.5
Oral Cavity and Pharynx	1	1.4	0.0	11.0	1	3.5	0.1	24.0	0	0.0	0.0	18.3
Esophagus	4	6.9	1.9	19.3	3	11.1	2.3	35.7	1	3.4	0.1	23.5
Stomach	3	4.6	0.9	15.9	3	11.5	2.4	36.5	0	0.0	0.0	18.3
Colon and Rectum	33	50.9	34.8	73.1	21	78.9	48.7	122.6	12	32.5	16.1	61.8
Liver	1	2.4	0.1	13.6	1	5.0	0.1	27.9	0	0.0	0.0	18.3
Pancreas	7	12.1	4.8	26.3	4	15.0	4.1	41.3	3	9.7	2.0	32.4
Lung and Bronchus	47	79.3	58.1	106.7	26	97.9	63.9	145.4	21	67.5	41.3	106.3
Bones and Joints	0	0.0	0.0	9.2	0	0.0	0.0	18.7	0	0.0	0.0	18.3
Melanoma of the Skin	10	18.8	8.5	36.5	8	33.1	13.9	67.6	2	7.8	0.5	32.8
Breast (invasive)	27	48.2	31.2	71.9	0	0.0	0.0	18.7	27	90.4	57.9	136.3
Cervix									4	18.0	4.4	48.2
Corpus and Uterus, NOS									9	27.6	12.4	56.1
Ovary									4	16.1	4.0	43.9
Prostate					26	98.0	64.0	145.6				
Testis					1	4.2	0.1	25.9				
Urinary Bladder (includes *in situ*)	16	29.0	16.2	48.7	14	57.1	30.9	97.9	2	4.8	0.5	24.8
Kidney and Renal Pelvis	7	12.3	4.7	27.2	4	16.5	4.3	44.7	3	8.6	1.6	30.7
Brain and Nervous System	3	5.3	1.1	17.1	1	3.9	0.1	25.1	2	7.0	0.8	28.9
Hodgkin Lymphoma	1	2.1	0.1	12.7	1	4.2	0.1	25.9	0	0.0	0.0	18.3
Non-Hodgkin Lymphoma	5	8.1	2.6	20.8	3	10.7	2.2	34.7	2	4.8	0.5	24.8
Myeloma	3	5.2	1.1	17.0	1	3.9	0.1	25.1	2	6.7	0.8	28.3
Leukemia	8	11.6	5.0	25.1	6	22.7	8.3	51.9	2	5.5	0.6	26.0
All Other Sites	33	57.6	39.3	82.3	16	60.5	34.5	100.3	17	57.9	32.9	96.4
Breast *in situ* (not in total)									4	17.6	4.3	47.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Hancock County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	642	497.3	458.5	538.8	354	614.1	551.1	682.8	288	428.3	377.5	484.6
Oral Cavity and Pharynx	11	8.4	4.1	15.7	7	12.3	4.8	26.4	4	4.7	1.3	14.5
Esophagus	8	5.9	2.5	12.4	7	11.5	4.6	24.9	1	1.5	0.0	10.3
Stomach	7	5.0	2.0	11.0	5	8.7	2.8	21.3	2	2.1	0.2	10.9
Colon and Rectum	75	54.1	42.3	68.6	39	68.7	48.6	95.0	36	42.5	29.5	60.7
Liver	2	2.4	0.3	8.7	2	4.8	0.5	17.2	0	0.0	0.0	8.1
Pancreas	12	9.8	4.8	18.1	7	13.2	5.1	28.2	5	7.3	1.9	19.7
Lung and Bronchus	106	79.0	64.5	96.1	58	99.0	75.0	128.8	48	67.8	49.7	91.3
Bones and Joints	1	0.8	0.0	5.4	0	0.0	0.0	8.3	1	1.7	0.0	10.9
Melanoma of the Skin	31	27.0	18.0	39.0	15	25.1	14.0	42.4	16	29.6	16.2	49.5
Breast (invasive)	64	53.9	41.1	69.7	1	2.5	0.1	13.3	63	99.8	75.5	129.9
Cervix									3	8.3	1.6	23.2
Corpus and Uterus, NOS									20	30.5	18.1	48.7
Ovary									9	15.3	6.3	31.0
Prostate					109	184.1	150.9	223.0				
Testis					2	5.7	0.7	19.1				
Urinary Bladder (includes *in situ*)	34	24.2	16.7	34.4	23	38.9	24.6	59.3	11	14.7	7.3	28.0
Kidney and Renal Pelvis	18	14.2	8.4	23.0	13	22.5	11.9	39.4	5	6.9	2.1	18.0
Brain and Nervous System	5	4.2	1.3	10.3	4	6.8	1.8	18.6	1	2.3	0.1	12.5
Hodgkin Lymphoma	3	3.3	0.6	9.9	2	4.4	0.5	16.1	1	3.1	0.1	14.8
Non-Hodgkin Lymphoma	25	18.9	12.1	28.5	12	22.2	11.4	39.5	13	16.9	8.9	30.6
Myeloma	6	4.5	1.6	10.4	3	5.4	1.1	16.9	3	3.9	0.8	13.5
Leukemia	19	14.0	8.3	22.6	12	21.4	11.0	38.3	7	9.2	3.5	20.8
All Other Sites	72	56.4	43.8	71.9	33	56.8	39.0	80.6	39	60.3	41.9	84.6
Breast *in situ* (not in total)									20	30.5	18.5	48.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Hardin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	142	431.3	361.8	511.7	85	567.8	451.3	708.0	57	322.1	240.9	426.0
Oral Cavity and Pharynx	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Esophagus	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Stomach	0	0.0	0.0	17.2	0	0.0	0.0	34.4	0	0.0	0.0	35.2
Colon and Rectum	15	44.1	24.6	75.5	8	57.3	24.5	117.2	7	37.8	15.1	86.3
Liver	1	2.7	0.1	21.1	0	0.0	0.0	34.4	1	5.3	0.1	42.5
Pancreas	7	23.6	9.3	51.3	6	45.4	16.4	102.5	1	5.6	0.1	43.2
Lung and Bronchus	34	97.0	67.0	138.3	25	153.9	98.8	233.1	9	47.8	21.7	98.8
Bones and Joints	1	2.8	0.1	21.2	1	7.6	0.2	47.2	0	0.0	0.0	35.2
Melanoma of the Skin	8	26.1	11.0	54.3	4	30.0	7.9	81.0	4	21.5	5.7	65.0
Breast (invasive)	19	62.9	37.0	101.6	0	0.0	0.0	34.4	19	124.1	71.8	202.6
Cervix									0	0.0	0.0	35.2
Corpus and Uterus, NOS									3	14.3	2.9	53.9
Ovary									1	5.2	0.1	42.2
Prostate					10	66.4	31.0	128.1				
Testis					1	9.5	0.2	52.3				
Urinary Bladder (includes *in situ*)	7	21.8	8.7	48.0	6	42.7	15.6	97.4	1	4.8	0.1	41.5
Kidney and Renal Pelvis	6	21.0	7.3	48.7	5	36.9	11.6	90.9	1	6.6	0.2	45.4
Brain and Nervous System	3	8.7	1.8	29.7	3	20.2	4.0	65.6	0	0.0	0.0	35.2
Hodgkin Lymphoma	0	0.0	0.0	17.2	0	0.0	0.0	34.4	0	0.0	0.0	35.2
Non-Hodgkin Lymphoma	6	17.0	6.2	40.8	4	25.5	6.7	72.2	2	11.1	1.3	50.8
Myeloma	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Leukemia	1	2.8	0.1	21.2	1	7.6	0.2	47.2	0	0.0	0.0	35.2
All Other Sites	16	45.5	25.9	76.9	8	48.7	20.6	102.8	8	38.0	16.3	84.6
Breast *in situ* (not in total)									1	6.6	0.2	45.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Henderson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	254	465.5	409.1	528.4	155	619.5	523.1	730.3	99	358.3	288.7	441.6
Oral Cavity and Pharynx	4	7.1	1.9	20.7	3	12.7	2.4	41.5	1	3.6	0.1	26.2
Esophagus	2	2.9	0.4	14.4	2	5.8	0.7	29.4	0	0.0	0.0	20.9
Stomach	2	3.8	0.5	16.1	1	4.1	0.1	28.1	1	2.6	0.1	24.2
Colon and Rectum	29	51.7	34.5	75.9	18	70.2	41.2	114.7	11	34.7	17.3	66.7
Liver	1	2.0	0.1	13.6	1	3.7	0.1	27.3	0	0.0	0.0	20.9
Pancreas	5	9.3	3.0	23.8	2	7.6	0.9	32.9	3	11.4	2.3	37.6
Lung and Bronchus	50	87.3	64.7	116.7	33	127.2	86.4	183.0	17	56.1	32.5	93.8
Bones and Joints	0	0.0	0.0	10.5	0	0.0	0.0	21.8	0	0.0	0.0	20.9
Melanoma of the Skin	5	10.8	3.4	26.8	2	7.6	0.9	32.9	3	13.8	2.6	43.3
Breast (invasive)	26	53.2	34.2	79.8	0	0.0	0.0	21.8	26	100.3	64.1	151.4
Cervix									1	4.5	0.1	28.3
Corpus and Uterus, NOS									7	24.8	9.8	55.6
Ovary									3	10.1	2.1	35.1
Prostate					43	162.5	116.6	223.1				
Testis					0	0.0	0.0	21.8				
Urinary Bladder (includes *in situ*)	20	36.6	22.3	58.1	17	78.6	44.8	129.3	3	10.9	2.2	36.7
Kidney and Renal Pelvis	7	12.7	5.1	28.3	5	19.7	6.2	50.7	2	7.5	0.9	32.3
Brain and Nervous System	1	2.0	0.1	13.6	1	3.7	0.1	27.3	0	0.0	0.0	20.9
Hodgkin Lymphoma	0	0.0	0.0	10.5	0	0.0	0.0	21.8	0	0.0	0.0	20.9
Non-Hodgkin Lymphoma	11	19.9	9.9	37.4	10	43.0	20.1	82.8	1	3.5	0.1	26.1
Myeloma	2	3.8	0.5	16.1	1	4.2	0.1	28.4	1	2.6	0.1	24.2
Leukemia	6	11.1	4.0	26.2	4	19.7	5.3	52.6	2	6.0	0.7	29.0
All Other Sites	29	56.5	37.3	83.2	12	49.0	24.8	89.5	17	65.9	36.5	111.1
Breast *in situ* (not in total)									5	18.1	5.8	46.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Henry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,563	490.1	465.7	515.5	819	584.7	544.9	626.7	744	434.0	402.1	467.9
Oral Cavity and Pharynx	40	12.9	9.2	17.8	28	19.1	12.6	27.9	12	7.5	3.8	13.6
Esophagus	22	6.6	4.1	10.2	19	13.1	7.8	20.9	3	1.5	0.3	5.2
Stomach	12	3.7	1.9	6.6	8	5.6	2.4	11.4	4	2.4	0.6	6.6
Colon and Rectum	188	57.1	49.1	66.2	96	70.2	56.7	86.0	92	47.8	38.1	59.5
Liver	11	3.5	1.7	6.5	7	4.6	1.8	9.9	4	2.6	0.6	7.3
Pancreas	43	12.9	9.3	17.5	22	15.5	9.7	23.7	21	10.6	6.5	16.8
Lung and Bronchus	226	69.1	60.3	78.9	123	87.4	72.5	104.6	103	57.6	46.9	70.4
Bones and Joints	1	0.5	0.0	2.7	1	1.1	0.0	5.3	0	0.0	0.0	3.1
Melanoma of the Skin	65	22.0	16.8	28.3	32	22.2	15.1	31.6	33	22.9	15.3	32.9
Breast (invasive)	219	69.9	60.8	80.1	3	2.2	0.4	6.7	216	129.5	112.3	148.8
Cervix									8	6.2	2.5	12.5
Corpus and Uterus, NOS									51	30.7	22.7	40.9
Ovary									23	12.7	7.9	19.7
Prostate					215	149.5	130.0	171.2				
Testis					10	9.3	4.4	16.9				
Urinary Bladder (includes *in situ*)	89	27.0	21.6	33.4	70	50.7	39.4	64.3	19	10.1	5.9	16.6
Kidney and Renal Pelvis	58	17.4	13.2	22.7	34	23.3	16.1	32.9	24	13.7	8.6	20.9
Brain and Nervous System	14	4.7	2.5	8.1	9	6.7	3.0	13.1	5	2.6	0.8	6.8
Hodgkin Lymphoma	9	3.4	1.5	6.5	6	4.0	1.5	9.1	3	2.9	0.6	8.2
Non-Hodgkin Lymphoma	64	20.5	15.7	26.4	36	26.4	18.4	36.8	28	15.6	10.2	23.2
Myeloma	17	5.5	3.2	9.0	13	9.4	5.0	16.3	4	2.6	0.7	7.3
Leukemia	37	11.1	7.8	15.6	25	18.9	12.2	28.0	12	6.0	2.9	11.3
All Other Sites	141	44.8	37.6	53.1	62	45.6	34.9	58.8	79	48.3	37.8	61.1
Breast *in situ* (not in total)									47	29.7	21.7	40.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Iroquois County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	984	489.6	458.8	522.1	523	572.3	524.0	624.2	461	431.7	391.3	475.5
Oral Cavity and Pharynx	26	13.4	8.7	20.0	13	14.9	7.9	26.0	13	11.5	6.0	20.7
Esophagus	11	5.2	2.6	9.7	6	6.2	2.3	14.1	5	4.4	1.4	11.3
Stomach	9	4.0	1.8	8.1	6	6.8	2.5	15.3	3	1.9	0.4	7.7
Colon and Rectum	118	56.5	46.5	68.1	63	66.7	51.2	85.8	55	48.6	35.9	64.8
Liver	10	4.8	2.3	9.2	7	7.3	2.9	15.6	3	2.3	0.5	8.2
Pancreas	29	12.7	8.4	18.6	16	16.8	9.6	27.9	13	10.0	5.2	18.3
Lung and Bronchus	172	83.5	71.4	97.3	99	107.8	87.5	131.6	73	64.9	50.8	82.4
Bones and Joints	1	0.5	0.0	3.3	1	1.1	0.0	7.0	0	0.0	0.0	5.1
Melanoma of the Skin	31	16.4	11.0	23.7	16	17.9	10.2	29.5	15	16.0	8.7	27.4
Breast (invasive)	103	52.8	42.8	64.5	2	2.7	0.3	9.8	101	95.8	77.3	117.8
Cervix									5	4.2	1.3	11.1
Corpus and Uterus, NOS									24	22.4	14.2	34.2
Ovary									12	12.3	6.2	22.3
Prostate					142	152.4	128.3	180.1				
Testis					2	3.4	0.4	11.4				
Urinary Bladder (includes *in situ*)	58	27.3	20.6	35.7	45	49.2	35.8	66.3	13	11.6	5.9	21.2
Kidney and Renal Pelvis	30	15.4	10.3	22.4	14	15.9	8.6	27.3	16	14.7	8.3	24.8
Brain and Nervous System	4	1.7	0.5	5.0	2	1.9	0.2	8.1	2	1.3	0.1	6.9
Hodgkin Lymphoma	4	2.4	0.7	6.4	2	2.5	0.3	9.3	2	2.1	0.3	8.5
Non-Hodgkin Lymphoma	35	17.9	12.3	25.3	17	18.9	11.0	30.7	18	16.7	9.5	27.6
Myeloma	18	9.1	5.3	14.9	10	11.9	5.6	22.4	8	6.9	2.8	14.8
Leukemia	31	16.2	10.9	23.4	16	18.7	10.6	30.9	15	14.9	7.9	25.7
All Other Sites	109	58.5	47.6	71.3	44	49.3	35.7	66.7	65	69.0	52.0	89.9
Breast *in situ* (not in total)									25	25.4	16.2	38.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jackson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,221	465.9	439.8	493.1	628	544.2	502.0	588.9	593	414.1	380.4	450.1
Oral Cavity and Pharynx	30	11.8	7.9	17.0	22	17.9	11.1	27.4	8	6.2	2.6	12.6
Esophagus	18	6.5	3.8	10.3	12	9.9	5.1	17.5	6	4.2	1.5	9.4
Stomach	18	6.9	4.0	11.0	9	8.1	3.7	15.4	9	6.1	2.6	12.1
Colon and Rectum	140	53.5	44.9	63.2	69	61.1	47.4	77.4	71	46.9	36.4	59.7
Liver	12	4.9	2.5	8.6	9	7.6	3.4	14.6	3	2.2	0.4	6.5
Pancreas	34	12.3	8.5	17.3	24	20.0	12.8	29.9	10	5.9	2.8	11.4
Lung and Bronchus	173	65.5	56.0	76.1	92	80.2	64.5	98.5	81	54.1	42.7	67.6
Bones and Joints	2	1.0	0.1	3.5	1	0.8	0.0	4.6	1	1.2	0.0	5.6
Melanoma of the Skin	55	21.9	16.4	28.6	29	25.6	17.1	36.8	26	20.9	13.4	31.0
Breast (invasive)	163	62.5	53.2	73.1	1	1.0	0.0	5.3	162	115.4	97.8	135.2
Cervix									11	8.8	4.3	16.1
Corpus and Uterus, NOS									36	26.0	18.1	36.4
Ovary									20	14.3	8.5	22.5
Prostate					171	146.4	125.1	170.3				
Testis					6	4.9	1.7	10.8				
Urinary Bladder (includes *in situ*)	60	22.3	16.9	28.8	48	42.8	31.5	56.8	12	8.1	4.1	14.5
Kidney and Renal Pelvis	36	14.0	9.8	19.5	24	21.1	13.5	31.4	12	8.9	4.5	15.8
Brain and Nervous System	14	6.0	3.2	10.1	11	9.9	4.9	17.8	3	2.6	0.5	7.6
Hodgkin Lymphoma	4	1.1	0.3	3.3	2	1.0	0.1	4.9	2	1.2	0.1	5.0
Non-Hodgkin Lymphoma	47	18.4	13.5	24.6	24	20.9	13.3	31.1	23	16.4	10.3	25.0
Myeloma	21	8.2	5.0	12.6	9	7.7	3.5	14.7	12	8.0	4.1	14.3
Leukemia	29	10.4	7.0	15.1	20	17.5	10.6	27.1	9	5.3	2.4	10.6
All Other Sites	121	45.9	37.9	55.0	45	39.6	28.8	53.1	76	51.5	40.2	65.2
Breast *in situ* (not in total)									36	26.4	18.3	36.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jasper County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	287	470.6	417.1	529.6	156	551.4	467.8	646.3	131	420.9	349.6	503.3
Oral Cavity and Pharynx	2	3.1	0.4	12.5	0	0.0	0.0	15.5	2	5.3	0.6	23.3
Esophagus	2	3.1	0.4	12.5	2	6.4	0.8	25.6	0	0.0	0.0	15.5
Stomach	4	6.5	1.8	17.7	4	14.2	3.9	37.8	0	0.0	0.0	15.5
Colon and Rectum	23	35.8	22.6	54.5	10	33.2	15.9	62.7	13	35.7	18.7	64.0
Liver	1	1.7	0.0	10.6	1	3.5	0.1	21.4	0	0.0	0.0	15.5
Pancreas	5	7.2	2.3	18.2	3	10.5	2.1	32.3	2	4.9	0.5	22.6
Lung and Bronchus	47	75.0	55.0	100.5	28	101.0	67.0	147.0	19	55.0	32.8	88.4
Bones and Joints	1	1.8	0.0	10.8	1	3.4	0.1	21.3	0	0.0	0.0	15.5
Melanoma of the Skin	16	28.5	16.1	47.0	5	16.8	5.5	41.0	11	40.2	19.4	74.0
Breast (invasive)	28	48.7	32.0	71.2	0	0.0	0.0	15.5	28	95.5	62.6	140.2
Cervix									1	2.9	0.1	20.1
Corpus and Uterus, NOS									15	47.4	26.2	80.4
Ovary									9	30.1	12.9	60.1
Prostate					56	197.0	148.6	256.9				
Testis					0	0.0	0.0	15.5				
Urinary Bladder (includes *in situ*)	18	28.5	16.9	45.9	16	54.4	31.1	89.7	2	5.9	0.7	24.5
Kidney and Renal Pelvis	7	11.5	4.6	24.6	4	14.1	3.8	37.6	3	9.6	2.0	30.3
Brain and Nervous System	2	3.1	0.4	12.5	1	3.1	0.1	20.5	1	3.1	0.1	20.5
Hodgkin Lymphoma	1	1.7	0.0	10.6	0	0.0	0.0	15.5	1	3.5	0.1	21.4
Non-Hodgkin Lymphoma	14	25.1	13.4	42.9	7	26.4	10.5	55.3	7	24.8	9.4	53.4
Myeloma	2	3.4	0.4	13.3	1	3.5	0.1	21.4	1	3.0	0.1	20.1
Leukemia	6	10.5	3.8	23.6	4	15.4	4.1	40.3	2	5.8	0.7	24.6
All Other Sites	27	44.7	29.1	66.0	13	48.5	25.7	83.9	14	48.2	25.7	83.1
Breast *in situ* (not in total)									9	29.3	13.2	57.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jefferson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,197	496.6	468.5	525.9	674	628.8	581.8	678.8	523	403.8	368.8	441.5
Oral Cavity and Pharynx	20	8.5	5.2	13.3	15	13.7	7.6	22.8	5	4.4	1.4	10.6
Esophagus	9	3.9	1.7	7.5	7	6.3	2.5	13.2	2	2.1	0.2	7.6
Stomach	17	6.9	4.0	11.1	9	8.6	3.9	16.4	8	5.4	2.3	11.4
Colon and Rectum	163	66.3	56.4	77.5	83	78.6	62.4	97.7	80	56.5	44.5	71.0
Liver	14	6.0	3.3	10.2	11	10.4	5.1	18.7	3	2.6	0.5	7.9
Pancreas	29	11.7	7.8	17.0	12	11.1	5.7	19.7	17	12.0	6.9	19.8
Lung and Bronchus	195	80.1	69.1	92.3	125	117.4	97.6	140.2	70	51.4	39.9	65.4
Bones and Joints	1	0.5	0.0	2.7	1	1.1	0.0	5.9	0	0.0	0.0	3.8
Melanoma of the Skin	47	20.8	15.2	27.8	32	31.3	21.4	44.4	15	13.1	7.1	22.1
Breast (invasive)	132	55.8	46.6	66.5	0	0.0	0.0	3.7	132	106.3	88.3	127.1
Cervix									14	13.2	7.1	22.4
Corpus and Uterus, NOS									27	22.6	14.7	33.4
Ovary									12	9.1	4.6	16.4
Prostate					189	171.5	147.7	198.2				
Testis					2	1.8	0.2	6.9				
Urinary Bladder (includes *in situ*)	57	22.2	16.7	28.9	41	39.5	28.3	53.8	16	10.4	5.8	17.7
Kidney and Renal Pelvis	49	20.1	14.8	26.8	29	26.1	17.4	37.8	20	15.2	9.1	24.1
Brain and Nervous System	10	4.4	2.1	8.1	4	3.3	0.9	8.8	6	5.1	1.8	11.6
Hodgkin Lymphoma	4	1.9	0.5	5.0	4	3.9	1.0	10.1	0	0.0	0.0	3.8
Non-Hodgkin Lymphoma	45	19.4	14.1	26.1	20	19.0	11.5	29.5	25	20.0	12.7	30.2
Myeloma	11	4.7	2.3	8.6	7	7.2	2.9	14.9	4	2.6	0.7	7.6
Leukemia	27	11.1	7.3	16.4	18	16.2	9.5	25.9	9	7.0	3.1	13.9
All Other Sites	123	51.8	42.9	62.0	65	61.7	47.5	78.8	58	44.9	33.7	59.0
Breast *in situ* (not in total)									19	16.2	9.6	25.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jersey County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	611	468.4	431.8	507.5	314	549.5	489.5	614.9	297	414.7	368.0	466.0
Oral Cavity and Pharynx	16	12.4	7.0	20.4	9	14.3	6.5	27.8	7	10.9	4.3	23.0
Esophagus	9	7.2	3.2	14.0	6	11.0	3.9	24.4	3	4.4	0.9	13.5
Stomach	4	3.2	0.8	8.4	2	3.4	0.4	12.9	2	2.8	0.3	11.4
Colon and Rectum	64	48.2	37.1	61.8	34	58.1	40.0	81.8	30	40.0	26.7	58.2
Liver	9	6.9	3.1	13.3	6	9.4	3.4	21.2	3	3.7	0.7	12.2
Pancreas	18	13.2	7.8	21.2	7	13.3	5.2	27.6	11	13.8	6.8	25.9
Lung and Bronchus	101	76.7	62.4	93.4	61	108.0	82.3	139.3	40	53.9	38.4	74.1
Bones and Joints	3	2.3	0.5	7.1	2	3.1	0.4	12.0	1	1.4	0.0	8.8
Melanoma of the Skin	21	16.3	10.0	25.2	11	20.8	10.2	37.6	10	14.1	6.7	26.8
Breast (invasive)	67	51.7	40.0	65.9	1	1.7	0.0	10.1	66	94.7	72.9	121.3
Cervix									2	3.2	0.4	12.0
Corpus and Uterus, NOS									19	26.6	15.9	42.2
Ovary									8	10.6	4.5	21.7
Prostate					92	156.8	126.0	193.1				
Testis					3	5.5	1.1	16.4				
Urinary Bladder (includes *in situ*)	37	28.2	19.8	39.0	24	43.4	27.6	64.9	13	17.1	9.0	30.1
Kidney and Renal Pelvis	9	7.0	3.2	13.4	2	3.5	0.4	13.1	7	9.4	3.7	20.4
Brain and Nervous System	7	6.1	2.4	12.7	5	9.0	2.9	21.3	2	2.8	0.3	11.2
Hodgkin Lymphoma	4	4.1	1.1	10.2	1	1.9	0.0	10.7	3	6.2	1.3	17.4
Non-Hodgkin Lymphoma	20	14.9	9.1	23.2	12	19.3	9.9	34.3	8	11.4	4.9	23.2
Myeloma	7	5.4	2.2	11.4	2	3.8	0.5	13.8	5	7.1	2.3	17.5
Leukemia	24	18.1	11.5	27.2	13	24.7	13.0	42.4	11	13.6	6.7	25.4
All Other Sites	67	53.0	41.0	67.7	21	38.5	23.6	59.2	46	66.9	48.5	90.2
Breast *in situ* (not in total)									16	23.5	13.4	38.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jo Daviess County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	688	426.6	394.2	461.2	381	480.6	432.9	532.8	307	389.7	344.2	440.0
Oral Cavity and Pharynx	16	9.0	5.1	15.2	13	14.9	7.9	26.7	3	3.4	0.7	12.2
Esophagus	5	3.2	1.0	8.1	4	5.5	1.5	15.2	1	1.0	0.0	8.8
Stomach	2	1.1	0.1	5.1	2	2.3	0.3	10.3	0	0.0	0.0	7.5
Colon and Rectum	82	47.9	38.0	60.1	39	48.1	34.0	66.8	43	46.4	33.3	64.2
Liver	5	3.0	1.0	7.7	3	3.8	0.8	12.6	2	2.2	0.3	10.4
Pancreas	28	15.7	10.4	23.4	18	22.0	12.9	35.9	10	10.0	4.8	20.5
Lung and Bronchus	96	56.9	46.0	70.1	50	63.4	46.8	84.6	46	51.3	37.4	69.9
Bones and Joints	2	2.3	0.2	7.9	1	1.7	0.0	9.9	1	3.4	0.1	15.4
Melanoma of the Skin	26	18.8	11.9	28.4	14	16.6	9.0	29.0	12	22.9	11.2	41.1
Breast (invasive)	75	49.4	38.5	62.7	1	1.5	0.0	9.3	74	94.1	72.9	120.1
Cervix									4	9.3	2.4	23.4
Corpus and Uterus, NOS									20	25.5	14.6	41.9
Ovary									9	10.4	4.6	21.6
Prostate					113	137.8	113.3	166.8				
Testis					3	5.0	1.0	15.1				
Urinary Bladder (includes *in situ*)	32	19.4	13.2	28.1	24	31.3	20.0	47.5	8	10.0	4.0	21.8
Kidney and Renal Pelvis	26	16.5	10.6	25.0	14	18.3	9.9	31.8	12	15.7	7.7	29.2
Brain and Nervous System	11	6.3	3.1	11.9	7	8.4	3.4	18.7	4	4.3	1.2	13.2
Hodgkin Lymphoma	1	1.2	0.0	6.2	0	0.0	0.0	6.9	1	2.6	0.1	12.9
Non-Hodgkin Lymphoma	32	19.5	13.3	28.1	18	24.4	14.4	39.5	14	16.0	8.6	28.5
Myeloma	9	5.1	2.3	10.4	6	7.8	2.8	18.2	3	3.2	0.7	11.7
Leukemia	17	11.5	6.5	19.2	11	14.9	7.2	27.9	6	8.4	2.8	20.3
All Other Sites	74	49.9	38.6	63.7	40	52.9	37.5	73.1	34	49.6	32.9	72.1
Breast *in situ* (not in total)									14	18.2	9.7	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Johnson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	417	559.2	506.1	616.5	263	733.5	645.0	830.7	154	431.3	363.5	508.9
Oral Cavity and Pharynx	13	16.5	8.7	28.9	11	24.9	12.3	46.0	2	8.1	0.9	28.8
Esophagus	2	3.0	0.4	11.1	2	7.0	0.8	24.1	0	0.0	0.0	14.1
Stomach	5	6.8	2.2	16.4	4	11.6	3.1	30.0	1	2.1	0.1	17.1
Colon and Rectum	46	64.8	47.3	86.9	25	73.0	46.5	108.8	21	57.2	35.3	89.2
Liver	4	6.0	1.6	15.5	2	5.3	0.6	20.0	2	5.5	0.7	22.5
Pancreas	9	12.0	5.4	23.3	6	17.8	6.4	39.1	3	7.6	1.5	25.5
Lung and Bronchus	72	98.6	76.9	124.8	58	175.3	132.1	227.8	14	36.3	19.4	63.7
Bones and Joints	0	0.0	0.0	5.9	0	0.0	0.0	11.2	0	0.0	0.0	14.1
Melanoma of the Skin	16	21.8	12.4	35.9	13	37.0	19.3	64.0	3	9.8	1.9	30.3
Breast (invasive)	48	63.3	46.5	84.5	1	2.2	0.1	14.6	47	132.8	96.2	179.7
Cervix									0	0.0	0.0	14.1
Corpus and Uterus, NOS									10	24.5	11.7	47.6
Ovary									6	18.5	6.4	42.6
Prostate					70	185.4	143.4	236.1				
Testis					3	5.6	1.1	19.3				
Urinary Bladder (includes *in situ*)	16	21.1	12.0	34.9	14	38.5	20.6	65.7	2	5.1	0.6	21.8
Kidney and Renal Pelvis	18	23.1	13.6	37.1	14	37.0	20.0	63.1	4	9.2	2.5	27.1
Brain and Nervous System	5	7.3	2.2	17.6	2	6.0	0.5	22.5	3	9.4	1.7	29.8
Hodgkin Lymphoma	3	4.5	0.9	13.4	3	8.0	1.6	24.2	0	0.0	0.0	14.1
Non-Hodgkin Lymphoma	18	24.1	14.2	38.6	9	23.3	10.4	45.5	9	23.3	10.6	46.7
Myeloma	5	7.1	2.3	17.0	2	5.0	0.6	19.3	3	10.2	1.9	31.3
Leukemia	10	15.1	7.2	27.9	5	18.7	6.0	42.3	5	14.4	4.5	35.7
All Other Sites	38	50.7	35.7	70.2	19	52.1	30.9	82.5	19	57.3	33.4	92.2
Breast *in situ* (not in total)									6	17.0	5.9	39.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	9,376	481.6	471.6	491.7	4,668	547.9	531.2	565.0	4,708	440.6	427.9	453.6
Oral Cavity and Pharynx	215	10.2	8.9	11.8	158	15.6	13.1	18.4	57	5.4	4.0	7.0
Esophagus	100	5.3	4.2	6.4	80	9.5	7.4	12.0	20	1.9	1.2	3.0
Stomach	134	7.1	5.9	8.4	77	9.4	7.3	11.9	57	5.4	4.1	7.1
Colon and Rectum	946	51.2	47.9	54.6	458	56.1	50.7	61.8	488	47.2	43.1	51.7
Liver	85	4.6	3.6	5.7	60	6.9	5.2	9.0	25	2.5	1.6	3.7
Pancreas	224	12.3	10.7	14.1	112	13.9	11.2	16.9	112	11.1	9.1	13.4
Lung and Bronchus	1,192	65.8	62.0	69.7	626	78.7	72.3	85.5	566	56.8	52.1	61.8
Bones and Joints	15	0.6	0.4	1.1	7	0.6	0.2	1.3	8	0.7	0.3	1.4
Melanoma of the Skin	314	15.0	13.4	16.9	162	17.0	14.3	20.0	152	13.7	11.6	16.1
Breast (invasive)	1,452	70.0	66.4	73.8	7	0.8	0.3	1.7	1,445	131.2	124.4	138.3
Cervix									90	8.0	6.4	9.9
Corpus and Uterus, NOS									284	25.7	22.8	29.0
Ovary									149	13.9	11.7	16.4
Prostate					1,322	151.4	142.9	160.3				
Testis					70	5.6	4.4	7.1				
Urinary Bladder (includes *in situ*)	434	24.5	22.2	26.9	334	45.4	40.4	50.8	100	9.9	8.0	12.0
Kidney and Renal Pelvis	340	17.1	15.2	19.0	206	21.9	18.8	25.3	134	12.7	10.6	15.1
Brain and Nervous System	142	6.7	5.6	7.9	73	7.2	5.5	9.2	69	6.2	4.8	7.9
Hodgkin Lymphoma	80	3.6	2.8	4.5	49	4.4	3.2	5.8	31	2.7	1.8	3.9
Non-Hodgkin Lymphoma	367	19.0	17.0	21.1	202	24.0	20.5	27.8	165	15.9	13.6	18.6
Myeloma	109	5.8	4.7	7.0	64	8.0	6.0	10.3	45	4.1	3.0	5.6
Leukemia	233	11.8	10.3	13.5	136	15.4	12.7	18.4	97	8.9	7.2	10.9
All Other Sites	1,079	54.8	51.5	58.3	465	56.2	50.8	61.9	614	56.4	51.9	61.1
Breast *in situ* (not in total)									363	32.1	28.8	35.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,946	510.1	491.7	528.9	1,634	653.2	621.3	686.3	1,312	412.1	389.8	435.4
Oral Cavity and Pharynx	68	11.5	8.9	14.7	50	18.1	13.4	23.9	18	5.4	3.2	8.6
Esophagus	37	6.2	4.4	8.6	30	11.4	7.6	16.4	7	2.2	0.9	4.7
Stomach	34	5.9	4.1	8.3	22	9.4	5.8	14.2	12	3.6	1.8	6.4
Colon and Rectum	359	61.9	55.7	68.7	191	78.1	67.2	90.2	168	49.7	42.4	57.9
Liver	33	5.7	3.9	8.0	18	7.0	4.1	11.1	15	4.7	2.6	7.8
Pancreas	67	11.5	8.9	14.6	35	13.5	9.3	18.8	32	9.5	6.5	13.5
Lung and Bronchus	459	79.1	72.0	86.7	256	103.4	90.9	117.1	203	62.2	53.9	71.5
Bones and Joints	6	1.0	0.4	2.3	2	0.7	0.1	2.6	4	1.3	0.4	3.4
Melanoma of the Skin	89	15.7	12.6	19.4	49	20.6	15.1	27.3	40	13.8	9.8	18.8
Breast (invasive)	355	61.9	55.6	68.7	6	3.0	1.1	6.4	349	112.5	100.9	125.1
Cervix									29	11.6	7.8	16.7
Corpus and Uterus, NOS									72	22.2	17.3	28.0
Ovary									29	9.3	6.2	13.5
Prostate					474	180.9	164.8	198.3				
Testis					17	6.6	3.8	10.7				
Urinary Bladder (includes *in situ*)	167	28.6	24.4	33.4	120	52.3	43.1	62.8	47	14.1	10.3	18.8
Kidney and Renal Pelvis	98	17.1	13.9	20.9	66	26.0	20.0	33.2	32	10.3	7.0	14.6
Brain and Nervous System	36	6.5	4.5	9.0	25	9.4	6.0	13.9	11	3.6	1.8	6.6
Hodgkin Lymphoma	13	2.5	1.3	4.3	6	2.6	0.9	5.5	7	2.5	1.0	5.1
Non-Hodgkin Lymphoma	97	16.8	13.6	20.5	57	23.6	17.8	30.7	40	12.1	8.6	16.6
Myeloma	32	5.5	3.8	7.8	17	7.7	4.4	12.4	15	4.8	2.7	7.9
Leukemia	95	16.5	13.3	20.2	56	23.5	17.6	30.7	39	12.1	8.6	16.6
All Other Sites	280	48.9	43.3	55.0	137	55.5	46.4	65.8	143	44.7	37.6	52.8
Breast *in situ* (not in total)									81	26.8	21.2	33.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kendall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,643	490.9	466.5	516.1	794	537.2	497.9	578.6	849	462.4	431.1	495.3
Oral Cavity and Pharynx	41	11.3	7.9	15.5	28	18.1	11.5	26.8	13	6.3	3.3	10.8
Esophagus	10	3.0	1.4	5.5	9	5.9	2.5	11.3	1	0.4	0.0	2.7
Stomach	26	8.1	5.2	11.9	17	12.1	6.7	19.8	9	5.4	2.4	10.2
Colon and Rectum	160	50.7	42.8	59.4	78	50.3	39.0	63.6	82	49.1	38.9	61.1
Liver	7	2.3	0.9	4.8	7	6.0	2.2	12.4	0	0.0	0.0	1.9
Pancreas	52	17.6	13.1	23.2	27	20.4	13.1	29.9	25	15.0	9.6	22.2
Lung and Bronchus	182	59.2	50.6	68.7	89	66.7	52.8	82.8	93	55.2	44.3	67.7
Bones and Joints	3	0.9	0.2	2.6	1	0.9	0.0	4.2	2	1.0	0.1	3.5
Melanoma of the Skin	76	19.8	15.5	25.0	36	21.4	14.5	30.2	40	19.2	13.7	26.4
Breast (invasive)	230	64.3	55.9	73.4	0	0.0	0.0	2.3	230	122.5	106.9	139.8
Cervix									11	5.3	2.6	9.6
Corpus and Uterus, NOS									60	32.4	24.6	41.8
Ovary									16	8.2	4.6	13.4
Prostate					214	140.9	121.6	162.1				
Testis					12	4.8	2.5	8.8				
Urinary Bladder (includes *in situ*)	70	23.2	17.9	29.4	44	33.0	23.4	44.9	26	15.5	10.0	22.8
Kidney and Renal Pelvis	60	19.4	14.6	25.0	41	28.5	20.0	39.2	19	11.1	6.6	17.4
Brain and Nervous System	30	8.6	5.7	12.5	20	12.5	7.4	19.8	10	5.1	2.4	9.5
Hodgkin Lymphoma	11	2.5	1.2	4.5	4	1.9	0.5	5.1	7	3.1	1.3	6.6
Non-Hodgkin Lymphoma	73	22.9	17.8	28.9	38	27.6	18.9	38.6	35	20.2	13.9	28.2
Myeloma	18	5.6	3.3	8.9	10	6.1	2.8	11.5	8	4.7	2.0	9.1
Leukemia	41	11.4	8.1	15.6	24	14.5	8.9	22.2	17	8.7	5.0	13.9
All Other Sites	240	68.0	59.3	77.5	95	65.6	52.1	81.2	145	73.9	62.1	87.2
Breast *in situ* (not in total)									81	40.4	32.0	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Knox County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,673	487.3	463.7	511.9	872	568.3	530.8	607.8	801	438.1	406.7	471.4
Oral Cavity and Pharynx	32	9.3	6.3	13.4	22	14.9	9.3	22.7	10	5.3	2.5	10.2
Esophagus	14	3.7	2.0	6.5	7	3.9	1.6	8.5	7	3.4	1.4	7.7
Stomach	21	6.2	3.8	9.7	12	8.3	4.3	14.8	9	4.5	2.0	9.2
Colon and Rectum	196	56.2	48.4	64.9	101	65.1	52.9	79.3	95	49.5	39.6	61.5
Liver	12	3.6	1.8	6.5	8	5.1	2.2	10.4	4	1.9	0.5	5.7
Pancreas	50	14.8	10.9	19.8	28	19.1	12.6	27.8	22	10.7	6.6	16.8
Lung and Bronchus	326	91.6	81.8	102.4	180	115.8	99.4	134.3	146	77.6	65.2	92.0
Bones and Joints	3	1.2	0.2	3.6	1	0.9	0.0	4.6	2	1.5	0.2	5.7
Melanoma of the Skin	58	18.7	14.1	24.5	32	21.1	14.4	30.0	26	18.7	11.9	27.9
Breast (invasive)	213	63.5	55.0	72.9	2	1.2	0.1	4.8	211	117.9	101.8	136.0
Cervix									12	8.3	4.0	15.0
Corpus and Uterus, NOS									42	23.2	16.6	31.9
Ovary									24	12.9	8.0	19.9
Prostate					222	139.4	121.6	159.2				
Testis					12	9.3	4.8	16.4				
Urinary Bladder (includes *in situ*)	90	25.1	20.1	31.2	77	51.4	40.4	64.4	13	5.7	2.9	10.6
Kidney and Renal Pelvis	47	13.6	9.9	18.2	28	18.2	12.0	26.5	19	11.0	6.5	17.7
Brain and Nervous System	22	6.8	4.2	10.5	12	8.3	4.2	14.8	10	5.0	2.3	9.9
Hodgkin Lymphoma	9	3.6	1.6	6.9	4	3.0	0.8	7.8	5	4.6	1.5	10.5
Non-Hodgkin Lymphoma	67	20.0	15.4	25.6	31	20.4	13.8	29.2	36	19.9	13.6	28.3
Myeloma	20	5.1	3.1	8.0	6	3.7	1.4	8.4	14	6.0	3.2	10.7
Leukemia	31	8.6	5.8	12.5	20	13.2	8.1	20.6	11	6.4	3.0	12.1
All Other Sites	150	44.5	37.4	52.5	67	45.9	35.4	58.5	83	44.0	34.5	55.5
Breast *in situ* (not in total)									51	29.2	21.5	38.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	14,781	484.9	476.9	493.0	7,399	542.6	529.7	555.7	7,382	445.7	435.5	456.2
Oral Cavity and Pharynx	339	10.5	9.4	11.7	241	15.4	13.4	17.5	98	6.0	4.9	7.4
Esophagus	150	5.0	4.2	5.9	117	8.6	7.0	10.4	33	2.0	1.4	2.9
Stomach	212	7.2	6.2	8.2	130	9.4	7.8	11.3	82	5.2	4.1	6.5
Colon and Rectum	1,356	45.8	43.3	48.3	707	53.4	49.3	57.7	649	39.6	36.6	42.8
Liver	129	4.3	3.6	5.1	90	6.2	5.0	7.7	39	2.6	1.8	3.5
Pancreas	368	12.7	11.4	14.1	199	14.8	12.7	17.1	169	10.8	9.2	12.6
Lung and Bronchus	1,777	62.3	59.4	65.3	829	65.0	60.5	69.8	948	61.1	57.2	65.1
Bones and Joints	29	0.9	0.6	1.3	19	1.1	0.7	1.8	10	0.6	0.3	1.1
Melanoma of the Skin	632	19.8	18.3	21.5	336	23.5	20.9	26.3	296	17.5	15.5	19.6
Breast (invasive)	2,331	71.6	68.6	74.6	18	1.2	0.7	1.9	2,313	134.5	129.0	140.2
Cervix									108	6.2	5.1	7.5
Corpus and Uterus, NOS									483	28.6	26.1	31.3
Ovary									234	14.3	12.5	16.2
Prostate					2,054	145.8	139.3	152.5				
Testis					101	6.0	4.8	7.3				
Urinary Bladder (includes *in situ*)	791	28.0	26.0	30.0	575	46.9	43.0	51.1	216	13.7	11.9	15.6
Kidney and Renal Pelvis	495	15.7	14.3	17.2	324	22.1	19.7	24.8	171	10.2	8.7	11.9
Brain and Nervous System	232	7.2	6.2	8.2	126	8.2	6.7	9.8	106	6.4	5.2	7.8
Hodgkin Lymphoma	116	3.5	2.9	4.2	63	3.8	2.9	4.9	53	3.3	2.4	4.3
Non-Hodgkin Lymphoma	658	22.2	20.5	24.0	351	26.5	23.6	29.5	307	18.9	16.9	21.2
Myeloma	162	5.6	4.7	6.5	92	7.3	5.8	9.0	70	4.4	3.4	5.6
Leukemia	415	14.1	12.8	15.6	251	19.4	17.0	22.1	164	10.2	8.7	11.9
All Other Sites	1,609	52.5	49.9	55.2	776	58.0	53.8	62.5	833	49.6	46.2	53.1
Breast *in situ* (not in total)									819	46.5	43.3	49.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

LaSalle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,624	534.2	516.8	552.1	1,896	632.8	604.5	662.1	1,728	467.0	444.6	490.3
Oral Cavity and Pharynx	72	10.8	8.4	13.7	48	15.7	11.6	20.9	24	6.7	4.3	10.2
Esophagus	49	7.2	5.3	9.6	40	13.2	9.4	18.1	9	2.4	1.1	4.7
Stomach	48	6.9	5.1	9.2	31	10.3	7.0	14.7	17	4.1	2.3	6.9
Colon and Rectum	409	57.8	52.3	63.8	208	70.0	60.7	80.2	201	48.8	42.0	56.4
Liver	34	5.2	3.6	7.3	20	6.6	4.0	10.2	14	3.6	2.0	6.3
Pancreas	87	12.3	9.8	15.2	34	11.0	7.6	15.4	53	13.0	9.6	17.2
Lung and Bronchus	592	85.6	78.8	92.9	311	104.0	92.7	116.2	281	73.3	64.8	82.7
Bones and Joints	7	1.3	0.5	2.6	4	1.5	0.4	3.7	3	1.2	0.2	3.3
Melanoma of the Skin	143	22.8	19.1	26.9	88	30.2	24.1	37.3	55	17.2	12.9	22.6
Breast (invasive)	479	71.2	64.9	77.9	1	0.3	0.0	1.9	478	132.8	120.9	145.7
Cervix									29	10.4	6.9	15.1
Corpus and Uterus, NOS									77	21.7	17.0	27.2
Ovary									47	12.8	9.3	17.3
Prostate					447	145.2	132.0	159.4				
Testis					11	4.4	2.2	7.8				
Urinary Bladder (includes *in situ*)	222	31.5	27.4	36.0	170	56.6	48.4	65.9	52	13.3	9.8	17.6
Kidney and Renal Pelvis	121	18.0	14.9	21.6	66	22.1	17.0	28.1	55	14.3	10.6	18.8
Brain and Nervous System	45	7.4	5.3	9.9	26	8.9	5.8	13.2	19	5.6	3.3	8.9
Hodgkin Lymphoma	12	1.9	1.0	3.4	7	2.4	0.9	4.9	5	1.6	0.5	3.8
Non-Hodgkin Lymphoma	148	21.7	18.3	25.6	84	28.5	22.7	35.3	64	16.6	12.7	21.5
Myeloma	41	5.9	4.2	8.0	26	9.1	5.9	13.4	15	3.6	2.0	6.2
Leukemia	99	14.4	11.7	17.7	65	22.1	17.1	28.3	34	8.8	6.0	12.6
All Other Sites	405	60.9	55.0	67.2	209	70.9	61.5	81.3	196	55.2	47.4	63.9
Breast *in situ* (not in total)									86	25.0	19.9	31.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lawrence County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	419	410.8	371.8	453.1	215	475.9	414.3	544.3	204	371.0	319.1	429.6
Oral Cavity and Pharynx	11	11.3	5.5	20.7	9	19.6	8.9	37.6	2	4.7	0.6	17.8
Esophagus	8	7.5	3.2	15.4	7	15.5	6.2	32.3	1	0.8	0.0	10.7
Stomach	2	2.2	0.2	8.5	0	0.0	0.0	9.0	2	5.0	0.4	19.4
Colon and Rectum	58	54.4	41.1	70.9	26	57.5	37.5	84.5	32	54.2	36.2	79.0
Liver	2	2.2	0.3	8.2	2	4.4	0.5	16.5	0	0.0	0.0	9.8
Pancreas	13	10.6	5.5	18.9	6	13.5	5.0	29.7	7	7.3	2.8	18.8
Lung and Bronchus	57	56.2	42.4	73.3	32	71.8	49.1	101.6	25	45.0	28.5	68.5
Bones and Joints	1	1.1	0.0	6.5	0	0.0	0.0	9.0	1	2.3	0.1	13.9
Melanoma of the Skin	23	24.2	15.3	36.7	18	40.4	23.9	64.2	5	8.3	2.7	21.6
Breast (invasive)	56	55.5	41.8	72.7	3	6.5	1.3	19.5	53	101.7	75.1	135.3
Cervix									4	10.2	2.4	27.2
Corpus and Uterus, NOS									11	18.2	8.9	34.6
Ovary									2	4.0	0.5	16.1
Prostate					49	107.8	79.7	142.8				
Testis					1	2.1	0.1	12.6				
Urinary Bladder (includes *in situ*)	11	10.0	4.9	18.4	8	17.8	7.7	35.5	3	4.2	0.9	15.5
Kidney and Renal Pelvis	17	16.6	9.6	27.0	9	19.9	9.1	38.1	8	15.6	6.7	32.0
Brain and Nervous System	9	11.3	5.1	21.6	3	7.2	1.5	21.0	6	16.0	5.6	35.2
Hodgkin Lymphoma	2	2.1	0.2	8.2	0	0.0	0.0	9.0	2	4.7	0.5	18.1
Non-Hodgkin Lymphoma	16	15.9	9.0	26.4	7	15.8	6.3	32.8	9	15.1	6.8	30.6
Myeloma	6	4.6	1.7	11.1	2	4.4	0.5	16.4	4	5.0	1.3	16.4
Leukemia	11	10.3	5.0	19.2	4	9.1	2.5	23.6	7	11.0	4.1	25.4
All Other Sites	49	49.4	36.5	65.8	29	62.8	42.0	90.6	20	37.8	22.3	60.6
Breast *in situ* (not in total)									5	9.8	3.0	24.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,123	536.7	505.5	569.4	598	628.4	578.7	681.4	525	472.1	431.6	515.6
Oral Cavity and Pharynx	36	17.5	12.2	24.4	22	22.7	14.1	34.6	14	12.3	6.7	21.1
Esophagus	12	5.5	2.8	9.8	9	9.6	4.4	18.5	3	2.8	0.6	8.8
Stomach	12	5.8	3.0	10.2	7	7.6	3.0	15.8	5	4.6	1.5	11.2
Colon and Rectum	117	54.9	45.3	66.0	60	63.3	48.2	81.8	57	47.4	35.7	62.1
Liver	12	5.3	2.7	9.5	10	9.9	4.7	18.6	2	1.9	0.2	7.3
Pancreas	26	12.3	8.0	18.2	13	13.4	7.1	23.2	13	11.0	5.8	19.4
Lung and Bronchus	180	85.1	73.1	98.7	109	115.1	94.4	139.1	71	60.6	47.1	77.0
Bones and Joints	1	0.4	0.0	2.8	0	0.0	0.0	4.3	1	0.9	0.0	5.7
Melanoma of the Skin	40	20.0	14.2	27.4	20	20.2	12.3	31.5	20	20.7	12.4	32.4
Breast (invasive)	147	70.5	59.5	83.1	0	0.0	0.0	4.3	147	136.5	114.9	161.2
Cervix									8	9.1	3.9	18.2
Corpus and Uterus, NOS									24	22.2	14.1	33.4
Ovary									24	21.6	13.6	32.8
Prostate					170	176.6	150.9	205.6				
Testis					6	6.5	2.4	14.4				
Urinary Bladder (includes *in situ*)	45	21.6	15.7	29.0	33	36.0	24.7	50.7	12	10.7	5.5	19.1
Kidney and Renal Pelvis	39	18.7	13.3	25.7	25	25.4	16.4	37.9	14	12.9	7.0	22.1
Brain and Nervous System	21	10.7	6.5	16.5	10	11.9	5.7	21.8	11	10.0	4.8	18.5
Hodgkin Lymphoma	6	3.3	1.2	7.2	5	5.9	1.9	13.8	1	0.9	0.0	5.9
Non-Hodgkin Lymphoma	39	19.0	13.5	26.1	21	20.5	12.6	31.6	18	16.9	9.9	27.3
Myeloma	13	5.9	3.1	10.3	9	9.7	4.4	18.5	4	3.5	0.9	9.5
Leukemia	27	13.4	8.8	19.6	14	15.2	8.3	25.7	13	12.4	6.5	21.9
All Other Sites	118	56.1	46.3	67.4	55	59.0	44.3	77.0	63	53.4	40.5	69.4
Breast *in situ* (not in total)									26	24.8	16.1	36.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Livingston County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,154	517.0	487.2	548.2	617	623.6	575.1	675.2	537	438.5	401.1	478.7
Oral Cavity and Pharynx	26	12.3	8.0	18.1	16	16.5	9.4	26.9	10	8.6	4.0	16.3
Esophagus	16	7.5	4.3	12.3	14	14.4	7.8	24.2	2	1.7	0.2	6.6
Stomach	10	3.9	1.8	7.4	6	5.8	2.1	12.8	4	2.2	0.5	6.9
Colon and Rectum	133	56.7	47.3	67.5	66	67.5	52.1	86.0	67	48.9	37.6	62.9
Liver	9	3.8	1.7	7.4	7	6.6	2.6	13.8	2	1.3	0.1	5.8
Pancreas	25	10.7	6.9	16.0	12	11.8	6.1	20.8	13	10.3	5.4	18.2
Lung and Bronchus	197	88.1	76.1	101.5	111	111.6	91.7	134.6	86	69.9	55.6	86.9
Bones and Joints	0	0.0	0.0	1.9	0	0.0	0.0	3.9	0	0.0	0.0	3.8
Melanoma of the Skin	51	23.1	17.1	30.5	34	33.9	23.4	47.5	17	15.1	8.7	24.5
Breast (invasive)	130	59.8	49.9	71.2	1	1.1	0.0	6.1	129	111.2	92.5	132.8
Cervix									9	9.4	4.2	18.0
Corpus and Uterus, NOS									28	23.7	15.5	34.9
Ovary									15	11.2	6.2	19.2
Prostate					154	155.3	131.6	182.1				
Testis					10	10.6	5.1	19.5				
Urinary Bladder (includes *in situ*)	38	16.7	11.7	23.1	27	27.6	18.2	40.3	11	8.4	4.1	15.8
Kidney and Renal Pelvis	42	19.8	14.2	26.9	24	25.5	16.3	38.1	18	15.2	8.8	24.8
Brain and Nervous System	14	6.4	3.5	10.8	10	9.6	4.6	17.8	4	3.7	1.0	9.7
Hodgkin Lymphoma	6	3.1	1.1	6.9	5	5.4	1.7	12.6	1	1.2	0.0	6.3
Non-Hodgkin Lymphoma	50	21.9	16.2	29.1	27	27.0	17.8	39.5	23	17.5	10.9	26.9
Myeloma	11	4.7	2.3	8.5	4	4.1	1.1	10.6	7	5.2	2.0	11.4
Leukemia	50	21.6	15.9	28.8	29	29.7	19.8	42.7	21	15.1	9.0	24.1
All Other Sites	130	57.9	48.2	69.0	60	59.6	45.4	76.9	70	58.6	45.3	74.8
Breast *in situ* (not in total)									25	22.9	14.7	34.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Logan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	883	515.9	482.1	551.5	481	642.3	585.8	702.9	402	427.9	385.9	473.6
Oral Cavity and Pharynx	26	15.2	9.9	22.4	15	18.9	10.6	31.5	11	11.0	5.4	20.5
Esophagus	13	7.3	3.9	12.7	11	13.9	6.9	25.2	2	1.6	0.2	7.4
Stomach	9	5.4	2.4	10.3	6	7.6	2.7	16.7	3	3.2	0.7	10.1
Colon and Rectum	108	61.7	50.5	74.7	72	97.6	76.2	123.1	36	34.1	23.7	48.1
Liver	11	6.9	3.4	12.5	7	9.7	3.8	20.0	4	4.4	1.2	11.9
Pancreas	24	13.8	8.8	20.8	13	17.1	9.0	29.4	11	10.7	5.2	20.1
Lung and Bronchus	141	81.5	68.5	96.3	80	107.0	84.7	133.4	61	62.6	47.6	81.1
Bones and Joints	0	0.0	0.0	2.5	0	0.0	0.0	5.2	0	0.0	0.0	5.0
Melanoma of the Skin	28	18.0	11.9	26.1	15	20.1	11.2	33.4	13	16.9	9.0	29.1
Breast (invasive)	100	59.0	47.9	71.9	1	1.3	0.0	7.5	99	108.3	87.6	132.6
Cervix									5	7.8	2.5	17.9
Corpus and Uterus, NOS									24	25.3	15.9	38.4
Ovary									11	12.2	6.0	22.5
Prostate					122	161.6	134.0	193.2				
Testis					6	8.0	2.9	17.5				
Urinary Bladder (includes *in situ*)	48	27.7	20.3	36.9	36	49.2	34.3	68.2	12	11.4	5.6	21.0
Kidney and Renal Pelvis	36	21.9	15.3	30.5	24	33.9	21.6	50.5	12	13.1	6.6	23.5
Brain and Nervous System	11	6.9	3.4	12.5	4	5.1	1.4	13.3	7	8.9	3.5	18.8
Hodgkin Lymphoma	4	2.6	0.7	6.7	2	2.4	0.3	9.1	2	2.7	0.3	9.8
Non-Hodgkin Lymphoma	41	23.8	17.0	32.5	14	17.8	9.7	30.2	27	27.9	18.0	41.4
Myeloma	6	3.1	1.1	7.1	2	2.8	0.3	10.2	4	3.1	0.8	9.3
Leukemia	17	9.2	5.3	15.0	10	13.1	6.2	24.3	7	6.4	2.4	14.2
All Other Sites	92	54.0	43.4	66.5	41	55.5	39.7	75.5	51	56.3	41.4	75.1
Breast *in situ* (not in total)									29	31.7	21.0	46.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

McDonough County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	856	532.6	496.4	570.8	440	617.4	560.5	678.6	416	487.5	438.6	540.6
Oral Cavity and Pharynx	15	9.0	5.0	15.1	9	11.8	5.4	23.0	6	6.5	2.3	15.3
Esophagus	8	4.5	1.9	9.4	7	9.5	3.8	20.1	1	0.5	0.0	6.5
Stomach	3	1.9	0.4	5.9	2	2.8	0.3	10.7	1	1.2	0.0	7.8
Colon and Rectum	92	55.5	44.4	68.5	39	54.1	38.4	74.3	53	56.9	41.8	76.3
Liver	3	1.9	0.4	6.0	2	2.8	0.3	10.6	1	1.2	0.0	7.8
Pancreas	21	12.6	7.6	19.8	11	15.8	7.8	28.8	10	9.3	4.2	18.7
Lung and Bronchus	132	79.4	66.3	94.6	75	102.9	80.8	129.5	57	62.6	47.1	82.1
Bones and Joints	1	1.1	0.0	5.3	1	2.3	0.1	10.9	0	0.0	0.0	6.0
Melanoma of the Skin	58	40.6	30.3	53.2	30	45.2	30.2	64.9	28	38.4	24.4	57.3
Breast (invasive)	104	67.9	55.0	82.9	0	0.0	0.0	6.1	104	126.7	102.1	155.6
Cervix									4	6.9	1.7	17.7
Corpus and Uterus, NOS									26	31.5	20.2	47.4
Ovary									15	15.1	8.1	26.4
Prostate					119	163.9	135.7	196.5				
Testis					1	0.7	0.0	6.9				
Urinary Bladder (includes *in situ*)	35	20.7	14.2	29.2	26	35.9	23.4	53.0	9	10.9	4.6	22.0
Kidney and Renal Pelvis	18	12.1	7.1	19.4	14	20.0	10.9	33.9	4	6.1	1.6	15.9
Brain and Nervous System	6	4.0	1.4	9.0	2	2.9	0.3	10.9	4	5.0	1.2	13.8
Hodgkin Lymphoma	7	5.8	2.2	12.1	3	4.0	0.7	12.7	4	8.4	2.2	20.7
Non-Hodgkin Lymphoma	53	32.5	24.1	43.0	28	39.8	26.3	57.9	25	28.3	17.8	43.1
Myeloma	8	4.6	1.9	9.6	3	4.3	0.9	13.0	5	4.4	1.3	12.0
Leukemia	35	23.1	15.8	32.7	19	28.8	17.2	45.4	16	20.1	11.0	33.8
All Other Sites	92	56.1	44.8	69.6	49	69.9	51.6	92.8	43	47.7	33.2	66.6
Breast *in situ* (not in total)									23	30.3	18.7	46.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

McHenry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,428	470.3	458.6	482.2	3,205	526.3	507.3	545.8	3,223	432.7	417.7	448.1
Oral Cavity and Pharynx	157	10.9	9.3	12.8	108	15.8	12.8	19.2	49	6.4	4.7	8.5
Esophagus	69	5.2	4.0	6.6	55	9.3	6.9	12.2	14	2.0	1.1	3.3
Stomach	72	5.6	4.4	7.1	46	8.3	6.0	11.1	26	3.6	2.3	5.3
Colon and Rectum	651	49.5	45.7	53.6	313	53.5	47.3	60.1	338	46.5	41.6	51.8
Liver	51	4.0	2.9	5.2	33	5.5	3.7	7.8	18	2.6	1.5	4.1
Pancreas	128	9.9	8.2	11.8	61	10.4	7.8	13.5	67	9.3	7.2	11.9
Lung and Bronchus	850	65.7	61.3	70.3	432	75.3	68.1	83.1	418	58.8	53.3	64.8
Bones and Joints	10	0.7	0.3	1.3	4	0.6	0.1	1.5	6	0.8	0.3	1.8
Melanoma of the Skin	253	17.5	15.3	19.8	134	20.3	16.9	24.3	119	15.4	12.7	18.4
Breast (invasive)	898	61.5	57.4	65.7	7	1.2	0.5	2.5	891	116.2	108.6	124.2
Cervix									51	6.7	5.0	8.8
Corpus and Uterus, NOS									238	30.7	26.9	34.9
Ovary									100	13.3	10.8	16.2
Prostate					913	148.2	138.3	158.6				
Testis					56	7.4	5.6	9.6				
Urinary Bladder (includes *in situ*)	315	24.7	22.0	27.6	219	39.3	34.0	45.1	96	13.8	11.2	16.9
Kidney and Renal Pelvis	239	16.8	14.7	19.1	157	24.2	20.4	28.5	82	10.9	8.6	13.5
Brain and Nervous System	108	7.4	6.0	9.0	53	7.1	5.3	9.3	55	7.4	5.5	9.6
Hodgkin Lymphoma	45	3.1	2.3	4.2	25	3.6	2.3	5.4	20	2.7	1.6	4.1
Non-Hodgkin Lymphoma	261	19.0	16.8	21.6	148	22.8	19.1	26.9	113	15.4	12.7	18.6
Myeloma	69	5.2	4.0	6.6	35	6.2	4.2	8.7	34	4.4	3.0	6.2
Leukemia	166	12.3	10.5	14.4	84	13.8	10.8	17.2	82	11.3	9.0	14.1
All Other Sites	728	53.1	49.3	57.2	322	53.8	47.7	60.3	406	54.5	49.2	60.1
Breast *in situ* (not in total)									177	22.5	19.2	26.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

McLean County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,484	502.7	486.0	519.9	1,745	578.6	551.1	607.1	1,739	452.9	431.6	475.0
Oral Cavity and Pharynx	75	11.1	8.7	13.9	47	14.9	10.9	19.9	28	7.8	5.1	11.2
Esophagus	27	4.0	2.6	5.9	20	6.6	4.0	10.2	7	1.8	0.7	3.8
Stomach	41	5.8	4.1	7.9	26	9.2	5.9	13.5	15	3.8	2.1	6.3
Colon and Rectum	366	53.4	48.0	59.2	174	59.7	50.9	69.4	192	48.3	41.6	55.8
Liver	21	3.0	1.8	4.5	20	5.8	3.5	9.1	1	0.3	0.0	1.5
Pancreas	55	8.0	6.0	10.4	28	9.3	6.1	13.5	27	7.1	4.7	10.3
Lung and Bronchus	458	68.6	62.4	75.2	232	82.5	72.0	94.0	226	60.2	52.6	68.7
Bones and Joints	5	0.7	0.2	1.6	3	0.9	0.2	2.7	2	0.6	0.1	2.0
Melanoma of the Skin	203	28.0	24.3	32.2	114	36.9	30.2	44.4	89	22.2	17.8	27.5
Breast (invasive)	478	68.3	62.2	74.7	2	0.8	0.1	2.7	476	126.7	115.4	138.7
Cervix									25	6.9	4.5	10.2
Corpus and Uterus, NOS									93	23.4	18.8	28.7
Ovary									63	16.2	12.4	20.8
Prostate					514	164.7	150.5	179.9				
Testis					18	4.5	2.6	7.3				
Urinary Bladder (includes *in situ*)	135	20.1	16.8	23.8	86	30.3	24.1	37.5	49	12.6	9.3	16.7
Kidney and Renal Pelvis	100	14.5	11.8	17.7	64	20.6	15.8	26.5	36	9.7	6.8	13.5
Brain and Nervous System	53	7.5	5.6	9.9	28	8.7	5.8	12.7	25	6.5	4.1	9.6
Hodgkin Lymphoma	24	3.2	2.0	4.9	13	3.8	2.0	6.6	11	2.9	1.4	5.3
Non-Hodgkin Lymphoma	151	21.3	18.0	25.0	77	25.7	20.1	32.2	74	18.2	14.2	23.0
Myeloma	48	7.1	5.2	9.4	31	10.1	6.8	14.5	17	4.5	2.6	7.3
Leukemia	87	12.6	10.1	15.6	47	16.0	11.7	21.4	40	10.1	7.1	13.8
All Other Sites	444	63.7	57.8	69.9	201	67.6	58.3	77.9	243	63.2	55.4	71.8
Breast *in situ* (not in total)									86	22.5	18.0	27.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,764	569.9	551.5	588.7	1,939	665.0	635.4	695.7	1,825	513.1	489.1	538.0
Oral Cavity and Pharynx	96	14.6	11.8	17.9	65	21.3	16.4	27.4	31	9.1	6.2	13.1
Esophagus	43	6.4	4.6	8.6	34	11.3	7.8	15.9	9	2.1	1.0	4.3
Stomach	36	5.2	3.6	7.2	21	7.2	4.4	11.2	15	4.1	2.3	6.9
Colon and Rectum	393	58.9	53.1	65.1	207	72.7	63.0	83.4	186	48.8	41.9	56.7
Liver	34	5.0	3.4	7.1	25	8.6	5.6	12.9	9	2.3	1.0	4.6
Pancreas	85	12.7	10.1	15.8	44	15.5	11.2	20.9	41	10.6	7.5	14.6
Lung and Bronchus	684	100.6	93.1	108.5	379	128.9	116.1	142.7	305	80.2	71.3	90.0
Bones and Joints	10	1.6	0.7	2.9	5	1.7	0.6	4.1	5	1.5	0.5	3.6
Melanoma of the Skin	124	20.6	17.1	24.7	63	22.2	17.0	28.6	61	21.3	16.1	27.5
Breast (invasive)	489	77.0	70.2	84.3	2	0.6	0.1	2.3	487	141.8	129.2	155.5
Cervix									28	10.6	7.0	15.4
Corpus and Uterus, NOS									93	25.5	20.5	31.4
Ovary									49	12.4	9.1	16.7
Prostate					470	156.5	142.5	171.5				
Testis					8	3.4	1.4	6.7				
Urinary Bladder (includes *in situ*)	182	26.3	22.6	30.4	136	47.7	40.0	56.6	46	11.4	8.3	15.4
Kidney and Renal Pelvis	169	25.5	21.8	29.8	104	35.6	29.0	43.3	65	17.8	13.7	22.9
Brain and Nervous System	51	8.5	6.3	11.3	24	8.8	5.6	13.2	27	8.4	5.4	12.4
Hodgkin Lymphoma	16	2.8	1.6	4.6	7	2.3	0.9	4.9	9	3.2	1.4	6.2
Non-Hodgkin Lymphoma	155	23.6	20.0	27.7	83	29.2	23.2	36.4	72	20.1	15.7	25.6
Myeloma	40	5.7	4.1	7.8	20	6.9	4.2	10.7	20	4.9	3.0	7.7
Leukemia	87	13.3	10.6	16.5	49	17.0	12.5	22.5	38	10.6	7.4	14.9
All Other Sites	422	65.9	59.6	72.6	193	67.6	58.3	78.0	229	66.1	57.5	75.7
Breast *in situ* (not in total)									126	37.2	30.8	44.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macoupin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,577	516.2	490.6	542.8	882	641.3	599.4	685.5	695	424.0	392.1	458.1
Oral Cavity and Pharynx	50	17.2	12.7	22.9	36	26.7	18.6	37.2	14	8.8	4.7	15.2
Esophagus	24	7.9	5.0	11.8	23	16.5	10.4	25.0	1	0.6	0.0	4.1
Stomach	12	3.9	1.9	7.1	10	7.6	3.6	14.3	2	1.4	0.1	5.8
Colon and Rectum	193	63.1	54.3	72.8	116	86.8	71.6	104.3	77	44.0	34.4	55.8
Liver	16	5.1	2.9	8.5	9	6.7	3.0	13.0	7	3.7	1.5	8.4
Pancreas	36	11.5	8.0	16.1	18	12.8	7.6	20.5	18	10.0	5.9	16.3
Lung and Bronchus	267	86.1	76.0	97.3	150	108.0	91.4	126.9	117	70.5	58.1	85.1
Bones and Joints	1	0.5	0.0	2.4	0	0.0	0.0	3.1	1	1.0	0.0	5.0
Melanoma of the Skin	50	17.2	12.7	22.8	31	22.4	15.2	32.0	19	13.4	7.9	21.3
Breast (invasive)	174	58.1	49.7	67.7	2	1.3	0.2	5.3	172	108.7	92.6	126.8
Cervix									15	11.0	6.0	18.5
Corpus and Uterus, NOS									40	24.5	17.4	33.8
Ovary									17	11.3	6.5	18.5
Prostate					225	159.3	139.1	181.7				
Testis					7	7.0	2.8	14.2				
Urinary Bladder (includes *in situ*)	73	23.4	18.3	29.6	59	43.2	32.8	56.0	14	8.2	4.4	14.2
Kidney and Renal Pelvis	65	21.1	16.2	27.1	41	29.2	20.9	39.9	24	13.2	8.3	20.4
Brain and Nervous System	18	5.9	3.4	9.5	8	5.8	2.5	11.6	10	6.5	3.0	12.6
Hodgkin Lymphoma	8	3.2	1.4	6.4	3	2.5	0.5	7.4	5	4.0	1.3	9.4
Non-Hodgkin Lymphoma	63	20.1	15.4	25.9	28	19.8	13.1	28.9	35	20.4	14.1	28.8
Myeloma	24	7.7	4.9	11.6	13	9.6	5.1	16.6	11	6.9	3.3	12.8
Leukemia	42	12.9	9.3	17.7	29	21.4	14.3	30.9	13	5.9	3.0	10.8
All Other Sites	157	51.4	43.5	60.4	74	54.8	42.9	69.0	83	50.0	39.3	62.9
Breast *in situ* (not in total)									35	22.2	15.4	31.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,267	490.6	479.3	502.1	3,672	569.3	550.8	588.3	3,595	440.8	426.3	455.7
Oral Cavity and Pharynx	153	10.2	8.7	12.0	111	16.0	13.1	19.3	42	5.0	3.5	6.8
Esophagus	106	7.1	5.8	8.6	90	13.6	10.9	16.7	16	1.9	1.1	3.1
Stomach	65	4.4	3.4	5.6	34	5.3	3.7	7.4	31	3.6	2.4	5.1
Colon and Rectum	836	55.7	52.0	59.7	405	64.0	57.8	70.6	431	50.0	45.3	55.1
Liver	76	5.1	4.0	6.4	46	6.9	5.0	9.2	30	3.4	2.3	5.0
Pancreas	149	9.8	8.3	11.5	86	13.2	10.5	16.3	63	7.0	5.3	9.0
Lung and Bronchus	1,258	84.2	79.6	89.0	673	106.1	98.2	114.6	585	69.4	63.9	75.4
Bones and Joints	18	1.3	0.8	2.0	10	1.7	0.8	3.0	8	1.0	0.4	2.1
Melanoma of the Skin	238	16.7	14.6	19.0	126	19.8	16.5	23.7	112	15.2	12.5	18.3
Breast (invasive)	950	65.0	60.9	69.3	2	0.3	0.0	1.1	948	120.1	112.5	128.1
Cervix									62	8.8	6.7	11.3
Corpus and Uterus, NOS									201	24.9	21.6	28.7
Ovary									98	12.3	10.0	15.1
Prostate					915	137.5	128.6	146.8				
Testis					30	4.8	3.2	6.8				
Urinary Bladder (includes *in situ*)	330	22.0	19.7	24.5	249	39.6	34.8	44.9	81	9.3	7.4	11.6
Kidney and Renal Pelvis	311	21.0	18.7	23.5	175	26.8	23.0	31.2	136	16.5	13.8	19.5
Brain and Nervous System	91	6.3	5.1	7.8	42	6.3	4.6	8.6	49	6.3	4.7	8.4
Hodgkin Lymphoma	39	2.8	2.0	3.9	24	3.7	2.3	5.5	15	2.1	1.1	3.4
Non-Hodgkin Lymphoma	283	19.3	17.1	21.7	145	23.0	19.4	27.2	138	16.5	13.9	19.6
Myeloma	88	5.9	4.7	7.3	44	7.1	5.1	9.6	44	5.1	3.7	6.9
Leukemia	188	12.9	11.1	14.9	108	17.6	14.4	21.3	80	9.5	7.5	11.9
All Other Sites	782	53.2	49.5	57.1	357	56.2	50.4	62.4	425	52.8	47.8	58.2
Breast *in situ* (not in total)									228	29.3	25.6	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Marion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,342	525.6	497.3	555.2	708	635.9	589.5	685.0	634	448.4	412.6	486.6
Oral Cavity and Pharynx	37	14.0	9.8	19.5	32	27.4	18.7	38.9	5	2.3	0.7	6.7
Esophagus	19	7.4	4.4	11.8	12	10.8	5.5	19.2	7	4.6	1.8	10.2
Stomach	18	7.0	4.1	11.4	11	10.3	5.1	18.6	7	4.6	1.7	10.5
Colon and Rectum	156	59.9	50.7	70.4	81	72.3	57.3	90.1	75	52.0	40.4	66.2
Liver	17	6.3	3.7	10.4	8	6.7	2.9	13.6	9	6.0	2.6	12.0
Pancreas	25	9.4	6.0	14.1	15	13.9	7.8	23.1	10	6.3	3.0	12.3
Lung and Bronchus	238	90.3	79.0	102.8	125	111.1	92.4	132.7	113	74.3	60.9	90.2
Bones and Joints	2	0.8	0.1	3.2	1	1.0	0.0	5.6	1	0.5	0.0	4.3
Melanoma of the Skin	58	24.7	18.6	32.2	35	32.8	22.7	45.8	23	19.0	11.7	29.3
Breast (invasive)	158	64.4	54.5	75.7	0	0.0	0.0	3.8	158	117.8	99.4	138.7
Cervix									12	10.0	5.0	17.9
Corpus and Uterus, NOS									32	22.9	15.5	33.0
Ovary									13	9.8	5.1	17.3
Prostate					161	140.8	119.8	164.5				
Testis					10	12.3	5.8	22.3				
Urinary Bladder (includes *in situ*)	59	21.8	16.5	28.3	45	41.3	30.1	55.4	14	8.2	4.4	14.5
Kidney and Renal Pelvis	41	15.3	10.9	21.0	28	24.9	16.5	36.3	13	8.6	4.6	15.4
Brain and Nervous System	15	6.3	3.4	10.7	10	10.0	4.7	18.6	5	3.6	1.1	9.2
Hodgkin Lymphoma	3	1.4	0.3	4.3	1	1.0	0.0	5.6	2	2.0	0.2	7.4
Non-Hodgkin Lymphoma	60	23.5	17.9	30.6	32	29.3	20.0	41.7	28	18.9	12.4	27.9
Myeloma	14	5.1	2.8	8.8	6	5.3	1.9	11.8	8	4.7	2.0	10.2
Leukemia	41	16.2	11.5	22.2	23	21.0	13.3	31.8	18	13.6	7.7	22.2
All Other Sites	153	60.9	51.4	71.7	72	63.9	49.9	80.8	81	58.6	45.9	74.0
Breast *in situ* (not in total)									28	22.4	14.7	33.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Marshall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	441	496.8	450.5	546.9	233	582.5	509.3	664.0	208	433.6	374.0	501.1
Oral Cavity and Pharynx	9	10.0	4.5	19.9	5	12.4	4.0	30.5	4	7.5	2.0	22.7
Esophagus	3	2.8	0.6	9.9	2	4.0	0.5	17.6	1	1.1	0.0	13.3
Stomach	2	2.4	0.3	9.7	2	5.4	0.6	20.6	0	0.0	0.0	12.1
Colon and Rectum	61	66.5	50.5	86.4	29	74.5	49.6	108.3	32	57.4	38.7	83.9
Liver	3	3.6	0.7	11.3	1	2.8	0.1	16.6	2	4.2	0.5	18.1
Pancreas	8	8.7	3.7	18.1	6	13.9	5.1	32.1	2	2.6	0.3	15.2
Lung and Bronchus	71	78.4	61.1	99.6	49	122.3	90.3	162.8	22	45.3	28.1	70.7
Bones and Joints	1	1.3	0.0	8.0	0	0.0	0.0	11.8	1	2.3	0.1	15.7
Melanoma of the Skin	17	22.9	13.0	37.6	9	24.9	11.0	48.7	8	22.6	9.2	46.3
Breast (invasive)	56	63.8	47.8	83.8	0	0.0	0.0	11.8	56	121.6	90.9	160.6
Cervix									4	11.9	3.1	31.5
Corpus and Uterus, NOS									18	36.0	21.1	59.1
Ovary									5	10.1	3.1	26.6
Prostate					65	154.6	119.1	198.3				
Testis					0	0.0	0.0	11.8				
Urinary Bladder (includes *in situ*)	19	21.3	12.7	34.3	15	39.5	21.9	66.2	4	6.8	1.8	21.3
Kidney and Renal Pelvis	17	19.3	11.1	31.9	6	14.7	5.4	33.5	11	24.2	11.6	45.8
Brain and Nervous System	3	3.3	0.6	10.9	0	0.0	0.0	11.8	3	6.1	1.1	21.4
Hodgkin Lymphoma	3	5.3	1.1	15.3	2	7.0	0.8	24.7	1	4.3	0.1	21.0
Non-Hodgkin Lymphoma	15	16.6	9.2	28.3	9	22.7	10.3	44.3	6	11.3	4.1	27.6
Myeloma	6	6.0	2.2	14.2	3	7.2	1.5	22.8	3	5.0	1.0	18.8
Leukemia	15	15.6	8.6	26.7	10	24.8	11.9	46.9	5	9.0	2.7	24.6
All Other Sites	40	46.6	32.8	64.7	20	51.8	31.4	81.2	20	44.4	25.9	71.9
Breast *in situ* (not in total)									11	25.6	12.7	47.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Mason County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	534	529.4	484.6	577.5	280	602.6	533.3	678.9	254	484.9	424.9	551.5
Oral Cavity and Pharynx	6	5.8	2.1	13.4	3	6.2	1.3	19.6	3	5.7	1.2	18.4
Esophagus	9	8.5	3.9	16.8	7	14.0	5.6	30.2	2	3.6	0.4	15.2
Stomach	6	5.5	2.0	12.9	3	7.0	1.4	21.4	3	4.5	0.9	16.1
Colon and Rectum	71	68.3	53.2	86.8	39	82.6	58.6	113.9	32	57.8	38.9	83.4
Liver	6	6.2	2.2	14.0	5	10.8	3.5	26.3	1	1.8	0.0	12.6
Pancreas	15	14.5	8.0	24.6	7	15.4	6.1	32.9	8	14.3	6.1	29.8
Lung and Bronchus	88	85.4	68.3	105.9	54	114.3	85.6	150.2	34	62.3	42.7	88.8
Bones and Joints	0	0.0	0.0	4.9	0	0.0	0.0	10.0	0	0.0	0.0	9.7
Melanoma of the Skin	20	20.6	12.3	32.6	9	18.9	8.6	37.1	11	22.4	10.4	42.3
Breast (invasive)	74	75.2	58.8	95.1	1	2.4	0.1	14.4	73	139.7	108.8	177.5
Cervix									7	16.4	6.4	34.8
Corpus and Uterus, NOS									15	29.3	15.8	50.4
Ovary									4	9.3	2.5	24.6
Prostate					69	144.1	112.0	183.4				
Testis					3	9.4	1.9	26.5				
Urinary Bladder (includes *in situ*)	25	22.7	14.6	34.1	18	37.9	22.4	61.0	7	12.2	4.8	27.1
Kidney and Renal Pelvis	29	28.4	19.0	41.5	16	34.6	19.6	57.2	13	21.9	11.5	39.2
Brain and Nervous System	5	5.9	1.8	14.4	1	3.4	0.1	17.2	4	7.9	1.9	22.3
Hodgkin Lymphoma	1	0.8	0.0	6.1	0	0.0	0.0	10.0	1	1.4	0.0	11.7
Non-Hodgkin Lymphoma	15	13.7	7.6	23.4	14	30.5	16.6	52.1	1	1.7	0.0	12.3
Myeloma	2	1.7	0.2	7.4	0	0.0	0.0	10.0	2	3.0	0.3	13.9
Leukemia	11	11.9	5.8	21.8	8	19.0	8.1	38.2	3	5.6	1.2	18.2
All Other Sites	53	57.4	42.5	76.0	23	52.1	32.7	79.3	30	64.0	42.1	93.5
Breast *in situ* (not in total)									16	32.5	18.2	54.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Massac County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	481	488.0	444.5	534.9	254	593.8	522.5	672.5	227	421.0	365.7	482.9
Oral Cavity and Pharynx	8	8.2	3.4	16.8	5	11.5	3.6	28.0	3	4.8	1.0	16.4
Esophagus	5	4.9	1.6	12.2	3	6.4	1.3	20.2	2	2.9	0.3	13.8
Stomach	5	4.8	1.5	11.9	3	6.2	1.3	19.6	2	3.2	0.4	14.3
Colon and Rectum	56	53.4	40.1	70.0	28	62.6	41.5	91.3	28	44.7	28.9	67.0
Liver	3	3.4	0.7	10.4	3	7.2	1.5	21.9	0	0.0	0.0	9.5
Pancreas	13	11.8	6.2	20.9	7	16.5	6.6	34.8	6	8.0	2.8	20.3
Lung and Bronchus	113	111.7	91.9	135.0	67	153.6	118.9	195.9	46	83.3	60.6	112.6
Bones and Joints	0	0.0	0.0	4.8	0	0.0	0.0	10.1	0	0.0	0.0	9.5
Melanoma of the Skin	16	19.9	11.2	32.6	8	20.8	8.9	41.4	8	20.3	8.6	40.3
Breast (invasive)	53	57.1	42.4	75.4	0	0.0	0.0	10.1	53	105.9	78.2	140.7
Cervix									6	13.6	4.8	30.5
Corpus and Uterus, NOS									11	21.4	10.4	39.7
Ovary									6	12.8	4.5	29.0
Prostate					59	136.5	103.8	176.8				
Testis					2	6.0	0.7	21.0				
Urinary Bladder (includes *in situ*)	24	22.6	14.3	34.4	16	38.1	21.7	62.6	8	12.8	5.4	27.4
Kidney and Renal Pelvis	14	14.7	7.8	25.4	10	24.2	11.5	45.1	4	8.1	1.8	22.8
Brain and Nervous System	5	6.1	1.9	14.6	4	10.7	2.8	27.6	1	1.8	0.0	12.2
Hodgkin Lymphoma	3	2.5	0.5	8.4	3	7.7	1.6	22.8	0	0.0	0.0	9.5
Non-Hodgkin Lymphoma	23	21.6	13.6	33.2	10	24.5	11.7	45.7	13	20.8	10.9	37.5
Myeloma	2	2.2	0.3	8.6	2	4.7	0.6	18.0	0	0.0	0.0	9.5
Leukemia	6	6.0	2.2	13.8	5	11.9	3.8	28.5	1	1.0	0.0	10.6
All Other Sites	48	50.1	36.7	67.1	19	44.6	26.7	70.5	29	55.7	36.6	81.9
Breast *in situ* (not in total)									8	16.9	7.2	34.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Menard County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	390	531.3	478.9	588.1	214	653.0	566.3	749.4	176	439.1	374.8	512.0
Oral Cavity and Pharynx	5	5.7	1.8	14.4	4	9.5	2.6	26.8	1	2.1	0.1	15.7
Esophagus	3	3.4	0.7	11.3	3	7.1	1.5	23.6	0	0.0	0.0	12.5
Stomach	3	3.6	0.7	11.8	2	7.8	0.9	27.2	1	2.2	0.1	15.9
Colon and Rectum	51	70.1	51.8	93.0	27	82.6	53.7	121.7	24	61.3	38.5	93.3
Liver	6	7.5	2.7	17.3	5	13.4	4.2	33.3	1	2.5	0.1	16.5
Pancreas	7	9.5	3.8	20.4	4	11.1	3.0	30.0	3	6.6	1.1	22.6
Lung and Bronchus	54	73.2	54.6	96.3	32	100.6	68.1	143.5	22	53.0	32.7	82.3
Bones and Joints	0	0.0	0.0	6.3	0	0.0	0.0	12.9	0	0.0	0.0	12.5
Melanoma of the Skin	18	26.1	15.3	41.9	12	38.0	19.3	67.4	6	14.7	5.4	33.9
Breast (invasive)	55	76.6	57.2	100.6	1	3.0	0.1	18.1	54	140.4	104.4	185.6
Cervix									0	0.0	0.0	12.5
Corpus and Uterus, NOS									14	31.2	16.8	54.8
Ovary									4	11.4	3.1	30.4
Prostate					50	144.8	106.7	192.7				
Testis					1	3.8	0.1	20.4				
Urinary Bladder (includes *in situ*)	21	28.7	17.6	44.6	18	55.5	32.4	89.0	3	6.1	1.2	21.1
Kidney and Renal Pelvis	15	20.7	11.5	34.8	11	33.1	16.2	60.6	4	11.0	2.9	29.6
Brain and Nervous System	3	3.8	0.8	12.1	2	6.6	0.7	24.7	1	3.0	0.1	17.8
Hodgkin Lymphoma	2	2.9	0.3	11.0	1	3.1	0.1	18.4	1	2.5	0.1	16.5
Non-Hodgkin Lymphoma	19	27.2	16.2	43.2	12	40.2	20.4	71.1	7	18.0	7.0	38.9
Myeloma	5	6.1	1.9	15.2	3	7.2	1.5	23.7	2	5.2	0.6	20.8
Leukemia	8	11.3	4.8	22.9	6	20.1	7.3	44.3	2	3.8	0.4	17.9
All Other Sites	46	61.8	45.0	83.2	20	65.5	39.4	102.2	26	64.2	41.5	95.9
Breast *in situ* (not in total)									21	57.2	34.9	89.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Mercer County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	508	477.7	436.3	522.3	277	559.1	494.4	630.3	231	420.3	366.1	480.8
Oral Cavity and Pharynx	6	6.0	2.2	13.5	4	8.4	2.3	22.3	2	4.1	0.5	15.9
Esophagus	8	7.3	3.1	15.0	8	15.1	6.4	31.2	0	0.0	0.0	9.3
Stomach	8	7.1	3.0	14.6	5	10.1	3.2	24.6	3	4.7	1.0	16.0
Colon and Rectum	53	47.5	35.5	62.7	36	71.0	49.6	99.2	17	30.4	17.6	50.0
Liver	4	3.7	1.0	10.3	1	1.8	0.0	12.2	3	5.5	1.1	17.6
Pancreas	6	5.1	1.8	12.0	2	3.7	0.4	15.1	4	6.7	1.7	19.4
Lung and Bronchus	69	62.5	48.5	79.7	34	68.1	47.0	96.0	35	57.9	40.1	82.0
Bones and Joints	1	1.3	0.0	7.1	0	0.0	0.0	9.3	1	2.7	0.1	14.5
Melanoma of the Skin	24	24.9	15.8	37.6	17	36.8	21.2	59.8	7	14.5	5.7	30.9
Breast (invasive)	65	61.4	47.1	78.9	0	0.0	0.0	9.3	65	118.2	90.8	152.1
Cervix									1	3.5	0.1	16.9
Corpus and Uterus, NOS									20	36.1	21.9	57.1
Ovary									6	11.8	4.0	27.2
Prostate					77	151.9	119.6	190.9				
Testis					2	6.1	0.7	20.7				
Urinary Bladder (includes *in situ*)	19	17.2	10.3	27.4	18	35.9	21.2	57.7	1	1.6	0.0	11.8
Kidney and Renal Pelvis	13	12.7	6.7	22.1	7	14.1	5.7	30.1	6	11.2	4.0	25.9
Brain and Nervous System	6	7.1	2.6	15.6	5	12.1	3.9	28.5	1	2.2	0.1	13.2
Hodgkin Lymphoma	2	3.4	0.4	11.2	1	3.3	0.1	16.2	1	4.0	0.1	18.5
Non-Hodgkin Lymphoma	27	25.0	16.4	36.9	11	22.4	11.1	41.0	16	26.5	15.1	44.6
Myeloma	6	5.5	2.0	12.7	5	9.4	3.0	23.4	1	1.9	0.0	12.5
Leukemia	18	15.5	9.0	25.3	9	19.1	8.6	37.2	9	13.8	6.1	28.6
All Other Sites	67	64.4	49.5	82.7	35	69.9	48.5	98.1	32	62.9	41.7	91.3
Breast *in situ* (not in total)									23	43.3	27.2	66.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Monroe County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	826	482.4	449.9	516.6	426	569.4	515.4	627.5	400	428.3	386.8	473.2
Oral Cavity and Pharynx	15	8.1	4.6	13.6	11	12.6	6.2	23.0	4	3.9	1.0	10.6
Esophagus	10	5.7	2.8	10.7	8	10.1	4.3	20.2	2	2.2	0.3	8.4
Stomach	7	3.9	1.6	8.2	6	7.3	2.6	16.2	1	1.1	0.0	6.6
Colon and Rectum	98	56.8	46.1	69.3	55	74.5	55.7	97.5	43	42.6	30.7	58.0
Liver	4	2.3	0.6	6.1	3	4.1	0.8	12.0	1	1.1	0.0	6.5
Pancreas	16	9.0	5.1	14.8	11	16.1	7.7	29.3	5	4.7	1.5	11.7
Lung and Bronchus	120	70.7	58.6	84.6	61	85.4	65.0	110.1	59	62.1	47.2	80.5
Bones and Joints	1	0.7	0.0	3.6	0	0.0	0.0	5.1	1	1.4	0.0	7.4
Melanoma of the Skin	37	22.1	15.5	30.5	21	26.0	16.0	40.2	16	19.1	10.7	31.3
Breast (invasive)	115	66.9	55.1	80.4	0	0.0	0.0	5.1	115	126.9	104.6	152.6
Cervix									7	8.0	3.2	16.9
Corpus and Uterus, NOS									19	20.8	12.5	32.7
Ovary									17	18.0	10.3	29.4
Prostate					123	160.8	133.2	192.6				
Testis					3	3.7	0.7	11.1				
Urinary Bladder (includes *in situ*)	38	22.0	15.5	30.2	27	37.5	24.4	55.0	11	10.2	5.0	18.9
Kidney and Renal Pelvis	31	18.3	12.4	26.0	25	33.5	21.5	49.7	6	6.5	2.4	14.5
Brain and Nervous System	18	11.2	6.6	17.8	9	14.0	6.2	26.5	9	10.4	4.7	19.9
Hodgkin Lymphoma	1	0.6	0.0	3.5	1	1.2	0.0	7.3	0	0.0	0.0	4.6
Non-Hodgkin Lymphoma	41	23.6	16.9	32.1	18	26.1	15.0	41.7	23	23.5	14.7	35.7
Myeloma	4	2.4	0.7	6.3	2	3.1	0.4	10.7	2	1.8	0.2	7.4
Leukemia	25	14.5	9.4	21.5	13	16.9	8.8	29.3	12	12.6	6.4	22.5
All Other Sites	76	45.1	35.5	56.6	29	36.6	24.3	52.8	47	51.5	37.6	69.0
Breast *in situ* (not in total)									24	26.7	17.1	40.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Montgomery County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	978	524.7	491.7	559.4	543	653.7	599.7	711.4	435	440.1	397.6	486.3
Oral Cavity and Pharynx	18	10.1	6.0	16.2	12	14.0	7.2	24.7	6	6.9	2.5	15.7
Esophagus	7	3.7	1.5	7.9	6	7.0	2.6	15.6	1	0.9	0.0	6.5
Stomach	9	4.6	2.1	9.1	6	6.8	2.5	15.2	3	2.6	0.5	9.0
Colon and Rectum	130	67.2	56.0	80.2	82	98.4	78.2	122.3	48	41.0	29.9	55.5
Liver	11	6.0	2.9	10.9	9	10.8	4.9	20.6	2	1.9	0.2	8.1
Pancreas	26	13.4	8.7	20.0	11	13.3	6.6	24.0	15	13.0	7.1	22.7
Lung and Bronchus	164	85.9	73.1	100.5	98	118.4	96.1	144.5	66	62.1	47.5	80.3
Bones and Joints	1	0.7	0.0	3.9	0	0.0	0.0	4.9	1	1.6	0.0	8.4
Melanoma of the Skin	35	21.2	14.6	29.7	23	28.7	18.2	43.2	12	18.2	9.2	32.0
Breast (invasive)	121	66.7	55.2	80.1	2	2.2	0.3	8.5	119	126.3	103.6	152.8
Cervix									12	16.4	8.1	29.3
Corpus and Uterus, NOS									25	26.2	16.5	39.8
Ovary									16	16.3	9.2	27.4
Prostate					121	144.1	119.5	172.4				
Testis					1	1.1	0.0	6.8				
Urinary Bladder (includes *in situ*)	50	25.1	18.5	33.5	37	44.9	31.6	62.0	13	10.8	5.6	19.7
Kidney and Renal Pelvis	40	22.1	15.7	30.2	27	31.7	20.9	46.3	13	13.3	6.9	23.6
Brain and Nervous System	13	7.8	4.1	13.4	6	7.4	2.7	16.4	7	8.8	3.4	18.7
Hodgkin Lymphoma	7	4.7	1.9	9.6	5	6.2	2.0	14.6	2	3.2	0.4	11.3
Non-Hodgkin Lymphoma	36	18.8	13.1	26.4	23	28.1	17.8	42.4	13	11.8	6.1	21.3
Myeloma	10	5.0	2.3	9.5	6	7.4	2.7	16.2	4	2.1	0.6	7.8
Leukemia	29	15.9	10.6	23.2	20	24.9	15.2	38.6	9	8.1	3.6	16.4
All Other Sites	96	51.0	41.1	62.8	48	58.3	42.9	77.5	48	48.5	35.0	65.8
Breast *in situ* (not in total)									32	35.2	23.8	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Morgan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,137	528.8	498.0	561.0	593	635.1	584.4	689.1	544	463.9	424.3	506.5
Oral Cavity and Pharynx	34	15.8	10.9	22.4	21	21.9	13.5	33.8	13	9.9	5.1	17.9
Esophagus	11	4.7	2.3	8.7	9	8.9	4.0	17.3	2	1.8	0.2	7.2
Stomach	14	6.4	3.5	10.9	7	7.2	2.9	15.1	7	5.4	2.1	11.9
Colon and Rectum	152	67.8	57.4	79.8	74	79.7	62.3	100.4	78	60.4	47.3	76.4
Liver	10	4.3	2.0	8.1	5	4.8	1.6	11.7	5	2.7	0.8	7.9
Pancreas	31	13.4	9.1	19.3	18	18.7	11.0	29.8	13	9.5	5.0	17.1
Lung and Bronchus	172	80.9	69.2	94.1	95	103.8	83.9	127.2	77	66.2	52.0	83.4
Bones and Joints	1	0.5	0.0	2.9	0	0.0	0.0	4.3	1	0.8	0.0	5.6
Melanoma of the Skin	35	17.5	12.0	24.5	16	18.2	10.3	29.8	19	18.6	10.9	29.8
Breast (invasive)	145	69.2	58.2	81.7	2	2.0	0.2	7.7	143	127.7	107.0	151.5
Cervix									11	10.4	5.0	19.2
Corpus and Uterus, NOS									40	34.9	24.7	48.3
Ovary									17	13.0	7.4	21.7
Prostate					165	173.8	148.0	202.9				
Testis					6	6.0	2.2	13.3				
Urinary Bladder (includes *in situ*)	60	27.1	20.6	35.1	46	49.9	36.5	66.8	14	11.4	5.9	20.1
Kidney and Renal Pelvis	33	15.7	10.7	22.2	24	24.9	15.9	37.3	9	9.0	4.0	17.4
Brain and Nervous System	12	5.9	3.0	10.6	5	5.7	1.8	13.5	7	5.9	2.1	13.2
Hodgkin Lymphoma	3	1.7	0.3	5.1	1	1.5	0.0	7.3	2	1.8	0.2	7.3
Non-Hodgkin Lymphoma	39	17.7	12.5	24.4	22	23.3	14.5	35.5	17	12.4	7.1	20.7
Myeloma	8	3.9	1.7	7.9	5	5.7	1.8	13.5	3	3.3	0.7	9.9
Leukemia	32	16.1	10.8	22.9	24	27.7	17.7	41.4	8	7.1	2.9	14.8
All Other Sites	106	50.5	41.2	61.4	48	51.3	37.7	68.4	58	51.6	38.6	67.9
Breast *in situ* (not in total)									27	22.9	14.9	33.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Moultrie County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	457	509.7	463.0	560.1	233	583.0	510.0	663.7	224	473.9	411.2	544.0
Oral Cavity and Pharynx	11	12.7	6.2	23.3	7	17.6	7.0	37.0	4	9.7	2.6	25.8
Esophagus	5	5.7	1.8	13.9	4	9.3	2.5	25.0	1	2.6	0.1	14.9
Stomach	7	7.6	3.0	16.2	5	11.4	3.7	27.9	2	3.6	0.4	15.8
Colon and Rectum	41	43.7	31.2	59.9	22	54.2	33.9	82.7	19	37.1	22.0	59.7
Liver	4	5.0	1.3	13.2	3	8.7	1.8	25.4	1	1.3	0.0	11.9
Pancreas	8	8.4	3.6	17.2	4	9.5	2.6	25.4	4	7.7	2.0	21.7
Lung and Bronchus	69	75.4	58.4	96.0	38	96.5	68.2	133.0	31	62.0	41.7	89.6
Bones and Joints	2	2.6	0.3	9.6	1	2.8	0.1	15.7	1	2.1	0.1	13.6
Melanoma of the Skin	15	19.8	10.9	33.0	4	10.3	2.8	27.0	11	29.8	14.4	54.1
Breast (invasive)	60	70.1	53.1	91.1	1	2.7	0.1	15.5	59	130.3	97.8	170.5
Cervix									3	9.8	2.0	27.5
Corpus and Uterus, NOS									17	32.6	18.7	54.0
Ovary									9	19.1	8.3	38.1
Prostate					63	153.7	118.0	197.3				
Testis					4	12.6	3.3	31.8				
Urinary Bladder (includes *in situ*)	20	20.7	12.4	32.7	15	37.8	21.1	63.0	5	9.2	2.9	23.8
Kidney and Renal Pelvis	19	20.8	12.2	33.3	10	25.3	11.9	47.5	9	15.8	6.8	32.6
Brain and Nervous System	7	8.1	3.2	17.2	2	4.4	0.5	17.5	5	11.7	3.5	28.9
Hodgkin Lymphoma	2	2.4	0.3	9.4	1	3.0	0.1	16.3	1	1.3	0.0	11.9
Non-Hodgkin Lymphoma	26	28.2	18.2	42.1	12	31.4	16.1	55.3	14	29.2	15.6	50.6
Myeloma	5	5.3	1.7	13.1	4	10.1	2.8	26.7	1	2.6	0.1	14.9
Leukemia	11	12.4	6.2	22.7	7	17.0	6.8	36.0	4	8.0	2.1	22.3
All Other Sites	49	55.2	40.5	73.7	26	64.7	42.2	95.5	23	48.4	29.6	75.1
Breast *in situ* (not in total)									17	41.1	23.6	66.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Ogle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,339	435.9	412.7	460.2	707	499.8	463.3	538.6	632	389.7	359.5	421.8
Oral Cavity and Pharynx	32	10.3	7.0	14.7	25	16.6	10.7	24.8	7	4.5	1.8	9.6
Esophagus	16	5.0	2.8	8.1	14	9.8	5.3	16.5	2	1.2	0.1	4.6
Stomach	13	4.3	2.3	7.4	9	6.1	2.8	11.9	4	2.3	0.6	6.3
Colon and Rectum	163	53.0	45.1	61.9	75	54.3	42.6	68.3	88	52.8	42.3	65.4
Liver	3	1.0	0.2	3.1	3	2.2	0.4	6.5	0	0.0	0.0	2.8
Pancreas	28	9.0	5.9	13.0	15	10.5	5.9	17.5	13	7.7	4.1	13.4
Lung and Bronchus	195	62.5	54.0	72.0	121	85.0	70.4	101.8	74	43.5	34.1	54.9
Bones and Joints	1	0.3	0.0	2.0	1	0.7	0.0	4.0	0	0.0	0.0	2.8
Melanoma of the Skin	62	21.3	16.3	27.5	33	23.6	16.2	33.4	29	20.8	13.8	30.0
Breast (invasive)	166	53.9	46.0	62.9	0	0.0	0.0	2.8	166	103.8	88.5	121.2
Cervix									11	7.2	3.5	13.1
Corpus and Uterus, NOS									48	29.0	21.4	38.7
Ovary									20	12.1	7.4	18.9
Prostate					164	113.3	96.4	132.3				
Testis					9	7.5	3.4	14.1				
Urinary Bladder (includes *in situ*)	69	22.7	17.6	28.8	53	38.1	28.5	50.1	16	9.4	5.3	15.6
Kidney and Renal Pelvis	39	13.2	9.3	18.1	23	16.4	10.3	24.7	16	10.4	5.9	17.1
Brain and Nervous System	16	5.3	3.0	8.8	7	5.2	2.0	10.7	9	5.5	2.5	10.6
Hodgkin Lymphoma	9	3.2	1.4	6.1	4	2.9	0.8	7.5	5	3.4	1.1	8.1
Non-Hodgkin Lymphoma	68	22.1	17.1	28.1	46	32.9	24.0	44.1	22	13.4	8.4	20.6
Myeloma	20	6.3	3.8	9.8	17	11.6	6.7	18.7	3	1.8	0.4	5.5
Leukemia	44	14.6	10.6	19.8	25	18.3	11.8	27.1	19	11.9	7.1	18.8
All Other Sites	143	46.4	39.1	54.8	63	45.0	34.4	57.7	80	49.1	38.8	61.5
Breast *in situ* (not in total)									32	20.0	13.7	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,356	535.0	520.6	549.7	2,684	617.9	594.5	642.0	2,672	482.2	463.7	501.4
Oral Cavity and Pharynx	110	10.9	9.0	13.2	76	16.5	13.0	20.7	34	6.4	4.4	9.0
Esophagus	50	4.9	3.6	6.5	39	8.7	6.2	12.0	11	2.0	1.0	3.6
Stomach	59	5.8	4.4	7.5	33	7.8	5.3	11.0	26	4.3	2.8	6.4
Colon and Rectum	528	50.8	46.5	55.3	257	59.1	52.0	66.8	271	44.2	38.9	49.9
Liver	64	6.3	4.8	8.1	45	10.4	7.5	13.9	19	2.9	1.7	4.7
Pancreas	145	14.0	11.8	16.5	66	15.3	11.8	19.5	79	13.3	10.5	16.7
Lung and Bronchus	873	86.8	81.1	92.9	441	103.0	93.6	113.2	432	76.9	69.7	84.7
Bones and Joints	8	0.8	0.4	1.7	2	0.4	0.0	1.5	6	1.3	0.5	2.8
Melanoma of the Skin	273	28.0	24.7	31.6	145	33.1	27.9	39.1	128	25.4	21.1	30.3
Breast (invasive)	705	71.8	66.6	77.4	8	1.9	0.8	3.7	697	130.1	120.4	140.4
Cervix									44	9.6	6.9	12.9
Corpus and Uterus, NOS									176	31.5	27.0	36.7
Ovary									64	11.4	8.7	14.7
Prostate					724	161.8	150.1	174.2				
Testis					18	4.2	2.5	6.6				
Urinary Bladder (includes *in situ*)	279	27.3	24.1	30.7	210	50.4	43.7	57.7	69	10.8	8.4	13.9
Kidney and Renal Pelvis	213	21.9	19.0	25.0	127	29.8	24.8	35.5	86	15.5	12.3	19.3
Brain and Nervous System	79	8.3	6.6	10.4	47	10.9	8.0	14.6	32	6.1	4.2	8.8
Hodgkin Lymphoma	28	3.2	2.1	4.6	13	3.1	1.6	5.3	15	3.3	1.8	5.5
Non-Hodgkin Lymphoma	212	21.1	18.3	24.2	120	28.1	23.2	33.6	92	16.2	13.0	20.0
Myeloma	54	5.3	3.9	6.9	25	5.9	3.8	8.7	29	5.1	3.4	7.4
Leukemia	125	12.2	10.2	14.6	60	14.2	10.8	18.3	65	10.7	8.2	13.8
All Other Sites	525	53.0	48.5	57.8	228	53.3	46.6	60.8	297	55.1	48.8	62.0
Breast *in situ* (not in total)									173	32.2	27.5	37.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Perry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	648	486.8	449.7	526.3	347	579.5	519.7	644.3	301	427.8	378.8	481.7
Oral Cavity and Pharynx	14	10.7	5.8	18.2	10	15.6	7.5	29.1	4	5.4	1.4	15.3
Esophagus	10	7.3	3.5	13.7	9	14.6	6.6	28.0	1	1.5	0.0	9.6
Stomach	6	4.5	1.6	10.1	4	6.8	1.8	17.6	2	2.4	0.3	10.7
Colon and Rectum	81	60.2	47.6	75.1	39	63.1	44.8	86.6	42	54.8	38.6	76.1
Liver	7	5.0	2.0	10.7	6	9.1	3.3	20.3	1	1.5	0.0	9.6
Pancreas	15	10.5	5.9	17.7	5	8.5	2.7	19.9	10	10.7	4.9	21.7
Lung and Bronchus	116	85.6	70.6	102.9	61	104.5	79.8	134.5	55	76.2	56.8	100.6
Bones and Joints	1	1.1	0.0	5.5	0	0.0	0.0	6.5	1	2.2	0.1	11.4
Melanoma of the Skin	19	15.1	9.0	23.8	9	14.5	6.6	27.8	10	15.3	7.1	29.3
Breast (invasive)	80	61.3	48.5	76.6	0	0.0	0.0	6.5	80	118.7	93.1	149.5
Cervix									4	4.8	1.3	14.0
Corpus and Uterus, NOS									12	18.1	9.2	32.5
Ovary									6	8.5	3.0	19.9
Prostate					91	154.0	123.8	189.4				
Testis					3	5.0	1.0	14.7				
Urinary Bladder (includes *in situ*)	26	18.9	12.3	28.0	19	31.4	18.8	49.3	7	9.4	3.7	20.6
Kidney and Renal Pelvis	28	20.9	13.9	30.5	16	27.3	15.5	44.5	12	17.0	8.7	30.8
Brain and Nervous System	15	12.1	6.7	20.2	9	14.6	6.6	28.0	6	10.2	3.5	23.2
Hodgkin Lymphoma	6	4.9	1.8	10.8	5	7.7	2.5	18.6	1	1.5	0.0	9.6
Non-Hodgkin Lymphoma	32	25.3	17.2	35.9	18	29.6	17.5	47.1	14	21.8	11.7	37.5
Myeloma	6	4.4	1.6	9.8	3	5.1	1.0	15.0	3	3.8	0.8	12.8
Leukemia	15	10.7	6.0	18.0	9	15.5	7.1	29.5	6	8.4	2.9	19.8
All Other Sites	55	42.0	31.5	55.0	31	52.5	35.6	74.7	24	35.5	22.2	54.4
Breast *in situ* (not in total)									18	28.2	16.5	45.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Piatt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	480	465.1	423.9	509.5	266	563.7	497.2	636.9	214	392.8	340.5	451.3
Oral Cavity and Pharynx	14	13.0	7.1	22.3	13	26.4	14.0	46.1	1	1.1	0.0	10.6
Esophagus	3	2.6	0.5	8.5	3	6.1	1.2	19.2	0	0.0	0.0	9.2
Stomach	4	3.8	1.0	10.3	3	6.6	1.4	20.1	1	1.4	0.0	11.1
Colon and Rectum	42	39.7	28.6	54.2	17	35.4	20.5	57.5	25	44.5	28.6	66.8
Liver	5	4.6	1.5	11.5	1	1.9	0.0	12.6	4	6.1	1.6	18.1
Pancreas	17	15.3	8.9	25.1	9	20.1	9.1	38.7	8	12.2	5.1	26.1
Lung and Bronchus	59	56.1	42.6	72.9	38	79.4	55.9	109.9	21	36.4	22.4	56.9
Bones and Joints	1	0.9	0.0	6.0	0	0.0	0.0	9.4	1	1.9	0.0	12.2
Melanoma of the Skin	26	27.6	17.8	40.9	15	30.4	16.9	51.1	11	25.4	12.4	46.3
Breast (invasive)	74	73.5	57.5	92.9	2	4.6	0.6	17.1	72	135.7	105.5	172.5
Cervix									1	1.9	0.0	12.2
Corpus and Uterus, NOS									14	24.7	13.3	42.7
Ovary									6	10.4	3.8	24.2
Prostate					77	159.9	126.0	200.8				
Testis					3	9.2	1.9	25.9				
Urinary Bladder (includes *in situ*)	24	23.4	14.9	35.4	22	50.2	31.4	76.5	2	4.3	0.5	16.4
Kidney and Renal Pelvis	17	17.2	9.9	28.2	14	27.7	14.9	47.6	3	6.9	1.3	20.9
Brain and Nervous System	6	5.7	2.1	12.9	4	7.6	2.0	20.9	2	3.6	0.4	14.8
Hodgkin Lymphoma	1	1.0	0.0	6.2	0	0.0	0.0	9.4	1	1.9	0.0	12.4
Non-Hodgkin Lymphoma	14	13.7	7.4	23.7	10	22.2	10.6	41.4	4	8.3	2.1	22.6
Myeloma	4	3.5	1.0	9.8	2	4.0	0.5	15.8	2	2.5	0.3	12.5
Leukemia	19	19.3	11.5	30.7	11	23.0	11.4	42.1	8	17.4	7.2	35.3
All Other Sites	49	47.3	34.8	63.1	22	48.9	30.4	74.9	27	46.2	30.0	69.0
Breast *in situ* (not in total)									18	35.6	21.0	57.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Pike County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	484	426.9	388.4	468.4	242	472.6	414.3	537.1	242	405.7	353.0	464.7
Oral Cavity and Pharynx	11	11.6	5.7	21.2	8	16.6	7.1	33.5	3	7.7	1.5	22.6
Esophagus	2	1.2	0.1	6.0	0	0.0	0.0	8.9	2	1.8	0.2	11.3
Stomach	7	6.0	2.2	13.4	5	10.3	3.3	25.0	2	1.5	0.2	10.8
Colon and Rectum	56	46.6	34.8	61.5	19	38.0	22.7	60.2	37	52.6	36.0	75.5
Liver	2	1.4	0.1	6.4	2	3.5	0.4	14.4	0	0.0	0.0	9.3
Pancreas	13	10.4	5.4	18.7	9	16.9	7.7	33.0	4	5.9	1.5	17.8
Lung and Bronchus	82	70.0	55.4	87.6	46	88.7	64.9	119.0	36	56.2	38.7	80.0
Bones and Joints	2	1.6	0.2	6.9	1	1.8	0.0	11.8	1	1.8	0.0	12.2
Melanoma of the Skin	17	17.2	9.8	28.1	10	20.7	9.8	38.8	7	15.0	5.5	32.5
Breast (invasive)	56	50.3	37.6	66.3	1	1.8	0.0	12.0	55	92.1	68.2	122.5
Cervix									6	15.1	5.3	33.3
Corpus and Uterus, NOS									17	25.9	14.8	43.4
Ovary									8	13.1	5.3	28.0
Prostate					68	128.2	99.5	163.3				
Testis					0	0.0	0.0	8.9				
Urinary Bladder (includes *in situ*)	28	22.1	14.5	32.7	20	37.5	22.8	58.8	8	12.9	5.5	27.2
Kidney and Renal Pelvis	18	16.9	9.9	27.3	10	19.4	9.3	36.5	8	15.3	6.3	31.8
Brain and Nervous System	9	9.5	4.1	18.6	3	6.5	1.3	19.9	6	12.0	4.0	28.0
Hodgkin Lymphoma	1	1.2	0.0	6.7	0	0.0	0.0	8.9	1	2.4	0.1	13.5
Non-Hodgkin Lymphoma	23	20.6	12.8	31.8	15	31.3	17.3	52.5	8	12.7	5.3	27.2
Myeloma	5	4.6	1.5	11.3	3	5.6	1.2	17.7	2	3.8	0.5	15.3
Leukemia	12	11.6	5.7	21.2	8	18.3	7.7	36.6	4	6.0	1.6	17.8
All Other Sites	41	39.2	27.6	54.2	14	27.4	14.8	46.9	27	51.7	32.9	77.7
Breast *in situ* (not in total)									14	27.3	14.0	48.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Pope County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	107	337.8	275.1	413.0	56	365.8	274.0	483.5	51	310.6	227.7	419.4
Oral Cavity and Pharynx	2	6.9	0.8	30.3	2	14.1	1.7	61.4	0	0.0	0.0	41.1
Esophagus	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Stomach	3	12.1	2.1	39.9	3	25.2	4.2	82.7	0	0.0	0.0	41.1
Colon and Rectum	12	35.7	18.3	67.0	5	28.4	9.2	78.5	7	38.6	15.0	91.9
Liver	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Pancreas	1	2.5	0.1	23.4	0	0.0	0.0	40.9	1	3.7	0.1	45.0
Lung and Bronchus	26	79.1	51.4	119.9	14	89.1	48.2	158.1	12	73.5	37.6	137.7
Bones and Joints	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Melanoma of the Skin	7	23.1	8.9	52.4	4	29.6	7.5	85.1	3	17.0	3.4	63.7
Breast (invasive)	18	62.3	35.5	103.7	0	0.0	0.0	40.9	18	119.3	67.4	200.5
Cervix									0	0.0	0.0	41.1
Corpus and Uterus, NOS									1	5.9	0.2	49.1
Ovary									1	6.5	0.2	50.2
Prostate					13	84.1	44.1	152.5				
Testis					0	0.0	0.0	40.9				
Urinary Bladder (includes *in situ*)	8	23.7	10.2	51.8	6	38.7	14.1	93.9	2	10.4	1.1	54.7
Kidney and Renal Pelvis	2	6.0	0.7	28.5	2	12.6	1.5	58.5	0	0.0	0.0	41.1
Brain and Nervous System	1	3.1	0.1	24.5	1	6.3	0.2	49.6	0	0.0	0.0	41.1
Hodgkin Lymphoma	1	3.3	0.1	24.9	0	0.0	0.0	40.9	1	6.7	0.2	50.7
Non-Hodgkin Lymphoma	2	7.2	0.8	31.0	0	0.0	0.0	40.9	2	14.0	1.6	61.6
Myeloma	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Leukemia	5	13.6	4.3	38.1	3	20.6	4.1	70.6	2	8.6	1.0	51.2
All Other Sites	4	11.7	3.2	36.1	3	17.1	3.5	63.6	1	6.5	0.2	50.2
Breast *in situ* (not in total)									5	36.1	10.8	94.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Pulaski County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	194	491.7	423.8	567.8	116	659.7	543.3	794.4	78	373.4	292.9	469.9
Oral Cavity and Pharynx	4	9.7	2.6	26.2	3	15.6	3.2	48.7	1	4.6	0.1	29.1
Esophagus	1	4.6	0.1	21.8	1	9.9	0.3	46.5	0	0.0	0.0	21.6
Stomach	2	6.0	0.7	21.9	0	0.0	0.0	24.2	2	11.3	1.2	41.7
Colon and Rectum	20	47.9	29.2	74.9	14	74.8	40.6	127.9	6	25.9	9.4	59.6
Liver	4	9.7	2.6	26.2	3	15.7	3.2	48.9	1	4.6	0.1	29.1
Pancreas	5	12.0	3.9	29.4	5	26.8	8.7	65.0	0	0.0	0.0	21.6
Lung and Bronchus	39	93.9	66.7	129.2	22	123.0	76.5	188.4	17	73.0	42.3	119.5
Bones and Joints	1	3.6	0.1	18.5	1	7.3	0.2	38.5	0	0.0	0.0	21.6
Melanoma of the Skin	4	10.6	2.8	28.3	3	17.9	3.6	54.0	1	4.7	0.1	29.6
Breast (invasive)	18	50.9	29.5	81.7	0	0.0	0.0	24.2	18	95.0	54.9	153.1
Cervix									1	4.6	0.1	29.1
Corpus and Uterus, NOS									5	27.0	8.1	65.3
Ovary									3	14.2	2.9	44.2
Prostate					32	181.0	123.3	257.3				
Testis					0	0.0	0.0	24.2				
Urinary Bladder (includes *in situ*)	7	17.6	7.1	37.2	4	21.9	5.9	58.4	3	13.8	2.8	43.3
Kidney and Renal Pelvis	11	32.1	15.4	58.8	6	44.4	15.7	96.5	5	22.5	7.1	55.5
Brain and Nervous System	4	9.8	2.7	26.4	3	16.6	3.4	51.0	1	4.7	0.1	29.6
Hodgkin Lymphoma	0	0.0	0.0	11.3	0	0.0	0.0	24.2	0	0.0	0.0	21.6
Non-Hodgkin Lymphoma	3	6.7	1.4	21.5	2	13.1	1.5	47.6	1	3.3	0.1	26.1
Myeloma	3	7.1	1.5	22.4	1	5.4	0.1	33.4	2	8.7	1.1	35.2
Leukemia	1	2.1	0.1	14.6	1	5.4	0.1	33.4	0	0.0	0.0	21.6
All Other Sites	26	65.1	42.2	96.5	15	80.9	45.0	135.7	11	55.5	27.0	101.9
Breast *in situ* (not in total)									4	18.3	5.0	49.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Putnam County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	209	527.8	457.5	606.8	112	585.7	480.4	709.1	97	488.4	393.5	601.2
Oral Cavity and Pharynx	1	2.2	0.1	16.1	1	4.3	0.1	32.5	0	0.0	0.0	25.8
Esophagus	4	9.4	2.5	26.6	4	21.4	5.8	58.8	0	0.0	0.0	25.8
Stomach	5	11.8	3.8	30.1	4	20.6	5.5	57.2	1	4.5	0.1	32.5
Colon and Rectum	27	67.1	43.9	99.5	16	78.4	44.3	131.7	11	60.5	29.9	111.3
Liver	1	2.0	0.1	15.8	1	4.1	0.1	32.1	0	0.0	0.0	25.8
Pancreas	5	12.0	3.9	30.4	3	16.5	3.3	52.0	2	7.6	0.9	36.2
Lung and Bronchus	37	89.5	62.8	125.0	15	80.1	44.5	135.5	22	100.4	62.6	156.2
Bones and Joints	0	0.0	0.0	12.9	0	0.0	0.0	26.2	0	0.0	0.0	25.8
Melanoma of the Skin	6	17.3	6.1	39.5	3	15.3	3.1	49.5	3	18.4	3.3	57.3
Breast (invasive)	23	60.0	37.9	91.4	1	4.9	0.1	33.8	22	114.1	71.1	175.9
Cervix									0	0.0	0.0	25.8
Corpus and Uterus, NOS									5	24.1	7.8	60.9
Ovary									4	15.2	4.1	46.4
Prostate					28	142.6	94.1	209.9				
Testis					1	9.6	0.2	46.9				
Urinary Bladder (includes *in situ*)	8	18.5	7.9	38.8	8	41.2	17.6	85.3	0	0.0	0.0	25.8
Kidney and Renal Pelvis	9	20.7	9.4	41.5	8	38.9	16.4	81.5	1	3.6	0.1	30.7
Brain and Nervous System	0	0.0	0.0	12.9	0	0.0	0.0	26.2	0	0.0	0.0	25.8
Hodgkin Lymphoma	1	2.7	0.1	17.2	1	4.9	0.1	33.8	0	0.0	0.0	25.8
Non-Hodgkin Lymphoma	9	27.0	11.7	53.2	4	23.6	6.2	63.6	5	31.2	8.8	77.3
Myeloma	0	0.0	0.0	12.9	0	0.0	0.0	26.2	0	0.0	0.0	25.8
Leukemia	8	20.9	8.9	43.1	3	20.2	4.1	59.8	5	22.6	7.0	58.7
All Other Sites	27	72.3	47.4	106.8	11	58.9	29.1	108.8	16	86.1	48.6	143.2
Breast *in situ* (not in total)									1	4.5	0.1	32.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Randolph County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	950	493.4	462.3	526.2	506	589.5	538.8	643.7	444	434.6	393.5	479.1
Oral Cavity and Pharynx	28	15.0	9.9	21.8	20	22.0	13.4	34.2	8	7.5	3.2	15.7
Esophagus	7	3.6	1.5	7.6	6	7.1	2.6	15.5	1	1.0	0.0	6.6
Stomach	5	2.4	0.8	5.8	3	3.5	0.7	10.3	2	1.4	0.2	6.9
Colon and Rectum	110	55.7	45.7	67.4	50	59.8	44.3	79.0	60	54.3	41.0	71.1
Liver	14	7.1	3.9	12.2	11	12.0	6.0	21.7	3	2.2	0.4	8.1
Pancreas	29	13.9	9.3	20.3	17	21.2	12.3	33.9	12	8.9	4.5	16.7
Lung and Bronchus	148	76.4	64.5	89.9	94	108.6	87.6	133.2	54	52.7	39.4	69.5
Bones and Joints	0	0.0	0.0	2.2	0	0.0	0.0	4.4	0	0.0	0.0	4.9
Melanoma of the Skin	29	16.0	10.7	23.0	17	19.0	11.0	30.7	12	11.9	6.1	21.4
Breast (invasive)	123	63.8	53.0	76.3	2	2.1	0.3	7.9	121	119.9	99.0	144.2
Cervix									10	12.7	5.8	23.8
Corpus and Uterus, NOS									25	23.9	15.2	36.2
Ovary									11	10.7	5.0	20.2
Prostate					146	171.9	145.0	202.5				
Testis					5	4.7	1.5	11.6				
Urinary Bladder (includes *in situ*)	39	19.4	13.8	26.8	31	37.6	25.5	53.5	8	5.6	2.3	12.6
Kidney and Renal Pelvis	32	17.3	11.8	24.6	19	21.7	13.0	34.1	13	14.6	7.4	25.8
Brain and Nervous System	12	6.6	3.4	11.7	4	4.5	1.2	11.6	8	9.6	3.9	19.6
Hodgkin Lymphoma	4	2.4	0.7	6.2	2	2.2	0.3	8.2	2	2.5	0.3	9.3
Non-Hodgkin Lymphoma	41	21.9	15.7	29.9	17	19.8	11.5	31.9	24	24.1	15.2	36.7
Myeloma	11	5.8	2.9	10.5	6	7.5	2.7	16.3	5	4.6	1.5	11.6
Leukemia	27	13.6	8.9	20.1	15	17.0	9.4	28.3	12	11.4	5.6	20.9
All Other Sites	94	48.8	39.3	60.0	41	47.3	33.8	64.4	53	55.1	40.6	73.4
Breast *in situ* (not in total)									26	26.7	17.1	39.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Richland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	553	525.3	481.2	572.5	310	672.9	599.4	753.3	243	421.0	366.9	481.5
Oral Cavity and Pharynx	13	13.6	7.1	23.8	11	25.6	12.7	46.4	2	3.3	0.4	14.2
Esophagus	5	4.6	1.5	11.5	4	8.3	2.3	22.5	1	1.6	0.0	11.8
Stomach	7	6.3	2.5	13.7	5	10.4	3.3	25.4	2	2.5	0.3	12.7
Colon and Rectum	71	61.9	48.1	78.9	43	89.8	64.9	121.8	28	39.3	25.6	59.3
Liver	3	2.9	0.6	9.2	2	4.7	0.6	17.7	1	1.6	0.0	11.8
Pancreas	10	8.8	4.2	17.0	6	12.4	4.6	28.2	4	5.1	1.3	16.2
Lung and Bronchus	79	72.2	57.0	90.6	45	95.4	69.5	128.5	34	56.1	38.6	80.0
Bones and Joints	0	0.0	0.0	4.7	0	0.0	0.0	9.7	0	0.0	0.0	9.4
Melanoma of the Skin	19	21.0	12.3	33.4	13	29.5	15.5	51.2	6	15.4	5.3	34.0
Breast (invasive)	62	58.6	44.5	76.2	0	0.0	0.0	9.7	62	106.5	80.1	139.5
Cervix									6	13.4	4.8	30.0
Corpus and Uterus, NOS									21	38.7	23.5	60.7
Ovary									7	12.8	4.8	28.3
Prostate					84	174.4	139.0	216.6				
Testis					4	13.7	3.7	33.5				
Urinary Bladder (includes *in situ*)	33	28.3	19.2	40.5	25	52.9	34.2	78.9	8	12.3	4.8	27.1
Kidney and Renal Pelvis	16	14.5	8.2	24.2	10	21.6	10.3	40.5	6	9.3	3.3	22.3
Brain and Nervous System	5	4.8	1.5	12.1	0	0.0	0.0	9.7	5	8.7	2.5	22.6
Hodgkin Lymphoma	1	1.3	0.0	7.2	1	2.6	0.1	14.6	0	0.0	0.0	9.4
Non-Hodgkin Lymphoma	21	20.8	12.7	32.6	11	25.8	12.8	46.7	10	17.7	8.3	34.3
Myeloma	9	8.6	3.8	17.1	7	15.9	6.3	33.6	2	3.3	0.4	14.3
Leukemia	15	15.9	8.6	26.9	8	18.6	7.8	37.5	7	13.5	4.9	29.9
All Other Sites	62	63.2	47.9	82.0	31	71.3	48.1	102.1	31	60.1	39.9	87.4
Breast *in situ* (not in total)									13	24.3	12.4	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,422	504.3	489.4	519.6	2,259	577.8	554.0	602.4	2,163	455.2	435.7	475.5
Oral Cavity and Pharynx	120	13.8	11.4	16.6	78	19.5	15.4	24.4	42	9.3	6.6	12.8
Esophagus	46	5.1	3.7	6.8	34	8.7	6.0	12.3	12	2.3	1.2	4.1
Stomach	54	6.1	4.5	7.9	37	9.5	6.6	13.1	17	3.4	2.0	5.6
Colon and Rectum	506	56.5	51.6	61.7	246	63.6	55.8	72.2	260	51.4	45.2	58.3
Liver	30	3.3	2.2	4.8	24	5.7	3.7	8.6	6	1.2	0.4	2.8
Pancreas	102	11.1	9.0	13.5	52	13.1	9.7	17.2	50	9.4	6.9	12.6
Lung and Bronchus	670	74.8	69.2	80.8	362	92.4	83.0	102.5	308	62.1	55.2	69.6
Bones and Joints	7	1.0	0.4	2.0	4	1.2	0.3	3.0	3	0.7	0.1	2.3
Melanoma of the Skin	151	18.1	15.3	21.3	82	21.8	17.3	27.2	69	15.9	12.3	20.3
Breast (invasive)	620	70.8	65.3	76.7	3	0.7	0.1	2.2	617	130.1	119.7	141.1
Cervix									42	11.2	8.0	15.2
Corpus and Uterus, NOS									143	30.8	25.9	36.5
Ovary									57	12.4	9.3	16.2
Prostate					609	149.5	137.8	162.0				
Testis					25	7.4	4.7	10.9				
Urinary Bladder (includes *in situ*)	223	24.3	21.2	27.8	175	45.7	39.2	53.1	48	8.8	6.4	11.8
Kidney and Renal Pelvis	165	19.1	16.2	22.3	104	26.5	21.6	32.2	61	12.9	9.8	16.7
Brain and Nervous System	64	7.9	6.1	10.2	38	10.3	7.3	14.2	26	5.9	3.8	8.7
Hodgkin Lymphoma	26	3.3	2.2	4.9	21	5.6	3.4	8.6	5	1.3	0.4	3.0
Non-Hodgkin Lymphoma	165	18.6	15.8	21.7	80	20.6	16.3	25.8	85	17.0	13.5	21.1
Myeloma	36	4.1	2.9	5.7	19	5.1	3.0	7.9	17	3.5	2.0	5.9
Leukemia	94	11.3	9.1	13.9	56	15.1	11.4	19.7	38	8.9	6.2	12.4
All Other Sites	467	55.0	50.0	60.3	210	55.7	48.4	63.9	257	56.8	49.8	64.5
Breast *in situ* (not in total)									151	33.3	28.0	39.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,789	505.3	493.3	517.5	3,452	611.2	590.6	632.2	3,337	439.7	424.7	455.0
Oral Cavity and Pharynx	179	13.3	11.4	15.4	120	20.1	16.6	24.1	59	8.1	6.1	10.5
Esophagus	103	7.7	6.2	9.3	89	15.5	12.4	19.1	14	1.9	1.0	3.2
Stomach	73	5.3	4.2	6.7	44	7.9	5.7	10.7	29	3.6	2.4	5.2
Colon and Rectum	748	55.4	51.5	59.6	353	64.2	57.6	71.4	395	49.5	44.7	54.7
Liver	53	3.9	2.9	5.1	32	5.3	3.6	7.5	21	2.9	1.8	4.4
Pancreas	165	12.2	10.4	14.2	87	16.0	12.7	19.7	78	9.8	7.7	12.3
Lung and Bronchus	1,170	87.3	82.3	92.4	622	111.5	102.8	120.7	548	71.4	65.5	77.7
Bones and Joints	13	1.0	0.5	1.7	9	1.4	0.7	2.8	4	0.5	0.1	1.4
Melanoma of the Skin	161	12.1	10.3	14.1	97	17.3	13.9	21.1	64	8.8	6.8	11.3
Breast (invasive)	956	71.5	67.0	76.2	1	0.2	0.0	1.0	955	129.4	121.3	138.0
Cervix									71	10.1	7.8	12.7
Corpus and Uterus, NOS									165	22.1	18.9	25.8
Ovary									79	10.3	8.2	12.9
Prostate					942	161.8	151.4	172.6				
Testis					25	4.3	2.8	6.3				
Urinary Bladder (includes *in situ*)	320	23.7	21.2	26.4	233	43.9	38.4	50.0	87	10.7	8.6	13.3
Kidney and Renal Pelvis	298	22.1	19.6	24.8	180	32.0	27.4	37.1	118	15.2	12.5	18.2
Brain and Nervous System	82	6.3	5.0	7.9	59	10.3	7.8	13.3	23	3.3	2.1	4.9
Hodgkin Lymphoma	45	3.5	2.5	4.7	25	4.2	2.7	6.3	20	2.9	1.8	4.5
Non-Hodgkin Lymphoma	265	19.8	17.5	22.3	124	21.6	17.9	25.8	141	18.0	15.1	21.3
Myeloma	99	7.3	5.9	8.9	51	9.1	6.8	12.0	48	6.0	4.4	8.0
Leukemia	147	10.9	9.2	12.8	75	13.8	10.8	17.3	72	9.4	7.3	11.8
All Other Sites	630	46.8	43.2	50.6	284	51.0	45.1	57.4	346	45.8	41.1	51.0
Breast *in situ* (not in total)									237	32.3	28.3	36.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Saline County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	870	504.3	470.5	540.0	451	605.5	550.5	664.7	419	444.5	400.6	492.3
Oral Cavity and Pharynx	10	5.9	2.8	11.2	7	8.8	3.5	18.8	3	3.4	0.7	11.1
Esophagus	9	5.0	2.3	9.9	5	6.7	2.2	16.2	4	4.1	1.1	11.8
Stomach	15	7.9	4.4	13.6	8	11.9	5.1	23.7	7	5.1	1.9	12.4
Colon and Rectum	117	66.1	54.5	79.7	68	91.9	71.2	116.9	49	46.9	34.1	63.6
Liver	3	1.8	0.4	5.8	3	4.2	0.9	12.7	0	0.0	0.0	5.7
Pancreas	16	9.3	5.3	15.5	10	13.5	6.4	25.3	6	6.4	2.3	15.0
Lung and Bronchus	173	95.8	81.8	111.7	103	137.3	111.9	166.9	70	67.1	51.7	86.3
Bones and Joints	1	0.6	0.0	3.8	0	0.0	0.0	6.0	1	1.0	0.0	7.1
Melanoma of the Skin	32	20.0	13.4	28.7	18	25.0	14.7	40.0	14	17.5	9.2	30.5
Breast (invasive)	131	79.8	66.3	95.4	1	1.3	0.0	8.0	130	144.5	119.4	173.5
Cervix									5	9.3	2.9	21.5
Corpus and Uterus, NOS									21	22.3	13.4	35.3
Ovary									9	10.8	4.8	21.3
Prostate					106	138.8	113.5	168.3				
Testis					2	2.8	0.3	10.6				
Urinary Bladder (includes *in situ*)	30	17.2	11.5	25.1	26	36.2	23.5	53.5	4	3.4	0.9	10.3
Kidney and Renal Pelvis	38	21.7	15.2	30.2	24	31.2	19.9	46.9	14	16.6	8.8	28.9
Brain and Nervous System	6	3.2	1.2	7.4	1	1.3	0.0	8.0	5	4.5	1.4	12.0
Hodgkin Lymphoma	4	3.0	0.8	7.9	2	3.9	0.5	13.3	2	2.0	0.2	8.6
Non-Hodgkin Lymphoma	35	20.3	14.1	28.6	20	27.3	16.6	42.5	15	15.6	8.6	26.7
Myeloma	8	4.6	2.0	9.5	4	5.1	1.4	13.9	4	4.4	1.2	12.3
Leukemia	27	15.1	9.8	22.5	13	17.2	9.1	29.9	14	14.4	7.4	25.8
All Other Sites	72	42.8	33.2	54.4	30	41.3	27.8	59.5	42	45.3	31.9	62.9
Breast *in situ* (not in total)									14	15.7	8.5	27.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,715	529.5	515.7	543.6	2,945	641.0	617.7	665.1	2,770	460.2	442.9	478.0
Oral Cavity and Pharynx	149	13.5	11.4	15.8	100	20.2	16.4	24.7	49	7.9	5.8	10.6
Esophagus	70	6.4	4.9	8.1	53	10.9	8.1	14.3	17	2.7	1.6	4.4
Stomach	57	5.1	3.9	6.7	33	7.2	5.0	10.2	24	3.8	2.4	5.8
Colon and Rectum	629	57.9	53.4	62.7	321	70.3	62.7	78.6	308	49.0	43.6	55.0
Liver	67	6.0	4.6	7.6	46	9.1	6.6	12.2	21	3.4	2.1	5.3
Pancreas	135	12.4	10.4	14.7	64	14.4	11.0	18.4	71	10.9	8.5	13.8
Lung and Bronchus	900	83.5	78.1	89.2	513	113.8	104.0	124.2	387	63.3	57.1	70.0
Bones and Joints	8	0.9	0.4	1.7	5	1.1	0.4	2.7	3	0.6	0.1	1.7
Melanoma of the Skin	199	19.1	16.5	22.0	108	22.9	18.7	27.8	91	17.0	13.6	21.0
Breast (invasive)	802	73.7	68.6	79.0	11	2.5	1.2	4.5	791	132.0	122.8	141.7
Cervix									51	9.5	7.0	12.5
Corpus and Uterus, NOS									145	24.0	20.2	28.3
Ovary									73	11.8	9.2	14.9
Prostate					738	157.7	146.3	169.7				
Testis					28	6.4	4.2	9.3				
Urinary Bladder (includes *in situ*)	303	28.0	24.9	31.4	224	51.8	45.1	59.1	79	12.6	9.9	15.8
Kidney and Renal Pelvis	226	20.8	18.1	23.7	141	30.0	25.2	35.5	85	14.3	11.4	17.8
Brain and Nervous System	75	7.1	5.6	8.9	35	7.7	5.3	10.7	40	6.9	4.9	9.5
Hodgkin Lymphoma	38	3.8	2.7	5.2	24	5.2	3.3	7.7	14	2.6	1.4	4.4
Non-Hodgkin Lymphoma	230	21.3	18.6	24.3	121	26.9	22.2	32.2	109	17.8	14.5	21.5
Myeloma	74	6.9	5.4	8.7	46	10.2	7.4	13.7	28	4.7	3.1	6.9
Leukemia	146	14.0	11.8	16.5	83	18.8	14.9	23.4	63	10.4	8.0	13.5
All Other Sites	572	54.1	49.7	58.8	251	53.9	47.4	61.2	321	55.0	49.0	61.6
Breast *in situ* (not in total)									252	43.5	38.2	49.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Schuyler County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	203	422.7	365.1	487.6	106	483.7	395.4	587.1	97	373.8	298.9	463.6
Oral Cavity and Pharynx	3	5.7	1.1	19.1	3	14.0	2.9	43.5	0	0.0	0.0	22.2
Esophagus	2	5.5	0.6	20.5	0	0.0	0.0	21.4	2	10.4	1.1	40.2
Stomach	5	13.0	4.0	31.3	2	8.8	1.1	35.5	3	17.7	3.3	52.8
Colon and Rectum	30	57.8	38.6	84.4	10	43.3	20.7	82.3	20	70.7	41.9	114.9
Liver	1	2.1	0.1	14.1	1	4.1	0.1	27.9	0	0.0	0.0	22.2
Pancreas	6	11.6	4.1	27.3	2	8.7	1.1	35.2	4	11.9	3.0	38.2
Lung and Bronchus	32	64.8	44.1	93.0	20	88.1	53.8	138.3	12	43.0	21.4	80.7
Bones and Joints	0	0.0	0.0	10.8	0	0.0	0.0	21.4	0	0.0	0.0	22.2
Melanoma of the Skin	5	10.9	3.3	27.5	3	13.0	2.7	41.4	2	9.3	0.7	39.0
Breast (invasive)	22	47.0	29.0	73.0	1	4.3	0.1	28.5	21	85.3	51.5	135.1
Cervix									1	5.3	0.1	31.6
Corpus and Uterus, NOS									4	16.9	4.5	47.2
Ovary									4	12.4	3.1	39.3
Prostate					27	122.1	80.4	179.6				
Testis					3	18.0	3.6	52.5				
Urinary Bladder (includes *in situ*)	12	24.0	11.9	44.2	10	45.4	21.8	85.6	2	12.1	1.2	44.9
Kidney and Renal Pelvis	4	8.6	2.3	23.7	3	13.7	2.8	42.8	1	3.9	0.1	28.1
Brain and Nervous System	3	7.4	1.3	23.2	1	7.2	0.2	36.5	2	6.6	0.7	31.5
Hodgkin Lymphoma	1	2.0	0.0	13.8	1	4.0	0.1	27.5	0	0.0	0.0	22.2
Non-Hodgkin Lymphoma	6	11.9	4.3	27.8	4	18.8	5.1	50.4	2	7.8	0.9	33.8
Myeloma	1	2.7	0.1	15.5	0	0.0	0.0	21.4	1	5.3	0.1	31.6
Leukemia	6	12.9	4.4	30.1	4	19.6	5.2	52.6	2	4.5	0.5	27.5
All Other Sites	25	49.8	31.9	75.3	11	50.4	25.1	92.3	14	50.6	26.7	90.5
Breast *in situ* (not in total)									1	3.6	0.1	27.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Scott County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	154	466.2	394.2	548.2	79	509.1	401.9	637.5	75	445.8	348.0	563.9
Oral Cavity and Pharynx	2	5.5	0.7	22.6	2	12.9	1.5	50.1	0	0.0	0.0	27.8
Esophagus	0	0.0	0.0	14.0	0	0.0	0.0	28.8	0	0.0	0.0	27.8
Stomach	0	0.0	0.0	14.0	0	0.0	0.0	28.8	0	0.0	0.0	27.8
Colon and Rectum	19	53.3	31.9	84.8	8	50.7	21.7	102.9	11	56.5	27.8	105.9
Liver	2	5.6	0.7	22.8	1	7.1	0.2	41.5	1	5.3	0.1	36.1
Pancreas	4	10.7	2.9	29.9	4	22.6	6.2	62.6	0	0.0	0.0	27.8
Lung and Bronchus	27	77.1	50.7	113.6	16	97.9	55.8	161.8	11	59.2	29.4	109.8
Bones and Joints	0	0.0	0.0	14.0	0	0.0	0.0	28.8	0	0.0	0.0	27.8
Melanoma of the Skin	9	27.6	12.3	54.3	3	19.6	4.0	60.2	6	36.8	12.9	83.8
Breast (invasive)	22	72.3	45.0	110.7	0	0.0	0.0	28.8	22	140.1	86.8	215.0
Cervix									1	10.7	0.3	51.2
Corpus and Uterus, NOS									5	34.4	10.5	82.8
Ovary									2	11.8	1.4	46.9
Prostate					18	110.5	65.3	177.5				
Testis					3	27.6	5.6	77.8				
Urinary Bladder (includes *in situ*)	5	14.7	4.8	36.1	4	26.1	7.1	69.6	1	5.7	0.1	37.1
Kidney and Renal Pelvis	7	20.2	8.0	43.5	5	30.9	9.9	75.6	2	12.7	1.5	49.0
Brain and Nervous System	1	4.0	0.1	21.8	1	7.8	0.2	43.3	0	0.0	0.0	27.8
Hodgkin Lymphoma	1	4.0	0.1	21.8	1	8.3	0.2	44.9	0	0.0	0.0	27.8
Non-Hodgkin Lymphoma	7	18.2	7.2	39.9	5	32.0	10.3	77.7	2	9.1	0.9	41.5
Myeloma	1	2.9	0.1	18.8	1	5.5	0.1	37.6	0	0.0	0.0	27.8
Leukemia	5	15.2	4.8	37.1	2	13.3	1.6	50.9	3	15.2	2.8	51.2
All Other Sites	13	41.4	21.7	72.3	5	36.3	11.6	86.2	8	48.3	20.6	98.3
Breast *in situ* (not in total)									11	61.9	30.7	114.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Shelby County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	715	484.3	448.6	522.2	401	588.7	531.9	650.1	314	409.4	363.1	460.4
Oral Cavity and Pharynx	17	12.7	7.2	20.8	11	16.0	7.9	29.5	6	9.5	3.2	21.9
Esophagus	7	4.4	1.8	9.7	5	6.7	2.2	16.7	2	2.0	0.2	9.8
Stomach	9	6.0	2.7	11.8	5	7.4	2.4	18.1	4	4.9	1.3	13.9
Colon and Rectum	83	53.1	42.2	66.4	53	78.3	58.5	103.2	30	33.9	22.6	49.8
Liver	4	2.7	0.7	7.5	3	4.7	1.0	14.3	1	1.6	0.0	9.8
Pancreas	17	12.1	6.9	19.9	5	8.8	2.7	20.9	12	14.0	6.9	26.1
Lung and Bronchus	109	70.4	57.8	85.4	62	90.2	69.1	116.2	47	56.5	41.3	76.3
Bones and Joints	1	1.2	0.0	5.9	0	0.0	0.0	6.8	1	2.6	0.1	12.6
Melanoma of the Skin	17	13.4	7.6	22.0	8	11.9	5.1	24.2	9	16.2	7.0	31.6
Breast (invasive)	80	54.1	42.7	67.9	5	7.8	2.5	18.9	75	95.4	74.4	121.1
Cervix									4	5.0	1.3	14.4
Corpus and Uterus, NOS									12	16.1	8.2	29.1
Ovary									13	17.6	9.0	31.5
Prostate					113	160.6	132.3	193.7				
Testis					4	8.2	2.2	20.6				
Urinary Bladder (includes *in situ*)	47	30.4	22.2	40.9	33	47.9	32.8	68.0	14	16.7	9.1	29.3
Kidney and Renal Pelvis	27	18.0	11.7	26.7	15	22.1	12.2	37.3	12	14.2	7.2	26.1
Brain and Nervous System	12	10.8	5.4	19.1	6	9.8	3.5	21.9	6	11.9	4.2	26.1
Hodgkin Lymphoma	4	3.3	0.8	8.9	2	3.1	0.4	11.9	2	4.6	0.5	15.6
Non-Hodgkin Lymphoma	31	21.6	14.5	31.3	19	29.0	17.4	45.9	12	15.4	7.4	28.7
Myeloma	9	5.8	2.7	11.6	6	8.8	3.2	19.8	3	2.9	0.6	11.0
Leukemia	19	11.2	6.7	18.1	10	14.4	6.9	27.3	9	7.8	3.5	17.0
All Other Sites	76	55.5	43.3	70.2	36	53.0	37.0	74.0	40	60.7	42.3	84.6
Breast *in situ* (not in total)									12	18.0	9.2	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Stark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	196	471.3	405.4	545.8	85	465.1	370.1	578.5	111	499.9	405.3	611.7
Oral Cavity and Pharynx	4	9.5	2.6	26.5	4	20.9	5.5	57.6	0	0.0	0.0	25.1
Esophagus	1	3.9	0.1	20.3	0	0.0	0.0	25.6	1	7.5	0.2	39.7
Stomach	0	0.0	0.0	12.5	0	0.0	0.0	25.6	0	0.0	0.0	25.1
Colon and Rectum	27	60.4	39.3	90.2	14	76.8	41.7	131.6	13	47.7	24.5	88.3
Liver	1	1.5	0.0	14.3	0	0.0	0.0	25.6	1	2.0	0.0	27.0
Pancreas	5	10.0	3.1	26.5	0	0.0	0.0	25.6	5	17.2	5.1	48.7
Lung and Bronchus	23	51.9	32.6	79.9	13	70.6	37.3	123.5	10	40.3	19.2	79.3
Bones and Joints	0	0.0	0.0	12.5	0	0.0	0.0	25.6	0	0.0	0.0	25.1
Melanoma of the Skin	8	19.7	8.2	41.0	5	27.8	8.8	68.2	3	15.6	2.9	50.2
Breast (invasive)	32	74.6	50.6	107.4	1	5.1	0.1	33.8	31	134.2	89.8	195.6
Cervix									1	8.9	0.2	43.8
Corpus and Uterus, NOS									7	32.0	12.0	71.7
Ovary									7	40.9	15.6	87.4
Prostate					20	101.8	61.8	160.4				
Testis					1	7.2	0.2	39.3				
Urinary Bladder (includes *in situ*)	8	17.2	7.3	36.5	8	45.0	19.2	91.4	0	0.0	0.0	25.1
Kidney and Renal Pelvis	9	24.6	11.0	48.2	5	31.3	9.9	74.9	4	18.1	4.9	51.5
Brain and Nervous System	1	4.3	0.1	21.6	0	0.0	0.0	25.6	1	8.9	0.2	43.8
Hodgkin Lymphoma	0	0.0	0.0	12.5	0	0.0	0.0	25.6	0	0.0	0.0	25.1
Non-Hodgkin Lymphoma	12	24.8	12.7	45.7	4	19.2	5.2	54.0	8	28.6	11.9	63.6
Myeloma	1	2.3	0.1	16.0	0	0.0	0.0	25.6	1	4.1	0.1	30.9
Leukemia	7	16.3	6.0	36.6	2	12.2	1.4	46.1	5	20.7	5.3	57.2
All Other Sites	21	58.4	35.1	91.6	8	47.2	19.7	96.0	13	73.5	36.9	130.9
Breast *in situ* (not in total)									7	38.1	14.8	81.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Stephenson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,254	405.2	382.8	428.8	617	459.5	423.6	497.7	637	372.6	343.2	404.1
Oral Cavity and Pharynx	35	12.3	8.5	17.3	24	18.0	11.5	27.1	11	7.0	3.4	13.1
Esophagus	26	8.3	5.4	12.3	23	16.4	10.4	24.9	3	1.5	0.3	5.3
Stomach	16	5.4	3.0	8.9	12	9.2	4.7	16.2	4	2.5	0.6	7.0
Colon and Rectum	166	51.0	43.5	59.7	82	61.2	48.6	76.3	84	44.1	34.9	55.4
Liver	7	2.2	0.9	4.7	4	2.7	0.7	7.4	3	1.9	0.4	6.1
Pancreas	35	10.4	7.2	14.7	22	16.7	10.4	25.5	13	6.5	3.4	11.8
Lung and Bronchus	217	68.4	59.5	78.3	108	79.3	64.9	96.0	109	62.5	51.0	76.0
Bones and Joints	2	0.9	0.1	3.3	1	0.8	0.0	4.6	1	1.2	0.0	5.7
Melanoma of the Skin	28	10.0	6.6	14.8	9	7.8	3.5	15.0	19	12.4	7.3	19.9
Breast (invasive)	192	63.8	55.0	73.8	1	0.6	0.0	4.3	191	116.8	100.3	135.5
Cervix									9	5.4	2.4	10.9
Corpus and Uterus, NOS									37	21.8	15.2	30.6
Ovary									14	9.2	5.0	15.9
Prostate					134	96.5	80.8	114.5				
Testis					6	6.1	2.2	13.2				
Urinary Bladder (includes *in situ*)	62	19.0	14.6	24.6	47	34.6	25.4	46.3	15	8.3	4.6	14.2
Kidney and Renal Pelvis	29	9.0	6.0	13.2	18	12.8	7.6	20.6	11	5.8	2.9	11.1
Brain and Nervous System	17	5.8	3.4	9.5	7	5.2	2.1	10.9	10	6.6	3.1	12.6
Hodgkin Lymphoma	9	4.0	1.8	7.7	5	4.2	1.3	10.1	4	3.9	1.0	9.9
Non-Hodgkin Lymphoma	48	15.4	11.3	20.7	25	19.1	12.3	28.5	23	11.5	7.2	17.9
Myeloma	17	5.4	3.1	8.8	10	7.6	3.6	14.2	7	3.9	1.5	8.6
Leukemia	41	13.6	9.7	18.6	24	18.7	11.9	28.1	17	9.6	5.4	15.9
All Other Sites	107	34.9	28.5	42.5	55	41.9	31.5	54.9	52	30.1	22.1	40.2
Breast *in situ* (not in total)									32	20.2	13.7	28.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Tazewell County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,125	533.3	517.0	550.0	2,200	626.3	600.2	653.3	1,925	470.0	448.8	491.9
Oral Cavity and Pharynx	88	11.4	9.1	14.1	57	15.6	11.8	20.3	31	7.7	5.2	11.1
Esophagus	41	5.2	3.7	7.1	37	10.3	7.2	14.3	4	1.0	0.3	2.7
Stomach	47	5.9	4.4	8.0	25	7.5	4.9	11.2	22	4.7	2.9	7.3
Colon and Rectum	429	54.4	49.3	59.8	234	68.0	59.5	77.4	195	44.7	38.5	51.6
Liver	27	3.5	2.3	5.1	21	6.0	3.7	9.2	6	1.4	0.5	3.1
Pancreas	89	11.2	9.0	13.8	42	12.1	8.7	16.4	47	10.4	7.6	14.0
Lung and Bronchus	627	79.2	73.1	85.7	375	106.7	96.1	118.1	252	58.0	51.0	65.7
Bones and Joints	7	1.1	0.5	2.3	2	0.7	0.1	2.4	5	1.6	0.5	3.7
Melanoma of the Skin	233	31.7	27.7	36.1	116	33.0	27.2	39.6	117	32.7	26.9	39.3
Breast (invasive)	494	64.1	58.5	70.1	3	0.9	0.2	2.6	491	119.9	109.4	131.2
Cervix									43	12.1	8.7	16.4
Corpus and Uterus, NOS									120	29.4	24.3	35.3
Ovary									62	14.6	11.1	18.9
Prostate					607	167.9	154.7	181.9				
Testis					26	8.6	5.6	12.6				
Urinary Bladder (includes *in situ*)	195	24.7	21.3	28.4	155	44.9	38.1	52.6	40	9.0	6.4	12.4
Kidney and Renal Pelvis	161	20.6	17.5	24.1	94	26.1	21.1	32.1	67	15.9	12.3	20.3
Brain and Nervous System	79	10.7	8.4	13.4	46	13.5	9.8	18.0	33	8.5	5.8	12.0
Hodgkin Lymphoma	21	3.2	2.0	4.9	8	2.5	1.1	4.9	13	4.1	2.2	7.0
Non-Hodgkin Lymphoma	170	21.9	18.7	25.5	97	27.6	22.4	33.8	73	16.9	13.1	21.4
Myeloma	26	3.3	2.2	4.9	19	5.5	3.3	8.7	7	1.8	0.7	3.8
Leukemia	115	15.0	12.4	18.1	67	20.4	15.8	25.9	48	11.5	8.4	15.4
All Other Sites	418	56.2	50.9	61.9	169	48.6	41.5	56.7	249	64.2	56.3	73.0
Breast *in situ* (not in total)									130	32.8	27.4	39.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Union County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	539	456.5	417.9	497.9	284	544.9	482.3	613.8	255	400.6	350.9	455.8
Oral Cavity and Pharynx	18	15.1	8.9	24.4	9	14.7	6.7	29.1	9	15.1	6.8	29.8
Esophagus	4	3.3	0.9	9.2	3	5.7	1.1	17.6	1	2.1	0.1	11.9
Stomach	7	5.6	2.1	12.2	3	6.8	1.4	20.0	4	3.7	1.0	12.6
Colon and Rectum	61	51.7	39.3	67.1	33	64.7	44.1	92.0	28	38.8	25.2	58.1
Liver	3	2.7	0.5	8.4	2	4.8	0.6	17.1	1	1.2	0.0	9.7
Pancreas	8	6.9	2.9	14.1	6	12.2	4.4	27.3	2	2.8	0.3	12.4
Lung and Bronchus	98	80.5	65.1	98.8	62	116.6	88.9	150.5	36	53.9	37.4	76.1
Bones and Joints	2	1.8	0.2	7.2	1	2.3	0.1	12.7	1	2.5	0.1	13.1
Melanoma of the Skin	17	16.7	9.5	27.3	11	22.2	10.9	40.5	6	12.9	4.5	28.5
Breast (invasive)	69	59.5	46.0	75.9	1	1.5	0.0	10.8	68	110.6	85.1	141.8
Cervix									3	7.5	1.5	21.4
Corpus and Uterus, NOS									17	29.4	16.7	48.2
Ovary									10	16.4	7.6	31.5
Prostate					62	115.9	88.4	149.5				
Testis					3	7.6	1.5	21.8				
Urinary Bladder (includes *in situ*)	22	17.5	10.9	27.0	13	27.6	14.6	47.7	9	12.4	5.6	25.1
Kidney and Renal Pelvis	21	18.7	11.3	29.3	14	28.8	15.5	49.0	7	10.5	3.8	23.8
Brain and Nervous System	8	6.9	3.0	14.1	2	3.4	0.4	13.9	6	9.7	3.5	22.3
Hodgkin Lymphoma	4	4.0	1.0	10.6	2	4.0	0.4	15.4	2	3.9	0.4	14.9
Non-Hodgkin Lymphoma	17	14.7	8.5	24.1	11	20.8	10.2	38.1	6	7.8	2.8	19.1
Myeloma	11	9.4	4.7	17.3	5	10.3	3.3	24.6	6	10.0	3.6	22.8
Leukemia	16	11.9	6.8	20.0	7	12.5	4.9	26.9	9	11.8	5.2	24.5
All Other Sites	58	47.7	36.0	62.3	34	62.7	43.2	88.6	24	37.7	23.5	58.0
Breast *in situ* (not in total)									10	18.6	8.7	35.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,591	522.1	502.0	542.9	1,370	618.6	586.0	652.6	1,221	457.0	431.0	484.3
Oral Cavity and Pharynx	58	12.7	9.6	16.5	42	19.8	14.2	26.9	16	5.9	3.3	10.0
Esophagus	25	5.1	3.3	7.6	22	9.5	6.0	14.5	3	1.2	0.2	3.8
Stomach	20	4.0	2.5	6.3	15	6.8	3.8	11.3	5	2.0	0.6	4.9
Colon and Rectum	290	56.3	49.9	63.2	147	67.3	56.8	79.3	143	48.4	40.6	57.4
Liver	22	4.6	2.9	7.0	16	7.0	4.0	11.5	6	2.2	0.8	5.0
Pancreas	49	9.8	7.2	13.1	21	10.1	6.2	15.5	28	10.1	6.6	14.8
Lung and Bronchus	464	91.2	83.0	100.0	264	118.1	104.1	133.4	200	71.0	61.4	81.9
Bones and Joints	4	1.0	0.3	2.6	2	0.9	0.1	3.5	2	1.1	0.1	3.9
Melanoma of the Skin	73	16.0	12.5	20.2	34	16.6	11.4	23.3	39	16.7	11.7	23.2
Breast (invasive)	335	68.6	61.3	76.5	3	1.3	0.3	4.0	332	126.4	112.8	141.3
Cervix									17	9.0	5.2	14.5
Corpus and Uterus, NOS									54	21.4	15.9	28.2
Ovary									32	12.1	8.2	17.3
Prostate					414	182.4	165.2	201.1				
Testis					9	4.5	2.1	8.6				
Urinary Bladder (includes *in situ*)	124	24.2	20.1	28.9	95	43.7	35.3	53.6	29	10.4	6.9	15.2
Kidney and Renal Pelvis	88	18.1	14.5	22.4	51	22.9	17.0	30.2	37	14.1	9.8	19.6
Brain and Nervous System	30	6.7	4.5	9.7	11	5.1	2.5	9.3	19	8.3	4.9	13.1
Hodgkin Lymphoma	13	3.3	1.7	5.7	8	4.1	1.8	8.1	5	2.5	0.8	5.8
Non-Hodgkin Lymphoma	96	19.3	15.6	23.7	47	21.0	15.3	28.0	49	17.2	12.6	23.1
Myeloma	27	5.4	3.5	7.9	19	8.7	5.2	13.7	8	2.6	1.1	5.4
Leukemia	82	16.3	13.0	20.4	39	17.9	12.7	24.6	43	14.8	10.6	20.3
All Other Sites	265	54.3	47.8	61.4	111	50.8	41.7	61.4	154	59.5	50.1	70.2
Breast *in situ* (not in total)									111	44.2	36.2	53.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Wabash County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	353	451.0	404.2	502.1	193	566.2	488.4	653.3	160	369.0	311.4	435.0
Oral Cavity and Pharynx	9	12.5	5.6	24.5	8	23.1	9.7	46.9	1	2.7	0.1	16.8
Esophagus	5	7.9	2.5	18.6	5	16.7	5.3	39.1	0	0.0	0.0	12.1
Stomach	2	2.7	0.3	10.4	1	2.6	0.1	16.8	1	2.9	0.1	17.2
Colon and Rectum	47	59.6	43.5	80.0	25	72.9	46.9	108.6	22	49.4	30.5	76.9
Liver	6	7.5	2.7	17.0	5	12.6	4.0	31.3	1	2.2	0.1	15.3
Pancreas	13	15.3	8.0	27.2	9	26.3	11.9	50.9	4	7.9	2.1	23.3
Lung and Bronchus	71	87.9	68.5	111.5	45	132.1	96.2	177.5	26	56.4	36.5	84.6
Bones and Joints	0	0.0	0.0	6.1	0	0.0	0.0	12.5	0	0.0	0.0	12.1
Melanoma of the Skin	11	15.0	7.2	27.8	5	16.1	5.0	38.4	6	13.7	4.6	32.7
Breast (invasive)	41	53.7	38.0	74.0	0	0.0	0.0	12.5	41	99.1	69.5	137.6
Cervix									4	12.4	3.1	32.7
Corpus and Uterus, NOS									4	9.3	2.5	26.1
Ovary									5	11.3	3.6	28.7
Prostate					30	83.7	56.4	120.5				
Testis					2	6.5	0.8	23.8				
Urinary Bladder (includes *in situ*)	13	15.7	8.3	27.6	10	29.4	14.1	54.9	3	5.9	1.1	20.6
Kidney and Renal Pelvis	15	19.6	10.9	33.0	7	19.8	7.9	41.8	8	20.1	8.4	41.3
Brain and Nervous System	6	8.3	2.8	18.9	5	16.0	5.0	38.1	1	2.7	0.1	16.8
Hodgkin Lymphoma	0	0.0	0.0	6.1	0	0.0	0.0	12.5	0	0.0	0.0	12.1
Non-Hodgkin Lymphoma	15	19.0	10.4	32.2	7	22.8	9.0	47.5	8	15.5	6.5	33.5
Myeloma	1	1.4	0.0	8.5	1	3.2	0.1	18.3	0	0.0	0.0	12.1
Leukemia	10	14.1	6.5	26.8	4	12.4	3.4	32.4	6	17.7	5.9	40.2
All Other Sites	43	53.4	38.4	72.8	24	70.0	44.7	104.9	19	39.9	23.1	65.6
Breast *in situ* (not in total)									2	4.3	0.5	18.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Warren County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	488	442.0	402.8	484.3	259	528.2	465.1	597.8	229	385.9	335.5	442.2
Oral Cavity and Pharynx	9	7.8	3.5	15.5	6	12.4	4.5	27.7	3	4.8	1.0	15.7
Esophagus	4	3.4	0.9	9.5	3	6.4	1.3	19.4	1	1.8	0.0	11.7
Stomach	7	5.9	2.4	12.8	2	4.4	0.5	16.5	5	8.0	2.6	20.2
Colon and Rectum	61	52.6	40.1	68.2	34	70.0	48.3	98.4	27	41.9	27.2	62.7
Liver	5	4.3	1.4	10.7	4	8.0	2.2	21.4	1	1.8	0.0	11.7
Pancreas	14	12.3	6.7	21.1	7	13.9	5.5	29.4	7	10.0	3.9	22.5
Lung and Bronchus	79	68.9	54.4	86.5	48	97.1	71.4	129.6	31	47.7	32.0	69.2
Bones and Joints	0	0.0	0.0	4.3	0	0.0	0.0	8.9	0	0.0	0.0	8.6
Melanoma of the Skin	21	19.5	11.9	30.4	13	28.3	15.0	48.8	8	12.7	5.1	27.0
Breast (invasive)	74	71.3	55.5	90.3	3	7.2	1.3	21.5	71	128.1	98.8	163.7
Cervix									8	18.4	7.4	37.4
Corpus and Uterus, NOS									11	19.4	9.5	35.9
Ovary									4	5.8	1.4	17.3
Prostate					61	117.3	89.6	151.4				
Testis					2	4.5	0.5	16.7				
Urinary Bladder (includes *in situ*)	24	20.6	13.1	31.1	19	38.0	22.8	60.0	5	6.8	2.1	18.1
Kidney and Renal Pelvis	16	14.5	8.1	24.1	6	12.9	4.6	28.7	10	17.1	8.0	32.9
Brain and Nervous System	12	12.2	6.1	21.9	6	13.1	4.5	29.5	6	10.6	3.8	24.2
Hodgkin Lymphoma	4	5.0	1.3	12.8	3	8.2	1.6	23.5	1	1.7	0.0	11.3
Non-Hodgkin Lymphoma	13	11.5	6.1	20.3	7	14.2	5.7	30.1	6	10.7	3.8	24.4
Myeloma	4	3.3	0.8	9.3	3	6.9	1.4	20.5	1	1.3	0.0	10.4
Leukemia	14	12.7	6.9	21.9	7	14.9	5.9	31.3	7	11.5	4.5	25.1
All Other Sites	41	37.7	26.8	51.9	25	50.5	32.4	75.5	16	25.9	14.3	44.0
Breast *in situ* (not in total)									14	26.9	14.3	46.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Washington County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	441	483.7	439.1	532.0	237	571.4	500.4	649.9	204	426.5	368.5	491.7
Oral Cavity and Pharynx	10	10.8	5.1	20.5	5	12.6	4.1	29.9	5	10.9	3.3	26.8
Esophagus	5	5.1	1.7	12.7	3	7.4	1.5	22.3	2	4.1	0.5	16.5
Stomach	7	7.8	3.0	16.8	4	9.4	2.5	24.9	3	7.3	1.3	22.6
Colon and Rectum	61	65.4	49.8	84.6	31	75.3	50.9	107.6	30	58.2	38.7	84.9
Liver	11	11.6	5.7	21.4	9	22.3	10.1	42.9	2	3.3	0.4	14.8
Pancreas	9	9.2	4.1	18.1	5	12.8	4.1	30.2	4	8.0	2.1	22.1
Lung and Bronchus	66	72.7	56.1	93.0	43	103.5	74.8	140.0	23	47.9	30.1	73.2
Bones and Joints	1	1.7	0.0	8.5	0	0.0	0.0	10.2	1	3.4	0.1	17.1
Melanoma of the Skin	15	18.2	10.0	30.6	10	24.7	11.7	46.2	5	13.4	4.1	31.8
Breast (invasive)	54	59.5	44.5	78.2	0	0.0	0.0	10.2	54	114.2	85.0	150.6
Cervix									4	9.3	2.5	24.7
Corpus and Uterus, NOS									14	31.0	16.9	52.9
Ovary									3	4.9	1.0	17.1
Prostate					55	127.9	96.2	167.2				
Testis					2	7.3	0.9	24.4				
Urinary Bladder (includes *in situ*)	14	14.2	7.7	24.4	10	24.0	11.4	44.8	4	8.6	2.3	23.4
Kidney and Renal Pelvis	20	21.1	12.9	33.1	10	22.9	11.0	43.0	10	19.0	9.0	36.5
Brain and Nervous System	2	2.6	0.3	9.5	0	0.0	0.0	10.2	2	5.3	0.6	19.2
Hodgkin Lymphoma	1	1.8	0.0	8.8	0	0.0	0.0	10.2	1	3.6	0.1	17.6
Non-Hodgkin Lymphoma	23	25.3	16.0	38.3	13	29.6	15.7	51.5	10	20.8	9.8	39.6
Myeloma	2	2.3	0.3	8.9	1	2.6	0.1	15.0	1	2.0	0.1	13.2
Leukemia	9	9.6	4.3	18.9	5	12.7	4.1	30.1	4	7.3	1.9	20.9
All Other Sites	53	58.0	43.3	76.4	31	76.4	51.8	109.1	22	44.2	27.4	68.4
Breast *in situ* (not in total)									11	25.1	12.4	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Wayne County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	520	464.1	424.0	507.2	272	544.7	481.1	614.7	248	419.1	365.7	478.7
Oral Cavity and Pharynx	7	6.4	2.5	13.8	4	7.7	2.1	21.0	3	5.5	1.1	17.6
Esophagus	4	3.1	0.8	9.0	4	8.9	2.4	23.4	0	0.0	0.0	9.0
Stomach	5	4.5	1.4	11.2	2	3.8	0.5	15.1	3	5.0	0.9	16.7
Colon and Rectum	63	53.8	41.1	69.6	34	68.3	47.1	96.3	29	43.5	28.4	65.0
Liver	4	3.1	0.8	8.9	3	5.5	1.1	17.7	1	1.0	0.0	10.2
Pancreas	13	10.6	5.6	18.8	7	14.0	5.6	29.8	6	8.6	3.1	20.9
Lung and Bronchus	102	88.5	71.8	108.1	56	109.3	82.3	142.9	46	72.8	52.6	99.1
Bones and Joints	0	0.0	0.0	4.5	0	0.0	0.0	9.2	0	0.0	0.0	9.0
Melanoma of the Skin	16	15.4	8.6	25.6	11	23.8	11.7	43.6	5	8.7	2.7	22.1
Breast (invasive)	59	56.6	42.6	73.9	0	0.0	0.0	9.2	59	106.7	79.8	140.3
Cervix									6	13.8	4.8	30.9
Corpus and Uterus, NOS									13	23.4	12.2	41.4
Ovary									8	15.2	6.0	31.8
Prostate					74	144.0	112.9	181.7				
Testis					2	6.4	0.8	21.4				
Urinary Bladder (includes *in situ*)	25	20.6	13.3	31.0	16	30.6	17.5	50.6	9	12.8	5.8	26.5
Kidney and Renal Pelvis	11	9.8	4.8	18.2	7	14.1	5.6	30.1	4	6.4	1.6	18.5
Brain and Nervous System	2	1.7	0.2	7.1	1	1.8	0.0	12.1	1	1.5	0.0	11.2
Hodgkin Lymphoma	0	0.0	0.0	4.5	0	0.0	0.0	9.2	0	0.0	0.0	9.0
Non-Hodgkin Lymphoma	29	23.6	15.8	34.6	16	31.6	18.0	52.3	13	18.6	9.6	34.1
Myeloma	5	4.3	1.4	10.9	1	2.0	0.1	12.7	4	6.3	1.6	18.3
Leukemia	12	11.8	5.9	21.3	8	16.7	7.2	33.7	4	9.3	2.3	24.7
All Other Sites	60	57.4	43.3	74.7	26	56.0	36.4	82.9	34	59.9	40.4	86.2
Breast *in situ* (not in total)									5	7.9	2.6	20.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

White County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	479	458.4	416.9	503.2	255	551.6	485.2	625.1	224	395.3	341.8	455.5
Oral Cavity and Pharynx	13	12.9	6.8	22.8	8	16.6	7.1	34.1	5	9.8	3.0	25.0
Esophagus	6	6.0	2.2	13.9	6	12.7	4.6	29.1	0	0.0	0.0	10.1
Stomach	4	3.6	0.9	10.4	2	4.6	0.6	18.0	2	3.0	0.2	14.7
Colon and Rectum	69	64.8	49.9	83.1	41	91.2	65.0	125.1	28	40.6	26.3	61.6
Liver	3	2.6	0.5	9.0	3	6.6	1.3	20.7	0	0.0	0.0	10.1
Pancreas	11	9.3	4.5	17.8	7	15.0	6.0	32.3	4	4.9	1.2	16.7
Lung and Bronchus	96	87.7	70.9	107.8	60	125.4	95.6	162.6	36	62.8	43.8	88.6
Bones and Joints	0	0.0	0.0	5.1	0	0.0	0.0	10.5	0	0.0	0.0	10.1
Melanoma of the Skin	6	5.6	1.9	13.3	3	6.3	1.3	20.1	3	6.2	1.1	20.0
Breast (invasive)	68	65.6	50.5	84.1	0	0.0	0.0	10.5	68	121.3	93.0	156.4
Cervix									5	12.3	3.3	31.0
Corpus and Uterus, NOS									7	12.4	5.0	27.5
Ovary									5	9.3	2.6	24.6
Prostate					45	96.7	70.4	130.4				
Testis					2	4.9	0.6	18.7				
Urinary Bladder (includes *in situ*)	17	15.0	8.7	24.8	12	24.0	12.4	43.3	5	7.6	2.3	20.7
Kidney and Renal Pelvis	28	28.3	18.3	42.2	18	38.7	22.8	62.4	10	21.3	8.9	42.4
Brain and Nervous System	7	7.8	2.8	17.0	1	1.9	0.0	13.3	6	13.5	4.3	31.6
Hodgkin Lymphoma	3	4.7	0.9	13.7	1	3.8	0.1	18.5	2	5.5	0.5	20.5
Non-Hodgkin Lymphoma	20	16.4	9.9	26.3	9	18.4	8.4	36.4	11	15.1	7.2	30.2
Myeloma	5	4.4	1.4	11.3	3	6.5	1.3	20.6	2	2.5	0.3	13.2
Leukemia	13	12.1	6.2	21.7	9	20.9	9.4	40.8	4	6.8	1.8	20.0
All Other Sites	46	48.3	34.9	65.4	25	57.3	36.8	85.9	21	40.2	23.8	64.1
Breast *in situ* (not in total)									13	25.4	12.7	45.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Whiteside County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,750	468.9	446.9	491.8	864	516.7	482.6	552.7	886	435.9	406.7	466.9
Oral Cavity and Pharynx	37	10.0	7.0	13.8	25	14.7	9.4	21.8	12	6.0	3.0	10.8
Esophagus	21	5.6	3.5	8.7	18	10.7	6.3	17.1	3	1.6	0.3	5.0
Stomach	20	5.1	3.1	8.0	10	6.2	3.0	11.6	10	4.6	2.2	8.9
Colon and Rectum	210	54.0	46.8	62.0	111	67.3	55.2	81.2	99	43.7	35.1	53.9
Liver	12	3.3	1.7	5.9	7	4.2	1.7	8.8	5	2.5	0.8	6.3
Pancreas	41	10.4	7.4	14.2	19	11.3	6.8	17.8	22	8.8	5.4	13.9
Lung and Bronchus	252	66.6	58.6	75.5	131	77.4	64.6	92.1	121	57.7	47.7	69.5
Bones and Joints	4	1.2	0.3	3.1	0	0.0	0.0	2.6	4	2.2	0.5	6.1
Melanoma of the Skin	64	18.1	13.8	23.2	34	20.7	14.3	29.1	30	16.8	11.1	24.4
Breast (invasive)	265	72.4	63.8	81.8	0	0.0	0.0	2.6	265	134.5	118.3	152.4
Cervix									15	9.5	5.2	16.0
Corpus and Uterus, NOS									54	27.2	20.3	35.8
Ovary									32	15.9	10.8	22.9
Prostate					208	121.5	105.5	139.4				
Testis					8	5.7	2.4	11.2				
Urinary Bladder (includes *in situ*)	96	24.8	20.1	30.5	76	46.1	36.2	57.8	20	8.9	5.4	14.2
Kidney and Renal Pelvis	51	13.8	10.2	18.3	26	15.8	10.3	23.4	25	11.1	7.0	16.8
Brain and Nervous System	28	8.2	5.4	11.9	14	8.5	4.6	14.5	14	7.9	4.2	13.6
Hodgkin Lymphoma	14	4.6	2.5	7.8	7	4.7	1.9	9.7	7	4.5	1.7	9.6
Non-Hodgkin Lymphoma	67	17.5	13.6	22.4	38	22.3	15.7	30.8	29	13.3	8.8	19.6
Myeloma	24	6.4	4.1	9.7	14	8.4	4.6	14.3	10	5.1	2.4	9.8
Leukemia	47	13.0	9.5	17.4	25	15.4	9.9	23.0	22	11.0	6.7	17.1
All Other Sites	180	48.8	41.8	56.7	93	55.9	45.0	68.7	87	43.0	34.0	53.7
Breast *in situ* (not in total)									62	31.6	24.1	40.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	13,363	516.9	507.8	526.0	6,981	616.8	601.3	632.5	6,382	448.4	437.3	459.8
Oral Cavity and Pharynx	290	10.3	9.1	11.6	212	16.2	13.9	18.7	78	5.3	4.2	6.7
Esophagus	156	6.2	5.3	7.3	123	10.9	8.9	13.1	33	2.5	1.7	3.5
Stomach	198	8.1	7.0	9.4	123	11.8	9.7	14.2	75	5.5	4.3	6.9
Colon and Rectum	1,399	57.5	54.4	60.7	733	69.3	64.0	75.0	666	49.0	45.3	52.9
Liver	138	5.4	4.5	6.4	105	9.2	7.4	11.3	33	2.4	1.7	3.4
Pancreas	338	13.9	12.4	15.5	175	15.9	13.5	18.6	163	12.1	10.3	14.2
Lung and Bronchus	1,808	75.3	71.7	78.9	939	89.4	83.4	95.7	869	65.7	61.3	70.3
Bones and Joints	33	1.0	0.7	1.5	19	1.2	0.7	1.9	14	0.9	0.5	1.5
Melanoma of the Skin	419	14.8	13.4	16.4	255	20.1	17.5	22.9	164	10.7	9.1	12.5
Breast (invasive)	1,848	66.2	63.1	69.4	17	1.8	1.0	2.9	1,831	122.8	117.1	128.6
Cervix									118	7.7	6.3	9.2
Corpus and Uterus, NOS									384	25.9	23.3	28.7
Ovary									173	12.0	10.2	13.9
Prostate					2,001	169.2	161.5	177.3				
Testis					79	4.9	3.8	6.1				
Urinary Bladder (includes *in situ*)	603	25.6	23.6	27.8	446	45.2	40.8	49.9	157	11.6	9.9	13.6
Kidney and Renal Pelvis	481	17.9	16.3	19.6	318	25.6	22.7	28.8	163	11.5	9.8	13.4
Brain and Nervous System	200	7.0	6.0	8.1	113	8.3	6.8	10.2	87	5.8	4.7	7.2
Hodgkin Lymphoma	103	3.4	2.8	4.1	55	3.6	2.7	4.8	48	3.1	2.3	4.2
Non-Hodgkin Lymphoma	546	21.0	19.3	22.9	294	24.1	21.3	27.3	252	18.3	16.1	20.7
Myeloma	148	6.0	5.0	7.0	77	7.3	5.6	9.2	71	5.2	4.1	6.6
Leukemia	361	13.9	12.4	15.4	230	20.4	17.6	23.4	131	9.3	7.7	11.0
All Other Sites	1,539	60.0	57.0	63.2	667	62.4	57.4	67.7	872	61.0	57.0	65.3
Breast *in situ* (not in total)									445	29.0	26.3	31.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Williamson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,075	520.7	498.3	543.9	1,117	629.5	592.7	668.1	958	444.2	415.7	474.2
Oral Cavity and Pharynx	58	14.8	11.2	19.2	40	21.7	15.4	29.7	18	8.6	5.0	13.9
Esophagus	14	3.5	1.9	6.0	11	6.1	3.0	11.1	3	1.5	0.3	4.7
Stomach	24	5.8	3.7	8.7	16	9.5	5.4	15.6	8	3.4	1.4	7.1
Colon and Rectum	223	54.0	47.1	61.7	107	58.8	48.1	71.3	116	50.4	41.4	60.9
Liver	20	5.0	3.0	7.8	14	7.6	4.1	13.0	6	2.6	0.9	6.0
Pancreas	52	12.4	9.3	16.4	29	16.3	10.8	23.6	23	9.4	5.9	14.5
Lung and Bronchus	371	91.1	82.0	101.0	230	128.8	112.5	146.8	141	64.3	54.0	76.1
Bones and Joints	7	2.0	0.8	4.2	3	1.8	0.3	5.4	4	2.1	0.5	5.7
Melanoma of the Skin	75	19.9	15.6	25.1	50	29.3	21.6	38.8	25	13.8	8.8	20.6
Breast (invasive)	276	71.7	63.3	80.8	1	0.6	0.0	3.6	275	132.7	117.0	150.0
Cervix									13	7.4	3.8	12.8
Corpus and Uterus, NOS									59	27.9	21.0	36.3
Ovary									27	11.7	7.6	17.4
Prostate					235	128.9	112.8	146.8				
Testis					8	5.0	2.1	9.9				
Urinary Bladder (includes *in situ*)	123	29.9	24.8	35.7	100	57.5	46.6	70.1	23	9.2	5.8	14.1
Kidney and Renal Pelvis	71	18.5	14.4	23.4	44	26.2	18.9	35.3	27	12.0	7.9	17.8
Brain and Nervous System	25	6.7	4.3	10.1	16	9.5	5.4	15.6	9	4.4	2.0	8.7
Hodgkin Lymphoma	13	3.6	1.9	6.3	9	5.3	2.4	10.2	4	2.1	0.5	5.6
Non-Hodgkin Lymphoma	78	19.4	15.3	24.4	43	24.3	17.5	32.9	35	16.2	11.2	22.9
Myeloma	26	6.5	4.2	9.7	14	8.4	4.5	14.2	12	5.3	2.6	9.6
Leukemia	58	14.9	11.2	19.3	33	19.2	13.2	27.1	25	11.7	7.5	17.7
All Other Sites	219	55.6	48.3	63.6	114	64.8	53.4	78.1	105	47.7	38.7	58.3
Breast *in situ* (not in total)									56	28.2	21.2	37.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,300	469.3	458.5	480.2	3,658	537.1	519.6	555.1	3,642	427.5	413.6	441.8
Oral Cavity and Pharynx	163	10.3	8.8	12.0	110	15.0	12.3	18.1	53	6.3	4.7	8.2
Esophagus	92	5.9	4.7	7.2	73	10.5	8.2	13.2	19	2.2	1.3	3.4
Stomach	122	7.9	6.6	9.5	79	11.8	9.3	14.7	43	5.0	3.6	6.7
Colon and Rectum	752	47.8	44.4	51.4	373	54.8	49.3	60.7	379	41.9	37.7	46.4
Liver	63	4.0	3.1	5.1	51	7.4	5.5	9.7	12	1.4	0.7	2.4
Pancreas	197	12.5	10.8	14.3	96	14.5	11.7	17.8	101	11.1	9.0	13.6
Lung and Bronchus	1,135	72.7	68.5	77.1	592	88.2	81.2	95.7	543	62.9	57.7	68.5
Bones and Joints	8	0.6	0.2	1.1	4	0.6	0.2	1.5	4	0.6	0.2	1.4
Melanoma of the Skin	293	19.3	17.1	21.6	160	23.1	19.6	27.0	133	16.5	13.8	19.6
Breast (invasive)	1,008	64.8	60.8	69.0	8	1.2	0.5	2.4	1,000	119.9	112.5	127.7
Cervix									50	6.6	4.9	8.7
Corpus and Uterus, NOS									240	28.5	25.0	32.4
Ovary									116	13.5	11.2	16.3
Prostate					836	122.5	114.2	131.2				
Testis					36	5.2	3.6	7.2				
Urinary Bladder (includes *in situ*)	354	22.8	20.4	25.3	267	40.3	35.6	45.5	87	9.8	7.9	12.2
Kidney and Renal Pelvis	239	15.4	13.5	17.5	142	20.1	16.9	23.7	97	11.4	9.2	13.9
Brain and Nervous System	96	6.2	5.0	7.6	53	7.5	5.6	9.8	43	5.2	3.8	7.1
Hodgkin Lymphoma	39	2.7	1.9	3.8	24	3.4	2.1	5.0	15	2.2	1.2	3.6
Non-Hodgkin Lymphoma	311	20.0	17.8	22.3	169	24.6	21.0	28.6	142	16.2	13.6	19.2
Myeloma	79	5.0	4.0	6.3	48	7.0	5.2	9.3	31	3.5	2.3	5.0
Leukemia	211	13.5	11.8	15.5	128	18.9	15.7	22.5	83	10.0	7.9	12.4
All Other Sites	860	55.6	51.9	59.5	409	60.7	54.9	66.9	451	52.8	48.0	58.0
Breast *in situ* (not in total)									241	29.3	25.7	33.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Woodford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,064	498.5	468.4	530.0	543	566.4	519.0	617.0	521	456.5	416.8	499.1
Oral Cavity and Pharynx	20	9.7	5.9	15.2	14	14.3	7.7	24.3	6	5.5	2.0	12.4
Esophagus	11	4.5	2.2	8.3	9	8.9	4.0	17.1	2	1.6	0.2	6.5
Stomach	13	5.5	2.9	9.6	9	9.6	4.4	18.4	4	2.8	0.7	8.1
Colon and Rectum	101	45.7	37.1	55.8	60	61.8	46.9	79.9	41	33.3	23.6	46.0
Liver	9	4.0	1.8	7.9	6	6.2	2.2	13.7	3	2.4	0.5	7.7
Pancreas	31	13.2	8.9	19.0	16	16.8	9.5	27.4	15	10.9	5.9	18.8
Lung and Bronchus	125	58.3	48.4	69.7	56	58.4	44.0	76.2	69	59.7	46.0	76.3
Bones and Joints	0	0.0	0.0	2.0	0	0.0	0.0	4.1	0	0.0	0.0	4.0
Melanoma of the Skin	65	32.6	24.9	41.8	40	43.1	30.6	59.0	25	26.1	16.5	39.1
Breast (invasive)	161	74.5	63.2	87.3	1	1.4	0.0	6.9	160	139.7	118.4	164.0
Cervix									2	2.4	0.3	8.4
Corpus and Uterus, NOS									41	35.8	25.6	49.1
Ovary									20	17.3	10.4	27.4
Prostate					153	156.2	132.0	183.6				
Testis					4	5.1	1.4	12.8				
Urinary Bladder (includes *in situ*)	61	27.9	21.2	36.0	48	50.3	37.0	67.0	13	11.6	6.1	20.2
Kidney and Renal Pelvis	35	16.8	11.6	23.5	27	28.4	18.5	41.6	8	7.4	3.2	15.0
Brain and Nervous System	17	8.4	4.9	13.7	7	7.5	2.9	15.6	10	9.5	4.5	17.9
Hodgkin Lymphoma	6	3.2	1.2	7.0	3	3.2	0.6	9.5	3	3.3	0.7	9.6
Non-Hodgkin Lymphoma	37	17.0	11.9	23.8	21	23.2	14.2	35.6	16	12.5	7.0	21.0
Myeloma	10	4.4	2.1	8.2	7	7.0	2.8	14.7	3	2.7	0.5	8.2
Leukemia	29	13.5	8.9	19.6	13	14.1	7.4	24.2	16	14.5	8.0	24.3
All Other Sites	113	54.6	44.8	66.0	49	51.2	37.6	68.0	64	57.4	43.6	74.3
Breast *in situ* (not in total)									40	35.2	24.9	48.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.