

## **SECTION II**

### **Percent Distribution of Stage at Diagnosis by County Illinois, 2004-2008**

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	33.0	44.1	17.8	5.1	34.8	43.7	16.9	4.6	21.7	49.6	23.2	5.6
Adams	27.1	41.7	25.0	6.3								
Alexander	37.5	37.5	25.0	0.0								
Bond	40.0	40.0	20.0	0.0								
Boone	36.4	30.3	30.3	3.0								
Brown	16.7	66.7	16.7	0.0								
Bureau	31.0	37.9	24.1	6.9								
Calhoun	75.0	12.5	0.0	12.5								
Carroll	46.7	46.7	0.0	6.7								
Cass	55.6	11.1	33.3	0.0								
Champaign	43.5	40.2	14.1	2.2	44.6	43.4	10.8	1.2	33.3	11.1	44.4	11.1
Christian	38.5	38.5	19.2	3.9								
Clark	42.9	28.6	21.4	7.1								
Clay	7.7	69.2	23.1	0.0								
Clinton	26.1	43.5	21.7	8.7								
Coles	32.3	51.6	12.9	3.2								
Cook	30.7	44.6	19.6	5.1	34.8	42.8	17.9	4.5	20.3	51.0	23.3	5.4
Crawford	53.3	40.0	6.7	0.0								
Cumberland	50.0	50.0	0.0	0.0								
DeKalb	43.6	38.2	12.7	5.5								
DeWitt	0.0	54.6	45.5	0.0								
Douglas	40.0	40.0	20.0	0.0								
DuPage	35.0	44.1	16.1	4.8	35.6	45.0	14.8	4.6	33.3	33.3	33.3	0.0
Edgar	33.3	44.4	11.1	11.1								
Edwards	0.0	0.0	0.0	100.0								
Effingham	40.0	40.0	20.0	0.0								
Fayette	33.3	40.0	13.3	13.3								
Ford	20.0	40.0	40.0	0.0								
Franklin	34.1	45.5	11.4	9.1								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Fulton	21.1	42.1	26.3	10.5								
Gallatin	40.0	40.0	0.0	20.0								
Greene	40.0	40.0	20.0	0.0								
Grundy	45.5	50.0	4.6	0.0								
Hamilton	100.0	0.0	0.0	0.0								
Hancock	36.4	27.3	27.3	9.1								
Hardin	0.0	100.0	0.0	0.0								
Henderson	25.0	50.0	25.0	0.0								
Henry	47.5	30.0	17.5	5.0								
Iroquois	38.5	30.8	30.8	0.0								
Jackson	43.3	36.7	16.7	3.3								
Jasper	0.0	50.0	50.0	0.0								
Jefferson	55.0	25.0	15.0	5.0								
Jersey	18.8	62.5	6.3	12.5								
Jo Daviess	50.0	37.5	0.0	12.5								
Johnson	23.1	46.2	15.4	15.4								
Kane	31.2	46.1	16.3	6.5	29.6	48.0	15.8	6.6	50.0	33.3	16.7	0.0
Kankakee	25.0	48.5	22.1	4.4	20.0	50.9	23.6	5.5	46.2	38.5	15.4	0.0
Kendall	31.7	46.3	19.5	2.4								
Knox	56.3	25.0	12.5	6.3								
Lake	32.2	47.2	14.8	5.9	33.2	46.5	14.6	5.7	15.8	47.4	26.3	10.5
LaSalle	37.5	47.2	11.1	4.2								
Lawrence	45.5	27.3	18.2	9.1								
Lee	27.8	41.7	27.8	2.8								
Livingston	50.0	42.3	7.7	0.0								
Logan	30.8	46.2	15.4	7.7								
McDonough	13.3	60.0	26.7	0.0								
McHenry	32.5	43.3	21.0	3.2								
McLean	42.7	38.7	14.7	4.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Macon	39.6	43.8	16.7	0.0	44.6	42.2	13.3	0.0	8.3	50.0	41.7	0.0
Macoupin	34.0	38.0	12.0	16.0								
Madison	34.6	41.2	15.7	8.5	34.3	42.0	15.4	8.4	28.6	42.9	28.6	0.0
Marion	40.5	37.8	18.9	2.7								
Marshall	44.4	22.2	33.3	0.0								
Mason	0.0	83.3	0.0	16.7								
Massac	25.0	37.5	12.5	25.0								
Menard	20.0	80.0	0.0	0.0								
Mercer	83.3	16.7	0.0	0.0								
Monroe	26.7	46.7	13.3	13.3								
Montgomery	61.1	27.8	5.6	5.6								
Morgan	38.2	52.9	5.9	2.9								
Moultrie	36.4	36.4	18.2	9.1								
Ogle	46.9	37.5	9.4	6.3								
Peoria	26.4	49.1	18.2	6.4	28.6	47.3	18.7	5.5	17.7	64.7	17.7	0.0
Perry	57.1	28.6	14.3	0.0								
Piatt	35.7	35.7	21.4	7.1								
Pike	45.5	27.3	27.3	0.0								
Pope	0.0	100.0	0.0	0.0								
Pulaski	0.0	50.0	0.0	50.0								
Putnam	100.0	0.0	0.0	0.0								
Randolph	39.3	39.3	17.9	3.6								
Richland	53.9	30.8	15.4	0.0								
Rock Island	33.3	39.2	19.2	8.3	33.3	41.0	19.1	6.7	20.0	20.0	40.0	20.0
St Clair	26.8	45.8	18.4	8.9	32.1	40.9	19.7	7.3	10.0	60.0	15.0	15.0
Saline	10.0	50.0	30.0	10.0								
Sangamon	33.6	52.4	13.4	0.7	34.9	50.8	13.6	0.8	14.3	71.4	14.3	0.0
Schuyler	66.7	33.3	0.0	0.0								
Scott	0.0	100.0	0.0	0.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Shelby	29.4	64.7	5.9	0.0								
Stark	25.0	25.0	0.0	50.0								
Stephenson	34.3	48.6	11.4	5.7								
Tazewell	31.8	51.1	13.6	3.4								
Union	38.9	50.0	11.1	0.0								
Vermilion	31.0	43.1	22.4	3.5	28.9	46.2	23.1	1.9	40.0	20.0	20.0	20.0
Wabash	11.1	66.7	11.1	11.1								
Warren	44.4	55.6	0.0	0.0								
Washington	50.0	30.0	0.0	20.0								
Wayne	14.3	28.6	42.9	14.3								
White	46.2	23.1	7.7	23.1								
Whiteside	24.3	54.1	18.9	2.7								
Will	32.8	46.2	16.9	4.1	32.2	48.7	16.5	2.7	35.3	29.4	29.4	5.9
Williamson	32.8	44.8	20.7	1.7								
Winnebago	36.2	39.9	20.3	3.7	37.0	41.8	17.8	3.4	26.7	26.7	46.7	0.0
Woodford	50.0	35.0	15.0	0.0								

**Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties  
Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	31.1	40.1	22.8	5.9	33.1	44.2	17.6	5.1
Cook	29.2	42.1	22.0	6.7	30.8	44.8	19.4	5.0
DuPage	29.4	35.3	29.4	5.9	35.2	44.5	15.6	4.7
Kane	25.0	50.0	25.0	0.0	31.5	45.8	15.8	6.9
Lake	44.4	22.2	33.3	0.0	31.8	47.9	14.2	6.1
Will	62.5	25.0	12.5	0.0	31.9	46.8	17.0	4.3

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	41.1	33.1	19.0	6.8	42.2	33.2	18.2	6.3	34.5	32.8	24.1	8.6
Adams	29.7	42.4	21.0	7.0								
Alexander	34.2	39.0	24.4	2.4								
Bond	38.1	33.3	14.3	14.3								
Boone	37.6	32.5	22.2	7.7								
Brown	36.8	42.1	15.8	5.3								
Bureau	44.4	32.0	15.7	7.8								
Calhoun	36.8	26.3	36.8	0.0								
Carroll	44.4	31.8	17.5	6.4								
Cass	45.8	32.2	18.6	3.4								
Champaign	46.2	35.5	13.1	5.2	47.2	36.2	11.6	5.0	36.8	31.6	23.7	7.9
Christian	40.0	31.0	20.0	9.0								
Clark	40.7	27.8	22.2	9.3								
Clay	40.6	31.3	20.3	7.8								
Clinton	51.6	21.9	21.9	4.7								
Coles	49.2	30.6	14.5	5.7								
Cook	39.7	33.0	20.3	6.9	41.9	33.3	18.6	6.2	34.0	32.5	24.8	8.6
Crawford	38.3	28.7	21.7	11.3								
Cumberland	42.2	31.1	22.2	4.4								
DeKalb	38.6	30.5	24.2	6.8								
DeWitt	33.3	33.3	22.8	10.5								
Douglas	40.0	37.1	21.4	1.4								
DuPage	43.1	32.8	18.3	5.8	43.6	32.1	18.7	5.6	34.6	44.2	17.3	3.9
Edgar	36.2	34.8	21.7	7.3								
Edwards	48.2	29.6	14.8	7.4								
Effingham	37.4	37.4	22.4	2.8								
Fayette	43.8	30.1	15.1	11.0								
Ford	28.6	38.1	23.8	9.5								
Franklin	42.8	34.4	16.7	6.1								
Fulton	46.1	32.8	15.0	6.1								
Gallatin	35.7	28.6	21.4	14.3								
Greene	32.1	37.7	18.9	11.3								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Grundy	45.4	27.0	18.4	9.2								
Hamilton	36.4	24.2	21.2	18.2								
Hancock	34.7	40.0	16.0	9.3								
Hardin	66.7	26.7	0.0	6.7								
Henderson	48.3	34.5	6.9	10.3								
Henry	45.2	29.8	13.8	11.2								
Iroquois	48.3	28.8	17.0	5.9								
Jackson	42.1	32.1	20.7	5.0								
Jasper	39.1	39.1	8.7	13.0								
Jefferson	47.2	32.5	14.1	6.1								
Jersey	39.1	35.9	21.9	3.1								
Jo Daviess	36.6	31.7	24.4	7.3								
Johnson	43.5	43.5	10.9	2.2								
Kane	42.0	33.2	19.0	5.8	42.2	33.4	19.1	5.4	38.8	32.7	18.4	10.2
Kankakee	46.5	29.3	19.2	5.0	48.2	28.5	19.7	3.6	36.4	38.6	15.9	9.1
Kendall	48.1	25.0	17.5	9.4								
Knox	44.4	35.7	15.3	4.6								
Lake	44.8	31.0	17.8	6.5	45.0	30.6	18.4	6.1	46.5	36.1	10.5	7.0
LaSalle	39.9	34.5	19.3	6.4								
Lawrence	29.3	43.1	17.2	10.3								
Lee	34.2	29.1	26.5	10.3								
Livingston	35.3	35.3	18.1	11.3								
Logan	35.2	43.5	13.0	8.3								
McDonough	45.7	29.4	14.1	10.9								
McHenry	48.5	28.1	17.5	5.8								
McLean	34.7	43.4	14.2	7.7								
Macon	43.5	31.3	20.6	4.6	44.9	31.2	19.8	4.2	25.0	28.6	35.7	10.7
Macoupin	35.8	35.2	20.2	8.8								
Madison	42.5	35.1	16.4	6.1	42.7	35.3	16.5	5.5	40.7	31.5	13.0	14.8
Marion	44.9	26.3	23.1	5.8								
Marshall	34.4	36.1	23.0	6.6								
Mason	36.6	31.0	25.4	7.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Massac	51.8	28.6	10.7	8.9								
Menard	52.9	37.3	7.8	2.0								
Mercer	41.5	35.9	13.2	9.4								
Monroe	44.9	32.7	18.4	4.1								
Montgomery	37.7	36.9	17.7	7.7								
Morgan	40.8	34.2	21.1	4.0								
Moultrie	51.2	29.3	17.1	2.4								
Ogle	39.3	33.7	18.4	8.6								
Peoria	36.2	40.3	18.2	5.3	36.3	40.9	17.7	5.1	35.9	34.0	22.6	7.6
Perry	33.3	39.5	21.0	6.2								
Piatt	42.9	38.1	9.5	9.5								
Pike	33.9	41.1	16.1	8.9								
Pope	41.7	16.7	0.0	41.7								
Pulaski	25.0	30.0	30.0	15.0								
Putnam	33.3	37.0	18.5	11.1								
Randolph	48.2	29.1	18.2	4.6								
Richland	43.7	32.4	11.3	12.7								
Rock Island	46.1	27.7	17.2	9.1	45.3	29.3	17.6	7.8	44.4	18.5	14.8	22.2
St Clair	44.7	28.1	21.3	6.0	47.8	27.1	20.1	5.0	35.0	31.7	24.0	9.3
Saline	38.5	39.3	16.2	6.0								
Sangamon	39.1	37.8	18.0	5.1	39.5	38.1	17.4	5.0	22.2	38.9	30.6	8.3
Schuyler	23.3	33.3	26.7	16.7								
Scott	21.1	31.6	47.4	0.0								
Shelby	51.8	21.7	21.7	4.8								
Stark	25.9	37.0	25.9	11.1								
Stephenson	44.6	28.3	16.3	10.8								
Tazewell	39.6	38.9	16.1	5.4								
Union	34.4	44.3	13.1	8.2								
Vermilion	42.4	33.5	20.3	3.8	43.0	33.6	19.6	3.8	39.1	26.1	30.4	4.4
Wabash	29.8	44.7	23.4	2.1								
Warren	41.0	29.5	16.4	13.1								
Washington	45.9	27.9	18.0	8.2								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	49.2	30.2	15.9	4.8								
White	29.0	33.3	27.5	10.1								
Whiteside	44.3	34.3	14.8	6.7								
Will	42.3	31.7	18.9	7.1	43.3	31.7	17.9	7.1	34.9	34.1	24.8	6.2
Williamson	44.8	30.5	14.4	10.3								
Winnebago	41.5	35.8	16.0	6.8	41.7	37.2	16.1	5.0	44.9	28.6	18.4	8.2
Woodford	34.7	40.6	15.8	8.9								

**Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties  
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	41.4	34.4	18.3	5.9	41.1	33.0	19.1	6.8
Cook	41.5	35.1	18.0	5.4	39.6	32.9	20.5	7.1
DuPage	42.7	32.0	18.7	6.7	43.1	32.8	18.3	5.8
Kane	39.7	32.9	21.9	5.5	42.2	33.2	18.8	5.8
Lake	47.9	26.8	21.1	4.2	44.6	31.2	17.6	6.6
Will	40.9	33.3	13.6	12.1	42.4	31.7	19.1	6.8

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	79.1	10.9	4.5	5.5	78.7	11.3	4.7	5.3	46.0	25.4	11.1	17.5
Adams	77.9	14.0	5.8	2.3								
Alexander	50.0	0.0	37.5	12.5								
Bond	53.9	7.7	7.7	30.8								
Boone	78.6	11.9	0.0	9.5								
Brown	75.0	25.0	0.0	0.0								
Bureau	70.7	14.6	2.4	12.2								
Calhoun	70.0	20.0	10.0	0.0								
Carroll	57.1	14.3	14.3	14.3								
Cass	70.6	5.9	5.9	17.7								
Champaign	83.8	7.0	6.0	3.2	83.7	7.1	6.0	3.3	100.0	0.0	0.0	0.0
Christian	85.3	5.9	5.9	2.9								
Clark	62.5	25.0	6.3	6.3								
Clay	72.2	16.7	5.6	5.6								
Clinton	82.4	8.8	8.8	0.0								
Coles	86.8	7.6	5.7	0.0								
Cook	77.6	12.0	4.9	5.4	77.4	12.5	5.0	5.1	46.5	25.6	11.6	16.3
Crawford	81.3	18.8	0.0	0.0								
Cumberland	66.7	33.3	0.0	0.0								
DeKalb	84.5	8.6	1.7	5.2								
DeWitt	91.7	0.0	4.2	4.2								
Douglas	73.1	19.2	0.0	7.7								
DuPage	78.9	10.6	4.0	6.5	77.6	11.5	4.4	6.6	100.0	0.0	0.0	0.0
Edgar	92.0	0.0	4.0	4.0								
Edwards	83.3	0.0	16.7	0.0								
Effingham	76.2	11.9	7.1	4.8								
Fayette	68.0	12.0	4.0	16.0								
Ford	63.2	21.1	0.0	15.8								
Franklin	77.8	3.7	3.7	14.8								
Fulton	75.0	13.5	3.9	7.7								
Gallatin	100.0	0.0	0.0	0.0								
Greene	86.7	6.7	0.0	6.7								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Grundy	70.2	17.0	10.6	2.1								
Hamilton	60.0	10.0	10.0	20.0								
Hancock	93.6	0.0	6.5	0.0								
Hardin	50.0	12.5	12.5	25.0								
Henderson	60.0	20.0	0.0	20.0								
Henry	83.1	4.6	3.1	9.2								
Iroquois	87.1	6.5	6.5	0.0								
Jackson	74.6	14.6	1.8	9.1								
Jasper	81.3	12.5	0.0	6.3								
Jefferson	74.5	8.5	12.8	4.3								
Jersey	90.5	4.8	4.8	0.0								
Jo Daviess	76.9	7.7	3.9	11.5								
Johnson	93.8	6.3	0.0	0.0								
Kane	75.5	10.5	6.1	8.0	76.0	10.0	6.8	7.2	0.0	66.7	0.0	33.3
Kankakee	77.5	9.0	5.6	7.9	76.5	9.4	5.9	8.2				
Kendall	76.3	7.9	4.0	11.8								
Knox	82.8	8.6	5.2	3.5								
Lake	79.6	12.0	3.2	5.2	79.3	12.8	3.4	4.6	100.0	0.0	0.0	0.0
LaSalle	79.7	12.6	5.6	2.1								
Lawrence	73.9	13.0	0.0	13.0								
Lee	90.0	2.5	5.0	2.5								
Livingston	84.3	13.7	2.0	0.0								
Logan	82.1	17.9	0.0	0.0								
McDonough	79.3	10.3	8.6	1.7								
McHenry	76.7	11.1	5.1	7.1								
McLean	84.7	6.4	3.9	4.9								
Macon	87.9	7.3	3.2	1.6	87.9	7.3	3.2	1.6				
Macoupin	86.0	10.0	2.0	2.0								
Madison	75.6	11.8	8.0	4.6	75.1	12.0	8.2	4.7				
Marion	74.1	6.9	5.2	13.8								
Marshall	82.4	17.7	0.0	0.0								
Mason	80.0	5.0	0.0	15.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Massac	81.3	6.3	12.5	0.0								
Menard	83.3	5.6	5.6	5.6								
Mercer	83.3	0.0	0.0	16.7								
Monroe	75.7	8.1	8.1	8.1								
Montgomery	85.7	8.6	2.9	2.9								
Morgan	91.4	5.7	0.0	2.9								
Moultrie	86.7	13.3	0.0	0.0								
Ogle	85.5	3.2	6.5	4.8								
Peoria	87.6	8.4	2.6	1.5	87.4	8.8	2.7	1.2				
Perry	63.2	21.1	10.5	5.3								
Piatt	88.5	7.7	3.9	0.0								
Pike	82.4	11.8	0.0	5.9								
Pope	42.9	42.9	14.3	0.0								
Pulaski	75.0	25.0	0.0	0.0								
Putnam	100.0	0.0	0.0	0.0								
Randolph	82.8	6.9	0.0	10.3								
Richland	73.7	21.1	0.0	5.3								
Rock Island	71.5	15.9	3.3	9.3	70.0	17.1	3.6	9.3	100.0	0.0	0.0	0.0
St Clair	69.6	14.3	7.5	8.7	67.4	15.0	8.2	9.5	75.0	25.0	0.0	0.0
Saline	68.8	25.0	3.1	3.1								
Sangamon	85.4	8.5	3.0	3.0	84.8	8.9	3.1	3.1				
Schuyler	60.0	20.0	20.0	0.0								
Scott	77.8	22.2	0.0	0.0								
Shelby	70.6	11.8	0.0	17.7								
Stark	50.0	12.5	12.5	25.0								
Stephenson	82.1	0.0	7.1	10.7								
Tazewell	82.4	11.2	2.6	3.9								
Union	76.5	11.8	5.9	5.9								
Vermilion	75.3	17.8	1.4	5.5	75.4	17.4	1.5	5.8	0.0	100.0	0.0	0.0
Wabash	63.6	9.1	9.1	18.2								
Warren	71.4	19.1	9.5	0.0								
Washington	86.7	0.0	6.7	6.7								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	68.8	0.0	6.3	25.0								
White	83.3	0.0	16.7	0.0								
Whiteside	82.8	6.3	4.7	6.3								
Will	78.8	13.1	4.3	3.8	77.8	14.3	4.5	3.4	0.0	50.0	50.0	0.0
Williamson	88.0	4.0	1.3	6.7								
Winnebago	84.6	8.9	2.4	4.1	84.3	9.5	2.2	4.0				
Woodford	83.1	7.7	1.5	7.7								

**Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties  
Melanoma of the Skin Cancer (invasive), Both Sexes, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	67.9	14.3	10.7	7.1	79.3	10.8	4.4	5.5
Cook	64.5	15.0	14.0	6.5	78.1	11.9	4.6	5.4
DuPage	66.7	11.1	0.0	22.2	79.1	10.6	4.0	6.3
Kane	71.4	14.3	14.3	0.0	75.7	10.3	5.7	8.3
Lake	50.0	33.3	0.0	16.7	79.9	11.8	3.2	5.1
Will	75.0	12.5	12.5	0.0	78.8	13.1	4.1	3.9

**Percent Distribution of Stage of Disease at Diagnosis by Race and County**  
**Female Breast, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Illinois	20.1	48.4	24.9	4.7	1.9	19.9	49.8	24.1	4.3	1.9	20.5	40.1	29.7	7.3	2.4
Adams	17.2	47.6	28.9	4.8	1.5										
Alexander	9.3	48.8	30.2	9.3	2.3										
Bond	11.1	59.3	21.0	3.7	4.9										
Boone	15.1	56.8	24.5	3.1	0.5										
Brown	24.0	40.0	32.0	4.0	0.0										
Bureau	15.6	53.8	22.0	4.1	4.6										
Calhoun	22.7	27.3	27.3	13.6	9.1										
Carroll	10.5	50.0	34.2	2.6	2.6										
Cass	18.6	49.2	22.0	5.1	5.1										
Champaign	25.7	50.5	20.6	2.2	1.0	24.9	52.6	19.6	1.9	1.0	29.3	37.3	28.0	4.0	1.3
Christian	20.7	48.4	25.0	4.8	1.1										
Clark	17.3	45.3	25.3	8.0	4.0										
Clay	29.0	34.8	29.0	1.5	5.8										
Clinton	16.8	50.9	25.5	6.2	0.6										
Coles	18.1	52.6	24.2	2.8	2.3										
Cook	20.5	46.4	25.8	5.4	2.0	20.5	48.9	24.2	4.6	1.8	20.3	39.9	29.8	7.5	2.5
Crawford	11.2	51.7	21.4	10.1	5.6										
Cumberland	17.4	45.7	32.6	4.4	0.0										
DeKalb	17.5	55.8	20.9	4.1	1.9										
DeWitt	18.1	50.0	25.0	5.6	1.4										
Douglas	23.5	49.0	20.4	5.1	2.0										
DuPage	20.2	49.6	24.6	3.7	1.8	19.6	50.2	24.5	3.8	1.9	17.8	45.8	32.7	1.9	1.9
Edgar	21.7	50.9	17.9	7.6	1.9										
Edwards	12.9	45.2	32.3	3.2	6.5										
Effingham	14.2	56.8	22.8	4.3	1.9										
Fayette	18.2	48.9	25.0	6.8	1.1										
Ford	19.8	44.4	27.2	2.5	6.2										
Franklin	15.1	54.1	19.5	8.7	2.7										
Fulton	12.0	56.3	26.0	3.8	1.9										
Gallatin	18.8	43.8	25.0	6.3	6.3										
Greene	18.3	53.3	21.7	6.7	0.0										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County**  
**Female Breast, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Grundy	8.8	60.0	24.4	3.8	3.1										
Hamilton	12.9	51.6	29.0	6.5	0.0										
Hancock	24.1	44.6	26.5	3.6	1.2										
Hardin	5.0	30.0	55.0	5.0	5.0										
Henderson	16.1	58.1	25.8	0.0	0.0										
Henry	17.9	47.2	24.7	7.6	2.7										
Iroquois	19.8	46.8	23.8	6.4	3.2										
Jackson	18.2	51.0	25.3	4.0	1.5										
Jasper	24.3	35.1	32.4	5.4	2.7										
Jefferson	12.6	51.0	27.8	5.3	3.3										
Jersey	19.5	47.6	24.4	4.9	3.7										
Jo Daviess	15.9	50.0	28.4	3.4	2.3										
Johnson	11.3	66.0	18.9	1.9	1.9										
Kane	20.1	49.9	23.8	4.7	1.6	20.3	50.3	23.6	4.5	1.4	16.2	48.7	23.0	8.1	4.1
Kankakee	18.8	48.1	26.5	4.7	1.9	18.7	50.8	25.1	3.8	1.6	20.7	32.8	32.8	10.3	3.5
Kendall	26.1	47.3	22.5	1.9	2.3										
Knox	19.5	48.5	26.7	3.8	1.5										
Lake	26.2	44.7	23.6	4.0	1.5	25.9	45.5	23.2	3.8	1.6	24.8	34.6	30.1	9.0	1.5
LaSalle	15.3	52.3	26.1	3.4	3.0										
Lawrence	8.6	55.2	24.1	6.9	5.2										
Lee	15.0	56.7	23.1	3.5	1.7										
Livingston	16.2	52.0	29.2	0.7	2.0										
Logan	22.7	48.4	25.8	2.3	0.8										
McDonough	18.1	52.8	23.6	3.9	1.6										
McHenry	16.6	52.5	24.5	5.2	1.2										
McLean	15.3	52.3	27.2	4.1	1.1										
Macon	20.6	49.6	24.5	4.2	1.1	20.3	50.1	23.9	4.5	1.3	25.0	46.4	26.8	1.8	0.0
Macoupin	16.9	52.7	24.2	4.4	1.9										
Madison	19.4	50.9	23.6	3.8	2.2	18.8	52.0	23.1	3.9	2.3	25.4	35.8	34.3	3.0	1.5
Marion	15.1	47.3	29.0	4.3	4.3										
Marshall	16.4	58.2	19.4	1.5	4.5										
Mason	18.0	53.9	22.5	3.4	2.3										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County**  
**Female Breast, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Massac	13.1	54.1	19.7	13.1	0.0										
Menard	28.0	41.3	25.3	4.0	1.3										
Mercer	26.1	45.5	25.0	3.4	0.0										
Monroe	17.3	54.0	23.0	4.3	1.4										
Montgomery	21.2	48.3	20.5	6.6	3.3										
Morgan	15.9	52.9	22.9	7.7	0.6										
Moultrie	22.4	39.5	25.0	7.9	5.3										
Ogle	16.2	54.6	24.2	5.1	0.0										
Peoria	19.9	50.9	22.9	5.2	1.2	20.8	52.4	21.1	4.4	1.3	14.1	36.4	37.4	12.1	0.0
Perry	18.4	49.0	24.5	6.1	2.0										
Piatt	20.0	46.7	30.0	3.3	0.0										
Pike	20.3	53.6	20.3	4.4	1.5										
Pope	21.7	60.9	13.0	0.0	4.4										
Pulaski	18.2	36.4	36.4	9.1	0.0										
Putnam	4.4	56.5	30.4	8.7	0.0										
Randolph	17.7	45.6	30.6	4.8	1.4										
Richland	17.3	41.3	24.0	4.0	13.3										
Rock Island	19.7	51.7	23.3	4.2	1.2	18.7	52.7	23.2	4.1	1.3	21.2	45.5	27.3	6.1	0.0
St Clair	19.9	49.7	24.3	4.2	1.9	20.7	52.0	22.8	3.2	1.4	17.2	41.9	29.9	7.6	3.4
Saline	9.7	47.2	34.7	5.6	2.8										
Sangamon	24.2	49.0	21.5	4.4	1.0	24.2	49.4	20.8	4.6	1.0	21.9	42.2	32.8	3.1	0.0
Schuyler	4.6	68.2	13.6	9.1	4.6										
Scott	33.3	39.4	24.2	3.0	0.0										
Shelby	13.8	48.3	31.0	4.6	2.3										
Stark	18.4	55.3	23.7	2.6	0.0										
Stephenson	14.4	48.9	26.9	3.6	6.3										
Tazewell	20.9	55.2	19.0	3.5	1.3										
Union	12.8	57.7	24.4	1.3	3.9										
Vermilion	25.1	48.3	20.5	3.6	2.5	23.8	49.8	20.2	3.6	2.6	44.4	25.9	25.9	3.7	0.0
Wabash	4.7	46.5	25.6	11.6	11.6										
Warren	16.5	41.2	30.6	5.9	5.9										
Washington	16.9	49.2	20.0	7.7	6.2										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Female Breast, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races					Whites					Blacks				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Wayne	7.8	51.6	34.4	1.6	4.7										
White	16.1	50.6	23.5	2.5	7.4										
Whiteside	19.0	46.5	27.8	4.0	2.8										
Will	19.6	47.6	26.0	5.2	1.7	19.2	47.8	26.5	5.0	1.6	21.5	46.1	21.5	7.9	3.1
Williamson	16.9	49.9	24.2	5.1	3.9										
Winnebago	19.4	51.9	23.5	3.6	1.6	18.8	53.0	22.8	3.7	1.8	27.8	40.0	32.2	0.0	0.0
Woodford	20.0	52.0	23.5	1.5	3.0										

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Female Breast, Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanic					Non-Hispanic				
	<i>in situ</i>	Localized	Regional	Distant	Unstaged	<i>in situ</i>	Localized	Regional	Distant	Unstaged
Illinois	20.5	42.2	31.8	4.2	1.2	20.1	48.7	24.5	4.8	2.0
Cook	20.4	42.5	31.0	4.8	1.3	20.5	46.7	25.3	5.4	2.0
DuPage	23.4	36.7	34.0	5.3	0.5	20.1	50.2	24.2	3.7	1.9
Kane	18.0	40.7	37.3	2.7	1.3	20.3	50.7	22.6	4.8	1.6
Lake	27.7	36.2	32.6	2.8	0.7	26.1	45.1	23.2	4.1	1.6
Will	21.5	37.4	38.3	2.8	0.0	19.5	48.1	25.4	5.3	1.8

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Cervical Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	42.9	39.9	12.3	5.0	44.1	38.2	12.6	5.2	35.7	46.7	13.1	4.6
Adams	58.3	16.7	8.3	16.7								
Alexander	50.0	50.0	0.0	0.0								
Bond	28.6	57.1	14.3	0.0								
Boone	50.0	12.5	25.0	12.5								
Brown	0.0	100.0	0.0	0.0								
Bureau	80.0	20.0	0.0	0.0								
Calhoun	0.0	0.0	100.0	0.0								
Carroll	100.0	0.0	0.0	0.0								
Cass	30.0	60.0	10.0	0.0								
Champaign	38.9	41.7	11.1	8.3	35.5	41.9	12.9	9.7	60.0	40.0	0.0	0.0
Christian	75.0	25.0	0.0	0.0								
Clark	33.3	66.7	0.0	0.0								
Clay	0.0	66.7	33.3	0.0								
Clinton	50.0	0.0	50.0	0.0								
Coles	31.3	50.0	6.3	12.5								
Cook	40.4	41.6	13.0	5.0	43.7	38.5	13.0	4.8	34.1	46.4	14.4	5.2
Crawford	25.0	37.5	12.5	25.0								
Cumberland	0.0	100.0	0.0	0.0								
DeKalb	53.9	7.7	15.4	23.1								
DeWitt	0.0	33.3	66.7	0.0								
Douglas	0.0	66.7	0.0	33.3								
DuPage	55.6	31.1	11.1	2.2	53.2	31.5	12.6	2.7	54.6	36.4	9.1	0.0
Edgar	71.4	28.6	0.0	0.0								
Edwards	0.0	50.0	0.0	50.0								
Effingham	50.0	16.7	33.3	0.0								
Fayette	0.0	75.0	0.0	25.0								
Ford	83.3	0.0	0.0	16.7								
Franklin	40.0	20.0	20.0	20.0								
Fulton	30.8	53.9	7.7	7.7								
Gallatin	0.0	100.0	0.0	0.0								
Greene	33.3	50.0	0.0	16.7								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Cervical Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Grundy	50.0	41.7	0.0	8.3								
Hamilton	25.0	50.0	25.0	0.0								
Hancock	33.3	0.0	0.0	66.7								
Hardin												
Henderson	100.0	0.0	0.0	0.0								
Henry	25.0	37.5	25.0	12.5								
Iroquois	40.0	20.0	0.0	40.0								
Jackson	36.4	54.6	0.0	9.1								
Jasper	0.0	100.0	0.0	0.0								
Jefferson	35.7	42.9	14.3	7.1								
Jersey	50.0	0.0	0.0	50.0								
Jo Daviess	50.0	50.0	0.0	0.0								
Johnson												
Kane	48.9	33.3	12.2	5.6	45.7	35.8	12.4	6.2	50.0	50.0	0.0	0.0
Kankakee	48.3	37.9	6.9	6.9	45.5	36.4	9.1	9.1	50.0	50.0	0.0	0.0
Kendall	54.6	45.5	0.0	0.0								
Knox	58.3	25.0	16.7	0.0								
Lake	43.5	41.7	11.1	3.7	41.7	41.7	12.5	4.2	50.0	50.0	0.0	0.0
LaSalle	48.3	31.0	10.3	10.3								
Lawrence	25.0	75.0	0.0	0.0								
Lee	37.5	62.5	0.0	0.0								
Livingston	22.2	22.2	33.3	22.2								
Logan	60.0	20.0	20.0	0.0								
McDonough	50.0	50.0	0.0	0.0								
McHenry	35.3	51.0	7.8	5.9								
McLean	40.0	32.0	20.0	8.0								
Macon	67.9	14.3	17.9	0.0	63.6	18.2	18.2	0.0	80.0	0.0	20.0	0.0
Macoupin	53.3	26.7	6.7	13.3								
Madison	50.0	33.9	14.5	1.6	51.0	33.3	13.7	2.0	37.5	50.0	12.5	0.0
Marion	16.7	33.3	50.0	0.0								
Marshall	25.0	50.0	25.0	0.0								
Mason	71.4	28.6	0.0	0.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Cervical Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Massac	33.3	33.3	33.3	0.0								
Menard												
Mercer	100.0	0.0	0.0	0.0								
Monroe	57.1	42.9	0.0	0.0								
Montgomery	41.7	50.0	0.0	8.3								
Morgan	72.7	27.3	0.0	0.0								
Moultrie	100.0	0.0	0.0	0.0								
Ogle	36.4	63.6	0.0	0.0								
Peoria	40.9	45.5	13.6	0.0	44.1	44.1	11.8	0.0	22.2	55.6	22.2	0.0
Perry	50.0	50.0	0.0	0.0								
Piatt	0.0	100.0	0.0	0.0								
Pike	33.3	50.0	16.7	0.0								
Pope												
Pulaski	0.0	100.0	0.0	0.0								
Putnam												
Randolph	20.0	80.0	0.0	0.0								
Richland	50.0	33.3	0.0	16.7								
Rock Island	54.8	33.3	7.1	4.8	48.7	37.8	8.1	5.4	100.0	0.0	0.0	0.0
St Clair	40.9	45.1	11.3	2.8	37.5	42.5	17.5	2.5	44.8	48.3	3.5	3.5
Saline	60.0	40.0	0.0	0.0								
Sangamon	47.1	39.2	13.7	0.0	52.4	31.0	16.7	0.0	14.3	85.7	0.0	0.0
Schuyler	100.0	0.0	0.0	0.0								
Scott	100.0	0.0	0.0	0.0								
Shelby	75.0	25.0	0.0	0.0								
Stark	100.0	0.0	0.0	0.0								
Stephenson	22.2	66.7	0.0	11.1								
Tazewell	48.8	37.2	14.0	0.0								
Union	33.3	33.3	33.3	0.0								
Vermilion	41.2	35.3	23.5	0.0	46.7	26.7	26.7	0.0	0.0	100.0	0.0	0.0
Wabash	50.0	25.0	25.0	0.0								
Warren	50.0	25.0	25.0	0.0								
Washington	50.0	0.0	50.0	0.0								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Cervical Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	33.3	16.7	33.3	16.7								
White	40.0	40.0	20.0	0.0								
Whiteside	33.3	40.0	20.0	6.7								
Will	43.2	44.1	8.5	4.2	41.2	44.3	10.3	4.1	53.9	46.2	0.0	0.0
Williamson	30.8	30.8	30.8	7.7								
Winnebago	42.0	46.0	6.0	6.0	45.5	40.9	6.8	6.8	20.0	80.0	0.0	0.0
Woodford	0.0	100.0	0.0	0.0								

**Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties  
Cervical (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	46.5	37.5	9.0	6.9	42.3	40.2	12.8	4.7
Cook	45.4	37.2	10.5	7.0	39.3	42.6	13.6	4.5
DuPage	50.0	40.0	5.0	5.0	56.5	29.6	12.2	1.7
Kane	50.0	35.7	3.6	10.7	48.4	32.3	16.1	3.2
Lake	41.2	41.2	17.7	0.0	44.0	41.8	9.9	4.4
Will	60.0	20.0	0.0	20.0	41.7	46.3	9.3	2.8

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Prostate Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	81.2	10.1	4.2	4.5	81.7	10.6	4.0	3.7	78.8	9.0	5.9	6.3
Adams	84.5	9.3	4.1	2.1								
Alexander	70.6	26.5	2.9	0.0								
Bond	81.4	10.2	6.8	1.7								
Boone	73.1	17.2	3.5	6.2								
Brown	82.6	13.0	4.4	0.0								
Bureau	77.5	15.2	3.3	4.0								
Calhoun	81.8	9.1	6.1	3.0								
Carroll	83.3	1.4	4.2	11.1								
Cass	88.9	11.1	0.0	0.0								
Champaign	87.1	7.5	3.8	1.5	86.8	7.8	3.9	1.6	88.9	5.6	4.2	1.4
Christian	80.4	10.5	2.8	6.3								
Clark	70.2	16.4	9.0	4.5								
Clay	81.6	13.8	2.3	2.3								
Clinton	76.6	17.2	3.9	2.3								
Coles	78.3	9.6	3.0	9.0								
Cook	80.2	10.0	4.9	5.0	80.8	11.0	4.5	3.8	78.8	8.6	6.0	6.6
Crawford	84.0	10.7	0.0	5.3								
Cumberland	68.9	8.9	11.1	11.1								
DeKalb	82.1	8.8	6.9	2.3								
DeWitt	86.4	5.1	1.7	6.8								
Douglas	84.0	4.9	3.7	7.4								
DuPage	82.4	9.7	4.3	3.6	82.5	9.9	4.3	3.2	82.4	8.3	5.6	3.7
Edgar	84.6	9.0	2.6	3.9								
Edwards	81.0	9.5	9.5	0.0								
Effingham	79.3	16.6	1.8	2.4								
Fayette	78.9	17.3	2.9	1.0								
Ford	83.3	10.6	3.0	3.0								
Franklin	83.8	4.5	6.7	5.0								
Fulton	81.4	9.0	3.7	5.9								
Gallatin	77.8	11.1	3.7	7.4								
Greene	77.6	13.4	4.5	4.5								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Prostate Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Grundy	89.5	4.6	3.3	2.6								
Hamilton	80.8	11.5	3.9	3.9								
Hancock	77.1	13.8	3.7	5.5								
Hardin	90.0	10.0	0.0	0.0								
Henderson	79.1	4.7	7.0	9.3								
Henry	80.0	8.8	2.8	8.4								
Iroquois	76.8	9.2	5.6	8.5								
Jackson	77.2	12.9	6.4	3.5								
Jasper	87.5	5.4	3.6	3.6								
Jefferson	82.0	10.6	4.8	2.7								
Jersey	82.6	12.0	1.1	4.4								
Jo Daviess	81.4	10.6	0.0	8.0								
Johnson	65.7	18.6	5.7	10.0								
Kane	82.2	10.7	3.7	3.3	82.6	11.4	3.6	2.5	81.2	8.2	5.9	4.7
Kankakee	81.9	11.2	3.6	3.4	83.9	11.2	2.8	2.0	80.6	9.0	9.0	1.5
Kendall	80.8	10.8	4.7	3.7								
Knox	91.9	3.6	1.8	2.7								
Lake	79.9	12.8	2.5	4.8	80.0	12.7	2.5	4.8	77.1	17.7	2.0	3.3
LaSalle	79.9	11.9	4.3	4.0								
Lawrence	81.6	10.2	6.1	2.0								
Lee	80.0	11.2	5.9	2.9								
Livingston	84.4	9.1	3.3	3.3								
Logan	83.6	8.2	5.7	2.5								
McDonough	86.6	3.4	3.4	6.7								
McHenry	82.8	12.1	2.7	2.4								
McLean	82.5	10.9	2.9	3.7								
Macon	81.7	12.6	4.0	1.7	81.1	12.8	4.2	2.0	85.5	11.3	3.2	0.0
Macoupin	82.7	8.4	1.8	7.1								
Madison	79.3	11.5	3.9	5.3	79.5	12.1	3.3	5.2	71.6	7.5	13.4	7.5
Marion	78.3	11.2	6.2	4.4								
Marshall	80.0	12.3	3.1	4.6								
Mason	82.6	10.1	0.0	7.3								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Prostate Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Massac	91.5	1.7	3.4	3.4								
Menard	92.0	8.0	0.0	0.0								
Mercer	84.4	2.6	2.6	10.4								
Monroe	77.2	13.0	2.4	7.3								
Montgomery	74.4	9.9	0.8	14.9								
Morgan	81.8	11.5	4.9	1.8								
Moultrie	82.5	7.9	6.4	3.2								
Ogle	81.1	13.4	4.3	1.2								
Peoria	87.0	5.8	3.9	3.3	87.4	5.2	4.0	3.4	82.8	10.1	3.0	4.0
Perry	86.8	4.4	3.3	5.5								
Piatt	81.8	5.2	7.8	5.2								
Pike	79.4	13.2	1.5	5.9								
Pope	76.9	23.1	0.0	0.0								
Pulaski	68.8	18.8	6.3	6.3								
Putnam	82.1	7.1	10.7	0.0								
Randolph	80.1	12.3	3.4	4.1								
Richland	86.9	7.1	3.6	2.4								
Rock Island	79.8	6.6	2.1	11.5	82.6	8.2	2.7	6.6	81.3	6.3	2.1	10.4
St Clair	77.2	11.8	4.8	6.3	77.1	13.3	4.3	5.3	74.5	10.2	6.2	9.1
Saline	84.0	10.4	2.8	2.8								
Sangamon	83.3	11.3	3.3	2.2	83.9	11.1	2.9	2.1	77.9	13.2	7.4	1.5
Schuyler	88.9	7.4	3.7	0.0								
Scott	66.7	22.2	5.6	5.6								
Shelby	80.5	12.4	5.3	1.8								
Stark	85.0	5.0	0.0	10.0								
Stephenson	85.8	5.2	7.5	1.5								
Tazewell	86.7	6.9	3.3	3.1								
Union	77.4	11.3	6.5	4.8								
Vermilion	86.0	5.8	5.8	2.4	86.2	6.1	5.8	1.9	92.9	3.6	3.6	0.0
Wabash	96.7	0.0	3.3	0.0								
Warren	88.5	6.6	3.3	1.6								
Washington	83.6	7.3	3.6	5.5								

**Percent Distribution of Stage of Disease at Diagnosis by Race and County  
Prostate Cancer (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	78.4	14.9	4.1	2.7								
White	77.8	6.7	2.2	13.3								
Whiteside	76.9	12.5	2.9	7.7								
Will	84.7	8.4	3.7	3.4	85.2	8.2	3.8	2.8	81.2	9.8	3.9	5.1
Williamson	81.7	12.3	2.6	3.4								
Winnebago	76.9	12.4	5.7	4.9	77.3	12.7	6.0	4.1	71.8	10.6	4.7	12.9
Woodford	82.4	8.5	4.6	4.6								

**Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties  
Prostate (invasive), Illinois, 2004-2008**

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	81.0	10.2	5.2	3.7	81.2	10.1	4.2	4.5
Cook	81.3	10.0	5.1	3.6	80.1	10.0	4.8	5.1
DuPage	84.4	4.9	6.6	4.1	82.3	9.9	4.2	3.6
Kane	78.8	10.6	8.2	2.4	82.5	10.8	3.4	3.4
Lake	82.7	12.4	2.5	2.5	79.8	12.8	2.5	4.9
Will	81.5	8.7	5.4	4.4	84.8	8.3	3.6	3.3