

SECTION IV

County-specific Cancer Incidence Rates by Race Illinois, 2004-2008

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|---------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 261,943 | 485.9 | 484.1 | 487.8 | 133,025 | 563.0 | 559.9 | 566.1 | 128,918 | 436.8 | 434.4 | 439.2 |
| Oral Cavity and Pharynx | 5,884 | 10.8 | 10.5 | 11.1 | 4,050 | 16.1 | 15.6 | 16.6 | 1,834 | 6.2 | 5.9 | 6.5 |
| Esophagus | 2,928 | 5.4 | 5.2 | 5.6 | 2,322 | 9.7 | 9.3 | 10.1 | 606 | 2.0 | 1.8 | 2.1 |
| Stomach | 3,526 | 6.5 | 6.3 | 6.7 | 2,146 | 9.3 | 8.9 | 9.7 | 1,380 | 4.4 | 4.2 | 4.7 |
| Colon and Rectum | 28,481 | 52.3 | 51.7 | 52.9 | 14,412 | 62.0 | 60.9 | 63.0 | 14,069 | 45.0 | 44.3 | 45.8 |
| Liver | 2,589 | 4.8 | 4.6 | 4.9 | 1,843 | 7.5 | 7.2 | 7.9 | 746 | 2.4 | 2.3 | 2.6 |
| Pancreas | 6,749 | 12.3 | 12.0 | 12.6 | 3,368 | 14.4 | 13.9 | 14.9 | 3,381 | 10.7 | 10.3 | 11.0 |
| Lung and Bronchus | 38,351 | 71.5 | 70.8 | 72.2 | 20,299 | 87.8 | 86.5 | 89.0 | 18,052 | 60.3 | 59.4 | 61.2 |
| Bones and Joints | 453 | 0.9 | 0.8 | 1.0 | 241 | 1.0 | 0.9 | 1.1 | 212 | 0.8 | 0.7 | 0.9 |
| Melanoma of the Skin | 9,293 | 17.5 | 17.1 | 17.8 | 5,204 | 21.7 | 21.1 | 22.3 | 4,089 | 14.8 | 14.4 | 15.3 |
| Breast (invasive) | 36,505 | 67.5 | 66.8 | 68.2 | 272 | 1.2 | 1.0 | 1.3 | 36,233 | 125.2 | 123.9 | 126.5 |
| Cervix | | | | | | | | | 2,127 | 8.0 | 7.7 | 8.3 |
| Corpus and Uterus, NOS | | | | | | | | | 8,028 | 27.5 | 26.9 | 28.1 |
| Ovary | | | | | | | | | 4,004 | 13.7 | 13.2 | 14.1 |
| Prostate | | | | | 34,803 | 144.6 | 143.1 | 146.1 | | | | |
| Testis | | | | | 1,551 | 6.1 | 5.8 | 6.4 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 12,912 | 23.9 | 23.5 | 24.3 | 9,615 | 42.6 | 41.7 | 43.4 | 3,297 | 10.6 | 10.2 | 10.9 |
| Kidney and Renal Pelvis | 9,064 | 16.8 | 16.5 | 17.2 | 5,506 | 22.7 | 22.1 | 23.3 | 3,558 | 12.1 | 11.7 | 12.5 |
| Brain and Nervous System | 3,707 | 7.0 | 6.8 | 7.3 | 1,970 | 8.0 | 7.7 | 8.4 | 1,737 | 6.2 | 5.9 | 6.5 |
| Hodgkin Lymphoma | 1,541 | 3.0 | 2.9 | 3.2 | 853 | 3.4 | 3.2 | 3.7 | 688 | 2.7 | 2.5 | 2.9 |
| Non-Hodgkin Lymphoma | 11,075 | 20.6 | 20.2 | 21.0 | 5,928 | 25.2 | 24.6 | 25.9 | 5,147 | 17.1 | 16.6 | 17.5 |
| Myeloma | 2,796 | 5.1 | 5.0 | 5.3 | 1,554 | 6.7 | 6.4 | 7.1 | 1,242 | 4.0 | 3.8 | 4.2 |
| Leukemia | 7,060 | 13.2 | 12.9 | 13.5 | 4,060 | 17.6 | 17.0 | 18.1 | 3,000 | 10.0 | 9.6 | 10.4 |
| All other sites | 28,516 | 53.1 | 52.5 | 53.7 | 13,028 | 55.6 | 54.6 | 56.5 | 15,488 | 53.1 | 52.3 | 54.0 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 8,983 | 31.8 | 31.1 | 32.5 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 3,490 | 507.1 | 490.3 | 524.4 | 1,803 | 586.5 | 559.5 | 614.6 | 1,687 | 453.9 | 432.1 | 476.6 |
| Oral Cavity and Pharynx | 83 | 11.8 | 9.4 | 14.6 | 49 | 15.3 | 11.3 | 20.3 | 34 | 8.9 | 6.1 | 12.5 |
| Esophagus | 39 | 5.7 | 4.0 | 7.8 | 31 | 10.2 | 6.9 | 14.5 | 8 | 2.1 | 0.9 | 4.3 |
| Stomach | 31 | 4.4 | 3.0 | 6.3 | 16 | 5.4 | 3.0 | 8.7 | 15 | 4.0 | 2.2 | 6.6 |
| Colon and Rectum | 318 | 46.3 | 41.3 | 51.7 | 181 | 58.4 | 50.1 | 67.7 | 137 | 35.5 | 29.7 | 42.1 |
| Liver | 34 | 5.0 | 3.4 | 7.0 | 23 | 7.2 | 4.5 | 10.8 | 11 | 2.8 | 1.4 | 5.1 |
| Pancreas | 78 | 11.1 | 8.8 | 13.9 | 36 | 12.2 | 8.5 | 16.9 | 42 | 10.6 | 7.6 | 14.4 |
| Lung and Bronchus | 414 | 60.1 | 54.4 | 66.2 | 226 | 74.7 | 65.2 | 85.2 | 188 | 49.3 | 42.4 | 57.0 |
| Bones and Joints | 9 | 1.1 | 0.5 | 2.2 | 4 | 1.4 | 0.4 | 3.4 | 5 | 1.1 | 0.3 | 2.8 |
| Melanoma of the Skin | 184 | 26.7 | 22.9 | 30.9 | 96 | 31.1 | 25.2 | 38.1 | 88 | 24.8 | 19.7 | 30.7 |
| Breast (invasive) | 520 | 76.3 | 69.9 | 83.2 | 3 | 1.0 | 0.2 | 3.0 | 517 | 142.2 | 130.0 | 155.2 |
| Cervix | | | | | | | | | 31 | 9.6 | 6.5 | 13.7 |
| Corpus and Uterus, NOS | | | | | | | | | 103 | 28.3 | 23.1 | 34.4 |
| Ovary | | | | | | | | | 57 | 15.1 | 11.4 | 19.6 |
| Prostate | | | | | 567 | 182.4 | 167.6 | 198.2 | | | | |
| Testis | | | | | 26 | 7.7 | 5.0 | 11.3 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 152 | 22.3 | 18.9 | 26.2 | 115 | 39.6 | 32.7 | 47.6 | 37 | 9.7 | 6.8 | 13.5 |
| Kidney and Renal Pelvis | 120 | 17.5 | 14.5 | 21.0 | 74 | 23.6 | 18.5 | 29.7 | 46 | 12.0 | 8.7 | 16.1 |
| Brain and Nervous System | 37 | 5.2 | 3.7 | 7.3 | 23 | 6.8 | 4.3 | 10.3 | 14 | 3.7 | 2.0 | 6.3 |
| Hodgkin Lymphoma | 23 | 2.6 | 1.6 | 4.1 | 13 | 3.2 | 1.6 | 5.7 | 10 | 2.2 | 1.0 | 4.4 |
| Non-Hodgkin Lymphoma | 141 | 20.7 | 17.4 | 24.4 | 75 | 25.1 | 19.7 | 31.5 | 66 | 17.9 | 13.8 | 22.9 |
| Myeloma | 33 | 4.8 | 3.3 | 6.8 | 21 | 7.2 | 4.5 | 11.1 | 12 | 3.2 | 1.6 | 5.7 |
| Leukemia | 100 | 14.7 | 11.9 | 17.9 | 63 | 21.3 | 16.3 | 27.2 | 37 | 9.4 | 6.6 | 13.1 |
| All other sites | 390 | 56.4 | 50.9 | 62.4 | 161 | 52.8 | 44.8 | 61.7 | 229 | 61.7 | 53.8 | 70.6 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 171 | 48.2 | 41.2 | 56.1 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|--------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 86,031 | 472.2 | 469.1 | 475.4 | 42,861 | 544.6 | 539.4 | 549.9 | 43,170 | 427.4 | 423.3 | 431.5 |
| Oral Cavity and Pharynx | 1,891 | 10.4 | 9.9 | 10.8 | 1,284 | 15.4 | 14.6 | 16.3 | 607 | 6.0 | 5.5 | 6.5 |
| Esophagus | 912 | 5.0 | 4.7 | 5.3 | 700 | 8.9 | 8.2 | 9.5 | 212 | 2.0 | 1.7 | 2.3 |
| Stomach | 1,529 | 8.3 | 7.9 | 8.7 | 908 | 11.7 | 11.0 | 12.5 | 621 | 5.8 | 5.3 | 6.3 |
| Colon and Rectum | 9,300 | 50.4 | 49.3 | 51.4 | 4,660 | 60.2 | 58.5 | 62.0 | 4,640 | 43.1 | 41.8 | 44.4 |
| Liver | 1,093 | 6.0 | 5.6 | 6.4 | 802 | 9.9 | 9.2 | 10.6 | 291 | 2.8 | 2.4 | 3.1 |
| Pancreas | 2,461 | 13.3 | 12.7 | 13.8 | 1,192 | 15.4 | 14.6 | 16.3 | 1,269 | 11.6 | 10.9 | 12.2 |
| Lung and Bronchus | 11,705 | 64.8 | 63.6 | 66.0 | 5,970 | 77.9 | 75.9 | 79.9 | 5,735 | 55.8 | 54.3 | 57.3 |
| Bones and Joints | 152 | 0.9 | 0.7 | 1.0 | 90 | 1.1 | 0.9 | 1.3 | 62 | 0.7 | 0.5 | 0.9 |
| Melanoma of the Skin | 2,604 | 14.4 | 13.8 | 14.9 | 1,487 | 18.5 | 17.6 | 19.5 | 1,117 | 11.7 | 11.0 | 12.4 |
| Breast (invasive) | 12,146 | 66.8 | 65.6 | 68.0 | 96 | 1.2 | 1.0 | 1.5 | 12,050 | 123.1 | 120.8 | 125.3 |
| Cervix | | | | | | | | | 794 | 8.6 | 8.0 | 9.2 |
| Corpus and Uterus, NOS | | | | | | | | | 2,775 | 28.3 | 27.2 | 29.3 |
| Ovary | | | | | | | | | 1,465 | 14.8 | 14.0 | 15.6 |
| Prostate | | | | | 11,308 | 142.9 | 140.2 | 145.6 | | | | |
| Testis | | | | | 591 | 6.2 | 5.7 | 6.8 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 4,178 | 22.8 | 22.1 | 23.5 | 3,010 | 39.9 | 38.5 | 41.4 | 1,168 | 10.8 | 10.2 | 11.5 |
| Kidney and Renal Pelvis | 2,859 | 15.8 | 15.2 | 16.4 | 1,683 | 20.8 | 19.8 | 21.8 | 1,176 | 11.7 | 11.0 | 12.4 |
| Brain and Nervous System | 1,177 | 6.6 | 6.2 | 7.0 | 643 | 7.8 | 7.2 | 8.4 | 534 | 5.6 | 5.1 | 6.1 |
| Hodgkin Lymphoma | 538 | 3.0 | 2.7 | 3.3 | 284 | 3.3 | 2.9 | 3.7 | 254 | 2.8 | 2.4 | 3.1 |
| Non-Hodgkin Lymphoma | 3,711 | 20.3 | 19.6 | 21.0 | 1,999 | 25.3 | 24.2 | 26.5 | 1,712 | 16.5 | 15.7 | 17.3 |
| Myeloma | 941 | 5.1 | 4.8 | 5.5 | 497 | 6.4 | 5.9 | 7.0 | 444 | 4.2 | 3.8 | 4.6 |
| Leukemia | 2,360 | 12.9 | 12.4 | 13.4 | 1,310 | 16.7 | 15.8 | 17.7 | 1,050 | 10.2 | 9.6 | 10.8 |
| All other sites | 9,541 | 52.2 | 51.1 | 53.2 | 4,347 | 55.1 | 53.4 | 56.8 | 5,194 | 51.7 | 50.3 | 53.1 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 3,107 | 32.8 | 31.7 | 34.0 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 19,220 | 486.9 | 479.9 | 494.0 | 9,447 | 548.3 | 537.0 | 559.8 | 9,773 | 448.3 | 439.2 | 457.4 |
| Oral Cavity and Pharynx | 413 | 10.2 | 9.2 | 11.2 | 282 | 15.3 | 13.5 | 17.2 | 131 | 6.0 | 5.0 | 7.1 |
| Esophagus | 185 | 4.8 | 4.1 | 5.6 | 139 | 8.1 | 6.7 | 9.6 | 46 | 2.2 | 1.6 | 3.0 |
| Stomach | 261 | 6.7 | 5.9 | 7.6 | 153 | 9.4 | 8.0 | 11.1 | 108 | 4.8 | 4.0 | 5.9 |
| Colon and Rectum | 1,833 | 46.5 | 44.3 | 48.7 | 941 | 55.6 | 52.0 | 59.3 | 892 | 39.5 | 36.9 | 42.3 |
| Liver | 181 | 4.6 | 3.9 | 5.3 | 123 | 6.9 | 5.7 | 8.2 | 58 | 2.7 | 2.0 | 3.5 |
| Pancreas | 494 | 12.7 | 11.6 | 13.9 | 234 | 13.9 | 12.1 | 15.8 | 260 | 11.8 | 10.4 | 13.3 |
| Lung and Bronchus | 2,479 | 65.2 | 62.6 | 67.8 | 1,230 | 75.3 | 71.0 | 79.7 | 1,249 | 58.7 | 55.4 | 62.2 |
| Bones and Joints | 35 | 0.9 | 0.6 | 1.3 | 21 | 1.1 | 0.7 | 1.7 | 14 | 0.7 | 0.4 | 1.2 |
| Melanoma of the Skin | 686 | 17.0 | 15.7 | 18.3 | 374 | 20.7 | 18.6 | 23.0 | 312 | 14.8 | 13.2 | 16.5 |
| Breast (invasive) | 3,068 | 75.1 | 72.4 | 77.9 | 20 | 1.2 | 0.7 | 1.9 | 3,048 | 138.9 | 133.9 | 144.0 |
| Cervix | | | | | | | | | 111 | 5.4 | 4.4 | 6.5 |
| Corpus and Uterus, NOS | | | | | | | | | 631 | 28.4 | 26.2 | 30.7 |
| Ovary | | | | | | | | | 304 | 13.8 | 12.3 | 15.5 |
| Prostate | | | | | 2,836 | 160.1 | 154.1 | 166.3 | | | | |
| Testis | | | | | 104 | 5.4 | 4.4 | 6.5 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 871 | 22.8 | 21.3 | 24.4 | 635 | 39.9 | 36.8 | 43.2 | 236 | 10.5 | 9.2 | 12.0 |
| Kidney and Renal Pelvis | 586 | 14.7 | 13.5 | 16.0 | 342 | 18.8 | 16.8 | 20.9 | 244 | 11.3 | 9.9 | 12.9 |
| Brain and Nervous System | 303 | 7.7 | 6.8 | 8.6 | 152 | 8.3 | 7.0 | 9.8 | 151 | 7.3 | 6.1 | 8.6 |
| Hodgkin Lymphoma | 120 | 3.2 | 2.6 | 3.8 | 66 | 3.5 | 2.7 | 4.5 | 54 | 2.8 | 2.1 | 3.7 |
| Non-Hodgkin Lymphoma | 857 | 22.0 | 20.5 | 23.5 | 440 | 25.7 | 23.3 | 28.3 | 417 | 18.9 | 17.1 | 20.9 |
| Myeloma | 201 | 5.1 | 4.4 | 5.9 | 119 | 6.8 | 5.6 | 8.2 | 82 | 3.7 | 2.9 | 4.6 |
| Leukemia | 533 | 13.7 | 12.6 | 15.0 | 297 | 17.5 | 15.5 | 19.7 | 236 | 11.0 | 9.6 | 12.5 |
| All other sites | 2,128 | 53.6 | 51.3 | 56.0 | 939 | 54.9 | 51.4 | 58.7 | 1,189 | 55.1 | 51.9 | 58.4 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 744 | 34.1 | 31.7 | 36.7 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 8,634 | 477.3 | 467.0 | 487.8 | 4,280 | 538.7 | 521.7 | 556.1 | 4,354 | 440.0 | 426.8 | 453.5 |
| Oral Cavity and Pharynx | 196 | 10.1 | 8.7 | 11.7 | 144 | 15.4 | 12.8 | 18.2 | 52 | 5.4 | 4.0 | 7.1 |
| Esophagus | 96 | 5.4 | 4.4 | 6.6 | 77 | 9.9 | 7.7 | 12.5 | 19 | 2.0 | 1.2 | 3.1 |
| Stomach | 117 | 6.7 | 5.5 | 8.1 | 67 | 8.8 | 6.7 | 11.3 | 50 | 5.2 | 3.8 | 6.9 |
| Colon and Rectum | 875 | 50.7 | 47.3 | 54.3 | 422 | 55.5 | 50.0 | 61.4 | 453 | 46.8 | 42.6 | 51.4 |
| Liver | 73 | 4.3 | 3.3 | 5.4 | 52 | 6.5 | 4.8 | 8.7 | 21 | 2.3 | 1.4 | 3.6 |
| Pancreas | 215 | 12.7 | 11.0 | 14.5 | 105 | 14.0 | 11.3 | 17.2 | 110 | 11.7 | 9.5 | 14.1 |
| Lung and Bronchus | 1,110 | 65.4 | 61.5 | 69.5 | 577 | 77.3 | 70.8 | 84.2 | 533 | 57.2 | 52.3 | 62.3 |
| Bones and Joints | 13 | 0.6 | 0.3 | 1.0 | 6 | 0.6 | 0.2 | 1.2 | 7 | 0.7 | 0.3 | 1.4 |
| Melanoma of the Skin | 279 | 14.5 | 12.8 | 16.4 | 141 | 16.0 | 13.3 | 19.0 | 138 | 13.6 | 11.4 | 16.2 |
| Breast (invasive) | 1,346 | 70.1 | 66.3 | 74.1 | 7 | 0.8 | 0.3 | 1.8 | 1,339 | 131.7 | 124.6 | 139.1 |
| Cervix | | | | | | | | | 81 | 8.0 | 6.3 | 9.9 |
| Corpus and Uterus, NOS | | | | | | | | | 269 | 26.3 | 23.2 | 29.7 |
| Ovary | | | | | | | | | 139 | 14.0 | 11.8 | 16.6 |
| Prostate | | | | | 1,181 | 144.2 | 135.7 | 153.2 | | | | |
| Testis | | | | | 68 | 6.0 | 4.7 | 7.6 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 412 | 24.8 | 22.4 | 27.3 | 320 | 46.2 | 41.0 | 51.8 | 92 | 9.8 | 7.8 | 12.0 |
| Kidney and Renal Pelvis | 322 | 17.4 | 15.5 | 19.5 | 196 | 22.3 | 19.1 | 25.8 | 126 | 12.9 | 10.7 | 15.4 |
| Brain and Nervous System | 131 | 6.6 | 5.5 | 7.9 | 68 | 7.3 | 5.5 | 9.3 | 63 | 6.1 | 4.7 | 7.9 |
| Hodgkin Lymphoma | 72 | 3.6 | 2.8 | 4.5 | 43 | 4.2 | 3.0 | 5.8 | 29 | 2.8 | 1.9 | 4.0 |
| Non-Hodgkin Lymphoma | 347 | 19.3 | 17.3 | 21.5 | 194 | 24.7 | 21.1 | 28.7 | 153 | 15.9 | 13.4 | 18.7 |
| Myeloma | 97 | 5.5 | 4.4 | 6.7 | 57 | 7.7 | 5.7 | 10.1 | 40 | 3.9 | 2.8 | 5.3 |
| Leukemia | 215 | 11.8 | 10.2 | 13.5 | 127 | 15.5 | 12.8 | 18.7 | 88 | 8.7 | 6.9 | 10.7 |
| All other sites | 980 | 53.9 | 50.5 | 57.4 | 428 | 55.7 | 50.2 | 61.6 | 552 | 55.1 | 50.6 | 60.0 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 340 | 32.7 | 29.3 | 36.4 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 2,561 | 502.9 | 483.4 | 522.9 | 1,410 | 636.8 | 603.5 | 671.5 | 1,151 | 412.6 | 388.6 | 437.6 |
| Oral Cavity and Pharynx | 55 | 10.7 | 8.0 | 13.9 | 40 | 16.6 | 11.8 | 22.7 | 15 | 5.0 | 2.8 | 8.3 |
| Esophagus | 32 | 6.1 | 4.2 | 8.7 | 28 | 12.0 | 7.9 | 17.6 | 4 | 1.5 | 0.4 | 3.9 |
| Stomach | 24 | 4.7 | 3.0 | 7.1 | 16 | 7.6 | 4.3 | 12.4 | 8 | 2.7 | 1.2 | 5.5 |
| Colon and Rectum | 309 | 60.2 | 53.6 | 67.3 | 166 | 76.0 | 64.7 | 88.7 | 143 | 47.3 | 39.7 | 55.9 |
| Liver | 30 | 5.9 | 3.9 | 8.4 | 18 | 7.9 | 4.6 | 12.5 | 12 | 4.2 | 2.1 | 7.5 |
| Pancreas | 56 | 10.7 | 8.1 | 14.0 | 29 | 12.6 | 8.4 | 18.2 | 27 | 8.7 | 5.7 | 12.9 |
| Lung and Bronchus | 413 | 80.4 | 72.8 | 88.5 | 223 | 101.7 | 88.6 | 116.2 | 190 | 66.3 | 57.1 | 76.6 |
| Bones and Joints | 6 | 1.2 | 0.5 | 2.7 | 2 | 0.9 | 0.1 | 3.2 | 4 | 1.5 | 0.4 | 4.0 |
| Melanoma of the Skin | 85 | 17.2 | 13.7 | 21.3 | 46 | 21.6 | 15.7 | 29.0 | 39 | 15.8 | 11.2 | 21.8 |
| Breast (invasive) | 307 | 61.0 | 54.3 | 68.2 | 6 | 3.2 | 1.2 | 6.9 | 301 | 111.1 | 98.7 | 124.7 |
| Cervix | | | | | | | | | 22 | 10.7 | 6.6 | 16.1 |
| Corpus and Uterus, NOS | | | | | | | | | 65 | 22.6 | 17.4 | 29.0 |
| Ovary | | | | | | | | | 25 | 9.1 | 5.9 | 13.7 |
| Prostate | | | | | 392 | 169.4 | 152.8 | 187.3 | | | | |
| Testis | | | | | 16 | 7.3 | 4.2 | 11.9 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 155 | 29.8 | 25.3 | 34.9 | 114 | 54.7 | 44.9 | 66.0 | 41 | 14.1 | 10.1 | 19.3 |
| Kidney and Renal Pelvis | 84 | 16.6 | 13.3 | 20.7 | 56 | 25.0 | 18.8 | 32.6 | 28 | 10.5 | 6.9 | 15.3 |
| Brain and Nervous System | 30 | 6.5 | 4.3 | 9.2 | 20 | 9.1 | 5.5 | 14.1 | 10 | 3.9 | 1.8 | 7.2 |
| Hodgkin Lymphoma | 9 | 2.1 | 0.9 | 4.0 | 4 | 2.0 | 0.6 | 5.1 | 5 | 2.1 | 0.7 | 5.0 |
| Non-Hodgkin Lymphoma | 78 | 15.2 | 12.0 | 19.1 | 45 | 21.0 | 15.3 | 28.2 | 33 | 11.5 | 7.9 | 16.3 |
| Myeloma | 26 | 4.9 | 3.2 | 7.3 | 15 | 7.3 | 4.0 | 12.1 | 11 | 3.8 | 1.9 | 7.0 |
| Leukemia | 92 | 18.2 | 14.7 | 22.4 | 54 | 25.6 | 19.1 | 33.5 | 38 | 13.6 | 9.6 | 18.9 |
| All other sites | 250 | 49.6 | 43.6 | 56.2 | 120 | 55.2 | 45.6 | 66.1 | 130 | 46.5 | 38.6 | 55.4 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 69 | 26.8 | 20.8 | 34.0 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 13,359 | 489.7 | 481.2 | 498.2 | 6,625 | 540.7 | 527.2 | 554.4 | 6,734 | 456.5 | 445.5 | 467.7 |
| Oral Cavity and Pharynx | 301 | 10.4 | 9.3 | 11.7 | 211 | 15.1 | 13.1 | 17.4 | 90 | 6.2 | 4.9 | 7.6 |
| Esophagus | 137 | 5.0 | 4.2 | 6.0 | 110 | 8.9 | 7.2 | 10.8 | 27 | 1.9 | 1.2 | 2.7 |
| Stomach | 163 | 6.1 | 5.2 | 7.2 | 103 | 8.4 | 6.8 | 10.2 | 60 | 4.2 | 3.2 | 5.4 |
| Colon and Rectum | 1,204 | 45.2 | 42.7 | 47.9 | 612 | 51.4 | 47.3 | 55.9 | 592 | 40.3 | 37.1 | 43.7 |
| Liver | 104 | 4.0 | 3.2 | 4.8 | 71 | 5.5 | 4.3 | 7.1 | 33 | 2.5 | 1.7 | 3.5 |
| Pancreas | 338 | 12.9 | 11.6 | 14.4 | 179 | 14.8 | 12.7 | 17.3 | 159 | 11.3 | 9.6 | 13.2 |
| Lung and Bronchus | 1,642 | 63.9 | 60.8 | 67.2 | 759 | 66.0 | 61.2 | 71.0 | 883 | 63.3 | 59.1 | 67.6 |
| Bones and Joints | 24 | 0.9 | 0.6 | 1.3 | 15 | 1.0 | 0.6 | 1.7 | 9 | 0.6 | 0.3 | 1.2 |
| Melanoma of the Skin | 588 | 20.8 | 19.1 | 22.6 | 314 | 24.6 | 21.8 | 27.6 | 274 | 18.4 | 16.3 | 20.8 |
| Breast (invasive) | 2,123 | 73.1 | 70.0 | 76.4 | 17 | 1.3 | 0.7 | 2.1 | 2,106 | 137.9 | 132.0 | 144.0 |
| Cervix | | | | | | | | | 96 | 6.3 | 5.1 | 7.7 |
| Corpus and Uterus, NOS | | | | | | | | | 432 | 28.8 | 26.1 | 31.7 |
| Ovary | | | | | | | | | 214 | 14.7 | 12.8 | 16.9 |
| Prostate | | | | | 1,794 | 141.1 | 134.4 | 148.0 | | | | |
| Testis | | | | | 93 | 6.4 | 5.1 | 7.8 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 746 | 29.2 | 27.1 | 31.4 | 544 | 49.0 | 44.8 | 53.5 | 202 | 14.2 | 12.3 | 16.3 |
| Kidney and Renal Pelvis | 449 | 16.0 | 14.5 | 17.5 | 291 | 22.3 | 19.7 | 25.2 | 158 | 10.6 | 9.0 | 12.4 |
| Brain and Nervous System | 218 | 7.6 | 6.6 | 8.7 | 120 | 8.7 | 7.2 | 10.5 | 98 | 6.7 | 5.4 | 8.2 |
| Hodgkin Lymphoma | 105 | 3.7 | 3.0 | 4.5 | 59 | 4.1 | 3.1 | 5.3 | 46 | 3.3 | 2.4 | 4.5 |
| Non-Hodgkin Lymphoma | 607 | 22.8 | 21.0 | 24.7 | 326 | 27.4 | 24.3 | 30.6 | 281 | 19.4 | 17.2 | 21.9 |
| Myeloma | 143 | 5.4 | 4.6 | 6.4 | 79 | 6.9 | 5.4 | 8.7 | 64 | 4.5 | 3.4 | 5.7 |
| Leukemia | 377 | 14.3 | 12.8 | 15.8 | 234 | 20.0 | 17.4 | 22.8 | 143 | 9.9 | 8.4 | 11.7 |
| All other sites | 1,461 | 53.4 | 50.7 | 56.3 | 694 | 57.8 | 53.4 | 62.4 | 767 | 51.5 | 47.9 | 55.4 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 734 | 47.2 | 43.8 | 50.8 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 3,380 | 570.2 | 550.8 | 590.3 | 1,726 | 651.5 | 620.7 | 683.4 | 1,654 | 525.7 | 499.5 | 553.0 |
| Oral Cavity and Pharynx | 83 | 14.0 | 11.1 | 17.5 | 55 | 20.0 | 15.0 | 26.2 | 28 | 9.1 | 6.0 | 13.4 |
| Esophagus | 35 | 5.7 | 3.9 | 8.0 | 27 | 9.8 | 6.4 | 14.5 | 8 | 2.1 | 0.8 | 4.5 |
| Stomach | 28 | 4.5 | 3.0 | 6.6 | 15 | 5.6 | 3.1 | 9.4 | 13 | 3.9 | 2.1 | 7.0 |
| Colon and Rectum | 359 | 59.5 | 53.3 | 66.1 | 189 | 73.3 | 63.1 | 84.8 | 170 | 49.3 | 41.9 | 57.8 |
| Liver | 33 | 5.4 | 3.7 | 7.7 | 24 | 9.1 | 5.8 | 13.7 | 9 | 2.6 | 1.1 | 5.3 |
| Pancreas | 70 | 11.6 | 9.0 | 14.7 | 37 | 14.4 | 10.1 | 20.0 | 33 | 9.4 | 6.3 | 13.6 |
| Lung and Bronchus | 611 | 98.8 | 91.1 | 107.1 | 331 | 122.9 | 109.9 | 137.1 | 280 | 81.5 | 72.0 | 92.0 |
| Bones and Joints | 10 | 1.8 | 0.8 | 3.3 | 5 | 1.9 | 0.6 | 4.6 | 5 | 1.7 | 0.6 | 4.3 |
| Melanoma of the Skin | 124 | 23.7 | 19.6 | 28.5 | 63 | 24.4 | 18.7 | 31.4 | 61 | 25.6 | 19.3 | 33.2 |
| Breast (invasive) | 443 | 78.6 | 71.2 | 86.5 | 2 | 0.6 | 0.1 | 2.6 | 441 | 146.3 | 132.4 | 161.4 |
| Cervix | | | | | | | | | 22 | 10.1 | 6.2 | 15.5 |
| Corpus and Uterus, NOS | | | | | | | | | 89 | 27.7 | 22.1 | 34.4 |
| Ovary | | | | | | | | | 47 | 13.3 | 9.7 | 18.0 |
| Prostate | | | | | 407 | 148.5 | 134.4 | 163.9 | | | | |
| Testis | | | | | 8 | 4.0 | 1.7 | 7.9 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 176 | 27.9 | 23.9 | 32.4 | 133 | 50.6 | 42.3 | 60.2 | 43 | 11.7 | 8.4 | 16.0 |
| Kidney and Renal Pelvis | 140 | 23.4 | 19.6 | 27.8 | 88 | 33.4 | 26.7 | 41.4 | 52 | 15.9 | 11.7 | 21.2 |
| Brain and Nervous System | 47 | 9.0 | 6.5 | 12.1 | 24 | 10.4 | 6.6 | 15.6 | 23 | 7.7 | 4.7 | 12.0 |
| Hodgkin Lymphoma | 16 | 3.3 | 1.9 | 5.5 | 7 | 2.7 | 1.1 | 5.8 | 9 | 3.9 | 1.7 | 7.5 |
| Non-Hodgkin Lymphoma | 142 | 24.0 | 20.2 | 28.5 | 77 | 29.8 | 23.5 | 37.5 | 65 | 20.5 | 15.6 | 26.5 |
| Myeloma | 35 | 5.4 | 3.8 | 7.6 | 17 | 6.3 | 3.7 | 10.2 | 18 | 4.8 | 2.8 | 7.9 |
| Leukemia | 81 | 14.0 | 11.0 | 17.6 | 44 | 16.7 | 12.1 | 22.7 | 37 | 12.2 | 8.3 | 17.3 |
| All other sites | 374 | 65.6 | 58.9 | 72.8 | 173 | 67.0 | 57.2 | 78.0 | 201 | 66.5 | 57.1 | 77.0 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 112 | 38.4 | 31.4 | 46.6 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 6,803 | 487.7 | 476.1 | 499.5 | 3,432 | 562.7 | 543.8 | 582.1 | 3,371 | 441.3 | 426.3 | 456.8 |
| Oral Cavity and Pharynx | 143 | 10.2 | 8.6 | 12.1 | 108 | 16.6 | 13.6 | 20.1 | 35 | 4.4 | 3.0 | 6.1 |
| Esophagus | 102 | 7.2 | 5.9 | 8.8 | 87 | 13.8 | 11.0 | 17.1 | 15 | 1.9 | 1.0 | 3.2 |
| Stomach | 57 | 4.1 | 3.1 | 5.3 | 31 | 5.1 | 3.5 | 7.3 | 26 | 3.2 | 2.1 | 4.7 |
| Colon and Rectum | 776 | 54.8 | 51.0 | 58.8 | 377 | 63.1 | 56.8 | 69.9 | 399 | 49.1 | 44.3 | 54.3 |
| Liver | 71 | 5.0 | 3.9 | 6.4 | 43 | 6.8 | 4.9 | 9.2 | 28 | 3.4 | 2.2 | 5.0 |
| Pancreas | 133 | 9.2 | 7.7 | 10.9 | 76 | 12.4 | 9.7 | 15.6 | 57 | 6.7 | 5.1 | 8.8 |
| Lung and Bronchus | 1,199 | 84.8 | 80.0 | 89.8 | 639 | 106.1 | 97.9 | 114.8 | 560 | 70.4 | 64.7 | 76.6 |
| Bones and Joints | 17 | 1.3 | 0.8 | 2.1 | 9 | 1.6 | 0.7 | 3.0 | 8 | 1.2 | 0.5 | 2.3 |
| Melanoma of the Skin | 233 | 17.5 | 15.3 | 19.9 | 124 | 20.6 | 17.1 | 24.7 | 109 | 16.1 | 13.1 | 19.5 |
| Breast (invasive) | 893 | 65.0 | 60.8 | 69.5 | 2 | 0.3 | 0.0 | 1.2 | 891 | 120.7 | 112.7 | 129.0 |
| Cervix | | | | | | | | | 51 | 8.0 | 6.0 | 10.6 |
| Corpus and Uterus, NOS | | | | | | | | | 188 | 24.7 | 21.3 | 28.6 |
| Ovary | | | | | | | | | 96 | 13.0 | 10.5 | 15.9 |
| Prostate | | | | | 829 | 131.6 | 122.7 | 141.0 | | | | |
| Testis | | | | | 29 | 5.0 | 3.3 | 7.2 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 321 | 22.6 | 20.2 | 25.2 | 243 | 40.5 | 35.6 | 46.1 | 78 | 9.5 | 7.5 | 11.9 |
| Kidney and Renal Pelvis | 292 | 20.9 | 18.5 | 23.4 | 160 | 25.7 | 21.8 | 30.1 | 132 | 17.0 | 14.2 | 20.3 |
| Brain and Nervous System | 87 | 6.5 | 5.2 | 8.0 | 41 | 6.6 | 4.7 | 9.0 | 46 | 6.5 | 4.7 | 8.7 |
| Hodgkin Lymphoma | 32 | 2.6 | 1.7 | 3.6 | 19 | 3.2 | 1.9 | 5.0 | 13 | 2.0 | 1.1 | 3.5 |
| Non-Hodgkin Lymphoma | 266 | 19.2 | 17.0 | 21.7 | 136 | 23.0 | 19.2 | 27.2 | 130 | 16.6 | 13.8 | 19.8 |
| Myeloma | 80 | 5.7 | 4.5 | 7.1 | 40 | 6.8 | 4.9 | 9.3 | 40 | 4.9 | 3.5 | 6.8 |
| Leukemia | 172 | 12.6 | 10.7 | 14.6 | 101 | 17.5 | 14.2 | 21.3 | 71 | 9.0 | 6.9 | 11.4 |
| All other sites | 736 | 53.3 | 49.5 | 57.4 | 338 | 56.3 | 50.4 | 62.8 | 398 | 53.1 | 47.9 | 58.7 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 206 | 28.6 | 24.8 | 32.8 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 4,651 | 524.1 | 508.9 | 539.6 | 2,319 | 598.8 | 574.4 | 623.9 | 2,332 | 477.4 | 457.5 | 498.0 |
| Oral Cavity and Pharynx | 91 | 10.4 | 8.3 | 12.9 | 60 | 14.9 | 11.3 | 19.3 | 31 | 6.7 | 4.4 | 9.7 |
| Esophagus | 45 | 4.9 | 3.6 | 6.7 | 35 | 8.6 | 6.0 | 12.0 | 10 | 2.0 | 0.9 | 3.8 |
| Stomach | 43 | 4.7 | 3.4 | 6.4 | 25 | 6.6 | 4.3 | 9.8 | 18 | 3.5 | 2.0 | 5.7 |
| Colon and Rectum | 469 | 50.0 | 45.5 | 54.8 | 221 | 56.8 | 49.5 | 64.9 | 248 | 44.2 | 38.7 | 50.4 |
| Liver | 48 | 5.3 | 3.9 | 7.1 | 33 | 8.7 | 6.0 | 12.3 | 15 | 2.5 | 1.4 | 4.3 |
| Pancreas | 127 | 13.6 | 11.3 | 16.3 | 58 | 14.9 | 11.3 | 19.4 | 69 | 12.9 | 9.9 | 16.4 |
| Lung and Bronchus | 769 | 85.2 | 79.2 | 91.6 | 387 | 99.9 | 90.2 | 110.5 | 382 | 76.2 | 68.6 | 84.5 |
| Bones and Joints | 5 | 0.6 | 0.2 | 1.4 | 2 | 0.5 | 0.1 | 1.8 | 3 | 0.7 | 0.1 | 2.1 |
| Melanoma of the Skin | 262 | 31.2 | 27.4 | 35.3 | 143 | 36.8 | 30.9 | 43.4 | 119 | 28.5 | 23.4 | 34.3 |
| Breast (invasive) | 608 | 70.2 | 64.6 | 76.2 | 8 | 2.1 | 0.9 | 4.2 | 600 | 127.3 | 117.0 | 138.4 |
| Cervix | | | | | | | | | 34 | 9.1 | 6.2 | 12.9 |
| Corpus and Uterus, NOS | | | | | | | | | 160 | 32.9 | 27.8 | 38.6 |
| Ovary | | | | | | | | | 56 | 11.1 | 8.3 | 14.6 |
| Prostate | | | | | 597 | 150.0 | 138.1 | 162.6 | | | | |
| Testis | | | | | 15 | 4.3 | 2.4 | 7.2 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 246 | 26.5 | 23.2 | 30.1 | 187 | 49.4 | 42.6 | 57.1 | 59 | 10.2 | 7.7 | 13.4 |
| Kidney and Renal Pelvis | 184 | 21.2 | 18.2 | 24.5 | 112 | 29.3 | 24.1 | 35.3 | 72 | 14.8 | 11.4 | 18.8 |
| Brain and Nervous System | 75 | 9.4 | 7.4 | 11.9 | 44 | 12.0 | 8.7 | 16.2 | 31 | 7.3 | 4.9 | 10.5 |
| Hodgkin Lymphoma | 17 | 2.4 | 1.4 | 3.9 | 9 | 2.7 | 1.2 | 5.1 | 8 | 2.2 | 0.9 | 4.4 |
| Non-Hodgkin Lymphoma | 187 | 21.0 | 18.0 | 24.3 | 105 | 27.9 | 22.7 | 33.8 | 82 | 16.0 | 12.6 | 20.1 |
| Myeloma | 46 | 4.9 | 3.6 | 6.7 | 23 | 6.0 | 3.8 | 9.0 | 23 | 4.4 | 2.8 | 6.8 |
| Leukemia | 108 | 12.0 | 9.8 | 14.6 | 53 | 14.4 | 10.7 | 18.9 | 55 | 10.2 | 7.5 | 13.5 |
| All other sites | 459 | 52.7 | 47.9 | 57.9 | 202 | 53.0 | 45.9 | 60.9 | 257 | 54.8 | 48.0 | 62.3 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 158 | 33.9 | 28.7 | 39.9 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 3,953 | 481.6 | 466.4 | 497.1 | 1,961 | 535.7 | 512.0 | 560.2 | 1,992 | 448.1 | 428.0 | 469.1 |
| Oral Cavity and Pharynx | 105 | 13.0 | 10.6 | 15.8 | 70 | 18.6 | 14.5 | 23.6 | 35 | 8.4 | 5.7 | 11.9 |
| Esophagus | 44 | 5.1 | 3.7 | 7.0 | 33 | 9.0 | 6.2 | 12.8 | 11 | 2.2 | 1.1 | 4.1 |
| Stomach | 46 | 5.5 | 4.0 | 7.4 | 32 | 8.8 | 6.0 | 12.5 | 14 | 3.0 | 1.6 | 5.2 |
| Colon and Rectum | 461 | 54.9 | 49.9 | 60.3 | 221 | 61.0 | 53.1 | 69.7 | 240 | 50.7 | 44.3 | 57.9 |
| Liver | 24 | 2.8 | 1.8 | 4.2 | 19 | 4.8 | 2.9 | 7.6 | 5 | 1.1 | 0.3 | 2.7 |
| Pancreas | 97 | 11.2 | 9.1 | 13.8 | 49 | 13.1 | 9.7 | 17.4 | 48 | 9.6 | 7.0 | 13.0 |
| Lung and Bronchus | 626 | 74.2 | 68.5 | 80.4 | 344 | 93.1 | 83.5 | 103.6 | 282 | 60.4 | 53.4 | 68.1 |
| Bones and Joints | 5 | 0.7 | 0.2 | 1.6 | 2 | 0.6 | 0.1 | 2.2 | 3 | 0.8 | 0.2 | 2.5 |
| Melanoma of the Skin | 140 | 18.0 | 15.0 | 21.3 | 78 | 22.1 | 17.4 | 27.7 | 62 | 15.4 | 11.6 | 20.0 |
| Breast (invasive) | 580 | 71.0 | 65.2 | 77.1 | 3 | 0.8 | 0.2 | 2.4 | 577 | 130.2 | 119.5 | 141.7 |
| Cervix | | | | | | | | | 37 | 10.8 | 7.5 | 15.0 |
| Corpus and Uterus, NOS | | | | | | | | | 135 | 31.2 | 26.0 | 37.2 |
| Ovary | | | | | | | | | 51 | 11.8 | 8.7 | 15.7 |
| Prostate | | | | | 453 | 117.2 | 106.6 | 128.7 | | | | |
| Testis | | | | | 22 | 7.2 | 4.5 | 11.0 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 193 | 22.1 | 19.1 | 25.5 | 150 | 41.9 | 35.4 | 49.2 | 43 | 8.2 | 5.9 | 11.2 |
| Kidney and Renal Pelvis | 149 | 18.3 | 15.4 | 21.6 | 94 | 25.5 | 20.5 | 31.3 | 55 | 12.5 | 9.3 | 16.4 |
| Brain and Nervous System | 61 | 8.2 | 6.3 | 10.7 | 36 | 10.8 | 7.5 | 15.1 | 25 | 6.1 | 3.9 | 9.1 |
| Hodgkin Lymphoma | 24 | 3.4 | 2.2 | 5.2 | 20 | 6.0 | 3.6 | 9.4 | 4 | 1.1 | 0.3 | 2.9 |
| Non-Hodgkin Lymphoma | 151 | 18.2 | 15.3 | 21.4 | 73 | 20.4 | 15.9 | 25.7 | 78 | 16.3 | 12.8 | 20.6 |
| Myeloma | 32 | 3.8 | 2.6 | 5.5 | 18 | 5.1 | 3.0 | 8.1 | 14 | 2.9 | 1.6 | 5.2 |
| Leukemia | 86 | 11.2 | 8.9 | 13.9 | 50 | 14.5 | 10.7 | 19.2 | 36 | 9.2 | 6.3 | 13.0 |
| All other sites | 431 | 54.4 | 49.3 | 60.0 | 194 | 55.1 | 47.5 | 63.6 | 237 | 56.3 | 49.1 | 64.4 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 133 | 30.8 | 25.6 | 36.6 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 5,079 | 497.0 | 483.3 | 510.9 | 2,569 | 583.7 | 561.0 | 607.0 | 2,510 | 445.5 | 427.8 | 463.6 |
| Oral Cavity and Pharynx | 137 | 13.6 | 11.4 | 16.1 | 90 | 19.5 | 15.7 | 24.1 | 47 | 8.8 | 6.4 | 11.8 |
| Esophagus | 74 | 7.3 | 5.7 | 9.2 | 63 | 13.9 | 10.7 | 17.9 | 11 | 2.0 | 1.0 | 3.6 |
| Stomach | 49 | 4.6 | 3.4 | 6.2 | 31 | 7.1 | 4.8 | 10.2 | 18 | 2.9 | 1.7 | 4.7 |
| Colon and Rectum | 557 | 53.1 | 48.8 | 57.8 | 275 | 63.8 | 56.4 | 71.9 | 282 | 45.5 | 40.2 | 51.3 |
| Liver | 34 | 3.4 | 2.3 | 4.7 | 18 | 4.0 | 2.3 | 6.3 | 16 | 3.0 | 1.7 | 4.9 |
| Pancreas | 124 | 11.8 | 9.8 | 14.1 | 68 | 16.0 | 12.3 | 20.3 | 56 | 9.1 | 6.8 | 11.9 |
| Lung and Bronchus | 890 | 86.2 | 80.6 | 92.1 | 467 | 106.2 | 96.7 | 116.4 | 423 | 73.1 | 66.2 | 80.5 |
| Bones and Joints | 13 | 1.5 | 0.8 | 2.5 | 9 | 2.1 | 1.0 | 4.1 | 4 | 0.7 | 0.2 | 2.0 |
| Melanoma of the Skin | 147 | 14.9 | 12.6 | 17.6 | 89 | 20.6 | 16.5 | 25.4 | 58 | 11.3 | 8.5 | 14.7 |
| Breast (invasive) | 698 | 69.1 | 64.0 | 74.5 | 1 | 0.2 | 0.0 | 1.3 | 697 | 128.6 | 119.1 | 138.8 |
| Cervix | | | | | | | | | 40 | 8.1 | 5.7 | 11.1 |
| Corpus and Uterus, NOS | | | | | | | | | 129 | 23.5 | 19.6 | 28.0 |
| Ovary | | | | | | | | | 65 | 11.7 | 9.0 | 15.0 |
| Prostate | | | | | 624 | 136.7 | 126.1 | 148.0 | | | | |
| Testis | | | | | 23 | 5.6 | 3.5 | 8.4 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 281 | 26.7 | 23.6 | 30.0 | 211 | 49.9 | 43.3 | 57.2 | 70 | 11.3 | 8.8 | 14.4 |
| Kidney and Renal Pelvis | 220 | 21.4 | 18.7 | 24.5 | 135 | 30.7 | 25.7 | 36.4 | 85 | 14.8 | 11.8 | 18.4 |
| Brain and Nervous System | 70 | 7.4 | 5.8 | 9.4 | 49 | 11.3 | 8.3 | 15.0 | 21 | 4.3 | 2.6 | 6.6 |
| Hodgkin Lymphoma | 31 | 3.4 | 2.3 | 4.9 | 17 | 4.0 | 2.3 | 6.5 | 14 | 2.9 | 1.6 | 4.9 |
| Non-Hodgkin Lymphoma | 223 | 22.0 | 19.2 | 25.1 | 103 | 23.2 | 18.9 | 28.2 | 120 | 20.5 | 16.9 | 24.7 |
| Myeloma | 64 | 6.1 | 4.7 | 7.8 | 26 | 6.1 | 4.0 | 9.0 | 38 | 6.1 | 4.3 | 8.5 |
| Leukemia | 113 | 11.1 | 9.2 | 13.4 | 57 | 13.2 | 10.0 | 17.2 | 56 | 10.1 | 7.6 | 13.3 |
| All other sites | 473 | 46.5 | 42.4 | 51.0 | 213 | 49.4 | 42.9 | 56.6 | 260 | 47.4 | 41.7 | 53.7 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 182 | 34.3 | 29.5 | 39.8 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 5,235 | 524.9 | 510.6 | 539.5 | 2,692 | 630.5 | 606.5 | 655.2 | 2,543 | 459.4 | 441.3 | 478.1 |
| Oral Cavity and Pharynx | 132 | 13.0 | 10.8 | 15.4 | 88 | 19.2 | 15.3 | 23.7 | 44 | 7.9 | 5.7 | 10.7 |
| Esophagus | 64 | 6.3 | 4.8 | 8.1 | 48 | 10.7 | 7.8 | 14.2 | 16 | 2.8 | 1.6 | 4.6 |
| Stomach | 51 | 4.9 | 3.7 | 6.5 | 29 | 6.9 | 4.6 | 10.0 | 22 | 3.7 | 2.3 | 5.8 |
| Colon and Rectum | 582 | 57.7 | 53.0 | 62.6 | 300 | 70.7 | 62.8 | 79.3 | 282 | 48.2 | 42.7 | 54.4 |
| Liver | 57 | 5.5 | 4.1 | 7.1 | 40 | 8.5 | 6.1 | 11.7 | 17 | 2.8 | 1.6 | 4.7 |
| Pancreas | 123 | 12.0 | 10.0 | 14.4 | 62 | 14.9 | 11.4 | 19.1 | 61 | 9.8 | 7.5 | 12.8 |
| Lung and Bronchus | 833 | 83.0 | 77.4 | 88.9 | 471 | 111.8 | 101.8 | 122.5 | 362 | 63.7 | 57.3 | 70.8 |
| Bones and Joints | 7 | 0.9 | 0.4 | 1.9 | 5 | 1.3 | 0.4 | 3.1 | 2 | 0.5 | 0.1 | 1.7 |
| Melanoma of the Skin | 191 | 20.2 | 17.4 | 23.4 | 103 | 23.6 | 19.2 | 28.7 | 88 | 18.5 | 14.8 | 23.0 |
| Breast (invasive) | 738 | 73.6 | 68.3 | 79.2 | 9 | 2.2 | 1.0 | 4.2 | 729 | 132.3 | 122.7 | 142.5 |
| Cervix | | | | | | | | | 42 | 8.9 | 6.4 | 12.1 |
| Corpus and Uterus, NOS | | | | | | | | | 131 | 23.5 | 19.6 | 28.0 |
| Ovary | | | | | | | | | 68 | 12.0 | 9.3 | 15.3 |
| Prostate | | | | | 660 | 151.5 | 140.0 | 163.8 | | | | |
| Testis | | | | | 28 | 7.3 | 4.8 | 10.6 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 274 | 27.1 | 24.0 | 30.6 | 203 | 49.7 | 43.0 | 57.2 | 71 | 12.2 | 9.5 | 15.5 |
| Kidney and Renal Pelvis | 213 | 21.2 | 18.4 | 24.3 | 135 | 31.0 | 25.9 | 36.8 | 78 | 14.1 | 11.1 | 17.7 |
| Brain and Nervous System | 71 | 7.3 | 5.7 | 9.3 | 33 | 7.7 | 5.3 | 10.9 | 38 | 7.3 | 5.1 | 10.2 |
| Hodgkin Lymphoma | 37 | 4.1 | 2.9 | 5.7 | 23 | 5.5 | 3.4 | 8.3 | 14 | 2.9 | 1.6 | 5.0 |
| Non-Hodgkin Lymphoma | 219 | 22.0 | 19.1 | 25.1 | 116 | 27.8 | 22.9 | 33.4 | 103 | 18.2 | 14.8 | 22.2 |
| Myeloma | 61 | 6.1 | 4.7 | 7.9 | 38 | 9.1 | 6.4 | 12.5 | 23 | 4.2 | 2.7 | 6.4 |
| Leukemia | 133 | 14.0 | 11.7 | 16.6 | 74 | 18.3 | 14.3 | 23.0 | 59 | 10.8 | 8.1 | 14.1 |
| All other sites | 520 | 53.5 | 49.0 | 58.4 | 227 | 52.9 | 46.2 | 60.4 | 293 | 54.9 | 48.6 | 61.8 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 233 | 44.2 | 38.6 | 50.4 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 2,395 | 521.7 | 500.7 | 543.4 | 1,254 | 610.0 | 576.4 | 645.2 | 1,141 | 461.8 | 434.4 | 490.6 |
| Oral Cavity and Pharynx | 52 | 12.4 | 9.2 | 16.5 | 37 | 19.3 | 13.5 | 26.8 | 15 | 5.9 | 3.2 | 10.2 |
| Esophagus | 22 | 4.9 | 3.1 | 7.5 | 19 | 8.9 | 5.3 | 14.1 | 3 | 1.4 | 0.3 | 4.3 |
| Stomach | 14 | 3.0 | 1.6 | 5.2 | 11 | 5.2 | 2.6 | 9.4 | 3 | 1.4 | 0.3 | 4.3 |
| Colon and Rectum | 265 | 55.3 | 48.8 | 62.6 | 139 | 68.7 | 57.6 | 81.3 | 126 | 45.7 | 37.9 | 54.9 |
| Liver | 20 | 4.6 | 2.8 | 7.2 | 14 | 6.8 | 3.7 | 11.6 | 6 | 2.4 | 0.8 | 5.7 |
| Pancreas | 45 | 9.7 | 7.0 | 13.1 | 20 | 10.3 | 6.3 | 16.1 | 25 | 9.6 | 6.1 | 14.6 |
| Lung and Bronchus | 434 | 91.9 | 83.4 | 101.1 | 242 | 116.7 | 102.3 | 132.6 | 192 | 73.6 | 63.4 | 85.1 |
| Bones and Joints | 3 | 0.9 | 0.2 | 2.5 | 1 | 0.5 | 0.0 | 3.0 | 2 | 1.3 | 0.2 | 4.5 |
| Melanoma of the Skin | 69 | 16.6 | 12.8 | 21.1 | 31 | 16.4 | 11.1 | 23.4 | 38 | 17.8 | 12.4 | 24.8 |
| Breast (invasive) | 320 | 70.7 | 63.0 | 79.1 | 3 | 1.4 | 0.3 | 4.4 | 317 | 129.7 | 115.4 | 145.5 |
| Cervix | | | | | | | | | 15 | 8.9 | 4.9 | 14.7 |
| Corpus and Uterus, NOS | | | | | | | | | 51 | 21.8 | 16.1 | 29.0 |
| Ovary | | | | | | | | | 30 | 12.4 | 8.3 | 18.0 |
| Prostate | | | | | 378 | 178.0 | 160.4 | 197.2 | | | | |
| Testis | | | | | 9 | 5.5 | 2.5 | 10.3 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 119 | 24.8 | 20.5 | 29.8 | 93 | 45.7 | 36.8 | 56.2 | 26 | 9.7 | 6.3 | 14.6 |
| Kidney and Renal Pelvis | 81 | 17.9 | 14.1 | 22.3 | 47 | 22.5 | 16.5 | 30.2 | 34 | 14.1 | 9.6 | 20.0 |
| Brain and Nervous System | 23 | 5.6 | 3.5 | 8.5 | 8 | 3.9 | 1.7 | 7.9 | 15 | 7.1 | 3.8 | 12.0 |
| Hodgkin Lymphoma | 12 | 3.5 | 1.8 | 6.2 | 7 | 4.3 | 1.7 | 8.8 | 5 | 2.7 | 0.9 | 6.5 |
| Non-Hodgkin Lymphoma | 91 | 19.7 | 15.8 | 24.3 | 44 | 21.2 | 15.3 | 28.6 | 47 | 17.8 | 12.9 | 24.1 |
| Myeloma | 22 | 4.6 | 2.9 | 7.2 | 15 | 7.3 | 4.0 | 12.3 | 7 | 2.4 | 1.0 | 5.4 |
| Leukemia | 78 | 16.9 | 13.3 | 21.3 | 36 | 18.3 | 12.7 | 25.5 | 42 | 15.7 | 11.2 | 21.7 |
| All other sites | 242 | 54.4 | 47.6 | 62.0 | 100 | 49.3 | 40.0 | 60.1 | 142 | 60.5 | 50.5 | 72.1 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 99 | 42.7 | 34.5 | 52.3 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 11,769 | 515.2 | 505.7 | 524.9 | 6,097 | 608.9 | 592.7 | 625.4 | 5,672 | 452.9 | 441.1 | 465.0 |
| Oral Cavity and Pharynx | 261 | 10.6 | 9.3 | 12.0 | 187 | 16.3 | 13.9 | 19.0 | 74 | 5.8 | 4.5 | 7.3 |
| Esophagus | 141 | 6.3 | 5.3 | 7.4 | 112 | 11.0 | 8.9 | 13.4 | 29 | 2.5 | 1.6 | 3.6 |
| Stomach | 169 | 7.8 | 6.6 | 9.1 | 108 | 11.6 | 9.4 | 14.2 | 61 | 5.1 | 3.8 | 6.5 |
| Colon and Rectum | 1,236 | 57.3 | 54.0 | 60.6 | 640 | 68.9 | 63.3 | 74.8 | 596 | 49.3 | 45.3 | 53.4 |
| Liver | 114 | 5.2 | 4.3 | 6.3 | 89 | 9.1 | 7.2 | 11.3 | 25 | 2.1 | 1.4 | 3.1 |
| Pancreas | 300 | 13.7 | 12.2 | 15.4 | 155 | 15.7 | 13.2 | 18.5 | 145 | 12.1 | 10.2 | 14.3 |
| Lung and Bronchus | 1,631 | 76.2 | 72.5 | 80.1 | 834 | 89.4 | 83.0 | 96.0 | 797 | 67.6 | 63.0 | 72.6 |
| Bones and Joints | 28 | 1.0 | 0.7 | 1.5 | 16 | 1.2 | 0.7 | 2.0 | 12 | 0.9 | 0.5 | 1.6 |
| Melanoma of the Skin | 378 | 15.3 | 13.8 | 17.0 | 234 | 21.0 | 18.2 | 24.0 | 144 | 10.9 | 9.1 | 12.8 |
| Breast (invasive) | 1,617 | 65.9 | 62.7 | 69.3 | 14 | 1.7 | 0.9 | 2.9 | 1,603 | 123.0 | 117.0 | 129.3 |
| Cervix | | | | | | | | | 97 | 7.3 | 5.9 | 9.0 |
| Corpus and Uterus, NOS | | | | | | | | | 346 | 26.6 | 23.8 | 29.6 |
| Ovary | | | | | | | | | 154 | 12.2 | 10.3 | 14.3 |
| Prostate | | | | | 1,638 | 155.0 | 147.2 | 163.1 | | | | |
| Testis | | | | | 74 | 5.4 | 4.2 | 6.8 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 563 | 26.8 | 24.5 | 29.1 | 419 | 47.5 | 42.8 | 52.5 | 144 | 11.9 | 10.0 | 14.1 |
| Kidney and Renal Pelvis | 437 | 18.4 | 16.7 | 20.3 | 288 | 26.2 | 23.1 | 29.6 | 149 | 11.9 | 10.0 | 13.9 |
| Brain and Nervous System | 180 | 7.3 | 6.2 | 8.4 | 97 | 8.3 | 6.6 | 10.2 | 83 | 6.4 | 5.1 | 8.0 |
| Hodgkin Lymphoma | 86 | 3.4 | 2.7 | 4.2 | 46 | 3.6 | 2.6 | 4.9 | 40 | 3.1 | 2.2 | 4.2 |
| Non-Hodgkin Lymphoma | 489 | 21.4 | 19.5 | 23.4 | 265 | 24.9 | 21.8 | 28.3 | 224 | 18.3 | 16.0 | 20.9 |
| Myeloma | 122 | 5.6 | 4.6 | 6.7 | 65 | 7.1 | 5.4 | 9.2 | 57 | 4.7 | 3.6 | 6.1 |
| Leukemia | 320 | 14.1 | 12.5 | 15.7 | 209 | 21.1 | 18.1 | 24.4 | 111 | 9.0 | 7.4 | 10.9 |
| All other sites | 1,388 | 61.3 | 58.0 | 64.7 | 607 | 64.1 | 58.8 | 69.8 | 781 | 62.2 | 57.9 | 66.8 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 382 | 28.8 | 25.9 | 31.9 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 6,637 | 468.0 | 456.7 | 479.5 | 3,307 | 530.2 | 512.1 | 548.8 | 3,330 | 430.9 | 416.1 | 446.1 |
| Oral Cavity and Pharynx | 146 | 10.3 | 8.7 | 12.1 | 100 | 15.1 | 12.2 | 18.4 | 46 | 6.1 | 4.4 | 8.2 |
| Esophagus | 83 | 5.8 | 4.6 | 7.2 | 66 | 10.4 | 8.0 | 13.3 | 17 | 2.1 | 1.2 | 3.4 |
| Stomach | 98 | 7.0 | 5.6 | 8.5 | 66 | 10.7 | 8.3 | 13.7 | 32 | 4.0 | 2.7 | 5.7 |
| Colon and Rectum | 683 | 47.3 | 43.8 | 51.0 | 336 | 53.9 | 48.2 | 60.1 | 347 | 41.5 | 37.1 | 46.2 |
| Liver | 57 | 4.0 | 3.0 | 5.2 | 46 | 7.4 | 5.4 | 9.9 | 11 | 1.4 | 0.7 | 2.6 |
| Pancreas | 178 | 12.2 | 10.5 | 14.2 | 89 | 14.6 | 11.7 | 18.0 | 89 | 10.6 | 8.5 | 13.1 |
| Lung and Bronchus | 1,035 | 72.2 | 67.8 | 76.8 | 534 | 86.3 | 79.1 | 94.1 | 501 | 63.4 | 57.9 | 69.3 |
| Bones and Joints | 6 | 0.5 | 0.2 | 1.1 | 4 | 0.7 | 0.2 | 1.7 | 2 | 0.3 | 0.0 | 1.2 |
| Melanoma of the Skin | 274 | 20.0 | 17.7 | 22.5 | 153 | 24.3 | 20.6 | 28.5 | 121 | 16.8 | 13.9 | 20.2 |
| Breast (invasive) | 930 | 65.8 | 61.6 | 70.2 | 7 | 1.2 | 0.5 | 2.4 | 923 | 122.5 | 114.6 | 130.8 |
| Cervix | | | | | | | | | 44 | 6.6 | 4.8 | 9.0 |
| Corpus and Uterus, NOS | | | | | | | | | 216 | 28.5 | 24.8 | 32.7 |
| Ovary | | | | | | | | | 109 | 14.2 | 11.7 | 17.2 |
| Prostate | | | | | 735 | 117.0 | 108.6 | 125.9 | | | | |
| Testis | | | | | 33 | 5.5 | 3.8 | 7.8 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 337 | 23.6 | 21.1 | 26.3 | 253 | 41.4 | 36.4 | 46.9 | 84 | 10.4 | 8.2 | 12.9 |
| Kidney and Renal Pelvis | 220 | 15.5 | 13.5 | 17.8 | 129 | 19.9 | 16.6 | 23.7 | 91 | 11.9 | 9.5 | 14.6 |
| Brain and Nervous System | 88 | 6.4 | 5.1 | 7.9 | 46 | 7.2 | 5.3 | 9.7 | 42 | 5.8 | 4.1 | 7.9 |
| Hodgkin Lymphoma | 31 | 2.5 | 1.7 | 3.6 | 18 | 2.9 | 1.7 | 4.6 | 13 | 2.2 | 1.1 | 3.7 |
| Non-Hodgkin Lymphoma | 292 | 20.6 | 18.2 | 23.1 | 161 | 25.6 | 21.7 | 29.9 | 131 | 16.4 | 13.7 | 19.6 |
| Myeloma | 62 | 4.3 | 3.3 | 5.5 | 38 | 6.1 | 4.3 | 8.4 | 24 | 2.9 | 1.8 | 4.4 |
| Leukemia | 195 | 13.7 | 11.9 | 15.8 | 121 | 19.5 | 16.1 | 23.3 | 74 | 9.9 | 7.7 | 12.5 |
| All other sites | 785 | 55.9 | 52.0 | 59.9 | 372 | 60.5 | 54.4 | 67.0 | 413 | 53.6 | 48.4 | 59.2 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 214 | 29.1 | 25.3 | 33.4 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|--------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 41,368 | 527.4 | 522.2 | 532.6 | 21,497 | 683.6 | 674.0 | 693.3 | 19,871 | 429.2 | 423.2 | 435.3 |
| Oral Cavity and Pharynx | 1,011 | 11.9 | 11.2 | 12.7 | 731 | 20.6 | 19.1 | 22.2 | 280 | 5.8 | 5.1 | 6.5 |
| Esophagus | 502 | 6.4 | 5.8 | 6.9 | 348 | 11.0 | 9.8 | 12.2 | 154 | 3.3 | 2.8 | 3.9 |
| Stomach | 963 | 13.0 | 12.2 | 13.9 | 563 | 19.3 | 17.6 | 21.1 | 400 | 9.1 | 8.2 | 10.0 |
| Colon and Rectum | 4,989 | 65.6 | 63.7 | 67.5 | 2,419 | 79.5 | 76.2 | 82.9 | 2,570 | 56.7 | 54.5 | 58.9 |
| Liver | 661 | 8.1 | 7.5 | 8.7 | 476 | 13.6 | 12.4 | 15.0 | 185 | 4.0 | 3.5 | 4.7 |
| Pancreas | 1,273 | 17.2 | 16.2 | 18.2 | 587 | 19.3 | 17.7 | 21.0 | 686 | 15.6 | 14.5 | 16.8 |
| Lung and Bronchus | 6,565 | 85.9 | 83.8 | 88.0 | 3,605 | 118.8 | 114.7 | 122.9 | 2,960 | 65.1 | 62.7 | 67.5 |
| Bones and Joints | 72 | 0.7 | 0.6 | 0.9 | 41 | 0.9 | 0.6 | 1.3 | 31 | 0.6 | 0.4 | 0.8 |
| Melanoma of the Skin | 63 | 0.8 | 0.6 | 1.1 | 22 | 0.8 | 0.5 | 1.2 | 41 | 0.9 | 0.6 | 1.2 |
| Breast (invasive) | 5,700 | 70.2 | 68.4 | 72.1 | 51 | 1.6 | 1.2 | 2.2 | 5,649 | 119.4 | 116.3 | 122.6 |
| Cervix | | | | | | | | | 656 | 13.7 | 12.7 | 14.8 |
| Corpus and Uterus, NOS | | | | | | | | | 1,079 | 23.1 | 21.7 | 24.5 |
| Ovary | | | | | | | | | 450 | 9.7 | 8.8 | 10.6 |
| Prostate | | | | | 7,599 | 242.1 | 236.4 | 247.8 | | | | |
| Testis | | | | | 60 | 1.3 | 1.0 | 1.7 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 930 | 12.9 | 12.0 | 13.7 | 579 | 20.7 | 19.0 | 22.6 | 351 | 8.1 | 7.2 | 9.0 |
| Kidney and Renal Pelvis | 1,457 | 18.1 | 17.2 | 19.1 | 854 | 25.8 | 24.0 | 27.7 | 603 | 12.8 | 11.8 | 13.9 |
| Brain and Nervous System | 351 | 4.0 | 3.6 | 4.5 | 172 | 4.4 | 3.7 | 5.2 | 179 | 3.7 | 3.2 | 4.3 |
| Hodgkin Lymphoma | 260 | 2.8 | 2.4 | 3.1 | 146 | 3.4 | 2.8 | 4.0 | 114 | 2.2 | 1.8 | 2.7 |
| Non-Hodgkin Lymphoma | 1,083 | 13.5 | 12.7 | 14.3 | 566 | 16.7 | 15.3 | 18.3 | 517 | 11.2 | 10.2 | 12.2 |
| Myeloma | 867 | 11.4 | 10.6 | 12.2 | 430 | 13.9 | 12.5 | 15.3 | 437 | 9.7 | 8.8 | 10.6 |
| Leukemia | 816 | 10.4 | 9.7 | 11.2 | 437 | 13.6 | 12.3 | 15.0 | 379 | 8.3 | 7.5 | 9.2 |
| All other sites | 3,961 | 50.1 | 48.5 | 51.7 | 1,811 | 56.2 | 53.5 | 59.1 | 2,150 | 46.3 | 44.4 | 48.4 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 1,458 | 30.6 | 29.0 | 32.2 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 383 | 593.2 | 533.0 | 657.9 | 210 | 809.9 | 691.0 | 941.7 | 173 | 463.3 | 395.3 | 539.0 |
| Oral Cavity and Pharynx | 9 | 12.4 | 5.6 | 23.7 | 9 | 28.4 | 12.7 | 55.5 | 0 | 0.0 | 0.0 | 8.5 |
| Esophagus | 5 | 7.4 | 2.3 | 17.1 | 2 | 9.2 | 1.0 | 32.0 | 3 | 6.9 | 1.4 | 20.2 |
| Stomach | 8 | 11.9 | 4.9 | 23.6 | 6 | 20.1 | 7.0 | 45.4 | 2 | 5.7 | 0.6 | 19.8 |
| Colon and Rectum | 38 | 61.3 | 42.5 | 84.9 | 23 | 105.7 | 60.4 | 167.2 | 15 | 38.0 | 20.9 | 62.9 |
| Liver | 5 | 5.5 | 1.8 | 13.3 | 3 | 7.7 | 1.6 | 25.7 | 2 | 3.8 | 0.4 | 14.6 |
| Pancreas | 13 | 18.1 | 9.3 | 31.3 | 8 | 22.2 | 8.7 | 47.1 | 5 | 14.0 | 4.5 | 31.7 |
| Lung and Bronchus | 64 | 109.1 | 83.4 | 139.6 | 33 | 159.0 | 104.0 | 229.2 | 31 | 85.7 | 57.8 | 121.6 |
| Bones and Joints | 0 | 0.0 | 0.0 | 5.0 | 0 | 0.0 | 0.0 | 15.1 | 0 | 0.0 | 0.0 | 8.5 |
| Melanoma of the Skin | 1 | 1.3 | 0.0 | 7.3 | 0 | 0.0 | 0.0 | 15.1 | 1 | 2.6 | 0.1 | 13.6 |
| Breast (invasive) | 54 | 78.3 | 58.1 | 102.7 | 1 | 2.5 | 0.1 | 18.5 | 53 | 137.3 | 102.2 | 179.9 |
| Cervix | | | | | | | | | 5 | 13.8 | 4.4 | 31.5 |
| Corpus and Uterus, NOS | | | | | | | | | 8 | 21.1 | 9.0 | 41.2 |
| Ovary | | | | | | | | | 4 | 10.5 | 2.8 | 26.4 |
| Prostate | | | | | 72 | 270.7 | 207.4 | 346.0 | | | | |
| Testis | | | | | 1 | 2.2 | 0.1 | 17.9 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 10 | 16.8 | 7.8 | 30.8 | 6 | 20.6 | 7.4 | 46.0 | 4 | 12.2 | 3.2 | 30.0 |
| Kidney and Renal Pelvis | 23 | 35.9 | 22.5 | 53.8 | 14 | 47.9 | 25.8 | 81.4 | 9 | 26.2 | 11.8 | 49.0 |
| Brain and Nervous System | 3 | 2.8 | 0.3 | 9.8 | 2 | 1.9 | 0.2 | 16.7 | 1 | 3.1 | 0.1 | 15.2 |
| Hodgkin Lymphoma | 4 | 4.4 | 1.1 | 12.0 | 2 | 3.6 | 0.4 | 19.4 | 2 | 4.8 | 0.6 | 17.2 |
| Non-Hodgkin Lymphoma | 4 | 7.5 | 1.9 | 18.6 | 1 | 3.6 | 0.1 | 21.3 | 3 | 8.7 | 1.7 | 24.4 |
| Myeloma | 6 | 11.0 | 3.9 | 23.3 | 5 | 30.1 | 7.3 | 72.7 | 1 | 2.8 | 0.1 | 14.1 |
| Leukemia | 12 | 19.2 | 9.3 | 34.3 | 6 | 17.3 | 5.5 | 41.4 | 6 | 18.7 | 6.6 | 40.0 |
| All other sites | 34 | 52.3 | 35.5 | 73.6 | 16 | 57.3 | 31.7 | 94.7 | 18 | 47.3 | 27.4 | 75.2 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 22 | 55.5 | 34.5 | 84.1 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|--------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 32,449 | 531.3 | 525.5 | 537.2 | 16,670 | 689.4 | 678.5 | 700.4 | 15,779 | 433.3 | 426.5 | 440.2 |
| Oral Cavity and Pharynx | 790 | 12.1 | 11.3 | 13.0 | 566 | 21.1 | 19.4 | 23.0 | 224 | 5.9 | 5.2 | 6.8 |
| Esophagus | 387 | 6.2 | 5.6 | 6.8 | 261 | 10.5 | 9.2 | 11.9 | 126 | 3.4 | 2.8 | 4.0 |
| Stomach | 752 | 12.9 | 12.0 | 13.9 | 442 | 19.6 | 17.7 | 21.6 | 310 | 8.8 | 7.9 | 9.9 |
| Colon and Rectum | 4,014 | 67.2 | 65.1 | 69.4 | 1,919 | 81.7 | 77.9 | 85.6 | 2,095 | 58.2 | 55.7 | 60.7 |
| Liver | 541 | 8.6 | 7.9 | 9.4 | 388 | 14.8 | 13.3 | 16.4 | 153 | 4.3 | 3.6 | 5.0 |
| Pancreas | 1,009 | 17.4 | 16.3 | 18.5 | 448 | 19.3 | 17.4 | 21.2 | 561 | 16.0 | 14.7 | 17.4 |
| Lung and Bronchus | 5,215 | 86.4 | 84.0 | 88.8 | 2,824 | 119.1 | 114.6 | 123.8 | 2,391 | 65.9 | 63.3 | 68.6 |
| Bones and Joints | 56 | 0.8 | 0.6 | 1.0 | 32 | 1.0 | 0.7 | 1.4 | 24 | 0.6 | 0.4 | 0.9 |
| Melanoma of the Skin | 43 | 0.7 | 0.5 | 1.0 | 15 | 0.6 | 0.3 | 1.1 | 28 | 0.8 | 0.5 | 1.1 |
| Breast (invasive) | 4,470 | 71.9 | 69.8 | 74.0 | 42 | 1.8 | 1.2 | 2.4 | 4,428 | 120.0 | 116.5 | 123.6 |
| Cervix | | | | | | | | | 543 | 14.7 | 13.5 | 16.0 |
| Corpus and Uterus, NOS | | | | | | | | | 875 | 23.6 | 22.0 | 25.2 |
| Ovary | | | | | | | | | 363 | 9.9 | 8.9 | 11.0 |
| Prostate | | | | | 5,926 | 244.8 | 238.3 | 251.3 | | | | |
| Testis | | | | | 43 | 1.4 | 1.0 | 2.0 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 721 | 12.6 | 11.7 | 13.6 | 447 | 20.3 | 18.4 | 22.4 | 274 | 7.9 | 7.0 | 8.9 |
| Kidney and Renal Pelvis | 1,103 | 17.6 | 16.6 | 18.7 | 639 | 25.4 | 23.4 | 27.5 | 464 | 12.5 | 11.4 | 13.7 |
| Brain and Nervous System | 266 | 4.1 | 3.6 | 4.7 | 117 | 4.2 | 3.4 | 5.0 | 149 | 4.1 | 3.4 | 4.8 |
| Hodgkin Lymphoma | 181 | 2.7 | 2.3 | 3.1 | 103 | 3.5 | 2.9 | 4.3 | 78 | 2.1 | 1.6 | 2.6 |
| Non-Hodgkin Lymphoma | 815 | 13.3 | 12.4 | 14.2 | 423 | 16.8 | 15.1 | 18.5 | 392 | 10.9 | 9.8 | 12.0 |
| Myeloma | 679 | 11.3 | 10.5 | 12.2 | 320 | 13.2 | 11.8 | 14.8 | 359 | 10.0 | 9.0 | 11.1 |
| Leukemia | 602 | 10.0 | 9.2 | 10.8 | 324 | 13.4 | 11.9 | 15.1 | 278 | 7.8 | 6.9 | 8.7 |
| All other sites | 3,055 | 50.1 | 48.3 | 52.0 | 1,391 | 56.9 | 53.8 | 60.1 | 1,664 | 46.0 | 43.8 | 48.2 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 1,128 | 30.2 | 28.4 | 32.0 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 506 | 497.7 | 446.7 | 552.4 | 243 | 577.9 | 489.4 | 676.0 | 263 | 455.2 | 391.7 | 525.1 |
| Oral Cavity and Pharynx | 3 | 3.5 | 0.4 | 11.4 | 2 | 7.0 | 0.5 | 26.1 | 1 | 0.9 | 0.0 | 8.2 |
| Esophagus | 0 | 0.0 | 0.0 | 4.2 | 0 | 0.0 | 0.0 | 11.1 | 0 | 0.0 | 0.0 | 7.2 |
| Stomach | 12 | 19.2 | 9.0 | 34.3 | 9 | 30.5 | 11.3 | 61.8 | 3 | 10.5 | 2.1 | 27.5 |
| Colon and Rectum | 52 | 54.0 | 37.8 | 74.1 | 23 | 48.5 | 26.6 | 79.7 | 29 | 59.2 | 36.7 | 89.0 |
| Liver | 5 | 4.5 | 1.3 | 11.3 | 3 | 4.8 | 1.0 | 17.3 | 2 | 4.4 | 0.4 | 15.9 |
| Pancreas | 13 | 15.9 | 7.4 | 28.7 | 5 | 7.6 | 2.1 | 21.5 | 8 | 22.1 | 8.6 | 43.9 |
| Lung and Bronchus | 51 | 58.1 | 41.1 | 79.2 | 24 | 78.5 | 44.8 | 124.0 | 27 | 50.1 | 30.9 | 75.8 |
| Bones and Joints | 1 | 0.4 | 0.0 | 4.6 | 0 | 0.0 | 0.0 | 11.1 | 1 | 0.8 | 0.0 | 8.1 |
| Melanoma of the Skin | 1 | 0.4 | 0.0 | 4.6 | 0 | 0.0 | 0.0 | 11.1 | 1 | 0.8 | 0.0 | 8.0 |
| Breast (invasive) | 88 | 65.6 | 49.9 | 84.6 | 0 | 0.0 | 0.0 | 11.1 | 88 | 123.8 | 94.6 | 158.7 |
| Cervix | | | | | | | | | 11 | 12.4 | 5.4 | 24.9 |
| Corpus and Uterus, NOS | | | | | | | | | 15 | 22.1 | 11.2 | 38.8 |
| Ovary | | | | | | | | | 3 | 7.8 | 1.3 | 22.6 |
| Prostate | | | | | 108 | 256.7 | 201.0 | 321.7 | | | | |
| Testis | | | | | 4 | 3.3 | 0.9 | 14.3 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 14 | 20.0 | 10.0 | 34.5 | 11 | 33.5 | 13.9 | 64.3 | 3 | 9.2 | 1.7 | 25.2 |
| Kidney and Renal Pelvis | 18 | 17.0 | 9.2 | 28.4 | 9 | 11.9 | 5.2 | 25.9 | 9 | 22.4 | 9.3 | 43.4 |
| Brain and Nervous System | 9 | 4.1 | 1.8 | 9.1 | 5 | 4.3 | 1.4 | 15.4 | 4 | 3.8 | 1.0 | 12.1 |
| Hodgkin Lymphoma | 2 | 1.0 | 0.1 | 5.4 | 1 | 1.3 | 0.0 | 12.5 | 1 | 0.7 | 0.0 | 8.0 |
| Non-Hodgkin Lymphoma | 16 | 11.6 | 5.9 | 20.5 | 7 | 13.9 | 4.3 | 32.8 | 9 | 9.7 | 4.3 | 20.1 |
| Myeloma | 14 | 14.9 | 6.8 | 27.3 | 9 | 22.9 | 7.2 | 50.7 | 5 | 10.7 | 2.5 | 27.1 |
| Leukemia | 11 | 12.5 | 5.4 | 23.9 | 4 | 10.1 | 2.0 | 28.7 | 7 | 14.5 | 4.7 | 31.8 |
| All other sites | 55 | 55.6 | 39.2 | 75.9 | 19 | 43.2 | 21.1 | 76.0 | 36 | 69.2 | 45.1 | 100.3 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 19 | 27.1 | 14.5 | 45.7 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 431 | 560.2 | 500.1 | 624.9 | 236 | 749.5 | 629.4 | 883.0 | 195 | 437.1 | 371.2 | 510.3 |
| Oral Cavity and Pharynx | 12 | 13.5 | 6.1 | 25.3 | 10 | 28.5 | 10.8 | 59.4 | 2 | 3.0 | 0.4 | 12.6 |
| Esophagus | 4 | 3.7 | 1.0 | 10.4 | 3 | 5.2 | 1.1 | 21.5 | 1 | 2.2 | 0.1 | 12.2 |
| Stomach | 12 | 18.1 | 7.6 | 34.5 | 7 | 26.0 | 5.0 | 67.9 | 5 | 13.7 | 3.6 | 32.9 |
| Colon and Rectum | 49 | 67.2 | 47.4 | 91.6 | 26 | 74.1 | 45.1 | 114.3 | 23 | 58.0 | 35.0 | 89.0 |
| Liver | 4 | 3.6 | 0.9 | 10.2 | 3 | 5.9 | 1.1 | 22.9 | 1 | 1.5 | 0.0 | 10.4 |
| Pancreas | 8 | 7.2 | 3.1 | 15.1 | 6 | 11.8 | 4.2 | 30.4 | 2 | 3.2 | 0.4 | 13.0 |
| Lung and Bronchus | 67 | 104.8 | 78.4 | 136.3 | 44 | 185.6 | 121.7 | 266.2 | 23 | 59.6 | 36.3 | 91.0 |
| Bones and Joints | 0 | 0.0 | 0.0 | 5.0 | 0 | 0.0 | 0.0 | 15.6 | 0 | 0.0 | 0.0 | 8.1 |
| Melanoma of the Skin | 3 | 2.4 | 0.5 | 8.2 | 1 | 1.7 | 0.0 | 17.3 | 2 | 3.0 | 0.4 | 12.6 |
| Breast (invasive) | 62 | 69.4 | 50.6 | 92.4 | 0 | 0.0 | 0.0 | 15.6 | 62 | 122.8 | 91.4 | 161.0 |
| Cervix | | | | | | | | | 2 | 3.1 | 0.4 | 12.7 |
| Corpus and Uterus, NOS | | | | | | | | | 7 | 18.3 | 6.8 | 37.8 |
| Ovary | | | | | | | | | 3 | 7.0 | 1.1 | 21.3 |
| Prostate | | | | | 85 | 251.6 | 187.1 | 329.1 | | | | |
| Testis | | | | | 0 | 0.0 | 0.0 | 15.6 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 9 | 19.4 | 8.1 | 37.1 | 4 | 20.1 | 4.7 | 51.3 | 5 | 17.0 | 5.0 | 38.6 |
| Kidney and Renal Pelvis | 16 | 19.6 | 10.2 | 33.5 | 9 | 31.9 | 12.5 | 64.6 | 7 | 11.7 | 4.4 | 25.7 |
| Brain and Nervous System | 5 | 4.7 | 1.3 | 12.3 | 4 | 9.7 | 2.1 | 29.7 | 1 | 0.9 | 0.0 | 9.1 |
| Hodgkin Lymphoma | 3 | 2.0 | 0.4 | 7.6 | 2 | 3.3 | 0.4 | 19.0 | 1 | 1.1 | 0.0 | 9.5 |
| Non-Hodgkin Lymphoma | 11 | 13.3 | 5.9 | 25.2 | 5 | 9.5 | 3.0 | 27.1 | 6 | 15.0 | 4.8 | 33.3 |
| Myeloma | 9 | 15.5 | 6.4 | 30.1 | 5 | 16.6 | 4.1 | 42.8 | 4 | 14.0 | 3.5 | 34.3 |
| Leukemia | 7 | 7.7 | 2.4 | 17.7 | 2 | 2.5 | 0.2 | 18.0 | 5 | 11.1 | 3.0 | 27.3 |
| All other sites | 53 | 68.0 | 47.4 | 93.6 | 20 | 65.5 | 31.5 | 115.4 | 33 | 70.7 | 45.9 | 103.1 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 12 | 22.8 | 11.1 | 41.1 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 349 | 555.9 | 497.3 | 619.0 | 201 | 774.7 | 659.7 | 902.4 | 148 | 411.6 | 347.2 | 484.1 |
| Oral Cavity and Pharynx | 13 | 19.7 | 10.5 | 33.6 | 10 | 34.3 | 16.4 | 63.6 | 3 | 8.1 | 1.7 | 23.3 |
| Esophagus | 5 | 8.2 | 2.6 | 18.9 | 2 | 7.2 | 0.9 | 26.4 | 3 | 8.8 | 1.8 | 24.8 |
| Stomach | 10 | 18.3 | 8.5 | 33.6 | 6 | 29.1 | 8.6 | 66.1 | 4 | 12.4 | 3.3 | 30.7 |
| Colon and Rectum | 44 | 75.7 | 54.4 | 102.1 | 23 | 107.6 | 62.8 | 168.0 | 21 | 61.1 | 37.6 | 93.0 |
| Liver | 3 | 4.6 | 0.9 | 13.4 | 0 | 0.0 | 0.0 | 14.2 | 3 | 8.3 | 1.7 | 23.7 |
| Pancreas | 11 | 16.8 | 8.3 | 30.0 | 6 | 20.1 | 7.3 | 44.4 | 5 | 14.0 | 4.5 | 32.2 |
| Lung and Bronchus | 45 | 72.7 | 52.5 | 97.7 | 33 | 121.5 | 80.8 | 174.3 | 12 | 35.4 | 18.1 | 61.4 |
| Bones and Joints | 0 | 0.0 | 0.0 | 5.3 | 0 | 0.0 | 0.0 | 14.2 | 0 | 0.0 | 0.0 | 9.3 |
| Melanoma of the Skin | 0 | 0.0 | 0.0 | 5.3 | 0 | 0.0 | 0.0 | 14.2 | 0 | 0.0 | 0.0 | 9.3 |
| Breast (invasive) | 46 | 69.7 | 50.4 | 93.6 | 0 | 0.0 | 0.0 | 14.2 | 46 | 123.3 | 89.9 | 164.6 |
| Cervix | | | | | | | | | 6 | 14.9 | 5.5 | 32.5 |
| Corpus and Uterus, NOS | | | | | | | | | 7 | 19.4 | 7.8 | 39.6 |
| Ovary | | | | | | | | | 4 | 10.2 | 2.7 | 26.4 |
| Prostate | | | | | 67 | 235.3 | 180.0 | 301.8 | | | | |
| Testis | | | | | 1 | 3.2 | 0.1 | 19.5 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 10 | 20.1 | 9.3 | 36.7 | 6 | 38.7 | 11.9 | 84.9 | 4 | 12.4 | 3.3 | 30.8 |
| Kidney and Renal Pelvis | 14 | 22.7 | 12.1 | 38.1 | 10 | 33.3 | 15.6 | 62.3 | 4 | 12.7 | 3.4 | 31.2 |
| Brain and Nervous System | 6 | 6.6 | 2.4 | 15.1 | 5 | 12.2 | 3.9 | 31.3 | 1 | 1.7 | 0.0 | 11.8 |
| Hodgkin Lymphoma | 4 | 4.7 | 1.2 | 12.7 | 2 | 5.8 | 0.7 | 23.1 | 2 | 4.0 | 0.5 | 15.8 |
| Non-Hodgkin Lymphoma | 17 | 28.1 | 16.0 | 45.3 | 11 | 44.6 | 19.6 | 83.8 | 6 | 17.4 | 6.3 | 37.4 |
| Myeloma | 6 | 10.5 | 3.7 | 22.7 | 2 | 15.0 | 1.2 | 49.7 | 4 | 10.8 | 2.9 | 27.4 |
| Leukemia | 3 | 4.1 | 0.8 | 12.4 | 2 | 5.9 | 0.5 | 24.1 | 1 | 2.8 | 0.1 | 14.7 |
| All other sites | 27 | 44.9 | 29.1 | 65.6 | 15 | 61.0 | 31.5 | 104.2 | 12 | 34.0 | 17.4 | 59.2 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 12 | 34.4 | 17.7 | 59.8 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 756 | 477.2 | 442.0 | 514.2 | 428 | 621.7 | 557.6 | 690.4 | 328 | 371.5 | 331.1 | 415.2 |
| Oral Cavity and Pharynx | 19 | 10.3 | 6.0 | 16.4 | 16 | 18.1 | 9.9 | 30.5 | 3 | 3.4 | 0.6 | 9.8 |
| Esophagus | 12 | 8.5 | 4.3 | 14.9 | 6 | 9.9 | 3.5 | 21.3 | 6 | 7.3 | 2.5 | 15.7 |
| Stomach | 25 | 17.5 | 11.0 | 26.0 | 14 | 21.5 | 10.9 | 37.2 | 11 | 14.2 | 7.0 | 25.1 |
| Colon and Rectum | 86 | 57.0 | 45.0 | 70.9 | 54 | 83.8 | 60.8 | 111.8 | 32 | 37.2 | 25.1 | 52.8 |
| Liver | 8 | 4.3 | 1.8 | 8.7 | 6 | 7.6 | 2.7 | 17.1 | 2 | 1.6 | 0.2 | 6.2 |
| Pancreas | 23 | 13.4 | 8.2 | 20.5 | 16 | 19.2 | 10.4 | 32.4 | 7 | 8.3 | 3.2 | 16.9 |
| Lung and Bronchus | 91 | 61.8 | 49.2 | 76.3 | 47 | 77.5 | 54.2 | 106.3 | 44 | 53.1 | 38.3 | 71.4 |
| Bones and Joints | 3 | 1.2 | 0.2 | 4.0 | 2 | 1.8 | 0.2 | 8.3 | 1 | 0.6 | 0.0 | 4.5 |
| Melanoma of the Skin | 2 | 1.4 | 0.1 | 5.0 | 1 | 0.9 | 0.0 | 6.7 | 1 | 1.5 | 0.0 | 7.2 |
| Breast (invasive) | 100 | 58.2 | 46.8 | 71.5 | 0 | 0.0 | 0.0 | 5.5 | 100 | 105.0 | 84.8 | 128.3 |
| Cervix | | | | | | | | | 4 | 4.4 | 1.1 | 11.1 |
| Corpus and Uterus, NOS | | | | | | | | | 24 | 29.3 | 18.6 | 43.5 |
| Ovary | | | | | | | | | 10 | 11.8 | 5.5 | 21.6 |
| Prostate | | | | | 153 | 211.6 | 177.1 | 250.6 | | | | |
| Testis | | | | | 1 | 0.5 | 0.0 | 6.1 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 21 | 14.1 | 8.5 | 21.8 | 12 | 17.7 | 8.4 | 32.2 | 9 | 11.3 | 5.0 | 21.1 |
| Kidney and Renal Pelvis | 24 | 13.1 | 8.2 | 19.8 | 18 | 21.3 | 12.0 | 34.9 | 6 | 6.1 | 2.1 | 13.4 |
| Brain and Nervous System | 4 | 2.5 | 0.5 | 6.7 | 3 | 5.5 | 0.5 | 18.3 | 1 | 1.3 | 0.0 | 6.4 |
| Hodgkin Lymphoma | 5 | 2.1 | 0.6 | 5.3 | 2 | 1.3 | 0.1 | 7.1 | 3 | 2.8 | 0.5 | 8.4 |
| Non-Hodgkin Lymphoma | 22 | 13.7 | 8.3 | 21.2 | 11 | 15.7 | 6.5 | 30.6 | 11 | 12.8 | 6.3 | 22.9 |
| Myeloma | 12 | 9.6 | 4.9 | 16.5 | 6 | 13.0 | 4.2 | 28.5 | 6 | 8.2 | 3.0 | 17.2 |
| Leukemia | 22 | 14.6 | 8.9 | 22.2 | 11 | 17.7 | 8.2 | 32.4 | 11 | 12.7 | 6.2 | 22.7 |
| All other sites | 85 | 53.9 | 42.4 | 67.3 | 49 | 76.9 | 54.6 | 104.3 | 36 | 38.6 | 26.6 | 53.9 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 33 | 34.0 | 23.1 | 48.0 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 362 | 570.4 | 511.9 | 633.4 | 202 | 794.6 | 682.3 | 919.1 | 160 | 426.0 | 362.0 | 497.6 |
| Oral Cavity and Pharynx | 12 | 18.5 | 9.4 | 32.4 | 9 | 33.5 | 14.8 | 64.7 | 3 | 7.9 | 1.6 | 22.6 |
| Esophagus | 8 | 13.6 | 5.8 | 26.4 | 7 | 29.4 | 11.3 | 60.6 | 1 | 3.1 | 0.1 | 15.4 |
| Stomach | 7 | 11.9 | 4.7 | 24.3 | 5 | 27.2 | 7.6 | 63.4 | 2 | 5.2 | 0.6 | 18.4 |
| Colon and Rectum | 28 | 43.2 | 28.4 | 62.6 | 14 | 49.8 | 26.6 | 84.7 | 14 | 37.0 | 20.1 | 61.9 |
| Liver | 1 | 1.6 | 0.0 | 8.4 | 1 | 3.6 | 0.1 | 20.8 | 0 | 0.0 | 0.0 | 8.9 |
| Pancreas | 15 | 25.3 | 14.0 | 41.6 | 7 | 31.2 | 12.0 | 64.0 | 8 | 22.1 | 9.4 | 43.0 |
| Lung and Bronchus | 71 | 118.6 | 92.3 | 149.7 | 47 | 198.5 | 142.6 | 267.5 | 24 | 69.0 | 44.1 | 102.1 |
| Bones and Joints | 0 | 0.0 | 0.0 | 5.3 | 0 | 0.0 | 0.0 | 14.4 | 0 | 0.0 | 0.0 | 8.9 |
| Melanoma of the Skin | 0 | 0.0 | 0.0 | 5.3 | 0 | 0.0 | 0.0 | 14.4 | 0 | 0.0 | 0.0 | 8.9 |
| Breast (invasive) | 42 | 61.8 | 44.3 | 83.7 | 0 | 0.0 | 0.0 | 14.4 | 42 | 107.7 | 77.4 | 145.5 |
| Cervix | | | | | | | | | 5 | 11.8 | 3.8 | 27.7 |
| Corpus and Uterus, NOS | | | | | | | | | 4 | 10.5 | 2.8 | 26.4 |
| Ovary | | | | | | | | | 2 | 5.1 | 0.6 | 18.2 |
| Prostate | | | | | 62 | 237.2 | 179.5 | 306.8 | | | | |
| Testis | | | | | 0 | 0.0 | 0.0 | 14.4 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 6 | 10.9 | 3.9 | 23.1 | 3 | 16.6 | 3.4 | 45.1 | 3 | 8.4 | 1.7 | 23.8 |
| Kidney and Renal Pelvis | 29 | 42.9 | 28.4 | 61.9 | 16 | 48.9 | 27.3 | 81.4 | 13 | 36.1 | 19.1 | 61.3 |
| Brain and Nervous System | 4 | 4.5 | 1.2 | 12.4 | 0 | 0.0 | 0.0 | 14.4 | 4 | 8.2 | 2.2 | 22.0 |
| Hodgkin Lymphoma | 0 | 0.0 | 0.0 | 5.3 | 0 | 0.0 | 0.0 | 14.4 | 0 | 0.0 | 0.0 | 8.9 |
| Non-Hodgkin Lymphoma | 11 | 15.3 | 7.4 | 27.8 | 4 | 9.6 | 2.5 | 28.2 | 7 | 17.8 | 7.1 | 36.6 |
| Myeloma | 5 | 9.3 | 3.0 | 20.9 | 3 | 16.6 | 3.4 | 45.1 | 2 | 5.6 | 0.7 | 19.3 |
| Leukemia | 6 | 8.9 | 3.1 | 19.6 | 5 | 19.6 | 5.7 | 47.2 | 1 | 2.2 | 0.1 | 12.8 |
| All other sites | 44 | 71.1 | 51.2 | 95.7 | 19 | 72.8 | 41.6 | 117.1 | 25 | 68.3 | 44.1 | 100.6 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 14 | 36.0 | 19.5 | 60.3 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 392 | 530.3 | 478.0 | 586.5 | 199 | 666.3 | 570.5 | 772.4 | 193 | 440.0 | 379.1 | 507.3 |
| Oral Cavity and Pharynx | 7 | 9.3 | 3.7 | 19.0 | 1 | 2.4 | 0.1 | 15.5 | 6 | 13.8 | 5.0 | 29.7 |
| Esophagus | 4 | 6.0 | 1.6 | 14.9 | 3 | 10.7 | 2.0 | 30.5 | 1 | 2.6 | 0.1 | 13.0 |
| Stomach | 8 | 11.4 | 4.8 | 22.1 | 3 | 11.1 | 2.2 | 31.3 | 5 | 10.0 | 3.2 | 23.3 |
| Colon and Rectum | 54 | 73.4 | 54.9 | 95.8 | 26 | 82.3 | 52.9 | 121.4 | 28 | 64.6 | 42.7 | 93.2 |
| Liver | 3 | 4.3 | 0.8 | 12.0 | 3 | 9.7 | 1.9 | 28.3 | 0 | 0.0 | 0.0 | 7.3 |
| Pancreas | 14 | 19.5 | 10.6 | 32.6 | 9 | 26.1 | 11.7 | 50.1 | 5 | 12.4 | 4.0 | 28.1 |
| Lung and Bronchus | 57 | 81.7 | 61.6 | 105.9 | 32 | 117.3 | 78.0 | 167.7 | 25 | 60.3 | 38.7 | 88.8 |
| Bones and Joints | 1 | 0.6 | 0.0 | 5.1 | 1 | 1.2 | 0.0 | 12.9 | 0 | 0.0 | 0.0 | 7.3 |
| Melanoma of the Skin | 0 | 0.0 | 0.0 | 4.2 | 0 | 0.0 | 0.0 | 11.6 | 0 | 0.0 | 0.0 | 7.3 |
| Breast (invasive) | 50 | 64.1 | 47.3 | 84.7 | 0 | 0.0 | 0.0 | 11.6 | 50 | 112.1 | 82.8 | 147.9 |
| Cervix | | | | | | | | | 8 | 19.6 | 8.3 | 38.0 |
| Corpus and Uterus, NOS | | | | | | | | | 12 | 27.4 | 14.0 | 47.6 |
| Ovary | | | | | | | | | 2 | 4.2 | 0.5 | 14.8 |
| Prostate | | | | | 67 | 229.2 | 175.1 | 293.4 | | | | |
| Testis | | | | | 1 | 2.3 | 0.1 | 15.1 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 6 | 8.2 | 2.9 | 17.5 | 4 | 21.4 | 4.6 | 54.0 | 2 | 4.5 | 0.5 | 15.5 |
| Kidney and Renal Pelvis | 17 | 23.1 | 13.2 | 37.1 | 13 | 49.1 | 23.4 | 87.4 | 4 | 10.0 | 2.7 | 24.6 |
| Brain and Nervous System | 4 | 4.9 | 1.2 | 12.8 | 1 | 1.3 | 0.0 | 13.1 | 3 | 6.6 | 1.2 | 19.1 |
| Hodgkin Lymphoma | 7 | 6.6 | 2.5 | 14.4 | 5 | 9.7 | 3.0 | 25.2 | 2 | 3.3 | 0.4 | 13.0 |
| Non-Hodgkin Lymphoma | 13 | 17.9 | 9.4 | 30.5 | 6 | 18.3 | 6.5 | 40.2 | 7 | 16.9 | 6.6 | 34.4 |
| Myeloma | 7 | 10.3 | 4.1 | 20.8 | 4 | 13.8 | 3.6 | 34.7 | 3 | 6.2 | 1.3 | 17.8 |
| Leukemia | 13 | 16.9 | 8.7 | 29.0 | 5 | 12.4 | 3.7 | 30.8 | 8 | 18.3 | 7.7 | 35.8 |
| All other sites | 37 | 47.7 | 33.3 | 65.9 | 15 | 48.1 | 25.1 | 81.7 | 22 | 47.3 | 29.4 | 71.6 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 17 | 40.6 | 23.4 | 64.8 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 575 | 592.4 | 542.4 | 645.5 | 291 | 754.6 | 660.5 | 856.9 | 284 | 491.7 | 434.2 | 554.3 |
| Oral Cavity and Pharynx | 17 | 15.4 | 8.8 | 25.0 | 14 | 28.7 | 15.1 | 49.3 | 3 | 5.4 | 1.1 | 15.4 |
| Esophagus | 4 | 5.8 | 1.5 | 14.1 | 3 | 14.3 | 2.6 | 38.6 | 1 | 2.0 | 0.1 | 10.0 |
| Stomach | 15 | 16.5 | 8.9 | 27.4 | 8 | 20.1 | 8.2 | 40.0 | 7 | 13.1 | 5.1 | 26.8 |
| Colon and Rectum | 53 | 58.5 | 43.2 | 76.9 | 34 | 94.2 | 62.3 | 135.0 | 19 | 35.9 | 21.3 | 55.9 |
| Liver | 14 | 13.7 | 7.1 | 23.6 | 10 | 24.7 | 10.0 | 48.7 | 4 | 6.4 | 1.5 | 16.7 |
| Pancreas | 17 | 19.2 | 10.9 | 30.7 | 8 | 22.1 | 9.3 | 43.3 | 9 | 16.5 | 7.4 | 31.2 |
| Lung and Bronchus | 98 | 115.3 | 92.8 | 141.1 | 50 | 153.5 | 110.3 | 206.0 | 48 | 92.9 | 67.9 | 123.3 |
| Bones and Joints | 2 | 0.9 | 0.1 | 4.5 | 0 | 0.0 | 0.0 | 9.1 | 2 | 1.7 | 0.2 | 8.1 |
| Melanoma of the Skin | 0 | 0.0 | 0.0 | 3.4 | 0 | 0.0 | 0.0 | 9.1 | 0 | 0.0 | 0.0 | 5.7 |
| Breast (invasive) | 85 | 77.4 | 61.2 | 96.4 | 0 | 0.0 | 0.0 | 9.1 | 85 | 136.4 | 108.2 | 169.3 |
| Cervix | | | | | | | | | 9 | 13.4 | 6.0 | 25.7 |
| Corpus and Uterus, NOS | | | | | | | | | 15 | 30.2 | 16.6 | 49.5 |
| Ovary | | | | | | | | | 6 | 9.5 | 3.1 | 21.3 |
| Prostate | | | | | 99 | 240.1 | 189.9 | 298.4 | | | | |
| Testis | | | | | 2 | 1.9 | 0.2 | 11.2 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 14 | 15.5 | 8.2 | 26.2 | 7 | 21.6 | 8.4 | 43.6 | 7 | 11.5 | 4.4 | 23.8 |
| Kidney and Renal Pelvis | 26 | 27.0 | 17.4 | 39.7 | 13 | 30.7 | 15.8 | 53.3 | 13 | 23.5 | 12.4 | 40.0 |
| Brain and Nervous System | 2 | 2.4 | 0.2 | 8.8 | 1 | 1.0 | 0.0 | 10.3 | 1 | 2.7 | 0.1 | 12.0 |
| Hodgkin Lymphoma | 9 | 8.4 | 3.6 | 16.2 | 4 | 5.9 | 1.5 | 17.5 | 5 | 10.1 | 3.2 | 22.8 |
| Non-Hodgkin Lymphoma | 18 | 17.6 | 10.2 | 28.1 | 12 | 30.1 | 14.7 | 53.7 | 6 | 9.5 | 3.4 | 20.9 |
| Myeloma | 8 | 7.4 | 3.1 | 14.7 | 2 | 3.2 | 0.4 | 13.7 | 6 | 10.5 | 3.8 | 22.6 |
| Leukemia | 10 | 10.1 | 4.4 | 19.3 | 3 | 5.8 | 0.9 | 19.1 | 7 | 12.5 | 4.7 | 26.1 |
| All other sites | 52 | 49.2 | 35.9 | 65.7 | 21 | 56.5 | 31.8 | 90.7 | 31 | 48.1 | 31.8 | 69.3 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 14 | 24.2 | 12.9 | 40.7 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 223 | 484.3 | 420.6 | 554.4 | 129 | 604.6 | 498.7 | 725.4 | 94 | 381.9 | 307.4 | 468.5 |
| Oral Cavity and Pharynx | 5 | 10.6 | 3.4 | 24.7 | 3 | 12.5 | 2.5 | 38.4 | 2 | 8.4 | 1.0 | 29.4 |
| Esophagus | 2 | 4.5 | 0.5 | 15.6 | 1 | 4.9 | 0.1 | 27.7 | 1 | 4.1 | 0.1 | 22.1 |
| Stomach | 5 | 10.4 | 3.3 | 24.3 | 3 | 14.7 | 2.8 | 43.7 | 2 | 7.3 | 0.9 | 26.8 |
| Colon and Rectum | 27 | 61.5 | 39.8 | 90.0 | 16 | 83.9 | 46.7 | 137.5 | 11 | 43.4 | 21.3 | 78.0 |
| Liver | 5 | 9.3 | 3.0 | 22.1 | 4 | 13.7 | 3.7 | 38.6 | 1 | 4.1 | 0.1 | 22.1 |
| Pancreas | 5 | 13.4 | 4.0 | 31.0 | 3 | 14.8 | 2.6 | 44.7 | 2 | 10.9 | 1.3 | 35.7 |
| Lung and Bronchus | 37 | 81.8 | 56.8 | 113.4 | 16 | 76.2 | 42.2 | 125.8 | 21 | 84.7 | 52.0 | 129.7 |
| Bones and Joints | 2 | 3.2 | 0.4 | 12.9 | 2 | 5.8 | 0.7 | 27.0 | 0 | 0.0 | 0.0 | 14.1 |
| Melanoma of the Skin | 1 | 1.6 | 0.0 | 10.3 | 0 | 0.0 | 0.0 | 19.0 | 1 | 3.2 | 0.1 | 19.5 |
| Breast (invasive) | 26 | 55.9 | 35.6 | 83.0 | 0 | 0.0 | 0.0 | 19.0 | 26 | 102.8 | 66.5 | 151.2 |
| Cervix | | | | | | | | | 1 | 4.0 | 0.1 | 21.8 |
| Corpus and Uterus, NOS | | | | | | | | | 3 | 12.1 | 2.5 | 34.8 |
| Ovary | | | | | | | | | 4 | 15.0 | 4.0 | 38.8 |
| Prostate | | | | | 48 | 232.1 | 169.1 | 310.0 | | | | |
| Testis | | | | | 0 | 0.0 | 0.0 | 19.0 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 2 | 6.6 | 0.7 | 21.6 | 1 | 4.9 | 0.1 | 27.7 | 1 | 6.1 | 0.2 | 28.0 |
| Kidney and Renal Pelvis | 12 | 25.7 | 12.8 | 45.4 | 9 | 39.4 | 16.6 | 78.3 | 3 | 13.9 | 2.9 | 38.9 |
| Brain and Nervous System | 1 | 1.6 | 0.0 | 10.3 | 1 | 3.4 | 0.1 | 23.9 | 0 | 0.0 | 0.0 | 14.1 |
| Hodgkin Lymphoma | 1 | 1.6 | 0.0 | 10.3 | 1 | 3.4 | 0.1 | 23.9 | 0 | 0.0 | 0.0 | 14.1 |
| Non-Hodgkin Lymphoma | 8 | 14.9 | 6.4 | 29.6 | 6 | 21.8 | 8.0 | 50.0 | 2 | 7.8 | 0.9 | 28.0 |
| Myeloma | 3 | 6.3 | 1.2 | 18.4 | 1 | 6.5 | 0.2 | 32.3 | 2 | 8.0 | 0.9 | 28.6 |
| Leukemia | 6 | 12.1 | 4.4 | 26.5 | 4 | 17.1 | 4.3 | 46.1 | 2 | 7.5 | 0.9 | 27.2 |
| All other sites | 19 | 42.3 | 24.6 | 67.1 | 10 | 49.5 | 19.2 | 99.6 | 9 | 38.5 | 17.4 | 72.8 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 7 | 28.2 | 11.3 | 57.7 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 1,597 | 526.1 | 500.3 | 552.9 | 819 | 691.9 | 643.1 | 743.3 | 778 | 426.4 | 396.8 | 457.5 |
| Oral Cavity and Pharynx | 40 | 12.3 | 8.8 | 16.8 | 29 | 22.8 | 14.9 | 33.2 | 11 | 5.7 | 2.8 | 10.2 |
| Esophagus | 28 | 9.5 | 6.3 | 13.8 | 25 | 23.2 | 14.5 | 34.6 | 3 | 1.7 | 0.4 | 4.9 |
| Stomach | 23 | 8.0 | 5.0 | 12.0 | 13 | 11.8 | 5.8 | 20.7 | 10 | 5.8 | 2.8 | 10.5 |
| Colon and Rectum | 183 | 62.1 | 53.3 | 71.9 | 76 | 64.4 | 50.0 | 81.4 | 107 | 60.1 | 49.2 | 72.6 |
| Liver | 19 | 5.8 | 3.4 | 9.0 | 14 | 10.2 | 5.4 | 17.3 | 5 | 2.7 | 0.9 | 6.2 |
| Pancreas | 40 | 13.6 | 9.7 | 18.5 | 19 | 15.8 | 9.2 | 25.1 | 21 | 12.0 | 7.4 | 18.2 |
| Lung and Bronchus | 274 | 92.5 | 81.8 | 104.3 | 154 | 135.9 | 114.3 | 160.0 | 120 | 67.3 | 55.8 | 80.5 |
| Bones and Joints | 0 | 0.0 | 0.0 | 1.1 | 0 | 0.0 | 0.0 | 2.9 | 0 | 0.0 | 0.0 | 1.9 |
| Melanoma of the Skin | 4 | 1.3 | 0.3 | 3.3 | 2 | 2.1 | 0.3 | 7.0 | 2 | 1.0 | 0.1 | 3.5 |
| Breast (invasive) | 241 | 76.8 | 67.3 | 87.2 | 0 | 0.0 | 0.0 | 2.9 | 241 | 129.8 | 113.9 | 147.3 |
| Cervix | | | | | | | | | 29 | 15.8 | 10.5 | 22.6 |
| Corpus and Uterus, NOS | | | | | | | | | 35 | 19.1 | 13.3 | 26.6 |
| Ovary | | | | | | | | | 12 | 6.7 | 3.5 | 11.6 |
| Prostate | | | | | 274 | 229.0 | 201.6 | 258.8 | | | | |
| Testis | | | | | 2 | 1.2 | 0.1 | 4.7 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 36 | 12.4 | 8.7 | 17.2 | 20 | 17.5 | 10.5 | 27.1 | 16 | 9.0 | 5.1 | 14.5 |
| Kidney and Renal Pelvis | 77 | 25.5 | 20.1 | 31.9 | 44 | 36.8 | 26.5 | 49.6 | 33 | 18.1 | 12.5 | 25.4 |
| Brain and Nervous System | 11 | 3.3 | 1.6 | 5.9 | 9 | 6.5 | 2.9 | 12.4 | 2 | 1.0 | 0.1 | 3.6 |
| Hodgkin Lymphoma | 13 | 3.9 | 2.1 | 6.6 | 7 | 5.0 | 2.0 | 10.3 | 6 | 3.1 | 1.1 | 6.8 |
| Non-Hodgkin Lymphoma | 40 | 13.1 | 9.3 | 17.9 | 20 | 16.2 | 9.5 | 25.5 | 20 | 10.9 | 6.7 | 16.9 |
| Myeloma | 33 | 10.9 | 7.5 | 15.3 | 25 | 21.8 | 13.9 | 32.2 | 8 | 4.2 | 1.8 | 8.3 |
| Leukemia | 32 | 11.1 | 7.5 | 15.7 | 18 | 17.7 | 10.0 | 28.5 | 14 | 7.6 | 4.1 | 12.8 |
| All other sites | 151 | 48.4 | 40.9 | 56.9 | 68 | 54.3 | 41.6 | 69.4 | 83 | 44.7 | 35.6 | 55.5 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 50 | 27.0 | 20.0 | 35.6 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 384 | 550.8 | 495.1 | 610.8 | 204 | 747.2 | 638.7 | 867.2 | 180 | 435.7 | 373.2 | 505.3 |
| Oral Cavity and Pharynx | 14 | 17.7 | 9.4 | 30.0 | 11 | 36.1 | 15.8 | 68.6 | 3 | 6.2 | 1.3 | 18.1 |
| Esophagus | 6 | 7.5 | 2.7 | 16.3 | 5 | 14.1 | 4.5 | 34.2 | 1 | 2.0 | 0.1 | 11.5 |
| Stomach | 5 | 6.3 | 2.0 | 14.8 | 3 | 9.3 | 1.9 | 28.0 | 2 | 4.2 | 0.5 | 15.1 |
| Colon and Rectum | 36 | 53.3 | 36.8 | 74.2 | 17 | 64.4 | 35.5 | 105.5 | 19 | 47.7 | 28.5 | 74.3 |
| Liver | 9 | 11.4 | 5.1 | 21.9 | 6 | 18.1 | 6.4 | 40.6 | 3 | 6.2 | 1.2 | 18.5 |
| Pancreas | 12 | 21.6 | 10.9 | 37.2 | 2 | 8.9 | 0.8 | 31.2 | 10 | 28.7 | 13.6 | 51.8 |
| Lung and Bronchus | 62 | 99.2 | 75.4 | 127.5 | 39 | 151.1 | 104.8 | 209.2 | 23 | 62.9 | 39.6 | 93.8 |
| Bones and Joints | 0 | 0.0 | 0.0 | 4.7 | 0 | 0.0 | 0.0 | 13.1 | 0 | 0.0 | 0.0 | 7.9 |
| Melanoma of the Skin | 0 | 0.0 | 0.0 | 4.7 | 0 | 0.0 | 0.0 | 13.1 | 0 | 0.0 | 0.0 | 7.9 |
| Breast (invasive) | 51 | 66.5 | 49.0 | 88.0 | 1 | 6.4 | 0.2 | 28.2 | 50 | 115.1 | 84.9 | 152.1 |
| Cervix | | | | | | | | | 7 | 15.2 | 6.0 | 31.2 |
| Corpus and Uterus, NOS | | | | | | | | | 13 | 31.6 | 16.6 | 53.8 |
| Ovary | | | | | | | | | 4 | 10.0 | 2.6 | 25.2 |
| Prostate | | | | | 68 | 241.5 | 183.9 | 310.3 | | | | |
| Testis | | | | | 0 | 0.0 | 0.0 | 13.1 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 9 | 17.9 | 8.1 | 32.9 | 7 | 47.4 | 18.1 | 94.2 | 2 | 6.1 | 0.7 | 19.9 |
| Kidney and Renal Pelvis | 13 | 13.7 | 7.1 | 23.9 | 6 | 13.9 | 5.1 | 32.4 | 7 | 13.4 | 5.1 | 28.4 |
| Brain and Nervous System | 3 | 3.6 | 0.7 | 10.6 | 1 | 2.5 | 0.1 | 16.9 | 2 | 4.3 | 0.5 | 15.6 |
| Hodgkin Lymphoma | 1 | 0.6 | 0.0 | 5.5 | 1 | 1.3 | 0.0 | 14.4 | 0 | 0.0 | 0.0 | 7.9 |
| Non-Hodgkin Lymphoma | 10 | 15.3 | 7.1 | 28.3 | 5 | 20.1 | 5.5 | 48.0 | 5 | 12.7 | 4.0 | 29.1 |
| Myeloma | 12 | 18.8 | 9.5 | 32.8 | 7 | 29.0 | 10.8 | 60.1 | 5 | 12.6 | 3.9 | 28.9 |
| Leukemia | 12 | 16.8 | 8.4 | 29.6 | 9 | 33.0 | 13.7 | 64.7 | 3 | 6.9 | 1.4 | 19.8 |
| All other sites | 37 | 48.1 | 33.3 | 67.1 | 16 | 50.1 | 25.5 | 86.9 | 21 | 50.2 | 30.7 | 76.8 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 14 | 30.6 | 16.6 | 51.2 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 174 | 523.6 | 447.6 | 608.0 | 102 | 714.1 | 576.8 | 871.4 | 72 | 396.1 | 309.3 | 498.7 |
| Oral Cavity and Pharynx | 5 | 13.7 | 4.4 | 31.6 | 5 | 27.2 | 8.5 | 64.4 | 0 | 0.0 | 0.0 | 18.4 |
| Esophagus | 3 | 9.1 | 1.9 | 25.6 | 3 | 19.8 | 4.0 | 55.9 | 0 | 0.0 | 0.0 | 18.4 |
| Stomach | 6 | 17.9 | 6.4 | 38.3 | 4 | 30.5 | 7.4 | 76.4 | 2 | 10.2 | 1.2 | 36.4 |
| Colon and Rectum | 23 | 74.2 | 46.8 | 110.6 | 8 | 60.6 | 25.8 | 116.6 | 15 | 84.1 | 47.0 | 137.9 |
| Liver | 2 | 5.6 | 0.7 | 19.7 | 2 | 12.1 | 1.4 | 42.6 | 0 | 0.0 | 0.0 | 18.4 |
| Pancreas | 4 | 11.3 | 3.0 | 28.4 | 1 | 4.4 | 0.1 | 28.1 | 3 | 16.4 | 3.3 | 46.9 |
| Lung and Bronchus | 29 | 89.7 | 59.8 | 128.3 | 21 | 146.3 | 88.9 | 224.0 | 8 | 46.0 | 19.8 | 89.4 |
| Bones and Joints | 1 | 2.4 | 0.1 | 13.7 | 1 | 4.4 | 0.1 | 28.1 | 0 | 0.0 | 0.0 | 18.4 |
| Melanoma of the Skin | 1 | 3.8 | 0.1 | 18.0 | 1 | 12.1 | 0.3 | 51.7 | 0 | 0.0 | 0.0 | 18.4 |
| Breast (invasive) | 15 | 41.4 | 23.0 | 68.2 | 0 | 0.0 | 0.0 | 21.0 | 15 | 85.0 | 47.4 | 139.4 |
| Cervix | | | | | | | | | 2 | 11.2 | 1.3 | 39.0 |
| Corpus and Uterus, NOS | | | | | | | | | 1 | 6.6 | 0.2 | 32.6 |
| Ovary | | | | | | | | | 1 | 5.6 | 0.1 | 29.6 |
| Prostate | | | | | 28 | 202.7 | 133.0 | 292.7 | | | | |
| Testis | | | | | 0 | 0.0 | 0.0 | 21.0 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 5 | 16.5 | 5.3 | 37.2 | 2 | 19.9 | 2.2 | 63.3 | 3 | 18.0 | 3.7 | 50.4 |
| Kidney and Renal Pelvis | 6 | 16.6 | 6.1 | 35.8 | 3 | 15.1 | 2.9 | 45.7 | 3 | 16.0 | 3.3 | 45.9 |
| Brain and Nervous System | 7 | 14.5 | 5.5 | 31.4 | 3 | 14.4 | 2.4 | 45.6 | 4 | 16.5 | 4.4 | 44.4 |
| Hodgkin Lymphoma | 0 | 0.0 | 0.0 | 9.3 | 0 | 0.0 | 0.0 | 21.0 | 0 | 0.0 | 0.0 | 18.4 |
| Non-Hodgkin Lymphoma | 4 | 10.2 | 2.6 | 26.5 | 3 | 14.0 | 2.6 | 43.9 | 1 | 6.3 | 0.2 | 31.5 |
| Myeloma | 5 | 15.2 | 4.9 | 34.6 | 4 | 27.8 | 7.2 | 69.5 | 1 | 5.1 | 0.1 | 27.9 |
| Leukemia | 4 | 13.7 | 3.7 | 33.4 | 3 | 22.8 | 4.7 | 62.6 | 1 | 5.6 | 0.1 | 29.6 |
| All other sites | 22 | 68.4 | 42.6 | 102.9 | 10 | 80.0 | 37.0 | 145.7 | 12 | 63.3 | 32.7 | 110.1 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 12 | 69.0 | 35.5 | 119.5 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 1,123 | 526.3 | 492.5 | 561.7 | 605 | 640.8 | 581.7 | 703.7 | 518 | 437.8 | 397.8 | 480.5 |
| Oral Cavity and Pharynx | 17 | 6.9 | 3.9 | 11.4 | 14 | 13.3 | 6.8 | 23.4 | 3 | 1.7 | 0.3 | 5.4 |
| Esophagus | 13 | 7.4 | 3.6 | 13.1 | 11 | 15.9 | 6.4 | 30.8 | 2 | 2.2 | 0.2 | 7.4 |
| Stomach | 24 | 14.4 | 8.8 | 21.9 | 12 | 15.8 | 7.3 | 29.0 | 12 | 13.0 | 6.4 | 22.7 |
| Colon and Rectum | 129 | 64.7 | 52.8 | 78.2 | 69 | 71.0 | 52.9 | 93.0 | 60 | 57.3 | 42.7 | 74.8 |
| Liver | 15 | 4.9 | 2.7 | 8.3 | 11 | 7.8 | 3.8 | 15.2 | 4 | 2.2 | 0.6 | 6.2 |
| Pancreas | 29 | 18.1 | 11.6 | 26.5 | 16 | 23.1 | 11.6 | 39.9 | 13 | 14.4 | 7.4 | 24.7 |
| Lung and Bronchus | 144 | 75.2 | 62.4 | 89.6 | 85 | 101.6 | 78.4 | 129.0 | 59 | 55.5 | 41.5 | 72.4 |
| Bones and Joints | 4 | 1.2 | 0.3 | 3.5 | 3 | 1.9 | 0.4 | 7.3 | 1 | 0.6 | 0.0 | 3.9 |
| Melanoma of the Skin | 2 | 0.6 | 0.1 | 2.6 | 1 | 0.7 | 0.0 | 5.8 | 1 | 0.6 | 0.0 | 3.9 |
| Breast (invasive) | 182 | 77.1 | 64.9 | 90.8 | 3 | 3.5 | 0.5 | 11.1 | 179 | 135.5 | 114.8 | 158.6 |
| Cervix | | | | | | | | | 13 | 8.6 | 4.4 | 15.3 |
| Corpus and Uterus, NOS | | | | | | | | | 29 | 24.4 | 15.9 | 35.6 |
| Ovary | | | | | | | | | 13 | 9.1 | 4.5 | 16.2 |
| Prostate | | | | | 234 | 240.7 | 206.4 | 278.7 | | | | |
| Testis | | | | | 3 | 1.8 | 0.4 | 7.2 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 27 | 13.9 | 8.7 | 20.7 | 19 | 21.3 | 10.9 | 36.5 | 8 | 8.9 | 3.7 | 17.2 |
| Kidney and Renal Pelvis | 36 | 16.5 | 11.0 | 23.6 | 23 | 22.8 | 12.2 | 38.0 | 13 | 12.2 | 6.2 | 21.2 |
| Brain and Nervous System | 8 | 3.3 | 1.1 | 7.2 | 5 | 4.4 | 0.8 | 12.6 | 3 | 2.4 | 0.3 | 7.5 |
| Hodgkin Lymphoma | 12 | 3.2 | 1.6 | 5.9 | 6 | 3.2 | 1.1 | 8.7 | 6 | 3.3 | 1.2 | 7.6 |
| Non-Hodgkin Lymphoma | 37 | 15.5 | 10.4 | 22.0 | 20 | 17.6 | 9.8 | 29.1 | 17 | 13.9 | 7.7 | 22.7 |
| Myeloma | 22 | 10.6 | 6.3 | 16.6 | 11 | 9.8 | 4.6 | 18.6 | 11 | 10.4 | 4.8 | 18.9 |
| Leukemia | 26 | 10.5 | 6.4 | 16.0 | 13 | 12.8 | 5.8 | 24.1 | 13 | 9.2 | 4.6 | 16.3 |
| All other sites | 104 | 52.7 | 41.9 | 65.2 | 46 | 51.7 | 35.2 | 72.6 | 58 | 52.7 | 39.0 | 69.4 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 49 | 32.5 | 23.6 | 43.7 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

| Site | Both Sexes | | | | Males | | | | Females | | | |
|----------------------------------------|------------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
| | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI | Count | Rate | LCI | UCI |
| All Sites | 543 | 475.0 | 434.0 | 518.7 | 289 | 627.7 | 548.7 | 713.9 | 254 | 383.0 | 336.1 | 434.4 |
| Oral Cavity and Pharynx | 15 | 12.1 | 6.6 | 20.2 | 10 | 17.7 | 8.2 | 33.6 | 5 | 7.7 | 2.4 | 17.9 |
| Esophagus | 9 | 7.5 | 3.3 | 14.3 | 7 | 12.9 | 4.9 | 27.5 | 2 | 3.3 | 0.4 | 11.3 |
| Stomach | 20 | 17.6 | 10.4 | 27.5 | 11 | 24.6 | 10.5 | 47.0 | 9 | 14.0 | 6.2 | 26.5 |
| Colon and Rectum | 49 | 42.6 | 31.1 | 56.8 | 24 | 53.7 | 32.5 | 82.2 | 25 | 37.3 | 23.8 | 55.2 |
| Liver | 3 | 2.6 | 0.5 | 7.6 | 2 | 2.8 | 0.3 | 12.1 | 1 | 2.1 | 0.1 | 9.6 |
| Pancreas | 17 | 17.1 | 9.7 | 27.4 | 6 | 14.8 | 5.2 | 32.1 | 11 | 18.4 | 9.0 | 32.8 |
| Lung and Bronchus | 93 | 84.7 | 67.6 | 104.4 | 55 | 132.2 | 95.6 | 176.7 | 38 | 57.6 | 40.3 | 79.3 |
| Bones and Joints | 1 | 0.5 | 0.0 | 3.7 | 0 | 0.0 | 0.0 | 8.0 | 1 | 1.0 | 0.0 | 6.7 |
| Melanoma of the Skin | 0 | 0.0 | 0.0 | 3.0 | 0 | 0.0 | 0.0 | 8.0 | 0 | 0.0 | 0.0 | 5.0 |
| Breast (invasive) | 66 | 53.3 | 40.9 | 68.2 | 1 | 2.8 | 0.1 | 13.7 | 65 | 93.0 | 71.4 | 118.9 |
| Cervix | | | | | | | | | 5 | 7.3 | 2.3 | 17.0 |
| Corpus and Uterus, NOS | | | | | | | | | 20 | 31.0 | 18.7 | 48.0 |
| Ovary | | | | | | | | | 6 | 9.4 | 3.3 | 20.3 |
| Prostate | | | | | 85 | 194.7 | 151.3 | 245.5 | | | | |
| Testis | | | | | 1 | 1.4 | 0.0 | 9.9 | | | | |
| Urinary Bladder (incl <i>in situ</i>) | 15 | 13.6 | 7.4 | 22.7 | 12 | 27.8 | 12.6 | 51.2 | 3 | 4.8 | 1.0 | 13.7 |
| Kidney and Renal Pelvis | 15 | 13.6 | 7.4 | 22.6 | 10 | 20.9 | 9.6 | 39.1 | 5 | 8.2 | 2.6 | 18.7 |
| Brain and Nervous System | 7 | 4.4 | 1.6 | 9.7 | 6 | 9.0 | 2.8 | 21.8 | 1 | 0.8 | 0.0 | 6.1 |
| Hodgkin Lymphoma | 7 | 3.9 | 1.6 | 8.6 | 5 | 5.7 | 1.8 | 15.6 | 2 | 2.2 | 0.3 | 8.7 |
| Non-Hodgkin Lymphoma | 12 | 12.2 | 6.0 | 21.5 | 4 | 12.1 | 2.3 | 32.3 | 8 | 12.9 | 5.4 | 25.4 |
| Myeloma | 16 | 13.9 | 7.7 | 22.9 | 9 | 17.7 | 7.7 | 34.2 | 7 | 10.6 | 4.1 | 21.9 |
| Leukemia | 14 | 11.3 | 5.9 | 19.5 | 6 | 9.1 | 2.9 | 21.9 | 8 | 12.5 | 5.1 | 24.9 |
| All other sites | 67 | 57.6 | 43.9 | 73.9 | 35 | 67.8 | 44.9 | 97.6 | 32 | 48.8 | 33.0 | 69.3 |
| Breast <i>in situ</i> (not in total) | | | | | | | | | 25 | 33.8 | 21.7 | 50.1 |

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.