

# **SECTION I**

## **Cancer Incidence Rates for Selected Sites by County and Sex Illinois, 2004-2008**

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	313,965	490.4	488.7	492.1	160,250	577.0	574.2	579.9	153,715	433.8	431.6	436
Adams	2,013	472.5	451.6	494.2	1,049	557.1	523.6	592.2	964	417.0	389.8	445.7
Alexander	297	535.6	475.4	601.8	157	667.3	566.0	782.1	140	449.4	374.9	535.5
Bond	521	515.1	471.5	561.7	271	582.3	514.3	656.9	250	488.8	428.4	555.7
Boone	1,152	479.3	451.6	508.2	574	536.4	491.6	584.1	578	448.8	412.7	487.2
Brown	171	528.3	451.6	614.5	103	698.5	564.5	853.7	68	406.4	313.5	521.1
Bureau	1,135	504.6	475.0	535.7	616	614.4	566.4	665.6	519	430.1	392.2	471.0
Calhoun	179	507.3	434.1	590.5	104	615.0	500.5	750.1	75	433.8	337.0	552.0
Carroll	542	470.7	430.5	514.0	306	563.3	500.8	632.3	236	394.3	342.3	452.9
Cass	398	497.3	449.2	549.4	207	579.9	502.9	665.4	191	457.5	393.3	529.6
Champaign	3,951	506.3	490.5	522.4	2,048	592.5	566.7	619.1	1,903	447.9	427.7	468.8
Christian	1,252	573.0	541.3	606.2	681	710.5	657.7	766.4	571	490.5	449.5	534.6
Clark	497	460.9	420.6	504.4	275	582.4	515.0	656.5	222	383.5	332.6	440.5
Clay	500	546.5	498.7	598.0	286	706.9	626.8	795.0	214	430.8	372.4	496.5
Clinton	1,005	486.9	457.2	518.2	541	586.6	537.9	638.5	464	420.8	382.5	462.2
Coles	1,397	526.5	498.8	555.4	707	611.7	567.0	659.1	690	475.6	439.4	514.0
Cook	124,191	484.4	481.7	487.1	62,494	574.7	570.1	579.3	61,697	426.2	422.8	429.6
Crawford	639	517.0	477.3	559.3	339	598.0	535.7	665.7	300	460.3	407.9	518.2
Cumberland	349	522.2	468.1	581.1	182	622.6	534.4	721.6	167	464.5	394.8	543.7
DeKalb	1,956	479.4	458.2	501.3	986	547.9	513.5	584.0	970	438.7	411.2	467.5
DeWitt	496	492.4	449.5	538.5	250	558.5	490.8	633.1	246	454	397.2	517.2
Douglas	593	508.0	467.4	551.3	323	648.1	578.9	723.5	270	426.9	375.5	483.6
DuPage	21,044	476.9	470.3	483.5	10,364	537.7	527.1	548.6	10,680	437.8	429.4	446.4
Edgar	603	490.2	451.0	532.0	302	569.5	506.6	638.2	301	439.2	388.4	495.3
Edwards	216	482.5	418.7	553.9	122	606.5	502.2	727.4	94	396.8	317.1	492.1
Effingham	985	502.2	471.1	534.9	530	612.2	560.8	667.0	455	430.4	390.9	473.0
Fayette	629	495.4	457.2	536.1	348	625.4	560.7	695.7	281	414.5	366.0	468.0
Ford	509	564.9	515.5	617.9	270	693.7	612.9	782.6	239	487.1	423.4	558.2
Franklin	1,463	560.4	531.4	590.6	779	691.7	643.4	742.8	684	480.3	443.4	519.6
Fulton	1,307	543.2	513.7	574.2	725	666.8	618.9	717.5	582	457.4	419.1	498.4
Gallatin	236	565.2	493.0	645.9	129	683.5	567.3	818.2	107	479.5	388.0	587.9
Greene	470	529.1	481.5	580.4	247	628.6	552.2	713.0	223	463.2	402.1	531.7
Grundy	1,192	555.1	523.7	587.8	651	673.4	621.5	728.3	541	465.3	426.6	506.5
Hamilton	253	435.6	382.4	495.0	140	537.6	451.6	636.6	113	368.3	300.3	448.5
Hancock	642	497.3	458.5	538.8	354	614.1	551.1	682.8	288	428.3	377.5	484.6
Hardin	142	431.3	361.8	511.7	85	567.8	451.3	708.0	57	322.1	240.9	426.0
Henderson	254	465.5	409.1	528.4	155	619.5	523.1	730.3	99	358.3	288.7	441.6
Henry	1,563	490.1	465.7	515.5	819	584.7	544.9	626.7	744	434.0	402.1	467.9
Iroquois	984	489.6	458.8	522.1	523	572.3	524.0	624.2	461	431.7	391.3	475.5
Jackson	1,221	465.9	439.8	493.1	628	544.2	502.0	588.9	593	414.1	380.4	450.1
Jasper	287	470.6	417.1	529.6	156	551.4	467.8	646.3	131	420.9	349.6	503.3
Jefferson	1,197	496.6	468.5	525.9	674	628.8	581.8	678.8	523	403.8	368.8	441.5
Jersey	611	468.4	431.8	507.5	314	549.5	489.5	614.9	297	414.7	368.0	466.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	688	426.6	394.2	461.2	381	480.6	432.9	532.8	307	389.7	344.2	440.0
Johnson	417	559.2	506.1	616.5	263	733.5	645.0	830.7	154	431.3	363.5	508.9
Kane	9,376	481.6	471.6	491.7	4,668	547.9	531.2	565.0	4,708	440.6	427.9	453.6
Kankakee	2,946	510.1	491.7	528.9	1,634	653.2	621.3	686.3	1,312	412.1	389.8	435.4
Kendall	1,643	490.9	466.5	516.1	794	537.2	497.9	578.6	849	462.4	431.1	495.3
Knox	1,673	487.3	463.7	511.9	872	568.3	530.8	607.8	801	438.1	406.7	471.4
Lake	14,781	484.9	476.9	493.0	7,399	542.6	529.7	555.7	7,382	445.7	435.5	456.2
LaSalle	3,624	534.2	516.8	552.1	1,896	632.8	604.5	662.1	1,728	467.0	444.6	490.3
Lawrence	419	410.8	371.8	453.1	215	475.9	414.3	544.3	204	371.0	319.1	429.6
Lee	1,123	536.7	505.5	569.4	598	628.4	578.7	681.4	525	472.1	431.6	515.6
Livingston	1,154	517.0	487.2	548.2	617	623.6	575.1	675.2	537	438.5	401.1	478.7
Logan	883	515.9	482.1	551.5	481	642.3	585.8	702.9	402	427.9	385.9	473.6
McDonough	856	532.6	496.4	570.8	440	617.4	560.5	678.6	416	487.5	438.6	540.6
McHenry	6,428	470.3	458.6	482.2	3,205	526.3	507.3	545.8	3,223	432.7	417.7	448.1
McLean	3,484	502.7	486.0	519.9	1,745	578.6	551.1	607.1	1,739	452.9	431.6	475.0
Macon	3,764	569.9	551.5	588.7	1,939	665.0	635.4	695.7	1,825	513.1	489.1	538.0
Macoupin	1,577	516.2	490.6	542.8	882	641.3	599.4	685.5	695	424.0	392.1	458.1
Madison	7,267	490.6	479.3	502.1	3,672	569.3	550.8	588.3	3,595	440.8	426.3	455.7
Marion	1,342	525.6	497.3	555.2	708	635.9	589.5	685.0	634	448.4	412.6	486.6
Marshall	441	496.8	450.5	546.9	233	582.5	509.3	664.0	208	433.6	374.0	501.1
Mason	534	529.4	484.6	577.5	280	602.6	533.3	678.9	254	484.9	424.9	551.5
Massac	481	488.0	444.5	534.9	254	593.8	522.5	672.5	227	421.0	365.7	482.9
Menard	390	531.3	478.9	588.1	214	653.0	566.3	749.4	176	439.1	374.8	512.0
Mercer	508	477.7	436.3	522.3	277	559.1	494.4	630.3	231	420.3	366.1	480.8
Monroe	826	482.4	449.9	516.6	426	569.4	515.4	627.5	400	428.3	386.8	473.2
Montgomery	978	524.7	491.7	559.4	543	653.7	599.7	711.4	435	440.1	397.6	486.3
Morgan	1,137	528.8	498.0	561.0	593	635.1	584.4	689.1	544	463.9	424.3	506.5
Moultrie	457	509.7	463.0	560.1	233	583.0	510.0	663.7	224	473.9	411.2	544.0
Ogle	1,339	435.9	412.7	460.2	707	499.8	463.3	538.6	632	389.7	359.5	421.8
Peoria	5,356	535.0	520.6	549.7	2,684	617.9	594.5	642.0	2,672	482.2	463.7	501.4
Perry	648	486.8	449.7	526.3	347	579.5	519.7	644.3	301	427.8	378.8	481.7
Piatt	480	465.1	423.9	509.5	266	563.7	497.2	636.9	214	392.8	340.5	451.3
Pike	484	426.9	388.4	468.4	242	472.6	414.3	537.1	242	405.7	353.0	464.7
Pope	107	337.8	275.1	413.0	56	365.8	274.0	483.5	51	310.6	227.7	419.4
Pulaski	194	491.7	423.8	567.8	116	659.7	543.3	794.4	78	373.4	292.9	469.9
Putnam	209	527.8	457.5	606.8	112	585.7	480.4	709.1	97	488.4	393.5	601.2
Randolph	950	493.4	462.3	526.2	506	589.5	538.8	643.7	444	434.6	393.5	479.1
Richland	553	525.3	481.2	572.5	310	672.9	599.4	753.3	243	421.0	366.9	481.5
Rock Island	4,422	504.3	489.4	519.6	2,259	577.8	554.0	602.4	2,163	455.2	435.7	475.5
St Clair	6,789	505.3	493.3	517.5	3,452	611.2	590.6	632.2	3,337	439.7	424.7	455.0
Saline	870	504.3	470.5	540	451	605.5	550.5	664.7	419	444.5	400.6	492.3
Sangamon	5,715	529.5	515.7	543.6	2,945	641.0	617.7	665.1	2,770	460.2	442.9	478.0
Schuyler	203	422.7	365.1	487.6	106	483.7	395.4	587.1	97	373.8	298.9	463.6

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	154	466.2	394.2	548.2	79	509.1	401.9	637.5	75	445.8	348.0	563.9
Shelby	715	484.3	448.6	522.2	401	588.7	531.9	650.1	314	409.4	363.1	460.4
Stark	196	471.3	405.4	545.8	85	465.1	370.1	578.5	111	499.9	405.3	611.7
Stephenson	1,254	405.2	382.8	428.8	617	459.5	423.6	497.7	637	372.6	343.2	404.1
Tazewell	4,125	533.3	517.0	550.0	2,200	626.3	600.2	653.3	1,925	470.0	448.8	491.9
Union	539	456.5	417.9	497.9	284	544.9	482.3	613.8	255	400.6	350.9	455.8
Vermilion	2,591	522.1	502.0	542.9	1,370	618.6	586.0	652.6	1,221	457.0	431.0	484.3
Wabash	353	451.0	404.2	502.1	193	566.2	488.4	653.3	160	369.0	311.4	435.0
Warren	488	442.0	402.8	484.3	259	528.2	465.1	597.8	229	385.9	335.5	442.2
Washington	441	483.7	439.1	532.0	237	571.4	500.4	649.9	204	426.5	368.5	491.7
Wayne	520	464.1	424.0	507.2	272	544.7	481.1	614.7	248	419.1	365.7	478.7
White	479	458.4	416.9	503.2	255	551.6	485.2	625.1	224	395.3	341.8	455.5
Whiteside	1,750	468.9	446.9	491.8	864	516.7	482.6	552.7	886	435.9	406.7	466.9
Will	13,363	516.9	507.8	526.0	6,981	616.8	601.3	632.5	6,382	448.4	437.3	459.8
Williamson	2,075	520.7	498.3	543.9	1,117	629.5	592.7	668.1	958	444.2	415.7	474.2
Winnebago	7,300	469.3	458.5	480.2	3,658	537.1	519.6	555.1	3,642	427.5	413.6	441.8
Woodford	1,064	498.5	468.4	530.0	543	566.4	519.0	617.0	521	456.5	416.8	499.1

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Whites, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	261,943	485.9	484.1	487.8	133,025	563.0	559.9	566.1	128,918	436.8	434.4	439.2
Champaign	3,490	507.1	490.3	524.4	1,803	586.5	559.5	614.6	1,687	453.9	432.1	476.6
Cook	86,031	472.2	469.1	475.4	42,861	544.6	539.4	549.9	43,170	427.4	423.3	431.5
DuPage	19,220	486.9	479.9	494.0	9,447	548.3	537.0	559.8	9,773	448.3	439.2	457.4
Kane	8,634	477.3	467.0	487.8	4,280	538.7	521.7	556.1	4,354	440.0	426.8	453.5
Kankakee	2,561	502.9	483.4	522.9	1,410	636.8	603.5	671.5	1,151	412.6	388.6	437.6
Lake	13,359	489.7	481.2	498.2	6,625	540.7	527.2	554.4	6,734	456.5	445.5	467.7
Macon	3,380	570.2	550.8	590.3	1,726	651.5	620.7	683.4	1,654	525.7	499.5	553.0
Madison	6,803	487.7	476.1	499.5	3,432	562.7	543.8	582.1	3,371	441.3	426.3	456.8
Peoria	4,651	524.1	508.9	539.6	2,319	598.8	574.4	623.9	2,332	477.4	457.5	498.0
Rock Island	3,953	481.6	466.4	497.1	1,961	535.7	512.0	560.2	1,992	448.1	428.0	469.1
St Clair	5,079	497.0	483.3	510.9	2,569	583.7	561.0	607.0	2,510	445.5	427.8	463.6
Sangamon	5,235	524.9	510.6	539.5	2,692	630.5	606.5	655.2	2,543	459.4	441.3	478.1
Vermilion	2,395	521.7	500.7	543.4	1,254	610.0	576.4	645.2	1,141	461.8	434.4	490.6
Will	11,769	515.2	505.7	524.9	6,097	608.9	592.7	625.4	5,672	452.9	441.1	465.0
Winnebago	6,637	468.0	456.7	479.5	3,307	530.2	512.1	548.8	3,330	430.9	416.1	446.1

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Blacks, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	41,368	527.4	522.2	532.6	21,497	683.6	674.0	693.3	19,871	429.2	423.2	435.3
Champaign	383	593.2	533.0	657.9	210	809.9	691.0	941.7	173	463.3	395.3	539.0
Cook	32,449	531.3	525.5	537.2	16,670	689.4	678.5	700.4	15,779	433.3	426.5	440.2
DuPage	506	497.7	446.7	552.4	243	577.9	489.4	676.0	263	455.2	391.7	525.1
Kane	431	560.2	500.1	624.9	236	749.5	629.4	883.0	195	437.1	371.2	510.3
Kankakee	349	555.9	497.3	619.0	201	774.7	659.7	902.4	148	411.6	347.2	484.1
Lake	756	477.2	442.0	514.2	428	621.7	557.6	690.4	328	371.5	331.1	415.2
Macon	362	570.4	511.9	633.4	202	794.6	682.3	919.1	160	426.0	362.0	497.6
Madison	392	530.3	478.0	586.5	199	666.3	570.5	772.4	193	440.0	379.1	507.3
Peoria	575	592.4	542.4	645.5	291	754.6	660.5	856.9	284	491.7	434.2	554.3
Rock Island	223	484.3	420.6	554.4	129	604.6	498.7	725.4	94	381.9	307.4	468.5
St Clair	1,597	526.1	500.3	552.9	819	691.9	643.1	743.3	778	426.4	396.8	457.5
Sangamon	384	550.8	495.1	610.8	204	747.2	638.7	867.2	180	435.7	373.2	505.3
Vermilion	174	523.6	447.6	608.0	102	714.1	576.8	871.4	72	396.1	309.3	498.7
Will	1,123	526.3	492.5	561.7	605	640.8	581.7	703.7	518	437.8	397.8	480.5
Winnebago	543	475.0	434.0	518.7	289	627.7	548.7	713.9	254	383.0	336.1	434.4

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Hispanics, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	15,268	349.6	343.3	355.8	7,574	388.8	378.8	399.0	7,694	323.9	316.0	331.9
Cook	10,388	348.4	340.9	355.9	5,253	393.5	381.4	405.8	5,135	316.5	307.2	326.1
DuPage	897	404.8	375.0	436.2	419	429.8	382.8	480.2	478	397.7	358.8	439.2
Kane	811	312.3	286.3	339.8	386	330.3	290.0	374.0	425	303.6	270.0	339.8
Lake	766	300.8	275.9	327.2	362	322.0	282.6	364.8	404	289.7	257.9	324.0
Will	654	369.2	336.9	403.5	334	439.0	384.3	498.3	320	319.5	281.0	361.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Non-Hispanics, All Sites, Illinois, 2004-2008**

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	298,697	500.6	498.8	502.4	152,676	590.8	587.8	593.8	146,021	441.3	439.1	443.6
Cook	113,803	502.3	499.3	505.2	57,241	599.5	594.6	604.5	56,562	439.4	435.7	443.1
DuPage	20,147	480.7	474.0	487.5	9,945	543.6	532.6	554.7	10,202	439.6	430.9	448.4
Kane	8,565	504.4	493.5	515.4	4,282	577.3	559.2	595.9	4,283	458.6	444.7	472.8
Lake	14,015	499.4	491.0	507.9	7,037	560.2	546.6	574.0	6,978	457.2	446.4	468.3
Will	12,709	527.7	518.3	537.2	6,647	630.6	614.4	647.0	6,062	456.9	445.3	468.7

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	7,194	11.0	10.8	11.3	4,976	16.7	16.2	17.1	2,218	6.3	6.0	6.5
Adams	48	11.7	8.6	15.6	29	15.4	10.3	22.2	19	8.9	5.2	14.1
Alexander	8	14.8	6.3	30.1	8	32.9	14.1	66.4	0	0.0	0.0	17.3
Bond	10	10.1	4.8	18.7	8	15.5	6.7	31.0	2	5.0	0.6	18.0
Boone	33	12.9	8.8	18.2	22	18.7	11.4	28.7	11	8.2	4.1	14.8
Brown	6	18.5	6.8	41.0	5	26.0	8.3	64.0	1	3.5	0.1	36.1
Bureau	29	13.1	8.8	19.1	21	19.8	12.2	30.7	8	7.3	3.2	14.9
Calhoun	8	22.4	9.4	46.9	6	34.9	12.4	81.2	2	8.0	1.0	41.1
Carroll	15	12.9	7.2	22.1	13	23.1	12.2	41.0	2	3.3	0.4	14.9
Cass	9	11.2	5.1	21.7	5	15.1	4.8	35.1	4	9.4	2.5	25.5
Champaign	92	11.6	9.3	14.2	58	16.0	12.1	20.8	34	7.9	5.4	11.0
Christian	26	12.2	8.0	18.1	19	18.9	11.4	29.8	7	6.4	2.5	13.6
Clark	14	12.3	6.7	21.2	9	18.9	8.6	36.7	5	7.2	2.3	19.0
Clay	13	15.2	7.9	26.6	5	12.0	3.9	29.2	8	18.3	7.6	37.6
Clinton	23	11.4	7.2	17.2	17	17.9	10.4	28.8	6	6.0	2.2	13.3
Coles	31	11.9	8.0	17.1	23	19.4	12.3	29.3	8	5.8	2.4	12.0
Cook	2,844	10.9	10.5	11.3	1,953	16.7	16.0	17.5	891	6.1	5.7	6.6
Crawford	15	13.4	7.4	22.5	13	22.8	12.1	39.6	2	4.3	0.4	16.1
Cumberland	10	14.5	6.8	27.4	7	22.8	9.0	48.4	3	10.6	2.1	31.2
DeKalb	55	13.2	9.9	17.2	36	17.7	12.3	24.6	19	8.8	5.3	13.7
DeWitt	11	11.1	5.5	20.3	9	18.6	8.4	36.1	2	3.2	0.4	13.9
Douglas	15	13.0	7.2	21.8	10	19.1	9.1	35.7	5	7.4	2.4	18.4
DuPage	460	10.1	9.2	11.1	315	15.3	13.6	17.1	145	6.0	5.0	7.0
Edgar	9	7.6	3.4	14.9	7	13.4	5.3	28.2	2	3.1	0.4	12.6
Edwards	1	2.1	0.1	14.7	1	4.3	0.1	29.9	0	0.0	0.0	22.9
Effingham	15	7.4	4.1	12.4	13	15.7	8.3	26.9	2	1.5	0.2	6.6
Fayette	15	12.2	6.8	20.4	9	15.7	7.2	30.1	6	10.2	3.6	23.0
Ford	10	10.9	5.2	20.7	7	18.2	7.3	38.2	3	6.5	1.3	20.6
Franklin	44	17.8	12.8	24.2	33	29.2	20	41.5	11	8.6	4.1	16.1
Fulton	19	8.4	5.0	13.4	14	13.3	7.2	22.5	5	3.8	1.1	10.0
Gallatin	5	10.6	3.4	27.5	4	18.5	5.0	53.0	1	3.7	0.1	30.0
Greene	10	12.0	5.7	22.6	7	18.1	7.2	38.0	3	7.5	1.5	22.7
Grundy	22	9.8	6.1	14.9	20	18.4	11.1	28.7	2	1.4	0.2	5.6
Hamilton	1	1.4	0.0	11.0	1	3.5	0.1	24.0	0	0.0	0.0	18.3
Hancock	11	8.4	4.1	15.7	7	12.3	4.8	26.4	4	4.7	1.3	14.5
Hardin	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Henderson	4	7.1	1.9	20.7	3	12.7	2.4	41.5	1	3.6	0.1	26.2
Henry	40	12.9	9.2	17.8	28	19.1	12.6	27.9	12	7.5	3.8	13.6
Iroquois	26	13.4	8.7	20.0	13	14.9	7.9	26.0	13	11.5	6.0	20.7
Jackson	30	11.8	7.9	17.0	22	17.9	11.1	27.4	8	6.2	2.6	12.6
Jasper	2	3.1	0.4	12.5	0	0.0	0.0	15.5	2	5.3	0.6	23.3
Jefferson	20	8.5	5.2	13.3	15	13.7	7.6	22.8	5	4.4	1.4	10.6
Jersey	16	12.4	7.0	20.4	9	14.3	6.5	27.8	7	10.9	4.3	23.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	16	9.0	5.1	15.2	13	14.9	7.9	26.7	3	3.4	0.7	12.2
Johnson	13	16.5	8.7	28.9	11	24.9	12.3	46.0	2	8.1	0.9	28.8
Kane	215	10.2	8.9	11.8	158	15.6	13.1	18.4	57	5.4	4.0	7.0
Kankakee	68	11.5	8.9	14.7	50	18.1	13.4	23.9	18	5.4	3.2	8.6
Kendall	41	11.3	7.9	15.5	28	18.1	11.5	26.8	13	6.3	3.3	10.8
Knox	32	9.3	6.3	13.4	22	14.9	9.3	22.7	10	5.3	2.5	10.2
Lake	339	10.5	9.4	11.7	241	15.4	13.4	17.5	98	6.0	4.9	7.4
LaSalle	72	10.8	8.4	13.7	48	15.7	11.6	20.9	24	6.7	4.3	10.2
Lawrence	11	11.3	5.5	20.7	9	19.6	8.9	37.6	2	4.7	0.6	17.8
Lee	36	17.5	12.2	24.4	22	22.7	14.1	34.6	14	12.3	6.7	21.1
Livingston	26	12.3	8.0	18.1	16	16.5	9.4	26.9	10	8.6	4.0	16.3
Logan	26	15.2	9.9	22.4	15	18.9	10.6	31.5	11	11.0	5.4	20.5
McDonough	15	9.0	5.0	15.1	9	11.8	5.4	23.0	6	6.5	2.3	15.3
McHenry	157	10.9	9.3	12.8	108	15.8	12.8	19.2	49	6.4	4.7	8.5
McLean	75	11.1	8.7	13.9	47	14.9	10.9	19.9	28	7.8	5.1	11.2
Macon	96	14.6	11.8	17.9	65	21.3	16.4	27.4	31	9.1	6.2	13.1
Macoupin	50	17.2	12.7	22.9	36	26.7	18.6	37.2	14	8.8	4.7	15.2
Madison	153	10.2	8.7	12.0	111	16.0	13.1	19.3	42	5.0	3.5	6.8
Marion	37	14.0	9.8	19.5	32	27.4	18.7	38.9	5	2.3	0.7	6.7
Marshall	9	10.0	4.5	19.9	5	12.4	4.0	30.5	4	7.5	2.0	22.7
Mason	6	5.8	2.1	13.4	3	6.2	1.3	19.6	3	5.7	1.2	18.4
Massac	8	8.2	3.4	16.8	5	11.5	3.6	28.0	3	4.8	1.0	16.4
Menard	5	5.7	1.8	14.4	4	9.5	2.6	26.8	1	2.1	0.1	15.7
Mercer	6	6.0	2.2	13.5	4	8.4	2.3	22.3	2	4.1	0.5	15.9
Monroe	15	8.1	4.6	13.6	11	12.6	6.2	23.0	4	3.9	1.0	10.6
Montgomery	18	10.1	6.0	16.2	12	14.0	7.2	24.7	6	6.9	2.5	15.7
Morgan	34	15.8	10.9	22.4	21	21.9	13.5	33.8	13	9.9	5.1	17.9
Moultrie	11	12.7	6.2	23.3	7	17.6	7.0	37.0	4	9.7	2.6	25.8
Ogle	32	10.3	7.0	14.7	25	16.6	10.7	24.8	7	4.5	1.8	9.6
Peoria	110	10.9	9.0	13.2	76	16.5	13.0	20.7	34	6.4	4.4	9.0
Perry	14	10.7	5.8	18.2	10	15.6	7.5	29.1	4	5.4	1.4	15.3
Piatt	14	13.0	7.1	22.3	13	26.4	14.0	46.1	1	1.1	0.0	10.6
Pike	11	11.6	5.7	21.2	8	16.6	7.1	33.5	3	7.7	1.5	22.6
Pope	2	6.9	0.8	30.3	2	14.1	1.7	61.4	0	0.0	0.0	41.1
Pulaski	4	9.7	2.6	26.2	3	15.6	3.2	48.7	1	4.6	0.1	29.1
Putnam	1	2.2	0.1	16.1	1	4.3	0.1	32.5	0	0.0	0.0	25.8
Randolph	28	15.0	9.9	21.8	20	22.0	13.4	34.2	8	7.5	3.2	15.7
Richland	13	13.6	7.1	23.8	11	25.6	12.7	46.4	2	3.3	0.4	14.2
Rock Island	120	13.8	11.4	16.6	78	19.5	15.4	24.4	42	9.3	6.6	12.8
St Clair	179	13.3	11.4	15.4	120	20.1	16.6	24.1	59	8.1	6.1	10.5
Saline	10	5.9	2.8	11.2	7	8.8	3.5	18.8	3	3.4	0.7	11.1
Sangamon	149	13.5	11.4	15.8	100	20.2	16.4	24.7	49	7.9	5.8	10.6
Schuyler	3	5.7	1.1	19.1	3	14.0	2.9	43.5	0	0.0	0.0	22.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	2	5.5	0.7	22.6	2	12.9	1.5	50.1	0	0.0	0.0	27.8
Shelby	17	12.7	7.2	20.8	11	16.0	7.9	29.5	6	9.5	3.2	21.9
Stark	4	9.5	2.6	26.5	4	20.9	5.5	57.6	0	0.0	0.0	25.1
Stephenson	35	12.3	8.5	17.3	24	18.0	11.5	27.1	11	7.0	3.4	13.1
Tazewell	88	11.4	9.1	14.1	57	15.6	11.8	20.3	31	7.7	5.2	11.1
Union	18	15.1	8.9	24.4	9	14.7	6.7	29.1	9	15.1	6.8	29.8
Vermilion	58	12.7	9.6	16.5	42	19.8	14.2	26.9	16	5.9	3.3	10.0
Wabash	9	12.5	5.6	24.5	8	23.1	9.7	46.9	1	2.7	0.1	16.8
Warren	9	7.8	3.5	15.5	6	12.4	4.5	27.7	3	4.8	1.0	15.7
Washington	10	10.8	5.1	20.5	5	12.6	4.1	29.9	5	10.9	3.3	26.8
Wayne	7	6.4	2.5	13.8	4	7.7	2.1	21.0	3	5.5	1.1	17.6
White	13	12.9	6.8	22.8	8	16.6	7.1	34.1	5	9.8	3.0	25.0
Whiteside	37	10.0	7.0	13.8	25	14.7	9.4	21.8	12	6.0	3.0	10.8
Will	290	10.3	9.1	11.6	212	16.2	13.9	18.7	78	5.3	4.2	6.7
Williamson	58	14.8	11.2	19.2	40	21.7	15.4	29.7	18	8.6	5.0	13.9
Winnebago	163	10.3	8.8	12.0	110	15.0	12.3	18.1	53	6.3	4.7	8.2
Woodford	20	9.7	5.9	15.2	14	14.3	7.7	24.3	6	5.5	2.0	12.4

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Whites, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	5,884	10.8	10.5	11.1	4,050	16.1	15.6	16.6	1,834	6.2	5.9	6.5
Champaign	83	11.8	9.4	14.6	49	15.3	11.3	20.3	34	8.9	6.1	12.5
Cook	1,891	10.4	9.9	10.8	1,284	15.4	14.6	16.3	607	6.0	5.5	6.5
DuPage	413	10.2	9.2	11.2	282	15.3	13.5	17.2	131	6.0	5.0	7.1
Kane	196	10.1	8.7	11.7	144	15.4	12.8	18.2	52	5.4	4.0	7.1
Kankakee	55	10.7	8.0	13.9	40	16.6	11.8	22.7	15	5.0	2.8	8.3
Lake	301	10.4	9.3	11.7	211	15.1	13.1	17.4	90	6.2	4.9	7.6
Macon	83	14.0	11.1	17.5	55	20.0	15.0	26.2	28	9.1	6.0	13.4
Madison	143	10.2	8.6	12.1	108	16.6	13.6	20.1	35	4.4	3.0	6.1
Peoria	91	10.4	8.3	12.9	60	14.9	11.3	19.3	31	6.7	4.4	9.7
Rock Island	105	13.0	10.6	15.8	70	18.6	14.5	23.6	35	8.4	5.7	11.9
St Clair	137	13.6	11.4	16.1	90	19.5	15.7	24.1	47	8.8	6.4	11.8
Sangamon	132	13.0	10.8	15.4	88	19.2	15.3	23.7	44	7.9	5.7	10.7
Vermilion	52	12.4	9.2	16.5	37	19.3	13.5	26.8	15	5.9	3.2	10.2
Will	261	10.6	9.3	12.0	187	16.3	13.9	19.0	74	5.8	4.5	7.3
Winnebago	146	10.3	8.7	12.1	100	15.1	12.2	18.4	46	6.1	4.4	8.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Blacks, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,011	11.9	11.2	12.7	731	20.6	19.1	22.2	280	5.8	5.1	6.5
Champaign	9	12.4	5.6	23.7	9	28.4	12.7	55.5	0	0.0	0.0	8.5
Cook	790	12.1	11.3	13.0	566	21.1	19.4	23.0	224	5.9	5.2	6.8
DuPage	3	3.5	0.4	11.4	2	7.0	0.5	26.1	1	0.9	0.0	8.2
Kane	12	13.5	6.1	25.3	10	28.5	10.8	59.4	2	3.0	0.4	12.6
Kankakee	13	19.7	10.5	33.6	10	34.3	16.4	63.6	3	8.1	1.7	23.3
Lake	19	10.3	6.0	16.4	16	18.1	9.9	30.5	3	3.4	0.6	9.8
Macon	12	18.5	9.4	32.4	9	33.5	14.8	64.7	3	7.9	1.6	22.6
Madison	7	9.3	3.7	19.0	1	2.4	0.1	15.5	6	13.8	5.0	29.7
Peoria	17	15.4	8.8	25.0	14	28.7	15.1	49.3	3	5.4	1.1	15.4
Rock Island	5	10.6	3.4	24.7	3	12.5	2.5	38.4	2	8.4	1.0	29.4
St Clair	40	12.3	8.8	16.8	29	22.8	14.9	33.2	11	5.7	2.8	10.2
Sangamon	14	17.7	9.4	30.0	11	36.1	15.8	68.6	3	6.2	1.3	18.1
Vermilion	5	13.7	4.4	31.6	5	27.2	8.5	64.4	0	0.0	0.0	18.4
Will	17	6.9	3.9	11.4	14	13.3	6.8	23.4	3	1.7	0.3	5.4
Winnebago	15	12.1	6.6	20.2	10	17.7	8.2	33.6	5	7.7	2.4	17.9

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Hispanics, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	289	6.3	5.5	7.1	218	9.5	8.1	11.1	71	3.1	2.4	4.0
Cook	209	6.6	5.7	7.7	155	9.8	8.1	11.6	54	3.6	2.6	4.8
DuPage	17	6.3	3.2	10.8	9	6.2	2.0	13.8	8	6.5	2.5	13.3
Kane	12	4.1	1.9	7.7	11	7.4	3.3	14.2	1	0.5	0.0	4.0
Lake	9	2.2	0.9	4.6	8	3.8	1.5	8.8	1	0.3	0.0	3.3
Will	8	4.3	1.7	8.8	8	8.7	3.3	18.4	0	0.0	0.0	3.9

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Non-Hispanics, Oral Cavity and Pharynx, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,905	11.4	11.2	11.7	4,758	17.3	16.8	17.8	2,147	6.5	6.2	6.8
Cook	2,635	11.6	11.1	12.0	1,798	17.9	17.0	18.7	837	6.5	6.1	7.0
DuPage	443	10.3	9.3	11.3	306	15.7	13.9	17.6	137	5.9	4.9	7.0
Kane	203	11.2	9.7	12.9	147	17.1	14.3	20.2	56	6.0	4.5	7.8
Lake	330	11.1	9.9	12.4	233	16.4	14.2	18.7	97	6.4	5.2	7.9
Will	282	10.7	9.5	12.1	204	16.7	14.4	19.4	78	5.7	4.5	7.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	34,513	53.9	53.3	54.5	17,415	63.9	62.9	64.9	17,098	46.5	45.8	47.2
Adams	229	50.5	44.1	57.8	108	57.1	46.7	69.1	121	45.8	37.5	55.5
Alexander	41	75.2	53.4	103.4	17	75.7	43.7	122.4	24	76.0	47.0	117.7
Bond	63	60.7	46.6	77.9	29	63.7	42.5	91.8	34	61.3	42.0	87.2
Boone	117	50.5	41.6	60.6	52	52.2	38.4	68.9	65	49.6	38.2	63.4
Brown	19	60.1	36.1	94.3	11	82.7	40.4	147.9	8	44.9	19.1	94.8
Bureau	153	65.2	55.1	76.9	72	71.6	55.9	90.6	81	60.3	47.2	76.2
Calhoun	19	47.3	28.4	76.5	11	63.1	30.9	117.9	8	36.1	15.5	78.8
Carroll	63	51.4	39.4	66.5	34	60.7	42.0	86.2	29	41.5	27.6	61.9
Cass	59	69.9	53.1	90.7	30	86.2	57.9	123.4	29	60.2	39.7	88.5
Champaign	366	47.1	42.3	52.2	209	60.1	52.1	68.9	157	35.9	30.4	42.1
Christian	145	65.4	55.1	77.3	67	71.2	55.0	90.7	78	63.0	49.4	79.6
Clark	54	47.1	35.2	62.1	26	56.7	36.9	83.6	28	37.8	24.8	56.6
Clay	64	67.0	51.4	86.2	34	82.6	57.2	116.3	30	51.8	34.4	76.4
Clinton	128	59.9	49.9	71.4	62	68.0	52.0	87.2	66	52.7	40.5	67.9
Coles	193	73.0	62.9	84.3	107	93.6	76.6	113.4	86	57.9	45.8	72.3
Cook	13,936	54.5	53.6	55.4	6,923	65.1	63.5	66.6	7,013	47.0	45.9	48.2
Crawford	115	90.4	74.5	108.9	61	109.9	83.9	141.6	54	72.8	54.2	96.7
Cumberland	45	68.0	49.4	91.7	24	84.5	53.8	126.5	21	56.1	34.4	87.7
DeKalb	236	58.3	51.0	66.3	112	63.7	52.1	76.8	124	54.5	45.2	65.1
DeWitt	57	55.6	41.9	72.6	25	57.7	37.2	85.6	32	54.8	36.7	79.4
Douglas	70	59.4	46.1	75.4	35	69.7	48.4	97.2	35	49.5	33.8	70.4
DuPage	2,001	45.8	43.8	47.9	1,037	54.8	51.4	58.4	964	38.9	36.4	41.5
Edgar	69	53.9	41.8	68.8	33	60.2	41.4	85.2	36	46.5	32.1	66.2
Edwards	27	59.4	38.8	88.1	15	70.4	39.1	119.1	12	51.2	25.5	94.2
Effingham	107	53.3	43.6	64.6	52	60.6	45.2	79.7	55	48.6	36.4	63.9
Fayette	73	55.3	43.3	69.8	40	71.9	51.1	98.4	33	44.7	30.5	64.0
Ford	63	66.5	50.6	86.2	32	84.5	57.7	119.9	31	57.0	37.3	84.3
Franklin	180	68.0	58.2	79.0	97	86.0	69.6	105.3	83	55.2	43.5	69.4
Fulton	180	73.3	62.8	85.1	91	84.2	67.7	103.6	89	63.3	50.2	79.1
Gallatin	28	63.7	41.7	94.6	15	92.6	51.5	154.6	13	49.5	24.8	92.2
Greene	53	58.4	43.6	77.1	24	60.8	38.9	91.1	29	58.6	38.7	86.1
Grundy	141	66.2	55.6	78.2	78	84.7	66.6	106.0	63	52.4	40.2	67.3
Hamilton	33	50.9	34.8	73.1	21	78.9	48.7	122.6	12	32.5	16.1	61.8
Hancock	75	54.1	42.3	68.6	39	68.7	48.6	95.0	36	42.5	29.5	60.7
Hardin	15	44.1	24.6	75.5	8	57.3	24.5	117.2	7	37.8	15.1	86.3
Henderson	29	51.7	34.5	75.9	18	70.2	41.2	114.7	11	34.7	17.3	66.7
Henry	188	57.1	49.1	66.2	96	70.2	56.7	86.0	92	47.8	38.1	59.5
Iroquois	118	56.5	46.5	68.1	63	66.7	51.2	85.8	55	48.6	35.9	64.8
Jackson	140	53.5	44.9	63.2	69	61.1	47.4	77.4	71	46.9	36.4	59.7
Jasper	23	35.8	22.6	54.5	10	33.2	15.9	62.7	13	35.7	18.7	64.0
Jefferson	163	66.3	56.4	77.5	83	78.6	62.4	97.7	80	56.5	44.5	71.0
Jersey	64	48.2	37.1	61.8	34	58.1	40.0	81.8	30	40.0	26.7	58.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	82	47.9	38.0	60.1	39	48.1	34.0	66.8	43	46.4	33.3	64.2
Johnson	46	64.8	47.3	86.9	25	73.0	46.5	108.8	21	57.2	35.3	89.2
Kane	946	51.2	47.9	54.6	458	56.1	50.7	61.8	488	47.2	43.1	51.7
Kankakee	359	61.9	55.7	68.7	191	78.1	67.2	90.2	168	49.7	42.4	57.9
Kendall	160	50.7	42.8	59.4	78	50.3	39.0	63.6	82	49.1	38.9	61.1
Knox	196	56.2	48.4	64.9	101	65.1	52.9	79.3	95	49.5	39.6	61.5
Lake	1,356	45.8	43.3	48.3	707	53.4	49.3	57.7	649	39.6	36.6	42.8
LaSalle	409	57.8	52.3	63.8	208	70.0	60.7	80.2	201	48.8	42.0	56.4
Lawrence	58	54.4	41.1	70.9	26	57.5	37.5	84.5	32	54.2	36.2	79.0
Lee	117	54.9	45.3	66.0	60	63.3	48.2	81.8	57	47.4	35.7	62.1
Livingston	133	56.7	47.3	67.5	66	67.5	52.1	86.0	67	48.9	37.6	62.9
Logan	108	61.7	50.5	74.7	72	97.6	76.2	123.1	36	34.1	23.7	48.1
McDonough	92	55.5	44.4	68.5	39	54.1	38.4	74.3	53	56.9	41.8	76.3
McHenry	651	49.5	45.7	53.6	313	53.5	47.3	60.1	338	46.5	41.6	51.8
McLean	366	53.4	48.0	59.2	174	59.7	50.9	69.4	192	48.3	41.6	55.8
Macon	393	58.9	53.1	65.1	207	72.7	63.0	83.4	186	48.8	41.9	56.7
Macoupin	193	63.1	54.3	72.8	116	86.8	71.6	104.3	77	44.0	34.4	55.8
Madison	836	55.7	52.0	59.7	405	64.0	57.8	70.6	431	50.0	45.3	55.1
Marion	156	59.9	50.7	70.4	81	72.3	57.3	90.1	75	52.0	40.4	66.2
Marshall	61	66.5	50.5	86.4	29	74.5	49.6	108.3	32	57.4	38.7	83.9
Mason	71	68.3	53.2	86.8	39	82.6	58.6	113.9	32	57.8	38.9	83.4
Massac	56	53.4	40.1	70.0	28	62.6	41.5	91.3	28	44.7	28.9	67.0
Menard	51	70.1	51.8	93.0	27	82.6	53.7	121.7	24	61.3	38.5	93.3
Mercer	53	47.5	35.5	62.7	36	71.0	49.6	99.2	17	30.4	17.6	50.0
Monroe	98	56.8	46.1	69.3	55	74.5	55.7	97.5	43	42.6	30.7	58.0
Montgomery	130	67.2	56.0	80.2	82	98.4	78.2	122.3	48	41.0	29.9	55.5
Morgan	152	67.8	57.4	79.8	74	79.7	62.3	100.4	78	60.4	47.3	76.4
Moultrie	41	43.7	31.2	59.9	22	54.2	33.9	82.7	19	37.1	22.0	59.7
Ogle	163	53.0	45.1	61.9	75	54.3	42.6	68.3	88	52.8	42.3	65.4
Peoria	528	50.8	46.5	55.3	257	59.1	52.0	66.8	271	44.2	38.9	49.9
Perry	81	60.2	47.6	75.1	39	63.1	44.8	86.6	42	54.8	38.6	76.1
Piatt	42	39.7	28.6	54.2	17	35.4	20.5	57.5	25	44.5	28.6	66.8
Pike	56	46.6	34.8	61.5	19	38.0	22.7	60.2	37	52.6	36.0	75.5
Pope	12	35.7	18.3	67.0	5	28.4	9.2	78.5	7	38.6	15.0	91.9
Pulaski	20	47.9	29.2	74.9	14	74.8	40.6	127.9	6	25.9	9.4	59.6
Putnam	27	67.1	43.9	99.5	16	78.4	44.3	131.7	11	60.5	29.9	111.3
Randolph	110	55.7	45.7	67.4	50	59.8	44.3	79.0	60	54.3	41.0	71.1
Richland	71	61.9	48.1	78.9	43	89.8	64.9	121.8	28	39.3	25.6	59.3
Rock Island	506	56.5	51.6	61.7	246	63.6	55.8	72.2	260	51.4	45.2	58.3
St Clair	748	55.4	51.5	59.6	353	64.2	57.6	71.4	395	49.5	44.7	54.7
Saline	117	66.1	54.5	79.7	68	91.9	71.2	116.9	49	46.9	34.1	63.6
Sangamon	629	57.9	53.4	62.7	321	70.3	62.7	78.6	308	49.0	43.6	55.0
Schuyler	30	57.8	38.6	84.4	10	43.3	20.7	82.3	20	70.7	41.9	114.9

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	19	53.3	31.9	84.8	8	50.7	21.7	102.9	11	56.5	27.8	105.9
Shelby	83	53.1	42.2	66.4	53	78.3	58.5	103.2	30	33.9	22.6	49.8
Stark	27	60.4	39.3	90.2	14	76.8	41.7	131.6	13	47.7	24.5	88.3
Stephenson	166	51.0	43.5	59.7	82	61.2	48.6	76.3	84	44.1	34.9	55.4
Tazewell	429	54.4	49.3	59.8	234	68.0	59.5	77.4	195	44.7	38.5	51.6
Union	61	51.7	39.3	67.1	33	64.7	44.1	92.0	28	38.8	25.2	58.1
Vermilion	290	56.3	49.9	63.2	147	67.3	56.8	79.3	143	48.4	40.6	57.4
Wabash	47	59.6	43.5	80.0	25	72.9	46.9	108.6	22	49.4	30.5	76.9
Warren	61	52.6	40.1	68.2	34	70.0	48.3	98.4	27	41.9	27.2	62.7
Washington	61	65.4	49.8	84.6	31	75.3	50.9	107.6	30	58.2	38.7	84.9
Wayne	63	53.8	41.1	69.6	34	68.3	47.1	96.3	29	43.5	28.4	65.0
White	69	64.8	49.9	83.1	41	91.2	65.0	125.1	28	40.6	26.3	61.6
Whiteside	210	54.0	46.8	62.0	111	67.3	55.2	81.2	99	43.7	35.1	53.9
Will	1,399	57.5	54.4	60.7	733	69.3	64.0	75.0	666	49.0	45.3	52.9
Williamson	223	54.0	47.1	61.7	107	58.8	48.1	71.3	116	50.4	41.4	60.9
Winnebago	752	47.8	44.4	51.4	373	54.8	49.3	60.7	379	41.9	37.7	46.4
Woodford	101	45.7	37.1	55.8	60	61.8	46.9	79.9	41	33.3	23.6	46.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Whites, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	28,481	52.3	51.7	52.9	14,412	62.0	60.9	63.0	14,069	45.0	44.3	45.8
Champaign	318	46.3	41.3	51.7	181	58.4	50.1	67.7	137	35.5	29.7	42.1
Cook	9,300	50.4	49.3	51.4	4,660	60.2	58.5	62.0	4,640	43.1	41.8	44.4
DuPage	1,833	46.5	44.3	48.7	941	55.6	52.0	59.3	892	39.5	36.9	42.3
Kane	875	50.7	47.3	54.3	422	55.5	50.0	61.4	453	46.8	42.6	51.4
Kankakee	309	60.2	53.6	67.3	166	76.0	64.7	88.7	143	47.3	39.7	55.9
Lake	1,204	45.2	42.7	47.9	612	51.4	47.3	55.9	592	40.3	37.1	43.7
Macon	359	59.5	53.3	66.1	189	73.3	63.1	84.8	170	49.3	41.9	57.8
Madison	776	54.8	51.0	58.8	377	63.1	56.8	69.9	399	49.1	44.3	54.3
Peoria	469	50.0	45.5	54.8	221	56.8	49.5	64.9	248	44.2	38.7	50.4
Rock Island	461	54.9	49.9	60.3	221	61.0	53.1	69.7	240	50.7	44.3	57.9
St Clair	557	53.1	48.8	57.8	275	63.8	56.4	71.9	282	45.5	40.2	51.3
Sangamon	582	57.7	53.0	62.6	300	70.7	62.8	79.3	282	48.2	42.7	54.4
Vermilion	265	55.3	48.8	62.6	139	68.7	57.6	81.3	126	45.7	37.9	54.9
Will	1,236	57.3	54.0	60.6	640	68.9	63.3	74.8	596	49.3	45.3	53.4
Winnebago	683	47.3	43.8	51.0	336	53.9	48.2	60.1	347	41.5	37.1	46.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Blacks, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	4,989	65.6	63.7	67.5	2,419	79.5	76.2	82.9	2,570	56.7	54.5	58.9
Champaign	38	61.3	42.5	84.9	23	105.7	60.4	167.2	15	38.0	20.9	62.9
Cook	4,014	67.2	65.1	69.4	1,919	81.7	77.9	85.6	2,095	58.2	55.7	60.7
DuPage	52	54.0	37.8	74.1	23	48.5	26.6	79.7	29	59.2	36.7	89.0
Kane	49	67.2	47.4	91.6	26	74.1	45.1	114.3	23	58.0	35.0	89.0
Kankakee	44	75.7	54.4	102.1	23	107.6	62.8	168.0	21	61.1	37.6	93.0
Lake	86	57.0	45.0	70.9	54	83.8	60.8	111.8	32	37.2	25.1	52.8
Macon	28	43.2	28.4	62.6	14	49.8	26.6	84.7	14	37.0	20.1	61.9
Madison	54	73.4	54.9	95.8	26	82.3	52.9	121.4	28	64.6	42.7	93.2
Peoria	53	58.5	43.2	76.9	34	94.2	62.3	135.0	19	35.9	21.3	55.9
Rock Island	27	61.5	39.8	90.0	16	83.9	46.7	137.5	11	43.4	21.3	78.0
St Clair	183	62.1	53.3	71.9	76	64.4	50.0	81.4	107	60.1	49.2	72.6
Sangamon	36	53.3	36.8	74.2	17	64.4	35.5	105.5	19	47.7	28.5	74.3
Vermilion	23	74.2	46.8	110.6	8	60.6	25.8	116.6	15	84.1	47.0	137.9
Will	129	64.7	52.8	78.2	69	71.0	52.9	93.0	60	57.3	42.7	74.8
Winnebago	49	42.6	31.1	56.8	24	53.7	32.5	82.2	25	37.3	23.8	55.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Hispanics, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,449	37.4	35.3	39.5	777	42.5	39.1	46.0	672	33.2	30.6	36.0
Cook	1,000	37.8	35.3	40.5	547	44.0	39.9	48.4	453	32.7	29.5	36.0
DuPage	75	38.3	29.2	48.9	38	41.5	27.8	58.9	37	35.8	24.3	50.3
Kane	73	33.9	25.2	44.3	36	37.1	23.6	54.4	37	31.6	20.8	45.3
Lake	71	30.6	22.9	39.7	36	34.1	22.2	49.3	35	27.7	18.3	39.8
Will	66	39.8	29.5	52.1	34	44.5	28.0	66.0	32	37.0	24.3	53.3

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Non-Hispanics, Colon and Rectum, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	33,064	54.9	54.3	55.5	16,638	65.4	64.4	66.4	16,426	47.2	46.5	47.9
Cook	12,936	56.4	55.5	57.4	6,376	67.7	66.1	69.4	6,560	48.5	47.4	49.8
DuPage	1,926	46.2	44.1	48.3	999	55.7	52.2	59.3	927	38.9	36.4	41.5
Kane	873	52.9	49.4	56.7	422	58.6	52.8	64.8	451	48.4	44.0	53.2
Lake	1,285	46.7	44.2	49.4	671	54.8	50.6	59.3	614	40.2	37.0	43.6
Will	1,333	58.5	55.3	61.8	699	70.9	65.4	76.8	634	49.5	45.7	53.6

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Lung and Bronchus, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	45,657	72.1	71.4	72.8	24,339	89.9	88.8	91.1	21,318	59.8	59.0	60.7
Adams	304	69.5	61.8	77.9	178	92.3	79.2	107.1	126	54.5	45.2	65.4
Alexander	75	131.7	103.3	166.2	40	170.2	121.2	233.2	35	107.3	73.9	152.5
Bond	91	89.3	71.8	109.8	53	114.4	85.4	150.1	38	70.6	49.7	98.1
Boone	166	70.5	60.0	82.2	78	76.5	59.8	96.2	88	69.3	55.5	85.6
Brown	24	74.4	47.6	111.2	12	88.3	44.1	155.7	12	67.5	34.6	123.4
Bureau	167	71.2	60.7	83.2	103	100.9	82.3	122.8	64	49.1	37.5	63.6
Calhoun	20	54.5	33.1	86.5	13	71.5	37.8	127.1	7	38.8	15.1	86.2
Carroll	80	67.3	53.1	84.6	45	82.2	59.8	111.2	35	57.3	39.5	81.7
Cass	78	98.2	77.5	123	42	115.9	83.3	157.2	36	87.6	61.0	122.4
Champaign	487	63.3	57.8	69.2	263	78.6	69.2	88.7	224	52.5	45.8	59.9
Christian	280	125.5	111.1	141.3	151	157.0	132.8	184.4	129	105.4	87.6	126.2
Clark	80	71.1	56.2	89.1	45	95.3	69.3	128.2	35	56.1	38.9	79.5
Clay	83	86.0	68.3	107.3	48	117.1	86.2	156.1	35	64.8	44.6	92.3
Clinton	150	71.7	60.7	84.3	91	98.9	79.5	121.6	59	51.6	39.2	67.1
Coles	233	85.5	74.8	97.4	129	111.6	93.1	132.8	104	67.7	55.1	82.6
Cook	17,376	68.7	67.7	69.7	9,081	85.7	83.9	87.5	8,295	57.0	55.8	58.3
Crawford	106	84.6	69.2	102.7	58	101.0	76.6	131.1	48	72.4	52.9	97.5
Cumberland	57	86.8	65.6	113.1	32	111.1	75.7	157.7	25	66.7	42.7	100.4
DeKalb	243	61.2	53.7	69.4	135	77.7	64.9	92.1	108	49.2	40.3	59.5
DeWitt	86	83.4	66.6	103.4	45	102.5	74.5	137.6	41	73.9	52.6	101.7
Douglas	85	69.3	55.3	86.1	51	102.4	76.0	135.0	34	49.7	34.0	70.7
DuPage	2,619	62.3	59.9	64.8	1,300	72.1	68.1	76.2	1,319	56.1	53.1	59.3
Edgar	86	67.6	53.9	84.1	58	110.6	83.8	143.6	28	38.2	25.0	56.8
Edwards	45	93.3	67.7	126.6	30	147.1	98.8	212.7	15	50.8	28.2	89.0
Effingham	135	69.1	57.9	81.9	79	91.5	72.3	114.2	56	52.8	39.6	69.1
Fayette	101	79.0	64.3	96.3	57	103.4	78.1	134.4	44	62.4	45.1	84.7
Ford	68	74.2	57.4	94.6	33	83.7	57.6	118.2	35	72.7	50.2	102.8
Franklin	292	108.3	96.1	121.8	170	152.3	130.1	177.4	122	80.6	66.6	97.0
Fulton	228	91.4	79.7	104.3	132	120.4	100.7	143.1	96	71.2	57.3	87.9
Gallatin	56	123.5	92.8	162.7	30	153.2	102.3	223.0	26	105.5	67.6	160.3
Greene	83	93.2	74.0	116.1	48	119.5	88.0	159.1	35	74.9	51.6	105.9
Grundy	175	82.3	70.5	95.6	97	102.1	82.4	124.9	78	68.5	54.0	85.6
Hamilton	47	79.3	58.1	106.7	26	97.9	63.9	145.4	21	67.5	41.3	106.3
Hancock	106	79.0	64.5	96.1	58	99.0	75.0	128.8	48	67.8	49.7	91.3
Hardin	34	97.0	67.0	138.3	25	153.9	98.8	233.1	9	47.8	21.7	98.8
Henderson	50	87.3	64.7	116.7	33	127.2	86.4	183.0	17	56.1	32.5	93.8
Henry	226	69.1	60.3	78.9	123	87.4	72.5	104.6	103	57.6	46.9	70.4
Iroquois	172	83.5	71.4	97.3	99	107.8	87.5	131.6	73	64.9	50.8	82.4
Jackson	173	65.5	56.0	76.1	92	80.2	64.5	98.5	81	54.1	42.7	67.6
Jasper	47	75.0	55.0	100.5	28	101.0	67.0	147.0	19	55.0	32.8	88.4
Jefferson	195	80.1	69.1	92.3	125	117.4	97.6	140.2	70	51.4	39.9	65.4
Jersey	101	76.7	62.4	93.4	61	108.0	82.3	139.3	40	53.9	38.4	74.1

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Lung and Bronchus, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	96	56.9	46.0	70.1	50	63.4	46.8	84.6	46	51.3	37.4	69.9
Johnson	72	98.6	76.9	124.8	58	175.3	132.1	227.8	14	36.3	19.4	63.7
Kane	1,192	65.8	62.0	69.7	626	78.7	72.3	85.5	566	56.8	52.1	61.8
Kankakee	459	79.1	72.0	86.7	256	103.4	90.9	117.1	203	62.2	53.9	71.5
Kendall	182	59.2	50.6	68.7	89	66.7	52.8	82.8	93	55.2	44.3	67.7
Knox	326	91.6	81.8	102.4	180	115.8	99.4	134.3	146	77.6	65.2	92.0
Lake	1,777	62.3	59.4	65.3	829	65.0	60.5	69.8	948	61.1	57.2	65.1
LaSalle	592	85.6	78.8	92.9	311	104.0	92.7	116.2	281	73.3	64.8	82.7
Lawrence	57	56.2	42.4	73.3	32	71.8	49.1	101.6	25	45.0	28.5	68.5
Lee	180	85.1	73.1	98.7	109	115.1	94.4	139.1	71	60.6	47.1	77.0
Livingston	197	88.1	76.1	101.5	111	111.6	91.7	134.6	86	69.9	55.6	86.9
Logan	141	81.5	68.5	96.3	80	107.0	84.7	133.4	61	62.6	47.6	81.1
McDonough	132	79.4	66.3	94.6	75	102.9	80.8	129.5	57	62.6	47.1	82.1
McHenry	850	65.7	61.3	70.3	432	75.3	68.1	83.1	418	58.8	53.3	64.8
McLean	458	68.6	62.4	75.2	232	82.5	72.0	94.0	226	60.2	52.6	68.7
Macon	684	100.6	93.1	108.5	379	128.9	116.1	142.7	305	80.2	71.3	90.0
Macoupin	267	86.1	76.0	97.3	150	108.0	91.4	126.9	117	70.5	58.1	85.1
Madison	1,258	84.2	79.6	89.0	673	106.1	98.2	114.6	585	69.4	63.9	75.4
Marion	238	90.3	79.0	102.8	125	111.1	92.4	132.7	113	74.3	60.9	90.2
Marshall	71	78.4	61.1	99.6	49	122.3	90.3	162.8	22	45.3	28.1	70.7
Mason	88	85.4	68.3	105.9	54	114.3	85.6	150.2	34	62.3	42.7	88.8
Massac	113	111.7	91.9	135.0	67	153.6	118.9	195.9	46	83.3	60.6	112.6
Menard	54	73.2	54.6	96.3	32	100.6	68.1	143.5	22	53.0	32.7	82.3
Mercer	69	62.5	48.5	79.7	34	68.1	47.0	96.0	35	57.9	40.1	82.0
Monroe	120	70.7	58.6	84.6	61	85.4	65.0	110.1	59	62.1	47.2	80.5
Montgomery	164	85.9	73.1	100.5	98	118.4	96.1	144.5	66	62.1	47.5	80.3
Morgan	172	80.9	69.2	94.1	95	103.8	83.9	127.2	77	66.2	52.0	83.4
Moultrie	69	75.4	58.4	96.0	38	96.5	68.2	133.0	31	62.0	41.7	89.6
Ogle	195	62.5	54.0	72.0	121	85.0	70.4	101.8	74	43.5	34.1	54.9
Peoria	873	86.8	81.1	92.9	441	103.0	93.6	113.2	432	76.9	69.7	84.7
Perry	116	85.6	70.6	102.9	61	104.5	79.8	134.5	55	76.2	56.8	100.6
Piatt	59	56.1	42.6	72.9	38	79.4	55.9	109.9	21	36.4	22.4	56.9
Pike	82	70.0	55.4	87.6	46	88.7	64.9	119.0	36	56.2	38.7	80.0
Pope	26	79.1	51.4	119.9	14	89.1	48.2	158.1	12	73.5	37.6	137.7
Pulaski	39	93.9	66.7	129.2	22	123.0	76.5	188.4	17	73.0	42.3	119.5
Putnam	37	89.5	62.8	125.0	15	80.1	44.5	135.5	22	100.4	62.6	156.2
Randolph	148	76.4	64.5	89.9	94	108.6	87.6	133.2	54	52.7	39.4	69.5
Richland	79	72.2	57.0	90.6	45	95.4	69.5	128.5	34	56.1	38.6	80.0
Rock Island	670	74.8	69.2	80.8	362	92.4	83.0	102.5	308	62.1	55.2	69.6
St Clair	1,170	87.3	82.3	92.4	622	111.5	102.8	120.7	548	71.4	65.5	77.7
Saline	173	95.8	81.8	111.7	103	137.3	111.9	166.9	70	67.1	51.7	86.3
Sangamon	900	83.5	78.1	89.2	513	113.8	104.0	124.2	387	63.3	57.1	70.0
Schuyler	32	64.8	44.1	93	20	88.1	53.8	138.3	12	43.0	21.4	80.7

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Lung and Bronchus, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	27	77.1	50.7	113.6	16	97.9	55.8	161.8	11	59.2	29.4	109.8
Shelby	109	70.4	57.8	85.4	62	90.2	69.1	116.2	47	56.5	41.3	76.3
Stark	23	51.9	32.6	79.9	13	70.6	37.3	123.5	10	40.3	19.2	79.3
Stephenson	217	68.4	59.5	78.3	108	79.3	64.9	96.0	109	62.5	51.0	76.0
Tazewell	627	79.2	73.1	85.7	375	106.7	96.1	118.1	252	58.0	51.0	65.7
Union	98	80.5	65.1	98.8	62	116.6	88.9	150.5	36	53.9	37.4	76.1
Vermilion	464	91.2	83.0	100.0	264	118.1	104.1	133.4	200	71.0	61.4	81.9
Wabash	71	87.9	68.5	111.5	45	132.1	96.2	177.5	26	56.4	36.5	84.6
Warren	79	68.9	54.4	86.5	48	97.1	71.4	129.6	31	47.7	32.0	69.2
Washington	66	72.7	56.1	93.0	43	103.5	74.8	140.0	23	47.9	30.1	73.2
Wayne	102	88.5	71.8	108.1	56	109.3	82.3	142.9	46	72.8	52.6	99.1
White	96	87.7	70.9	107.8	60	125.4	95.6	162.6	36	62.8	43.8	88.6
Whiteside	252	66.6	58.6	75.5	131	77.4	64.6	92.1	121	57.7	47.7	69.5
Will	1,808	75.3	71.7	78.9	939	89.4	83.4	95.7	869	65.7	61.3	70.3
Williamson	371	91.1	82.0	101	230	128.8	112.5	146.8	141	64.3	54	76.1
Winnebago	1,135	72.7	68.5	77.1	592	88.2	81.2	95.7	543	62.9	57.7	68.5
Woodford	125	58.3	48.4	69.7	56	58.4	44.0	76.2	69	59.7	46.0	76.3

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Whites, Lung and Bronchus, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	38,351	71.5	70.8	72.2	20,299	87.8	86.5	89.0	18,052	60.3	59.4	61.2
Champaign	414	60.1	54.4	66.2	226	74.7	65.2	85.2	188	49.3	42.4	57.0
Cook	11,705	64.8	63.6	66.0	5,970	77.9	75.9	79.9	5,735	55.8	54.3	57.3
DuPage	2,479	65.2	62.6	67.8	1,230	75.3	71.0	79.7	1,249	58.7	55.4	62.2
Kane	1,110	65.4	61.5	69.5	577	77.3	70.8	84.2	533	57.2	52.3	62.3
Kankakee	413	80.4	72.8	88.5	223	101.7	88.6	116.2	190	66.3	57.1	76.6
Lake	1,642	63.9	60.8	67.2	759	66.0	61.2	71.0	883	63.3	59.1	67.6
Macon	611	98.8	91.1	107.1	331	122.9	109.9	137.1	280	81.5	72.0	92.0
Madison	1,199	84.8	80.0	89.8	639	106.1	97.9	114.8	560	70.4	64.7	76.6
Peoria	769	85.2	79.2	91.6	387	99.9	90.2	110.5	382	76.2	68.6	84.5
Rock Island	626	74.2	68.5	80.4	344	93.1	83.5	103.6	282	60.4	53.4	68.1
St Clair	890	86.2	80.6	92.1	467	106.2	96.7	116.4	423	73.1	66.2	80.5
Sangamon	833	83.0	77.4	88.9	471	111.8	101.8	122.5	362	63.7	57.3	70.8
Vermilion	434	91.9	83.4	101.1	242	116.7	102.3	132.6	192	73.6	63.4	85.1
Will	1,631	76.2	72.5	80.1	834	89.4	83.0	96.0	797	67.6	63.0	72.6
Winnebago	1,035	72.2	67.8	76.8	534	86.3	79.1	94.1	501	63.4	57.9	69.3

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Blacks, Lung and Bronchus, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,565	85.9	83.8	88.0	3,605	118.8	114.7	122.9	2,960	65.1	62.7	67.5
Champaign	64	109.1	83.4	139.6	33	159.0	104.0	229.2	31	85.7	57.8	121.6
Cook	5,215	86.4	84.0	88.8	2,824	119.1	114.6	123.8	2,391	65.9	63.3	68.6
DuPage	51	58.1	41.1	79.2	24	78.5	44.8	124.0	27	50.1	30.9	75.8
Kane	67	104.8	78.4	136.3	44	185.6	121.7	266.2	23	59.6	36.3	91.0
Kankakee	45	72.7	52.5	97.7	33	121.5	80.8	174.3	12	35.4	18.1	61.4
Lake	91	61.8	49.2	76.3	47	77.5	54.2	106.3	44	53.1	38.3	71.4
Macon	71	118.6	92.3	149.7	47	198.5	142.6	267.5	24	69.0	44.1	102.1
Madison	57	81.7	61.6	105.9	32	117.3	78.0	167.7	25	60.3	38.7	88.8
Peoria	98	115.3	92.8	141.1	50	153.5	110.3	206.0	48	92.9	67.9	123.3
Rock Island	37	81.8	56.8	113.4	16	76.2	42.2	125.8	21	84.7	52.0	129.7
St Clair	274	92.5	81.8	104.3	154	135.9	114.3	160.0	120	67.3	55.8	80.5
Sangamon	62	99.2	75.4	127.5	39	151.1	104.8	209.2	23	62.9	39.6	93.8
Vermilion	29	89.7	59.8	128.3	21	146.3	88.9	224	8	46.0	19.8	89.4
Will	144	75.2	62.4	89.6	85	101.6	78.4	129.0	59	55.5	41.5	72.4
Winnebago	93	84.7	67.6	104.4	55	132.2	95.6	176.7	38	57.6	40.3	79.3

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Hispanics, Lung and Bronchus, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,197	34.4	32.3	36.5	663	41.2	37.8	44.7	534	28.7	26.2	31.4
Cook	799	33.0	30.6	35.6	455	40.7	36.6	45.0	344	26.7	23.8	29.9
DuPage	76	43.6	33.7	55.2	35	45.1	30.5	63.5	41	42.2	29.5	57.9
Kane	57	33.0	24.1	43.7	36	40.2	26.6	57.6	21	25.6	15.1	39.7
Lake	49	26.6	19.1	35.8	25	32.1	19.7	48.4	24	22.5	13.9	33.9
Will	46	32.9	23.3	44.6	29	43.0	27.0	63.8	17	23.7	13.3	38.1

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Non-Hispanics, Lung and Bronchus, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	44,460	74.5	73.8	75.2	23,676	93.1	91.9	94.3	20,784	61.8	60.9	62.6
Cook	16,577	72.9	71.8	74.0	8,626	91.4	89.5	93.4	7,951	60.4	59.1	61.7
DuPage	2,543	63.1	60.6	65.6	1,265	73.2	69.1	77.5	1,278	56.5	53.4	59.8
Kane	1,135	69.7	65.6	74.0	590	83.5	76.5	90.8	545	60.5	55.4	65.9
Lake	1,728	64.6	61.5	67.7	804	67.2	62.5	72.2	924	63.4	59.3	67.7
Will	1,762	77.9	74.2	81.7	910	92.4	86.1	99.0	852	68.2	63.7	73.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,990	15.6	15.3	15.9	5,559	19.7	19.2	20.2	4,431	13.1	12.7	13.4
Adams	86	22.1	17.5	27.5	48	26.5	19.5	35.3	38	18.8	13.0	26.3
Alexander	8	14.2	6.0	29.1	5	21.6	6.9	51.7	3	10.8	1.8	35.3
Bond	13	13.2	7.0	22.8	8	19.0	8.1	37.2	5	10.8	3.0	26.7
Boone	42	17.0	12.2	23.0	22	20.0	12.2	30.7	20	15.7	9.6	24.3
Brown	4	11.1	3.0	29.8	3	27.8	5.4	77.3	1	5.9	0.1	41.1
Bureau	41	18.7	13.2	25.9	26	27.1	17.5	40.2	15	13.9	7.4	23.8
Calhoun	10	31.7	14.7	60.7	5	30.3	9.5	75.4	5	38.0	11.6	91.5
Carroll	14	13.4	7.0	23.6	12	24.7	12.3	45.0	2	3.0	0.4	14.3
Cass	17	21.7	12.6	35.2	10	26.9	12.8	50.1	7	19.1	7.6	39.8
Champaign	185	23.2	19.9	26.8	96	27.6	22.3	33.8	89	21.1	16.8	26.1
Christian	34	17.1	11.7	24.1	19	19.9	11.9	31.2	15	16.1	8.7	27.2
Clark	16	16.4	9.3	27.0	14	30.7	16.7	52.0	2	5.4	0.7	18.6
Clay	18	22.4	13.0	36.0	9	25.1	11.3	48.2	9	21.5	9.6	42.1
Clinton	34	17.0	11.8	23.9	22	22.8	14.3	34.7	12	13.5	6.8	23.9
Coles	53	20.8	15.5	27.5	32	29.3	19.9	41.6	21	15.4	9.3	24.1
Cook	2,866	11.1	10.7	11.5	1,621	14.6	13.9	15.4	1,245	8.8	8.3	9.3
Crawford	16	14.2	8.0	23.5	7	12.4	5.0	26.0	9	17.4	7.5	34.4
Cumberland	9	12.9	5.8	25.4	4	15.8	4.3	40.3	5	13.9	4.3	34.5
DeKalb	58	13.9	10.5	18.0	33	17.2	11.7	24.3	25	11.9	7.7	17.5
DeWitt	24	25.4	16.1	38.2	14	31.8	17.2	53.9	10	21.0	9.6	39.9
Douglas	26	23.9	15.5	35.4	13	28.2	14.9	48.1	13	25.1	13.0	43.5
DuPage	755	16.5	15.3	17.7	411	20.2	18.2	22.3	344	14.2	12.7	15.8
Edgar	25	21.6	13.8	32.4	13	24.5	12.9	42.6	12	18.3	9.2	33.4
Edwards	6	12.1	4.4	28.6	2	10.2	1.2	40.0	4	14.6	3.9	43.4
Effingham	42	22.3	16.1	30.3	24	27.4	17.5	41.0	18	19.4	11.4	30.9
Fayette	25	20.5	13.2	30.5	18	31.4	18.6	50.0	7	10.7	4.0	23.5
Ford	19	24.8	14.5	39.6	11	31.7	15.4	57.5	8	18.7	7.3	39.2
Franklin	54	22.2	16.5	29.2	29	27.4	18.2	39.7	25	19.6	12.4	29.6
Fulton	52	22.9	17.0	30.3	31	28.4	19.2	40.6	21	20.9	12.6	32.7
Gallatin	10	25.4	11.8	48.8	9	44.3	20.0	88.4	1	8.5	0.2	42.5
Greene	15	19.6	10.8	32.8	9	25.3	11.4	48.7	6	14.0	4.9	32.1
Grundy	47	20.6	15.1	27.5	29	26.0	17.3	37.6	18	15.1	8.9	24.0
Hamilton	10	18.8	8.5	36.5	8	33.1	13.9	67.6	2	7.8	0.5	32.8
Hancock	31	27.0	18.0	39.0	15	25.1	14.0	42.4	16	29.6	16.2	49.5
Hardin	8	26.1	11.0	54.3	4	30.0	7.9	81.0	4	21.5	5.7	65.0
Henderson	5	10.8	3.4	26.8	2	7.6	0.9	32.9	3	13.8	2.6	43.3
Henry	65	22.0	16.8	28.3	32	22.2	15.1	31.6	33	22.9	15.3	32.9
Iroquois	31	16.4	11	23.7	16	17.9	10.2	29.5	15	16.0	8.7	27.4
Jackson	55	21.9	16.4	28.6	29	25.6	17.1	36.8	26	20.9	13.4	31.0
Jasper	16	28.5	16.1	47.0	5	16.8	5.5	41.0	11	40.2	19.4	74.0
Jefferson	47	20.8	15.2	27.8	32	31.3	21.4	44.4	15	13.1	7.1	22.1
Jersey	21	16.3	10.0	25.2	11	20.8	10.2	37.6	10	14.1	6.7	26.8

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	26	18.8	11.9	28.4	14	16.6	9.0	29.0	12	22.9	11.2	41.1
Johnson	16	21.8	12.4	35.9	13	37.0	19.3	64.0	3	9.8	1.9	30.3
Kane	314	15.0	13.4	16.9	162	17.0	14.3	20.0	152	13.7	11.6	16.1
Kankakee	89	15.7	12.6	19.4	49	20.6	15.1	27.3	40	13.8	9.8	18.8
Kendall	76	19.8	15.5	25.0	36	21.4	14.5	30.2	40	19.2	13.7	26.4
Knox	58	18.7	14.1	24.5	32	21.1	14.4	30.0	26	18.7	11.9	27.9
Lake	632	19.8	18.3	21.5	336	23.5	20.9	26.3	296	17.5	15.5	19.6
LaSalle	143	22.8	19.1	26.9	88	30.2	24.1	37.3	55	17.2	12.9	22.6
Lawrence	23	24.2	15.3	36.7	18	40.4	23.9	64.2	5	8.3	2.7	21.6
Lee	40	20.0	14.2	27.4	20	20.2	12.3	31.5	20	20.7	12.4	32.4
Livingston	51	23.1	17.1	30.5	34	33.9	23.4	47.5	17	15.1	8.7	24.5
Logan	28	18.0	11.9	26.1	15	20.1	11.2	33.4	13	16.9	9.0	29.1
McDonough	58	40.6	30.3	53.2	30	45.2	30.2	64.9	28	38.4	24.4	57.3
McHenry	253	17.5	15.3	19.8	134	20.3	16.9	24.3	119	15.4	12.7	18.4
McLean	203	28.0	24.3	32.2	114	36.9	30.2	44.4	89	22.2	17.8	27.5
Macon	124	20.6	17.1	24.7	63	22.2	17.0	28.6	61	21.3	16.1	27.5
Macoupin	50	17.2	12.7	22.8	31	22.4	15.2	32.0	19	13.4	7.9	21.3
Madison	238	16.7	14.6	19.0	126	19.8	16.5	23.7	112	15.2	12.5	18.3
Marion	58	24.7	18.6	32.2	35	32.8	22.7	45.8	23	19.0	11.7	29.3
Marshall	17	22.9	13.0	37.6	9	24.9	11.0	48.7	8	22.6	9.2	46.3
Mason	20	20.6	12.3	32.6	9	18.9	8.6	37.1	11	22.4	10.4	42.3
Massac	16	19.9	11.2	32.6	8	20.8	8.9	41.4	8	20.3	8.6	40.3
Menard	18	26.1	15.3	41.9	12	38.0	19.3	67.4	6	14.7	5.4	33.9
Mercer	24	24.9	15.8	37.6	17	36.8	21.2	59.8	7	14.5	5.7	30.9
Monroe	37	22.1	15.5	30.5	21	26.0	16.0	40.2	16	19.1	10.7	31.3
Montgomery	35	21.2	14.6	29.7	23	28.7	18.2	43.2	12	18.2	9.2	32.0
Morgan	35	17.5	12.0	24.5	16	18.2	10.3	29.8	19	18.6	10.9	29.8
Moultrie	15	19.8	10.9	33.0	4	10.3	2.8	27.0	11	29.8	14.4	54.1
Ogle	62	21.3	16.3	27.5	33	23.6	16.2	33.4	29	20.8	13.8	30.0
Peoria	273	28.0	24.7	31.6	145	33.1	27.9	39.1	128	25.4	21.1	30.3
Perry	19	15.1	9.0	23.8	9	14.5	6.6	27.8	10	15.3	7.1	29.3
Piatt	26	27.6	17.8	40.9	15	30.4	16.9	51.1	11	25.4	12.4	46.3
Pike	17	17.2	9.8	28.1	10	20.7	9.8	38.8	7	15.0	5.5	32.5
Pope	7	23.1	8.9	52.4	4	29.6	7.5	85.1	3	17.0	3.4	63.7
Pulaski	4	10.6	2.8	28.3	3	17.9	3.6	54.0	1	4.7	0.1	29.6
Putnam	6	17.3	6.1	39.5	3	15.3	3.1	49.5	3	18.4	3.3	57.3
Randolph	29	16.0	10.7	23.0	17	19.0	11.0	30.7	12	11.9	6.1	21.4
Richland	19	21.0	12.3	33.4	13	29.5	15.5	51.2	6	15.4	5.3	34.0
Rock Island	151	18.1	15.3	21.3	82	21.8	17.3	27.2	69	15.9	12.3	20.3
St Clair	161	12.1	10.3	14.1	97	17.3	13.9	21.1	64	8.8	6.8	11.3
Saline	32	20.0	13.4	28.7	18	25.0	14.7	40.0	14	17.5	9.2	30.5
Sangamon	199	19.1	16.5	22.0	108	22.9	18.7	27.8	91	17.0	13.6	21.0
Schuyler	5	10.9	3.3	27.5	3	13.0	2.7	41.4	2	9.3	0.7	39.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
All Races, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	9	27.6	12.3	54.3	3	19.6	4.0	60.2	6	36.8	12.9	83.8
Shelby	17	13.4	7.6	22.0	8	11.9	5.1	24.2	9	16.2	7.0	31.6
Stark	8	19.7	8.2	41.0	5	27.8	8.8	68.2	3	15.6	2.9	50.2
Stephenson	28	10.0	6.6	14.8	9	7.8	3.5	15.0	19	12.4	7.3	19.9
Tazewell	233	31.7	27.7	36.1	116	33.0	27.2	39.6	117	32.7	26.9	39.3
Union	17	16.7	9.5	27.3	11	22.2	10.9	40.5	6	12.9	4.5	28.5
Vermilion	73	16.0	12.5	20.2	34	16.6	11.4	23.3	39	16.7	11.7	23.2
Wabash	11	15.0	7.2	27.8	5	16.1	5.0	38.4	6	13.7	4.6	32.7
Warren	21	19.5	11.9	30.4	13	28.3	15.0	48.8	8	12.7	5.1	27.0
Washington	15	18.2	10.0	30.6	10	24.7	11.7	46.2	5	13.4	4.1	31.8
Wayne	16	15.4	8.6	25.6	11	23.8	11.7	43.6	5	8.7	2.7	22.1
White	6	5.6	1.9	13.3	3	6.3	1.3	20.1	3	6.2	1.1	20.0
Whiteside	64	18.1	13.8	23.2	34	20.7	14.3	29.1	30	16.8	11.1	24.4
Will	419	14.8	13.4	16.4	255	20.1	17.5	22.9	164	10.7	9.1	12.5
Williamson	75	19.9	15.6	25.1	50	29.3	21.6	38.8	25	13.8	8.8	20.6
Winnebago	293	19.3	17.1	21.6	160	23.1	19.6	27.0	133	16.5	13.8	19.6
Woodford	65	32.6	24.9	41.8	40	43.1	30.6	59.0	25	26.1	16.5	39.1

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Whites, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,293	17.5	17.1	17.8	5,204	21.7	21.1	22.3	4,089	14.8	14.4	15.3
Champaign	184	26.7	22.9	30.9	96	31.1	25.2	38.1	88	24.8	19.7	30.7
Cook	2,604	14.4	13.8	14.9	1,487	18.5	17.6	19.5	1,117	11.7	11.0	12.4
DuPage	686	17.0	15.7	18.3	374	20.7	18.6	23.0	312	14.8	13.2	16.5
Kane	279	14.5	12.8	16.4	141	16.0	13.3	19.0	138	13.6	11.4	16.2
Kankakee	85	17.2	13.7	21.3	46	21.6	15.7	29.0	39	15.8	11.2	21.8
Lake	588	20.8	19.1	22.6	314	24.6	21.8	27.6	274	18.4	16.3	20.8
Macon	124	23.7	19.6	28.5	63	24.4	18.7	31.4	61	25.6	19.3	33.2
Madison	233	17.5	15.3	19.9	124	20.6	17.1	24.7	109	16.1	13.1	19.5
Peoria	262	31.2	27.4	35.3	143	36.8	30.9	43.4	119	28.5	23.4	34.3
Rock Island	140	18.0	15.0	21.3	78	22.1	17.4	27.7	62	15.4	11.6	20.0
St Clair	147	14.9	12.6	17.6	89	20.6	16.5	25.4	58	11.3	8.5	14.7
Sangamon	191	20.2	17.4	23.4	103	23.6	19.2	28.7	88	18.5	14.8	23.0
Vermilion	69	16.6	12.8	21.1	31	16.4	11.1	23.4	38	17.8	12.4	24.8
Will	378	15.3	13.8	17.0	234	21.0	18.2	24.0	144	10.9	9.1	12.8
Winnebago	274	20.0	17.7	22.5	153	24.3	20.6	28.5	121	16.8	13.9	20.2

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Blacks, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	63	0.8	0.6	1.1	22	0.8	0.5	1.2	41	0.9	0.6	1.2
Champaign	1	1.3	0.0	7.3	0	0.0	0.0	15.1	1	2.6	0.1	13.6
Cook	43	0.7	0.5	1.0	15	0.6	0.3	1.1	28	0.8	0.5	1.1
DuPage	1	0.4	0.0	4.6	0	0.0	0.0	11.1	1	0.8	0.0	8.0
Kane	3	2.4	0.5	8.2	1	1.7	0.0	17.3	2	3.0	0.4	12.6
Kankakee	0	0.0	0.0	5.3	0	0.0	0.0	14.2	0	0.0	0.0	9.3
Lake	2	1.4	0.1	5.0	1	0.9	0.0	6.7	1	1.5	0.0	7.2
Macon	0	0.0	0.0	5.3	0	0.0	0.0	14.4	0	0.0	0.0	8.9
Madison	0	0.0	0.0	4.2	0	0.0	0.0	11.6	0	0.0	0.0	7.3
Peoria	0	0.0	0.0	3.4	0	0.0	0.0	9.1	0	0.0	0.0	5.7
Rock Island	1	1.6	0.0	10.3	0	0.0	0.0	19	1	3.2	0.1	19.5
St Clair	4	1.3	0.3	3.3	2	2.1	0.3	7.0	2	1.0	0.1	3.5
Sangamon	0	0.0	0.0	4.7	0	0.0	0.0	13.1	0	0.0	0.0	7.9
Vermilion	1	3.8	0.1	18.0	1	12.1	0.3	51.7	0	0.0	0.0	18.4
Will	2	0.6	0.1	2.6	1	0.7	0.0	5.8	1	0.6	0.0	3.9
Winnebago	0	0.0	0.0	3.0	0	0.0	0.0	8.0	0	0.0	0.0	5.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Hispanics, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	168	3.4	2.8	4.0	78	3.7	2.8	4.9	90	3.3	2.6	4.1
Cook	107	3.2	2.6	4.0	54	3.6	2.6	5.0	53	2.9	2.1	3.9
DuPage	9	4.2	1.6	8.4	2	4.4	0.5	13.4	7	5.0	1.8	11.0
Kane	14	5.0	2.3	9.1	6	4.6	1.2	11.4	8	5.6	2.0	11.9
Lake	6	2.2	0.6	5.3	3	2.9	0.3	9.4	3	1.7	0.3	5.6
Will	8	3.2	1.0	7.4	3	2.3	0.4	8.3	5	4.0	0.8	11.0

**Cancer Incidence Counts and Age-adjusted Rates by County and Sex  
Non-Hispanics, Melanoma of the Skin, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	9,822	16.8	16.5	17.2	5,481	21.1	20.5	21.7	4,341	14.1	13.7	14.5
Cook	2,759	12.4	12.0	12.9	1,567	16.4	15.6	17.2	1,192	9.9	9.3	10.4
DuPage	746	17.5	16.2	18.8	409	21.3	19.2	23.6	337	15.1	13.5	16.8
Kane	300	17.1	15.2	19.2	156	19.3	16.2	22.7	144	15.6	13.1	18.5
Lake	626	21.9	20.2	23.8	333	25.8	23.0	28.8	293	19.5	17.3	21.9
Will	411	15.8	14.3	17.5	252	21.6	18.8	24.6	159	11.3	9.6	13.2

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (invasive), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	43,312	123.9	122.7	125.1	36,233	125.2	123.9	126.5	5,649	119.4	116.3	122.6
Adams	275	125.4	110.4	141.9								
Alexander	39	123.8	87.5	171.9								
Bond	72	143.2	111.5	181.5								
Boone	163	126.0	107.3	147.1								
Brown	19	115.8	69.2	185.4								
Bureau	146	125.4	105.2	148.7								
Calhoun	17	111.1	62.1	184.6								
Carroll	68	115.1	87.8	149.1								
Cass	48	114.4	83.6	153.3								
Champaign	584	140.3	129.0	152.2	517	142.2	130.0	155.2	53	137.3	102.2	179.9
Christian	149	136.3	114.5	161.2								
Clark	62	109.1	82.9	141.7								
Clay	49	106.6	77.5	143.6								
Clinton	134	128.7	107.4	153.0								
Coles	176	125.1	106.8	145.7								
Cook	17,307	121.5	119.7	123.3	12,050	123.1	120.8	125.3	4,428	120.0	116.5	123.6
Crawford	79	123.2	96.8	155.1								
Cumberland	38	111.7	78.2	155.5								
DeKalb	265	122.5	108.1	138.2								
DeWitt	59	117.8	88.8	153.6								
Douglas	75	127.5	99.4	161.3								
DuPage	3,338	135.0	130.4	139.8	3,048	138.9	133.9	144.0	88	123.8	94.6	158.7
Edgar	83	129.5	101.9	162.8								
Edwards	27	122.7	79.0	183.3								
Effingham	139	136.5	114.3	161.8								
Fayette	72	113.1	87.8	143.7								
Ford	65	131.8	99.7	171.6								
Franklin	157	117.5	99.1	138.6								
Fulton	139	116.0	96.8	138.2								
Gallatin	26	127.0	80.5	192.1								
Greene	49	105.8	77.3	141.9								
Grundy	146	127.7	107.7	150.3								
Hamilton	27	90.4	57.9	136.3								
Hancock	63	99.8	75.5	129.9								
Hardin	19	124.1	71.8	202.6								
Henderson	26	100.3	64.1	151.4								
Henry	216	129.5	112.3	148.8								
Iroquois	101	95.8	77.3	117.8								
Jackson	162	115.4	97.8	135.2								
Jasper	28	95.5	62.6	140.2								
Jefferson	132	106.3	88.3	127.1								
Jersey	66	94.7	72.9	121.3								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (invasive), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	74	94.1	72.9	120.1								
Johnson	47	132.8	96.2	179.7								
Kane	1,445	131.2	124.4	138.3	1,339	131.7	124.6	139.1	62	122.8	91.4	161.0
Kankakee	349	112.5	100.9	125.1	301	111.1	98.7	124.7	46	123.3	89.9	164.6
Kendall	230	122.5	106.9	139.8								
Knox	211	117.9	101.8	136.0								
Lake	2,313	134.5	129.0	140.2	2,106	137.9	132.0	144.0	100	105.0	84.8	128.3
LaSalle	478	132.8	120.9	145.7								
Lawrence	53	101.7	75.1	135.3								
Lee	147	136.5	114.9	161.2								
Livingston	129	111.2	92.5	132.8								
Logan	99	108.3	87.6	132.6								
McDonough	104	126.7	102.1	155.6								
McHenry	891	116.2	108.6	124.2								
McLean	476	126.7	115.4	138.7								
Macon	487	141.8	129.2	155.5	441	146.3	132.4	161.4	42	107.7	77.4	145.5
Macoupin	172	108.7	92.6	126.8								
Madison	948	120.1	112.5	128.1	891	120.7	112.7	129.0	50	112.1	82.8	147.9
Marion	158	117.8	99.4	138.7								
Marshall	56	121.6	90.9	160.6								
Mason	73	139.7	108.8	177.5								
Massac	53	105.9	78.2	140.7								
Menard	54	140.4	104.4	185.6								
Mercer	65	118.2	90.8	152.1								
Monroe	115	126.9	104.6	152.6								
Montgomery	119	126.3	103.6	152.8								
Morgan	143	127.7	107.0	151.5								
Moultrie	59	130.3	97.8	170.5								
Ogle	166	103.8	88.5	121.2								
Peoria	697	130.1	120.4	140.4	600	127.3	117.0	138.4	85	136.4	108.2	169.3
Perry	80	118.7	93.1	149.5								
Piatt	72	135.7	105.5	172.5								
Pike	55	92.1	68.2	122.5								
Pope	18	119.3	67.4	200.5								
Pulaski	18	95.0	54.9	153.1								
Putnam	22	114.1	71.1	175.9								
Randolph	121	119.9	99.0	144.2								
Richland	62	106.5	80.1	139.5								
Rock Island	617	130.1	119.7	141.1	577	130.2	119.5	141.7	26	102.8	66.5	151.2
St Clair	955	129.4	121.3	138.0	697	128.6	119.1	138.8	241	129.8	113.9	147.3
Saline	130	144.5	119.4	173.5								
Sangamon	791	132.0	122.8	141.7	729	132.3	122.7	142.5	50	115.1	84.9	152.1
Schuyler	21	85.3	51.5	135.1								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (invasive), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	22	140.1	86.8	215								
Shelby	75	95.4	74.4	121.1								
Stark	31	134.2	89.8	195.6								
Stephenson	191	116.8	100.3	135.5								
Tazewell	491	119.9	109.4	131.2								
Union	68	110.6	85.1	141.8								
Vermilion	332	126.4	112.8	141.3	317	129.7	115.4	145.5	15	85.0	47.4	139.4
Wabash	41	99.1	69.5	137.6								
Warren	71	128.1	98.8	163.7								
Washington	54	114.2	85.0	150.6								
Wayne	59	106.7	79.8	140.3								
White	68	121.3	93.0	156.4								
Whiteside	265	134.5	118.3	152.4								
Will	1,831	122.8	117.1	128.6	1,603	123.0	117.0	129.3	179	135.5	114.8	158.6
Williamson	275	132.7	117	150.0								
Winnebago	1,000	119.9	112.5	127.7	923	122.5	114.6	130.8	65	93.0	71.4	118.9
Woodford	160	139.7	118.4	164.0								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (invasive), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,120	84.9	81.1	88.9	41,192	126.8	125.5	128.0
Cook	1,397	81.6	77.1	86.3	15,910	126.8	124.8	128.8
DuPage	144	115.3	95.7	137.5	3,194	135.9	131.2	140.8
Kane	123	74.9	60.6	91.4	1,322	137.8	130.4	145.6
Lake	102	64.7	51.2	80.5	2,211	139.9	134.0	145.9
Will	84	82.1	63.6	103.8	1,747	125.8	119.9	132.0

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (*in situ*), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	10,893	31.6	31.0	32.2	8,983	31.8	31.1	32.5	1,458	30.6	29.0	32.2
Adams	57	27.0	20.3	35.3								
Alexander	4	13.1	3.4	36.8								
Bond	9	18.3	8.3	35.5								
Boone	29	21.8	14.6	31.4								
Brown	6	52.3	18.8	114.6								
Bureau	27	22.1	14.4	32.8								
Calhoun	5	29.1	9.3	73.3								
Carroll	8	11.8	5.1	25.9								
Cass	11	26.7	13.2	48.7								
Champaign	202	48.9	42.3	56.2	171	48.2	41.2	56.1	22	55.5	34.5	84.1
Christian	39	36.2	25.5	50.2								
Clark	13	23.5	12.4	41.3								
Clay	20	49.7	29.5	78.6								
Clinton	27	27.0	17.8	39.6								
Coles	39	30.0	21.2	41.3								
Cook	4,470	31.8	30.9	32.8	3,107	32.8	31.7	34	1,128	30.2	28.4	32.0
Crawford	10	16.2	7.7	30.8								
Cumberland	8	22.1	9.1	45.8								
DeKalb	56	26.3	19.8	34.1								
DeWitt	13	23.7	12.5	41.7								
Douglas	23	36.2	22.7	55.1								
DuPage	846	34.1	31.8	36.5	744	34.1	31.7	36.7	19	27.1	14.5	45.7
Edgar	23	37.3	23.4	57.1								
Edwards	4	16.0	4.3	45.8								
Effingham	23	22.0	13.9	33.4								
Fayette	16	28.2	15.9	46.4								
Ford	16	33.5	18.9	55.9								
Franklin	28	22.7	14.9	33.4								
Fulton	19	15.7	9.2	25.4								
Gallatin	6	32.8	11.2	75.4								
Greene	11	24.0	11.9	44.2								
Grundy	14	12.1	6.6	20.4								
Hamilton	4	17.6	4.3	47.5								
Hancock	20	30.5	18.5	48.4								
Hardin	1	6.6	0.2	45.4								
Henderson	5	18.1	5.8	46.7								
Henry	47	29.7	21.7	40.0								
Iroquois	25	25.4	16.2	38.3								
Jackson	36	26.4	18.3	36.9								
Jasper	9	29.3	13.2	57.5								
Jefferson	19	16.2	9.6	25.7								
Jersey	16	23.5	13.4	38.8								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (*in situ*), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	14	18.2	9.7	32.2								
Johnson	6	17.0	5.9	39.7								
Kane	363	32.1	28.8	35.6	340	32.7	29.3	36.4	12	22.8	11.1	41.1
Kankakee	81	26.8	21.2	33.3	69	26.8	20.8	34.0	12	34.4	17.7	59.8
Kendall	81	40.4	32	50.4								
Knox	51	29.2	21.5	38.9								
Lake	819	46.5	43.3	49.8	734	47.2	43.8	50.8	33	34.0	23.1	48.0
LaSalle	86	25.0	19.9	31.0								
Lawrence	5	9.8	3.0	24.8								
Lee	26	24.8	16.1	36.8								
Livingston	25	22.9	14.7	34.1								
Logan	29	31.7	21.0	46.1								
McDonough	23	30.3	18.7	46.7								
McHenry	177	22.5	19.2	26.1								
McLean	86	22.5	18.0	27.8								
Macon	126	37.2	30.8	44.5	112	38.4	31.4	46.6	14	36.0	19.5	60.3
Macoupin	35	22.2	15.4	31.3								
Madison	228	29.3	25.6	33.4	206	28.6	24.8	32.8	17	40.6	23.4	64.8
Marion	28	22.4	14.7	33.0								
Marshall	11	25.6	12.7	47.5								
Mason	16	32.5	18.2	54.3								
Massac	8	16.9	7.2	34.3								
Menard	21	57.2	34.9	89.0								
Mercer	23	43.3	27.2	66.2								
Monroe	24	26.7	17.1	40.1								
Montgomery	32	35.2	23.8	50.4								
Morgan	27	22.9	14.9	33.9								
Moultrie	17	41.1	23.6	66.8								
Ogle	32	20.0	13.7	28.5								
Peoria	173	32.2	27.5	37.5	158	33.9	28.7	39.9	14	24.2	12.9	40.7
Perry	18	28.2	16.5	45.5								
Piatt	18	35.6	21.0	57.1								
Pike	14	27.3	14.0	48.1								
Pope	5	36.1	10.8	94.1								
Pulaski	4	18.3	5.0	49.5								
Putnam	1	4.5	0.1	32.5								
Randolph	26	26.7	17.1	39.9								
Richland	13	24.3	12.4	43.7								
Rock Island	151	33.3	28.0	39.2	133	30.8	25.6	36.6	7	28.2	11.3	57.7
St Clair	237	32.3	28.3	36.7	182	34.3	29.5	39.8	50	27.0	20.0	35.6
Saline	14	15.7	8.5	27.1								
Sangamon	252	43.5	38.2	49.3	233	44.2	38.6	50.4	14	30.6	16.6	51.2
Schuyler	1	3.6	0.1	27.4								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (*in situ*), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	11	61.9	30.7	114.1								
Shelby	12	18.0	9.2	32.2								
Stark	7	38.1	14.8	81.8								
Stephenson	32	20.2	13.7	28.9								
Tazewell	130	32.8	27.4	39.1								
Union	10	18.6	8.7	35.1								
Vermilion	111	44.2	36.2	53.5	99	42.7	34.5	52.3	12	69.0	35.5	119.5
Wabash	2	4.3	0.5	18.8								
Warren	14	26.9	14.3	46.3								
Washington	11	25.1	12.4	45.8								
Wayne	5	7.9	2.6	20.3								
White	13	25.4	12.7	45.9								
Whiteside	62	31.6	24.1	40.8								
Will	445	29.0	26.3	31.9	382	28.8	25.9	31.9	49	32.5	23.6	43.7
Williamson	56	28.2	21.2	37.0								
Winnebago	241	29.3	25.7	33.3	214	29.1	25.3	33.4	25	33.8	21.7	50.1
Woodford	40	35.2	24.9	48.5								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Female Breast (*in situ*), Illinois, 2004-2008**

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	548	21.4	19.6	23.4	10,345	32.4	31.8	33.1
Cook	359	20.3	18.2	22.6	4,111	33.4	32.4	34.4
DuPage	44	31.3	22.2	42.7	802	34.3	31.9	36.8
Kane	27	16.7	10.3	25.7	336	34.4	30.8	38.4
Lake	39	27.9	19.1	39.1	780	48.2	44.9	51.8
Will	23	20.7	12.4	32.1	422	29.6	26.8	32.6

**Cancer Incidence Counts and Age-adjusted Rates by Count  
Cervix, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,916	8.8	8.5	9.1	2,127	8.0	7.7	8.3	656	13.7	12.7	14.8
Adams	12	6.7	3.4	12								
Alexander	2	9.5	0.9	35.2								
Bond	7	15.2	5.9	32.2								
Boone	8	6.8	2.9	13.3								
Brown	1	11.7	0.3	57.1								
Bureau	5	5.8	1.8	13.6								
Calhoun	1	4.4	0.1	36.7								
Carroll	2	8.1	1.0	26.4								
Cass	10	29.9	14.1	55.1								
Champaign	36	9.3	6.5	12.8	31	9.6	6.5	13.7	5	13.8	4.4	31.5
Christian	4	4.8	1.2	12.4								
Clark	3	6.8	1.4	20.2								
Clay	3	4.8	0.9	17.3								
Clinton	2	2.6	0.3	9.1								
Coles	16	11.9	6.7	19.7								
Cook	1,407	10.2	9.7	10.7	794	8.6	8.0	9.2	543	14.7	13.5	16.0
Crawford	8	12.9	5.2	27.2								
Cumberland	1	2.9	0.1	18.2								
DeKalb	13	6.1	3.2	10.5								
DeWitt	3	6.0	1.1	19.0								
Douglas	3	6.6	1.3	19.0								
DuPage	135	5.6	4.7	6.7	111	5.4	4.4	6.5	11	12.4	5.4	24.9
Edgar	7	15.5	6.1	32.1								
Edwards	2	7.8	0.9	34.2								
Effingham	6	6.4	2.3	14.1								
Fayette	4	5.9	1.5	16.2								
Ford	6	19.6	6.8	42.6								
Franklin	15	13.1	7.1	22.2								
Fulton	13	13.8	7.0	24.3								
Gallatin	1	4.6	0.1	32.1								
Greene	6	14.2	4.9	32.5								
Grundy	12	10.4	5.3	18.2								
Hamilton	4	18.0	4.4	48.2								
Hancock	3	8.3	1.6	23.2								
Hardin	0	0.0	0.0	35.2								
Henderson	1	4.5	0.1	28.3								
Henry	8	6.2	2.5	12.5								
Iroquois	5	4.2	1.3	11.1								
Jackson	11	8.8	4.3	16.1								
Jasper	1	2.9	0.1	20.1								
Jefferson	14	13.2	7.1	22.4								
Jersey	2	3.2	0.4	12.0								

**Cancer Incidence Counts and Age-adjusted Rates by Count  
Cervix, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	4	9.3	2.4	23.4								
Johnson	0	0.0	0.0	14.1								
Kane	90	8.0	6.4	9.9	81	8.0	6.3	9.9	2	3.1	0.4	12.7
Kankakee	29	11.6	7.8	16.7	22	10.7	6.6	16.1	6	14.9	5.5	32.5
Kendall	11	5.3	2.6	9.6								
Knox	12	8.3	4.0	15.0								
Lake	108	6.2	5.1	7.5	96	6.3	5.1	7.7	4	4.4	1.1	11.1
LaSalle	29	10.4	6.9	15.1								
Lawrence	4	10.2	2.4	27.2								
Lee	8	9.1	3.9	18.2								
Livingston	9	9.4	4.2	18.0								
Logan	5	7.8	2.5	17.9								
McDonough	4	6.9	1.7	17.7								
McHenry	51	6.7	5.0	8.8								
McLean	25	6.9	4.5	10.2								
Macon	28	10.6	7.0	15.4	22	10.1	6.2	15.5	5	11.8	3.8	27.7
Macoupin	15	11.0	6.0	18.5								
Madison	62	8.8	6.7	11.3	51	8.0	6.0	10.6	8	19.6	8.3	38
Marion	12	10.0	5.0	17.9								
Marshall	4	11.9	3.1	31.5								
Mason	7	16.4	6.4	34.8								
Massac	6	13.6	4.8	30.5								
Menard	0	0.0	0.0	12.5								
Mercer	1	3.5	0.1	16.9								
Monroe	7	8.0	3.2	16.9								
Montgomery	12	16.4	8.1	29.3								
Morgan	11	10.4	5.0	19.2								
Moultrie	3	9.8	2.0	27.5								
Ogle	11	7.2	3.5	13.1								
Peoria	44	9.6	6.9	12.9	34	9.1	6.2	12.9	9	13.4	6.0	25.7
Perry	4	4.8	1.3	14.0								
Piatt	1	1.9	0.0	12.2								
Pike	6	15.1	5.3	33.3								
Pope	0	0.0	0.0	41.1								
Pulaski	1	4.6	0.1	29.1								
Putnam	0	0.0	0.0	25.8								
Randolph	10	12.7	5.8	23.8								
Richland	6	13.4	4.8	30.0								
Rock Island	42	11.2	8.0	15.2	37	10.8	7.5	15.0	1	4.0	0.1	21.8
St Clair	71	10.1	7.8	12.7	40	8.1	5.7	11.1	29	15.8	10.5	22.6
Saline	5	9.3	2.9	21.5								
Sangamon	51	9.5	7.0	12.5	42	8.9	6.4	12.1	7	15.2	6.0	31.2
Schuyler	1	5.3	0.1	31.6								

**Cancer Incidence Counts and Age-adjusted Rates by Count  
Cervix, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	1	10.7	0.3	51.2								
Shelby	4	5.0	1.3	14.4								
Stark	1	8.9	0.2	43.8								
Stephenson	9	5.4	2.4	10.9								
Tazewell	43	12.1	8.7	16.4								
Union	3	7.5	1.5	21.4								
Vermilion	17	9.0	5.2	14.5	15	8.9	4.9	14.7	2	11.2	1.3	39.0
Wabash	4	12.4	3.1	32.7								
Warren	8	18.4	7.4	37.4								
Washington	4	9.3	2.5	24.7								
Wayne	6	13.8	4.8	30.9								
White	5	12.3	3.3	31.0								
Whiteside	15	9.5	5.2	16.0								
Will	118	7.7	6.3	9.2	97	7.3	5.9	9.0	13	8.6	4.4	15.3
Williamson	13	7.4	3.8	12.8								
Winnebago	50	6.6	4.9	8.7	44	6.6	4.8	9.0	5	7.3	2.3	17.0
Woodford	2	2.4	0.3	8.4								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Cervix, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	389	13.9	12.4	15.5	2,527	8.5	8.1	8.8
Cook	258	13.5	11.8	15.4	1,149	9.8	9.2	10.4
DuPage	20	15.3	8.6	24.9	115	5.2	4.3	6.3
Kane	28	15.8	9.9	24.0	62	6.8	5.2	8.7
Lake	17	13.0	7.0	21.6	91	5.8	4.7	7.2
Will	10	7.6	3.0	15.5	108	7.8	6.4	9.4

**Cancer Incidence Counts and Age-adjusted Rates by Count  
Prostate, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	44,518	157.7	156.2	159.2	34,803	144.6	143.1	146.1	7,599	242.1	236.4	247.8
Adams	291	152.5	135.4	171.2								
Alexander	34	133.4	92.2	187.9								
Bond	59	123.7	94.0	160.0								
Boone	145	129.9	108.8	153.8								
Brown	23	164.4	102.3	248.8								
Bureau	151	148.3	125.5	174.3								
Calhoun	33	201.3	137.8	286.4								
Carroll	72	126.0	98.4	160.0								
Cass	36	97.4	68.0	135.4								
Champaign	651	187.4	173.1	202.5	567	182.4	167.6	198.2	72	270.7	207.4	346.0
Christian	143	145.8	122.7	172.0								
Clark	67	134.7	104.2	172.0								
Clay	87	208.2	166.7	257.7								
Clinton	128	137.2	114.3	163.3								
Coles	166	140.5	119.9	163.8								
Cook	18,220	166.2	163.7	168.7	11,308	142.9	140.2	145.6	5,926	244.8	238.3	251.3
Crawford	75	130.3	102.4	163.8								
Cumberland	45	145.1	105.4	195.5								
DeKalb	262	144.9	127.6	163.7								
DeWitt	59	129.8	98.6	168.2								
Douglas	81	158.8	125.9	197.7								
DuPage	3,151	159.0	153.3	164.8	2,836	160.1	154.1	166.3	108	256.7	201.0	321.7
Edgar	78	144.9	114.4	181.4								
Edwards	21	95.9	59.2	149.6								
Effingham	169	193.1	164.9	224.8								
Fayette	104	184.5	150.4	224.2								
Ford	66	164.8	127.4	210.4								
Franklin	179	154.6	132.5	179.4								
Fulton	188	170.8	147.2	197.3								
Gallatin	27	127.6	83.2	190.4								
Greene	67	166.1	128.7	211.6								
Grundy	152	158.6	133.9	186.4								
Hamilton	26	98.0	64.0	145.6								
Hancock	109	184.1	150.9	223.0								
Hardin	10	66.4	31.0	128.1								
Henderson	43	162.5	116.6	223.1								
Henry	215	149.5	130.0	171.2								
Iroquois	142	152.4	128.3	180.1								
Jackson	171	146.4	125.1	170.3								
Jasper	56	197.0	148.6	256.9								
Jefferson	189	171.5	147.7	198.2								
Jersey	92	156.8	126.0	193.1								

**Cancer Incidence Counts and Age-adjusted Rates by Count  
Prostate, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Jo Daviess	113	137.8	113.3	166.8								
Johnson	70	185.4	143.4	236.1								
Kane	1,322	151.4	142.9	160.3	1,181	144.2	135.7	153.2	85	251.6	187.1	329.1
Kankakee	474	180.9	164.8	198.3	392	169.4	152.8	187.3	67	235.3	180.0	301.8
Kendall	214	140.9	121.6	162.1								
Knox	222	139.4	121.6	159.2								
Lake	2,054	145.8	139.3	152.5	1,794	141.1	134.4	148.0	153	211.6	177.1	250.6
LaSalle	447	145.2	132.0	159.4								
Lawrence	49	107.8	79.7	142.8								
Lee	170	176.6	150.9	205.6								
Livingston	154	155.3	131.6	182.1								
Logan	122	161.6	134.0	193.2								
McDonough	119	163.9	135.7	196.5								
McHenry	913	148.2	138.3	158.6								
McLean	514	164.7	150.5	179.9								
Macon	470	156.5	142.5	171.5	407	148.5	134.4	163.9	62	237.2	179.5	306.8
Macoupin	225	159.3	139.1	181.7								
Madison	915	137.5	128.6	146.8	829	131.6	122.7	141.0	67	229.2	175.1	293.4
Marion	161	140.8	119.8	164.5								
Marshall	65	154.6	119.1	198.3								
Mason	69	144.1	112.0	183.4								
Massac	59	136.5	103.8	176.8								
Menard	50	144.8	106.7	192.7								
Mercer	77	151.9	119.6	190.9								
Monroe	123	160.8	133.2	192.6								
Montgomery	121	144.1	119.5	172.4								
Morgan	165	173.8	148.0	202.9								
Moultrie	63	153.7	118.0	197.3								
Ogle	164	113.3	96.4	132.3								
Peoria	724	161.8	150.1	174.2	597	150.0	138.1	162.6	99	240.1	189.9	298.4
Perry	91	154.0	123.8	189.4								
Piatt	77	159.9	126.0	200.8								
Pike	68	128.2	99.5	163.3								
Pope	13	84.1	44.1	152.5								
Pulaski	32	181.0	123.3	257.3								
Putnam	28	142.6	94.1	209.9								
Randolph	146	171.9	145.0	202.5								
Richland	84	174.4	139.0	216.6								
Rock Island	609	149.5	137.8	162.0	453	117.2	106.6	128.7	48	232.1	169.1	310.0
St Clair	942	161.8	151.4	172.6	624	136.7	126.1	148.0	274	229.0	201.6	258.8
Saline	106	138.8	113.5	168.3								
Sangamon	738	157.7	146.3	169.7	660	151.5	140.0	163.8	68	241.5	183.9	310.3
Schuyler	27	122.1	80.4	179.6								

**Cancer Incidence Counts and Age-adjusted Rates by Count  
Prostate, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	All Races				Whites				Blacks			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Scott	18	110.5	65.3	177.5								
Shelby	113	160.6	132.3	193.7								
Stark	20	101.8	61.8	160.4								
Stephenson	134	96.5	80.8	114.5								
Tazewell	607	167.9	154.7	181.9								
Union	62	115.9	88.4	149.5								
Vermilion	414	182.4	165.2	201.1	378	178.0	160.4	197.2	28	202.7	133.0	292.7
Wabash	30	83.7	56.4	120.5								
Warren	61	117.3	89.6	151.4								
Washington	55	127.9	96.2	167.2								
Wayne	74	144.0	112.9	181.7								
White	45	96.7	70.4	130.4								
Whiteside	208	121.5	105.5	139.4								
Will	2,001	169.2	161.5	177.3	1,638	155.0	147.2	163.1	234	240.7	206.4	278.7
Williamson	235	128.9	112.8	146.8								
Winnebago	836	122.5	114.2	131.2	735	117.0	108.6	125.9	85	194.7	151.3	245.5
Woodford	153	156.2	132.0	183.6								

**Cancer Incidence Counts and Age-adjusted Rates by County  
Prostate, Illinois, 2004-2008**

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

County	Hispanics				Non-Hispanics			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,037	119.6	114.0	125.4	42,481	160.6	159.0	162.1
Cook	1,445	121.9	115.2	128.9	16,775	172.6	170.0	175.3
DuPage	122	153.9	125.9	185.4	3,029	159.5	153.7	165.5
Kane	85	84.3	65.4	106.4	1,237	159.8	150.6	169.5
Lake	81	89.9	69.3	113.8	1,973	149.7	142.9	156.8
Will	92	140.1	109.4	175.6	1,909	171.7	163.6	180.0