State of Illinois
Pat Quinn, Governor

Illinois County Cancer Statistics Review Incidence, 2004-2008

Epidemiologic Report Series 11:03

June 2011

Illinois Department of PUBLIC HEALTH

Illinois County Cancer Statistics Review
Incidence, 2004-2008



A publication of the
Illinois Department of Public Health
Division of Epidemiologic Studies
Illinois State Cancer Registry
Springfield, Ill. 62761

June 2011

Prepared by

Kyle Garner, M.P.H.
Cancer Epidemiologist

Tiefu Shen, M.D., Ph.D.
Division Chief

Acknowledgements

This report would not have been possible without the diligent work of the Illinois State Cancer Registry staff, the personnel at the reporting facilities that diagnose or treat cancer patients throughout Illinois, and the staff members at other state central cancer registries with data exchange agreements.

This publication was supported by Cooperative Agreement Number 5U58DP000805-04 from the U.S. Centers for Disease Control and Prevention (CDC) National Cancer Prevention and Control Program. The contents are solely the responsibility of the authors and do not necessarily represent the official views of CDC.

Suggested citation

Garner K., Shen T. Illinois County Cancer Statistics Review Incidence, 2004-2008. Epidemiologic Report Series 11:03. Springfield, Ill.: Illinois Department of Public Health, June 2011.

Copyright information

All material in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

The Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), makes the cancer incidence data available as a public service. Use of these data does not constitute an endorsement of the user's opinion or conclusions by the Department and none should be inferred.

ILLINOIS COUNTY CANCER STATISTICS REVIEW
INCIDENCE, 2004 – 2008

TABLE OF CONTENTS

Overview and Technical Notes 1

SECTION I

Cancer Incidence Rates for Selected Sites by County and Sex..... I-1
- All Sites Combined..... I-2
- Oral Cavity and Pharynx..... I-7
- Colon and Rectum..... I-12
- Lung and Bronchus..... I-17
- Melanoma of the Skin..... I-22
- Female Breast (invasive)..... I-27
- Female Breast (in situ)..... I-30
- Cervix..... I-33
- Prostate..... I-36

SECTION II

Percent Distribution of Stage at Diagnosis by County..... II-1
- Oral Cavity and Pharynx..... II-2
- Colon and Rectum..... II-6
- Melanoma of the Skin..... II-10
- Female Breast..... II-14
- Cervix..... II-18
- Prostate..... II-22

SECTION III

County-specific Cancer Incidence Rates, All Races..... III-1
- Illinois..... III-2
- Adams County..... III-3

Alexander County..... III-4
Bond County..... III-5
Boone County..... III-6
Brown County..... III-7
Bureau County..... III-8
Calhoun County..... III-9
Carroll County..... III-10
Cass County..... III-11
Champaign County..... III-12
Christian County..... III-13
Clark County..... III-14
Clay County..... III-15
Clinton County..... III-16
Coles County..... III-17
Cook County..... III-18
Crawford County..... III-19
Cumberland County..... III-20
DeKalb County..... III-21
DeWitt County..... III-22
Douglas County..... III-23
DuPage County..... III-24
Edgar County..... III-25
Edwards County..... III-26
Effingham County..... III-27
Fayette County..... III-28
Ford County..... III-29
Franklin County..... III-30
Fulton County..... III-31
Gallatin County..... III-32
Greene County..... III-33
Grundy County..... III-34
Hamilton County..... III-35
Hancock County..... III-36
Hardin County..... III-37
Henderson County..... III-38
Henry County..... III-39
Iroquois County..... III-40
Jackson County..... III-41
Jasper County..... III-42
Jefferson County..... III-43
Jersey County..... III-44
Jo Daviess County..... III-45

Johnson County..... III-46
Kane County..... III-47
Kankakee County..... III-48
Kendall County..... III-49
Knox County..... III-50
Lake County..... III-51
LaSalle County..... III-52
Lawrence County..... III-53
Lee County..... III-54
Livingston County..... III-55
Logan County..... III-56
McDonough County..... III-57
McHenry County..... III-58
McLean County..... III-59
Macon County..... III-60
Macoupin County..... III-61
Madison County..... III-62
Marion County..... III-63
Marshall County..... III-64
Mason County..... III-65
Massac County..... III-66
Menard County..... III-67
Mercer County..... III-68
Monroe County..... III-69
Montgomery County..... III-70
Morgan County..... III-71
Moultrie County..... III-72
Ogle County..... III-73
Peoria County..... III-74
Perry County..... III-75
Piatt County..... III-76
Pike County..... III-77
Pope County..... III-78
Pulaski County..... III-79
Putnam County..... III-80
Randolph County..... III-81
Richland County..... III-82
Rock Island County..... III-83
St. Clair County..... III-84
Saline County..... III-85
Sangamon County..... III-86
Schuyler County..... III-87

Scott County..... III-88
Shelby County..... III-89
Stark County..... III-90
Stephenson County..... III-91
Tazewell County..... III-92
Union County..... III-93
Vermilion County..... III-94
Wabash County..... III-95
Warren County..... III-96
Washington County..... III-97
Wayne County..... III-98
White County..... III-99
Whiteside County..... III-100
Will County..... III-101
Williamson County..... III-102
Winnebago County..... III-103
Woodford County..... III-104

SECTION IV

County-specific Cancer Incidence Rates by Race..... IV-1
Whites
Illinois..... IV-2
Champaign County..... IV-3
Cook County..... IV-4
DuPage County..... IV-5
Kane County..... IV-6
Kankakee County..... IV-7
Lake County..... IV-8
Macon County..... IV-9
Madison County..... IV-10
Peoria County..... IV-11
Rock Island County..... IV-12
St. Clair County..... IV-13
Sangamon County..... IV-14
Vermilion County..... IV-15
Will County..... IV-16
Winnebago County..... IV-17

Blacks
Illinois..... IV-18
Champaign County..... IV-19

Cook County..... IV-20
DuPage County..... IV-21
Kane County..... IV-22
Kankakee County..... IV-23
Lake County..... IV-24
Macon County..... IV-25
Madison County..... IV-26
Peoria County..... IV-27
Rock Island County..... IV-28
St. Clair County..... IV-29
Sangamon County..... IV-30
Vermilion County..... IV-31
Will County..... IV-32
Winnebago County..... IV-33

SECTION V

County-specific Cancer Incidence Rates by Hispanic Ethnicity..... V-1
Hispanics
Illinois..... V-2
Cook County..... V-3
DuPage County..... V-4
Kane County..... V-5
Lake County..... V-6
Will County..... V-7

Non-Hispanics
Illinois..... V-8
Cook County..... V-9
DuPage County..... V-10
Kane County..... V-11
Lake County..... V-12
Will County..... V-13

APPENDIX A: Illinois County Population Totals, 2004-2008..... A-1

APPENDIX B: ISCR County Cancer Site Groups..... B-1

APPENDIX C: Formulas for Rates..... C-1

OVERVIEW AND TECHNICAL NOTES

ILLINOIS COUNTY CANCER STATISTICS REVIEW
INCIDENCE, 2004 – 2008

OVERVIEW

This report presents cancer incidence in Illinois' 102 counties for 2004 through 2008. The first two sections of the report include tables designed to facilitate county comparisons. County-specific tables with expanded cancer sites are included in Section III for all races. Cancer incidence data for whites and blacks are included in Section IV for 15 counties including Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, Sangamon, St. Clair, Vermilion, Will and Winnebago; these counties have sufficiently large black populations to allow meaningful statistics for the race group. Cancer incidence for Hispanics (of any race) and non-Hispanics (of any race) are included in Section V for five counties (Cook, DuPage, Kane, Lake and Will) that have sufficiently large Hispanic populations to allow meaningful statistics for the ethnicity group. Details for each section follow.

Section I. Tables containing five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals are presented for all sites combined, oral cavity and pharynx, colon and rectum, lung and bronchus, and melanoma of the skin by sex, race, and Hispanic ethnicity (selected counties) and for female breast invasive and *in situ*, cervix and prostate by race and Hispanic ethnicity (selected counties). These sites were chosen based on two considerations: 1) the need to facilitate evaluation of various cancer prevention and control programs, and 2) the sufficient number of cases to allow meaningful presentation of rates.

Section II. Stage at diagnosis of cancer for counties is expressed as percentage localized, regional, distant and unstaged for cancers of the oral cavity and pharynx (both sexes), colon and rectum (both sexes), melanoma and the skin (both sexes), and for invasive cervix and prostate. Female breast cancer incidence data are displayed with *in situ* stage in addition to localized, regional, distant and unstaged stage categories. Data by race and Hispanic ethnicity are available for the selected counties.

Section III. In separate tables for each of the state's counties, cancer incidence data are presented for all sites combined, the sites in Sections I-II, as well as additional cancer sites included in the county-level public data set for 2004 – 2008. Since the incidence for female breast cancer *in situ* is highly correlated with mammography screening usage, it also is reported in the section. All tables in the section contain five-year aggregate incidence counts, average annual age-adjusted rates, and lower and upper 95 percent confidence intervals for each cancer site by sex category for all races.

Section IV. For the 15 above-mentioned counties with sufficiently large black populations, tables in the same format as Section III are presented for whites and blacks.

Section V. For the five above-mentioned counties with sufficiently large Hispanic populations, tables in the same format as Section III are presented for Hispanics (of any race) and non-Hispanics (of any race).

TECHNICAL NOTES

Data Sources

Cancer Incidence

Cancer incidence data are from the Illinois Department of Public Health, Illinois State Cancer Registry (ISCR), the only source of population-based cancer incidence data for the state. Identification of cancer cases in the ISCR is dependent upon reporting by hospitals, free-standing clinics, radiation treatment facilities, laboratories and physician offices as mandated by state law. All newly diagnosed cancer cases among Illinois residents are reported to ISCR by these reporting sources. In addition, ISCR has agreements with other central registries to send back Illinois cancer data that are identified outside of the state. These registries include Arkansas, California, Florida, Indiana, Iowa, Kentucky, Michigan, Mississippi (through August of 2004), Missouri, North Carolina, Washington, Wisconsin, Wyoming (through February 2008), and the Mayo Clinic in Minnesota (through October 2005).

Completeness of out-of-state reporting depends upon the years of operation of these other central registries, the extent of their identification of out-of-state residents, and their standards of quality.[1] For data used in this publication, 5.2 percent of ISCR cases were reported from out-of-state agencies and organizations. However, three states did not report all cancer case among Illinois residents diagnosed in 2008. This had little impact on the overall cancer incidence rate for Illinois but the rates among some rural counties along the border of Illinois may be affected.

A death certificate clearance process has been employed since August 1993. The process involves follow back of cancer deaths in an effort to identify the cases that are not reported to ISCR. On average, between 2004 and 2008, 1.7 percent of reported cases were identified from death certificate clearance.

The preparation and release of data used for this report is dependent on the completion of annual reporting by Illinois facilities. Although case reporting is mandated within six months of diagnosis, it has been the ISCR policy to keep database files open for late reporting of cases and to allow for the two- to four-year lag in case identification of Illinois residents from other state central cancer registries. This practice is consistent with data published nationally. For this report, the database files reflect the status of ISCR as November 2010.

Population Estimates

The population estimates of the sex- and race-specific as well as sex- and ethnicity/race-specific groups in five-year age categories were used as denominators in the formulation of rates. These population estimates of Illinois and Illinois counties for all races, whites, blacks,

and Asian/other races from 1986 through 2008 and for Hispanics and non-Hispanics for 1990 through 2008 were obtained from the Surveillance, Epidemiology and End Results program based on United States Bureau of Census population estimates.

The U.S. Census Bureau revised their population estimation methodology for Vintage 2009. The Vintage 2009 population estimates used in this report incorporate four improvements in methodology: 1) changes in the estimation of net internal migration, 2) changes in the estimation of the distribution of deaths to people aged 70 and older by age, sex, race, and Hispanic origin, 3) changes in the estimation of domestic migration of the population 65 years and older, and 4) changes in the estimation of the age distribution of migrations to and from counties. These changes are in addition to changes made in Vintage 2008 and Vintage 2007. The net impact of these changes was a downward shift in the latest post-censal population estimates covering 2000 through 2009. In general, this shift caused a small upswing in rates. These population estimates are displayed in Appendix A. The methodology for these estimates is available at the following website: http://www.seer.cancer.gov/popdata/methods.html.

Illinois population estimates from Vintage 2008 data for 2003 through 2007 were compared to those produced using the Vintage 2009 data for the same time period. Use of new methods in the Vintage 2009 file resulted in a 0.2 percent decrease in Illinois' total population. The new methods resulted in total population changes ranging from -0.5 percent to +0.3 percent among individual Illinois counties. The new Vintage 2009 methods put Illinois' cancer rate 0.8 percent higher than what was calculated previously using Vintage 2008. Differences in incidence rates may not solely be the result of changes in population estimates. Changes in rates also could be attributable to the addition of cases reported late.

Definitions

Cancer Incidence Sites

All cases diagnosed during 2004 through 2008 were reported with *The International Classification of Diseases for Oncology* version 3 (ICD-O-3) codes.[2] Cancer sites in this report were grouped according to site group definitions established by the SEER program of the National Cancer Institute (NCI)[3] and also are used by the North American Association of Central Cancer Registries (NAACCR). These standardized classification schemes allow direct comparisons of Illinois data with international, national and state publications.[3-5] The ISCR cancer site groups used in the county tables are listed in Appendix B.

Beginning with the 1998-2002 report and continuing through this year's report, both Kaposi sarcoma and mesothelioma were classified as separate site groups. Compared to using the previous site grouping method, this change has a slight impact on cancer incidence rates for a few specific cancers. However, due to small numbers of cases at the county level, these two sites are not shown in this report.

When comparing this report to the ones published before the 2001-2005 county report, it should be noted that several cancers that previously were not coded as malignant in ICD-O-2 (used in diagnoses prior to 2001) are coded as malignant in ICD-O-3 (beginning with 2001 diagnoses). For example, Myolodysplastic syndrome (MDS) and chronic myeloproliferative disease (CMPD) are considered malignant cancer in ICD-O-3, so are papillary ependymomas and papillary meningiomas which, according to ICD-O-3, are included in the "Brain and Other Nervous System" and "All Sites" categories. Some endometrial tumors also are classified as malignant in ICD-O-3. Conversely, some low malignant potential tumors of the ovary and pilocytic astrocytomas are no longer coded as malignant in ICD-O-3. Overall, these changes would have a slight impact on incidence of a specific cancer site; however, it might result in a noticeable increase in cancer incidence rates for "all sites" or for "all other sites."

Counts and rates were calculated only for invasive cancers with the exception of carcinoma *in situ* occurring in the urinary bladder. Counts and rates for carcinoma *in situ* of the breast are displayed separately in tables but were not included in the calculation of counts or incidence rates for all sites combined.

Incidence Rates

Rates are expressed per 100,000 population and are age-adjusted by the direct method to the 2000 U.S. standard million population. The SEER*Stat® software package, developed by Information Management Services Inc. for the NCI, was used to calculate average annual age-adjusted cancer incidence rates for 2004 – 2008.[6] Rates are rounded to the nearest tenth and very small rates (e.g., 0.04) are shown as 0.0. Rates are presented with the lower and upper confidence intervals computed at the 95 percent level using Tiwari method.[7] The formulas for rate calculations are displayed in Appendix C.

Race Categories

The race-specific categories in this report are all races for Illinois and all 102 counties. Data for whites and blacks are presented for Illinois and 15 counties (Champaign, Cook, DuPage, Kane, Kankakee, Lake, Macon, Madison, Peoria, Rock Island, St. Clair, Sangamon, Vermilion, Will and Winnebago) with sufficient black population estimates and annual cancer incidence for blacks to allow meaningful statistics. Cases reported as "other" or "unknown" race are included in the "all races" category.

To improve the identification and surveillance of American Indians and Alaska Natives diagnosed with cancer and to be consistent with the national data, cancer incidence data since 1995 were linked to the Indian Health Service (IHS), which provides medical services to an estimated 55 percent of the American Indian/Alaska Native population.[8] If a race code in the ISCR database is white, black, other, or unknown and the IHS link is positive, then the race code is re-categorized to American Indian/Alaskan Native, otherwise the race code stays unchanged. This practice has minimal impact on the incidence rates for whites or blacks due to the small number of cases affected.

Hispanic Ethnicity Categories

Through the use of the NAACCR Hispanic identification algorithm (NHIA) improvements have been made in classifying cases as Hispanic or Latino for diagnosis years 1990 through 2008.[9] NHIA is a generally reliable method to enhance the ethnic identification of the Latino population in the United States.[10] Cases that meet certain criteria around race and birthplace, and who are also identified as non-Hispanic, Hispanic Not Otherwise Specified, Spanish Surname only, and Unknown Ethnicity are examined. Through the use of race, birthplace, last name, first name and maiden name NHIA assigns a more specific and sometimes different ethnicity to these cases.

The Hispanic ethnicity-specific categories are presented in this report for Illinois and five counties (Cook, DuPage, Kane, Lake and Will) with sufficient Hispanic population estimates and annual cancer incidence for Hispanics to allow meaningful statistics. To be consistent with national data, cases reported as "unknown" ethnicity are included in the non-Hispanic category.[3-5]

Quality Control

Ongoing quality control procedures are integral components of ISCR operations that assure high quality cancer incidence data.[11] In 1997, NAACCR developed a certification process that reviews registry data for completeness, accuracy and timeliness of reporting (starting with cases diagnosed in 1995). ISCR has submitted data each year to the NAACCR for registry certification. Based on the certification criteria shown in the following table, ISCR has been awarded gold certification for diagnosis years 1996-2008. The table below shows the criteria used for silver and gold certification.

Completeness (NAACCR Method)	Pass EDITS	DCO	Timeliness	Unresolved Duplicate	Missing Data Fields				Certification Status
					Sex	Age	County	Race	
≥ 90%	≥ 97%	≤ 5%	Within 23 months	≤ 2/1000	≤ 3%	≤ 3%	≤ 3%	≤ 5%	SILVER
≥ 95%	100%	≤ 3%	Within 23 months	≤ 1/1000	≤ 2%	≤ 2%	≤ 2%	≤ 3%	GOLD

Constantly updating registry data is a standard operation in ISCR. As of November 2010, ISCR quality control data for the diagnosis years considered in this report (2004 – 2008) are as follows:

Year	Completeness (NAACCR Method- As of 11-10)	Pass EDITS	DCO	Unresolved Duplicate Per 1,000 (2004-2008)	Missing Data Fields			
					Sex	Age	County	Race
2004-2008	100%	100%	1.7%	0.88	0.0%	0.0%	0.0%	1.1%

Data Interpretation

Observed differences in cancer incidence among counties may be real, reflecting differences in risk factor modifications or consequences of screening and early detection programs within the county. However, county cancer incidence differences also could be the result of other factors. Any conclusions should be made only after carefully considering the following factors that influence the average annual age-adjusted cancer incidence rates:

- Aggregate cancer case counts for 2004 – 2008 produce more stable age-adjusted cancer incidence rates than those calculated for an individual year. Counties with smaller populations and smaller numbers of cancer incidence cases will still have less stable age-adjusted rates than larger counties or the entire state. Where the number of cases is less than or equal to 16, the relative standard error for the rate in these instances is equal to or exceeds 25 percent. At this level, interpretation of the rate is limited by excessive uncertainty and these rates should be evaluated cautiously.

- The 95 percent confidence intervals are included with reported rates to help put the rate in perspective and to facilitate county comparisons. Observed differences may not be statistically significant. The range between the lower confidence interval and the upper confidence interval defines with 95 percent probability where the "true" rate for the county or the state may fall. The comparison of two sets of confidence intervals is approximately equivalent to statistical significance tests for differences between two county rates and is more conservative than the standard significance test when the null hypothesis is true.[12]

- Population estimates used for denominators may lack precision. These data are estimates based on demographic characteristics of the population rather than actual counts. Incidence rates produced using these population estimates would be expected to exhibit more error than those calculated using 1990 or 2000 census population counts. Also, please keep in mind that when comparing this report to earlier versions the methods for developing the population estimates have changed and denominator data will lack comparability. Ensuring the same estimate methods (e.g. Vintage 2009) are being used across the time period being examined accounts for this issue.

- Due to the fact that some out-of-state data exchange is incomplete for 2008, rates for some border counties in Illinois should be interpreted with caution. This depends upon the percent of a county's cases that are reported through out-of-state data exchanges. Any changes in these rates as compared with earlier years should be evaluated cautiously.

REFERENCES

1. Lehnherr M, Havener LA. Assessment of interstate exchange of cancer data, 1986 – 1998. ISCR Quality Control Series 02:1. Springfield, Ill.: Illinois Department of Public Health, January 2002.

2. Fritz A, Percy C, Jack A, Shanmugaratnam K, Sobin L, Parkin DM, Whelan S (eds). International Classification of Diseases for Oncology. 3rd edition. Geneva: World Health Organization, 2000.

3. Howlader N, Noone AM, Krapcho M, Neyman N, Aminou R, Waldron W, Altekruse SF, Kosary CL, Ruhl J, Tatalovich Z, Cho H, Mariotto A, Eisner MP, Lewis DR, Chen HS, Feuer EJ, Cronin KA, Edwards BK (eds). SEER Cancer Statistics Review, 1975-2008, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2008/, based on November 2010 SEER data submission, posted to the SEER web site, 2011.

4. Copeland G, Lake A, Firth R, et al (eds). Cancer in North America: 2004-2008. *Volume One: Combined Cancer Incidence for the United States and Canada*. Springfield, IL: North American Association of Central Cancer Registries, Inc. May 2011.

5. Copeland G, Lake A, Firth R, et al (eds). Cancer in North America: 2004-2008. *Volume Two: Registry-specific Cancer Incidence in the United States and Canada*. Springfield, IL: North American Association of Central Cancer Registries, Inc. May 2011.

6. Surveillance Research Program, National Cancer Institute SEER*Stat software (seer.cancer.gov/seerstat) version 7.0.4, April 11, 2011.

7. Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. Stat Methods Med Res 2006;15(6):547-569.

8. Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. Cancer 2008; 113(5 Suppl):1120-1130.

9. NAACCR Expert Panel in Hispanic Identification. *Report of the Expert Panel on Hispanic Identification 2003.* Springfield, IL: North American Association of Central Cancer Registries, October 2003.

10. Howe HL. *Evaluation of NHIA Submission for 1997-2001.* Springfield, IL: North American Association of Central Cancer Registries, October 2004.

11. Hofferkamp, J (Ed). Standards for Cancer Registries Volume III: Standards for Completeness, Quality, Analysis, Management, Security and Confidentiality of Data. Springfield (Ill.): North American Association of Central Cancer Registries, August 2008.

12. Schenke N, Gentleman JF. On judging the significance of differences by examining the overlap between confidence intervals. The American Statistician 2001;55:182-1.

SECTION I

Cancer Incidence Rates for Selected Sites by County and Sex
Illinois, 2004-2008

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	313,965	490.4	488.7	492.1	160,250	577.0	574.2	579.9	153,715	433.8	431.6	436
Adams	2,013	472.5	451.6	494.2	1,049	557.1	523.6	592.2	964	417.0	389.8	445.7
Alexander	297	535.6	475.4	601.8	157	667.3	566.0	782.1	140	449.4	374.9	535.5
Bond	521	515.1	471.5	561.7	271	582.3	514.3	656.9	250	488.8	428.4	555.7
Boone	1,152	479.3	451.6	508.2	574	536.4	491.6	584.1	578	448.8	412.7	487.2
Brown	171	528.3	451.6	614.5	103	698.5	564.5	853.7	68	406.4	313.5	521.1
Bureau	1,135	504.6	475.0	535.7	616	614.4	566.4	665.6	519	430.1	392.2	471.0
Calhoun	179	507.3	434.1	590.5	104	615.0	500.5	750.1	75	433.8	337.0	552.0
Carroll	542	470.7	430.5	514.0	306	563.3	500.8	632.3	236	394.3	342.3	452.9
Cass	398	497.3	449.2	549.4	207	579.9	502.9	665.4	191	457.5	393.3	529.6
Champaign	3,951	506.3	490.5	522.4	2,048	592.5	566.7	619.1	1,903	447.9	427.7	468.8
Christian	1,252	573.0	541.3	606.2	681	710.5	657.7	766.4	571	490.5	449.5	534.6
Clark	497	460.9	420.6	504.4	275	582.4	515.0	656.5	222	383.5	332.6	440.5
Clay	500	546.5	498.7	598.0	286	706.9	626.8	795.0	214	430.8	372.4	496.5
Clinton	1,005	486.9	457.2	518.2	541	586.6	537.9	638.5	464	420.8	382.5	462.2
Coles	1,397	526.5	498.8	555.4	707	611.7	567.0	659.1	690	475.6	439.4	514.0
Cook	124,191	484.4	481.7	487.1	62,494	574.7	570.1	579.3	61,697	426.2	422.8	429.6
Crawford	639	517.0	477.3	559.3	339	598.0	535.7	665.7	300	460.3	407.9	518.2
Cumberland	349	522.2	468.1	581.1	182	622.6	534.4	721.6	167	464.5	394.8	543.7
DeKalb	1,956	479.4	458.2	501.3	986	547.9	513.5	584.0	970	438.7	411.2	467.5
DeWitt	496	492.4	449.5	538.5	250	558.5	490.8	633.1	246	454	397.2	517.2
Douglas	593	508.0	467.4	551.3	323	648.1	578.9	723.5	270	426.9	375.5	483.6
DuPage	21,044	476.9	470.3	483.5	10,364	537.7	527.1	548.6	10,680	437.8	429.4	446.4
Edgar	603	490.2	451.0	532.0	302	569.5	506.6	638.2	301	439.2	388.4	495.3
Edwards	216	482.5	418.7	553.9	122	606.5	502.2	727.4	94	396.8	317.1	492.1
Effingham	985	502.2	471.1	534.9	530	612.2	560.8	667.0	455	430.4	390.9	473.0
Fayette	629	495.4	457.2	536.1	348	625.4	560.7	695.7	281	414.5	366.0	468.0
Ford	509	564.9	515.5	617.9	270	693.7	612.9	782.6	239	487.1	423.4	558.2
Franklin	1,463	560.4	531.4	590.6	779	691.7	643.4	742.8	684	480.3	443.4	519.6
Fulton	1,307	543.2	513.7	574.2	725	666.8	618.9	717.5	582	457.4	419.1	498.4
Gallatin	236	565.2	493.0	645.9	129	683.5	567.3	818.2	107	479.5	388.0	587.9
Greene	470	529.1	481.5	580.4	247	628.6	552.2	713.0	223	463.2	402.1	531.7
Grundy	1,192	555.1	523.7	587.8	651	673.4	621.5	728.3	541	465.3	426.6	506.5
Hamilton	253	435.6	382.4	495.0	140	537.6	451.6	636.6	113	368.3	300.3	448.5
Hancock	642	497.3	458.5	538.8	354	614.1	551.1	682.8	288	428.3	377.5	484.6
Hardin	142	431.3	361.8	511.7	85	567.8	451.3	708.0	57	322.1	240.9	426.0
Henderson	254	465.5	409.1	528.4	155	619.5	523.1	730.3	99	358.3	288.7	441.6
Henry	1,563	490.1	465.7	515.5	819	584.7	544.9	626.7	744	434.0	402.1	467.9
Iroquois	984	489.6	458.8	522.1	523	572.3	524.0	624.2	461	431.7	391.3	475.5
Jackson	1,221	465.9	439.8	493.1	628	544.2	502.0	588.9	593	414.1	380.4	450.1
Jasper	287	470.6	417.1	529.6	156	551.4	467.8	646.3	131	420.9	349.6	503.3
Jefferson	1,197	496.6	468.5	525.9	674	628.8	581.8	678.8	523	403.8	368.8	441.5
Jersey	611	468.4	431.8	507.5	314	549.5	489.5	614.9	297	414.7	368.0	466.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	688	426.6	394.2	461.2	381	480.6	432.9	532.8	307	389.7	344.2	440.0
Johnson	417	559.2	506.1	616.5	263	733.5	645.0	830.7	154	431.3	363.5	508.9
Kane	9,376	481.6	471.6	491.7	4,668	547.9	531.2	565.0	4,708	440.6	427.9	453.6
Kankakee	2,946	510.1	491.7	528.9	1,634	653.2	621.3	686.3	1,312	412.1	389.8	435.4
Kendall	1,643	490.9	466.5	516.1	794	537.2	497.9	578.6	849	462.4	431.1	495.3
Knox	1,673	487.3	463.7	511.9	872	568.3	530.8	607.8	801	438.1	406.7	471.4
Lake	14,781	484.9	476.9	493.0	7,399	542.6	529.7	555.7	7,382	445.7	435.5	456.2
LaSalle	3,624	534.2	516.8	552.1	1,896	632.8	604.5	662.1	1,728	467.0	444.6	490.3
Lawrence	419	410.8	371.8	453.1	215	475.9	414.3	544.3	204	371.0	319.1	429.6
Lee	1,123	536.7	505.5	569.4	598	628.4	578.7	681.4	525	472.1	431.6	515.6
Livingston	1,154	517.0	487.2	548.2	617	623.6	575.1	675.2	537	438.5	401.1	478.7
Logan	883	515.9	482.1	551.5	481	642.3	585.8	702.9	402	427.9	385.9	473.6
McDonough	856	532.6	496.4	570.8	440	617.4	560.5	678.6	416	487.5	438.6	540.6
McHenry	6,428	470.3	458.6	482.2	3,205	526.3	507.3	545.8	3,223	432.7	417.7	448.1
McLean	3,484	502.7	486.0	519.9	1,745	578.6	551.1	607.1	1,739	452.9	431.6	475.0
Macon	3,764	569.9	551.5	588.7	1,939	665.0	635.4	695.7	1,825	513.1	489.1	538.0
Macoupin	1,577	516.2	490.6	542.8	882	641.3	599.4	685.5	695	424.0	392.1	458.1
Madison	7,267	490.6	479.3	502.1	3,672	569.3	550.8	588.3	3,595	440.8	426.3	455.7
Marion	1,342	525.6	497.3	555.2	708	635.9	589.5	685.0	634	448.4	412.6	486.6
Marshall	441	496.8	450.5	546.9	233	582.5	509.3	664.0	208	433.6	374.0	501.1
Mason	534	529.4	484.6	577.5	280	602.6	533.3	678.9	254	484.9	424.9	551.5
Massac	481	488.0	444.5	534.9	254	593.8	522.5	672.5	227	421.0	365.7	482.9
Menard	390	531.3	478.9	588.1	214	653.0	566.3	749.4	176	439.1	374.8	512.0
Mercer	508	477.7	436.3	522.3	277	559.1	494.4	630.3	231	420.3	366.1	480.8
Monroe	826	482.4	449.9	516.6	426	569.4	515.4	627.5	400	428.3	386.8	473.2
Montgomery	978	524.7	491.7	559.4	543	653.7	599.7	711.4	435	440.1	397.6	486.3
Morgan	1,137	528.8	498.0	561.0	593	635.1	584.4	689.1	544	463.9	424.3	506.5
Moultrie	457	509.7	463.0	560.1	233	583.0	510.0	663.7	224	473.9	411.2	544.0
Ogle	1,339	435.9	412.7	460.2	707	499.8	463.3	538.6	632	389.7	359.5	421.8
Peoria	5,356	535.0	520.6	549.7	2,684	617.9	594.5	642.0	2,672	482.2	463.7	501.4
Perry	648	486.8	449.7	526.3	347	579.5	519.7	644.3	301	427.8	378.8	481.7
Piatt	480	465.1	423.9	509.5	266	563.7	497.2	636.9	214	392.8	340.5	451.3
Pike	484	426.9	388.4	468.4	242	472.6	414.3	537.1	242	405.7	353.0	464.7
Pope	107	337.8	275.1	413.0	56	365.8	274.0	483.5	51	310.6	227.7	419.4
Pulaski	194	491.7	423.8	567.8	116	659.7	543.3	794.4	78	373.4	292.9	469.9
Putnam	209	527.8	457.5	606.8	112	585.7	480.4	709.1	97	488.4	393.5	601.2
Randolph	950	493.4	462.3	526.2	506	589.5	538.8	643.7	444	434.6	393.5	479.1
Richland	553	525.3	481.2	572.5	310	672.9	599.4	753.3	243	421.0	366.9	481.5
Rock Island	4,422	504.3	489.4	519.6	2,259	577.8	554.0	602.4	2,163	455.2	435.7	475.5
St Clair	6,789	505.3	493.3	517.5	3,452	611.2	590.6	632.2	3,337	439.7	424.7	455.0
Saline	870	504.3	470.5	540	451	605.5	550.5	664.7	419	444.5	400.6	492.3
Sangamon	5,715	529.5	515.7	543.6	2,945	641.0	617.7	665.1	2,770	460.2	442.9	478.0
Schuyler	203	422.7	365.1	487.6	106	483.7	395.4	587.1	97	373.8	298.9	463.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	154	466.2	394.2	548.2	79	509.1	401.9	637.5	75	445.8	348.0	563.9
Shelby	715	484.3	448.6	522.2	401	588.7	531.9	650.1	314	409.4	363.1	460.4
Stark	196	471.3	405.4	545.8	85	465.1	370.1	578.5	111	499.9	405.3	611.7
Stephenson	1,254	405.2	382.8	428.8	617	459.5	423.6	497.7	637	372.6	343.2	404.1
Tazewell	4,125	533.3	517.0	550.0	2,200	626.3	600.2	653.3	1,925	470.0	448.8	491.9
Union	539	456.5	417.9	497.9	284	544.9	482.3	613.8	255	400.6	350.9	455.8
Vermilion	2,591	522.1	502.0	542.9	1,370	618.6	586.0	652.6	1,221	457.0	431.0	484.3
Wabash	353	451.0	404.2	502.1	193	566.2	488.4	653.3	160	369.0	311.4	435.0
Warren	488	442.0	402.8	484.3	259	528.2	465.1	597.8	229	385.9	335.5	442.2
Washington	441	483.7	439.1	532.0	237	571.4	500.4	649.9	204	426.5	368.5	491.7
Wayne	520	464.1	424.0	507.2	272	544.7	481.1	614.7	248	419.1	365.7	478.7
White	479	458.4	416.9	503.2	255	551.6	485.2	625.1	224	395.3	341.8	455.5
Whiteside	1,750	468.9	446.9	491.8	864	516.7	482.6	552.7	886	435.9	406.7	466.9
Will	13,363	516.9	507.8	526.0	6,981	616.8	601.3	632.5	6,382	448.4	437.3	459.8
Williamson	2,075	520.7	498.3	543.9	1,117	629.5	592.7	668.1	958	444.2	415.7	474.2
Winnebago	7,300	469.3	458.5	480.2	3,658	537.1	519.6	555.1	3,642	427.5	413.6	441.8
Woodford	1,064	498.5	468.4	530.0	543	566.4	519.0	617.0	521	456.5	416.8	499.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Whites, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	261,943	485.9	484.1	487.8	133,025	563.0	559.9	566.1	128,918	436.8	434.4	439.2
Champaign	3,490	507.1	490.3	524.4	1,803	586.5	559.5	614.6	1,687	453.9	432.1	476.6
Cook	86,031	472.2	469.1	475.4	42,861	544.6	539.4	549.9	43,170	427.4	423.3	431.5
DuPage	19,220	486.9	479.9	494.0	9,447	548.3	537.0	559.8	9,773	448.3	439.2	457.4
Kane	8,634	477.3	467.0	487.8	4,280	538.7	521.7	556.1	4,354	440.0	426.8	453.5
Kankakee	2,561	502.9	483.4	522.9	1,410	636.8	603.5	671.5	1,151	412.6	388.6	437.6
Lake	13,359	489.7	481.2	498.2	6,625	540.7	527.2	554.4	6,734	456.5	445.5	467.7
Macon	3,380	570.2	550.8	590.3	1,726	651.5	620.7	683.4	1,654	525.7	499.5	553.0
Madison	6,803	487.7	476.1	499.5	3,432	562.7	543.8	582.1	3,371	441.3	426.3	456.8
Peoria	4,651	524.1	508.9	539.6	2,319	598.8	574.4	623.9	2,332	477.4	457.5	498.0
Rock Island	3,953	481.6	466.4	497.1	1,961	535.7	512.0	560.2	1,992	448.1	428.0	469.1
St Clair	5,079	497.0	483.3	510.9	2,569	583.7	561.0	607.0	2,510	445.5	427.8	463.6
Sangamon	5,235	524.9	510.6	539.5	2,692	630.5	606.5	655.2	2,543	459.4	441.3	478.1
Vermilion	2,395	521.7	500.7	543.4	1,254	610.0	576.4	645.2	1,141	461.8	434.4	490.6
Will	11,769	515.2	505.7	524.9	6,097	608.9	592.7	625.4	5,672	452.9	441.1	465.0
Winnebago	6,637	468.0	456.7	479.5	3,307	530.2	512.1	548.8	3,330	430.9	416.1	446.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Blacks, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	41,368	527.4	522.2	532.6	21,497	683.6	674.0	693.3	19,871	429.2	423.2	435.3
Champaign	383	593.2	533.0	657.9	210	809.9	691.0	941.7	173	463.3	395.3	539.0
Cook	32,449	531.3	525.5	537.2	16,670	689.4	678.5	700.4	15,779	433.3	426.5	440.2
DuPage	506	497.7	446.7	552.4	243	577.9	489.4	676.0	263	455.2	391.7	525.1
Kane	431	560.2	500.1	624.9	236	749.5	629.4	883.0	195	437.1	371.2	510.3
Kankakee	349	555.9	497.3	619.0	201	774.7	659.7	902.4	148	411.6	347.2	484.1
Lake	756	477.2	442.0	514.2	428	621.7	557.6	690.4	328	371.5	331.1	415.2
Macon	362	570.4	511.9	633.4	202	794.6	682.3	919.1	160	426.0	362.0	497.6
Madison	392	530.3	478.0	586.5	199	666.3	570.5	772.4	193	440.0	379.1	507.3
Peoria	575	592.4	542.4	645.5	291	754.6	660.5	856.9	284	491.7	434.2	554.3
Rock Island	223	484.3	420.6	554.4	129	604.6	498.7	725.4	94	381.9	307.4	468.5
St Clair	1,597	526.1	500.3	552.9	819	691.9	643.1	743.3	778	426.4	396.8	457.5
Sangamon	384	550.8	495.1	610.8	204	747.2	638.7	867.2	180	435.7	373.2	505.3
Vermilion	174	523.6	447.6	608.0	102	714.1	576.8	871.4	72	396.1	309.3	498.7
Will	1,123	526.3	492.5	561.7	605	640.8	581.7	703.7	518	437.8	397.8	480.5
Winnebago	543	475.0	434.0	518.7	289	627.7	548.7	713.9	254	383.0	336.1	434.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Hispanics, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	15,268	349.6	343.3	355.8	7,574	388.8	378.8	399.0	7,694	323.9	316.0	331.9
Cook	10,388	348.4	340.9	355.9	5,253	393.5	381.4	405.8	5,135	316.5	307.2	326.1
DuPage	897	404.8	375.0	436.2	419	429.8	382.8	480.2	478	397.7	358.8	439.2
Kane	811	312.3	286.3	339.8	386	330.3	290.0	374.0	425	303.6	270.0	339.8
Lake	766	300.8	275.9	327.2	362	322.0	282.6	364.8	404	289.7	257.9	324.0
Will	654	369.2	336.9	403.5	334	439.0	384.3	498.3	320	319.5	281.0	361.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Non-Hispanics, All Sites, Illinois, 2004-2008

Figures include invasive cancer and bladder cancer *in situ*. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	298,697	500.6	498.8	502.4	152,676	590.8	587.8	593.8	146,021	441.3	439.1	443.6
Cook	113,803	502.3	499.3	505.2	57,241	599.5	594.6	604.5	56,562	439.4	435.7	443.1
DuPage	20,147	480.7	474.0	487.5	9,945	543.6	532.6	554.7	10,202	439.6	430.9	448.4
Kane	8,565	504.4	493.5	515.4	4,282	577.3	559.2	595.9	4,283	458.6	444.7	472.8
Lake	14,015	499.4	491.0	507.9	7,037	560.2	546.6	574.0	6,978	457.2	446.4	468.3
Will	12,709	527.7	518.3	537.2	6,647	630.6	614.4	647.0	6,062	456.9	445.3	468.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	7,194	11.0	10.8	11.3	4,976	16.7	16.2	17.1	2,218	6.3	6.0	6.5
Adams	48	11.7	8.6	15.6	29	15.4	10.3	22.2	19	8.9	5.2	14.1
Alexander	8	14.8	6.3	30.1	8	32.9	14.1	66.4	0	0.0	0.0	17.3
Bond	10	10.1	4.8	18.7	8	15.5	6.7	31.0	2	5.0	0.6	18.0
Boone	33	12.9	8.8	18.2	22	18.7	11.4	28.7	11	8.2	4.1	14.8
Brown	6	18.5	6.8	41.0	5	26.0	8.3	64.0	1	3.5	0.1	36.1
Bureau	29	13.1	8.8	19.1	21	19.8	12.2	30.7	8	7.3	3.2	14.9
Calhoun	8	22.4	9.4	46.9	6	34.9	12.4	81.2	2	8.0	1.0	41.1
Carroll	15	12.9	7.2	22.1	13	23.1	12.2	41.0	2	3.3	0.4	14.9
Cass	9	11.2	5.1	21.7	5	15.1	4.8	35.1	4	9.4	2.5	25.5
Champaign	92	11.6	9.3	14.2	58	16.0	12.1	20.8	34	7.9	5.4	11.0
Christian	26	12.2	8.0	18.1	19	18.9	11.4	29.8	7	6.4	2.5	13.6
Clark	14	12.3	6.7	21.2	9	18.9	8.6	36.7	5	7.2	2.3	19.0
Clay	13	15.2	7.9	26.6	5	12.0	3.9	29.2	8	18.3	7.6	37.6
Clinton	23	11.4	7.2	17.2	17	17.9	10.4	28.8	6	6.0	2.2	13.3
Coles	31	11.9	8.0	17.1	23	19.4	12.3	29.3	8	5.8	2.4	12.0
Cook	2,844	10.9	10.5	11.3	1,953	16.7	16.0	17.5	891	6.1	5.7	6.6
Crawford	15	13.4	7.4	22.5	13	22.8	12.1	39.6	2	4.3	0.4	16.1
Cumberland	10	14.5	6.8	27.4	7	22.8	9.0	48.4	3	10.6	2.1	31.2
DeKalb	55	13.2	9.9	17.2	36	17.7	12.3	24.6	19	8.8	5.3	13.7
DeWitt	11	11.1	5.5	20.3	9	18.6	8.4	36.1	2	3.2	0.4	13.9
Douglas	15	13.0	7.2	21.8	10	19.1	9.1	35.7	5	7.4	2.4	18.4
DuPage	460	10.1	9.2	11.1	315	15.3	13.6	17.1	145	6.0	5.0	7.0
Edgar	9	7.6	3.4	14.9	7	13.4	5.3	28.2	2	3.1	0.4	12.6
Edwards	1	2.1	0.1	14.7	1	4.3	0.1	29.9	0	0.0	0.0	22.9
Effingham	15	7.4	4.1	12.4	13	15.7	8.3	26.9	2	1.5	0.2	6.6
Fayette	15	12.2	6.8	20.4	9	15.7	7.2	30.1	6	10.2	3.6	23.0
Ford	10	10.9	5.2	20.7	7	18.2	7.3	38.2	3	6.5	1.3	20.6
Franklin	44	17.8	12.8	24.2	33	29.2	20	41.5	11	8.6	4.1	16.1
Fulton	19	8.4	5.0	13.4	14	13.3	7.2	22.5	5	3.8	1.1	10.0
Gallatin	5	10.6	3.4	27.5	4	18.5	5.0	53.0	1	3.7	0.1	30.0
Greene	10	12.0	5.7	22.6	7	18.1	7.2	38.0	3	7.5	1.5	22.7
Grundy	22	9.8	6.1	14.9	20	18.4	11.1	28.7	2	1.4	0.2	5.6
Hamilton	1	1.4	0.0	11.0	1	3.5	0.1	24.0	0	0.0	0.0	18.3
Hancock	11	8.4	4.1	15.7	7	12.3	4.8	26.4	4	4.7	1.3	14.5
Hardin	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Henderson	4	7.1	1.9	20.7	3	12.7	2.4	41.5	1	3.6	0.1	26.2
Henry	40	12.9	9.2	17.8	28	19.1	12.6	27.9	12	7.5	3.8	13.6
Iroquois	26	13.4	8.7	20.0	13	14.9	7.9	26.0	13	11.5	6.0	20.7
Jackson	30	11.8	7.9	17.0	22	17.9	11.1	27.4	8	6.2	2.6	12.6
Jasper	2	3.1	0.4	12.5	0	0.0	0.0	15.5	2	5.3	0.6	23.3
Jefferson	20	8.5	5.2	13.3	15	13.7	7.6	22.8	5	4.4	1.4	10.6
Jersey	16	12.4	7.0	20.4	9	14.3	6.5	27.8	7	10.9	4.3	23.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	16	9.0	5.1	15.2	13	14.9	7.9	26.7	3	3.4	0.7	12.2
Johnson	13	16.5	8.7	28.9	11	24.9	12.3	46.0	2	8.1	0.9	28.8
Kane	215	10.2	8.9	11.8	158	15.6	13.1	18.4	57	5.4	4.0	7.0
Kankakee	68	11.5	8.9	14.7	50	18.1	13.4	23.9	18	5.4	3.2	8.6
Kendall	41	11.3	7.9	15.5	28	18.1	11.5	26.8	13	6.3	3.3	10.8
Knox	32	9.3	6.3	13.4	22	14.9	9.3	22.7	10	5.3	2.5	10.2
Lake	339	10.5	9.4	11.7	241	15.4	13.4	17.5	98	6.0	4.9	7.4
LaSalle	72	10.8	8.4	13.7	48	15.7	11.6	20.9	24	6.7	4.3	10.2
Lawrence	11	11.3	5.5	20.7	9	19.6	8.9	37.6	2	4.7	0.6	17.8
Lee	36	17.5	12.2	24.4	22	22.7	14.1	34.6	14	12.3	6.7	21.1
Livingston	26	12.3	8.0	18.1	16	16.5	9.4	26.9	10	8.6	4.0	16.3
Logan	26	15.2	9.9	22.4	15	18.9	10.6	31.5	11	11.0	5.4	20.5
McDonough	15	9.0	5.0	15.1	9	11.8	5.4	23.0	6	6.5	2.3	15.3
McHenry	157	10.9	9.3	12.8	108	15.8	12.8	19.2	49	6.4	4.7	8.5
McLean	75	11.1	8.7	13.9	47	14.9	10.9	19.9	28	7.8	5.1	11.2
Macon	96	14.6	11.8	17.9	65	21.3	16.4	27.4	31	9.1	6.2	13.1
Macoupin	50	17.2	12.7	22.9	36	26.7	18.6	37.2	14	8.8	4.7	15.2
Madison	153	10.2	8.7	12.0	111	16.0	13.1	19.3	42	5.0	3.5	6.8
Marion	37	14.0	9.8	19.5	32	27.4	18.7	38.9	5	2.3	0.7	6.7
Marshall	9	10.0	4.5	19.9	5	12.4	4.0	30.5	4	7.5	2.0	22.7
Mason	6	5.8	2.1	13.4	3	6.2	1.3	19.6	3	5.7	1.2	18.4
Massac	8	8.2	3.4	16.8	5	11.5	3.6	28.0	3	4.8	1.0	16.4
Menard	5	5.7	1.8	14.4	4	9.5	2.6	26.8	1	2.1	0.1	15.7
Mercer	6	6.0	2.2	13.5	4	8.4	2.3	22.3	2	4.1	0.5	15.9
Monroe	15	8.1	4.6	13.6	11	12.6	6.2	23.0	4	3.9	1.0	10.6
Montgomery	18	10.1	6.0	16.2	12	14.0	7.2	24.7	6	6.9	2.5	15.7
Morgan	34	15.8	10.9	22.4	21	21.9	13.5	33.8	13	9.9	5.1	17.9
Moultrie	11	12.7	6.2	23.3	7	17.6	7.0	37.0	4	9.7	2.6	25.8
Ogle	32	10.3	7.0	14.7	25	16.6	10.7	24.8	7	4.5	1.8	9.6
Peoria	110	10.9	9.0	13.2	76	16.5	13.0	20.7	34	6.4	4.4	9.0
Perry	14	10.7	5.8	18.2	10	15.6	7.5	29.1	4	5.4	1.4	15.3
Piatt	14	13.0	7.1	22.3	13	26.4	14.0	46.1	1	1.1	0.0	10.6
Pike	11	11.6	5.7	21.2	8	16.6	7.1	33.5	3	7.7	1.5	22.6
Pope	2	6.9	0.8	30.3	2	14.1	1.7	61.4	0	0.0	0.0	41.1
Pulaski	4	9.7	2.6	26.2	3	15.6	3.2	48.7	1	4.6	0.1	29.1
Putnam	1	2.2	0.1	16.1	1	4.3	0.1	32.5	0	0.0	0.0	25.8
Randolph	28	15.0	9.9	21.8	20	22.0	13.4	34.2	8	7.5	3.2	15.7
Richland	13	13.6	7.1	23.8	11	25.6	12.7	46.4	2	3.3	0.4	14.2
Rock Island	120	13.8	11.4	16.6	78	19.5	15.4	24.4	42	9.3	6.6	12.8
St Clair	179	13.3	11.4	15.4	120	20.1	16.6	24.1	59	8.1	6.1	10.5
Saline	10	5.9	2.8	11.2	7	8.8	3.5	18.8	3	3.4	0.7	11.1
Sangamon	149	13.5	11.4	15.8	100	20.2	16.4	24.7	49	7.9	5.8	10.6
Schuyler	3	5.7	1.1	19.1	3	14.0	2.9	43.5	0	0.0	0.0	22.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	2	5.5	0.7	22.6	2	12.9	1.5	50.1	0	0.0	0.0	27.8
Shelby	17	12.7	7.2	20.8	11	16.0	7.9	29.5	6	9.5	3.2	21.9
Stark	4	9.5	2.6	26.5	4	20.9	5.5	57.6	0	0.0	0.0	25.1
Stephenson	35	12.3	8.5	17.3	24	18.0	11.5	27.1	11	7.0	3.4	13.1
Tazewell	88	11.4	9.1	14.1	57	15.6	11.8	20.3	31	7.7	5.2	11.1
Union	18	15.1	8.9	24.4	9	14.7	6.7	29.1	9	15.1	6.8	29.8
Vermilion	58	12.7	9.6	16.5	42	19.8	14.2	26.9	16	5.9	3.3	10.0
Wabash	9	12.5	5.6	24.5	8	23.1	9.7	46.9	1	2.7	0.1	16.8
Warren	9	7.8	3.5	15.5	6	12.4	4.5	27.7	3	4.8	1.0	15.7
Washington	10	10.8	5.1	20.5	5	12.6	4.1	29.9	5	10.9	3.3	26.8
Wayne	7	6.4	2.5	13.8	4	7.7	2.1	21.0	3	5.5	1.1	17.6
White	13	12.9	6.8	22.8	8	16.6	7.1	34.1	5	9.8	3.0	25.0
Whiteside	37	10.0	7.0	13.8	25	14.7	9.4	21.8	12	6.0	3.0	10.8
Will	290	10.3	9.1	11.6	212	16.2	13.9	18.7	78	5.3	4.2	6.7
Williamson	58	14.8	11.2	19.2	40	21.7	15.4	29.7	18	8.6	5.0	13.9
Winnebago	163	10.3	8.8	12.0	110	15.0	12.3	18.1	53	6.3	4.7	8.2
Woodford	20	9.7	5.9	15.2	14	14.3	7.7	24.3	6	5.5	2.0	12.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Whites, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	5,884	10.8	10.5	11.1	4,050	16.1	15.6	16.6	1,834	6.2	5.9	6.5
Champaign	83	11.8	9.4	14.6	49	15.3	11.3	20.3	34	8.9	6.1	12.5
Cook	1,891	10.4	9.9	10.8	1,284	15.4	14.6	16.3	607	6.0	5.5	6.5
DuPage	413	10.2	9.2	11.2	282	15.3	13.5	17.2	131	6.0	5.0	7.1
Kane	196	10.1	8.7	11.7	144	15.4	12.8	18.2	52	5.4	4.0	7.1
Kankakee	55	10.7	8.0	13.9	40	16.6	11.8	22.7	15	5.0	2.8	8.3
Lake	301	10.4	9.3	11.7	211	15.1	13.1	17.4	90	6.2	4.9	7.6
Macon	83	14.0	11.1	17.5	55	20.0	15.0	26.2	28	9.1	6.0	13.4
Madison	143	10.2	8.6	12.1	108	16.6	13.6	20.1	35	4.4	3.0	6.1
Peoria	91	10.4	8.3	12.9	60	14.9	11.3	19.3	31	6.7	4.4	9.7
Rock Island	105	13.0	10.6	15.8	70	18.6	14.5	23.6	35	8.4	5.7	11.9
St Clair	137	13.6	11.4	16.1	90	19.5	15.7	24.1	47	8.8	6.4	11.8
Sangamon	132	13.0	10.8	15.4	88	19.2	15.3	23.7	44	7.9	5.7	10.7
Vermilion	52	12.4	9.2	16.5	37	19.3	13.5	26.8	15	5.9	3.2	10.2
Will	261	10.6	9.3	12.0	187	16.3	13.9	19.0	74	5.8	4.5	7.3
Winnebago	146	10.3	8.7	12.1	100	15.1	12.2	18.4	46	6.1	4.4	8.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Blacks, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	1,011	11.9	11.2	12.7	731	20.6	19.1	22.2	280	5.8	5.1	6.5
Champaign	9	12.4	5.6	23.7	9	28.4	12.7	55.5	0	0.0	0.0	8.5
Cook	790	12.1	11.3	13.0	566	21.1	19.4	23.0	224	5.9	5.2	6.8
DuPage	3	3.5	0.4	11.4	2	7.0	0.5	26.1	1	0.9	0.0	8.2
Kane	12	13.5	6.1	25.3	10	28.5	10.8	59.4	2	3.0	0.4	12.6
Kankakee	13	19.7	10.5	33.6	10	34.3	16.4	63.6	3	8.1	1.7	23.3
Lake	19	10.3	6.0	16.4	16	18.1	9.9	30.5	3	3.4	0.6	9.8
Macon	12	18.5	9.4	32.4	9	33.5	14.8	64.7	3	7.9	1.6	22.6
Madison	7	9.3	3.7	19.0	1	2.4	0.1	15.5	6	13.8	5.0	29.7
Peoria	17	15.4	8.8	25.0	14	28.7	15.1	49.3	3	5.4	1.1	15.4
Rock Island	5	10.6	3.4	24.7	3	12.5	2.5	38.4	2	8.4	1.0	29.4
St Clair	40	12.3	8.8	16.8	29	22.8	14.9	33.2	11	5.7	2.8	10.2
Sangamon	14	17.7	9.4	30.0	11	36.1	15.8	68.6	3	6.2	1.3	18.1
Vermilion	5	13.7	4.4	31.6	5	27.2	8.5	64.4	0	0.0	0.0	18.4
Will	17	6.9	3.9	11.4	14	13.3	6.8	23.4	3	1.7	0.3	5.4
Winnebago	15	12.1	6.6	20.2	10	17.7	8.2	33.6	5	7.7	2.4	17.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Hispanics, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	289	6.3	5.5	7.1	218	9.5	8.1	11.1	71	3.1	2.4	4.0
Cook	209	6.6	5.7	7.7	155	9.8	8.1	11.6	54	3.6	2.6	4.8
DuPage	17	6.3	3.2	10.8	9	6.2	2.0	13.8	8	6.5	2.5	13.3
Kane	12	4.1	1.9	7.7	11	7.4	3.3	14.2	1	0.5	0.0	4.0
Lake	9	2.2	0.9	4.6	8	3.8	1.5	8.8	1	0.3	0.0	3.3
Will	8	4.3	1.7	8.8	8	8.7	3.3	18.4	0	0.0	0.0	3.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Non-Hispanics, Oral Cavity and Pharynx, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	6,905	11.4	11.2	11.7	4,758	17.3	16.8	17.8	2,147	6.5	6.2	6.8
Cook	2,635	11.6	11.1	12.0	1,798	17.9	17.0	18.7	837	6.5	6.1	7.0
DuPage	443	10.3	9.3	11.3	306	15.7	13.9	17.6	137	5.9	4.9	7.0
Kane	203	11.2	9.7	12.9	147	17.1	14.3	20.2	56	6.0	4.5	7.8
Lake	330	11.1	9.9	12.4	233	16.4	14.2	18.7	97	6.4	5.2	7.9
Will	282	10.7	9.5	12.1	204	16.7	14.4	19.4	78	5.7	4.5	7.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	34,513	53.9	53.3	54.5	17,415	63.9	62.9	64.9	17,098	46.5	45.8	47.2
Adams	229	50.5	44.1	57.8	108	57.1	46.7	69.1	121	45.8	37.5	55.5
Alexander	41	75.2	53.4	103.4	17	75.7	43.7	122.4	24	76.0	47.0	117.7
Bond	63	60.7	46.6	77.9	29	63.7	42.5	91.8	34	61.3	42.0	87.2
Boone	117	50.5	41.6	60.6	52	52.2	38.4	68.9	65	49.6	38.2	63.4
Brown	19	60.1	36.1	94.3	11	82.7	40.4	147.9	8	44.9	19.1	94.8
Bureau	153	65.2	55.1	76.9	72	71.6	55.9	90.6	81	60.3	47.2	76.2
Calhoun	19	47.3	28.4	76.5	11	63.1	30.9	117.9	8	36.1	15.5	78.8
Carroll	63	51.4	39.4	66.5	34	60.7	42.0	86.2	29	41.5	27.6	61.9
Cass	59	69.9	53.1	90.7	30	86.2	57.9	123.4	29	60.2	39.7	88.5
Champaign	366	47.1	42.3	52.2	209	60.1	52.1	68.9	157	35.9	30.4	42.1
Christian	145	65.4	55.1	77.3	67	71.2	55.0	90.7	78	63.0	49.4	79.6
Clark	54	47.1	35.2	62.1	26	56.7	36.9	83.6	28	37.8	24.8	56.6
Clay	64	67.0	51.4	86.2	34	82.6	57.2	116.3	30	51.8	34.4	76.4
Clinton	128	59.9	49.9	71.4	62	68.0	52.0	87.2	66	52.7	40.5	67.9
Coles	193	73.0	62.9	84.3	107	93.6	76.6	113.4	86	57.9	45.8	72.3
Cook	13,936	54.5	53.6	55.4	6,923	65.1	63.5	66.6	7,013	47.0	45.9	48.2
Crawford	115	90.4	74.5	108.9	61	109.9	83.9	141.6	54	72.8	54.2	96.7
Cumberland	45	68.0	49.4	91.7	24	84.5	53.8	126.5	21	56.1	34.4	87.7
DeKalb	236	58.3	51.0	66.3	112	63.7	52.1	76.8	124	54.5	45.2	65.1
DeWitt	57	55.6	41.9	72.6	25	57.7	37.2	85.6	32	54.8	36.7	79.4
Douglas	70	59.4	46.1	75.4	35	69.7	48.4	97.2	35	49.5	33.8	70.4
DuPage	2,001	45.8	43.8	47.9	1,037	54.8	51.4	58.4	964	38.9	36.4	41.5
Edgar	69	53.9	41.8	68.8	33	60.2	41.4	85.2	36	46.5	32.1	66.2
Edwards	27	59.4	38.8	88.1	15	70.4	39.1	119.1	12	51.2	25.5	94.2
Effingham	107	53.3	43.6	64.6	52	60.6	45.2	79.7	55	48.6	36.4	63.9
Fayette	73	55.3	43.3	69.8	40	71.9	51.1	98.4	33	44.7	30.5	64.0
Ford	63	66.5	50.6	86.2	32	84.5	57.7	119.9	31	57.0	37.3	84.3
Franklin	180	68.0	58.2	79.0	97	86.0	69.6	105.3	83	55.2	43.5	69.4
Fulton	180	73.3	62.8	85.1	91	84.2	67.7	103.6	89	63.3	50.2	79.1
Gallatin	28	63.7	41.7	94.6	15	92.6	51.5	154.6	13	49.5	24.8	92.2
Greene	53	58.4	43.6	77.1	24	60.8	38.9	91.1	29	58.6	38.7	86.1
Grundy	141	66.2	55.6	78.2	78	84.7	66.6	106.0	63	52.4	40.2	67.3
Hamilton	33	50.9	34.8	73.1	21	78.9	48.7	122.6	12	32.5	16.1	61.8
Hancock	75	54.1	42.3	68.6	39	68.7	48.6	95.0	36	42.5	29.5	60.7
Hardin	15	44.1	24.6	75.5	8	57.3	24.5	117.2	7	37.8	15.1	86.3
Henderson	29	51.7	34.5	75.9	18	70.2	41.2	114.7	11	34.7	17.3	66.7
Henry	188	57.1	49.1	66.2	96	70.2	56.7	86.0	92	47.8	38.1	59.5
Iroquois	118	56.5	46.5	68.1	63	66.7	51.2	85.8	55	48.6	35.9	64.8
Jackson	140	53.5	44.9	63.2	69	61.1	47.4	77.4	71	46.9	36.4	59.7
Jasper	23	35.8	22.6	54.5	10	33.2	15.9	62.7	13	35.7	18.7	64.0
Jefferson	163	66.3	56.4	77.5	83	78.6	62.4	97.7	80	56.5	44.5	71.0
Jersey	64	48.2	37.1	61.8	34	58.1	40.0	81.8	30	40.0	26.7	58.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	82	47.9	38.0	60.1	39	48.1	34.0	66.8	43	46.4	33.3	64.2
Johnson	46	64.8	47.3	86.9	25	73.0	46.5	108.8	21	57.2	35.3	89.2
Kane	946	51.2	47.9	54.6	458	56.1	50.7	61.8	488	47.2	43.1	51.7
Kankakee	359	61.9	55.7	68.7	191	78.1	67.2	90.2	168	49.7	42.4	57.9
Kendall	160	50.7	42.8	59.4	78	50.3	39.0	63.6	82	49.1	38.9	61.1
Knox	196	56.2	48.4	64.9	101	65.1	52.9	79.3	95	49.5	39.6	61.5
Lake	1,356	45.8	43.3	48.3	707	53.4	49.3	57.7	649	39.6	36.6	42.8
LaSalle	409	57.8	52.3	63.8	208	70.0	60.7	80.2	201	48.8	42.0	56.4
Lawrence	58	54.4	41.1	70.9	26	57.5	37.5	84.5	32	54.2	36.2	79.0
Lee	117	54.9	45.3	66.0	60	63.3	48.2	81.8	57	47.4	35.7	62.1
Livingston	133	56.7	47.3	67.5	66	67.5	52.1	86.0	67	48.9	37.6	62.9
Logan	108	61.7	50.5	74.7	72	97.6	76.2	123.1	36	34.1	23.7	48.1
McDonough	92	55.5	44.4	68.5	39	54.1	38.4	74.3	53	56.9	41.8	76.3
McHenry	651	49.5	45.7	53.6	313	53.5	47.3	60.1	338	46.5	41.6	51.8
McLean	366	53.4	48.0	59.2	174	59.7	50.9	69.4	192	48.3	41.6	55.8
Macon	393	58.9	53.1	65.1	207	72.7	63.0	83.4	186	48.8	41.9	56.7
Macoupin	193	63.1	54.3	72.8	116	86.8	71.6	104.3	77	44.0	34.4	55.8
Madison	836	55.7	52.0	59.7	405	64.0	57.8	70.6	431	50.0	45.3	55.1
Marion	156	59.9	50.7	70.4	81	72.3	57.3	90.1	75	52.0	40.4	66.2
Marshall	61	66.5	50.5	86.4	29	74.5	49.6	108.3	32	57.4	38.7	83.9
Mason	71	68.3	53.2	86.8	39	82.6	58.6	113.9	32	57.8	38.9	83.4
Massac	56	53.4	40.1	70.0	28	62.6	41.5	91.3	28	44.7	28.9	67.0
Menard	51	70.1	51.8	93.0	27	82.6	53.7	121.7	24	61.3	38.5	93.3
Mercer	53	47.5	35.5	62.7	36	71.0	49.6	99.2	17	30.4	17.6	50.0
Monroe	98	56.8	46.1	69.3	55	74.5	55.7	97.5	43	42.6	30.7	58.0
Montgomery	130	67.2	56.0	80.2	82	98.4	78.2	122.3	48	41.0	29.9	55.5
Morgan	152	67.8	57.4	79.8	74	79.7	62.3	100.4	78	60.4	47.3	76.4
Moultrie	41	43.7	31.2	59.9	22	54.2	33.9	82.7	19	37.1	22.0	59.7
Ogle	163	53.0	45.1	61.9	75	54.3	42.6	68.3	88	52.8	42.3	65.4
Peoria	528	50.8	46.5	55.3	257	59.1	52.0	66.8	271	44.2	38.9	49.9
Perry	81	60.2	47.6	75.1	39	63.1	44.8	86.6	42	54.8	38.6	76.1
Piatt	42	39.7	28.6	54.2	17	35.4	20.5	57.5	25	44.5	28.6	66.8
Pike	56	46.6	34.8	61.5	19	38.0	22.7	60.2	37	52.6	36.0	75.5
Pope	12	35.7	18.3	67.0	5	28.4	9.2	78.5	7	38.6	15.0	91.9
Pulaski	20	47.9	29.2	74.9	14	74.8	40.6	127.9	6	25.9	9.4	59.6
Putnam	27	67.1	43.9	99.5	16	78.4	44.3	131.7	11	60.5	29.9	111.3
Randolph	110	55.7	45.7	67.4	50	59.8	44.3	79.0	60	54.3	41.0	71.1
Richland	71	61.9	48.1	78.9	43	89.8	64.9	121.8	28	39.3	25.6	59.3
Rock Island	506	56.5	51.6	61.7	246	63.6	55.8	72.2	260	51.4	45.2	58.3
St Clair	748	55.4	51.5	59.6	353	64.2	57.6	71.4	395	49.5	44.7	54.7
Saline	117	66.1	54.5	79.7	68	91.9	71.2	116.9	49	46.9	34.1	63.6
Sangamon	629	57.9	53.4	62.7	321	70.3	62.7	78.6	308	49.0	43.6	55.0
Schuyler	30	57.8	38.6	84.4	10	43.3	20.7	82.3	20	70.7	41.9	114.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	19	53.3	31.9	84.8	8	50.7	21.7	102.9	11	56.5	27.8	105.9
Shelby	83	53.1	42.2	66.4	53	78.3	58.5	103.2	30	33.9	22.6	49.8
Stark	27	60.4	39.3	90.2	14	76.8	41.7	131.6	13	47.7	24.5	88.3
Stephenson	166	51.0	43.5	59.7	82	61.2	48.6	76.3	84	44.1	34.9	55.4
Tazewell	429	54.4	49.3	59.8	234	68.0	59.5	77.4	195	44.7	38.5	51.6
Union	61	51.7	39.3	67.1	33	64.7	44.1	92.0	28	38.8	25.2	58.1
Vermilion	290	56.3	49.9	63.2	147	67.3	56.8	79.3	143	48.4	40.6	57.4
Wabash	47	59.6	43.5	80.0	25	72.9	46.9	108.6	22	49.4	30.5	76.9
Warren	61	52.6	40.1	68.2	34	70.0	48.3	98.4	27	41.9	27.2	62.7
Washington	61	65.4	49.8	84.6	31	75.3	50.9	107.6	30	58.2	38.7	84.9
Wayne	63	53.8	41.1	69.6	34	68.3	47.1	96.3	29	43.5	28.4	65.0
White	69	64.8	49.9	83.1	41	91.2	65.0	125.1	28	40.6	26.3	61.6
Whiteside	210	54.0	46.8	62.0	111	67.3	55.2	81.2	99	43.7	35.1	53.9
Will	1,399	57.5	54.4	60.7	733	69.3	64.0	75.0	666	49.0	45.3	52.9
Williamson	223	54.0	47.1	61.7	107	58.8	48.1	71.3	116	50.4	41.4	60.9
Winnebago	752	47.8	44.4	51.4	373	54.8	49.3	60.7	379	41.9	37.7	46.4
Woodford	101	45.7	37.1	55.8	60	61.8	46.9	79.9	41	33.3	23.6	46.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Whites, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	28,481	52.3	51.7	52.9	14,412	62.0	60.9	63.0	14,069	45.0	44.3	45.8
Champaign	318	46.3	41.3	51.7	181	58.4	50.1	67.7	137	35.5	29.7	42.1
Cook	9,300	50.4	49.3	51.4	4,660	60.2	58.5	62.0	4,640	43.1	41.8	44.4
DuPage	1,833	46.5	44.3	48.7	941	55.6	52.0	59.3	892	39.5	36.9	42.3
Kane	875	50.7	47.3	54.3	422	55.5	50.0	61.4	453	46.8	42.6	51.4
Kankakee	309	60.2	53.6	67.3	166	76.0	64.7	88.7	143	47.3	39.7	55.9
Lake	1,204	45.2	42.7	47.9	612	51.4	47.3	55.9	592	40.3	37.1	43.7
Macon	359	59.5	53.3	66.1	189	73.3	63.1	84.8	170	49.3	41.9	57.8
Madison	776	54.8	51.0	58.8	377	63.1	56.8	69.9	399	49.1	44.3	54.3
Peoria	469	50.0	45.5	54.8	221	56.8	49.5	64.9	248	44.2	38.7	50.4
Rock Island	461	54.9	49.9	60.3	221	61.0	53.1	69.7	240	50.7	44.3	57.9
St Clair	557	53.1	48.8	57.8	275	63.8	56.4	71.9	282	45.5	40.2	51.3
Sangamon	582	57.7	53.0	62.6	300	70.7	62.8	79.3	282	48.2	42.7	54.4
Vermilion	265	55.3	48.8	62.6	139	68.7	57.6	81.3	126	45.7	37.9	54.9
Will	1,236	57.3	54.0	60.6	640	68.9	63.3	74.8	596	49.3	45.3	53.4
Winnebago	683	47.3	43.8	51.0	336	53.9	48.2	60.1	347	41.5	37.1	46.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Blacks, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	4,989	65.6	63.7	67.5	2,419	79.5	76.2	82.9	2,570	56.7	54.5	58.9
Champaign	38	61.3	42.5	84.9	23	105.7	60.4	167.2	15	38.0	20.9	62.9
Cook	4,014	67.2	65.1	69.4	1,919	81.7	77.9	85.6	2,095	58.2	55.7	60.7
DuPage	52	54.0	37.8	74.1	23	48.5	26.6	79.7	29	59.2	36.7	89.0
Kane	49	67.2	47.4	91.6	26	74.1	45.1	114.3	23	58.0	35.0	89.0
Kankakee	44	75.7	54.4	102.1	23	107.6	62.8	168.0	21	61.1	37.6	93.0
Lake	86	57.0	45.0	70.9	54	83.8	60.8	111.8	32	37.2	25.1	52.8
Macon	28	43.2	28.4	62.6	14	49.8	26.6	84.7	14	37.0	20.1	61.9
Madison	54	73.4	54.9	95.8	26	82.3	52.9	121.4	28	64.6	42.7	93.2
Peoria	53	58.5	43.2	76.9	34	94.2	62.3	135.0	19	35.9	21.3	55.9
Rock Island	27	61.5	39.8	90.0	16	83.9	46.7	137.5	11	43.4	21.3	78.0
St Clair	183	62.1	53.3	71.9	76	64.4	50.0	81.4	107	60.1	49.2	72.6
Sangamon	36	53.3	36.8	74.2	17	64.4	35.5	105.5	19	47.7	28.5	74.3
Vermilion	23	74.2	46.8	110.6	8	60.6	25.8	116.6	15	84.1	47.0	137.9
Will	129	64.7	52.8	78.2	69	71.0	52.9	93.0	60	57.3	42.7	74.8
Winnebago	49	42.6	31.1	56.8	24	53.7	32.5	82.2	25	37.3	23.8	55.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Hispanics, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	1,449	37.4	35.3	39.5	777	42.5	39.1	46.0	672	33.2	30.6	36.0
Cook	1,000	37.8	35.3	40.5	547	44.0	39.9	48.4	453	32.7	29.5	36.0
DuPage	75	38.3	29.2	48.9	38	41.5	27.8	58.9	37	35.8	24.3	50.3
Kane	73	33.9	25.2	44.3	36	37.1	23.6	54.4	37	31.6	20.8	45.3
Lake	71	30.6	22.9	39.7	36	34.1	22.2	49.3	35	27.7	18.3	39.8
Will	66	39.8	29.5	52.1	34	44.5	28.0	66.0	32	37.0	24.3	53.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Non-Hispanics, Colon and Rectum, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	33,064	54.9	54.3	55.5	16,638	65.4	64.4	66.4	16,426	47.2	46.5	47.9
Cook	12,936	56.4	55.5	57.4	6,376	67.7	66.1	69.4	6,560	48.5	47.4	49.8
DuPage	1,926	46.2	44.1	48.3	999	55.7	52.2	59.3	927	38.9	36.4	41.5
Kane	873	52.9	49.4	56.7	422	58.6	52.8	64.8	451	48.4	44.0	53.2
Lake	1,285	46.7	44.2	49.4	671	54.8	50.6	59.3	614	40.2	37.0	43.6
Will	1,333	58.5	55.3	61.8	699	70.9	65.4	76.8	634	49.5	45.7	53.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Lung and Bronchus, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	45,657	72.1	71.4	72.8	24,339	89.9	88.8	91.1	21,318	59.8	59.0	60.7
Adams	304	69.5	61.8	77.9	178	92.3	79.2	107.1	126	54.5	45.2	65.4
Alexander	75	131.7	103.3	166.2	40	170.2	121.2	233.2	35	107.3	73.9	152.5
Bond	91	89.3	71.8	109.8	53	114.4	85.4	150.1	38	70.6	49.7	98.1
Boone	166	70.5	60.0	82.2	78	76.5	59.8	96.2	88	69.3	55.5	85.6
Brown	24	74.4	47.6	111.2	12	88.3	44.1	155.7	12	67.5	34.6	123.4
Bureau	167	71.2	60.7	83.2	103	100.9	82.3	122.8	64	49.1	37.5	63.6
Calhoun	20	54.5	33.1	86.5	13	71.5	37.8	127.1	7	38.8	15.1	86.2
Carroll	80	67.3	53.1	84.6	45	82.2	59.8	111.2	35	57.3	39.5	81.7
Cass	78	98.2	77.5	123	42	115.9	83.3	157.2	36	87.6	61.0	122.4
Champaign	487	63.3	57.8	69.2	263	78.6	69.2	88.7	224	52.5	45.8	59.9
Christian	280	125.5	111.1	141.3	151	157.0	132.8	184.4	129	105.4	87.6	126.2
Clark	80	71.1	56.2	89.1	45	95.3	69.3	128.2	35	56.1	38.9	79.5
Clay	83	86.0	68.3	107.3	48	117.1	86.2	156.1	35	64.8	44.6	92.3
Clinton	150	71.7	60.7	84.3	91	98.9	79.5	121.6	59	51.6	39.2	67.1
Coles	233	85.5	74.8	97.4	129	111.6	93.1	132.8	104	67.7	55.1	82.6
Cook	17,376	68.7	67.7	69.7	9,081	85.7	83.9	87.5	8,295	57.0	55.8	58.3
Crawford	106	84.6	69.2	102.7	58	101.0	76.6	131.1	48	72.4	52.9	97.5
Cumberland	57	86.8	65.6	113.1	32	111.1	75.7	157.7	25	66.7	42.7	100.4
DeKalb	243	61.2	53.7	69.4	135	77.7	64.9	92.1	108	49.2	40.3	59.5
DeWitt	86	83.4	66.6	103.4	45	102.5	74.5	137.6	41	73.9	52.6	101.7
Douglas	85	69.3	55.3	86.1	51	102.4	76.0	135.0	34	49.7	34.0	70.7
DuPage	2,619	62.3	59.9	64.8	1,300	72.1	68.1	76.2	1,319	56.1	53.1	59.3
Edgar	86	67.6	53.9	84.1	58	110.6	83.8	143.6	28	38.2	25.0	56.8
Edwards	45	93.3	67.7	126.6	30	147.1	98.8	212.7	15	50.8	28.2	89.0
Effingham	135	69.1	57.9	81.9	79	91.5	72.3	114.2	56	52.8	39.6	69.1
Fayette	101	79.0	64.3	96.3	57	103.4	78.1	134.4	44	62.4	45.1	84.7
Ford	68	74.2	57.4	94.6	33	83.7	57.6	118.2	35	72.7	50.2	102.8
Franklin	292	108.3	96.1	121.8	170	152.3	130.1	177.4	122	80.6	66.6	97.0
Fulton	228	91.4	79.7	104.3	132	120.4	100.7	143.1	96	71.2	57.3	87.9
Gallatin	56	123.5	92.8	162.7	30	153.2	102.3	223.0	26	105.5	67.6	160.3
Greene	83	93.2	74.0	116.1	48	119.5	88.0	159.1	35	74.9	51.6	105.9
Grundy	175	82.3	70.5	95.6	97	102.1	82.4	124.9	78	68.5	54.0	85.6
Hamilton	47	79.3	58.1	106.7	26	97.9	63.9	145.4	21	67.5	41.3	106.3
Hancock	106	79.0	64.5	96.1	58	99.0	75.0	128.8	48	67.8	49.7	91.3
Hardin	34	97.0	67.0	138.3	25	153.9	98.8	233.1	9	47.8	21.7	98.8
Henderson	50	87.3	64.7	116.7	33	127.2	86.4	183.0	17	56.1	32.5	93.8
Henry	226	69.1	60.3	78.9	123	87.4	72.5	104.6	103	57.6	46.9	70.4
Iroquois	172	83.5	71.4	97.3	99	107.8	87.5	131.6	73	64.9	50.8	82.4
Jackson	173	65.5	56.0	76.1	92	80.2	64.5	98.5	81	54.1	42.7	67.6
Jasper	47	75.0	55.0	100.5	28	101.0	67.0	147.0	19	55.0	32.8	88.4
Jefferson	195	80.1	69.1	92.3	125	117.4	97.6	140.2	70	51.4	39.9	65.4
Jersey	101	76.7	62.4	93.4	61	108.0	82.3	139.3	40	53.9	38.4	74.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Lung and Bronchus, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	96	56.9	46.0	70.1	50	63.4	46.8	84.6	46	51.3	37.4	69.9
Johnson	72	98.6	76.9	124.8	58	175.3	132.1	227.8	14	36.3	19.4	63.7
Kane	1,192	65.8	62.0	69.7	626	78.7	72.3	85.5	566	56.8	52.1	61.8
Kankakee	459	79.1	72.0	86.7	256	103.4	90.9	117.1	203	62.2	53.9	71.5
Kendall	182	59.2	50.6	68.7	89	66.7	52.8	82.8	93	55.2	44.3	67.7
Knox	326	91.6	81.8	102.4	180	115.8	99.4	134.3	146	77.6	65.2	92.0
Lake	1,777	62.3	59.4	65.3	829	65.0	60.5	69.8	948	61.1	57.2	65.1
LaSalle	592	85.6	78.8	92.9	311	104.0	92.7	116.2	281	73.3	64.8	82.7
Lawrence	57	56.2	42.4	73.3	32	71.8	49.1	101.6	25	45.0	28.5	68.5
Lee	180	85.1	73.1	98.7	109	115.1	94.4	139.1	71	60.6	47.1	77.0
Livingston	197	88.1	76.1	101.5	111	111.6	91.7	134.6	86	69.9	55.6	86.9
Logan	141	81.5	68.5	96.3	80	107.0	84.7	133.4	61	62.6	47.6	81.1
McDonough	132	79.4	66.3	94.6	75	102.9	80.8	129.5	57	62.6	47.1	82.1
McHenry	850	65.7	61.3	70.3	432	75.3	68.1	83.1	418	58.8	53.3	64.8
McLean	458	68.6	62.4	75.2	232	82.5	72.0	94.0	226	60.2	52.6	68.7
Macon	684	100.6	93.1	108.5	379	128.9	116.1	142.7	305	80.2	71.3	90.0
Macoupin	267	86.1	76.0	97.3	150	108.0	91.4	126.9	117	70.5	58.1	85.1
Madison	1,258	84.2	79.6	89.0	673	106.1	98.2	114.6	585	69.4	63.9	75.4
Marion	238	90.3	79.0	102.8	125	111.1	92.4	132.7	113	74.3	60.9	90.2
Marshall	71	78.4	61.1	99.6	49	122.3	90.3	162.8	22	45.3	28.1	70.7
Mason	88	85.4	68.3	105.9	54	114.3	85.6	150.2	34	62.3	42.7	88.8
Massac	113	111.7	91.9	135.0	67	153.6	118.9	195.9	46	83.3	60.6	112.6
Menard	54	73.2	54.6	96.3	32	100.6	68.1	143.5	22	53.0	32.7	82.3
Mercer	69	62.5	48.5	79.7	34	68.1	47.0	96.0	35	57.9	40.1	82.0
Monroe	120	70.7	58.6	84.6	61	85.4	65.0	110.1	59	62.1	47.2	80.5
Montgomery	164	85.9	73.1	100.5	98	118.4	96.1	144.5	66	62.1	47.5	80.3
Morgan	172	80.9	69.2	94.1	95	103.8	83.9	127.2	77	66.2	52.0	83.4
Moultrie	69	75.4	58.4	96.0	38	96.5	68.2	133.0	31	62.0	41.7	89.6
Ogle	195	62.5	54.0	72.0	121	85.0	70.4	101.8	74	43.5	34.1	54.9
Peoria	873	86.8	81.1	92.9	441	103.0	93.6	113.2	432	76.9	69.7	84.7
Perry	116	85.6	70.6	102.9	61	104.5	79.8	134.5	55	76.2	56.8	100.6
Piatt	59	56.1	42.6	72.9	38	79.4	55.9	109.9	21	36.4	22.4	56.9
Pike	82	70.0	55.4	87.6	46	88.7	64.9	119.0	36	56.2	38.7	80.0
Pope	26	79.1	51.4	119.9	14	89.1	48.2	158.1	12	73.5	37.6	137.7
Pulaski	39	93.9	66.7	129.2	22	123.0	76.5	188.4	17	73.0	42.3	119.5
Putnam	37	89.5	62.8	125.0	15	80.1	44.5	135.5	22	100.4	62.6	156.2
Randolph	148	76.4	64.5	89.9	94	108.6	87.6	133.2	54	52.7	39.4	69.5
Richland	79	72.2	57.0	90.6	45	95.4	69.5	128.5	34	56.1	38.6	80.0
Rock Island	670	74.8	69.2	80.8	362	92.4	83.0	102.5	308	62.1	55.2	69.6
St Clair	1,170	87.3	82.3	92.4	622	111.5	102.8	120.7	548	71.4	65.5	77.7
Saline	173	95.8	81.8	111.7	103	137.3	111.9	166.9	70	67.1	51.7	86.3
Sangamon	900	83.5	78.1	89.2	513	113.8	104.0	124.2	387	63.3	57.1	70.0
Schuyler	32	64.8	44.1	93	20	88.1	53.8	138.3	12	43.0	21.4	80.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Lung and Bronchus, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	27	77.1	50.7	113.6	16	97.9	55.8	161.8	11	59.2	29.4	109.8
Shelby	109	70.4	57.8	85.4	62	90.2	69.1	116.2	47	56.5	41.3	76.3
Stark	23	51.9	32.6	79.9	13	70.6	37.3	123.5	10	40.3	19.2	79.3
Stephenson	217	68.4	59.5	78.3	108	79.3	64.9	96.0	109	62.5	51.0	76.0
Tazewell	627	79.2	73.1	85.7	375	106.7	96.1	118.1	252	58.0	51.0	65.7
Union	98	80.5	65.1	98.8	62	116.6	88.9	150.5	36	53.9	37.4	76.1
Vermilion	464	91.2	83.0	100.0	264	118.1	104.1	133.4	200	71.0	61.4	81.9
Wabash	71	87.9	68.5	111.5	45	132.1	96.2	177.5	26	56.4	36.5	84.6
Warren	79	68.9	54.4	86.5	48	97.1	71.4	129.6	31	47.7	32.0	69.2
Washington	66	72.7	56.1	93.0	43	103.5	74.8	140.0	23	47.9	30.1	73.2
Wayne	102	88.5	71.8	108.1	56	109.3	82.3	142.9	46	72.8	52.6	99.1
White	96	87.7	70.9	107.8	60	125.4	95.6	162.6	36	62.8	43.8	88.6
Whiteside	252	66.6	58.6	75.5	131	77.4	64.6	92.1	121	57.7	47.7	69.5
Will	1,808	75.3	71.7	78.9	939	89.4	83.4	95.7	869	65.7	61.3	70.3
Williamson	371	91.1	82.0	101	230	128.8	112.5	146.8	141	64.3	54	76.1
Winnebago	1,135	72.7	68.5	77.1	592	88.2	81.2	95.7	543	62.9	57.7	68.5
Woodford	125	58.3	48.4	69.7	56	58.4	44.0	76.2	69	59.7	46.0	76.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Whites, Lung and Bronchus, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	38,351	71.5	70.8	72.2	20,299	87.8	86.5	89.0	18,052	60.3	59.4	61.2
Champaign	414	60.1	54.4	66.2	226	74.7	65.2	85.2	188	49.3	42.4	57.0
Cook	11,705	64.8	63.6	66.0	5,970	77.9	75.9	79.9	5,735	55.8	54.3	57.3
DuPage	2,479	65.2	62.6	67.8	1,230	75.3	71.0	79.7	1,249	58.7	55.4	62.2
Kane	1,110	65.4	61.5	69.5	577	77.3	70.8	84.2	533	57.2	52.3	62.3
Kankakee	413	80.4	72.8	88.5	223	101.7	88.6	116.2	190	66.3	57.1	76.6
Lake	1,642	63.9	60.8	67.2	759	66.0	61.2	71.0	883	63.3	59.1	67.6
Macon	611	98.8	91.1	107.1	331	122.9	109.9	137.1	280	81.5	72.0	92.0
Madison	1,199	84.8	80.0	89.8	639	106.1	97.9	114.8	560	70.4	64.7	76.6
Peoria	769	85.2	79.2	91.6	387	99.9	90.2	110.5	382	76.2	68.6	84.5
Rock Island	626	74.2	68.5	80.4	344	93.1	83.5	103.6	282	60.4	53.4	68.1
St Clair	890	86.2	80.6	92.1	467	106.2	96.7	116.4	423	73.1	66.2	80.5
Sangamon	833	83.0	77.4	88.9	471	111.8	101.8	122.5	362	63.7	57.3	70.8
Vermilion	434	91.9	83.4	101.1	242	116.7	102.3	132.6	192	73.6	63.4	85.1
Will	1,631	76.2	72.5	80.1	834	89.4	83.0	96.0	797	67.6	63.0	72.6
Winnebago	1,035	72.2	67.8	76.8	534	86.3	79.1	94.1	501	63.4	57.9	69.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Blacks, Lung and Bronchus, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	6,565	85.9	83.8	88.0	3,605	118.8	114.7	122.9	2,960	65.1	62.7	67.5
Champaign	64	109.1	83.4	139.6	33	159.0	104.0	229.2	31	85.7	57.8	121.6
Cook	5,215	86.4	84.0	88.8	2,824	119.1	114.6	123.8	2,391	65.9	63.3	68.6
DuPage	51	58.1	41.1	79.2	24	78.5	44.8	124.0	27	50.1	30.9	75.8
Kane	67	104.8	78.4	136.3	44	185.6	121.7	266.2	23	59.6	36.3	91.0
Kankakee	45	72.7	52.5	97.7	33	121.5	80.8	174.3	12	35.4	18.1	61.4
Lake	91	61.8	49.2	76.3	47	77.5	54.2	106.3	44	53.1	38.3	71.4
Macon	71	118.6	92.3	149.7	47	198.5	142.6	267.5	24	69.0	44.1	102.1
Madison	57	81.7	61.6	105.9	32	117.3	78.0	167.7	25	60.3	38.7	88.8
Peoria	98	115.3	92.8	141.1	50	153.5	110.3	206.0	48	92.9	67.9	123.3
Rock Island	37	81.8	56.8	113.4	16	76.2	42.2	125.8	21	84.7	52.0	129.7
St Clair	274	92.5	81.8	104.3	154	135.9	114.3	160.0	120	67.3	55.8	80.5
Sangamon	62	99.2	75.4	127.5	39	151.1	104.8	209.2	23	62.9	39.6	93.8
Vermilion	29	89.7	59.8	128.3	21	146.3	88.9	224	8	46.0	19.8	89.4
Will	144	75.2	62.4	89.6	85	101.6	78.4	129.0	59	55.5	41.5	72.4
Winnebago	93	84.7	67.6	104.4	55	132.2	95.6	176.7	38	57.6	40.3	79.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Hispanics, Lung and Bronchus, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	1,197	34.4	32.3	36.5	663	41.2	37.8	44.7	534	28.7	26.2	31.4
Cook	799	33.0	30.6	35.6	455	40.7	36.6	45.0	344	26.7	23.8	29.9
DuPage	76	43.6	33.7	55.2	35	45.1	30.5	63.5	41	42.2	29.5	57.9
Kane	57	33.0	24.1	43.7	36	40.2	26.6	57.6	21	25.6	15.1	39.7
Lake	49	26.6	19.1	35.8	25	32.1	19.7	48.4	24	22.5	13.9	33.9
Will	46	32.9	23.3	44.6	29	43.0	27.0	63.8	17	23.7	13.3	38.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Non-Hispanics, Lung and Bronchus, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	44,460	74.5	73.8	75.2	23,676	93.1	91.9	94.3	20,784	61.8	60.9	62.6
Cook	16,577	72.9	71.8	74.0	8,626	91.4	89.5	93.4	7,951	60.4	59.1	61.7
DuPage	2,543	63.1	60.6	65.6	1,265	73.2	69.1	77.5	1,278	56.5	53.4	59.8
Kane	1,135	69.7	65.6	74.0	590	83.5	76.5	90.8	545	60.5	55.4	65.9
Lake	1,728	64.6	61.5	67.7	804	67.2	62.5	72.2	924	63.4	59.3	67.7
Will	1,762	77.9	74.2	81.7	910	92.4	86.1	99.0	852	68.2	63.7	73.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	9,990	15.6	15.3	15.9	5,559	19.7	19.2	20.2	4,431	13.1	12.7	13.4
Adams	86	22.1	17.5	27.5	48	26.5	19.5	35.3	38	18.8	13.0	26.3
Alexander	8	14.2	6.0	29.1	5	21.6	6.9	51.7	3	10.8	1.8	35.3
Bond	13	13.2	7.0	22.8	8	19.0	8.1	37.2	5	10.8	3.0	26.7
Boone	42	17.0	12.2	23.0	22	20.0	12.2	30.7	20	15.7	9.6	24.3
Brown	4	11.1	3.0	29.8	3	27.8	5.4	77.3	1	5.9	0.1	41.1
Bureau	41	18.7	13.2	25.9	26	27.1	17.5	40.2	15	13.9	7.4	23.8
Calhoun	10	31.7	14.7	60.7	5	30.3	9.5	75.4	5	38.0	11.6	91.5
Carroll	14	13.4	7.0	23.6	12	24.7	12.3	45.0	2	3.0	0.4	14.3
Cass	17	21.7	12.6	35.2	10	26.9	12.8	50.1	7	19.1	7.6	39.8
Champaign	185	23.2	19.9	26.8	96	27.6	22.3	33.8	89	21.1	16.8	26.1
Christian	34	17.1	11.7	24.1	19	19.9	11.9	31.2	15	16.1	8.7	27.2
Clark	16	16.4	9.3	27.0	14	30.7	16.7	52.0	2	5.4	0.7	18.6
Clay	18	22.4	13.0	36.0	9	25.1	11.3	48.2	9	21.5	9.6	42.1
Clinton	34	17.0	11.8	23.9	22	22.8	14.3	34.7	12	13.5	6.8	23.9
Coles	53	20.8	15.5	27.5	32	29.3	19.9	41.6	21	15.4	9.3	24.1
Cook	2,866	11.1	10.7	11.5	1,621	14.6	13.9	15.4	1,245	8.8	8.3	9.3
Crawford	16	14.2	8.0	23.5	7	12.4	5.0	26.0	9	17.4	7.5	34.4
Cumberland	9	12.9	5.8	25.4	4	15.8	4.3	40.3	5	13.9	4.3	34.5
DeKalb	58	13.9	10.5	18.0	33	17.2	11.7	24.3	25	11.9	7.7	17.5
DeWitt	24	25.4	16.1	38.2	14	31.8	17.2	53.9	10	21.0	9.6	39.9
Douglas	26	23.9	15.5	35.4	13	28.2	14.9	48.1	13	25.1	13.0	43.5
DuPage	755	16.5	15.3	17.7	411	20.2	18.2	22.3	344	14.2	12.7	15.8
Edgar	25	21.6	13.8	32.4	13	24.5	12.9	42.6	12	18.3	9.2	33.4
Edwards	6	12.1	4.4	28.6	2	10.2	1.2	40.0	4	14.6	3.9	43.4
Effingham	42	22.3	16.1	30.3	24	27.4	17.5	41.0	18	19.4	11.4	30.9
Fayette	25	20.5	13.2	30.5	18	31.4	18.6	50.0	7	10.7	4.0	23.5
Ford	19	24.8	14.5	39.6	11	31.7	15.4	57.5	8	18.7	7.3	39.2
Franklin	54	22.2	16.5	29.2	29	27.4	18.2	39.7	25	19.6	12.4	29.6
Fulton	52	22.9	17.0	30.3	31	28.4	19.2	40.6	21	20.9	12.6	32.7
Gallatin	10	25.4	11.8	48.8	9	44.3	20.0	88.4	1	8.5	0.2	42.5
Greene	15	19.6	10.8	32.8	9	25.3	11.4	48.7	6	14.0	4.9	32.1
Grundy	47	20.6	15.1	27.5	29	26.0	17.3	37.6	18	15.1	8.9	24.0
Hamilton	10	18.8	8.5	36.5	8	33.1	13.9	67.6	2	7.8	0.5	32.8
Hancock	31	27.0	18.0	39.0	15	25.1	14.0	42.4	16	29.6	16.2	49.5
Hardin	8	26.1	11.0	54.3	4	30.0	7.9	81.0	4	21.5	5.7	65.0
Henderson	5	10.8	3.4	26.8	2	7.6	0.9	32.9	3	13.8	2.6	43.3
Henry	65	22.0	16.8	28.3	32	22.2	15.1	31.6	33	22.9	15.3	32.9
Iroquois	31	16.4	11	23.7	16	17.9	10.2	29.5	15	16.0	8.7	27.4
Jackson	55	21.9	16.4	28.6	29	25.6	17.1	36.8	26	20.9	13.4	31.0
Jasper	16	28.5	16.1	47.0	5	16.8	5.5	41.0	11	40.2	19.4	74.0
Jefferson	47	20.8	15.2	27.8	32	31.3	21.4	44.4	15	13.1	7.1	22.1
Jersey	21	16.3	10.0	25.2	11	20.8	10.2	37.6	10	14.1	6.7	26.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	26	18.8	11.9	28.4	14	16.6	9.0	29.0	12	22.9	11.2	41.1
Johnson	16	21.8	12.4	35.9	13	37.0	19.3	64.0	3	9.8	1.9	30.3
Kane	314	15.0	13.4	16.9	162	17.0	14.3	20.0	152	13.7	11.6	16.1
Kankakee	89	15.7	12.6	19.4	49	20.6	15.1	27.3	40	13.8	9.8	18.8
Kendall	76	19.8	15.5	25.0	36	21.4	14.5	30.2	40	19.2	13.7	26.4
Knox	58	18.7	14.1	24.5	32	21.1	14.4	30.0	26	18.7	11.9	27.9
Lake	632	19.8	18.3	21.5	336	23.5	20.9	26.3	296	17.5	15.5	19.6
LaSalle	143	22.8	19.1	26.9	88	30.2	24.1	37.3	55	17.2	12.9	22.6
Lawrence	23	24.2	15.3	36.7	18	40.4	23.9	64.2	5	8.3	2.7	21.6
Lee	40	20.0	14.2	27.4	20	20.2	12.3	31.5	20	20.7	12.4	32.4
Livingston	51	23.1	17.1	30.5	34	33.9	23.4	47.5	17	15.1	8.7	24.5
Logan	28	18.0	11.9	26.1	15	20.1	11.2	33.4	13	16.9	9.0	29.1
McDonough	58	40.6	30.3	53.2	30	45.2	30.2	64.9	28	38.4	24.4	57.3
McHenry	253	17.5	15.3	19.8	134	20.3	16.9	24.3	119	15.4	12.7	18.4
McLean	203	28.0	24.3	32.2	114	36.9	30.2	44.4	89	22.2	17.8	27.5
Macon	124	20.6	17.1	24.7	63	22.2	17.0	28.6	61	21.3	16.1	27.5
Macoupin	50	17.2	12.7	22.8	31	22.4	15.2	32.0	19	13.4	7.9	21.3
Madison	238	16.7	14.6	19.0	126	19.8	16.5	23.7	112	15.2	12.5	18.3
Marion	58	24.7	18.6	32.2	35	32.8	22.7	45.8	23	19.0	11.7	29.3
Marshall	17	22.9	13.0	37.6	9	24.9	11.0	48.7	8	22.6	9.2	46.3
Mason	20	20.6	12.3	32.6	9	18.9	8.6	37.1	11	22.4	10.4	42.3
Massac	16	19.9	11.2	32.6	8	20.8	8.9	41.4	8	20.3	8.6	40.3
Menard	18	26.1	15.3	41.9	12	38.0	19.3	67.4	6	14.7	5.4	33.9
Mercer	24	24.9	15.8	37.6	17	36.8	21.2	59.8	7	14.5	5.7	30.9
Monroe	37	22.1	15.5	30.5	21	26.0	16.0	40.2	16	19.1	10.7	31.3
Montgomery	35	21.2	14.6	29.7	23	28.7	18.2	43.2	12	18.2	9.2	32.0
Morgan	35	17.5	12.0	24.5	16	18.2	10.3	29.8	19	18.6	10.9	29.8
Moultrie	15	19.8	10.9	33.0	4	10.3	2.8	27.0	11	29.8	14.4	54.1
Ogle	62	21.3	16.3	27.5	33	23.6	16.2	33.4	29	20.8	13.8	30.0
Peoria	273	28.0	24.7	31.6	145	33.1	27.9	39.1	128	25.4	21.1	30.3
Perry	19	15.1	9.0	23.8	9	14.5	6.6	27.8	10	15.3	7.1	29.3
Piatt	26	27.6	17.8	40.9	15	30.4	16.9	51.1	11	25.4	12.4	46.3
Pike	17	17.2	9.8	28.1	10	20.7	9.8	38.8	7	15.0	5.5	32.5
Pope	7	23.1	8.9	52.4	4	29.6	7.5	85.1	3	17.0	3.4	63.7
Pulaski	4	10.6	2.8	28.3	3	17.9	3.6	54.0	1	4.7	0.1	29.6
Putnam	6	17.3	6.1	39.5	3	15.3	3.1	49.5	3	18.4	3.3	57.3
Randolph	29	16.0	10.7	23.0	17	19.0	11.0	30.7	12	11.9	6.1	21.4
Richland	19	21.0	12.3	33.4	13	29.5	15.5	51.2	6	15.4	5.3	34.0
Rock Island	151	18.1	15.3	21.3	82	21.8	17.3	27.2	69	15.9	12.3	20.3
St Clair	161	12.1	10.3	14.1	97	17.3	13.9	21.1	64	8.8	6.8	11.3
Saline	32	20.0	13.4	28.7	18	25.0	14.7	40.0	14	17.5	9.2	30.5
Sangamon	199	19.1	16.5	22.0	108	22.9	18.7	27.8	91	17.0	13.6	21.0
Schuyler	5	10.9	3.3	27.5	3	13.0	2.7	41.4	2	9.3	0.7	39.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
All Races, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	9	27.6	12.3	54.3	3	19.6	4.0	60.2	6	36.8	12.9	83.8
Shelby	17	13.4	7.6	22.0	8	11.9	5.1	24.2	9	16.2	7.0	31.6
Stark	8	19.7	8.2	41.0	5	27.8	8.8	68.2	3	15.6	2.9	50.2
Stephenson	28	10.0	6.6	14.8	9	7.8	3.5	15.0	19	12.4	7.3	19.9
Tazewell	233	31.7	27.7	36.1	116	33.0	27.2	39.6	117	32.7	26.9	39.3
Union	17	16.7	9.5	27.3	11	22.2	10.9	40.5	6	12.9	4.5	28.5
Vermilion	73	16.0	12.5	20.2	34	16.6	11.4	23.3	39	16.7	11.7	23.2
Wabash	11	15.0	7.2	27.8	5	16.1	5.0	38.4	6	13.7	4.6	32.7
Warren	21	19.5	11.9	30.4	13	28.3	15.0	48.8	8	12.7	5.1	27.0
Washington	15	18.2	10.0	30.6	10	24.7	11.7	46.2	5	13.4	4.1	31.8
Wayne	16	15.4	8.6	25.6	11	23.8	11.7	43.6	5	8.7	2.7	22.1
White	6	5.6	1.9	13.3	3	6.3	1.3	20.1	3	6.2	1.1	20.0
Whiteside	64	18.1	13.8	23.2	34	20.7	14.3	29.1	30	16.8	11.1	24.4
Will	419	14.8	13.4	16.4	255	20.1	17.5	22.9	164	10.7	9.1	12.5
Williamson	75	19.9	15.6	25.1	50	29.3	21.6	38.8	25	13.8	8.8	20.6
Winnebago	293	19.3	17.1	21.6	160	23.1	19.6	27.0	133	16.5	13.8	19.6
Woodford	65	32.6	24.9	41.8	40	43.1	30.6	59.0	25	26.1	16.5	39.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Whites, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	9,293	17.5	17.1	17.8	5,204	21.7	21.1	22.3	4,089	14.8	14.4	15.3
Champaign	184	26.7	22.9	30.9	96	31.1	25.2	38.1	88	24.8	19.7	30.7
Cook	2,604	14.4	13.8	14.9	1,487	18.5	17.6	19.5	1,117	11.7	11.0	12.4
DuPage	686	17.0	15.7	18.3	374	20.7	18.6	23.0	312	14.8	13.2	16.5
Kane	279	14.5	12.8	16.4	141	16.0	13.3	19.0	138	13.6	11.4	16.2
Kankakee	85	17.2	13.7	21.3	46	21.6	15.7	29.0	39	15.8	11.2	21.8
Lake	588	20.8	19.1	22.6	314	24.6	21.8	27.6	274	18.4	16.3	20.8
Macon	124	23.7	19.6	28.5	63	24.4	18.7	31.4	61	25.6	19.3	33.2
Madison	233	17.5	15.3	19.9	124	20.6	17.1	24.7	109	16.1	13.1	19.5
Peoria	262	31.2	27.4	35.3	143	36.8	30.9	43.4	119	28.5	23.4	34.3
Rock Island	140	18.0	15.0	21.3	78	22.1	17.4	27.7	62	15.4	11.6	20.0
St Clair	147	14.9	12.6	17.6	89	20.6	16.5	25.4	58	11.3	8.5	14.7
Sangamon	191	20.2	17.4	23.4	103	23.6	19.2	28.7	88	18.5	14.8	23.0
Vermilion	69	16.6	12.8	21.1	31	16.4	11.1	23.4	38	17.8	12.4	24.8
Will	378	15.3	13.8	17.0	234	21.0	18.2	24.0	144	10.9	9.1	12.8
Winnebago	274	20.0	17.7	22.5	153	24.3	20.6	28.5	121	16.8	13.9	20.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Blacks, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	63	0.8	0.6	1.1	22	0.8	0.5	1.2	41	0.9	0.6	1.2
Champaign	1	1.3	0.0	7.3	0	0.0	0.0	15.1	1	2.6	0.1	13.6
Cook	43	0.7	0.5	1.0	15	0.6	0.3	1.1	28	0.8	0.5	1.1
DuPage	1	0.4	0.0	4.6	0	0.0	0.0	11.1	1	0.8	0.0	8.0
Kane	3	2.4	0.5	8.2	1	1.7	0.0	17.3	2	3.0	0.4	12.6
Kankakee	0	0.0	0.0	5.3	0	0.0	0.0	14.2	0	0.0	0.0	9.3
Lake	2	1.4	0.1	5.0	1	0.9	0.0	6.7	1	1.5	0.0	7.2
Macon	0	0.0	0.0	5.3	0	0.0	0.0	14.4	0	0.0	0.0	8.9
Madison	0	0.0	0.0	4.2	0	0.0	0.0	11.6	0	0.0	0.0	7.3
Peoria	0	0.0	0.0	3.4	0	0.0	0.0	9.1	0	0.0	0.0	5.7
Rock Island	1	1.6	0.0	10.3	0	0.0	0.0	19	1	3.2	0.1	19.5
St Clair	4	1.3	0.3	3.3	2	2.1	0.3	7.0	2	1.0	0.1	3.5
Sangamon	0	0.0	0.0	4.7	0	0.0	0.0	13.1	0	0.0	0.0	7.9
Vermilion	1	3.8	0.1	18.0	1	12.1	0.3	51.7	0	0.0	0.0	18.4
Will	2	0.6	0.1	2.6	1	0.7	0.0	5.8	1	0.6	0.0	3.9
Winnebago	0	0.0	0.0	3.0	0	0.0	0.0	8.0	0	0.0	0.0	5.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Hispanics, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	168	3.4	2.8	4.0	78	3.7	2.8	4.9	90	3.3	2.6	4.1
Cook	107	3.2	2.6	4.0	54	3.6	2.6	5.0	53	2.9	2.1	3.9
DuPage	9	4.2	1.6	8.4	2	4.4	0.5	13.4	7	5.0	1.8	11.0
Kane	14	5.0	2.3	9.1	6	4.6	1.2	11.4	8	5.6	2.0	11.9
Lake	6	2.2	0.6	5.3	3	2.9	0.3	9.4	3	1.7	0.3	5.6
Will	8	3.2	1.0	7.4	3	2.3	0.4	8.3	5	4.0	0.8	11.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex
Non-Hispanics, Melanoma of the Skin, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Both Sexes				Males				Females			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	9,822	16.8	16.5	17.2	5,481	21.1	20.5	21.7	4,341	14.1	13.7	14.5
Cook	2,759	12.4	12.0	12.9	1,567	16.4	15.6	17.2	1,192	9.9	9.3	10.4
DuPage	746	17.5	16.2	18.8	409	21.3	19.2	23.6	337	15.1	13.5	16.8
Kane	300	17.1	15.2	19.2	156	19.3	16.2	22.7	144	15.6	13.1	18.5
Lake	626	21.9	20.2	23.8	333	25.8	23.0	28.8	293	19.5	17.3	21.9
Will	411	15.8	14.3	17.5	252	21.6	18.8	24.6	159	11.3	9.6	13.2

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (invasive), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	43,312	123.9	122.7	125.1	36,233	125.2	123.9	126.5	5,649	119.4	116.3	122.6
Adams	275	125.4	110.4	141.9								
Alexander	39	123.8	87.5	171.9								
Bond	72	143.2	111.5	181.5								
Boone	163	126.0	107.3	147.1								
Brown	19	115.8	69.2	185.4								
Bureau	146	125.4	105.2	148.7								
Calhoun	17	111.1	62.1	184.6								
Carroll	68	115.1	87.8	149.1								
Cass	48	114.4	83.6	153.3								
Champaign	584	140.3	129.0	152.2	517	142.2	130.0	155.2	53	137.3	102.2	179.9
Christian	149	136.3	114.5	161.2								
Clark	62	109.1	82.9	141.7								
Clay	49	106.6	77.5	143.6								
Clinton	134	128.7	107.4	153.0								
Coles	176	125.1	106.8	145.7								
Cook	17,307	121.5	119.7	123.3	12,050	123.1	120.8	125.3	4,428	120.0	116.5	123.6
Crawford	79	123.2	96.8	155.1								
Cumberland	38	111.7	78.2	155.5								
DeKalb	265	122.5	108.1	138.2								
DeWitt	59	117.8	88.8	153.6								
Douglas	75	127.5	99.4	161.3								
DuPage	3,338	135.0	130.4	139.8	3,048	138.9	133.9	144.0	88	123.8	94.6	158.7
Edgar	83	129.5	101.9	162.8								
Edwards	27	122.7	79.0	183.3								
Effingham	139	136.5	114.3	161.8								
Fayette	72	113.1	87.8	143.7								
Ford	65	131.8	99.7	171.6								
Franklin	157	117.5	99.1	138.6								
Fulton	139	116.0	96.8	138.2								
Gallatin	26	127.0	80.5	192.1								
Greene	49	105.8	77.3	141.9								
Grundy	146	127.7	107.7	150.3								
Hamilton	27	90.4	57.9	136.3								
Hancock	63	99.8	75.5	129.9								
Hardin	19	124.1	71.8	202.6								
Henderson	26	100.3	64.1	151.4								
Henry	216	129.5	112.3	148.8								
Iroquois	101	95.8	77.3	117.8								
Jackson	162	115.4	97.8	135.2								
Jasper	28	95.5	62.6	140.2								
Jefferson	132	106.3	88.3	127.1								
Jersey	66	94.7	72.9	121.3								

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (invasive), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	74	94.1	72.9	120.1								
Johnson	47	132.8	96.2	179.7								
Kane	1,445	131.2	124.4	138.3	1,339	131.7	124.6	139.1	62	122.8	91.4	161.0
Kankakee	349	112.5	100.9	125.1	301	111.1	98.7	124.7	46	123.3	89.9	164.6
Kendall	230	122.5	106.9	139.8								
Knox	211	117.9	101.8	136.0								
Lake	2,313	134.5	129.0	140.2	2,106	137.9	132.0	144.0	100	105.0	84.8	128.3
LaSalle	478	132.8	120.9	145.7								
Lawrence	53	101.7	75.1	135.3								
Lee	147	136.5	114.9	161.2								
Livingston	129	111.2	92.5	132.8								
Logan	99	108.3	87.6	132.6								
McDonough	104	126.7	102.1	155.6								
McHenry	891	116.2	108.6	124.2								
McLean	476	126.7	115.4	138.7								
Macon	487	141.8	129.2	155.5	441	146.3	132.4	161.4	42	107.7	77.4	145.5
Macoupin	172	108.7	92.6	126.8								
Madison	948	120.1	112.5	128.1	891	120.7	112.7	129.0	50	112.1	82.8	147.9
Marion	158	117.8	99.4	138.7								
Marshall	56	121.6	90.9	160.6								
Mason	73	139.7	108.8	177.5								
Massac	53	105.9	78.2	140.7								
Menard	54	140.4	104.4	185.6								
Mercer	65	118.2	90.8	152.1								
Monroe	115	126.9	104.6	152.6								
Montgomery	119	126.3	103.6	152.8								
Morgan	143	127.7	107.0	151.5								
Moultrie	59	130.3	97.8	170.5								
Ogle	166	103.8	88.5	121.2								
Peoria	697	130.1	120.4	140.4	600	127.3	117.0	138.4	85	136.4	108.2	169.3
Perry	80	118.7	93.1	149.5								
Piatt	72	135.7	105.5	172.5								
Pike	55	92.1	68.2	122.5								
Pope	18	119.3	67.4	200.5								
Pulaski	18	95.0	54.9	153.1								
Putnam	22	114.1	71.1	175.9								
Randolph	121	119.9	99.0	144.2								
Richland	62	106.5	80.1	139.5								
Rock Island	617	130.1	119.7	141.1	577	130.2	119.5	141.7	26	102.8	66.5	151.2
St Clair	955	129.4	121.3	138.0	697	128.6	119.1	138.8	241	129.8	113.9	147.3
Saline	130	144.5	119.4	173.5								
Sangamon	791	132.0	122.8	141.7	729	132.3	122.7	142.5	50	115.1	84.9	152.1
Schuyler	21	85.3	51.5	135.1								

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (invasive), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	22	140.1	86.8	215								
Shelby	75	95.4	74.4	121.1								
Stark	31	134.2	89.8	195.6								
Stephenson	191	116.8	100.3	135.5								
Tazewell	491	119.9	109.4	131.2								
Union	68	110.6	85.1	141.8								
Vermilion	332	126.4	112.8	141.3	317	129.7	115.4	145.5	15	85.0	47.4	139.4
Wabash	41	99.1	69.5	137.6								
Warren	71	128.1	98.8	163.7								
Washington	54	114.2	85.0	150.6								
Wayne	59	106.7	79.8	140.3								
White	68	121.3	93.0	156.4								
Whiteside	265	134.5	118.3	152.4								
Will	1,831	122.8	117.1	128.6	1,603	123.0	117.0	129.3	179	135.5	114.8	158.6
Williamson	275	132.7	117	150.0								
Winnebago	1,000	119.9	112.5	127.7	923	122.5	114.6	130.8	65	93.0	71.4	118.9
Woodford	160	139.7	118.4	164.0								

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (invasive), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Hispanics				Non-Hispanics			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	2,120	84.9	81.1	88.9	41,192	126.8	125.5	128.0
Cook	1,397	81.6	77.1	86.3	15,910	126.8	124.8	128.8
DuPage	144	115.3	95.7	137.5	3,194	135.9	131.2	140.8
Kane	123	74.9	60.6	91.4	1,322	137.8	130.4	145.6
Lake	102	64.7	51.2	80.5	2,211	139.9	134.0	145.9
Will	84	82.1	63.6	103.8	1,747	125.8	119.9	132.0

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (*in situ*), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	10,893	31.6	31.0	32.2	8,983	31.8	31.1	32.5	1,458	30.6	29.0	32.2
Adams	57	27.0	20.3	35.3								
Alexander	4	13.1	3.4	36.8								
Bond	9	18.3	8.3	35.5								
Boone	29	21.8	14.6	31.4								
Brown	6	52.3	18.8	114.6								
Bureau	27	22.1	14.4	32.8								
Calhoun	5	29.1	9.3	73.3								
Carroll	8	11.8	5.1	25.9								
Cass	11	26.7	13.2	48.7								
Champaign	202	48.9	42.3	56.2	171	48.2	41.2	56.1	22	55.5	34.5	84.1
Christian	39	36.2	25.5	50.2								
Clark	13	23.5	12.4	41.3								
Clay	20	49.7	29.5	78.6								
Clinton	27	27.0	17.8	39.6								
Coles	39	30.0	21.2	41.3								
Cook	4,470	31.8	30.9	32.8	3,107	32.8	31.7	34	1,128	30.2	28.4	32.0
Crawford	10	16.2	7.7	30.8								
Cumberland	8	22.1	9.1	45.8								
DeKalb	56	26.3	19.8	34.1								
DeWitt	13	23.7	12.5	41.7								
Douglas	23	36.2	22.7	55.1								
DuPage	846	34.1	31.8	36.5	744	34.1	31.7	36.7	19	27.1	14.5	45.7
Edgar	23	37.3	23.4	57.1								
Edwards	4	16.0	4.3	45.8								
Effingham	23	22.0	13.9	33.4								
Fayette	16	28.2	15.9	46.4								
Ford	16	33.5	18.9	55.9								
Franklin	28	22.7	14.9	33.4								
Fulton	19	15.7	9.2	25.4								
Gallatin	6	32.8	11.2	75.4								
Greene	11	24.0	11.9	44.2								
Grundy	14	12.1	6.6	20.4								
Hamilton	4	17.6	4.3	47.5								
Hancock	20	30.5	18.5	48.4								
Hardin	1	6.6	0.2	45.4								
Henderson	5	18.1	5.8	46.7								
Henry	47	29.7	21.7	40.0								
Iroquois	25	25.4	16.2	38.3								
Jackson	36	26.4	18.3	36.9								
Jasper	9	29.3	13.2	57.5								
Jefferson	19	16.2	9.6	25.7								
Jersey	16	23.5	13.4	38.8								

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (*in situ*), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	14	18.2	9.7	32.2								
Johnson	6	17.0	5.9	39.7								
Kane	363	32.1	28.8	35.6	340	32.7	29.3	36.4	12	22.8	11.1	41.1
Kankakee	81	26.8	21.2	33.3	69	26.8	20.8	34.0	12	34.4	17.7	59.8
Kendall	81	40.4	32	50.4								
Knox	51	29.2	21.5	38.9								
Lake	819	46.5	43.3	49.8	734	47.2	43.8	50.8	33	34.0	23.1	48.0
LaSalle	86	25.0	19.9	31.0								
Lawrence	5	9.8	3.0	24.8								
Lee	26	24.8	16.1	36.8								
Livingston	25	22.9	14.7	34.1								
Logan	29	31.7	21.0	46.1								
McDonough	23	30.3	18.7	46.7								
McHenry	177	22.5	19.2	26.1								
McLean	86	22.5	18.0	27.8								
Macon	126	37.2	30.8	44.5	112	38.4	31.4	46.6	14	36.0	19.5	60.3
Macoupin	35	22.2	15.4	31.3								
Madison	228	29.3	25.6	33.4	206	28.6	24.8	32.8	17	40.6	23.4	64.8
Marion	28	22.4	14.7	33.0								
Marshall	11	25.6	12.7	47.5								
Mason	16	32.5	18.2	54.3								
Massac	8	16.9	7.2	34.3								
Menard	21	57.2	34.9	89.0								
Mercer	23	43.3	27.2	66.2								
Monroe	24	26.7	17.1	40.1								
Montgomery	32	35.2	23.8	50.4								
Morgan	27	22.9	14.9	33.9								
Moultrie	17	41.1	23.6	66.8								
Ogle	32	20.0	13.7	28.5								
Peoria	173	32.2	27.5	37.5	158	33.9	28.7	39.9	14	24.2	12.9	40.7
Perry	18	28.2	16.5	45.5								
Piatt	18	35.6	21.0	57.1								
Pike	14	27.3	14.0	48.1								
Pope	5	36.1	10.8	94.1								
Pulaski	4	18.3	5.0	49.5								
Putnam	1	4.5	0.1	32.5								
Randolph	26	26.7	17.1	39.9								
Richland	13	24.3	12.4	43.7								
Rock Island	151	33.3	28.0	39.2	133	30.8	25.6	36.6	7	28.2	11.3	57.7
St Clair	237	32.3	28.3	36.7	182	34.3	29.5	39.8	50	27.0	20.0	35.6
Saline	14	15.7	8.5	27.1								
Sangamon	252	43.5	38.2	49.3	233	44.2	38.6	50.4	14	30.6	16.6	51.2
Schuyler	1	3.6	0.1	27.4								

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (*in situ*), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	11	61.9	30.7	114.1								
Shelby	12	18.0	9.2	32.2								
Stark	7	38.1	14.8	81.8								
Stephenson	32	20.2	13.7	28.9								
Tazewell	130	32.8	27.4	39.1								
Union	10	18.6	8.7	35.1								
Vermilion	111	44.2	36.2	53.5	99	42.7	34.5	52.3	12	69.0	35.5	119.5
Wabash	2	4.3	0.5	18.8								
Warren	14	26.9	14.3	46.3								
Washington	11	25.1	12.4	45.8								
Wayne	5	7.9	2.6	20.3								
White	13	25.4	12.7	45.9								
Whiteside	62	31.6	24.1	40.8								
Will	445	29.0	26.3	31.9	382	28.8	25.9	31.9	49	32.5	23.6	43.7
Williamson	56	28.2	21.2	37.0								
Winnebago	241	29.3	25.7	33.3	214	29.1	25.3	33.4	25	33.8	21.7	50.1
Woodford	40	35.2	24.9	48.5								

Cancer Incidence Counts and Age-adjusted Rates by County
Female Breast (*in situ*), Illinois, 2004-2008

Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Hispanics				Non-Hispanics			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	548	21.4	19.6	23.4	10,345	32.4	31.8	33.1
Cook	359	20.3	18.2	22.6	4,111	33.4	32.4	34.4
DuPage	44	31.3	22.2	42.7	802	34.3	31.9	36.8
Kane	27	16.7	10.3	25.7	336	34.4	30.8	38.4
Lake	39	27.9	19.1	39.1	780	48.2	44.9	51.8
Will	23	20.7	12.4	32.1	422	29.6	26.8	32.6

Cancer Incidence Counts and Age-adjusted Rates by Count
Cervix, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	2,916	8.8	8.5	9.1	2,127	8.0	7.7	8.3	656	13.7	12.7	14.8
Adams	12	6.7	3.4	12								
Alexander	2	9.5	0.9	35.2								
Bond	7	15.2	5.9	32.2								
Boone	8	6.8	2.9	13.3								
Brown	1	11.7	0.3	57.1								
Bureau	5	5.8	1.8	13.6								
Calhoun	1	4.4	0.1	36.7								
Carroll	2	8.1	1.0	26.4								
Cass	10	29.9	14.1	55.1								
Champaign	36	9.3	6.5	12.8	31	9.6	6.5	13.7	5	13.8	4.4	31.5
Christian	4	4.8	1.2	12.4								
Clark	3	6.8	1.4	20.2								
Clay	3	4.8	0.9	17.3								
Clinton	2	2.6	0.3	9.1								
Coles	16	11.9	6.7	19.7								
Cook	1,407	10.2	9.7	10.7	794	8.6	8.0	9.2	543	14.7	13.5	16.0
Crawford	8	12.9	5.2	27.2								
Cumberland	1	2.9	0.1	18.2								
DeKalb	13	6.1	3.2	10.5								
DeWitt	3	6.0	1.1	19.0								
Douglas	3	6.6	1.3	19.0								
DuPage	135	5.6	4.7	6.7	111	5.4	4.4	6.5	11	12.4	5.4	24.9
Edgar	7	15.5	6.1	32.1								
Edwards	2	7.8	0.9	34.2								
Effingham	6	6.4	2.3	14.1								
Fayette	4	5.9	1.5	16.2								
Ford	6	19.6	6.8	42.6								
Franklin	15	13.1	7.1	22.2								
Fulton	13	13.8	7.0	24.3								
Gallatin	1	4.6	0.1	32.1								
Greene	6	14.2	4.9	32.5								
Grundy	12	10.4	5.3	18.2								
Hamilton	4	18.0	4.4	48.2								
Hancock	3	8.3	1.6	23.2								
Hardin	0	0.0	0.0	35.2								
Henderson	1	4.5	0.1	28.3								
Henry	8	6.2	2.5	12.5								
Iroquois	5	4.2	1.3	11.1								
Jackson	11	8.8	4.3	16.1								
Jasper	1	2.9	0.1	20.1								
Jefferson	14	13.2	7.1	22.4								
Jersey	2	3.2	0.4	12.0								

Cancer Incidence Counts and Age-adjusted Rates by Count
Cervix, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	4	9.3	2.4	23.4								
Johnson	0	0.0	0.0	14.1								
Kane	90	8.0	6.4	9.9	81	8.0	6.3	9.9	2	3.1	0.4	12.7
Kankakee	29	11.6	7.8	16.7	22	10.7	6.6	16.1	6	14.9	5.5	32.5
Kendall	11	5.3	2.6	9.6								
Knox	12	8.3	4.0	15.0								
Lake	108	6.2	5.1	7.5	96	6.3	5.1	7.7	4	4.4	1.1	11.1
LaSalle	29	10.4	6.9	15.1								
Lawrence	4	10.2	2.4	27.2								
Lee	8	9.1	3.9	18.2								
Livingston	9	9.4	4.2	18.0								
Logan	5	7.8	2.5	17.9								
McDonough	4	6.9	1.7	17.7								
McHenry	51	6.7	5.0	8.8								
McLean	25	6.9	4.5	10.2								
Macon	28	10.6	7.0	15.4	22	10.1	6.2	15.5	5	11.8	3.8	27.7
Macoupin	15	11.0	6.0	18.5								
Madison	62	8.8	6.7	11.3	51	8.0	6.0	10.6	8	19.6	8.3	38
Marion	12	10.0	5.0	17.9								
Marshall	4	11.9	3.1	31.5								
Mason	7	16.4	6.4	34.8								
Massac	6	13.6	4.8	30.5								
Menard	0	0.0	0.0	12.5								
Mercer	1	3.5	0.1	16.9								
Monroe	7	8.0	3.2	16.9								
Montgomery	12	16.4	8.1	29.3								
Morgan	11	10.4	5.0	19.2								
Moultrie	3	9.8	2.0	27.5								
Ogle	11	7.2	3.5	13.1								
Peoria	44	9.6	6.9	12.9	34	9.1	6.2	12.9	9	13.4	6.0	25.7
Perry	4	4.8	1.3	14.0								
Piatt	1	1.9	0.0	12.2								
Pike	6	15.1	5.3	33.3								
Pope	0	0.0	0.0	41.1								
Pulaski	1	4.6	0.1	29.1								
Putnam	0	0.0	0.0	25.8								
Randolph	10	12.7	5.8	23.8								
Richland	6	13.4	4.8	30.0								
Rock Island	42	11.2	8.0	15.2	37	10.8	7.5	15.0	1	4.0	0.1	21.8
St Clair	71	10.1	7.8	12.7	40	8.1	5.7	11.1	29	15.8	10.5	22.6
Saline	5	9.3	2.9	21.5								
Sangamon	51	9.5	7.0	12.5	42	8.9	6.4	12.1	7	15.2	6.0	31.2
Schuyler	1	5.3	0.1	31.6								

Cancer Incidence Counts and Age-adjusted Rates by Count
Cervix, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	1	10.7	0.3	51.2								
Shelby	4	5.0	1.3	14.4								
Stark	1	8.9	0.2	43.8								
Stephenson	9	5.4	2.4	10.9								
Tazewell	43	12.1	8.7	16.4								
Union	3	7.5	1.5	21.4								
Vermilion	17	9.0	5.2	14.5	15	8.9	4.9	14.7	2	11.2	1.3	39.0
Wabash	4	12.4	3.1	32.7								
Warren	8	18.4	7.4	37.4								
Washington	4	9.3	2.5	24.7								
Wayne	6	13.8	4.8	30.9								
White	5	12.3	3.3	31.0								
Whiteside	15	9.5	5.2	16.0								
Will	118	7.7	6.3	9.2	97	7.3	5.9	9.0	13	8.6	4.4	15.3
Williamson	13	7.4	3.8	12.8								
Winnebago	50	6.6	4.9	8.7	44	6.6	4.8	9.0	5	7.3	2.3	17.0
Woodford	2	2.4	0.3	8.4								

Cancer Incidence Counts and Age-adjusted Rates by County
Cervix, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Hispanics				Non-Hispanics			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	389	13.9	12.4	15.5	2,527	8.5	8.1	8.8
Cook	258	13.5	11.8	15.4	1,149	9.8	9.2	10.4
DuPage	20	15.3	8.6	24.9	115	5.2	4.3	6.3
Kane	28	15.8	9.9	24.0	62	6.8	5.2	8.7
Lake	17	13.0	7.0	21.6	91	5.8	4.7	7.2
Will	10	7.6	3.0	15.5	108	7.8	6.4	9.4

Cancer Incidence Counts and Age-adjusted Rates by Count
Prostate, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	44,518	157.7	156.2	159.2	34,803	144.6	143.1	146.1	7,599	242.1	236.4	247.8
Adams	291	152.5	135.4	171.2								
Alexander	34	133.4	92.2	187.9								
Bond	59	123.7	94.0	160.0								
Boone	145	129.9	108.8	153.8								
Brown	23	164.4	102.3	248.8								
Bureau	151	148.3	125.5	174.3								
Calhoun	33	201.3	137.8	286.4								
Carroll	72	126.0	98.4	160.0								
Cass	36	97.4	68.0	135.4								
Champaign	651	187.4	173.1	202.5	567	182.4	167.6	198.2	72	270.7	207.4	346.0
Christian	143	145.8	122.7	172.0								
Clark	67	134.7	104.2	172.0								
Clay	87	208.2	166.7	257.7								
Clinton	128	137.2	114.3	163.3								
Coles	166	140.5	119.9	163.8								
Cook	18,220	166.2	163.7	168.7	11,308	142.9	140.2	145.6	5,926	244.8	238.3	251.3
Crawford	75	130.3	102.4	163.8								
Cumberland	45	145.1	105.4	195.5								
DeKalb	262	144.9	127.6	163.7								
DeWitt	59	129.8	98.6	168.2								
Douglas	81	158.8	125.9	197.7								
DuPage	3,151	159.0	153.3	164.8	2,836	160.1	154.1	166.3	108	256.7	201.0	321.7
Edgar	78	144.9	114.4	181.4								
Edwards	21	95.9	59.2	149.6								
Effingham	169	193.1	164.9	224.8								
Fayette	104	184.5	150.4	224.2								
Ford	66	164.8	127.4	210.4								
Franklin	179	154.6	132.5	179.4								
Fulton	188	170.8	147.2	197.3								
Gallatin	27	127.6	83.2	190.4								
Greene	67	166.1	128.7	211.6								
Grundy	152	158.6	133.9	186.4								
Hamilton	26	98.0	64.0	145.6								
Hancock	109	184.1	150.9	223.0								
Hardin	10	66.4	31.0	128.1								
Henderson	43	162.5	116.6	223.1								
Henry	215	149.5	130.0	171.2								
Iroquois	142	152.4	128.3	180.1								
Jackson	171	146.4	125.1	170.3								
Jasper	56	197.0	148.6	256.9								
Jefferson	189	171.5	147.7	198.2								
Jersey	92	156.8	126.0	193.1								

Cancer Incidence Counts and Age-adjusted Rates by Count
Prostate, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Jo Daviess	113	137.8	113.3	166.8								
Johnson	70	185.4	143.4	236.1								
Kane	1,322	151.4	142.9	160.3	1,181	144.2	135.7	153.2	85	251.6	187.1	329.1
Kankakee	474	180.9	164.8	198.3	392	169.4	152.8	187.3	67	235.3	180.0	301.8
Kendall	214	140.9	121.6	162.1								
Knox	222	139.4	121.6	159.2								
Lake	2,054	145.8	139.3	152.5	1,794	141.1	134.4	148.0	153	211.6	177.1	250.6
LaSalle	447	145.2	132.0	159.4								
Lawrence	49	107.8	79.7	142.8								
Lee	170	176.6	150.9	205.6								
Livingston	154	155.3	131.6	182.1								
Logan	122	161.6	134.0	193.2								
McDonough	119	163.9	135.7	196.5								
McHenry	913	148.2	138.3	158.6								
McLean	514	164.7	150.5	179.9								
Macon	470	156.5	142.5	171.5	407	148.5	134.4	163.9	62	237.2	179.5	306.8
Macoupin	225	159.3	139.1	181.7								
Madison	915	137.5	128.6	146.8	829	131.6	122.7	141.0	67	229.2	175.1	293.4
Marion	161	140.8	119.8	164.5								
Marshall	65	154.6	119.1	198.3								
Mason	69	144.1	112.0	183.4								
Massac	59	136.5	103.8	176.8								
Menard	50	144.8	106.7	192.7								
Mercer	77	151.9	119.6	190.9								
Monroe	123	160.8	133.2	192.6								
Montgomery	121	144.1	119.5	172.4								
Morgan	165	173.8	148.0	202.9								
Moultrie	63	153.7	118.0	197.3								
Ogle	164	113.3	96.4	132.3								
Peoria	724	161.8	150.1	174.2	597	150.0	138.1	162.6	99	240.1	189.9	298.4
Perry	91	154.0	123.8	189.4								
Piatt	77	159.9	126.0	200.8								
Pike	68	128.2	99.5	163.3								
Pope	13	84.1	44.1	152.5								
Pulaski	32	181.0	123.3	257.3								
Putnam	28	142.6	94.1	209.9								
Randolph	146	171.9	145.0	202.5								
Richland	84	174.4	139.0	216.6								
Rock Island	609	149.5	137.8	162.0	453	117.2	106.6	128.7	48	232.1	169.1	310.0
St Clair	942	161.8	151.4	172.6	624	136.7	126.1	148.0	274	229.0	201.6	258.8
Saline	106	138.8	113.5	168.3								
Sangamon	738	157.7	146.3	169.7	660	151.5	140.0	163.8	68	241.5	183.9	310.3
Schuyler	27	122.1	80.4	179.6								

Cancer Incidence Counts and Age-adjusted Rates by Count
Prostate, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Scott	18	110.5	65.3	177.5								
Shelby	113	160.6	132.3	193.7								
Stark	20	101.8	61.8	160.4								
Stephenson	134	96.5	80.8	114.5								
Tazewell	607	167.9	154.7	181.9								
Union	62	115.9	88.4	149.5								
Vermilion	414	182.4	165.2	201.1	378	178.0	160.4	197.2	28	202.7	133.0	292.7
Wabash	30	83.7	56.4	120.5								
Warren	61	117.3	89.6	151.4								
Washington	55	127.9	96.2	167.2								
Wayne	74	144.0	112.9	181.7								
White	45	96.7	70.4	130.4								
Whiteside	208	121.5	105.5	139.4								
Will	2,001	169.2	161.5	177.3	1,638	155.0	147.2	163.1	234	240.7	206.4	278.7
Williamson	235	128.9	112.8	146.8								
Winnebago	836	122.5	114.2	131.2	735	117.0	108.6	125.9	85	194.7	151.3	245.5
Woodford	153	156.2	132.0	183.6								

Cancer Incidence Counts and Age-adjusted Rates by County
Prostate, Illinois, 2004-2008

Figures include invasive cancer. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Hispanics				Non-Hispanics			
County	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
Illinois	2,037	119.6	114.0	125.4	42,481	160.6	159.0	162.1
Cook	1,445	121.9	115.2	128.9	16,775	172.6	170.0	175.3
DuPage	122	153.9	125.9	185.4	3,029	159.5	153.7	165.5
Kane	85	84.3	65.4	106.4	1,237	159.8	150.6	169.5
Lake	81	89.9	69.3	113.8	1,973	149.7	142.9	156.8
Will	92	140.1	109.4	175.6	1,909	171.7	163.6	180.0

SECTION II

Percent Distribution of Stage at Diagnosis by County
Illinois, 2004-2008

Percent Distribution of Stage of Disease at Diagnosis by Race and County Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	33.0	44.1	17.8	5.1	34.8	43.7	16.9	4.6	21.7	49.6	23.2	5.6
Adams	27.1	41.7	25.0	6.3								
Alexander	37.5	37.5	25.0	0.0								
Bond	40.0	40.0	20.0	0.0								
Boone	36.4	30.3	30.3	3.0								
Brown	16.7	66.7	16.7	0.0								
Bureau	31.0	37.9	24.1	6.9								
Calhoun	75.0	12.5	0.0	12.5								
Carroll	46.7	46.7	0.0	6.7								
Cass	55.6	11.1	33.3	0.0								
Champaign	43.5	40.2	14.1	2.2	44.6	43.4	10.8	1.2	33.3	11.1	44.4	11.1
Christian	38.5	38.5	19.2	3.9								
Clark	42.9	28.6	21.4	7.1								
Clay	7.7	69.2	23.1	0.0								
Clinton	26.1	43.5	21.7	8.7								
Coles	32.3	51.6	12.9	3.2								
Cook	30.7	44.6	19.6	5.1	34.8	42.8	17.9	4.5	20.3	51.0	23.3	5.4
Crawford	53.3	40.0	6.7	0.0								
Cumberland	50.0	50.0	0.0	0.0								
DeKalb	43.6	38.2	12.7	5.5								
DeWitt	0.0	54.6	45.5	0.0								
Douglas	40.0	40.0	20.0	0.0								
DuPage	35.0	44.1	16.1	4.8	35.6	45.0	14.8	4.6	33.3	33.3	33.3	0.0
Edgar	33.3	44.4	11.1	11.1								
Edwards	0.0	0.0	0.0	100.0								
Effingham	40.0	40.0	20.0	0.0								
Fayette	33.3	40.0	13.3	13.3								
Ford	20.0	40.0	40.0	0.0								
Franklin	34.1	45.5	11.4	9.1								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Fulton	21.1	42.1	26.3	10.5								
Gallatin	40.0	40.0	0.0	20.0								
Greene	40.0	40.0	20.0	0.0								
Grundy	45.5	50.0	4.6	0.0								
Hamilton	100.0	0.0	0.0	0.0								
Hancock	36.4	27.3	27.3	9.1								
Hardin	0.0	100.0	0.0	0.0								
Henderson	25.0	50.0	25.0	0.0								
Henry	47.5	30.0	17.5	5.0								
Iroquois	38.5	30.8	30.8	0.0								
Jackson	43.3	36.7	16.7	3.3								
Jasper	0.0	50.0	50.0	0.0								
Jefferson	55.0	25.0	15.0	5.0								
Jersey	18.8	62.5	6.3	12.5								
Jo Daviess	50.0	37.5	0.0	12.5								
Johnson	23.1	46.2	15.4	15.4								
Kane	31.2	46.1	16.3	6.5	29.6	48.0	15.8	6.6	50.0	33.3	16.7	0.0
Kankakee	25.0	48.5	22.1	4.4	20.0	50.9	23.6	5.5	46.2	38.5	15.4	0.0
Kendall	31.7	46.3	19.5	2.4								
Knox	56.3	25.0	12.5	6.3								
Lake	32.2	47.2	14.8	5.9	33.2	46.5	14.6	5.7	15.8	47.4	26.3	10.5
LaSalle	37.5	47.2	11.1	4.2								
Lawrence	45.5	27.3	18.2	9.1								
Lee	27.8	41.7	27.8	2.8								
Livingston	50.0	42.3	7.7	0.0								
Logan	30.8	46.2	15.4	7.7								
McDonough	13.3	60.0	26.7	0.0								
McHenry	32.5	43.3	21.0	3.2								
McLean	42.7	38.7	14.7	4.0								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Macon	39.6	43.8	16.7	0.0	44.6	42.2	13.3	0.0	8.3	50.0	41.7	0.0
Macoupin	34.0	38.0	12.0	16.0								
Madison	34.6	41.2	15.7	8.5	34.3	42.0	15.4	8.4	28.6	42.9	28.6	0.0
Marion	40.5	37.8	18.9	2.7								
Marshall	44.4	22.2	33.3	0.0								
Mason	0.0	83.3	0.0	16.7								
Massac	25.0	37.5	12.5	25.0								
Menard	20.0	80.0	0.0	0.0								
Mercer	83.3	16.7	0.0	0.0								
Monroe	26.7	46.7	13.3	13.3								
Montgomery	61.1	27.8	5.6	5.6								
Morgan	38.2	52.9	5.9	2.9								
Moultrie	36.4	36.4	18.2	9.1								
Ogle	46.9	37.5	9.4	6.3								
Peoria	26.4	49.1	18.2	6.4	28.6	47.3	18.7	5.5	17.7	64.7	17.7	0.0
Perry	57.1	28.6	14.3	0.0								
Piatt	35.7	35.7	21.4	7.1								
Pike	45.5	27.3	27.3	0.0								
Pope	0.0	100.0	0.0	0.0								
Pulaski	0.0	50.0	0.0	50.0								
Putnam	100.0	0.0	0.0	0.0								
Randolph	39.3	39.3	17.9	3.6								
Richland	53.9	30.8	15.4	0.0								
Rock Island	33.3	39.2	19.2	8.3	33.3	41.0	19.1	6.7	20.0	20.0	40.0	20.0
St Clair	26.8	45.8	18.4	8.9	32.1	40.9	19.7	7.3	10.0	60.0	15.0	15.0
Saline	10.0	50.0	30.0	10.0								
Sangamon	33.6	52.4	13.4	0.7	34.9	50.8	13.6	0.8	14.3	71.4	14.3	0.0
Schuyler	66.7	33.3	0.0	0.0								
Scott	0.0	100.0	0.0	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Shelby	29.4	64.7	5.9	0.0								
Stark	25.0	25.0	0.0	50.0								
Stephenson	34.3	48.6	11.4	5.7								
Tazewell	31.8	51.1	13.6	3.4								
Union	38.9	50.0	11.1	0.0								
Vermilion	31.0	43.1	22.4	3.5	28.9	46.2	23.1	1.9	40.0	20.0	20.0	20.0
Wabash	11.1	66.7	11.1	11.1								
Warren	44.4	55.6	0.0	0.0								
Washington	50.0	30.0	0.0	20.0								
Wayne	14.3	28.6	42.9	14.3								
White	46.2	23.1	7.7	23.1								
Whiteside	24.3	54.1	18.9	2.7								
Will	32.8	46.2	16.9	4.1	32.2	48.7	16.5	2.7	35.3	29.4	29.4	5.9
Williamson	32.8	44.8	20.7	1.7								
Winnebago	36.2	39.9	20.3	3.7	37.0	41.8	17.8	3.4	26.7	26.7	46.7	0.0
Woodford	50.0	35.0	15.0	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties Oral Cavity and Pharynx Cancer (invasive), Both Sexes, Illinois, 2004-2008								
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010								
	Hispanics				Non-Hispanics			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	31.1	40.1	22.8	5.9	33.1	44.2	17.6	5.1
Cook	29.2	42.1	22.0	6.7	30.8	44.8	19.4	5.0
DuPage	29.4	35.3	29.4	5.9	35.2	44.5	15.6	4.7
Kane	25.0	50.0	25.0	0.0	31.5	45.8	15.8	6.9
Lake	44.4	22.2	33.3	0.0	31.8	47.9	14.2	6.1
Will	62.5	25.0	12.5	0.0	31.9	46.8	17.0	4.3

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Illinois	41.1	33.1	19.0	6.8	42.2	33.2	18.2	6.3	34.5	32.8	24.1	8.6
Adams	29.7	42.4	21.0	7.0								
Alexander	34.2	39.0	24.4	2.4								
Bond	38.1	33.3	14.3	14.3								
Boone	37.6	32.5	22.2	7.7								
Brown	36.8	42.1	15.8	5.3								
Bureau	44.4	32.0	15.7	7.8								
Calhoun	36.8	26.3	36.8	0.0								
Carroll	44.4	31.8	17.5	6.4								
Cass	45.8	32.2	18.6	3.4								
Champaign	46.2	35.5	13.1	5.2	47.2	36.2	11.6	5.0	36.8	31.6	23.7	7.9
Christian	40.0	31.0	20.0	9.0								
Clark	40.7	27.8	22.2	9.3								
Clay	40.6	31.3	20.3	7.8								
Clinton	51.6	21.9	21.9	4.7								
Coles	49.2	30.6	14.5	5.7								
Cook	39.7	33.0	20.3	6.9	41.9	33.3	18.6	6.2	34.0	32.5	24.8	8.6
Crawford	38.3	28.7	21.7	11.3								
Cumberland	42.2	31.1	22.2	4.4								
DeKalb	38.6	30.5	24.2	6.8								
DeWitt	33.3	33.3	22.8	10.5								
Douglas	40.0	37.1	21.4	1.4								
DuPage	43.1	32.8	18.3	5.8	43.6	32.1	18.7	5.6	34.6	44.2	17.3	3.9
Edgar	36.2	34.8	21.7	7.3								
Edwards	48.2	29.6	14.8	7.4								
Effingham	37.4	37.4	22.4	2.8								
Fayette	43.8	30.1	15.1	11.0								
Ford	28.6	38.1	23.8	9.5								
Franklin	42.8	34.4	16.7	6.1								
Fulton	46.1	32.8	15.0	6.1								
Gallatin	35.7	28.6	21.4	14.3								
Greene	32.1	37.7	18.9	11.3								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Grundy	45.4	27.0	18.4	9.2								
Hamilton	36.4	24.2	21.2	18.2								
Hancock	34.7	40.0	16.0	9.3								
Hardin	66.7	26.7	0.0	6.7								
Henderson	48.3	34.5	6.9	10.3								
Henry	45.2	29.8	13.8	11.2								
Iroquois	48.3	28.8	17.0	5.9								
Jackson	42.1	32.1	20.7	5.0								
Jasper	39.1	39.1	8.7	13.0								
Jefferson	47.2	32.5	14.1	6.1								
Jersey	39.1	35.9	21.9	3.1								
Jo Daviess	36.6	31.7	24.4	7.3								
Johnson	43.5	43.5	10.9	2.2								
Kane	42.0	33.2	19.0	5.8	42.2	33.4	19.1	5.4	38.8	32.7	18.4	10.2
Kankakee	46.5	29.3	19.2	5.0	48.2	28.5	19.7	3.6	36.4	38.6	15.9	9.1
Kendall	48.1	25.0	17.5	9.4								
Knox	44.4	35.7	15.3	4.6								
Lake	44.8	31.0	17.8	6.5	45.0	30.6	18.4	6.1	46.5	36.1	10.5	7.0
LaSalle	39.9	34.5	19.3	6.4								
Lawrence	29.3	43.1	17.2	10.3								
Lee	34.2	29.1	26.5	10.3								
Livingston	35.3	35.3	18.1	11.3								
Logan	35.2	43.5	13.0	8.3								
McDonough	45.7	29.4	14.1	10.9								
McHenry	48.5	28.1	17.5	5.8								
McLean	34.7	43.4	14.2	7.7								
Macon	43.5	31.3	20.6	4.6	44.9	31.2	19.8	4.2	25.0	28.6	35.7	10.7
Macoupin	35.8	35.2	20.2	8.8								
Madison	42.5	35.1	16.4	6.1	42.7	35.3	16.5	5.5	40.7	31.5	13.0	14.8
Marion	44.9	26.3	23.1	5.8								
Marshall	34.4	36.1	23.0	6.6								
Mason	36.6	31.0	25.4	7.0								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Massac	51.8	28.6	10.7	8.9								
Menard	52.9	37.3	7.8	2.0								
Mercer	41.5	35.9	13.2	9.4								
Monroe	44.9	32.7	18.4	4.1								
Montgomery	37.7	36.9	17.7	7.7								
Morgan	40.8	34.2	21.1	4.0								
Moultrie	51.2	29.3	17.1	2.4								
Ogle	39.3	33.7	18.4	8.6								
Peoria	36.2	40.3	18.2	5.3	36.3	40.9	17.7	5.1	35.9	34.0	22.6	7.6
Perry	33.3	39.5	21.0	6.2								
Piatt	42.9	38.1	9.5	9.5								
Pike	33.9	41.1	16.1	8.9								
Pope	41.7	16.7	0.0	41.7								
Pulaski	25.0	30.0	30.0	15.0								
Putnam	33.3	37.0	18.5	11.1								
Randolph	48.2	29.1	18.2	4.6								
Richland	43.7	32.4	11.3	12.7								
Rock Island	46.1	27.7	17.2	9.1	45.3	29.3	17.6	7.8	44.4	18.5	14.8	22.2
St Clair	44.7	28.1	21.3	6.0	47.8	27.1	20.1	5.0	35.0	31.7	24.0	9.3
Saline	38.5	39.3	16.2	6.0								
Sangamon	39.1	37.8	18.0	5.1	39.5	38.1	17.4	5.0	22.2	38.9	30.6	8.3
Schuyler	23.3	33.3	26.7	16.7								
Scott	21.1	31.6	47.4	0.0								
Shelby	51.8	21.7	21.7	4.8								
Stark	25.9	37.0	25.9	11.1								
Stephenson	44.6	28.3	16.3	10.8								
Tazewell	39.6	38.9	16.1	5.4								
Union	34.4	44.3	13.1	8.2								
Vermilion	42.4	33.5	20.3	3.8	43.0	33.6	19.6	3.8	39.1	26.1	30.4	4.4
Wabash	29.8	44.7	23.4	2.1								
Warren	41.0	29.5	16.4	13.1								
Washington	45.9	27.9	18.0	8.2								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	49.2	30.2	15.9	4.8								
White	29.0	33.3	27.5	10.1								
Whiteside	44.3	34.3	14.8	6.7								
Will	42.3	31.7	18.9	7.1	43.3	31.7	17.9	7.1	34.9	34.1	24.8	6.2
Williamson	44.8	30.5	14.4	10.3								
Winnebago	41.5	35.8	16.0	6.8	41.7	37.2	16.1	5.0	44.9	28.6	18.4	8.2
Woodford	34.7	40.6	15.8	8.9								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties Colon and Rectum Cancer (invasive), Both Sexes, Illinois, 2004-2008								
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010								
	Hispanics				Non-Hispanics			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	41.4	34.4	18.3	5.9	41.1	33.0	19.1	6.8
Cook	41.5	35.1	18.0	5.4	39.6	32.9	20.5	7.1
DuPage	42.7	32.0	18.7	6.7	43.1	32.8	18.3	5.8
Kane	39.7	32.9	21.9	5.5	42.2	33.2	18.8	5.8
Lake	47.9	26.8	21.1	4.2	44.6	31.2	17.6	6.6
Will	40.9	33.3	13.6	12.1	42.4	31.7	19.1	6.8

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Illinois	79.1	10.9	4.5	5.5	78.7	11.3	4.7	5.3	46.0	25.4	11.1	17.5
Adams	77.9	14.0	5.8	2.3								
Alexander	50.0	0.0	37.5	12.5								
Bond	53.9	7.7	7.7	30.8								
Boone	78.6	11.9	0.0	9.5								
Brown	75.0	25.0	0.0	0.0								
Bureau	70.7	14.6	2.4	12.2								
Calhoun	70.0	20.0	10.0	0.0								
Carroll	57.1	14.3	14.3	14.3								
Cass	70.6	5.9	5.9	17.7								
Champaign	83.8	7.0	6.0	3.2	83.7	7.1	6.0	3.3	100.0	0.0	0.0	0.0
Christian	85.3	5.9	5.9	2.9								
Clark	62.5	25.0	6.3	6.3								
Clay	72.2	16.7	5.6	5.6								
Clinton	82.4	8.8	8.8	0.0								
Coles	86.8	7.6	5.7	0.0								
Cook	77.6	12.0	4.9	5.4	77.4	12.5	5.0	5.1	46.5	25.6	11.6	16.3
Crawford	81.3	18.8	0.0	0.0								
Cumberland	66.7	33.3	0.0	0.0								
DeKalb	84.5	8.6	1.7	5.2								
DeWitt	91.7	0.0	4.2	4.2								
Douglas	73.1	19.2	0.0	7.7								
DuPage	78.9	10.6	4.0	6.5	77.6	11.5	4.4	6.6	100.0	0.0	0.0	0.0
Edgar	92.0	0.0	4.0	4.0								
Edwards	83.3	0.0	16.7	0.0								
Effingham	76.2	11.9	7.1	4.8								
Fayette	68.0	12.0	4.0	16.0								
Ford	63.2	21.1	0.0	15.8								
Franklin	77.8	3.7	3.7	14.8								
Fulton	75.0	13.5	3.9	7.7								
Gallatin	100.0	0.0	0.0	0.0								
Greene	86.7	6.7	0.0	6.7								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Grundy	70.2	17.0	10.6	2.1								
Hamilton	60.0	10.0	10.0	20.0								
Hancock	93.6	0.0	6.5	0.0								
Hardin	50.0	12.5	12.5	25.0								
Henderson	60.0	20.0	0.0	20.0								
Henry	83.1	4.6	3.1	9.2								
Iroquois	87.1	6.5	6.5	0.0								
Jackson	74.6	14.6	1.8	9.1								
Jasper	81.3	12.5	0.0	6.3								
Jefferson	74.5	8.5	12.8	4.3								
Jersey	90.5	4.8	4.8	0.0								
Jo Daviess	76.9	7.7	3.9	11.5								
Johnson	93.8	6.3	0.0	0.0								
Kane	75.5	10.5	6.1	8.0	76.0	10.0	6.8	7.2	0.0	66.7	0.0	33.3
Kankakee	77.5	9.0	5.6	7.9	76.5	9.4	5.9	8.2				
Kendall	76.3	7.9	4.0	11.8								
Knox	82.8	8.6	5.2	3.5								
Lake	79.6	12.0	3.2	5.2	79.3	12.8	3.4	4.6	100.0	0.0	0.0	0.0
LaSalle	79.7	12.6	5.6	2.1								
Lawrence	73.9	13.0	0.0	13.0								
Lee	90.0	2.5	5.0	2.5								
Livingston	84.3	13.7	2.0	0.0								
Logan	82.1	17.9	0.0	0.0								
McDonough	79.3	10.3	8.6	1.7								
McHenry	76.7	11.1	5.1	7.1								
McLean	84.7	6.4	3.9	4.9								
Macon	87.9	7.3	3.2	1.6	87.9	7.3	3.2	1.6				
Macoupin	86.0	10.0	2.0	2.0								
Madison	75.6	11.8	8.0	4.6	75.1	12.0	8.2	4.7				
Marion	74.1	6.9	5.2	13.8								
Marshall	82.4	17.7	0.0	0.0								
Mason	80.0	5.0	0.0	15.0								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Massac	81.3	6.3	12.5	0.0								
Menard	83.3	5.6	5.6	5.6								
Mercer	83.3	0.0	0.0	16.7								
Monroe	75.7	8.1	8.1	8.1								
Montgomery	85.7	8.6	2.9	2.9								
Morgan	91.4	5.7	0.0	2.9								
Moultrie	86.7	13.3	0.0	0.0								
Ogle	85.5	3.2	6.5	4.8								
Peoria	87.6	8.4	2.6	1.5	87.4	8.8	2.7	1.2				
Perry	63.2	21.1	10.5	5.3								
Piatt	88.5	7.7	3.9	0.0								
Pike	82.4	11.8	0.0	5.9								
Pope	42.9	42.9	14.3	0.0								
Pulaski	75.0	25.0	0.0	0.0								
Putnam	100.0	0.0	0.0	0.0								
Randolph	82.8	6.9	0.0	10.3								
Richland	73.7	21.1	0.0	5.3								
Rock Island	71.5	15.9	3.3	9.3	70.0	17.1	3.6	9.3	100.0	0.0	0.0	0.0
St Clair	69.6	14.3	7.5	8.7	67.4	15.0	8.2	9.5	75.0	25.0	0.0	0.0
Saline	68.8	25.0	3.1	3.1								
Sangamon	85.4	8.5	3.0	3.0	84.8	8.9	3.1	3.1				
Schuyler	60.0	20.0	20.0	0.0								
Scott	77.8	22.2	0.0	0.0								
Shelby	70.6	11.8	0.0	17.7								
Stark	50.0	12.5	12.5	25.0								
Stephenson	82.1	0.0	7.1	10.7								
Tazewell	82.4	11.2	2.6	3.9								
Union	76.5	11.8	5.9	5.9								
Vermilion	75.3	17.8	1.4	5.5	75.4	17.4	1.5	5.8	0.0	100.0	0.0	0.0
Wabash	63.6	9.1	9.1	18.2								
Warren	71.4	19.1	9.5	0.0								
Washington	86.7	0.0	6.7	6.7								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Melanoma of the Skin (invasive), Both Sexes, Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	68.8	0.0	6.3	25.0								
White	83.3	0.0	16.7	0.0								
Whiteside	82.8	6.3	4.7	6.3								
Will	78.8	13.1	4.3	3.8	77.8	14.3	4.5	3.4	0.0	50.0	50.0	0.0
Williamson	88.0	4.0	1.3	6.7								
Winnebago	84.6	8.9	2.4	4.1	84.3	9.5	2.2	4.0				
Woodford	83.1	7.7	1.5	7.7								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties Melanoma of the Skin Cancer (invasive), Both Sexes, Illinois, 2004-2008								
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010								
	Hispanics				Non-Hispanics			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	67.9	14.3	10.7	7.1	79.3	10.8	4.4	5.5
Cook	64.5	15.0	14.0	6.5	78.1	11.9	4.6	5.4
DuPage	66.7	11.1	0.0	22.2	79.1	10.6	4.0	6.3
Kane	71.4	14.3	14.3	0.0	75.7	10.3	5.7	8.3
Lake	50.0	33.3	0.0	16.7	79.9	11.8	3.2	5.1
Will	75.0	12.5	12.5	0.0	78.8	13.1	4.1	3.9

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races					Whites					Blacks				
County	*in situ*	Localized	Regional	Distant	Unstaged	*in situ*	Localized	Regional	Distant	Unstaged	*in situ*	Localized	Regional	Distant	Unstaged
Illinois	20.1	48.4	24.9	4.7	1.9	19.9	49.8	24.1	4.3	1.9	20.5	40.1	29.7	7.3	2.4
Adams	17.2	47.6	28.9	4.8	1.5										
Alexander	9.3	48.8	30.2	9.3	2.3										
Bond	11.1	59.3	21.0	3.7	4.9										
Boone	15.1	56.8	24.5	3.1	0.5										
Brown	24.0	40.0	32.0	4.0	0.0										
Bureau	15.6	53.8	22.0	4.1	4.6										
Calhoun	22.7	27.3	27.3	13.6	9.1										
Carroll	10.5	50.0	34.2	2.6	2.6										
Cass	18.6	49.2	22.0	5.1	5.1										
Champaign	25.7	50.5	20.6	2.2	1.0	24.9	52.6	19.6	1.9	1.0	29.3	37.3	28.0	4.0	1.3
Christian	20.7	48.4	25.0	4.8	1.1										
Clark	17.3	45.3	25.3	8.0	4.0										
Clay	29.0	34.8	29.0	1.5	5.8										
Clinton	16.8	50.9	25.5	6.2	0.6										
Coles	18.1	52.6	24.2	2.8	2.3										
Cook	20.5	46.4	25.8	5.4	2.0	20.5	48.9	24.2	4.6	1.8	20.3	39.9	29.8	7.5	2.5
Crawford	11.2	51.7	21.4	10.1	5.6										
Cumberland	17.4	45.7	32.6	4.4	0.0										
DeKalb	17.5	55.8	20.9	4.1	1.9										
DeWitt	18.1	50.0	25.0	5.6	1.4										
Douglas	23.5	49.0	20.4	5.1	2.0										
DuPage	20.2	49.6	24.6	3.7	1.8	19.6	50.2	24.5	3.8	1.9	17.8	45.8	32.7	1.9	1.9
Edgar	21.7	50.9	17.9	7.6	1.9										
Edwards	12.9	45.2	32.3	3.2	6.5										
Effingham	14.2	56.8	22.8	4.3	1.9										
Fayette	18.2	48.9	25.0	6.8	1.1										
Ford	19.8	44.4	27.2	2.5	6.2										
Franklin	15.1	54.1	19.5	8.7	2.7										
Fulton	12.0	56.3	26.0	3.8	1.9										
Gallatin	18.8	43.8	25.0	6.3	6.3										
Greene	18.3	53.3	21.7	6.7	0.0										

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races					Whites					Blacks				
County	*in situ*	Localized	Regional	Distant	Unstaged	*in situ*	Localized	Regional	Distant	Unstaged	*in situ*	Localized	Regional	Distant	Unstaged
Grundy	8.8	60.0	24.4	3.8	3.1										
Hamilton	12.9	51.6	29.0	6.5	0.0										
Hancock	24.1	44.6	26.5	3.6	1.2										
Hardin	5.0	30.0	55.0	5.0	5.0										
Henderson	16.1	58.1	25.8	0.0	0.0										
Henry	17.9	47.2	24.7	7.6	2.7										
Iroquois	19.8	46.8	23.8	6.4	3.2										
Jackson	18.2	51.0	25.3	4.0	1.5										
Jasper	24.3	35.1	32.4	5.4	2.7										
Jefferson	12.6	51.0	27.8	5.3	3.3										
Jersey	19.5	47.6	24.4	4.9	3.7										
Jo Daviess	15.9	50.0	28.4	3.4	2.3										
Johnson	11.3	66.0	18.9	1.9	1.9										
Kane	20.1	49.9	23.8	4.7	1.6	20.3	50.3	23.6	4.5	1.4	16.2	48.7	23.0	8.1	4.1
Kankakee	18.8	48.1	26.5	4.7	1.9	18.7	50.8	25.1	3.8	1.6	20.7	32.8	32.8	10.3	3.5
Kendall	26.1	47.3	22.5	1.9	2.3										
Knox	19.5	48.5	26.7	3.8	1.5										
Lake	26.2	44.7	23.6	4.0	1.5	25.9	45.5	23.2	3.8	1.6	24.8	34.6	30.1	9.0	1.5
LaSalle	15.3	52.3	26.1	3.4	3.0										
Lawrence	8.6	55.2	24.1	6.9	5.2										
Lee	15.0	56.7	23.1	3.5	1.7										
Livingston	16.2	52.0	29.2	0.7	2.0										
Logan	22.7	48.4	25.8	2.3	0.8										
McDonough	18.1	52.8	23.6	3.9	1.6										
McHenry	16.6	52.5	24.5	5.2	1.2										
McLean	15.3	52.3	27.2	4.1	1.1										
Macon	20.6	49.6	24.5	4.2	1.1	20.3	50.1	23.9	4.5	1.3	25.0	46.4	26.8	1.8	0.0
Macoupin	16.9	52.7	24.2	4.4	1.9										
Madison	19.4	50.9	23.6	3.8	2.2	18.8	52.0	23.1	3.9	2.3	25.4	35.8	34.3	3.0	1.5
Marion	15.1	47.3	29.0	4.3	4.3										
Marshall	16.4	58.2	19.4	1.5	4.5										
Mason	18.0	53.9	22.5	3.4	2.3										

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races					Whites					Blacks				
County	*in situ*	Localized	Regional	Distant	Unstaged	*in situ*	Localized	Regional	Distant	Unstaged	*in situ*	Localized	Regional	Distant	Unstaged
Massac	13.1	54.1	19.7	13.1	0.0										
Menard	28.0	41.3	25.3	4.0	1.3										
Mercer	26.1	45.5	25.0	3.4	0.0										
Monroe	17.3	54.0	23.0	4.3	1.4										
Montgomery	21.2	48.3	20.5	6.6	3.3										
Morgan	15.9	52.9	22.9	7.7	0.6										
Moultrie	22.4	39.5	25.0	7.9	5.3										
Ogle	16.2	54.6	24.2	5.1	0.0										
Peoria	19.9	50.9	22.9	5.2	1.2	20.8	52.4	21.1	4.4	1.3	14.1	36.4	37.4	12.1	0.0
Perry	18.4	49.0	24.5	6.1	2.0										
Piatt	20.0	46.7	30.0	3.3	0.0										
Pike	20.3	53.6	20.3	4.4	1.5										
Pope	21.7	60.9	13.0	0.0	4.4										
Pulaski	18.2	36.4	36.4	9.1	0.0										
Putnam	4.4	56.5	30.4	8.7	0.0										
Randolph	17.7	45.6	30.6	4.8	1.4										
Richland	17.3	41.3	24.0	4.0	13.3										
Rock Island	19.7	51.7	23.3	4.2	1.2	18.7	52.7	23.2	4.1	1.3	21.2	45.5	27.3	6.1	0.0
St Clair	19.9	49.7	24.3	4.2	1.9	20.7	52.0	22.8	3.2	1.4	17.2	41.9	29.9	7.6	3.4
Saline	9.7	47.2	34.7	5.6	2.8										
Sangamon	24.2	49.0	21.5	4.4	1.0	24.2	49.4	20.8	4.6	1.0	21.9	42.2	32.8	3.1	0.0
Schuyler	4.6	68.2	13.6	9.1	4.6										
Scott	33.3	39.4	24.2	3.0	0.0										
Shelby	13.8	48.3	31.0	4.6	2.3										
Stark	18.4	55.3	23.7	2.6	0.0										
Stephenson	14.4	48.9	26.9	3.6	6.3										
Tazewell	20.9	55.2	19.0	3.5	1.3										
Union	12.8	57.7	24.4	1.3	3.9										
Vermilion	25.1	48.3	20.5	3.6	2.5	23.8	49.8	20.2	3.6	2.6	44.4	25.9	25.9	3.7	0.0
Wabash	4.7	46.5	25.6	11.6	11.6										
Warren	16.5	41.2	30.6	5.9	5.9										
Washington	16.9	49.2	20.0	7.7	6.2										

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races					Whites					Blacks				
County	***in situ***	**Localized**	**Regional**	**Distant**	**Unstaged**	***in situ***	**Localized**	**Regional**	**Distant**	**Unstaged**	***in situ***	**Localized**	**Regional**	**Distant**	**Unstaged**
Wayne	7.8	51.6	34.4	1.6	4.7										
White	16.1	50.6	23.5	2.5	7.4										
Whiteside	19.0	46.5	27.8	4.0	2.8										
Will	19.6	47.6	26.0	5.2	1.7	19.2	47.8	26.5	5.0	1.6	21.5	46.1	21.5	7.9	3.1
Williamson	16.9	49.9	24.2	5.1	3.9										
Winnebago	19.4	51.9	23.5	3.6	1.6	18.8	53.0	22.8	3.7	1.8	27.8	40.0	32.2	0.0	0.0
Woodford	20.0	52.0	23.5	1.5	3.0										

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Female Breast, Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	Hispanic					Non-Hispanic				
County	***in situ***	**Localized**	**Regional**	**Distant**	**Unstaged**	***in situ***	**Localized**	**Regional**	**Distant**	**Unstaged**
Illinois	20.5	42.2	31.8	4.2	1.2	20.1	48.7	24.5	4.8	2.0
Cook	20.4	42.5	31.0	4.8	1.3	20.5	46.7	25.3	5.4	2.0
DuPage	23.4	36.7	34.0	5.3	0.5	20.1	50.2	24.2	3.7	1.9
Kane	18.0	40.7	37.3	2.7	1.3	20.3	50.7	22.6	4.8	1.6
Lake	27.7	36.2	32.6	2.8	0.7	26.1	45.1	23.2	4.1	1.6
Will	21.5	37.4	38.3	2.8	0.0	19.5	48.1	25.4	5.3	1.8

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Cervical Cancer (invasive), Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Illinois	42.9	39.9	12.3	5.0	44.1	38.2	12.6	5.2	35.7	46.7	13.1	4.6
Adams	58.3	16.7	8.3	16.7								
Alexander	50.0	50.0	0.0	0.0								
Bond	28.6	57.1	14.3	0.0								
Boone	50.0	12.5	25.0	12.5								
Brown	0.0	100.0	0.0	0.0								
Bureau	80.0	20.0	0.0	0.0								
Calhoun	0.0	0.0	100.0	0.0								
Carroll	100.0	0.0	0.0	0.0								
Cass	30.0	60.0	10.0	0.0								
Champaign	38.9	41.7	11.1	8.3	35.5	41.9	12.9	9.7	60.0	40.0	0.0	0.0
Christian	75.0	25.0	0.0	0.0								
Clark	33.3	66.7	0.0	0.0								
Clay	0.0	66.7	33.3	0.0								
Clinton	50.0	0.0	50.0	0.0								
Coles	31.3	50.0	6.3	12.5								
Cook	40.4	41.6	13.0	5.0	43.7	38.5	13.0	4.8	34.1	46.4	14.4	5.2
Crawford	25.0	37.5	12.5	25.0								
Cumberland	0.0	100.0	0.0	0.0								
DeKalb	53.9	7.7	15.4	23.1								
DeWitt	0.0	33.3	66.7	0.0								
Douglas	0.0	66.7	0.0	33.3								
DuPage	55.6	31.1	11.1	2.2	53.2	31.5	12.6	2.7	54.6	36.4	9.1	0.0
Edgar	71.4	28.6	0.0	0.0								
Edwards	0.0	50.0	0.0	50.0								
Effingham	50.0	16.7	33.3	0.0								
Fayette	0.0	75.0	0.0	25.0								
Ford	83.3	0.0	0.0	16.7								
Franklin	40.0	20.0	20.0	20.0								
Fulton	30.8	53.9	7.7	7.7								
Gallatin	0.0	100.0	0.0	0.0								
Greene	33.3	50.0	0.0	16.7								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Cervical Cancer (invasive), Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Grundy	50.0	41.7	0.0	8.3								
Hamilton	25.0	50.0	25.0	0.0								
Hancock	33.3	0.0	0.0	66.7								
Hardin												
Henderson	100.0	0.0	0.0	0.0								
Henry	25.0	37.5	25.0	12.5								
Iroquois	40.0	20.0	0.0	40.0								
Jackson	36.4	54.6	0.0	9.1								
Jasper	0.0	100.0	0.0	0.0								
Jefferson	35.7	42.9	14.3	7.1								
Jersey	50.0	0.0	0.0	50.0								
Jo Daviess	50.0	50.0	0.0	0.0								
Johnson												
Kane	48.9	33.3	12.2	5.6	45.7	35.8	12.4	6.2	50.0	50.0	0.0	0.0
Kankakee	48.3	37.9	6.9	6.9	45.5	36.4	9.1	9.1	50.0	50.0	0.0	0.0
Kendall	54.6	45.5	0.0	0.0								
Knox	58.3	25.0	16.7	0.0								
Lake	43.5	41.7	11.1	3.7	41.7	41.7	12.5	4.2	50.0	50.0	0.0	0.0
LaSalle	48.3	31.0	10.3	10.3								
Lawrence	25.0	75.0	0.0	0.0								
Lee	37.5	62.5	0.0	0.0								
Livingston	22.2	22.2	33.3	22.2								
Logan	60.0	20.0	20.0	0.0								
McDonough	50.0	50.0	0.0	0.0								
McHenry	35.3	51.0	7.8	5.9								
McLean	40.0	32.0	20.0	8.0								
Macon	67.9	14.3	17.9	0.0	63.6	18.2	18.2	0.0	80.0	0.0	20.0	0.0
Macoupin	53.3	26.7	6.7	13.3								
Madison	50.0	33.9	14.5	1.6	51.0	33.3	13.7	2.0	37.5	50.0	12.5	0.0
Marion	16.7	33.3	50.0	0.0								
Marshall	25.0	50.0	25.0	0.0								
Mason	71.4	28.6	0.0	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Cervical Cancer (invasive), Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Massac	33.3	33.3	33.3	0.0								
Menard												
Mercer	100.0	0.0	0.0	0.0								
Monroe	57.1	42.9	0.0	0.0								
Montgomery	41.7	50.0	0.0	8.3								
Morgan	72.7	27.3	0.0	0.0								
Moultrie	100.0	0.0	0.0	0.0								
Ogle	36.4	63.6	0.0	0.0								
Peoria	40.9	45.5	13.6	0.0	44.1	44.1	11.8	0.0	22.2	55.6	22.2	0.0
Perry	50.0	50.0	0.0	0.0								
Piatt	0.0	100.0	0.0	0.0								
Pike	33.3	50.0	16.7	0.0								
Pope												
Pulaski	0.0	100.0	0.0	0.0								
Putnam												
Randolph	20.0	80.0	0.0	0.0								
Richland	50.0	33.3	0.0	16.7								
Rock Island	54.8	33.3	7.1	4.8	48.7	37.8	8.1	5.4	100.0	0.0	0.0	0.0
St Clair	40.9	45.1	11.3	2.8	37.5	42.5	17.5	2.5	44.8	48.3	3.5	3.5
Saline	60.0	40.0	0.0	0.0								
Sangamon	47.1	39.2	13.7	0.0	52.4	31.0	16.7	0.0	14.3	85.7	0.0	0.0
Schuyler	100.0	0.0	0.0	0.0								
Scott	100.0	0.0	0.0	0.0								
Shelby	75.0	25.0	0.0	0.0								
Stark	100.0	0.0	0.0	0.0								
Stephenson	22.2	66.7	0.0	11.1								
Tazewell	48.8	37.2	14.0	0.0								
Union	33.3	33.3	33.3	0.0								
Vermilion	41.2	35.3	23.5	0.0	46.7	26.7	26.7	0.0	0.0	100.0	0.0	0.0
Wabash	50.0	25.0	25.0	0.0								
Warren	50.0	25.0	25.0	0.0								
Washington	50.0	0.0	50.0	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Cervical Cancer (invasive), Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	33.3	16.7	33.3	16.7								
White	40.0	40.0	20.0	0.0								
Whiteside	33.3	40.0	20.0	6.7								
Will	43.2	44.1	8.5	4.2	41.2	44.3	10.3	4.1	53.9	46.2	0.0	0.0
Williamson	30.8	30.8	30.8	7.7								
Winnebago	42.0	46.0	6.0	6.0	45.5	40.9	6.8	6.8	20.0	80.0	0.0	0.0
Woodford	0.0	100.0	0.0	0.0								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties Cervical (invasive), Illinois, 2004-2008								
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010								
	Hispanics				Non-Hispanics			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	46.5	37.5	9.0	6.9	42.3	40.2	12.8	4.7
Cook	45.4	37.2	10.5	7.0	39.3	42.6	13.6	4.5
DuPage	50.0	40.0	5.0	5.0	56.5	29.6	12.2	1.7
Kane	50.0	35.7	3.6	10.7	48.4	32.3	16.1	3.2
Lake	41.2	41.2	17.7	0.0	44.0	41.8	9.9	4.4
Will	60.0	20.0	0.0	20.0	41.7	46.3	9.3	2.8

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate Cancer (invasive), Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Illinois	81.2	10.1	4.2	4.5	81.7	10.6	4.0	3.7	78.8	9.0	5.9	6.3
Adams	84.5	9.3	4.1	2.1								
Alexander	70.6	26.5	2.9	0.0								
Bond	81.4	10.2	6.8	1.7								
Boone	73.1	17.2	3.5	6.2								
Brown	82.6	13.0	4.4	0.0								
Bureau	77.5	15.2	3.3	4.0								
Calhoun	81.8	9.1	6.1	3.0								
Carroll	83.3	1.4	4.2	11.1								
Cass	88.9	11.1	0.0	0.0								
Champaign	87.1	7.5	3.8	1.5	86.8	7.8	3.9	1.6	88.9	5.6	4.2	1.4
Christian	80.4	10.5	2.8	6.3								
Clark	70.2	16.4	9.0	4.5								
Clay	81.6	13.8	2.3	2.3								
Clinton	76.6	17.2	3.9	2.3								
Coles	78.3	9.6	3.0	9.0								
Cook	80.2	10.0	4.9	5.0	80.8	11.0	4.5	3.8	78.8	8.6	6.0	6.6
Crawford	84.0	10.7	0.0	5.3								
Cumberland	68.9	8.9	11.1	11.1								
DeKalb	82.1	8.8	6.9	2.3								
DeWitt	86.4	5.1	1.7	6.8								
Douglas	84.0	4.9	3.7	7.4								
DuPage	82.4	9.7	4.3	3.6	82.5	9.9	4.3	3.2	82.4	8.3	5.6	3.7
Edgar	84.6	9.0	2.6	3.9								
Edwards	81.0	9.5	9.5	0.0								
Effingham	79.3	16.6	1.8	2.4								
Fayette	78.9	17.3	2.9	1.0								
Ford	83.3	10.6	3.0	3.0								
Franklin	83.8	4.5	6.7	5.0								
Fulton	81.4	9.0	3.7	5.9								
Gallatin	77.8	11.1	3.7	7.4								
Greene	77.6	13.4	4.5	4.5								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate Cancer (invasive), Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Grundy	89.5	4.6	3.3	2.6								
Hamilton	80.8	11.5	3.9	3.9								
Hancock	77.1	13.8	3.7	5.5								
Hardin	90.0	10.0	0.0	0.0								
Henderson	79.1	4.7	7.0	9.3								
Henry	80.0	8.8	2.8	8.4								
Iroquois	76.8	9.2	5.6	8.5								
Jackson	77.2	12.9	6.4	3.5								
Jasper	87.5	5.4	3.6	3.6								
Jefferson	82.0	10.6	4.8	2.7								
Jersey	82.6	12.0	1.1	4.4								
Jo Daviess	81.4	10.6	0.0	8.0								
Johnson	65.7	18.6	5.7	10.0								
Kane	82.2	10.7	3.7	3.3	82.6	11.4	3.6	2.5	81.2	8.2	5.9	4.7
Kankakee	81.9	11.2	3.6	3.4	83.9	11.2	2.8	2.0	80.6	9.0	9.0	1.5
Kendall	80.8	10.8	4.7	3.7								
Knox	91.9	3.6	1.8	2.7								
Lake	79.9	12.8	2.5	4.8	80.0	12.7	2.5	4.8	77.1	17.7	2.0	3.3
LaSalle	79.9	11.9	4.3	4.0								
Lawrence	81.6	10.2	6.1	2.0								
Lee	80.0	11.2	5.9	2.9								
Livingston	84.4	9.1	3.3	3.3								
Logan	83.6	8.2	5.7	2.5								
McDonough	86.6	3.4	3.4	6.7								
McHenry	82.8	12.1	2.7	2.4								
McLean	82.5	10.9	2.9	3.7								
Macon	81.7	12.6	4.0	1.7	81.1	12.8	4.2	2.0	85.5	11.3	3.2	0.0
Macoupin	82.7	8.4	1.8	7.1								
Madison	79.3	11.5	3.9	5.3	79.5	12.1	3.3	5.2	71.6	7.5	13.4	7.5
Marion	78.3	11.2	6.2	4.4								
Marshall	80.0	12.3	3.1	4.6								
Mason	82.6	10.1	0.0	7.3								

Percent Distribution of Stage of Disease at Diagnosis by Race and County
Prostate Cancer (invasive), Illinois, 2004-2008

Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

	All Races				Whites				Blacks			
County	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**	**Localized**	**Regional**	**Distant**	**Unstaged**
Massac	91.5	1.7	3.4	3.4								
Menard	92.0	8.0	0.0	0.0								
Mercer	84.4	2.6	2.6	10.4								
Monroe	77.2	13.0	2.4	7.3								
Montgomery	74.4	9.9	0.8	14.9								
Morgan	81.8	11.5	4.9	1.8								
Moultrie	82.5	7.9	6.4	3.2								
Ogle	81.1	13.4	4.3	1.2								
Peoria	87.0	5.8	3.9	3.3	87.4	5.2	4.0	3.4	82.8	10.1	3.0	4.0
Perry	86.8	4.4	3.3	5.5								
Piatt	81.8	5.2	7.8	5.2								
Pike	79.4	13.2	1.5	5.9								
Pope	76.9	23.1	0.0	0.0								
Pulaski	68.8	18.8	6.3	6.3								
Putnam	82.1	7.1	10.7	0.0								
Randolph	80.1	12.3	3.4	4.1								
Richland	86.9	7.1	3.6	2.4								
Rock Island	79.8	6.6	2.1	11.5	82.6	8.2	2.7	6.6	81.3	6.3	2.1	10.4
St Clair	77.2	11.8	4.8	6.3	77.1	13.3	4.3	5.3	74.5	10.2	6.2	9.1
Saline	84.0	10.4	2.8	2.8								
Sangamon	83.3	11.3	3.3	2.2	83.9	11.1	2.9	2.1	77.9	13.2	7.4	1.5
Schuyler	88.9	7.4	3.7	0.0								
Scott	66.7	22.2	5.6	5.6								
Shelby	80.5	12.4	5.3	1.8								
Stark	85.0	5.0	0.0	10.0								
Stephenson	85.8	5.2	7.5	1.5								
Tazewell	86.7	6.9	3.3	3.1								
Union	77.4	11.3	6.5	4.8								
Vermilion	86.0	5.8	5.8	2.4	86.2	6.1	5.8	1.9	92.9	3.6	3.6	0.0
Wabash	96.7	0.0	3.3	0.0								
Warren	88.5	6.6	3.3	1.6								
Washington	83.6	7.3	3.6	5.5								

Percent Distribution of Stage of Disease at Diagnosis by Race and County Prostate Cancer (invasive), Illinois, 2004-2008												
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010												
	All Races				Whites				Blacks			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Wayne	78.4	14.9	4.1	2.7								
White	77.8	6.7	2.2	13.3								
Whiteside	76.9	12.5	2.9	7.7								
Will	84.7	8.4	3.7	3.4	85.2	8.2	3.8	2.8	81.2	9.8	3.9	5.1
Williamson	81.7	12.3	2.6	3.4								
Winnebago	76.9	12.4	5.7	4.9	77.3	12.7	6.0	4.1	71.8	10.6	4.7	12.9
Woodford	82.4	8.5	4.6	4.6								

Percent Distribution of Stage of Disease at Diagnosis by Ethnicity for Selected Counties Prostate (invasive), Illinois, 2004-2008								
Data Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010								
	Hispanics				Non-Hispanics			
County	Localized	Regional	Distant	Unstaged	Localized	Regional	Distant	Unstaged
Illinois	81.0	10.2	5.2	3.7	81.2	10.1	4.2	4.5
Cook	81.3	10.0	5.1	3.6	80.1	10.0	4.8	5.1
DuPage	84.4	4.9	6.6	4.1	82.3	9.9	4.2	3.6
Kane	78.8	10.6	8.2	2.4	82.5	10.8	3.4	3.4
Lake	82.7	12.4	2.5	2.5	79.8	12.8	2.5	4.9
Will	81.5	8.7	5.4	4.4	84.8	8.3	3.6	3.3

SECTION III

County-specific Cancer Incidence Rates
All Races, Illinois, 2004-2008

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	313,965	490.4	488.7	492.1	160,250	577.0	574.2	579.9	153,715	433.8	431.6	436.0
Oral Cavity and Pharynx	7,194	11.0	10.8	11.3	4,976	16.7	16.2	17.1	2,218	6.3	6.0	6.5
Esophagus	3,476	5.4	5.2	5.6	2,698	9.6	9.2	10.0	778	2.2	2.0	2.3
Stomach	4,767	7.5	7.3	7.7	2,873	10.6	10.2	11.0	1,894	5.2	5.0	5.4
Colon and Rectum	34,513	53.9	53.3	54.5	17,415	63.9	62.9	64.9	17,098	46.5	45.8	47.2
Liver	3,464	5.3	5.2	5.5	2,465	8.4	8.1	8.8	999	2.8	2.6	2.9
Pancreas	8,199	12.8	12.5	13.1	4,058	14.9	14.4	15.3	4,141	11.2	10.8	11.5
Lung and Bronchus	45,657	72.1	71.4	72.8	24,339	89.9	88.8	91.1	21,318	59.8	59.0	60.7
Bones and Joints	563	0.9	0.8	1.0	304	1.0	0.9	1.1	259	0.8	0.7	0.9
Melanoma of the Skin	9,990	15.6	15.3	15.9	5,559	19.7	19.2	20.2	4,431	13.1	12.7	13.4
Breast (invasive)	43,644	67.6	67.0	68.2	332	1.2	1.1	1.4	43,312	123.9	122.7	125.1
Cervix									2,916	8.8	8.5	9.1
Corpus and Uterus, NOS									9,449	26.7	26.2	27.3
Ovary									4,621	13.1	12.7	13.5
Prostate					44,518	157.7	156.2	159.2				
Testis					1,688	5.3	5.1	5.6				
Urinary Bladder (includes *in situ*)	14,290	22.5	22.2	22.9	10,523	40.1	39.4	40.9	3,767	10.2	9.9	10.6
Kidney and Renal Pelvis	10,756	16.8	16.4	17.1	6,518	22.8	22.2	23.3	4,238	12.0	11.6	12.3
Brain and Nervous System	4,200	6.6	6.4	6.8	2,219	7.5	7.2	7.9	1,981	5.8	5.5	6.1
Hodgkin Lymphoma	1,876	3.0	2.8	3.1	1,043	3.4	3.2	3.6	833	2.6	2.4	2.8
Non-Hodgkin Lymphoma	12,561	19.7	19.3	20.0	6,705	24.2	23.6	24.8	5,856	16.3	15.9	16.7
Myeloma	3,762	5.9	5.7	6.1	2,032	7.5	7.1	7.8	1,730	4.8	4.5	5.0
Leukemia	8,179	12.8	12.6	13.1	4,660	17.1	16.6	17.6	3,519	9.8	9.5	10.1
All Other Sites	33,682	52.7	52.1	53.2	15,325	55.5	54.6	56.4	18,357	52.2	51.4	52.9
Breast *in situ* (not in total)									10,893	31.6	31.0	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Adams County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,013	472.5	451.6	494.2	1,049	557.1	523.6	592.2	964	417.0	389.8	445.7
Oral Cavity and Pharynx	48	11.7	8.6	15.6	29	15.4	10.3	22.2	19	8.9	5.2	14.1
Esophagus	26	6.0	3.9	9.0	21	11.1	6.8	17.1	5	1.9	0.6	4.9
Stomach	19	4.3	2.5	6.9	16	8.6	4.9	14.1	3	1.3	0.3	4.3
Colon and Rectum	229	50.5	44.1	57.8	108	57.1	46.7	69.1	121	45.8	37.5	55.5
Liver	8	1.9	0.8	3.8	6	3.2	1.2	7.2	2	0.7	0.1	3.2
Pancreas	59	12.9	9.8	16.8	24	12.9	8.2	19.3	35	12.3	8.4	17.6
Lung and Bronchus	304	69.5	61.8	77.9	178	92.3	79.2	107.1	126	54.5	45.2	65.4
Bones and Joints	5	1.3	0.4	3.2	2	1.2	0.1	4.5	3	1.4	0.3	4.3
Melanoma of the Skin	86	22.1	17.5	27.5	48	26.5	19.5	35.3	38	18.8	13.0	26.3
Breast (invasive)	278	68.1	60.1	76.8	3	1.5	0.3	4.7	275	125.4	110.4	141.9
Cervix									12	6.7	3.4	12.0
Corpus and Uterus, NOS									59	25.8	19.5	33.6
Ovary									32	13.6	9.1	19.7
Prostate					291	152.5	135.4	171.2				
Testis					6	4.5	1.6	9.5				
Urinary Bladder (includes *in situ*)	104	22.2	18.1	27.1	85	44.5	35.5	55.2	19	6.4	3.7	10.5
Kidney and Renal Pelvis	58	13.9	10.5	18.1	34	17.6	12.1	24.8	24	11.0	6.9	16.7
Brain and Nervous System	37	10.3	7.2	14.3	21	12.3	7.6	19.0	16	8.9	5.0	14.7
Hodgkin Lymphoma	8	2.5	1.1	4.9	4	2.4	0.7	6.3	4	2.5	0.7	6.4
Non-Hodgkin Lymphoma	85	18.7	14.8	23.4	42	23.0	16.5	31.3	43	15.9	11.3	21.9
Myeloma	21	4.4	2.7	6.9	12	6.1	3.1	10.8	9	3.0	1.3	6.2
Leukemia	40	9.4	6.6	13.0	24	13.6	8.6	20.3	16	5.8	3.2	10.0
All Other Sites	198	47.7	41.1	55.1	95	50.9	41.1	62.4	103	46.4	37.4	57.1
Breast *in situ* (not in total)									57	27.0	20.3	35.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Alexander County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	297	535.6	475.4	601.8	157	667.3	566.0	782.1	140	449.4	374.9	535.5
Oral Cavity and Pharynx	8	14.8	6.3	30.1	8	32.9	14.1	66.4	0	0.0	0.0	17.3
Esophagus	2	4.1	0.5	15.5	1	3.7	0.1	24.2	1	4.4	0.1	25.2
Stomach	3	5.2	1.1	16.6	1	3.7	0.1	24.2	2	5.9	0.7	25.9
Colon and Rectum	41	75.2	53.4	103.4	17	75.7	43.7	122.4	24	76.0	47.0	117.7
Liver	4	7.1	1.9	19.5	3	11.6	2.4	36.4	1	2.5	0.1	20.7
Pancreas	2	3.2	0.4	13.6	1	4.5	0.1	26.2	1	2.0	0.1	19.7
Lung and Bronchus	75	131.7	103.3	166.2	40	170.2	121.2	233.2	35	107.3	73.9	152.5
Bones and Joints	1	2.4	0.1	13.3	0	0.0	0.0	18.2	1	5.1	0.1	27.2
Melanoma of the Skin	8	14.2	6.0	29.1	5	21.6	6.9	51.7	3	10.8	1.8	35.3
Breast (invasive)	40	71.1	50.7	97.7	1	4.5	0.1	26.2	39	123.8	87.5	171.9
Cervix									2	9.5	0.9	35.2
Corpus and Uterus, NOS									6	22.1	7.6	51.2
Ovary									3	8.3	1.6	29.2
Prostate					34	133.4	92.2	187.9				
Testis					1	4.7	0.1	26.7				
Urinary Bladder (includes *in situ*)	13	22.6	12.0	39.8	13	55.0	29.2	95.3	0	0.0	0.0	17.3
Kidney and Renal Pelvis	5	9.2	2.9	22.6	4	17.4	4.6	45.8	1	3.4	0.1	22.6
Brain and Nervous System	2	5.1	0.5	18.5	0	0.0	0.0	18.2	2	10.0	0.9	36.8
Hodgkin Lymphoma	1	1.7	0.0	11.4	0	0.0	0.0	18.2	1	2.9	0.1	21.4
Non-Hodgkin Lymphoma	6	11.9	4.2	27.0	4	18.7	5.0	48.6	2	6.4	0.6	27.5
Myeloma	2	3.4	0.4	13.9	0	0.0	0.0	18.2	2	5.8	0.7	25.7
Leukemia	5	10.0	3.0	24.6	3	16.6	3.3	47.5	2	5.4	0.6	24.8
All Other Sites	33	59.0	40.4	83.9	21	93.5	57.5	144.0	12	37.7	19.0	69.0
Breast *in situ* (not in total)									4	13.1	3.4	36.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Bond County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	521	515.1	471.5	561.7	271	582.3	514.3	656.9	250	488.8	428.4	555.7
Oral Cavity and Pharynx	10	10.1	4.8	18.7	8	15.5	6.7	31.0	2	5.0	0.6	18.0
Esophagus	5	4.9	1.6	11.7	3	5.9	1.2	17.8	2	4.1	0.5	15.7
Stomach	8	7.9	3.4	15.8	5	10.4	3.4	24.5	3	4.8	0.9	16.2
Colon and Rectum	63	60.7	46.6	77.9	29	63.7	42.5	91.8	34	61.3	42.0	87.2
Liver	4	3.6	1.0	9.8	3	5.3	1.1	16.4	1	1.4	0.0	11.0
Pancreas	15	14.8	8.3	24.7	8	16.0	6.9	32.0	7	14.0	5.3	30.3
Lung and Bronchus	91	89.3	71.8	109.8	53	114.4	85.4	150.1	38	70.6	49.7	98.1
Bones and Joints	0	0.0	0.0	4.1	0	0.0	0.0	8.1	0	0.0	0.0	8.9
Melanoma of the Skin	13	13.2	7.0	22.8	8	19.0	8.1	37.2	5	10.8	3.0	26.7
Breast (invasive)	72	72.2	56.4	91.1	0	0.0	0.0	8.1	72	143.2	111.5	181.5
Cervix									7	15.2	5.9	32.2
Corpus and Uterus, NOS									19	39.9	23.7	63.2
Ovary									5	8.9	2.7	22.3
Prostate					59	123.7	94.0	160.0				
Testis					1	1.6	0.0	10.7				
Urinary Bladder (includes *in situ*)	17	16.4	9.5	26.5	13	29.1	15.4	49.9	4	7.5	2.0	20.4
Kidney and Renal Pelvis	26	25.9	16.9	38.2	18	38.5	22.6	61.2	8	14.9	6.3	30.4
Brain and Nervous System	10	9.7	4.6	18.2	8	16.3	6.9	32.6	2	5.0	0.5	18.6
Hodgkin Lymphoma	3	3.3	0.7	9.7	0	0.0	0.0	8.1	3	7.9	1.6	22.8
Non-Hodgkin Lymphoma	30	29.9	20.1	42.9	17	35.7	20.7	57.5	13	25.0	12.7	44.5
Myeloma	2	2.1	0.3	7.7	2	4.9	0.6	17.1	0	0.0	0.0	8.9
Leukemia	19	19.1	11.4	30.1	13	29.1	15.3	50.0	6	12.0	4.3	27.2
All Other Sites	42	41.1	29.5	55.8	23	53.2	33.5	80.0	19	37.1	22.0	59.2
Breast *in situ* (not in total)									9	18.3	8.3	35.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Boone County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,152	479.3	451.6	508.2	574	536.4	491.6	584.1	578	448.8	412.7	487.2
Oral Cavity and Pharynx	33	12.9	8.8	18.2	22	18.7	11.4	28.7	11	8.2	4.1	14.8
Esophagus	12	5.4	2.8	9.4	10	10.4	4.8	19.2	2	1.5	0.2	5.5
Stomach	15	6.1	3.4	10.1	10	8.6	3.9	16.2	5	3.9	1.3	9.2
Colon and Rectum	117	50.5	41.6	60.6	52	52.2	38.4	68.9	65	49.6	38.2	63.4
Liver	10	4.2	2.0	7.8	6	4.8	1.7	10.8	4	3.5	1.0	8.8
Pancreas	25	10.9	7.0	16.1	12	12.2	6.2	21.3	13	9.6	5.1	16.6
Lung and Bronchus	166	70.5	60.0	82.2	78	76.5	59.8	96.2	88	69.3	55.5	85.6
Bones and Joints	5	2.1	0.7	4.8	2	1.5	0.2	5.8	3	2.3	0.5	6.9
Melanoma of the Skin	42	17.0	12.2	23.0	22	20.0	12.2	30.7	20	15.7	9.6	24.3
Breast (invasive)	165	66.4	56.5	77.4	2	1.5	0.2	5.8	163	126.0	107.3	147.1
Cervix									8	6.8	2.9	13.3
Corpus and Uterus, NOS									37	27.4	19.3	37.9
Ovary									18	13.3	7.9	21.2
Prostate					145	129.9	108.8	153.8				
Testis					8	6.0	2.6	12.1				
Urinary Bladder (includes *in situ*)	63	28.1	21.5	36.1	51	56.0	41.2	73.9	12	8.9	4.6	15.8
Kidney and Renal Pelvis	30	12.3	8.2	17.6	18	14.7	8.6	23.6	12	9.8	5.1	17.2
Brain and Nervous System	15	6.5	3.6	10.7	6	5.5	2.0	11.9	9	7.4	3.4	14.1
Hodgkin Lymphoma	8	3.2	1.4	6.3	6	4.4	1.6	9.9	2	2.0	0.2	6.7
Non-Hodgkin Lymphoma	45	18.9	13.7	25.4	22	20.9	12.8	32.0	23	17.6	11.1	26.5
Myeloma	15	6.9	3.8	11.3	10	10.8	5.0	19.8	5	3.9	1.2	9.2
Leukemia	42	17.2	12.3	23.4	29	24.2	16.0	35.1	13	10.5	5.6	18.0
All Other Sites	128	53.8	44.8	64.1	63	57.8	44.0	74.6	65	51.4	39.6	65.7
Breast *in situ* (not in total)									29	21.8	14.6	31.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Brown County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	171	528.3	451.6	614.5	103	698.5	564.5	853.7	68	406.4	313.5	521.1
Oral Cavity and Pharynx	6	18.5	6.8	41.0	5	26.0	8.3	64.0	1	3.5	0.1	36.1
Esophagus	1	2.9	0.1	17.6	0	0.0	0.0	25.2	1	5.6	0.1	40.5
Stomach	3	9.6	1.9	28.5	2	16.5	1.9	56.6	1	3.5	0.1	36.1
Colon and Rectum	19	60.1	36.1	94.3	11	82.7	40.4	147.9	8	44.9	19.1	94.8
Liver	2	6.5	0.8	23.7	1	5.8	0.1	35.0	1	7.4	0.2	44.7
Pancreas	9	28.0	12.8	53.6	6	36.0	13.2	79.8	3	18.2	3.7	59.2
Lung and Bronchus	24	74.4	47.6	111.2	12	88.3	44.1	155.7	12	67.5	34.6	123.4
Bones and Joints	0	0.0	0.0	12.6	0	0.0	0.0	25.2	0	0.0	0.0	32.0
Melanoma of the Skin	4	11.1	3.0	29.8	3	27.8	5.4	77.3	1	5.9	0.1	41.1
Breast (invasive)	19	59.6	35.8	93.5	0	0.0	0.0	25.2	19	115.8	69.2	185.4
Cervix									1	11.7	0.3	57.1
Corpus and Uterus, NOS									5	32.9	10.6	81.1
Ovary									1	5.4	0.1	39.8
Prostate					23	164.4	102.3	248.8				
Testis					1	3.4	0.1	29.6				
Urinary Bladder (includes *in situ*)	10	30.4	14.6	56.6	10	63.7	29.8	118.8	0	0.0	0.0	32.0
Kidney and Renal Pelvis	8	26.0	11.2	51.5	6	41.8	14.6	92.1	2	11.2	1.4	48.5
Brain and Nervous System	1	2.9	0.1	17.6	0	0.0	0.0	25.2	1	5.6	0.1	40.5
Hodgkin Lymphoma	2	6.4	0.6	24.3	2	10.9	0.8	45.4	0	0.0	0.0	32.0
Non-Hodgkin Lymphoma	11	34.1	17.0	61.6	8	50.3	21.2	100.8	3	12.8	2.5	49.3
Myeloma	1	2.9	0.1	17.7	1	5.9	0.1	35.4	0	0.0	0.0	32.0
Leukemia	10	28.6	13.6	53.8	7	41.9	14.5	92.5	3	19.7	3.9	62.8
All Other Sites	10	30.5	14.5	56.9	5	33.0	9.9	79.1	5	34.9	10.9	85.6
Breast *in situ* (not in total)									6	52.3	18.8	114.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Bureau County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,135	504.6	475.0	535.7	616	614.4	566.4	665.6	519	430.1	392.2	471.0
Oral Cavity and Pharynx	29	13.1	8.8	19.1	21	19.8	12.2	30.7	8	7.3	3.2	14.9
Esophagus	12	5.3	2.7	9.6	9	9.2	4.2	17.8	3	2.8	0.6	8.7
Stomach	6	2.6	0.9	5.9	3	3.0	0.6	9.1	3	2.2	0.4	7.4
Colon and Rectum	153	65.2	55.1	76.9	72	71.6	55.9	90.6	81	60.3	47.2	76.2
Liver	4	1.7	0.5	4.7	3	2.8	0.6	8.9	1	0.5	0.0	5.0
Pancreas	31	13.0	8.8	18.8	14	13.1	7.1	22.4	17	13.1	7.6	21.8
Lung and Bronchus	167	71.2	60.7	83.2	103	100.9	82.3	122.8	64	49.1	37.5	63.6
Bones and Joints	4	2.3	0.6	6.0	1	1.6	0.0	7.8	3	3.0	0.6	9.2
Melanoma of the Skin	41	18.7	13.2	25.9	26	27.1	17.5	40.2	15	13.9	7.4	23.8
Breast (invasive)	147	67.2	56.5	79.3	1	1.1	0.0	6.3	146	125.4	105.2	148.7
Cervix									5	5.8	1.8	13.6
Corpus and Uterus, NOS									24	20.1	12.6	30.8
Ovary									14	12.3	6.4	21.7
Prostate					151	148.3	125.5	174.3				
Testis					6	8.3	3.0	17.8				
Urinary Bladder (includes *in situ*)	56	23.2	17.4	30.4	43	42.2	30.5	57.2	13	9.9	5.2	17.8
Kidney and Renal Pelvis	46	21.1	15.3	28.4	27	27.8	18.2	40.8	19	15.9	9.4	25.5
Brain and Nervous System	14	6.9	3.7	11.8	5	6.1	2.0	14.2	9	7.1	3.1	14.5
Hodgkin Lymphoma	4	2.7	0.7	6.8	2	2.3	0.3	8.4	2	3.4	0.4	11.1
Non-Hodgkin Lymphoma	52	23.6	17.5	31.2	36	35.5	24.7	49.6	16	12.8	7.3	21.5
Myeloma	13	5.4	2.9	9.6	8	7.6	3.3	15.4	5	3.9	1.2	9.9
Leukemia	37	15.2	10.6	21.4	21	20.8	12.8	32.1	16	12.5	6.8	21.6
All Other Sites	119	54.5	44.8	65.7	64	65.3	50.1	83.8	55	48.7	35.9	64.7
Breast *in situ* (not in total)									27	22.1	14.4	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Calhoun County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	179	507.3	434.1	590.5	104	615.0	500.5	750.1	75	433.8	337.0	552.0
Oral Cavity and Pharynx	8	22.4	9.4	46.9	6	34.9	12.4	81.2	2	8.0	1.0	41.1
Esophagus	4	11.0	3.0	31.0	3	18.0	3.7	57.5	1	5.2	0.1	38.4
Stomach	1	2.8	0.1	19.4	0	0.0	0.0	29.8	1	5.2	0.1	38.4
Colon and Rectum	19	47.3	28.4	76.5	11	63.1	30.9	117.9	8	36.1	15.5	78.8
Liver	2	5.1	0.6	22.6	1	6.2	0.2	40.1	1	4.6	0.1	37.2
Pancreas	6	15.2	5.5	36.2	3	18.7	3.7	59.5	3	15.2	3.1	52.4
Lung and Bronchus	20	54.5	33.1	86.5	13	71.5	37.8	127.1	7	38.8	15.1	86.2
Bones and Joints	0	0.0	0.0	15.0	0	0.0	0.0	29.8	0	0.0	0.0	30.8
Melanoma of the Skin	10	31.7	14.7	60.7	5	30.3	9.5	75.4	5	38.0	11.6	91.5
Breast (invasive)	17	55.0	31.1	90.7	0	0.0	0.0	29.8	17	111.1	62.1	184.6
Cervix									1	4.4	0.1	36.7
Corpus and Uterus, NOS									5	31.4	10.0	77.9
Ovary									0	0.0	0.0	30.8
Prostate					33	201.3	137.8	286.4				
Testis					0	0.0	0.0	29.8				
Urinary Bladder (includes *in situ*)	6	17.3	6.3	40.1	4	22.7	6.1	63.7	2	11.2	1.4	47.5
Kidney and Renal Pelvis	5	13.2	4.2	33.9	4	21.0	5.6	60.4	1	5.2	0.1	38.4
Brain and Nervous System	0	0.0	0.0	15.0	0	0.0	0.0	29.8	0	0.0	0.0	30.8
Hodgkin Lymphoma	3	11.5	2.3	34.2	1	8.0	0.2	44.6	2	14.4	1.5	55.6
Non-Hodgkin Lymphoma	9	28.1	12.3	55.9	5	32.4	9.8	80.5	4	21.3	5.8	61.3
Myeloma	3	7.5	1.5	25.8	3	14.9	3.0	51.2	0	0.0	0.0	30.8
Leukemia	6	16.2	5.9	38.0	2	11.9	1.4	48.4	4	18.6	5.0	56.4
All Other Sites	21	60.1	36.8	94.3	10	60.0	28.2	114.7	11	65.1	31.4	122.4
Breast *in situ* (not in total)									5	29.1	9.3	73.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Carroll County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	542	470.7	430.5	514.0	306	563.3	500.8	632.3	236	394.3	342.3	452.9
Oral Cavity and Pharynx	15	12.9	7.2	22.1	13	23.1	12.2	41.0	2	3.3	0.4	14.9
Esophagus	6	4.7	1.7	11.4	6	10.5	3.9	24.7	0	0.0	0.0	10.2
Stomach	10	8.0	3.8	15.8	9	15.8	7.2	31.7	1	1.5	0.0	12.3
Colon and Rectum	63	51.4	39.4	66.5	34	60.7	42.0	86.2	29	41.5	27.6	61.9
Liver	4	3.4	0.9	9.9	2	3.9	0.4	15.9	2	2.5	0.3	13.4
Pancreas	8	6.7	2.8	14.2	4	7.3	1.9	20.7	4	5.7	1.5	17.8
Lung and Bronchus	80	67.3	53.1	84.6	45	82.2	59.8	111.2	35	57.3	39.5	81.7
Bones and Joints	2	1.5	0.2	7.1	2	3.8	0.5	15.6	0	0.0	0.0	10.2
Melanoma of the Skin	14	13.4	7.0	23.6	12	24.7	12.3	45.0	2	3.0	0.4	14.3
Breast (invasive)	68	60.9	46.7	78.4	0	0.0	0.0	9.8	68	115.1	87.8	149.1
Cervix									2	8.1	1.0	26.4
Corpus and Uterus, NOS									16	28.4	15.8	48.4
Ovary									11	14.8	7.3	29.4
Prostate					72	126.0	98.4	160.0				
Testis					4	12.4	3.2	31.4				
Urinary Bladder (includes *in situ*)	31	26.8	17.9	39.1	26	50.1	32.3	74.9	5	7.2	2.3	19.9
Kidney and Renal Pelvis	19	15.5	9.3	25.0	14	24.0	13.1	41.8	5	7.8	2.4	21.0
Brain and Nervous System	10	9.5	4.4	18.6	4	8.0	2.1	22.2	6	10.7	3.5	26.1
Hodgkin Lymphoma	4	4.7	1.1	12.9	1	1.6	0.0	12.1	3	7.9	1.2	24.9
Non-Hodgkin Lymphoma	25	21.7	13.8	33.0	15	29.4	16.2	50.0	10	13.7	6.3	28.1
Myeloma	9	7.0	3.2	14.3	6	10.3	3.8	24.3	3	3.7	0.7	14.9
Leukemia	8	6.3	2.7	13.6	5	9.0	2.9	22.8	3	4.0	0.8	15.4
All Other Sites	61	57.9	43.6	75.8	32	60.5	40.9	87.0	29	58.0	37.3	86.3
Breast *in situ* (not in total)									8	11.8	5.1	25.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cass County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	398	497.3	449.2	549.4	207	579.9	502.9	665.4	191	457.5	393.3	529.6
Oral Cavity and Pharynx	9	11.2	5.1	21.7	5	15.1	4.8	35.1	4	9.4	2.5	25.5
Esophagus	8	10.3	4.4	20.6	5	14.4	4.6	33.8	3	6.6	1.3	21.2
Stomach	6	7.6	2.8	17.0	4	10.8	2.9	28.4	2	4.4	0.5	17.8
Colon and Rectum	59	69.9	53.1	90.7	30	86.2	57.9	123.4	29	60.2	39.7	88.5
Liver	5	6.2	2.0	14.9	4	12.7	3.4	32.3	1	2.8	0.1	16.0
Pancreas	9	11.2	5.1	21.7	7	18.8	7.5	39.3	2	5.5	0.6	20.2
Lung and Bronchus	78	98.2	77.5	123.0	42	115.9	83.3	157.2	36	87.6	61.0	122.4
Bones and Joints	0	0.0	0.0	5.3	0	0.0	0.0	10.9	0	0.0	0.0	10.8
Melanoma of the Skin	17	21.7	12.6	35.2	10	26.9	12.8	50.1	7	19.1	7.6	39.8
Breast (invasive)	48	61.3	45.0	81.8	0	0.0	0.0	10.9	48	114.4	83.6	153.3
Cervix									10	29.9	14.1	55.1
Corpus and Uterus, NOS									12	28.3	14.2	51.0
Ovary									4	10.8	2.8	28.3
Prostate					36	97.4	68.0	135.4				
Testis					3	8.9	1.8	26.0				
Urinary Bladder (includes *in situ*)	17	19.8	11.5	32.2	14	41.6	22.6	69.9	3	6.9	1.4	21.7
Kidney and Renal Pelvis	9	11.9	5.4	22.9	5	15.1	4.9	35.1	4	10.3	2.8	27.1
Brain and Nervous System	3	3.6	0.7	11.0	3	8.7	1.7	25.5	0	0.0	0.0	10.8
Hodgkin Lymphoma	2	2.9	0.4	10.5	2	5.9	0.7	21.3	0	0.0	0.0	10.8
Non-Hodgkin Lymphoma	19	22.3	13.4	35.3	10	26.4	12.6	49.2	9	20.3	9.1	39.8
Myeloma	5	6.3	2.0	15.0	4	10.8	2.9	28.4	1	2.2	0.1	14.4
Leukemia	6	6.7	2.4	15.3	4	11.2	3.0	29.0	2	2.9	0.3	14.7
All Other Sites	33	42.8	29.3	60.5	19	53.2	31.9	83.5	14	36.1	19.3	61.8
Breast *in situ* (not in total)									11	26.7	13.2	48.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,951	506.3	490.5	522.4	2,048	592.5	566.7	619.1	1,903	447.9	427.7	468.8
Oral Cavity and Pharynx	92	11.6	9.3	14.2	58	16.0	12.1	20.8	34	7.9	5.4	11.0
Esophagus	44	5.7	4.1	7.6	33	9.8	6.7	13.7	11	2.6	1.3	4.6
Stomach	43	5.4	3.9	7.3	25	7.2	4.6	10.6	18	4.2	2.5	6.7
Colon and Rectum	366	47.1	42.3	52.2	209	60.1	52.1	68.9	157	35.9	30.4	42.1
Liver	40	5.1	3.6	7.0	26	7.0	4.5	10.3	14	3.3	1.8	5.5
Pancreas	91	11.6	9.3	14.2	44	13.0	9.4	17.5	47	10.7	7.8	14.2
Lung and Bronchus	487	63.3	57.8	69.2	263	78.6	69.2	88.7	224	52.5	45.8	59.9
Bones and Joints	9	1.0	0.4	2.0	4	1.2	0.3	3.1	5	0.9	0.3	2.3
Melanoma of the Skin	185	23.2	19.9	26.8	96	27.6	22.3	33.8	89	21.1	16.8	26.1
Breast (invasive)	588	75.7	69.7	82.1	4	1.2	0.3	3.0	584	140.3	129.0	152.2
Cervix									36	9.3	6.5	12.8
Corpus and Uterus, NOS									113	27.0	22.2	32.5
Ovary									61	14.2	10.9	18.3
Prostate					651	187.4	173.1	202.5				
Testis					28	6.6	4.3	9.6				
Urinary Bladder (includes *in situ*)	162	21.4	18.2	25.0	121	37.7	31.2	45.0	41	9.6	6.9	13.0
Kidney and Renal Pelvis	143	18.5	15.6	21.8	88	24.8	19.8	30.6	55	12.9	9.7	16.8
Brain and Nervous System	40	4.8	3.4	6.5	25	6.0	3.9	9.0	15	3.4	1.9	5.7
Hodgkin Lymphoma	27	2.7	1.7	4.0	15	3.2	1.7	5.6	12	2.3	1.1	4.2
Non-Hodgkin Lymphoma	152	19.7	16.7	23.1	79	23.6	18.6	29.4	73	17.3	13.5	21.8
Myeloma	41	5.4	3.9	7.3	27	8.5	5.5	12.3	14	3.3	1.8	5.6
Leukemia	114	14.7	12.1	17.7	69	20.2	15.6	25.6	45	10.4	7.5	13.9
All Other Sites	438	55.2	50.1	60.7	183	52.9	45.4	61.3	255	59.0	51.8	66.9
Breast *in situ* (not in total)									202	48.9	42.3	56.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Christian County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,252	573.0	541.3	606.2	681	710.5	657.7	766.4	571	490.5	449.5	534.6
Oral Cavity and Pharynx	26	12.2	8.0	18.1	19	18.9	11.4	29.8	7	6.4	2.5	13.6
Esophagus	26	11.6	7.6	17.2	23	24.4	15.4	36.8	3	2.8	0.6	8.6
Stomach	12	5.5	2.8	9.8	9	9.3	4.2	17.9	3	1.9	0.4	7.0
Colon and Rectum	145	65.4	55.1	77.3	67	71.2	55.0	90.7	78	63.0	49.4	79.6
Liver	9	4.3	2.0	8.3	9	9.0	4.1	17.4	0	0.0	0.0	4.4
Pancreas	24	10.2	6.5	15.5	15	15.7	8.7	26.1	9	6.0	2.6	12.7
Lung and Bronchus	280	125.5	111.1	141.3	151	157.0	132.8	184.4	129	105.4	87.6	126.2
Bones and Joints	1	0.3	0.0	2.5	0	0.0	0.0	4.3	1	0.4	0.0	4.8
Melanoma of the Skin	34	17.1	11.7	24.1	19	19.9	11.9	31.2	15	16.1	8.7	27.2
Breast (invasive)	149	71.4	60.2	84.1	0	0.0	0.0	4.3	149	136.3	114.5	161.2
Cervix									4	4.8	1.2	12.4
Corpus and Uterus, NOS									41	35.7	25.3	49.2
Ovary									14	11.7	6.3	20.3
Prostate					143	145.8	122.7	172.0				
Testis					5	6.0	1.9	14.0				
Urinary Bladder (includes *in situ*)	57	24.3	18.4	31.7	51	52.8	39.3	69.7	6	3.6	1.2	9.2
Kidney and Renal Pelvis	46	21.5	15.7	29.0	31	32.4	22.0	46.2	15	13.1	7.1	22.4
Brain and Nervous System	19	9.2	5.4	14.6	10	10.2	4.9	19.1	9	8.8	3.7	17.7
Hodgkin Lymphoma	9	5.1	2.3	9.8	8	8.7	3.7	17.2	1	1.5	0.0	7.4
Non-Hodgkin Lymphoma	46	20.5	14.9	27.6	28	29.7	19.7	43.2	18	13.5	7.8	22.4
Myeloma	6	2.7	1.0	6.1	5	5.2	1.7	12.4	1	0.9	0.0	5.8
Leukemia	26	11.3	7.3	16.8	15	15.8	8.8	26.3	11	8.4	4.0	16.1
All Other Sites	130	59.4	49.4	70.9	73	78.6	61.4	99.1	57	50.3	37.5	66.4
Breast *in situ* (not in total)									39	36.2	25.5	50.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Clark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	497	460.9	420.6	504.4	275	582.4	515.0	656.5	222	383.5	332.6	440.5
Oral Cavity and Pharynx	14	12.3	6.7	21.2	9	18.9	8.6	36.7	5	7.2	2.3	19.0
Esophagus	3	2.8	0.6	8.8	3	6.4	1.3	19.5	0	0.0	0.0	8.8
Stomach	3	2.3	0.5	7.8	2	4.2	0.5	16.1	1	1.2	0.0	10.4
Colon and Rectum	54	47.1	35.2	62.1	26	56.7	36.9	83.6	28	37.8	24.8	56.6
Liver	4	4.0	1.0	10.8	3	6.7	1.4	20.2	1	0.9	0.0	9.8
Pancreas	8	7.1	3.0	14.6	7	14.8	5.9	31.2	1	1.7	0.0	11.5
Lung and Bronchus	80	71.1	56.2	89.1	45	95.3	69.3	128.2	35	56.1	38.9	79.5
Bones and Joints	0	0.0	0.0	4.4	0	0.0	0.0	9.1	0	0.0	0.0	8.8
Melanoma of the Skin	16	16.4	9.3	27.0	14	30.7	16.7	52.0	2	5.4	0.7	18.6
Breast (invasive)	62	59.0	45.0	76.2	0	0.0	0.0	9.1	62	109.1	82.9	141.7
Cervix									3	6.8	1.4	20.2
Corpus and Uterus, NOS									13	20.8	10.8	37.3
Ovary									9	16.8	7.5	33.1
Prostate					67	134.7	104.2	172.0				
Testis					2	5.6	0.7	19.4				
Urinary Bladder (includes *in situ*)	34	31.0	21.3	43.8	29	61.0	40.7	88.3	5	9.5	3.0	23.4
Kidney and Renal Pelvis	24	24.4	15.5	36.9	14	30.6	16.6	52.0	10	19.0	8.6	36.6
Brain and Nervous System	5	5.6	1.8	13.2	2	4.3	0.5	16.4	3	6.7	1.3	20.2
Hodgkin Lymphoma	1	1.6	0.0	7.9	0	0.0	0.0	9.1	1	3.2	0.1	15.7
Non-Hodgkin Lymphoma	19	17.7	10.6	28.2	10	23.0	11.0	42.8	9	14.9	6.6	30.0
Myeloma	5	4.3	1.4	10.8	1	1.8	0.0	12.0	4	6.3	1.5	18.3
Leukemia	12	11.4	5.7	20.5	8	17.3	7.4	34.7	4	6.0	1.4	18.0
All Other Sites	59	57.7	43.6	75.0	33	70.5	48.3	99.6	26	53.9	34.7	80.1
Breast *in situ* (not in total)									13	23.5	12.4	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Clay County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	500	546.5	498.7	598.0	286	706.9	626.8	795.0	214	430.8	372.4	496.5
Oral Cavity and Pharynx	13	15.2	7.9	26.6	5	12.0	3.9	29.2	8	18.3	7.6	37.6
Esophagus	4	4.6	1.2	12.4	4	10.3	2.8	27.2	0	0.0	0.0	10.6
Stomach	8	8.5	3.6	17.4	5	12.1	3.9	29.4	3	5.5	1.1	18.6
Colon and Rectum	64	67.0	51.4	86.2	34	82.6	57.2	116.3	30	51.8	34.4	76.4
Liver	4	4.4	1.2	12.1	4	10.1	2.7	26.8	0	0.0	0.0	10.6
Pancreas	5	5.3	1.7	13.3	2	5.2	0.6	19.7	3	4.9	0.9	17.5
Lung and Bronchus	83	86.0	68.3	107.3	48	117.1	86.2	156.1	35	64.8	44.6	92.3
Bones and Joints	0	0.0	0.0	5.3	0	0.0	0.0	11.0	0	0.0	0.0	10.6
Melanoma of the Skin	18	22.4	13.0	36.0	9	25.1	11.3	48.2	9	21.5	9.6	42.1
Breast (invasive)	49	56.9	41.7	76.1	0	0.0	0.0	11.0	49	106.6	77.5	143.6
Cervix									3	4.8	0.9	17.3
Corpus and Uterus, NOS									13	27.4	14.3	48.6
Ovary									1	2.1	0.1	14.1
Prostate					87	208.2	166.7	257.7				
Testis					3	10.7	2.2	30.0				
Urinary Bladder (includes *in situ*)	33	33.6	23.0	47.9	25	59.9	38.7	89.4	8	13.6	5.6	29.5
Kidney and Renal Pelvis	21	22.8	14.0	35.6	13	33.6	17.8	58.1	8	13.5	5.7	29.0
Brain and Nervous System	10	11.6	5.4	22.2	4	9.8	2.7	26.3	6	14.9	5.1	33.8
Hodgkin Lymphoma	1	1.7	0.0	8.7	0	0.0	0.0	11.0	1	3.2	0.1	17.0
Non-Hodgkin Lymphoma	19	23.4	13.8	37.4	15	41.1	22.6	68.8	4	8.6	2.3	23.6
Myeloma	2	2.4	0.3	9.3	0	0.0	0.0	11.0	2	4.6	0.5	18.0
Leukemia	8	7.4	3.2	15.6	2	4.7	0.6	18.7	6	9.2	3.3	23.2
All Other Sites	51	58.1	42.9	77.2	26	64.5	42.0	95.3	25	55.5	34.9	84.3
Breast *in situ* (not in total)									20	49.7	29.5	78.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Clinton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,005	486.9	457.2	518.2	541	586.6	537.9	638.5	464	420.8	382.5	462.2
Oral Cavity and Pharynx	23	11.4	7.2	17.2	17	17.9	10.4	28.8	6	6.0	2.2	13.3
Esophagus	14	6.5	3.6	11.1	14	16.1	8.7	27.0	0	0.0	0.0	4.2
Stomach	8	3.7	1.6	7.4	5	5.7	1.8	13.4	3	1.9	0.4	6.8
Colon and Rectum	128	59.9	49.9	71.4	62	68.0	52.0	87.2	66	52.7	40.5	67.9
Liver	6	2.8	1.0	6.3	5	5.4	1.7	12.7	1	0.9	0.0	5.8
Pancreas	25	11.8	7.6	17.5	12	13.3	6.8	23.4	13	11.1	5.8	19.5
Lung and Bronchus	150	71.7	60.7	84.3	91	98.9	79.5	121.6	59	51.6	39.2	67.1
Bones and Joints	1	0.6	0.0	3.1	0	0.0	0.0	4.1	1	1.4	0.0	7.1
Melanoma of the Skin	34	17.0	11.8	23.9	22	22.8	14.3	34.7	12	13.5	6.8	23.9
Breast (invasive)	135	67.0	56.1	79.4	1	1.1	0.0	6.1	134	128.7	107.4	153.0
Cervix									2	2.6	0.3	9.1
Corpus and Uterus, NOS									25	23.7	15.3	35.4
Ovary									16	15.1	8.5	25.0
Prostate					128	137.2	114.3	163.3				
Testis					8	8.7	3.8	17.3				
Urinary Bladder (includes *in situ*)	53	25.1	18.8	32.9	46	50.0	36.5	66.8	7	6.2	2.4	13.5
Kidney and Renal Pelvis	29	14.7	9.8	21.1	16	16.9	9.6	27.5	13	13.3	7.0	23.1
Brain and Nervous System	20	10.1	6.1	15.6	10	10.3	4.9	19.1	10	9.3	4.4	17.7
Hodgkin Lymphoma	6	3.2	1.2	7.1	3	2.9	0.6	8.8	3	3.1	0.6	9.4
Non-Hodgkin Lymphoma	48	23.5	17.3	31.3	28	29.9	19.8	43.3	20	18.0	10.8	28.4
Myeloma	11	5.2	2.6	9.4	7	8.3	3.3	17.0	4	3.4	0.9	9.4
Leukemia	28	13.0	8.6	19.0	18	21.2	12.5	33.5	10	8.1	3.8	15.7
All Other Sites	107	51.6	42.3	62.5	48	52.0	38.3	69.1	59	50.2	37.9	65.5
Breast *in situ* (not in total)									27	27.0	17.8	39.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Coles County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,397	526.5	498.8	555.4	707	611.7	567.0	659.1	690	475.6	439.4	514.0
Oral Cavity and Pharynx	31	11.9	8.0	17.1	23	19.4	12.3	29.3	8	5.8	2.4	12.0
Esophagus	25	9.4	6.1	14.1	21	17.7	10.9	27.3	4	2.5	0.7	7.0
Stomach	15	5.4	3.0	9.1	8	6.8	2.9	13.5	7	3.9	1.5	8.7
Colon and Rectum	193	73.0	62.9	84.3	107	93.6	76.6	113.4	86	57.9	45.8	72.3
Liver	10	3.8	1.8	7.1	8	6.3	2.7	12.7	2	1.6	0.2	6.0
Pancreas	28	9.9	6.6	14.5	10	8.7	4.1	16.1	18	10.8	6.3	17.7
Lung and Bronchus	233	85.5	74.8	97.4	129	111.6	93.1	132.8	104	67.7	55.1	82.6
Bones and Joints	1	0.1	0.0	1.8	1	0.3	0.0	3.7	0	0.0	0.0	3.3
Melanoma of the Skin	53	20.8	15.5	27.5	32	29.3	19.9	41.6	21	15.4	9.3	24.1
Breast (invasive)	177	68.1	58.3	79.1	1	1.1	0.0	5.7	176	125.1	106.8	145.7
Cervix									16	11.9	6.7	19.7
Corpus and Uterus, NOS									40	29.1	20.6	40.1
Ovary									22	14.9	9.2	22.9
Prostate					166	140.5	119.9	163.8				
Testis					7	4.3	1.6	9.9				
Urinary Bladder (includes *in situ*)	50	18.7	13.8	24.7	34	30.6	21.1	42.8	16	11.3	6.3	18.8
Kidney and Renal Pelvis	29	10.6	7.1	15.4	14	12.4	6.7	20.9	15	8.7	4.7	15.0
Brain and Nervous System	19	8.5	5.1	13.4	12	11.9	6.1	20.7	7	5.1	2.0	10.9
Hodgkin Lymphoma	7	2.6	0.9	5.7	4	3.5	0.9	9.2	3	1.6	0.2	6.0
Non-Hodgkin Lymphoma	56	21.3	16.0	27.8	26	21.6	14.0	32.0	30	20.5	13.7	29.7
Myeloma	23	8.1	5.1	12.3	10	8.6	4.1	16.0	13	8.0	4.2	14.3
Leukemia	34	14.0	9.6	19.8	19	17.1	10.2	26.9	15	12.0	6.4	20.3
All Other Sites	162	61.3	52.0	71.8	75	66.4	52.1	83.5	87	61.8	48.8	77.2
Breast *in situ* (not in total)									39	30.0	21.2	41.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	124,191	484.4	481.7	487.1	62,494	574.7	570.1	579.3	61,697	426.2	422.8	429.6
Oral Cavity and Pharynx	2,844	10.9	10.5	11.3	1,953	16.7	16.0	17.5	891	6.1	5.7	6.6
Esophagus	1,328	5.2	4.9	5.4	979	8.9	8.4	9.5	349	2.4	2.1	2.6
Stomach	2,470	9.7	9.3	10.1	1,460	13.8	13.1	14.5	1,010	6.8	6.4	7.2
Colon and Rectum	13,936	54.5	53.6	55.4	6,923	65.1	63.5	66.6	7,013	47.0	45.9	48.2
Liver	1,761	6.8	6.5	7.1	1,282	11.2	10.6	11.9	479	3.3	3.0	3.6
Pancreas	3,591	14.1	13.6	14.6	1,713	16.2	15.4	17.0	1,878	12.5	11.9	13.1
Lung and Bronchus	17,376	68.7	67.7	69.7	9,081	85.7	83.9	87.5	8,295	57.0	55.8	58.3
Bones and Joints	230	0.9	0.8	1.0	137	1.1	0.9	1.3	93	0.7	0.5	0.8
Melanoma of the Skin	2,866	11.1	10.7	11.5	1,621	14.6	13.9	15.4	1,245	8.8	8.3	9.3
Breast (invasive)	17,451	67.7	66.7	68.7	144	1.3	1.1	1.6	17,307	121.5	119.7	123.3
Cervix									1,407	10.2	9.7	10.7
Corpus and Uterus, NOS									3,854	26.8	25.9	27.7
Ovary									1,927	13.4	12.8	14.0
Prostate					18,220	166.2	163.7	168.7				
Testis					662	4.9	4.5	5.3				
Urinary Bladder (includes *in situ*)	5,071	20.0	19.5	20.6	3,578	35.1	33.9	36.3	1,493	9.9	9.4	10.5
Kidney and Renal Pelvis	4,093	15.9	15.4	16.4	2,413	21.5	20.6	22.4	1,680	11.6	11.1	12.2
Brain and Nervous System	1,519	5.9	5.6	6.2	797	6.8	6.3	7.3	722	5.1	4.8	5.5
Hodgkin Lymphoma	759	2.9	2.7	3.1	409	3.3	3.0	3.6	350	2.5	2.3	2.8
Non-Hodgkin Lymphoma	4,739	18.5	18.0	19.0	2,546	23.3	22.4	24.3	2,193	14.9	14.3	15.6
Myeloma	1,676	6.6	6.3	6.9	842	7.9	7.3	8.4	834	5.7	5.3	6.1
Leukemia	3,128	12.2	11.7	12.6	1,722	15.9	15.1	16.7	1,406	9.6	9.1	10.1
All Other Sites	13,283	51.7	50.8	52.6	6,012	55.1	53.7	56.6	7,271	50.3	49.2	51.5
Breast *in situ* (not in total)									4,470	31.8	30.9	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Crawford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	639	517.0	477.3	559.3	339	598.0	535.7	665.7	300	460.3	407.9	518.2
Oral Cavity and Pharynx	15	13.4	7.4	22.5	13	22.8	12.1	39.6	2	4.3	0.4	16.1
Esophagus	12	10.2	5.2	18.1	11	19.3	9.6	35.1	1	1.9	0.0	11.4
Stomach	6	5.0	1.8	11.5	5	9.2	3.0	22.0	1	0.9	0.0	9.3
Colon and Rectum	115	90.4	74.5	108.9	61	109.9	83.9	141.6	54	72.8	54.2	96.7
Liver	4	3.0	0.8	8.3	0	0.0	0.0	7.5	4	5.4	1.4	15.8
Pancreas	18	14.5	8.6	23.3	10	18.2	8.7	33.9	8	12.4	5.2	25.9
Lung and Bronchus	106	84.6	69.2	102.7	58	101.0	76.6	131.1	48	72.4	52.9	97.5
Bones and Joints	1	0.8	0.0	5.2	0	0.0	0.0	7.5	1	1.4	0.0	10.2
Melanoma of the Skin	16	14.2	8.0	23.5	7	12.4	5.0	26.0	9	17.4	7.5	34.4
Breast (invasive)	81	65.8	52.1	82.1	2	3.4	0.4	13.2	79	123.2	96.8	155.1
Cervix									8	12.9	5.2	27.2
Corpus and Uterus, NOS									18	28.2	16.5	45.9
Ovary									5	7.6	2.5	19.2
Prostate					75	130.3	102.4	163.8				
Testis					3	5.5	1.1	16.5				
Urinary Bladder (includes *in situ*)	20	14.7	9.0	23.2	18	30.7	18.1	49.2	2	2.1	0.3	10.9
Kidney and Renal Pelvis	20	16.8	10.2	26.2	13	23.2	12.3	40.1	7	11.8	4.7	25.5
Brain and Nervous System	6	5.7	2.0	12.6	2	3.6	0.4	13.7	4	8.3	2.1	22.0
Hodgkin Lymphoma	0	0.0	0.0	3.8	0	0.0	0.0	7.5	0	0.0	0.0	8.1
Non-Hodgkin Lymphoma	15	11.8	6.6	19.9	7	11.6	4.7	24.7	8	11.0	4.7	23.3
Myeloma	8	6.5	2.8	13.2	8	13.6	5.8	27.4	0	0.0	0.0	8.1
Leukemia	16	13.5	7.6	22.3	8	14.9	6.4	29.8	8	13.2	5.5	27.4
All Other Sites	71	59.0	45.9	74.8	38	68.2	48.2	94.0	33	53.0	35.8	76.0
Breast *in situ* (not in total)									10	16.2	7.7	30.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cumberland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	349	522.2	468.1	581.1	182	622.6	534.4	721.6	167	464.5	394.8	543.7
Oral Cavity and Pharynx	10	14.5	6.8	27.4	7	22.8	9.0	48.4	3	10.6	2.1	31.2
Esophagus	4	6.0	1.6	16.1	3	10.4	2.1	31.4	1	2.9	0.1	18.2
Stomach	2	2.5	0.3	10.6	0	0.0	0.0	14.1	2	4.3	0.5	19.6
Colon and Rectum	45	68.0	49.4	91.7	24	84.5	53.8	126.5	21	56.1	34.4	87.7
Liver	4	5.7	1.5	15.5	2	6.3	0.7	24.6	2	5.0	0.6	21.2
Pancreas	16	21.5	12.2	35.8	8	25.2	10.7	51.1	8	17.2	7.2	37.1
Lung and Bronchus	57	86.8	65.6	113.1	32	111.1	75.7	157.7	25	66.7	42.7	100.4
Bones and Joints	0	0.0	0.0	6.8	0	0.0	0.0	14.1	0	0.0	0.0	13.4
Melanoma of the Skin	9	12.9	5.8	25.4	4	15.8	4.3	40.3	5	13.9	4.3	34.5
Breast (invasive)	38	57.4	40.3	79.6	0	0.0	0.0	14.1	38	111.7	78.2	155.5
Cervix									1	2.9	0.1	18.2
Corpus and Uterus, NOS									14	38.2	20.7	65.8
Ovary									9	27.7	12.3	54.2
Prostate					45	145.1	105.4	195.5				
Testis					5	18.8	6.0	44.2				
Urinary Bladder (includes *in situ*)	15	21.7	12.1	36.5	12	41.7	21.5	73.6	3	7.7	1.5	25.4
Kidney and Renal Pelvis	12	18.1	9.2	32.4	8	25.7	10.8	52.2	4	10.2	2.7	28.5
Brain and Nervous System	5	9.0	2.9	21.3	1	4.3	0.1	22.6	4	14.0	3.7	36.3
Hodgkin Lymphoma	5	10.3	3.3	23.8	4	16.8	4.5	42.5	1	3.9	0.1	20.8
Non-Hodgkin Lymphoma	14	20.4	11.0	35.0	6	22.5	8.2	49.1	8	20.6	8.5	43.2
Myeloma	4	5.5	1.5	15.2	2	8.1	1.0	28.8	2	6.7	0.8	24.9
Leukemia	7	10.1	4.0	21.5	6	18.9	6.9	42.6	1	2.9	0.1	18.2
All Other Sites	28	41.0	27.1	60.1	13	44.7	23.6	77.3	15	41.5	22.7	70.7
Breast *in situ* (not in total)									8	22.1	9.1	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DeKalb County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,956	479.4	458.2	501.3	986	547.9	513.5	584.0	970	438.7	411.2	467.5
Oral Cavity and Pharynx	55	13.2	9.9	17.2	36	17.7	12.3	24.6	19	8.8	5.3	13.7
Esophagus	15	3.7	2.1	6.1	12	7.2	3.7	12.5	3	1.4	0.3	4.1
Stomach	29	7.1	4.7	10.2	16	9.1	5.1	14.7	13	5.5	2.9	9.5
Colon and Rectum	236	58.3	51.0	66.3	112	63.7	52.1	76.8	124	54.5	45.2	65.1
Liver	17	4.3	2.5	6.8	10	5.4	2.6	9.9	7	3.3	1.3	6.7
Pancreas	45	11.0	8.0	14.7	24	13.2	8.4	19.6	21	8.9	5.4	13.6
Lung and Bronchus	243	61.2	53.7	69.4	135	77.7	64.9	92.1	108	49.2	40.3	59.5
Bones and Joints	5	1.0	0.3	2.5	1	0.4	0.0	2.6	4	1.6	0.4	4.3
Melanoma of the Skin	58	13.9	10.5	18.0	33	17.2	11.7	24.3	25	11.9	7.7	17.5
Breast (invasive)	266	64.4	56.9	72.7	1	0.6	0.0	2.9	265	122.5	108.1	138.2
Cervix									13	6.1	3.2	10.5
Corpus and Uterus, NOS									74	34.9	27.4	43.8
Ovary									36	16.1	11.2	22.4
Prostate					262	144.9	127.6	163.7				
Testis					21	8.4	5.0	13.2				
Urinary Bladder (includes *in situ*)	115	29.0	23.9	34.8	88	54.9	43.8	67.7	27	11.4	7.4	16.7
Kidney and Renal Pelvis	44	10.6	7.7	14.2	28	14.4	9.5	20.9	16	7.0	3.9	11.4
Brain and Nervous System	36	8.6	6.0	12.0	19	10.1	6.0	15.8	17	7.4	4.2	11.9
Hodgkin Lymphoma	9	1.6	0.7	3.2	6	2.3	0.8	5.4	3	0.8	0.1	3.0
Non-Hodgkin Lymphoma	84	20.7	16.5	25.7	41	24.3	17.3	33.0	43	19.3	13.9	26.0
Myeloma	24	5.9	3.8	8.7	18	9.7	5.7	15.4	6	2.9	1.1	6.2
Leukemia	57	13.8	10.4	17.9	33	18.8	12.8	26.5	24	11.0	7.0	16.4
All Other Sites	212	50.6	44.0	58.0	90	48.1	38.4	59.3	122	54.4	45.0	65.1
Breast *in situ* (not in total)									56	26.3	19.8	34.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DeWitt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	496	492.4	449.5	538.5	250	558.5	490.8	633.1	246	454.0	397.2	517.2
Oral Cavity and Pharynx	11	11.1	5.5	20.3	9	18.6	8.4	36.1	2	3.2	0.4	13.9
Esophagus	6	5.9	2.1	13.3	6	13.7	5.0	30.3	0	0.0	0.0	9.0
Stomach	4	3.9	1.1	10.6	4	9.1	2.5	23.9	0	0.0	0.0	9.0
Colon and Rectum	57	55.6	41.9	72.6	25	57.7	37.2	85.6	32	54.8	36.7	79.4
Liver	5	4.8	1.5	11.7	5	10.7	3.4	25.8	0	0.0	0.0	9.0
Pancreas	19	18.2	10.9	28.9	10	21.0	10.0	39.4	9	15.6	7.0	31.1
Lung and Bronchus	86	83.4	66.6	103.4	45	102.5	74.5	137.6	41	73.9	52.6	101.7
Bones and Joints	0	0.0	0.0	4.5	0	0.0	0.0	9.2	0	0.0	0.0	9.0
Melanoma of the Skin	24	25.4	16.1	38.2	14	31.8	17.2	53.9	10	21.0	9.6	39.9
Breast (invasive)	59	61.8	46.8	80.2	0	0.0	0.0	9.2	59	117.8	88.8	153.6
Cervix									3	6.0	1.1	19.0
Corpus and Uterus, NOS									14	24.9	13.5	42.9
Ovary									6	12.5	4.4	28.3
Prostate					59	129.8	98.6	168.2				
Testis					1	2.7	0.1	14.5				
Urinary Bladder (includes *in situ*)	35	34.1	23.7	47.8	27	61.6	40.5	90.1	8	12.9	5.5	27.1
Kidney and Renal Pelvis	9	8.9	4.0	17.5	3	6.9	1.4	20.5	6	10.0	3.3	24.2
Brain and Nervous System	4	4.4	1.2	11.6	2	4.4	0.5	16.8	2	4.8	0.5	17.6
Hodgkin Lymphoma	2	2.4	0.3	8.7	2	5.3	0.6	18.9	0	0.0	0.0	9.0
Non-Hodgkin Lymphoma	22	22.1	13.8	33.9	14	29.9	16.2	51.0	8	15.0	6.4	30.6
Myeloma	6	6.0	2.2	13.4	2	5.2	0.6	18.6	4	7.3	1.9	20.1
Leukemia	8	7.4	3.2	15.2	6	13.3	4.8	29.6	2	3.1	0.3	13.7
All Other Sites	56	55.2	41.5	72.1	16	34.3	19.5	56.4	40	71.2	50.3	98.5
Breast *in situ* (not in total)									13	23.7	12.5	41.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Douglas County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	593	508.0	467.4	551.3	323	648.1	578.9	723.5	270	426.9	375.5	483.6
Oral Cavity and Pharynx	15	13.0	7.2	21.8	10	19.1	9.1	35.7	5	7.4	2.4	18.4
Esophagus	12	8.9	4.6	16.1	10	21.7	10.3	39.9	2	1.8	0.2	9.6
Stomach	6	5.1	1.8	11.3	5	10.2	3.3	24.0	1	1.5	0.0	9.9
Colon and Rectum	70	59.4	46.1	75.4	35	69.7	48.4	97.2	35	49.5	33.8	70.4
Liver	1	0.9	0.0	5.4	1	1.9	0.0	11.1	0	0.0	0.0	7.3
Pancreas	11	9.3	4.6	17.0	4	7.6	2.0	20.0	7	10.0	3.8	22.0
Lung and Bronchus	85	69.3	55.3	86.1	51	102.4	76.0	135.0	34	49.7	34.0	70.7
Bones and Joints	1	0.9	0.0	5.3	0	0.0	0.0	7.8	1	1.5	0.0	9.9
Melanoma of the Skin	26	23.9	15.5	35.4	13	28.2	14.9	48.1	13	25.1	13.0	43.5
Breast (invasive)	77	69.3	54.4	87.1	2	3.7	0.4	13.9	75	127.5	99.4	161.3
Cervix									3	6.6	1.3	19.0
Corpus and Uterus, NOS									19	30.0	17.8	48.0
Ovary									7	9.9	3.9	21.8
Prostate					81	158.8	125.9	197.7				
Testis					1	1.8	0.0	11.0				
Urinary Bladder (includes *in situ*)	31	25.8	17.5	36.9	25	49.5	31.9	73.3	6	8.3	2.9	19.5
Kidney and Renal Pelvis	20	17.4	10.6	27.1	10	19.4	9.3	36.0	10	15.2	7.2	28.8
Brain and Nervous System	7	7.1	2.8	14.6	1	1.9	0.0	11.1	6	12.0	4.3	26.5
Hodgkin Lymphoma	2	2.7	0.3	8.9	1	2.5	0.1	12.8	1	2.7	0.1	13.2
Non-Hodgkin Lymphoma	28	24.4	16.1	35.6	17	35.4	20.5	56.9	11	16.0	7.9	29.8
Myeloma	6	5.2	1.9	11.5	6	12.8	4.7	27.8	0	0.0	0.0	7.3
Leukemia	19	16.3	9.7	25.7	14	28.5	15.6	48.1	5	6.6	2.0	17.0
All Other Sites	65	55.5	42.6	71.1	36	73.2	51.1	101.6	29	45.6	29.9	66.9
Breast *in situ* (not in total)									23	36.2	22.7	55.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	21,044	476.9	470.3	483.5	10,364	537.7	527.1	548.6	10,680	437.8	429.4	446.4
Oral Cavity and Pharynx	460	10.1	9.2	11.1	315	15.3	13.6	17.1	145	6.0	5.0	7.0
Esophagus	194	4.5	3.9	5.2	144	7.5	6.3	8.8	50	2.2	1.6	2.9
Stomach	297	6.9	6.1	7.7	177	9.9	8.5	11.5	120	4.9	4.0	5.8
Colon and Rectum	2,001	45.8	43.8	47.9	1,037	54.8	51.4	58.4	964	38.9	36.4	41.5
Liver	219	5.0	4.3	5.7	144	7.2	6.0	8.5	75	3.1	2.5	3.9
Pancreas	532	12.3	11.3	13.5	255	13.5	11.9	15.3	277	11.4	10.1	12.9
Lung and Bronchus	2,619	62.3	59.9	64.8	1,300	72.1	68.1	76.2	1,319	56.1	53.1	59.3
Bones and Joints	42	1.0	0.7	1.3	23	1.1	0.7	1.6	19	0.9	0.5	1.3
Melanoma of the Skin	755	16.5	15.3	17.7	411	20.2	18.2	22.3	344	14.2	12.7	15.8
Breast (invasive)	3,358	72.9	70.4	75.5	20	1.1	0.6	1.7	3,338	135.0	130.4	139.8
Cervix									135	5.6	4.7	6.7
Corpus and Uterus, NOS									694	27.7	25.7	29.9
Ovary									329	13.3	11.9	14.9
Prostate					3,151	159.0	153.3	164.8				
Testis					124	5.4	4.5	6.5				
Urinary Bladder (includes *in situ*)	951	22.6	21.1	24.1	693	39.3	36.3	42.4	258	10.4	9.2	11.8
Kidney and Renal Pelvis	633	14.3	13.1	15.4	371	18.1	16.2	20.1	262	11.0	9.7	12.5
Brain and Nervous System	334	7.4	6.6	8.3	170	8.1	6.9	9.5	164	7.0	5.9	8.1
Hodgkin Lymphoma	128	2.9	2.4	3.4	71	3.2	2.5	4.0	57	2.6	1.9	3.3
Non-Hodgkin Lymphoma	930	21.4	20.0	22.9	473	24.7	22.5	27.1	457	18.8	17.1	20.6
Myeloma	224	5.1	4.5	5.9	134	6.8	5.7	8.1	90	3.7	2.9	4.5
Leukemia	579	13.3	12.2	14.5	323	17.0	15.1	19.0	256	10.6	9.3	12.0
All Other Sites	2,355	52.8	50.7	55.0	1,028	53.6	50.3	57.1	1,327	54.4	51.5	57.5
Breast *in situ* (not in total)									846	34.1	31.8	36.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Edgar County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	603	490.2	451.0	532.0	302	569.5	506.6	638.2	301	439.2	388.4	495.3
Oral Cavity and Pharynx	9	7.6	3.4	14.9	7	13.4	5.3	28.2	2	3.1	0.4	12.6
Esophagus	9	7.0	3.1	13.8	5	8.5	2.7	20.8	4	5.2	1.3	15.6
Stomach	14	11.4	6.2	19.6	10	19.3	9.2	36.0	4	5.5	1.4	16.1
Colon and Rectum	69	53.9	41.8	68.8	33	60.2	41.4	85.2	36	46.5	32.1	66.2
Liver	4	3.3	0.9	9.0	4	7.1	1.9	19.1	0	0.0	0.0	7.9
Pancreas	15	12.5	6.9	21.1	10	19.6	9.3	36.5	5	6.7	2.1	17.6
Lung and Bronchus	86	67.6	53.9	84.1	58	110.6	83.8	143.6	28	38.2	25.0	56.8
Bones and Joints	1	1.2	0.0	6.2	1	2.2	0.1	12.1	0	0.0	0.0	7.9
Melanoma of the Skin	25	21.6	13.8	32.4	13	24.5	12.9	42.6	12	18.3	9.2	33.4
Breast (invasive)	83	69.9	55.3	87.3	0	0.0	0.0	8.1	83	129.5	101.9	162.8
Cervix									7	15.5	6.1	32.1
Corpus and Uterus, NOS									18	27.5	15.6	45.5
Ovary									8	9.8	4.1	21.3
Prostate					78	144.9	114.4	181.4				
Testis					2	3.7	0.4	14.1				
Urinary Bladder (includes *in situ*)	20	15.9	9.6	25.2	15	28.2	15.7	47.2	5	7.2	2.2	18.6
Kidney and Renal Pelvis	33	25.9	17.7	37.0	19	35.6	21.3	56.1	14	18.2	9.6	32.5
Brain and Nervous System	10	9.5	4.5	17.8	3	6.0	1.2	18.0	7	13.3	5.1	28.2
Hodgkin Lymphoma	3	3.1	0.6	9.3	2	4.6	0.6	16.3	1	1.0	0.0	9.2
Non-Hodgkin Lymphoma	16	13.5	7.6	22.5	8	15.4	6.6	30.9	8	11.6	4.5	25.1
Myeloma	5	3.6	1.1	9.2	3	5.6	1.1	17.0	2	2.5	0.3	11.4
Leukemia	18	14.3	8.3	23.3	9	17.4	7.9	33.5	9	13.4	5.5	27.6
All Other Sites	70	54.7	42.4	69.8	22	42.8	26.7	65.2	48	66.3	48.2	89.8
Breast *in situ* (not in total)									23	37.3	23.4	57.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Edwards County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	216	482.5	418.7	553.9	122	606.5	502.2	727.4	94	396.8	317.1	492.1
Oral Cavity and Pharynx	1	2.1	0.1	14.7	1	4.3	0.1	29.9	0	0.0	0.0	22.9
Esophagus	5	10.5	3.4	26.6	4	19.7	5.2	53.8	1	3.8	0.1	28.5
Stomach	2	4.3	0.5	18.1	2	9.4	1.1	38.3	0	0.0	0.0	22.9
Colon and Rectum	27	59.4	38.8	88.1	15	70.4	39.1	119.1	12	51.2	25.5	94.2
Liver	1	3.8	0.1	19.1	1	7.2	0.2	37.7	0	0.0	0.0	22.9
Pancreas	7	15.7	6.2	34.1	3	14.9	3.0	46.8	4	16.2	4.1	46.9
Lung and Bronchus	45	93.3	67.7	126.6	30	147.1	98.8	212.7	15	50.8	28.2	89.0
Bones and Joints	0	0.0	0.0	11.4	0	0.0	0.0	23.3	0	0.0	0.0	22.9
Melanoma of the Skin	6	12.1	4.4	28.6	2	10.2	1.2	40.0	4	14.6	3.9	43.4
Breast (invasive)	27	64.6	41.9	95.9	0	0.0	0.0	23.3	27	122.7	79.0	183.3
Cervix									2	7.8	0.9	34.2
Corpus and Uterus, NOS									6	32.4	11.0	73.8
Ovary									1	3.8	0.1	28.5
Prostate					21	95.9	59.2	149.6				
Testis					1	7.9	0.2	39.8				
Urinary Bladder (includes *in situ*)	14	30.2	16.4	52.3	11	56.5	28.0	103.4	3	13.0	2.7	42.4
Kidney and Renal Pelvis	8	17.0	7.3	35.4	6	28.4	10.4	65.1	2	6.9	0.8	32.4
Brain and Nervous System	4	11.8	3.0	31.0	3	15.6	3.0	48.8	1	7.7	0.2	38.7
Hodgkin Lymphoma	2	4.5	0.5	18.5	2	9.1	1.1	37.5	0	0.0	0.0	22.9
Non-Hodgkin Lymphoma	8	18.1	7.7	37.4	5	25.3	8.1	61.9	3	11.6	2.3	39.8
Myeloma	3	7.8	1.4	24.5	3	18.3	3.7	54.1	0	0.0	0.0	22.9
Leukemia	3	7.8	1.4	24.5	3	18.7	3.8	55.0	0	0.0	0.0	22.9
All Other Sites	22	49.0	30.3	76.1	9	47.5	21.4	92.5	13	54.4	28.1	97.5
Breast *in situ* (not in total)									4	16.0	4.3	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Effingham County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	985	502.2	471.1	534.9	530	612.2	560.8	667.0	455	430.4	390.9	473.0
Oral Cavity and Pharynx	15	7.4	4.1	12.4	13	15.7	8.3	26.9	2	1.5	0.2	6.6
Esophagus	12	6.0	3.1	10.6	10	10.8	5.2	20.1	2	1.3	0.2	6.0
Stomach	8	4.0	1.7	8.0	6	6.8	2.5	14.9	2	1.7	0.2	7.0
Colon and Rectum	107	53.3	43.6	64.6	52	60.6	45.2	79.7	55	48.6	36.4	63.9
Liver	6	3.1	1.1	6.9	5	5.9	1.9	13.8	1	1.3	0.0	6.8
Pancreas	25	12.2	7.9	18.1	13	15.0	7.9	25.7	12	9.1	4.6	16.7
Lung and Bronchus	135	69.1	57.9	81.9	79	91.5	72.3	114.2	56	52.8	39.6	69.1
Bones and Joints	1	0.6	0.0	3.2	1	1.2	0.0	6.8	0	0.0	0.0	4.2
Melanoma of the Skin	42	22.3	16.1	30.3	24	27.4	17.5	41.0	18	19.4	11.4	30.9
Breast (invasive)	139	72.3	60.7	85.6	0	0.0	0.0	4.4	139	136.5	114.3	161.8
Cervix									6	6.4	2.3	14.1
Corpus and Uterus, NOS									32	30.2	20.6	43.0
Ovary									11	10.0	4.8	18.5
Prostate					169	193.1	164.9	224.8				
Testis					3	3.9	0.8	11.2				
Urinary Bladder (includes *in situ*)	54	26.2	19.7	34.4	42	50.6	36.4	68.5	12	10.0	5.1	18.2
Kidney and Renal Pelvis	35	17.8	12.4	24.9	25	29.3	18.9	43.4	10	8.3	3.9	16.0
Brain and Nervous System	15	7.9	4.4	13.2	10	11.3	5.4	21.0	5	5.1	1.6	12.2
Hodgkin Lymphoma	1	0.6	0.0	3.2	1	1.1	0.0	6.5	0	0.0	0.0	4.2
Non-Hodgkin Lymphoma	45	23.2	16.9	31.3	23	26.8	16.9	40.4	22	20.3	12.5	31.2
Myeloma	14	7.4	4.0	12.6	8	9.4	4.0	18.6	6	6.0	2.2	13.3
Leukemia	16	7.9	4.5	13.0	10	11.7	5.6	21.7	6	5.5	2.0	12.4
All Other Sites	94	48.3	39.0	59.3	36	40.0	27.9	55.6	58	56.5	42.6	73.7
Breast *in situ* (not in total)									23	22.0	13.9	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Fayette County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	629	495.4	457.2	536.1	348	625.4	560.7	695.7	281	414.5	366.0	468.0
Oral Cavity and Pharynx	15	12.2	6.8	20.4	9	15.7	7.2	30.1	6	10.2	3.6	23.0
Esophagus	4	3.0	0.8	8.1	4	6.9	1.9	18.0	0	0.0	0.0	7.2
Stomach	7	5.2	2.1	11.1	3	5.4	1.1	16.1	4	4.9	1.3	14.3
Colon and Rectum	73	55.3	43.3	69.8	40	71.9	51.1	98.4	33	44.7	30.5	64.0
Liver	8	6.2	2.7	12.5	7	11.8	4.7	24.7	1	1.4	0.0	9.4
Pancreas	15	11.1	6.2	18.7	8	14.0	6.0	27.9	7	7.7	3.0	17.7
Lung and Bronchus	101	79.0	64.3	96.3	57	103.4	78.1	134.4	44	62.4	45.1	84.7
Bones and Joints	0	0.0	0.0	3.5	0	0.0	0.0	7.1	0	0.0	0.0	7.2
Melanoma of the Skin	25	20.5	13.2	30.5	18	31.4	18.6	50.0	7	10.7	4.0	23.5
Breast (invasive)	73	59.4	46.4	75.0	1	1.7	0.0	10.1	72	113.1	87.8	143.7
Cervix									4	5.9	1.5	16.2
Corpus and Uterus, NOS									16	26.3	14.8	43.4
Ovary									8	10.3	4.4	21.8
Prostate					104	184.5	150.4	224.2				
Testis					3	5.4	1.1	16.0				
Urinary Bladder (includes *in situ*)	26	19.4	12.7	28.8	22	43.5	26.9	66.2	4	4.8	1.3	14.1
Kidney and Renal Pelvis	28	23.2	15.4	33.8	16	27.4	15.6	44.9	12	18.6	9.2	33.7
Brain and Nervous System	7	5.5	2.2	11.6	2	3.8	0.5	13.8	5	7.3	2.4	18.0
Hodgkin Lymphoma	2	1.7	0.2	6.3	2	3.4	0.4	12.9	0	0.0	0.0	7.2
Non-Hodgkin Lymphoma	27	21.9	14.4	32.1	14	24.0	13.1	40.7	13	19.6	10.2	34.6
Myeloma	4	3.0	0.8	8.1	3	5.7	1.2	16.7	1	0.9	0.0	8.4
Leukemia	13	10.5	5.5	18.3	5	11.2	3.5	25.7	8	11.0	4.7	22.8
All Other Sites	66	52.5	40.5	67.2	30	54.4	36.4	78.3	36	54.9	37.8	77.5
Breast *in situ* (not in total)									16	28.2	15.9	46.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Ford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	509	564.9	515.5	617.9	270	693.7	612.9	782.6	239	487.1	423.4	558.2
Oral Cavity and Pharynx	10	10.9	5.2	20.7	7	18.2	7.3	38.2	3	6.5	1.3	20.6
Esophagus	11	12.1	6.0	22.3	9	23.0	10.5	44.5	2	4.0	0.5	16.6
Stomach	4	4.3	1.1	12.0	4	10.1	2.7	26.9	0	0.0	0.0	10.5
Colon and Rectum	63	66.5	50.6	86.2	32	84.5	57.7	119.9	31	57.0	37.3	84.3
Liver	4	4.2	1.1	11.6	2	4.5	0.5	18.1	2	3.2	0.4	15.0
Pancreas	9	9.9	4.5	19.5	9	22.5	10.3	43.6	0	0.0	0.0	10.5
Lung and Bronchus	68	74.2	57.4	94.6	33	83.7	57.6	118.2	35	72.7	50.2	102.8
Bones and Joints	1	0.7	0.0	6.2	0	0.0	0.0	11.0	1	0.9	0.0	11.4
Melanoma of the Skin	19	24.8	14.5	39.6	11	31.7	15.4	57.5	8	18.7	7.3	39.2
Breast (invasive)	65	72.4	55.3	93.5	0	0.0	0.0	11.0	65	131.8	99.7	171.6
Cervix									6	19.6	6.8	42.6
Corpus and Uterus, NOS									8	16.4	6.9	34.1
Ovary									3	5.6	1.0	19.1
Prostate					66	164.8	127.4	210.4				
Testis					2	7.7	0.9	25.9				
Urinary Bladder (includes *in situ*)	23	23.7	14.7	36.5	19	50.0	30.0	78.8	4	4.5	1.1	16.1
Kidney and Renal Pelvis	20	23.4	14.1	36.7	9	24.9	11.2	47.9	11	24.1	11.9	44.5
Brain and Nervous System	8	10.0	4.2	20.2	4	10.0	2.7	26.6	4	10.4	2.6	27.7
Hodgkin Lymphoma	1	1.9	0.0	9.4	0	0.0	0.0	11.0	1	3.7	0.1	18.3
Non-Hodgkin Lymphoma	29	30.5	20.2	44.6	15	37.6	21.0	62.7	14	25.9	13.5	46.1
Myeloma	4	3.8	1.0	10.9	2	4.8	0.6	18.7	2	2.3	0.3	13.3
Leukemia	17	17.8	10.1	29.4	11	28.6	14.2	51.9	6	11.2	3.6	27.4
All Other Sites	68	75.1	58.0	95.9	35	87.1	60.5	121.9	33	68.7	46.3	98.8
Breast *in situ* (not in total)									16	33.5	18.9	55.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Franklin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,463	560.4	531.4	590.6	779	691.7	643.4	742.8	684	480.3	443.4	519.6
Oral Cavity and Pharynx	44	17.8	12.8	24.2	33	29.2	20.0	41.5	11	8.6	4.1	16.1
Esophagus	14	5.1	2.8	8.8	12	10.2	5.3	18.3	2	1.0	0.1	5.2
Stomach	9	3.1	1.4	6.3	4	3.1	0.8	8.5	5	2.9	0.9	7.8
Colon and Rectum	180	68.0	58.2	79.0	97	86.0	69.6	105.3	83	55.2	43.5	69.4
Liver	16	5.9	3.4	9.9	8	6.9	3.0	14.0	8	5.4	2.2	11.3
Pancreas	35	13.2	9.1	18.7	16	15.0	8.5	24.7	19	11.3	6.6	18.6
Lung and Bronchus	292	108.3	96.1	121.8	170	152.3	130.1	177.4	122	80.6	66.6	97.0
Bones and Joints	2	0.9	0.1	3.4	1	1.1	0.0	6.0	1	1.2	0.0	6.2
Melanoma of the Skin	54	22.2	16.5	29.2	29	27.4	18.2	39.7	25	19.6	12.4	29.6
Breast (invasive)	158	64.1	54.3	75.4	1	0.7	0.0	5.1	157	117.5	99.1	138.6
Cervix									15	13.1	7.1	22.2
Corpus and Uterus, NOS									34	25.2	17.1	36.0
Ovary									25	17.8	11.3	27.0
Prostate					179	154.6	132.5	179.4				
Testis					7	7.7	3.1	15.8				
Urinary Bladder (includes *in situ*)	67	23.9	18.5	30.5	52	44.2	32.9	58.4	15	9.0	5.0	15.7
Kidney and Renal Pelvis	50	18.8	13.9	25.1	28	24.0	15.9	35.1	22	15.0	9.2	23.5
Brain and Nervous System	29	12.8	8.5	18.6	16	16.1	9.1	26.3	13	9.7	5.0	17.3
Hodgkin Lymphoma	2	1.1	0.1	3.8	2	2.2	0.3	7.8	0	0.0	0.0	3.7
Non-Hodgkin Lymphoma	66	25.5	19.6	32.8	34	30.4	20.9	42.8	32	22.1	14.8	32.1
Myeloma	10	3.4	1.6	6.6	5	4.4	1.4	10.6	5	2.3	0.7	6.7
Leukemia	42	16.3	11.6	22.4	21	19.0	11.7	29.4	21	14.4	8.7	22.9
All Other Sites	133	51.2	42.7	61.1	64	57.1	43.8	73.4	69	48.2	37.1	61.9
Breast *in situ* (not in total)									28	22.7	14.9	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Fulton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,307	543.2	513.7	574.2	725	666.8	618.9	717.5	582	457.4	419.1	498.4
Oral Cavity and Pharynx	19	8.4	5.0	13.4	14	13.3	7.2	22.5	5	3.8	1.1	10.0
Esophagus	25	10.5	6.7	15.7	19	17.6	10.6	27.8	6	4.8	1.6	11.6
Stomach	11	4.6	2.3	8.6	9	8.7	4.0	16.7	2	0.9	0.1	5.3
Colon and Rectum	180	73.3	62.8	85.1	91	84.2	67.7	103.6	89	63.3	50.2	79.1
Liver	12	4.8	2.4	8.6	7	6.3	2.5	13.3	5	3.2	1.0	8.6
Pancreas	46	18.1	13.2	24.4	20	18.5	11.2	28.8	26	16.5	10.6	25.2
Lung and Bronchus	228	91.4	79.7	104.3	132	120.4	100.7	143.1	96	71.2	57.3	87.9
Bones and Joints	1	0.4	0.0	2.7	0	0.0	0.0	3.9	1	0.7	0.0	5.3
Melanoma of the Skin	52	22.9	17.0	30.3	31	28.4	19.2	40.6	21	20.9	12.6	32.7
Breast (invasive)	141	61.6	51.7	73.0	2	2.1	0.2	7.6	139	116.0	96.8	138.2
Cervix									13	13.8	7.0	24.3
Corpus and Uterus, NOS									31	26.9	18.1	38.8
Ovary									20	14.2	8.5	22.9
Prostate					188	170.8	147.2	197.3				
Testis					5	5.2	1.7	12.2				
Urinary Bladder (includes *in situ*)	73	29.1	22.8	36.9	58	52.5	39.8	68.1	15	11.4	6.3	19.6
Kidney and Renal Pelvis	38	16.7	11.7	23.1	27	25.6	16.8	37.4	11	9.7	4.7	18.1
Brain and Nervous System	13	6.0	3.2	10.5	9	8.9	4.1	17.1	4	3.5	0.8	10.0
Hodgkin Lymphoma	5	2.7	0.9	6.3	3	2.7	0.6	8.3	2	2.1	0.2	7.9
Non-Hodgkin Lymphoma	45	18.7	13.5	25.4	27	25.4	16.7	37.2	18	12.2	7.1	20.3
Myeloma	9	3.1	1.4	6.3	3	2.6	0.5	8.0	6	3.7	1.3	9.3
Leukemia	33	13.0	8.9	18.6	22	19.4	12.1	29.7	11	8.0	3.8	15.5
All Other Sites	119	50.1	41.3	60.3	58	54.1	41.1	70.2	61	50.5	38.0	66.1
Breast *in situ* (not in total)									19	15.7	9.2	25.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Gallatin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	236	565.2	493.0	645.9	129	683.5	567.3	818.2	107	479.5	388.0	587.9
Oral Cavity and Pharynx	5	10.6	3.4	27.5	4	18.5	5.0	53.0	1	3.7	0.1	30.0
Esophagus	1	2.3	0.1	16.1	1	5.0	0.1	34.0	0	0.0	0.0	25.0
Stomach	3	7.9	1.6	24.9	1	5.0	0.1	34.0	2	10.4	1.2	41.5
Colon and Rectum	28	63.7	41.7	94.6	15	92.6	51.5	154.6	13	49.5	24.8	92.2
Liver	1	2.4	0.1	16.2	0	0.0	0.0	26.1	1	4.4	0.1	31.6
Pancreas	4	8.8	2.4	25.3	3	13.6	2.7	46.1	1	3.6	0.1	29.9
Lung and Bronchus	56	123.5	92.8	162.7	30	153.2	102.3	223.0	26	105.5	67.6	160.3
Bones and Joints	0	0.0	0.0	12.6	0	0.0	0.0	26.1	0	0.0	0.0	25.0
Melanoma of the Skin	10	25.4	11.8	48.8	9	44.3	20.0	88.4	1	8.5	0.2	42.5
Breast (invasive)	26	69.0	44.2	103.2	0	0.0	0.0	26.1	26	127.0	80.5	192.1
Cervix									1	4.6	0.1	32.1
Corpus and Uterus, NOS									8	38.5	16.0	80.5
Ovary									4	16.8	3.4	52.0
Prostate					27	127.6	83.2	190.4				
Testis					2	17.6	2.1	59.6				
Urinary Bladder (includes *in situ*)	12	28.4	14.4	51.8	9	50.0	22.4	98.4	3	12.4	2.6	42.6
Kidney and Renal Pelvis	14	36.9	19.5	64.2	11	62.8	30.1	116.8	3	12.6	2.6	43.0
Brain and Nervous System	3	6.7	1.4	22.5	1	5.0	0.1	34.1	2	8.3	1.0	37.0
Hodgkin Lymphoma	1	1.8	0.0	15.1	0	0.0	0.0	26.1	1	3.7	0.1	30.0
Non-Hodgkin Lymphoma	9	24.2	10.7	47.8	3	18.8	3.5	57.8	6	27.1	9.6	64.1
Myeloma	4	8.0	2.2	23.8	3	13.0	2.6	44.8	1	2.3	0.1	27.4
Leukemia	6	13.6	4.9	31.9	3	16.9	3.4	52.9	3	13.3	2.7	44.4
All Other Sites	11	32.8	15.9	60.3	7	39.6	15.1	85.9	4	27.3	7.1	70.4
Breast *in situ* (not in total)									6	32.8	11.2	75.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Greene County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	470	529.1	481.5	580.4	247	628.6	552.2	713.0	223	463.2	402.1	531.7
Oral Cavity and Pharynx	10	12.0	5.7	22.6	7	18.1	7.2	38.0	3	7.5	1.5	22.7
Esophagus	5	5.8	1.9	14.1	5	12.5	4.0	30.1	0	0.0	0.0	10.6
Stomach	3	3.6	0.7	11.1	3	7.8	1.6	23.5	0	0.0	0.0	10.6
Colon and Rectum	53	58.4	43.6	77.1	24	60.8	38.9	91.1	29	58.6	38.7	86.1
Liver	3	3.5	0.7	10.8	3	7.4	1.5	22.7	0	0.0	0.0	10.6
Pancreas	19	21.3	12.6	33.9	6	16.3	6.0	36.1	13	26.5	13.8	47.3
Lung and Bronchus	83	93.2	74.0	116.1	48	119.5	88.0	159.1	35	74.9	51.6	105.9
Bones and Joints	1	0.8	0.0	6.4	1	2.7	0.1	15.8	0	0.0	0.0	10.6
Melanoma of the Skin	15	19.6	10.8	32.8	9	25.3	11.4	48.7	6	14.0	4.9	32.1
Breast (invasive)	49	56.7	41.7	75.6	0	0.0	0.0	10.9	49	105.8	77.3	141.9
Cervix									6	14.2	4.9	32.5
Corpus and Uterus, NOS									20	41.6	25.1	65.8
Ovary									2	3.5	0.4	15.6
Prostate					67	166.1	128.7	211.6				
Testis					1	3.9	0.1	19.2				
Urinary Bladder (includes *in situ*)	31	32.1	21.7	46.2	20	49.4	30.1	77.0	11	19.9	9.7	37.9
Kidney and Renal Pelvis	12	13.0	6.7	23.3	8	19.7	8.5	39.7	4	7.3	1.9	21.3
Brain and Nervous System	4	5.4	1.4	14.2	2	5.0	0.6	19.2	2	5.9	0.6	21.7
Hodgkin Lymphoma	3	5.0	1.0	14.2	2	6.6	0.8	23.3	1	3.6	0.1	18.1
Non-Hodgkin Lymphoma	19	21.8	13.0	34.6	8	21.2	9.1	42.4	11	23.8	11.6	44.2
Myeloma	5	5.5	1.8	13.5	3	7.6	1.6	23.1	2	3.3	0.4	15.2
Leukemia	19	21.6	12.8	34.4	12	32.2	16.6	56.9	7	11.4	4.4	26.4
All Other Sites	40	45.1	31.9	62.2	18	46.6	27.4	74.4	22	41.5	24.9	65.8
Breast *in situ* (not in total)									11	24.0	11.9	44.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Grundy County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,192	555.1	523.7	587.8	651	673.4	621.5	728.3	541	465.3	426.6	506.5
Oral Cavity and Pharynx	22	9.8	6.1	14.9	20	18.4	11.1	28.7	2	1.4	0.2	5.6
Esophagus	18	7.9	4.7	12.6	16	15.8	8.9	25.8	2	1.7	0.2	6.1
Stomach	17	7.9	4.5	12.6	9	9.4	4.2	17.9	8	6.6	2.8	13.1
Colon and Rectum	141	66.2	55.6	78.2	78	84.7	66.6	106.0	63	52.4	40.2	67.3
Liver	14	6.1	3.3	10.3	9	7.9	3.6	15.3	5	4.0	1.3	9.6
Pancreas	38	18.0	12.7	24.7	18	18.3	10.7	29.0	20	17.0	10.4	26.4
Lung and Bronchus	175	82.3	70.5	95.6	97	102.1	82.4	124.9	78	68.5	54.0	85.6
Bones and Joints	4	1.8	0.5	4.6	4	3.5	0.9	9.1	0	0.0	0.0	3.3
Melanoma of the Skin	47	20.6	15.1	27.5	29	26.0	17.3	37.6	18	15.1	8.9	24.0
Breast (invasive)	146	67.6	57.0	79.6	0	0.0	0.0	3.5	146	127.7	107.7	150.3
Cervix									12	10.4	5.3	18.2
Corpus and Uterus, NOS									32	27.9	19.0	39.4
Ovary									18	15.4	9.1	24.5
Prostate					152	158.6	133.9	186.4				
Testis					8	7.1	3.0	14.1				
Urinary Bladder (includes *in situ*)	59	28.0	21.2	36.1	48	51.5	37.7	68.5	11	9.5	4.7	17.2
Kidney and Renal Pelvis	44	20.5	14.8	27.5	29	29.1	19.3	42.0	15	12.9	7.2	21.4
Brain and Nervous System	16	7.3	4.2	11.9	6	6.4	2.3	13.8	10	8.8	4.2	16.3
Hodgkin Lymphoma	5	2.2	0.7	5.2	4	3.8	1.0	9.8	1	0.9	0.0	4.9
Non-Hodgkin Lymphoma	52	24.9	18.6	32.7	26	27.2	17.6	40.0	26	22.6	14.7	33.3
Myeloma	12	5.5	2.8	9.7	8	8.0	3.4	15.9	4	3.5	0.9	9.0
Leukemia	28	13.3	8.8	19.3	21	22.1	13.5	33.8	7	5.7	2.3	12.0
All Other Sites	132	61.2	51.2	72.7	69	73.5	56.8	93.4	63	53.2	40.7	68.3
Breast *in situ* (not in total)									14	12.1	6.6	20.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Hamilton County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	253	435.6	382.4	495.0	140	537.6	451.6	636.6	113	368.3	300.3	448.5
Oral Cavity and Pharynx	1	1.4	0.0	11.0	1	3.5	0.1	24.0	0	0.0	0.0	18.3
Esophagus	4	6.9	1.9	19.3	3	11.1	2.3	35.7	1	3.4	0.1	23.5
Stomach	3	4.6	0.9	15.9	3	11.5	2.4	36.5	0	0.0	0.0	18.3
Colon and Rectum	33	50.9	34.8	73.1	21	78.9	48.7	122.6	12	32.5	16.1	61.8
Liver	1	2.4	0.1	13.6	1	5.0	0.1	27.9	0	0.0	0.0	18.3
Pancreas	7	12.1	4.8	26.3	4	15.0	4.1	41.3	3	9.7	2.0	32.4
Lung and Bronchus	47	79.3	58.1	106.7	26	97.9	63.9	145.4	21	67.5	41.3	106.3
Bones and Joints	0	0.0	0.0	9.2	0	0.0	0.0	18.7	0	0.0	0.0	18.3
Melanoma of the Skin	10	18.8	8.5	36.5	8	33.1	13.9	67.6	2	7.8	0.5	32.8
Breast (invasive)	27	48.2	31.2	71.9	0	0.0	0.0	18.7	27	90.4	57.9	136.3
Cervix									4	18.0	4.4	48.2
Corpus and Uterus, NOS									9	27.6	12.4	56.1
Ovary									4	16.1	4.0	43.9
Prostate					26	98.0	64.0	145.6				
Testis					1	4.2	0.1	25.9				
Urinary Bladder (includes *in situ*)	16	29.0	16.2	48.7	14	57.1	30.9	97.9	2	4.8	0.5	24.8
Kidney and Renal Pelvis	7	12.3	4.7	27.2	4	16.5	4.3	44.7	3	8.6	1.6	30.7
Brain and Nervous System	3	5.3	1.1	17.1	1	3.9	0.1	25.1	2	7.0	0.8	28.9
Hodgkin Lymphoma	1	2.1	0.1	12.7	1	4.2	0.1	25.9	0	0.0	0.0	18.3
Non-Hodgkin Lymphoma	5	8.1	2.6	20.8	3	10.7	2.2	34.7	2	4.8	0.5	24.8
Myeloma	3	5.2	1.1	17.0	1	3.9	0.1	25.1	2	6.7	0.8	28.3
Leukemia	8	11.6	5.0	25.1	6	22.7	8.3	51.9	2	5.5	0.6	26.0
All Other Sites	33	57.6	39.3	82.3	16	60.5	34.5	100.3	17	57.9	32.9	96.4
Breast *in situ* (not in total)									4	17.6	4.3	47.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Hancock County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	642	497.3	458.5	538.8	354	614.1	551.1	682.8	288	428.3	377.5	484.6
Oral Cavity and Pharynx	11	8.4	4.1	15.7	7	12.3	4.8	26.4	4	4.7	1.3	14.5
Esophagus	8	5.9	2.5	12.4	7	11.5	4.6	24.9	1	1.5	0.0	10.3
Stomach	7	5.0	2.0	11.0	5	8.7	2.8	21.3	2	2.1	0.2	10.9
Colon and Rectum	75	54.1	42.3	68.6	39	68.7	48.6	95.0	36	42.5	29.5	60.7
Liver	2	2.4	0.3	8.7	2	4.8	0.5	17.2	0	0.0	0.0	8.1
Pancreas	12	9.8	4.8	18.1	7	13.2	5.1	28.2	5	7.3	1.9	19.7
Lung and Bronchus	106	79.0	64.5	96.1	58	99.0	75.0	128.8	48	67.8	49.7	91.3
Bones and Joints	1	0.8	0.0	5.4	0	0.0	0.0	8.3	1	1.7	0.0	10.9
Melanoma of the Skin	31	27.0	18.0	39.0	15	25.1	14.0	42.4	16	29.6	16.2	49.5
Breast (invasive)	64	53.9	41.1	69.7	1	2.5	0.1	13.3	63	99.8	75.5	129.9
Cervix									3	8.3	1.6	23.2
Corpus and Uterus, NOS									20	30.5	18.1	48.7
Ovary									9	15.3	6.3	31.0
Prostate					109	184.1	150.9	223.0				
Testis					2	5.7	0.7	19.1				
Urinary Bladder (includes *in situ*)	34	24.2	16.7	34.4	23	38.9	24.6	59.3	11	14.7	7.3	28.0
Kidney and Renal Pelvis	18	14.2	8.4	23.0	13	22.5	11.9	39.4	5	6.9	2.1	18.0
Brain and Nervous System	5	4.2	1.3	10.3	4	6.8	1.8	18.6	1	2.3	0.1	12.5
Hodgkin Lymphoma	3	3.3	0.6	9.9	2	4.4	0.5	16.1	1	3.1	0.1	14.8
Non-Hodgkin Lymphoma	25	18.9	12.1	28.5	12	22.2	11.4	39.5	13	16.9	8.9	30.6
Myeloma	6	4.5	1.6	10.4	3	5.4	1.1	16.9	3	3.9	0.8	13.5
Leukemia	19	14.0	8.3	22.6	12	21.4	11.0	38.3	7	9.2	3.5	20.8
All Other Sites	72	56.4	43.8	71.9	33	56.8	39.0	80.6	39	60.3	41.9	84.6
Breast *in situ* (not in total)									20	30.5	18.5	48.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Hardin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	142	431.3	361.8	511.7	85	567.8	451.3	708.0	57	322.1	240.9	426.0
Oral Cavity and Pharynx	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Esophagus	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Stomach	0	0.0	0.0	17.2	0	0.0	0.0	34.4	0	0.0	0.0	35.2
Colon and Rectum	15	44.1	24.6	75.5	8	57.3	24.5	117.2	7	37.8	15.1	86.3
Liver	1	2.7	0.1	21.1	0	0.0	0.0	34.4	1	5.3	0.1	42.5
Pancreas	7	23.6	9.3	51.3	6	45.4	16.4	102.5	1	5.6	0.1	43.2
Lung and Bronchus	34	97.0	67.0	138.3	25	153.9	98.8	233.1	9	47.8	21.7	98.8
Bones and Joints	1	2.8	0.1	21.2	1	7.6	0.2	47.2	0	0.0	0.0	35.2
Melanoma of the Skin	8	26.1	11.0	54.3	4	30.0	7.9	81.0	4	21.5	5.7	65.0
Breast (invasive)	19	62.9	37.0	101.6	0	0.0	0.0	34.4	19	124.1	71.8	202.6
Cervix									0	0.0	0.0	35.2
Corpus and Uterus, NOS									3	14.3	2.9	53.9
Ovary									1	5.2	0.1	42.2
Prostate					10	66.4	31.0	128.1				
Testis					1	9.5	0.2	52.3				
Urinary Bladder (includes *in situ*)	7	21.8	8.7	48.0	6	42.7	15.6	97.4	1	4.8	0.1	41.5
Kidney and Renal Pelvis	6	21.0	7.3	48.7	5	36.9	11.6	90.9	1	6.6	0.2	45.4
Brain and Nervous System	3	8.7	1.8	29.7	3	20.2	4.0	65.6	0	0.0	0.0	35.2
Hodgkin Lymphoma	0	0.0	0.0	17.2	0	0.0	0.0	34.4	0	0.0	0.0	35.2
Non-Hodgkin Lymphoma	6	17.0	6.2	40.8	4	25.5	6.7	72.2	2	11.1	1.3	50.8
Myeloma	1	2.6	0.1	20.8	1	5.4	0.1	42.0	0	0.0	0.0	35.2
Leukemia	1	2.8	0.1	21.2	1	7.6	0.2	47.2	0	0.0	0.0	35.2
All Other Sites	16	45.5	25.9	76.9	8	48.7	20.6	102.8	8	38.0	16.3	84.6
Breast *in situ* (not in total)									1	6.6	0.2	45.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Henderson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	254	465.5	409.1	528.4	155	619.5	523.1	730.3	99	358.3	288.7	441.6
Oral Cavity and Pharynx	4	7.1	1.9	20.7	3	12.7	2.4	41.5	1	3.6	0.1	26.2
Esophagus	2	2.9	0.4	14.4	2	5.8	0.7	29.4	0	0.0	0.0	20.9
Stomach	2	3.8	0.5	16.1	1	4.1	0.1	28.1	1	2.6	0.1	24.2
Colon and Rectum	29	51.7	34.5	75.9	18	70.2	41.2	114.7	11	34.7	17.3	66.7
Liver	1	2.0	0.1	13.6	1	3.7	0.1	27.3	0	0.0	0.0	20.9
Pancreas	5	9.3	3.0	23.8	2	7.6	0.9	32.9	3	11.4	2.3	37.6
Lung and Bronchus	50	87.3	64.7	116.7	33	127.2	86.4	183.0	17	56.1	32.5	93.8
Bones and Joints	0	0.0	0.0	10.5	0	0.0	0.0	21.8	0	0.0	0.0	20.9
Melanoma of the Skin	5	10.8	3.4	26.8	2	7.6	0.9	32.9	3	13.8	2.6	43.3
Breast (invasive)	26	53.2	34.2	79.8	0	0.0	0.0	21.8	26	100.3	64.1	151.4
Cervix									1	4.5	0.1	28.3
Corpus and Uterus, NOS									7	24.8	9.8	55.6
Ovary									3	10.1	2.1	35.1
Prostate					43	162.5	116.6	223.1				
Testis					0	0.0	0.0	21.8				
Urinary Bladder (includes *in situ*)	20	36.6	22.3	58.1	17	78.6	44.8	129.3	3	10.9	2.2	36.7
Kidney and Renal Pelvis	7	12.7	5.1	28.3	5	19.7	6.2	50.7	2	7.5	0.9	32.3
Brain and Nervous System	1	2.0	0.1	13.6	1	3.7	0.1	27.3	0	0.0	0.0	20.9
Hodgkin Lymphoma	0	0.0	0.0	10.5	0	0.0	0.0	21.8	0	0.0	0.0	20.9
Non-Hodgkin Lymphoma	11	19.9	9.9	37.4	10	43.0	20.1	82.8	1	3.5	0.1	26.1
Myeloma	2	3.8	0.5	16.1	1	4.2	0.1	28.4	1	2.6	0.1	24.2
Leukemia	6	11.1	4.0	26.2	4	19.7	5.3	52.6	2	6.0	0.7	29.0
All Other Sites	29	56.5	37.3	83.2	12	49.0	24.8	89.5	17	65.9	36.5	111.1
Breast *in situ* (not in total)									5	18.1	5.8	46.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Henry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,563	490.1	465.7	515.5	819	584.7	544.9	626.7	744	434.0	402.1	467.9
Oral Cavity and Pharynx	40	12.9	9.2	17.8	28	19.1	12.6	27.9	12	7.5	3.8	13.6
Esophagus	22	6.6	4.1	10.2	19	13.1	7.8	20.9	3	1.5	0.3	5.2
Stomach	12	3.7	1.9	6.6	8	5.6	2.4	11.4	4	2.4	0.6	6.6
Colon and Rectum	188	57.1	49.1	66.2	96	70.2	56.7	86.0	92	47.8	38.1	59.5
Liver	11	3.5	1.7	6.5	7	4.6	1.8	9.9	4	2.6	0.6	7.3
Pancreas	43	12.9	9.3	17.5	22	15.5	9.7	23.7	21	10.6	6.5	16.8
Lung and Bronchus	226	69.1	60.3	78.9	123	87.4	72.5	104.6	103	57.6	46.9	70.4
Bones and Joints	1	0.5	0.0	2.7	1	1.1	0.0	5.3	0	0.0	0.0	3.1
Melanoma of the Skin	65	22.0	16.8	28.3	32	22.2	15.1	31.6	33	22.9	15.3	32.9
Breast (invasive)	219	69.9	60.8	80.1	3	2.2	0.4	6.7	216	129.5	112.3	148.8
Cervix									8	6.2	2.5	12.5
Corpus and Uterus, NOS									51	30.7	22.7	40.9
Ovary									23	12.7	7.9	19.7
Prostate					215	149.5	130.0	171.2				
Testis					10	9.3	4.4	16.9				
Urinary Bladder (includes *in situ*)	89	27.0	21.6	33.4	70	50.7	39.4	64.3	19	10.1	5.9	16.6
Kidney and Renal Pelvis	58	17.4	13.2	22.7	34	23.3	16.1	32.9	24	13.7	8.6	20.9
Brain and Nervous System	14	4.7	2.5	8.1	9	6.7	3.0	13.1	5	2.6	0.8	6.8
Hodgkin Lymphoma	9	3.4	1.5	6.5	6	4.0	1.5	9.1	3	2.9	0.6	8.2
Non-Hodgkin Lymphoma	64	20.5	15.7	26.4	36	26.4	18.4	36.8	28	15.6	10.2	23.2
Myeloma	17	5.5	3.2	9.0	13	9.4	5.0	16.3	4	2.6	0.7	7.3
Leukemia	37	11.1	7.8	15.6	25	18.9	12.2	28.0	12	6.0	2.9	11.3
All Other Sites	141	44.8	37.6	53.1	62	45.6	34.9	58.8	79	48.3	37.8	61.1
Breast *in situ* (not in total)									47	29.7	21.7	40.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Iroquois County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	984	489.6	458.8	522.1	523	572.3	524.0	624.2	461	431.7	391.3	475.5
Oral Cavity and Pharynx	26	13.4	8.7	20.0	13	14.9	7.9	26.0	13	11.5	6.0	20.7
Esophagus	11	5.2	2.6	9.7	6	6.2	2.3	14.1	5	4.4	1.4	11.3
Stomach	9	4.0	1.8	8.1	6	6.8	2.5	15.3	3	1.9	0.4	7.7
Colon and Rectum	118	56.5	46.5	68.1	63	66.7	51.2	85.8	55	48.6	35.9	64.8
Liver	10	4.8	2.3	9.2	7	7.3	2.9	15.6	3	2.3	0.5	8.2
Pancreas	29	12.7	8.4	18.6	16	16.8	9.6	27.9	13	10.0	5.2	18.3
Lung and Bronchus	172	83.5	71.4	97.3	99	107.8	87.5	131.6	73	64.9	50.8	82.4
Bones and Joints	1	0.5	0.0	3.3	1	1.1	0.0	7.0	0	0.0	0.0	5.1
Melanoma of the Skin	31	16.4	11.0	23.7	16	17.9	10.2	29.5	15	16.0	8.7	27.4
Breast (invasive)	103	52.8	42.8	64.5	2	2.7	0.3	9.8	101	95.8	77.3	117.8
Cervix									5	4.2	1.3	11.1
Corpus and Uterus, NOS									24	22.4	14.2	34.2
Ovary									12	12.3	6.2	22.3
Prostate					142	152.4	128.3	180.1				
Testis					2	3.4	0.4	11.4				
Urinary Bladder (includes *in situ*)	58	27.3	20.6	35.7	45	49.2	35.8	66.3	13	11.6	5.9	21.2
Kidney and Renal Pelvis	30	15.4	10.3	22.4	14	15.9	8.6	27.3	16	14.7	8.3	24.8
Brain and Nervous System	4	1.7	0.5	5.0	2	1.9	0.2	8.1	2	1.3	0.1	6.9
Hodgkin Lymphoma	4	2.4	0.7	6.4	2	2.5	0.3	9.3	2	2.1	0.3	8.5
Non-Hodgkin Lymphoma	35	17.9	12.3	25.3	17	18.9	11.0	30.7	18	16.7	9.5	27.6
Myeloma	18	9.1	5.3	14.9	10	11.9	5.6	22.4	8	6.9	2.8	14.8
Leukemia	31	16.2	10.9	23.4	16	18.7	10.6	30.9	15	14.9	7.9	25.7
All Other Sites	109	58.5	47.6	71.3	44	49.3	35.7	66.7	65	69.0	52.0	89.9
Breast *in situ* (not in total)									25	25.4	16.2	38.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jackson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,221	465.9	439.8	493.1	628	544.2	502.0	588.9	593	414.1	380.4	450.1
Oral Cavity and Pharynx	30	11.8	7.9	17.0	22	17.9	11.1	27.4	8	6.2	2.6	12.6
Esophagus	18	6.5	3.8	10.3	12	9.9	5.1	17.5	6	4.2	1.5	9.4
Stomach	18	6.9	4.0	11.0	9	8.1	3.7	15.4	9	6.1	2.6	12.1
Colon and Rectum	140	53.5	44.9	63.2	69	61.1	47.4	77.4	71	46.9	36.4	59.7
Liver	12	4.9	2.5	8.6	9	7.6	3.4	14.6	3	2.2	0.4	6.5
Pancreas	34	12.3	8.5	17.3	24	20.0	12.8	29.9	10	5.9	2.8	11.4
Lung and Bronchus	173	65.5	56.0	76.1	92	80.2	64.5	98.5	81	54.1	42.7	67.6
Bones and Joints	2	1.0	0.1	3.5	1	0.8	0.0	4.6	1	1.2	0.0	5.6
Melanoma of the Skin	55	21.9	16.4	28.6	29	25.6	17.1	36.8	26	20.9	13.4	31.0
Breast (invasive)	163	62.5	53.2	73.1	1	1.0	0.0	5.3	162	115.4	97.8	135.2
Cervix									11	8.8	4.3	16.1
Corpus and Uterus, NOS									36	26.0	18.1	36.4
Ovary									20	14.3	8.5	22.5
Prostate					171	146.4	125.1	170.3				
Testis					6	4.9	1.7	10.8				
Urinary Bladder (includes *in situ*)	60	22.3	16.9	28.8	48	42.8	31.5	56.8	12	8.1	4.1	14.5
Kidney and Renal Pelvis	36	14.0	9.8	19.5	24	21.1	13.5	31.4	12	8.9	4.5	15.8
Brain and Nervous System	14	6.0	3.2	10.1	11	9.9	4.9	17.8	3	2.6	0.5	7.6
Hodgkin Lymphoma	4	1.1	0.3	3.3	2	1.0	0.1	4.9	2	1.2	0.1	5.0
Non-Hodgkin Lymphoma	47	18.4	13.5	24.6	24	20.9	13.3	31.1	23	16.4	10.3	25.0
Myeloma	21	8.2	5.0	12.6	9	7.7	3.5	14.7	12	8.0	4.1	14.3
Leukemia	29	10.4	7.0	15.1	20	17.5	10.6	27.1	9	5.3	2.4	10.6
All Other Sites	121	45.9	37.9	55.0	45	39.6	28.8	53.1	76	51.5	40.2	65.2
Breast *in situ* (not in total)									36	26.4	18.3	36.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jasper County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	287	470.6	417.1	529.6	156	551.4	467.8	646.3	131	420.9	349.6	503.3
Oral Cavity and Pharynx	2	3.1	0.4	12.5	0	0.0	0.0	15.5	2	5.3	0.6	23.3
Esophagus	2	3.1	0.4	12.5	2	6.4	0.8	25.6	0	0.0	0.0	15.5
Stomach	4	6.5	1.8	17.7	4	14.2	3.9	37.8	0	0.0	0.0	15.5
Colon and Rectum	23	35.8	22.6	54.5	10	33.2	15.9	62.7	13	35.7	18.7	64.0
Liver	1	1.7	0.0	10.6	1	3.5	0.1	21.4	0	0.0	0.0	15.5
Pancreas	5	7.2	2.3	18.2	3	10.5	2.1	32.3	2	4.9	0.5	22.6
Lung and Bronchus	47	75.0	55.0	100.5	28	101.0	67.0	147.0	19	55.0	32.8	88.4
Bones and Joints	1	1.8	0.0	10.8	1	3.4	0.1	21.3	0	0.0	0.0	15.5
Melanoma of the Skin	16	28.5	16.1	47.0	5	16.8	5.5	41.0	11	40.2	19.4	74.0
Breast (invasive)	28	48.7	32.0	71.2	0	0.0	0.0	15.5	28	95.5	62.6	140.2
Cervix									1	2.9	0.1	20.1
Corpus and Uterus, NOS									15	47.4	26.2	80.4
Ovary									9	30.1	12.9	60.1
Prostate					56	197.0	148.6	256.9				
Testis					0	0.0	0.0	15.5				
Urinary Bladder (includes *in situ*)	18	28.5	16.9	45.9	16	54.4	31.1	89.7	2	5.9	0.7	24.5
Kidney and Renal Pelvis	7	11.5	4.6	24.6	4	14.1	3.8	37.6	3	9.6	2.0	30.3
Brain and Nervous System	2	3.1	0.4	12.5	1	3.1	0.1	20.5	1	3.1	0.1	20.5
Hodgkin Lymphoma	1	1.7	0.0	10.6	0	0.0	0.0	15.5	1	3.5	0.1	21.4
Non-Hodgkin Lymphoma	14	25.1	13.4	42.9	7	26.4	10.5	55.3	7	24.8	9.4	53.4
Myeloma	2	3.4	0.4	13.3	1	3.5	0.1	21.4	1	3.0	0.1	20.1
Leukemia	6	10.5	3.8	23.6	4	15.4	4.1	40.3	2	5.8	0.7	24.6
All Other Sites	27	44.7	29.1	66.0	13	48.5	25.7	83.9	14	48.2	25.7	83.1
Breast *in situ* (not in total)									9	29.3	13.2	57.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jefferson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,197	496.6	468.5	525.9	674	628.8	581.8	678.8	523	403.8	368.8	441.5
Oral Cavity and Pharynx	20	8.5	5.2	13.3	15	13.7	7.6	22.8	5	4.4	1.4	10.6
Esophagus	9	3.9	1.7	7.5	7	6.3	2.5	13.2	2	2.1	0.2	7.6
Stomach	17	6.9	4.0	11.1	9	8.6	3.9	16.4	8	5.4	2.3	11.4
Colon and Rectum	163	66.3	56.4	77.5	83	78.6	62.4	97.7	80	56.5	44.5	71.0
Liver	14	6.0	3.3	10.2	11	10.4	5.1	18.7	3	2.6	0.5	7.9
Pancreas	29	11.7	7.8	17.0	12	11.1	5.7	19.7	17	12.0	6.9	19.8
Lung and Bronchus	195	80.1	69.1	92.3	125	117.4	97.6	140.2	70	51.4	39.9	65.4
Bones and Joints	1	0.5	0.0	2.7	1	1.1	0.0	5.9	0	0.0	0.0	3.8
Melanoma of the Skin	47	20.8	15.2	27.8	32	31.3	21.4	44.4	15	13.1	7.1	22.1
Breast (invasive)	132	55.8	46.6	66.5	0	0.0	0.0	3.7	132	106.3	88.3	127.1
Cervix									14	13.2	7.1	22.4
Corpus and Uterus, NOS									27	22.6	14.7	33.4
Ovary									12	9.1	4.6	16.4
Prostate					189	171.5	147.7	198.2				
Testis					2	1.8	0.2	6.9				
Urinary Bladder (includes *in situ*)	57	22.2	16.7	28.9	41	39.5	28.3	53.8	16	10.4	5.8	17.7
Kidney and Renal Pelvis	49	20.1	14.8	26.8	29	26.1	17.4	37.8	20	15.2	9.1	24.1
Brain and Nervous System	10	4.4	2.1	8.1	4	3.3	0.9	8.8	6	5.1	1.8	11.6
Hodgkin Lymphoma	4	1.9	0.5	5.0	4	3.9	1.0	10.1	0	0.0	0.0	3.8
Non-Hodgkin Lymphoma	45	19.4	14.1	26.1	20	19.0	11.5	29.5	25	20.0	12.7	30.2
Myeloma	11	4.7	2.3	8.6	7	7.2	2.9	14.9	4	2.6	0.7	7.6
Leukemia	27	11.1	7.3	16.4	18	16.2	9.5	25.9	9	7.0	3.1	13.9
All Other Sites	123	51.8	42.9	62.0	65	61.7	47.5	78.8	58	44.9	33.7	59.0
Breast *in situ* (not in total)									19	16.2	9.6	25.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jersey County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	611	468.4	431.8	507.5	314	549.5	489.5	614.9	297	414.7	368.0	466.0
Oral Cavity and Pharynx	16	12.4	7.0	20.4	9	14.3	6.5	27.8	7	10.9	4.3	23.0
Esophagus	9	7.2	3.2	14.0	6	11.0	3.9	24.4	3	4.4	0.9	13.5
Stomach	4	3.2	0.8	8.4	2	3.4	0.4	12.9	2	2.8	0.3	11.4
Colon and Rectum	64	48.2	37.1	61.8	34	58.1	40.0	81.8	30	40.0	26.7	58.2
Liver	9	6.9	3.1	13.3	6	9.4	3.4	21.2	3	3.7	0.7	12.2
Pancreas	18	13.2	7.8	21.2	7	13.3	5.2	27.6	11	13.8	6.8	25.9
Lung and Bronchus	101	76.7	62.4	93.4	61	108.0	82.3	139.3	40	53.9	38.4	74.1
Bones and Joints	3	2.3	0.5	7.1	2	3.1	0.4	12.0	1	1.4	0.0	8.8
Melanoma of the Skin	21	16.3	10.0	25.2	11	20.8	10.2	37.6	10	14.1	6.7	26.8
Breast (invasive)	67	51.7	40.0	65.9	1	1.7	0.0	10.1	66	94.7	72.9	121.3
Cervix									2	3.2	0.4	12.0
Corpus and Uterus, NOS									19	26.6	15.9	42.2
Ovary									8	10.6	4.5	21.7
Prostate					92	156.8	126.0	193.1				
Testis					3	5.5	1.1	16.4				
Urinary Bladder (includes *in situ*)	37	28.2	19.8	39.0	24	43.4	27.6	64.9	13	17.1	9.0	30.1
Kidney and Renal Pelvis	9	7.0	3.2	13.4	2	3.5	0.4	13.1	7	9.4	3.7	20.4
Brain and Nervous System	7	6.1	2.4	12.7	5	9.0	2.9	21.3	2	2.8	0.3	11.2
Hodgkin Lymphoma	4	4.1	1.1	10.2	1	1.9	0.0	10.7	3	6.2	1.3	17.4
Non-Hodgkin Lymphoma	20	14.9	9.1	23.2	12	19.3	9.9	34.3	8	11.4	4.9	23.2
Myeloma	7	5.4	2.2	11.4	2	3.8	0.5	13.8	5	7.1	2.3	17.5
Leukemia	24	18.1	11.5	27.2	13	24.7	13.0	42.4	11	13.6	6.7	25.4
All Other Sites	67	53.0	41.0	67.7	21	38.5	23.6	59.2	46	66.9	48.5	90.2
Breast *in situ* (not in total)									16	23.5	13.4	38.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Jo Daviess County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	688	426.6	394.2	461.2	381	480.6	432.9	532.8	307	389.7	344.2	440.0
Oral Cavity and Pharynx	16	9.0	5.1	15.2	13	14.9	7.9	26.7	3	3.4	0.7	12.2
Esophagus	5	3.2	1.0	8.1	4	5.5	1.5	15.2	1	1.0	0.0	8.8
Stomach	2	1.1	0.1	5.1	2	2.3	0.3	10.3	0	0.0	0.0	7.5
Colon and Rectum	82	47.9	38.0	60.1	39	48.1	34.0	66.8	43	46.4	33.3	64.2
Liver	5	3.0	1.0	7.7	3	3.8	0.8	12.6	2	2.2	0.3	10.4
Pancreas	28	15.7	10.4	23.4	18	22.0	12.9	35.9	10	10.0	4.8	20.5
Lung and Bronchus	96	56.9	46.0	70.1	50	63.4	46.8	84.6	46	51.3	37.4	69.9
Bones and Joints	2	2.3	0.2	7.9	1	1.7	0.0	9.9	1	3.4	0.1	15.4
Melanoma of the Skin	26	18.8	11.9	28.4	14	16.6	9.0	29.0	12	22.9	11.2	41.1
Breast (invasive)	75	49.4	38.5	62.7	1	1.5	0.0	9.3	74	94.1	72.9	120.1
Cervix									4	9.3	2.4	23.4
Corpus and Uterus, NOS									20	25.5	14.6	41.9
Ovary									9	10.4	4.6	21.6
Prostate					113	137.8	113.3	166.8				
Testis					3	5.0	1.0	15.1				
Urinary Bladder (includes *in situ*)	32	19.4	13.2	28.1	24	31.3	20.0	47.5	8	10.0	4.0	21.8
Kidney and Renal Pelvis	26	16.5	10.6	25.0	14	18.3	9.9	31.8	12	15.7	7.7	29.2
Brain and Nervous System	11	6.3	3.1	11.9	7	8.4	3.4	18.7	4	4.3	1.2	13.2
Hodgkin Lymphoma	1	1.2	0.0	6.2	0	0.0	0.0	6.9	1	2.6	0.1	12.9
Non-Hodgkin Lymphoma	32	19.5	13.3	28.1	18	24.4	14.4	39.5	14	16.0	8.6	28.5
Myeloma	9	5.1	2.3	10.4	6	7.8	2.8	18.2	3	3.2	0.7	11.7
Leukemia	17	11.5	6.5	19.2	11	14.9	7.2	27.9	6	8.4	2.8	20.3
All Other Sites	74	49.9	38.6	63.7	40	52.9	37.5	73.1	34	49.6	32.9	72.1
Breast *in situ* (not in total)									14	18.2	9.7	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Johnson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	417	559.2	506.1	616.5	263	733.5	645.0	830.7	154	431.3	363.5	508.9
Oral Cavity and Pharynx	13	16.5	8.7	28.9	11	24.9	12.3	46.0	2	8.1	0.9	28.8
Esophagus	2	3.0	0.4	11.1	2	7.0	0.8	24.1	0	0.0	0.0	14.1
Stomach	5	6.8	2.2	16.4	4	11.6	3.1	30.0	1	2.1	0.1	17.1
Colon and Rectum	46	64.8	47.3	86.9	25	73.0	46.5	108.8	21	57.2	35.3	89.2
Liver	4	6.0	1.6	15.5	2	5.3	0.6	20.0	2	5.5	0.7	22.5
Pancreas	9	12.0	5.4	23.3	6	17.8	6.4	39.1	3	7.6	1.5	25.5
Lung and Bronchus	72	98.6	76.9	124.8	58	175.3	132.1	227.8	14	36.3	19.4	63.7
Bones and Joints	0	0.0	0.0	5.9	0	0.0	0.0	11.2	0	0.0	0.0	14.1
Melanoma of the Skin	16	21.8	12.4	35.9	13	37.0	19.3	64.0	3	9.8	1.9	30.3
Breast (invasive)	48	63.3	46.5	84.5	1	2.2	0.1	14.6	47	132.8	96.2	179.7
Cervix									0	0.0	0.0	14.1
Corpus and Uterus, NOS									10	24.5	11.7	47.6
Ovary									6	18.5	6.4	42.6
Prostate					70	185.4	143.4	236.1				
Testis					3	5.6	1.1	19.3				
Urinary Bladder (includes *in situ*)	16	21.1	12.0	34.9	14	38.5	20.6	65.7	2	5.1	0.6	21.8
Kidney and Renal Pelvis	18	23.1	13.6	37.1	14	37.0	20.0	63.1	4	9.2	2.5	27.1
Brain and Nervous System	5	7.3	2.2	17.6	2	6.0	0.5	22.5	3	9.4	1.7	29.8
Hodgkin Lymphoma	3	4.5	0.9	13.4	3	8.0	1.6	24.2	0	0.0	0.0	14.1
Non-Hodgkin Lymphoma	18	24.1	14.2	38.6	9	23.3	10.4	45.5	9	23.3	10.6	46.7
Myeloma	5	7.1	2.3	17.0	2	5.0	0.6	19.3	3	10.2	1.9	31.3
Leukemia	10	15.1	7.2	27.9	5	18.7	6.0	42.3	5	14.4	4.5	35.7
All Other Sites	38	50.7	35.7	70.2	19	52.1	30.9	82.5	19	57.3	33.4	92.2
Breast *in situ* (not in total)									6	17.0	5.9	39.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	9,376	481.6	471.6	491.7	4,668	547.9	531.2	565.0	4,708	440.6	427.9	453.6
Oral Cavity and Pharynx	215	10.2	8.9	11.8	158	15.6	13.1	18.4	57	5.4	4.0	7.0
Esophagus	100	5.3	4.2	6.4	80	9.5	7.4	12.0	20	1.9	1.2	3.0
Stomach	134	7.1	5.9	8.4	77	9.4	7.3	11.9	57	5.4	4.1	7.1
Colon and Rectum	946	51.2	47.9	54.6	458	56.1	50.7	61.8	488	47.2	43.1	51.7
Liver	85	4.6	3.6	5.7	60	6.9	5.2	9.0	25	2.5	1.6	3.7
Pancreas	224	12.3	10.7	14.1	112	13.9	11.2	16.9	112	11.1	9.1	13.4
Lung and Bronchus	1,192	65.8	62.0	69.7	626	78.7	72.3	85.5	566	56.8	52.1	61.8
Bones and Joints	15	0.6	0.4	1.1	7	0.6	0.2	1.3	8	0.7	0.3	1.4
Melanoma of the Skin	314	15.0	13.4	16.9	162	17.0	14.3	20.0	152	13.7	11.6	16.1
Breast (invasive)	1,452	70.0	66.4	73.8	7	0.8	0.3	1.7	1,445	131.2	124.4	138.3
Cervix									90	8.0	6.4	9.9
Corpus and Uterus, NOS									284	25.7	22.8	29.0
Ovary									149	13.9	11.7	16.4
Prostate					1,322	151.4	142.9	160.3				
Testis					70	5.6	4.4	7.1				
Urinary Bladder (includes *in situ*)	434	24.5	22.2	26.9	334	45.4	40.4	50.8	100	9.9	8.0	12.0
Kidney and Renal Pelvis	340	17.1	15.2	19.0	206	21.9	18.8	25.3	134	12.7	10.6	15.1
Brain and Nervous System	142	6.7	5.6	7.9	73	7.2	5.5	9.2	69	6.2	4.8	7.9
Hodgkin Lymphoma	80	3.6	2.8	4.5	49	4.4	3.2	5.8	31	2.7	1.8	3.9
Non-Hodgkin Lymphoma	367	19.0	17.0	21.1	202	24.0	20.5	27.8	165	15.9	13.6	18.6
Myeloma	109	5.8	4.7	7.0	64	8.0	6.0	10.3	45	4.1	3.0	5.6
Leukemia	233	11.8	10.3	13.5	136	15.4	12.7	18.4	97	8.9	7.2	10.9
All Other Sites	1,079	54.8	51.5	58.3	465	56.2	50.8	61.9	614	56.4	51.9	61.1
Breast *in situ* (not in total)									363	32.1	28.8	35.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,946	510.1	491.7	528.9	1,634	653.2	621.3	686.3	1,312	412.1	389.8	435.4
Oral Cavity and Pharynx	68	11.5	8.9	14.7	50	18.1	13.4	23.9	18	5.4	3.2	8.6
Esophagus	37	6.2	4.4	8.6	30	11.4	7.6	16.4	7	2.2	0.9	4.7
Stomach	34	5.9	4.1	8.3	22	9.4	5.8	14.2	12	3.6	1.8	6.4
Colon and Rectum	359	61.9	55.7	68.7	191	78.1	67.2	90.2	168	49.7	42.4	57.9
Liver	33	5.7	3.9	8.0	18	7.0	4.1	11.1	15	4.7	2.6	7.8
Pancreas	67	11.5	8.9	14.6	35	13.5	9.3	18.8	32	9.5	6.5	13.5
Lung and Bronchus	459	79.1	72.0	86.7	256	103.4	90.9	117.1	203	62.2	53.9	71.5
Bones and Joints	6	1.0	0.4	2.3	2	0.7	0.1	2.6	4	1.3	0.4	3.4
Melanoma of the Skin	89	15.7	12.6	19.4	49	20.6	15.1	27.3	40	13.8	9.8	18.8
Breast (invasive)	355	61.9	55.6	68.7	6	3.0	1.1	6.4	349	112.5	100.9	125.1
Cervix									29	11.6	7.8	16.7
Corpus and Uterus, NOS									72	22.2	17.3	28.0
Ovary									29	9.3	6.2	13.5
Prostate					474	180.9	164.8	198.3				
Testis					17	6.6	3.8	10.7				
Urinary Bladder (includes *in situ*)	167	28.6	24.4	33.4	120	52.3	43.1	62.8	47	14.1	10.3	18.8
Kidney and Renal Pelvis	98	17.1	13.9	20.9	66	26.0	20.0	33.2	32	10.3	7.0	14.6
Brain and Nervous System	36	6.5	4.5	9.0	25	9.4	6.0	13.9	11	3.6	1.8	6.6
Hodgkin Lymphoma	13	2.5	1.3	4.3	6	2.6	0.9	5.5	7	2.5	1.0	5.1
Non-Hodgkin Lymphoma	97	16.8	13.6	20.5	57	23.6	17.8	30.7	40	12.1	8.6	16.6
Myeloma	32	5.5	3.8	7.8	17	7.7	4.4	12.4	15	4.8	2.7	7.9
Leukemia	95	16.5	13.3	20.2	56	23.5	17.6	30.7	39	12.1	8.6	16.6
All Other Sites	280	48.9	43.3	55.0	137	55.5	46.4	65.8	143	44.7	37.6	52.8
Breast *in situ* (not in total)									81	26.8	21.2	33.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kendall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,643	490.9	466.5	516.1	794	537.2	497.9	578.6	849	462.4	431.1	495.3
Oral Cavity and Pharynx	41	11.3	7.9	15.5	28	18.1	11.5	26.8	13	6.3	3.3	10.8
Esophagus	10	3.0	1.4	5.5	9	5.9	2.5	11.3	1	0.4	0.0	2.7
Stomach	26	8.1	5.2	11.9	17	12.1	6.7	19.8	9	5.4	2.4	10.2
Colon and Rectum	160	50.7	42.8	59.4	78	50.3	39.0	63.6	82	49.1	38.9	61.1
Liver	7	2.3	0.9	4.8	7	6.0	2.2	12.4	0	0.0	0.0	1.9
Pancreas	52	17.6	13.1	23.2	27	20.4	13.1	29.9	25	15.0	9.6	22.2
Lung and Bronchus	182	59.2	50.6	68.7	89	66.7	52.8	82.8	93	55.2	44.3	67.7
Bones and Joints	3	0.9	0.2	2.6	1	0.9	0.0	4.2	2	1.0	0.1	3.5
Melanoma of the Skin	76	19.8	15.5	25.0	36	21.4	14.5	30.2	40	19.2	13.7	26.4
Breast (invasive)	230	64.3	55.9	73.4	0	0.0	0.0	2.3	230	122.5	106.9	139.8
Cervix									11	5.3	2.6	9.6
Corpus and Uterus, NOS									60	32.4	24.6	41.8
Ovary									16	8.2	4.6	13.4
Prostate					214	140.9	121.6	162.1				
Testis					12	4.8	2.5	8.8				
Urinary Bladder (includes *in situ*)	70	23.2	17.9	29.4	44	33.0	23.4	44.9	26	15.5	10.0	22.8
Kidney and Renal Pelvis	60	19.4	14.6	25.0	41	28.5	20.0	39.2	19	11.1	6.6	17.4
Brain and Nervous System	30	8.6	5.7	12.5	20	12.5	7.4	19.8	10	5.1	2.4	9.5
Hodgkin Lymphoma	11	2.5	1.2	4.5	4	1.9	0.5	5.1	7	3.1	1.3	6.6
Non-Hodgkin Lymphoma	73	22.9	17.8	28.9	38	27.6	18.9	38.6	35	20.2	13.9	28.2
Myeloma	18	5.6	3.3	8.9	10	6.1	2.8	11.5	8	4.7	2.0	9.1
Leukemia	41	11.4	8.1	15.6	24	14.5	8.9	22.2	17	8.7	5.0	13.9
All Other Sites	240	68.0	59.3	77.5	95	65.6	52.1	81.2	145	73.9	62.1	87.2
Breast *in situ* (not in total)									81	40.4	32.0	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Knox County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,673	487.3	463.7	511.9	872	568.3	530.8	607.8	801	438.1	406.7	471.4
Oral Cavity and Pharynx	32	9.3	6.3	13.4	22	14.9	9.3	22.7	10	5.3	2.5	10.2
Esophagus	14	3.7	2.0	6.5	7	3.9	1.6	8.5	7	3.4	1.4	7.7
Stomach	21	6.2	3.8	9.7	12	8.3	4.3	14.8	9	4.5	2.0	9.2
Colon and Rectum	196	56.2	48.4	64.9	101	65.1	52.9	79.3	95	49.5	39.6	61.5
Liver	12	3.6	1.8	6.5	8	5.1	2.2	10.4	4	1.9	0.5	5.7
Pancreas	50	14.8	10.9	19.8	28	19.1	12.6	27.8	22	10.7	6.6	16.8
Lung and Bronchus	326	91.6	81.8	102.4	180	115.8	99.4	134.3	146	77.6	65.2	92.0
Bones and Joints	3	1.2	0.2	3.6	1	0.9	0.0	4.6	2	1.5	0.2	5.7
Melanoma of the Skin	58	18.7	14.1	24.5	32	21.1	14.4	30.0	26	18.7	11.9	27.9
Breast (invasive)	213	63.5	55.0	72.9	2	1.2	0.1	4.8	211	117.9	101.8	136.0
Cervix									12	8.3	4.0	15.0
Corpus and Uterus, NOS									42	23.2	16.6	31.9
Ovary									24	12.9	8.0	19.9
Prostate					222	139.4	121.6	159.2				
Testis					12	9.3	4.8	16.4				
Urinary Bladder (includes *in situ*)	90	25.1	20.1	31.2	77	51.4	40.4	64.4	13	5.7	2.9	10.6
Kidney and Renal Pelvis	47	13.6	9.9	18.2	28	18.2	12.0	26.5	19	11.0	6.5	17.7
Brain and Nervous System	22	6.8	4.2	10.5	12	8.3	4.2	14.8	10	5.0	2.3	9.9
Hodgkin Lymphoma	9	3.6	1.6	6.9	4	3.0	0.8	7.8	5	4.6	1.5	10.5
Non-Hodgkin Lymphoma	67	20.0	15.4	25.6	31	20.4	13.8	29.2	36	19.9	13.6	28.3
Myeloma	20	5.1	3.1	8.0	6	3.7	1.4	8.4	14	6.0	3.2	10.7
Leukemia	31	8.6	5.8	12.5	20	13.2	8.1	20.6	11	6.4	3.0	12.1
All Other Sites	150	44.5	37.4	52.5	67	45.9	35.4	58.5	83	44.0	34.5	55.5
Breast *in situ* (not in total)									51	29.2	21.5	38.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	14,781	484.9	476.9	493.0	7,399	542.6	529.7	555.7	7,382	445.7	435.5	456.2
Oral Cavity and Pharynx	339	10.5	9.4	11.7	241	15.4	13.4	17.5	98	6.0	4.9	7.4
Esophagus	150	5.0	4.2	5.9	117	8.6	7.0	10.4	33	2.0	1.4	2.9
Stomach	212	7.2	6.2	8.2	130	9.4	7.8	11.3	82	5.2	4.1	6.5
Colon and Rectum	1,356	45.8	43.3	48.3	707	53.4	49.3	57.7	649	39.6	36.6	42.8
Liver	129	4.3	3.6	5.1	90	6.2	5.0	7.7	39	2.6	1.8	3.5
Pancreas	368	12.7	11.4	14.1	199	14.8	12.7	17.1	169	10.8	9.2	12.6
Lung and Bronchus	1,777	62.3	59.4	65.3	829	65.0	60.5	69.8	948	61.1	57.2	65.1
Bones and Joints	29	0.9	0.6	1.3	19	1.1	0.7	1.8	10	0.6	0.3	1.1
Melanoma of the Skin	632	19.8	18.3	21.5	336	23.5	20.9	26.3	296	17.5	15.5	19.6
Breast (invasive)	2,331	71.6	68.6	74.6	18	1.2	0.7	1.9	2,313	134.5	129.0	140.2
Cervix									108	6.2	5.1	7.5
Corpus and Uterus, NOS									483	28.6	26.1	31.3
Ovary									234	14.3	12.5	16.2
Prostate					2,054	145.8	139.3	152.5				
Testis					101	6.0	4.8	7.3				
Urinary Bladder (includes *in situ*)	791	28.0	26.0	30.0	575	46.9	43.0	51.1	216	13.7	11.9	15.6
Kidney and Renal Pelvis	495	15.7	14.3	17.2	324	22.1	19.7	24.8	171	10.2	8.7	11.9
Brain and Nervous System	232	7.2	6.2	8.2	126	8.2	6.7	9.8	106	6.4	5.2	7.8
Hodgkin Lymphoma	116	3.5	2.9	4.2	63	3.8	2.9	4.9	53	3.3	2.4	4.3
Non-Hodgkin Lymphoma	658	22.2	20.5	24.0	351	26.5	23.6	29.5	307	18.9	16.9	21.2
Myeloma	162	5.6	4.7	6.5	92	7.3	5.8	9.0	70	4.4	3.4	5.6
Leukemia	415	14.1	12.8	15.6	251	19.4	17.0	22.1	164	10.2	8.7	11.9
All Other Sites	1,609	52.5	49.9	55.2	776	58.0	53.8	62.5	833	49.6	46.2	53.1
Breast *in situ* (not in total)									819	46.5	43.3	49.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

LaSalle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,624	534.2	516.8	552.1	1,896	632.8	604.5	662.1	1,728	467.0	444.6	490.3
Oral Cavity and Pharynx	72	10.8	8.4	13.7	48	15.7	11.6	20.9	24	6.7	4.3	10.2
Esophagus	49	7.2	5.3	9.6	40	13.2	9.4	18.1	9	2.4	1.1	4.7
Stomach	48	6.9	5.1	9.2	31	10.3	7.0	14.7	17	4.1	2.3	6.9
Colon and Rectum	409	57.8	52.3	63.8	208	70.0	60.7	80.2	201	48.8	42.0	56.4
Liver	34	5.2	3.6	7.3	20	6.6	4.0	10.2	14	3.6	2.0	6.3
Pancreas	87	12.3	9.8	15.2	34	11.0	7.6	15.4	53	13.0	9.6	17.2
Lung and Bronchus	592	85.6	78.8	92.9	311	104.0	92.7	116.2	281	73.3	64.8	82.7
Bones and Joints	7	1.3	0.5	2.6	4	1.5	0.4	3.7	3	1.2	0.2	3.3
Melanoma of the Skin	143	22.8	19.1	26.9	88	30.2	24.1	37.3	55	17.2	12.9	22.6
Breast (invasive)	479	71.2	64.9	77.9	1	0.3	0.0	1.9	478	132.8	120.9	145.7
Cervix									29	10.4	6.9	15.1
Corpus and Uterus, NOS									77	21.7	17.0	27.2
Ovary									47	12.8	9.3	17.3
Prostate					447	145.2	132.0	159.4				
Testis					11	4.4	2.2	7.8				
Urinary Bladder (includes *in situ*)	222	31.5	27.4	36.0	170	56.6	48.4	65.9	52	13.3	9.8	17.6
Kidney and Renal Pelvis	121	18.0	14.9	21.6	66	22.1	17.0	28.1	55	14.3	10.6	18.8
Brain and Nervous System	45	7.4	5.3	9.9	26	8.9	5.8	13.2	19	5.6	3.3	8.9
Hodgkin Lymphoma	12	1.9	1.0	3.4	7	2.4	0.9	4.9	5	1.6	0.5	3.8
Non-Hodgkin Lymphoma	148	21.7	18.3	25.6	84	28.5	22.7	35.3	64	16.6	12.7	21.5
Myeloma	41	5.9	4.2	8.0	26	9.1	5.9	13.4	15	3.6	2.0	6.2
Leukemia	99	14.4	11.7	17.7	65	22.1	17.1	28.3	34	8.8	6.0	12.6
All Other Sites	405	60.9	55.0	67.2	209	70.9	61.5	81.3	196	55.2	47.4	63.9
Breast *in situ* (not in total)									86	25.0	19.9	31.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lawrence County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	419	410.8	371.8	453.1	215	475.9	414.3	544.3	204	371.0	319.1	429.6
Oral Cavity and Pharynx	11	11.3	5.5	20.7	9	19.6	8.9	37.6	2	4.7	0.6	17.8
Esophagus	8	7.5	3.2	15.4	7	15.5	6.2	32.3	1	0.8	0.0	10.7
Stomach	2	2.2	0.2	8.5	0	0.0	0.0	9.0	2	5.0	0.4	19.4
Colon and Rectum	58	54.4	41.1	70.9	26	57.5	37.5	84.5	32	54.2	36.2	79.0
Liver	2	2.2	0.3	8.2	2	4.4	0.5	16.5	0	0.0	0.0	9.8
Pancreas	13	10.6	5.5	18.9	6	13.5	5.0	29.7	7	7.3	2.8	18.8
Lung and Bronchus	57	56.2	42.4	73.3	32	71.8	49.1	101.6	25	45.0	28.5	68.5
Bones and Joints	1	1.1	0.0	6.5	0	0.0	0.0	9.0	1	2.3	0.1	13.9
Melanoma of the Skin	23	24.2	15.3	36.7	18	40.4	23.9	64.2	5	8.3	2.7	21.6
Breast (invasive)	56	55.5	41.8	72.7	3	6.5	1.3	19.5	53	101.7	75.1	135.3
Cervix									4	10.2	2.4	27.2
Corpus and Uterus, NOS									11	18.2	8.9	34.6
Ovary									2	4.0	0.5	16.1
Prostate					49	107.8	79.7	142.8				
Testis					1	2.1	0.1	12.6				
Urinary Bladder (includes *in situ*)	11	10.0	4.9	18.4	8	17.8	7.7	35.5	3	4.2	0.9	15.5
Kidney and Renal Pelvis	17	16.6	9.6	27.0	9	19.9	9.1	38.1	8	15.6	6.7	32.0
Brain and Nervous System	9	11.3	5.1	21.6	3	7.2	1.5	21.0	6	16.0	5.6	35.2
Hodgkin Lymphoma	2	2.1	0.2	8.2	0	0.0	0.0	9.0	2	4.7	0.5	18.1
Non-Hodgkin Lymphoma	16	15.9	9.0	26.4	7	15.8	6.3	32.8	9	15.1	6.8	30.6
Myeloma	6	4.6	1.7	11.1	2	4.4	0.5	16.4	4	5.0	1.3	16.4
Leukemia	11	10.3	5.0	19.2	4	9.1	2.5	23.6	7	11.0	4.1	25.4
All Other Sites	49	49.4	36.5	65.8	29	62.8	42.0	90.6	20	37.8	22.3	60.6
Breast *in situ* (not in total)									5	9.8	3.0	24.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,123	536.7	505.5	569.4	598	628.4	578.7	681.4	525	472.1	431.6	515.6
Oral Cavity and Pharynx	36	17.5	12.2	24.4	22	22.7	14.1	34.6	14	12.3	6.7	21.1
Esophagus	12	5.5	2.8	9.8	9	9.6	4.4	18.5	3	2.8	0.6	8.8
Stomach	12	5.8	3.0	10.2	7	7.6	3.0	15.8	5	4.6	1.5	11.2
Colon and Rectum	117	54.9	45.3	66.0	60	63.3	48.2	81.8	57	47.4	35.7	62.1
Liver	12	5.3	2.7	9.5	10	9.9	4.7	18.6	2	1.9	0.2	7.3
Pancreas	26	12.3	8.0	18.2	13	13.4	7.1	23.2	13	11.0	5.8	19.4
Lung and Bronchus	180	85.1	73.1	98.7	109	115.1	94.4	139.1	71	60.6	47.1	77.0
Bones and Joints	1	0.4	0.0	2.8	0	0.0	0.0	4.3	1	0.9	0.0	5.7
Melanoma of the Skin	40	20.0	14.2	27.4	20	20.2	12.3	31.5	20	20.7	12.4	32.4
Breast (invasive)	147	70.5	59.5	83.1	0	0.0	0.0	4.3	147	136.5	114.9	161.2
Cervix									8	9.1	3.9	18.2
Corpus and Uterus, NOS									24	22.2	14.1	33.4
Ovary									24	21.6	13.6	32.8
Prostate					170	176.6	150.9	205.6				
Testis					6	6.5	2.4	14.4				
Urinary Bladder (includes *in situ*)	45	21.6	15.7	29.0	33	36.0	24.7	50.7	12	10.7	5.5	19.1
Kidney and Renal Pelvis	39	18.7	13.3	25.7	25	25.4	16.4	37.9	14	12.9	7.0	22.1
Brain and Nervous System	21	10.7	6.5	16.5	10	11.9	5.7	21.8	11	10.0	4.8	18.5
Hodgkin Lymphoma	6	3.3	1.2	7.2	5	5.9	1.9	13.8	1	0.9	0.0	5.9
Non-Hodgkin Lymphoma	39	19.0	13.5	26.1	21	20.5	12.6	31.6	18	16.9	9.9	27.3
Myeloma	13	5.9	3.1	10.3	9	9.7	4.4	18.5	4	3.5	0.9	9.5
Leukemia	27	13.4	8.8	19.6	14	15.2	8.3	25.7	13	12.4	6.5	21.9
All Other Sites	118	56.1	46.3	67.4	55	59.0	44.3	77.0	63	53.4	40.5	69.4
Breast *in situ* (not in total)									26	24.8	16.1	36.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Livingston County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,154	517.0	487.2	548.2	617	623.6	575.1	675.2	537	438.5	401.1	478.7
Oral Cavity and Pharynx	26	12.3	8.0	18.1	16	16.5	9.4	26.9	10	8.6	4.0	16.3
Esophagus	16	7.5	4.3	12.3	14	14.4	7.8	24.2	2	1.7	0.2	6.6
Stomach	10	3.9	1.8	7.4	6	5.8	2.1	12.8	4	2.2	0.5	6.9
Colon and Rectum	133	56.7	47.3	67.5	66	67.5	52.1	86.0	67	48.9	37.6	62.9
Liver	9	3.8	1.7	7.4	7	6.6	2.6	13.8	2	1.3	0.1	5.8
Pancreas	25	10.7	6.9	16.0	12	11.8	6.1	20.8	13	10.3	5.4	18.2
Lung and Bronchus	197	88.1	76.1	101.5	111	111.6	91.7	134.6	86	69.9	55.6	86.9
Bones and Joints	0	0.0	0.0	1.9	0	0.0	0.0	3.9	0	0.0	0.0	3.8
Melanoma of the Skin	51	23.1	17.1	30.5	34	33.9	23.4	47.5	17	15.1	8.7	24.5
Breast (invasive)	130	59.8	49.9	71.2	1	1.1	0.0	6.1	129	111.2	92.5	132.8
Cervix									9	9.4	4.2	18.0
Corpus and Uterus, NOS									28	23.7	15.5	34.9
Ovary									15	11.2	6.2	19.2
Prostate					154	155.3	131.6	182.1				
Testis					10	10.6	5.1	19.5				
Urinary Bladder (includes *in situ*)	38	16.7	11.7	23.1	27	27.6	18.2	40.3	11	8.4	4.1	15.8
Kidney and Renal Pelvis	42	19.8	14.2	26.9	24	25.5	16.3	38.1	18	15.2	8.8	24.8
Brain and Nervous System	14	6.4	3.5	10.8	10	9.6	4.6	17.8	4	3.7	1.0	9.7
Hodgkin Lymphoma	6	3.1	1.1	6.9	5	5.4	1.7	12.6	1	1.2	0.0	6.3
Non-Hodgkin Lymphoma	50	21.9	16.2	29.1	27	27.0	17.8	39.5	23	17.5	10.9	26.9
Myeloma	11	4.7	2.3	8.5	4	4.1	1.1	10.6	7	5.2	2.0	11.4
Leukemia	50	21.6	15.9	28.8	29	29.7	19.8	42.7	21	15.1	9.0	24.1
All Other Sites	130	57.9	48.2	69.0	60	59.6	45.4	76.9	70	58.6	45.3	74.8
Breast *in situ* (not in total)									25	22.9	14.7	34.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Logan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	883	515.9	482.1	551.5	481	642.3	585.8	702.9	402	427.9	385.9	473.6
Oral Cavity and Pharynx	26	15.2	9.9	22.4	15	18.9	10.6	31.5	11	11.0	5.4	20.5
Esophagus	13	7.3	3.9	12.7	11	13.9	6.9	25.2	2	1.6	0.2	7.4
Stomach	9	5.4	2.4	10.3	6	7.6	2.7	16.7	3	3.2	0.7	10.1
Colon and Rectum	108	61.7	50.5	74.7	72	97.6	76.2	123.1	36	34.1	23.7	48.1
Liver	11	6.9	3.4	12.5	7	9.7	3.8	20.0	4	4.4	1.2	11.9
Pancreas	24	13.8	8.8	20.8	13	17.1	9.0	29.4	11	10.7	5.2	20.1
Lung and Bronchus	141	81.5	68.5	96.3	80	107.0	84.7	133.4	61	62.6	47.6	81.1
Bones and Joints	0	0.0	0.0	2.5	0	0.0	0.0	5.2	0	0.0	0.0	5.0
Melanoma of the Skin	28	18.0	11.9	26.1	15	20.1	11.2	33.4	13	16.9	9.0	29.1
Breast (invasive)	100	59.0	47.9	71.9	1	1.3	0.0	7.5	99	108.3	87.6	132.6
Cervix									5	7.8	2.5	17.9
Corpus and Uterus, NOS									24	25.3	15.9	38.4
Ovary									11	12.2	6.0	22.5
Prostate					122	161.6	134.0	193.2				
Testis					6	8.0	2.9	17.5				
Urinary Bladder (includes *in situ*)	48	27.7	20.3	36.9	36	49.2	34.3	68.2	12	11.4	5.6	21.0
Kidney and Renal Pelvis	36	21.9	15.3	30.5	24	33.9	21.6	50.5	12	13.1	6.6	23.5
Brain and Nervous System	11	6.9	3.4	12.5	4	5.1	1.4	13.3	7	8.9	3.5	18.8
Hodgkin Lymphoma	4	2.6	0.7	6.7	2	2.4	0.3	9.1	2	2.7	0.3	9.8
Non-Hodgkin Lymphoma	41	23.8	17.0	32.5	14	17.8	9.7	30.2	27	27.9	18.0	41.4
Myeloma	6	3.1	1.1	7.1	2	2.8	0.3	10.2	4	3.1	0.8	9.3
Leukemia	17	9.2	5.3	15.0	10	13.1	6.2	24.3	7	6.4	2.4	14.2
All Other Sites	92	54.0	43.4	66.5	41	55.5	39.7	75.5	51	56.3	41.4	75.1
Breast *in situ* (not in total)									29	31.7	21.0	46.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

McDonough County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	856	532.6	496.4	570.8	440	617.4	560.5	678.6	416	487.5	438.6	540.6
Oral Cavity and Pharynx	15	9.0	5.0	15.1	9	11.8	5.4	23.0	6	6.5	2.3	15.3
Esophagus	8	4.5	1.9	9.4	7	9.5	3.8	20.1	1	0.5	0.0	6.5
Stomach	3	1.9	0.4	5.9	2	2.8	0.3	10.7	1	1.2	0.0	7.8
Colon and Rectum	92	55.5	44.4	68.5	39	54.1	38.4	74.3	53	56.9	41.8	76.3
Liver	3	1.9	0.4	6.0	2	2.8	0.3	10.6	1	1.2	0.0	7.8
Pancreas	21	12.6	7.6	19.8	11	15.8	7.8	28.8	10	9.3	4.2	18.7
Lung and Bronchus	132	79.4	66.3	94.6	75	102.9	80.8	129.5	57	62.6	47.1	82.1
Bones and Joints	1	1.1	0.0	5.3	1	2.3	0.1	10.9	0	0.0	0.0	6.0
Melanoma of the Skin	58	40.6	30.3	53.2	30	45.2	30.2	64.9	28	38.4	24.4	57.3
Breast (invasive)	104	67.9	55.0	82.9	0	0.0	0.0	6.1	104	126.7	102.1	155.6
Cervix									4	6.9	1.7	17.7
Corpus and Uterus, NOS									26	31.5	20.2	47.4
Ovary									15	15.1	8.1	26.4
Prostate					119	163.9	135.7	196.5				
Testis					1	0.7	0.0	6.9				
Urinary Bladder (includes *in situ*)	35	20.7	14.2	29.2	26	35.9	23.4	53.0	9	10.9	4.6	22.0
Kidney and Renal Pelvis	18	12.1	7.1	19.4	14	20.0	10.9	33.9	4	6.1	1.6	15.9
Brain and Nervous System	6	4.0	1.4	9.0	2	2.9	0.3	10.9	4	5.0	1.2	13.8
Hodgkin Lymphoma	7	5.8	2.2	12.1	3	4.0	0.7	12.7	4	8.4	2.2	20.7
Non-Hodgkin Lymphoma	53	32.5	24.1	43.0	28	39.8	26.3	57.9	25	28.3	17.8	43.1
Myeloma	8	4.6	1.9	9.6	3	4.3	0.9	13.0	5	4.4	1.3	12.0
Leukemia	35	23.1	15.8	32.7	19	28.8	17.2	45.4	16	20.1	11.0	33.8
All Other Sites	92	56.1	44.8	69.6	49	69.9	51.6	92.8	43	47.7	33.2	66.6
Breast *in situ* (not in total)									23	30.3	18.7	46.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

McHenry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,428	470.3	458.6	482.2	3,205	526.3	507.3	545.8	3,223	432.7	417.7	448.1
Oral Cavity and Pharynx	157	10.9	9.3	12.8	108	15.8	12.8	19.2	49	6.4	4.7	8.5
Esophagus	69	5.2	4.0	6.6	55	9.3	6.9	12.2	14	2.0	1.1	3.3
Stomach	72	5.6	4.4	7.1	46	8.3	6.0	11.1	26	3.6	2.3	5.3
Colon and Rectum	651	49.5	45.7	53.6	313	53.5	47.3	60.1	338	46.5	41.6	51.8
Liver	51	4.0	2.9	5.2	33	5.5	3.7	7.8	18	2.6	1.5	4.1
Pancreas	128	9.9	8.2	11.8	61	10.4	7.8	13.5	67	9.3	7.2	11.9
Lung and Bronchus	850	65.7	61.3	70.3	432	75.3	68.1	83.1	418	58.8	53.3	64.8
Bones and Joints	10	0.7	0.3	1.3	4	0.6	0.1	1.5	6	0.8	0.3	1.8
Melanoma of the Skin	253	17.5	15.3	19.8	134	20.3	16.9	24.3	119	15.4	12.7	18.4
Breast (invasive)	898	61.5	57.4	65.7	7	1.2	0.5	2.5	891	116.2	108.6	124.2
Cervix									51	6.7	5.0	8.8
Corpus and Uterus, NOS									238	30.7	26.9	34.9
Ovary									100	13.3	10.8	16.2
Prostate					913	148.2	138.3	158.6				
Testis					56	7.4	5.6	9.6				
Urinary Bladder (includes *in situ*)	315	24.7	22.0	27.6	219	39.3	34.0	45.1	96	13.8	11.2	16.9
Kidney and Renal Pelvis	239	16.8	14.7	19.1	157	24.2	20.4	28.5	82	10.9	8.6	13.5
Brain and Nervous System	108	7.4	6.0	9.0	53	7.1	5.3	9.3	55	7.4	5.5	9.6
Hodgkin Lymphoma	45	3.1	2.3	4.2	25	3.6	2.3	5.4	20	2.7	1.6	4.1
Non-Hodgkin Lymphoma	261	19.0	16.8	21.6	148	22.8	19.1	26.9	113	15.4	12.7	18.6
Myeloma	69	5.2	4.0	6.6	35	6.2	4.2	8.7	34	4.4	3.0	6.2
Leukemia	166	12.3	10.5	14.4	84	13.8	10.8	17.2	82	11.3	9.0	14.1
All Other Sites	728	53.1	49.3	57.2	322	53.8	47.7	60.3	406	54.5	49.2	60.1
Breast *in situ* (not in total)									177	22.5	19.2	26.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

McLean County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,484	502.7	486.0	519.9	1,745	578.6	551.1	607.1	1,739	452.9	431.6	475.0
Oral Cavity and Pharynx	75	11.1	8.7	13.9	47	14.9	10.9	19.9	28	7.8	5.1	11.2
Esophagus	27	4.0	2.6	5.9	20	6.6	4.0	10.2	7	1.8	0.7	3.8
Stomach	41	5.8	4.1	7.9	26	9.2	5.9	13.5	15	3.8	2.1	6.3
Colon and Rectum	366	53.4	48.0	59.2	174	59.7	50.9	69.4	192	48.3	41.6	55.8
Liver	21	3.0	1.8	4.5	20	5.8	3.5	9.1	1	0.3	0.0	1.5
Pancreas	55	8.0	6.0	10.4	28	9.3	6.1	13.5	27	7.1	4.7	10.3
Lung and Bronchus	458	68.6	62.4	75.2	232	82.5	72.0	94.0	226	60.2	52.6	68.7
Bones and Joints	5	0.7	0.2	1.6	3	0.9	0.2	2.7	2	0.6	0.1	2.0
Melanoma of the Skin	203	28.0	24.3	32.2	114	36.9	30.2	44.4	89	22.2	17.8	27.5
Breast (invasive)	478	68.3	62.2	74.7	2	0.8	0.1	2.7	476	126.7	115.4	138.7
Cervix									25	6.9	4.5	10.2
Corpus and Uterus, NOS									93	23.4	18.8	28.7
Ovary									63	16.2	12.4	20.8
Prostate					514	164.7	150.5	179.9				
Testis					18	4.5	2.6	7.3				
Urinary Bladder (includes *in situ*)	135	20.1	16.8	23.8	86	30.3	24.1	37.5	49	12.6	9.3	16.7
Kidney and Renal Pelvis	100	14.5	11.8	17.7	64	20.6	15.8	26.5	36	9.7	6.8	13.5
Brain and Nervous System	53	7.5	5.6	9.9	28	8.7	5.8	12.7	25	6.5	4.1	9.6
Hodgkin Lymphoma	24	3.2	2.0	4.9	13	3.8	2.0	6.6	11	2.9	1.4	5.3
Non-Hodgkin Lymphoma	151	21.3	18.0	25.0	77	25.7	20.1	32.2	74	18.2	14.2	23.0
Myeloma	48	7.1	5.2	9.4	31	10.1	6.8	14.5	17	4.5	2.6	7.3
Leukemia	87	12.6	10.1	15.6	47	16.0	11.7	21.4	40	10.1	7.1	13.8
All Other Sites	444	63.7	57.8	69.9	201	67.6	58.3	77.9	243	63.2	55.4	71.8
Breast *in situ* (not in total)									86	22.5	18.0	27.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,764	569.9	551.5	588.7	1,939	665.0	635.4	695.7	1,825	513.1	489.1	538.0
Oral Cavity and Pharynx	96	14.6	11.8	17.9	65	21.3	16.4	27.4	31	9.1	6.2	13.1
Esophagus	43	6.4	4.6	8.6	34	11.3	7.8	15.9	9	2.1	1.0	4.3
Stomach	36	5.2	3.6	7.2	21	7.2	4.4	11.2	15	4.1	2.3	6.9
Colon and Rectum	393	58.9	53.1	65.1	207	72.7	63.0	83.4	186	48.8	41.9	56.7
Liver	34	5.0	3.4	7.1	25	8.6	5.6	12.9	9	2.3	1.0	4.6
Pancreas	85	12.7	10.1	15.8	44	15.5	11.2	20.9	41	10.6	7.5	14.6
Lung and Bronchus	684	100.6	93.1	108.5	379	128.9	116.1	142.7	305	80.2	71.3	90.0
Bones and Joints	10	1.6	0.7	2.9	5	1.7	0.6	4.1	5	1.5	0.5	3.6
Melanoma of the Skin	124	20.6	17.1	24.7	63	22.2	17.0	28.6	61	21.3	16.1	27.5
Breast (invasive)	489	77.0	70.2	84.3	2	0.6	0.1	2.3	487	141.8	129.2	155.5
Cervix									28	10.6	7.0	15.4
Corpus and Uterus, NOS									93	25.5	20.5	31.4
Ovary									49	12.4	9.1	16.7
Prostate					470	156.5	142.5	171.5				
Testis					8	3.4	1.4	6.7				
Urinary Bladder (includes *in situ*)	182	26.3	22.6	30.4	136	47.7	40.0	56.6	46	11.4	8.3	15.4
Kidney and Renal Pelvis	169	25.5	21.8	29.8	104	35.6	29.0	43.3	65	17.8	13.7	22.9
Brain and Nervous System	51	8.5	6.3	11.3	24	8.8	5.6	13.2	27	8.4	5.4	12.4
Hodgkin Lymphoma	16	2.8	1.6	4.6	7	2.3	0.9	4.9	9	3.2	1.4	6.2
Non-Hodgkin Lymphoma	155	23.6	20.0	27.7	83	29.2	23.2	36.4	72	20.1	15.7	25.6
Myeloma	40	5.7	4.1	7.8	20	6.9	4.2	10.7	20	4.9	3.0	7.7
Leukemia	87	13.3	10.6	16.5	49	17.0	12.5	22.5	38	10.6	7.4	14.9
All Other Sites	422	65.9	59.6	72.6	193	67.6	58.3	78.0	229	66.1	57.5	75.7
Breast *in situ* (not in total)									126	37.2	30.8	44.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macoupin County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,577	516.2	490.6	542.8	882	641.3	599.4	685.5	695	424.0	392.1	458.1
Oral Cavity and Pharynx	50	17.2	12.7	22.9	36	26.7	18.6	37.2	14	8.8	4.7	15.2
Esophagus	24	7.9	5.0	11.8	23	16.5	10.4	25.0	1	0.6	0.0	4.1
Stomach	12	3.9	1.9	7.1	10	7.6	3.6	14.3	2	1.4	0.1	5.8
Colon and Rectum	193	63.1	54.3	72.8	116	86.8	71.6	104.3	77	44.0	34.4	55.8
Liver	16	5.1	2.9	8.5	9	6.7	3.0	13.0	7	3.7	1.5	8.4
Pancreas	36	11.5	8.0	16.1	18	12.8	7.6	20.5	18	10.0	5.9	16.3
Lung and Bronchus	267	86.1	76.0	97.3	150	108.0	91.4	126.9	117	70.5	58.1	85.1
Bones and Joints	1	0.5	0.0	2.4	0	0.0	0.0	3.1	1	1.0	0.0	5.0
Melanoma of the Skin	50	17.2	12.7	22.8	31	22.4	15.2	32.0	19	13.4	7.9	21.3
Breast (invasive)	174	58.1	49.7	67.7	2	1.3	0.2	5.3	172	108.7	92.6	126.8
Cervix									15	11.0	6.0	18.5
Corpus and Uterus, NOS									40	24.5	17.4	33.8
Ovary									17	11.3	6.5	18.5
Prostate					225	159.3	139.1	181.7				
Testis					7	7.0	2.8	14.2				
Urinary Bladder (includes *in situ*)	73	23.4	18.3	29.6	59	43.2	32.8	56.0	14	8.2	4.4	14.2
Kidney and Renal Pelvis	65	21.1	16.2	27.1	41	29.2	20.9	39.9	24	13.2	8.3	20.4
Brain and Nervous System	18	5.9	3.4	9.5	8	5.8	2.5	11.6	10	6.5	3.0	12.6
Hodgkin Lymphoma	8	3.2	1.4	6.4	3	2.5	0.5	7.4	5	4.0	1.3	9.4
Non-Hodgkin Lymphoma	63	20.1	15.4	25.9	28	19.8	13.1	28.9	35	20.4	14.1	28.8
Myeloma	24	7.7	4.9	11.6	13	9.6	5.1	16.6	11	6.9	3.3	12.8
Leukemia	42	12.9	9.3	17.7	29	21.4	14.3	30.9	13	5.9	3.0	10.8
All Other Sites	157	51.4	43.5	60.4	74	54.8	42.9	69.0	83	50.0	39.3	62.9
Breast *in situ* (not in total)									35	22.2	15.4	31.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,267	490.6	479.3	502.1	3,672	569.3	550.8	588.3	3,595	440.8	426.3	455.7
Oral Cavity and Pharynx	153	10.2	8.7	12.0	111	16.0	13.1	19.3	42	5.0	3.5	6.8
Esophagus	106	7.1	5.8	8.6	90	13.6	10.9	16.7	16	1.9	1.1	3.1
Stomach	65	4.4	3.4	5.6	34	5.3	3.7	7.4	31	3.6	2.4	5.1
Colon and Rectum	836	55.7	52.0	59.7	405	64.0	57.8	70.6	431	50.0	45.3	55.1
Liver	76	5.1	4.0	6.4	46	6.9	5.0	9.2	30	3.4	2.3	5.0
Pancreas	149	9.8	8.3	11.5	86	13.2	10.5	16.3	63	7.0	5.3	9.0
Lung and Bronchus	1,258	84.2	79.6	89.0	673	106.1	98.2	114.6	585	69.4	63.9	75.4
Bones and Joints	18	1.3	0.8	2.0	10	1.7	0.8	3.0	8	1.0	0.4	2.1
Melanoma of the Skin	238	16.7	14.6	19.0	126	19.8	16.5	23.7	112	15.2	12.5	18.3
Breast (invasive)	950	65.0	60.9	69.3	2	0.3	0.0	1.1	948	120.1	112.5	128.1
Cervix									62	8.8	6.7	11.3
Corpus and Uterus, NOS									201	24.9	21.6	28.7
Ovary									98	12.3	10.0	15.1
Prostate					915	137.5	128.6	146.8				
Testis					30	4.8	3.2	6.8				
Urinary Bladder (includes *in situ*)	330	22.0	19.7	24.5	249	39.6	34.8	44.9	81	9.3	7.4	11.6
Kidney and Renal Pelvis	311	21.0	18.7	23.5	175	26.8	23.0	31.2	136	16.5	13.8	19.5
Brain and Nervous System	91	6.3	5.1	7.8	42	6.3	4.6	8.6	49	6.3	4.7	8.4
Hodgkin Lymphoma	39	2.8	2.0	3.9	24	3.7	2.3	5.5	15	2.1	1.1	3.4
Non-Hodgkin Lymphoma	283	19.3	17.1	21.7	145	23.0	19.4	27.2	138	16.5	13.9	19.6
Myeloma	88	5.9	4.7	7.3	44	7.1	5.1	9.6	44	5.1	3.7	6.9
Leukemia	188	12.9	11.1	14.9	108	17.6	14.4	21.3	80	9.5	7.5	11.9
All Other Sites	782	53.2	49.5	57.1	357	56.2	50.4	62.4	425	52.8	47.8	58.2
Breast *in situ* (not in total)									228	29.3	25.6	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Marion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,342	525.6	497.3	555.2	708	635.9	589.5	685.0	634	448.4	412.6	486.6
Oral Cavity and Pharynx	37	14.0	9.8	19.5	32	27.4	18.7	38.9	5	2.3	0.7	6.7
Esophagus	19	7.4	4.4	11.8	12	10.8	5.5	19.2	7	4.6	1.8	10.2
Stomach	18	7.0	4.1	11.4	11	10.3	5.1	18.6	7	4.6	1.7	10.5
Colon and Rectum	156	59.9	50.7	70.4	81	72.3	57.3	90.1	75	52.0	40.4	66.2
Liver	17	6.3	3.7	10.4	8	6.7	2.9	13.6	9	6.0	2.6	12.0
Pancreas	25	9.4	6.0	14.1	15	13.9	7.8	23.1	10	6.3	3.0	12.3
Lung and Bronchus	238	90.3	79.0	102.8	125	111.1	92.4	132.7	113	74.3	60.9	90.2
Bones and Joints	2	0.8	0.1	3.2	1	1.0	0.0	5.6	1	0.5	0.0	4.3
Melanoma of the Skin	58	24.7	18.6	32.2	35	32.8	22.7	45.8	23	19.0	11.7	29.3
Breast (invasive)	158	64.4	54.5	75.7	0	0.0	0.0	3.8	158	117.8	99.4	138.7
Cervix									12	10.0	5.0	17.9
Corpus and Uterus, NOS									32	22.9	15.5	33.0
Ovary									13	9.8	5.1	17.3
Prostate					161	140.8	119.8	164.5				
Testis					10	12.3	5.8	22.3				
Urinary Bladder (includes *in situ*)	59	21.8	16.5	28.3	45	41.3	30.1	55.4	14	8.2	4.4	14.5
Kidney and Renal Pelvis	41	15.3	10.9	21.0	28	24.9	16.5	36.3	13	8.6	4.6	15.4
Brain and Nervous System	15	6.3	3.4	10.7	10	10.0	4.7	18.6	5	3.6	1.1	9.2
Hodgkin Lymphoma	3	1.4	0.3	4.3	1	1.0	0.0	5.6	2	2.0	0.2	7.4
Non-Hodgkin Lymphoma	60	23.5	17.9	30.6	32	29.3	20.0	41.7	28	18.9	12.4	27.9
Myeloma	14	5.1	2.8	8.8	6	5.3	1.9	11.8	8	4.7	2.0	10.2
Leukemia	41	16.2	11.5	22.2	23	21.0	13.3	31.8	18	13.6	7.7	22.2
All Other Sites	153	60.9	51.4	71.7	72	63.9	49.9	80.8	81	58.6	45.9	74.0
Breast *in situ* (not in total)									28	22.4	14.7	33.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Marshall County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	441	496.8	450.5	546.9	233	582.5	509.3	664.0	208	433.6	374.0	501.1
Oral Cavity and Pharynx	9	10.0	4.5	19.9	5	12.4	4.0	30.5	4	7.5	2.0	22.7
Esophagus	3	2.8	0.6	9.9	2	4.0	0.5	17.6	1	1.1	0.0	13.3
Stomach	2	2.4	0.3	9.7	2	5.4	0.6	20.6	0	0.0	0.0	12.1
Colon and Rectum	61	66.5	50.5	86.4	29	74.5	49.6	108.3	32	57.4	38.7	83.9
Liver	3	3.6	0.7	11.3	1	2.8	0.1	16.6	2	4.2	0.5	18.1
Pancreas	8	8.7	3.7	18.1	6	13.9	5.1	32.1	2	2.6	0.3	15.2
Lung and Bronchus	71	78.4	61.1	99.6	49	122.3	90.3	162.8	22	45.3	28.1	70.7
Bones and Joints	1	1.3	0.0	8.0	0	0.0	0.0	11.8	1	2.3	0.1	15.7
Melanoma of the Skin	17	22.9	13.0	37.6	9	24.9	11.0	48.7	8	22.6	9.2	46.3
Breast (invasive)	56	63.8	47.8	83.8	0	0.0	0.0	11.8	56	121.6	90.9	160.6
Cervix									4	11.9	3.1	31.5
Corpus and Uterus, NOS									18	36.0	21.1	59.1
Ovary									5	10.1	3.1	26.6
Prostate					65	154.6	119.1	198.3				
Testis					0	0.0	0.0	11.8				
Urinary Bladder (includes *in situ*)	19	21.3	12.7	34.3	15	39.5	21.9	66.2	4	6.8	1.8	21.3
Kidney and Renal Pelvis	17	19.3	11.1	31.9	6	14.7	5.4	33.5	11	24.2	11.6	45.8
Brain and Nervous System	3	3.3	0.6	10.9	0	0.0	0.0	11.8	3	6.1	1.1	21.4
Hodgkin Lymphoma	3	5.3	1.1	15.3	2	7.0	0.8	24.7	1	4.3	0.1	21.0
Non-Hodgkin Lymphoma	15	16.6	9.2	28.3	9	22.7	10.3	44.3	6	11.3	4.1	27.6
Myeloma	6	6.0	2.2	14.2	3	7.2	1.5	22.8	3	5.0	1.0	18.8
Leukemia	15	15.6	8.6	26.7	10	24.8	11.9	46.9	5	9.0	2.7	24.6
All Other Sites	40	46.6	32.8	64.7	20	51.8	31.4	81.2	20	44.4	25.9	71.9
Breast *in situ* (not in total)									11	25.6	12.7	47.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Mason County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	534	529.4	484.6	577.5	280	602.6	533.3	678.9	254	484.9	424.9	551.5
Oral Cavity and Pharynx	6	5.8	2.1	13.4	3	6.2	1.3	19.6	3	5.7	1.2	18.4
Esophagus	9	8.5	3.9	16.8	7	14.0	5.6	30.2	2	3.6	0.4	15.2
Stomach	6	5.5	2.0	12.9	3	7.0	1.4	21.4	3	4.5	0.9	16.1
Colon and Rectum	71	68.3	53.2	86.8	39	82.6	58.6	113.9	32	57.8	38.9	83.4
Liver	6	6.2	2.2	14.0	5	10.8	3.5	26.3	1	1.8	0.0	12.6
Pancreas	15	14.5	8.0	24.6	7	15.4	6.1	32.9	8	14.3	6.1	29.8
Lung and Bronchus	88	85.4	68.3	105.9	54	114.3	85.6	150.2	34	62.3	42.7	88.8
Bones and Joints	0	0.0	0.0	4.9	0	0.0	0.0	10.0	0	0.0	0.0	9.7
Melanoma of the Skin	20	20.6	12.3	32.6	9	18.9	8.6	37.1	11	22.4	10.4	42.3
Breast (invasive)	74	75.2	58.8	95.1	1	2.4	0.1	14.4	73	139.7	108.8	177.5
Cervix									7	16.4	6.4	34.8
Corpus and Uterus, NOS									15	29.3	15.8	50.4
Ovary									4	9.3	2.5	24.6
Prostate					69	144.1	112.0	183.4				
Testis					3	9.4	1.9	26.5				
Urinary Bladder (includes *in situ*)	25	22.7	14.6	34.1	18	37.9	22.4	61.0	7	12.2	4.8	27.1
Kidney and Renal Pelvis	29	28.4	19.0	41.5	16	34.6	19.6	57.2	13	21.9	11.5	39.2
Brain and Nervous System	5	5.9	1.8	14.4	1	3.4	0.1	17.2	4	7.9	1.9	22.3
Hodgkin Lymphoma	1	0.8	0.0	6.1	0	0.0	0.0	10.0	1	1.4	0.0	11.7
Non-Hodgkin Lymphoma	15	13.7	7.6	23.4	14	30.5	16.6	52.1	1	1.7	0.0	12.3
Myeloma	2	1.7	0.2	7.4	0	0.0	0.0	10.0	2	3.0	0.3	13.9
Leukemia	11	11.9	5.8	21.8	8	19.0	8.1	38.2	3	5.6	1.2	18.2
All Other Sites	53	57.4	42.5	76.0	23	52.1	32.7	79.3	30	64.0	42.1	93.5
Breast *in situ* (not in total)									16	32.5	18.2	54.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Massac County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	481	488.0	444.5	534.9	254	593.8	522.5	672.5	227	421.0	365.7	482.9
Oral Cavity and Pharynx	8	8.2	3.4	16.8	5	11.5	3.6	28.0	3	4.8	1.0	16.4
Esophagus	5	4.9	1.6	12.2	3	6.4	1.3	20.2	2	2.9	0.3	13.8
Stomach	5	4.8	1.5	11.9	3	6.2	1.3	19.6	2	3.2	0.4	14.3
Colon and Rectum	56	53.4	40.1	70.0	28	62.6	41.5	91.3	28	44.7	28.9	67.0
Liver	3	3.4	0.7	10.4	3	7.2	1.5	21.9	0	0.0	0.0	9.5
Pancreas	13	11.8	6.2	20.9	7	16.5	6.6	34.8	6	8.0	2.8	20.3
Lung and Bronchus	113	111.7	91.9	135.0	67	153.6	118.9	195.9	46	83.3	60.6	112.6
Bones and Joints	0	0.0	0.0	4.8	0	0.0	0.0	10.1	0	0.0	0.0	9.5
Melanoma of the Skin	16	19.9	11.2	32.6	8	20.8	8.9	41.4	8	20.3	8.6	40.3
Breast (invasive)	53	57.1	42.4	75.4	0	0.0	0.0	10.1	53	105.9	78.2	140.7
Cervix									6	13.6	4.8	30.5
Corpus and Uterus, NOS									11	21.4	10.4	39.7
Ovary									6	12.8	4.5	29.0
Prostate					59	136.5	103.8	176.8				
Testis					2	6.0	0.7	21.0				
Urinary Bladder (includes *in situ*)	24	22.6	14.3	34.4	16	38.1	21.7	62.6	8	12.8	5.4	27.4
Kidney and Renal Pelvis	14	14.7	7.8	25.4	10	24.2	11.5	45.1	4	8.1	1.8	22.8
Brain and Nervous System	5	6.1	1.9	14.6	4	10.7	2.8	27.6	1	1.8	0.0	12.2
Hodgkin Lymphoma	3	2.5	0.5	8.4	3	7.7	1.6	22.8	0	0.0	0.0	9.5
Non-Hodgkin Lymphoma	23	21.6	13.6	33.2	10	24.5	11.7	45.7	13	20.8	10.9	37.5
Myeloma	2	2.2	0.3	8.6	2	4.7	0.6	18.0	0	0.0	0.0	9.5
Leukemia	6	6.0	2.2	13.8	5	11.9	3.8	28.5	1	1.0	0.0	10.6
All Other Sites	48	50.1	36.7	67.1	19	44.6	26.7	70.5	29	55.7	36.6	81.9
Breast *in situ* (not in total)									8	16.9	7.2	34.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Menard County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	390	531.3	478.9	588.1	214	653.0	566.3	749.4	176	439.1	374.8	512.0
Oral Cavity and Pharynx	5	5.7	1.8	14.4	4	9.5	2.6	26.8	1	2.1	0.1	15.7
Esophagus	3	3.4	0.7	11.3	3	7.1	1.5	23.6	0	0.0	0.0	12.5
Stomach	3	3.6	0.7	11.8	2	7.8	0.9	27.2	1	2.2	0.1	15.9
Colon and Rectum	51	70.1	51.8	93.0	27	82.6	53.7	121.7	24	61.3	38.5	93.3
Liver	6	7.5	2.7	17.3	5	13.4	4.2	33.3	1	2.5	0.1	16.5
Pancreas	7	9.5	3.8	20.4	4	11.1	3.0	30.0	3	6.6	1.1	22.6
Lung and Bronchus	54	73.2	54.6	96.3	32	100.6	68.1	143.5	22	53.0	32.7	82.3
Bones and Joints	0	0.0	0.0	6.3	0	0.0	0.0	12.9	0	0.0	0.0	12.5
Melanoma of the Skin	18	26.1	15.3	41.9	12	38.0	19.3	67.4	6	14.7	5.4	33.9
Breast (invasive)	55	76.6	57.2	100.6	1	3.0	0.1	18.1	54	140.4	104.4	185.6
Cervix									0	0.0	0.0	12.5
Corpus and Uterus, NOS									14	31.2	16.8	54.8
Ovary									4	11.4	3.1	30.4
Prostate					50	144.8	106.7	192.7				
Testis					1	3.8	0.1	20.4				
Urinary Bladder (includes *in situ*)	21	28.7	17.6	44.6	18	55.5	32.4	89.0	3	6.1	1.2	21.1
Kidney and Renal Pelvis	15	20.7	11.5	34.8	11	33.1	16.2	60.6	4	11.0	2.9	29.6
Brain and Nervous System	3	3.8	0.8	12.1	2	6.6	0.7	24.7	1	3.0	0.1	17.8
Hodgkin Lymphoma	2	2.9	0.3	11.0	1	3.1	0.1	18.4	1	2.5	0.1	16.5
Non-Hodgkin Lymphoma	19	27.2	16.2	43.2	12	40.2	20.4	71.1	7	18.0	7.0	38.9
Myeloma	5	6.1	1.9	15.2	3	7.2	1.5	23.7	2	5.2	0.6	20.8
Leukemia	8	11.3	4.8	22.9	6	20.1	7.3	44.3	2	3.8	0.4	17.9
All Other Sites	46	61.8	45.0	83.2	20	65.5	39.4	102.2	26	64.2	41.5	95.9
Breast *in situ* (not in total)									21	57.2	34.9	89.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Mercer County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	508	477.7	436.3	522.3	277	559.1	494.4	630.3	231	420.3	366.1	480.8
Oral Cavity and Pharynx	6	6.0	2.2	13.5	4	8.4	2.3	22.3	2	4.1	0.5	15.9
Esophagus	8	7.3	3.1	15.0	8	15.1	6.4	31.2	0	0.0	0.0	9.3
Stomach	8	7.1	3.0	14.6	5	10.1	3.2	24.6	3	4.7	1.0	16.0
Colon and Rectum	53	47.5	35.5	62.7	36	71.0	49.6	99.2	17	30.4	17.6	50.0
Liver	4	3.7	1.0	10.3	1	1.8	0.0	12.2	3	5.5	1.1	17.6
Pancreas	6	5.1	1.8	12.0	2	3.7	0.4	15.1	4	6.7	1.7	19.4
Lung and Bronchus	69	62.5	48.5	79.7	34	68.1	47.0	96.0	35	57.9	40.1	82.0
Bones and Joints	1	1.3	0.0	7.1	0	0.0	0.0	9.3	1	2.7	0.1	14.5
Melanoma of the Skin	24	24.9	15.8	37.6	17	36.8	21.2	59.8	7	14.5	5.7	30.9
Breast (invasive)	65	61.4	47.1	78.9	0	0.0	0.0	9.3	65	118.2	90.8	152.1
Cervix									1	3.5	0.1	16.9
Corpus and Uterus, NOS									20	36.1	21.9	57.1
Ovary									6	11.8	4.0	27.2
Prostate					77	151.9	119.6	190.9				
Testis					2	6.1	0.7	20.7				
Urinary Bladder (includes *in situ*)	19	17.2	10.3	27.4	18	35.9	21.2	57.7	1	1.6	0.0	11.8
Kidney and Renal Pelvis	13	12.7	6.7	22.1	7	14.1	5.7	30.1	6	11.2	4.0	25.9
Brain and Nervous System	6	7.1	2.6	15.6	5	12.1	3.9	28.5	1	2.2	0.1	13.2
Hodgkin Lymphoma	2	3.4	0.4	11.2	1	3.3	0.1	16.2	1	4.0	0.1	18.5
Non-Hodgkin Lymphoma	27	25.0	16.4	36.9	11	22.4	11.1	41.0	16	26.5	15.1	44.6
Myeloma	6	5.5	2.0	12.7	5	9.4	3.0	23.4	1	1.9	0.0	12.5
Leukemia	18	15.5	9.0	25.3	9	19.1	8.6	37.2	9	13.8	6.1	28.6
All Other Sites	67	64.4	49.5	82.7	35	69.9	48.5	98.1	32	62.9	41.7	91.3
Breast *in situ* (not in total)									23	43.3	27.2	66.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Monroe County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	826	482.4	449.9	516.6	426	569.4	515.4	627.5	400	428.3	386.8	473.2
Oral Cavity and Pharynx	15	8.1	4.6	13.6	11	12.6	6.2	23.0	4	3.9	1.0	10.6
Esophagus	10	5.7	2.8	10.7	8	10.1	4.3	20.2	2	2.2	0.3	8.4
Stomach	7	3.9	1.6	8.2	6	7.3	2.6	16.2	1	1.1	0.0	6.6
Colon and Rectum	98	56.8	46.1	69.3	55	74.5	55.7	97.5	43	42.6	30.7	58.0
Liver	4	2.3	0.6	6.1	3	4.1	0.8	12.0	1	1.1	0.0	6.5
Pancreas	16	9.0	5.1	14.8	11	16.1	7.7	29.3	5	4.7	1.5	11.7
Lung and Bronchus	120	70.7	58.6	84.6	61	85.4	65.0	110.1	59	62.1	47.2	80.5
Bones and Joints	1	0.7	0.0	3.6	0	0.0	0.0	5.1	1	1.4	0.0	7.4
Melanoma of the Skin	37	22.1	15.5	30.5	21	26.0	16.0	40.2	16	19.1	10.7	31.3
Breast (invasive)	115	66.9	55.1	80.4	0	0.0	0.0	5.1	115	126.9	104.6	152.6
Cervix									7	8.0	3.2	16.9
Corpus and Uterus, NOS									19	20.8	12.5	32.7
Ovary									17	18.0	10.3	29.4
Prostate					123	160.8	133.2	192.6				
Testis					3	3.7	0.7	11.1				
Urinary Bladder (includes *in situ*)	38	22.0	15.5	30.2	27	37.5	24.4	55.0	11	10.2	5.0	18.9
Kidney and Renal Pelvis	31	18.3	12.4	26.0	25	33.5	21.5	49.7	6	6.5	2.4	14.5
Brain and Nervous System	18	11.2	6.6	17.8	9	14.0	6.2	26.5	9	10.4	4.7	19.9
Hodgkin Lymphoma	1	0.6	0.0	3.5	1	1.2	0.0	7.3	0	0.0	0.0	4.6
Non-Hodgkin Lymphoma	41	23.6	16.9	32.1	18	26.1	15.0	41.7	23	23.5	14.7	35.7
Myeloma	4	2.4	0.7	6.3	2	3.1	0.4	10.7	2	1.8	0.2	7.4
Leukemia	25	14.5	9.4	21.5	13	16.9	8.8	29.3	12	12.6	6.4	22.5
All Other Sites	76	45.1	35.5	56.6	29	36.6	24.3	52.8	47	51.5	37.6	69.0
Breast *in situ* (not in total)									24	26.7	17.1	40.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Montgomery County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	978	524.7	491.7	559.4	543	653.7	599.7	711.4	435	440.1	397.6	486.3
Oral Cavity and Pharynx	18	10.1	6.0	16.2	12	14.0	7.2	24.7	6	6.9	2.5	15.7
Esophagus	7	3.7	1.5	7.9	6	7.0	2.6	15.6	1	0.9	0.0	6.5
Stomach	9	4.6	2.1	9.1	6	6.8	2.5	15.2	3	2.6	0.5	9.0
Colon and Rectum	130	67.2	56.0	80.2	82	98.4	78.2	122.3	48	41.0	29.9	55.5
Liver	11	6.0	2.9	10.9	9	10.8	4.9	20.6	2	1.9	0.2	8.1
Pancreas	26	13.4	8.7	20.0	11	13.3	6.6	24.0	15	13.0	7.1	22.7
Lung and Bronchus	164	85.9	73.1	100.5	98	118.4	96.1	144.5	66	62.1	47.5	80.3
Bones and Joints	1	0.7	0.0	3.9	0	0.0	0.0	4.9	1	1.6	0.0	8.4
Melanoma of the Skin	35	21.2	14.6	29.7	23	28.7	18.2	43.2	12	18.2	9.2	32.0
Breast (invasive)	121	66.7	55.2	80.1	2	2.2	0.3	8.5	119	126.3	103.6	152.8
Cervix									12	16.4	8.1	29.3
Corpus and Uterus, NOS									25	26.2	16.5	39.8
Ovary									16	16.3	9.2	27.4
Prostate					121	144.1	119.5	172.4				
Testis					1	1.1	0.0	6.8				
Urinary Bladder (includes *in situ*)	50	25.1	18.5	33.5	37	44.9	31.6	62.0	13	10.8	5.6	19.7
Kidney and Renal Pelvis	40	22.1	15.7	30.2	27	31.7	20.9	46.3	13	13.3	6.9	23.6
Brain and Nervous System	13	7.8	4.1	13.4	6	7.4	2.7	16.4	7	8.8	3.4	18.7
Hodgkin Lymphoma	7	4.7	1.9	9.6	5	6.2	2.0	14.6	2	3.2	0.4	11.3
Non-Hodgkin Lymphoma	36	18.8	13.1	26.4	23	28.1	17.8	42.4	13	11.8	6.1	21.3
Myeloma	10	5.0	2.3	9.5	6	7.4	2.7	16.2	4	2.1	0.6	7.8
Leukemia	29	15.9	10.6	23.2	20	24.9	15.2	38.6	9	8.1	3.6	16.4
All Other Sites	96	51.0	41.1	62.8	48	58.3	42.9	77.5	48	48.5	35.0	65.8
Breast *in situ* (not in total)									32	35.2	23.8	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Morgan County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,137	528.8	498.0	561.0	593	635.1	584.4	689.1	544	463.9	424.3	506.5
Oral Cavity and Pharynx	34	15.8	10.9	22.4	21	21.9	13.5	33.8	13	9.9	5.1	17.9
Esophagus	11	4.7	2.3	8.7	9	8.9	4.0	17.3	2	1.8	0.2	7.2
Stomach	14	6.4	3.5	10.9	7	7.2	2.9	15.1	7	5.4	2.1	11.9
Colon and Rectum	152	67.8	57.4	79.8	74	79.7	62.3	100.4	78	60.4	47.3	76.4
Liver	10	4.3	2.0	8.1	5	4.8	1.6	11.7	5	2.7	0.8	7.9
Pancreas	31	13.4	9.1	19.3	18	18.7	11.0	29.8	13	9.5	5.0	17.1
Lung and Bronchus	172	80.9	69.2	94.1	95	103.8	83.9	127.2	77	66.2	52.0	83.4
Bones and Joints	1	0.5	0.0	2.9	0	0.0	0.0	4.3	1	0.8	0.0	5.6
Melanoma of the Skin	35	17.5	12.0	24.5	16	18.2	10.3	29.8	19	18.6	10.9	29.8
Breast (invasive)	145	69.2	58.2	81.7	2	2.0	0.2	7.7	143	127.7	107.0	151.5
Cervix									11	10.4	5.0	19.2
Corpus and Uterus, NOS									40	34.9	24.7	48.3
Ovary									17	13.0	7.4	21.7
Prostate					165	173.8	148.0	202.9				
Testis					6	6.0	2.2	13.3				
Urinary Bladder (includes *in situ*)	60	27.1	20.6	35.1	46	49.9	36.5	66.8	14	11.4	5.9	20.1
Kidney and Renal Pelvis	33	15.7	10.7	22.2	24	24.9	15.9	37.3	9	9.0	4.0	17.4
Brain and Nervous System	12	5.9	3.0	10.6	5	5.7	1.8	13.5	7	5.9	2.1	13.2
Hodgkin Lymphoma	3	1.7	0.3	5.1	1	1.5	0.0	7.3	2	1.8	0.2	7.3
Non-Hodgkin Lymphoma	39	17.7	12.5	24.4	22	23.3	14.5	35.5	17	12.4	7.1	20.7
Myeloma	8	3.9	1.7	7.9	5	5.7	1.8	13.5	3	3.3	0.7	9.9
Leukemia	32	16.1	10.8	22.9	24	27.7	17.7	41.4	8	7.1	2.9	14.8
All Other Sites	106	50.5	41.2	61.4	48	51.3	37.7	68.4	58	51.6	38.6	67.9
Breast *in situ* (not in total)									27	22.9	14.9	33.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Moultrie County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	457	509.7	463.0	560.1	233	583.0	510.0	663.7	224	473.9	411.2	544.0
Oral Cavity and Pharynx	11	12.7	6.2	23.3	7	17.6	7.0	37.0	4	9.7	2.6	25.8
Esophagus	5	5.7	1.8	13.9	4	9.3	2.5	25.0	1	2.6	0.1	14.9
Stomach	7	7.6	3.0	16.2	5	11.4	3.7	27.9	2	3.6	0.4	15.8
Colon and Rectum	41	43.7	31.2	59.9	22	54.2	33.9	82.7	19	37.1	22.0	59.7
Liver	4	5.0	1.3	13.2	3	8.7	1.8	25.4	1	1.3	0.0	11.9
Pancreas	8	8.4	3.6	17.2	4	9.5	2.6	25.4	4	7.7	2.0	21.7
Lung and Bronchus	69	75.4	58.4	96.0	38	96.5	68.2	133.0	31	62.0	41.7	89.6
Bones and Joints	2	2.6	0.3	9.6	1	2.8	0.1	15.7	1	2.1	0.1	13.6
Melanoma of the Skin	15	19.8	10.9	33.0	4	10.3	2.8	27.0	11	29.8	14.4	54.1
Breast (invasive)	60	70.1	53.1	91.1	1	2.7	0.1	15.5	59	130.3	97.8	170.5
Cervix									3	9.8	2.0	27.5
Corpus and Uterus, NOS									17	32.6	18.7	54.0
Ovary									9	19.1	8.3	38.1
Prostate					63	153.7	118.0	197.3				
Testis					4	12.6	3.3	31.8				
Urinary Bladder (includes *in situ*)	20	20.7	12.4	32.7	15	37.8	21.1	63.0	5	9.2	2.9	23.8
Kidney and Renal Pelvis	19	20.8	12.2	33.3	10	25.3	11.9	47.5	9	15.8	6.8	32.6
Brain and Nervous System	7	8.1	3.2	17.2	2	4.4	0.5	17.5	5	11.7	3.5	28.9
Hodgkin Lymphoma	2	2.4	0.3	9.4	1	3.0	0.1	16.3	1	1.3	0.0	11.9
Non-Hodgkin Lymphoma	26	28.2	18.2	42.1	12	31.4	16.1	55.3	14	29.2	15.6	50.6
Myeloma	5	5.3	1.7	13.1	4	10.1	2.8	26.7	1	2.6	0.1	14.9
Leukemia	11	12.4	6.2	22.7	7	17.0	6.8	36.0	4	8.0	2.1	22.3
All Other Sites	49	55.2	40.5	73.7	26	64.7	42.2	95.5	23	48.4	29.6	75.1
Breast *in situ* (not in total)									17	41.1	23.6	66.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Ogle County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,339	435.9	412.7	460.2	707	499.8	463.3	538.6	632	389.7	359.5	421.8
Oral Cavity and Pharynx	32	10.3	7.0	14.7	25	16.6	10.7	24.8	7	4.5	1.8	9.6
Esophagus	16	5.0	2.8	8.1	14	9.8	5.3	16.5	2	1.2	0.1	4.6
Stomach	13	4.3	2.3	7.4	9	6.1	2.8	11.9	4	2.3	0.6	6.3
Colon and Rectum	163	53.0	45.1	61.9	75	54.3	42.6	68.3	88	52.8	42.3	65.4
Liver	3	1.0	0.2	3.1	3	2.2	0.4	6.5	0	0.0	0.0	2.8
Pancreas	28	9.0	5.9	13.0	15	10.5	5.9	17.5	13	7.7	4.1	13.4
Lung and Bronchus	195	62.5	54.0	72.0	121	85.0	70.4	101.8	74	43.5	34.1	54.9
Bones and Joints	1	0.3	0.0	2.0	1	0.7	0.0	4.0	0	0.0	0.0	2.8
Melanoma of the Skin	62	21.3	16.3	27.5	33	23.6	16.2	33.4	29	20.8	13.8	30.0
Breast (invasive)	166	53.9	46.0	62.9	0	0.0	0.0	2.8	166	103.8	88.5	121.2
Cervix									11	7.2	3.5	13.1
Corpus and Uterus, NOS									48	29.0	21.4	38.7
Ovary									20	12.1	7.4	18.9
Prostate					164	113.3	96.4	132.3				
Testis					9	7.5	3.4	14.1				
Urinary Bladder (includes *in situ*)	69	22.7	17.6	28.8	53	38.1	28.5	50.1	16	9.4	5.3	15.6
Kidney and Renal Pelvis	39	13.2	9.3	18.1	23	16.4	10.3	24.7	16	10.4	5.9	17.1
Brain and Nervous System	16	5.3	3.0	8.8	7	5.2	2.0	10.7	9	5.5	2.5	10.6
Hodgkin Lymphoma	9	3.2	1.4	6.1	4	2.9	0.8	7.5	5	3.4	1.1	8.1
Non-Hodgkin Lymphoma	68	22.1	17.1	28.1	46	32.9	24.0	44.1	22	13.4	8.4	20.6
Myeloma	20	6.3	3.8	9.8	17	11.6	6.7	18.7	3	1.8	0.4	5.5
Leukemia	44	14.6	10.6	19.8	25	18.3	11.8	27.1	19	11.9	7.1	18.8
All Other Sites	143	46.4	39.1	54.8	63	45.0	34.4	57.7	80	49.1	38.8	61.5
Breast *in situ* (not in total)									32	20.0	13.7	28.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,356	535.0	520.6	549.7	2,684	617.9	594.5	642.0	2,672	482.2	463.7	501.4
Oral Cavity and Pharynx	110	10.9	9.0	13.2	76	16.5	13.0	20.7	34	6.4	4.4	9.0
Esophagus	50	4.9	3.6	6.5	39	8.7	6.2	12.0	11	2.0	1.0	3.6
Stomach	59	5.8	4.4	7.5	33	7.8	5.3	11.0	26	4.3	2.8	6.4
Colon and Rectum	528	50.8	46.5	55.3	257	59.1	52.0	66.8	271	44.2	38.9	49.9
Liver	64	6.3	4.8	8.1	45	10.4	7.5	13.9	19	2.9	1.7	4.7
Pancreas	145	14.0	11.8	16.5	66	15.3	11.8	19.5	79	13.3	10.5	16.7
Lung and Bronchus	873	86.8	81.1	92.9	441	103.0	93.6	113.2	432	76.9	69.7	84.7
Bones and Joints	8	0.8	0.4	1.7	2	0.4	0.0	1.5	6	1.3	0.5	2.8
Melanoma of the Skin	273	28.0	24.7	31.6	145	33.1	27.9	39.1	128	25.4	21.1	30.3
Breast (invasive)	705	71.8	66.6	77.4	8	1.9	0.8	3.7	697	130.1	120.4	140.4
Cervix									44	9.6	6.9	12.9
Corpus and Uterus, NOS									176	31.5	27.0	36.7
Ovary									64	11.4	8.7	14.7
Prostate					724	161.8	150.1	174.2				
Testis					18	4.2	2.5	6.6				
Urinary Bladder (includes *in situ*)	279	27.3	24.1	30.7	210	50.4	43.7	57.7	69	10.8	8.4	13.9
Kidney and Renal Pelvis	213	21.9	19.0	25.0	127	29.8	24.8	35.5	86	15.5	12.3	19.3
Brain and Nervous System	79	8.3	6.6	10.4	47	10.9	8.0	14.6	32	6.1	4.2	8.8
Hodgkin Lymphoma	28	3.2	2.1	4.6	13	3.1	1.6	5.3	15	3.3	1.8	5.5
Non-Hodgkin Lymphoma	212	21.1	18.3	24.2	120	28.1	23.2	33.6	92	16.2	13.0	20.0
Myeloma	54	5.3	3.9	6.9	25	5.9	3.8	8.7	29	5.1	3.4	7.4
Leukemia	125	12.2	10.2	14.6	60	14.2	10.8	18.3	65	10.7	8.2	13.8
All Other Sites	525	53.0	48.5	57.8	228	53.3	46.6	60.8	297	55.1	48.8	62.0
Breast *in situ* (not in total)									173	32.2	27.5	37.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Perry County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	648	486.8	449.7	526.3	347	579.5	519.7	644.3	301	427.8	378.8	481.7
Oral Cavity and Pharynx	14	10.7	5.8	18.2	10	15.6	7.5	29.1	4	5.4	1.4	15.3
Esophagus	10	7.3	3.5	13.7	9	14.6	6.6	28.0	1	1.5	0.0	9.6
Stomach	6	4.5	1.6	10.1	4	6.8	1.8	17.6	2	2.4	0.3	10.7
Colon and Rectum	81	60.2	47.6	75.1	39	63.1	44.8	86.6	42	54.8	38.6	76.1
Liver	7	5.0	2.0	10.7	6	9.1	3.3	20.3	1	1.5	0.0	9.6
Pancreas	15	10.5	5.9	17.7	5	8.5	2.7	19.9	10	10.7	4.9	21.7
Lung and Bronchus	116	85.6	70.6	102.9	61	104.5	79.8	134.5	55	76.2	56.8	100.6
Bones and Joints	1	1.1	0.0	5.5	0	0.0	0.0	6.5	1	2.2	0.1	11.4
Melanoma of the Skin	19	15.1	9.0	23.8	9	14.5	6.6	27.8	10	15.3	7.1	29.3
Breast (invasive)	80	61.3	48.5	76.6	0	0.0	0.0	6.5	80	118.7	93.1	149.5
Cervix									4	4.8	1.3	14.0
Corpus and Uterus, NOS									12	18.1	9.2	32.5
Ovary									6	8.5	3.0	19.9
Prostate					91	154.0	123.8	189.4				
Testis					3	5.0	1.0	14.7				
Urinary Bladder (includes *in situ*)	26	18.9	12.3	28.0	19	31.4	18.8	49.3	7	9.4	3.7	20.6
Kidney and Renal Pelvis	28	20.9	13.9	30.5	16	27.3	15.5	44.5	12	17.0	8.7	30.8
Brain and Nervous System	15	12.1	6.7	20.2	9	14.6	6.6	28.0	6	10.2	3.5	23.2
Hodgkin Lymphoma	6	4.9	1.8	10.8	5	7.7	2.5	18.6	1	1.5	0.0	9.6
Non-Hodgkin Lymphoma	32	25.3	17.2	35.9	18	29.6	17.5	47.1	14	21.8	11.7	37.5
Myeloma	6	4.4	1.6	9.8	3	5.1	1.0	15.0	3	3.8	0.8	12.8
Leukemia	15	10.7	6.0	18.0	9	15.5	7.1	29.5	6	8.4	2.9	19.8
All Other Sites	55	42.0	31.5	55.0	31	52.5	35.6	74.7	24	35.5	22.2	54.4
Breast *in situ* (not in total)									18	28.2	16.5	45.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Piatt County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	480	465.1	423.9	509.5	266	563.7	497.2	636.9	214	392.8	340.5	451.3
Oral Cavity and Pharynx	14	13.0	7.1	22.3	13	26.4	14.0	46.1	1	1.1	0.0	10.6
Esophagus	3	2.6	0.5	8.5	3	6.1	1.2	19.2	0	0.0	0.0	9.2
Stomach	4	3.8	1.0	10.3	3	6.6	1.4	20.1	1	1.4	0.0	11.1
Colon and Rectum	42	39.7	28.6	54.2	17	35.4	20.5	57.5	25	44.5	28.6	66.8
Liver	5	4.6	1.5	11.5	1	1.9	0.0	12.6	4	6.1	1.6	18.1
Pancreas	17	15.3	8.9	25.1	9	20.1	9.1	38.7	8	12.2	5.1	26.1
Lung and Bronchus	59	56.1	42.6	72.9	38	79.4	55.9	109.9	21	36.4	22.4	56.9
Bones and Joints	1	0.9	0.0	6.0	0	0.0	0.0	9.4	1	1.9	0.0	12.2
Melanoma of the Skin	26	27.6	17.8	40.9	15	30.4	16.9	51.1	11	25.4	12.4	46.3
Breast (invasive)	74	73.5	57.5	92.9	2	4.6	0.6	17.1	72	135.7	105.5	172.5
Cervix									1	1.9	0.0	12.2
Corpus and Uterus, NOS									14	24.7	13.3	42.7
Ovary									6	10.4	3.8	24.2
Prostate					77	159.9	126.0	200.8				
Testis					3	9.2	1.9	25.9				
Urinary Bladder (includes *in situ*)	24	23.4	14.9	35.4	22	50.2	31.4	76.5	2	4.3	0.5	16.4
Kidney and Renal Pelvis	17	17.2	9.9	28.2	14	27.7	14.9	47.6	3	6.9	1.3	20.9
Brain and Nervous System	6	5.7	2.1	12.9	4	7.6	2.0	20.9	2	3.6	0.4	14.8
Hodgkin Lymphoma	1	1.0	0.0	6.2	0	0.0	0.0	9.4	1	1.9	0.0	12.4
Non-Hodgkin Lymphoma	14	13.7	7.4	23.7	10	22.2	10.6	41.4	4	8.3	2.1	22.6
Myeloma	4	3.5	1.0	9.8	2	4.0	0.5	15.8	2	2.5	0.3	12.5
Leukemia	19	19.3	11.5	30.7	11	23.0	11.4	42.1	8	17.4	7.2	35.3
All Other Sites	49	47.3	34.8	63.1	22	48.9	30.4	74.9	27	46.2	30.0	69.0
Breast *in situ* (not in total)									18	35.6	21.0	57.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Pike County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	484	426.9	388.4	468.4	242	472.6	414.3	537.1	242	405.7	353.0	464.7
Oral Cavity and Pharynx	11	11.6	5.7	21.2	8	16.6	7.1	33.5	3	7.7	1.5	22.6
Esophagus	2	1.2	0.1	6.0	0	0.0	0.0	8.9	2	1.8	0.2	11.3
Stomach	7	6.0	2.2	13.4	5	10.3	3.3	25.0	2	1.5	0.2	10.8
Colon and Rectum	56	46.6	34.8	61.5	19	38.0	22.7	60.2	37	52.6	36.0	75.5
Liver	2	1.4	0.1	6.4	2	3.5	0.4	14.4	0	0.0	0.0	9.3
Pancreas	13	10.4	5.4	18.7	9	16.9	7.7	33.0	4	5.9	1.5	17.8
Lung and Bronchus	82	70.0	55.4	87.6	46	88.7	64.9	119.0	36	56.2	38.7	80.0
Bones and Joints	2	1.6	0.2	6.9	1	1.8	0.0	11.8	1	1.8	0.0	12.2
Melanoma of the Skin	17	17.2	9.8	28.1	10	20.7	9.8	38.8	7	15.0	5.5	32.5
Breast (invasive)	56	50.3	37.6	66.3	1	1.8	0.0	12.0	55	92.1	68.2	122.5
Cervix									6	15.1	5.3	33.3
Corpus and Uterus, NOS									17	25.9	14.8	43.4
Ovary									8	13.1	5.3	28.0
Prostate					68	128.2	99.5	163.3				
Testis					0	0.0	0.0	8.9				
Urinary Bladder (includes *in situ*)	28	22.1	14.5	32.7	20	37.5	22.8	58.8	8	12.9	5.5	27.2
Kidney and Renal Pelvis	18	16.9	9.9	27.3	10	19.4	9.3	36.5	8	15.3	6.3	31.8
Brain and Nervous System	9	9.5	4.1	18.6	3	6.5	1.3	19.9	6	12.0	4.0	28.0
Hodgkin Lymphoma	1	1.2	0.0	6.7	0	0.0	0.0	8.9	1	2.4	0.1	13.5
Non-Hodgkin Lymphoma	23	20.6	12.8	31.8	15	31.3	17.3	52.5	8	12.7	5.3	27.2
Myeloma	5	4.6	1.5	11.3	3	5.6	1.2	17.7	2	3.8	0.5	15.3
Leukemia	12	11.6	5.7	21.2	8	18.3	7.7	36.6	4	6.0	1.6	17.8
All Other Sites	41	39.2	27.6	54.2	14	27.4	14.8	46.9	27	51.7	32.9	77.7
Breast *in situ* (not in total)									14	27.3	14.0	48.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Pope County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	107	337.8	275.1	413.0	56	365.8	274.0	483.5	51	310.6	227.7	419.4
Oral Cavity and Pharynx	2	6.9	0.8	30.3	2	14.1	1.7	61.4	0	0.0	0.0	41.1
Esophagus	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Stomach	3	12.1	2.1	39.9	3	25.2	4.2	82.7	0	0.0	0.0	41.1
Colon and Rectum	12	35.7	18.3	67.0	5	28.4	9.2	78.5	7	38.6	15.0	91.9
Liver	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Pancreas	1	2.5	0.1	23.4	0	0.0	0.0	40.9	1	3.7	0.1	45.0
Lung and Bronchus	26	79.1	51.4	119.9	14	89.1	48.2	158.1	12	73.5	37.6	137.7
Bones and Joints	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Melanoma of the Skin	7	23.1	8.9	52.4	4	29.6	7.5	85.1	3	17.0	3.4	63.7
Breast (invasive)	18	62.3	35.5	103.7	0	0.0	0.0	40.9	18	119.3	67.4	200.5
Cervix									0	0.0	0.0	41.1
Corpus and Uterus, NOS									1	5.9	0.2	49.1
Ovary									1	6.5	0.2	50.2
Prostate					13	84.1	44.1	152.5				
Testis					0	0.0	0.0	40.9				
Urinary Bladder (includes *in situ*)	8	23.7	10.2	51.8	6	38.7	14.1	93.9	2	10.4	1.1	54.7
Kidney and Renal Pelvis	2	6.0	0.7	28.5	2	12.6	1.5	58.5	0	0.0	0.0	41.1
Brain and Nervous System	1	3.1	0.1	24.5	1	6.3	0.2	49.6	0	0.0	0.0	41.1
Hodgkin Lymphoma	1	3.3	0.1	24.9	0	0.0	0.0	40.9	1	6.7	0.2	50.7
Non-Hodgkin Lymphoma	2	7.2	0.8	31.0	0	0.0	0.0	40.9	2	14.0	1.6	61.6
Myeloma	0	0.0	0.0	20.3	0	0.0	0.0	40.9	0	0.0	0.0	41.1
Leukemia	5	13.6	4.3	38.1	3	20.6	4.1	70.6	2	8.6	1.0	51.2
All Other Sites	4	11.7	3.2	36.1	3	17.1	3.5	63.6	1	6.5	0.2	50.2
Breast *in situ* (not in total)									5	36.1	10.8	94.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Pulaski County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	194	491.7	423.8	567.8	116	659.7	543.3	794.4	78	373.4	292.9	469.9
Oral Cavity and Pharynx	4	9.7	2.6	26.2	3	15.6	3.2	48.7	1	4.6	0.1	29.1
Esophagus	1	4.6	0.1	21.8	1	9.9	0.3	46.5	0	0.0	0.0	21.6
Stomach	2	6.0	0.7	21.9	0	0.0	0.0	24.2	2	11.3	1.2	41.7
Colon and Rectum	20	47.9	29.2	74.9	14	74.8	40.6	127.9	6	25.9	9.4	59.6
Liver	4	9.7	2.6	26.2	3	15.7	3.2	48.9	1	4.6	0.1	29.1
Pancreas	5	12.0	3.9	29.4	5	26.8	8.7	65.0	0	0.0	0.0	21.6
Lung and Bronchus	39	93.9	66.7	129.2	22	123.0	76.5	188.4	17	73.0	42.3	119.5
Bones and Joints	1	3.6	0.1	18.5	1	7.3	0.2	38.5	0	0.0	0.0	21.6
Melanoma of the Skin	4	10.6	2.8	28.3	3	17.9	3.6	54.0	1	4.7	0.1	29.6
Breast (invasive)	18	50.9	29.5	81.7	0	0.0	0.0	24.2	18	95.0	54.9	153.1
Cervix									1	4.6	0.1	29.1
Corpus and Uterus, NOS									5	27.0	8.1	65.3
Ovary									3	14.2	2.9	44.2
Prostate					32	181.0	123.3	257.3				
Testis					0	0.0	0.0	24.2				
Urinary Bladder (includes *in situ*)	7	17.6	7.1	37.2	4	21.9	5.9	58.4	3	13.8	2.8	43.3
Kidney and Renal Pelvis	11	32.1	15.4	58.8	6	44.4	15.7	96.5	5	22.5	7.1	55.5
Brain and Nervous System	4	9.8	2.7	26.4	3	16.6	3.4	51.0	1	4.7	0.1	29.6
Hodgkin Lymphoma	0	0.0	0.0	11.3	0	0.0	0.0	24.2	0	0.0	0.0	21.6
Non-Hodgkin Lymphoma	3	6.7	1.4	21.5	2	13.1	1.5	47.6	1	3.3	0.1	26.1
Myeloma	3	7.1	1.5	22.4	1	5.4	0.1	33.4	2	8.7	1.1	35.2
Leukemia	1	2.1	0.1	14.6	1	5.4	0.1	33.4	0	0.0	0.0	21.6
All Other Sites	26	65.1	42.2	96.5	15	80.9	45.0	135.7	11	55.5	27.0	101.9
Breast *in situ* (not in total)									4	18.3	5.0	49.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Putnam County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	209	527.8	457.5	606.8	112	585.7	480.4	709.1	97	488.4	393.5	601.2
Oral Cavity and Pharynx	1	2.2	0.1	16.1	1	4.3	0.1	32.5	0	0.0	0.0	25.8
Esophagus	4	9.4	2.5	26.6	4	21.4	5.8	58.8	0	0.0	0.0	25.8
Stomach	5	11.8	3.8	30.1	4	20.6	5.5	57.2	1	4.5	0.1	32.5
Colon and Rectum	27	67.1	43.9	99.5	16	78.4	44.3	131.7	11	60.5	29.9	111.3
Liver	1	2.0	0.1	15.8	1	4.1	0.1	32.1	0	0.0	0.0	25.8
Pancreas	5	12.0	3.9	30.4	3	16.5	3.3	52.0	2	7.6	0.9	36.2
Lung and Bronchus	37	89.5	62.8	125.0	15	80.1	44.5	135.5	22	100.4	62.6	156.2
Bones and Joints	0	0.0	0.0	12.9	0	0.0	0.0	26.2	0	0.0	0.0	25.8
Melanoma of the Skin	6	17.3	6.1	39.5	3	15.3	3.1	49.5	3	18.4	3.3	57.3
Breast (invasive)	23	60.0	37.9	91.4	1	4.9	0.1	33.8	22	114.1	71.1	175.9
Cervix									0	0.0	0.0	25.8
Corpus and Uterus, NOS									5	24.1	7.8	60.9
Ovary									4	15.2	4.1	46.4
Prostate					28	142.6	94.1	209.9				
Testis					1	9.6	0.2	46.9				
Urinary Bladder (includes *in situ*)	8	18.5	7.9	38.8	8	41.2	17.6	85.3	0	0.0	0.0	25.8
Kidney and Renal Pelvis	9	20.7	9.4	41.5	8	38.9	16.4	81.5	1	3.6	0.1	30.7
Brain and Nervous System	0	0.0	0.0	12.9	0	0.0	0.0	26.2	0	0.0	0.0	25.8
Hodgkin Lymphoma	1	2.7	0.1	17.2	1	4.9	0.1	33.8	0	0.0	0.0	25.8
Non-Hodgkin Lymphoma	9	27.0	11.7	53.2	4	23.6	6.2	63.6	5	31.2	8.8	77.3
Myeloma	0	0.0	0.0	12.9	0	0.0	0.0	26.2	0	0.0	0.0	25.8
Leukemia	8	20.9	8.9	43.1	3	20.2	4.1	59.8	5	22.6	7.0	58.7
All Other Sites	27	72.3	47.4	106.8	11	58.9	29.1	108.8	16	86.1	48.6	143.2
Breast *in situ* (not in total)									1	4.5	0.1	32.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Randolph County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	950	493.4	462.3	526.2	506	589.5	538.8	643.7	444	434.6	393.5	479.1
Oral Cavity and Pharynx	28	15.0	9.9	21.8	20	22.0	13.4	34.2	8	7.5	3.2	15.7
Esophagus	7	3.6	1.5	7.6	6	7.1	2.6	15.5	1	1.0	0.0	6.6
Stomach	5	2.4	0.8	5.8	3	3.5	0.7	10.3	2	1.4	0.2	6.9
Colon and Rectum	110	55.7	45.7	67.4	50	59.8	44.3	79.0	60	54.3	41.0	71.1
Liver	14	7.1	3.9	12.2	11	12.0	6.0	21.7	3	2.2	0.4	8.1
Pancreas	29	13.9	9.3	20.3	17	21.2	12.3	33.9	12	8.9	4.5	16.7
Lung and Bronchus	148	76.4	64.5	89.9	94	108.6	87.6	133.2	54	52.7	39.4	69.5
Bones and Joints	0	0.0	0.0	2.2	0	0.0	0.0	4.4	0	0.0	0.0	4.9
Melanoma of the Skin	29	16.0	10.7	23.0	17	19.0	11.0	30.7	12	11.9	6.1	21.4
Breast (invasive)	123	63.8	53.0	76.3	2	2.1	0.3	7.9	121	119.9	99.0	144.2
Cervix									10	12.7	5.8	23.8
Corpus and Uterus, NOS									25	23.9	15.2	36.2
Ovary									11	10.7	5.0	20.2
Prostate					146	171.9	145.0	202.5				
Testis					5	4.7	1.5	11.6				
Urinary Bladder (includes *in situ*)	39	19.4	13.8	26.8	31	37.6	25.5	53.5	8	5.6	2.3	12.6
Kidney and Renal Pelvis	32	17.3	11.8	24.6	19	21.7	13.0	34.1	13	14.6	7.4	25.8
Brain and Nervous System	12	6.6	3.4	11.7	4	4.5	1.2	11.6	8	9.6	3.9	19.6
Hodgkin Lymphoma	4	2.4	0.7	6.2	2	2.2	0.3	8.2	2	2.5	0.3	9.3
Non-Hodgkin Lymphoma	41	21.9	15.7	29.9	17	19.8	11.5	31.9	24	24.1	15.2	36.7
Myeloma	11	5.8	2.9	10.5	6	7.5	2.7	16.3	5	4.6	1.5	11.6
Leukemia	27	13.6	8.9	20.1	15	17.0	9.4	28.3	12	11.4	5.6	20.9
All Other Sites	94	48.8	39.3	60.0	41	47.3	33.8	64.4	53	55.1	40.6	73.4
Breast *in situ* (not in total)									26	26.7	17.1	39.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Richland County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	553	525.3	481.2	572.5	310	672.9	599.4	753.3	243	421.0	366.9	481.5
Oral Cavity and Pharynx	13	13.6	7.1	23.8	11	25.6	12.7	46.4	2	3.3	0.4	14.2
Esophagus	5	4.6	1.5	11.5	4	8.3	2.3	22.5	1	1.6	0.0	11.8
Stomach	7	6.3	2.5	13.7	5	10.4	3.3	25.4	2	2.5	0.3	12.7
Colon and Rectum	71	61.9	48.1	78.9	43	89.8	64.9	121.8	28	39.3	25.6	59.3
Liver	3	2.9	0.6	9.2	2	4.7	0.6	17.7	1	1.6	0.0	11.8
Pancreas	10	8.8	4.2	17.0	6	12.4	4.6	28.2	4	5.1	1.3	16.2
Lung and Bronchus	79	72.2	57.0	90.6	45	95.4	69.5	128.5	34	56.1	38.6	80.0
Bones and Joints	0	0.0	0.0	4.7	0	0.0	0.0	9.7	0	0.0	0.0	9.4
Melanoma of the Skin	19	21.0	12.3	33.4	13	29.5	15.5	51.2	6	15.4	5.3	34.0
Breast (invasive)	62	58.6	44.5	76.2	0	0.0	0.0	9.7	62	106.5	80.1	139.5
Cervix									6	13.4	4.8	30.0
Corpus and Uterus, NOS									21	38.7	23.5	60.7
Ovary									7	12.8	4.8	28.3
Prostate					84	174.4	139.0	216.6				
Testis					4	13.7	3.7	33.5				
Urinary Bladder (includes *in situ*)	33	28.3	19.2	40.5	25	52.9	34.2	78.9	8	12.3	4.8	27.1
Kidney and Renal Pelvis	16	14.5	8.2	24.2	10	21.6	10.3	40.5	6	9.3	3.3	22.3
Brain and Nervous System	5	4.8	1.5	12.1	0	0.0	0.0	9.7	5	8.7	2.5	22.6
Hodgkin Lymphoma	1	1.3	0.0	7.2	1	2.6	0.1	14.6	0	0.0	0.0	9.4
Non-Hodgkin Lymphoma	21	20.8	12.7	32.6	11	25.8	12.8	46.7	10	17.7	8.3	34.3
Myeloma	9	8.6	3.8	17.1	7	15.9	6.3	33.6	2	3.3	0.4	14.3
Leukemia	15	15.9	8.6	26.9	8	18.6	7.8	37.5	7	13.5	4.9	29.9
All Other Sites	62	63.2	47.9	82.0	31	71.3	48.1	102.1	31	60.1	39.9	87.4
Breast *in situ* (not in total)									13	24.3	12.4	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,422	504.3	489.4	519.6	2,259	577.8	554.0	602.4	2,163	455.2	435.7	475.5
Oral Cavity and Pharynx	120	13.8	11.4	16.6	78	19.5	15.4	24.4	42	9.3	6.6	12.8
Esophagus	46	5.1	3.7	6.8	34	8.7	6.0	12.3	12	2.3	1.2	4.1
Stomach	54	6.1	4.5	7.9	37	9.5	6.6	13.1	17	3.4	2.0	5.6
Colon and Rectum	506	56.5	51.6	61.7	246	63.6	55.8	72.2	260	51.4	45.2	58.3
Liver	30	3.3	2.2	4.8	24	5.7	3.7	8.6	6	1.2	0.4	2.8
Pancreas	102	11.1	9.0	13.5	52	13.1	9.7	17.2	50	9.4	6.9	12.6
Lung and Bronchus	670	74.8	69.2	80.8	362	92.4	83.0	102.5	308	62.1	55.2	69.6
Bones and Joints	7	1.0	0.4	2.0	4	1.2	0.3	3.0	3	0.7	0.1	2.3
Melanoma of the Skin	151	18.1	15.3	21.3	82	21.8	17.3	27.2	69	15.9	12.3	20.3
Breast (invasive)	620	70.8	65.3	76.7	3	0.7	0.1	2.2	617	130.1	119.7	141.1
Cervix									42	11.2	8.0	15.2
Corpus and Uterus, NOS									143	30.8	25.9	36.5
Ovary									57	12.4	9.3	16.2
Prostate					609	149.5	137.8	162.0				
Testis					25	7.4	4.7	10.9				
Urinary Bladder (includes *in situ*)	223	24.3	21.2	27.8	175	45.7	39.2	53.1	48	8.8	6.4	11.8
Kidney and Renal Pelvis	165	19.1	16.2	22.3	104	26.5	21.6	32.2	61	12.9	9.8	16.7
Brain and Nervous System	64	7.9	6.1	10.2	38	10.3	7.3	14.2	26	5.9	3.8	8.7
Hodgkin Lymphoma	26	3.3	2.2	4.9	21	5.6	3.4	8.6	5	1.3	0.4	3.0
Non-Hodgkin Lymphoma	165	18.6	15.8	21.7	80	20.6	16.3	25.8	85	17.0	13.5	21.1
Myeloma	36	4.1	2.9	5.7	19	5.1	3.0	7.9	17	3.5	2.0	5.9
Leukemia	94	11.3	9.1	13.9	56	15.1	11.4	19.7	38	8.9	6.2	12.4
All Other Sites	467	55.0	50.0	60.3	210	55.7	48.4	63.9	257	56.8	49.8	64.5
Breast *in situ* (not in total)									151	33.3	28.0	39.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,789	505.3	493.3	517.5	3,452	611.2	590.6	632.2	3,337	439.7	424.7	455.0
Oral Cavity and Pharynx	179	13.3	11.4	15.4	120	20.1	16.6	24.1	59	8.1	6.1	10.5
Esophagus	103	7.7	6.2	9.3	89	15.5	12.4	19.1	14	1.9	1.0	3.2
Stomach	73	5.3	4.2	6.7	44	7.9	5.7	10.7	29	3.6	2.4	5.2
Colon and Rectum	748	55.4	51.5	59.6	353	64.2	57.6	71.4	395	49.5	44.7	54.7
Liver	53	3.9	2.9	5.1	32	5.3	3.6	7.5	21	2.9	1.8	4.4
Pancreas	165	12.2	10.4	14.2	87	16.0	12.7	19.7	78	9.8	7.7	12.3
Lung and Bronchus	1,170	87.3	82.3	92.4	622	111.5	102.8	120.7	548	71.4	65.5	77.7
Bones and Joints	13	1.0	0.5	1.7	9	1.4	0.7	2.8	4	0.5	0.1	1.4
Melanoma of the Skin	161	12.1	10.3	14.1	97	17.3	13.9	21.1	64	8.8	6.8	11.3
Breast (invasive)	956	71.5	67.0	76.2	1	0.2	0.0	1.0	955	129.4	121.3	138.0
Cervix									71	10.1	7.8	12.7
Corpus and Uterus, NOS									165	22.1	18.9	25.8
Ovary									79	10.3	8.2	12.9
Prostate					942	161.8	151.4	172.6				
Testis					25	4.3	2.8	6.3				
Urinary Bladder (includes *in situ*)	320	23.7	21.2	26.4	233	43.9	38.4	50.0	87	10.7	8.6	13.3
Kidney and Renal Pelvis	298	22.1	19.6	24.8	180	32.0	27.4	37.1	118	15.2	12.5	18.2
Brain and Nervous System	82	6.3	5.0	7.9	59	10.3	7.8	13.3	23	3.3	2.1	4.9
Hodgkin Lymphoma	45	3.5	2.5	4.7	25	4.2	2.7	6.3	20	2.9	1.8	4.5
Non-Hodgkin Lymphoma	265	19.8	17.5	22.3	124	21.6	17.9	25.8	141	18.0	15.1	21.3
Myeloma	99	7.3	5.9	8.9	51	9.1	6.8	12.0	48	6.0	4.4	8.0
Leukemia	147	10.9	9.2	12.8	75	13.8	10.8	17.3	72	9.4	7.3	11.8
All Other Sites	630	46.8	43.2	50.6	284	51.0	45.1	57.4	346	45.8	41.1	51.0
Breast *in situ* (not in total)									237	32.3	28.3	36.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Saline County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	870	504.3	470.5	540.0	451	605.5	550.5	664.7	419	444.5	400.6	492.3
Oral Cavity and Pharynx	10	5.9	2.8	11.2	7	8.8	3.5	18.8	3	3.4	0.7	11.1
Esophagus	9	5.0	2.3	9.9	5	6.7	2.2	16.2	4	4.1	1.1	11.8
Stomach	15	7.9	4.4	13.6	8	11.9	5.1	23.7	7	5.1	1.9	12.4
Colon and Rectum	117	66.1	54.5	79.7	68	91.9	71.2	116.9	49	46.9	34.1	63.6
Liver	3	1.8	0.4	5.8	3	4.2	0.9	12.7	0	0.0	0.0	5.7
Pancreas	16	9.3	5.3	15.5	10	13.5	6.4	25.3	6	6.4	2.3	15.0
Lung and Bronchus	173	95.8	81.8	111.7	103	137.3	111.9	166.9	70	67.1	51.7	86.3
Bones and Joints	1	0.6	0.0	3.8	0	0.0	0.0	6.0	1	1.0	0.0	7.1
Melanoma of the Skin	32	20.0	13.4	28.7	18	25.0	14.7	40.0	14	17.5	9.2	30.5
Breast (invasive)	131	79.8	66.3	95.4	1	1.3	0.0	8.0	130	144.5	119.4	173.5
Cervix									5	9.3	2.9	21.5
Corpus and Uterus, NOS									21	22.3	13.4	35.3
Ovary									9	10.8	4.8	21.3
Prostate					106	138.8	113.5	168.3				
Testis					2	2.8	0.3	10.6				
Urinary Bladder (includes *in situ*)	30	17.2	11.5	25.1	26	36.2	23.5	53.5	4	3.4	0.9	10.3
Kidney and Renal Pelvis	38	21.7	15.2	30.2	24	31.2	19.9	46.9	14	16.6	8.8	28.9
Brain and Nervous System	6	3.2	1.2	7.4	1	1.3	0.0	8.0	5	4.5	1.4	12.0
Hodgkin Lymphoma	4	3.0	0.8	7.9	2	3.9	0.5	13.3	2	2.0	0.2	8.6
Non-Hodgkin Lymphoma	35	20.3	14.1	28.6	20	27.3	16.6	42.5	15	15.6	8.6	26.7
Myeloma	8	4.6	2.0	9.5	4	5.1	1.4	13.9	4	4.4	1.2	12.3
Leukemia	27	15.1	9.8	22.5	13	17.2	9.1	29.9	14	14.4	7.4	25.8
All Other Sites	72	42.8	33.2	54.4	30	41.3	27.8	59.5	42	45.3	31.9	62.9
Breast *in situ* (not in total)									14	15.7	8.5	27.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,715	529.5	515.7	543.6	2,945	641.0	617.7	665.1	2,770	460.2	442.9	478.0
Oral Cavity and Pharynx	149	13.5	11.4	15.8	100	20.2	16.4	24.7	49	7.9	5.8	10.6
Esophagus	70	6.4	4.9	8.1	53	10.9	8.1	14.3	17	2.7	1.6	4.4
Stomach	57	5.1	3.9	6.7	33	7.2	5.0	10.2	24	3.8	2.4	5.8
Colon and Rectum	629	57.9	53.4	62.7	321	70.3	62.7	78.6	308	49.0	43.6	55.0
Liver	67	6.0	4.6	7.6	46	9.1	6.6	12.2	21	3.4	2.1	5.3
Pancreas	135	12.4	10.4	14.7	64	14.4	11.0	18.4	71	10.9	8.5	13.8
Lung and Bronchus	900	83.5	78.1	89.2	513	113.8	104.0	124.2	387	63.3	57.1	70.0
Bones and Joints	8	0.9	0.4	1.7	5	1.1	0.4	2.7	3	0.6	0.1	1.7
Melanoma of the Skin	199	19.1	16.5	22.0	108	22.9	18.7	27.8	91	17.0	13.6	21.0
Breast (invasive)	802	73.7	68.6	79.0	11	2.5	1.2	4.5	791	132.0	122.8	141.7
Cervix									51	9.5	7.0	12.5
Corpus and Uterus, NOS									145	24.0	20.2	28.3
Ovary									73	11.8	9.2	14.9
Prostate					738	157.7	146.3	169.7				
Testis					28	6.4	4.2	9.3				
Urinary Bladder (includes *in situ*)	303	28.0	24.9	31.4	224	51.8	45.1	59.1	79	12.6	9.9	15.8
Kidney and Renal Pelvis	226	20.8	18.1	23.7	141	30.0	25.2	35.5	85	14.3	11.4	17.8
Brain and Nervous System	75	7.1	5.6	8.9	35	7.7	5.3	10.7	40	6.9	4.9	9.5
Hodgkin Lymphoma	38	3.8	2.7	5.2	24	5.2	3.3	7.7	14	2.6	1.4	4.4
Non-Hodgkin Lymphoma	230	21.3	18.6	24.3	121	26.9	22.2	32.2	109	17.8	14.5	21.5
Myeloma	74	6.9	5.4	8.7	46	10.2	7.4	13.7	28	4.7	3.1	6.9
Leukemia	146	14.0	11.8	16.5	83	18.8	14.9	23.4	63	10.4	8.0	13.5
All Other Sites	572	54.1	49.7	58.8	251	53.9	47.4	61.2	321	55.0	49.0	61.6
Breast *in situ* (not in total)									252	43.5	38.2	49.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Schuyler County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	203	422.7	365.1	487.6	106	483.7	395.4	587.1	97	373.8	298.9	463.6
Oral Cavity and Pharynx	3	5.7	1.1	19.1	3	14.0	2.9	43.5	0	0.0	0.0	22.2
Esophagus	2	5.5	0.6	20.5	0	0.0	0.0	21.4	2	10.4	1.1	40.2
Stomach	5	13.0	4.0	31.3	2	8.8	1.1	35.5	3	17.7	3.3	52.8
Colon and Rectum	30	57.8	38.6	84.4	10	43.3	20.7	82.3	20	70.7	41.9	114.9
Liver	1	2.1	0.1	14.1	1	4.1	0.1	27.9	0	0.0	0.0	22.2
Pancreas	6	11.6	4.1	27.3	2	8.7	1.1	35.2	4	11.9	3.0	38.2
Lung and Bronchus	32	64.8	44.1	93.0	20	88.1	53.8	138.3	12	43.0	21.4	80.7
Bones and Joints	0	0.0	0.0	10.8	0	0.0	0.0	21.4	0	0.0	0.0	22.2
Melanoma of the Skin	5	10.9	3.3	27.5	3	13.0	2.7	41.4	2	9.3	0.7	39.0
Breast (invasive)	22	47.0	29.0	73.0	1	4.3	0.1	28.5	21	85.3	51.5	135.1
Cervix									1	5.3	0.1	31.6
Corpus and Uterus, NOS									4	16.9	4.5	47.2
Ovary									4	12.4	3.1	39.3
Prostate					27	122.1	80.4	179.6				
Testis					3	18.0	3.6	52.5				
Urinary Bladder (includes *in situ*)	12	24.0	11.9	44.2	10	45.4	21.8	85.6	2	12.1	1.2	44.9
Kidney and Renal Pelvis	4	8.6	2.3	23.7	3	13.7	2.8	42.8	1	3.9	0.1	28.1
Brain and Nervous System	3	7.4	1.3	23.2	1	7.2	0.2	36.5	2	6.6	0.7	31.5
Hodgkin Lymphoma	1	2.0	0.0	13.8	1	4.0	0.1	27.5	0	0.0	0.0	22.2
Non-Hodgkin Lymphoma	6	11.9	4.3	27.8	4	18.8	5.1	50.4	2	7.8	0.9	33.8
Myeloma	1	2.7	0.1	15.5	0	0.0	0.0	21.4	1	5.3	0.1	31.6
Leukemia	6	12.9	4.4	30.1	4	19.6	5.2	52.6	2	4.5	0.5	27.5
All Other Sites	25	49.8	31.9	75.3	11	50.4	25.1	92.3	14	50.6	26.7	90.5
Breast *in situ* (not in total)									1	3.6	0.1	27.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Scott County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	154	466.2	394.2	548.2	79	509.1	401.9	637.5	75	445.8	348.0	563.9
Oral Cavity and Pharynx	2	5.5	0.7	22.6	2	12.9	1.5	50.1	0	0.0	0.0	27.8
Esophagus	0	0.0	0.0	14.0	0	0.0	0.0	28.8	0	0.0	0.0	27.8
Stomach	0	0.0	0.0	14.0	0	0.0	0.0	28.8	0	0.0	0.0	27.8
Colon and Rectum	19	53.3	31.9	84.8	8	50.7	21.7	102.9	11	56.5	27.8	105.9
Liver	2	5.6	0.7	22.8	1	7.1	0.2	41.5	1	5.3	0.1	36.1
Pancreas	4	10.7	2.9	29.9	4	22.6	6.2	62.6	0	0.0	0.0	27.8
Lung and Bronchus	27	77.1	50.7	113.6	16	97.9	55.8	161.8	11	59.2	29.4	109.8
Bones and Joints	0	0.0	0.0	14.0	0	0.0	0.0	28.8	0	0.0	0.0	27.8
Melanoma of the Skin	9	27.6	12.3	54.3	3	19.6	4.0	60.2	6	36.8	12.9	83.8
Breast (invasive)	22	72.3	45.0	110.7	0	0.0	0.0	28.8	22	140.1	86.8	215.0
Cervix									1	10.7	0.3	51.2
Corpus and Uterus, NOS									5	34.4	10.5	82.8
Ovary									2	11.8	1.4	46.9
Prostate					18	110.5	65.3	177.5				
Testis					3	27.6	5.6	77.8				
Urinary Bladder (includes *in situ*)	5	14.7	4.8	36.1	4	26.1	7.1	69.6	1	5.7	0.1	37.1
Kidney and Renal Pelvis	7	20.2	8.0	43.5	5	30.9	9.9	75.6	2	12.7	1.5	49.0
Brain and Nervous System	1	4.0	0.1	21.8	1	7.8	0.2	43.3	0	0.0	0.0	27.8
Hodgkin Lymphoma	1	4.0	0.1	21.8	1	8.3	0.2	44.9	0	0.0	0.0	27.8
Non-Hodgkin Lymphoma	7	18.2	7.2	39.9	5	32.0	10.3	77.7	2	9.1	0.9	41.5
Myeloma	1	2.9	0.1	18.8	1	5.5	0.1	37.6	0	0.0	0.0	27.8
Leukemia	5	15.2	4.8	37.1	2	13.3	1.6	50.9	3	15.2	2.8	51.2
All Other Sites	13	41.4	21.7	72.3	5	36.3	11.6	86.2	8	48.3	20.6	98.3
Breast *in situ* (not in total)									11	61.9	30.7	114.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Shelby County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	715	484.3	448.6	522.2	401	588.7	531.9	650.1	314	409.4	363.1	460.4
Oral Cavity and Pharynx	17	12.7	7.2	20.8	11	16.0	7.9	29.5	6	9.5	3.2	21.9
Esophagus	7	4.4	1.8	9.7	5	6.7	2.2	16.7	2	2.0	0.2	9.8
Stomach	9	6.0	2.7	11.8	5	7.4	2.4	18.1	4	4.9	1.3	13.9
Colon and Rectum	83	53.1	42.2	66.4	53	78.3	58.5	103.2	30	33.9	22.6	49.8
Liver	4	2.7	0.7	7.5	3	4.7	1.0	14.3	1	1.6	0.0	9.8
Pancreas	17	12.1	6.9	19.9	5	8.8	2.7	20.9	12	14.0	6.9	26.1
Lung and Bronchus	109	70.4	57.8	85.4	62	90.2	69.1	116.2	47	56.5	41.3	76.3
Bones and Joints	1	1.2	0.0	5.9	0	0.0	0.0	6.8	1	2.6	0.1	12.6
Melanoma of the Skin	17	13.4	7.6	22.0	8	11.9	5.1	24.2	9	16.2	7.0	31.6
Breast (invasive)	80	54.1	42.7	67.9	5	7.8	2.5	18.9	75	95.4	74.4	121.1
Cervix									4	5.0	1.3	14.4
Corpus and Uterus, NOS									12	16.1	8.2	29.1
Ovary									13	17.6	9.0	31.5
Prostate					113	160.6	132.3	193.7				
Testis					4	8.2	2.2	20.6				
Urinary Bladder (includes *in situ*)	47	30.4	22.2	40.9	33	47.9	32.8	68.0	14	16.7	9.1	29.3
Kidney and Renal Pelvis	27	18.0	11.7	26.7	15	22.1	12.2	37.3	12	14.2	7.2	26.1
Brain and Nervous System	12	10.8	5.4	19.1	6	9.8	3.5	21.9	6	11.9	4.2	26.1
Hodgkin Lymphoma	4	3.3	0.8	8.9	2	3.1	0.4	11.9	2	4.6	0.5	15.6
Non-Hodgkin Lymphoma	31	21.6	14.5	31.3	19	29.0	17.4	45.9	12	15.4	7.4	28.7
Myeloma	9	5.8	2.7	11.6	6	8.8	3.2	19.8	3	2.9	0.6	11.0
Leukemia	19	11.2	6.7	18.1	10	14.4	6.9	27.3	9	7.8	3.5	17.0
All Other Sites	76	55.5	43.3	70.2	36	53.0	37.0	74.0	40	60.7	42.3	84.6
Breast *in situ* (not in total)									12	18.0	9.2	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Stark County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	196	471.3	405.4	545.8	85	465.1	370.1	578.5	111	499.9	405.3	611.7
Oral Cavity and Pharynx	4	9.5	2.6	26.5	4	20.9	5.5	57.6	0	0.0	0.0	25.1
Esophagus	1	3.9	0.1	20.3	0	0.0	0.0	25.6	1	7.5	0.2	39.7
Stomach	0	0.0	0.0	12.5	0	0.0	0.0	25.6	0	0.0	0.0	25.1
Colon and Rectum	27	60.4	39.3	90.2	14	76.8	41.7	131.6	13	47.7	24.5	88.3
Liver	1	1.5	0.0	14.3	0	0.0	0.0	25.6	1	2.0	0.0	27.0
Pancreas	5	10.0	3.1	26.5	0	0.0	0.0	25.6	5	17.2	5.1	48.7
Lung and Bronchus	23	51.9	32.6	79.9	13	70.6	37.3	123.5	10	40.3	19.2	79.3
Bones and Joints	0	0.0	0.0	12.5	0	0.0	0.0	25.6	0	0.0	0.0	25.1
Melanoma of the Skin	8	19.7	8.2	41.0	5	27.8	8.8	68.2	3	15.6	2.9	50.2
Breast (invasive)	32	74.6	50.6	107.4	1	5.1	0.1	33.8	31	134.2	89.8	195.6
Cervix									1	8.9	0.2	43.8
Corpus and Uterus, NOS									7	32.0	12.0	71.7
Ovary									7	40.9	15.6	87.4
Prostate					20	101.8	61.8	160.4				
Testis					1	7.2	0.2	39.3				
Urinary Bladder (includes *in situ*)	8	17.2	7.3	36.5	8	45.0	19.2	91.4	0	0.0	0.0	25.1
Kidney and Renal Pelvis	9	24.6	11.0	48.2	5	31.3	9.9	74.9	4	18.1	4.9	51.5
Brain and Nervous System	1	4.3	0.1	21.6	0	0.0	0.0	25.6	1	8.9	0.2	43.8
Hodgkin Lymphoma	0	0.0	0.0	12.5	0	0.0	0.0	25.6	0	0.0	0.0	25.1
Non-Hodgkin Lymphoma	12	24.8	12.7	45.7	4	19.2	5.2	54.0	8	28.6	11.9	63.6
Myeloma	1	2.3	0.1	16.0	0	0.0	0.0	25.6	1	4.1	0.1	30.9
Leukemia	7	16.3	6.0	36.6	2	12.2	1.4	46.1	5	20.7	5.3	57.2
All Other Sites	21	58.4	35.1	91.6	8	47.2	19.7	96.0	13	73.5	36.9	130.9
Breast *in situ* (not in total)									7	38.1	14.8	81.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Stephenson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,254	405.2	382.8	428.8	617	459.5	423.6	497.7	637	372.6	343.2	404.1
Oral Cavity and Pharynx	35	12.3	8.5	17.3	24	18.0	11.5	27.1	11	7.0	3.4	13.1
Esophagus	26	8.3	5.4	12.3	23	16.4	10.4	24.9	3	1.5	0.3	5.3
Stomach	16	5.4	3.0	8.9	12	9.2	4.7	16.2	4	2.5	0.6	7.0
Colon and Rectum	166	51.0	43.5	59.7	82	61.2	48.6	76.3	84	44.1	34.9	55.4
Liver	7	2.2	0.9	4.7	4	2.7	0.7	7.4	3	1.9	0.4	6.1
Pancreas	35	10.4	7.2	14.7	22	16.7	10.4	25.5	13	6.5	3.4	11.8
Lung and Bronchus	217	68.4	59.5	78.3	108	79.3	64.9	96.0	109	62.5	51.0	76.0
Bones and Joints	2	0.9	0.1	3.3	1	0.8	0.0	4.6	1	1.2	0.0	5.7
Melanoma of the Skin	28	10.0	6.6	14.8	9	7.8	3.5	15.0	19	12.4	7.3	19.9
Breast (invasive)	192	63.8	55.0	73.8	1	0.6	0.0	4.3	191	116.8	100.3	135.5
Cervix									9	5.4	2.4	10.9
Corpus and Uterus, NOS									37	21.8	15.2	30.6
Ovary									14	9.2	5.0	15.9
Prostate					134	96.5	80.8	114.5				
Testis					6	6.1	2.2	13.2				
Urinary Bladder (includes *in situ*)	62	19.0	14.6	24.6	47	34.6	25.4	46.3	15	8.3	4.6	14.2
Kidney and Renal Pelvis	29	9.0	6.0	13.2	18	12.8	7.6	20.6	11	5.8	2.9	11.1
Brain and Nervous System	17	5.8	3.4	9.5	7	5.2	2.1	10.9	10	6.6	3.1	12.6
Hodgkin Lymphoma	9	4.0	1.8	7.7	5	4.2	1.3	10.1	4	3.9	1.0	9.9
Non-Hodgkin Lymphoma	48	15.4	11.3	20.7	25	19.1	12.3	28.5	23	11.5	7.2	17.9
Myeloma	17	5.4	3.1	8.8	10	7.6	3.6	14.2	7	3.9	1.5	8.6
Leukemia	41	13.6	9.7	18.6	24	18.7	11.9	28.1	17	9.6	5.4	15.9
All Other Sites	107	34.9	28.5	42.5	55	41.9	31.5	54.9	52	30.1	22.1	40.2
Breast *in situ* (not in total)									32	20.2	13.7	28.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Tazewell County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,125	533.3	517.0	550.0	2,200	626.3	600.2	653.3	1,925	470.0	448.8	491.9
Oral Cavity and Pharynx	88	11.4	9.1	14.1	57	15.6	11.8	20.3	31	7.7	5.2	11.1
Esophagus	41	5.2	3.7	7.1	37	10.3	7.2	14.3	4	1.0	0.3	2.7
Stomach	47	5.9	4.4	8.0	25	7.5	4.9	11.2	22	4.7	2.9	7.3
Colon and Rectum	429	54.4	49.3	59.8	234	68.0	59.5	77.4	195	44.7	38.5	51.6
Liver	27	3.5	2.3	5.1	21	6.0	3.7	9.2	6	1.4	0.5	3.1
Pancreas	89	11.2	9.0	13.8	42	12.1	8.7	16.4	47	10.4	7.6	14.0
Lung and Bronchus	627	79.2	73.1	85.7	375	106.7	96.1	118.1	252	58.0	51.0	65.7
Bones and Joints	7	1.1	0.5	2.3	2	0.7	0.1	2.4	5	1.6	0.5	3.7
Melanoma of the Skin	233	31.7	27.7	36.1	116	33.0	27.2	39.6	117	32.7	26.9	39.3
Breast (invasive)	494	64.1	58.5	70.1	3	0.9	0.2	2.6	491	119.9	109.4	131.2
Cervix									43	12.1	8.7	16.4
Corpus and Uterus, NOS									120	29.4	24.3	35.3
Ovary									62	14.6	11.1	18.9
Prostate					607	167.9	154.7	181.9				
Testis					26	8.6	5.6	12.6				
Urinary Bladder (includes *in situ*)	195	24.7	21.3	28.4	155	44.9	38.1	52.6	40	9.0	6.4	12.4
Kidney and Renal Pelvis	161	20.6	17.5	24.1	94	26.1	21.1	32.1	67	15.9	12.3	20.3
Brain and Nervous System	79	10.7	8.4	13.4	46	13.5	9.8	18.0	33	8.5	5.8	12.0
Hodgkin Lymphoma	21	3.2	2.0	4.9	8	2.5	1.1	4.9	13	4.1	2.2	7.0
Non-Hodgkin Lymphoma	170	21.9	18.7	25.5	97	27.6	22.4	33.8	73	16.9	13.1	21.4
Myeloma	26	3.3	2.2	4.9	19	5.5	3.3	8.7	7	1.8	0.7	3.8
Leukemia	115	15.0	12.4	18.1	67	20.4	15.8	25.9	48	11.5	8.4	15.4
All Other Sites	418	56.2	50.9	61.9	169	48.6	41.5	56.7	249	64.2	56.3	73.0
Breast *in situ* (not in total)									130	32.8	27.4	39.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Union County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	539	456.5	417.9	497.9	284	544.9	482.3	613.8	255	400.6	350.9	455.8
Oral Cavity and Pharynx	18	15.1	8.9	24.4	9	14.7	6.7	29.1	9	15.1	6.8	29.8
Esophagus	4	3.3	0.9	9.2	3	5.7	1.1	17.6	1	2.1	0.1	11.9
Stomach	7	5.6	2.1	12.2	3	6.8	1.4	20.0	4	3.7	1.0	12.6
Colon and Rectum	61	51.7	39.3	67.1	33	64.7	44.1	92.0	28	38.8	25.2	58.1
Liver	3	2.7	0.5	8.4	2	4.8	0.6	17.1	1	1.2	0.0	9.7
Pancreas	8	6.9	2.9	14.1	6	12.2	4.4	27.3	2	2.8	0.3	12.4
Lung and Bronchus	98	80.5	65.1	98.8	62	116.6	88.9	150.5	36	53.9	37.4	76.1
Bones and Joints	2	1.8	0.2	7.2	1	2.3	0.1	12.7	1	2.5	0.1	13.1
Melanoma of the Skin	17	16.7	9.5	27.3	11	22.2	10.9	40.5	6	12.9	4.5	28.5
Breast (invasive)	69	59.5	46.0	75.9	1	1.5	0.0	10.8	68	110.6	85.1	141.8
Cervix									3	7.5	1.5	21.4
Corpus and Uterus, NOS									17	29.4	16.7	48.2
Ovary									10	16.4	7.6	31.5
Prostate					62	115.9	88.4	149.5				
Testis					3	7.6	1.5	21.8				
Urinary Bladder (includes *in situ*)	22	17.5	10.9	27.0	13	27.6	14.6	47.7	9	12.4	5.6	25.1
Kidney and Renal Pelvis	21	18.7	11.3	29.3	14	28.8	15.5	49.0	7	10.5	3.8	23.8
Brain and Nervous System	8	6.9	3.0	14.1	2	3.4	0.4	13.9	6	9.7	3.5	22.3
Hodgkin Lymphoma	4	4.0	1.0	10.6	2	4.0	0.4	15.4	2	3.9	0.4	14.9
Non-Hodgkin Lymphoma	17	14.7	8.5	24.1	11	20.8	10.2	38.1	6	7.8	2.8	19.1
Myeloma	11	9.4	4.7	17.3	5	10.3	3.3	24.6	6	10.0	3.6	22.8
Leukemia	16	11.9	6.8	20.0	7	12.5	4.9	26.9	9	11.8	5.2	24.5
All Other Sites	58	47.7	36.0	62.3	34	62.7	43.2	88.6	24	37.7	23.5	58.0
Breast *in situ* (not in total)									10	18.6	8.7	35.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,591	522.1	502.0	542.9	1,370	618.6	586.0	652.6	1,221	457.0	431.0	484.3
Oral Cavity and Pharynx	58	12.7	9.6	16.5	42	19.8	14.2	26.9	16	5.9	3.3	10.0
Esophagus	25	5.1	3.3	7.6	22	9.5	6.0	14.5	3	1.2	0.2	3.8
Stomach	20	4.0	2.5	6.3	15	6.8	3.8	11.3	5	2.0	0.6	4.9
Colon and Rectum	290	56.3	49.9	63.2	147	67.3	56.8	79.3	143	48.4	40.6	57.4
Liver	22	4.6	2.9	7.0	16	7.0	4.0	11.5	6	2.2	0.8	5.0
Pancreas	49	9.8	7.2	13.1	21	10.1	6.2	15.5	28	10.1	6.6	14.8
Lung and Bronchus	464	91.2	83.0	100.0	264	118.1	104.1	133.4	200	71.0	61.4	81.9
Bones and Joints	4	1.0	0.3	2.6	2	0.9	0.1	3.5	2	1.1	0.1	3.9
Melanoma of the Skin	73	16.0	12.5	20.2	34	16.6	11.4	23.3	39	16.7	11.7	23.2
Breast (invasive)	335	68.6	61.3	76.5	3	1.3	0.3	4.0	332	126.4	112.8	141.3
Cervix									17	9.0	5.2	14.5
Corpus and Uterus, NOS									54	21.4	15.9	28.2
Ovary									32	12.1	8.2	17.3
Prostate					414	182.4	165.2	201.1				
Testis					9	4.5	2.1	8.6				
Urinary Bladder (includes *in situ*)	124	24.2	20.1	28.9	95	43.7	35.3	53.6	29	10.4	6.9	15.2
Kidney and Renal Pelvis	88	18.1	14.5	22.4	51	22.9	17.0	30.2	37	14.1	9.8	19.6
Brain and Nervous System	30	6.7	4.5	9.7	11	5.1	2.5	9.3	19	8.3	4.9	13.1
Hodgkin Lymphoma	13	3.3	1.7	5.7	8	4.1	1.8	8.1	5	2.5	0.8	5.8
Non-Hodgkin Lymphoma	96	19.3	15.6	23.7	47	21.0	15.3	28.0	49	17.2	12.6	23.1
Myeloma	27	5.4	3.5	7.9	19	8.7	5.2	13.7	8	2.6	1.1	5.4
Leukemia	82	16.3	13.0	20.4	39	17.9	12.7	24.6	43	14.8	10.6	20.3
All Other Sites	265	54.3	47.8	61.4	111	50.8	41.7	61.4	154	59.5	50.1	70.2
Breast *in situ* (not in total)									111	44.2	36.2	53.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Wabash County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	353	451.0	404.2	502.1	193	566.2	488.4	653.3	160	369.0	311.4	435.0
Oral Cavity and Pharynx	9	12.5	5.6	24.5	8	23.1	9.7	46.9	1	2.7	0.1	16.8
Esophagus	5	7.9	2.5	18.6	5	16.7	5.3	39.1	0	0.0	0.0	12.1
Stomach	2	2.7	0.3	10.4	1	2.6	0.1	16.8	1	2.9	0.1	17.2
Colon and Rectum	47	59.6	43.5	80.0	25	72.9	46.9	108.6	22	49.4	30.5	76.9
Liver	6	7.5	2.7	17.0	5	12.6	4.0	31.3	1	2.2	0.1	15.3
Pancreas	13	15.3	8.0	27.2	9	26.3	11.9	50.9	4	7.9	2.1	23.3
Lung and Bronchus	71	87.9	68.5	111.5	45	132.1	96.2	177.5	26	56.4	36.5	84.6
Bones and Joints	0	0.0	0.0	6.1	0	0.0	0.0	12.5	0	0.0	0.0	12.1
Melanoma of the Skin	11	15.0	7.2	27.8	5	16.1	5.0	38.4	6	13.7	4.6	32.7
Breast (invasive)	41	53.7	38.0	74.0	0	0.0	0.0	12.5	41	99.1	69.5	137.6
Cervix									4	12.4	3.1	32.7
Corpus and Uterus, NOS									4	9.3	2.5	26.1
Ovary									5	11.3	3.6	28.7
Prostate					30	83.7	56.4	120.5				
Testis					2	6.5	0.8	23.8				
Urinary Bladder (includes *in situ*)	13	15.7	8.3	27.6	10	29.4	14.1	54.9	3	5.9	1.1	20.6
Kidney and Renal Pelvis	15	19.6	10.9	33.0	7	19.8	7.9	41.8	8	20.1	8.4	41.3
Brain and Nervous System	6	8.3	2.8	18.9	5	16.0	5.0	38.1	1	2.7	0.1	16.8
Hodgkin Lymphoma	0	0.0	0.0	6.1	0	0.0	0.0	12.5	0	0.0	0.0	12.1
Non-Hodgkin Lymphoma	15	19.0	10.4	32.2	7	22.8	9.0	47.5	8	15.5	6.5	33.5
Myeloma	1	1.4	0.0	8.5	1	3.2	0.1	18.3	0	0.0	0.0	12.1
Leukemia	10	14.1	6.5	26.8	4	12.4	3.4	32.4	6	17.7	5.9	40.2
All Other Sites	43	53.4	38.4	72.8	24	70.0	44.7	104.9	19	39.9	23.1	65.6
Breast *in situ* (not in total)									2	4.3	0.5	18.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Warren County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	488	442.0	402.8	484.3	259	528.2	465.1	597.8	229	385.9	335.5	442.2
Oral Cavity and Pharynx	9	7.8	3.5	15.5	6	12.4	4.5	27.7	3	4.8	1.0	15.7
Esophagus	4	3.4	0.9	9.5	3	6.4	1.3	19.4	1	1.8	0.0	11.7
Stomach	7	5.9	2.4	12.8	2	4.4	0.5	16.5	5	8.0	2.6	20.2
Colon and Rectum	61	52.6	40.1	68.2	34	70.0	48.3	98.4	27	41.9	27.2	62.7
Liver	5	4.3	1.4	10.7	4	8.0	2.2	21.4	1	1.8	0.0	11.7
Pancreas	14	12.3	6.7	21.1	7	13.9	5.5	29.4	7	10.0	3.9	22.5
Lung and Bronchus	79	68.9	54.4	86.5	48	97.1	71.4	129.6	31	47.7	32.0	69.2
Bones and Joints	0	0.0	0.0	4.3	0	0.0	0.0	8.9	0	0.0	0.0	8.6
Melanoma of the Skin	21	19.5	11.9	30.4	13	28.3	15.0	48.8	8	12.7	5.1	27.0
Breast (invasive)	74	71.3	55.5	90.3	3	7.2	1.3	21.5	71	128.1	98.8	163.7
Cervix									8	18.4	7.4	37.4
Corpus and Uterus, NOS									11	19.4	9.5	35.9
Ovary									4	5.8	1.4	17.3
Prostate					61	117.3	89.6	151.4				
Testis					2	4.5	0.5	16.7				
Urinary Bladder (includes *in situ*)	24	20.6	13.1	31.1	19	38.0	22.8	60.0	5	6.8	2.1	18.1
Kidney and Renal Pelvis	16	14.5	8.1	24.1	6	12.9	4.6	28.7	10	17.1	8.0	32.9
Brain and Nervous System	12	12.2	6.1	21.9	6	13.1	4.5	29.5	6	10.6	3.8	24.2
Hodgkin Lymphoma	4	5.0	1.3	12.8	3	8.2	1.6	23.5	1	1.7	0.0	11.3
Non-Hodgkin Lymphoma	13	11.5	6.1	20.3	7	14.2	5.7	30.1	6	10.7	3.8	24.4
Myeloma	4	3.3	0.8	9.3	3	6.9	1.4	20.5	1	1.3	0.0	10.4
Leukemia	14	12.7	6.9	21.9	7	14.9	5.9	31.3	7	11.5	4.5	25.1
All Other Sites	41	37.7	26.8	51.9	25	50.5	32.4	75.5	16	25.9	14.3	44.0
Breast *in situ* (not in total)									14	26.9	14.3	46.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Washington County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	441	483.7	439.1	532.0	237	571.4	500.4	649.9	204	426.5	368.5	491.7
Oral Cavity and Pharynx	10	10.8	5.1	20.5	5	12.6	4.1	29.9	5	10.9	3.3	26.8
Esophagus	5	5.1	1.7	12.7	3	7.4	1.5	22.3	2	4.1	0.5	16.5
Stomach	7	7.8	3.0	16.8	4	9.4	2.5	24.9	3	7.3	1.3	22.6
Colon and Rectum	61	65.4	49.8	84.6	31	75.3	50.9	107.6	30	58.2	38.7	84.9
Liver	11	11.6	5.7	21.4	9	22.3	10.1	42.9	2	3.3	0.4	14.8
Pancreas	9	9.2	4.1	18.1	5	12.8	4.1	30.2	4	8.0	2.1	22.1
Lung and Bronchus	66	72.7	56.1	93.0	43	103.5	74.8	140.0	23	47.9	30.1	73.2
Bones and Joints	1	1.7	0.0	8.5	0	0.0	0.0	10.2	1	3.4	0.1	17.1
Melanoma of the Skin	15	18.2	10.0	30.6	10	24.7	11.7	46.2	5	13.4	4.1	31.8
Breast (invasive)	54	59.5	44.5	78.2	0	0.0	0.0	10.2	54	114.2	85.0	150.6
Cervix									4	9.3	2.5	24.7
Corpus and Uterus, NOS									14	31.0	16.9	52.9
Ovary									3	4.9	1.0	17.1
Prostate					55	127.9	96.2	167.2				
Testis					2	7.3	0.9	24.4				
Urinary Bladder (includes *in situ*)	14	14.2	7.7	24.4	10	24.0	11.4	44.8	4	8.6	2.3	23.4
Kidney and Renal Pelvis	20	21.1	12.9	33.1	10	22.9	11.0	43.0	10	19.0	9.0	36.5
Brain and Nervous System	2	2.6	0.3	9.5	0	0.0	0.0	10.2	2	5.3	0.6	19.2
Hodgkin Lymphoma	1	1.8	0.0	8.8	0	0.0	0.0	10.2	1	3.6	0.1	17.6
Non-Hodgkin Lymphoma	23	25.3	16.0	38.3	13	29.6	15.7	51.5	10	20.8	9.8	39.6
Myeloma	2	2.3	0.3	8.9	1	2.6	0.1	15.0	1	2.0	0.1	13.2
Leukemia	9	9.6	4.3	18.9	5	12.7	4.1	30.1	4	7.3	1.9	20.9
All Other Sites	53	58.0	43.3	76.4	31	76.4	51.8	109.1	22	44.2	27.4	68.4
Breast *in situ* (not in total)									11	25.1	12.4	45.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Wayne County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	520	464.1	424.0	507.2	272	544.7	481.1	614.7	248	419.1	365.7	478.7
Oral Cavity and Pharynx	7	6.4	2.5	13.8	4	7.7	2.1	21.0	3	5.5	1.1	17.6
Esophagus	4	3.1	0.8	9.0	4	8.9	2.4	23.4	0	0.0	0.0	9.0
Stomach	5	4.5	1.4	11.2	2	3.8	0.5	15.1	3	5.0	0.9	16.7
Colon and Rectum	63	53.8	41.1	69.6	34	68.3	47.1	96.3	29	43.5	28.4	65.0
Liver	4	3.1	0.8	8.9	3	5.5	1.1	17.7	1	1.0	0.0	10.2
Pancreas	13	10.6	5.6	18.8	7	14.0	5.6	29.8	6	8.6	3.1	20.9
Lung and Bronchus	102	88.5	71.8	108.1	56	109.3	82.3	142.9	46	72.8	52.6	99.1
Bones and Joints	0	0.0	0.0	4.5	0	0.0	0.0	9.2	0	0.0	0.0	9.0
Melanoma of the Skin	16	15.4	8.6	25.6	11	23.8	11.7	43.6	5	8.7	2.7	22.1
Breast (invasive)	59	56.6	42.6	73.9	0	0.0	0.0	9.2	59	106.7	79.8	140.3
Cervix									6	13.8	4.8	30.9
Corpus and Uterus, NOS									13	23.4	12.2	41.4
Ovary									8	15.2	6.0	31.8
Prostate					74	144.0	112.9	181.7				
Testis					2	6.4	0.8	21.4				
Urinary Bladder (includes *in situ*)	25	20.6	13.3	31.0	16	30.6	17.5	50.6	9	12.8	5.8	26.5
Kidney and Renal Pelvis	11	9.8	4.8	18.2	7	14.1	5.6	30.1	4	6.4	1.6	18.5
Brain and Nervous System	2	1.7	0.2	7.1	1	1.8	0.0	12.1	1	1.5	0.0	11.2
Hodgkin Lymphoma	0	0.0	0.0	4.5	0	0.0	0.0	9.2	0	0.0	0.0	9.0
Non-Hodgkin Lymphoma	29	23.6	15.8	34.6	16	31.6	18.0	52.3	13	18.6	9.6	34.1
Myeloma	5	4.3	1.4	10.9	1	2.0	0.1	12.7	4	6.3	1.6	18.3
Leukemia	12	11.8	5.9	21.3	8	16.7	7.2	33.7	4	9.3	2.3	24.7
All Other Sites	60	57.4	43.3	74.7	26	56.0	36.4	82.9	34	59.9	40.4	86.2
Breast *in situ* (not in total)									5	7.9	2.6	20.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

White County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	479	458.4	416.9	503.2	255	551.6	485.2	625.1	224	395.3	341.8	455.5
Oral Cavity and Pharynx	13	12.9	6.8	22.8	8	16.6	7.1	34.1	5	9.8	3.0	25.0
Esophagus	6	6.0	2.2	13.9	6	12.7	4.6	29.1	0	0.0	0.0	10.1
Stomach	4	3.6	0.9	10.4	2	4.6	0.6	18.0	2	3.0	0.2	14.7
Colon and Rectum	69	64.8	49.9	83.1	41	91.2	65.0	125.1	28	40.6	26.3	61.6
Liver	3	2.6	0.5	9.0	3	6.6	1.3	20.7	0	0.0	0.0	10.1
Pancreas	11	9.3	4.5	17.8	7	15.0	6.0	32.3	4	4.9	1.2	16.7
Lung and Bronchus	96	87.7	70.9	107.8	60	125.4	95.6	162.6	36	62.8	43.8	88.6
Bones and Joints	0	0.0	0.0	5.1	0	0.0	0.0	10.5	0	0.0	0.0	10.1
Melanoma of the Skin	6	5.6	1.9	13.3	3	6.3	1.3	20.1	3	6.2	1.1	20.0
Breast (invasive)	68	65.6	50.5	84.1	0	0.0	0.0	10.5	68	121.3	93.0	156.4
Cervix									5	12.3	3.3	31.0
Corpus and Uterus, NOS									7	12.4	5.0	27.5
Ovary									5	9.3	2.6	24.6
Prostate					45	96.7	70.4	130.4				
Testis					2	4.9	0.6	18.7				
Urinary Bladder (includes *in situ*)	17	15.0	8.7	24.8	12	24.0	12.4	43.3	5	7.6	2.3	20.7
Kidney and Renal Pelvis	28	28.3	18.3	42.2	18	38.7	22.8	62.4	10	21.3	8.9	42.4
Brain and Nervous System	7	7.8	2.8	17.0	1	1.9	0.0	13.3	6	13.5	4.3	31.6
Hodgkin Lymphoma	3	4.7	0.9	13.7	1	3.8	0.1	18.5	2	5.5	0.5	20.5
Non-Hodgkin Lymphoma	20	16.4	9.9	26.3	9	18.4	8.4	36.4	11	15.1	7.2	30.2
Myeloma	5	4.4	1.4	11.3	3	6.5	1.3	20.6	2	2.5	0.3	13.2
Leukemia	13	12.1	6.2	21.7	9	20.9	9.4	40.8	4	6.8	1.8	20.0
All Other Sites	46	48.3	34.9	65.4	25	57.3	36.8	85.9	21	40.2	23.8	64.1
Breast *in situ* (not in total)									13	25.4	12.7	45.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Whiteside County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,750	468.9	446.9	491.8	864	516.7	482.6	552.7	886	435.9	406.7	466.9
Oral Cavity and Pharynx	37	10.0	7.0	13.8	25	14.7	9.4	21.8	12	6.0	3.0	10.8
Esophagus	21	5.6	3.5	8.7	18	10.7	6.3	17.1	3	1.6	0.3	5.0
Stomach	20	5.1	3.1	8.0	10	6.2	3.0	11.6	10	4.6	2.2	8.9
Colon and Rectum	210	54.0	46.8	62.0	111	67.3	55.2	81.2	99	43.7	35.1	53.9
Liver	12	3.3	1.7	5.9	7	4.2	1.7	8.8	5	2.5	0.8	6.3
Pancreas	41	10.4	7.4	14.2	19	11.3	6.8	17.8	22	8.8	5.4	13.9
Lung and Bronchus	252	66.6	58.6	75.5	131	77.4	64.6	92.1	121	57.7	47.7	69.5
Bones and Joints	4	1.2	0.3	3.1	0	0.0	0.0	2.6	4	2.2	0.5	6.1
Melanoma of the Skin	64	18.1	13.8	23.2	34	20.7	14.3	29.1	30	16.8	11.1	24.4
Breast (invasive)	265	72.4	63.8	81.8	0	0.0	0.0	2.6	265	134.5	118.3	152.4
Cervix									15	9.5	5.2	16.0
Corpus and Uterus, NOS									54	27.2	20.3	35.8
Ovary									32	15.9	10.8	22.9
Prostate					208	121.5	105.5	139.4				
Testis					8	5.7	2.4	11.2				
Urinary Bladder (includes *in situ*)	96	24.8	20.1	30.5	76	46.1	36.2	57.8	20	8.9	5.4	14.2
Kidney and Renal Pelvis	51	13.8	10.2	18.3	26	15.8	10.3	23.4	25	11.1	7.0	16.8
Brain and Nervous System	28	8.2	5.4	11.9	14	8.5	4.6	14.5	14	7.9	4.2	13.6
Hodgkin Lymphoma	14	4.6	2.5	7.8	7	4.7	1.9	9.7	7	4.5	1.7	9.6
Non-Hodgkin Lymphoma	67	17.5	13.6	22.4	38	22.3	15.7	30.8	29	13.3	8.8	19.6
Myeloma	24	6.4	4.1	9.7	14	8.4	4.6	14.3	10	5.1	2.4	9.8
Leukemia	47	13.0	9.5	17.4	25	15.4	9.9	23.0	22	11.0	6.7	17.1
All Other Sites	180	48.8	41.8	56.7	93	55.9	45.0	68.7	87	43.0	34.0	53.7
Breast *in situ* (not in total)									62	31.6	24.1	40.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	13,363	516.9	507.8	526.0	6,981	616.8	601.3	632.5	6,382	448.4	437.3	459.8
Oral Cavity and Pharynx	290	10.3	9.1	11.6	212	16.2	13.9	18.7	78	5.3	4.2	6.7
Esophagus	156	6.2	5.3	7.3	123	10.9	8.9	13.1	33	2.5	1.7	3.5
Stomach	198	8.1	7.0	9.4	123	11.8	9.7	14.2	75	5.5	4.3	6.9
Colon and Rectum	1,399	57.5	54.4	60.7	733	69.3	64.0	75.0	666	49.0	45.3	52.9
Liver	138	5.4	4.5	6.4	105	9.2	7.4	11.3	33	2.4	1.7	3.4
Pancreas	338	13.9	12.4	15.5	175	15.9	13.5	18.6	163	12.1	10.3	14.2
Lung and Bronchus	1,808	75.3	71.7	78.9	939	89.4	83.4	95.7	869	65.7	61.3	70.3
Bones and Joints	33	1.0	0.7	1.5	19	1.2	0.7	1.9	14	0.9	0.5	1.5
Melanoma of the Skin	419	14.8	13.4	16.4	255	20.1	17.5	22.9	164	10.7	9.1	12.5
Breast (invasive)	1,848	66.2	63.1	69.4	17	1.8	1.0	2.9	1,831	122.8	117.1	128.6
Cervix									118	7.7	6.3	9.2
Corpus and Uterus, NOS									384	25.9	23.3	28.7
Ovary									173	12.0	10.2	13.9
Prostate					2,001	169.2	161.5	177.3				
Testis					79	4.9	3.8	6.1				
Urinary Bladder (includes *in situ*)	603	25.6	23.6	27.8	446	45.2	40.8	49.9	157	11.6	9.9	13.6
Kidney and Renal Pelvis	481	17.9	16.3	19.6	318	25.6	22.7	28.8	163	11.5	9.8	13.4
Brain and Nervous System	200	7.0	6.0	8.1	113	8.3	6.8	10.2	87	5.8	4.7	7.2
Hodgkin Lymphoma	103	3.4	2.8	4.1	55	3.6	2.7	4.8	48	3.1	2.3	4.2
Non-Hodgkin Lymphoma	546	21.0	19.3	22.9	294	24.1	21.3	27.3	252	18.3	16.1	20.7
Myeloma	148	6.0	5.0	7.0	77	7.3	5.6	9.2	71	5.2	4.1	6.6
Leukemia	361	13.9	12.4	15.4	230	20.4	17.6	23.4	131	9.3	7.7	11.0
All Other Sites	1,539	60.0	57.0	63.2	667	62.4	57.4	67.7	872	61.0	57.0	65.3
Breast *in situ* (not in total)									445	29.0	26.3	31.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Williamson County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,075	520.7	498.3	543.9	1,117	629.5	592.7	668.1	958	444.2	415.7	474.2
Oral Cavity and Pharynx	58	14.8	11.2	19.2	40	21.7	15.4	29.7	18	8.6	5.0	13.9
Esophagus	14	3.5	1.9	6.0	11	6.1	3.0	11.1	3	1.5	0.3	4.7
Stomach	24	5.8	3.7	8.7	16	9.5	5.4	15.6	8	3.4	1.4	7.1
Colon and Rectum	223	54.0	47.1	61.7	107	58.8	48.1	71.3	116	50.4	41.4	60.9
Liver	20	5.0	3.0	7.8	14	7.6	4.1	13.0	6	2.6	0.9	6.0
Pancreas	52	12.4	9.3	16.4	29	16.3	10.8	23.6	23	9.4	5.9	14.5
Lung and Bronchus	371	91.1	82.0	101.0	230	128.8	112.5	146.8	141	64.3	54.0	76.1
Bones and Joints	7	2.0	0.8	4.2	3	1.8	0.3	5.4	4	2.1	0.5	5.7
Melanoma of the Skin	75	19.9	15.6	25.1	50	29.3	21.6	38.8	25	13.8	8.8	20.6
Breast (invasive)	276	71.7	63.3	80.8	1	0.6	0.0	3.6	275	132.7	117.0	150.0
Cervix									13	7.4	3.8	12.8
Corpus and Uterus, NOS									59	27.9	21.0	36.3
Ovary									27	11.7	7.6	17.4
Prostate					235	128.9	112.8	146.8				
Testis					8	5.0	2.1	9.9				
Urinary Bladder (includes *in situ*)	123	29.9	24.8	35.7	100	57.5	46.6	70.1	23	9.2	5.8	14.1
Kidney and Renal Pelvis	71	18.5	14.4	23.4	44	26.2	18.9	35.3	27	12.0	7.9	17.8
Brain and Nervous System	25	6.7	4.3	10.1	16	9.5	5.4	15.6	9	4.4	2.0	8.7
Hodgkin Lymphoma	13	3.6	1.9	6.3	9	5.3	2.4	10.2	4	2.1	0.5	5.6
Non-Hodgkin Lymphoma	78	19.4	15.3	24.4	43	24.3	17.5	32.9	35	16.2	11.2	22.9
Myeloma	26	6.5	4.2	9.7	14	8.4	4.5	14.2	12	5.3	2.6	9.6
Leukemia	58	14.9	11.2	19.3	33	19.2	13.2	27.1	25	11.7	7.5	17.7
All Other Sites	219	55.6	48.3	63.6	114	64.8	53.4	78.1	105	47.7	38.7	58.3
Breast *in situ* (not in total)									56	28.2	21.2	37.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	7,300	469.3	458.5	480.2	3,658	537.1	519.6	555.1	3,642	427.5	413.6	441.8
Oral Cavity and Pharynx	163	10.3	8.8	12.0	110	15.0	12.3	18.1	53	6.3	4.7	8.2
Esophagus	92	5.9	4.7	7.2	73	10.5	8.2	13.2	19	2.2	1.3	3.4
Stomach	122	7.9	6.6	9.5	79	11.8	9.3	14.7	43	5.0	3.6	6.7
Colon and Rectum	752	47.8	44.4	51.4	373	54.8	49.3	60.7	379	41.9	37.7	46.4
Liver	63	4.0	3.1	5.1	51	7.4	5.5	9.7	12	1.4	0.7	2.4
Pancreas	197	12.5	10.8	14.3	96	14.5	11.7	17.8	101	11.1	9.0	13.6
Lung and Bronchus	1,135	72.7	68.5	77.1	592	88.2	81.2	95.7	543	62.9	57.7	68.5
Bones and Joints	8	0.6	0.2	1.1	4	0.6	0.2	1.5	4	0.6	0.2	1.4
Melanoma of the Skin	293	19.3	17.1	21.6	160	23.1	19.6	27.0	133	16.5	13.8	19.6
Breast (invasive)	1,008	64.8	60.8	69.0	8	1.2	0.5	2.4	1,000	119.9	112.5	127.7
Cervix									50	6.6	4.9	8.7
Corpus and Uterus, NOS									240	28.5	25.0	32.4
Ovary									116	13.5	11.2	16.3
Prostate					836	122.5	114.2	131.2				
Testis					36	5.2	3.6	7.2				
Urinary Bladder (includes *in situ*)	354	22.8	20.4	25.3	267	40.3	35.6	45.5	87	9.8	7.9	12.2
Kidney and Renal Pelvis	239	15.4	13.5	17.5	142	20.1	16.9	23.7	97	11.4	9.2	13.9
Brain and Nervous System	96	6.2	5.0	7.6	53	7.5	5.6	9.8	43	5.2	3.8	7.1
Hodgkin Lymphoma	39	2.7	1.9	3.8	24	3.4	2.1	5.0	15	2.2	1.2	3.6
Non-Hodgkin Lymphoma	311	20.0	17.8	22.3	169	24.6	21.0	28.6	142	16.2	13.6	19.2
Myeloma	79	5.0	4.0	6.3	48	7.0	5.2	9.3	31	3.5	2.3	5.0
Leukemia	211	13.5	11.8	15.5	128	18.9	15.7	22.5	83	10.0	7.9	12.4
All Other Sites	860	55.6	51.9	59.5	409	60.7	54.9	66.9	451	52.8	48.0	58.0
Breast *in situ* (not in total)									241	29.3	25.7	33.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Woodford County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, All Races, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of Urinary bladder (includes *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,064	498.5	468.4	530.0	543	566.4	519.0	617.0	521	456.5	416.8	499.1
Oral Cavity and Pharynx	20	9.7	5.9	15.2	14	14.3	7.7	24.3	6	5.5	2.0	12.4
Esophagus	11	4.5	2.2	8.3	9	8.9	4.0	17.1	2	1.6	0.2	6.5
Stomach	13	5.5	2.9	9.6	9	9.6	4.4	18.4	4	2.8	0.7	8.1
Colon and Rectum	101	45.7	37.1	55.8	60	61.8	46.9	79.9	41	33.3	23.6	46.0
Liver	9	4.0	1.8	7.9	6	6.2	2.2	13.7	3	2.4	0.5	7.7
Pancreas	31	13.2	8.9	19.0	16	16.8	9.5	27.4	15	10.9	5.9	18.8
Lung and Bronchus	125	58.3	48.4	69.7	56	58.4	44.0	76.2	69	59.7	46.0	76.3
Bones and Joints	0	0.0	0.0	2.0	0	0.0	0.0	4.1	0	0.0	0.0	4.0
Melanoma of the Skin	65	32.6	24.9	41.8	40	43.1	30.6	59.0	25	26.1	16.5	39.1
Breast (invasive)	161	74.5	63.2	87.3	1	1.4	0.0	6.9	160	139.7	118.4	164.0
Cervix									2	2.4	0.3	8.4
Corpus and Uterus, NOS									41	35.8	25.6	49.1
Ovary									20	17.3	10.4	27.4
Prostate					153	156.2	132.0	183.6				
Testis					4	5.1	1.4	12.8				
Urinary Bladder (includes *in situ*)	61	27.9	21.2	36.0	48	50.3	37.0	67.0	13	11.6	6.1	20.2
Kidney and Renal Pelvis	35	16.8	11.6	23.5	27	28.4	18.5	41.6	8	7.4	3.2	15.0
Brain and Nervous System	17	8.4	4.9	13.7	7	7.5	2.9	15.6	10	9.5	4.5	17.9
Hodgkin Lymphoma	6	3.2	1.2	7.0	3	3.2	0.6	9.5	3	3.3	0.7	9.6
Non-Hodgkin Lymphoma	37	17.0	11.9	23.8	21	23.2	14.2	35.6	16	12.5	7.0	21.0
Myeloma	10	4.4	2.1	8.2	7	7.0	2.8	14.7	3	2.7	0.5	8.2
Leukemia	29	13.5	8.9	19.6	13	14.1	7.4	24.2	16	14.5	8.0	24.3
All Other Sites	113	54.6	44.8	66.0	49	51.2	37.6	68.0	64	57.4	43.6	74.3
Breast *in situ* (not in total)									40	35.2	24.9	48.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

SECTION IV

County-specific Cancer Incidence Rates by Race
Illinois, 2004-2008

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	261,943	485.9	484.1	487.8	133,025	563.0	559.9	566.1	128,918	436.8	434.4	439.2
Oral Cavity and Pharynx	5,884	10.8	10.5	11.1	4,050	16.1	15.6	16.6	1,834	6.2	5.9	6.5
Esophagus	2,928	5.4	5.2	5.6	2,322	9.7	9.3	10.1	606	2.0	1.8	2.1
Stomach	3,526	6.5	6.3	6.7	2,146	9.3	8.9	9.7	1,380	4.4	4.2	4.7
Colon and Rectum	28,481	52.3	51.7	52.9	14,412	62.0	60.9	63.0	14,069	45.0	44.3	45.8
Liver	2,589	4.8	4.6	4.9	1,843	7.5	7.2	7.9	746	2.4	2.3	2.6
Pancreas	6,749	12.3	12.0	12.6	3,368	14.4	13.9	14.9	3,381	10.7	10.3	11.0
Lung and Bronchus	38,351	71.5	70.8	72.2	20,299	87.8	86.5	89.0	18,052	60.3	59.4	61.2
Bones and Joints	453	0.9	0.8	1.0	241	1.0	0.9	1.1	212	0.8	0.7	0.9
Melanoma of the Skin	9,293	17.5	17.1	17.8	5,204	21.7	21.1	22.3	4,089	14.8	14.4	15.3
Breast (invasive)	36,505	67.5	66.8	68.2	272	1.2	1.0	1.3	36,233	125.2	123.9	126.5
Cervix									2,127	8.0	7.7	8.3
Corpus and Uterus, NOS									8,028	27.5	26.9	28.1
Ovary									4,004	13.7	13.2	14.1
Prostate					34,803	144.6	143.1	146.1				
Testis					1,551	6.1	5.8	6.4				
Urinary Bladder (incl *in situ*)	12,912	23.9	23.5	24.3	9,615	42.6	41.7	43.4	3,297	10.6	10.2	10.9
Kidney and Renal Pelvis	9,064	16.8	16.5	17.2	5,506	22.7	22.1	23.3	3,558	12.1	11.7	12.5
Brain and Nervous System	3,707	7.0	6.8	7.3	1,970	8.0	7.7	8.4	1,737	6.2	5.9	6.5
Hodgkin Lymphoma	1,541	3.0	2.9	3.2	853	3.4	3.2	3.7	688	2.7	2.5	2.9
Non-Hodgkin Lymphoma	11,075	20.6	20.2	21.0	5,928	25.2	24.6	25.9	5,147	17.1	16.6	17.5
Myeloma	2,796	5.1	5.0	5.3	1,554	6.7	6.4	7.1	1,242	4.0	3.8	4.2
Leukemia	7,060	13.2	12.9	13.5	4,060	17.6	17.0	18.1	3,000	10.0	9.6	10.4
All other sites	28,516	53.1	52.5	53.7	13,028	55.6	54.6	56.5	15,488	53.1	52.3	54.0
Breast *in situ* (not in total)									8,983	31.8	31.1	32.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,490	507.1	490.3	524.4	1,803	586.5	559.5	614.6	1,687	453.9	432.1	476.6
Oral Cavity and Pharynx	83	11.8	9.4	14.6	49	15.3	11.3	20.3	34	8.9	6.1	12.5
Esophagus	39	5.7	4.0	7.8	31	10.2	6.9	14.5	8	2.1	0.9	4.3
Stomach	31	4.4	3.0	6.3	16	5.4	3.0	8.7	15	4.0	2.2	6.6
Colon and Rectum	318	46.3	41.3	51.7	181	58.4	50.1	67.7	137	35.5	29.7	42.1
Liver	34	5.0	3.4	7.0	23	7.2	4.5	10.8	11	2.8	1.4	5.1
Pancreas	78	11.1	8.8	13.9	36	12.2	8.5	16.9	42	10.6	7.6	14.4
Lung and Bronchus	414	60.1	54.4	66.2	226	74.7	65.2	85.2	188	49.3	42.4	57.0
Bones and Joints	9	1.1	0.5	2.2	4	1.4	0.4	3.4	5	1.1	0.3	2.8
Melanoma of the Skin	184	26.7	22.9	30.9	96	31.1	25.2	38.1	88	24.8	19.7	30.7
Breast (invasive)	520	76.3	69.9	83.2	3	1.0	0.2	3.0	517	142.2	130.0	155.2
Cervix									31	9.6	6.5	13.7
Corpus and Uterus, NOS									103	28.3	23.1	34.4
Ovary									57	15.1	11.4	19.6
Prostate					567	182.4	167.6	198.2				
Testis					26	7.7	5.0	11.3				
Urinary Bladder (incl *in situ*)	152	22.3	18.9	26.2	115	39.6	32.7	47.6	37	9.7	6.8	13.5
Kidney and Renal Pelvis	120	17.5	14.5	21.0	74	23.6	18.5	29.7	46	12.0	8.7	16.1
Brain and Nervous System	37	5.2	3.7	7.3	23	6.8	4.3	10.3	14	3.7	2.0	6.3
Hodgkin Lymphoma	23	2.6	1.6	4.1	13	3.2	1.6	5.7	10	2.2	1.0	4.4
Non-Hodgkin Lymphoma	141	20.7	17.4	24.4	75	25.1	19.7	31.5	66	17.9	13.8	22.9
Myeloma	33	4.8	3.3	6.8	21	7.2	4.5	11.1	12	3.2	1.6	5.7
Leukemia	100	14.7	11.9	17.9	63	21.3	16.3	27.2	37	9.4	6.6	13.1
All other sites	390	56.4	50.9	62.4	161	52.8	44.8	61.7	229	61.7	53.8	70.6
Breast *in situ* (not in total)									171	48.2	41.2	56.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	86,031	472.2	469.1	475.4	42,861	544.6	539.4	549.9	43,170	427.4	423.3	431.5
Oral Cavity and Pharynx	1,891	10.4	9.9	10.8	1,284	15.4	14.6	16.3	607	6.0	5.5	6.5
Esophagus	912	5.0	4.7	5.3	700	8.9	8.2	9.5	212	2.0	1.7	2.3
Stomach	1,529	8.3	7.9	8.7	908	11.7	11.0	12.5	621	5.8	5.3	6.3
Colon and Rectum	9,300	50.4	49.3	51.4	4,660	60.2	58.5	62.0	4,640	43.1	41.8	44.4
Liver	1,093	6.0	5.6	6.4	802	9.9	9.2	10.6	291	2.8	2.4	3.1
Pancreas	2,461	13.3	12.7	13.8	1,192	15.4	14.6	16.3	1,269	11.6	10.9	12.2
Lung and Bronchus	11,705	64.8	63.6	66.0	5,970	77.9	75.9	79.9	5,735	55.8	54.3	57.3
Bones and Joints	152	0.9	0.7	1.0	90	1.1	0.9	1.3	62	0.7	0.5	0.9
Melanoma of the Skin	2,604	14.4	13.8	14.9	1,487	18.5	17.6	19.5	1,117	11.7	11.0	12.4
Breast (invasive)	12,146	66.8	65.6	68.0	96	1.2	1.0	1.5	12,050	123.1	120.8	125.3
Cervix									794	8.6	8.0	9.2
Corpus and Uterus, NOS									2,775	28.3	27.2	29.3
Ovary									1,465	14.8	14.0	15.6
Prostate					11,308	142.9	140.2	145.6				
Testis					591	6.2	5.7	6.8				
Urinary Bladder (incl *in situ*)	4,178	22.8	22.1	23.5	3,010	39.9	38.5	41.4	1,168	10.8	10.2	11.5
Kidney and Renal Pelvis	2,859	15.8	15.2	16.4	1,683	20.8	19.8	21.8	1,176	11.7	11.0	12.4
Brain and Nervous System	1,177	6.6	6.2	7.0	643	7.8	7.2	8.4	534	5.6	5.1	6.1
Hodgkin Lymphoma	538	3.0	2.7	3.3	284	3.3	2.9	3.7	254	2.8	2.4	3.1
Non-Hodgkin Lymphoma	3,711	20.3	19.6	21.0	1,999	25.3	24.2	26.5	1,712	16.5	15.7	17.3
Myeloma	941	5.1	4.8	5.5	497	6.4	5.9	7.0	444	4.2	3.8	4.6
Leukemia	2,360	12.9	12.4	13.4	1,310	16.7	15.8	17.7	1,050	10.2	9.6	10.8
All other sites	9,541	52.2	51.1	53.2	4,347	55.1	53.4	56.8	5,194	51.7	50.3	53.1
Breast *in situ* (not in total)									3,107	32.8	31.7	34.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	19,220	486.9	479.9	494.0	9,447	548.3	537.0	559.8	9,773	448.3	439.2	457.4
Oral Cavity and Pharynx	413	10.2	9.2	11.2	282	15.3	13.5	17.2	131	6.0	5.0	7.1
Esophagus	185	4.8	4.1	5.6	139	8.1	6.7	9.6	46	2.2	1.6	3.0
Stomach	261	6.7	5.9	7.6	153	9.4	8.0	11.1	108	4.8	4.0	5.9
Colon and Rectum	1,833	46.5	44.3	48.7	941	55.6	52.0	59.3	892	39.5	36.9	42.3
Liver	181	4.6	3.9	5.3	123	6.9	5.7	8.2	58	2.7	2.0	3.5
Pancreas	494	12.7	11.6	13.9	234	13.9	12.1	15.8	260	11.8	10.4	13.3
Lung and Bronchus	2,479	65.2	62.6	67.8	1,230	75.3	71.0	79.7	1,249	58.7	55.4	62.2
Bones and Joints	35	0.9	0.6	1.3	21	1.1	0.7	1.7	14	0.7	0.4	1.2
Melanoma of the Skin	686	17.0	15.7	18.3	374	20.7	18.6	23.0	312	14.8	13.2	16.5
Breast (invasive)	3,068	75.1	72.4	77.9	20	1.2	0.7	1.9	3,048	138.9	133.9	144.0
Cervix									111	5.4	4.4	6.5
Corpus and Uterus, NOS									631	28.4	26.2	30.7
Ovary									304	13.8	12.3	15.5
Prostate					2,836	160.1	154.1	166.3				
Testis					104	5.4	4.4	6.5				
Urinary Bladder (incl *in situ*)	871	22.8	21.3	24.4	635	39.9	36.8	43.2	236	10.5	9.2	12.0
Kidney and Renal Pelvis	586	14.7	13.5	16.0	342	18.8	16.8	20.9	244	11.3	9.9	12.9
Brain and Nervous System	303	7.7	6.8	8.6	152	8.3	7.0	9.8	151	7.3	6.1	8.6
Hodgkin Lymphoma	120	3.2	2.6	3.8	66	3.5	2.7	4.5	54	2.8	2.1	3.7
Non-Hodgkin Lymphoma	857	22.0	20.5	23.5	440	25.7	23.3	28.3	417	18.9	17.1	20.9
Myeloma	201	5.1	4.4	5.9	119	6.8	5.6	8.2	82	3.7	2.9	4.6
Leukemia	533	13.7	12.6	15.0	297	17.5	15.5	19.7	236	11.0	9.6	12.5
All other sites	2,128	53.6	51.3	56.0	939	54.9	51.4	58.7	1,189	55.1	51.9	58.4
Breast *in situ* (not in total)									744	34.1	31.7	36.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	8,634	477.3	467.0	487.8	4,280	538.7	521.7	556.1	4,354	440.0	426.8	453.5
Oral Cavity and Pharynx	196	10.1	8.7	11.7	144	15.4	12.8	18.2	52	5.4	4.0	7.1
Esophagus	96	5.4	4.4	6.6	77	9.9	7.7	12.5	19	2.0	1.2	3.1
Stomach	117	6.7	5.5	8.1	67	8.8	6.7	11.3	50	5.2	3.8	6.9
Colon and Rectum	875	50.7	47.3	54.3	422	55.5	50.0	61.4	453	46.8	42.6	51.4
Liver	73	4.3	3.3	5.4	52	6.5	4.8	8.7	21	2.3	1.4	3.6
Pancreas	215	12.7	11.0	14.5	105	14.0	11.3	17.2	110	11.7	9.5	14.1
Lung and Bronchus	1,110	65.4	61.5	69.5	577	77.3	70.8	84.2	533	57.2	52.3	62.3
Bones and Joints	13	0.6	0.3	1.0	6	0.6	0.2	1.2	7	0.7	0.3	1.4
Melanoma of the Skin	279	14.5	12.8	16.4	141	16.0	13.3	19.0	138	13.6	11.4	16.2
Breast (invasive)	1,346	70.1	66.3	74.1	7	0.8	0.3	1.8	1,339	131.7	124.6	139.1
Cervix									81	8.0	6.3	9.9
Corpus and Uterus, NOS									269	26.3	23.2	29.7
Ovary									139	14.0	11.8	16.6
Prostate					1,181	144.2	135.7	153.2				
Testis					68	6.0	4.7	7.6				
Urinary Bladder (incl *in situ*)	412	24.8	22.4	27.3	320	46.2	41.0	51.8	92	9.8	7.8	12.0
Kidney and Renal Pelvis	322	17.4	15.5	19.5	196	22.3	19.1	25.8	126	12.9	10.7	15.4
Brain and Nervous System	131	6.6	5.5	7.9	68	7.3	5.5	9.3	63	6.1	4.7	7.9
Hodgkin Lymphoma	72	3.6	2.8	4.5	43	4.2	3.0	5.8	29	2.8	1.9	4.0
Non-Hodgkin Lymphoma	347	19.3	17.3	21.5	194	24.7	21.1	28.7	153	15.9	13.4	18.7
Myeloma	97	5.5	4.4	6.7	57	7.7	5.7	10.1	40	3.9	2.8	5.3
Leukemia	215	11.8	10.2	13.5	127	15.5	12.8	18.7	88	8.7	6.9	10.7
All other sites	980	53.9	50.5	57.4	428	55.7	50.2	61.6	552	55.1	50.6	60.0
Breast *in situ* (not in total)									340	32.7	29.3	36.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,561	502.9	483.4	522.9	1,410	636.8	603.5	671.5	1,151	412.6	388.6	437.6
Oral Cavity and Pharynx	55	10.7	8.0	13.9	40	16.6	11.8	22.7	15	5.0	2.8	8.3
Esophagus	32	6.1	4.2	8.7	28	12.0	7.9	17.6	4	1.5	0.4	3.9
Stomach	24	4.7	3.0	7.1	16	7.6	4.3	12.4	8	2.7	1.2	5.5
Colon and Rectum	309	60.2	53.6	67.3	166	76.0	64.7	88.7	143	47.3	39.7	55.9
Liver	30	5.9	3.9	8.4	18	7.9	4.6	12.5	12	4.2	2.1	7.5
Pancreas	56	10.7	8.1	14.0	29	12.6	8.4	18.2	27	8.7	5.7	12.9
Lung and Bronchus	413	80.4	72.8	88.5	223	101.7	88.6	116.2	190	66.3	57.1	76.6
Bones and Joints	6	1.2	0.5	2.7	2	0.9	0.1	3.2	4	1.5	0.4	4.0
Melanoma of the Skin	85	17.2	13.7	21.3	46	21.6	15.7	29.0	39	15.8	11.2	21.8
Breast (invasive)	307	61.0	54.3	68.2	6	3.2	1.2	6.9	301	111.1	98.7	124.7
Cervix									22	10.7	6.6	16.1
Corpus and Uterus, NOS									65	22.6	17.4	29.0
Ovary									25	9.1	5.9	13.7
Prostate					392	169.4	152.8	187.3				
Testis					16	7.3	4.2	11.9				
Urinary Bladder (incl *in situ*)	155	29.8	25.3	34.9	114	54.7	44.9	66.0	41	14.1	10.1	19.3
Kidney and Renal Pelvis	84	16.6	13.3	20.7	56	25.0	18.8	32.6	28	10.5	6.9	15.3
Brain and Nervous System	30	6.5	4.3	9.2	20	9.1	5.5	14.1	10	3.9	1.8	7.2
Hodgkin Lymphoma	9	2.1	0.9	4.0	4	2.0	0.6	5.1	5	2.1	0.7	5.0
Non-Hodgkin Lymphoma	78	15.2	12.0	19.1	45	21.0	15.3	28.2	33	11.5	7.9	16.3
Myeloma	26	4.9	3.2	7.3	15	7.3	4.0	12.1	11	3.8	1.9	7.0
Leukemia	92	18.2	14.7	22.4	54	25.6	19.1	33.5	38	13.6	9.6	18.9
All other sites	250	49.6	43.6	56.2	120	55.2	45.6	66.1	130	46.5	38.6	55.4
Breast *in situ* (not in total)									69	26.8	20.8	34.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	13,359	489.7	481.2	498.2	6,625	540.7	527.2	554.4	6,734	456.5	445.5	467.7
Oral Cavity and Pharynx	301	10.4	9.3	11.7	211	15.1	13.1	17.4	90	6.2	4.9	7.6
Esophagus	137	5.0	4.2	6.0	110	8.9	7.2	10.8	27	1.9	1.2	2.7
Stomach	163	6.1	5.2	7.2	103	8.4	6.8	10.2	60	4.2	3.2	5.4
Colon and Rectum	1,204	45.2	42.7	47.9	612	51.4	47.3	55.9	592	40.3	37.1	43.7
Liver	104	4.0	3.2	4.8	71	5.5	4.3	7.1	33	2.5	1.7	3.5
Pancreas	338	12.9	11.6	14.4	179	14.8	12.7	17.3	159	11.3	9.6	13.2
Lung and Bronchus	1,642	63.9	60.8	67.2	759	66.0	61.2	71.0	883	63.3	59.1	67.6
Bones and Joints	24	0.9	0.6	1.3	15	1.0	0.6	1.7	9	0.6	0.3	1.2
Melanoma of the Skin	588	20.8	19.1	22.6	314	24.6	21.8	27.6	274	18.4	16.3	20.8
Breast (invasive)	2,123	73.1	70.0	76.4	17	1.3	0.7	2.1	2,106	137.9	132.0	144.0
Cervix									96	6.3	5.1	7.7
Corpus and Uterus, NOS									432	28.8	26.1	31.7
Ovary									214	14.7	12.8	16.9
Prostate					1,794	141.1	134.4	148.0				
Testis					93	6.4	5.1	7.8				
Urinary Bladder (incl *in situ*)	746	29.2	27.1	31.4	544	49.0	44.8	53.5	202	14.2	12.3	16.3
Kidney and Renal Pelvis	449	16.0	14.5	17.5	291	22.3	19.7	25.2	158	10.6	9.0	12.4
Brain and Nervous System	218	7.6	6.6	8.7	120	8.7	7.2	10.5	98	6.7	5.4	8.2
Hodgkin Lymphoma	105	3.7	3.0	4.5	59	4.1	3.1	5.3	46	3.3	2.4	4.5
Non-Hodgkin Lymphoma	607	22.8	21.0	24.7	326	27.4	24.3	30.6	281	19.4	17.2	21.9
Myeloma	143	5.4	4.6	6.4	79	6.9	5.4	8.7	64	4.5	3.4	5.7
Leukemia	377	14.3	12.8	15.8	234	20.0	17.4	22.8	143	9.9	8.4	11.7
All other sites	1,461	53.4	50.7	56.3	694	57.8	53.4	62.4	767	51.5	47.9	55.4
Breast *in situ* (not in total)									734	47.2	43.8	50.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,380	570.2	550.8	590.3	1,726	651.5	620.7	683.4	1,654	525.7	499.5	553.0
Oral Cavity and Pharynx	83	14.0	11.1	17.5	55	20.0	15.0	26.2	28	9.1	6.0	13.4
Esophagus	35	5.7	3.9	8.0	27	9.8	6.4	14.5	8	2.1	0.8	4.5
Stomach	28	4.5	3.0	6.6	15	5.6	3.1	9.4	13	3.9	2.1	7.0
Colon and Rectum	359	59.5	53.3	66.1	189	73.3	63.1	84.8	170	49.3	41.9	57.8
Liver	33	5.4	3.7	7.7	24	9.1	5.8	13.7	9	2.6	1.1	5.3
Pancreas	70	11.6	9.0	14.7	37	14.4	10.1	20.0	33	9.4	6.3	13.6
Lung and Bronchus	611	98.8	91.1	107.1	331	122.9	109.9	137.1	280	81.5	72.0	92.0
Bones and Joints	10	1.8	0.8	3.3	5	1.9	0.6	4.6	5	1.7	0.6	4.3
Melanoma of the Skin	124	23.7	19.6	28.5	63	24.4	18.7	31.4	61	25.6	19.3	33.2
Breast (invasive)	443	78.6	71.2	86.5	2	0.6	0.1	2.6	441	146.3	132.4	161.4
Cervix									22	10.1	6.2	15.5
Corpus and Uterus, NOS									89	27.7	22.1	34.4
Ovary									47	13.3	9.7	18.0
Prostate					407	148.5	134.4	163.9				
Testis					8	4.0	1.7	7.9				
Urinary Bladder (incl *in situ*)	176	27.9	23.9	32.4	133	50.6	42.3	60.2	43	11.7	8.4	16.0
Kidney and Renal Pelvis	140	23.4	19.6	27.8	88	33.4	26.7	41.4	52	15.9	11.7	21.2
Brain and Nervous System	47	9.0	6.5	12.1	24	10.4	6.6	15.6	23	7.7	4.7	12.0
Hodgkin Lymphoma	16	3.3	1.9	5.5	7	2.7	1.1	5.8	9	3.9	1.7	7.5
Non-Hodgkin Lymphoma	142	24.0	20.2	28.5	77	29.8	23.5	37.5	65	20.5	15.6	26.5
Myeloma	35	5.4	3.8	7.6	17	6.3	3.7	10.2	18	4.8	2.8	7.9
Leukemia	81	14.0	11.0	17.6	44	16.7	12.1	22.7	37	12.2	8.3	17.3
All other sites	374	65.6	58.9	72.8	173	67.0	57.2	78.0	201	66.5	57.1	77.0
Breast *in situ* (not in total)									112	38.4	31.4	46.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,803	487.7	476.1	499.5	3,432	562.7	543.8	582.1	3,371	441.3	426.3	456.8
Oral Cavity and Pharynx	143	10.2	8.6	12.1	108	16.6	13.6	20.1	35	4.4	3.0	6.1
Esophagus	102	7.2	5.9	8.8	87	13.8	11.0	17.1	15	1.9	1.0	3.2
Stomach	57	4.1	3.1	5.3	31	5.1	3.5	7.3	26	3.2	2.1	4.7
Colon and Rectum	776	54.8	51.0	58.8	377	63.1	56.8	69.9	399	49.1	44.3	54.3
Liver	71	5.0	3.9	6.4	43	6.8	4.9	9.2	28	3.4	2.2	5.0
Pancreas	133	9.2	7.7	10.9	76	12.4	9.7	15.6	57	6.7	5.1	8.8
Lung and Bronchus	1,199	84.8	80.0	89.8	639	106.1	97.9	114.8	560	70.4	64.7	76.6
Bones and Joints	17	1.3	0.8	2.1	9	1.6	0.7	3.0	8	1.2	0.5	2.3
Melanoma of the Skin	233	17.5	15.3	19.9	124	20.6	17.1	24.7	109	16.1	13.1	19.5
Breast (invasive)	893	65.0	60.8	69.5	2	0.3	0.0	1.2	891	120.7	112.7	129.0
Cervix									51	8.0	6.0	10.6
Corpus and Uterus, NOS									188	24.7	21.3	28.6
Ovary									96	13.0	10.5	15.9
Prostate					829	131.6	122.7	141.0				
Testis					29	5.0	3.3	7.2				
Urinary Bladder (incl *in situ*)	321	22.6	20.2	25.2	243	40.5	35.6	46.1	78	9.5	7.5	11.9
Kidney and Renal Pelvis	292	20.9	18.5	23.4	160	25.7	21.8	30.1	132	17.0	14.2	20.3
Brain and Nervous System	87	6.5	5.2	8.0	41	6.6	4.7	9.0	46	6.5	4.7	8.7
Hodgkin Lymphoma	32	2.6	1.7	3.6	19	3.2	1.9	5.0	13	2.0	1.1	3.5
Non-Hodgkin Lymphoma	266	19.2	17.0	21.7	136	23.0	19.2	27.2	130	16.6	13.8	19.8
Myeloma	80	5.7	4.5	7.1	40	6.8	4.9	9.3	40	4.9	3.5	6.8
Leukemia	172	12.6	10.7	14.6	101	17.5	14.2	21.3	71	9.0	6.9	11.4
All other sites	736	53.3	49.5	57.4	338	56.3	50.4	62.8	398	53.1	47.9	58.7
Breast *in situ* (not in total)									206	28.6	24.8	32.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	4,651	524.1	508.9	539.6	2,319	598.8	574.4	623.9	2,332	477.4	457.5	498.0
Oral Cavity and Pharynx	91	10.4	8.3	12.9	60	14.9	11.3	19.3	31	6.7	4.4	9.7
Esophagus	45	4.9	3.6	6.7	35	8.6	6.0	12.0	10	2.0	0.9	3.8
Stomach	43	4.7	3.4	6.4	25	6.6	4.3	9.8	18	3.5	2.0	5.7
Colon and Rectum	469	50.0	45.5	54.8	221	56.8	49.5	64.9	248	44.2	38.7	50.4
Liver	48	5.3	3.9	7.1	33	8.7	6.0	12.3	15	2.5	1.4	4.3
Pancreas	127	13.6	11.3	16.3	58	14.9	11.3	19.4	69	12.9	9.9	16.4
Lung and Bronchus	769	85.2	79.2	91.6	387	99.9	90.2	110.5	382	76.2	68.6	84.5
Bones and Joints	5	0.6	0.2	1.4	2	0.5	0.1	1.8	3	0.7	0.1	2.1
Melanoma of the Skin	262	31.2	27.4	35.3	143	36.8	30.9	43.4	119	28.5	23.4	34.3
Breast (invasive)	608	70.2	64.6	76.2	8	2.1	0.9	4.2	600	127.3	117.0	138.4
Cervix									34	9.1	6.2	12.9
Corpus and Uterus, NOS									160	32.9	27.8	38.6
Ovary									56	11.1	8.3	14.6
Prostate					597	150.0	138.1	162.6				
Testis					15	4.3	2.4	7.2				
Urinary Bladder (incl *in situ*)	246	26.5	23.2	30.1	187	49.4	42.6	57.1	59	10.2	7.7	13.4
Kidney and Renal Pelvis	184	21.2	18.2	24.5	112	29.3	24.1	35.3	72	14.8	11.4	18.8
Brain and Nervous System	75	9.4	7.4	11.9	44	12.0	8.7	16.2	31	7.3	4.9	10.5
Hodgkin Lymphoma	17	2.4	1.4	3.9	9	2.7	1.2	5.1	8	2.2	0.9	4.4
Non-Hodgkin Lymphoma	187	21.0	18.0	24.3	105	27.9	22.7	33.8	82	16.0	12.6	20.1
Myeloma	46	4.9	3.6	6.7	23	6.0	3.8	9.0	23	4.4	2.8	6.8
Leukemia	108	12.0	9.8	14.6	53	14.4	10.7	18.9	55	10.2	7.5	13.5
All other sites	459	52.7	47.9	57.9	202	53.0	45.9	60.9	257	54.8	48.0	62.3
Breast *in situ* (not in total)									158	33.9	28.7	39.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	3,953	481.6	466.4	497.1	1,961	535.7	512.0	560.2	1,992	448.1	428.0	469.1
Oral Cavity and Pharynx	105	13.0	10.6	15.8	70	18.6	14.5	23.6	35	8.4	5.7	11.9
Esophagus	44	5.1	3.7	7.0	33	9.0	6.2	12.8	11	2.2	1.1	4.1
Stomach	46	5.5	4.0	7.4	32	8.8	6.0	12.5	14	3.0	1.6	5.2
Colon and Rectum	461	54.9	49.9	60.3	221	61.0	53.1	69.7	240	50.7	44.3	57.9
Liver	24	2.8	1.8	4.2	19	4.8	2.9	7.6	5	1.1	0.3	2.7
Pancreas	97	11.2	9.1	13.8	49	13.1	9.7	17.4	48	9.6	7.0	13.0
Lung and Bronchus	626	74.2	68.5	80.4	344	93.1	83.5	103.6	282	60.4	53.4	68.1
Bones and Joints	5	0.7	0.2	1.6	2	0.6	0.1	2.2	3	0.8	0.2	2.5
Melanoma of the Skin	140	18.0	15.0	21.3	78	22.1	17.4	27.7	62	15.4	11.6	20.0
Breast (invasive)	580	71.0	65.2	77.1	3	0.8	0.2	2.4	577	130.2	119.5	141.7
Cervix									37	10.8	7.5	15.0
Corpus and Uterus, NOS									135	31.2	26.0	37.2
Ovary									51	11.8	8.7	15.7
Prostate					453	117.2	106.6	128.7				
Testis					22	7.2	4.5	11.0				
Urinary Bladder (incl *in situ*)	193	22.1	19.1	25.5	150	41.9	35.4	49.2	43	8.2	5.9	11.2
Kidney and Renal Pelvis	149	18.3	15.4	21.6	94	25.5	20.5	31.3	55	12.5	9.3	16.4
Brain and Nervous System	61	8.2	6.3	10.7	36	10.8	7.5	15.1	25	6.1	3.9	9.1
Hodgkin Lymphoma	24	3.4	2.2	5.2	20	6.0	3.6	9.4	4	1.1	0.3	2.9
Non-Hodgkin Lymphoma	151	18.2	15.3	21.4	73	20.4	15.9	25.7	78	16.3	12.8	20.6
Myeloma	32	3.8	2.6	5.5	18	5.1	3.0	8.1	14	2.9	1.6	5.2
Leukemia	86	11.2	8.9	13.9	50	14.5	10.7	19.2	36	9.2	6.3	13.0
All other sites	431	54.4	49.3	60.0	194	55.1	47.5	63.6	237	56.3	49.1	64.4
Breast *in situ* (not in total)									133	30.8	25.6	36.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,079	497.0	483.3	510.9	2,569	583.7	561.0	607.0	2,510	445.5	427.8	463.6
Oral Cavity and Pharynx	137	13.6	11.4	16.1	90	19.5	15.7	24.1	47	8.8	6.4	11.8
Esophagus	74	7.3	5.7	9.2	63	13.9	10.7	17.9	11	2.0	1.0	3.6
Stomach	49	4.6	3.4	6.2	31	7.1	4.8	10.2	18	2.9	1.7	4.7
Colon and Rectum	557	53.1	48.8	57.8	275	63.8	56.4	71.9	282	45.5	40.2	51.3
Liver	34	3.4	2.3	4.7	18	4.0	2.3	6.3	16	3.0	1.7	4.9
Pancreas	124	11.8	9.8	14.1	68	16.0	12.3	20.3	56	9.1	6.8	11.9
Lung and Bronchus	890	86.2	80.6	92.1	467	106.2	96.7	116.4	423	73.1	66.2	80.5
Bones and Joints	13	1.5	0.8	2.5	9	2.1	1.0	4.1	4	0.7	0.2	2.0
Melanoma of the Skin	147	14.9	12.6	17.6	89	20.6	16.5	25.4	58	11.3	8.5	14.7
Breast (invasive)	698	69.1	64.0	74.5	1	0.2	0.0	1.3	697	128.6	119.1	138.8
Cervix									40	8.1	5.7	11.1
Corpus and Uterus, NOS									129	23.5	19.6	28.0
Ovary									65	11.7	9.0	15.0
Prostate					624	136.7	126.1	148.0				
Testis					23	5.6	3.5	8.4				
Urinary Bladder (incl *in situ*)	281	26.7	23.6	30.0	211	49.9	43.3	57.2	70	11.3	8.8	14.4
Kidney and Renal Pelvis	220	21.4	18.7	24.5	135	30.7	25.7	36.4	85	14.8	11.8	18.4
Brain and Nervous System	70	7.4	5.8	9.4	49	11.3	8.3	15.0	21	4.3	2.6	6.6
Hodgkin Lymphoma	31	3.4	2.3	4.9	17	4.0	2.3	6.5	14	2.9	1.6	4.9
Non-Hodgkin Lymphoma	223	22.0	19.2	25.1	103	23.2	18.9	28.2	120	20.5	16.9	24.7
Myeloma	64	6.1	4.7	7.8	26	6.1	4.0	9.0	38	6.1	4.3	8.5
Leukemia	113	11.1	9.2	13.4	57	13.2	10.0	17.2	56	10.1	7.6	13.3
All other sites	473	46.5	42.4	51.0	213	49.4	42.9	56.6	260	47.4	41.7	53.7
Breast *in situ* (not in total)									182	34.3	29.5	39.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	5,235	524.9	510.6	539.5	2,692	630.5	606.5	655.2	2,543	459.4	441.3	478.1
Oral Cavity and Pharynx	132	13.0	10.8	15.4	88	19.2	15.3	23.7	44	7.9	5.7	10.7
Esophagus	64	6.3	4.8	8.1	48	10.7	7.8	14.2	16	2.8	1.6	4.6
Stomach	51	4.9	3.7	6.5	29	6.9	4.6	10.0	22	3.7	2.3	5.8
Colon and Rectum	582	57.7	53.0	62.6	300	70.7	62.8	79.3	282	48.2	42.7	54.4
Liver	57	5.5	4.1	7.1	40	8.5	6.1	11.7	17	2.8	1.6	4.7
Pancreas	123	12.0	10.0	14.4	62	14.9	11.4	19.1	61	9.8	7.5	12.8
Lung and Bronchus	833	83.0	77.4	88.9	471	111.8	101.8	122.5	362	63.7	57.3	70.8
Bones and Joints	7	0.9	0.4	1.9	5	1.3	0.4	3.1	2	0.5	0.1	1.7
Melanoma of the Skin	191	20.2	17.4	23.4	103	23.6	19.2	28.7	88	18.5	14.8	23.0
Breast (invasive)	738	73.6	68.3	79.2	9	2.2	1.0	4.2	729	132.3	122.7	142.5
Cervix									42	8.9	6.4	12.1
Corpus and Uterus, NOS									131	23.5	19.6	28.0
Ovary									68	12.0	9.3	15.3
Prostate					660	151.5	140.0	163.8				
Testis					28	7.3	4.8	10.6				
Urinary Bladder (incl *in situ*)	274	27.1	24.0	30.6	203	49.7	43.0	57.2	71	12.2	9.5	15.5
Kidney and Renal Pelvis	213	21.2	18.4	24.3	135	31.0	25.9	36.8	78	14.1	11.1	17.7
Brain and Nervous System	71	7.3	5.7	9.3	33	7.7	5.3	10.9	38	7.3	5.1	10.2
Hodgkin Lymphoma	37	4.1	2.9	5.7	23	5.5	3.4	8.3	14	2.9	1.6	5.0
Non-Hodgkin Lymphoma	219	22.0	19.1	25.1	116	27.8	22.9	33.4	103	18.2	14.8	22.2
Myeloma	61	6.1	4.7	7.9	38	9.1	6.4	12.5	23	4.2	2.7	6.4
Leukemia	133	14.0	11.7	16.6	74	18.3	14.3	23.0	59	10.8	8.1	14.1
All other sites	520	53.5	49.0	58.4	227	52.9	46.2	60.4	293	54.9	48.6	61.8
Breast *in situ* (not in total)									233	44.2	38.6	50.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	2,395	521.7	500.7	543.4	1,254	610.0	576.4	645.2	1,141	461.8	434.4	490.6
Oral Cavity and Pharynx	52	12.4	9.2	16.5	37	19.3	13.5	26.8	15	5.9	3.2	10.2
Esophagus	22	4.9	3.1	7.5	19	8.9	5.3	14.1	3	1.4	0.3	4.3
Stomach	14	3.0	1.6	5.2	11	5.2	2.6	9.4	3	1.4	0.3	4.3
Colon and Rectum	265	55.3	48.8	62.6	139	68.7	57.6	81.3	126	45.7	37.9	54.9
Liver	20	4.6	2.8	7.2	14	6.8	3.7	11.6	6	2.4	0.8	5.7
Pancreas	45	9.7	7.0	13.1	20	10.3	6.3	16.1	25	9.6	6.1	14.6
Lung and Bronchus	434	91.9	83.4	101.1	242	116.7	102.3	132.6	192	73.6	63.4	85.1
Bones and Joints	3	0.9	0.2	2.5	1	0.5	0.0	3.0	2	1.3	0.2	4.5
Melanoma of the Skin	69	16.6	12.8	21.1	31	16.4	11.1	23.4	38	17.8	12.4	24.8
Breast (invasive)	320	70.7	63.0	79.1	3	1.4	0.3	4.4	317	129.7	115.4	145.5
Cervix									15	8.9	4.9	14.7
Corpus and Uterus, NOS									51	21.8	16.1	29.0
Ovary									30	12.4	8.3	18.0
Prostate					378	178.0	160.4	197.2				
Testis					9	5.5	2.5	10.3				
Urinary Bladder (incl *in situ*)	119	24.8	20.5	29.8	93	45.7	36.8	56.2	26	9.7	6.3	14.6
Kidney and Renal Pelvis	81	17.9	14.1	22.3	47	22.5	16.5	30.2	34	14.1	9.6	20.0
Brain and Nervous System	23	5.6	3.5	8.5	8	3.9	1.7	7.9	15	7.1	3.8	12.0
Hodgkin Lymphoma	12	3.5	1.8	6.2	7	4.3	1.7	8.8	5	2.7	0.9	6.5
Non-Hodgkin Lymphoma	91	19.7	15.8	24.3	44	21.2	15.3	28.6	47	17.8	12.9	24.1
Myeloma	22	4.6	2.9	7.2	15	7.3	4.0	12.3	7	2.4	1.0	5.4
Leukemia	78	16.9	13.3	21.3	36	18.3	12.7	25.5	42	15.7	11.2	21.7
All other sites	242	54.4	47.6	62.0	100	49.3	40.0	60.1	142	60.5	50.5	72.1
Breast *in situ* (not in total)									99	42.7	34.5	52.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	11,769	515.2	505.7	524.9	6,097	608.9	592.7	625.4	5,672	452.9	441.1	465.0
Oral Cavity and Pharynx	261	10.6	9.3	12.0	187	16.3	13.9	19.0	74	5.8	4.5	7.3
Esophagus	141	6.3	5.3	7.4	112	11.0	8.9	13.4	29	2.5	1.6	3.6
Stomach	169	7.8	6.6	9.1	108	11.6	9.4	14.2	61	5.1	3.8	6.5
Colon and Rectum	1,236	57.3	54.0	60.6	640	68.9	63.3	74.8	596	49.3	45.3	53.4
Liver	114	5.2	4.3	6.3	89	9.1	7.2	11.3	25	2.1	1.4	3.1
Pancreas	300	13.7	12.2	15.4	155	15.7	13.2	18.5	145	12.1	10.2	14.3
Lung and Bronchus	1,631	76.2	72.5	80.1	834	89.4	83.0	96.0	797	67.6	63.0	72.6
Bones and Joints	28	1.0	0.7	1.5	16	1.2	0.7	2.0	12	0.9	0.5	1.6
Melanoma of the Skin	378	15.3	13.8	17.0	234	21.0	18.2	24.0	144	10.9	9.1	12.8
Breast (invasive)	1,617	65.9	62.7	69.3	14	1.7	0.9	2.9	1,603	123.0	117.0	129.3
Cervix									97	7.3	5.9	9.0
Corpus and Uterus, NOS									346	26.6	23.8	29.6
Ovary									154	12.2	10.3	14.3
Prostate					1,638	155.0	147.2	163.1				
Testis					74	5.4	4.2	6.8				
Urinary Bladder (incl *in situ*)	563	26.8	24.5	29.1	419	47.5	42.8	52.5	144	11.9	10.0	14.1
Kidney and Renal Pelvis	437	18.4	16.7	20.3	288	26.2	23.1	29.6	149	11.9	10.0	13.9
Brain and Nervous System	180	7.3	6.2	8.4	97	8.3	6.6	10.2	83	6.4	5.1	8.0
Hodgkin Lymphoma	86	3.4	2.7	4.2	46	3.6	2.6	4.9	40	3.1	2.2	4.2
Non-Hodgkin Lymphoma	489	21.4	19.5	23.4	265	24.9	21.8	28.3	224	18.3	16.0	20.9
Myeloma	122	5.6	4.6	6.7	65	7.1	5.4	9.2	57	4.7	3.6	6.1
Leukemia	320	14.1	12.5	15.7	209	21.1	18.1	24.4	111	9.0	7.4	10.9
All other sites	1,388	61.3	58.0	64.7	607	64.1	58.8	69.8	781	62.2	57.9	66.8
Breast *in situ* (not in total)									382	28.8	25.9	31.9

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Whites, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	6,637	468.0	456.7	479.5	3,307	530.2	512.1	548.8	3,330	430.9	416.1	446.1
Oral Cavity and Pharynx	146	10.3	8.7	12.1	100	15.1	12.2	18.4	46	6.1	4.4	8.2
Esophagus	83	5.8	4.6	7.2	66	10.4	8.0	13.3	17	2.1	1.2	3.4
Stomach	98	7.0	5.6	8.5	66	10.7	8.3	13.7	32	4.0	2.7	5.7
Colon and Rectum	683	47.3	43.8	51.0	336	53.9	48.2	60.1	347	41.5	37.1	46.2
Liver	57	4.0	3.0	5.2	46	7.4	5.4	9.9	11	1.4	0.7	2.6
Pancreas	178	12.2	10.5	14.2	89	14.6	11.7	18.0	89	10.6	8.5	13.1
Lung and Bronchus	1,035	72.2	67.8	76.8	534	86.3	79.1	94.1	501	63.4	57.9	69.3
Bones and Joints	6	0.5	0.2	1.1	4	0.7	0.2	1.7	2	0.3	0.0	1.2
Melanoma of the Skin	274	20.0	17.7	22.5	153	24.3	20.6	28.5	121	16.8	13.9	20.2
Breast (invasive)	930	65.8	61.6	70.2	7	1.2	0.5	2.4	923	122.5	114.6	130.8
Cervix									44	6.6	4.8	9.0
Corpus and Uterus, NOS									216	28.5	24.8	32.7
Ovary									109	14.2	11.7	17.2
Prostate					735	117.0	108.6	125.9				
Testis					33	5.5	3.8	7.8				
Urinary Bladder (incl *in situ*)	337	23.6	21.1	26.3	253	41.4	36.4	46.9	84	10.4	8.2	12.9
Kidney and Renal Pelvis	220	15.5	13.5	17.8	129	19.9	16.6	23.7	91	11.9	9.5	14.6
Brain and Nervous System	88	6.4	5.1	7.9	46	7.2	5.3	9.7	42	5.8	4.1	7.9
Hodgkin Lymphoma	31	2.5	1.7	3.6	18	2.9	1.7	4.6	13	2.2	1.1	3.7
Non-Hodgkin Lymphoma	292	20.6	18.2	23.1	161	25.6	21.7	29.9	131	16.4	13.7	19.6
Myeloma	62	4.3	3.3	5.5	38	6.1	4.3	8.4	24	2.9	1.8	4.4
Leukemia	195	13.7	11.9	15.8	121	19.5	16.1	23.3	74	9.9	7.7	12.5
All other sites	785	55.9	52.0	59.9	372	60.5	54.4	67.0	413	53.6	48.4	59.2
Breast *in situ* (not in total)									214	29.1	25.3	33.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	41,368	527.4	522.2	532.6	21,497	683.6	674.0	693.3	19,871	429.2	423.2	435.3
Oral Cavity and Pharynx	1,011	11.9	11.2	12.7	731	20.6	19.1	22.2	280	5.8	5.1	6.5
Esophagus	502	6.4	5.8	6.9	348	11.0	9.8	12.2	154	3.3	2.8	3.9
Stomach	963	13.0	12.2	13.9	563	19.3	17.6	21.1	400	9.1	8.2	10.0
Colon and Rectum	4,989	65.6	63.7	67.5	2,419	79.5	76.2	82.9	2,570	56.7	54.5	58.9
Liver	661	8.1	7.5	8.7	476	13.6	12.4	15.0	185	4.0	3.5	4.7
Pancreas	1,273	17.2	16.2	18.2	587	19.3	17.7	21.0	686	15.6	14.5	16.8
Lung and Bronchus	6,565	85.9	83.8	88.0	3,605	118.8	114.7	122.9	2,960	65.1	62.7	67.5
Bones and Joints	72	0.7	0.6	0.9	41	0.9	0.6	1.3	31	0.6	0.4	0.8
Melanoma of the Skin	63	0.8	0.6	1.1	22	0.8	0.5	1.2	41	0.9	0.6	1.2
Breast (invasive)	5,700	70.2	68.4	72.1	51	1.6	1.2	2.2	5,649	119.4	116.3	122.6
Cervix									656	13.7	12.7	14.8
Corpus and Uterus, NOS									1,079	23.1	21.7	24.5
Ovary									450	9.7	8.8	10.6
Prostate					7,599	242.1	236.4	247.8				
Testis					60	1.3	1.0	1.7				
Urinary Bladder (incl *in situ*)	930	12.9	12.0	13.7	579	20.7	19.0	22.6	351	8.1	7.2	9.0
Kidney and Renal Pelvis	1,457	18.1	17.2	19.1	854	25.8	24.0	27.7	603	12.8	11.8	13.9
Brain and Nervous System	351	4.0	3.6	4.5	172	4.4	3.7	5.2	179	3.7	3.2	4.3
Hodgkin Lymphoma	260	2.8	2.4	3.1	146	3.4	2.8	4.0	114	2.2	1.8	2.7
Non-Hodgkin Lymphoma	1,083	13.5	12.7	14.3	566	16.7	15.3	18.3	517	11.2	10.2	12.2
Myeloma	867	11.4	10.6	12.2	430	13.9	12.5	15.3	437	9.7	8.8	10.6
Leukemia	816	10.4	9.7	11.2	437	13.6	12.3	15.0	379	8.3	7.5	9.2
All other sites	3,961	50.1	48.5	51.7	1,811	56.2	53.5	59.1	2,150	46.3	44.4	48.4
Breast *in situ* (not in total)									1,458	30.6	29.0	32.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Champaign County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	383	593.2	533.0	657.9	210	809.9	691.0	941.7	173	463.3	395.3	539.0
Oral Cavity and Pharynx	9	12.4	5.6	23.7	9	28.4	12.7	55.5	0	0.0	0.0	8.5
Esophagus	5	7.4	2.3	17.1	2	9.2	1.0	32.0	3	6.9	1.4	20.2
Stomach	8	11.9	4.9	23.6	6	20.1	7.0	45.4	2	5.7	0.6	19.8
Colon and Rectum	38	61.3	42.5	84.9	23	105.7	60.4	167.2	15	38.0	20.9	62.9
Liver	5	5.5	1.8	13.3	3	7.7	1.6	25.7	2	3.8	0.4	14.6
Pancreas	13	18.1	9.3	31.3	8	22.2	8.7	47.1	5	14.0	4.5	31.7
Lung and Bronchus	64	109.1	83.4	139.6	33	159.0	104.0	229.2	31	85.7	57.8	121.6
Bones and Joints	0	0.0	0.0	5.0	0	0.0	0.0	15.1	0	0.0	0.0	8.5
Melanoma of the Skin	1	1.3	0.0	7.3	0	0.0	0.0	15.1	1	2.6	0.1	13.6
Breast (invasive)	54	78.3	58.1	102.7	1	2.5	0.1	18.5	53	137.3	102.2	179.9
Cervix									5	13.8	4.4	31.5
Corpus and Uterus, NOS									8	21.1	9.0	41.2
Ovary									4	10.5	2.8	26.4
Prostate					72	270.7	207.4	346.0				
Testis					1	2.2	0.1	17.9				
Urinary Bladder (incl *in situ*)	10	16.8	7.8	30.8	6	20.6	7.4	46.0	4	12.2	3.2	30.0
Kidney and Renal Pelvis	23	35.9	22.5	53.8	14	47.9	25.8	81.4	9	26.2	11.8	49.0
Brain and Nervous System	3	2.8	0.3	9.8	2	1.9	0.2	16.7	1	3.1	0.1	15.2
Hodgkin Lymphoma	4	4.4	1.1	12.0	2	3.6	0.4	19.4	2	4.8	0.6	17.2
Non-Hodgkin Lymphoma	4	7.5	1.9	18.6	1	3.6	0.1	21.3	3	8.7	1.7	24.4
Myeloma	6	11.0	3.9	23.3	5	30.1	7.3	72.7	1	2.8	0.1	14.1
Leukemia	12	19.2	9.3	34.3	6	17.3	5.5	41.4	6	18.7	6.6	40.0
All other sites	34	52.3	35.5	73.6	16	57.3	31.7	94.7	18	47.3	27.4	75.2
Breast *in situ* (not in total)									22	55.5	34.5	84.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	32,449	531.3	525.5	537.2	16,670	689.4	678.5	700.4	15,779	433.3	426.5	440.2
Oral Cavity and Pharynx	790	12.1	11.3	13.0	566	21.1	19.4	23.0	224	5.9	5.2	6.8
Esophagus	387	6.2	5.6	6.8	261	10.5	9.2	11.9	126	3.4	2.8	4.0
Stomach	752	12.9	12.0	13.9	442	19.6	17.7	21.6	310	8.8	7.9	9.9
Colon and Rectum	4,014	67.2	65.1	69.4	1,919	81.7	77.9	85.6	2,095	58.2	55.7	60.7
Liver	541	8.6	7.9	9.4	388	14.8	13.3	16.4	153	4.3	3.6	5.0
Pancreas	1,009	17.4	16.3	18.5	448	19.3	17.4	21.2	561	16.0	14.7	17.4
Lung and Bronchus	5,215	86.4	84.0	88.8	2,824	119.1	114.6	123.8	2,391	65.9	63.3	68.6
Bones and Joints	56	0.8	0.6	1.0	32	1.0	0.7	1.4	24	0.6	0.4	0.9
Melanoma of the Skin	43	0.7	0.5	1.0	15	0.6	0.3	1.1	28	0.8	0.5	1.1
Breast (invasive)	4,470	71.9	69.8	74.0	42	1.8	1.2	2.4	4,428	120.0	116.5	123.6
Cervix									543	14.7	13.5	16.0
Corpus and Uterus, NOS									875	23.6	22.0	25.2
Ovary									363	9.9	8.9	11.0
Prostate					5,926	244.8	238.3	251.3				
Testis					43	1.4	1.0	2.0				
Urinary Bladder (incl *in situ*)	721	12.6	11.7	13.6	447	20.3	18.4	22.4	274	7.9	7.0	8.9
Kidney and Renal Pelvis	1,103	17.6	16.6	18.7	639	25.4	23.4	27.5	464	12.5	11.4	13.7
Brain and Nervous System	266	4.1	3.6	4.7	117	4.2	3.4	5.0	149	4.1	3.4	4.8
Hodgkin Lymphoma	181	2.7	2.3	3.1	103	3.5	2.9	4.3	78	2.1	1.6	2.6
Non-Hodgkin Lymphoma	815	13.3	12.4	14.2	423	16.8	15.1	18.5	392	10.9	9.8	12.0
Myeloma	679	11.3	10.5	12.2	320	13.2	11.8	14.8	359	10.0	9.0	11.1
Leukemia	602	10.0	9.2	10.8	324	13.4	11.9	15.1	278	7.8	6.9	8.7
All other sites	3,055	50.1	48.3	52.0	1,391	56.9	53.8	60.1	1,664	46.0	43.8	48.2
Breast *in situ* (not in total)									1,128	30.2	28.4	32.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	506	497.7	446.7	552.4	243	577.9	489.4	676.0	263	455.2	391.7	525.1
Oral Cavity and Pharynx	3	3.5	0.4	11.4	2	7.0	0.5	26.1	1	0.9	0.0	8.2
Esophagus	0	0.0	0.0	4.2	0	0.0	0.0	11.1	0	0.0	0.0	7.2
Stomach	12	19.2	9.0	34.3	9	30.5	11.3	61.8	3	10.5	2.1	27.5
Colon and Rectum	52	54.0	37.8	74.1	23	48.5	26.6	79.7	29	59.2	36.7	89.0
Liver	5	4.5	1.3	11.3	3	4.8	1.0	17.3	2	4.4	0.4	15.9
Pancreas	13	15.9	7.4	28.7	5	7.6	2.1	21.5	8	22.1	8.6	43.9
Lung and Bronchus	51	58.1	41.1	79.2	24	78.5	44.8	124.0	27	50.1	30.9	75.8
Bones and Joints	1	0.4	0.0	4.6	0	0.0	0.0	11.1	1	0.8	0.0	8.1
Melanoma of the Skin	1	0.4	0.0	4.6	0	0.0	0.0	11.1	1	0.8	0.0	8.0
Breast (invasive)	88	65.6	49.9	84.6	0	0.0	0.0	11.1	88	123.8	94.6	158.7
Cervix									11	12.4	5.4	24.9
Corpus and Uterus, NOS									15	22.1	11.2	38.8
Ovary									3	7.8	1.3	22.6
Prostate					108	256.7	201.0	321.7				
Testis					4	3.3	0.9	14.3				
Urinary Bladder (incl *in situ*)	14	20.0	10.0	34.5	11	33.5	13.9	64.3	3	9.2	1.7	25.2
Kidney and Renal Pelvis	18	17.0	9.2	28.4	9	11.9	5.2	25.9	9	22.4	9.3	43.4
Brain and Nervous System	9	4.1	1.8	9.1	5	4.3	1.4	15.4	4	3.8	1.0	12.1
Hodgkin Lymphoma	2	1.0	0.1	5.4	1	1.3	0.0	12.5	1	0.7	0.0	8.0
Non-Hodgkin Lymphoma	16	11.6	5.9	20.5	7	13.9	4.3	32.8	9	9.7	4.3	20.1
Myeloma	14	14.9	6.8	27.3	9	22.9	7.2	50.7	5	10.7	2.5	27.1
Leukemia	11	12.5	5.4	23.9	4	10.1	2.0	28.7	7	14.5	4.7	31.8
All other sites	55	55.6	39.2	75.9	19	43.2	21.1	76.0	36	69.2	45.1	100.3
Breast *in situ* (not in total)									19	27.1	14.5	45.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	431	560.2	500.1	624.9	236	749.5	629.4	883.0	195	437.1	371.2	510.3
Oral Cavity and Pharynx	12	13.5	6.1	25.3	10	28.5	10.8	59.4	2	3.0	0.4	12.6
Esophagus	4	3.7	1.0	10.4	3	5.2	1.1	21.5	1	2.2	0.1	12.2
Stomach	12	18.1	7.6	34.5	7	26.0	5.0	67.9	5	13.7	3.6	32.9
Colon and Rectum	49	67.2	47.4	91.6	26	74.1	45.1	114.3	23	58.0	35.0	89.0
Liver	4	3.6	0.9	10.2	3	5.9	1.1	22.9	1	1.5	0.0	10.4
Pancreas	8	7.2	3.1	15.1	6	11.8	4.2	30.4	2	3.2	0.4	13.0
Lung and Bronchus	67	104.8	78.4	136.3	44	185.6	121.7	266.2	23	59.6	36.3	91.0
Bones and Joints	0	0.0	0.0	5.0	0	0.0	0.0	15.6	0	0.0	0.0	8.1
Melanoma of the Skin	3	2.4	0.5	8.2	1	1.7	0.0	17.3	2	3.0	0.4	12.6
Breast (invasive)	62	69.4	50.6	92.4	0	0.0	0.0	15.6	62	122.8	91.4	161.0
Cervix									2	3.1	0.4	12.7
Corpus and Uterus, NOS									7	18.3	6.8	37.8
Ovary									3	7.0	1.1	21.3
Prostate					85	251.6	187.1	329.1				
Testis					0	0.0	0.0	15.6				
Urinary Bladder (incl *in situ*)	9	19.4	8.1	37.1	4	20.1	4.7	51.3	5	17.0	5.0	38.6
Kidney and Renal Pelvis	16	19.6	10.2	33.5	9	31.9	12.5	64.6	7	11.7	4.4	25.7
Brain and Nervous System	5	4.7	1.3	12.3	4	9.7	2.1	29.7	1	0.9	0.0	9.1
Hodgkin Lymphoma	3	2.0	0.4	7.6	2	3.3	0.4	19.0	1	1.1	0.0	9.5
Non-Hodgkin Lymphoma	11	13.3	5.9	25.2	5	9.5	3.0	27.1	6	15.0	4.8	33.3
Myeloma	9	15.5	6.4	30.1	5	16.6	4.1	42.8	4	14.0	3.5	34.3
Leukemia	7	7.7	2.4	17.7	2	2.5	0.2	18.0	5	11.1	3.0	27.3
All other sites	53	68.0	47.4	93.6	20	65.5	31.5	115.4	33	70.7	45.9	103.1
Breast *in situ* (not in total)									12	22.8	11.1	41.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kankakee County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	349	555.9	497.3	619.0	201	774.7	659.7	902.4	148	411.6	347.2	484.1
Oral Cavity and Pharynx	13	19.7	10.5	33.6	10	34.3	16.4	63.6	3	8.1	1.7	23.3
Esophagus	5	8.2	2.6	18.9	2	7.2	0.9	26.4	3	8.8	1.8	24.8
Stomach	10	18.3	8.5	33.6	6	29.1	8.6	66.1	4	12.4	3.3	30.7
Colon and Rectum	44	75.7	54.4	102.1	23	107.6	62.8	168.0	21	61.1	37.6	93.0
Liver	3	4.6	0.9	13.4	0	0.0	0.0	14.2	3	8.3	1.7	23.7
Pancreas	11	16.8	8.3	30.0	6	20.1	7.3	44.4	5	14.0	4.5	32.2
Lung and Bronchus	45	72.7	52.5	97.7	33	121.5	80.8	174.3	12	35.4	18.1	61.4
Bones and Joints	0	0.0	0.0	5.3	0	0.0	0.0	14.2	0	0.0	0.0	9.3
Melanoma of the Skin	0	0.0	0.0	5.3	0	0.0	0.0	14.2	0	0.0	0.0	9.3
Breast (invasive)	46	69.7	50.4	93.6	0	0.0	0.0	14.2	46	123.3	89.9	164.6
Cervix									6	14.9	5.5	32.5
Corpus and Uterus, NOS									7	19.4	7.8	39.6
Ovary									4	10.2	2.7	26.4
Prostate					67	235.3	180.0	301.8				
Testis					1	3.2	0.1	19.5				
Urinary Bladder (incl *in situ*)	10	20.1	9.3	36.7	6	38.7	11.9	84.9	4	12.4	3.3	30.8
Kidney and Renal Pelvis	14	22.7	12.1	38.1	10	33.3	15.6	62.3	4	12.7	3.4	31.2
Brain and Nervous System	6	6.6	2.4	15.1	5	12.2	3.9	31.3	1	1.7	0.0	11.8
Hodgkin Lymphoma	4	4.7	1.2	12.7	2	5.8	0.7	23.1	2	4.0	0.5	15.8
Non-Hodgkin Lymphoma	17	28.1	16.0	45.3	11	44.6	19.6	83.8	6	17.4	6.3	37.4
Myeloma	6	10.5	3.7	22.7	2	15.0	1.2	49.7	4	10.8	2.9	27.4
Leukemia	3	4.1	0.8	12.4	2	5.9	0.5	24.1	1	2.8	0.1	14.7
All other sites	27	44.9	29.1	65.6	15	61.0	31.5	104.2	12	34.0	17.4	59.2
Breast *in situ* (not in total)									12	34.4	17.7	59.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	756	477.2	442.0	514.2	428	621.7	557.6	690.4	328	371.5	331.1	415.2
Oral Cavity and Pharynx	19	10.3	6.0	16.4	16	18.1	9.9	30.5	3	3.4	0.6	9.8
Esophagus	12	8.5	4.3	14.9	6	9.9	3.5	21.3	6	7.3	2.5	15.7
Stomach	25	17.5	11.0	26.0	14	21.5	10.9	37.2	11	14.2	7.0	25.1
Colon and Rectum	86	57.0	45.0	70.9	54	83.8	60.8	111.8	32	37.2	25.1	52.8
Liver	8	4.3	1.8	8.7	6	7.6	2.7	17.1	2	1.6	0.2	6.2
Pancreas	23	13.4	8.2	20.5	16	19.2	10.4	32.4	7	8.3	3.2	16.9
Lung and Bronchus	91	61.8	49.2	76.3	47	77.5	54.2	106.3	44	53.1	38.3	71.4
Bones and Joints	3	1.2	0.2	4.0	2	1.8	0.2	8.3	1	0.6	0.0	4.5
Melanoma of the Skin	2	1.4	0.1	5.0	1	0.9	0.0	6.7	1	1.5	0.0	7.2
Breast (invasive)	100	58.2	46.8	71.5	0	0.0	0.0	5.5	100	105.0	84.8	128.3
Cervix									4	4.4	1.1	11.1
Corpus and Uterus, NOS									24	29.3	18.6	43.5
Ovary									10	11.8	5.5	21.6
Prostate					153	211.6	177.1	250.6				
Testis					1	0.5	0.0	6.1				
Urinary Bladder (incl *in situ*)	21	14.1	8.5	21.8	12	17.7	8.4	32.2	9	11.3	5.0	21.1
Kidney and Renal Pelvis	24	13.1	8.2	19.8	18	21.3	12.0	34.9	6	6.1	2.1	13.4
Brain and Nervous System	4	2.5	0.5	6.7	3	5.5	0.5	18.3	1	1.3	0.0	6.4
Hodgkin Lymphoma	5	2.1	0.6	5.3	2	1.3	0.1	7.1	3	2.8	0.5	8.4
Non-Hodgkin Lymphoma	22	13.7	8.3	21.2	11	15.7	6.5	30.6	11	12.8	6.3	22.9
Myeloma	12	9.6	4.9	16.5	6	13.0	4.2	28.5	6	8.2	3.0	17.2
Leukemia	22	14.6	8.9	22.2	11	17.7	8.2	32.4	11	12.7	6.2	22.7
All other sites	85	53.9	42.4	67.3	49	76.9	54.6	104.3	36	38.6	26.6	53.9
Breast *in situ* (not in total)									33	34.0	23.1	48.0

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Macon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	362	570.4	511.9	633.4	202	794.6	682.3	919.1	160	426.0	362.0	497.6
Oral Cavity and Pharynx	12	18.5	9.4	32.4	9	33.5	14.8	64.7	3	7.9	1.6	22.6
Esophagus	8	13.6	5.8	26.4	7	29.4	11.3	60.6	1	3.1	0.1	15.4
Stomach	7	11.9	4.7	24.3	5	27.2	7.6	63.4	2	5.2	0.6	18.4
Colon and Rectum	28	43.2	28.4	62.6	14	49.8	26.6	84.7	14	37.0	20.1	61.9
Liver	1	1.6	0.0	8.4	1	3.6	0.1	20.8	0	0.0	0.0	8.9
Pancreas	15	25.3	14.0	41.6	7	31.2	12.0	64.0	8	22.1	9.4	43.0
Lung and Bronchus	71	118.6	92.3	149.7	47	198.5	142.6	267.5	24	69.0	44.1	102.1
Bones and Joints	0	0.0	0.0	5.3	0	0.0	0.0	14.4	0	0.0	0.0	8.9
Melanoma of the Skin	0	0.0	0.0	5.3	0	0.0	0.0	14.4	0	0.0	0.0	8.9
Breast (invasive)	42	61.8	44.3	83.7	0	0.0	0.0	14.4	42	107.7	77.4	145.5
Cervix									5	11.8	3.8	27.7
Corpus and Uterus, NOS									4	10.5	2.8	26.4
Ovary									2	5.1	0.6	18.2
Prostate					62	237.2	179.5	306.8				
Testis					0	0.0	0.0	14.4				
Urinary Bladder (incl *in situ*)	6	10.9	3.9	23.1	3	16.6	3.4	45.1	3	8.4	1.7	23.8
Kidney and Renal Pelvis	29	42.9	28.4	61.9	16	48.9	27.3	81.4	13	36.1	19.1	61.3
Brain and Nervous System	4	4.5	1.2	12.4	0	0.0	0.0	14.4	4	8.2	2.2	22.0
Hodgkin Lymphoma	0	0.0	0.0	5.3	0	0.0	0.0	14.4	0	0.0	0.0	8.9
Non-Hodgkin Lymphoma	11	15.3	7.4	27.8	4	9.6	2.5	28.2	7	17.8	7.1	36.6
Myeloma	5	9.3	3.0	20.9	3	16.6	3.4	45.1	2	5.6	0.7	19.3
Leukemia	6	8.9	3.1	19.6	5	19.6	5.7	47.2	1	2.2	0.1	12.8
All other sites	44	71.1	51.2	95.7	19	72.8	41.6	117.1	25	68.3	44.1	100.6
Breast *in situ* (not in total)									14	36.0	19.5	60.3

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Madison County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	392	530.3	478.0	586.5	199	666.3	570.5	772.4	193	440.0	379.1	507.3
Oral Cavity and Pharynx	7	9.3	3.7	19.0	1	2.4	0.1	15.5	6	13.8	5.0	29.7
Esophagus	4	6.0	1.6	14.9	3	10.7	2.0	30.5	1	2.6	0.1	13.0
Stomach	8	11.4	4.8	22.1	3	11.1	2.2	31.3	5	10.0	3.2	23.3
Colon and Rectum	54	73.4	54.9	95.8	26	82.3	52.9	121.4	28	64.6	42.7	93.2
Liver	3	4.3	0.8	12.0	3	9.7	1.9	28.3	0	0.0	0.0	7.3
Pancreas	14	19.5	10.6	32.6	9	26.1	11.7	50.1	5	12.4	4.0	28.1
Lung and Bronchus	57	81.7	61.6	105.9	32	117.3	78.0	167.7	25	60.3	38.7	88.8
Bones and Joints	1	0.6	0.0	5.1	1	1.2	0.0	12.9	0	0.0	0.0	7.3
Melanoma of the Skin	0	0.0	0.0	4.2	0	0.0	0.0	11.6	0	0.0	0.0	7.3
Breast (invasive)	50	64.1	47.3	84.7	0	0.0	0.0	11.6	50	112.1	82.8	147.9
Cervix									8	19.6	8.3	38.0
Corpus and Uterus, NOS									12	27.4	14.0	47.6
Ovary									2	4.2	0.5	14.8
Prostate					67	229.2	175.1	293.4				
Testis					1	2.3	0.1	15.1				
Urinary Bladder (incl *in situ*)	6	8.2	2.9	17.5	4	21.4	4.6	54.0	2	4.5	0.5	15.5
Kidney and Renal Pelvis	17	23.1	13.2	37.1	13	49.1	23.4	87.4	4	10.0	2.7	24.6
Brain and Nervous System	4	4.9	1.2	12.8	1	1.3	0.0	13.1	3	6.6	1.2	19.1
Hodgkin Lymphoma	7	6.6	2.5	14.4	5	9.7	3.0	25.2	2	3.3	0.4	13.0
Non-Hodgkin Lymphoma	13	17.9	9.4	30.5	6	18.3	6.5	40.2	7	16.9	6.6	34.4
Myeloma	7	10.3	4.1	20.8	4	13.8	3.6	34.7	3	6.2	1.3	17.8
Leukemia	13	16.9	8.7	29.0	5	12.4	3.7	30.8	8	18.3	7.7	35.8
All other sites	37	47.7	33.3	65.9	15	48.1	25.1	81.7	22	47.3	29.4	71.6
Breast *in situ* (not in total)									17	40.6	23.4	64.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Peoria County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	575	592.4	542.4	645.5	291	754.6	660.5	856.9	284	491.7	434.2	554.3
Oral Cavity and Pharynx	17	15.4	8.8	25.0	14	28.7	15.1	49.3	3	5.4	1.1	15.4
Esophagus	4	5.8	1.5	14.1	3	14.3	2.6	38.6	1	2.0	0.1	10.0
Stomach	15	16.5	8.9	27.4	8	20.1	8.2	40.0	7	13.1	5.1	26.8
Colon and Rectum	53	58.5	43.2	76.9	34	94.2	62.3	135.0	19	35.9	21.3	55.9
Liver	14	13.7	7.1	23.6	10	24.7	10.0	48.7	4	6.4	1.5	16.7
Pancreas	17	19.2	10.9	30.7	8	22.1	9.3	43.3	9	16.5	7.4	31.2
Lung and Bronchus	98	115.3	92.8	141.1	50	153.5	110.3	206.0	48	92.9	67.9	123.3
Bones and Joints	2	0.9	0.1	4.5	0	0.0	0.0	9.1	2	1.7	0.2	8.1
Melanoma of the Skin	0	0.0	0.0	3.4	0	0.0	0.0	9.1	0	0.0	0.0	5.7
Breast (invasive)	85	77.4	61.2	96.4	0	0.0	0.0	9.1	85	136.4	108.2	169.3
Cervix									9	13.4	6.0	25.7
Corpus and Uterus, NOS									15	30.2	16.6	49.5
Ovary									6	9.5	3.1	21.3
Prostate					99	240.1	189.9	298.4				
Testis					2	1.9	0.2	11.2				
Urinary Bladder (incl *in situ*)	14	15.5	8.2	26.2	7	21.6	8.4	43.6	7	11.5	4.4	23.8
Kidney and Renal Pelvis	26	27.0	17.4	39.7	13	30.7	15.8	53.3	13	23.5	12.4	40.0
Brain and Nervous System	2	2.4	0.2	8.8	1	1.0	0.0	10.3	1	2.7	0.1	12.0
Hodgkin Lymphoma	9	8.4	3.6	16.2	4	5.9	1.5	17.5	5	10.1	3.2	22.8
Non-Hodgkin Lymphoma	18	17.6	10.2	28.1	12	30.1	14.7	53.7	6	9.5	3.4	20.9
Myeloma	8	7.4	3.1	14.7	2	3.2	0.4	13.7	6	10.5	3.8	22.6
Leukemia	10	10.1	4.4	19.3	3	5.8	0.9	19.1	7	12.5	4.7	26.1
All other sites	52	49.2	35.9	65.7	21	56.5	31.8	90.7	31	48.1	31.8	69.3
Breast *in situ* (not in total)									14	24.2	12.9	40.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Rock Island County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	223	484.3	420.6	554.4	129	604.6	498.7	725.4	94	381.9	307.4	468.5
Oral Cavity and Pharynx	5	10.6	3.4	24.7	3	12.5	2.5	38.4	2	8.4	1.0	29.4
Esophagus	2	4.5	0.5	15.6	1	4.9	0.1	27.7	1	4.1	0.1	22.1
Stomach	5	10.4	3.3	24.3	3	14.7	2.8	43.7	2	7.3	0.9	26.8
Colon and Rectum	27	61.5	39.8	90.0	16	83.9	46.7	137.5	11	43.4	21.3	78.0
Liver	5	9.3	3.0	22.1	4	13.7	3.7	38.6	1	4.1	0.1	22.1
Pancreas	5	13.4	4.0	31.0	3	14.8	2.6	44.7	2	10.9	1.3	35.7
Lung and Bronchus	37	81.8	56.8	113.4	16	76.2	42.2	125.8	21	84.7	52.0	129.7
Bones and Joints	2	3.2	0.4	12.9	2	5.8	0.7	27.0	0	0.0	0.0	14.1
Melanoma of the Skin	1	1.6	0.0	10.3	0	0.0	0.0	19.0	1	3.2	0.1	19.5
Breast (invasive)	26	55.9	35.6	83.0	0	0.0	0.0	19.0	26	102.8	66.5	151.2
Cervix									1	4.0	0.1	21.8
Corpus and Uterus, NOS									3	12.1	2.5	34.8
Ovary									4	15.0	4.0	38.8
Prostate					48	232.1	169.1	310.0				
Testis					0	0.0	0.0	19.0				
Urinary Bladder (incl *in situ*)	2	6.6	0.7	21.6	1	4.9	0.1	27.7	1	6.1	0.2	28.0
Kidney and Renal Pelvis	12	25.7	12.8	45.4	9	39.4	16.6	78.3	3	13.9	2.9	38.9
Brain and Nervous System	1	1.6	0.0	10.3	1	3.4	0.1	23.9	0	0.0	0.0	14.1
Hodgkin Lymphoma	1	1.6	0.0	10.3	1	3.4	0.1	23.9	0	0.0	0.0	14.1
Non-Hodgkin Lymphoma	8	14.9	6.4	29.6	6	21.8	8.0	50.0	2	7.8	0.9	28.0
Myeloma	3	6.3	1.2	18.4	1	6.5	0.2	32.3	2	8.0	0.9	28.6
Leukemia	6	12.1	4.4	26.5	4	17.1	4.3	46.1	2	7.5	0.9	27.2
All other sites	19	42.3	24.6	67.1	10	49.5	19.2	99.6	9	38.5	17.4	72.8
Breast *in situ* (not in total)									7	28.2	11.3	57.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

St. Clair County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,597	526.1	500.3	552.9	819	691.9	643.1	743.3	778	426.4	396.8	457.5
Oral Cavity and Pharynx	40	12.3	8.8	16.8	29	22.8	14.9	33.2	11	5.7	2.8	10.2
Esophagus	28	9.5	6.3	13.8	25	23.2	14.5	34.6	3	1.7	0.4	4.9
Stomach	23	8.0	5.0	12.0	13	11.8	5.8	20.7	10	5.8	2.8	10.5
Colon and Rectum	183	62.1	53.3	71.9	76	64.4	50.0	81.4	107	60.1	49.2	72.6
Liver	19	5.8	3.4	9.0	14	10.2	5.4	17.3	5	2.7	0.9	6.2
Pancreas	40	13.6	9.7	18.5	19	15.8	9.2	25.1	21	12.0	7.4	18.2
Lung and Bronchus	274	92.5	81.8	104.3	154	135.9	114.3	160.0	120	67.3	55.8	80.5
Bones and Joints	0	0.0	0.0	1.1	0	0.0	0.0	2.9	0	0.0	0.0	1.9
Melanoma of the Skin	4	1.3	0.3	3.3	2	2.1	0.3	7.0	2	1.0	0.1	3.5
Breast (invasive)	241	76.8	67.3	87.2	0	0.0	0.0	2.9	241	129.8	113.9	147.3
Cervix									29	15.8	10.5	22.6
Corpus and Uterus, NOS									35	19.1	13.3	26.6
Ovary									12	6.7	3.5	11.6
Prostate					274	229.0	201.6	258.8				
Testis					2	1.2	0.1	4.7				
Urinary Bladder (incl *in situ*)	36	12.4	8.7	17.2	20	17.5	10.5	27.1	16	9.0	5.1	14.5
Kidney and Renal Pelvis	77	25.5	20.1	31.9	44	36.8	26.5	49.6	33	18.1	12.5	25.4
Brain and Nervous System	11	3.3	1.6	5.9	9	6.5	2.9	12.4	2	1.0	0.1	3.6
Hodgkin Lymphoma	13	3.9	2.1	6.6	7	5.0	2.0	10.3	6	3.1	1.1	6.8
Non-Hodgkin Lymphoma	40	13.1	9.3	17.9	20	16.2	9.5	25.5	20	10.9	6.7	16.9
Myeloma	33	10.9	7.5	15.3	25	21.8	13.9	32.2	8	4.2	1.8	8.3
Leukemia	32	11.1	7.5	15.7	18	17.7	10.0	28.5	14	7.6	4.1	12.8
All other sites	151	48.4	40.9	56.9	68	54.3	41.6	69.4	83	44.7	35.6	55.5
Breast *in situ* (not in total)									50	27.0	20.0	35.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Sangamon County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	384	550.8	495.1	610.8	204	747.2	638.7	867.2	180	435.7	373.2	505.3
Oral Cavity and Pharynx	14	17.7	9.4	30.0	11	36.1	15.8	68.6	3	6.2	1.3	18.1
Esophagus	6	7.5	2.7	16.3	5	14.1	4.5	34.2	1	2.0	0.1	11.5
Stomach	5	6.3	2.0	14.8	3	9.3	1.9	28.0	2	4.2	0.5	15.1
Colon and Rectum	36	53.3	36.8	74.2	17	64.4	35.5	105.5	19	47.7	28.5	74.3
Liver	9	11.4	5.1	21.9	6	18.1	6.4	40.6	3	6.2	1.2	18.5
Pancreas	12	21.6	10.9	37.2	2	8.9	0.8	31.2	10	28.7	13.6	51.8
Lung and Bronchus	62	99.2	75.4	127.5	39	151.1	104.8	209.2	23	62.9	39.6	93.8
Bones and Joints	0	0.0	0.0	4.7	0	0.0	0.0	13.1	0	0.0	0.0	7.9
Melanoma of the Skin	0	0.0	0.0	4.7	0	0.0	0.0	13.1	0	0.0	0.0	7.9
Breast (invasive)	51	66.5	49.0	88.0	1	6.4	0.2	28.2	50	115.1	84.9	152.1
Cervix									7	15.2	6.0	31.2
Corpus and Uterus, NOS									13	31.6	16.6	53.8
Ovary									4	10.0	2.6	25.2
Prostate					68	241.5	183.9	310.3				
Testis					0	0.0	0.0	13.1				
Urinary Bladder (incl *in situ*)	9	17.9	8.1	32.9	7	47.4	18.1	94.2	2	6.1	0.7	19.9
Kidney and Renal Pelvis	13	13.7	7.1	23.9	6	13.9	5.1	32.4	7	13.4	5.1	28.4
Brain and Nervous System	3	3.6	0.7	10.6	1	2.5	0.1	16.9	2	4.3	0.5	15.6
Hodgkin Lymphoma	1	0.6	0.0	5.5	1	1.3	0.0	14.4	0	0.0	0.0	7.9
Non-Hodgkin Lymphoma	10	15.3	7.1	28.3	5	20.1	5.5	48.0	5	12.7	4.0	29.1
Myeloma	12	18.8	9.5	32.8	7	29.0	10.8	60.1	5	12.6	3.9	28.9
Leukemia	12	16.8	8.4	29.6	9	33.0	13.7	64.7	3	6.9	1.4	19.8
All other sites	37	48.1	33.3	67.1	16	50.1	25.5	86.9	21	50.2	30.7	76.8
Breast *in situ* (not in total)									14	30.6	16.6	51.2

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Vermilion County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	174	523.6	447.6	608.0	102	714.1	576.8	871.4	72	396.1	309.3	498.7
Oral Cavity and Pharynx	5	13.7	4.4	31.6	5	27.2	8.5	64.4	0	0.0	0.0	18.4
Esophagus	3	9.1	1.9	25.6	3	19.8	4.0	55.9	0	0.0	0.0	18.4
Stomach	6	17.9	6.4	38.3	4	30.5	7.4	76.4	2	10.2	1.2	36.4
Colon and Rectum	23	74.2	46.8	110.6	8	60.6	25.8	116.6	15	84.1	47.0	137.9
Liver	2	5.6	0.7	19.7	2	12.1	1.4	42.6	0	0.0	0.0	18.4
Pancreas	4	11.3	3.0	28.4	1	4.4	0.1	28.1	3	16.4	3.3	46.9
Lung and Bronchus	29	89.7	59.8	128.3	21	146.3	88.9	224.0	8	46.0	19.8	89.4
Bones and Joints	1	2.4	0.1	13.7	1	4.4	0.1	28.1	0	0.0	0.0	18.4
Melanoma of the Skin	1	3.8	0.1	18.0	1	12.1	0.3	51.7	0	0.0	0.0	18.4
Breast (invasive)	15	41.4	23.0	68.2	0	0.0	0.0	21.0	15	85.0	47.4	139.4
Cervix									2	11.2	1.3	39.0
Corpus and Uterus, NOS									1	6.6	0.2	32.6
Ovary									1	5.6	0.1	29.6
Prostate					28	202.7	133.0	292.7				
Testis					0	0.0	0.0	21.0				
Urinary Bladder (incl *in situ*)	5	16.5	5.3	37.2	2	19.9	2.2	63.3	3	18.0	3.7	50.4
Kidney and Renal Pelvis	6	16.6	6.1	35.8	3	15.1	2.9	45.7	3	16.0	3.3	45.9
Brain and Nervous System	7	14.5	5.5	31.4	3	14.4	2.4	45.6	4	16.5	4.4	44.4
Hodgkin Lymphoma	0	0.0	0.0	9.3	0	0.0	0.0	21.0	0	0.0	0.0	18.4
Non-Hodgkin Lymphoma	4	10.2	2.6	26.5	3	14.0	2.6	43.9	1	6.3	0.2	31.5
Myeloma	5	15.2	4.9	34.6	4	27.8	7.2	69.5	1	5.1	0.1	27.9
Leukemia	4	13.7	3.7	33.4	3	22.8	4.7	62.6	1	5.6	0.1	29.6
All other sites	22	68.4	42.6	102.9	10	80.0	37.0	145.7	12	63.3	32.7	110.1
Breast *in situ* (not in total)									12	69.0	35.5	119.5

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	1,123	526.3	492.5	561.7	605	640.8	581.7	703.7	518	437.8	397.8	480.5
Oral Cavity and Pharynx	17	6.9	3.9	11.4	14	13.3	6.8	23.4	3	1.7	0.3	5.4
Esophagus	13	7.4	3.6	13.1	11	15.9	6.4	30.8	2	2.2	0.2	7.4
Stomach	24	14.4	8.8	21.9	12	15.8	7.3	29.0	12	13.0	6.4	22.7
Colon and Rectum	129	64.7	52.8	78.2	69	71.0	52.9	93.0	60	57.3	42.7	74.8
Liver	15	4.9	2.7	8.3	11	7.8	3.8	15.2	4	2.2	0.6	6.2
Pancreas	29	18.1	11.6	26.5	16	23.1	11.6	39.9	13	14.4	7.4	24.7
Lung and Bronchus	144	75.2	62.4	89.6	85	101.6	78.4	129.0	59	55.5	41.5	72.4
Bones and Joints	4	1.2	0.3	3.5	3	1.9	0.4	7.3	1	0.6	0.0	3.9
Melanoma of the Skin	2	0.6	0.1	2.6	1	0.7	0.0	5.8	1	0.6	0.0	3.9
Breast (invasive)	182	77.1	64.9	90.8	3	3.5	0.5	11.1	179	135.5	114.8	158.6
Cervix									13	8.6	4.4	15.3
Corpus and Uterus, NOS									29	24.4	15.9	35.6
Ovary									13	9.1	4.5	16.2
Prostate					234	240.7	206.4	278.7				
Testis					3	1.8	0.4	7.2				
Urinary Bladder (incl *in situ*)	27	13.9	8.7	20.7	19	21.3	10.9	36.5	8	8.9	3.7	17.2
Kidney and Renal Pelvis	36	16.5	11.0	23.6	23	22.8	12.2	38.0	13	12.2	6.2	21.2
Brain and Nervous System	8	3.3	1.1	7.2	5	4.4	0.8	12.6	3	2.4	0.3	7.5
Hodgkin Lymphoma	12	3.2	1.6	5.9	6	3.2	1.1	8.7	6	3.3	1.2	7.6
Non-Hodgkin Lymphoma	37	15.5	10.4	22.0	20	17.6	9.8	29.1	17	13.9	7.7	22.7
Myeloma	22	10.6	6.3	16.6	11	9.8	4.6	18.6	11	10.4	4.8	18.9
Leukemia	26	10.5	6.4	16.0	13	12.8	5.8	24.1	13	9.2	4.6	16.3
All other sites	104	52.7	41.9	65.2	46	51.7	35.2	72.6	58	52.7	39.0	69.4
Breast *in situ* (not in total)									49	32.5	23.6	43.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Winnebago County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Blacks, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	543	475.0	434.0	518.7	289	627.7	548.7	713.9	254	383.0	336.1	434.4
Oral Cavity and Pharynx	15	12.1	6.6	20.2	10	17.7	8.2	33.6	5	7.7	2.4	17.9
Esophagus	9	7.5	3.3	14.3	7	12.9	4.9	27.5	2	3.3	0.4	11.3
Stomach	20	17.6	10.4	27.5	11	24.6	10.5	47.0	9	14.0	6.2	26.5
Colon and Rectum	49	42.6	31.1	56.8	24	53.7	32.5	82.2	25	37.3	23.8	55.2
Liver	3	2.6	0.5	7.6	2	2.8	0.3	12.1	1	2.1	0.1	9.6
Pancreas	17	17.1	9.7	27.4	6	14.8	5.2	32.1	11	18.4	9.0	32.8
Lung and Bronchus	93	84.7	67.6	104.4	55	132.2	95.6	176.7	38	57.6	40.3	79.3
Bones and Joints	1	0.5	0.0	3.7	0	0.0	0.0	8.0	1	1.0	0.0	6.7
Melanoma of the Skin	0	0.0	0.0	3.0	0	0.0	0.0	8.0	0	0.0	0.0	5.0
Breast (invasive)	66	53.3	40.9	68.2	1	2.8	0.1	13.7	65	93.0	71.4	118.9
Cervix									5	7.3	2.3	17.0
Corpus and Uterus, NOS									20	31.0	18.7	48.0
Ovary									6	9.4	3.3	20.3
Prostate					85	194.7	151.3	245.5				
Testis					1	1.4	0.0	9.9				
Urinary Bladder (incl *in situ*)	15	13.6	7.4	22.7	12	27.8	12.6	51.2	3	4.8	1.0	13.7
Kidney and Renal Pelvis	15	13.6	7.4	22.6	10	20.9	9.6	39.1	5	8.2	2.6	18.7
Brain and Nervous System	7	4.4	1.6	9.7	6	9.0	2.8	21.8	1	0.8	0.0	6.1
Hodgkin Lymphoma	7	3.9	1.6	8.6	5	5.7	1.8	15.6	2	2.2	0.3	8.7
Non-Hodgkin Lymphoma	12	12.2	6.0	21.5	4	12.1	2.3	32.3	8	12.9	5.4	25.4
Myeloma	16	13.9	7.7	22.9	9	17.7	7.7	34.2	7	10.6	4.1	21.9
Leukemia	14	11.3	5.9	19.5	6	9.1	2.9	21.9	8	12.5	5.1	24.9
All other sites	67	57.6	43.9	73.9	35	67.8	44.9	97.6	32	48.8	33.0	69.3
Breast *in situ* (not in total)									25	33.8	21.7	50.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

SECTION V

County-specific Cancer Incidence Rates by Hispanic Ethnicity
Illinois, 2004-2008

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanic Ethnicity, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	15,268	349.6	343.3	355.8	7,574	388.8	378.8	399.0	7,694	323.9	316.0	331.9
Oral Cavity and Pharynx	289	6.3	5.5	7.1	218	9.5	8.1	11.1	71	3.1	2.4	4.0
Esophagus	126	3.5	2.9	4.2	93	5.4	4.2	6.7	33	1.8	1.2	2.6
Stomach	442	11.3	10.2	12.5	253	13.6	11.7	15.6	189	9.3	8.0	10.9
Colon and Rectum	1,449	37.4	35.3	39.5	777	42.5	39.1	46.0	672	33.2	30.6	36.0
Liver	329	8.3	7.3	9.3	254	12.5	10.8	14.3	75	4.3	3.3	5.4
Pancreas	413	11.6	10.4	12.9	210	12.3	10.5	14.3	203	11.0	9.4	12.7
Lung and Bronchus	1,197	34.4	32.3	36.5	663	41.2	37.8	44.7	534	28.7	26.2	31.4
Bones and Joints	55	0.7	0.5	1.0	32	0.9	0.5	1.3	23	0.6	0.3	1.0
Melanoma of the Skin	168	3.4	2.8	4.0	78	3.7	2.8	4.9	90	3.3	2.6	4.1
Breast (invasive)	2,124	42.7	40.7	44.8	4	0.1	0.0	0.3	2,120	84.9	81.1	88.9
Cervix									389	13.9	12.4	15.5
Corpus and Uterus, NOS									538	21.5	19.6	23.5
Ovary									273	10.8	9.4	12.3
Prostate					2,037	119.6	114.0	125.4				
Testis					227	4.0	3.4	4.6				
Urinary Bladder (incl *in situ*)	361	10.8	9.6	12.1	261	17.5	15.2	20.0	100	5.4	4.3	6.6
Kidney and Renal Pelvis	655	14.5	13.3	15.7	393	17.7	15.7	19.8	262	11.5	10.0	13.0
Brain and Nervous System	328	5.4	4.7	6.1	185	6.4	5.3	7.7	143	4.5	3.7	5.4
Hodgkin Lymphoma	183	2.6	2.2	3.2	104	2.9	2.3	3.7	79	2.4	1.8	3.0
Non-Hodgkin Lymphoma	801	17.8	16.4	19.2	448	20.1	17.9	22.5	353	15.7	14.0	17.6
Myeloma	216	5.6	4.8	6.4	123	6.7	5.4	8.2	93	4.6	3.7	5.7
Leukemia	602	9.8	8.9	10.9	351	11.9	10.3	13.6	251	8.0	6.9	9.3
All other sites	2,066	42.3	40.2	44.4	863	40.5	37.3	43.8	1,203	45.4	42.6	48.4
Breast *in situ* (not in total)									548	21.4	19.6	23.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	10,388	348.4	340.9	355.9	5,253	393.5	381.4	405.8	5,135	316.5	307.2	326.1
Oral Cavity and Pharynx	209	6.6	5.7	7.7	155	9.8	8.1	11.6	54	3.6	2.6	4.8
Esophagus	85	3.3	2.6	4.2	67	5.5	4.1	7.1	18	1.4	0.8	2.2
Stomach	328	12.5	11.0	14.0	184	14.9	12.6	17.5	144	10.4	8.6	12.3
Colon and Rectum	1,000	37.8	35.3	40.5	547	44.0	39.9	48.4	453	32.7	29.5	36.0
Liver	241	8.5	7.4	9.7	183	12.5	10.6	14.7	58	4.7	3.5	6.1
Pancreas	299	12.4	10.9	14.0	152	13.0	10.8	15.4	147	11.7	9.8	13.9
Lung and Bronchus	799	33.0	30.6	35.6	455	40.7	36.6	45.0	344	26.7	23.8	29.9
Bones and Joints	32	0.7	0.4	1.1	21	0.9	0.5	1.6	11	0.5	0.2	1.0
Melanoma of the Skin	107	3.2	2.6	4.0	54	3.6	2.6	5.0	53	2.9	2.1	3.9
Breast (invasive)	1,401	41.5	39.2	44.0	4	0.1	0.0	0.4	1,397	81.6	77.1	86.3
Cervix									258	13.5	11.8	15.4
Corpus and Uterus, NOS									367	21.2	19.0	23.7
Ovary									184	10.5	8.9	12.3
Prostate					1,445	121.9	115.2	128.9				
Testis					149	4.0	3.4	4.8				
Urinary Bladder (incl *in situ*)	247	10.8	9.4	12.3	176	17.2	14.5	20.2	71	5.6	4.3	7.2
Kidney and Renal Pelvis	422	13.4	12.1	14.9	256	16.7	14.5	19.2	166	10.4	8.8	12.2
Brain and Nervous System	202	4.8	4.0	5.6	112	5.9	4.6	7.4	90	3.8	2.9	4.8
Hodgkin Lymphoma	115	2.5	2.0	3.1	65	2.9	2.1	3.9	50	2.1	1.5	2.9
Non-Hodgkin Lymphoma	538	17.5	15.9	19.3	309	20.1	17.5	22.9	229	15.1	13.1	17.4
Myeloma	142	5.2	4.4	6.2	78	6.2	4.7	7.9	64	4.5	3.4	5.8
Leukemia	406	10.2	9.0	11.5	237	12.9	10.9	15.2	169	7.8	6.5	9.3
All other sites	1,412	42.7	40.2	45.3	604	40.6	36.8	44.6	808	45.7	42.3	49.3
Breast *in situ* (not in total)									359	20.3	18.2	22.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	897	404.8	375.0	436.2	419	429.8	382.8	480.2	478	397.7	358.8	439.2
Oral Cavity and Pharynx	17	6.3	3.2	10.8	9	6.2	2.0	13.8	8	6.5	2.5	13.3
Esophagus	9	5.7	2.5	10.7	4	4.3	1.0	11.3	5	6.5	2.1	14.3
Stomach	18	9.2	5.1	14.9	11	11.6	5.2	21.6	7	6.9	2.5	14.4
Colon and Rectum	75	38.3	29.2	48.9	38	41.5	27.8	58.9	37	35.8	24.3	50.3
Liver	18	8.3	4.6	13.6	16	15.8	8.2	26.8	2	1.3	0.1	5.3
Pancreas	17	9.5	5.2	15.5	10	14.5	6.4	26.9	7	6.0	2.2	12.7
Lung and Bronchus	76	43.6	33.7	55.2	35	45.1	30.5	63.5	41	42.2	29.5	57.9
Bones and Joints	5	1.4	0.3	3.8	4	2.5	0.5	7.7	1	0.2	0.0	3.2
Melanoma of the Skin	9	4.2	1.6	8.4	2	4.4	0.5	13.4	7	5.0	1.8	11.0
Breast (invasive)	144	56.7	46.7	68.0	0	0.0	0.0	3.7	144	115.3	95.7	137.5
Cervix									20	15.3	8.6	24.9
Corpus and Uterus, NOS									30	23.2	15.1	33.8
Ovary									22	17.8	10.5	27.9
Prostate					122	153.9	125.9	185.4				
Testis					14	3.4	1.8	7.3				
Urinary Bladder (incl *in situ*)	19	11.2	6.4	17.7	10	13.3	5.8	24.8	9	9.8	4.2	18.6
Kidney and Renal Pelvis	35	17.9	11.9	25.6	23	21.0	12.3	33.0	12	13.9	6.7	24.3
Brain and Nervous System	26	8.8	5.1	13.8	14	7.5	3.1	14.8	12	10.0	4.7	18.2
Hodgkin Lymphoma	11	3.4	1.3	7.1	6	1.7	0.6	5.5	5	4.7	1.2	11.5
Non-Hodgkin Lymphoma	40	20.2	13.7	28.3	19	22.4	12.2	36.7	21	19.6	11.4	30.7
Myeloma	16	7.7	4.1	12.9	12	10.0	4.6	18.4	4	5.0	1.2	12.2
Leukemia	39	9.2	5.7	14.0	20	6.2	3.5	11.1	19	11.5	5.9	19.8
All other sites	115	40.8	32.1	50.8	50	44.3	30.1	62.1	65	41.0	30.2	54.4
Breast *in situ* (not in total)									44	31.3	22.2	42.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	811	312.3	286.3	339.8	386	330.3	290.0	374.0	425	303.6	270.0	339.8
Oral Cavity and Pharynx	12	4.1	1.9	7.7	11	7.4	3.3	14.2	1	0.5	0.0	4.0
Esophagus	5	3.3	0.9	7.4	3	3.1	0.5	9.2	2	3.4	0.4	10.7
Stomach	24	10.0	5.7	15.7	12	7.9	3.4	15.3	12	12.4	5.5	22.9
Colon and Rectum	73	33.9	25.2	44.3	36	37.1	23.6	54.4	37	31.6	20.8	45.3
Liver	16	9.3	5.0	15.4	9	8.9	3.4	17.8	7	8.9	3.5	17.8
Pancreas	20	10.8	6.2	17.2	11	13.6	6.0	25.2	9	8.7	3.6	16.8
Lung and Bronchus	57	33.0	24.1	43.7	36	40.2	26.6	57.6	21	25.6	15.1	39.7
Bones and Joints	3	0.4	0.1	2.1	1	0.3	0.0	3.8	2	0.6	0.1	3.9
Melanoma of the Skin	14	5.0	2.3	9.1	6	4.6	1.2	11.4	8	5.6	2.0	11.9
Breast (invasive)	123	35.6	28.6	43.6	0	0.0	0.0	3.6	123	74.9	60.6	91.4
Cervix									28	15.8	9.9	24.0
Corpus and Uterus, NOS									26	20.1	12.1	30.9
Ovary									14	8.0	3.6	15.2
Prostate					85	84.3	65.4	106.4				
Testis					14	3.8	2.0	7.8				
Urinary Bladder (incl *in situ*)	21	11.1	6.3	17.7	17	17.2	8.8	29.1	4	4.8	1.1	12.2
Kidney and Renal Pelvis	29	11.3	6.9	17.1	19	14.1	7.8	23.2	10	8.6	3.2	17.4
Brain and Nervous System	24	6.6	3.4	11.1	12	4.8	1.8	10.6	12	7.6	3.1	15.1
Hodgkin Lymphoma	12	2.9	1.2	6.1	8	3.9	0.9	10.3	4	2.1	0.5	6.2
Non-Hodgkin Lymphoma	45	15.8	10.2	23.0	24	17.7	8.9	30.2	21	14.4	7.7	24.1
Myeloma	10	5.7	2.3	11.1	5	7.2	1.8	17.1	5	4.7	1.2	11.6
Leukemia	43	10.6	6.5	16.2	32	13.9	7.0	24.0	11	7.2	3.1	14.1
All other sites	113	38.0	29.6	47.8	45	40.5	26.7	58.0	68	38.1	28.1	50.3
Breast *in situ* (not in total)									27	16.7	10.3	25.7

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	766	300.8	275.9	327.2	362	322.0	282.6	364.8	404	289.7	257.9	324.0
Oral Cavity and Pharynx	9	2.2	0.9	4.6	8	3.8	1.5	8.8	1	0.3	0.0	3.3
Esophagus	7	3.0	1.0	6.6	5	2.6	0.8	7.2	2	2.9	0.4	9.1
Stomach	20	8.1	4.6	13.2	14	11.3	5.3	20.5	6	5.1	1.6	11.5
Colon and Rectum	71	30.6	22.9	39.7	36	34.1	22.2	49.3	35	27.7	18.3	39.8
Liver	12	7.2	3.4	12.7	8	9.9	3.7	20.1	4	4.8	1.2	11.7
Pancreas	26	10.6	6.3	16.4	12	7.4	3.0	14.9	14	13.3	6.8	22.8
Lung and Bronchus	49	26.6	19.1	35.8	25	32.1	19.7	48.4	24	22.5	13.9	33.9
Bones and Joints	2	0.2	0.0	1.8	1	0.2	0.0	3.8	1	0.3	0.0	3.2
Melanoma of the Skin	6	2.2	0.6	5.3	3	2.9	0.3	9.4	3	1.7	0.3	5.6
Breast (invasive)	102	31.8	24.9	40.0	0	0.0	0.0	3.7	102	64.7	51.2	80.5
Cervix									17	13.0	7.0	21.6
Corpus and Uterus, NOS									31	21.9	14.1	32.1
Ovary									17	12.5	6.7	21.0
Prostate					81	89.9	69.3	113.8				
Testis					9	3.9	0.9	10.4				
Urinary Bladder (incl *in situ*)	13	6.0	2.8	11.0	11	12.5	5.2	23.9	2	0.9	0.1	4.3
Kidney and Renal Pelvis	40	14.1	9.3	20.3	21	15.4	8.4	25.7	19	12.7	7.0	21.1
Brain and Nervous System	19	7.9	4.1	13.4	11	10.7	4.3	21.0	8	5.4	1.8	11.9
Hodgkin Lymphoma	17	3.9	2.0	7.0	9	3.2	1.2	7.7	8	4.5	1.6	9.9
Non-Hodgkin Lymphoma	44	15.4	10.3	22.0	24	17.0	9.2	28.0	20	14.2	8.0	22.9
Myeloma	23	12.1	7.3	18.5	13	16.6	8.0	29.2	10	9.0	4.0	16.7
Leukemia	37	10.4	6.2	15.9	22	9.1	4.8	16.0	15	10.4	4.7	19.1
All other sites	114	40.3	31.6	50.4	49	39.4	26.7	55.4	65	42.0	30.5	56.1
Breast *in situ* (not in total)									39	27.9	19.1	39.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	654	369.2	336.9	403.5	334	439.0	384.3	498.3	320	319.5	281.0	361.2
Oral Cavity and Pharynx	8	4.3	1.7	8.8	8	8.7	3.3	18.4	0	0.0	0.0	3.9
Esophagus	8	5.2	2.1	10.5	7	9.4	3.2	20.2	1	1.5	0.0	7.0
Stomach	11	5.6	2.4	10.8	5	6.4	1.1	17.7	6	5.8	1.9	13.0
Colon and Rectum	66	39.8	29.5	52.1	34	44.5	28.0	66.0	32	37.0	24.3	53.3
Liver	15	11.1	5.8	18.5	15	23.4	12.1	39.6	0	0.0	0.0	3.9
Pancreas	12	7.3	3.3	13.2	6	6.5	1.9	15.4	6	7.7	2.5	17.1
Lung and Bronchus	46	32.9	23.3	44.6	29	43.0	27.0	63.8	17	23.7	13.3	38.1
Bones and Joints	3	0.5	0.1	2.6	1	0.3	0.0	5.2	2	0.7	0.1	4.5
Melanoma of the Skin	8	3.2	1.0	7.4	3	2.3	0.4	8.3	5	4.0	0.8	11.0
Breast (invasive)	84	41.6	31.7	53.3	0	0.0	0.0	4.9	84	82.1	63.6	103.8
Cervix									10	7.6	3.0	15.5
Corpus and Uterus, NOS									28	23.0	14.8	34.0
Ovary									8	9.3	3.7	18.7
Prostate					92	140.1	109.4	175.6				
Testis					11	4.1	2.0	9.4				
Urinary Bladder (incl *in situ*)	17	12.1	6.7	19.6	13	20.9	10.2	36.7	4	4.7	1.2	11.8
Kidney and Renal Pelvis	42	23.8	16.4	33.0	30	36.4	23.0	54.2	12	12.1	5.8	21.9
Brain and Nervous System	10	4.6	1.8	9.2	7	7.9	2.6	17.8	3	1.7	0.3	6.2
Hodgkin Lymphoma	7	1.5	0.5	4.0	3	0.9	0.2	5.7	4	2.2	0.5	7.0
Non-Hodgkin Lymphoma	37	20.4	13.5	29.2	18	20.0	10.0	34.7	19	21.2	12.0	34.1
Myeloma	10	6.8	2.9	13.0	6	8.1	2.2	19.3	4	5.7	1.4	14.2
Leukemia	21	6.7	3.5	11.5	13	7.3	3.2	14.7	8	5.9	1.8	13.5
All other sites	100	54.9	42.5	69.3	33	48.6	30.5	72.0	67	63.7	47.0	83.8
Breast *in situ* (not in total)									23	20.7	12.4	32.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Illinois
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanic Ethnicity, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	298,697	500.6	498.8	502.4	152,676	590.8	587.8	593.8	146,021	441.3	439.1	443.6
Oral Cavity and Pharynx	6,905	11.4	11.2	11.7	4,758	17.3	16.8	17.8	2,147	6.5	6.2	6.8
Esophagus	3,350	5.5	5.3	5.7	2,605	9.9	9.5	10.3	745	2.2	2.0	2.3
Stomach	4,325	7.2	7.0	7.4	2,620	10.4	10.0	10.8	1,705	4.9	4.7	5.2
Colon and Rectum	33,064	54.9	54.3	55.5	16,638	65.4	64.4	66.4	16,426	47.2	46.5	47.9
Liver	3,135	5.2	5.0	5.4	2,211	8.2	7.8	8.5	924	2.7	2.5	2.9
Pancreas	7,786	12.9	12.6	13.2	3,848	15.1	14.6	15.6	3,938	11.2	10.8	11.5
Lung and Bronchus	44,460	74.5	73.8	75.2	23,676	93.1	91.9	94.3	20,784	61.8	60.9	62.6
Bones and Joints	508	0.9	0.8	1.0	272	1.0	0.9	1.2	236	0.8	0.7	0.9
Melanoma of the Skin	9,822	16.8	16.5	17.2	5,481	21.1	20.5	21.7	4,341	14.1	13.7	14.5
Breast (invasive)	41,520	69.5	68.9	70.2	328	1.3	1.2	1.4	41,192	126.8	125.5	128.0
Cervix									2,527	8.5	8.1	8.8
Corpus and Uterus, NOS									8,911	27.0	26.4	27.5
Ovary									4,348	13.2	12.8	13.6
Prostate					42,481	160.6	159.0	162.1				
Testis					1,461	5.6	5.3	5.9				
Urinary Bladder (incl *in situ*)	13,929	23.3	22.9	23.6	10,262	41.6	40.7	42.4	3,667	10.5	10.2	10.9
Kidney and Renal Pelvis	10,101	16.9	16.6	17.3	6,125	23.2	22.6	23.7	3,976	12.0	11.6	12.4
Brain and Nervous System	3,872	6.7	6.5	6.9	2,034	7.7	7.4	8.1	1,838	5.9	5.7	6.2
Hodgkin Lymphoma	1,693	3.1	2.9	3.2	939	3.6	3.3	3.8	754	2.7	2.5	2.9
Non-Hodgkin Lymphoma	11,760	19.8	19.4	20.2	6,257	24.5	23.9	25.1	5,503	16.3	15.9	16.8
Myeloma	3,546	5.9	5.7	6.1	1,909	7.5	7.2	7.9	1,637	4.8	4.5	5.0
Leukemia	7,577	12.9	12.6	13.2	4,309	17.3	16.8	17.8	3,268	9.8	9.4	10.1
All other sites	31,616	53.5	52.9	54.1	14,462	56.7	55.7	57.6	17,154	52.6	51.8	53.4
Breast *in situ* (not in total)									10,345	32.4	31.8	33.1

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Cook County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	113,803	502.3	499.3	505.2	57,241	599.5	594.6	604.5	56,562	439.4	435.7	443.1
Oral Cavity and Pharynx	2,635	11.6	11.1	12.0	1,798	17.9	17.0	18.7	837	6.5	6.1	7.0
Esophagus	1,243	5.4	5.1	5.7	912	9.4	8.8	10.1	331	2.5	2.2	2.8
Stomach	2,142	9.4	9.0	9.8	1,276	13.6	12.9	14.4	866	6.4	6.0	6.9
Colon and Rectum	12,936	56.4	55.5	57.4	6,376	67.7	66.1	69.4	6,560	48.5	47.4	49.8
Liver	1,520	6.6	6.3	7.0	1,099	11.1	10.4	11.8	421	3.2	2.9	3.5
Pancreas	3,292	14.3	13.8	14.8	1,561	16.6	15.8	17.5	1,731	12.6	12.0	13.2
Lung and Bronchus	16,577	72.9	71.8	74.0	8,626	91.4	89.5	93.4	7,951	60.4	59.1	61.7
Bones and Joints	198	1.0	0.8	1.1	116	1.2	1.0	1.5	82	0.7	0.6	0.9
Melanoma of the Skin	2,759	12.4	12.0	12.9	1,567	16.4	15.6	17.2	1,192	9.9	9.3	10.4
Breast (invasive)	16,050	71.3	70.2	72.4	140	1.5	1.2	1.7	15,910	126.8	124.8	128.8
Cervix									1,149	9.8	9.2	10.4
Corpus and Uterus, NOS									3,487	27.3	26.4	28.2
Ovary									1,743	13.7	13.0	14.3
Prostate					16,775	172.6	170.0	175.3				
Testis					513	5.1	4.6	5.5				
Urinary Bladder (incl *in situ*)	4,824	21.1	20.5	21.7	3,402	37.2	35.9	38.4	1,422	10.4	9.8	10.9
Kidney and Renal Pelvis	3,671	16.3	15.7	16.8	2,157	22.2	21.2	23.2	1,514	11.8	11.2	12.4
Brain and Nervous System	1,317	6.1	5.8	6.4	685	7.1	6.5	7.6	632	5.3	4.9	5.8
Hodgkin Lymphoma	644	3.1	2.8	3.3	344	3.5	3.2	3.9	300	2.7	2.4	3.0
Non-Hodgkin Lymphoma	4,201	18.6	18.1	19.2	2,237	23.7	22.8	24.8	1,964	14.9	14.3	15.6
Myeloma	1,534	6.7	6.4	7.1	764	8.1	7.5	8.7	770	5.8	5.4	6.2
Leukemia	2,722	12.2	11.7	12.6	1,485	16.0	15.2	16.9	1,237	9.5	9.0	10.1
All other sites	11,871	52.9	51.9	53.8	5,408	57.2	55.7	58.8	6,463	50.8	49.5	52.1
Breast *in situ* (not in total)									4,111	33.4	32.4	34.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

DuPage County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	20,147	480.7	474.0	487.5	9,945	543.6	532.6	554.7	10,202	439.6	430.9	448.4
Oral Cavity and Pharynx	443	10.3	9.3	11.3	306	15.7	13.9	17.6	137	5.9	4.9	7.0
Esophagus	185	4.5	3.9	5.2	140	7.6	6.4	9.1	45	2.1	1.5	2.8
Stomach	279	6.8	6.0	7.6	166	9.8	8.3	11.4	113	4.7	3.9	5.7
Colon and Rectum	1,926	46.2	44.1	48.3	999	55.7	52.2	59.3	927	38.9	36.4	41.5
Liver	201	4.8	4.2	5.5	128	6.8	5.6	8.1	73	3.2	2.5	4.1
Pancreas	515	12.5	11.4	13.6	245	13.6	11.9	15.4	270	11.6	10.2	13.1
Lung and Bronchus	2,543	63.1	60.6	65.6	1,265	73.2	69.1	77.5	1,278	56.5	53.4	59.8
Bones and Joints	37	0.9	0.6	1.3	19	1.0	0.6	1.5	18	0.9	0.5	1.4
Melanoma of the Skin	746	17.5	16.2	18.8	409	21.3	19.2	23.6	337	15.1	13.5	16.8
Breast (invasive)	3,214	73.8	71.2	76.4	20	1.1	0.7	1.8	3,194	135.9	131.2	140.8
Cervix									115	5.2	4.3	6.3
Corpus and Uterus, NOS									664	27.8	25.7	30.0
Ovary									307	13.1	11.6	14.6
Prostate					3,029	159.5	153.7	165.5				
Testis					110	5.7	4.7	6.9				
Urinary Bladder (incl *in situ*)	932	23.1	21.6	24.6	683	40.4	37.4	43.6	249	10.5	9.2	11.9
Kidney and Renal Pelvis	598	14.2	13.0	15.4	348	17.9	16.0	20.0	250	11.0	9.7	12.5
Brain and Nervous System	308	7.4	6.6	8.3	156	8.1	6.9	9.5	152	7.0	5.9	8.2
Hodgkin Lymphoma	117	3.0	2.5	3.6	65	3.4	2.6	4.3	52	2.7	2.0	3.5
Non-Hodgkin Lymphoma	890	21.5	20.1	23.0	454	25.0	22.7	27.5	436	18.7	16.9	20.6
Myeloma	208	5.0	4.3	5.7	122	6.6	5.5	7.9	86	3.6	2.9	4.5
Leukemia	540	13.3	12.2	14.4	303	17.2	15.2	19.3	237	10.4	9.1	11.9
All other sites	2,240	53.3	51.1	55.6	978	54.0	50.6	57.6	1,262	54.9	51.8	58.1
Breast *in situ* (not in total)									802	34.3	31.9	36.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Kane County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	8,565	504.4	493.5	515.4	4,282	577.3	559.2	595.9	4,283	458.6	444.7	472.8
Oral Cavity and Pharynx	203	11.2	9.7	12.9	147	17.1	14.3	20.2	56	6.0	4.5	7.8
Esophagus	95	5.5	4.4	6.8	77	10.3	8.0	13.0	18	1.9	1.1	3.0
Stomach	110	6.6	5.4	8.0	65	9.3	7.1	12.0	45	4.7	3.4	6.4
Colon and Rectum	873	52.9	49.4	56.7	422	58.6	52.8	64.8	451	48.4	44.0	53.2
Liver	69	4.1	3.2	5.2	51	6.7	4.9	8.9	18	1.8	1.1	2.9
Pancreas	204	12.5	10.8	14.4	101	14.0	11.2	17.2	103	11.3	9.2	13.7
Lung and Bronchus	1,135	69.7	65.6	74.0	590	83.5	76.5	90.8	545	60.5	55.4	65.9
Bones and Joints	12	0.7	0.4	1.2	6	0.7	0.2	1.5	6	0.7	0.3	1.5
Melanoma of the Skin	300	17.1	15.2	19.2	156	19.3	16.2	22.7	144	15.6	13.1	18.5
Breast (invasive)	1,329	74.4	70.4	78.6	7	0.9	0.3	1.9	1,322	137.8	130.4	145.6
Cervix									62	6.8	5.2	8.7
Corpus and Uterus, NOS									258	26.5	23.3	30.0
Ovary									135	14.6	12.2	17.3
Prostate					1,237	159.8	150.6	169.5				
Testis					56	6.6	5.0	8.6				
Urinary Bladder (incl *in situ*)	413	26.0	23.5	28.7	317	48.6	43.1	54.5	96	10.5	8.5	12.9
Kidney and Renal Pelvis	311	18.0	16.0	20.2	187	23.1	19.7	26.8	124	13.6	11.2	16.2
Brain and Nervous System	118	6.8	5.6	8.2	61	7.6	5.8	9.9	57	6.2	4.6	8.0
Hodgkin Lymphoma	68	4.1	3.2	5.2	41	5.0	3.6	6.8	27	3.2	2.1	4.6
Non-Hodgkin Lymphoma	322	19.2	17.1	21.4	178	24.5	20.8	28.6	144	15.9	13.4	18.8
Myeloma	99	5.9	4.7	7.2	59	8.2	6.2	10.8	40	4.1	2.9	5.7
Leukemia	190	11.6	10.0	13.4	104	14.5	11.7	17.8	86	9.5	7.5	11.7
All other sites	966	57.7	54.0	61.5	420	59.1	53.2	65.3	546	59.0	54.1	64.3
Breast *in situ* (not in total)									336	34.4	30.8	38.4

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Lake County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	14,015	499.4	491.0	507.9	7,037	560.2	546.6	574.0	6,978	457.2	446.4	468.3
Oral Cavity and Pharynx	330	11.1	9.9	12.4	233	16.4	14.2	18.7	97	6.4	5.2	7.9
Esophagus	143	5.1	4.3	6.0	112	8.9	7.3	10.8	31	2.0	1.3	2.9
Stomach	192	7.1	6.1	8.1	116	9.3	7.6	11.2	76	5.2	4.1	6.5
Colon and Rectum	1,285	46.7	44.2	49.4	671	54.8	50.6	59.3	614	40.2	37.0	43.6
Liver	117	4.2	3.4	5.0	82	6.1	4.8	7.6	35	2.5	1.7	3.4
Pancreas	342	12.6	11.3	14.1	187	15.1	12.9	17.5	155	10.5	8.9	12.4
Lung and Bronchus	1,728	64.6	61.5	67.7	804	67.2	62.5	72.2	924	63.4	59.3	67.7
Bones and Joints	27	1.0	0.7	1.5	18	1.2	0.7	2.0	9	0.7	0.3	1.3
Melanoma of the Skin	626	21.9	20.2	23.8	333	25.8	23.0	28.8	293	19.5	17.3	21.9
Breast (invasive)	2,229	74.9	71.8	78.2	18	1.3	0.8	2.1	2,211	139.9	134.0	145.9
Cervix									91	5.8	4.7	7.2
Corpus and Uterus, NOS									452	28.9	26.3	31.8
Ovary									217	14.4	12.5	16.4
Prostate					1,973	149.7	142.9	156.8				
Testis					92	7.1	5.7	8.7				
Urinary Bladder (incl *in situ*)	778	29.3	27.2	31.4	564	49.0	44.9	53.4	214	14.4	12.5	16.5
Kidney and Renal Pelvis	455	15.7	14.3	17.2	303	22.6	20.0	25.5	152	9.9	8.3	11.6
Brain and Nervous System	213	7.5	6.5	8.6	115	8.5	7.0	10.3	98	6.8	5.5	8.3
Hodgkin Lymphoma	99	3.7	3.0	4.5	54	4.0	3.0	5.3	45	3.4	2.4	4.5
Non-Hodgkin Lymphoma	614	22.5	20.8	24.4	327	27.0	24.0	30.2	287	19.2	17.0	21.6
Myeloma	139	5.2	4.3	6.1	79	6.7	5.3	8.5	60	4.1	3.1	5.3
Leukemia	378	14.2	12.8	15.7	229	19.7	17.2	22.6	149	10.2	8.6	12.0
All other sites	1,495	53.6	50.9	56.4	727	59.7	55.3	64.4	768	50.0	46.5	53.7
Breast *in situ* (not in total)									780	48.2	44.9	51.8

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

Will County
Cancer Incidence Counts and Average Annual Age-adjusted Rates by Sex
All Sites Combined and Selected Sites, Non-Hispanic Ethnicity, Illinois, 2004-2008

Figures include invasive cancer with the exceptions of urinary bladder (incl *in situ*) and breast cancer *in situ* as separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**	**Count**	**Rate**	**LCI**	**UCI**
All Sites	12,709	527.7	518.3	537.2	6,647	630.6	614.4	647.0	6,062	456.9	445.3	468.7
Oral Cavity and Pharynx	282	10.7	9.5	12.1	204	16.7	14.4	19.4	78	5.7	4.5	7.2
Esophagus	148	6.3	5.3	7.4	116	11.0	8.9	13.3	32	2.6	1.7	3.6
Stomach	187	8.2	7.1	9.5	118	12.2	9.9	14.7	69	5.4	4.2	6.8
Colon and Rectum	1,333	58.5	55.3	61.8	699	70.9	65.4	76.8	634	49.5	45.7	53.6
Liver	123	5.1	4.2	6.1	90	8.4	6.6	10.4	33	2.6	1.8	3.6
Pancreas	326	14.2	12.7	15.9	169	16.5	13.9	19.3	157	12.4	10.5	14.5
Lung and Bronchus	1,762	77.9	74.2	81.7	910	92.4	86.1	99.0	852	68.2	63.7	73.0
Bones and Joints	30	1.1	0.7	1.5	18	1.3	0.8	2.1	12	0.9	0.5	1.5
Melanoma of the Skin	411	15.8	14.3	17.5	252	21.6	18.8	24.6	159	11.3	9.6	13.2
Breast (invasive)	1,764	68.1	64.9	71.5	17	1.9	1.0	3.1	1,747	125.8	119.9	132.0
Cervix									108	7.8	6.4	9.4
Corpus and Uterus, NOS									356	25.8	23.1	28.6
Ovary									165	12.2	10.4	14.3
Prostate					1,909	171.7	163.6	180.0				
Testis					68	5.0	3.8	6.4				
Urinary Bladder (incl *in situ*)	586	26.4	24.3	28.7	433	46.7	42.2	51.6	153	12.0	10.2	14.1
Kidney and Renal Pelvis	439	17.5	15.9	19.3	288	24.9	22.0	28.2	151	11.4	9.6	13.4
Brain and Nervous System	190	7.3	6.3	8.5	106	8.6	7.0	10.6	84	6.2	4.9	7.7
Hodgkin Lymphoma	96	3.7	2.9	4.5	52	4.0	2.9	5.3	44	3.3	2.4	4.5
Non-Hodgkin Lymphoma	509	21.2	19.3	23.2	276	24.6	21.6	27.9	233	18.1	15.8	20.6
Myeloma	138	5.9	4.9	7.0	71	7.1	5.5	9.1	67	5.2	4.0	6.6
Leukemia	340	14.3	12.8	15.9	217	21.2	18.3	24.5	123	9.4	7.8	11.3
All other sites	1,439	60.7	57.5	64.0	634	63.8	58.5	69.3	805	61.0	56.8	65.4
Breast *in situ* (not in total)									422	29.6	26.8	32.6

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010.

APPENDIX A

Illinois County Population Totals
2004-2008

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Illinois	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	457,155	351,534	80,897	437,655	335,752	78,381
1-4	1,821,451	1,404,786	320,189	1,742,212	1,336,940	311,020
5-9	2,217,605	1,704,236	407,151	2,123,847	1,621,943	396,486
10-14	2,294,304	1,742,797	454,873	2,190,347	1,656,305	439,295
15-19	2,357,415	1,807,744	442,455	2,222,590	1,695,326	429,012
20-24	2,338,365	1,834,597	381,532	2,222,373	1,721,585	384,984
25-29	2,265,099	1,789,659	343,713	2,184,337	1,674,485	371,448
30-34	2,191,948	1,739,706	305,472	2,127,496	1,628,890	351,224
35-39	2,262,359	1,820,927	306,634	2,225,839	1,734,146	356,513
40-44	2,359,100	1,935,586	312,987	2,367,534	1,883,907	370,322
45-49	2,383,673	1,976,521	308,765	2,432,310	1,952,875	376,616
50-54	2,118,833	1,771,890	258,867	2,196,537	1,771,612	327,541
55-59	1,777,867	1,497,470	205,199	1,885,661	1,531,756	269,432
60-64	1,320,180	1,117,725	145,917	1,458,387	1,199,590	196,565
65-69	991,787	838,273	113,251	1,156,361	951,850	160,612
70-74	773,554	659,039	89,165	973,046	809,633	132,423
75-79	630,165	549,599	64,500	889,073	761,324	105,334
80-84	440,737	391,622	39,391	740,035	652,218	72,527
85+	310,876	281,702	22,124	772,016	700,567	57,956
Total	31,312,473	25,215,413	4,603,082	32,347,656	25,620,704	5,187,691
Adams	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	2,118	1,942	156	2,018	1,856	148
1-4	8,383	7,685	632	7,811	7,189	586
5-9	10,671	9,928	695	10,218	9,481	694
10-14	11,224	10,559	607	10,872	10,149	644
15-19	12,040	11,259	682	12,023	11,165	749
20-24	11,111	10,371	623	10,944	10,385	490
25-29	9,776	9,323	381	9,651	9,282	313
30-34	8,924	8,413	452	8,607	8,188	330
35-39	9,884	9,396	420	10,261	9,814	366
40-44	11,263	10,801	380	11,931	11,509	335
45-49	12,431	11,928	441	12,313	11,875	350
50-54	11,329	10,926	328	11,706	11,360	262
55-59	10,252	9,941	238	10,861	10,477	253
60-64	7,929	7,694	169	9,040	8,796	172
65-69	6,547	6,409	86	7,475	7,269	151
70-74	5,476	5,356	96	6,870	6,716	112
75-79	5,150	5,062	76	6,888	6,748	114
80-84	3,885	3,824	50	6,156	6,090	54
85+	2,781	2,728	33	7,312	7,196	105
Total	161,174	153,545	6,545	172,957	165,545	6,228
Alexander	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	321	155	165	285	136	148
1-4	1,204	588	613	1,170	592	574
5-9	1,241	688	549	1,402	707	691
10-14	1,459	791	663	1,305	703	598
15-19	1,563	967	592	1,413	772	639
20-24	1,427	926	494	1,148	763	381
25-29	1,273	814	432	1,126	711	408
30-34	1,031	629	382	1,086	637	440
35-39	1,228	777	442	1,126	681	433
40-44	1,414	936	469	1,330	838	476
45-49	1,471	1,060	407	1,649	1,096	540
50-54	1,525	1,063	453	1,564	1,038	511
55-59	1,268	891	357	1,459	1,017	412
60-64	1,045	819	220	1,152	822	313
65-69	928	703	214	1,150	862	278
70-74	713	547	147	1,108	809	290
75-79	635	528	107	947	758	186
80-84	363	274	85	706	597	106
85+	298	230	67	762	594	166
Total	20,407	13,386	6,858	21,888	14,133	7,590

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Bond	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	508	485	20	504	474	28
1-4	2,047	1,949	87	1,924	1,823	98
5-9	2,620	2,490	113	2,417	2,272	144
10-14	2,834	2,670	143	2,584	2,422	130
15-19	3,550	3,293	230	3,317	3,085	186
20-24	4,311	3,611	616	3,634	3,468	147
25-29	4,041	2,796	1,163	2,529	2,479	31
30-34	3,690	2,700	967	2,106	2,033	59
35-39	3,897	3,144	711	2,255	2,185	50
40-44	3,898	3,316	528	2,766	2,674	78
45-49	3,775	3,418	324	3,055	2,931	107
50-54	3,268	3,020	231	2,894	2,809	59
55-59	2,887	2,717	158	2,576	2,484	47
60-64	2,100	2,004	85	2,010	1,956	42
65-69	1,678	1,622	52	1,882	1,825	50
70-74	1,407	1,352	54	1,553	1,503	42
75-79	1,104	1,082	22	1,463	1,429	25
80-84	856	836	16	1,239	1,202	36
85+	535	520	14	1,289	1,241	43
Total	49,006	43,025	5,534	41,997	40,295	1,402
Boone	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,817	1,734	57	1,727	1,646	54
1-4	7,896	7,478	279	7,469	7,060	269
5-9	11,056	10,364	486	10,559	9,843	468
10-14	11,544	10,907	480	10,749	10,200	405
15-19	9,997	9,569	312	9,116	8,745	282
20-24	7,093	6,857	106	6,678	6,414	153
25-29	6,649	6,326	123	6,042	5,718	154
30-34	8,523	8,101	196	7,924	7,463	206
35-39	10,588	10,096	230	9,997	9,450	262
40-44	10,693	10,251	240	10,251	9,811	217
45-49	9,691	9,365	158	9,525	9,242	133
50-54	8,415	8,192	118	8,126	7,877	141
55-59	7,090	6,922	104	7,001	6,825	73
60-64	6,054	5,935	36	5,866	5,758	46
65-69	4,270	4,217	23	4,655	4,587	36
70-74	3,101	3,080	2	3,536	3,512	8
75-79	2,130	2,109	13	2,875	2,850	3
80-84	1,447	1,439	3	2,271	2,259	7
85+	954	942	7	2,299	2,289	4
Total	129,008	123,884	2,973	126,666	121,549	2,921
Brown	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	148	147	0	140	140	0
1-4	589	586	0	543	541	1
5-9	701	699	2	702	695	3
10-14	846	842	2	795	788	7
15-19	1,201	950	245	725	712	10
20-24	2,652	1,328	1,318	671	655	14
25-29	2,803	1,435	1,352	591	585	3
30-34	2,435	1,247	1,178	609	601	0
35-39	2,395	1,338	1,052	690	683	0
40-44	1,875	1,250	625	791	784	0
45-49	1,529	1,149	380	889	883	0
50-54	1,090	985	105	837	827	0
55-59	853	823	27	659	655	0
60-64	647	617	23	689	689	0
65-69	583	577	5	579	579	0
70-74	463	450	9	507	507	0
75-79	279	278	1	462	462	0
80-84	265	265	0	333	333	0
85+	142	142	0	445	445	0
Total	21,496	15,108	6,324	11,657	11,564	38

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Bureau	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,030	999	24	1,009	980	20
1-4	4,393	4,269	104	4,300	4,160	93
5-9	5,883	5,658	179	5,428	5,244	130
10-14	5,916	5,751	138	5,840	5,685	109
15-19	5,921	5,735	152	5,820	5,676	92
20-24	5,375	5,242	67	4,909	4,785	56
25-29	4,336	4,235	50	3,792	3,686	48
30-34	4,487	4,399	40	4,314	4,203	34
35-39	5,441	5,340	40	5,468	5,362	24
40-44	6,304	6,224	40	6,077	5,988	25
45-49	6,709	6,647	15	6,734	6,671	10
50-54	6,446	6,391	5	6,512	6,432	4
55-59	5,789	5,732	12	5,763	5,677	8
60-64	4,624	4,581	8	4,897	4,830	0
65-69	3,805	3,772	4	4,269	4,237	1
70-74	2,897	2,893	2	3,392	3,361	4
75-79	2,546	2,534	2	3,347	3,333	0
80-84	2,030	2,020	0	3,291	3,276	10
85+	1,382	1,376	0	3,588	3,563	15
Total	85,314	83,798	882	88,750	87,149	683
Calhoun	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	135	135	0	131	131	0
1-4	538	537	0	501	501	0
5-9	719	715	0	707	705	2
10-14	793	793	0	863	860	3
15-19	814	814	0	784	784	0
20-24	748	748	0	633	624	0
25-29	684	674	5	558	557	0
30-34	697	692	0	575	575	0
35-39	796	794	1	799	795	0
40-44	1,028	1,014	9	965	959	0
45-49	1,051	1,040	5	924	905	0
50-54	915	910	0	864	855	0
55-59	859	856	0	835	825	0
60-64	829	820	0	818	809	0
65-69	747	741	0	742	739	0
70-74	509	509	0	611	611	0
75-79	434	434	0	502	502	0
80-84	323	323	0	406	406	0
85+	196	196	0	430	425	0
Total	12,815	12,745	20	12,648	12,568	5
Carroll	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	397	385	11	379	370	8
1-4	1,658	1,605	48	1,570	1,529	41
5-9	2,404	2,306	65	2,125	2,052	52
10-14	2,676	2,586	82	2,499	2,417	46
15-19	2,902	2,807	66	2,555	2,480	48
20-24	2,198	2,123	47	2,086	2,040	22
25-29	1,683	1,631	39	1,398	1,367	10
30-34	2,061	2,021	30	1,746	1,706	15
35-39	2,237	2,203	25	2,182	2,105	15
40-44	2,819	2,779	11	2,844	2,801	9
45-49	3,067	3,026	25	3,170	3,116	13
50-54	3,031	3,000	15	3,084	3,017	15
55-59	2,858	2,833	19	2,897	2,867	13
60-64	2,548	2,525	13	2,665	2,652	5
65-69	2,121	2,111	7	2,264	2,248	0
70-74	1,680	1,674	2	1,913	1,894	11
75-79	1,472	1,459	10	1,770	1,752	16
80-84	967	955	12	1,530	1,500	27
85+	825	819	6	1,541	1,530	6
Total	39,604	38,848	533	40,218	39,443	372

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Cass	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	497	477	19	433	424	9
1-4	2,010	1,959	48	1,791	1,751	38
5-9	2,478	2,402	74	2,306	2,203	85
10-14	2,436	2,357	71	2,271	2,177	62
15-19	2,467	2,396	62	2,083	2,018	52
20-24	2,464	2,396	57	1,862	1,805	48
25-29	2,221	2,161	52	1,850	1,781	43
30-34	2,160	2,133	19	1,968	1,931	22
35-39	2,164	2,119	30	2,340	2,305	20
40-44	2,507	2,453	37	2,276	2,238	19
45-49	2,470	2,448	8	2,372	2,344	6
50-54	2,394	2,366	8	2,220	2,183	0
55-59	1,947	1,934	2	2,004	1,998	2
60-64	1,641	1,635	3	1,650	1,644	3
65-69	1,365	1,361	3	1,484	1,483	1
70-74	1,061	1,049	4	1,298	1,287	6
75-79	781	780	0	1,223	1,217	6
80-84	663	663	0	1,113	1,111	2
85+	467	467	0	1,172	1,172	0
Total	34,193	33,556	497	33,716	33,072	424
Champaign	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	6,123	4,354	1,146	5,892	4,158	1,200
1-4	22,817	16,340	4,296	21,964	15,446	4,468
5-9	25,705	18,631	5,127	24,798	18,189	4,738
10-14	25,306	18,737	5,297	23,953	17,863	4,843
15-19	61,819	47,068	7,563	54,858	42,862	7,667
20-24	95,612	73,788	8,759	82,536	63,097	10,251
25-29	28,345	21,851	3,340	26,641	19,945	3,805
30-34	28,564	21,206	3,209	26,307	19,305	3,447
35-39	28,441	21,681	3,194	25,774	19,675	3,115
40-44	26,798	21,707	3,069	26,771	21,914	3,068
45-49	28,177	24,060	2,848	29,141	24,681	3,238
50-54	26,606	23,211	2,534	28,205	24,045	3,041
55-59	22,129	19,504	1,868	22,838	19,546	2,343
60-64	15,188	13,428	1,159	16,723	14,704	1,467
65-69	11,766	10,460	940	13,539	11,875	1,241
70-74	10,054	9,025	736	11,846	10,491	1,015
75-79	8,191	7,502	505	10,556	9,627	734
80-84	5,472	5,082	307	8,748	8,099	538
85+	3,894	3,711	114	9,270	8,722	465
Total	481,007	381,346	56,011	470,360	374,244	60,684
Christian	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,069	1,047	17	992	969	17
1-4	4,301	4,206	77	3,869	3,771	64
5-9	5,693	5,487	142	5,121	4,960	111
10-14	6,155	5,884	142	5,706	5,524	108
15-19	6,387	5,930	350	5,648	5,463	110
20-24	5,425	4,976	379	4,548	4,459	57
25-29	5,070	4,622	381	4,372	4,285	40
30-34	5,505	4,957	478	4,727	4,629	35
35-39	6,310	5,499	755	5,258	5,117	22
40-44	6,918	6,214	644	5,884	5,804	18
45-49	6,932	6,573	316	6,495	6,430	16
50-54	6,370	6,086	239	5,987	5,948	8
55-59	5,081	4,988	71	5,406	5,364	8
60-64	4,297	4,250	31	4,627	4,589	8
65-69	3,631	3,591	10	4,077	4,051	12
70-74	3,052	3,004	27	3,598	3,557	23
75-79	2,312	2,291	11	3,294	3,276	7
80-84	1,685	1,669	7	2,775	2,764	7
85+	1,171	1,154	15	3,723	3,715	7
Total	87,364	82,428	4,092	86,107	84,675	678

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Clark	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	450	446	4	456	448	7
1-4	1,934	1,902	32	1,862	1,814	40
5-9	2,564	2,517	47	2,760	2,708	51
10-14	3,179	3,104	58	2,906	2,835	59
15-19	3,136	3,070	40	2,686	2,634	38
20-24	2,484	2,416	58	2,175	2,130	41
25-29	2,439	2,394	38	2,252	2,226	26
30-34	2,180	2,143	21	2,207	2,195	9
35-39	2,716	2,699	3	2,719	2,706	0
40-44	3,164	3,140	11	3,049	3,024	3
45-49	3,179	3,171	2	3,125	3,101	3
50-54	3,094	3,074	9	2,958	2,932	5
55-59	2,466	2,461	0	2,640	2,624	0
60-64	2,154	2,154	0	2,526	2,521	0
65-69	1,831	1,830	0	1,934	1,928	0
70-74	1,227	1,223	0	1,856	1,846	0
75-79	1,208	1,207	0	1,733	1,729	0
80-84	960	951	0	1,453	1,453	0
85+	672	668	0	1,701	1,691	0
Total	41,037	40,570	323	42,998	42,545	282
Clay	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	433	421	6	419	400	13
1-4	1,783	1,730	36	1,692	1,628	33
5-9	2,191	2,132	33	2,068	1,996	40
10-14	2,369	2,300	30	2,137	2,067	32
15-19	2,293	2,266	19	2,198	2,165	18
20-24	1,895	1,865	6	2,053	2,013	13
25-29	1,921	1,895	4	1,945	1,923	1
30-34	1,808	1,786	8	1,797	1,734	1
35-39	2,041	2,001	18	1,915	1,883	0
40-44	2,442	2,372	20	2,458	2,432	5
45-49	2,737	2,686	5	2,517	2,479	0
50-54	2,469	2,433	0	2,556	2,536	0
55-59	2,329	2,317	3	2,267	2,261	0
60-64	1,758	1,746	2	2,033	2,016	5
65-69	1,472	1,468	3	1,725	1,710	0
70-74	1,219	1,217	2	1,509	1,497	0
75-79	1,062	1,055	0	1,529	1,520	0
80-84	730	727	0	1,330	1,328	0
85+	589	584	0	1,392	1,382	5
Total	33,541	33,001	195	35,540	34,970	166
Clinton	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,120	1,094	16	995	964	20
1-4	4,191	4,066	89	4,043	3,905	94
5-9	5,644	5,465	143	5,537	5,329	154
10-14	6,383	6,140	189	6,219	6,049	139
15-19	6,722	6,274	403	5,848	5,661	172
20-24	7,289	6,125	1,111	5,118	5,023	84
25-29	7,067	5,900	1,128	4,657	4,568	68
30-34	6,167	5,113	1,009	4,640	4,518	76
35-39	7,054	6,055	938	5,751	5,629	59
40-44	7,800	7,081	671	6,983	6,860	80
45-49	7,554	7,096	435	6,950	6,852	44
50-54	6,503	6,286	191	5,869	5,784	51
55-59	4,899	4,786	92	4,925	4,842	37
60-64	3,903	3,840	45	4,107	4,038	23
65-69	3,219	3,188	23	3,633	3,579	24
70-74	2,816	2,790	22	3,349	3,303	35
75-79	2,507	2,478	26	3,355	3,322	16
80-84	1,494	1,480	8	2,708	2,682	20
85+	1,092	1,079	8	2,651	2,613	20
Total	93,424	86,336	6,547	87,338	85,521	1,216

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Coles	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,416	1,308	82	1,386	1,270	84
1-4	5,569	5,217	276	5,251	4,822	323
5-9	6,571	6,215	290	6,299	5,860	302
10-14	6,586	6,285	247	6,161	5,812	264
15-19	12,508	11,813	612	15,168	14,196	783
20-24	24,385	22,748	1,342	27,325	25,433	1,491
25-29	6,134	5,592	321	5,551	5,168	257
30-34	6,614	6,248	227	5,737	5,409	183
35-39	6,355	6,116	117	6,120	5,865	114
40-44	6,742	6,524	130	7,345	7,110	118
45-49	8,228	8,013	109	8,401	8,172	115
50-54	7,849	7,636	127	8,101	7,885	103
55-59	6,640	6,490	96	6,886	6,743	62
60-64	5,223	5,102	68	5,569	5,495	28
65-69	4,083	4,008	37	4,879	4,803	39
70-74	3,571	3,536	11	4,287	4,221	30
75-79	2,973	2,940	14	4,234	4,182	28
80-84	2,062	2,027	27	3,619	3,570	38
85+	1,411	1,395	6	3,799	3,757	33
Total	124,920	119,213	4,139	136,118	129,773	4,395
Cook	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	201,092	133,713	54,103	192,597	127,572	52,588
1-4	777,938	514,126	212,876	745,723	489,945	207,519
5-9	888,953	564,551	269,660	854,981	538,113	263,948
10-14	918,865	556,434	311,118	879,612	528,238	302,138
15-19	917,071	567,535	292,834	877,878	533,801	290,196
20-24	924,107	617,186	244,000	906,133	580,278	263,618
25-29	1,108,218	785,952	237,236	1,109,989	742,648	278,210
30-34	1,007,767	724,440	198,723	1,006,032	667,843	253,169
35-39	945,909	675,374	198,736	945,480	618,392	256,724
40-44	932,395	660,049	213,898	944,529	613,700	272,397
45-49	927,517	651,788	221,591	971,018	629,848	285,030
50-54	817,430	578,878	188,338	884,383	579,156	250,085
55-59	686,473	490,227	152,657	768,789	509,270	210,489
60-64	501,110	356,435	112,017	592,644	398,461	157,380
65-69	378,937	265,427	89,744	474,300	317,191	130,594
70-74	303,559	216,397	71,751	401,527	274,536	107,990
75-79	248,833	186,635	51,912	365,577	265,678	85,663
80-84	174,543	136,370	31,710	301,200	232,200	58,948
85+	121,090	98,794	17,845	296,188	241,841	45,782
Total	12,781,807	8,780,311	3,170,749	13,518,580	8,888,711	3,772,468
Crawford	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	493	480	10	461	450	8
1-4	1,960	1,906	43	1,986	1,935	41
5-9	2,781	2,674	91	2,660	2,579	59
10-14	3,275	3,152	108	2,871	2,783	79
15-19	3,551	3,253	238	2,997	2,909	66
20-24	4,006	3,200	755	2,688	2,621	43
25-29	3,853	2,777	1,034	2,399	2,363	17
30-34	3,375	2,584	777	2,433	2,408	15
35-39	3,690	3,028	655	2,763	2,715	14
40-44	3,941	3,485	439	3,385	3,340	10
45-49	4,189	3,903	252	3,614	3,552	30
50-54	3,647	3,504	120	3,347	3,282	22
55-59	3,002	2,953	39	3,086	3,061	6
60-64	2,556	2,538	10	2,660	2,640	7
65-69	2,091	2,067	12	2,404	2,396	0
70-74	1,698	1,687	3	2,035	2,018	2
75-79	1,406	1,390	8	1,930	1,921	5
80-84	1,034	1,015	11	1,477	1,474	3
85+	706	697	7	1,660	1,660	0
Total	51,254	46,293	4,612	46,856	46,107	427

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Cumberland	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	316	313	2	334	333	1
1-4	1,289	1,273	15	1,259	1,244	14
5-9	1,709	1,691	17	1,673	1,629	28
10-14	1,885	1,866	12	1,892	1,869	13
15-19	1,923	1,906	7	1,823	1,806	9
20-24	1,799	1,758	34	1,730	1,713	11
25-29	1,730	1,700	25	1,504	1,495	0
30-34	1,511	1,511	0	1,456	1,444	3
35-39	1,742	1,737	0	1,688	1,676	2
40-44	1,918	1,917	0	1,866	1,855	0
45-49	2,042	2,036	0	2,142	2,127	2
50-54	2,070	2,066	0	1,868	1,860	3
55-59	1,774	1,755	9	1,681	1,675	0
60-64	1,448	1,443	1	1,473	1,472	0
65-69	1,074	1,068	0	1,259	1,255	0
70-74	823	819	0	1,051	1,041	0
75-79	697	697	0	1,019	1,010	1
80-84	496	496	0	892	884	0
85+	382	382	0	952	951	0
Total	26,628	26,434	122	27,562	27,339	87
DeKalb	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	3,240	2,856	276	3,074	2,768	227
1-4	13,102	11,641	1,038	12,267	10,971	893
5-9	16,260	14,506	1,358	15,331	13,662	1,230
10-14	15,687	14,351	1,037	15,189	13,794	1,087
15-19	26,682	23,249	2,244	29,485	24,421	3,907
20-24	45,606	39,313	3,458	46,176	38,132	5,130
25-29	14,667	12,943	1,222	13,330	11,561	1,212
30-34	15,818	14,370	906	13,772	12,268	959
35-39	15,997	14,923	637	15,070	13,949	629
40-44	16,178	15,284	521	16,105	15,126	607
45-49	16,277	15,465	450	16,027	15,267	443
50-54	14,308	13,673	412	13,752	13,180	348
55-59	11,647	11,212	234	11,230	10,777	231
60-64	8,554	8,336	105	8,602	8,353	105
65-69	6,202	6,003	66	6,735	6,542	83
70-74	4,858	4,741	37	6,062	5,899	76
75-79	3,966	3,910	23	5,410	5,300	77
80-84	2,920	2,889	15	4,609	4,559	28
85+	1,962	1,940	13	4,983	4,914	32
Total	253,931	231,605	14,052	257,209	231,443	17,304
DeWitt	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	521	501	10	453	438	9
1-4	2,162	2,078	46	1,933	1,853	47
5-9	2,592	2,488	68	2,911	2,828	67
10-14	2,793	2,707	79	2,864	2,779	66
15-19	2,703	2,593	91	2,487	2,417	51
20-24	2,417	2,333	68	2,090	2,033	40
25-29	2,390	2,276	95	2,292	2,243	35
30-34	2,517	2,455	45	2,357	2,333	13
35-39	2,743	2,707	24	2,535	2,499	13
40-44	3,025	2,986	24	2,855	2,825	17
45-49	3,407	3,380	18	3,193	3,174	1
50-54	3,034	3,014	10	2,979	2,961	0
55-59	2,566	2,539	8	2,498	2,475	0
60-64	2,053	2,031	12	2,377	2,348	9
65-69	1,704	1,687	5	1,972	1,964	5
70-74	1,302	1,295	7	1,556	1,551	1
75-79	1,061	1,053	5	1,440	1,438	0
80-84	760	754	0	1,393	1,388	1
85+	583	569	3	1,321	1,312	9
Total	40,333	39,446	618	41,506	40,859	384

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Douglas	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	716	704	10	677	661	9
1-4	3,111	3,060	43	2,785	2,705	40
5-9	3,623	3,540	72	3,548	3,423	61
10-14	3,364	3,270	77	3,442	3,301	81
15-19	3,473	3,403	58	3,319	3,265	38
20-24	3,042	2,964	61	2,829	2,777	34
25-29	2,869	2,772	54	2,672	2,624	30
30-34	2,866	2,747	26	2,677	2,613	25
35-39	2,873	2,797	25	2,959	2,901	14
40-44	3,443	3,383	41	3,246	3,213	15
45-49	3,817	3,796	15	3,776	3,758	2
50-54	3,437	3,410	15	3,298	3,250	21
55-59	2,736	2,706	6	2,860	2,820	9
60-64	2,328	2,291	26	2,329	2,322	4
65-69	1,847	1,834	9	2,274	2,262	0
70-74	1,683	1,682	0	2,095	2,088	0
75-79	1,244	1,244	0	1,750	1,746	0
80-84	912	908	0	1,463	1,456	5
85+	619	618	0	1,747	1,747	0
Total	48,003	47,129	538	49,746	48,932	388
DuPage	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	30,764	25,283	1,708	29,561	24,244	1,684
1-4	128,264	105,342	7,198	124,339	101,515	7,011
5-9	164,328	136,025	9,892	158,127	130,133	9,667
10-14	172,807	145,593	10,502	165,354	138,840	9,897
15-19	170,376	145,362	9,173	158,919	134,801	9,342
20-24	154,949	132,358	6,887	143,333	120,730	7,604
25-29	148,333	124,544	7,412	135,421	108,785	8,220
30-34	152,180	123,540	8,859	146,258	115,617	9,612
35-39	173,143	142,490	9,581	169,839	138,218	10,127
40-44	187,599	160,995	8,187	192,456	163,801	9,192
45-49	194,189	170,251	7,195	199,536	173,871	8,245
50-54	170,564	149,905	5,351	175,870	153,195	6,091
55-59	139,168	121,834	3,765	144,830	126,314	4,307
60-64	98,503	86,213	2,143	103,534	91,312	2,089
65-69	66,179	58,439	1,134	71,211	63,442	1,054
70-74	47,941	43,337	641	57,109	51,829	857
75-79	38,926	36,181	471	53,550	49,868	630
80-84	28,082	26,452	259	48,344	45,655	542
85+	21,026	19,775	206	53,159	50,678	503
Total	2,287,321	1,953,919	100,564	2,330,750	1,982,848	106,674
Edgar	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	520	512	7	524	515	7
1-4	2,145	2,100	36	2,112	2,066	36
5-9	2,867	2,796	51	2,759	2,682	56
10-14	2,925	2,870	38	3,152	3,072	57
15-19	3,212	3,088	113	2,937	2,904	30
20-24	3,104	2,785	302	2,678	2,644	29
25-29	2,984	2,614	351	2,564	2,528	9
30-34	2,935	2,719	198	2,533	2,482	14
35-39	2,908	2,635	255	2,573	2,525	15
40-44	3,353	3,145	183	3,233	3,187	20
45-49	3,821	3,740	67	3,623	3,603	5
50-54	3,537	3,466	68	3,332	3,320	5
55-59	3,030	3,016	5	3,063	3,029	6
60-64	2,407	2,407	0	2,620	2,592	10
65-69	1,946	1,936	8	2,365	2,349	7
70-74	1,578	1,567	6	2,011	1,992	6
75-79	1,269	1,265	1	2,031	2,012	3
80-84	901	890	10	1,740	1,731	5
85+	845	824	11	2,190	2,184	5
Total	46,287	44,375	1,710	48,040	47,417	325

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Edwards	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	182	180	1	167	167	0
1-4	778	775	1	723	719	0
5-9	957	952	2	988	977	4
10-14	1,007	996	3	1,025	1,017	1
15-19	980	968	0	934	916	4
20-24	981	971	0	813	796	1
25-29	995	993	0	976	958	4
30-34	899	894	4	927	911	5
35-39	1,009	1,002	1	975	958	1
40-44	1,138	1,133	0	1,042	1,038	0
45-49	1,231	1,225	3	1,238	1,225	0
50-54	1,254	1,243	11	1,272	1,263	0
55-59	1,184	1,179	1	1,191	1,182	0
60-64	909	908	0	941	940	0
65-69	769	764	5	924	923	0
70-74	595	591	4	785	781	0
75-79	467	461	6	705	700	0
80-84	427	427	0	635	635	0
85+	270	270	0	601	601	0
Total	16,032	15,932	42	16,862	16,707	20
Effingham	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,204	1,178	15	1,095	1,071	15
1-4	4,650	4,552	55	4,349	4,241	62
5-9	6,218	6,118	55	5,467	5,375	60
10-14	7,104	6,986	64	6,195	6,079	64
15-19	6,724	6,614	50	6,226	6,134	35
20-24	5,928	5,829	64	5,498	5,420	29
25-29	4,768	4,687	48	4,711	4,657	24
30-34	4,839	4,759	43	4,627	4,562	28
35-39	5,322	5,255	32	5,155	5,079	14
40-44	6,353	6,268	33	6,298	6,241	10
45-49	6,933	6,892	5	6,761	6,704	1
50-54	6,072	6,031	8	5,830	5,786	2
55-59	5,055	5,019	11	5,049	5,019	4
60-64	3,828	3,800	6	4,103	4,081	0
65-69	3,161	3,150	2	3,668	3,658	0
70-74	2,560	2,543	10	3,121	3,117	0
75-79	2,101	2,091	0	2,952	2,947	0
80-84	1,423	1,418	0	2,551	2,549	0
85+	1,136	1,131	0	2,704	2,704	0
Total	85,379	84,321	501	86,360	85,424	348
Fayette	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	654	640	9	583	572	5
1-4	2,568	2,527	33	2,421	2,363	31
5-9	3,204	3,160	44	3,280	3,193	50
10-14	3,419	3,388	31	3,364	3,326	28
15-19	3,847	3,629	217	3,490	3,452	30
20-24	3,921	3,225	691	3,038	2,991	33
25-29	3,868	3,143	721	2,844	2,810	31
30-34	3,593	2,966	616	2,809	2,789	6
35-39	3,825	3,295	510	2,933	2,913	4
40-44	4,122	3,677	426	3,515	3,488	8
45-49	4,225	4,034	170	3,758	3,736	4
50-54	3,722	3,661	52	3,517	3,499	4
55-59	3,107	3,070	23	3,073	3,051	0
60-64	2,499	2,475	17	2,852	2,835	2
65-69	2,135	2,118	5	2,497	2,478	3
70-74	1,830	1,821	7	2,092	2,084	0
75-79	1,431	1,431	0	1,879	1,879	0
80-84	935	930	5	1,628	1,626	2
85+	581	576	0	1,679	1,674	0
Total	53,486	49,766	3,577	51,252	50,759	241

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Ford	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	437	420	10	388	379	5
1-4	1,787	1,712	49	1,679	1,613	40
5-9	2,519	2,410	67	2,260	2,182	66
10-14	2,495	2,438	54	2,346	2,293	47
15-19	2,571	2,515	50	2,392	2,344	37
20-24	2,095	2,025	58	1,963	1,918	28
25-29	1,604	1,559	43	1,750	1,701	20
30-34	1,916	1,877	29	1,778	1,747	11
35-39	2,002	1,945	32	2,044	2,022	7
40-44	2,373	2,339	25	2,605	2,591	5
45-49	2,807	2,796	4	2,861	2,849	6
50-54	2,490	2,479	1	2,511	2,485	6
55-59	2,188	2,174	6	2,028	2,013	0
60-64	1,713	1,702	4	1,826	1,803	4
65-69	1,312	1,305	3	1,702	1,684	6
70-74	1,271	1,266	5	1,461	1,436	0
75-79	1,002	999	3	1,494	1,476	3
80-84	733	729	4	1,275	1,268	2
85+	551	551	0	1,751	1,751	0
Total	33,853	33,327	346	36,393	35,882	259
Franklin	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,264	1,246	16	1,103	1,085	13
1-4	4,984	4,896	77	4,732	4,614	66
5-9	6,134	5,990	118	5,903	5,738	114
10-14	6,527	6,419	91	6,048	5,942	95
15-19	6,447	6,321	86	5,995	5,883	82
20-24	5,368	5,278	47	5,538	5,482	43
25-29	6,237	6,164	44	6,017	5,938	54
30-34	5,703	5,614	46	5,515	5,432	32
35-39	5,993	5,923	45	6,094	6,035	30
40-44	6,510	6,452	33	6,655	6,600	24
45-49	7,032	6,991	17	7,182	7,139	12
50-54	6,722	6,677	22	6,895	6,859	5
55-59	6,222	6,190	8	6,432	6,384	3
60-64	5,299	5,249	15	5,962	5,917	2
65-69	4,617	4,600	2	5,178	5,141	8
70-74	3,566	3,546	1	4,361	4,346	0
75-79	2,695	2,678	0	4,136	4,121	11
80-84	2,124	2,116	0	3,710	3,683	10
85+	1,411	1,397	7	4,033	4,021	0
Total	94,855	93,747	675	101,489	100,360	604
Fulton	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	999	979	11	956	936	15
1-4	4,137	4,040	73	3,897	3,815	68
5-9	5,469	5,351	98	5,183	5,077	84
10-14	5,878	5,739	96	5,554	5,401	119
15-19	6,046	5,678	305	5,209	5,068	88
20-24	6,937	5,709	1,205	4,539	4,427	61
25-29	7,162	5,679	1,477	4,555	4,501	41
30-34	6,851	5,440	1,370	4,705	4,651	30
35-39	7,132	6,087	1,000	5,242	5,177	25
40-44	6,913	6,280	603	6,148	6,088	21
45-49	6,885	6,489	352	6,502	6,443	14
50-54	6,585	6,377	172	6,547	6,503	6
55-59	5,865	5,746	96	5,927	5,891	15
60-64	4,858	4,818	17	5,185	5,159	0
65-69	3,942	3,909	7	4,666	4,632	9
70-74	3,260	3,228	15	3,957	3,923	23
75-79	2,699	2,679	13	3,903	3,879	14
80-84	2,079	2,060	15	3,313	3,302	10
85+	1,752	1,738	1	3,585	3,557	17
Total	95,449	88,026	6,926	89,573	88,430	660

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Gallatin	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	163	158	3	167	163	3
1-4	654	637	11	642	637	5
5-9	845	824	17	755	749	5
10-14	1,016	995	14	954	933	17
15-19	956	920	8	817	788	6
20-24	905	898	0	862	826	4
25-29	948	930	0	929	918	1
30-34	784	770	0	840	840	0
35-39	912	904	0	941	919	5
40-44	956	935	5	1,042	1,034	0
45-49	1,057	1,043	0	980	978	0
50-54	896	882	0	1,053	1,050	0
55-59	973	955	8	1,141	1,139	2
60-64	1,061	1,049	2	1,050	1,046	4
65-69	799	797	2	840	835	5
70-74	631	625	6	720	713	4
75-79	479	471	8	584	577	0
80-84	269	265	4	491	482	9
85+	226	226	0	672	666	6
Total	14,530	14,284	88	15,480	15,293	76
Greene	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	418	407	8	407	402	5
1-4	1,650	1,602	38	1,697	1,663	34
5-9	2,266	2,199	49	2,260	2,207	49
10-14	2,444	2,393	35	2,411	2,368	33
15-19	2,506	2,438	57	2,420	2,389	24
20-24	2,230	2,177	50	1,833	1,795	25
25-29	2,051	2,034	17	1,776	1,745	19
30-34	1,823	1,819	4	1,761	1,752	2
35-39	2,100	2,087	5	2,069	2,063	0
40-44	2,475	2,468	3	2,477	2,452	0
45-49	2,621	2,610	3	2,619	2,608	0
50-54	2,439	2,430	4	2,556	2,539	0
55-59	2,078	2,067	5	2,150	2,131	0
60-64	1,733	1,722	8	1,991	1,985	0
65-69	1,451	1,446	0	1,711	1,695	0
70-74	1,189	1,180	3	1,494	1,492	0
75-79	1,090	1,083	2	1,464	1,463	0
80-84	726	722	0	1,081	1,075	0
85+	574	567	0	1,379	1,376	0
Total	33,864	33,451	291	35,556	35,200	191
Grundy	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,723	1,668	29	1,638	1,578	35
1-4	6,740	6,468	170	6,174	5,894	177
5-9	8,682	8,226	311	8,121	7,687	301
10-14	8,691	8,322	295	8,480	8,158	247
15-19	7,671	7,438	184	7,390	7,147	186
20-24	6,975	6,796	128	6,699	6,513	146
25-29	8,053	7,782	171	7,331	7,062	158
30-34	8,017	7,725	160	7,347	7,076	153
35-39	8,740	8,429	159	8,347	8,091	144
40-44	9,081	8,830	144	8,961	8,732	120
45-49	9,095	8,927	105	8,821	8,647	97
50-54	7,827	7,726	59	7,510	7,386	69
55-59	6,278	6,191	39	5,941	5,853	35
60-64	4,636	4,594	10	4,662	4,621	14
65-69	3,648	3,624	2	3,838	3,806	13
70-74	2,453	2,440	0	3,054	3,028	4
75-79	2,009	1,992	0	2,845	2,837	4
80-84	1,547	1,543	3	2,334	2,322	9
85+	1,169	1,162	7	2,478	2,467	3
Total	113,035	109,883	1,976	111,971	108,905	1,915

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Hamilton	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	208	206	1	210	209	1
1-4	955	945	6	875	867	7
5-9	1,292	1,268	24	1,210	1,189	17
10-14	1,444	1,416	23	1,336	1,316	20
15-19	1,231	1,187	28	1,304	1,283	20
20-24	1,278	1,262	3	1,202	1,161	37
25-29	1,153	1,144	3	1,212	1,204	8
30-34	1,071	1,061	5	1,095	1,078	15
35-39	1,209	1,170	29	1,127	1,121	1
40-44	1,423	1,369	43	1,315	1,287	21
45-49	1,452	1,436	12	1,517	1,510	5
50-54	1,485	1,457	20	1,531	1,512	3
55-59	1,392	1,380	1	1,387	1,377	3
60-64	1,143	1,128	10	1,147	1,130	7
65-69	918	912	5	1,122	1,102	10
70-74	811	806	5	980	974	0
75-79	699	696	0	821	821	0
80-84	516	509	0	791	791	0
85+	368	368	0	976	976	0
Total	20,048	19,720	218	21,158	20,908	175
Hancock	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	520	512	7	522	511	8
1-4	2,067	2,024	35	2,078	2,028	41
5-9	2,812	2,716	67	2,763	2,686	59
10-14	3,279	3,192	55	3,168	3,120	44
15-19	3,376	3,305	47	3,078	3,033	30
20-24	2,739	2,687	46	2,378	2,341	28
25-29	2,184	2,145	29	2,089	2,066	9
30-34	2,280	2,243	28	2,145	2,131	3
35-39	2,690	2,641	39	2,670	2,659	0
40-44	3,224	3,184	26	3,379	3,350	0
45-49	3,578	3,540	12	3,750	3,736	4
50-54	3,811	3,794	3	3,664	3,644	1
55-59	3,439	3,428	2	3,400	3,374	7
60-64	2,576	2,558	3	2,900	2,882	3
65-69	2,130	2,123	0	2,496	2,481	0
70-74	1,815	1,802	5	2,164	2,154	0
75-79	1,488	1,476	0	2,118	2,108	0
80-84	1,039	1,036	0	1,766	1,766	0
85+	817	815	0	2,066	2,066	0
Total	45,864	45,221	404	48,594	48,136	237
Hardin	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	110	108	1	114	112	2
1-4	416	408	3	463	457	4
5-9	660	625	18	664	643	14
10-14	616	592	9	625	607	15
15-19	596	568	26	562	540	8
20-24	666	615	51	578	560	12
25-29	745	653	91	605	596	5
30-34	732	594	134	511	504	0
35-39	796	669	120	619	612	1
40-44	864	771	87	750	737	7
45-49	767	745	13	782	775	4
50-54	836	803	21	946	930	2
55-59	900	894	5	935	928	4
60-64	808	803	0	806	806	0
65-69	605	605	0	644	639	0
70-74	422	422	0	508	506	2
75-79	365	365	0	478	475	3
80-84	226	226	0	393	393	0
85+	204	204	0	349	344	5
Total	11,334	10,670	579	11,332	11,164	88

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Henderson	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	162	156	4	158	154	4
1-4	596	580	13	651	632	15
5-9	1,119	1,104	15	1,140	1,111	28
10-14	1,174	1,150	19	1,269	1,263	6
15-19	1,162	1,142	15	1,167	1,145	14
20-24	1,146	1,094	47	1,062	1,050	10
25-29	1,032	1,009	17	893	885	6
30-34	965	961	0	831	825	3
35-39	1,061	1,057	0	1,087	1,081	2
40-44	1,363	1,362	0	1,459	1,456	0
45-49	1,678	1,671	0	1,618	1,614	1
50-54	1,674	1,670	1	1,466	1,453	4
55-59	1,392	1,388	4	1,358	1,353	0
60-64	1,334	1,334	0	1,310	1,305	0
65-69	1,044	1,044	0	1,120	1,113	0
70-74	775	774	0	897	893	0
75-79	641	636	1	769	769	0
80-84	319	318	1	586	586	0
85+	244	244	0	589	589	0
Total	18,881	18,694	137	19,430	19,277	93
Henry	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,457	1,387	56	1,388	1,326	47
1-4	6,049	5,781	213	5,721	5,442	216
5-9	8,073	7,744	289	7,653	7,295	324
10-14	8,981	8,631	310	8,373	8,031	313
15-19	9,238	8,986	206	8,313	8,022	232
20-24	7,494	7,316	148	6,541	6,316	153
25-29	6,153	6,005	115	4,851	4,700	108
30-34	6,660	6,480	131	6,405	6,227	122
35-39	7,595	7,432	124	7,772	7,609	110
40-44	8,754	8,630	113	9,199	9,025	103
45-49	9,912	9,770	111	10,154	9,991	100
50-54	9,583	9,453	83	9,429	9,286	88
55-59	8,761	8,673	55	8,535	8,438	79
60-64	6,926	6,873	37	7,082	6,976	55
65-69	5,217	5,155	51	5,646	5,600	30
70-74	4,160	4,100	50	5,170	5,122	32
75-79	3,487	3,455	25	4,622	4,562	43
80-84	2,366	2,349	16	3,940	3,905	25
85+	1,793	1,773	20	4,774	4,714	56
Total	122,659	119,993	2,153	125,568	122,587	2,236
Iroquois	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	853	828	20	859	833	19
1-4	3,607	3,475	107	3,571	3,448	102
5-9	5,019	4,792	172	4,620	4,420	137
10-14	5,814	5,472	270	5,282	5,114	142
15-19	5,790	5,505	242	4,957	4,834	86
20-24	4,314	4,207	74	3,767	3,687	46
25-29	3,544	3,428	70	2,859	2,774	44
30-34	3,857	3,772	58	3,575	3,485	40
35-39	4,256	4,181	64	4,430	4,340	44
40-44	5,318	5,202	63	5,614	5,536	41
45-49	5,969	5,870	34	5,894	5,837	18
50-54	5,482	5,456	12	5,387	5,349	12
55-59	4,810	4,759	22	4,941	4,892	22
60-64	3,958	3,907	27	4,588	4,547	15
65-69	3,546	3,505	23	3,712	3,659	24
70-74	2,647	2,604	23	3,292	3,257	19
75-79	2,374	2,354	15	3,159	3,119	25
80-84	1,790	1,781	8	2,727	2,700	16
85+	1,360	1,344	11	3,171	3,145	15
Total	74,308	72,442	1,315	76,405	74,976	867

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Jackson	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,691	1,281	318	1,688	1,252	339
1-4	6,456	4,835	1,334	6,403	4,803	1,239
5-9	6,851	5,025	1,629	6,646	4,980	1,332
10-14	6,661	5,112	1,334	6,602	5,133	1,198
15-19	15,313	11,934	2,843	13,555	10,296	2,919
20-24	36,523	29,702	4,852	32,787	24,513	6,444
25-29	8,918	7,171	1,144	7,656	5,741	1,118
30-34	8,825	6,965	1,081	6,215	4,820	820
35-39	7,786	6,530	903	6,937	5,599	902
40-44	7,464	6,475	748	7,513	6,248	1,001
45-49	8,036	6,909	856	8,098	6,996	824
50-54	7,937	6,901	815	7,726	6,745	750
55-59	7,186	6,505	549	7,355	6,530	638
60-64	5,328	4,868	355	5,588	5,054	421
65-69	4,032	3,742	215	4,894	4,285	549
70-74	3,518	3,241	203	4,148	3,731	336
75-79	2,637	2,466	134	3,886	3,606	225
80-84	1,982	1,864	99	3,282	3,096	165
85+	1,504	1,386	88	3,610	3,337	258
Total	148,648	122,912	19,500	144,589	116,765	21,478
Jasper	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	305	305	0	277	277	0
1-4	1,171	1,169	2	1,133	1,131	2
5-9	1,445	1,436	7	1,468	1,456	12
10-14	1,616	1,596	11	1,593	1,577	12
15-19	1,814	1,793	13	1,702	1,684	7
20-24	1,739	1,705	26	1,470	1,463	2
25-29	1,464	1,439	20	1,179	1,175	0
30-34	1,180	1,174	0	1,106	1,095	0
35-39	1,363	1,351	5	1,415	1,409	1
40-44	1,944	1,934	10	1,802	1,802	0
45-49	2,100	2,089	0	1,964	1,960	0
50-54	1,812	1,808	0	1,817	1,802	0
55-59	1,560	1,560	0	1,567	1,561	0
60-64	1,221	1,221	0	1,281	1,281	0
65-69	1,013	1,013	0	1,168	1,166	0
70-74	919	919	0	916	904	0
75-79	671	671	0	915	909	0
80-84	545	544	0	750	750	0
85+	378	378	0	830	830	0
Total	24,260	24,105	94	24,353	24,232	36
Jefferson	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,226	1,054	163	1,172	1,030	131
1-4	4,844	4,209	596	4,497	3,971	488
5-9	6,071	5,304	709	5,716	4,994	652
10-14	6,474	5,729	685	6,616	5,691	866
15-19	7,090	6,118	919	6,386	5,637	699
20-24	7,776	6,316	1,390	5,596	5,120	429
25-29	7,697	6,302	1,351	5,821	5,463	308
30-34	7,040	5,713	1,256	5,386	4,970	361
35-39	7,355	6,129	1,149	5,965	5,459	434
40-44	7,632	6,508	1,046	6,421	5,934	412
45-49	7,527	6,904	584	7,180	6,759	355
50-54	7,316	6,877	376	7,217	6,792	338
55-59	6,564	6,226	281	6,286	5,962	260
60-64	5,189	4,939	217	5,290	5,087	162
65-69	4,031	3,860	137	4,451	4,283	155
70-74	3,045	2,903	123	3,833	3,672	144
75-79	2,432	2,336	94	3,491	3,372	106
80-84	1,910	1,856	43	3,074	2,954	106
85+	1,423	1,364	51	3,365	3,269	89
Total	102,642	90,647	11,170	97,763	90,419	6,495

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Jersey	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	636	621	12	600	587	11
1-4	2,592	2,535	50	2,436	2,371	47
5-9	3,504	3,410	81	3,510	3,399	84
10-14	3,762	3,625	116	3,867	3,774	75
15-19	4,724	4,402	283	4,133	4,024	82
20-24	4,229	4,013	170	3,946	3,824	87
25-29	3,153	3,079	53	2,868	2,819	28
30-34	3,000	2,969	19	2,984	2,945	20
35-39	3,379	3,349	14	3,665	3,631	13
40-44	4,120	4,069	13	4,298	4,255	19
45-49	4,598	4,577	6	4,497	4,453	19
50-54	4,046	4,034	10	3,864	3,838	8
55-59	3,487	3,468	11	3,409	3,388	0
60-64	2,779	2,757	5	2,888	2,881	0
65-69	2,258	2,254	1	2,505	2,502	3
70-74	1,841	1,826	4	2,166	2,164	2
75-79	1,351	1,350	0	1,798	1,781	5
80-84	854	850	1	1,556	1,536	0
85+	667	660	0	1,668	1,660	5
Total	54,980	53,848	849	56,658	55,832	508
JoDaviess	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	583	568	10	509	500	7
1-4	2,462	2,397	42	2,110	2,056	45
5-9	3,367	3,287	66	3,040	2,965	66
10-14	3,651	3,578	67	3,334	3,271	55
15-19	3,658	3,609	46	3,219	3,183	27
20-24	2,968	2,894	45	2,478	2,435	29
25-29	2,654	2,504	40	1,910	1,872	21
30-34	2,943	2,884	22	2,707	2,673	20
35-39	3,382	3,298	38	3,100	3,072	15
40-44	3,810	3,773	29	3,607	3,574	20
45-49	4,279	4,267	9	4,166	4,134	7
50-54	4,246	4,229	6	4,313	4,300	1
55-59	4,458	4,426	14	4,398	4,375	4
60-64	3,788	3,775	5	4,149	4,137	3
65-69	3,134	3,131	0	3,557	3,531	7
70-74	2,456	2,449	0	2,604	2,596	0
75-79	1,897	1,897	0	2,224	2,215	0
80-84	1,341	1,340	1	1,798	1,788	0
85+	960	958	2	1,849	1,842	0
Total	56,037	55,264	442	55,072	54,519	327
Johnson	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	310	303	7	294	290	4
1-4	1,290	1,264	25	1,259	1,239	18
5-9	1,696	1,642	43	1,582	1,527	43
10-14	1,877	1,825	42	1,662	1,613	44
15-19	2,452	1,894	537	1,529	1,472	51
20-24	4,600	2,458	2,115	1,448	1,349	84
25-29	4,422	2,308	2,109	1,462	1,389	65
30-34	4,189	2,275	1,904	1,480	1,417	54
35-39	3,843	2,304	1,530	1,654	1,628	17
40-44	3,414	2,218	1,186	1,720	1,703	5
45-49	2,710	2,265	438	2,029	2,015	4
50-54	2,181	1,964	203	1,900	1,897	1
55-59	2,089	1,976	96	1,929	1,914	5
60-64	1,846	1,809	33	1,834	1,824	2
65-69	1,593	1,583	10	1,601	1,595	3
70-74	1,075	1,065	8	1,163	1,151	0
75-79	787	766	7	909	907	0
80-84	500	498	2	737	733	3
85+	370	365	0	606	600	2
Total	41,244	30,782	10,295	26,798	26,263	405

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Kane	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	21,739	19,341	1,560	20,825	18,462	1,463
1-4	88,404	78,844	6,189	84,068	74,501	5,999
5-9	105,269	93,340	8,026	99,788	88,188	7,535
10-14	100,352	88,646	8,603	94,891	83,912	7,793
15-19	92,177	80,282	9,006	82,483	73,406	6,629
20-24	78,944	71,777	4,682	73,718	66,690	4,667
25-29	79,466	72,481	3,919	71,174	63,650	4,540
30-34	89,325	79,954	4,893	82,915	73,139	5,648
35-39	98,898	88,767	5,246	93,015	82,452	5,805
40-44	100,051	91,305	5,088	95,614	86,352	5,490
45-49	94,132	86,616	4,457	90,048	82,483	4,712
50-54	78,938	72,765	3,775	78,884	72,371	4,087
55-59	66,411	61,435	3,047	66,233	60,879	3,231
60-64	47,133	43,612	1,983	48,695	44,764	2,272
65-69	32,087	29,664	1,272	34,082	31,367	1,544
70-74	21,627	20,302	683	25,296	23,638	1,006
75-79	15,644	14,958	378	21,299	20,186	663
80-84	10,754	10,322	266	16,845	16,152	423
85+	6,976	6,752	105	18,702	18,115	338
Total	1,228,327	1,111,163	73,178	1,198,575	1,080,707	73,845
Kankakee	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	3,979	3,104	818	3,808	2,960	797
1-4	16,055	12,392	3,370	15,077	11,626	3,188
5-9	19,508	15,086	4,067	18,745	14,418	3,986
10-14	20,318	15,876	4,182	19,376	14,904	4,240
15-19	22,248	17,237	4,678	21,212	16,677	4,327
20-24	20,295	16,654	3,306	20,953	17,376	3,313
25-29	16,919	14,394	2,340	17,263	14,278	2,791
30-34	16,389	13,886	2,321	16,298	13,233	2,799
35-39	17,673	14,935	2,525	17,557	14,473	2,849
40-44	19,232	16,297	2,717	19,786	16,468	3,120
45-49	20,356	17,418	2,729	20,512	17,235	3,090
50-54	18,942	16,268	2,465	19,145	16,194	2,730
55-59	15,542	13,677	1,715	16,603	14,467	1,924
60-64	12,407	11,145	1,117	13,144	11,585	1,407
65-69	9,157	8,146	914	10,314	9,064	1,165
70-74	7,474	6,571	839	9,213	8,014	1,122
75-79	6,080	5,411	636	8,694	7,746	897
80-84	4,110	3,773	318	6,965	6,420	526
85+	2,492	2,346	138	6,588	6,132	419
Total	269,176	224,616	41,195	281,253	233,270	44,690
Kendall	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	3,916	3,615	180	3,787	3,479	180
1-4	15,949	14,510	980	14,985	13,603	922
5-9	19,850	17,806	1,532	18,883	16,908	1,438
10-14	18,508	16,766	1,360	17,484	15,811	1,248
15-19	14,831	13,656	893	13,735	12,641	861
20-24	11,961	11,181	527	12,039	11,183	607
25-29	16,348	15,051	784	15,488	14,103	842
30-34	18,834	17,127	881	17,843	16,176	903
35-39	20,309	18,623	909	19,533	17,854	937
40-44	18,291	17,179	668	17,668	16,497	701
45-49	15,662	14,809	515	15,706	14,873	494
50-54	12,710	12,087	371	12,691	12,068	365
55-59	10,594	10,123	267	10,794	10,307	266
60-64	7,960	7,657	138	7,928	7,617	148
65-69	5,549	5,384	80	5,639	5,457	89
70-74	3,660	3,592	25	4,148	4,048	49
75-79	2,616	2,587	14	3,443	3,377	30
80-84	1,642	1,621	9	2,865	2,821	23
85+	1,259	1,248	2	2,757	2,705	20
Total	220,449	204,622	10,135	217,416	201,528	10,123

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Knox	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,426	1,239	172	1,371	1,209	151
1-4	5,979	5,249	668	5,750	5,098	621
5-9	7,819	6,894	865	7,269	6,430	778
10-14	8,297	7,292	935	7,413	6,565	773
15-19	9,352	8,142	1,041	8,640	7,676	700
20-24	10,195	8,267	1,670	8,331	7,438	526
25-29	8,336	6,523	1,729	6,307	5,862	351
30-34	8,051	6,536	1,472	6,706	6,219	409
35-39	8,261	6,864	1,324	7,233	6,793	362
40-44	8,953	7,730	1,129	8,439	7,939	397
45-49	9,668	8,777	786	9,470	9,057	318
50-54	9,681	9,078	530	9,685	9,275	334
55-59	8,915	8,520	351	8,949	8,609	261
60-64	7,076	6,825	199	7,467	7,229	197
65-69	5,677	5,480	166	6,310	6,126	155
70-74	4,768	4,597	152	6,002	5,808	155
75-79	3,769	3,653	100	5,363	5,193	138
80-84	2,850	2,786	44	4,581	4,449	117
85+	2,159	2,100	45	5,511	5,381	115
Total	131,232	116,552	13,378	130,797	122,356	6,858
Lake	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	25,386	21,342	2,257	24,392	20,401	2,208
1-4	108,003	91,919	9,019	103,493	87,242	8,956
5-9	142,390	121,560	12,393	135,927	115,023	12,063
10-14	146,216	124,950	13,401	137,941	117,347	12,720
15-19	149,661	127,068	14,568	128,967	109,675	12,514
20-24	116,921	100,434	9,552	103,630	88,365	9,125
25-29	87,843	75,862	6,148	84,230	70,257	7,315
30-34	109,293	91,126	8,271	106,500	86,913	9,380
35-39	132,182	111,764	9,508	132,023	109,603	10,393
40-44	146,142	126,880	9,551	148,953	127,706	10,497
45-49	146,030	129,024	8,886	148,150	129,673	9,554
50-54	125,643	111,591	7,237	125,919	110,819	7,548
55-59	100,132	90,016	4,933	99,894	89,016	5,235
60-64	71,080	64,200	3,016	71,982	64,454	3,332
65-69	49,149	44,041	2,338	51,336	45,794	2,688
70-74	34,589	31,192	1,736	40,606	36,223	2,404
75-79	27,871	25,603	1,270	35,677	32,359	1,792
80-84	18,524	17,337	643	27,781	25,652	1,154
85+	12,340	11,514	368	27,819	25,891	1,053
Total	1,749,395	1,517,423	125,095	1,735,220	1,492,413	129,931
LaSalle	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	3,455	3,332	87	3,289	3,142	96
1-4	14,434	13,898	412	13,589	12,959	403
5-9	18,395	17,636	591	18,017	17,215	573
10-14	19,427	18,669	591	19,208	18,430	529
15-19	19,934	19,118	619	18,699	18,154	342
20-24	18,603	17,486	903	17,178	16,806	228
25-29	17,304	16,303	833	15,079	14,757	151
30-34	15,567	14,599	732	14,282	13,807	161
35-39	17,831	16,821	800	17,357	16,927	191
40-44	21,279	20,606	511	21,150	20,708	213
45-49	22,977	22,538	319	22,584	22,206	177
50-54	20,658	20,307	221	19,735	19,394	117
55-59	16,985	16,761	80	16,849	16,577	73
60-64	12,941	12,722	69	14,211	13,995	50
65-69	10,781	10,667	44	12,377	12,221	47
70-74	8,851	8,752	35	10,440	10,329	41
75-79	7,652	7,585	31	10,363	10,301	36
80-84	5,612	5,582	21	9,129	9,093	16
85+	4,021	3,993	19	10,129	10,084	21
Total	276,707	267,375	6,918	283,665	277,105	3,465

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Lawrence	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	397	387	8	389	380	9
1-4	1,652	1,603	46	1,621	1,573	42
5-9	2,205	2,136	68	2,036	1,958	71
10-14	2,474	2,393	75	2,279	2,187	87
15-19	2,978	2,545	418	2,274	2,181	86
20-24	3,701	2,575	1,103	2,347	2,227	107
25-29	3,721	2,661	1,046	2,383	2,255	120
30-34	3,468	2,556	900	2,221	2,097	118
35-39	3,494	2,679	803	2,163	2,042	115
40-44	3,356	2,772	576	2,613	2,523	78
45-49	3,378	3,061	314	3,051	2,970	68
50-54	3,012	2,840	169	2,699	2,669	25
55-59	2,332	2,263	68	2,423	2,409	10
60-64	1,729	1,690	32	2,038	2,017	15
65-69	1,498	1,489	6	1,974	1,921	30
70-74	1,370	1,348	18	1,594	1,555	20
75-79	1,173	1,164	7	1,837	1,824	9
80-84	861	853	5	1,405	1,383	22
85+	750	731	19	1,906	1,884	12
Total	43,549	37,746	5,681	39,253	38,055	1,044
Lee	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	990	955	31	953	894	45
1-4	3,803	3,667	118	3,835	3,625	167
5-9	5,192	4,938	219	5,185	4,915	206
10-14	6,193	5,953	190	5,696	5,458	187
15-19	6,669	6,311	294	5,795	5,574	177
20-24	5,630	5,031	531	4,848	4,572	206
25-29	5,316	4,493	748	4,249	3,920	254
30-34	5,469	4,726	662	4,433	4,092	291
35-39	6,409	5,581	759	5,650	5,354	247
40-44	7,642	6,950	638	6,698	6,432	218
45-49	7,643	7,060	514	7,002	6,819	130
50-54	6,646	6,291	291	6,292	6,122	84
55-59	5,675	5,485	145	5,623	5,488	60
60-64	4,317	4,180	96	4,331	4,249	49
65-69	3,455	3,357	67	3,828	3,745	43
70-74	2,999	2,909	72	3,399	3,312	46
75-79	2,294	2,252	39	2,896	2,857	28
80-84	1,429	1,400	26	2,422	2,401	19
85+	1,270	1,262	6	2,947	2,906	22
Total	89,041	82,801	5,446	86,082	82,735	2,479
Livingston	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,321	1,211	101	1,192	1,092	90
1-4	5,260	4,746	479	4,968	4,486	442
5-9	6,326	5,947	343	5,915	5,575	310
10-14	6,614	6,359	209	6,486	6,268	178
15-19	7,124	6,670	400	6,658	6,427	210
20-24	6,614	5,687	901	5,434	5,119	268
25-29	5,840	4,799	998	4,811	4,230	541
30-34	5,751	4,919	765	5,376	4,699	642
35-39	6,161	5,498	632	6,196	5,567	585
40-44	6,843	6,352	443	7,200	6,744	409
45-49	7,666	7,340	304	7,428	7,175	197
50-54	7,004	6,811	160	6,645	6,530	64
55-59	5,779	5,696	65	5,637	5,560	39
60-64	4,187	4,118	34	4,652	4,609	21
65-69	3,466	3,418	35	3,952	3,913	15
70-74	2,721	2,680	29	3,334	3,308	1
75-79	2,408	2,392	13	3,385	3,373	5
80-84	1,823	1,814	5	2,936	2,936	0
85+	1,545	1,540	2	3,854	3,850	0
Total	94,453	87,997	5,918	96,059	91,461	4,017

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Logan	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	831	794	31	775	742	28
1-4	3,343	3,210	91	3,117	3,005	78
5-9	4,050	3,895	117	3,953	3,795	115
10-14	4,523	4,372	121	4,350	4,146	163
15-19	6,593	6,040	476	6,078	5,734	307
20-24	7,593	5,998	1,476	5,340	4,975	313
25-29	5,953	4,518	1,337	4,763	4,132	547
30-34	4,896	3,654	1,158	4,481	3,797	606
35-39	5,024	4,068	902	4,536	3,879	583
40-44	5,408	4,711	638	5,350	4,850	445
45-49	5,589	5,208	334	5,599	5,332	232
50-54	5,152	4,853	262	5,041	4,882	110
55-59	4,385	4,306	54	4,264	4,191	39
60-64	3,356	3,322	25	3,616	3,584	16
65-69	2,663	2,629	20	3,042	3,001	9
70-74	2,041	2,015	9	2,876	2,848	14
75-79	1,803	1,774	17	2,720	2,688	28
80-84	1,395	1,391	4	2,398	2,365	24
85+	1,005	989	11	2,486	2,480	5
Total	75,603	67,747	7,083	74,785	70,426	3,662
McDonough	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	738	665	52	713	650	41
1-4	2,818	2,570	193	2,851	2,630	146
5-9	3,214	2,943	209	3,491	3,145	214
10-14	3,476	3,239	166	3,347	3,077	171
15-19	9,952	9,191	598	11,727	10,502	935
20-24	20,821	18,253	1,837	19,421	17,475	1,074
25-29	3,584	3,113	252	2,693	1,951	526
30-34	3,641	3,160	194	3,032	2,483	262
35-39	3,657	3,287	164	3,333	3,043	105
40-44	3,929	3,678	76	3,937	3,712	76
45-49	4,107	3,937	64	4,419	4,249	80
50-54	4,273	4,130	84	4,516	4,346	98
55-59	4,131	4,005	66	4,155	4,061	43
60-64	3,236	3,152	56	3,241	3,154	40
65-69	2,524	2,467	26	2,790	2,727	32
70-74	2,096	2,033	23	2,710	2,656	20
75-79	1,920	1,877	15	2,475	2,428	26
80-84	1,353	1,325	4	2,377	2,365	5
85+	1,067	1,058	0	2,838	2,823	8
Total	80,537	74,083	4,079	84,066	77,477	3,902
McHenry	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	10,804	10,197	170	10,328	9,788	156
1-4	45,246	42,763	790	43,434	41,163	724
5-9	62,426	59,094	1,416	58,689	55,418	1,327
10-14	64,680	61,777	1,306	61,627	58,688	1,220
15-19	58,371	56,218	955	53,907	51,802	815
20-24	44,158	42,545	493	40,713	39,297	366
25-29	43,025	41,139	537	38,400	36,558	473
30-34	50,220	46,894	890	48,037	44,833	800
35-39	63,300	59,537	911	63,361	59,774	844
40-44	70,282	67,437	852	69,406	66,600	699
45-49	67,840	65,646	686	66,620	64,493	592
50-54	55,073	53,451	437	52,825	51,241	402
55-59	43,489	42,152	342	42,679	41,478	261
60-64	31,749	30,873	130	31,492	30,655	122
65-69	22,150	21,579	58	23,251	22,521	95
70-74	16,039	15,750	26	18,666	18,141	53
75-79	12,137	11,912	19	15,929	15,666	31
80-84	7,661	7,555	6	12,405	12,180	13
85+	5,103	5,044	5	12,598	12,390	27
Total	773,753	741,563	10,029	764,367	732,686	9,020

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
McLean	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	5,614	4,547	651	5,320	4,303	616
1-4	21,708	17,822	2,444	20,728	16,859	2,406
5-9	25,758	21,705	3,135	24,734	20,742	3,038
10-14	26,078	22,315	3,177	24,894	21,264	2,924
15-19	35,440	31,019	3,609	41,746	36,715	4,193
20-24	60,329	54,122	4,642	61,667	54,900	5,196
25-29	21,655	19,112	1,544	22,630	19,488	2,193
30-34	23,942	20,500	1,856	23,736	20,431	2,093
35-39	25,933	22,437	2,157	25,871	22,720	2,069
40-44	27,272	24,508	1,851	27,824	25,019	2,045
45-49	27,374	24,869	1,801	28,234	25,798	1,841
50-54	24,774	22,773	1,410	26,031	24,293	1,268
55-59	20,723	19,401	913	21,175	20,010	760
60-64	13,915	13,319	333	14,673	14,067	392
65-69	10,340	10,009	181	11,282	10,852	296
70-74	7,854	7,627	134	9,922	9,588	219
75-79	6,431	6,263	111	9,424	9,131	208
80-84	4,650	4,533	84	7,486	7,306	145
85+	3,277	3,210	37	8,681	8,501	142
Total	393,067	350,091	30,070	416,058	371,987	32,044
Macon	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	3,472	2,496	914	3,389	2,475	848
1-4	14,195	10,303	3,667	13,512	9,737	3,525
5-9	16,995	12,546	4,198	17,039	12,437	4,338
10-14	18,197	13,753	4,203	17,228	12,723	4,261
15-19	19,805	15,711	3,850	19,672	15,361	4,074
20-24	18,075	14,938	2,937	18,750	15,364	3,090
25-29	16,316	13,857	2,235	17,785	14,586	2,923
30-34	14,525	12,079	2,198	15,261	11,939	2,996
35-39	14,926	12,626	2,050	16,203	12,939	3,016
40-44	17,171	14,686	2,295	18,674	15,258	3,173
45-49	20,023	17,308	2,455	21,150	17,860	3,052
50-54	19,966	17,512	2,251	21,294	18,338	2,702
55-59	18,034	16,099	1,776	19,044	16,627	2,216
60-64	13,675	12,309	1,290	14,756	13,086	1,561
65-69	10,512	9,522	945	12,256	11,012	1,204
70-74	8,795	8,153	614	10,905	9,837	1,029
75-79	7,455	6,910	522	10,452	9,547	871
80-84	5,095	4,800	284	8,690	8,122	558
85+	3,490	3,322	160	8,860	8,300	531
Total	260,722	218,930	38,844	284,920	235,548	45,968
Macoupin	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,474	1,436	27	1,336	1,292	35
1-4	5,931	5,801	106	5,236	5,079	125
5-9	7,618	7,428	170	6,940	6,735	173
10-14	8,352	8,081	234	7,671	7,476	171
15-19	9,077	8,750	249	8,420	8,143	205
20-24	7,937	7,669	192	7,473	7,292	90
25-29	6,783	6,658	72	6,557	6,446	61
30-34	6,393	6,268	74	6,374	6,251	78
35-39	7,147	7,045	80	7,482	7,368	65
40-44	8,483	8,345	110	9,013	8,917	54
45-49	9,483	9,362	50	9,504	9,407	45
50-54	9,018	8,896	57	9,026	8,921	62
55-59	7,723	7,644	32	7,754	7,662	34
60-64	6,080	6,024	27	6,398	6,329	37
65-69	4,930	4,899	16	5,388	5,334	38
70-74	4,174	4,150	12	5,103	5,069	22
75-79	3,644	3,619	25	4,524	4,480	34
80-84	2,337	2,302	28	3,945	3,914	18
85+	1,995	1,973	14	4,875	4,816	59
Total	118,579	116,350	1,575	123,019	120,931	1,406

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Madison	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	8,592	7,274	1,156	8,182	6,975	1,041
1-4	34,678	29,725	4,373	32,650	27,947	4,028
5-9	43,720	37,696	5,482	40,131	34,672	4,861
10-14	45,285	38,887	5,875	42,747	36,742	5,526
15-19	45,908	39,997	5,362	45,569	38,765	6,311
20-24	45,343	40,545	4,128	48,569	42,340	5,515
25-29	46,309	42,228	3,364	49,355	44,273	4,414
30-34	39,742	35,906	3,147	40,840	36,114	4,113
35-39	42,853	39,045	3,336	43,490	39,017	3,895
40-44	48,061	44,542	2,985	49,459	45,103	3,783
45-49	52,510	48,864	3,152	53,086	48,776	3,695
50-54	46,769	43,762	2,599	48,200	44,302	3,271
55-59	38,467	36,124	1,992	41,416	38,350	2,512
60-64	29,864	28,197	1,365	32,296	30,147	1,740
65-69	23,384	22,205	988	27,061	25,527	1,293
70-74	18,749	17,830	801	23,769	22,559	1,059
75-79	15,924	15,214	611	22,680	21,659	901
80-84	10,925	10,504	375	18,326	17,509	771
85+	6,892	6,662	191	18,205	17,373	733
Total	643,975	585,207	51,282	686,031	618,150	59,462
Marion	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,339	1,210	116	1,302	1,175	106
1-4	4,939	4,470	410	4,886	4,430	375
5-9	6,293	5,692	522	6,226	5,662	493
10-14	7,223	6,625	536	6,721	6,186	466
15-19	7,238	6,721	456	6,356	5,874	413
20-24	5,915	5,601	222	5,565	5,280	196
25-29	5,511	5,290	144	5,327	5,068	206
30-34	5,385	5,095	242	5,300	5,006	239
35-39	5,771	5,429	286	5,897	5,595	260
40-44	6,860	6,555	248	7,259	6,861	323
45-49	7,331	7,080	179	7,808	7,438	291
50-54	6,806	6,517	202	7,065	6,731	241
55-59	6,232	5,983	181	6,616	6,361	185
60-64	4,996	4,803	139	5,741	5,505	181
65-69	4,300	4,152	115	5,049	4,875	156
70-74	3,323	3,231	79	4,037	3,887	134
75-79	2,778	2,704	66	3,879	3,749	120
80-84	2,026	1,967	50	3,426	3,296	118
85+	1,594	1,519	56	4,145	4,003	127
Total	95,860	90,644	4,249	102,605	96,982	4,630
Marshall	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	356	345	9	312	303	7
1-4	1,519	1,470	41	1,378	1,333	37
5-9	2,038	1,956	78	1,856	1,783	63
10-14	2,410	2,310	86	2,272	2,192	64
15-19	2,108	2,032	42	2,072	2,017	45
20-24	1,586	1,529	46	1,683	1,643	26
25-29	1,796	1,747	41	1,296	1,249	36
30-34	1,817	1,786	20	1,647	1,627	20
35-39	2,039	2,018	6	1,899	1,892	7
40-44	2,186	2,181	0	2,156	2,143	6
45-49	2,522	2,514	0	2,436	2,402	6
50-54	2,419	2,393	18	2,482	2,455	11
55-59	2,186	2,177	8	2,247	2,224	4
60-64	1,936	1,927	9	1,892	1,879	3
65-69	1,517	1,490	3	1,639	1,631	0
70-74	1,148	1,139	2	1,375	1,354	0
75-79	1,043	1,039	0	1,299	1,290	0
80-84	763	763	0	1,210	1,208	0
85+	545	545	0	1,363	1,363	0
Total	31,934	31,361	409	32,514	31,988	335

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Mason	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	417	414	2	454	446	2
1-4	1,757	1,729	17	1,898	1,866	16
5-9	2,456	2,412	27	2,344	2,291	25
10-14	2,742	2,708	28	2,561	2,506	26
15-19	2,706	2,671	25	2,494	2,456	23
20-24	2,008	1,948	42	1,967	1,935	22
25-29	1,817	1,778	32	1,710	1,692	10
30-34	2,105	2,065	29	2,004	1,989	0
35-39	2,357	2,305	26	2,303	2,284	1
40-44	2,703	2,692	0	2,765	2,736	8
45-49	2,950	2,934	0	2,914	2,906	1
50-54	2,884	2,873	0	2,780	2,762	0
55-59	2,565	2,555	0	2,649	2,636	0
60-64	2,050	2,048	0	2,261	2,244	0
65-69	1,770	1,767	0	1,938	1,918	0
70-74	1,374	1,374	0	1,640	1,635	0
75-79	1,124	1,119	1	1,567	1,552	1
80-84	962	960	0	1,251	1,246	0
85+	645	645	0	1,360	1,360	0
Total	37,392	36,997	229	38,860	38,460	135
Massac	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	475	430	44	482	438	42
1-4	1,924	1,746	171	1,937	1,757	172
5-9	2,343	2,121	206	2,412	2,179	221
10-14	2,472	2,280	185	2,339	2,103	227
15-19	2,325	2,081	232	2,158	1,990	167
20-24	2,296	2,098	184	2,169	1,978	179
25-29	2,372	2,228	127	2,523	2,341	160
30-34	2,131	1,995	115	2,200	2,084	103
35-39	2,443	2,318	113	2,272	2,153	107
40-44	2,551	2,392	150	2,587	2,391	184
45-49	2,745	2,549	181	2,869	2,655	181
50-54	2,657	2,474	176	2,730	2,576	137
55-59	2,293	2,166	119	2,356	2,229	117
60-64	1,968	1,897	61	2,225	2,127	80
65-69	1,632	1,564	60	1,941	1,859	70
70-74	1,260	1,180	72	1,619	1,522	95
75-79	1,088	1,026	58	1,494	1,423	68
80-84	759	726	30	1,413	1,336	77
85+	597	563	31	1,611	1,530	81
Total	36,331	33,834	2,315	39,337	36,671	2,468
Menard	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	318	310	8	339	332	6
1-4	1,444	1,397	42	1,351	1,319	32
5-9	2,059	1,996	57	1,803	1,741	52
10-14	2,365	2,301	48	2,263	2,192	54
15-19	2,458	2,395	44	2,157	2,112	27
20-24	1,745	1,685	51	1,602	1,576	26
25-29	1,410	1,375	35	1,113	1,084	21
30-34	1,524	1,492	28	1,545	1,519	6
35-39	2,023	1,971	38	2,114	2,092	7
40-44	2,553	2,510	41	2,782	2,752	6
45-49	2,729	2,713	14	2,825	2,801	7
50-54	2,359	2,344	12	2,534	2,522	3
55-59	2,305	2,293	7	2,188	2,172	0
60-64	1,575	1,575	0	1,812	1,796	3
65-69	1,326	1,318	0	1,517	1,512	2
70-74	1,065	1,063	0	1,064	1,064	0
75-79	665	663	2	794	794	0
80-84	491	488	3	776	776	0
85+	374	374	0	983	983	0
Total	30,788	30,263	430	31,562	31,139	252

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Mercer	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	446	437	8	420	412	1
1-4	1,920	1,875	38	1,824	1,778	22
5-9	2,695	2,633	56	2,499	2,445	42
10-14	2,844	2,774	50	2,707	2,667	33
15-19	2,871	2,817	40	2,799	2,746	39
20-24	2,351	2,284	58	2,054	2,019	32
25-29	1,953	1,910	40	1,617	1,595	22
30-34	2,253	2,206	41	2,041	2,013	10
35-39	2,475	2,436	36	2,683	2,669	4
40-44	2,974	2,938	32	3,298	3,271	6
45-49	3,318	3,312	0	3,265	3,224	13
50-54	3,244	3,231	8	3,062	3,037	2
55-59	3,017	3,011	4	2,903	2,882	1
60-64	2,502	2,483	8	2,583	2,579	4
65-69	1,895	1,883	5	2,108	2,105	0
70-74	1,486	1,484	2	1,654	1,646	4
75-79	1,148	1,140	3	1,451	1,447	1
80-84	826	826	0	1,279	1,279	0
85+	733	728	5	1,417	1,402	10
Total	40,951	40,408	434	41,664	41,216	246
Monroe	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	926	913	9	933	919	11
1-4	4,078	4,006	53	3,760	3,706	48
5-9	5,848	5,696	122	5,551	5,417	115
10-14	6,045	5,893	114	5,731	5,569	116
15-19	5,839	5,708	86	5,171	5,036	98
20-24	4,612	4,528	37	4,413	4,327	48
25-29	4,562	4,490	33	3,841	3,770	41
30-34	4,600	4,530	35	4,482	4,410	46
35-39	5,528	5,468	39	5,885	5,809	42
40-44	6,579	6,511	36	6,887	6,828	28
45-49	7,380	7,321	22	7,343	7,287	19
50-54	6,329	6,292	10	5,857	5,828	5
55-59	4,810	4,805	0	4,496	4,471	0
60-64	3,348	3,335	0	3,474	3,451	0
65-69	2,667	2,657	0	3,071	3,056	0
70-74	2,202	2,201	0	2,739	2,726	0
75-79	1,761	1,756	0	2,542	2,531	0
80-84	1,228	1,224	1	1,834	1,831	0
85+	712	708	0	2,151	2,139	0
Total	79,054	78,042	597	80,161	79,111	617
Montgomery	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	828	810	12	787	770	13
1-4	3,354	3,274	55	3,221	3,147	59
5-9	4,345	4,234	73	4,034	3,938	63
10-14	4,948	4,849	82	4,790	4,688	70
15-19	5,296	5,004	278	4,560	4,451	81
20-24	6,117	4,950	1,142	3,993	3,888	54
25-29	5,273	4,270	983	3,616	3,574	26
30-34	5,557	4,494	1,021	3,534	3,503	13
35-39	5,575	4,721	820	4,226	4,193	11
40-44	6,160	5,497	630	5,236	5,201	9
45-49	6,185	5,757	401	5,508	5,479	8
50-54	5,532	5,383	139	5,185	5,124	3
55-59	4,519	4,454	48	4,518	4,474	9
60-64	3,349	3,317	17	3,639	3,594	9
65-69	3,019	2,975	29	3,353	3,321	5
70-74	2,379	2,357	16	2,988	2,976	6
75-79	2,188	2,175	12	3,083	3,074	4
80-84	1,548	1,544	4	2,698	2,679	9
85+	1,268	1,268	0	3,145	3,124	19
Total	77,440	71,333	5,762	72,114	71,198	471

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Morgan	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,058	944	102	928	843	77
1-4	4,180	3,718	412	3,763	3,400	330
5-9	5,029	4,565	383	4,799	4,445	305
10-14	5,638	5,184	396	5,230	4,753	413
15-19	7,307	6,530	735	6,831	6,268	503
20-24	7,544	6,474	984	6,660	6,376	237
25-29	5,933	4,914	970	4,685	4,457	177
30-34	5,305	4,397	846	4,245	3,994	149
35-39	5,556	4,780	725	5,055	4,781	204
40-44	6,709	6,049	594	6,136	5,848	228
45-49	6,872	6,398	437	6,684	6,367	260
50-54	6,187	5,884	279	6,282	6,053	155
55-59	5,729	5,533	142	5,758	5,592	120
60-64	4,429	4,305	75	4,867	4,731	114
65-69	3,503	3,407	80	4,060	3,962	90
70-74	2,673	2,614	47	3,483	3,389	84
75-79	2,243	2,199	38	3,207	3,145	57
80-84	1,776	1,728	43	2,801	2,755	41
85+	1,135	1,097	38	3,302	3,222	71
Total	88,806	80,720	7,326	88,776	84,381	3,615
Moultrie	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	455	440	9	436	420	8
1-4	1,893	1,822	38	1,763	1,694	35
5-9	2,619	2,549	53	2,211	2,136	52
10-14	2,577	2,523	51	2,479	2,426	50
15-19	2,453	2,421	27	2,450	2,404	34
20-24	2,129	2,070	54	2,077	2,028	27
25-29	2,158	2,111	39	1,945	1,888	25
30-34	1,911	1,907	1	1,963	1,938	14
35-39	1,998	1,989	2	1,990	1,976	7
40-44	2,522	2,492	20	2,500	2,483	3
45-49	2,613	2,593	14	2,807	2,781	8
50-54	2,545	2,532	9	2,562	2,545	1
55-59	2,231	2,223	5	2,226	2,221	0
60-64	1,757	1,753	0	1,861	1,848	3
65-69	1,529	1,521	4	1,625	1,614	2
70-74	1,185	1,181	1	1,370	1,366	0
75-79	1,003	1,001	0	1,379	1,378	0
80-84	686	686	0	1,363	1,359	0
85+	641	641	0	1,742	1,737	0
Total	34,905	34,455	327	36,749	36,242	269
Ogle	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,521	1,461	34	1,505	1,462	33
1-4	6,332	6,091	165	6,394	6,174	159
5-9	9,341	8,969	296	8,999	8,623	263
10-14	10,997	10,663	276	10,503	10,140	272
15-19	10,848	10,533	224	10,493	10,194	186
20-24	8,190	8,020	103	7,229	7,043	85
25-29	6,670	6,478	99	5,942	5,783	73
30-34	7,537	7,297	137	7,479	7,269	98
35-39	9,324	9,056	178	9,326	9,118	113
40-44	10,739	10,561	92	11,050	10,860	88
45-49	11,660	11,527	54	11,238	11,131	48
50-54	10,379	10,283	35	9,675	9,572	34
55-59	8,322	8,241	27	8,437	8,343	23
60-64	6,871	6,810	9	7,034	6,978	11
65-69	5,415	5,349	18	5,659	5,613	4
70-74	4,163	4,120	12	4,689	4,663	0
75-79	3,246	3,232	5	4,071	4,053	0
80-84	2,324	2,318	4	3,251	3,249	0
85+	1,771	1,763	0	3,602	3,592	0
Total	135,650	132,772	1,768	136,576	133,860	1,490

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Peoria	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	6,708	4,418	1,971	6,540	4,402	1,855
1-4	26,218	17,512	7,611	25,253	17,130	7,106
5-9	31,196	21,517	8,654	29,381	19,992	8,374
10-14	31,579	21,390	9,501	29,984	20,419	8,845
15-19	32,974	23,966	8,336	32,640	23,614	8,290
20-24	32,816	25,354	6,533	32,392	24,396	7,236
25-29	33,409	26,857	5,149	35,347	27,651	6,371
30-34	28,005	21,721	4,517	28,630	21,833	5,450
35-39	27,845	21,997	4,531	28,416	21,865	5,454
40-44	29,118	23,934	4,283	29,807	23,776	5,171
45-49	30,952	26,161	4,135	33,938	28,161	5,211
50-54	30,863	26,432	3,888	32,970	27,717	4,691
55-59	26,991	23,600	2,960	29,751	25,528	3,612
60-64	20,616	18,332	1,872	22,717	19,830	2,466
65-69	15,611	13,940	1,410	17,582	15,583	1,697
70-74	12,306	11,123	956	15,394	13,923	1,296
75-79	10,439	9,597	719	14,678	13,312	1,240
80-84	7,327	6,780	498	13,276	12,431	776
85+	5,452	5,195	216	14,466	13,768	583
Total	440,425	349,826	77,740	473,162	375,331	85,724
Perry	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	624	589	33	586	557	24
1-4	2,601	2,451	131	2,360	2,239	99
5-9	3,293	3,063	191	2,910	2,734	156
10-14	3,443	3,211	200	3,377	3,192	166
15-19	4,418	3,741	651	3,287	3,137	126
20-24	5,624	3,906	1,683	2,978	2,860	79
25-29	4,853	3,362	1,471	2,892	2,779	87
30-34	4,738	3,339	1,392	2,996	2,893	69
35-39	4,597	3,387	1,193	2,928	2,843	62
40-44	4,705	3,796	891	3,637	3,518	107
45-49	4,329	3,854	443	3,801	3,718	59
50-54	4,062	3,848	191	3,823	3,736	69
55-59	3,321	3,226	83	3,452	3,370	51
60-64	2,789	2,700	48	2,970	2,915	33
65-69	2,264	2,214	27	2,476	2,436	17
70-74	1,744	1,719	20	2,148	2,106	28
75-79	1,463	1,431	32	1,930	1,901	25
80-84	980	953	25	1,764	1,732	24
85+	740	718	13	1,987	1,947	35
Total	60,588	51,508	8,718	52,302	50,613	1,316
Piatt	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	488	466	7	447	435	9
1-4	2,047	1,936	41	1,763	1,714	38
5-9	2,779	2,668	74	2,657	2,577	71
10-14	3,129	3,051	71	2,858	2,789	65
15-19	2,831	2,774	48	2,575	2,518	51
20-24	2,258	2,197	52	2,018	1,978	30
25-29	1,936	1,884	42	1,852	1,785	29
30-34	2,181	2,137	28	2,186	2,143	18
35-39	2,366	2,348	3	2,473	2,441	12
40-44	3,086	3,053	10	3,238	3,222	3
45-49	3,603	3,589	6	3,711	3,704	3
50-54	3,229	3,222	6	3,194	3,173	9
55-59	2,736	2,736	0	2,613	2,611	2
60-64	2,296	2,292	0	2,298	2,295	3
65-69	1,781	1,780	0	1,985	1,979	5
70-74	1,385	1,380	5	1,688	1,684	0
75-79	1,185	1,185	0	1,385	1,385	0
80-84	761	761	0	1,281	1,278	0
85+	598	598	0	1,394	1,392	0
Total	40,675	40,057	393	41,616	41,103	348

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Pike	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	506	498	7	445	438	6
1-4	1,930	1,904	25	1,849	1,820	26
5-9	2,649	2,596	37	2,422	2,380	35
10-14	2,831	2,792	23	2,741	2,693	31
15-19	2,830	2,779	26	2,665	2,635	21
20-24	2,943	2,574	333	2,171	2,153	16
25-29	2,320	2,099	192	1,822	1,809	13
30-34	2,253	2,166	76	2,011	1,999	2
35-39	2,724	2,531	179	2,492	2,477	3
40-44	2,731	2,589	122	2,751	2,736	0
45-49	2,930	2,868	58	3,055	3,029	0
50-54	3,072	3,043	26	2,936	2,911	0
55-59	2,672	2,664	5	2,634	2,624	0
60-64	2,126	2,117	0	2,485	2,478	0
65-69	1,853	1,838	0	2,044	2,038	1
70-74	1,540	1,539	0	1,878	1,870	4
75-79	1,267	1,267	0	1,662	1,653	0
80-84	1,010	1,002	5	1,653	1,652	0
85+	926	909	0	2,113	2,109	0
Total	41,113	39,775	1,114	41,829	41,504	158
Pope	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	83	80	1	90	90	0
1-4	302	297	1	327	324	0
5-9	508	488	20	464	454	7
10-14	537	521	11	520	504	12
15-19	1,062	617	406	695	586	95
20-24	841	603	211	556	508	40
25-29	591	580	7	510	501	5
30-34	457	452	5	438	432	0
35-39	540	518	15	509	499	0
40-44	600	581	12	695	676	4
45-49	693	677	8	785	767	11
50-54	744	737	0	779	766	0
55-59	767	766	0	816	802	3
60-64	720	711	3	767	743	17
65-69	656	635	7	695	681	9
70-74	499	496	1	473	458	1
75-79	350	341	0	393	392	0
80-84	243	237	5	276	276	0
85+	193	188	5	421	411	10
Total	10,386	9,525	718	10,209	9,870	214
Pulaski	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	205	126	79	239	141	98
1-4	854	504	350	975	583	392
5-9	998	583	415	1,070	621	449
10-14	1,091	640	451	1,234	693	538
15-19	1,130	678	432	1,218	713	495
20-24	1,143	788	295	928	611	310
25-29	899	624	220	950	724	204
30-34	832	589	188	826	580	240
35-39	817	608	171	922	604	305
40-44	1,126	822	273	1,170	789	377
45-49	1,277	929	336	1,306	831	470
50-54	1,308	957	347	1,156	804	337
55-59	1,008	737	266	1,021	762	255
60-64	776	579	192	975	707	267
65-69	631	477	154	799	570	228
70-74	551	392	159	695	476	213
75-79	456	321	135	653	457	189
80-84	330	266	64	508	341	166
85+	202	120	82	476	296	180
Total	15,634	10,740	4,609	17,121	11,303	5,713

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Putnam	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	144	142	2	149	143	4
1-4	676	656	8	613	593	9
5-9	937	909	11	832	799	17
10-14	1,046	1,007	28	954	911	28
15-19	978	941	25	1,038	997	32
20-24	880	846	26	830	816	5
25-29	739	713	18	731	725	3
30-34	772	758	8	700	685	3
35-39	841	820	10	889	871	6
40-44	1,018	1,005	8	1,107	1,096	3
45-49	1,260	1,248	6	1,247	1,237	4
50-54	1,277	1,265	8	1,086	1,085	1
55-59	1,115	1,108	5	1,084	1,079	0
60-64	940	929	8	972	972	0
65-69	763	760	1	780	780	0
70-74	554	546	5	523	516	5
75-79	450	445	5	529	526	0
80-84	297	297	0	492	492	0
85+	215	215	0	434	434	0
Total	14,902	14,610	182	14,990	14,757	120
Randolph	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	952	885	62	871	804	64
1-4	3,883	3,599	255	3,545	3,265	261
5-9	4,930	4,589	311	4,441	4,070	344
10-14	4,963	4,615	325	5,007	4,657	324
15-19	5,757	5,031	693	4,962	4,672	257
20-24	7,953	5,450	2,449	4,238	4,001	191
25-29	7,749	5,259	2,436	4,076	3,898	157
30-34	6,425	4,540	1,848	3,840	3,655	157
35-39	6,790	5,079	1,675	4,496	4,326	137
40-44	7,451	6,045	1,363	5,390	5,172	196
45-49	6,866	5,989	844	5,680	5,553	100
50-54	6,261	5,858	379	5,537	5,388	113
55-59	4,902	4,712	174	4,813	4,688	113
60-64	3,895	3,744	138	4,042	3,940	88
65-69	3,172	3,103	62	3,448	3,391	51
70-74	2,455	2,397	45	2,955	2,916	33
75-79	1,888	1,864	24	2,997	2,941	51
80-84	1,478	1,433	40	2,498	2,440	50
85+	1,102	1,090	12	3,103	3,042	49
Total	88,872	75,282	13,135	75,939	72,819	2,736
Richland	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	468	457	6	432	423	5
1-4	1,945	1,891	41	1,862	1,809	39
5-9	2,402	2,310	59	2,328	2,243	66
10-14	2,571	2,469	66	2,385	2,308	57
15-19	2,666	2,617	38	2,409	2,354	47
20-24	2,545	2,469	55	2,470	2,429	29
25-29	2,402	2,307	63	2,253	2,225	18
30-34	2,028	1,992	4	2,057	2,044	5
35-39	2,265	2,248	0	2,270	2,233	3
40-44	2,687	2,645	17	2,665	2,635	2
45-49	2,906	2,875	20	3,154	3,136	0
50-54	2,703	2,687	8	2,738	2,704	0
55-59	2,283	2,252	10	2,383	2,360	0
60-64	1,873	1,856	0	2,140	2,122	0
65-69	1,876	1,859	0	2,060	2,049	0
70-74	1,597	1,576	0	1,953	1,933	0
75-79	1,225	1,215	1	1,670	1,658	0
80-84	790	786	0	1,480	1,473	0
85+	728	728	0	1,849	1,838	5
Total	37,960	37,239	388	40,558	39,976	276

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Rock Island	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	4,940	4,102	713	4,748	3,914	707
1-4	19,416	16,067	2,738	18,330	15,115	2,704
5-9	22,756	18,984	3,021	21,802	18,095	3,079
10-14	22,893	19,263	3,073	21,942	18,496	2,966
15-19	25,006	21,732	2,867	24,403	21,181	2,790
20-24	25,494	22,296	2,730	25,384	22,484	2,270
25-29	25,679	22,623	2,229	25,992	23,152	1,929
30-34	21,668	18,418	2,266	20,534	17,783	1,756
35-39	22,164	19,019	2,424	21,348	19,017	1,676
40-44	24,345	21,617	2,107	24,138	21,949	1,705
45-49	27,377	25,135	1,844	27,982	25,741	1,862
50-54	27,352	25,306	1,716	27,338	25,289	1,687
55-59	23,689	21,953	1,439	24,652	22,737	1,529
60-64	18,185	16,891	1,047	19,628	18,338	1,066
65-69	14,591	13,732	704	16,279	15,309	832
70-74	11,159	10,568	490	14,016	13,163	699
75-79	9,629	9,172	430	13,254	12,583	559
80-84	6,575	6,323	232	11,197	10,763	393
85+	5,078	4,943	101	12,378	12,090	256
Total	357,996	318,144	32,171	375,345	337,199	30,465
St Clair	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	9,402	5,626	3,600	9,194	5,510	3,510
1-4	37,198	22,480	14,026	36,144	21,488	13,934
5-9	45,460	27,318	17,286	44,440	26,209	17,312
10-14	49,178	29,116	19,238	47,230	27,302	19,105
15-19	49,246	30,646	17,764	47,341	28,617	17,991
20-24	45,046	29,742	14,559	45,791	29,586	15,336
25-29	41,547	29,552	11,241	45,029	30,471	13,503
30-34	37,705	26,325	10,490	41,253	26,041	14,159
35-39	40,413	28,824	10,886	44,705	29,002	14,593
40-44	46,953	35,121	11,106	50,195	34,281	14,920
45-49	49,412	37,765	10,984	52,945	37,504	14,296
50-54	43,877	33,544	9,793	47,757	33,640	12,984
55-59	36,072	27,598	8,050	38,379	27,285	10,121
60-64	26,113	20,215	5,632	29,001	21,105	7,329
65-69	18,801	14,587	4,011	24,093	17,710	5,940
70-74	16,117	12,637	3,354	21,947	16,446	5,198
75-79	13,888	11,333	2,445	20,932	16,121	4,586
80-84	9,244	7,639	1,553	16,095	13,081	2,897
85+	5,898	4,985	857	17,086	14,388	2,599
Total	621,570	435,053	176,875	679,557	455,787	210,313
Saline	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	791	749	39	724	679	42
1-4	3,217	3,006	189	3,032	2,823	191
5-9	3,929	3,646	263	3,878	3,594	256
10-14	4,228	3,920	290	3,967	3,706	238
15-19	6,670	4,817	1,793	3,926	3,707	193
20-24	3,966	3,718	215	3,805	3,625	157
25-29	3,787	3,537	219	3,817	3,653	151
30-34	3,201	3,026	158	3,248	3,100	135
35-39	3,704	3,572	114	3,739	3,613	110
40-44	4,172	4,002	149	4,376	4,251	93
45-49	4,530	4,387	119	4,699	4,533	119
50-54	4,275	4,165	99	4,461	4,311	101
55-59	3,900	3,762	124	4,240	4,084	114
60-64	3,321	3,233	83	3,791	3,642	116
65-69	2,744	2,696	36	3,603	3,470	112
70-74	2,523	2,455	49	3,137	3,069	58
75-79	1,835	1,798	28	2,798	2,741	53
80-84	1,333	1,306	26	2,558	2,480	67
85+	1,006	975	26	2,988	2,929	48
Total	63,132	58,770	4,019	66,787	64,010	2,354

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Sangamon	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	6,308	4,925	1,225	6,287	4,874	1,243
1-4	25,233	19,953	4,722	25,024	19,520	4,809
5-9	31,875	25,517	5,709	31,170	24,929	5,568
10-14	34,146	27,325	6,140	31,356	25,089	5,737
15-19	32,103	26,541	5,110	30,085	24,549	5,075
20-24	29,893	25,463	3,881	30,599	25,746	4,427
25-29	30,194	26,282	3,382	32,491	27,845	4,145
30-34	28,115	24,351	3,086	30,464	25,826	3,758
35-39	31,246	27,280	3,211	32,091	27,617	3,742
40-44	35,621	31,579	3,361	37,529	32,926	3,941
45-49	37,492	33,614	3,294	39,928	35,723	3,633
50-54	35,495	32,339	2,661	38,243	34,632	3,006
55-59	30,941	28,618	1,918	34,393	31,424	2,445
60-64	21,567	19,983	1,264	25,001	23,079	1,586
65-69	16,792	15,522	1,007	19,855	18,332	1,270
70-74	12,742	11,934	699	16,275	15,125	981
75-79	10,258	9,777	424	15,615	14,650	842
80-84	7,525	7,215	280	13,311	12,625	611
85+	5,296	5,106	174	14,242	13,623	546
Total	462,842	403,324	51,548	503,959	438,134	57,365
Schuyler	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	192	180	8	193	186	6
1-4	763	734	20	769	748	19
5-9	1,113	1,085	21	949	923	21
10-14	1,266	1,234	30	1,061	1,033	28
15-19	1,071	1,034	34	1,108	1,073	31
20-24	973	931	37	926	912	13
25-29	958	930	26	681	665	16
30-34	1,068	1,045	19	982	959	19
35-39	1,147	1,136	10	981	959	15
40-44	1,171	1,154	14	1,207	1,190	11
45-49	1,359	1,351	5	1,355	1,335	12
50-54	1,351	1,343	3	1,303	1,290	3
55-59	1,185	1,181	0	1,117	1,117	0
60-64	981	979	0	990	986	0
65-69	800	797	0	876	875	0
70-74	668	666	2	771	767	4
75-79	571	565	3	747	746	1
80-84	411	409	0	720	720	0
85+	343	343	0	753	753	0
Total	17,391	17,097	232	17,489	17,237	199
Scott	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	168	167	1	165	164	0
1-4	633	630	3	561	556	1
5-9	809	806	3	812	809	3
10-14	942	942	0	862	861	0
15-19	839	837	0	808	799	0
20-24	697	694	0	813	804	4
25-29	746	746	0	684	683	1
30-34	735	735	0	753	747	4
35-39	785	780	0	756	748	0
40-44	984	984	0	1,049	1,041	0
45-49	1,131	1,131	0	1,026	1,024	0
50-54	943	943	0	955	950	0
55-59	874	874	0	791	781	0
60-64	654	654	0	735	735	0
65-69	621	619	2	671	669	0
70-74	447	444	3	556	553	0
75-79	466	466	0	530	530	0
80-84	251	251	0	380	375	0
85+	210	210	0	525	520	0
Total	12,935	12,913	12	13,432	13,349	13

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Shelby	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	669	662	5	587	585	1
1-4	2,556	2,517	26	2,329	2,307	20
5-9	3,319	3,240	52	3,212	3,169	40
10-14	4,024	3,939	51	3,786	3,741	38
15-19	3,874	3,808	42	3,628	3,591	30
20-24	3,256	3,189	50	2,994	2,951	35
25-29	3,025	2,968	30	2,465	2,433	27
30-34	2,889	2,878	3	2,651	2,621	10
35-39	3,298	3,270	16	3,142	3,122	4
40-44	3,930	3,904	25	3,993	3,952	11
45-49	4,278	4,262	5	4,182	4,152	9
50-54	3,936	3,927	4	3,879	3,860	0
55-59	3,575	3,568	1	3,669	3,653	0
60-64	3,067	3,056	0	3,286	3,247	5
65-69	2,555	2,543	5	2,718	2,706	0
70-74	2,099	2,088	2	2,556	2,552	2
75-79	1,879	1,860	3	2,094	2,087	3
80-84	1,309	1,304	0	1,888	1,879	0
85+	911	901	5	2,117	2,110	0
Total	54,449	53,884	325	55,176	54,718	235
Stark	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	173	170	2	160	160	0
1-4	700	688	7	670	664	2
5-9	1,040	1,034	2	1,058	1,049	4
10-14	1,103	1,094	6	1,147	1,138	6
15-19	1,007	1,004	1	928	919	1
20-24	831	823	5	719	698	7
25-29	638	623	15	612	599	0
30-34	841	841	0	802	799	0
35-39	915	912	0	939	928	5
40-44	1,012	1,009	0	1,092	1,085	0
45-49	1,118	1,109	0	967	960	0
50-54	1,069	1,065	0	1,152	1,132	0
55-59	1,041	1,040	0	998	998	0
60-64	910	910	0	941	941	0
65-69	798	798	0	756	756	0
70-74	621	621	0	780	775	5
75-79	395	395	0	641	639	0
80-84	335	335	0	546	542	0
85+	259	259	0	789	789	0
Total	14,806	14,730	38	15,697	15,571	30
Stephensen	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,420	1,180	221	1,362	1,115	225
1-4	5,748	4,749	919	5,530	4,597	828
5-9	7,094	5,857	1,139	7,474	6,089	1,241
10-14	8,015	6,799	1,101	7,960	6,654	1,193
15-19	8,351	7,318	940	7,756	6,660	1,011
20-24	6,769	5,999	639	6,694	5,943	681
25-29	5,722	4,977	600	5,665	5,050	542
30-34	6,000	5,365	544	5,998	5,258	656
35-39	7,383	6,678	638	7,256	6,421	719
40-44	8,498	7,704	690	8,484	7,590	813
45-49	9,276	8,622	575	9,371	8,491	795
50-54	8,747	8,125	560	8,880	8,225	572
55-59	7,535	7,081	363	7,962	7,400	409
60-64	6,176	5,844	293	6,625	6,258	317
65-69	5,123	4,866	231	6,060	5,744	287
70-74	4,233	4,043	173	5,210	4,955	244
75-79	3,517	3,394	115	4,620	4,431	170
80-84	2,446	2,370	70	4,155	4,024	118
85+	1,690	1,625	55	4,585	4,473	107
Total	113,743	102,596	9,866	121,647	109,378	10,928

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Tazewell	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	4,203	4,076	67	4,002	3,891	59
1-4	16,689	16,158	290	15,892	15,438	252
5-9	21,118	20,511	401	20,176	19,499	429
10-14	22,265	21,693	370	21,153	20,503	385
15-19	21,008	20,569	290	20,003	19,522	273
20-24	19,875	19,124	499	18,236	17,762	251
25-29	21,265	20,118	883	19,894	19,340	288
30-34	20,578	19,355	891	19,410	18,794	294
35-39	21,843	20,877	659	20,932	20,360	244
40-44	23,604	22,745	593	23,866	23,390	222
45-49	24,851	24,322	362	25,484	25,130	124
50-54	23,848	23,464	229	24,295	23,969	121
55-59	21,345	21,106	108	21,147	20,890	63
60-64	16,074	15,962	32	16,600	16,464	27
65-69	12,433	12,342	17	14,453	14,375	16
70-74	10,688	10,603	26	13,155	13,033	32
75-79	9,197	9,163	12	11,532	11,450	36
80-84	5,786	5,762	11	8,863	8,831	13
85+	4,276	4,266	3	9,788	9,732	24
Total	320,946	312,216	5,743	328,881	322,373	3,153
Union	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	560	544	16	540	528	11
1-4	2,204	2,138	57	2,085	2,032	45
5-9	2,563	2,474	69	2,491	2,424	59
10-14	2,963	2,876	63	2,784	2,722	44
15-19	3,212	3,098	84	2,881	2,830	37
20-24	2,629	2,587	22	2,688	2,604	38
25-29	2,560	2,479	54	2,527	2,445	58
30-34	2,339	2,263	52	2,534	2,469	55
35-39	2,720	2,629	78	2,629	2,564	39
40-44	3,314	3,223	64	3,247	3,207	24
45-49	3,573	3,512	44	3,495	3,422	26
50-54	3,299	3,234	33	3,325	3,256	19
55-59	3,020	2,906	48	3,086	3,049	16
60-64	2,588	2,532	28	2,757	2,735	2
65-69	2,238	2,201	20	2,404	2,383	5
70-74	1,623	1,602	10	1,995	1,975	8
75-79	1,122	1,118	0	1,629	1,620	0
80-84	948	928	20	1,508	1,495	10
85+	688	688	0	1,691	1,681	5
Total	44,163	43,032	762	46,296	45,441	501
Vermilion	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	2,802	2,220	556	2,702	2,124	557
1-4	10,984	8,824	2,044	10,718	8,471	2,151
5-9	13,934	11,338	2,432	13,320	10,715	2,453
10-14	14,349	11,731	2,480	13,970	11,401	2,455
15-19	13,846	11,311	2,354	12,525	10,586	1,846
20-24	13,400	10,671	2,585	11,630	10,093	1,399
25-29	13,360	10,663	2,615	11,681	10,200	1,393
30-34	12,260	9,800	2,356	11,235	9,733	1,410
35-39	12,548	10,366	2,066	12,028	10,529	1,362
40-44	13,954	12,006	1,821	13,757	12,384	1,233
45-49	15,133	13,331	1,637	14,898	13,336	1,367
50-54	14,213	12,858	1,184	14,577	13,141	1,246
55-59	12,486	11,613	729	13,346	12,232	959
60-64	10,089	9,408	574	10,927	10,134	691
65-69	8,406	7,872	438	9,506	8,846	590
70-74	6,904	6,463	410	8,378	7,819	506
75-79	5,811	5,468	323	7,673	7,206	418
80-84	3,961	3,722	230	6,571	6,179	364
85+	2,548	2,405	128	6,267	5,967	275
Total	200,988	172,070	26,962	205,709	181,096	22,675

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Wabash	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	353	338	11	357	346	7
1-4	1,438	1,376	40	1,354	1,313	30
5-9	1,848	1,792	49	1,767	1,709	38
10-14	2,063	2,019	43	1,858	1,787	54
15-19	2,074	2,028	36	2,023	1,952	47
20-24	2,046	1,994	26	2,010	1,942	28
25-29	2,138	2,070	37	1,836	1,770	19
30-34	1,617	1,592	13	1,548	1,536	1
35-39	1,715	1,699	10	1,722	1,697	4
40-44	2,116	2,077	15	2,129	2,104	0
45-49	2,506	2,489	4	2,473	2,455	0
50-54	2,423	2,401	7	2,287	2,265	2
55-59	2,055	2,040	5	1,985	1,963	7
60-64	1,480	1,459	14	1,672	1,658	1
65-69	1,289	1,272	12	1,362	1,350	3
70-74	999	981	14	1,286	1,278	2
75-79	852	836	5	1,255	1,255	0
80-84	589	589	0	1,113	1,113	0
85+	563	563	0	1,256	1,256	0
Total	30,164	29,615	341	31,293	30,749	243
Warren	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	520	487	23	499	474	22
1-4	2,024	1,899	90	2,070	1,950	116
5-9	2,515	2,379	118	2,519	2,392	118
10-14	2,731	2,600	110	2,599	2,479	109
15-19	3,845	3,606	171	4,035	3,839	139
20-24	3,919	3,613	207	3,986	3,790	125
25-29	2,299	2,181	105	1,902	1,784	82
30-34	2,157	2,086	53	2,073	2,012	47
35-39	2,374	2,326	41	2,407	2,369	27
40-44	2,809	2,748	51	2,829	2,792	24
45-49	3,025	2,941	60	3,177	3,086	53
50-54	3,287	3,215	40	3,191	3,130	30
55-59	2,817	2,758	41	2,869	2,836	12
60-64	2,331	2,292	32	2,441	2,402	28
65-69	1,893	1,864	16	2,041	1,989	32
70-74	1,479	1,448	28	1,731	1,700	16
75-79	1,259	1,228	23	1,837	1,802	17
80-84	891	862	28	1,381	1,359	21
85+	681	672	9	1,660	1,637	23
Total	42,856	41,205	1,246	45,247	43,822	1,041
Washington	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	450	441	6	428	420	8
1-4	1,770	1,724	32	1,706	1,645	37
5-9	2,226	2,152	58	2,127	2,053	56
10-14	2,553	2,497	48	2,571	2,495	58
15-19	2,944	2,828	110	2,588	2,537	41
20-24	2,377	2,308	56	2,248	2,215	28
25-29	2,064	2,028	31	1,902	1,863	30
30-34	1,941	1,921	12	1,884	1,858	17
35-39	2,303	2,258	27	2,262	2,237	3
40-44	2,875	2,828	28	2,834	2,818	3
45-49	3,162	3,143	12	3,048	3,019	12
50-54	2,914	2,911	2	2,677	2,654	3
55-59	2,408	2,396	3	2,246	2,231	0
60-64	1,742	1,731	0	1,958	1,931	1
65-69	1,593	1,579	9	1,757	1,732	11
70-74	1,205	1,204	1	1,269	1,256	13
75-79	1,033	1,027	5	1,300	1,300	0
80-84	774	770	0	1,157	1,149	0
85+	561	556	5	1,210	1,203	5
Total	36,895	36,302	445	37,172	36,616	326

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Wayne	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	494	481	8	459	453	4
1-4	1,944	1,874	40	1,961	1,909	33
5-9	2,463	2,375	55	2,647	2,543	56
10-14	2,717	2,644	53	2,490	2,433	39
15-19	2,983	2,891	54	2,414	2,369	27
20-24	2,589	2,521	48	2,238	2,195	28
25-29	2,413	2,370	33	2,538	2,504	10
30-34	2,228	2,183	25	2,011	1,990	5
35-39	2,437	2,364	47	2,312	2,291	7
40-44	2,921	2,838	49	2,832	2,817	2
45-49	3,127	3,107	6	3,116	3,097	5
50-54	2,833	2,822	8	2,828	2,817	1
55-59	2,638	2,618	7	2,705	2,683	4
60-64	2,237	2,222	0	2,533	2,520	0
65-69	2,018	2,004	0	2,282	2,277	0
70-74	1,660	1,652	0	2,092	2,086	0
75-79	1,317	1,310	0	1,696	1,687	0
80-84	930	927	0	1,631	1,619	3
85+	610	610	0	1,562	1,559	2
Total	40,559	39,813	433	42,347	41,849	226
White						
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	435	429	5	423	418	4
1-4	1,719	1,695	23	1,622	1,589	24
5-9	2,096	2,061	28	1,902	1,859	25
10-14	2,105	2,055	36	2,276	2,226	30
15-19	2,297	2,183	94	2,259	2,218	22
20-24	2,042	1,989	25	2,168	2,139	9
25-29	2,025	1,978	35	2,171	2,156	10
30-34	1,894	1,868	15	1,733	1,713	0
35-39	2,187	2,150	21	2,096	2,069	5
40-44	2,598	2,553	38	2,580	2,556	0
45-49	2,925	2,911	1	2,888	2,853	4
50-54	2,737	2,721	4	2,781	2,761	6
55-59	2,338	2,322	1	2,469	2,460	0
60-64	2,003	2,003	0	2,233	2,230	0
65-69	1,868	1,868	0	2,047	2,042	0
70-74	1,332	1,323	0	1,892	1,874	0
75-79	1,208	1,202	0	1,662	1,654	2
80-84	950	944	6	1,449	1,441	8
85+	762	753	4	2,039	2,032	2
Total	35,521	35,008	336	38,690	38,290	151
Whiteside	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,837	1,759	65	1,748	1,669	69
1-4	7,465	7,129	299	7,236	6,937	266
5-9	9,802	9,379	334	9,400	8,951	380
10-14	10,322	9,895	346	10,005	9,586	318
15-19	10,957	10,505	378	9,672	9,262	305
20-24	8,753	8,394	244	8,051	7,715	245
25-29	7,892	7,597	215	7,256	7,067	132
30-34	8,210	7,940	177	7,844	7,644	134
35-39	9,273	9,087	125	9,096	8,887	134
40-44	10,278	10,026	158	10,383	10,077	181
45-49	11,513	11,212	180	11,501	11,284	129
50-54	11,155	10,985	98	11,347	11,138	61
55-59	9,525	9,334	80	9,796	9,657	42
60-64	7,689	7,545	60	7,963	7,872	32
65-69	6,195	6,135	24	6,900	6,841	27
70-74	4,888	4,848	22	6,139	6,102	19
75-79	4,314	4,295	18	5,890	5,850	19
80-84	3,006	2,987	14	4,778	4,751	11
85+	2,169	2,148	16	5,517	5,474	30
Total	145,243	141,200	2,853	150,522	146,764	2,534

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Will	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	25,129	20,866	2,960	23,979	19,851	2,852
1-4	104,674	86,683	12,770	99,132	81,885	12,024
5-9	139,137	114,836	18,519	132,068	108,898	17,331
10-14	139,927	115,450	19,392	134,107	110,588	18,377
15-19	124,315	101,392	18,768	115,235	94,052	17,110
20-24	97,860	80,975	13,562	93,535	78,177	11,858
25-29	103,911	87,178	12,297	97,011	80,901	11,486
30-34	119,180	98,638	13,563	114,511	93,758	13,704
35-39	137,266	115,380	14,448	135,345	112,798	14,765
40-44	141,288	121,980	13,440	138,753	118,667	14,068
45-49	128,895	112,364	12,094	127,122	109,133	13,373
50-54	104,932	91,743	9,427	104,090	88,925	11,373
55-59	84,663	74,211	7,557	85,493	73,757	8,628
60-64	62,166	55,143	4,876	63,260	55,473	5,193
65-69	42,344	37,577	3,071	45,934	40,509	3,601
70-74	28,849	25,880	1,994	34,945	31,026	2,674
75-79	20,910	19,038	1,306	28,826	26,142	1,890
80-84	13,585	12,541	731	22,061	20,358	1,252
85+	8,601	8,040	357	21,760	20,429	945
Total	1,627,632	1,379,915	181,132	1,617,167	1,365,327	182,504
Williamson	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	2,004	1,870	108	1,834	1,710	103
1-4	7,854	7,314	446	7,332	6,851	387
5-9	9,742	9,067	570	9,667	8,939	617
10-14	9,643	9,049	517	9,791	9,153	578
15-19	9,759	9,106	556	9,224	8,678	479
20-24	9,861	9,253	503	9,780	9,319	359
25-29	11,965	11,150	660	11,620	11,181	329
30-34	10,581	9,652	780	9,837	9,428	277
35-39	10,474	9,709	629	9,955	9,506	322
40-44	11,307	10,713	458	11,212	10,778	318
45-49	11,493	11,077	311	11,546	11,152	257
50-54	10,993	10,703	216	11,134	10,820	204
55-59	10,120	9,846	193	10,382	10,099	191
60-64	8,469	8,218	167	9,195	8,982	111
65-69	6,846	6,723	52	7,834	7,688	77
70-74	5,272	5,165	74	6,673	6,516	98
75-79	4,217	4,130	69	5,852	5,772	65
80-84	2,906	2,867	35	5,224	5,149	60
85+	2,148	2,124	18	5,207	5,141	36
Total	155,654	147,736	6,362	163,299	156,862	4,868
Winnebago	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	10,385	8,158	1,954	9,686	7,634	1,802
1-4	41,489	32,666	7,628	38,929	30,744	7,019
5-9	53,151	42,157	9,369	49,860	39,591	8,723
10-14	54,058	43,022	9,434	51,764	41,253	9,036
15-19	51,905	41,685	8,773	49,300	39,398	8,544
20-24	46,918	39,103	6,340	45,686	37,774	6,553
25-29	48,491	41,829	5,111	47,637	39,710	6,483
30-34	47,426	40,578	5,240	46,419	38,372	6,367
35-39	50,127	43,304	5,297	50,215	42,349	6,094
40-44	54,286	47,973	5,023	54,032	46,426	6,049
45-49	55,846	49,631	4,877	56,012	48,803	5,731
50-54	51,032	45,732	4,154	52,344	46,188	4,957
55-59	43,453	38,888	3,630	46,049	41,025	4,037
60-64	33,812	30,835	2,353	36,658	33,020	2,969
65-69	24,432	22,367	1,609	28,029	25,282	2,315
70-74	19,249	17,851	1,148	23,304	21,405	1,621
75-79	15,671	14,667	866	21,911	20,471	1,266
80-84	11,287	10,670	539	18,461	17,447	870
85+	7,938	7,639	244	18,988	18,173	717
Total	720,956	618,755	83,589	745,284	635,065	91,153

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Woodford	**Males**			**Females**		
Age	**All Races**	**Whites**	**Blacks**	**All Races**	**Whites**	**Blacks**
00	1,120	1,098	18	1,090	1,069	16
1-4	4,742	4,638	85	4,475	4,374	71
5-9	6,665	6,481	142	6,461	6,257	156
10-14	7,135	6,957	152	7,034	6,819	145
15-19	7,385	7,229	128	6,971	6,764	152
20-24	6,244	6,080	101	5,975	5,838	86
25-29	5,058	4,927	67	4,291	4,167	76
30-34	5,011	4,889	74	4,696	4,545	83
35-39	5,803	5,716	47	6,032	5,930	49
40-44	6,843	6,793	34	6,901	6,840	28
45-49	7,340	7,291	27	7,598	7,542	24
50-54	7,256	7,227	13	7,369	7,315	11
55-59	6,135	6,097	5	5,948	5,894	9
60-64	4,678	4,619	26	4,471	4,447	0
65-69	3,524	3,505	1	3,443	3,426	13
70-74	2,574	2,569	5	3,026	3,002	6
75-79	1,997	1,996	1	2,918	2,908	1
80-84	1,568	1,568	0	2,688	2,684	0
85+	1,448	1,448	0	3,479	3,474	5
Total	92,526	91,128	926	94,866	93,295	931

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Illinois	**Males**			**Females**		
Age	**Total pop**	**Hispanics**	**Non-Hispanics**	**Total pop**	**Hispanics**	**Non-Hispanics**
00	459,241	108,385	350,856	437,449	103,328	334,121
1-4	1,809,483	406,887	1,402,596	1,728,584	386,704	1,341,880
5-9	2,243,725	453,406	1,790,319	2,144,004	429,968	1,714,036
10-14	2,347,605	403,789	1,943,816	2,241,774	387,003	1,854,771
15-19	2,344,950	366,613	1,978,337	2,205,757	339,098	1,866,659
20-24	2,298,169	460,641	1,837,528	2,179,265	370,974	1,808,291
25-29	2,247,025	523,666	1,723,359	2,160,514	412,316	1,748,198
30-34	2,296,188	473,823	1,822,365	2,223,462	381,716	1,841,746
35-39	2,306,408	380,506	1,925,902	2,290,677	313,866	1,976,811
40-44	2,443,941	311,688	2,132,253	2,471,222	263,558	2,207,664
45-49	2,345,510	241,609	2,103,901	2,405,242	214,387	2,190,855
50-54	2,032,441	176,043	1,856,398	2,109,674	160,880	1,948,794
55-59	1,662,470	125,306	1,537,164	1,767,416	120,943	1,646,473
60-64	1,225,922	81,020	1,144,902	1,359,673	82,735	1,276,938
65-69	949,592	57,597	891,995	1,110,135	62,709	1,047,426
70-74	770,031	39,792	730,239	987,417	46,898	940,519
75-79	630,105	26,376	603,729	909,974	32,670	877,304
80-84	427,149	14,080	413,069	736,114	19,131	716,983
85+	312,102	9,553	302,549	759,798	15,510	744,288
Total	31,152,057	4,660,780	26,491,277	32,228,151	4,144,394	28,083,757
Cook	**Males**			**Females**		
Age	**Total pop**	**Hispanics**	**Non-Hispanics**	**Total pop**	**Hispanics**	**Non-Hispanics**
00	204,455	69,549	134,906	195,354	66,136	129,218
1-4	777,666	257,447	520,219	745,833	244,409	501,424
5-9	936,870	288,185	648,685	897,308	274,720	622,588
10-14	976,419	266,863	709,556	935,794	255,171	680,623
15-19	933,924	242,384	691,540	896,667	228,158	668,509
20-24	921,124	289,488	631,636	896,132	242,231	653,901
25-29	991,685	322,878	668,807	973,835	260,868	712,967
30-34	1,060,108	300,071	760,037	1,038,007	249,680	788,327
35-39	1,004,467	246,215	758,252	1,000,937	209,543	791,394
40-44	1,002,441	207,409	795,032	1,026,150	180,670	845,480
45-49	940,098	165,292	774,806	995,304	150,251	845,053
50-54	811,229	123,660	687,569	881,009	115,961	765,048
55-59	661,925	89,176	572,749	743,886	87,877	656,009
60-64	490,443	58,594	431,849	581,068	60,979	520,089
65-69	382,944	41,671	341,273	475,248	46,153	429,095
70-74	307,295	28,821	278,474	412,050	34,056	377,994
75-79	251,395	18,947	232,448	378,455	23,737	354,718
80-84	171,120	9,980	161,140	300,044	13,815	286,229
85+	124,830	6,712	118,118	298,473	11,020	287,453
Total	12,950,438	3,033,342	9,917,096	13,671,554	2,755,435	10,916,119
DuPage	**Males**			**Females**		
Age	**Total pop**	**Hispanics**	**Non-Hispanics**	**Total pop**	**Hispanics**	**Non-Hispanics**
00	31,755	6,582	25,173	30,281	6,383	23,898
1-4	130,184	24,268	105,916	125,382	23,345	102,037
5-9	169,081	25,507	143,574	162,341	23,978	138,363
10-14	176,515	20,848	155,667	167,024	20,141	146,883
15-19	171,263	18,549	152,714	155,956	17,382	138,574
20-24	145,593	29,889	115,704	130,442	20,347	110,095
25-29	144,034	35,916	108,118	136,691	25,501	111,190
30-34	163,821	31,162	132,659	158,628	22,664	135,964
35-39	178,457	23,629	154,828	180,066	18,567	161,499
40-44	198,870	19,021	179,849	202,956	15,367	187,589
45-49	191,031	13,475	177,556	199,647	11,365	188,282
50-54	166,053	9,163	156,890	171,366	8,167	163,199
55-59	135,959	6,468	129,491	140,093	5,670	134,423
60-64	94,464	3,824	90,640	98,507	3,812	94,695
65-69	64,305	2,689	61,616	69,576	2,921	66,655
70-74	47,638	1,885	45,753	59,384	2,136	57,248
75-79	37,900	1,201	36,699	54,324	1,463	52,861
80-84	25,563	624	24,939	45,740	850	44,890
85+	18,116	387	17,729	46,805	712	46,093
Total	2,290,602	275,087	2,015,515	2,335,209	230,771	2,104,438

Total Five-year population, 2004-2008, used to calculate rates. SOURCE: US Census Bureau's Population Estimates Program						
Kane	**Males**			**Females**		
Age	**Total pop**	**Hispanics**	**Non-Hispanics**	**Total pop**	**Hispanics**	**Non-Hispanics**
00	21,567	9,173	12,394	20,444	8,827	11,617
1-4	84,720	34,357	50,363	80,213	32,766	47,447
5-9	100,692	36,085	64,607	95,241	34,070	61,171
10-14	96,517	28,960	67,557	91,886	28,355	63,531
15-19	88,494	24,390	64,104	79,076	22,111	56,965
20-24	83,698	33,454	50,244	74,805	25,742	49,063
25-29	90,881	40,033	50,848	85,494	31,833	53,661
30-34	92,162	36,271	55,891	85,589	27,977	57,612
35-39	90,802	27,179	63,623	87,278	20,784	66,494
40-44	95,410	21,025	74,385	91,178	16,461	74,717
45-49	85,657	14,943	70,714	83,469	12,781	70,688
50-54	72,465	10,428	62,037	72,179	8,761	63,418
55-59	58,695	7,184	51,511	57,832	6,852	50,980
60-64	39,078	4,577	34,501	40,282	4,441	35,841
65-69	27,385	2,961	24,424	29,305	3,134	26,171
70-74	20,237	1,920	18,317	24,160	2,199	21,961
75-79	15,040	1,163	13,877	20,785	1,263	19,522
80-84	9,898	749	9,149	16,706	695	16,011
85+	6,883	424	6,459	18,113	617	17,496
Total	1,180,281	335,276	845,005	1,154,035	289,669	864,366
Lake	**Males**			**Females**		
Age	**Total pop**	**Hispanics**	**Non-Hispanics**	**Total pop**	**Hispanics**	**Non-Hispanics**
00	26,216	8,182	18,034	24,836	7,793	17,043
1-4	109,300	30,933	78,367	103,865	29,166	74,699
5-9	144,072	33,520	110,552	136,569	31,187	105,382
10-14	146,173	27,355	118,818	138,502	26,183	112,319
15-19	143,367	25,296	118,071	122,459	20,575	101,884
20-24	113,587	33,555	80,032	98,420	24,452	73,968
25-29	107,138	37,793	69,345	104,081	31,294	72,787
30-34	113,933	34,127	79,806	112,031	26,680	85,351
35-39	132,489	27,964	104,525	133,768	21,701	112,067
40-44	144,067	20,801	123,266	149,662	17,182	132,480
45-49	139,342	14,695	124,647	141,467	12,712	128,755
50-54	117,624	9,735	107,889	117,222	8,402	108,820
55-59	93,403	6,584	86,819	92,433	6,165	86,268
60-64	64,016	3,723	60,293	64,504	3,863	60,641
65-69	44,828	2,844	41,984	47,548	2,796	44,752
70-74	34,019	1,688	32,331	41,624	2,146	39,478
75-79	27,020	1,136	25,884	34,917	1,443	33,474
80-84	16,240	634	15,606	25,412	959	24,453
85+	10,616	446	10,170	24,212	697	23,515
Total	1,727,450	321,011	1,406,439	1,713,532	275,396	1,438,136
Will	**Males**			**Females**		
Age	**Total pop**	**Hispanics**	**Non-Hispanics**	**Total pop**	**Hispanics**	**Non-Hispanics**
00	24,235	4,104	20,131	22,889	3,996	18,893
1-4	101,188	17,046	84,142	95,644	16,386	79,258
5-9	129,404	20,163	109,241	123,028	19,320	103,708
10-14	127,456	17,238	110,218	122,016	16,395	105,621
15-19	114,454	14,523	99,931	105,455	13,317	92,138
20-24	101,122	17,875	83,247	97,495	14,871	82,624
25-29	113,324	23,291	90,033	108,090	17,908	90,182
30-34	116,034	20,682	95,352	115,571	16,501	99,070
35-39	124,903	16,149	108,754	124,128	12,886	111,242
40-44	128,777	11,934	116,843	127,661	9,819	117,842
45-49	115,550	9,116	106,434	113,713	7,598	106,115
50-54	92,641	5,831	86,810	91,639	5,352	86,287
55-59	74,667	4,434	70,233	74,513	3,859	70,654
60-64	51,804	2,831	48,973	53,143	2,792	50,351
65-69	36,076	1,973	34,103	38,993	2,075	36,918
70-74	26,134	1,471	24,663	32,255	1,669	30,586
75-79	19,963	893	19,070	28,207	1,072	27,135
80-84	12,926	457	12,469	21,911	727	21,184
85+	8,212	309	7,903	20,720	549	20,171
Total	1,518,870	190,320	1,328,550	1,517,071	167,092	1,349,979

APPENDIX B

ISCR County Cancer Site Groups

ISCR cancer site groups used in county tables	**SEER site recodes**
1 oral cavity and pharynx	20010-20100
2 esophagus	21010
3 stomach	21020
4 colorectal	21041-21052
5 liver	21071
6 pancreas	21100
7 lung and bronchus	22030
8 bone	23000
9 melanoma of skin	25010
10 breast-invasive	26000 (behavior 3 only)
11 cervix	27010
12 uterus	27020-27030
13 ovary	27040
14 prostate	28010
15 testis	28020
16 urinary bladder	29010
17 kidney and renal pelvis	29020
18 brain and CNS	31010-31040
19 Hodgkin's lymphoma	33011-33012
20 non-Hodgkin's lymphoma	33041-33042
21 myeloma	34000
22 leukemia	35011-35043
23 all other sites	21030, 21060, 21072, 21080, 21090, 21110, 21120, 21130, 22010, 22020, 22050, 22060, 24000, 25020, 27050, 27060, 27070 28030, 28040, 29030, 29040, 30000, 32010, 32020, 36010, 36020, 37000
24 breast *in situ*	26000 (behavior 2 only)

APPENDIX C

Formulas for Rates

Appendix C – formulas for rates

Age-adjusted Rate

An age-adjusted rate is a weighted average of crude rates, where the crude rates are calculated for different age groups and the weights are the proportions of persons in the corresponding age groups of a standard population. The standard populations used for this report is the total U.S. populations 2000. The age-adjusted rate for an age group comprised of the ages x through y is calculated using the following formula:

$$aarate_{x-y} = \sum_{i=x}^{y} \left[\left(\frac{count_i}{pop_i} \right) \times 100{,}000 \times \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right) \right]$$

where $count_i$ is the number of cases for the ith age group, pop_i is the relevant population for the same age group, and $stdmil_i$ is the standard population for the same age group.

Standard Error for an Age-Adjusted Rate

This calculation assumes that the cancer counts have Poisson distributions. Suppose that the age-adjusted rate is comprised of age groups x through y.

$$SE_{AArate} = \left[\sum_{i=x}^{y} \left(\frac{stdmil_i}{\sum_{j=x}^{y} stdmil_j} \right)^2 \times \left(\frac{count_i}{population_i^2} \right) \right]^{1/2} \times 100{,}000$$

Age-adjusted Rate Confidence Intervals

Suppose that the age-adjusted rate is comprised of age groups x through y, and let:

$$w_i = \frac{stdmil_i}{\left(pop_i \times \sum_{j=x}^{y} stdmil_j \right)}$$

$$v = \sum_{i=x}^{y} \left(w_i^2 \times count_i \right)$$

The endpoints of a p × 100% confidence interval are calculated as:

$$CI_{low} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(\frac{p}{2}, \frac{\left(2 \times rate^2\right)}{v}\right)\right) \times 100{,}000$$

$$CI_{high} = \left(\frac{v}{2 \times rate}\right) \times \left(ChiInv\left(1 - \frac{p}{2}, \frac{(2 \times rate^2)}{v}\right)\right) \times 100{,}000$$

This method for calculating the confidence interval was initially developed by Fay and Feuer (1997) and further modified by Tiwari et al. (2006) on the algorithm for the upper confidence limit. The method produces similar confidence limits to the standard normal approximation when the counts are large and the population being studies is similar to the standard population. In other cases, the above method is more likely to ensure proper coverage.

References:

Johnson NL, Kotz S. *Distributions in Statistics: Discrete Distributions.* Johns Wiley, New York, 1969.

Fay MP, Feuer EJ. Confidence intervals for directly standardized rates: method based on the gamma distribution. *Statistics in Medicine* 1997 Apr 15;16(7):791-801.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006 Dec;15(6):547-69.