

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

All Sites Combined

Both Sexes

| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
|---------------------|---------|-------|------|-------|-------|-------------------------|-------|------|-------|-------|
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2008 | 10,550 | 106.9 | 1.18 | 104.6 | 109.2 | 457,745 | 211.1 | 0.31 | 210.5 | 211.7 |
| 1990 | 325 | 100.6 | 6.48 | 88.3 | 114.0 | 24,115 | 229.4 | 1.49 | 226.5 | 232.3 |
| 1991 | 375 | 106.5 | 6.37 | 94.4 | 119.6 | 24,041 | 225.8 | 1.47 | 223.0 | 228.7 |
| 1992 | 377 | 108.9 | 6.51 | 96.5 | 122.2 | 24,245 | 224.7 | 1.45 | 221.9 | 227.6 |
| 1993 | 462 | 121.2 | 6.57 | 108.7 | 134.7 | 24,807 | 227.8 | 1.45 | 224.9 | 230.7 |
| 1994 | 445 | 111.6 | 6.23 | 99.7 | 124.3 | 24,699 | 224.8 | 1.44 | 222.0 | 227.6 |
| 1995 | 422 | 101.8 | 5.79 | 90.7 | 113.6 | 24,679 | 222.7 | 1.42 | 219.9 | 225.5 |
| 1996 | 456 | 111.2 | 6.04 | 99.7 | 123.5 | 24,329 | 218.6 | 1.40 | 215.8 | 221.3 |
| 1997 | 478 | 106.9 | 5.74 | 96.0 | 118.6 | 24,001 | 214.0 | 1.38 | 211.3 | 216.7 |
| 1998 | 494 | 106.1 | 5.57 | 95.5 | 117.5 | 24,144 | 213.2 | 1.37 | 210.5 | 215.9 |
| 1999 | 551 | 114.7 | 5.76 | 103.7 | 126.5 | 24,473 | 214.2 | 1.37 | 211.6 | 216.9 |
| 2000 | 593 | 117.4 | 5.69 | 106.5 | 128.9 | 24,772 | 215.5 | 1.37 | 212.8 | 218.2 |
| 2001 | 623 | 117.9 | 5.42 | 107.5 | 128.8 | 24,155 | 208.9 | 1.35 | 206.2 | 211.5 |
| 2002 | 627 | 109.9 | 5.05 | 100.2 | 120.1 | 24,110 | 207.0 | 1.34 | 204.4 | 209.6 |
| 2003 | 620 | 103.4 | 4.71 | 94.4 | 113.0 | 23,844 | 202.7 | 1.32 | 200.1 | 205.3 |
| 2004 | 660 | 103.6 | 4.55 | 94.8 | 112.8 | 23,629 | 199.6 | 1.30 | 197.1 | 202.2 |
| 2005 | 690 | 101.2 | 4.32 | 92.9 | 109.9 | 23,560 | 197.3 | 1.29 | 194.8 | 199.8 |
| 2006 | 776 | 105.0 | 4.18 | 97.0 | 113.5 | 23,307 | 193.6 | 1.28 | 191.1 | 196.1 |
| 2007 | 758 | 99.2 | 3.94 | 91.7 | 107.2 | 23,355 | 191.9 | 1.27 | 189.4 | 194.4 |
| 2008 | 818 | 98.7 | 3.78 | 91.5 | 106.4 | 23,480 | 190.2 | 1.25 | 187.7 | 192.7 |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2008 | 383,453 | 204.9 | 0.33 | 204.2 | 205.5 | 69,263 | 277.1 | 1.08 | 275.0 | 279.2 |
| 1990 | 20,443 | 220.3 | 1.56 | 217.2 | 223.3 | 3,533 | 316.1 | 5.49 | 305.5 | 327.1 |
| 1991 | 20,470 | 218.1 | 1.54 | 215.1 | 221.2 | 3,410 | 300.8 | 5.31 | 290.5 | 311.3 |
| 1992 | 20,544 | 216.7 | 1.52 | 213.8 | 219.7 | 3,531 | 302.2 | 5.23 | 292.0 | 312.6 |
| 1993 | 20,908 | 219.1 | 1.52 | 216.1 | 222.1 | 3,737 | 314.8 | 5.29 | 304.6 | 325.4 |
| 1994 | 20,900 | 217.4 | 1.51 | 214.5 | 220.4 | 3,599 | 298.3 | 5.10 | 288.4 | 308.4 |
| 1995 | 20,876 | 215.9 | 1.50 | 213.0 | 218.9 | 3,594 | 291.9 | 4.99 | 282.2 | 301.8 |
| 1996 | 20,368 | 210.2 | 1.48 | 207.3 | 213.1 | 3,747 | 300.4 | 5.03 | 290.6 | 310.4 |
| 1997 | 20,134 | 206.7 | 1.46 | 203.9 | 209.6 | 3,633 | 284.9 | 4.83 | 275.5 | 294.6 |
| 1998 | 20,207 | 205.9 | 1.45 | 203.1 | 208.8 | 3,690 | 282.9 | 4.76 | 273.6 | 292.4 |
| 1999 | 20,546 | 208.0 | 1.45 | 205.1 | 210.8 | 3,675 | 279.9 | 4.71 | 270.8 | 289.3 |
| 2000 | 20,700 | 209.0 | 1.46 | 206.1 | 211.8 | 3,758 | 280.1 | 4.66 | 271.1 | 289.4 |
| 2001 | 20,166 | 203.0 | 1.43 | 200.2 | 205.8 | 3,692 | 273.5 | 4.59 | 264.6 | 282.7 |
| 2002 | 20,086 | 201.2 | 1.43 | 198.4 | 204.0 | 3,708 | 269.3 | 4.51 | 260.5 | 278.3 |
| 2003 | 19,829 | 197.0 | 1.41 | 194.2 | 199.7 | 3,662 | 261.5 | 4.41 | 252.9 | 270.2 |
| 2004 | 19,651 | 194.8 | 1.40 | 192.1 | 197.5 | 3,665 | 257.0 | 4.33 | 248.6 | 265.6 |
| 2005 | 19,542 | 192.4 | 1.39 | 189.6 | 195.1 | 3,658 | 253.4 | 4.28 | 245.1 | 261.9 |
| 2006 | 19,303 | 189.0 | 1.37 | 186.3 | 191.7 | 3,650 | 249.3 | 4.21 | 241.1 | 257.6 |
| 2007 | 19,277 | 187.1 | 1.36 | 184.5 | 189.8 | 3,716 | 248.2 | 4.16 | 240.1 | 256.5 |
| 2008 | 19,503 | 187.2 | 1.36 | 184.5 | 189.9 | 3,605 | 238.2 | 4.05 | 230.3 | 246.3 |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

All Sites Combined

Males

| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
|---------------------|---------|-------|-------|-------|-------|-------------------------|-------|-------|-------|-------|
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2008 | 5,637 | 128.8 | 2.04 | 124.8 | 132.8 | 234,144 | 267.4 | 0.56 | 266.3 | 268.5 |
| 1990 | 181 | 136.0 | 12.83 | 112.1 | 162.9 | 12,535 | 297.8 | 2.76 | 292.4 | 303.2 |
| 1991 | 186 | 120.0 | 10.94 | 99.5 | 142.9 | 12,589 | 296.0 | 2.73 | 290.6 | 301.4 |
| 1992 | 192 | 132.0 | 11.80 | 109.9 | 156.7 | 12,610 | 292.0 | 2.68 | 286.7 | 297.3 |
| 1993 | 257 | 152.8 | 12.04 | 130.1 | 177.7 | 12,812 | 294.5 | 2.68 | 289.3 | 299.8 |
| 1994 | 244 | 142.5 | 11.55 | 120.8 | 166.5 | 12,793 | 290.6 | 2.64 | 285.5 | 295.8 |
| 1995 | 224 | 113.9 | 9.60 | 95.8 | 133.9 | 12,761 | 287.7 | 2.61 | 282.6 | 292.8 |
| 1996 | 232 | 130.3 | 10.63 | 110.3 | 152.3 | 12,503 | 280.3 | 2.56 | 275.3 | 285.3 |
| 1997 | 257 | 126.3 | 9.78 | 107.9 | 146.6 | 12,302 | 272.5 | 2.50 | 267.6 | 277.5 |
| 1998 | 282 | 145.9 | 10.56 | 125.9 | 167.7 | 12,334 | 270.3 | 2.47 | 265.5 | 275.2 |
| 1999 | 277 | 127.7 | 9.52 | 109.7 | 147.4 | 12,420 | 270.3 | 2.46 | 265.5 | 275.1 |
| 2000 | 320 | 153.0 | 10.54 | 133.0 | 174.6 | 12,496 | 268.9 | 2.44 | 264.2 | 273.7 |
| 2001 | 330 | 145.3 | 9.50 | 127.3 | 164.8 | 12,400 | 265.0 | 2.41 | 260.3 | 269.7 |
| 2002 | 325 | 131.0 | 8.63 | 114.7 | 148.8 | 12,252 | 259.2 | 2.37 | 254.6 | 263.9 |
| 2003 | 335 | 122.0 | 7.81 | 107.2 | 138.1 | 12,116 | 254.0 | 2.34 | 249.4 | 258.6 |
| 2004 | 357 | 124.0 | 7.69 | 109.4 | 139.8 | 11,987 | 248.2 | 2.30 | 243.7 | 252.7 |
| 2005 | 379 | 121.1 | 7.21 | 107.3 | 135.8 | 11,862 | 244.2 | 2.27 | 239.8 | 248.7 |
| 2006 | 391 | 113.3 | 6.50 | 100.9 | 126.6 | 11,790 | 239.8 | 2.24 | 235.4 | 244.2 |
| 2007 | 415 | 123.0 | 6.77 | 110.1 | 136.8 | 11,704 | 234.6 | 2.20 | 230.3 | 238.9 |
| 2008 | 453 | 118.3 | 6.28 | 106.3 | 131.1 | 11,878 | 234.2 | 2.18 | 230.0 | 238.5 |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2008 | 195,357 | 257.9 | 0.59 | 256.7 | 259.0 | 36,141 | 372.6 | 2.09 | 368.5 | 376.7 |
| 1990 | 10,499 | 283.0 | 2.86 | 277.4 | 288.7 | 1,947 | 441.5 | 10.77 | 420.7 | 463.0 |
| 1991 | 10,613 | 283.2 | 2.84 | 277.6 | 288.8 | 1,889 | 426.1 | 10.52 | 405.7 | 447.1 |
| 1992 | 10,561 | 278.0 | 2.78 | 272.6 | 283.5 | 1,955 | 435.1 | 10.60 | 414.5 | 456.3 |
| 1993 | 10,690 | 280.4 | 2.78 | 275.0 | 285.9 | 2,032 | 439.2 | 10.45 | 419.0 | 460.1 |
| 1994 | 10,750 | 279.0 | 2.75 | 273.6 | 284.4 | 1,941 | 413.9 | 10.05 | 394.4 | 434.0 |
| 1995 | 10,700 | 276.3 | 2.72 | 270.9 | 281.7 | 1,950 | 405.9 | 9.83 | 386.8 | 425.5 |
| 1996 | 10,372 | 266.8 | 2.67 | 261.6 | 272.0 | 2,020 | 418.7 | 9.96 | 399.4 | 438.6 |
| 1997 | 10,257 | 261.5 | 2.62 | 256.4 | 266.7 | 1,903 | 380.9 | 9.29 | 362.9 | 399.5 |
| 1998 | 10,279 | 259.8 | 2.59 | 254.7 | 264.9 | 1,939 | 378.1 | 9.12 | 360.5 | 396.4 |
| 1999 | 10,404 | 261.3 | 2.59 | 256.2 | 266.4 | 1,888 | 372.0 | 9.08 | 354.4 | 390.2 |
| 2000 | 10,399 | 259.0 | 2.56 | 254.0 | 264.0 | 1,918 | 370.2 | 8.98 | 352.8 | 388.2 |
| 2001 | 10,349 | 256.4 | 2.54 | 251.4 | 261.4 | 1,888 | 361.2 | 8.85 | 344.1 | 378.9 |
| 2002 | 10,264 | 252.6 | 2.51 | 247.7 | 257.6 | 1,817 | 338.6 | 8.42 | 322.3 | 355.5 |
| 2003 | 10,051 | 245.6 | 2.47 | 240.8 | 250.5 | 1,870 | 342.2 | 8.42 | 325.9 | 359.0 |
| 2004 | 10,000 | 241.9 | 2.44 | 237.1 | 246.7 | 1,833 | 333.2 | 8.30 | 317.1 | 349.8 |
| 2005 | 9,837 | 236.8 | 2.41 | 232.1 | 241.6 | 1,850 | 334.7 | 8.32 | 318.6 | 351.4 |
| 2006 | 9,795 | 233.6 | 2.38 | 228.9 | 238.3 | 1,816 | 323.0 | 8.10 | 307.3 | 339.2 |
| 2007 | 9,643 | 227.1 | 2.34 | 222.6 | 231.8 | 1,881 | 329.9 | 8.10 | 314.2 | 346.1 |
| 2008 | 9,894 | 229.6 | 2.34 | 225.1 | 234.3 | 1,804 | 311.5 | 7.78 | 296.4 | 327.0 |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

All Sites Combined

Females

| Hispanic (any race) | | | | | | Non-Hispanic (any race) | | | | |
|---------------------|---------|-------|------|-------|-------|-------------------------|-------|------|-------|-------|
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2008 | 4,913 | 90.8 | 1.43 | 88.0 | 93.6 | 223,601 | 176.7 | 0.38 | 176.0 | 177.5 |
| 1990 | 144 | 78.6 | 7.13 | 65.2 | 93.6 | 11,580 | 188.8 | 1.78 | 185.3 | 192.3 |
| 1991 | 189 | 99.3 | 7.92 | 84.4 | 115.8 | 11,452 | 183.8 | 1.74 | 180.4 | 187.2 |
| 1992 | 185 | 94.6 | 7.71 | 80.1 | 110.7 | 11,635 | 184.7 | 1.74 | 181.3 | 188.2 |
| 1993 | 205 | 99.4 | 7.66 | 84.9 | 115.3 | 11,995 | 188.1 | 1.74 | 184.7 | 191.5 |
| 1994 | 201 | 90.9 | 7.19 | 77.4 | 105.9 | 11,906 | 185.2 | 1.72 | 181.8 | 188.6 |
| 1995 | 198 | 92.2 | 7.25 | 78.5 | 107.2 | 11,918 | 183.7 | 1.70 | 180.4 | 187.1 |
| 1996 | 224 | 99.2 | 7.33 | 85.4 | 114.4 | 11,826 | 181.5 | 1.69 | 178.2 | 184.8 |
| 1997 | 221 | 91.9 | 6.98 | 78.7 | 106.4 | 11,699 | 178.5 | 1.67 | 175.2 | 181.8 |
| 1998 | 212 | 77.6 | 6.03 | 66.3 | 90.2 | 11,810 | 178.5 | 1.66 | 175.3 | 181.8 |
| 1999 | 274 | 105.2 | 7.23 | 91.5 | 120.1 | 12,053 | 179.9 | 1.66 | 176.7 | 183.2 |
| 2000 | 273 | 92.7 | 6.39 | 80.6 | 105.9 | 12,276 | 182.6 | 1.67 | 179.4 | 185.9 |
| 2001 | 293 | 97.7 | 6.38 | 85.6 | 110.9 | 11,755 | 174.2 | 1.63 | 171.1 | 177.5 |
| 2002 | 302 | 94.4 | 6.09 | 82.8 | 106.9 | 11,858 | 174.5 | 1.62 | 171.3 | 177.7 |
| 2003 | 285 | 88.3 | 5.79 | 77.3 | 100.2 | 11,728 | 170.7 | 1.60 | 167.6 | 173.9 |
| 2004 | 303 | 88.0 | 5.52 | 77.5 | 99.3 | 11,642 | 169.2 | 1.59 | 166.1 | 172.4 |
| 2005 | 311 | 85.1 | 5.26 | 75.1 | 95.9 | 11,698 | 168.8 | 1.58 | 165.7 | 172.0 |
| 2006 | 385 | 98.0 | 5.42 | 87.6 | 109.0 | 11,517 | 165.1 | 1.56 | 162.1 | 168.2 |
| 2007 | 343 | 81.3 | 4.70 | 72.4 | 91.0 | 11,651 | 165.8 | 1.56 | 162.7 | 168.9 |
| 2008 | 365 | 83.0 | 4.63 | 74.1 | 92.5 | 11,602 | 162.7 | 1.54 | 159.7 | 165.8 |
| Non-Hispanic White | | | | | | Non-Hispanic Black | | | | |
| Year | Count | Rate | SE | LCI | UCI | Count | Rate | SE | LCI | UCI |
| 1990-2008 | 188,096 | 172.6 | 0.40 | 171.9 | 173.4 | 33,122 | 220.0 | 1.22 | 217.6 | 222.4 |
| 1990 | 9,944 | 183.8 | 1.88 | 180.1 | 187.5 | 1,586 | 238.4 | 6.09 | 226.6 | 250.6 |
| 1991 | 9,857 | 179.6 | 1.85 | 176.0 | 183.3 | 1,521 | 223.8 | 5.83 | 212.5 | 235.5 |
| 1992 | 9,983 | 180.5 | 1.84 | 176.9 | 184.2 | 1,576 | 223.9 | 5.72 | 212.8 | 235.4 |
| 1993 | 10,218 | 183.3 | 1.85 | 179.7 | 187.0 | 1,705 | 238.8 | 5.86 | 227.4 | 250.5 |
| 1994 | 10,150 | 180.7 | 1.83 | 177.1 | 184.3 | 1,658 | 228.7 | 5.68 | 217.7 | 240.1 |
| 1995 | 10,176 | 180.3 | 1.82 | 176.7 | 183.9 | 1,644 | 222.8 | 5.56 | 212.0 | 233.9 |
| 1996 | 9,996 | 176.8 | 1.80 | 173.2 | 180.3 | 1,727 | 229.2 | 5.58 | 218.4 | 240.4 |
| 1997 | 9,877 | 174.0 | 1.78 | 170.5 | 177.5 | 1,730 | 226.0 | 5.49 | 215.4 | 237.0 |
| 1998 | 9,928 | 173.7 | 1.78 | 170.3 | 177.2 | 1,751 | 223.8 | 5.39 | 213.3 | 234.6 |
| 1999 | 10,142 | 175.3 | 1.77 | 171.9 | 178.9 | 1,787 | 225.1 | 5.37 | 214.7 | 235.9 |
| 2000 | 10,301 | 178.3 | 1.79 | 174.8 | 181.8 | 1,840 | 227.2 | 5.33 | 216.9 | 237.9 |
| 2001 | 9,817 | 170.2 | 1.75 | 166.8 | 173.7 | 1,804 | 221.2 | 5.25 | 211.1 | 231.7 |
| 2002 | 9,822 | 169.2 | 1.74 | 165.8 | 172.7 | 1,891 | 227.4 | 5.27 | 217.2 | 238.0 |
| 2003 | 9,778 | 167.0 | 1.72 | 163.6 | 170.4 | 1,792 | 212.5 | 5.06 | 202.7 | 222.7 |
| 2004 | 9,651 | 165.1 | 1.72 | 161.7 | 168.5 | 1,832 | 212.8 | 5.01 | 203.1 | 222.8 |
| 2005 | 9,705 | 165.4 | 1.72 | 162.0 | 168.8 | 1,808 | 207.0 | 4.91 | 197.5 | 216.9 |
| 2006 | 9,508 | 161.3 | 1.70 | 158.0 | 164.7 | 1,834 | 207.0 | 4.88 | 197.6 | 216.8 |
| 2007 | 9,634 | 162.6 | 1.70 | 159.3 | 166.0 | 1,835 | 202.3 | 4.77 | 193.1 | 211.9 |
| 2008 | 9,609 | 160.5 | 1.68 | 157.2 | 163.8 | 1,801 | 196.1 | 4.66 | 187.1 | 205.5 |

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases