

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain and Other Nervous System

### Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	319	2.3	0.15	2.0	2.6	9,206	4.3	0.04	4.2	4.4
1990	*	*	*	*	*	498	4.7	0.21	4.3	5.2
1991	11	1.6	0.53	0.7	3.2	478	4.5	0.21	4.1	4.9
1992	13	2.0	0.60	1.0	3.7	524	4.8	0.21	4.4	5.3
1993	12	2.4	0.82	1.1	4.6	519	4.8	0.21	4.4	5.2
1994	13	1.5	0.58	0.6	3.2	506	4.6	0.21	4.2	5.1
1995	14	1.6	0.46	0.8	2.9	465	4.3	0.20	3.9	4.7
1996	16	2.3	0.68	1.2	4.1	455	4.1	0.19	3.8	4.5
1997	10	1.8	0.71	0.7	3.6	495	4.5	0.20	4.1	4.9
1998	16	2.3	0.66	1.2	4.0	459	4.1	0.19	3.7	4.5
1999	20	2.7	0.77	1.4	4.6	507	4.5	0.20	4.1	4.9
2000	23	3.0	0.76	1.7	4.9	479	4.2	0.19	3.9	4.6
2001	20	3.4	0.89	1.9	5.5	533	4.7	0.20	4.3	5.1
2002	20	2.1	0.64	1.1	3.7	447	3.9	0.19	3.6	4.3
2003	24	2.5	0.62	1.5	4.0	477	4.1	0.19	3.8	4.5
2004	17	1.8	0.53	0.9	3.1	494	4.2	0.19	3.9	4.6
2005	15	1.8	0.54	0.9	3.1	430	3.7	0.18	3.4	4.1
2006	20	2.0	0.54	1.1	3.3	490	4.2	0.19	3.8	4.6
2007	26	3.1	0.67	1.9	4.6	471	4.0	0.18	3.6	4.3
2008	22	2.1	0.51	1.2	3.3	479	3.9	0.18	3.6	4.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	8,414	4.7	0.05	4.6	4.8	691	2.5	0.10	2.3	2.7
1990	460	5.0	0.24	4.6	5.5	35	2.7	0.49	1.9	3.8
1991	435	4.8	0.23	4.3	5.2	37	2.8	0.47	1.9	3.9
1992	476	5.1	0.24	4.7	5.6	47	3.3	0.50	2.4	4.5
1993	478	5.2	0.24	4.7	5.7	37	2.6	0.45	1.8	3.7
1994	465	5.0	0.23	4.6	5.5	41	3.0	0.48	2.1	4.0
1995	419	4.5	0.22	4.1	5.0	42	3.2	0.51	2.3	4.3
1996	422	4.6	0.22	4.1	5.0	29	2.0	0.38	1.3	2.9
1997	466	5.0	0.23	4.6	5.5	28	2.0	0.39	1.3	2.9
1998	422	4.5	0.22	4.1	4.9	33	2.2	0.39	1.5	3.1
1999	473	5.0	0.23	4.6	5.5	32	2.1	0.39	1.4	3.0
2000	435	4.6	0.22	4.2	5.1	34	2.3	0.41	1.6	3.3
2001	478	5.1	0.23	4.6	5.5	49	3.5	0.51	2.6	4.6
2002	401	4.2	0.21	3.8	4.7	39	2.5	0.41	1.8	3.4
2003	440	4.6	0.22	4.2	5.1	27	1.8	0.35	1.1	2.6
2004	450	4.7	0.22	4.2	5.1	34	2.4	0.42	1.7	3.4
2005	386	4.0	0.21	3.6	4.5	36	2.4	0.41	1.7	3.4
2006	449	4.7	0.22	4.3	5.1	37	2.3	0.39	1.6	3.2
2007	423	4.3	0.21	3.9	4.7	39	2.4	0.39	1.7	3.3
2008	436	4.3	0.21	3.9	4.8	35	1.9	0.33	1.3	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain and Other Nervous System

### Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	199	3.0	0.27	2.5	3.6	5,001	5.3	0.08	5.2	5.5
1990	*	*	*	*	*	273	5.7	0.36	5.1	6.5
1991	*	*	*	*	*	260	5.6	0.36	4.9	6.3
1992	*	*	*	*	*	292	6.1	0.37	5.4	6.9
1993	*	*	*	*	*	278	5.9	0.36	5.2	6.7
1994	*	*	*	*	*	263	5.5	0.35	4.9	6.3
1995	*	*	*	*	*	259	5.4	0.34	4.8	6.1
1996	11	2.5	0.89	1.1	5.3	250	5.1	0.33	4.5	5.8
1997	*	*	*	*	*	293	6.0	0.35	5.3	6.7
1998	12	3.3	1.17	1.4	6.6	250	5.1	0.33	4.5	5.8
1999	12	3.5	1.46	1.3	7.4	279	5.7	0.34	5.0	6.4
2000	14	3.3	1.12	1.5	6.3	251	5.0	0.32	4.4	5.7
2001	13	5.2	1.76	2.4	9.6	296	5.9	0.35	5.3	6.6
2002	13	3.8	1.49	1.4	7.6	250	4.9	0.31	4.3	5.5
2003	12	2.3	0.80	1.0	4.5	225	4.4	0.29	3.8	5.0
2004	10	2.0	0.77	0.8	4.1	267	5.2	0.32	4.6	5.9
2005	13	2.6	0.87	1.2	4.9	227	4.4	0.30	3.9	5.1
2006	11	2.3	0.86	0.9	4.5	280	5.4	0.32	4.7	6.0
2007	19	5.3	1.38	3.0	8.6	239	4.4	0.29	3.9	5.0
2008	15	2.5	0.80	1.2	4.5	269	5.0	0.31	4.4	5.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,593	5.8	0.09	5.6	5.9	353	3.0	0.17	2.7	3.3
1990	255	6.2	0.40	5.4	7.0	16	2.5	0.67	1.3	4.2
1991	239	6.0	0.39	5.2	6.8	20	3.5	0.84	2.1	5.6
1992	266	6.5	0.40	5.7	7.3	26	4.5	0.97	2.8	6.8
1993	254	6.3	0.40	5.6	7.2	22	3.7	0.83	2.3	5.7
1994	240	5.9	0.38	5.2	6.7	23	3.8	0.86	2.3	5.9
1995	232	5.7	0.38	5.0	6.5	23	4.1	0.95	2.5	6.4
1996	242	5.8	0.38	5.1	6.6	*	*	*	*	*
1997	278	6.7	0.40	5.9	7.5	14	2.4	0.67	1.3	4.1
1998	227	5.5	0.36	4.8	6.2	20	2.9	0.68	1.7	4.6
1999	260	6.3	0.39	5.5	7.1	17	2.3	0.59	1.3	3.8
2000	232	5.5	0.36	4.8	6.2	15	2.5	0.70	1.3	4.2
2001	269	6.4	0.39	5.6	7.2	25	4.3	0.90	2.7	6.4
2002	226	5.3	0.35	4.6	6.0	19	3.2	0.78	1.9	5.1
2003	205	4.7	0.33	4.1	5.4	15	2.3	0.62	1.2	3.8
2004	243	5.6	0.36	4.9	6.4	17	2.9	0.74	1.6	4.7
2005	204	4.8	0.34	4.1	5.5	18	3.1	0.76	1.8	5.0
2006	260	6.0	0.37	5.3	6.8	17	2.4	0.60	1.4	3.9
2007	214	4.8	0.33	4.1	5.4	22	3.3	0.74	2.0	5.0
2008	247	5.5	0.36	4.9	6.3	17	2.1	0.51	1.2	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain and Other Nervous System

### Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	120	1.7	0.18	1.3	2.0	4,205	3.5	0.05	3.4	3.6
1990	*	*	*	*	*	225	3.9	0.26	3.4	4.4
1991	*	*	*	*	*	218	3.6	0.25	3.1	4.1
1992	*	*	*	*	*	232	3.8	0.25	3.3	4.3
1993	*	*	*	*	*	241	4.0	0.26	3.5	4.5
1994	*	*	*	*	*	243	3.9	0.25	3.5	4.5
1995	*	*	*	*	*	206	3.3	0.23	2.9	3.8
1996	*	*	*	*	*	205	3.3	0.24	2.9	3.8
1997	*	*	*	*	*	202	3.2	0.23	2.8	3.7
1998	*	*	*	*	*	209	3.4	0.23	2.9	3.9
1999	*	*	*	*	*	228	3.6	0.24	3.1	4.1
2000	*	*	*	*	*	228	3.6	0.24	3.2	4.1
2001	*	*	*	*	*	237	3.8	0.25	3.3	4.3
2002	*	*	*	*	*	197	3.1	0.22	2.7	3.6
2003	12	2.7	0.90	1.2	5.0	252	4.0	0.25	3.5	4.5
2004	*	*	*	*	*	227	3.5	0.24	3.1	4.0
2005	*	*	*	*	*	203	3.1	0.22	2.7	3.6
2006	*	*	*	*	*	210	3.3	0.23	2.9	3.8
2007	*	*	*	*	*	232	3.5	0.24	3.1	4.0
2008	*	*	*	*	*	210	3.1	0.22	2.7	3.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,821	3.8	0.06	3.7	4.0	338	2.1	0.12	1.9	2.4
1990	205	4.1	0.29	3.5	4.7	19	2.7	0.64	1.6	4.3
1991	196	3.7	0.27	3.2	4.3	17	2.2	0.55	1.3	3.6
1992	210	3.9	0.28	3.4	4.5	21	2.6	0.57	1.6	4.0
1993	224	4.3	0.30	3.8	5.0	15	1.9	0.49	1.0	3.1
1994	225	4.3	0.29	3.7	4.9	18	2.3	0.55	1.4	3.7
1995	187	3.6	0.27	3.1	4.1	19	2.5	0.58	1.5	3.9
1996	180	3.5	0.26	3.0	4.0	22	2.7	0.58	1.7	4.1
1997	188	3.6	0.26	3.1	4.1	14	1.7	0.47	0.9	2.9
1998	195	3.8	0.27	3.3	4.4	13	1.6	0.44	0.8	2.7
1999	213	4.0	0.28	3.5	4.6	15	1.9	0.49	1.0	3.1
2000	203	3.9	0.28	3.4	4.5	19	2.2	0.51	1.3	3.5
2001	209	4.1	0.29	3.5	4.7	24	2.9	0.60	1.9	4.3
2002	175	3.3	0.26	2.8	3.9	20	2.1	0.48	1.3	3.3
2003	235	4.5	0.30	3.9	5.1	12	1.4	0.40	0.7	2.4
2004	207	4.0	0.28	3.5	4.6	17	2.0	0.50	1.2	3.2
2005	182	3.4	0.26	2.9	4.0	18	2.0	0.46	1.2	3.1
2006	189	3.7	0.27	3.1	4.2	20	2.2	0.49	1.3	3.4
2007	209	3.9	0.28	3.4	4.5	17	1.8	0.44	1.0	2.9
2008	189	3.4	0.25	2.9	3.9	18	1.8	0.43	1.1	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases