

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Endocrine System

Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	77	0.7	0.09	0.5	0.8	1,758	0.8	0.02	0.8	0.9
1990	*	*	*	*	*	88	0.8	0.09	0.7	1.0
1991	0	0.0	*	0.0	1.0	89	0.8	0.09	0.7	1.0
1992	*	*	*	*	*	97	0.9	0.09	0.7	1.1
1993	*	*	*	*	*	106	1.0	0.10	0.8	1.2
1994	*	*	*	*	*	86	0.8	0.08	0.6	1.0
1995	*	*	*	*	*	79	0.7	0.08	0.6	0.9
1996	*	*	*	*	*	86	0.8	0.08	0.6	1.0
1997	*	*	*	*	*	109	1.0	0.09	0.8	1.2
1998	*	*	*	*	*	91	0.8	0.09	0.7	1.0
1999	*	*	*	*	*	88	0.8	0.08	0.6	1.0
2000	*	*	*	*	*	83	0.7	0.08	0.6	0.9
2001	*	*	*	*	*	91	0.8	0.08	0.6	1.0
2002	*	*	*	*	*	94	0.8	0.08	0.7	1.0
2003	*	*	*	*	*	101	0.9	0.09	0.7	1.1
2004	*	*	*	*	*	102	0.9	0.09	0.7	1.1
2005	*	*	*	*	*	98	0.8	0.08	0.7	1.0
2006	*	*	*	*	*	99	0.8	0.08	0.7	1.0
2007	*	*	*	*	*	83	0.7	0.08	0.6	0.9
2008	*	*	*	*	*	88	0.7	0.08	0.6	0.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,500	0.8	0.02	0.8	0.9	218	0.8	0.06	0.7	0.9
1990	77	0.8	0.10	0.7	1.0	*	*	*	*	*
1991	79	0.9	0.10	0.7	1.1	*	*	*	*	*
1992	84	0.9	0.10	0.7	1.1	13	0.9	0.26	0.4	1.5
1993	95	1.0	0.11	0.8	1.3	10	0.9	0.28	0.4	1.6
1994	75	0.8	0.09	0.6	1.0	*	*	*	*	*
1995	70	0.7	0.09	0.6	0.9	*	*	*	*	*
1996	74	0.8	0.09	0.6	1.0	10	0.7	0.22	0.3	1.3
1997	92	1.0	0.10	0.8	1.2	15	1.0	0.28	0.6	1.7
1998	77	0.8	0.09	0.7	1.0	12	0.9	0.26	0.4	1.5
1999	72	0.8	0.09	0.6	1.0	13	0.7	0.21	0.4	1.3
2000	69	0.7	0.09	0.6	0.9	11	0.8	0.24	0.4	1.4
2001	73	0.8	0.09	0.6	1.0	15	1.0	0.26	0.6	1.6
2002	81	0.8	0.09	0.7	1.0	*	*	*	*	*
2003	85	0.9	0.10	0.7	1.1	15	1.1	0.28	0.6	1.8
2004	88	0.9	0.10	0.7	1.1	12	0.8	0.23	0.4	1.3
2005	86	0.9	0.10	0.7	1.1	10	0.7	0.21	0.3	1.2
2006	85	0.9	0.09	0.7	1.1	12	0.8	0.24	0.4	1.4
2007	66	0.7	0.08	0.5	0.8	14	0.8	0.23	0.5	1.4
2008	72	0.7	0.09	0.6	0.9	14	1.0	0.26	0.5	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Endocrine System

Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	28	0.4	0.10	0.2	0.6	747	0.8	0.03	0.8	0.9
1990	0	0.0	*	0.0	2.7	37	0.9	0.15	0.6	1.2
1991	0	0.0	*	0.0	2.6	39	0.8	0.14	0.6	1.2
1992	0	0.0	*	0.0	2.4	41	0.8	0.13	0.6	1.1
1993	*	*	*	*	*	42	0.9	0.14	0.6	1.2
1994	*	*	*	*	*	36	0.8	0.13	0.5	1.1
1995	*	*	*	*	*	30	0.7	0.12	0.4	0.9
1996	*	*	*	*	*	31	0.6	0.12	0.4	0.9
1997	*	*	*	*	*	59	1.2	0.16	0.9	1.6
1998	0	0.0	*	0.0	1.9	40	0.8	0.13	0.6	1.2
1999	*	*	*	*	*	44	0.9	0.14	0.7	1.2
2000	*	*	*	*	*	32	0.7	0.12	0.4	0.9
2001	*	*	*	*	*	33	0.7	0.12	0.5	0.9
2002	*	*	*	*	*	41	0.9	0.14	0.6	1.2
2003	*	*	*	*	*	52	1.1	0.15	0.8	1.4
2004	*	*	*	*	*	36	0.7	0.11	0.5	1.0
2005	*	*	*	*	*	47	1.0	0.14	0.7	1.3
2006	*	*	*	*	*	34	0.7	0.12	0.5	1.0
2007	*	*	*	*	*	38	0.7	0.12	0.5	1.0
2008	*	*	*	*	*	35	0.7	0.11	0.5	0.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	653	0.9	0.03	0.8	0.9	75	0.6	0.08	0.5	0.8
1990	32	0.9	0.16	0.6	1.2	*	*	*	*	*
1991	32	0.8	0.14	0.5	1.1	*	*	*	*	*
1992	36	0.9	0.14	0.6	1.2	*	*	*	*	*
1993	38	1.0	0.16	0.7	1.3	*	*	*	*	*
1994	30	0.8	0.14	0.5	1.1	*	*	*	*	*
1995	27	0.7	0.14	0.5	1.0	*	*	*	*	*
1996	28	0.7	0.13	0.5	1.0	*	*	*	*	*
1997	52	1.3	0.18	0.9	1.7	*	*	*	*	*
1998	35	0.9	0.15	0.6	1.2	*	*	*	*	*
1999	41	1.0	0.16	0.7	1.4	*	*	*	*	*
2000	29	0.7	0.13	0.5	1.0	*	*	*	*	*
2001	27	0.7	0.13	0.4	0.9	*	*	*	*	*
2002	37	0.9	0.15	0.6	1.3	*	*	*	*	*
2003	45	1.1	0.17	0.8	1.5	*	*	*	*	*
2004	32	0.8	0.13	0.5	1.1	*	*	*	*	*
2005	41	1.0	0.16	0.7	1.4	*	*	*	*	*
2006	31	0.8	0.14	0.5	1.1	*	*	*	*	*
2007	31	0.7	0.13	0.5	1.0	*	*	*	*	*
2008	29	0.7	0.12	0.4	1.0	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Endocrine System

Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	49	0.8	0.14	0.6	1.1	1,011	0.8	0.03	0.8	0.9
1990	*	*	*	*	*	51	0.8	0.12	0.6	1.1
1991	0	0.0	*	0.0	1.8	50	0.8	0.12	0.6	1.1
1992	*	*	*	*	*	56	0.9	0.12	0.7	1.2
1993	*	*	*	*	*	64	1.0	0.13	0.8	1.3
1994	0	0.0	*	0.0	1.5	50	0.8	0.11	0.6	1.0
1995	*	*	*	*	*	49	0.7	0.11	0.6	1.0
1996	*	*	*	*	*	55	0.9	0.12	0.6	1.1
1997	*	*	*	*	*	50	0.8	0.11	0.6	1.0
1998	*	*	*	*	*	51	0.8	0.12	0.6	1.1
1999	*	*	*	*	*	44	0.7	0.11	0.5	0.9
2000	*	*	*	*	*	51	0.8	0.11	0.6	1.0
2001	*	*	*	*	*	58	0.9	0.12	0.7	1.2
2002	*	*	*	*	*	53	0.8	0.11	0.6	1.1
2003	*	*	*	*	*	49	0.7	0.11	0.5	1.0
2004	*	*	*	*	*	66	1.0	0.12	0.7	1.2
2005	*	*	*	*	*	51	0.7	0.11	0.6	1.0
2006	*	*	*	*	*	65	1.0	0.12	0.7	1.2
2007	*	*	*	*	*	45	0.7	0.10	0.5	0.9
2008	*	*	*	*	*	53	0.8	0.11	0.6	1.0

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	847	0.8	0.03	0.8	0.9	143	0.9	0.08	0.8	1.1
1990	45	0.8	0.12	0.6	1.1	*	*	*	*	*
1991	47	0.9	0.13	0.6	1.2	*	*	*	*	*
1992	48	0.9	0.13	0.7	1.2	*	*	*	*	*
1993	57	1.1	0.15	0.8	1.4	*	*	*	*	*
1994	45	0.8	0.12	0.6	1.1	*	*	*	*	*
1995	43	0.8	0.12	0.6	1.0	*	*	*	*	*
1996	46	0.8	0.12	0.6	1.1	*	*	*	*	*
1997	40	0.7	0.11	0.5	1.0	*	*	*	*	*
1998	42	0.8	0.13	0.6	1.1	*	*	*	*	*
1999	31	0.6	0.10	0.4	0.8	11	1.1	0.34	0.6	2.0
2000	40	0.7	0.11	0.5	1.0	*	*	*	*	*
2001	46	0.9	0.13	0.6	1.2	10	1.2	0.37	0.6	2.1
2002	44	0.8	0.13	0.6	1.1	*	*	*	*	*
2003	40	0.7	0.12	0.5	1.0	*	*	*	*	*
2004	56	1.0	0.13	0.7	1.3	*	*	*	*	*
2005	45	0.8	0.12	0.6	1.0	*	*	*	*	*
2006	54	1.0	0.14	0.7	1.3	*	*	*	*	*
2007	35	0.6	0.11	0.4	0.9	10	1.1	0.35	0.5	2.0
2008	43	0.7	0.12	0.5	1.0	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Thyroid										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	43	0.5	0.08	0.3	0.6	1,022	0.5	0.01	0.4	0.5
1990	*	*	*	*	*	52	0.5	0.07	0.4	0.7
1991	0	0.0	*	0.0	1.0	53	0.5	0.07	0.4	0.7
1992	*	*	*	*	*	51	0.5	0.07	0.4	0.6
1993	0	0.0	*	0.0	0.9	54	0.5	0.07	0.4	0.7
1994	0	0.0	*	0.0	0.9	55	0.5	0.07	0.4	0.7
1995	*	*	*	*	*	48	0.4	0.06	0.3	0.6
1996	*	*	*	*	*	51	0.5	0.06	0.3	0.6
1997	*	*	*	*	*	57	0.5	0.07	0.4	0.7
1998	*	*	*	*	*	53	0.5	0.06	0.4	0.6
1999	*	*	*	*	*	38	0.3	0.05	0.2	0.5
2000	*	*	*	*	*	49	0.4	0.06	0.3	0.6
2001	*	*	*	*	*	50	0.4	0.06	0.3	0.6
2002	*	*	*	*	*	61	0.5	0.07	0.4	0.7
2003	*	*	*	*	*	56	0.5	0.06	0.4	0.6
2004	0	0.0	*	0.0	0.5	65	0.5	0.07	0.4	0.7
2005	*	*	*	*	*	59	0.5	0.06	0.4	0.6
2006	*	*	*	*	*	69	0.6	0.07	0.5	0.7
2007	*	*	*	*	*	52	0.4	0.06	0.3	0.6
2008	*	*	*	*	*	49	0.4	0.06	0.3	0.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	890	0.5	0.02	0.4	0.5	109	0.5	0.04	0.4	0.6
1990	46	0.5	0.07	0.4	0.7	*	*	*	*	*
1991	50	0.5	0.08	0.4	0.7	*	*	*	*	*
1992	46	0.5	0.07	0.4	0.7	*	*	*	*	*
1993	51	0.5	0.07	0.4	0.7	*	*	*	*	*
1994	50	0.5	0.07	0.4	0.7	*	*	*	*	*
1995	44	0.5	0.07	0.3	0.6	*	*	*	*	*
1996	42	0.4	0.07	0.3	0.6	*	*	*	*	*
1997	49	0.5	0.07	0.4	0.7	*	*	*	*	*
1998	45	0.5	0.07	0.3	0.6	*	*	*	*	*
1999	33	0.3	0.06	0.2	0.5	*	*	*	*	*
2000	43	0.4	0.07	0.3	0.6	*	*	*	*	*
2001	43	0.4	0.07	0.3	0.6	*	*	*	*	*
2002	56	0.6	0.07	0.4	0.7	*	*	*	*	*
2003	47	0.5	0.07	0.3	0.6	*	*	*	*	*
2004	55	0.5	0.07	0.4	0.7	*	*	*	*	*
2005	53	0.5	0.07	0.4	0.7	*	*	*	*	*
2006	57	0.6	0.07	0.4	0.7	10	0.7	0.21	0.3	1.2
2007	40	0.4	0.06	0.3	0.5	*	*	*	*	*
2008	40	0.4	0.06	0.3	0.6	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Thyroid										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	11	0.2	0.08	0.1	0.5	374	0.4	0.02	0.4	0.5
1990	0	0.0	*	0.0	2.7	17	0.5	0.11	0.3	0.7
1991	0	0.0	*	0.0	2.6	20	0.5	0.11	0.3	0.7
1992	0	0.0	*	0.0	2.4	15	0.3	0.08	0.2	0.5
1993	0	0.0	*	0.0	2.4	20	0.4	0.10	0.3	0.7
1994	0	0.0	*	0.0	2.3	20	0.4	0.10	0.3	0.7
1995	0	0.0	*	0.0	2.1	15	0.3	0.09	0.2	0.6
1996	*	*	*	*	*	16	0.3	0.09	0.2	0.6
1997	0	0.0	*	0.0	2.0	27	0.6	0.11	0.4	0.8
1998	0	0.0	*	0.0	1.9	23	0.5	0.10	0.3	0.7
1999	*	*	*	*	*	21	0.5	0.10	0.3	0.7
2000	*	*	*	*	*	18	0.4	0.09	0.2	0.6
2001	0	0.0	*	0.0	1.5	14	0.3	0.08	0.2	0.5
2002	0	0.0	*	0.0	1.4	27	0.6	0.11	0.4	0.8
2003	0	0.0	*	0.0	1.2	20	0.4	0.09	0.3	0.6
2004	0	0.0	*	0.0	1.1	15	0.3	0.07	0.2	0.5
2005	0	0.0	*	0.0	1.0	26	0.6	0.11	0.4	0.8
2006	*	*	*	*	*	21	0.4	0.09	0.3	0.7
2007	*	*	*	*	*	22	0.4	0.10	0.3	0.7
2008	*	*	*	*	*	17	0.3	0.08	0.2	0.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	340	0.4	0.02	0.4	0.5	24	0.2	0.05	0.2	0.4
1990	15	0.5	0.12	0.3	0.8	*	*	*	*	*
1991	17	0.4	0.11	0.3	0.7	*	*	*	*	*
1992	14	0.3	0.09	0.2	0.6	*	*	*	*	*
1993	20	0.5	0.11	0.3	0.8	0	0.0	*	0.0	0.7
1994	18	0.5	0.11	0.3	0.7	*	*	*	*	*
1995	14	0.4	0.10	0.2	0.6	*	*	*	*	*
1996	14	0.4	0.09	0.2	0.6	*	*	*	*	*
1997	23	0.6	0.12	0.4	0.9	*	*	*	*	*
1998	22	0.5	0.12	0.3	0.8	*	*	*	*	*
1999	20	0.5	0.11	0.3	0.8	*	*	*	*	*
2000	18	0.4	0.10	0.3	0.7	0	0.0	*	0.0	0.6
2001	13	0.3	0.09	0.2	0.5	*	*	*	*	*
2002	26	0.6	0.13	0.4	0.9	0	0.0	*	0.0	0.6
2003	17	0.4	0.10	0.2	0.7	*	*	*	*	*
2004	14	0.3	0.08	0.2	0.5	0	0.0	*	0.0	0.6
2005	24	0.6	0.12	0.4	0.9	*	*	*	*	*
2006	18	0.4	0.10	0.3	0.7	*	*	*	*	*
2007	18	0.4	0.10	0.3	0.7	*	*	*	*	*
2008	15	0.4	0.09	0.2	0.6	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Thyroid										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	32	0.7	0.12	0.4	0.9	648	0.5	0.02	0.5	0.5
1990	*	*	*	*	*	35	0.5	0.09	0.4	0.8
1991	0	0.0	*	0.0	1.8	33	0.5	0.09	0.4	0.8
1992	*	*	*	*	*	36	0.6	0.09	0.4	0.8
1993	0	0.0	*	0.0	1.6	34	0.5	0.09	0.4	0.7
1994	0	0.0	*	0.0	1.5	35	0.5	0.09	0.4	0.7
1995	*	*	*	*	*	33	0.5	0.08	0.3	0.7
1996	0	0.0	*	0.0	1.4	35	0.5	0.09	0.4	0.7
1997	*	*	*	*	*	30	0.4	0.08	0.3	0.6
1998	*	*	*	*	*	30	0.5	0.08	0.3	0.7
1999	*	*	*	*	*	17	0.3	0.06	0.2	0.4
2000	*	*	*	*	*	31	0.5	0.08	0.3	0.6
2001	*	*	*	*	*	36	0.5	0.09	0.4	0.7
2002	*	*	*	*	*	34	0.5	0.09	0.3	0.7
2003	*	*	*	*	*	36	0.5	0.09	0.4	0.7
2004	0	0.0	*	0.0	0.9	50	0.7	0.10	0.5	0.9
2005	*	*	*	*	*	33	0.5	0.08	0.3	0.7
2006	*	*	*	*	*	48	0.7	0.10	0.5	0.9
2007	*	*	*	*	*	30	0.4	0.08	0.3	0.6
2008	*	*	*	*	*	32	0.4	0.08	0.3	0.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	550	0.5	0.02	0.5	0.5	85	0.6	0.06	0.5	0.7
1990	31	0.5	0.10	0.4	0.8	*	*	*	*	*
1991	33	0.6	0.11	0.4	0.9	0	0.0	*	0.0	0.5
1992	32	0.6	0.10	0.4	0.8	*	*	*	*	*
1993	31	0.6	0.10	0.4	0.8	*	*	*	*	*
1994	32	0.5	0.10	0.4	0.8	*	*	*	*	*
1995	30	0.5	0.09	0.3	0.7	*	*	*	*	*
1996	28	0.5	0.09	0.3	0.7	*	*	*	*	*
1997	26	0.4	0.09	0.3	0.7	*	*	*	*	*
1998	23	0.4	0.08	0.3	0.6	*	*	*	*	*
1999	13	0.2	0.06	0.1	0.4	*	*	*	*	*
2000	25	0.4	0.09	0.3	0.6	*	*	*	*	*
2001	30	0.5	0.09	0.3	0.7	*	*	*	*	*
2002	30	0.5	0.10	0.3	0.7	*	*	*	*	*
2003	30	0.5	0.09	0.3	0.7	*	*	*	*	*
2004	41	0.7	0.10	0.5	0.9	*	*	*	*	*
2005	29	0.5	0.09	0.3	0.7	*	*	*	*	*
2006	39	0.7	0.11	0.5	0.9	*	*	*	*	*
2007	22	0.4	0.08	0.2	0.6	*	*	*	*	*
2008	25	0.4	0.08	0.3	0.6	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases