

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Myeloma										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	264	3.0	0.20	2.6	3.4	8,443	3.9	0.04	3.8	4.0
1990	*	*	*	*	*	379	3.6	0.19	3.3	4.0
1991	*	*	*	*	*	412	3.9	0.19	3.5	4.3
1992	17	6.0	1.61	3.3	9.8	430	4.0	0.19	3.6	4.4
1993	*	*	*	*	*	450	4.1	0.19	3.7	4.5
1994	*	*	*	*	*	430	3.9	0.19	3.5	4.3
1995	*	*	*	*	*	489	4.4	0.20	4.0	4.8
1996	*	*	*	*	*	433	3.9	0.19	3.5	4.2
1997	19	4.4	1.11	2.5	7.0	429	3.8	0.18	3.5	4.2
1998	*	*	*	*	*	476	4.2	0.19	3.8	4.6
1999	11	2.0	0.69	0.9	3.8	472	4.1	0.19	3.8	4.5
2000	12	2.9	0.92	1.4	5.1	489	4.2	0.19	3.9	4.6
2001	19	4.2	1.04	2.4	6.6	450	3.9	0.18	3.5	4.3
2002	19	3.0	0.76	1.7	4.8	454	3.9	0.18	3.5	4.3
2003	14	2.6	0.76	1.3	4.4	468	4.0	0.18	3.6	4.3
2004	17	2.8	0.74	1.5	4.5	425	3.6	0.17	3.3	4.0
2005	15	2.1	0.58	1.1	3.5	466	3.9	0.18	3.6	4.3
2006	21	3.0	0.70	1.8	4.6	441	3.7	0.18	3.3	4.1
2007	26	3.6	0.76	2.3	5.3	442	3.7	0.18	3.3	4.0
2008	29	3.7	0.74	2.4	5.3	408	3.3	0.17	3.0	3.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,538	3.5	0.04	3.4	3.5	1,824	7.6	0.18	7.2	7.9
1990	304	3.3	0.19	2.9	3.7	75	7.2	0.85	5.6	9.0
1991	329	3.5	0.19	3.1	3.9	82	7.8	0.88	6.2	9.7
1992	338	3.5	0.19	3.2	3.9	90	8.0	0.86	6.4	9.8
1993	340	3.5	0.19	3.2	3.9	103	8.9	0.90	7.3	10.9
1994	344	3.5	0.19	3.2	3.9	82	6.9	0.79	5.5	8.6
1995	375	3.8	0.20	3.5	4.2	113	9.5	0.92	7.8	11.5
1996	332	3.4	0.19	3.0	3.8	98	8.2	0.84	6.6	10.0
1997	333	3.4	0.19	3.0	3.8	85	6.7	0.74	5.4	8.3
1998	351	3.5	0.19	3.2	3.9	122	9.9	0.91	8.2	11.8
1999	368	3.7	0.19	3.3	4.1	99	7.8	0.80	6.3	9.5
2000	370	3.7	0.19	3.3	4.1	115	8.9	0.84	7.3	10.7
2001	348	3.5	0.19	3.1	3.9	98	7.4	0.76	6.0	9.0
2002	360	3.5	0.19	3.2	3.9	89	6.6	0.71	5.3	8.1
2003	364	3.6	0.19	3.2	4.0	101	7.7	0.78	6.3	9.4
2004	331	3.3	0.18	2.9	3.6	89	6.5	0.70	5.2	8.0
2005	360	3.5	0.19	3.2	3.9	101	7.1	0.72	5.7	8.6
2006	337	3.3	0.18	3.0	3.7	99	6.9	0.70	5.6	8.4
2007	339	3.3	0.18	2.9	3.6	97	6.8	0.69	5.5	8.2
2008	315	3.0	0.17	2.7	3.4	86	5.8	0.64	4.6	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Myeloma										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	147	3.6	0.34	3.0	4.3	4,130	4.7	0.07	4.6	4.9
1990	*	*	*	*	*	178	4.2	0.33	3.6	4.9
1991	*	*	*	*	*	203	5.0	0.36	4.3	5.7
1992	10	7.1	2.65	2.9	13.8	199	4.6	0.33	3.9	5.3
1993	*	*	*	*	*	201	4.4	0.31	3.8	5.0
1994	*	*	*	*	*	212	4.8	0.34	4.2	5.5
1995	*	*	*	*	*	249	5.6	0.36	4.9	6.4
1996	*	*	*	*	*	223	5.0	0.34	4.4	5.7
1997	10	4.6	1.57	2.0	8.7	207	4.5	0.31	3.9	5.1
1998	*	*	*	*	*	224	5.0	0.34	4.3	5.7
1999	*	*	*	*	*	220	4.8	0.33	4.2	5.5
2000	*	*	*	*	*	251	5.4	0.35	4.8	6.2
2001	13	7.2	2.19	3.5	12.4	209	4.5	0.31	3.9	5.1
2002	14	4.3	1.20	2.2	7.3	231	4.9	0.33	4.3	5.6
2003	*	*	*	*	*	209	4.4	0.31	3.8	5.0
2004	*	*	*	*	*	214	4.5	0.31	3.9	5.1
2005	11	3.3	1.10	1.5	6.1	226	4.7	0.32	4.1	5.4
2006	*	*	*	*	*	226	4.6	0.31	4.0	5.3
2007	15	5.1	1.41	2.8	8.5	217	4.5	0.31	3.9	5.1
2008	17	4.6	1.22	2.5	7.5	231	4.7	0.31	4.1	5.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,226	4.3	0.08	4.1	4.4	857	9.0	0.33	8.4	9.7
1990	146	3.9	0.34	3.3	4.7	32	7.2	1.37	4.8	10.4
1991	162	4.5	0.36	3.8	5.2	40	9.9	1.68	6.9	13.7
1992	154	4.1	0.34	3.4	4.8	44	9.2	1.45	6.5	12.4
1993	145	3.6	0.31	3.1	4.3	51	10.3	1.52	7.6	13.7
1994	167	4.3	0.34	3.7	5.1	42	9.3	1.56	6.5	12.7
1995	193	5.0	0.37	4.3	5.8	55	11.5	1.65	8.5	15.2
1996	170	4.4	0.34	3.7	5.1	50	10.7	1.63	7.8	14.3
1997	161	4.0	0.32	3.4	4.7	40	7.0	1.14	5.0	9.6
1998	162	4.1	0.33	3.5	4.8	60	12.9	1.79	9.6	16.8
1999	178	4.5	0.34	3.8	5.2	38	7.5	1.27	5.2	10.3
2000	200	5.0	0.36	4.3	5.8	49	9.6	1.44	6.9	12.8
2001	165	4.1	0.32	3.5	4.8	42	8.0	1.28	5.7	10.8
2002	181	4.5	0.34	3.9	5.2	47	9.3	1.44	6.7	12.4
2003	166	4.1	0.32	3.5	4.7	43	8.5	1.38	6.0	11.5
2004	168	4.1	0.32	3.5	4.7	43	8.4	1.35	6.0	11.4
2005	178	4.3	0.33	3.7	5.0	45	8.0	1.27	5.7	10.8
2006	180	4.3	0.33	3.7	5.0	44	8.0	1.29	5.7	10.9
2007	172	4.1	0.32	3.5	4.8	43	7.6	1.19	5.5	10.3
2008	178	4.3	0.32	3.7	4.9	49	9.2	1.36	6.7	12.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Myeloma										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	117	2.4	0.24	2.0	2.9	4,313	3.3	0.05	3.2	3.4
1990	*	*	*	*	*	201	3.2	0.23	2.8	3.7
1991	*	*	*	*	*	209	3.3	0.23	2.8	3.8
1992	*	*	*	*	*	231	3.5	0.23	3.1	4.0
1993	*	*	*	*	*	249	3.8	0.24	3.3	4.3
1994	*	*	*	*	*	218	3.3	0.23	2.9	3.8
1995	*	*	*	*	*	240	3.6	0.24	3.2	4.1
1996	*	*	*	*	*	210	3.1	0.22	2.7	3.6
1997	*	*	*	*	*	222	3.3	0.22	2.8	3.7
1998	*	*	*	*	*	252	3.7	0.24	3.3	4.2
1999	*	*	*	*	*	252	3.7	0.23	3.2	4.2
2000	*	*	*	*	*	238	3.5	0.23	3.1	4.0
2001	*	*	*	*	*	241	3.5	0.23	3.1	4.0
2002	*	*	*	*	*	223	3.2	0.21	2.8	3.6
2003	*	*	*	*	*	259	3.7	0.23	3.2	4.1
2004	*	*	*	*	*	211	3.0	0.21	2.6	3.4
2005	*	*	*	*	*	240	3.4	0.22	3.0	3.9
2006	12	2.9	0.86	1.4	5.0	215	3.1	0.21	2.7	3.5
2007	11	2.4	0.78	1.1	4.4	225	3.2	0.21	2.8	3.6
2008	12	2.8	0.87	1.4	5.0	177	2.5	0.19	2.1	2.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,312	2.9	0.05	2.8	3.0	967	6.6	0.21	6.2	7.1
1990	158	2.8	0.22	2.4	3.3	43	7.0	1.08	5.1	9.4
1991	167	2.9	0.23	2.5	3.4	42	6.6	1.02	4.7	8.8
1992	184	3.2	0.24	2.7	3.7	46	7.0	1.04	5.1	9.3
1993	195	3.3	0.24	2.9	3.8	52	7.7	1.07	5.7	10.1
1994	177	3.0	0.23	2.6	3.5	40	5.7	0.91	4.1	7.8
1995	182	3.1	0.24	2.7	3.7	58	8.2	1.08	6.2	10.6
1996	162	2.7	0.22	2.3	3.2	48	6.6	0.96	4.8	8.7
1997	172	2.9	0.22	2.5	3.3	45	6.2	0.93	4.5	8.3
1998	189	3.2	0.24	2.8	3.7	62	8.2	1.05	6.3	10.5
1999	190	3.2	0.23	2.7	3.7	61	7.9	1.02	6.1	10.2
2000	170	2.9	0.22	2.4	3.3	66	8.4	1.04	6.5	10.7
2001	183	3.1	0.23	2.6	3.6	56	7.0	0.94	5.3	9.1
2002	179	2.9	0.22	2.5	3.4	42	5.1	0.79	3.7	6.9
2003	198	3.2	0.23	2.8	3.7	58	7.3	0.96	5.6	9.4
2004	163	2.7	0.21	2.3	3.1	46	5.4	0.81	4.0	7.2
2005	182	3.0	0.23	2.6	3.5	56	6.5	0.87	4.9	8.4
2006	157	2.6	0.21	2.2	3.1	55	6.3	0.85	4.7	8.2
2007	167	2.7	0.22	2.3	3.2	54	6.1	0.84	4.6	8.0
2008	137	2.2	0.20	1.9	2.7	37	4.0	0.66	2.8	5.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases