

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Oral Cavity and Pharynx

Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	121	1.3	0.13	1.0	1.5	6,419	3.0	0.04	2.9	3.1
1990	*	*	*	*	*	421	4.1	0.20	3.7	4.5
1991	*	*	*	*	*	417	4.0	0.20	3.6	4.4
1992	*	*	*	*	*	360	3.4	0.18	3.1	3.8
1993	*	*	*	*	*	357	3.4	0.18	3.0	3.7
1994	*	*	*	*	*	348	3.2	0.17	2.9	3.6
1995	*	*	*	*	*	365	3.3	0.17	3.0	3.7
1996	*	*	*	*	*	365	3.3	0.18	3.0	3.7
1997	*	*	*	*	*	332	3.0	0.17	2.7	3.3
1998	*	*	*	*	*	334	3.0	0.16	2.7	3.3
1999	*	*	*	*	*	294	2.6	0.15	2.3	2.9
2000	*	*	*	*	*	322	2.8	0.16	2.5	3.2
2001	*	*	*	*	*	295	2.6	0.15	2.3	2.9
2002	*	*	*	*	*	303	2.6	0.15	2.3	2.9
2003	*	*	*	*	*	326	2.8	0.15	2.5	3.1
2004	*	*	*	*	*	328	2.8	0.15	2.5	3.1
2005	*	*	*	*	*	288	2.4	0.14	2.1	2.7
2006	*	*	*	*	*	303	2.5	0.14	2.2	2.8
2007	*	*	*	*	*	313	2.6	0.15	2.3	2.9
2008	10	0.9	0.32	0.4	1.7	348	2.8	0.15	2.5	3.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,987	2.7	0.04	2.6	2.8	1,316	4.8	0.13	4.5	5.1
1990	319	3.5	0.20	3.1	3.9	101	8.2	0.83	6.7	10.0
1991	311	3.3	0.19	3.0	3.7	100	8.1	0.82	6.5	9.8
1992	276	3.0	0.18	2.7	3.4	78	6.0	0.69	4.7	7.5
1993	276	3.0	0.18	2.6	3.3	77	5.9	0.68	4.6	7.3
1994	266	2.8	0.17	2.5	3.2	79	5.9	0.67	4.6	7.3
1995	279	2.9	0.18	2.6	3.3	82	6.3	0.70	5.0	7.8
1996	304	3.2	0.19	2.9	3.6	56	4.3	0.58	3.2	5.5
1997	250	2.6	0.17	2.3	3.0	74	5.2	0.62	4.1	6.6
1998	261	2.7	0.17	2.4	3.1	67	4.8	0.60	3.7	6.1
1999	224	2.3	0.15	2.0	2.6	63	4.5	0.57	3.4	5.7
2000	251	2.6	0.16	2.3	2.9	66	4.5	0.56	3.4	5.7
2001	226	2.3	0.16	2.0	2.7	60	4.1	0.54	3.1	5.3
2002	235	2.4	0.16	2.1	2.7	63	4.1	0.52	3.1	5.2
2003	245	2.5	0.16	2.2	2.8	74	4.8	0.57	3.8	6.0
2004	259	2.6	0.16	2.3	2.9	64	4.0	0.51	3.1	5.2
2005	221	2.2	0.15	1.9	2.5	57	3.6	0.49	2.7	4.7
2006	244	2.4	0.16	2.1	2.7	53	3.3	0.45	2.4	4.3
2007	255	2.5	0.16	2.2	2.8	48	3.0	0.43	2.2	3.9
2008	285	2.7	0.16	2.4	3.1	54	3.3	0.45	2.4	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Oral Cavity and Pharynx

Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	98	2.2	0.26	1.7	2.7	4,363	4.7	0.07	4.5	4.8
1990	*	*	*	*	*	296	6.8	0.41	6.0	7.7
1991	*	*	*	*	*	279	6.3	0.38	5.5	7.1
1992	*	*	*	*	*	234	5.2	0.35	4.6	5.9
1993	*	*	*	*	*	255	5.5	0.35	4.8	6.2
1994	*	*	*	*	*	237	5.1	0.34	4.5	5.8
1995	*	*	*	*	*	245	5.2	0.34	4.6	5.9
1996	*	*	*	*	*	259	5.6	0.35	4.9	6.3
1997	*	*	*	*	*	230	4.8	0.32	4.2	5.5
1998	*	*	*	*	*	236	5.0	0.33	4.4	5.7
1999	*	*	*	*	*	209	4.3	0.30	3.7	4.9
2000	*	*	*	*	*	206	4.2	0.29	3.6	4.8
2001	*	*	*	*	*	219	4.4	0.30	3.8	5.0
2002	*	*	*	*	*	195	3.8	0.28	3.3	4.4
2003	*	*	*	*	*	227	4.5	0.30	3.9	5.1
2004	*	*	*	*	*	232	4.5	0.30	3.9	5.1
2005	*	*	*	*	*	188	3.6	0.27	3.1	4.2
2006	*	*	*	*	*	182	3.4	0.26	3.0	4.0
2007	*	*	*	*	*	211	3.9	0.27	3.4	4.5
2008	10	1.8	0.66	0.8	3.6	223	4.1	0.28	3.6	4.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,293	4.2	0.07	4.0	4.3	990	8.5	0.28	8.0	9.1
1990	217	5.8	0.41	5.0	6.6	78	15.1	1.78	11.8	19.0
1991	200	5.2	0.37	4.4	5.9	73	14.2	1.75	10.9	18.0
1992	176	4.6	0.35	3.9	5.3	54	9.8	1.37	7.3	12.8
1993	193	4.8	0.35	4.1	5.6	59	10.8	1.45	8.1	14.0
1994	170	4.3	0.34	3.7	5.0	65	11.1	1.39	8.6	14.2
1995	184	4.5	0.34	3.9	5.3	57	10.7	1.49	8.0	14.0
1996	211	5.3	0.37	4.6	6.1	43	7.4	1.15	5.3	10.0
1997	170	4.2	0.32	3.5	4.8	56	9.4	1.33	7.0	12.4
1998	181	4.5	0.34	3.8	5.2	52	9.2	1.34	6.8	12.2
1999	160	3.9	0.31	3.3	4.5	44	7.4	1.15	5.3	10.0
2000	152	3.6	0.30	3.1	4.3	50	7.9	1.17	5.8	10.5
2001	168	4.0	0.31	3.4	4.6	45	7.3	1.12	5.3	9.8
2002	149	3.5	0.29	3.0	4.1	43	6.4	0.98	4.6	8.6
2003	160	3.7	0.30	3.2	4.4	61	9.4	1.26	7.1	12.2
2004	177	4.0	0.31	3.5	4.7	51	7.5	1.10	5.5	10.0
2005	131	3.0	0.27	2.5	3.6	50	7.5	1.08	5.5	9.9
2006	144	3.2	0.27	2.7	3.8	35	5.1	0.89	3.5	7.2
2007	167	3.7	0.29	3.1	4.3	39	5.8	0.98	4.0	8.1
2008	183	4.0	0.30	3.4	4.7	35	4.8	0.84	3.3	6.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Oral Cavity and Pharynx

Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	23	0.5	0.11	0.3	0.8	2,056	1.6	0.04	1.6	1.7
1990	*	*	*	*	*	125	2.1	0.19	1.7	2.5
1991	*	*	*	*	*	138	2.3	0.20	1.9	2.7
1992	*	*	*	*	*	126	2.1	0.19	1.7	2.5
1993	0	0.0	*	0.0	1.6	102	1.7	0.17	1.3	2.0
1994	0	0.0	*	0.0	1.5	111	1.7	0.16	1.4	2.1
1995	*	*	*	*	*	120	1.9	0.17	1.5	2.2
1996	*	*	*	*	*	106	1.6	0.16	1.3	2.0
1997	*	*	*	*	*	102	1.6	0.16	1.3	1.9
1998	*	*	*	*	*	98	1.5	0.15	1.2	1.8
1999	0	0.0	*	0.0	1.3	85	1.3	0.14	1.0	1.6
2000	*	*	*	*	*	116	1.7	0.16	1.4	2.1
2001	*	*	*	*	*	76	1.1	0.13	0.9	1.4
2002	0	0.0	*	0.0	1.0	108	1.6	0.16	1.3	1.9
2003	*	*	*	*	*	99	1.4	0.14	1.1	1.7
2004	*	*	*	*	*	96	1.4	0.14	1.1	1.7
2005	0	0.0	*	0.0	0.8	100	1.4	0.15	1.2	1.8
2006	*	*	*	*	*	121	1.7	0.16	1.4	2.1
2007	*	*	*	*	*	102	1.5	0.15	1.2	1.8
2008	0	0.0	*	0.0	0.7	125	1.8	0.16	1.5	2.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,694	1.6	0.04	1.5	1.6	326	2.1	0.12	1.9	2.3
1990	102	1.9	0.19	1.5	2.3	23	3.3	0.69	2.1	4.9
1991	111	2.1	0.20	1.7	2.5	27	3.7	0.73	2.5	5.4
1992	100	1.9	0.19	1.5	2.3	24	3.2	0.66	2.0	4.7
1993	83	1.5	0.17	1.2	1.9	18	2.4	0.57	1.4	3.8
1994	96	1.7	0.17	1.3	2.0	14	1.9	0.50	1.0	3.1
1995	95	1.7	0.17	1.3	2.0	25	3.3	0.66	2.1	4.8
1996	93	1.7	0.18	1.3	2.1	13	1.8	0.50	1.0	3.0
1997	80	1.4	0.16	1.1	1.8	18	2.2	0.52	1.3	3.5
1998	80	1.4	0.16	1.1	1.8	15	1.8	0.47	1.0	3.0
1999	64	1.1	0.14	0.8	1.4	19	2.3	0.54	1.4	3.6
2000	99	1.7	0.17	1.4	2.1	16	2.0	0.49	1.1	3.2
2001	58	1.0	0.13	0.8	1.3	15	1.8	0.46	1.0	2.9
2002	86	1.5	0.16	1.2	1.8	20	2.3	0.51	1.4	3.5
2003	85	1.4	0.15	1.1	1.7	13	1.5	0.42	0.8	2.6
2004	82	1.4	0.16	1.1	1.7	13	1.5	0.42	0.8	2.6
2005	90	1.5	0.17	1.2	1.9	*	*	*	*	*
2006	100	1.7	0.17	1.4	2.1	18	1.9	0.45	1.1	3.0
2007	88	1.5	0.17	1.2	1.9	*	*	*	*	*
2008	102	1.7	0.17	1.4	2.1	19	2.1	0.49	1.3	3.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases