

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Respiratory System

### Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,763	20.0	0.52	19.0	21.1	130,971	60.4	0.17	60.1	60.7
1990	55	20.6	3.09	15.0	27.3	6,681	62.5	0.77	61.0	64.0
1991	65	19.3	2.73	14.3	25.3	6,715	62.2	0.77	60.7	63.7
1992	64	21.7	3.00	16.2	28.1	6,780	62.1	0.76	60.6	63.6
1993	70	21.0	2.82	15.9	27.1	7,044	64.2	0.77	62.7	65.7
1994	76	19.3	2.53	14.7	24.8	7,092	64.1	0.76	62.6	65.6
1995	70	18.3	2.43	13.8	23.5	7,133	64.2	0.76	62.7	65.7
1996	74	21.4	2.80	16.3	27.5	7,056	63.3	0.76	61.8	64.8
1997	75	19.2	2.45	14.7	24.5	6,816	60.8	0.74	59.3	62.2
1998	78	19.9	2.54	15.3	25.4	6,925	61.3	0.74	59.8	62.7
1999	113	26.6	2.79	21.4	32.5	6,828	60.0	0.73	58.6	61.5
2000	83	19.9	2.43	15.4	25.1	6,962	60.9	0.73	59.5	62.4
2001	98	21.5	2.42	17.0	26.6	6,901	60.1	0.72	58.6	61.5
2002	106	19.6	2.12	15.7	24.1	6,944	60.0	0.72	58.6	61.5
2003	102	19.1	2.07	15.2	23.5	6,974	59.8	0.72	58.4	61.2
2004	122	22.3	2.17	18.2	26.8	6,857	58.3	0.71	57.0	59.7
2005	106	17.6	1.83	14.2	21.5	6,694	56.6	0.70	55.3	58.0
2006	124	18.8	1.80	15.4	22.5	6,749	56.5	0.69	55.2	57.9
2007	137	19.3	1.75	16.0	23.0	6,971	57.8	0.70	56.5	59.2
2008	145	18.9	1.67	15.8	22.4	6,849	55.8	0.68	54.5	57.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	109,734	58.8	0.18	58.5	59.2	20,131	78.7	0.56	77.6	79.8
1990	5,610	59.6	0.80	58.0	61.2	1,034	89.0	2.84	83.5	94.7
1991	5,718	60.2	0.80	58.6	61.8	965	82.3	2.71	77.0	87.7
1992	5,697	59.4	0.79	57.9	61.0	1,053	87.5	2.76	82.1	93.0
1993	5,936	61.9	0.81	60.3	63.5	1,079	88.5	2.75	83.2	94.0
1994	5,997	62.2	0.81	60.6	63.8	1,054	84.7	2.66	79.6	90.1
1995	5,969	61.7	0.80	60.1	63.3	1,117	87.5	2.67	82.3	92.9
1996	5,845	60.4	0.79	58.9	62.0	1,165	91.5	2.73	86.3	97.0
1997	5,749	59.2	0.78	57.7	60.8	1,030	79.4	2.51	74.5	84.4
1998	5,775	59.1	0.78	57.6	60.7	1,096	81.7	2.51	76.9	86.8
1999	5,727	58.5	0.77	56.9	60.0	1,052	78.1	2.45	73.4	83.1
2000	5,801	59.2	0.78	57.7	60.7	1,083	78.8	2.43	74.1	83.7
2001	5,818	59.2	0.78	57.6	60.7	1,026	75.3	2.39	70.7	80.1
2002	5,807	58.9	0.77	57.3	60.4	1,069	76.0	2.36	71.4	80.7
2003	5,860	59.0	0.77	57.5	60.6	1,044	72.7	2.29	68.3	77.3
2004	5,742	57.6	0.76	56.1	59.1	1,039	71.1	2.24	66.8	75.6
2005	5,576	55.7	0.75	54.3	57.2	1,041	71.2	2.24	66.8	75.7
2006	5,600	55.6	0.75	54.2	57.1	1,049	70.0	2.20	65.8	74.5
2007	5,772	56.9	0.76	55.4	58.4	1,116	73.3	2.23	69.0	77.8
2008	5,735	55.6	0.74	54.2	57.1	1,019	66.9	2.14	62.7	71.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Respiratory System

### Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,185	29.5	0.97	27.6	31.5	77,567	85.9	0.31	85.3	86.6
1990	43	38.5	7.10	25.9	54.2	4,308	97.7	1.54	94.8	100.8
1991	39	26.7	5.17	17.5	38.3	4,367	98.4	1.53	95.4	101.4
1992	45	34.2	5.95	23.5	47.3	4,261	94.3	1.48	91.4	97.2
1993	45	31.8	5.76	21.5	44.6	4,418	97.2	1.49	94.3	100.1
1994	53	30.7	5.04	21.6	41.8	4,432	96.7	1.48	93.8	99.7
1995	47	22.0	3.61	15.5	30.1	4,368	94.8	1.46	92.0	97.7
1996	49	32.0	5.40	22.3	43.9	4,245	91.9	1.43	89.1	94.8
1997	55	29.6	4.65	21.2	39.9	4,082	87.9	1.39	85.1	90.6
1998	61	36.2	5.50	26.2	48.2	4,068	86.7	1.38	84.1	89.5
1999	69	35.4	4.99	26.3	46.2	4,028	85.2	1.36	82.5	87.9
2000	58	30.8	4.72	22.3	41.1	4,079	85.6	1.35	83.0	88.3
2001	63	31.1	4.48	23.0	40.8	4,057	84.9	1.35	82.3	87.6
2002	73	31.5	4.29	23.7	40.8	3,960	82.1	1.32	79.5	84.7
2003	68	26.3	3.57	19.7	34.0	3,933	80.4	1.29	77.8	82.9
2004	83	33.3	4.02	25.9	41.9	3,889	78.9	1.28	76.4	81.4
2005	73	24.9	3.20	19.0	31.8	3,740	75.5	1.25	73.0	78.0
2006	75	22.4	2.80	17.3	28.5	3,783	75.6	1.24	73.1	78.0
2007	93	29.0	3.28	22.9	36.0	3,792	74.4	1.23	72.0	76.9
2008	93	27.2	3.04	21.5	33.6	3,757	72.9	1.21	70.6	75.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	64,426	82.7	0.33	82.1	83.4	12,424	121.1	1.14	118.9	123.3
1990	3,580	92.2	1.59	89.2	95.4	702	150.1	6.00	138.5	162.2
1991	3,682	94.1	1.59	91.0	97.3	661	140.6	5.79	129.5	152.3
1992	3,534	88.9	1.53	86.0	92.0	706	147.0	5.87	135.8	158.9
1993	3,677	92.5	1.56	89.5	95.6	723	145.6	5.70	134.6	157.1
1994	3,727	93.1	1.55	90.1	96.2	678	135.6	5.47	125.1	146.7
1995	3,622	90.2	1.52	87.3	93.3	722	140.0	5.50	129.4	151.2
1996	3,462	86.1	1.48	83.2	89.0	755	149.0	5.71	138.0	160.6
1997	3,398	84.3	1.46	81.4	87.2	656	126.0	5.15	116.1	136.4
1998	3,374	83.1	1.44	80.3	86.0	661	122.4	5.01	112.8	132.6
1999	3,328	81.5	1.42	78.7	84.3	663	123.7	5.02	114.0	133.8
2000	3,373	82.2	1.42	79.4	85.0	647	116.6	4.79	107.4	126.3
2001	3,370	81.9	1.42	79.2	84.8	648	119.8	4.94	110.3	129.8
2002	3,321	80.4	1.40	77.6	83.2	604	105.0	4.47	96.4	114.1
2003	3,271	78.2	1.38	75.6	81.0	609	105.1	4.46	96.5	114.2
2004	3,234	76.9	1.36	74.2	79.6	607	103.8	4.41	95.4	112.8
2005	3,108	73.6	1.33	71.0	76.3	580	100.5	4.40	92.1	109.5
2006	3,118	73.4	1.33	70.8	76.0	596	99.7	4.30	91.5	108.4
2007	3,113	72.1	1.31	69.6	74.7	631	104.8	4.39	96.4	113.7
2008	3,134	71.8	1.30	69.2	74.3	575	96.3	4.23	88.1	104.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Respiratory System

### Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	578	12.3	0.55	11.3	13.5	53,404	42.8	0.19	42.5	43.2
1990	12	8.1	2.42	4.1	14.0	2,373	38.9	0.81	37.3	40.5
1991	26	14.4	3.07	9.0	21.4	2,348	38.0	0.80	36.5	39.6
1992	19	12.3	3.03	7.1	19.4	2,519	40.4	0.82	38.8	42.0
1993	25	13.5	2.87	8.5	20.1	2,626	41.7	0.82	40.1	43.3
1994	23	10.5	2.45	6.2	16.2	2,660	41.9	0.82	40.3	43.6
1995	23	13.7	3.02	8.5	20.6	2,765	43.3	0.83	41.6	44.9
1996	25	13.5	2.93	8.4	20.1	2,811	43.9	0.84	42.2	45.5
1997	20	10.5	2.51	6.2	16.3	2,734	42.3	0.82	40.8	44.0
1998	17	7.7	2.06	4.2	12.6	2,857	43.9	0.83	42.3	45.6
1999	44	19.5	3.18	13.8	26.6	2,800	42.7	0.81	41.1	44.3
2000	25	11.3	2.42	7.0	16.8	2,883	44.0	0.82	42.4	45.6
2001	35	13.8	2.57	9.2	19.5	2,844	43.0	0.81	41.4	44.6
2002	33	10.4	1.95	7.0	14.9	2,984	44.9	0.83	43.3	46.5
2003	34	12.6	2.33	8.5	17.8	3,041	45.3	0.83	43.7	47.0
2004	39	13.1	2.22	9.1	18.0	2,968	44.1	0.82	42.5	45.7
2005	33	11.1	2.02	7.5	15.6	2,954	43.7	0.81	42.1	45.4
2006	49	15.0	2.24	10.9	19.9	2,966	43.6	0.81	42.0	45.2
2007	44	11.4	1.79	8.1	15.3	3,179	46.4	0.83	44.8	48.0
2008	52	12.1	1.77	8.9	16.0	3,092	44.1	0.80	42.5	45.7

  

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	45,308	42.5	0.20	42.1	42.9	7,707	50.9	0.58	49.8	52.1
1990	2,030	38.0	0.86	36.3	39.7	332	48.4	2.70	43.3	54.0
1991	2,036	37.7	0.85	36.1	39.5	304	43.9	2.55	39.1	49.2
1992	2,163	39.6	0.87	37.9	41.4	347	48.9	2.65	43.8	54.3
1993	2,259	41.2	0.88	39.5	43.0	356	49.9	2.67	44.8	55.4
1994	2,270	41.2	0.88	39.5	43.0	376	51.0	2.66	45.9	56.5
1995	2,347	42.4	0.89	40.6	44.1	395	52.6	2.67	47.5	58.1
1996	2,383	43.2	0.90	41.4	45.0	410	54.1	2.69	49.0	59.6
1997	2,351	42.3	0.88	40.5	44.0	374	48.8	2.54	43.9	54.0
1998	2,401	42.8	0.89	41.1	44.6	435	55.0	2.66	49.9	60.5
1999	2,399	42.6	0.88	40.9	44.4	389	48.5	2.48	43.8	53.6
2000	2,428	43.4	0.89	41.7	45.2	436	53.7	2.59	48.8	59.0
2001	2,448	43.5	0.89	41.8	45.3	378	46.6	2.41	42.0	51.5
2002	2,486	44.1	0.90	42.4	45.9	465	56.2	2.62	51.2	61.6
2003	2,589	45.5	0.91	43.8	47.3	435	51.3	2.47	46.5	56.3
2004	2,508	44.1	0.89	42.4	45.9	432	49.8	2.41	45.1	54.7
2005	2,468	43.5	0.89	41.8	45.3	461	52.7	2.47	47.9	57.7
2006	2,482	43.6	0.89	41.9	45.4	453	50.9	2.41	46.3	55.8
2007	2,659	46.4	0.92	44.6	48.3	485	53.6	2.45	48.9	58.6
2008	2,601	44.5	0.89	42.7	46.3	444	48.4	2.32	44.0	53.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Larynx										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	60	0.6	0.09	0.5	0.8	3,360	1.6	0.03	1.5	1.6
1990	*	*	*	*	*	178	1.7	0.13	1.5	2.0
1991	0	0.0	*	0.0	1.0	203	1.9	0.13	1.6	2.2
1992	*	*	*	*	*	191	1.8	0.13	1.5	2.0
1993	*	*	*	*	*	221	2.0	0.14	1.8	2.3
1994	*	*	*	*	*	180	1.7	0.12	1.4	1.9
1995	*	*	*	*	*	196	1.8	0.13	1.5	2.1
1996	*	*	*	*	*	206	1.9	0.13	1.6	2.2
1997	*	*	*	*	*	165	1.5	0.12	1.3	1.7
1998	*	*	*	*	*	187	1.7	0.12	1.4	1.9
1999	*	*	*	*	*	177	1.6	0.12	1.4	1.8
2000	*	*	*	*	*	177	1.6	0.12	1.3	1.8
2001	*	*	*	*	*	165	1.4	0.11	1.2	1.7
2002	*	*	*	*	*	162	1.4	0.11	1.2	1.6
2003	*	*	*	*	*	180	1.5	0.12	1.3	1.8
2004	*	*	*	*	*	141	1.2	0.10	1.0	1.4
2005	*	*	*	*	*	150	1.3	0.10	1.1	1.5
2006	*	*	*	*	*	166	1.4	0.11	1.2	1.6
2007	*	*	*	*	*	165	1.3	0.10	1.1	1.6
2008	*	*	*	*	*	150	1.2	0.10	1.0	1.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,459	1.3	0.03	1.3	1.4	881	3.3	0.11	3.1	3.5
1990	136	1.4	0.13	1.2	1.7	42	3.7	0.57	2.6	5.0
1991	140	1.5	0.13	1.2	1.8	61	5.0	0.65	3.8	6.4
1992	132	1.4	0.12	1.2	1.6	58	4.6	0.61	3.5	6.0
1993	166	1.7	0.14	1.5	2.0	55	4.5	0.62	3.4	5.8
1994	127	1.3	0.12	1.1	1.6	51	4.1	0.58	3.0	5.4
1995	148	1.6	0.13	1.3	1.8	46	3.5	0.52	2.5	4.6
1996	143	1.5	0.13	1.3	1.8	63	4.6	0.58	3.5	5.8
1997	117	1.2	0.11	1.0	1.5	47	3.6	0.53	2.6	4.8
1998	134	1.4	0.12	1.2	1.7	52	3.7	0.52	2.8	4.9
1999	133	1.4	0.12	1.2	1.6	43	3.0	0.46	2.2	4.0
2000	128	1.3	0.12	1.1	1.6	46	3.2	0.48	2.4	4.3
2001	117	1.2	0.11	1.0	1.4	47	3.4	0.51	2.5	4.5
2002	131	1.3	0.12	1.1	1.6	31	2.2	0.40	1.5	3.1
2003	137	1.4	0.12	1.2	1.7	39	2.8	0.45	2.0	3.8
2004	102	1.0	0.10	0.8	1.2	39	2.6	0.42	1.8	3.6
2005	115	1.1	0.11	0.9	1.4	34	2.2	0.38	1.5	3.1
2006	120	1.2	0.11	1.0	1.4	46	2.8	0.42	2.1	3.8
2007	121	1.2	0.11	1.0	1.4	44	2.8	0.43	2.0	3.7
2008	112	1.1	0.10	0.9	1.3	37	2.4	0.39	1.6	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Larynx										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	54	1.2	0.18	0.9	1.6	2,657	2.9	0.06	2.8	3.0
1990	*	*	*	*	*	141	3.2	0.27	2.6	3.7
1991	0	0.0	*	0.0	2.6	161	3.6	0.29	3.1	4.3
1992	*	*	*	*	*	152	3.3	0.28	2.8	3.9
1993	0	0.0	*	0.0	2.4	173	3.8	0.29	3.2	4.4
1994	*	*	*	*	*	157	3.4	0.28	2.9	4.0
1995	*	*	*	*	*	159	3.4	0.28	2.9	4.0
1996	*	*	*	*	*	157	3.3	0.27	2.8	3.9
1997	*	*	*	*	*	135	2.9	0.25	2.4	3.4
1998	*	*	*	*	*	144	3.0	0.26	2.6	3.6
1999	*	*	*	*	*	136	2.8	0.24	2.4	3.3
2000	*	*	*	*	*	139	2.9	0.25	2.4	3.4
2001	*	*	*	*	*	133	2.7	0.24	2.3	3.3
2002	*	*	*	*	*	132	2.7	0.23	2.2	3.2
2003	*	*	*	*	*	130	2.6	0.23	2.1	3.1
2004	*	*	*	*	*	109	2.1	0.21	1.7	2.6
2005	*	*	*	*	*	122	2.4	0.22	2.0	2.9
2006	*	*	*	*	*	127	2.4	0.22	2.0	2.9
2007	*	*	*	*	*	133	2.5	0.22	2.1	3.0
2008	*	*	*	*	*	117	2.2	0.21	1.8	2.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,942	2.5	0.06	2.4	2.6	699	6.4	0.25	5.9	6.9
1990	106	2.7	0.27	2.2	3.2	35	7.5	1.32	5.1	10.5
1991	115	3.0	0.28	2.4	3.6	44	8.9	1.41	6.3	12.0
1992	106	2.7	0.27	2.2	3.2	46	8.7	1.35	6.3	11.8
1993	128	3.2	0.29	2.7	3.8	45	8.8	1.38	6.3	11.9
1994	110	2.7	0.26	2.2	3.3	45	8.9	1.41	6.4	12.0
1995	120	3.0	0.28	2.5	3.6	37	6.8	1.17	4.7	9.4
1996	111	2.8	0.26	2.3	3.3	46	8.0	1.22	5.8	10.8
1997	94	2.3	0.24	1.9	2.8	40	7.3	1.19	5.1	10.0
1998	102	2.5	0.25	2.1	3.1	41	6.9	1.13	4.9	9.5
1999	106	2.6	0.25	2.1	3.1	30	5.2	1.00	3.4	7.5
2000	105	2.6	0.25	2.1	3.1	32	5.5	1.01	3.7	7.9
2001	92	2.2	0.23	1.8	2.7	40	7.2	1.17	5.1	9.8
2002	106	2.5	0.24	2.1	3.0	26	4.5	0.94	2.9	6.7
2003	99	2.3	0.23	1.9	2.8	28	5.0	0.99	3.3	7.3
2004	76	1.8	0.20	1.4	2.2	33	5.2	0.95	3.5	7.4
2005	96	2.3	0.23	1.8	2.8	25	4.0	0.84	2.5	6.0
2006	89	2.0	0.22	1.6	2.5	38	5.6	0.95	3.9	7.7
2007	95	2.2	0.23	1.8	2.7	38	5.9	1.02	4.1	8.3
2008	86	1.9	0.21	1.6	2.4	30	4.7	0.90	3.1	6.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Larynx										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	*	*	*	*	*	703	0.6	0.02	0.5	0.6
1990	*	*	*	*	*	37	0.6	0.10	0.4	0.9
1991	0	0.0	*	0.0	1.8	42	0.7	0.11	0.5	1.0
1992	0	0.0	*	0.0	1.7	39	0.7	0.11	0.5	0.9
1993	*	*	*	*	*	48	0.8	0.11	0.6	1.0
1994	0	0.0	*	0.0	1.5	23	0.4	0.08	0.2	0.6
1995	0	0.0	*	0.0	1.5	37	0.6	0.10	0.4	0.8
1996	0	0.0	*	0.0	1.4	49	0.8	0.11	0.6	1.0
1997	0	0.0	*	0.0	1.4	30	0.5	0.09	0.3	0.7
1998	0	0.0	*	0.0	1.3	43	0.7	0.10	0.5	0.9
1999	*	*	*	*	*	41	0.7	0.10	0.5	0.9
2000	0	0.0	*	0.0	1.2	38	0.6	0.10	0.4	0.9
2001	0	0.0	*	0.0	1.1	32	0.5	0.09	0.3	0.7
2002	0	0.0	*	0.0	1.0	30	0.4	0.08	0.3	0.6
2003	*	*	*	*	*	50	0.7	0.11	0.5	1.0
2004	*	*	*	*	*	32	0.5	0.08	0.3	0.7
2005	0	0.0	*	0.0	0.8	28	0.4	0.08	0.3	0.6
2006	0	0.0	*	0.0	0.8	39	0.6	0.10	0.4	0.8
2007	0	0.0	*	0.0	0.7	32	0.5	0.08	0.3	0.7
2008	*	*	*	*	*	33	0.5	0.08	0.3	0.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	517	0.5	0.02	0.5	0.5	182	1.2	0.09	1.0	1.4
1990	30	0.6	0.11	0.4	0.8	*	*	*	*	*
1991	25	0.5	0.10	0.3	0.7	17	2.3	0.57	1.4	3.7
1992	26	0.5	0.09	0.3	0.7	12	1.7	0.49	0.9	2.9
1993	38	0.7	0.11	0.5	0.9	10	1.4	0.46	0.7	2.6
1994	17	0.3	0.08	0.2	0.5	*	*	*	*	*
1995	28	0.5	0.10	0.4	0.8	*	*	*	*	*
1996	32	0.6	0.10	0.4	0.8	17	2.1	0.51	1.2	3.3
1997	23	0.4	0.09	0.3	0.7	*	*	*	*	*
1998	32	0.6	0.11	0.4	0.8	11	1.4	0.43	0.7	2.5
1999	27	0.5	0.10	0.3	0.8	13	1.5	0.42	0.8	2.6
2000	23	0.5	0.10	0.3	0.7	14	1.7	0.44	0.9	2.8
2001	25	0.4	0.09	0.3	0.7	*	*	*	*	*
2002	25	0.4	0.09	0.3	0.7	*	*	*	*	*
2003	38	0.7	0.11	0.5	0.9	11	1.3	0.39	0.6	2.3
2004	26	0.5	0.09	0.3	0.7	*	*	*	*	*
2005	19	0.4	0.08	0.2	0.6	*	*	*	*	*
2006	31	0.6	0.11	0.4	0.8	*	*	*	*	*
2007	26	0.5	0.09	0.3	0.7	*	*	*	*	*
2008	26	0.5	0.09	0.3	0.7	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Lung and Bronchus

### Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,685	19.3	0.51	18.3	20.3	126,854	58.5	0.16	58.2	58.8
1990	52	19.7	3.04	14.2	26.4	6,450	60.3	0.76	58.8	61.8
1991	63	18.9	2.72	14.0	24.8	6,468	59.9	0.75	58.4	61.4
1992	58	20.3	2.93	14.9	26.6	6,546	59.9	0.75	58.5	61.4
1993	69	20.5	2.78	15.5	26.6	6,778	61.7	0.75	60.3	63.2
1994	68	17.8	2.45	13.3	23.1	6,857	62.0	0.75	60.5	63.5
1995	68	17.8	2.40	13.4	23.0	6,897	62.0	0.75	60.6	63.5
1996	71	20.9	2.78	15.8	26.9	6,806	61.0	0.74	59.6	62.5
1997	69	17.7	2.35	13.4	22.8	6,611	58.9	0.73	57.5	60.4
1998	74	19.1	2.51	14.5	24.5	6,700	59.3	0.72	57.8	60.7
1999	109	25.7	2.74	20.6	31.5	6,604	58.0	0.71	56.6	59.5
2000	81	19.3	2.38	14.9	24.4	6,747	59.0	0.72	57.6	60.5
2001	93	20.5	2.36	16.1	25.5	6,700	58.3	0.71	56.9	59.7
2002	101	18.9	2.09	15.1	23.4	6,746	58.3	0.71	56.9	59.7
2003	96	18.1	2.02	14.4	22.4	6,758	58.0	0.71	56.6	59.4
2004	118	21.5	2.14	17.5	26.0	6,686	56.9	0.70	55.5	58.3
2005	104	17.1	1.80	13.8	21.0	6,509	55.1	0.69	53.7	56.4
2006	122	18.5	1.79	15.1	22.2	6,549	54.9	0.68	53.6	56.2
2007	130	18.6	1.73	15.4	22.2	6,772	56.2	0.69	54.9	57.6
2008	139	18.2	1.64	15.1	21.7	6,670	54.4	0.67	53.1	55.7

  

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	106,617	57.1	0.18	56.8	57.5	19,154	75.0	0.55	73.9	76.1
1990	5,427	57.6	0.79	56.1	59.2	986	84.9	2.77	79.5	90.5
1991	5,539	58.3	0.79	56.7	59.9	899	76.8	2.62	71.8	82.1
1992	5,526	57.6	0.78	56.1	59.2	991	82.5	2.68	77.3	87.9
1993	5,733	59.8	0.79	58.2	61.3	1,016	83.3	2.67	78.2	88.7
1994	5,823	60.4	0.80	58.8	61.9	995	79.9	2.59	74.9	85.1
1995	5,788	59.8	0.79	58.3	61.4	1,064	83.5	2.61	78.4	88.7
1996	5,665	58.5	0.78	57.0	60.1	1,095	86.4	2.66	81.2	91.7
1997	5,598	57.6	0.77	56.1	59.2	978	75.4	2.45	70.7	80.3
1998	5,606	57.4	0.77	55.9	58.9	1,041	77.8	2.45	73.1	82.7
1999	5,550	56.6	0.76	55.1	58.1	1,006	74.9	2.40	70.3	79.8
2000	5,641	57.5	0.77	56.0	59.0	1,031	75.2	2.38	70.6	80.0
2001	5,672	57.7	0.77	56.2	59.2	972	71.4	2.33	66.9	76.1
2002	5,644	57.2	0.76	55.7	58.7	1,035	73.6	2.32	69.1	78.3
2003	5,690	57.3	0.76	55.8	58.8	1,002	69.7	2.24	65.4	74.2
2004	5,614	56.3	0.75	54.8	57.8	996	68.3	2.20	64.0	72.7
2005	5,432	54.3	0.74	52.9	55.8	1,001	68.6	2.21	64.3	73.0
2006	5,448	54.1	0.74	52.7	55.6	1,001	67.1	2.16	62.9	71.4
2007	5,623	55.5	0.75	54.0	57.0	1,066	70.1	2.19	65.9	74.6
2008	5,598	54.3	0.73	52.9	55.7	979	64.3	2.10	60.3	68.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Lung and Bronchus

### Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,118	28.2	0.95	26.3	30.1	74,425	82.5	0.31	81.9	83.1
1990	41	37.7	7.07	25.1	53.3	4,134	93.8	1.50	90.9	96.8
1991	37	25.8	5.13	16.8	37.4	4,184	94.3	1.50	91.3	97.2
1992	39	31.2	5.76	20.9	44.0	4,084	90.4	1.45	87.6	93.3
1993	45	31.8	5.76	21.5	44.6	4,220	92.8	1.46	90.0	95.7
1994	47	27.9	4.85	19.2	38.6	4,239	92.6	1.45	89.7	95.4
1995	45	21.0	3.53	14.7	29.0	4,183	90.8	1.43	88.0	93.6
1996	46	30.9	5.36	21.3	42.7	4,058	87.9	1.40	85.2	90.7
1997	49	26.1	4.34	18.3	35.8	3,921	84.5	1.37	81.8	87.2
1998	57	34.5	5.44	24.7	46.4	3,899	83.2	1.35	80.5	85.8
1999	67	34.5	4.92	25.5	45.1	3,869	81.9	1.33	79.3	84.5
2000	56	29.4	4.58	21.1	39.4	3,915	82.2	1.33	79.6	84.9
2001	59	29.0	4.31	21.1	38.3	3,901	81.7	1.32	79.2	84.4
2002	68	30.1	4.24	22.4	39.2	3,796	78.8	1.29	76.3	81.4
2003	63	24.6	3.44	18.3	32.0	3,780	77.3	1.27	74.8	79.8
2004	80	32.1	3.96	24.9	40.6	3,760	76.3	1.26	73.8	78.8
2005	72	24.6	3.19	18.7	31.5	3,592	72.5	1.22	70.1	74.9
2006	73	21.8	2.77	16.7	27.8	3,633	72.7	1.22	70.4	75.2
2007	86	27.4	3.19	21.5	34.2	3,637	71.4	1.20	69.1	73.8
2008	88	26.1	3.00	20.6	32.5	3,620	70.3	1.19	68.0	72.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	62,062	79.7	0.32	79.1	80.3	11,664	114.1	1.11	111.9	116.3
1990	3,444	88.8	1.56	85.8	91.9	664	141.9	5.84	130.7	153.8
1991	3,547	90.6	1.56	87.6	93.8	615	131.4	5.61	120.6	142.8
1992	3,405	85.7	1.50	82.8	88.7	658	138.0	5.71	127.0	149.5
1993	3,528	88.8	1.52	85.8	91.8	674	135.8	5.50	125.2	146.9
1994	3,588	89.7	1.52	86.8	92.7	626	125.1	5.25	115.0	135.7
1995	3,481	86.7	1.49	83.8	89.7	680	132.1	5.35	121.9	143.0
1996	3,328	82.7	1.45	79.9	85.6	702	139.5	5.55	128.8	150.8
1997	3,282	81.4	1.44	78.7	84.3	613	118.2	5.00	108.6	128.4
1998	3,248	80.0	1.42	77.3	82.8	619	115.3	4.87	106.0	125.2
1999	3,201	78.4	1.40	75.7	81.2	631	118.2	4.92	108.7	128.2
2000	3,245	79.1	1.40	76.4	81.9	613	110.9	4.68	101.9	120.4
2001	3,259	79.2	1.40	76.5	82.0	604	111.9	4.78	102.7	121.6
2002	3,187	77.2	1.38	74.5	79.9	575	100.0	4.36	91.7	108.9
2003	3,150	75.4	1.35	72.8	78.1	580	99.9	4.34	91.6	108.7
2004	3,140	74.6	1.34	72.0	77.3	572	98.3	4.30	90.1	107.1
2005	2,991	70.8	1.31	68.3	73.4	550	95.6	4.30	87.4	104.4
2006	3,008	70.9	1.30	68.3	73.5	556	93.8	4.19	85.8	102.4
2007	2,999	69.5	1.28	67.0	72.0	590	98.4	4.26	90.2	107.0
2008	3,031	69.4	1.28	66.9	71.9	542	91.1	4.12	83.2	99.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Lung and Bronchus

### Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	567	12.1	0.54	11.1	13.2	52,429	42.1	0.18	41.7	42.4
1990	11	7.4	2.31	3.6	13.1	2,316	37.9	0.80	36.4	39.5
1991	26	14.4	3.07	9.0	21.4	2,284	37.0	0.78	35.4	38.5
1992	19	12.3	3.03	7.1	19.4	2,462	39.5	0.81	37.9	41.1
1993	24	12.7	2.76	7.9	19.1	2,558	40.6	0.81	39.1	42.3
1994	21	10.0	2.42	5.8	15.7	2,618	41.3	0.81	39.7	42.9
1995	23	13.7	3.02	8.5	20.6	2,714	42.4	0.82	40.8	44.1
1996	25	13.5	2.93	8.4	20.1	2,748	42.9	0.83	41.3	44.5
1997	20	10.5	2.51	6.2	16.3	2,690	41.7	0.81	40.1	43.3
1998	17	7.7	2.06	4.2	12.6	2,801	43.1	0.82	41.5	44.7
1999	42	18.7	3.11	13.1	25.6	2,735	41.6	0.80	40.1	43.2
2000	25	11.3	2.42	7.0	16.8	2,832	43.1	0.82	41.6	44.8
2001	34	13.6	2.56	9.0	19.3	2,799	42.3	0.81	40.7	43.9
2002	33	10.4	1.95	7.0	14.9	2,950	44.4	0.82	42.8	46.0
2003	33	12.3	2.30	8.2	17.4	2,978	44.4	0.82	42.8	46.0
2004	38	12.7	2.18	8.8	17.5	2,926	43.4	0.81	41.9	45.1
2005	32	10.6	1.96	7.1	15.0	2,917	43.2	0.81	41.6	44.8
2006	49	15.0	2.24	10.9	19.9	2,916	42.9	0.80	41.3	44.5
2007	44	11.4	1.79	8.1	15.3	3,135	45.8	0.83	44.1	47.4
2008	51	11.8	1.74	8.6	15.6	3,050	43.4	0.80	41.9	45.0

  

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	44,555	41.7	0.20	41.4	42.1	7,490	49.5	0.58	48.4	50.7
1990	1,983	37.1	0.85	35.4	38.8	322	47.1	2.66	42.0	52.6
1991	1,992	36.9	0.84	35.3	38.6	284	41.1	2.47	36.4	46.2
1992	2,121	38.9	0.86	37.2	40.6	333	46.9	2.59	41.9	52.2
1993	2,205	40.3	0.87	38.6	42.1	342	47.9	2.62	42.9	53.3
1994	2,235	40.6	0.87	38.9	42.3	369	50.0	2.63	45.0	55.4
1995	2,307	41.6	0.88	39.9	43.4	384	51.2	2.64	46.2	56.6
1996	2,337	42.4	0.89	40.6	44.2	393	52.0	2.65	47.0	57.5
1997	2,316	41.6	0.88	39.9	43.4	365	47.5	2.50	42.7	52.7
1998	2,358	42.1	0.88	40.4	43.8	422	53.4	2.62	48.4	58.8
1999	2,349	41.7	0.87	40.0	43.4	375	46.9	2.44	42.2	51.9
2000	2,396	42.8	0.89	41.1	44.6	418	51.6	2.54	46.7	56.8
2001	2,413	43.0	0.89	41.2	44.7	368	45.3	2.38	40.8	50.2
2002	2,457	43.6	0.89	41.9	45.4	460	55.6	2.61	50.6	60.9
2003	2,540	44.7	0.90	42.9	46.5	422	49.7	2.44	45.1	54.7
2004	2,474	43.5	0.89	41.8	45.3	424	48.8	2.38	44.2	53.7
2005	2,441	43.0	0.88	41.3	44.8	451	51.6	2.45	46.9	56.6
2006	2,440	42.8	0.88	41.1	44.6	445	50.0	2.39	45.4	54.9
2007	2,624	45.8	0.91	44.1	47.7	476	52.6	2.43	47.9	57.5
2008	2,567	43.9	0.88	42.2	45.6	437	47.7	2.30	43.3	52.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases