

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Skin excluding Basal and Squamous

### Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	107	1.0	0.11	0.8	1.3	6,986	3.3	0.04	3.2	3.3
1990	*	*	*	*	*	339	3.3	0.18	2.9	3.7
1991	*	*	*	*	*	325	3.1	0.17	2.8	3.5
1992	*	*	*	*	*	332	3.1	0.17	2.8	3.5
1993	*	*	*	*	*	364	3.4	0.18	3.1	3.8
1994	*	*	*	*	*	340	3.1	0.17	2.8	3.5
1995	*	*	*	*	*	347	3.2	0.17	2.8	3.5
1996	*	*	*	*	*	352	3.2	0.17	2.9	3.6
1997	*	*	*	*	*	351	3.2	0.17	2.8	3.5
1998	*	*	*	*	*	362	3.2	0.17	2.9	3.6
1999	*	*	*	*	*	363	3.2	0.17	2.9	3.5
2000	*	*	*	*	*	366	3.2	0.17	2.9	3.5
2001	*	*	*	*	*	338	2.9	0.16	2.6	3.3
2002	*	*	*	*	*	404	3.5	0.17	3.2	3.9
2003	*	*	*	*	*	384	3.3	0.17	2.9	3.6
2004	*	*	*	*	*	403	3.4	0.17	3.1	3.8
2005	*	*	*	*	*	426	3.6	0.17	3.2	3.9
2006	*	*	*	*	*	404	3.3	0.17	3.0	3.7
2007	13	1.6	0.50	0.8	2.9	406	3.3	0.17	3.0	3.7
2008	10	1.4	0.48	0.6	2.6	380	3.1	0.16	2.8	3.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,684	3.7	0.04	3.6	3.7	268	1.0	0.06	0.9	1.2
1990	315	3.5	0.20	3.1	3.9	23	1.9	0.41	1.2	2.9
1991	307	3.4	0.20	3.0	3.8	18	1.5	0.36	0.9	2.4
1992	316	3.5	0.20	3.1	3.9	15	1.2	0.31	0.7	2.0
1993	350	3.8	0.21	3.4	4.2	12	0.9	0.28	0.5	1.6
1994	325	3.5	0.19	3.1	3.8	15	1.3	0.34	0.7	2.1
1995	334	3.6	0.20	3.2	4.0	11	0.8	0.26	0.4	1.5
1996	335	3.6	0.20	3.2	4.0	15	1.0	0.26	0.6	1.7
1997	334	3.5	0.19	3.1	3.9	15	1.1	0.29	0.6	1.8
1998	348	3.7	0.20	3.3	4.1	12	0.9	0.25	0.4	1.5
1999	355	3.7	0.19	3.3	4.1	*	*	*	*	*
2000	349	3.6	0.19	3.2	4.0	14	1.0	0.27	0.5	1.6
2001	326	3.3	0.18	3.0	3.7	10	0.8	0.25	0.4	1.4
2002	385	4.0	0.20	3.6	4.4	19	1.4	0.32	0.8	2.1
2003	371	3.7	0.19	3.4	4.1	12	0.9	0.26	0.5	1.5
2004	391	4.0	0.20	3.6	4.4	11	0.8	0.24	0.4	1.4
2005	405	4.0	0.20	3.6	4.4	16	1.1	0.27	0.6	1.7
2006	382	3.8	0.20	3.4	4.2	18	1.2	0.30	0.7	1.9
2007	389	3.8	0.19	3.4	4.2	14	0.9	0.24	0.5	1.5
2008	367	3.6	0.19	3.2	4.0	11	0.7	0.21	0.3	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Skin excluding Basal and Squamous

### Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	74	1.5	0.21	1.1	1.9	4,376	4.9	0.08	4.7	5.0
1990	*	*	*	*	*	200	4.6	0.34	4.0	5.3
1991	*	*	*	*	*	204	4.5	0.33	3.9	5.2
1992	*	*	*	*	*	213	4.9	0.34	4.2	5.6
1993	*	*	*	*	*	225	4.9	0.34	4.3	5.7
1994	*	*	*	*	*	209	4.7	0.33	4.1	5.4
1995	*	*	*	*	*	212	4.7	0.33	4.1	5.4
1996	*	*	*	*	*	216	4.6	0.32	4.0	5.3
1997	*	*	*	*	*	222	4.7	0.32	4.1	5.4
1998	*	*	*	*	*	233	5.0	0.33	4.4	5.7
1999	*	*	*	*	*	230	4.9	0.33	4.3	5.6
2000	*	*	*	*	*	218	4.6	0.32	4.0	5.3
2001	*	*	*	*	*	201	4.2	0.30	3.7	4.9
2002	*	*	*	*	*	261	5.4	0.34	4.8	6.1
2003	*	*	*	*	*	246	5.0	0.33	4.4	5.7
2004	*	*	*	*	*	251	5.0	0.32	4.4	5.7
2005	*	*	*	*	*	264	5.3	0.33	4.7	6.0
2006	*	*	*	*	*	255	5.0	0.32	4.4	5.7
2007	*	*	*	*	*	258	5.2	0.33	4.5	5.8
2008	*	*	*	*	*	258	5.1	0.32	4.5	5.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,192	5.4	0.09	5.3	5.6	169	1.5	0.12	1.3	1.7
1990	179	4.7	0.37	4.0	5.5	21	4.0	0.90	2.4	6.1
1991	189	4.8	0.36	4.2	5.6	15	2.9	0.83	1.5	5.0
1992	202	5.3	0.38	4.6	6.1	11	1.9	0.59	0.9	3.5
1993	217	5.5	0.38	4.8	6.3	*	*	*	*	*
1994	199	5.1	0.37	4.4	5.9	10	2.2	0.73	1.0	4.0
1995	204	5.2	0.37	4.5	6.0	*	*	*	*	*
1996	205	5.1	0.36	4.4	5.8	*	*	*	*	*
1997	211	5.2	0.36	4.5	6.0	*	*	*	*	*
1998	225	5.6	0.38	4.9	6.4	*	*	*	*	*
1999	225	5.6	0.37	4.9	6.4	*	*	*	*	*
2000	209	5.1	0.36	4.5	5.9	*	*	*	*	*
2001	195	4.8	0.35	4.1	5.5	*	*	*	*	*
2002	248	6.0	0.38	5.3	6.8	13	2.2	0.67	1.1	3.9
2003	242	5.8	0.38	5.1	6.6	*	*	*	*	*
2004	244	5.7	0.37	5.0	6.5	*	*	*	*	*
2005	252	6.0	0.38	5.2	6.8	11	1.8	0.59	0.8	3.3
2006	243	5.6	0.37	5.0	6.4	12	2.0	0.62	1.0	3.5
2007	248	5.8	0.37	5.1	6.6	*	*	*	*	*
2008	255	5.9	0.37	5.2	6.7	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Skin excluding Basal and Squamous

### Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	33	0.6	0.12	0.4	0.9	2,610	2.1	0.04	2.0	2.2
1990	0	0.0	*	0.0	1.8	139	2.3	0.20	2.0	2.8
1991	*	*	*	*	*	121	2.0	0.18	1.6	2.4
1992	*	*	*	*	*	119	2.0	0.18	1.6	2.4
1993	*	*	*	*	*	139	2.3	0.20	1.9	2.7
1994	0	0.0	*	0.0	1.5	131	2.1	0.18	1.7	2.5
1995	0	0.0	*	0.0	1.5	135	2.1	0.19	1.8	2.5
1996	*	*	*	*	*	136	2.1	0.19	1.8	2.5
1997	*	*	*	*	*	129	2.0	0.18	1.6	2.4
1998	*	*	*	*	*	129	2.0	0.18	1.7	2.4
1999	0	0.0	*	0.0	1.3	133	2.0	0.18	1.7	2.4
2000	*	*	*	*	*	148	2.2	0.19	1.9	2.6
2001	*	*	*	*	*	137	2.1	0.18	1.7	2.4
2002	*	*	*	*	*	143	2.1	0.18	1.8	2.5
2003	*	*	*	*	*	138	2.0	0.17	1.7	2.4
2004	*	*	*	*	*	152	2.3	0.19	1.9	2.7
2005	*	*	*	*	*	162	2.3	0.18	2.0	2.7
2006	0	0.0	*	0.0	0.8	149	2.1	0.18	1.8	2.5
2007	*	*	*	*	*	148	2.2	0.18	1.8	2.6
2008	*	*	*	*	*	122	1.7	0.16	1.4	2.1

  

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,492	2.4	0.05	2.3	2.5	99	0.7	0.07	0.6	0.8
1990	136	2.7	0.23	2.2	3.2	*	*	*	*	*
1991	118	2.2	0.21	1.8	2.7	*	*	*	*	*
1992	114	2.2	0.21	1.8	2.7	*	*	*	*	*
1993	133	2.6	0.23	2.1	3.0	*	*	*	*	*
1994	126	2.3	0.21	1.9	2.8	*	*	*	*	*
1995	130	2.4	0.22	2.0	2.9	*	*	*	*	*
1996	130	2.4	0.22	2.0	2.9	*	*	*	*	*
1997	123	2.2	0.20	1.8	2.6	*	*	*	*	*
1998	123	2.3	0.21	1.9	2.8	*	*	*	*	*
1999	130	2.3	0.21	2.0	2.8	*	*	*	*	*
2000	140	2.5	0.21	2.1	3.0	*	*	*	*	*
2001	131	2.4	0.21	2.0	2.8	*	*	*	*	*
2002	137	2.5	0.22	2.1	2.9	*	*	*	*	*
2003	129	2.2	0.20	1.9	2.7	*	*	*	*	*
2004	147	2.6	0.22	2.2	3.1	*	*	*	*	*
2005	153	2.6	0.22	2.2	3.1	*	*	*	*	*
2006	139	2.4	0.21	2.0	2.8	*	*	*	*	*
2007	141	2.5	0.22	2.1	3.0	*	*	*	*	*
2008	112	1.9	0.19	1.6	2.3	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Melanoma of the Skin

### Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	79	0.7	0.10	0.6	0.9	5,383	2.5	0.03	2.4	2.6
1990	*	*	*	*	*	252	2.5	0.16	2.2	2.8
1991	*	*	*	*	*	238	2.3	0.15	2.0	2.6
1992	*	*	*	*	*	264	2.5	0.15	2.2	2.8
1993	*	*	*	*	*	278	2.6	0.16	2.3	2.9
1994	*	*	*	*	*	265	2.4	0.15	2.1	2.7
1995	*	*	*	*	*	261	2.4	0.15	2.1	2.7
1996	*	*	*	*	*	279	2.5	0.15	2.3	2.9
1997	*	*	*	*	*	266	2.4	0.15	2.1	2.7
1998	*	*	*	*	*	286	2.6	0.15	2.3	2.9
1999	*	*	*	*	*	278	2.5	0.15	2.2	2.8
2000	*	*	*	*	*	273	2.4	0.14	2.1	2.7
2001	*	*	*	*	*	256	2.2	0.14	2.0	2.5
2002	*	*	*	*	*	301	2.6	0.15	2.3	2.9
2003	*	*	*	*	*	283	2.4	0.14	2.1	2.7
2004	*	*	*	*	*	329	2.8	0.16	2.5	3.1
2005	*	*	*	*	*	331	2.8	0.15	2.5	3.1
2006	*	*	*	*	*	327	2.7	0.15	2.4	3.0
2007	13	1.6	0.50	0.8	2.9	325	2.7	0.15	2.4	3.0
2008	*	*	*	*	*	291	2.4	0.14	2.1	2.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,259	2.9	0.04	2.8	3.0	100	0.4	0.04	0.3	0.5
1990	247	2.8	0.18	2.4	3.1	*	*	*	*	*
1991	233	2.6	0.17	2.3	2.9	*	*	*	*	*
1992	259	2.8	0.18	2.5	3.2	*	*	*	*	*
1993	272	3.0	0.18	2.7	3.4	*	*	*	*	*
1994	261	2.8	0.17	2.5	3.1	*	*	*	*	*
1995	255	2.7	0.17	2.4	3.1	*	*	*	*	*
1996	273	2.9	0.18	2.6	3.3	*	*	*	*	*
1997	260	2.8	0.17	2.4	3.1	*	*	*	*	*
1998	282	3.0	0.18	2.6	3.4	*	*	*	*	*
1999	273	2.8	0.17	2.5	3.2	*	*	*	*	*
2000	266	2.8	0.17	2.4	3.1	*	*	*	*	*
2001	251	2.6	0.16	2.3	2.9	*	*	*	*	*
2002	293	3.1	0.18	2.7	3.4	*	*	*	*	*
2003	275	2.8	0.17	2.5	3.2	*	*	*	*	*
2004	322	3.3	0.18	2.9	3.7	*	*	*	*	*
2005	321	3.2	0.18	2.9	3.6	*	*	*	*	*
2006	313	3.1	0.18	2.8	3.5	10	0.7	0.22	0.3	1.2
2007	319	3.2	0.18	2.8	3.5	*	*	*	*	*
2008	284	2.8	0.17	2.5	3.2	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Melanoma of the Skin

### Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	50	1.0	0.18	0.7	1.4	3,280	3.6	0.06	3.5	3.7
1990	*	*	*	*	*	138	3.2	0.28	2.6	3.7
1991	0	0.0	*	0.0	2.6	144	3.1	0.27	2.6	3.7
1992	*	*	*	*	*	164	3.7	0.30	3.2	4.3
1993	*	*	*	*	*	164	3.6	0.29	3.0	4.2
1994	*	*	*	*	*	159	3.5	0.29	3.0	4.2
1995	*	*	*	*	*	153	3.2	0.27	2.7	3.8
1996	*	*	*	*	*	171	3.6	0.28	3.1	4.2
1997	*	*	*	*	*	157	3.2	0.26	2.7	3.8
1998	*	*	*	*	*	186	3.9	0.29	3.4	4.5
1999	*	*	*	*	*	169	3.5	0.27	3.0	4.1
2000	*	*	*	*	*	160	3.3	0.27	2.8	3.9
2001	*	*	*	*	*	154	3.2	0.26	2.7	3.8
2002	*	*	*	*	*	184	3.8	0.28	3.2	4.3
2003	0	0.0	*	0.0	1.2	176	3.5	0.27	3.0	4.1
2004	*	*	*	*	*	203	4.0	0.28	3.5	4.6
2005	*	*	*	*	*	201	4.0	0.29	3.5	4.6
2006	*	*	*	*	*	198	3.9	0.28	3.3	4.4
2007	*	*	*	*	*	200	3.9	0.28	3.4	4.5
2008	*	*	*	*	*	199	3.9	0.28	3.4	4.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,233	4.1	0.07	4.0	4.3	38	0.4	0.06	0.3	0.5
1990	135	3.5	0.31	2.9	4.2	*	*	*	*	*
1991	142	3.6	0.30	3.0	4.2	*	*	*	*	*
1992	162	4.2	0.34	3.6	4.9	*	*	*	*	*
1993	163	4.1	0.33	3.5	4.8	*	*	*	*	*
1994	157	4.0	0.33	3.4	4.7	*	*	*	*	*
1995	151	3.7	0.30	3.1	4.4	*	*	*	*	*
1996	169	4.1	0.32	3.5	4.8	0	0.0	*	0.0	0.7
1997	156	3.8	0.30	3.2	4.4	0	0.0	*	0.0	0.6
1998	184	4.5	0.33	3.9	5.2	*	*	*	*	*
1999	166	4.0	0.31	3.4	4.7	*	*	*	*	*
2000	159	3.8	0.31	3.3	4.5	*	*	*	*	*
2001	151	3.7	0.30	3.1	4.3	*	*	*	*	*
2002	180	4.3	0.32	3.7	5.0	*	*	*	*	*
2003	173	4.1	0.31	3.5	4.7	*	*	*	*	*
2004	200	4.6	0.33	4.0	5.3	*	*	*	*	*
2005	197	4.6	0.33	4.0	5.3	*	*	*	*	*
2006	192	4.4	0.32	3.8	5.1	*	*	*	*	*
2007	197	4.6	0.33	3.9	5.2	*	*	*	*	*
2008	199	4.6	0.33	4.0	5.3	0	0.0	*	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases

# Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

## Melanoma of the Skin

### Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	29	0.5	0.10	0.3	0.7	2,103	1.7	0.04	1.7	1.8
1990	0	0.0	*	0.0	1.8	114	2.0	0.19	1.6	2.4
1991	*	*	*	*	*	94	1.6	0.16	1.3	1.9
1992	*	*	*	*	*	100	1.7	0.17	1.3	2.0
1993	*	*	*	*	*	114	1.9	0.18	1.6	2.3
1994	0	0.0	*	0.0	1.5	106	1.7	0.17	1.4	2.0
1995	0	0.0	*	0.0	1.5	108	1.7	0.17	1.4	2.1
1996	*	*	*	*	*	108	1.7	0.17	1.4	2.1
1997	*	*	*	*	*	109	1.7	0.16	1.4	2.0
1998	*	*	*	*	*	100	1.6	0.16	1.3	2.0
1999	0	0.0	*	0.0	1.3	109	1.7	0.16	1.4	2.1
2000	*	*	*	*	*	113	1.7	0.17	1.4	2.1
2001	*	*	*	*	*	102	1.6	0.16	1.3	1.9
2002	*	*	*	*	*	117	1.8	0.17	1.5	2.2
2003	*	*	*	*	*	107	1.6	0.16	1.3	2.0
2004	*	*	*	*	*	126	1.9	0.17	1.6	2.3
2005	*	*	*	*	*	130	1.9	0.17	1.6	2.3
2006	0	0.0	*	0.0	0.8	129	1.9	0.17	1.5	2.2
2007	*	*	*	*	*	125	1.9	0.17	1.6	2.2
2008	0	0.0	*	0.0	0.7	92	1.4	0.14	1.1	1.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,026	2.0	0.04	1.9	2.1	62	0.4	0.05	0.3	0.5
1990	112	2.2	0.22	1.8	2.7	*	*	*	*	*
1991	91	1.8	0.19	1.4	2.2	*	*	*	*	*
1992	97	1.9	0.20	1.5	2.3	*	*	*	*	*
1993	109	2.2	0.21	1.8	2.6	*	*	*	*	*
1994	104	1.9	0.19	1.6	2.4	*	*	*	*	*
1995	104	2.0	0.20	1.6	2.4	*	*	*	*	*
1996	104	1.9	0.19	1.6	2.4	*	*	*	*	*
1997	104	1.9	0.19	1.5	2.3	*	*	*	*	*
1998	98	1.9	0.19	1.5	2.3	*	*	*	*	*
1999	107	2.0	0.20	1.6	2.4	*	*	*	*	*
2000	107	2.0	0.19	1.6	2.4	*	*	*	*	*
2001	100	1.9	0.19	1.5	2.3	*	*	*	*	*
2002	113	2.1	0.20	1.7	2.5	*	*	*	*	*
2003	102	1.9	0.19	1.5	2.3	*	*	*	*	*
2004	122	2.2	0.20	1.8	2.6	*	*	*	*	*
2005	124	2.2	0.20	1.8	2.7	*	*	*	*	*
2006	121	2.1	0.20	1.7	2.5	*	*	*	*	*
2007	122	2.2	0.21	1.9	2.7	*	*	*	*	*
2008	85	1.5	0.17	1.2	1.9	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

\* Statistics not shown due to fewer than 10 cases