

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary System										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	413	4.3	0.24	3.9	4.8	20,324	9.3	0.07	9.2	9.5
1990	13	3.9	1.21	1.9	6.9	997	9.5	0.30	8.9	10.2
1991	11	4.1	1.29	2.0	7.2	974	9.2	0.30	8.7	9.8
1992	12	3.7	1.18	1.8	6.6	1,016	9.5	0.30	8.9	10.1
1993	16	4.6	1.29	2.4	7.6	1,050	9.6	0.30	9.1	10.2
1994	25	7.5	1.66	4.6	11.3	1,099	10.0	0.30	9.4	10.6
1995	16	3.7	1.04	1.9	6.2	1,031	9.3	0.29	8.7	9.9
1996	15	3.8	1.13	1.9	6.6	1,003	9.0	0.28	8.4	9.5
1997	15	3.6	1.11	1.7	6.3	1,020	9.1	0.28	8.5	9.7
1998	23	5.3	1.30	3.0	8.3	1,071	9.4	0.29	8.9	10.0
1999	15	3.7	1.14	1.9	6.5	1,053	9.2	0.28	8.6	9.7
2000	25	5.8	1.37	3.5	9.0	1,115	9.6	0.29	9.1	10.2
2001	26	5.0	1.09	3.1	7.6	1,084	9.3	0.28	8.8	9.9
2002	21	3.6	0.88	2.1	5.7	1,050	9.0	0.28	8.4	9.5
2003	22	3.3	0.81	1.9	5.3	1,131	9.6	0.28	9.0	10.1
2004	29	4.4	0.94	2.8	6.6	1,106	9.3	0.28	8.8	9.9
2005	32	4.6	0.91	3.0	6.6	1,111	9.2	0.28	8.6	9.7
2006	32	4.1	0.79	2.7	5.9	1,102	9.1	0.27	8.5	9.6
2007	34	4.5	0.83	3.0	6.3	1,116	9.1	0.27	8.6	9.7
2008	31	4.2	0.80	2.7	6.0	1,195	9.6	0.28	9.1	10.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	17,968	9.5	0.07	9.4	9.6	2,219	9.1	0.20	8.8	9.5
1990	882	9.5	0.32	8.9	10.1	112	10.7	1.05	8.8	12.9
1991	866	9.3	0.32	8.7	9.9	105	9.8	0.98	8.0	11.9
1992	912	9.6	0.32	9.0	10.3	103	9.1	0.93	7.4	11.1
1993	945	9.9	0.32	9.3	10.5	101	8.6	0.88	7.0	10.5
1994	969	10.0	0.32	9.4	10.7	122	10.2	0.95	8.5	12.3
1995	926	9.5	0.31	8.9	10.2	103	8.8	0.89	7.1	10.7
1996	877	8.9	0.30	8.4	9.5	119	9.8	0.93	8.1	11.8
1997	884	9.0	0.30	8.4	9.6	130	10.3	0.93	8.6	12.3
1998	950	9.6	0.31	9.0	10.2	111	8.5	0.83	7.0	10.3
1999	929	9.3	0.31	8.7	9.9	119	9.2	0.86	7.6	11.0
2000	981	9.8	0.31	9.2	10.4	127	9.9	0.90	8.2	11.8
2001	954	9.5	0.31	8.9	10.1	123	9.3	0.86	7.7	11.1
2002	931	9.3	0.30	8.7	9.9	110	8.6	0.84	7.0	10.3
2003	992	9.8	0.31	9.2	10.4	131	9.6	0.86	8.0	11.4
2004	980	9.6	0.31	9.0	10.2	118	8.3	0.77	6.8	9.9
2005	991	9.6	0.31	9.0	10.2	109	7.8	0.76	6.4	9.4
2006	966	9.3	0.30	8.7	9.9	124	8.5	0.79	7.1	10.2
2007	963	9.2	0.30	8.7	9.9	138	9.6	0.84	8.1	11.4
2008	1,070	10.1	0.31	9.5	10.7	114	7.8	0.75	6.4	9.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary System

Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	282	6.6	0.46	5.7	7.5	12,862	15.1	0.14	14.8	15.4
1990	*	*	*	*	*	617	15.4	0.65	14.2	16.7
1991	10	8.8	3.03	3.9	16.3	617	15.3	0.64	14.0	16.5
1992	*	*	*	*	*	630	15.3	0.63	14.1	16.6
1993	11	6.1	2.10	2.7	11.6	671	16.0	0.64	14.8	17.3
1994	16	11.0	3.24	5.6	18.7	699	16.4	0.64	15.2	17.7
1995	14	5.5	1.59	2.8	9.6	649	14.9	0.60	13.8	16.2
1996	10	5.8	2.24	2.3	11.5	629	14.6	0.60	13.4	15.8
1997	*	*	*	*	*	638	14.5	0.58	13.4	15.7
1998	18	9.8	2.86	5.0	16.6	668	15.1	0.59	13.9	16.3
1999	*	*	*	*	*	654	14.6	0.58	13.5	15.8
2000	17	9.9	2.96	5.0	16.9	696	15.4	0.59	14.3	16.6
2001	19	8.1	2.19	4.4	13.3	672	14.6	0.57	13.5	15.7
2002	15	6.2	1.81	3.1	10.5	666	14.3	0.56	13.2	15.4
2003	15	5.4	1.69	2.6	9.5	734	15.6	0.58	14.5	16.8
2004	19	7.0	1.96	3.7	11.7	702	14.7	0.56	13.6	15.8
2005	27	8.8	2.01	5.3	13.4	727	15.2	0.57	14.1	16.4
2006	22	5.6	1.32	3.3	8.7	713	14.8	0.56	13.7	16.0
2007	21	5.9	1.43	3.4	9.2	715	14.4	0.55	13.4	15.6
2008	19	5.8	1.44	3.4	9.2	765	15.6	0.57	14.5	16.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	11,566	15.6	0.15	15.3	15.9	1,221	12.7	0.39	12.0	13.5
1990	560	15.7	0.69	14.4	17.2	55	13.9	2.03	10.2	18.4
1991	552	15.5	0.68	14.2	16.8	65	14.8	1.96	11.3	19.1
1992	578	15.9	0.68	14.6	17.3	51	10.6	1.58	7.7	14.1
1993	611	16.6	0.69	15.3	18.0	57	11.9	1.68	8.9	15.6
1994	631	16.9	0.69	15.6	18.3	64	13.2	1.76	10.0	17.1
1995	580	15.2	0.64	14.0	16.5	67	14.3	1.87	10.9	18.4
1996	565	15.0	0.64	13.7	16.3	60	12.3	1.68	9.2	16.0
1997	565	14.7	0.63	13.5	16.0	70	13.2	1.68	10.1	16.9
1998	601	15.6	0.64	14.3	16.9	63	11.6	1.56	8.8	15.0
1999	578	14.8	0.62	13.6	16.1	73	14.1	1.76	10.9	18.0
2000	625	15.9	0.64	14.7	17.2	67	13.8	1.79	10.5	17.7
2001	608	15.2	0.62	14.0	16.5	61	11.0	1.51	8.2	14.3
2002	605	15.0	0.61	13.8	16.3	53	10.7	1.58	7.8	14.2
2003	657	16.2	0.64	15.0	17.5	72	13.2	1.68	10.1	16.8
2004	637	15.5	0.62	14.3	16.7	61	10.8	1.47	8.1	14.0
2005	653	15.8	0.62	14.6	17.1	70	13.9	1.80	10.6	17.8
2006	636	15.4	0.62	14.2	16.7	74	13.5	1.73	10.3	17.2
2007	628	14.8	0.60	13.7	16.0	75	14.3	1.78	11.0	18.1
2008	696	16.6	0.63	15.3	17.9	63	10.8	1.45	8.2	14.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary System

Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	131	2.6	0.24	2.1	3.1	7,462	5.7	0.07	5.6	5.8
1990	*	*	*	*	*	380	6.1	0.31	5.5	6.7
1991	*	*	*	*	*	357	5.5	0.30	5.0	6.2
1992	*	*	*	*	*	386	5.9	0.30	5.3	6.5
1993	*	*	*	*	*	379	5.7	0.30	5.2	6.3
1994	*	*	*	*	*	400	6.0	0.30	5.4	6.6
1995	*	*	*	*	*	382	5.8	0.30	5.2	6.4
1996	*	*	*	*	*	374	5.5	0.28	4.9	6.0
1997	*	*	*	*	*	382	5.6	0.29	5.1	6.2
1998	*	*	*	*	*	403	5.9	0.29	5.3	6.5
1999	*	*	*	*	*	399	5.7	0.29	5.2	6.3
2000	*	*	*	*	*	419	6.0	0.30	5.4	6.6
2001	*	*	*	*	*	412	5.8	0.29	5.3	6.4
2002	*	*	*	*	*	384	5.4	0.28	4.9	6.0
2003	*	*	*	*	*	397	5.6	0.28	5.0	6.2
2004	10	2.6	0.88	1.1	4.8	404	5.7	0.29	5.1	6.3
2005	*	*	*	*	*	384	5.4	0.28	4.8	5.9
2006	10	2.7	0.91	1.2	4.9	389	5.4	0.28	4.8	5.9
2007	13	3.3	0.95	1.7	5.6	401	5.5	0.28	5.0	6.1
2008	12	2.8	0.86	1.4	4.9	430	5.8	0.28	5.2	6.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,402	5.6	0.07	5.5	5.7	998	6.9	0.22	6.4	7.3
1990	322	5.7	0.32	5.1	6.4	57	9.0	1.21	6.8	11.6
1991	314	5.5	0.32	4.9	6.2	40	6.4	1.02	4.6	8.7
1992	334	5.7	0.32	5.1	6.4	52	7.9	1.11	5.9	10.4
1993	334	5.7	0.32	5.1	6.4	44	6.3	0.97	4.6	8.5
1994	338	5.8	0.32	5.1	6.4	58	8.2	1.09	6.2	10.6
1995	346	6.0	0.33	5.4	6.7	36	5.2	0.88	3.7	7.2
1996	312	5.2	0.30	4.6	5.8	59	8.0	1.05	6.0	10.3
1997	319	5.4	0.31	4.8	6.0	60	8.1	1.06	6.2	10.5
1998	349	5.8	0.32	5.2	6.4	48	6.3	0.92	4.7	8.4
1999	351	5.8	0.32	5.2	6.5	46	6.0	0.89	4.4	8.0
2000	356	5.9	0.32	5.3	6.5	60	7.7	1.00	5.8	9.9
2001	346	5.7	0.31	5.1	6.3	62	7.9	1.01	6.0	10.1
2002	326	5.4	0.30	4.8	6.0	57	7.2	0.97	5.5	9.4
2003	335	5.5	0.30	4.9	6.1	59	7.2	0.95	5.5	9.3
2004	343	5.5	0.31	5.0	6.2	57	6.7	0.89	5.1	8.7
2005	338	5.5	0.31	4.9	6.2	39	4.5	0.72	3.2	6.1
2006	330	5.3	0.30	4.7	5.9	50	5.8	0.83	4.3	7.6
2007	335	5.4	0.30	4.8	6.0	63	7.1	0.91	5.5	9.1
2008	374	5.9	0.32	5.3	6.6	51	5.7	0.81	4.3	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary Bladder

Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	101	1.3	0.14	1.0	1.6	10,033	4.6	0.05	4.5	4.7
1990	*	*	*	*	*	496	4.7	0.21	4.3	5.2
1991	*	*	*	*	*	462	4.4	0.21	4.0	4.8
1992	*	*	*	*	*	512	4.8	0.21	4.4	5.2
1993	*	*	*	*	*	498	4.6	0.21	4.2	5.0
1994	*	*	*	*	*	520	4.7	0.21	4.3	5.1
1995	*	*	*	*	*	499	4.5	0.20	4.1	4.9
1996	*	*	*	*	*	505	4.5	0.20	4.1	4.9
1997	*	*	*	*	*	501	4.4	0.20	4.0	4.8
1998	*	*	*	*	*	516	4.5	0.20	4.1	4.9
1999	*	*	*	*	*	556	4.8	0.20	4.4	5.2
2000	*	*	*	*	*	534	4.6	0.20	4.2	5.0
2001	10	2.3	0.79	1.1	4.3	510	4.3	0.19	4.0	4.7
2002	*	*	*	*	*	504	4.3	0.19	3.9	4.7
2003	*	*	*	*	*	553	4.7	0.20	4.3	5.1
2004	*	*	*	*	*	569	4.7	0.20	4.4	5.2
2005	*	*	*	*	*	556	4.6	0.20	4.2	5.0
2006	*	*	*	*	*	570	4.6	0.20	4.3	5.0
2007	*	*	*	*	*	565	4.6	0.20	4.2	5.0
2008	*	*	*	*	*	607	4.9	0.20	4.5	5.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	9,027	4.7	0.05	4.6	4.8	956	4.2	0.14	4.0	4.5
1990	438	4.7	0.22	4.2	5.1	56	5.7	0.79	4.3	7.5
1991	411	4.4	0.22	4.0	4.8	50	5.1	0.73	3.7	6.7
1992	458	4.8	0.22	4.4	5.2	53	5.0	0.71	3.7	6.6
1993	457	4.7	0.22	4.3	5.2	39	3.6	0.60	2.6	5.0
1994	466	4.8	0.22	4.3	5.2	51	4.6	0.66	3.4	6.1
1995	460	4.7	0.22	4.2	5.1	38	3.5	0.57	2.4	4.7
1996	446	4.5	0.21	4.1	4.9	56	5.0	0.68	3.7	6.5
1997	449	4.5	0.21	4.1	4.9	49	4.1	0.60	3.0	5.4
1998	465	4.6	0.21	4.2	5.1	51	4.1	0.59	3.0	5.4
1999	497	4.9	0.22	4.5	5.3	56	4.6	0.63	3.5	6.0
2000	479	4.7	0.21	4.3	5.1	53	4.5	0.63	3.4	5.9
2001	457	4.5	0.21	4.1	4.9	51	4.1	0.59	3.1	5.4
2002	456	4.5	0.21	4.1	4.9	47	3.9	0.57	2.8	5.1
2003	506	4.9	0.22	4.5	5.4	44	3.6	0.55	2.6	4.8
2004	516	5.0	0.22	4.5	5.4	48	3.4	0.51	2.5	4.6
2005	504	4.8	0.22	4.4	5.3	46	3.6	0.53	2.6	4.7
2006	513	4.8	0.22	4.4	5.3	55	4.2	0.57	3.1	5.4
2007	495	4.7	0.21	4.3	5.2	64	4.7	0.60	3.6	6.0
2008	554	5.2	0.22	4.7	5.6	49	3.6	0.52	2.7	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary Bladder

Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	73	2.1	0.28	1.6	2.7	6,687	8.2	0.10	8.0	8.4
1990	*	*	*	*	*	321	8.5	0.50	7.6	9.5
1991	*	*	*	*	*	316	8.3	0.49	7.4	9.3
1992	*	*	*	*	*	336	8.7	0.49	7.7	9.7
1993	*	*	*	*	*	350	8.8	0.49	7.9	9.9
1994	*	*	*	*	*	351	8.7	0.48	7.8	9.7
1995	*	*	*	*	*	348	8.3	0.46	7.5	9.3
1996	*	*	*	*	*	313	7.7	0.44	6.8	8.6
1997	*	*	*	*	*	336	7.9	0.44	7.1	8.8
1998	*	*	*	*	*	337	7.9	0.44	7.1	8.8
1999	*	*	*	*	*	357	8.3	0.45	7.4	9.2
2000	*	*	*	*	*	350	8.1	0.44	7.2	9.0
2001	*	*	*	*	*	334	7.5	0.42	6.7	8.4
2002	*	*	*	*	*	337	7.6	0.42	6.8	8.4
2003	*	*	*	*	*	375	8.3	0.44	7.5	9.2
2004	*	*	*	*	*	377	8.1	0.42	7.3	9.0
2005	*	*	*	*	*	366	7.9	0.42	7.1	8.8
2006	*	*	*	*	*	378	8.2	0.43	7.4	9.1
2007	*	*	*	*	*	383	8.1	0.42	7.3	8.9
2008	*	*	*	*	*	422	8.9	0.44	8.1	9.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,198	8.7	0.11	8.4	8.9	466	5.5	0.27	5.0	6.1
1990	293	8.7	0.53	7.7	9.8	27	7.7	1.59	4.9	11.3
1991	284	8.4	0.52	7.4	9.5	32	8.6	1.61	5.7	12.2
1992	316	9.1	0.53	8.1	10.2	19	4.8	1.18	2.8	7.5
1993	326	9.3	0.53	8.3	10.4	23	5.2	1.16	3.2	7.9
1994	327	9.1	0.52	8.1	10.2	23	5.1	1.13	3.2	7.8
1995	322	8.7	0.50	7.8	9.7	25	5.8	1.24	3.7	8.7
1996	291	8.1	0.48	7.1	9.1	22	5.1	1.15	3.1	7.8
1997	310	8.3	0.48	7.4	9.3	25	5.2	1.09	3.3	7.7
1998	311	8.3	0.48	7.4	9.3	26	5.3	1.11	3.3	7.9
1999	327	8.7	0.48	7.7	9.7	28	6.1	1.22	4.0	8.9
2000	326	8.5	0.48	7.6	9.5	23	5.8	1.26	3.6	8.7
2001	312	8.0	0.46	7.1	9.0	21	4.4	1.05	2.6	6.9
2002	317	8.1	0.46	7.3	9.1	19	4.1	1.00	2.4	6.5
2003	355	9.0	0.48	8.1	10.0	18	4.2	1.07	2.3	6.7
2004	354	8.8	0.47	7.9	9.8	21	3.4	0.77	2.1	5.2
2005	341	8.5	0.46	7.6	9.4	24	5.8	1.26	3.6	8.7
2006	348	8.7	0.47	7.8	9.7	30	6.7	1.33	4.4	9.7
2007	342	8.4	0.46	7.5	9.3	36	7.5	1.35	5.1	10.5
2008	396	9.7	0.49	8.7	10.7	24	4.8	1.03	3.0	7.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary Bladder

Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	28	0.6	0.13	0.4	0.9	3,346	2.5	0.04	2.4	2.5
1990	*	*	*	*	*	175	2.7	0.20	2.3	3.1
1991	0	0.0	*	0.0	1.8	146	2.2	0.18	1.8	2.6
1992	*	*	*	*	*	176	2.6	0.20	2.3	3.1
1993	*	*	*	*	*	148	2.1	0.18	1.8	2.5
1994	*	*	*	*	*	169	2.5	0.19	2.1	2.9
1995	0	0.0	*	0.0	1.5	151	2.2	0.18	1.8	2.5
1996	*	*	*	*	*	192	2.7	0.20	2.3	3.1
1997	*	*	*	*	*	165	2.3	0.18	2.0	2.7
1998	*	*	*	*	*	179	2.5	0.19	2.1	2.9
1999	*	*	*	*	*	199	2.7	0.20	2.4	3.2
2000	*	*	*	*	*	184	2.5	0.19	2.1	2.9
2001	*	*	*	*	*	176	2.4	0.18	2.0	2.8
2002	*	*	*	*	*	167	2.3	0.18	1.9	2.7
2003	*	*	*	*	*	178	2.4	0.18	2.1	2.8
2004	0	0.0	*	0.0	0.9	192	2.6	0.19	2.2	3.0
2005	0	0.0	*	0.0	0.8	190	2.6	0.19	2.2	3.0
2006	*	*	*	*	*	192	2.6	0.19	2.2	3.0
2007	*	*	*	*	*	182	2.4	0.18	2.1	2.8
2008	*	*	*	*	*	185	2.4	0.18	2.0	2.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,829	2.4	0.04	2.3	2.4	490	3.5	0.16	3.2	3.8
1990	145	2.5	0.21	2.1	2.9	29	4.7	0.88	3.1	6.7
1991	127	2.1	0.19	1.8	2.5	18	3.0	0.71	1.8	4.7
1992	142	2.3	0.20	2.0	2.8	34	5.2	0.90	3.6	7.2
1993	131	2.1	0.19	1.8	2.5	16	2.5	0.63	1.4	4.0
1994	139	2.3	0.20	1.9	2.7	28	4.1	0.79	2.7	6.0
1995	138	2.2	0.19	1.9	2.6	13	2.0	0.55	1.1	3.3
1996	155	2.5	0.20	2.1	2.9	34	4.7	0.82	3.3	6.6
1997	139	2.2	0.19	1.8	2.6	24	3.3	0.69	2.1	5.0
1998	154	2.4	0.20	2.0	2.8	25	3.4	0.68	2.2	4.9
1999	170	2.7	0.21	2.3	3.1	28	3.7	0.71	2.5	5.3
2000	153	2.3	0.19	2.0	2.8	30	4.0	0.73	2.7	5.6
2001	145	2.2	0.19	1.9	2.7	30	3.9	0.72	2.7	5.6
2002	139	2.2	0.19	1.8	2.6	28	3.7	0.69	2.4	5.3
2003	151	2.4	0.20	2.0	2.8	26	3.3	0.66	2.2	4.9
2004	162	2.5	0.20	2.1	2.9	27	3.3	0.64	2.2	4.8
2005	163	2.6	0.21	2.2	3.0	22	2.6	0.56	1.6	3.9
2006	165	2.5	0.20	2.1	3.0	25	3.0	0.61	2.0	4.4
2007	153	2.4	0.20	2.0	2.8	28	3.3	0.62	2.2	4.7
2008	158	2.4	0.19	2.0	2.8	25	2.9	0.59	1.9	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Kidney and Renal Pelvis

Both Sexes

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	307	3.0	0.19	2.6	3.4	9,833	4.5	0.05	4.5	4.6
1990	11	2.8	0.93	1.3	5.2	484	4.6	0.21	4.2	5.1
1991	*	*	*	*	*	486	4.6	0.21	4.2	5.0
1992	*	*	*	*	*	481	4.5	0.21	4.1	4.9
1993	11	2.9	0.98	1.3	5.4	519	4.8	0.21	4.4	5.2
1994	19	5.4	1.40	3.0	8.7	552	5.0	0.22	4.6	5.5
1995	14	3.2	0.98	1.6	5.6	512	4.7	0.21	4.3	5.1
1996	*	*	*	*	*	486	4.4	0.20	4.0	4.8
1997	11	2.5	0.91	1.0	4.7	498	4.5	0.20	4.1	4.9
1998	20	4.7	1.23	2.6	7.6	530	4.7	0.20	4.3	5.1
1999	11	2.4	0.86	1.0	4.5	479	4.2	0.19	3.8	4.6
2000	18	3.8	1.04	2.0	6.2	557	4.9	0.21	4.5	5.3
2001	16	2.7	0.75	1.5	4.5	549	4.8	0.20	4.4	5.2
2002	14	2.1	0.63	1.1	3.7	526	4.5	0.20	4.2	4.9
2003	18	2.5	0.65	1.4	4.1	548	4.7	0.20	4.3	5.1
2004	23	2.9	0.66	1.7	4.4	514	4.4	0.19	4.0	4.7
2005	26	3.6	0.79	2.2	5.4	528	4.4	0.19	4.0	4.8
2006	23	2.8	0.64	1.7	4.3	507	4.2	0.19	3.9	4.6
2007	25	3.3	0.72	2.1	5.0	518	4.2	0.19	3.9	4.6
2008	22	2.8	0.64	1.7	4.3	559	4.5	0.19	4.2	4.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	8,530	4.6	0.05	4.5	4.7	1,218	4.7	0.14	4.5	5.0
1990	430	4.7	0.23	4.2	5.1	53	4.8	0.67	3.5	6.2
1991	435	4.7	0.23	4.2	5.1	49	4.2	0.61	3.1	5.5
1992	433	4.6	0.22	4.2	5.1	48	4.0	0.59	2.9	5.3
1993	459	4.9	0.23	4.4	5.3	58	4.6	0.62	3.5	6.0
1994	477	5.0	0.23	4.6	5.5	70	5.5	0.68	4.3	7.0
1995	447	4.7	0.22	4.3	5.2	64	5.3	0.67	4.0	6.7
1996	420	4.3	0.21	3.9	4.8	62	4.8	0.62	3.6	6.1
1997	418	4.3	0.21	3.9	4.8	77	5.9	0.69	4.6	7.4
1998	463	4.7	0.22	4.3	5.2	57	4.2	0.57	3.2	5.4
1999	415	4.2	0.21	3.8	4.7	62	4.5	0.59	3.4	5.8
2000	480	4.9	0.22	4.5	5.3	73	5.3	0.64	4.2	6.7
2001	473	4.8	0.22	4.4	5.2	71	5.1	0.61	3.9	6.4
2002	458	4.6	0.22	4.2	5.1	60	4.5	0.59	3.4	5.8
2003	456	4.6	0.21	4.1	5.0	87	6.0	0.66	4.8	7.4
2004	444	4.4	0.21	4.0	4.9	67	4.6	0.57	3.6	5.9
2005	462	4.5	0.21	4.1	5.0	61	4.1	0.53	3.1	5.2
2006	431	4.3	0.21	3.9	4.7	66	4.2	0.53	3.2	5.4
2007	441	4.3	0.21	3.9	4.7	69	4.6	0.57	3.6	5.9
2008	488	4.7	0.21	4.3	5.1	64	4.1	0.52	3.1	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Kidney and Renal Pelvis

Males

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	205	4.3	0.36	3.7	5.1	5,936	6.6	0.09	6.4	6.8
1990	*	*	*	*	*	286	6.7	0.40	5.9	7.5
1991	*	*	*	*	*	289	6.7	0.40	5.9	7.5
1992	*	*	*	*	*	283	6.4	0.39	5.6	7.2
1993	*	*	*	*	*	307	6.8	0.40	6.1	7.6
1994	11	7.2	2.64	3.0	13.8	335	7.4	0.41	6.6	8.3
1995	12	4.5	1.42	2.1	8.3	290	6.4	0.38	5.6	7.2
1996	*	*	*	*	*	309	6.8	0.39	6.0	7.6
1997	*	*	*	*	*	291	6.3	0.37	5.6	7.1
1998	17	8.9	2.73	4.4	15.5	317	6.8	0.39	6.1	7.7
1999	*	*	*	*	*	290	6.2	0.37	5.5	6.9
2000	12	6.2	2.28	2.6	11.8	331	7.0	0.39	6.3	7.8
2001	14	4.9	1.53	2.4	8.7	322	6.7	0.38	6.0	7.5
2002	10	3.6	1.30	1.5	6.9	320	6.5	0.37	5.8	7.3
2003	12	3.5	1.18	1.6	6.5	348	7.0	0.38	6.3	7.8
2004	14	3.7	1.12	1.9	6.6	312	6.3	0.36	5.6	7.0
2005	21	6.5	1.66	3.7	10.4	344	6.9	0.38	6.2	7.7
2006	17	4.0	1.08	2.2	6.7	323	6.3	0.36	5.7	7.1
2007	13	3.6	1.12	1.8	6.4	311	6.0	0.34	5.3	6.7
2008	12	3.7	1.15	1.8	6.5	328	6.4	0.36	5.7	7.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,147	6.6	0.09	6.5	6.8	738	7.0	0.27	6.5	7.6
1990	257	6.8	0.43	6.0	7.7	28	6.2	1.25	4.0	9.1
1991	258	6.8	0.43	6.0	7.7	31	5.8	1.08	3.9	8.3
1992	252	6.5	0.42	5.7	7.4	31	5.7	1.04	3.8	8.1
1993	272	7.0	0.43	6.1	7.8	33	6.5	1.19	4.4	9.2
1994	292	7.5	0.44	6.6	8.4	40	7.7	1.28	5.4	10.6
1995	248	6.2	0.40	5.5	7.1	41	8.3	1.38	5.8	11.4
1996	268	6.7	0.42	5.9	7.6	37	6.8	1.18	4.7	9.5
1997	245	6.1	0.40	5.4	7.0	44	7.9	1.28	5.6	10.8
1998	277	6.9	0.42	6.1	7.8	36	6.1	1.08	4.2	8.6
1999	245	6.0	0.39	5.3	6.9	44	7.9	1.26	5.6	10.7
2000	285	7.0	0.42	6.2	7.9	44	8.0	1.27	5.7	10.8
2001	281	6.8	0.41	6.0	7.7	39	6.4	1.07	4.5	8.8
2002	280	6.7	0.40	5.9	7.5	33	6.3	1.20	4.2	9.1
2003	291	6.9	0.41	6.1	7.7	54	9.0	1.30	6.7	11.9
2004	271	6.4	0.39	5.6	7.2	39	7.2	1.24	5.0	10.0
2005	296	6.9	0.41	6.2	7.8	45	7.7	1.24	5.5	10.5
2006	276	6.4	0.39	5.7	7.2	44	6.8	1.11	4.8	9.3
2007	268	6.0	0.37	5.3	6.8	36	6.3	1.13	4.3	8.9
2008	285	6.5	0.39	5.8	7.3	39	6.1	1.02	4.2	8.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2008

Kidney and Renal Pelvis

Females

Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	102	1.9	0.20	1.5	2.3	3,897	3.1	0.05	3.0	3.2
1990	*	*	*	*	*	198	3.3	0.23	2.8	3.7
1991	*	*	*	*	*	197	3.1	0.23	2.7	3.6
1992	*	*	*	*	*	198	3.1	0.22	2.7	3.6
1993	*	*	*	*	*	212	3.3	0.23	2.9	3.8
1994	*	*	*	*	*	217	3.4	0.23	2.9	3.8
1995	*	*	*	*	*	222	3.5	0.24	3.0	4.0
1996	*	*	*	*	*	177	2.7	0.20	2.3	3.1
1997	*	*	*	*	*	207	3.1	0.22	2.7	3.6
1998	*	*	*	*	*	213	3.2	0.22	2.8	3.7
1999	*	*	*	*	*	189	2.8	0.21	2.4	3.3
2000	*	*	*	*	*	226	3.4	0.23	2.9	3.8
2001	*	*	*	*	*	227	3.3	0.22	2.9	3.8
2002	*	*	*	*	*	206	3.0	0.21	2.6	3.4
2003	*	*	*	*	*	200	2.9	0.21	2.5	3.3
2004	*	*	*	*	*	202	3.0	0.21	2.6	3.4
2005	*	*	*	*	*	184	2.6	0.20	2.3	3.0
2006	*	*	*	*	*	184	2.6	0.20	2.3	3.1
2007	12	3.1	0.93	1.5	5.4	207	2.9	0.21	2.5	3.3
2008	10	2.1	0.71	1.0	3.9	231	3.2	0.21	2.8	3.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,383	3.1	0.05	3.0	3.2	480	3.2	0.15	2.9	3.5
1990	173	3.2	0.25	2.7	3.7	25	3.9	0.78	2.5	5.7
1991	177	3.2	0.25	2.8	3.8	18	2.8	0.66	1.6	4.4
1992	181	3.2	0.24	2.8	3.7	17	2.6	0.63	1.5	4.1
1993	187	3.3	0.25	2.9	3.9	25	3.4	0.69	2.2	5.0
1994	185	3.2	0.24	2.8	3.8	30	4.1	0.75	2.7	5.8
1995	199	3.6	0.26	3.1	4.2	23	3.3	0.68	2.1	4.9
1996	152	2.6	0.22	2.2	3.1	25	3.2	0.66	2.1	4.8
1997	173	3.1	0.24	2.6	3.6	33	4.4	0.77	3.0	6.1
1998	186	3.2	0.24	2.8	3.7	21	2.7	0.60	1.7	4.2
1999	170	3.0	0.23	2.5	3.5	18	2.3	0.54	1.4	3.6
2000	195	3.4	0.25	2.9	3.9	29	3.6	0.67	2.4	5.1
2001	192	3.3	0.24	2.9	3.8	32	4.0	0.70	2.7	5.6
2002	178	3.0	0.23	2.6	3.5	27	3.4	0.65	2.2	4.9
2003	165	2.8	0.22	2.4	3.2	33	3.9	0.68	2.7	5.5
2004	173	3.0	0.23	2.5	3.5	28	3.2	0.60	2.1	4.6
2005	166	2.8	0.22	2.4	3.3	16	1.8	0.45	1.0	2.9
2006	155	2.6	0.21	2.2	3.1	22	2.5	0.53	1.5	3.7
2007	173	2.9	0.22	2.4	3.3	33	3.7	0.64	2.5	5.1
2008	203	3.3	0.24	2.9	3.8	25	2.7	0.55	1.7	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases