

Invasive Cancer Mortality by Race, Illinois 1986-2008

Endocrine System

Both Sexes

All Races						White				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,174	0.8	0.02	0.8	0.8	1,870	0.8	0.02	0.8	0.9
1986	71	0.7	0.08	0.5	0.8	61	0.6	0.08	0.5	0.8
1987	87	0.8	0.09	0.6	1.0	75	0.8	0.09	0.6	1.0
1988	84	0.8	0.08	0.6	1.0	73	0.8	0.09	0.6	1.0
1989	97	0.9	0.09	0.7	1.1	86	0.9	0.10	0.7	1.2
1990	91	0.8	0.09	0.7	1.0	80	0.8	0.09	0.7	1.0
1991	89	0.8	0.09	0.6	1.0	79	0.8	0.09	0.6	1.0
1992	98	0.9	0.09	0.7	1.0	85	0.9	0.09	0.7	1.1
1993	108	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1994	87	0.8	0.08	0.6	0.9	76	0.8	0.09	0.6	1.0
1995	81	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1996	88	0.8	0.08	0.6	0.9	76	0.8	0.09	0.6	1.0
1997	112	1.0	0.09	0.8	1.1	95	0.9	0.10	0.8	1.2
1998	93	0.8	0.08	0.6	1.0	79	0.8	0.09	0.6	1.0
1999	94	0.8	0.08	0.6	1.0	78	0.8	0.09	0.6	1.0
2000	90	0.8	0.08	0.6	0.9	76	0.7	0.08	0.6	0.9
2001	95	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	0.9
2002	99	0.8	0.08	0.7	1.0	86	0.8	0.09	0.7	1.0
2003	106	0.9	0.08	0.7	1.0	90	0.9	0.09	0.7	1.1
2004	107	0.8	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2005	105	0.8	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2006	107	0.8	0.08	0.7	1.0	93	0.9	0.09	0.7	1.1
2007	89	0.7	0.07	0.5	0.8	71	0.6	0.08	0.5	0.8
2008	96	0.7	0.08	0.6	0.9	79	0.7	0.08	0.6	0.9

Black						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	259	0.8	0.05	0.7	0.9	45	0.7	0.12	0.5	1.0
1986	10	0.8	0.26	0.3	1.5	0	0.0	*	0.0	2.9
1987	11	0.8	0.25	0.4	1.5	*	*	*	*	*
1988	10	0.7	0.25	0.3	1.4	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1992	13	0.8	0.25	0.4	1.5	0	0.0	*	0.0	2.0
1993	10	0.9	0.28	0.4	1.6	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1996	10	0.7	0.22	0.3	1.2	*	*	*	*	*
1997	15	1.0	0.28	0.6	1.7	*	*	*	*	*
1998	12	0.9	0.26	0.4	1.5	*	*	*	*	*
1999	13	0.7	0.20	0.4	1.2	*	*	*	*	*
2000	11	0.8	0.24	0.4	1.4	*	*	*	*	*
2001	15	1.0	0.26	0.5	1.6	*	*	*	*	*
2002	*	*	*	*	*	*	*	*	*	*
2003	15	1.0	0.28	0.6	1.7	*	*	*	*	*
2004	12	0.8	0.22	0.4	1.3	*	*	*	*	*
2005	10	0.6	0.21	0.3	1.2	*	*	*	*	*
2006	12	0.8	0.24	0.4	1.4	*	*	*	*	*
2007	15	0.9	0.24	0.5	1.5	*	*	*	*	*
2008	14	1.0	0.26	0.5	1.6	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Race, Illinois 1986-2008

Endocrine System

Males

All Races						White				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	916	0.8	0.03	0.7	0.8	805	0.8	0.03	0.8	0.9
1986	25	0.5	0.11	0.3	0.8	23	0.5	0.12	0.3	0.8
1987	37	0.8	0.14	0.6	1.1	33	0.8	0.15	0.6	1.2
1988	37	0.8	0.14	0.6	1.1	31	0.8	0.15	0.5	1.1
1989	42	1.0	0.15	0.7	1.3	38	1.0	0.17	0.7	1.4
1990	37	0.8	0.14	0.6	1.2	32	0.8	0.15	0.6	1.2
1991	39	0.8	0.13	0.6	1.1	32	0.7	0.13	0.5	1.1
1992	41	0.8	0.12	0.5	1.0	36	0.8	0.13	0.6	1.1
1993	43	0.9	0.14	0.6	1.2	39	0.9	0.15	0.6	1.3
1994	37	0.8	0.13	0.5	1.0	31	0.7	0.13	0.5	1.0
1995	31	0.6	0.12	0.4	0.9	28	0.7	0.13	0.5	1.0
1996	32	0.6	0.11	0.4	0.9	29	0.7	0.12	0.4	1.0
1997	60	1.2	0.15	0.9	1.5	53	1.2	0.17	0.9	1.6
1998	40	0.8	0.13	0.6	1.1	35	0.8	0.14	0.6	1.1
1999	48	0.9	0.13	0.7	1.2	45	1.0	0.15	0.7	1.4
2000	36	0.7	0.11	0.5	0.9	33	0.7	0.13	0.5	1.0
2001	34	0.6	0.11	0.4	0.9	28	0.6	0.12	0.4	0.9
2002	42	0.8	0.13	0.6	1.1	38	0.9	0.14	0.6	1.2
2003	54	1.0	0.14	0.7	1.3	47	1.0	0.15	0.8	1.4
2004	38	0.6	0.11	0.5	0.9	34	0.7	0.12	0.5	1.0
2005	48	0.9	0.13	0.7	1.2	42	0.9	0.15	0.7	1.3
2006	37	0.7	0.12	0.5	1.0	34	0.8	0.13	0.5	1.1
2007	39	0.7	0.11	0.5	0.9	32	0.7	0.12	0.5	0.9
2008	39	0.7	0.11	0.5	0.9	32	0.7	0.12	0.5	0.9

Black						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	89	0.6	0.07	0.5	0.7	22	0.6	0.14	0.4	1.0
1986	*	*	*	*	*	0	0.0	*	0.0	6.8
1987	*	*	*	*	*	0	0.0	*	0.0	6.4
1988	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	0	0.0	*	0.0	4.7
1993	*	*	*	*	*	0	0.0	*	0.0	4.4
1994	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1998	*	*	*	*	*	*	*	*	*	*
1999	*	*	*	*	*	*	*	*	*	*
2000	*	*	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*	*	*
2003	*	*	*	*	*	0	0.0	*	0.0	2.2
2004	*	*	*	*	*	*	*	*	*	*
2005	*	*	*	*	*	*	*	*	*	*
2006	*	*	*	*	*	0	0.0	*	0.0	1.8
2007	*	*	*	*	*	*	*	*	*	*
2008	*	*	*	*	*	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Race, Illinois 1986-2008

Endocrine System

Females

All Races						White				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,258	0.8	0.02	0.8	0.9	1,065	0.8	0.02	0.8	0.9
1986	46	0.7	0.11	0.5	1.0	38	0.7	0.11	0.5	0.9
1987	50	0.8	0.12	0.6	1.1	42	0.8	0.13	0.6	1.1
1988	47	0.8	0.11	0.6	1.0	42	0.8	0.12	0.6	1.0
1989	55	0.9	0.12	0.7	1.2	48	0.9	0.13	0.7	1.2
1990	54	0.8	0.11	0.6	1.1	48	0.8	0.12	0.6	1.1
1991	50	0.8	0.11	0.6	1.0	47	0.8	0.13	0.6	1.1
1992	57	0.9	0.12	0.7	1.1	49	0.9	0.13	0.7	1.2
1993	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1994	50	0.7	0.11	0.6	1.0	45	0.8	0.12	0.6	1.0
1995	50	0.7	0.10	0.5	1.0	44	0.7	0.11	0.5	1.0
1996	56	0.8	0.11	0.6	1.1	47	0.8	0.12	0.6	1.1
1997	52	0.8	0.11	0.6	1.0	42	0.7	0.11	0.5	1.0
1998	53	0.8	0.11	0.6	1.0	44	0.8	0.12	0.6	1.1
1999	46	0.7	0.10	0.5	0.9	33	0.6	0.10	0.4	0.8
2000	54	0.8	0.11	0.6	1.0	43	0.7	0.11	0.5	1.0
2001	61	0.9	0.12	0.7	1.2	49	0.9	0.12	0.6	1.1
2002	57	0.8	0.11	0.6	1.1	48	0.8	0.12	0.6	1.1
2003	52	0.7	0.10	0.6	1.0	43	0.7	0.11	0.5	1.0
2004	69	0.9	0.12	0.7	1.2	59	1.0	0.13	0.7	1.2
2005	57	0.8	0.11	0.6	1.0	51	0.8	0.12	0.6	1.1
2006	70	1.0	0.12	0.8	1.2	59	1.0	0.13	0.7	1.3
2007	50	0.7	0.10	0.5	0.9	39	0.6	0.10	0.4	0.9
2008	57	0.8	0.10	0.6	1.0	47	0.7	0.11	0.5	1.0

Black						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	170	0.9	0.07	0.8	1.1	23	0.7	0.16	0.5	1.1
1986	*	*	*	*	*	0	0.0	*	0.0	5.0
1987	*	*	*	*	*	*	*	*	*	*
1988	*	*	*	*	*	0	0.0	*	0.0	4.5
1989	*	*	*	*	*	*	*	*	*	*
1990	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	0	0.0	*	0.0	3.4
1993	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1998	*	*	*	*	*	*	*	*	*	*
1999	11	1.1	0.34	0.6	2.0	*	*	*	*	*
2000	*	*	*	*	*	*	*	*	*	*
2001	10	1.2	0.37	0.6	2.1	*	*	*	*	*
2002	*	*	*	*	*	*	*	*	*	*
2003	*	*	*	*	*	*	*	*	*	*
2004	*	*	*	*	*	*	*	*	*	*
2005	*	*	*	*	*	0	0.0	*	0.0	1.5
2006	*	*	*	*	*	*	*	*	*	*
2007	11	1.2	0.37	0.6	2.2	0	0.0	*	0.0	1.4
2008	*	*	*	*	*	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Race, Illinois 1986-2008

Thyroid

Both Sexes

All Races						White				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,245	0.5	0.01	0.4	0.5	1,092	0.5	0.01	0.4	0.5
1986	39	0.4	0.06	0.3	0.5	36	0.4	0.06	0.3	0.5
1987	48	0.5	0.07	0.3	0.6	42	0.5	0.07	0.3	0.6
1988	42	0.4	0.06	0.3	0.6	38	0.4	0.07	0.3	0.6
1989	51	0.5	0.07	0.4	0.7	45	0.5	0.07	0.4	0.7
1990	54	0.5	0.07	0.4	0.7	48	0.5	0.07	0.4	0.7
1991	53	0.5	0.07	0.4	0.6	50	0.5	0.07	0.4	0.7
1992	52	0.5	0.06	0.4	0.6	47	0.5	0.07	0.4	0.6
1993	54	0.5	0.07	0.4	0.6	51	0.5	0.07	0.4	0.7
1994	55	0.5	0.07	0.4	0.6	50	0.5	0.07	0.4	0.7
1995	49	0.4	0.06	0.3	0.6	45	0.5	0.07	0.3	0.6
1996	52	0.5	0.06	0.3	0.6	43	0.4	0.07	0.3	0.6
1997	58	0.5	0.07	0.4	0.6	50	0.5	0.07	0.4	0.7
1998	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
1999	41	0.3	0.05	0.3	0.5	36	0.4	0.06	0.2	0.5
2000	54	0.5	0.06	0.3	0.6	48	0.5	0.07	0.3	0.6
2001	53	0.4	0.06	0.3	0.6	46	0.4	0.07	0.3	0.6
2002	62	0.5	0.06	0.4	0.7	57	0.5	0.07	0.4	0.7
2003	57	0.5	0.06	0.4	0.6	48	0.5	0.07	0.3	0.6
2004	65	0.5	0.06	0.4	0.7	55	0.5	0.07	0.4	0.7
2005	64	0.5	0.06	0.4	0.7	58	0.5	0.07	0.4	0.7
2006	75	0.6	0.07	0.5	0.7	63	0.6	0.07	0.4	0.7
2007	56	0.4	0.06	0.3	0.6	43	0.4	0.06	0.3	0.5
2008	56	0.4	0.06	0.3	0.6	46	0.4	0.06	0.3	0.6
Black						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	128	0.5	0.04	0.4	0.5	25	0.5	0.10	0.3	0.7
1986	*	*	*	*	*	0	0.0	*	0.0	2.9
1987	*	*	*	*	*	0	0.0	*	0.0	2.7
1988	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	0	0.0	*	0.0	2.4
1990	*	*	*	*	*	*	*	*	*	*
1991	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	0	0.0	*	0.0	2.0
1993	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	0	0.0	*	0.0	1.6
1996	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1998	*	*	*	*	*	*	*	*	*	*
1999	*	*	*	*	*	*	*	*	*	*
2000	*	*	*	*	*	0	0.0	*	0.0	1.1
2001	*	*	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*	*	*
2003	*	*	*	*	*	0	0.0	*	0.0	0.9
2004	*	*	*	*	*	*	*	*	*	*
2005	*	*	*	*	*	*	*	*	*	*
2006	10	0.7	0.21	0.3	1.2	*	*	*	*	*
2007	10	0.7	0.21	0.3	1.2	*	*	*	*	*
2008	*	*	*	*	*	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Race, Illinois 1986-2008

Thyroid

Males

All Races						White				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	452	0.4	0.02	0.4	0.5	411	0.4	0.02	0.4	0.5
1986	14	0.3	0.09	0.2	0.5	14	0.4	0.10	0.2	0.6
1987	18	0.4	0.10	0.2	0.6	16	0.4	0.10	0.2	0.6
1988	16	0.4	0.11	0.2	0.7	13	0.4	0.11	0.2	0.7
1989	19	0.5	0.12	0.3	0.8	18	0.5	0.13	0.3	0.8
1990	17	0.4	0.11	0.3	0.7	15	0.4	0.12	0.2	0.7
1991	20	0.5	0.10	0.3	0.7	17	0.4	0.10	0.2	0.7
1992	15	0.3	0.08	0.2	0.5	14	0.3	0.09	0.2	0.6
1993	20	0.4	0.10	0.3	0.7	20	0.5	0.11	0.3	0.8
1994	20	0.4	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1995	15	0.3	0.09	0.2	0.5	14	0.4	0.10	0.2	0.6
1996	17	0.3	0.08	0.2	0.6	15	0.4	0.09	0.2	0.6
1997	27	0.6	0.11	0.4	0.8	23	0.5	0.11	0.3	0.8
1998	23	0.5	0.10	0.3	0.7	22	0.5	0.11	0.3	0.8
1999	23	0.5	0.10	0.3	0.7	22	0.5	0.11	0.3	0.8
2000	20	0.4	0.09	0.2	0.6	20	0.5	0.10	0.3	0.7
2001	14	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
2002	27	0.6	0.11	0.4	0.8	26	0.6	0.12	0.4	0.9
2003	20	0.4	0.09	0.2	0.6	17	0.4	0.09	0.2	0.6
2004	15	0.3	0.07	0.2	0.4	14	0.3	0.08	0.2	0.5
2005	26	0.5	0.10	0.3	0.8	24	0.6	0.11	0.4	0.8
2006	23	0.4	0.09	0.3	0.7	20	0.4	0.10	0.3	0.7
2007	23	0.4	0.09	0.3	0.6	19	0.4	0.10	0.2	0.6
2008	20	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6

Black						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	29	0.2	0.05	0.2	0.4	12	0.4	0.13	0.2	0.8
1986	0	0.0	*	0.0	0.8	0	0.0	*	0.0	6.8
1987	*	*	*	*	*	0	0.0	*	0.0	6.4
1988	*	*	*	*	*	*	*	*	*	*
1989	*	*	*	*	*	0	0.0	*	0.0	5.6
1990	*	*	*	*	*	0	0.0	*	0.0	5.5
1991	*	*	*	*	*	*	*	*	*	*
1992	*	*	*	*	*	0	0.0	*	0.0	4.7
1993	0	0.0	*	0.0	0.7	0	0.0	*	0.0	4.4
1994	*	*	*	*	*	0	0.0	*	0.0	4.1
1995	*	*	*	*	*	0	0.0	*	0.0	3.9
1996	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1998	*	*	*	*	*	0	0.0	*	0.0	3.2
1999	*	*	*	*	*	0	0.0	*	0.0	3.1
2000	0	0.0	*	0.0	0.6	0	0.0	*	0.0	2.8
2001	*	*	*	*	*	0	0.0	*	0.0	2.6
2002	0	0.0	*	0.0	0.6	*	*	*	*	*
2003	*	*	*	*	*	0	0.0	*	0.0	2.2
2004	0	0.0	*	0.0	0.6	*	*	*	*	*
2005	*	*	*	*	*	*	*	*	*	*
2006	*	*	*	*	*	0	0.0	*	0.0	1.8
2007	*	*	*	*	*	*	*	*	*	*
2008	*	*	*	*	*	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE), Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Race, Illinois 1986-2008

Thyroid

Females

All Races						White				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	793	0.5	0.02	0.5	0.5	681	0.5	0.02	0.5	0.5
1986	25	0.4	0.08	0.3	0.6	22	0.4	0.08	0.2	0.6
1987	30	0.5	0.09	0.3	0.7	26	0.5	0.10	0.3	0.7
1988	26	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.6
1989	32	0.5	0.09	0.4	0.7	27	0.5	0.10	0.3	0.7
1990	37	0.6	0.09	0.4	0.8	33	0.6	0.10	0.4	0.8
1991	33	0.5	0.09	0.4	0.7	33	0.6	0.11	0.4	0.8
1992	37	0.6	0.09	0.4	0.8	33	0.6	0.10	0.4	0.8
1993	34	0.5	0.09	0.4	0.7	31	0.5	0.10	0.4	0.8
1994	35	0.5	0.09	0.4	0.7	32	0.5	0.09	0.4	0.7
1995	34	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
1996	35	0.5	0.09	0.4	0.7	28	0.5	0.09	0.3	0.7
1997	31	0.4	0.08	0.3	0.6	27	0.4	0.09	0.3	0.7
1998	32	0.5	0.08	0.3	0.7	25	0.4	0.08	0.3	0.6
1999	18	0.3	0.06	0.2	0.4	14	0.2	0.06	0.1	0.4
2000	34	0.5	0.08	0.3	0.7	28	0.5	0.09	0.3	0.7
2001	39	0.6	0.09	0.4	0.8	33	0.5	0.10	0.4	0.8
2002	35	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
2003	37	0.5	0.08	0.4	0.7	31	0.5	0.09	0.3	0.7
2004	50	0.7	0.09	0.5	0.9	41	0.6	0.10	0.4	0.9
2005	38	0.5	0.09	0.4	0.7	34	0.5	0.09	0.4	0.8
2006	52	0.7	0.10	0.5	0.9	43	0.7	0.11	0.5	1.0
2007	33	0.4	0.08	0.3	0.6	24	0.4	0.08	0.2	0.6
2008	36	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7

Black						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	99	0.6	0.06	0.5	0.7	13	0.5	0.13	0.3	0.8
1986	*	*	*	*	*	0	0.0	*	0.0	5.0
1987	*	*	*	*	*	0	0.0	*	0.0	4.7
1988	*	*	*	*	*	0	0.0	*	0.0	4.5
1989	*	*	*	*	*	0	0.0	*	0.0	4.2
1990	*	*	*	*	*	*	*	*	*	*
1991	0	0.0	*	0.0	0.5	0	0.0	*	0.0	3.7
1992	*	*	*	*	*	0	0.0	*	0.0	3.4
1993	*	*	*	*	*	*	*	*	*	*
1994	*	*	*	*	*	*	*	*	*	*
1995	*	*	*	*	*	0	0.0	*	0.0	2.7
1996	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	*	*	*	*	*
1998	*	*	*	*	*	*	*	*	*	*
1999	*	*	*	*	*	*	*	*	*	*
2000	*	*	*	*	*	0	0.0	*	0.0	1.9
2001	*	*	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*	*	*
2003	*	*	*	*	*	0	0.0	*	0.0	1.6
2004	*	*	*	*	*	*	*	*	*	*
2005	*	*	*	*	*	0	0.0	*	0.0	1.5
2006	*	*	*	*	*	*	*	*	*	*
2007	*	*	*	*	*	0	0.0	*	0.0	1.4
2008	*	*	*	*	*	*	*	*	*	*

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE), Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry. Underlying mortality data provided by NCHS, data as of October 2011

* Statistics not shown due to fewer than 10 cases