

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## All Sites Combined

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	41,621	359.8	2.04	355.8	363.8	1,056,078	490.3	0.48	489.4	491.3
1990	1,174	307.8	10.54	287.5	329.1	46,265	439.0	2.06	435.0	443.0
1991	1,187	291.3	9.95	272.2	311.4	47,860	448.5	2.07	444.5	452.6
1992	1,299	313.7	10.27	293.9	334.3	50,694	469.0	2.10	464.9	473.2
1993	1,457	333.5	10.26	313.7	354.1	51,343	470.4	2.09	466.3	474.5
1994	1,622	356.4	10.47	336.2	377.4	53,883	491.1	2.12	487.0	495.3
1995	1,771	389.2	11.02	367.9	411.3	53,360	483.9	2.10	479.8	488.1
1996	1,880	407.1	11.16	385.6	429.5	54,409	491.5	2.11	487.4	495.7
1997	1,943	395.4	10.68	374.7	416.8	54,630	490.2	2.10	486.1	494.3
1998	2,079	407.5	10.69	386.8	428.9	55,580	494.6	2.10	490.5	498.7
1999	2,268	410.2	10.30	390.3	430.8	56,476	499.4	2.10	495.3	503.6
2000	2,202	363.4	9.23	345.5	381.8	56,773	499.2	2.10	495.1	503.3
2001	2,356	380.1	9.24	362.2	398.5	58,355	509.9	2.11	505.8	514.1
2002	2,557	377.8	8.73	360.9	395.2	59,581	516.5	2.12	512.4	520.7
2003	2,558	353.0	8.11	337.3	369.2	58,172	499.6	2.08	495.5	503.7
2004	2,793	362.8	7.92	347.5	378.6	58,441	498.9	2.07	494.8	502.9
2005	2,908	353.5	7.44	339.1	368.3	58,560	495.7	2.06	491.7	499.8
2006	3,009	347.2	7.14	333.3	361.4	60,204	506.4	2.08	502.3	510.5
2007	3,219	348.4	6.85	335.1	362.0	60,994	506.7	2.07	502.7	510.8
2008	3,339	340.5	6.54	327.8	353.5	60,498	495.3	2.03	491.4	499.3

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	892,301	486.8	0.52	485.8	487.8	137,669	524.6	1.44	521.8	527.4
1990	40,266	436.9	2.20	432.6	441.2	5,472	470.6	6.57	457.8	483.6
1991	41,889	449.6	2.22	445.3	454.0	5,283	442.8	6.28	430.6	455.3
1992	44,288	470.8	2.26	466.4	475.3	5,770	474.1	6.42	461.6	486.8
1993	44,273	467.2	2.24	462.8	471.6	6,361	513.3	6.62	500.4	526.4
1994	46,243	486.7	2.28	482.2	491.2	6,857	546.7	6.78	533.5	560.2
1995	45,401	477.9	2.26	473.5	482.3	7,060	549.0	6.70	536.0	562.3
1996	46,155	485.4	2.27	480.9	489.8	7,254	554.6	6.66	541.7	567.8
1997	46,373	485.6	2.26	481.2	490.1	7,103	533.2	6.46	520.6	546.0
1998	46,814	487.5	2.26	483.1	491.9	7,373	544.2	6.47	531.6	557.1
1999	47,857	497.3	2.28	492.9	501.8	7,180	518.6	6.24	506.4	530.9
2000	47,764	495.3	2.27	490.9	499.8	7,486	530.5	6.25	518.3	542.8
2001	49,106	507.6	2.30	503.1	512.1	7,706	541.1	6.28	528.8	553.5
2002	49,947	513.3	2.31	508.8	517.9	7,824	538.7	6.21	526.6	551.0
2003	48,567	496.0	2.26	491.6	500.5	7,805	527.6	6.08	515.8	539.7
2004	48,723	496.3	2.26	491.9	500.8	7,860	523.6	6.02	511.8	535.5
2005	48,528	491.7	2.25	487.3	496.1	7,928	521.8	5.97	510.1	533.6
2006	49,801	502.8	2.28	498.4	507.3	8,397	542.8	6.03	531.0	554.7
2007	50,356	503.7	2.27	499.2	508.2	8,504	540.1	5.97	528.5	551.9
2008	49,950	493.8	2.24	489.4	498.2	8,446	524.5	5.82	513.2	536.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## All Sites Combined

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	20,428	405.8	3.41	399.1	412.5	538,406	589.2	0.81	587.6	590.8
1990	525	335.7	18.53	300.3	373.5	22,907	525.0	3.58	518.0	532.1
1991	561	312.2	16.66	280.4	346.2	24,406	550.6	3.63	543.5	557.8
1992	609	350.0	17.81	315.9	386.3	26,580	590.8	3.72	583.6	598.2
1993	706	383.1	18.24	348.2	420.2	26,578	583.6	3.67	576.4	590.8
1994	813	413.4	18.35	378.2	450.6	27,327	598.3	3.70	591.1	605.6
1995	847	445.4	19.42	408.1	484.6	27,124	585.7	3.62	578.6	592.9
1996	939	474.2	19.54	436.7	513.7	27,359	586.1	3.60	579.1	593.2
1997	961	447.4	18.03	412.8	483.8	27,645	587.5	3.58	580.5	594.6
1998	992	479.8	19.03	443.2	518.1	27,904	587.5	3.56	580.6	594.5
1999	1,112	461.8	17.40	428.4	496.9	28,587	596.0	3.56	589.0	603.0
2000	1,067	410.1	15.40	380.4	441.1	28,867	596.7	3.54	589.8	603.7
2001	1,162	436.1	15.59	406.1	467.5	29,757	611.5	3.58	604.5	618.5
2002	1,252	432.4	14.70	404.0	461.9	30,718	625.8	3.61	618.8	633.0
2003	1,308	405.4	13.39	379.6	432.3	29,971	602.8	3.52	595.9	609.7
2004	1,357	404.6	13.01	379.5	430.7	30,082	598.0	3.49	591.2	604.9
2005	1,458	390.5	11.93	367.4	414.4	29,680	583.1	3.43	576.4	589.9
2006	1,484	380.9	11.46	358.8	403.9	30,601	594.3	3.44	587.6	601.1
2007	1,614	392.3	11.19	370.7	414.8	31,344	598.6	3.43	591.9	605.4
2008	1,661	380.0	10.58	359.6	401.2	30,969	579.8	3.35	573.3	586.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	452,860	577.4	0.87	575.7	579.1	71,933	685.9	2.70	680.6	691.2
1990	19,873	517.4	3.78	510.0	524.8	2,770	602.8	12.30	578.9	627.3
1991	21,379	549.0	3.86	541.5	556.6	2,704	570.2	11.70	547.5	593.5
1992	23,133	586.2	3.94	578.5	593.9	3,141	659.4	12.58	635.0	684.5
1993	22,863	574.5	3.88	566.9	582.1	3,381	687.2	12.62	662.7	712.3
1994	23,274	584.5	3.90	576.9	592.2	3,664	742.8	13.12	717.4	768.9
1995	22,872	569.2	3.82	561.8	576.8	3,834	751.5	12.92	726.4	777.2
1996	22,981	569.2	3.80	561.7	576.7	3,897	741.4	12.58	716.9	766.4
1997	23,385	576.0	3.80	568.6	583.5	3,682	685.9	11.94	662.7	709.7
1998	23,371	571.6	3.77	564.2	579.0	3,806	702.5	12.03	679.2	726.5
1999	24,154	586.6	3.80	579.1	594.1	3,674	665.9	11.57	643.4	688.9
2000	24,122	582.9	3.77	575.5	590.3	3,994	708.3	11.78	685.4	731.8
2001	24,981	601.3	3.83	593.9	608.9	3,950	692.4	11.59	669.9	715.4
2002	25,738	615.7	3.86	608.2	623.3	3,961	682.6	11.43	660.4	705.3
2003	24,940	590.8	3.77	583.5	598.3	4,082	684.3	11.24	662.5	706.7
2004	24,962	586.3	3.74	578.9	593.6	4,080	677.9	11.18	656.2	700.2
2005	24,467	569.2	3.67	562.0	576.5	4,082	673.6	11.15	651.9	695.8
2006	25,247	582.2	3.70	575.0	589.6	4,304	693.2	11.12	671.6	715.3
2007	25,689	583.7	3.69	576.5	591.0	4,511	715.3	11.20	693.5	737.5
2008	25,429	568.0	3.61	560.9	575.1	4,416	680.1	10.74	659.2	701.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## All Sites Combined

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	21,193	331.1	2.54	326.1	336.1	517,672	428.6	0.60	427.4	429.8
1990	649	303.4	13.20	278.1	330.2	23,358	394.3	2.63	389.2	399.5
1991	626	283.5	12.67	259.2	309.3	23,454	391.7	2.60	386.7	396.9
1992	690	297.2	12.73	272.8	323.1	24,114	398.2	2.60	393.1	403.4
1993	751	308.8	12.54	284.7	334.2	24,765	402.8	2.59	397.8	407.9
1994	809	322.6	12.77	298.0	348.4	26,556	427.5	2.66	422.3	432.8
1995	924	360.4	13.46	334.5	387.6	26,236	422.3	2.64	417.2	427.5
1996	941	366.1	13.53	340.0	393.4	27,050	433.2	2.66	428.0	438.5
1997	982	361.4	13.22	335.9	388.1	26,985	429.6	2.64	424.4	434.8
1998	1,087	366.6	12.75	342.0	392.3	27,676	436.8	2.65	431.7	442.1
1999	1,156	377.5	12.78	352.9	403.3	27,889	438.6	2.65	433.5	443.9
2000	1,135	333.0	11.45	310.9	356.1	27,906	436.5	2.64	431.3	441.7
2001	1,194	342.3	11.34	320.4	365.1	28,598	444.4	2.65	439.2	449.7
2002	1,305	341.8	10.73	321.1	363.4	28,863	445.7	2.65	440.5	450.9
2003	1,250	314.7	10.07	295.3	335.0	28,201	433.0	2.61	427.9	438.2
2004	1,436	336.5	9.97	317.3	356.5	28,359	433.3	2.60	428.2	438.5
2005	1,450	327.8	9.52	309.4	346.9	28,880	439.0	2.62	433.9	444.2
2006	1,525	325.5	9.14	307.8	343.8	29,603	448.6	2.64	443.4	453.8
2007	1,605	319.6	8.66	302.8	336.9	29,650	446.2	2.63	441.0	451.4
2008	1,678	315.2	8.32	299.1	331.9	29,529	439.4	2.60	434.3	444.5

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	439,441	431.6	0.66	430.3	432.9	65,736	422.9	1.66	419.7	426.2
1990	20,393	397.4	2.86	391.8	403.1	2,702	391.5	7.66	376.6	406.8
1991	20,510	396.1	2.84	390.6	401.7	2,579	364.4	7.30	350.2	378.9
1992	21,155	405.1	2.85	399.6	410.8	2,629	361.9	7.16	348.0	376.2
1993	21,410	404.4	2.82	398.9	410.0	2,980	405.0	7.53	390.4	420.0
1994	22,969	430.3	2.90	424.6	436.0	3,193	427.1	7.66	412.2	442.4
1995	22,529	424.3	2.88	418.7	430.0	3,226	422.0	7.52	407.4	437.0
1996	23,174	436.0	2.92	430.2	441.7	3,357	433.9	7.58	419.2	449.0
1997	22,988	431.0	2.89	425.3	436.7	3,421	434.6	7.51	420.0	449.5
1998	23,443	437.0	2.90	431.3	442.7	3,567	443.8	7.50	429.2	458.8
1999	23,703	442.3	2.92	436.6	448.1	3,506	426.6	7.27	412.5	441.0
2000	23,642	440.5	2.91	434.8	446.2	3,492	416.8	7.11	403.0	430.9
2001	24,125	448.2	2.94	442.5	454.0	3,756	444.3	7.31	430.1	458.8
2002	24,209	447.5	2.93	441.8	453.3	3,863	448.6	7.27	434.5	463.1
2003	23,627	436.1	2.89	430.4	441.8	3,723	426.1	7.03	412.4	440.1
2004	23,761	437.7	2.90	432.0	443.4	3,780	425.9	6.98	412.3	439.8
2005	24,061	442.6	2.92	436.9	448.4	3,846	427.8	6.95	414.3	441.7
2006	24,554	451.7	2.95	445.9	457.5	4,093	448.2	7.06	434.5	462.3
2007	24,667	452.4	2.95	446.6	458.2	3,993	430.1	6.87	416.8	443.8
2008	24,521	445.8	2.92	440.0	451.5	4,030	426.0	6.77	412.9	439.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*