

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Bones & Joints

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	193	0.8	0.08	0.7	1.0	1,821	0.9	0.02	0.8	0.9
1990	9	1.9	0.78	0.7	4.0	95	0.9	0.09	0.7	1.1
1991	10	1.2	0.43	0.5	2.6	90	0.9	0.09	0.7	1.0
1992	9	0.9	0.35	0.4	2.1	73	0.7	0.08	0.5	0.8
1993	7	0.9	0.38	0.3	2.1	77	0.7	0.08	0.6	0.9
1994	6	0.4	0.16	0.1	1.3	86	0.8	0.09	0.7	1.0
1995	8	0.6	0.25	0.2	1.6	119	1.1	0.10	0.9	1.3
1996	6	0.6	0.26	0.2	1.6	99	0.9	0.09	0.7	1.1
1997	12	1.3	0.59	0.4	2.9	99	0.9	0.09	0.8	1.1
1998	11	0.8	0.26	0.4	1.7	90	0.8	0.09	0.7	1.0
1999	7	0.3	0.13	0.1	1.1	95	0.9	0.09	0.7	1.1
2000	16	0.9	0.24	0.5	1.7	102	0.9	0.09	0.8	1.1
2001	15	1.1	0.33	0.6	2.1	91	0.8	0.09	0.7	1.0
2002	13	1.2	0.44	0.5	2.4	99	0.9	0.09	0.7	1.1
2003	9	0.7	0.35	0.2	1.7	98	0.9	0.09	0.7	1.1
2004	8	0.4	0.14	0.2	0.9	103	0.9	0.09	0.8	1.1
2005	12	0.7	0.24	0.3	1.4	100	0.9	0.09	0.7	1.1
2006	15	1.3	0.42	0.6	2.4	110	1.0	0.09	0.8	1.2
2007	15	0.8	0.21	0.4	1.4	113	1.0	0.10	0.8	1.2
2008	5	0.4	0.22	0.1	1.1	82	0.7	0.08	0.6	0.9

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,503	0.9	0.02	0.9	1.0	235	0.7	0.05	0.6	0.8
1990	85	1.0	0.11	0.8	1.3	10	0.6	0.21	0.3	1.2
1991	74	0.8	0.10	0.7	1.1	13	0.7	0.21	0.4	1.3
1992	64	0.7	0.09	0.5	0.9	8	0.4	0.16	0.2	0.9
1993	65	0.7	0.09	0.6	0.9	10	0.6	0.20	0.3	1.1
1994	71	0.8	0.10	0.6	1.0	11	0.7	0.20	0.3	1.2
1995	92	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.7
1996	87	1.0	0.11	0.8	1.2	11	0.7	0.22	0.3	1.3
1997	86	1.0	0.11	0.8	1.2	11	0.6	0.20	0.3	1.2
1998	72	0.8	0.10	0.7	1.0	15	0.8	0.23	0.5	1.4
1999	81	0.9	0.11	0.7	1.2	11	0.7	0.22	0.3	1.3
2000	87	1.0	0.11	0.8	1.2	8	0.4	0.16	0.2	0.9
2001	76	0.9	0.10	0.7	1.1	13	0.8	0.24	0.4	1.5
2002	82	0.9	0.10	0.7	1.2	12	0.6	0.18	0.3	1.1
2003	83	1.0	0.11	0.8	1.2	11	0.7	0.20	0.3	1.2
2004	72	0.8	0.10	0.6	1.0	22	1.2	0.26	0.7	1.8
2005	78	0.9	0.10	0.7	1.1	11	0.6	0.18	0.3	1.1
2006	89	1.0	0.11	0.8	1.3	16	0.8	0.21	0.5	1.3
2007	89	1.0	0.11	0.8	1.3	16	0.8	0.21	0.5	1.4
2008	70	0.8	0.10	0.6	1.0	7	0.3	0.13	0.1	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Bones & Joints

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	103	0.8	0.11	0.6	1.1	978	1.0	0.03	0.9	1.1
1990	7	3.7	1.82	1.0	8.9	49	1.0	0.14	0.7	1.3
1991	1	0.1	0.11	0.0	2.6	53	1.1	0.15	0.8	1.4
1992	6	1.4	0.63	0.4	4.1	35	0.7	0.12	0.5	1.0
1993	3	0.3	0.18	0.1	2.6	40	0.8	0.13	0.6	1.1
1994	1	0.1	0.14	0.0	2.4	43	0.9	0.13	0.6	1.2
1995	4	0.5	0.23	0.1	2.5	64	1.3	0.16	1.0	1.6
1996	3	0.7	0.43	0.1	2.9	58	1.2	0.15	0.9	1.5
1997	8	0.9	0.32	0.4	2.8	56	1.1	0.15	0.9	1.5
1998	4	0.4	0.20	0.1	2.2	44	0.9	0.13	0.6	1.1
1999	4	0.4	0.17	0.1	2.0	60	1.2	0.15	0.9	1.5
2000	9	1.1	0.39	0.4	2.8	56	1.1	0.15	0.8	1.4
2001	8	0.8	0.29	0.3	2.2	39	0.7	0.12	0.5	1.0
2002	8	1.6	0.89	0.4	4.2	47	0.9	0.13	0.7	1.2
2003	5	0.4	0.19	0.1	1.6	62	1.2	0.15	0.9	1.5
2004	5	0.5	0.20	0.1	1.6	60	1.1	0.15	0.9	1.5
2005	6	0.8	0.44	0.2	2.3	56	1.1	0.14	0.8	1.4
2006	10	1.6	0.63	0.6	3.3	53	1.0	0.14	0.8	1.4
2007	8	0.8	0.28	0.3	1.8	64	1.2	0.16	1.0	1.6
2008	3	0.7	0.46	0.1	2.1	39	0.8	0.12	0.5	1.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	802	1.0	0.04	1.0	1.1	130	0.9	0.08	0.7	1.0
1990	44	1.1	0.16	0.8	1.4	5	0.8	0.38	0.2	2.0
1991	45	1.1	0.17	0.8	1.5	7	1.0	0.38	0.4	2.1
1992	29	0.7	0.13	0.5	1.0	5	0.6	0.25	0.2	1.5
1993	35	0.8	0.14	0.6	1.2	4	0.5	0.25	0.1	1.4
1994	35	0.9	0.15	0.6	1.2	6	0.7	0.28	0.2	1.6
1995	47	1.1	0.17	0.8	1.5	13	1.7	0.50	0.9	3.0
1996	50	1.2	0.17	0.9	1.6	7	0.9	0.34	0.3	1.9
1997	49	1.2	0.17	0.9	1.6	6	0.9	0.36	0.3	1.9
1998	36	0.9	0.14	0.6	1.2	7	0.8	0.33	0.3	1.8
1999	52	1.3	0.18	1.0	1.7	7	1.1	0.44	0.4	2.3
2000	44	1.1	0.16	0.8	1.4	6	0.8	0.38	0.3	1.9
2001	34	0.8	0.14	0.6	1.1	4	0.8	0.44	0.2	2.1
2002	39	0.9	0.15	0.7	1.3	6	0.7	0.27	0.2	1.5
2003	54	1.3	0.17	1.0	1.7	6	0.9	0.38	0.3	2.0
2004	40	1.0	0.15	0.7	1.3	15	1.8	0.51	1.0	3.2
2005	42	1.0	0.16	0.7	1.4	5	0.6	0.30	0.2	1.5
2006	40	1.0	0.16	0.7	1.4	9	0.9	0.29	0.4	1.7
2007	53	1.3	0.18	1.0	1.7	8	1.0	0.34	0.4	1.9
2008	34	0.8	0.14	0.6	1.2	4	0.4	0.22	0.1	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Bones & Joints

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	90	0.8	0.10	0.6	1.1	843	0.8	0.03	0.7	0.8
1990	2	0.5	0.38	0.1	2.5	46	0.9	0.13	0.6	1.1
1991	9	2.4	0.88	1.0	5.1	37	0.7	0.11	0.5	0.9
1992	3	0.4	0.25	0.1	2.1	38	0.7	0.11	0.5	0.9
1993	4	1.4	0.73	0.4	3.8	37	0.6	0.11	0.5	0.9
1994	5	0.7	0.31	0.2	2.3	43	0.8	0.12	0.6	1.0
1995	4	0.8	0.43	0.2	2.5	55	1.0	0.13	0.7	1.3
1996	3	0.5	0.28	0.1	2.0	41	0.7	0.12	0.5	1.0
1997	4	1.4	0.92	0.2	4.2	43	0.8	0.12	0.6	1.1
1998	7	1.2	0.49	0.4	2.9	46	0.8	0.12	0.6	1.1
1999	3	0.3	0.20	0.1	1.6	35	0.6	0.10	0.4	0.8
2000	7	0.7	0.28	0.3	2.0	46	0.8	0.12	0.6	1.1
2001	7	1.4	0.59	0.5	3.2	52	0.9	0.13	0.7	1.2
2002	5	0.8	0.44	0.2	2.3	52	0.9	0.13	0.7	1.2
2003	4	0.9	0.59	0.2	2.7	36	0.6	0.11	0.4	0.9
2004	3	0.3	0.19	0.1	1.3	43	0.7	0.11	0.5	1.0
2005	6	0.6	0.27	0.2	1.7	44	0.7	0.11	0.5	1.0
2006	5	1.0	0.53	0.3	2.5	57	1.0	0.13	0.7	1.3
2007	7	0.8	0.32	0.3	1.9	49	0.8	0.12	0.6	1.1
2008	2	0.2	0.13	0.0	0.9	43	0.7	0.11	0.5	1.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	701	0.8	0.03	0.8	0.9	105	0.6	0.06	0.5	0.7
1990	41	0.9	0.15	0.7	1.3	5	0.5	0.25	0.2	1.3
1991	29	0.6	0.12	0.4	0.9	6	0.6	0.23	0.2	1.3
1992	35	0.8	0.13	0.5	1.1	3	0.3	0.19	0.1	1.0
1993	30	0.6	0.12	0.4	0.9	6	0.7	0.28	0.2	1.5
1994	36	0.8	0.14	0.6	1.1	5	0.6	0.27	0.2	1.4
1995	45	1.0	0.15	0.7	1.3	6	0.6	0.26	0.2	1.4
1996	37	0.9	0.14	0.6	1.2	4	0.5	0.25	0.1	1.3
1997	37	0.9	0.14	0.6	1.2	5	0.5	0.23	0.2	1.2
1998	36	0.8	0.13	0.6	1.1	8	0.9	0.31	0.4	1.7
1999	29	0.6	0.12	0.4	0.9	4	0.4	0.21	0.1	1.1
2000	43	0.9	0.15	0.7	1.3	2	0.2	0.13	0.0	0.7
2001	42	1.0	0.15	0.7	1.3	9	1.0	0.33	0.4	1.9
2002	43	0.9	0.14	0.7	1.3	6	0.6	0.24	0.2	1.3
2003	29	0.7	0.12	0.4	1.0	5	0.5	0.23	0.2	1.2
2004	32	0.7	0.12	0.4	0.9	7	0.7	0.27	0.3	1.5
2005	36	0.8	0.13	0.5	1.1	6	0.6	0.24	0.2	1.3
2006	49	1.1	0.16	0.8	1.5	7	0.7	0.28	0.3	1.5
2007	36	0.8	0.13	0.5	1.1	8	0.8	0.27	0.3	1.5
2008	36	0.8	0.14	0.6	1.1	3	0.3	0.15	0.1	0.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010