

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain & Other Nervous System

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	946	5.4	0.22	5.0	5.9	13,792	6.5	0.06	6.4	6.6
1990	26	4.2	1.01	2.4	6.7	654	6.2	0.24	5.7	6.7
1991	35	5.2	1.03	3.4	7.7	692	6.5	0.25	6.0	7.0
1992	30	3.7	0.78	2.4	5.7	681	6.3	0.24	5.9	6.8
1993	33	5.2	1.09	3.3	7.8	684	6.3	0.24	5.9	6.8
1994	30	3.4	0.80	2.1	5.4	739	6.8	0.25	6.3	7.3
1995	37	4.3	0.89	2.8	6.5	687	6.3	0.24	5.9	6.8
1996	41	5.0	0.93	3.4	7.2	718	6.5	0.24	6.1	7.0
1997	52	6.1	1.10	4.1	8.6	742	6.8	0.25	6.3	7.3
1998	45	4.3	0.83	2.9	6.3	711	6.4	0.24	6.0	6.9
1999	51	5.9	1.05	4.0	8.3	736	6.6	0.24	6.1	7.1
2000	47	5.7	1.03	3.8	8.0	722	6.5	0.24	6.0	7.0
2001	63	6.6	1.11	4.6	9.1	727	6.5	0.24	6.0	7.0
2002	67	6.7	1.02	4.8	9.0	692	6.2	0.23	5.7	6.6
2003	61	6.7	1.08	4.7	9.1	735	6.5	0.24	6.0	7.0
2004	66	6.1	0.97	4.3	8.2	779	6.9	0.25	6.4	7.4
2005	57	4.6	0.78	3.2	6.4	744	6.5	0.24	6.1	7.0
2006	69	6.0	0.87	4.4	8.0	814	7.1	0.25	6.6	7.6
2007	76	5.8	0.78	4.3	7.5	739	6.4	0.24	6.0	6.9
2008	60	4.7	0.69	3.4	6.2	796	6.8	0.24	6.3	7.3

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	12,285	7.1	0.06	7.0	7.2	1,177	3.9	0.12	3.6	4.1
1990	599	6.7	0.28	6.2	7.3	48	3.3	0.51	2.4	4.5
1991	634	7.1	0.28	6.5	7.7	46	3.2	0.49	2.3	4.3
1992	610	6.7	0.28	6.2	7.3	66	4.4	0.56	3.3	5.6
1993	613	6.8	0.28	6.2	7.3	58	3.9	0.53	2.9	5.0
1994	654	7.2	0.28	6.6	7.8	77	5.1	0.60	4.0	6.4
1995	630	7.0	0.28	6.5	7.6	52	3.5	0.50	2.5	4.6
1996	640	7.1	0.28	6.5	7.6	63	3.8	0.50	2.9	5.0
1997	669	7.4	0.29	6.8	8.0	53	3.2	0.46	2.4	4.3
1998	625	6.9	0.28	6.4	7.5	65	4.0	0.51	3.0	5.1
1999	647	7.0	0.28	6.5	7.6	68	4.2	0.53	3.2	5.4
2000	642	7.0	0.28	6.5	7.6	67	4.2	0.53	3.2	5.3
2001	657	7.2	0.28	6.6	7.8	51	3.3	0.47	2.4	4.3
2002	614	6.7	0.27	6.2	7.3	57	3.4	0.47	2.6	4.5
2003	662	7.2	0.28	6.7	7.8	58	3.6	0.48	2.7	4.7
2004	692	7.5	0.29	7.0	8.1	66	4.0	0.51	3.1	5.1
2005	650	7.0	0.28	6.5	7.6	69	4.1	0.50	3.1	5.2
2006	710	7.7	0.29	7.1	8.3	78	4.7	0.55	3.7	5.9
2007	641	6.9	0.28	6.4	7.5	66	3.8	0.48	3.0	4.9
2008	696	7.3	0.28	6.8	7.9	69	3.8	0.47	3.0	4.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain & Other Nervous System

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	534	6.1	0.35	5.4	6.8	7,454	7.8	0.09	7.6	8.0
1990	15	3.2	1.19	1.3	6.9	360	7.5	0.40	6.7	8.3
1991	19	4.4	1.13	2.4	7.8	378	7.9	0.41	7.1	8.8
1992	18	4.5	1.17	2.5	8.0	370	7.7	0.41	6.9	8.5
1993	20	6.4	1.93	3.2	11.4	372	7.7	0.41	6.9	8.5
1994	15	3.6	1.39	1.4	7.5	419	8.6	0.43	7.8	9.5
1995	19	3.8	1.06	2.0	6.9	380	7.7	0.40	6.9	8.5
1996	21	4.6	1.24	2.5	8.0	398	7.9	0.40	7.1	8.7
1997	27	4.9	1.07	3.0	7.9	423	8.5	0.42	7.7	9.4
1998	30	6.0	1.54	3.4	9.9	387	7.7	0.39	6.9	8.5
1999	31	6.7	1.75	3.7	11.0	396	7.9	0.40	7.1	8.7
2000	23	6.2	1.59	3.5	10.1	382	7.5	0.38	6.8	8.3
2001	39	8.5	1.83	5.3	12.9	401	7.9	0.40	7.1	8.7
2002	36	7.1	1.62	4.3	11.0	345	6.7	0.36	6.0	7.5
2003	36	6.7	1.53	4.0	10.3	409	7.9	0.39	7.1	8.7
2004	33	6.8	1.52	4.1	10.4	405	7.9	0.40	7.1	8.7
2005	39	6.4	1.35	4.0	9.6	394	7.5	0.38	6.8	8.3
2006	34	6.5	1.37	4.1	9.7	449	8.6	0.41	7.8	9.4
2007	47	7.5	1.40	5.0	10.8	375	7.0	0.36	6.3	7.7
2008	32	5.1	1.07	3.2	7.6	411	7.7	0.38	6.9	8.5

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,657	8.4	0.10	8.2	8.6	617	4.6	0.20	4.2	5.0
1990	329	8.1	0.45	7.2	9.0	29	4.4	0.87	2.8	6.4
1991	348	8.6	0.47	7.7	9.5	25	4.3	0.94	2.6	6.5
1992	335	8.2	0.46	7.4	9.2	32	4.7	0.87	3.1	6.7
1993	337	8.3	0.46	7.4	9.2	28	4.1	0.82	2.7	6.1
1994	373	9.1	0.48	8.2	10.1	43	6.7	1.10	4.7	9.2
1995	354	8.6	0.46	7.7	9.5	23	3.4	0.80	2.0	5.4
1996	360	8.6	0.46	7.7	9.5	28	3.4	0.67	2.2	5.0
1997	378	9.1	0.47	8.2	10.1	32	4.7	0.91	3.1	6.8
1998	336	8.1	0.44	7.2	9.0	39	4.9	0.84	3.4	6.9
1999	346	8.3	0.45	7.4	9.2	36	5.1	0.89	3.5	7.1
2000	339	8.0	0.44	7.2	8.9	36	5.2	0.97	3.5	7.5
2001	359	8.5	0.45	7.7	9.5	33	5.1	0.95	3.4	7.3
2002	308	7.3	0.42	6.5	8.2	27	4.2	0.90	2.6	6.3
2003	367	8.6	0.45	7.8	9.6	35	4.9	0.85	3.3	6.9
2004	362	8.6	0.45	7.7	9.5	31	4.2	0.82	2.8	6.1
2005	345	8.0	0.43	7.2	8.9	38	5.0	0.85	3.5	6.9
2006	399	9.4	0.47	8.4	10.3	37	5.3	0.94	3.6	7.4
2007	323	7.4	0.42	6.6	8.3	30	3.8	0.73	2.6	5.6
2008	359	8.2	0.44	7.4	9.1	35	4.2	0.72	2.9	5.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain & Other Nervous System

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	412	4.8	0.28	4.3	5.4	6,338	5.5	0.07	5.4	5.7
1990	11	5.0	1.60	2.3	9.1	294	5.1	0.30	4.6	5.8
1991	16	5.7	1.60	3.0	9.8	314	5.3	0.31	4.8	6.0
1992	12	2.8	0.95	1.2	5.5	311	5.3	0.30	4.7	5.9
1993	13	4.1	1.30	2.0	7.5	312	5.2	0.30	4.7	5.8
1994	15	3.5	1.06	1.8	6.4	320	5.3	0.30	4.7	5.9
1995	18	4.7	1.31	2.5	8.1	307	5.2	0.30	4.6	5.8
1996	20	5.4	1.37	3.0	8.8	320	5.4	0.30	4.8	6.0
1997	25	6.7	1.68	3.8	10.8	319	5.3	0.30	4.8	6.0
1998	15	2.8	0.86	1.4	5.2	324	5.4	0.30	4.8	6.1
1999	20	5.2	1.35	2.9	8.5	340	5.6	0.31	5.0	6.2
2000	24	5.2	1.31	3.0	8.4	340	5.7	0.31	5.1	6.3
2001	24	4.7	1.29	2.5	7.9	326	5.4	0.30	4.8	6.0
2002	31	6.3	1.33	3.9	9.4	347	5.7	0.31	5.1	6.4
2003	25	6.4	1.52	3.8	10.0	326	5.3	0.30	4.7	5.9
2004	33	5.4	1.19	3.3	8.2	374	6.1	0.32	5.5	6.8
2005	18	3.0	0.86	1.5	5.1	350	5.7	0.31	5.1	6.4
2006	35	5.7	1.13	3.7	8.3	365	5.9	0.31	5.3	6.6
2007	29	4.2	0.85	2.7	6.3	364	5.9	0.32	5.3	6.6
2008	28	4.3	0.91	2.7	6.4	385	6.0	0.31	5.4	6.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,628	6.0	0.08	5.9	6.2	560	3.3	0.14	3.0	3.6
1990	270	5.6	0.35	5.0	6.4	19	2.4	0.57	1.4	3.8
1991	286	5.8	0.35	5.1	6.5	21	2.5	0.56	1.5	3.9
1992	275	5.5	0.34	4.9	6.3	34	4.0	0.71	2.8	5.7
1993	276	5.5	0.34	4.9	6.2	30	3.6	0.68	2.4	5.2
1994	281	5.5	0.34	4.9	6.3	34	3.9	0.69	2.7	5.5
1995	276	5.6	0.35	5.0	6.3	29	3.5	0.66	2.3	5.1
1996	280	5.8	0.35	5.1	6.5	35	4.0	0.69	2.8	5.6
1997	291	6.0	0.36	5.3	6.7	21	2.2	0.49	1.4	3.4
1998	289	6.0	0.36	5.3	6.7	26	3.1	0.61	2.0	4.5
1999	301	6.1	0.36	5.4	6.8	32	3.5	0.63	2.4	5.0
2000	303	6.2	0.36	5.5	7.0	31	3.5	0.63	2.3	4.9
2001	298	6.1	0.36	5.4	6.9	18	2.0	0.47	1.2	3.1
2002	306	6.2	0.36	5.5	7.0	30	3.2	0.58	2.1	4.5
2003	295	6.0	0.35	5.3	6.7	23	2.6	0.54	1.6	3.8
2004	330	6.7	0.38	6.0	7.5	35	3.8	0.65	2.6	5.3
2005	305	6.2	0.37	5.5	7.0	31	3.3	0.59	2.2	4.6
2006	311	6.3	0.37	5.6	7.1	41	4.4	0.69	3.1	5.9
2007	318	6.5	0.38	5.8	7.3	36	3.8	0.63	2.6	5.2
2008	337	6.6	0.37	5.9	7.4	34	3.5	0.60	2.4	4.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	866	5.1	0.22	4.7	5.5	13,000	6.2	0.05	6.1	6.3
1990	24	3.9	0.99	2.2	6.4	602	5.7	0.23	5.2	6.2
1991	31	4.5	0.97	2.8	6.9	651	6.1	0.24	5.6	6.6
1992	26	3.2	0.72	1.9	5.0	651	6.1	0.24	5.6	6.5
1993	29	4.8	1.07	2.9	7.3	626	5.8	0.23	5.3	6.3
1994	27	3.0	0.76	1.7	5.0	701	6.5	0.25	6.0	7.0
1995	35	4.2	0.88	2.6	6.3	652	6.0	0.24	5.5	6.5
1996	38	4.7	0.90	3.1	6.8	669	6.1	0.24	5.6	6.6
1997	51	6.0	1.10	4.1	8.6	702	6.4	0.24	5.9	6.9
1998	40	4.1	0.82	2.6	6.0	665	6.0	0.23	5.6	6.5
1999	44	5.3	1.01	3.5	7.6	698	6.3	0.24	5.8	6.7
2000	44	5.4	1.02	3.6	7.8	682	6.1	0.23	5.7	6.6
2001	56	6.2	1.10	4.2	8.7	694	6.2	0.24	5.7	6.7
2002	63	6.5	1.01	4.7	8.8	661	5.9	0.23	5.4	6.3
2003	58	6.3	1.05	4.4	8.7	710	6.3	0.24	5.8	6.7
2004	64	6.0	0.97	4.2	8.1	728	6.4	0.24	6.0	6.9
2005	49	4.3	0.78	2.9	6.1	695	6.1	0.23	5.6	6.5
2006	66	5.8	0.86	4.2	7.7	775	6.7	0.24	6.3	7.2
2007	66	5.2	0.75	3.8	6.9	693	6.0	0.23	5.5	6.4
2008	55	4.4	0.69	3.2	6.0	745	6.3	0.23	5.9	6.8

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	11,651	6.7	0.06	6.6	6.8	1,053	3.5	0.11	3.3	3.7
1990	555	6.2	0.27	5.7	6.8	40	2.8	0.48	2.0	3.9
1991	603	6.7	0.28	6.2	7.3	38	2.6	0.45	1.8	3.7
1992	586	6.5	0.27	6.0	7.0	61	4.0	0.54	3.1	5.3
1993	567	6.3	0.26	5.7	6.8	48	3.2	0.49	2.4	4.3
1994	623	6.9	0.28	6.3	7.4	70	4.6	0.57	3.5	5.8
1995	600	6.7	0.27	6.1	7.2	49	3.2	0.48	2.4	4.3
1996	606	6.7	0.27	6.1	7.2	54	3.2	0.46	2.4	4.2
1997	634	7.0	0.28	6.4	7.5	50	3.1	0.45	2.2	4.1
1998	589	6.5	0.27	6.0	7.0	57	3.4	0.47	2.6	4.5
1999	616	6.7	0.27	6.2	7.3	62	3.9	0.50	2.9	5.0
2000	611	6.7	0.27	6.2	7.2	58	3.6	0.50	2.7	4.7
2001	632	6.9	0.28	6.4	7.5	45	2.9	0.45	2.1	3.9
2002	591	6.5	0.27	6.0	7.0	51	3.1	0.44	2.3	4.1
2003	639	6.9	0.28	6.4	7.5	56	3.5	0.47	2.6	4.5
2004	646	7.0	0.28	6.5	7.6	61	3.7	0.49	2.8	4.8
2005	614	6.6	0.27	6.1	7.1	61	3.5	0.47	2.7	4.6
2006	683	7.4	0.29	6.8	8.0	71	4.2	0.52	3.3	5.4
2007	603	6.5	0.27	5.9	7.0	59	3.4	0.45	2.6	4.4
2008	653	6.8	0.27	6.3	7.4	62	3.4	0.44	2.6	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	505	5.9	0.35	5.2	6.6	7,079	7.4	0.09	7.2	7.6
1990	14	3.1	1.18	1.2	6.8	335	7.0	0.39	6.2	7.8
1991	18	4.0	1.06	2.2	7.3	351	7.3	0.40	6.6	8.1
1992	16	3.9	1.08	2.1	7.2	355	7.4	0.40	6.6	8.2
1993	17	6.0	1.90	2.8	10.9	346	7.2	0.39	6.4	8.0
1994	15	3.6	1.39	1.4	7.5	407	8.4	0.42	7.6	9.3
1995	18	3.7	1.06	1.9	6.8	362	7.3	0.39	6.6	8.1
1996	20	4.5	1.24	2.4	7.9	373	7.4	0.39	6.7	8.2
1997	27	4.9	1.07	3.0	7.9	401	8.1	0.41	7.3	8.9
1998	26	5.6	1.52	3.0	9.5	363	7.2	0.38	6.5	8.0
1999	30	6.6	1.75	3.6	10.9	375	7.5	0.39	6.8	8.3
2000	22	6.1	1.59	3.4	10.0	365	7.2	0.38	6.4	7.9
2001	35	8.2	1.83	5.0	12.5	383	7.6	0.39	6.8	8.4
2002	36	7.1	1.62	4.3	11.0	326	6.3	0.35	5.7	7.1
2003	36	6.7	1.53	4.0	10.3	399	7.7	0.39	7.0	8.5
2004	33	6.8	1.52	4.1	10.4	384	7.5	0.39	6.7	8.3
2005	36	6.2	1.35	3.8	9.3	372	7.1	0.37	6.4	7.9
2006	34	6.5	1.37	4.1	9.7	433	8.3	0.40	7.5	9.1
2007	41	7.1	1.39	4.7	10.3	357	6.6	0.35	5.9	7.4
2008	31	5.0	1.07	3.2	7.5	392	7.3	0.38	6.6	8.1

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,356	8.0	0.10	7.8	8.2	563	4.2	0.19	3.9	4.6
1990	308	7.5	0.44	6.7	8.5	25	3.8	0.82	2.3	5.8
1991	325	8.0	0.45	7.1	8.9	21	3.8	0.90	2.2	5.9
1992	324	7.9	0.45	7.1	8.9	29	4.3	0.84	2.8	6.3
1993	316	7.8	0.44	6.9	8.7	24	3.6	0.77	2.2	5.5
1994	363	8.9	0.47	8.0	9.8	41	6.4	1.07	4.4	8.8
1995	338	8.2	0.45	7.3	9.1	22	3.3	0.79	1.9	5.2
1996	344	8.2	0.44	7.3	9.1	24	2.9	0.62	1.8	4.5
1997	360	8.7	0.46	7.8	9.6	30	4.5	0.90	2.9	6.6
1998	314	7.6	0.43	6.7	8.4	38	4.8	0.84	3.3	6.8
1999	330	7.9	0.44	7.1	8.8	32	4.6	0.85	3.1	6.6
2000	325	7.7	0.43	6.9	8.6	33	4.8	0.93	3.1	6.9
2001	345	8.2	0.44	7.4	9.1	30	4.7	0.92	3.1	6.9
2002	294	7.0	0.41	6.2	7.8	24	3.6	0.81	2.2	5.5
2003	359	8.4	0.45	7.6	9.4	33	4.5	0.82	3.1	6.5
2004	344	8.2	0.44	7.3	9.1	28	3.8	0.78	2.4	5.6
2005	329	7.6	0.42	6.8	8.5	35	4.6	0.81	3.1	6.4
2006	387	9.1	0.47	8.2	10.0	35	5.0	0.92	3.3	7.1
2007	308	7.0	0.41	6.2	7.9	27	3.4	0.68	2.2	5.1
2008	343	7.8	0.43	7.0	8.7	32	3.8	0.69	2.6	5.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Brain

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	361	4.3	0.27	3.8	4.9	5,921	5.2	0.07	5.0	5.3
1990	10	4.5	1.54	2.0	8.6	267	4.7	0.29	4.1	5.3
1991	13	4.8	1.49	2.3	8.7	300	5.1	0.30	4.5	5.7
1992	10	2.2	0.86	0.9	4.9	296	5.0	0.30	4.4	5.6
1993	12	3.9	1.26	1.8	7.2	280	4.7	0.28	4.1	5.3
1994	12	2.7	0.92	1.2	5.3	294	4.9	0.29	4.3	5.5
1995	17	4.5	1.28	2.3	7.8	290	4.9	0.29	4.3	5.5
1996	18	4.8	1.31	2.6	8.1	296	5.0	0.29	4.4	5.6
1997	24	6.6	1.67	3.7	10.7	301	5.0	0.29	4.5	5.6
1998	14	2.7	0.85	1.3	5.1	302	5.1	0.29	4.5	5.7
1999	14	4.0	1.24	1.9	7.1	323	5.3	0.30	4.8	5.9
2000	22	4.9	1.28	2.7	8.1	317	5.3	0.30	4.7	5.9
2001	21	4.2	1.25	2.1	7.3	311	5.1	0.29	4.6	5.8
2002	27	5.9	1.32	3.6	9.0	335	5.5	0.30	4.9	6.1
2003	22	5.7	1.44	3.3	9.2	311	5.0	0.29	4.5	5.6
2004	31	5.2	1.19	3.1	8.0	344	5.6	0.31	5.0	6.2
2005	13	2.5	0.84	1.2	4.7	323	5.2	0.30	4.7	5.9
2006	32	5.2	1.09	3.3	7.8	342	5.5	0.30	4.9	6.1
2007	25	3.6	0.78	2.2	5.5	336	5.4	0.30	4.8	6.0
2008	24	3.9	0.88	2.3	6.0	353	5.5	0.30	5.0	6.2

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,295	5.6	0.08	5.5	5.8	490	2.9	0.13	2.6	3.2
1990	247	5.2	0.34	4.5	5.9	15	2.0	0.54	1.1	3.3
1991	278	5.6	0.34	4.9	6.3	17	1.9	0.49	1.1	3.2
1992	262	5.3	0.33	4.6	6.0	32	3.8	0.69	2.6	5.4
1993	251	5.0	0.32	4.4	5.7	24	2.9	0.61	1.9	4.4
1994	260	5.1	0.33	4.5	5.8	29	3.3	0.62	2.2	4.7
1995	262	5.3	0.33	4.7	6.0	27	3.2	0.63	2.1	4.7
1996	262	5.3	0.34	4.7	6.0	30	3.3	0.62	2.2	4.8
1997	274	5.6	0.34	4.9	6.3	20	2.1	0.48	1.3	3.3
1998	275	5.7	0.35	5.0	6.4	19	2.2	0.51	1.3	3.5
1999	286	5.8	0.35	5.1	6.5	30	3.3	0.61	2.2	4.7
2000	286	5.9	0.35	5.2	6.6	25	2.8	0.58	1.8	4.2
2001	287	5.9	0.35	5.2	6.6	15	1.7	0.44	0.9	2.8
2002	297	6.1	0.36	5.4	6.8	27	2.9	0.56	1.9	4.2
2003	280	5.6	0.34	5.0	6.3	23	2.6	0.54	1.6	3.8
2004	302	6.1	0.36	5.4	6.9	33	3.6	0.63	2.4	5.0
2005	285	5.8	0.35	5.1	6.5	26	2.7	0.54	1.8	4.0
2006	296	6.0	0.35	5.3	6.7	36	3.7	0.63	2.6	5.2
2007	295	6.0	0.36	5.3	6.7	32	3.3	0.59	2.3	4.7
2008	310	6.0	0.35	5.4	6.8	30	3.1	0.56	2.1	4.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010