

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Female Genital System

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,701	51.3	0.94	49.4	53.1	63,764	54.2	0.22	53.8	54.7
1990	133	54.6	5.17	45.0	65.7	3,230	55.7	1.00	53.7	57.7
1991	142	59.5	5.61	49.0	71.4	3,199	54.6	0.98	52.6	56.5
1992	152	56.8	5.13	47.2	67.7	3,232	54.8	0.98	52.9	56.8
1993	142	49.3	4.58	40.8	59.1	3,265	54.7	0.97	52.8	56.7
1994	160	54.1	4.72	45.3	64.1	3,338	55.2	0.97	53.3	57.1
1995	167	52.7	4.59	44.1	62.4	3,348	55.5	0.97	53.6	57.5
1996	165	53.6	4.77	44.7	63.7	3,573	59.0	1.00	57.1	61.0
1997	169	55.4	4.94	46.2	65.9	3,363	55.2	0.96	53.3	57.1
1998	197	58.3	4.79	49.2	68.3	3,462	56.4	0.97	54.5	58.3
1999	208	63.9	5.18	54.2	74.7	3,295	53.4	0.94	51.6	55.3
2000	195	51.8	4.23	43.9	60.7	3,302	53.2	0.93	51.4	55.1
2001	196	47.6	3.84	40.3	55.6	3,349	53.6	0.93	51.8	55.5
2002	224	53.4	4.04	45.8	61.9	3,370	53.6	0.93	51.8	55.4
2003	193	40.7	3.31	34.5	47.7	3,292	51.6	0.91	49.8	53.4
2004	250	53.3	3.72	46.2	61.1	3,288	51.2	0.90	49.4	53.0
2005	221	44.4	3.27	38.2	51.2	3,447	53.3	0.92	51.5	55.2
2006	255	48.7	3.33	42.4	55.6	3,498	53.8	0.92	52.0	55.7
2007	242	45.3	3.13	39.4	51.9	3,445	52.6	0.91	50.8	54.4
2008	290	50.9	3.20	44.8	57.5	3,468	52.4	0.90	50.6	54.2

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	53,721	54.9	0.24	54.4	55.3	8,237	51.8	0.58	50.7	52.9
1990	2,769	55.6	1.09	53.5	57.8	420	59.4	2.95	53.8	65.5
1991	2,779	55.5	1.08	53.4	57.6	356	48.7	2.64	43.7	54.2
1992	2,850	56.8	1.09	54.7	59.0	331	44.8	2.50	40.0	49.9
1993	2,795	55.1	1.06	53.1	57.3	412	53.8	2.69	48.6	59.3
1994	2,847	55.4	1.06	53.3	57.5	441	57.9	2.80	52.5	63.6
1995	2,864	56.2	1.07	54.2	58.4	405	51.6	2.60	46.7	57.0
1996	3,057	60.1	1.11	58.0	62.3	433	54.6	2.66	49.5	60.0
1997	2,851	55.8	1.06	53.7	57.9	436	53.3	2.58	48.4	58.6
1998	2,933	57.1	1.07	55.0	59.2	446	53.2	2.54	48.4	58.5
1999	2,768	53.8	1.04	51.8	55.9	424	50.1	2.45	45.4	55.1
2000	2,730	53.0	1.03	51.0	55.1	452	52.3	2.48	47.6	57.4
2001	2,781	53.8	1.03	51.8	55.9	455	52.4	2.47	47.6	57.4
2002	2,810	54.2	1.04	52.2	56.3	449	50.9	2.42	46.3	55.9
2003	2,749	52.3	1.01	50.3	54.3	417	47.1	2.32	42.7	51.9
2004	2,725	51.6	1.01	49.7	53.6	453	50.7	2.40	46.1	55.6
2005	2,853	54.1	1.03	52.1	56.1	463	50.4	2.36	45.9	55.2
2006	2,871	54.1	1.03	52.1	56.1	490	53.4	2.43	48.8	58.4
2007	2,837	53.1	1.02	51.1	55.1	471	50.1	2.33	45.6	54.9
2008	2,852	53.0	1.02	51.0	55.0	483	50.0	2.29	45.6	54.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Cervix Uteri

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,430	17.4	0.51	16.4	18.4	11,274	10.2	0.10	10.0	10.3
1990	60	21.1	2.98	15.7	27.9	681	12.5	0.49	11.5	13.5
1991	75	30.2	3.99	22.9	39.0	645	11.4	0.46	10.5	12.3
1992	72	24.9	3.39	18.7	32.4	598	10.6	0.44	9.8	11.5
1993	69	20.2	2.59	15.5	26.1	671	11.8	0.46	10.9	12.7
1994	71	20.9	2.76	15.8	27.0	588	10.2	0.42	9.4	11.1
1995	68	19.1	2.58	14.4	24.9	676	11.7	0.45	10.8	12.6
1996	77	20.5	2.55	15.8	26.2	675	11.7	0.45	10.8	12.6
1997	82	21.5	2.74	16.5	27.6	632	10.8	0.43	10.0	11.7
1998	88	21.7	2.65	16.8	27.5	660	11.2	0.44	10.4	12.1
1999	78	20.2	2.60	15.5	26.0	617	10.5	0.42	9.7	11.4
2000	68	15.1	2.09	11.3	19.8	661	11.2	0.44	10.4	12.1
2001	80	15.8	1.89	12.3	20.0	565	9.5	0.40	8.8	10.3
2002	73	14.9	2.00	11.2	19.3	533	9.0	0.39	8.3	9.8
2003	80	14.8	1.84	11.4	18.9	545	9.2	0.40	8.4	10.0
2004	80	15.2	1.85	11.8	19.3	491	8.1	0.37	7.4	8.9
2005	64	11.2	1.50	8.5	14.6	512	8.6	0.38	7.9	9.4
2006	79	14.6	1.82	11.3	18.6	501	8.5	0.38	7.7	9.2
2007	85	15.2	1.76	11.9	19.0	476	8.0	0.37	7.3	8.8
2008	81	13.2	1.60	10.3	16.7	547	9.1	0.40	8.4	10.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	7,930	8.9	0.10	8.7	9.1	2,885	17.5	0.33	16.9	18.1
1990	476	10.4	0.49	9.5	11.4	183	25.3	1.91	21.7	29.4
1991	459	9.7	0.46	8.8	10.7	161	21.1	1.70	17.9	24.7
1992	448	9.5	0.46	8.7	10.5	130	17.1	1.53	14.2	20.4
1993	471	10.0	0.47	9.1	11.0	177	22.0	1.68	18.8	25.5
1994	384	8.1	0.42	7.3	9.0	184	22.9	1.72	19.7	26.5
1995	474	10.0	0.47	9.2	11.0	172	21.4	1.65	18.2	24.8
1996	492	10.5	0.48	9.6	11.5	154	18.3	1.50	15.5	21.5
1997	463	9.7	0.46	8.9	10.7	147	16.8	1.40	14.1	19.7
1998	468	9.8	0.46	8.9	10.7	167	19.0	1.48	16.2	22.1
1999	428	9.0	0.44	8.2	9.9	160	18.1	1.44	15.4	21.2
2000	445	9.4	0.45	8.5	10.3	184	20.4	1.52	17.6	23.6
2001	408	8.6	0.43	7.8	9.5	139	15.2	1.30	12.8	18.0
2002	382	8.2	0.42	7.4	9.1	131	14.4	1.27	12.1	17.1
2003	372	7.9	0.41	7.1	8.7	143	15.6	1.31	13.1	18.4
2004	344	7.2	0.39	6.4	8.0	120	13.2	1.21	10.9	15.7
2005	365	7.9	0.42	7.1	8.7	128	13.7	1.22	11.4	16.3
2006	355	7.7	0.42	6.9	8.5	125	13.2	1.19	11.0	15.8
2007	324	6.9	0.39	6.2	7.7	130	13.6	1.21	11.4	16.2
2008	372	8.0	0.43	7.2	8.9	150	15.5	1.27	13.1	18.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Uterus										
Females										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,298	19.7	0.59	18.5	20.8	30,780	25.9	0.15	25.6	26.2
1990	43	20.2	3.21	14.4	27.4	1,392	23.5	0.64	22.2	24.8
1991	29	14.4	2.83	9.4	20.9	1,444	24.0	0.64	22.8	25.3
1992	39	17.2	2.91	12.0	23.8	1,520	25.5	0.66	24.2	26.8
1993	39	14.9	2.59	10.3	20.8	1,474	24.4	0.65	23.2	25.7
1994	39	16.0	2.71	11.1	22.1	1,549	25.4	0.65	24.1	26.7
1995	43	15.1	2.46	10.7	20.7	1,552	25.5	0.66	24.3	26.8
1996	51	20.4	3.23	14.6	27.6	1,691	27.8	0.68	26.5	29.2
1997	51	19.1	3.07	13.6	25.9	1,554	25.2	0.65	24.0	26.5
1998	62	21.7	3.08	16.0	28.4	1,636	26.4	0.66	25.2	27.8
1999	63	21.9	3.14	16.2	28.8	1,541	24.8	0.64	23.6	26.1
2000	76	21.4	2.75	16.3	27.4	1,553	24.9	0.64	23.7	26.2
2001	67	18.9	2.56	14.2	24.5	1,675	26.6	0.65	25.4	27.9
2002	94	23.7	2.69	18.7	29.5	1,675	26.3	0.65	25.1	27.6
2003	64	14.7	2.01	11.1	19.2	1,613	25.1	0.63	23.9	26.3
2004	104	22.4	2.40	18.0	27.6	1,670	25.8	0.64	24.6	27.1
2005	96	20.0	2.18	15.9	24.7	1,762	26.9	0.65	25.6	28.2
2006	109	21.3	2.18	17.2	26.0	1,859	28.2	0.66	26.9	29.6
2007	102	20.4	2.15	16.4	25.0	1,815	27.3	0.65	26.0	28.6
2008	127	23.2	2.16	19.1	27.8	1,805	26.6	0.63	25.4	27.9
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	26,905	27.1	0.17	26.8	27.5	3,084	19.8	0.36	19.1	20.5
1990	1,266	24.8	0.72	23.5	26.3	119	16.9	1.57	13.9	20.2
1991	1,325	25.6	0.72	24.2	27.1	98	14.2	1.45	11.5	17.3
1992	1,387	27.2	0.75	25.8	28.8	118	16.2	1.51	13.3	19.4
1993	1,334	25.9	0.72	24.5	27.4	122	17.0	1.56	14.1	20.3
1994	1,412	27.2	0.74	25.7	28.6	124	17.1	1.55	14.2	20.4
1995	1,397	27.1	0.74	25.7	28.6	123	16.2	1.48	13.5	19.4
1996	1,514	29.6	0.77	28.1	31.1	145	19.3	1.62	16.3	22.7
1997	1,370	26.4	0.72	25.0	27.9	158	20.2	1.62	17.1	23.6
1998	1,435	27.7	0.74	26.2	29.1	167	20.8	1.62	17.7	24.2
1999	1,348	26.0	0.72	24.6	27.5	146	17.9	1.49	15.1	21.1
2000	1,331	25.7	0.71	24.3	27.2	169	20.2	1.57	17.3	23.5
2001	1,441	27.6	0.73	26.2	29.1	178	21.1	1.59	18.1	24.4
2002	1,439	27.4	0.73	26.0	28.8	187	21.6	1.58	18.6	24.9
2003	1,389	26.2	0.71	24.8	27.6	159	18.5	1.47	15.7	21.6
2004	1,429	26.9	0.72	25.5	28.3	189	21.1	1.54	18.2	24.3
2005	1,495	27.9	0.73	26.5	29.4	202	22.0	1.56	19.1	25.3
2006	1,546	28.7	0.74	27.2	30.1	244	26.9	1.74	23.7	30.6
2007	1,515	27.9	0.73	26.5	29.4	228	24.4	1.63	21.3	27.8
2008	1,532	27.8	0.72	26.4	29.2	208	21.4	1.50	18.6	24.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Corpus Uteri

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,246	18.9	0.58	17.7	20.0	29,931	25.2	0.15	25.0	25.5
1990	39	18.4	3.08	12.9	25.4	1,351	22.8	0.63	21.6	24.1
1991	27	13.3	2.72	8.5	19.6	1,396	23.2	0.63	22.0	24.5
1992	37	16.2	2.83	11.2	22.7	1,465	24.6	0.65	23.3	25.9
1993	36	13.9	2.52	9.4	19.7	1,410	23.4	0.63	22.2	24.7
1994	35	14.5	2.60	9.8	20.4	1,467	24.1	0.64	22.9	25.4
1995	40	14.1	2.34	9.9	19.4	1,515	25.0	0.65	23.7	26.3
1996	50	19.6	3.13	14.0	26.6	1,661	27.3	0.68	26.0	28.7
1997	48	18.3	3.03	12.9	25.0	1,516	24.7	0.64	23.4	25.9
1998	57	19.9	2.93	14.6	26.4	1,595	25.8	0.65	24.6	27.1
1999	59	20.4	3.01	15.0	27.1	1,503	24.3	0.63	23.1	25.5
2000	74	21.0	2.74	15.9	27.0	1,513	24.4	0.63	23.1	25.6
2001	66	18.7	2.55	14.0	24.3	1,628	25.9	0.65	24.7	27.2
2002	92	23.2	2.66	18.2	28.9	1,630	25.7	0.64	24.5	27.0
2003	63	14.6	2.00	10.9	19.0	1,584	24.7	0.62	23.4	25.9
2004	102	22.2	2.40	17.7	27.4	1,632	25.3	0.63	24.1	26.6
2005	93	19.3	2.14	15.3	23.9	1,719	26.3	0.64	25.0	27.6
2006	104	20.3	2.12	16.3	24.8	1,812	27.6	0.65	26.3	28.9
2007	102	20.4	2.15	16.4	25.0	1,780	26.8	0.64	25.5	28.0
2008	122	22.0	2.09	18.1	26.5	1,754	25.8	0.62	24.6	27.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	26,282	26.6	0.17	26.2	26.9	2,875	18.4	0.35	17.8	19.1
1990	1,240	24.3	0.71	23.0	25.8	106	14.9	1.47	12.2	18.1
1991	1,291	24.9	0.71	23.5	26.3	84	12.1	1.34	9.6	15.0
1992	1,342	26.4	0.74	24.9	27.9	108	14.8	1.44	12.1	17.9
1993	1,285	25.0	0.71	23.6	26.5	109	15.1	1.46	12.4	18.3
1994	1,346	26.0	0.72	24.6	27.4	108	14.6	1.43	12.0	17.7
1995	1,368	26.6	0.73	25.2	28.1	115	15.1	1.42	12.4	18.1
1996	1,489	29.1	0.77	27.6	30.7	141	18.8	1.60	15.8	22.1
1997	1,342	25.9	0.72	24.6	27.4	148	18.9	1.56	15.9	22.2
1998	1,406	27.2	0.73	25.7	28.6	156	19.4	1.57	16.5	22.7
1999	1,322	25.6	0.71	24.2	27.0	135	16.6	1.44	13.9	19.6
2000	1,302	25.2	0.71	23.9	26.7	159	18.9	1.51	16.1	22.1
2001	1,403	26.9	0.73	25.5	28.4	171	20.2	1.55	17.2	23.4
2002	1,407	26.8	0.72	25.4	28.3	174	20.0	1.53	17.2	23.3
2003	1,364	25.8	0.71	24.4	27.2	155	18.0	1.45	15.3	21.1
2004	1,400	26.4	0.71	25.0	27.9	180	20.1	1.51	17.3	23.3
2005	1,463	27.4	0.72	26.0	28.8	191	20.8	1.52	18.0	24.0
2006	1,518	28.2	0.73	26.8	29.7	226	24.9	1.66	21.7	28.3
2007	1,494	27.5	0.72	26.1	29.0	218	23.3	1.59	20.3	26.6
2008	1,500	27.2	0.71	25.8	28.6	191	19.7	1.44	17.0	22.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Uterus, NOS

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	52	0.8	0.12	0.6	1.1	849	0.7	0.02	0.6	0.7
1990	4	1.8	0.89	0.5	4.6	41	0.7	0.11	0.5	0.9
1991	2	1.1	0.79	0.1	3.8	48	0.8	0.12	0.6	1.1
1992	2	0.9	0.67	0.1	3.3	55	0.9	0.13	0.7	1.2
1993	3	1.0	0.59	0.2	3.1	64	1.0	0.13	0.8	1.3
1994	4	1.5	0.76	0.4	3.9	82	1.3	0.14	1.0	1.6
1995	3	1.0	0.77	0.1	3.5	37	0.6	0.10	0.4	0.8
1996	1	0.8	0.80	0.0	3.4	30	0.5	0.09	0.3	0.7
1997	3	0.8	0.49	0.2	2.6	38	0.6	0.09	0.4	0.8
1998	5	1.8	0.97	0.4	4.5	41	0.6	0.10	0.4	0.8
1999	4	1.5	0.88	0.3	4.0	38	0.6	0.09	0.4	0.8
2000	2	0.4	0.30	0.1	1.8	40	0.6	0.09	0.4	0.8
2001	1	0.2	0.20	0.0	1.4	47	0.7	0.10	0.5	0.9
2002	2	0.5	0.38	0.1	1.9	45	0.7	0.10	0.5	0.9
2003	1	0.2	0.18	0.0	1.2	29	0.4	0.08	0.3	0.6
2004	2	0.2	0.18	0.0	1.2	38	0.5	0.08	0.4	0.7
2005	3	0.7	0.41	0.1	2.0	43	0.6	0.09	0.4	0.8
2006	5	1.0	0.48	0.3	2.5	47	0.6	0.10	0.5	0.9
2007	0					35	0.5	0.09	0.4	0.7
2008	5	1.2	0.54	0.4	2.7	51	0.8	0.11	0.6	1.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	623	0.6	0.02	0.5	0.6	209	1.4	0.10	1.2	1.6
1990	26	0.5	0.10	0.3	0.7	13	1.9	0.55	1.0	3.3
1991	34	0.7	0.12	0.5	1.0	14	2.1	0.56	1.1	3.5
1992	45	0.9	0.13	0.6	1.2	10	1.4	0.44	0.7	2.5
1993	49	0.9	0.13	0.7	1.2	13	1.9	0.53	1.0	3.2
1994	66	1.2	0.15	0.9	1.5	16	2.4	0.61	1.4	3.9
1995	29	0.5	0.10	0.4	0.8	8	1.2	0.42	0.5	2.3
1996	25	0.5	0.10	0.3	0.7	4	0.6	0.28	0.2	1.4
1997	28	0.5	0.09	0.3	0.7	10	1.3	0.42	0.6	2.4
1998	29	0.5	0.09	0.3	0.7	11	1.3	0.40	0.7	2.4
1999	26	0.4	0.08	0.3	0.6	11	1.3	0.40	0.7	2.4
2000	29	0.5	0.09	0.3	0.7	10	1.4	0.43	0.6	2.4
2001	38	0.6	0.11	0.5	0.9	7	0.9	0.34	0.4	1.8
2002	32	0.5	0.10	0.4	0.8	13	1.5	0.42	0.8	2.6
2003	25	0.4	0.09	0.3	0.6	4	0.5	0.23	0.1	1.2
2004	29	0.4	0.08	0.3	0.6	9	1.0	0.33	0.4	1.9
2005	32	0.5	0.10	0.4	0.8	11	1.2	0.36	0.6	2.1
2006	28	0.4	0.08	0.3	0.6	18	2.1	0.50	1.2	3.3
2007	21	0.4	0.08	0.2	0.6	10	1.1	0.36	0.5	2.1
2008	32	0.6	0.11	0.4	0.9	17	1.7	0.42	1.0	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Ovary

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	779	11.1	0.45	10.3	12.1	17,069	14.4	0.11	14.2	14.6
1990	27	11.7	2.57	7.3	17.8	951	16.3	0.54	15.3	17.4
1991	35	13.4	2.56	8.9	19.3	913	15.9	0.54	14.9	17.0
1992	30	10.4	2.03	6.8	15.2	896	15.3	0.52	14.3	16.4
1993	27	11.7	2.56	7.3	17.7	891	14.9	0.51	14.0	16.0
1994	40	13.2	2.24	9.2	18.4	966	15.9	0.52	14.9	17.0
1995	42	11.9	2.13	8.1	16.8	894	14.8	0.50	13.8	15.8
1996	31	10.7	2.19	6.8	15.8	962	15.7	0.51	14.7	16.7
1997	26	11.3	2.45	7.0	16.9	938	15.4	0.51	14.4	16.4
1998	33	11.0	2.22	7.1	16.1	922	14.9	0.49	13.9	15.9
1999	53	15.3	2.51	10.8	20.9	908	14.5	0.49	13.6	15.5
2000	38	10.7	1.98	7.2	15.3	849	13.4	0.46	12.5	14.3
2001	41	10.5	1.90	7.1	14.8	851	13.5	0.47	12.6	14.5
2002	43	10.0	1.70	7.0	13.9	896	14.1	0.48	13.2	15.1
2003	40	9.1	1.71	6.1	13.0	884	13.6	0.46	12.7	14.5
2004	55	12.8	1.94	9.3	17.1	874	13.4	0.46	12.5	14.3
2005	54	12.0	1.85	8.7	16.1	888	13.6	0.46	12.7	14.6
2006	60	11.6	1.67	8.6	15.3	894	13.5	0.46	12.6	14.5
2007	41	7.2	1.22	5.0	10.0	877	13.3	0.45	12.4	14.2
2008	63	11.1	1.53	8.3	14.5	815	12.2	0.43	11.3	13.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	14,979	15.1	0.13	14.9	15.4	1,652	10.5	0.26	10.0	11.1
1990	853	17.1	0.60	15.9	18.3	88	12.6	1.37	10.1	15.6
1991	827	17.0	0.61	15.8	18.2	73	10.2	1.22	7.9	12.9
1992	817	16.5	0.59	15.3	17.7	67	9.2	1.13	7.1	11.6
1993	795	15.7	0.57	14.6	16.9	84	11.2	1.24	8.9	13.9
1994	859	16.7	0.58	15.5	17.8	92	12.3	1.30	9.9	15.1
1995	796	15.6	0.56	14.5	16.7	81	10.2	1.15	8.1	12.7
1996	839	16.2	0.57	15.1	17.4	101	13.0	1.31	10.5	15.8
1997	820	16.0	0.57	14.9	17.2	95	11.9	1.23	9.6	14.6
1998	821	15.8	0.56	14.7	17.0	83	10.0	1.11	7.9	12.4
1999	806	15.4	0.55	14.4	16.6	83	9.9	1.09	7.9	12.3
2000	751	14.2	0.53	13.2	15.3	71	8.3	0.99	6.5	10.5
2001	717	13.8	0.52	12.8	14.8	100	11.7	1.18	9.5	14.3
2002	769	14.6	0.54	13.6	15.7	94	10.7	1.11	8.6	13.1
2003	769	14.3	0.52	13.3	15.4	90	10.3	1.10	8.3	12.7
2004	759	14.1	0.52	13.1	15.2	95	10.8	1.12	8.7	13.2
2005	757	14.2	0.52	13.2	15.2	92	10.1	1.06	8.1	12.4
2006	767	14.1	0.52	13.1	15.2	88	9.6	1.03	7.7	11.9
2007	762	14.1	0.52	13.1	15.1	87	9.3	1.01	7.5	11.5
2008	695	12.7	0.50	11.8	13.8	88	9.2	0.99	7.3	11.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010