

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Leukemias

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,692	9.9	0.31	9.3	10.5	27,546	12.9	0.08	12.7	13.0
1990	47	8.2	1.63	5.4	12.0	1,136	10.7	0.32	10.1	11.4
1991	50	8.4	1.51	5.7	11.9	1,105	10.4	0.32	9.8	11.0
1992	59	9.9	1.70	6.8	13.7	1,179	11.0	0.32	10.4	11.6
1993	52	7.3	1.26	5.1	10.2	1,251	11.5	0.33	10.9	12.2
1994	77	10.4	1.65	7.4	14.1	1,494	13.7	0.35	13.0	14.4
1995	80	10.2	1.54	7.4	13.7	1,481	13.5	0.35	12.8	14.2
1996	70	8.9	1.49	6.2	12.3	1,430	12.9	0.34	12.3	13.6
1997	86	10.8	1.57	8.0	14.3	1,423	12.8	0.34	12.1	13.5
1998	87	10.5	1.56	7.7	14.0	1,423	12.7	0.34	12.0	13.4
1999	96	11.4	1.58	8.5	14.9	1,547	13.7	0.35	13.0	14.4
2000	100	9.6	1.34	7.2	12.6	1,567	13.8	0.35	13.2	14.5
2001	84	9.9	1.47	7.3	13.1	1,654	14.5	0.36	13.8	15.3
2002	113	12.4	1.55	9.5	15.7	1,633	14.2	0.35	13.5	14.9
2003	89	8.8	1.23	6.6	11.5	1,646	14.2	0.35	13.6	14.9
2004	106	9.4	1.22	7.2	12.1	1,636	14.1	0.35	13.4	14.8
2005	110	9.2	1.09	7.2	11.6	1,528	13.1	0.34	12.4	13.8
2006	137	12.6	1.36	10.1	15.5	1,530	13.0	0.34	12.4	13.7
2007	114	8.0	0.89	6.3	9.9	1,419	12.0	0.32	11.4	12.7
2008	135	10.2	1.06	8.2	12.5	1,464	12.3	0.32	11.7	12.9

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	24,065	13.3	0.09	13.1	13.4	2,771	10.2	0.20	9.9	10.7
1990	1,028	11.2	0.35	10.5	11.9	98	7.7	0.83	6.2	9.5
1991	987	10.8	0.35	10.1	11.5	102	7.9	0.83	6.4	9.7
1992	1,039	11.2	0.35	10.6	12.0	114	9.0	0.88	7.4	10.9
1993	1,127	12.1	0.36	11.4	12.8	110	8.3	0.83	6.7	10.0
1994	1,325	14.1	0.39	13.3	14.9	141	10.7	0.94	9.0	12.7
1995	1,313	14.0	0.39	13.3	14.8	143	10.6	0.93	8.9	12.6
1996	1,267	13.4	0.38	12.7	14.1	133	9.8	0.88	8.1	11.7
1997	1,243	13.1	0.37	12.4	13.9	156	11.1	0.92	9.3	13.0
1998	1,244	13.1	0.37	12.3	13.8	145	10.2	0.88	8.6	12.1
1999	1,366	14.4	0.39	13.6	15.1	150	10.3	0.87	8.6	12.1
2000	1,355	14.2	0.39	13.5	15.0	175	12.1	0.94	10.3	14.1
2001	1,420	14.8	0.40	14.1	15.6	176	11.7	0.91	10.0	13.6
2002	1,416	14.6	0.39	13.9	15.4	165	11.7	0.94	10.0	13.7
2003	1,447	14.9	0.40	14.1	15.7	157	10.4	0.86	8.8	12.3
2004	1,380	14.2	0.39	13.4	15.0	163	10.5	0.85	8.9	12.3
2005	1,308	13.5	0.38	12.7	14.2	166	11.1	0.89	9.4	13.0
2006	1,328	13.5	0.38	12.8	14.3	169	11.0	0.87	9.4	12.8
2007	1,211	12.4	0.36	11.7	13.1	162	10.1	0.82	8.6	11.9
2008	1,261	12.8	0.37	12.1	13.6	146	9.3	0.79	7.9	11.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Leukemias

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	936	11.3	0.52	10.3	12.3	15,425	17.2	0.14	16.9	17.4
1990	16	4.5	1.82	1.7	9.6	612	13.8	0.58	12.7	14.9
1991	25	8.8	2.32	4.9	14.6	623	13.6	0.56	12.6	14.8
1992	33	11.6	2.76	6.8	18.3	690	15.2	0.59	14.0	16.4
1993	28	7.8	1.94	4.4	12.7	688	15.0	0.59	13.9	16.2
1994	44	9.9	2.07	6.2	15.0	824	18.4	0.66	17.1	19.7
1995	44	12.8	3.09	7.5	20.0	813	17.7	0.63	16.5	19.0
1996	40	9.1	2.50	4.9	15.2	805	17.6	0.63	16.4	18.9
1997	46	10.9	2.27	6.9	16.3	788	16.9	0.61	15.8	18.2
1998	53	12.9	2.61	8.3	18.9	789	16.6	0.60	15.5	17.8
1999	51	11.4	2.39	7.2	16.9	856	18.0	0.62	16.8	19.3
2000	52	10.3	2.17	6.5	15.3	858	17.8	0.61	16.6	19.0
2001	49	12.3	2.55	7.8	18.2	916	19.1	0.64	17.9	20.4
2002	58	15.2	2.78	10.3	21.5	927	19.3	0.64	18.0	20.6
2003	46	9.8	2.10	6.1	14.6	927	19.0	0.63	17.8	20.3
2004	48	9.7	1.95	6.2	14.1	915	18.7	0.62	17.4	19.9
2005	65	10.1	1.61	7.2	13.8	873	17.8	0.61	16.6	19.0
2006	86	16.4	2.38	12.1	21.6	878	17.7	0.61	16.5	18.9
2007	72	10.7	1.56	7.8	14.2	810	16.1	0.57	15.0	17.3
2008	80	12.3	1.76	9.1	16.2	833	16.3	0.57	15.2	17.4

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	13,537	17.7	0.15	17.4	18.0	1,494	13.4	0.38	12.7	14.2
1990	553	14.2	0.62	13.0	15.5	52	10.5	1.66	7.5	14.2
1991	560	14.2	0.61	13.0	15.5	53	9.6	1.43	7.0	12.8
1992	610	15.5	0.64	14.3	16.8	67	12.7	1.70	9.6	16.5
1993	613	15.6	0.65	14.4	16.9	65	11.1	1.51	8.3	14.4
1994	727	18.8	0.71	17.4	20.3	82	15.3	1.90	11.9	19.5
1995	727	18.5	0.70	17.1	19.9	73	12.7	1.61	9.7	16.2
1996	710	18.0	0.69	16.7	19.4	81	15.2	1.85	11.8	19.2
1997	698	17.6	0.67	16.3	19.0	81	13.6	1.64	10.6	17.2
1998	696	17.2	0.66	16.0	18.6	75	12.6	1.55	9.7	16.0
1999	769	19.0	0.69	17.7	20.4	68	11.3	1.49	8.6	14.6
2000	739	18.1	0.67	16.8	19.5	96	16.2	1.74	12.9	19.9
2001	778	19.3	0.70	17.9	20.7	102	16.7	1.79	13.4	20.5
2002	807	19.8	0.70	18.4	21.2	87	15.3	1.78	12.0	19.2
2003	823	20.0	0.70	18.6	21.4	82	13.1	1.55	10.2	16.4
2004	786	19.0	0.68	17.7	20.4	77	12.0	1.52	9.2	15.3
2005	755	18.3	0.67	17.0	19.7	90	14.9	1.72	11.7	18.6
2006	772	18.6	0.68	17.3	20.0	91	14.2	1.58	11.2	17.6
2007	698	16.7	0.64	15.4	18.0	89	13.7	1.54	10.8	17.0
2008	716	16.8	0.64	15.5	18.1	83	13.1	1.52	10.3	16.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Leukemias

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	756	8.7	0.39	8.0	9.5	12,121	9.9	0.09	9.7	10.1
1990	31	11.3	2.50	6.9	17.2	524	8.6	0.38	7.9	9.4
1991	25	8.0	1.97	4.6	12.8	482	8.0	0.37	7.3	8.7
1992	26	8.3	2.08	4.8	13.4	489	8.0	0.37	7.3	8.7
1993	24	6.9	1.68	4.0	11.0	563	9.0	0.38	8.2	9.7
1994	33	10.1	2.30	6.1	15.5	670	10.7	0.42	9.9	11.5
1995	36	8.9	1.74	5.9	13.1	668	10.6	0.41	9.8	11.4
1996	30	8.9	1.98	5.5	13.6	625	9.8	0.40	9.0	10.6
1997	40	10.6	2.14	6.8	15.6	635	9.9	0.40	9.1	10.7
1998	34	8.4	1.87	5.1	12.8	634	9.7	0.39	9.0	10.5
1999	45	11.4	2.14	7.6	16.3	691	10.8	0.41	10.0	11.6
2000	48	9.2	1.75	6.1	13.3	709	10.9	0.42	10.1	11.8
2001	35	8.0	1.72	5.0	12.0	738	11.4	0.42	10.6	12.3
2002	55	10.2	1.77	7.0	14.2	706	10.6	0.41	9.8	11.4
2003	43	8.3	1.53	5.6	11.8	719	10.9	0.41	10.1	11.8
2004	58	9.4	1.56	6.6	12.9	721	10.9	0.41	10.1	11.7
2005	45	8.0	1.45	5.5	11.3	655	9.9	0.39	9.2	10.7
2006	51	9.4	1.58	6.6	13.0	652	9.7	0.39	8.9	10.4
2007	42	5.5	0.98	3.7	7.7	609	9.3	0.38	8.5	10.1
2008	55	8.3	1.30	6.0	11.2	631	9.3	0.38	8.6	10.1

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	10,528	10.2	0.10	10.0	10.4	1,277	8.1	0.23	7.7	8.6
1990	475	9.0	0.42	8.2	9.9	46	6.2	0.94	4.5	8.3
1991	427	8.2	0.41	7.4	9.1	49	6.6	0.97	4.8	8.7
1992	429	8.2	0.40	7.4	9.0	47	6.5	0.96	4.7	8.6
1993	514	9.5	0.43	8.7	10.4	45	6.1	0.93	4.4	8.2
1994	598	11.1	0.46	10.2	12.0	59	7.9	1.04	6.0	10.2
1995	586	10.9	0.46	10.1	11.9	70	9.1	1.11	7.1	11.5
1996	557	10.3	0.45	9.4	11.2	52	6.4	0.91	4.8	8.5
1997	545	10.0	0.44	9.1	10.9	75	9.3	1.09	7.3	11.7
1998	548	9.9	0.43	9.0	10.8	70	8.4	1.02	6.5	10.6
1999	597	11.1	0.47	10.2	12.0	82	9.6	1.08	7.6	12.0
2000	616	11.3	0.47	10.4	12.3	79	9.3	1.06	7.4	11.6
2001	642	11.8	0.48	10.9	12.8	74	8.5	1.00	6.6	10.6
2002	609	10.9	0.45	10.0	11.8	78	9.4	1.07	7.4	11.7
2003	624	11.4	0.47	10.5	12.3	75	8.6	1.00	6.7	10.8
2004	594	10.8	0.46	9.9	11.7	86	9.6	1.04	7.6	11.8
2005	553	10.1	0.45	9.3	11.1	76	8.7	1.01	6.8	10.9
2006	556	9.9	0.43	9.0	10.7	78	8.8	1.00	6.9	10.9
2007	513	9.5	0.44	8.7	10.4	73	7.9	0.93	6.1	9.9
2008	545	9.8	0.44	9.0	10.7	63	6.9	0.87	5.3	8.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Acute Lymphocytic Leukemia

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	679	2.2	0.10	2.0	2.4	2,701	1.3	0.03	1.3	1.4
1990	21	1.6	0.34	1.0	2.8	115	1.1	0.10	0.9	1.3
1991	21	2.2	0.55	1.2	3.7	126	1.2	0.11	1.0	1.4
1992	21	1.9	0.45	1.1	3.2	141	1.3	0.11	1.1	1.5
1993	19	1.6	0.42	0.9	2.9	150	1.4	0.11	1.2	1.6
1994	28	1.8	0.34	1.2	2.9	131	1.2	0.11	1.0	1.4
1995	36	2.7	0.53	1.8	4.1	167	1.5	0.12	1.3	1.8
1996	36	2.4	0.42	1.6	3.6	130	1.2	0.10	1.0	1.4
1997	36	2.2	0.41	1.5	3.4	148	1.4	0.11	1.2	1.6
1998	24	1.4	0.29	0.8	2.3	141	1.3	0.11	1.1	1.5
1999	31	1.8	0.36	1.2	2.9	145	1.4	0.11	1.1	1.6
2000	42	2.3	0.39	1.6	3.3	130	1.2	0.11	1.0	1.4
2001	29	2.3	0.66	1.2	3.9	159	1.5	0.12	1.3	1.8
2002	41	2.1	0.37	1.4	3.1	146	1.4	0.11	1.2	1.6
2003	35	1.6	0.29	1.1	2.5	158	1.5	0.12	1.3	1.8
2004	39	1.6	0.27	1.2	2.4	149	1.4	0.12	1.2	1.7
2005	46	2.2	0.37	1.5	3.1	153	1.4	0.12	1.2	1.7
2006	58	2.8	0.44	2.0	3.8	144	1.4	0.12	1.2	1.6
2007	55	2.7	0.42	2.0	3.7	129	1.3	0.11	1.0	1.5
2008	61	3.0	0.44	2.2	4.0	139	1.3	0.11	1.1	1.6

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,244	1.4	0.03	1.4	1.5	334	0.9	0.05	0.8	1.0
1990	103	1.2	0.12	1.0	1.5	12	0.9	0.27	0.4	1.6
1991	103	1.2	0.12	1.0	1.5	18	1.0	0.25	0.6	1.6
1992	110	1.3	0.12	1.1	1.6	24	1.5	0.33	0.9	2.3
1993	128	1.5	0.13	1.3	1.8	18	1.0	0.25	0.6	1.7
1994	106	1.2	0.12	1.0	1.5	15	0.7	0.21	0.4	1.3
1995	148	1.8	0.15	1.5	2.1	14	0.6	0.17	0.3	1.1
1996	107	1.3	0.12	1.0	1.5	19	1.0	0.24	0.6	1.6
1997	122	1.5	0.13	1.2	1.7	20	1.0	0.24	0.6	1.6
1998	120	1.5	0.13	1.2	1.7	12	0.7	0.20	0.3	1.2
1999	125	1.5	0.14	1.3	1.8	17	0.8	0.20	0.5	1.3
2000	113	1.4	0.13	1.1	1.7	12	0.7	0.21	0.3	1.2
2001	122	1.5	0.14	1.3	1.8	30	1.5	0.28	1.0	2.2
2002	126	1.5	0.14	1.3	1.8	13	0.7	0.18	0.4	1.1
2003	133	1.7	0.14	1.4	2.0	19	0.9	0.21	0.5	1.4
2004	115	1.5	0.14	1.2	1.8	24	1.3	0.28	0.8	2.0
2005	131	1.6	0.14	1.4	1.9	15	0.7	0.18	0.4	1.2
2006	114	1.5	0.14	1.2	1.8	20	1.1	0.26	0.7	1.7
2007	101	1.3	0.13	1.1	1.6	20	1.0	0.24	0.6	1.6
2008	117	1.5	0.14	1.2	1.8	12	0.6	0.18	0.3	1.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Acute Lymphocytic Leukemia

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	385	2.4	0.15	2.1	2.7	1,503	1.5	0.04	1.5	1.6
1990	7	1.0	0.37	0.4	3.5	57	1.1	0.15	0.8	1.5
1991	8	1.5	0.58	0.6	4.2	80	1.6	0.18	1.2	1.9
1992	7	0.9	0.35	0.4	3.3	80	1.6	0.18	1.2	1.9
1993	10	1.9	0.72	0.8	4.6	87	1.7	0.19	1.4	2.1
1994	17	2.1	0.52	1.2	4.4	76	1.5	0.17	1.2	1.8
1995	22	2.7	0.62	1.6	5.0	92	1.7	0.18	1.4	2.1
1996	27	3.3	0.68	2.2	5.7	66	1.2	0.15	1.0	1.6
1997	20	2.2	0.50	1.3	4.2	89	1.7	0.18	1.4	2.1
1998	14	1.4	0.38	0.8	3.2	84	1.7	0.18	1.3	2.0
1999	23	2.6	0.60	1.6	4.6	80	1.5	0.17	1.2	1.9
2000	19	1.7	0.40	1.0	3.4	55	1.1	0.14	0.8	1.4
2001	19	3.9	1.52	1.5	7.8	91	1.8	0.19	1.4	2.2
2002	21	2.2	0.56	1.3	4.0	91	1.8	0.19	1.4	2.2
2003	20	1.6	0.37	1.0	3.0	83	1.6	0.18	1.3	2.0
2004	14	1.1	0.29	0.6	2.3	78	1.5	0.17	1.2	1.9
2005	29	3.0	0.69	1.8	4.8	80	1.6	0.17	1.2	1.9
2006	38	3.1	0.53	2.2	4.6	81	1.6	0.18	1.3	2.0
2007	33	3.4	0.74	2.1	5.3	68	1.3	0.16	1.0	1.7
2008	37	3.3	0.58	2.2	4.8	85	1.6	0.18	1.3	2.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,252	1.7	0.05	1.6	1.8	187	1.1	0.08	0.9	1.3
1990	52	1.3	0.18	0.9	1.7	5	0.8	0.43	0.2	2.1
1991	65	1.6	0.20	1.2	2.0	11	1.2	0.39	0.6	2.4
1992	60	1.5	0.19	1.1	1.9	16	2.1	0.62	1.1	3.7
1993	77	1.9	0.22	1.5	2.4	8	0.9	0.32	0.4	1.9
1994	59	1.5	0.19	1.1	1.9	11	1.0	0.32	0.5	2.0
1995	79	1.9	0.22	1.5	2.4	11	0.9	0.29	0.5	1.9
1996	54	1.3	0.18	1.0	1.7	9	0.9	0.30	0.4	1.8
1997	74	1.9	0.22	1.5	2.3	13	1.3	0.36	0.7	2.3
1998	74	1.9	0.22	1.5	2.4	5	0.6	0.28	0.2	1.5
1999	70	1.7	0.21	1.4	2.2	8	0.6	0.23	0.3	1.4
2000	46	1.2	0.17	0.9	1.5	6	0.7	0.30	0.3	1.6
2001	71	1.8	0.22	1.4	2.3	16	1.8	0.49	1.0	3.1
2002	77	1.9	0.22	1.5	2.4	10	1.1	0.35	0.5	2.1
2003	71	1.8	0.21	1.4	2.2	9	0.9	0.29	0.4	1.8
2004	59	1.5	0.20	1.2	2.0	16	2.2	0.66	1.1	3.8
2005	69	1.8	0.21	1.4	2.2	8	0.7	0.25	0.3	1.5
2006	67	1.8	0.22	1.4	2.2	11	1.3	0.40	0.6	2.4
2007	55	1.4	0.20	1.1	1.9	9	0.9	0.31	0.4	1.8
2008	73	1.9	0.22	1.5	2.3	5	0.5	0.25	0.2	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Acute Lymphocytic Leukemia

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	294	1.9	0.13	1.7	2.2	1,198	1.2	0.03	1.1	1.2
1990	14	2.2	0.59	1.2	4.3	58	1.0	0.14	0.8	1.3
1991	13	2.9	0.91	1.4	5.6	46	0.9	0.13	0.6	1.1
1992	14	2.9	0.86	1.5	5.5	61	1.1	0.14	0.8	1.4
1993	9	1.3	0.46	0.6	3.1	63	1.1	0.14	0.9	1.5
1994	11	1.4	0.42	0.7	3.1	55	1.0	0.13	0.7	1.3
1995	14	2.7	0.84	1.3	5.1	75	1.4	0.16	1.1	1.7
1996	9	1.3	0.48	0.5	3.0	64	1.2	0.14	0.9	1.5
1997	16	2.2	0.64	1.2	4.2	59	1.1	0.14	0.8	1.4
1998	10	1.3	0.45	0.6	2.9	57	1.0	0.14	0.8	1.3
1999	8	1.0	0.38	0.4	2.4	65	1.2	0.15	0.9	1.5
2000	23	2.8	0.67	1.7	4.7	75	1.4	0.16	1.1	1.7
2001	10	1.1	0.35	0.5	2.4	68	1.2	0.15	1.0	1.6
2002	20	2.0	0.49	1.1	3.5	55	1.0	0.14	0.8	1.3
2003	15	1.6	0.46	0.9	3.0	75	1.4	0.17	1.1	1.8
2004	25	2.2	0.46	1.4	3.6	71	1.3	0.16	1.0	1.7
2005	17	1.3	0.33	0.8	2.4	73	1.3	0.16	1.0	1.7
2006	20	2.2	0.61	1.2	3.8	63	1.2	0.15	0.9	1.5
2007	22	2.0	0.45	1.2	3.3	61	1.2	0.15	0.9	1.5
2008	24	2.6	0.63	1.5	4.2	54	1.1	0.14	0.8	1.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	992	1.3	0.04	1.2	1.3	147	0.8	0.07	0.7	0.9
1990	51	1.1	0.16	0.8	1.5	7	1.0	0.37	0.4	2.0
1991	38	0.9	0.15	0.6	1.2	7	0.8	0.30	0.3	1.6
1992	50	1.1	0.16	0.8	1.5	8	1.0	0.36	0.4	2.0
1993	51	1.2	0.17	0.9	1.6	10	1.1	0.36	0.5	2.1
1994	47	1.1	0.16	0.8	1.4	4	0.4	0.23	0.1	1.2
1995	69	1.6	0.20	1.3	2.1	3	0.3	0.18	0.1	0.9
1996	53	1.3	0.17	0.9	1.6	10	1.1	0.34	0.5	2.0
1997	48	1.2	0.17	0.8	1.5	7	0.8	0.29	0.3	1.6
1998	46	1.1	0.16	0.8	1.5	7	0.7	0.26	0.3	1.4
1999	55	1.4	0.19	1.0	1.8	9	0.9	0.31	0.4	1.8
2000	67	1.6	0.20	1.2	2.0	6	0.6	0.26	0.2	1.4
2001	51	1.2	0.17	0.9	1.6	14	1.3	0.36	0.7	2.3
2002	49	1.2	0.17	0.9	1.5	3	0.3	0.16	0.1	0.8
2003	62	1.6	0.20	1.2	2.0	10	0.9	0.30	0.4	1.7
2004	56	1.4	0.19	1.1	1.8	8	0.8	0.27	0.3	1.5
2005	62	1.5	0.20	1.1	1.9	7	0.7	0.25	0.3	1.4
2006	47	1.1	0.17	0.8	1.5	9	0.9	0.31	0.4	1.8
2007	46	1.2	0.18	0.9	1.6	11	1.1	0.34	0.6	2.0
2008	44	1.2	0.18	0.8	1.6	7	0.7	0.26	0.3	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Chronic Lymphocytic Leukemia

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	141	1.6	0.15	1.3	1.9	9,002	4.2	0.04	4.1	4.2
1990	4	1.4	0.75	0.4	3.6	365	3.5	0.18	3.1	3.8
1991	6	2.0	0.88	0.7	4.4	373	3.5	0.18	3.1	3.9
1992	7	3.0	1.24	1.1	6.1	411	3.8	0.19	3.5	4.2
1993	7	1.9	0.80	0.7	4.1	393	3.6	0.18	3.2	4.0
1994	0					522	4.8	0.21	4.4	5.2
1995	3	0.7	0.43	0.1	2.1	451	4.1	0.19	3.7	4.5
1996	7	2.6	1.04	1.0	5.2	445	4.0	0.19	3.7	4.4
1997	5	1.4	0.71	0.4	3.4	426	3.8	0.18	3.5	4.2
1998	7	1.3	0.55	0.5	2.9	440	3.9	0.19	3.5	4.3
1999	9	2.3	0.85	0.9	4.4	467	4.1	0.19	3.7	4.5
2000	5	0.9	0.40	0.3	2.1	480	4.2	0.19	3.8	4.6
2001	5	0.8	0.45	0.2	2.1	551	4.8	0.20	4.4	5.2
2002	7	1.1	0.42	0.4	2.2	584	5.0	0.21	4.6	5.4
2003	11	2.3	0.76	1.0	4.1	580	4.9	0.21	4.5	5.4
2004	8	1.3	0.49	0.5	2.6	558	4.7	0.20	4.3	5.1
2005	10	1.6	0.51	0.7	2.8	498	4.2	0.19	3.8	4.6
2006	13	2.6	0.74	1.4	4.4	524	4.4	0.19	4.0	4.8
2007	14	1.6	0.46	0.9	2.8	433	3.5	0.17	3.2	3.9
2008	13	1.7	0.49	0.8	2.8	501	4.1	0.18	3.7	4.5

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	7,991	4.3	0.05	4.2	4.4	831	3.3	0.12	3.1	3.6
1990	334	3.6	0.20	3.2	4.0	29	2.8	0.53	1.8	4.0
1991	336	3.6	0.20	3.2	4.0	36	3.2	0.55	2.2	4.4
1992	371	3.9	0.20	3.5	4.3	38	3.4	0.56	2.4	4.7
1993	360	3.7	0.20	3.4	4.2	33	2.8	0.50	1.9	3.9
1994	470	4.9	0.23	4.5	5.4	47	3.9	0.58	2.8	5.2
1995	406	4.2	0.21	3.8	4.7	38	3.1	0.52	2.2	4.3
1996	409	4.2	0.21	3.8	4.7	34	2.8	0.49	1.9	3.9
1997	384	3.9	0.20	3.6	4.4	38	2.9	0.48	2.1	4.0
1998	395	4.0	0.20	3.6	4.5	39	2.9	0.48	2.1	4.0
1999	429	4.4	0.21	4.0	4.8	32	2.3	0.41	1.6	3.3
2000	397	4.1	0.20	3.7	4.5	73	5.3	0.63	4.2	6.7
2001	476	4.8	0.22	4.4	5.2	52	3.8	0.54	2.8	5.0
2002	504	5.0	0.22	4.6	5.5	61	4.6	0.60	3.5	5.9
2003	526	5.2	0.23	4.8	5.7	42	3.0	0.47	2.1	4.0
2004	476	4.7	0.22	4.3	5.1	38	2.5	0.41	1.8	3.4
2005	433	4.3	0.21	3.9	4.7	52	3.7	0.52	2.7	4.8
2006	466	4.5	0.21	4.1	5.0	55	3.7	0.50	2.8	4.8
2007	377	3.6	0.19	3.3	4.0	45	3.0	0.46	2.2	4.1
2008	442	4.3	0.20	3.9	4.7	49	3.4	0.49	2.5	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Chronic Lymphocytic Leukemia

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	76	1.9	0.25	1.5	2.5	5,229	5.9	0.08	5.7	6.1
1990	1	0.6	0.57	0.0	3.6	215	5.0	0.35	4.3	5.7
1991	3	1.9	1.13	0.3	5.6	222	5.0	0.34	4.3	5.7
1992	4	4.2	2.24	1.0	10.3	242	5.5	0.36	4.8	6.2
1993	4	2.4	1.39	0.5	6.5	204	4.5	0.32	3.9	5.2
1994	0					307	7.1	0.42	6.3	8.0
1995	2	0.9	0.67	0.1	3.5	256	5.8	0.37	5.1	6.5
1996	1	1.6	1.57	0.0	6.3	269	6.0	0.38	5.3	6.8
1997	3	2.1	1.44	0.3	6.3	251	5.5	0.35	4.8	6.2
1998	4	1.6	0.98	0.3	4.7	251	5.3	0.34	4.7	6.0
1999	5	3.0	1.60	0.7	7.3	269	5.7	0.35	5.1	6.5
2000	4	1.5	0.79	0.4	4.0	290	6.0	0.36	5.3	6.8
2001	4	0.9	0.47	0.2	2.7	294	6.2	0.37	5.5	7.0
2002	5	1.5	0.70	0.4	3.6	320	6.8	0.38	6.0	7.6
2003	7	3.7	1.64	1.2	7.9	344	7.1	0.39	6.3	7.9
2004	2	0.9	0.66	0.1	3.0	333	6.8	0.38	6.1	7.6
2005	1	0.3	0.29	0.0	1.6	291	6.0	0.35	5.3	6.7
2006	8	3.6	1.35	1.4	6.9	311	6.3	0.36	5.6	7.1
2007	11	2.7	0.88	1.3	5.0	263	5.3	0.33	4.6	5.9
2008	7	2.0	0.83	0.7	4.2	297	5.7	0.34	5.1	6.5

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,640	6.0	0.09	5.9	6.2	492	4.9	0.23	4.4	5.3
1990	197	5.1	0.37	4.4	5.9	17	4.6	1.19	2.6	7.4
1991	197	5.0	0.36	4.3	5.8	25	5.0	1.05	3.1	7.5
1992	220	5.7	0.39	4.9	6.5	22	4.8	1.05	2.9	7.2
1993	182	4.6	0.35	3.9	5.3	22	4.3	0.95	2.6	6.6
1994	278	7.3	0.45	6.5	8.2	26	5.9	1.25	3.7	8.7
1995	230	5.9	0.40	5.2	6.8	23	4.7	1.04	2.9	7.2
1996	245	6.3	0.41	5.5	7.1	23	4.7	1.06	2.9	7.2
1997	225	5.7	0.38	4.9	6.5	24	4.5	0.94	2.8	6.7
1998	223	5.5	0.37	4.8	6.2	25	4.4	0.91	2.8	6.5
1999	251	6.2	0.39	5.4	7.0	15	2.7	0.73	1.5	4.5
2000	239	5.8	0.38	5.1	6.6	45	7.8	1.21	5.6	10.6
2001	252	6.2	0.39	5.4	7.0	33	6.4	1.19	4.3	9.1
2002	279	6.8	0.41	6.0	7.7	29	5.6	1.13	3.6	8.2
2003	315	7.6	0.43	6.7	8.4	23	4.0	0.90	2.4	6.1
2004	285	6.9	0.41	6.1	7.7	22	3.6	0.82	2.2	5.6
2005	256	6.2	0.39	5.4	7.0	29	5.3	1.06	3.4	7.7
2006	278	6.6	0.40	5.9	7.5	30	4.5	0.84	3.0	6.5
2007	229	5.4	0.36	4.7	6.2	28	4.6	0.91	3.0	6.7
2008	259	5.9	0.37	5.2	6.6	31	5.4	1.00	3.6	7.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Chronic Lymphocytic Leukemia

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	65	1.4	0.18	1.1	1.8	3,773	2.9	0.05	2.8	3.0
1990	3	2.0	1.18	0.4	5.5	150	2.4	0.20	2.1	2.9
1991	3	2.0	1.19	0.4	5.5	151	2.3	0.19	2.0	2.7
1992	3	2.1	1.37	0.3	6.0	169	2.6	0.20	2.2	3.0
1993	3	1.6	0.96	0.3	4.5	189	2.8	0.21	2.5	3.3
1994	0					215	3.3	0.23	2.9	3.8
1995	1	0.5	0.54	0.0	2.6	195	3.0	0.22	2.6	3.5
1996	6	3.6	1.50	1.3	7.5	176	2.7	0.20	2.3	3.1
1997	2	1.0	0.74	0.1	3.4	175	2.6	0.19	2.2	3.0
1998	3	1.1	0.65	0.2	3.2	189	2.8	0.20	2.4	3.2
1999	4	1.8	0.98	0.4	4.6	198	3.0	0.22	2.6	3.5
2000	1	0.3	0.29	0.0	1.7	190	2.8	0.21	2.4	3.2
2001	1	0.6	0.64	0.0	2.7	257	3.8	0.24	3.3	4.3
2002	2	0.7	0.48	0.1	2.3	264	3.8	0.23	3.3	4.3
2003	4	1.3	0.71	0.3	3.3	236	3.4	0.22	3.0	3.9
2004	6	1.7	0.72	0.6	3.6	225	3.2	0.22	2.8	3.7
2005	9	2.7	0.91	1.2	5.0	207	3.0	0.21	2.6	3.4
2006	5	1.9	0.84	0.6	4.1	213	3.0	0.21	2.6	3.4
2007	3	0.6	0.37	0.1	1.8	170	2.3	0.18	2.0	2.7
2008	6	1.4	0.59	0.5	3.0	204	2.8	0.20	2.4	3.3

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,351	3.0	0.05	2.9	3.1	339	2.3	0.13	2.1	2.6
1990	137	2.5	0.22	2.1	3.0	12	1.8	0.52	0.9	3.1
1991	139	2.4	0.21	2.0	2.9	11	1.8	0.55	0.9	3.2
1992	151	2.6	0.22	2.2	3.1	16	2.4	0.61	1.4	3.9
1993	178	3.0	0.23	2.6	3.5	11	1.6	0.50	0.8	2.9
1994	192	3.3	0.24	2.8	3.8	21	2.9	0.63	1.8	4.4
1995	176	3.1	0.24	2.7	3.6	15	2.1	0.54	1.1	3.4
1996	164	2.9	0.23	2.5	3.4	11	1.5	0.47	0.8	2.7
1997	159	2.6	0.21	2.2	3.1	14	1.8	0.49	1.0	3.0
1998	172	2.9	0.22	2.4	3.3	14	1.8	0.50	1.0	3.1
1999	178	3.2	0.24	2.7	3.7	17	2.1	0.50	1.2	3.3
2000	158	2.7	0.22	2.3	3.2	28	3.6	0.67	2.4	5.1
2001	224	3.8	0.26	3.3	4.3	19	2.3	0.53	1.4	3.6
2002	225	3.7	0.25	3.2	4.3	32	4.0	0.71	2.7	5.6
2003	211	3.5	0.25	3.1	4.1	19	2.3	0.53	1.4	3.6
2004	191	3.1	0.23	2.7	3.6	16	1.8	0.45	1.0	2.9
2005	177	3.0	0.23	2.5	3.4	23	2.8	0.58	1.8	4.1
2006	188	3.1	0.23	2.6	3.6	25	2.9	0.59	1.9	4.3
2007	148	2.4	0.20	2.0	2.9	17	2.0	0.49	1.2	3.2
2008	183	3.0	0.23	2.6	3.5	18	2.0	0.48	1.2	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Acute Myeloid Leukemia

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	480	3.2	0.18	2.8	3.5	8,170	3.8	0.04	3.7	3.9
1990	10	1.9	0.77	0.7	4.0	323	3.0	0.17	2.7	3.4
1991	10	1.6	0.66	0.6	3.5	296	2.8	0.16	2.5	3.1
1992	22	3.4	0.90	1.9	5.7	319	2.9	0.17	2.6	3.3
1993	13	1.3	0.40	0.6	2.6	341	3.1	0.17	2.8	3.5
1994	26	4.0	1.02	2.3	6.5	397	3.6	0.18	3.3	4.0
1995	24	3.2	0.80	1.8	5.2	407	3.7	0.18	3.3	4.1
1996	18	3.0	0.91	1.5	5.2	419	3.8	0.18	3.4	4.2
1997	14	2.2	0.65	1.1	3.9	459	4.1	0.19	3.8	4.5
1998	29	3.1	0.76	1.8	5.0	415	3.7	0.18	3.4	4.1
1999	31	4.2	1.04	2.4	6.7	453	4.0	0.19	3.7	4.4
2000	32	3.9	0.98	2.2	6.2	500	4.4	0.20	4.0	4.8
2001	25	3.0	0.77	1.7	4.9	517	4.5	0.20	4.2	5.0
2002	39	5.0	0.98	3.3	7.3	484	4.2	0.19	3.8	4.6
2003	23	2.3	0.57	1.4	3.7	470	4.1	0.19	3.7	4.4
2004	37	4.1	0.87	2.6	6.1	485	4.2	0.19	3.8	4.6
2005	31	2.9	0.59	1.8	4.3	483	4.2	0.19	3.8	4.5
2006	41	4.4	0.82	2.9	6.2	470	4.0	0.18	3.6	4.4
2007	28	2.3	0.52	1.4	3.6	470	4.0	0.19	3.6	4.4
2008	27	2.6	0.59	1.6	4.0	462	3.9	0.18	3.5	4.3

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	7,202	4.0	0.05	3.9	4.1	772	2.8	0.10	2.6	3.0
1990	293	3.2	0.19	2.8	3.6	27	1.9	0.39	1.2	2.8
1991	267	2.9	0.18	2.6	3.3	20	1.5	0.35	0.9	2.4
1992	284	3.0	0.18	2.7	3.4	23	1.8	0.39	1.1	2.8
1993	313	3.4	0.19	3.0	3.8	25	1.7	0.36	1.1	2.6
1994	358	3.8	0.20	3.4	4.2	32	2.3	0.42	1.5	3.2
1995	361	3.8	0.20	3.4	4.2	40	3.0	0.49	2.1	4.1
1996	371	3.9	0.21	3.5	4.4	35	2.5	0.44	1.7	3.5
1997	402	4.2	0.21	3.8	4.7	51	3.6	0.52	2.7	4.7
1998	354	3.7	0.20	3.3	4.1	50	3.5	0.51	2.6	4.6
1999	402	4.2	0.21	3.8	4.7	43	2.9	0.45	2.1	3.9
2000	448	4.7	0.22	4.3	5.1	44	2.9	0.45	2.1	3.9
2001	448	4.7	0.22	4.2	5.1	57	3.7	0.50	2.8	4.8
2002	435	4.5	0.22	4.1	4.9	38	2.6	0.43	1.8	3.5
2003	409	4.2	0.21	3.8	4.6	49	3.2	0.47	2.4	4.3
2004	417	4.3	0.21	3.9	4.7	55	3.5	0.49	2.6	4.6
2005	414	4.3	0.21	3.9	4.7	51	3.4	0.49	2.5	4.5
2006	417	4.2	0.21	3.8	4.7	42	2.7	0.42	1.9	3.6
2007	411	4.2	0.21	3.8	4.7	47	2.9	0.43	2.1	3.9
2008	398	4.0	0.21	3.6	4.5	43	2.8	0.43	2.0	3.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Acute Myeloid Leukemia

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	244	3.4	0.29	2.8	4.0	4,297	4.8	0.07	4.6	4.9
1990	4	2.0	1.58	0.2	6.9	164	3.7	0.30	3.1	4.3
1991	7	2.8	1.49	0.7	7.2	153	3.4	0.28	2.9	4.0
1992	14	3.7	1.15	1.8	7.1	180	3.9	0.30	3.3	4.5
1993	8	1.3	0.51	0.5	3.7	193	4.2	0.31	3.7	4.9
1994	12	3.9	1.56	1.4	8.2	203	4.5	0.33	3.9	5.2
1995	9	2.8	1.46	0.7	7.0	227	5.0	0.34	4.3	5.7
1996	7	3.1	1.73	0.7	7.9	212	4.5	0.32	3.9	5.2
1997	4	1.1	0.61	0.3	3.5	224	4.7	0.32	4.1	5.4
1998	17	3.5	1.08	1.7	6.5	212	4.4	0.30	3.8	5.0
1999	12	3.6	1.49	1.3	7.6	234	4.9	0.32	4.3	5.6
2000	15	4.1	1.75	1.4	8.6	259	5.4	0.34	4.8	6.1
2001	12	1.9	0.69	0.8	4.1	283	5.9	0.35	5.2	6.6
2002	23	6.3	1.66	3.5	10.3	264	5.5	0.34	4.9	6.2
2003	10	2.6	1.03	1.0	5.3	244	5.0	0.32	4.4	5.7
2004	16	3.8	1.21	1.8	6.8	247	5.0	0.32	4.4	5.7
2005	17	3.1	0.88	1.6	5.4	253	5.2	0.33	4.5	5.8
2006	22	4.8	1.25	2.7	7.8	249	5.0	0.32	4.4	5.7
2007	18	3.3	0.97	1.7	5.7	255	5.0	0.32	4.4	5.7
2008	17	3.5	1.02	1.8	6.0	241	4.8	0.31	4.2	5.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,841	5.0	0.08	4.8	5.2	355	3.1	0.18	2.8	3.5
1990	150	3.9	0.33	3.3	4.6	11	1.5	0.46	0.7	2.8
1991	142	3.6	0.31	3.0	4.3	6	1.1	0.47	0.4	2.5
1992	163	4.1	0.32	3.4	4.7	11	2.1	0.70	1.0	3.9
1993	175	4.5	0.35	3.8	5.2	15	2.4	0.68	1.3	4.1
1994	178	4.6	0.35	3.9	5.3	22	4.0	0.93	2.4	6.2
1995	206	5.2	0.37	4.5	6.0	17	3.2	0.83	1.8	5.2
1996	187	4.6	0.34	4.0	5.4	20	4.0	0.96	2.3	6.2
1997	202	4.9	0.35	4.3	5.7	19	3.2	0.76	1.9	5.1
1998	184	4.5	0.33	3.8	5.2	24	4.3	0.96	2.6	6.5
1999	213	5.2	0.36	4.5	6.0	15	2.2	0.59	1.2	3.7
2000	233	5.7	0.38	5.0	6.5	22	3.6	0.81	2.2	5.5
2001	242	6.0	0.39	5.2	6.8	32	4.7	0.85	3.2	6.7
2002	239	5.8	0.38	5.1	6.6	18	3.3	0.87	1.9	5.4
2003	219	5.3	0.36	4.6	6.1	19	3.2	0.79	1.8	5.1
2004	221	5.3	0.36	4.6	6.1	20	2.9	0.72	1.7	4.7
2005	223	5.4	0.36	4.7	6.1	22	3.5	0.81	2.1	5.4
2006	228	5.4	0.36	4.7	6.2	16	2.2	0.57	1.2	3.6
2007	227	5.4	0.36	4.7	6.1	24	3.7	0.81	2.3	5.6
2008	209	5.0	0.35	4.3	5.7	22	3.4	0.77	2.1	5.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Acute Myeloid Leukemia

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	236	3.0	0.23	2.6	3.5	3,873	3.2	0.05	3.1	3.3
1990	6	2.2	0.95	0.7	5.1	159	2.6	0.21	2.2	3.1
1991	3	0.7	0.46	0.1	2.7	143	2.5	0.21	2.1	2.9
1992	8	3.0	1.24	1.1	6.4	139	2.3	0.20	2.0	2.8
1993	5	1.3	0.62	0.4	3.5	148	2.4	0.20	2.0	2.8
1994	14	4.3	1.39	2.0	7.9	194	3.2	0.23	2.7	3.7
1995	15	3.9	1.10	2.1	6.9	180	2.9	0.22	2.5	3.3
1996	11	3.3	1.12	1.5	6.2	207	3.3	0.23	2.9	3.8
1997	10	3.2	1.10	1.4	6.1	235	3.7	0.25	3.3	4.2
1998	12	2.6	0.99	1.1	5.3	203	3.2	0.23	2.8	3.7
1999	19	4.7	1.43	2.4	8.3	219	3.5	0.24	3.0	4.0
2000	17	4.0	1.25	2.0	7.1	241	3.7	0.24	3.3	4.2
2001	13	3.9	1.26	1.8	7.0	234	3.7	0.24	3.2	4.2
2002	16	3.9	1.14	2.0	6.7	220	3.4	0.23	2.9	3.8
2003	13	2.3	0.68	1.2	4.2	226	3.5	0.23	3.0	3.9
2004	21	4.4	1.18	2.4	7.2	238	3.7	0.24	3.2	4.2
2005	14	2.6	0.80	1.3	4.6	230	3.5	0.24	3.1	4.0
2006	19	3.9	1.05	2.2	6.5	221	3.4	0.23	2.9	3.8
2007	10	1.5	0.53	0.6	3.0	215	3.3	0.23	2.9	3.8
2008	10	1.8	0.67	0.8	3.6	221	3.2	0.22	2.8	3.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,361	3.3	0.06	3.2	3.4	417	2.6	0.13	2.4	2.9
1990	143	2.7	0.23	2.3	3.2	16	2.1	0.55	1.2	3.5
1991	125	2.5	0.23	2.1	3.0	14	1.8	0.49	1.0	3.0
1992	121	2.4	0.22	2.0	2.9	12	1.7	0.48	0.8	2.9
1993	138	2.6	0.23	2.2	3.1	10	1.3	0.41	0.6	2.4
1994	180	3.5	0.26	3.0	4.0	10	1.2	0.38	0.6	2.2
1995	155	3.0	0.24	2.5	3.5	23	2.9	0.61	1.8	4.4
1996	184	3.5	0.26	3.0	4.0	15	1.7	0.46	0.9	2.9
1997	200	3.7	0.27	3.2	4.3	32	3.9	0.70	2.6	5.5
1998	170	3.1	0.24	2.7	3.7	26	3.1	0.61	2.0	4.5
1999	189	3.6	0.26	3.1	4.1	28	3.3	0.62	2.2	4.7
2000	215	3.9	0.27	3.4	4.5	22	2.4	0.52	1.5	3.7
2001	206	3.9	0.27	3.3	4.4	25	2.9	0.59	1.9	4.3
2002	196	3.6	0.26	3.1	4.1	20	2.2	0.50	1.3	3.4
2003	190	3.5	0.26	3.0	4.0	30	3.4	0.62	2.3	4.8
2004	196	3.7	0.27	3.1	4.2	35	3.9	0.67	2.7	5.4
2005	191	3.6	0.27	3.1	4.1	29	3.3	0.62	2.2	4.7
2006	189	3.5	0.26	3.0	4.0	26	2.9	0.58	1.9	4.3
2007	184	3.5	0.26	3.0	4.0	23	2.4	0.51	1.5	3.6
2008	189	3.4	0.25	2.9	3.9	21	2.3	0.51	1.4	3.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Chronic Myeloid Leukemia

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	222	1.6	0.13	1.3	1.8	3,570	1.7	0.03	1.6	1.7
1990	3	0.8	0.56	0.1	2.6	153	1.5	0.12	1.2	1.7
1991	7	1.4	0.65	0.4	3.3	158	1.5	0.12	1.3	1.7
1992	5	1.1	0.49	0.4	2.6	150	1.4	0.12	1.2	1.7
1993	8	1.7	0.64	0.7	3.4	165	1.5	0.12	1.3	1.8
1994	14	2.9	0.99	1.3	5.4	199	1.8	0.13	1.6	2.1
1995	8	0.8	0.31	0.3	1.8	210	1.9	0.13	1.7	2.2
1996	5	0.6	0.28	0.2	1.6	200	1.8	0.13	1.6	2.1
1997	20	3.3	0.93	1.7	5.6	167	1.5	0.12	1.3	1.8
1998	11	1.4	0.51	0.6	2.8	191	1.7	0.12	1.5	2.0
1999	14	1.6	0.45	0.8	2.8	211	1.9	0.13	1.6	2.1
2000	13	1.6	0.57	0.7	3.1	201	1.8	0.12	1.5	2.0
2001	17	2.8	0.82	1.5	4.8	212	1.9	0.13	1.6	2.1
2002	12	2.3	0.78	1.0	4.2	174	1.5	0.12	1.3	1.8
2003	14	1.8	0.56	0.9	3.2	218	1.9	0.13	1.6	2.1
2004	13	0.8	0.26	0.4	1.6	232	2.0	0.13	1.8	2.3
2005	14	1.3	0.43	0.6	2.4	182	1.6	0.12	1.3	1.8
2006	15	1.6	0.48	0.8	2.8	195	1.7	0.12	1.4	1.9
2007	10	0.8	0.30	0.3	1.6	175	1.5	0.11	1.3	1.7
2008	19	1.5	0.40	0.8	2.5	177	1.5	0.11	1.3	1.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,004	1.7	0.03	1.6	1.7	447	1.7	0.08	1.5	1.8
1990	132	1.5	0.13	1.2	1.7	19	1.4	0.33	0.8	2.2
1991	143	1.6	0.13	1.3	1.8	15	1.2	0.32	0.7	2.0
1992	130	1.4	0.13	1.2	1.7	15	1.2	0.31	0.6	1.9
1993	141	1.5	0.13	1.3	1.8	21	1.6	0.38	1.0	2.5
1994	170	1.8	0.14	1.6	2.1	24	1.9	0.40	1.2	2.9
1995	174	1.9	0.14	1.6	2.2	33	2.5	0.45	1.7	3.5
1996	172	1.8	0.14	1.5	2.1	22	1.7	0.36	1.0	2.5
1997	141	1.5	0.12	1.2	1.7	21	1.5	0.34	0.9	2.3
1998	165	1.7	0.13	1.5	2.0	20	1.3	0.30	0.8	2.0
1999	172	1.8	0.14	1.5	2.1	29	2.1	0.40	1.4	3.0
2000	168	1.8	0.14	1.5	2.0	27	1.8	0.35	1.2	2.6
2001	184	1.9	0.14	1.6	2.2	18	1.3	0.31	0.8	2.1
2002	142	1.5	0.12	1.2	1.7	26	1.9	0.37	1.2	2.7
2003	189	1.9	0.14	1.7	2.2	24	1.7	0.35	1.1	2.5
2004	191	2.0	0.14	1.7	2.3	27	1.8	0.36	1.2	2.7
2005	147	1.5	0.12	1.3	1.8	27	1.8	0.37	1.2	2.7
2006	165	1.7	0.13	1.4	2.0	26	1.7	0.34	1.1	2.5
2007	139	1.4	0.12	1.2	1.7	26	1.6	0.32	1.0	2.4
2008	139	1.4	0.12	1.2	1.7	27	1.6	0.32	1.1	2.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Chronic Myeloid Leukemia

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	133	1.9	0.21	1.5	2.3	2,045	2.3	0.05	2.2	2.4
1990	1	0.1	0.12	0.0	2.8	81	1.8	0.21	1.4	2.3
1991	4	1.5	0.81	0.4	4.6	85	1.9	0.21	1.5	2.3
1992	4	1.8	0.92	0.5	5.0	86	1.9	0.21	1.5	2.4
1993	2	0.6	0.42	0.1	3.0	98	2.1	0.22	1.7	2.6
1994	8	2.1	0.91	0.7	5.1	104	2.3	0.23	1.8	2.7
1995	4	0.8	0.51	0.2	3.2	113	2.4	0.23	2.0	2.9
1996	3	0.7	0.43	0.1	2.9	116	2.6	0.24	2.1	3.1
1997	13	4.3	1.47	1.9	8.2	97	2.1	0.22	1.7	2.6
1998	7	2.2	1.06	0.6	5.3	110	2.3	0.22	1.9	2.8
1999	9	1.8	0.67	0.7	4.0	125	2.6	0.23	2.2	3.1
2000	10	1.9	0.66	0.8	4.0	111	2.3	0.22	1.9	2.8
2001	9	3.7	1.47	1.4	7.5	122	2.6	0.24	2.1	3.1
2002	5	2.8	1.35	0.8	6.4	102	2.1	0.21	1.7	2.6
2003	7	1.3	0.56	0.5	3.1	129	2.6	0.24	2.2	3.2
2004	10	1.2	0.44	0.5	2.7	131	2.7	0.24	2.2	3.2
2005	12	2.2	0.84	0.9	4.4	119	2.4	0.22	2.0	2.9
2006	9	2.1	0.91	0.7	4.5	118	2.4	0.22	2.0	2.9
2007	6	0.7	0.29	0.2	1.7	97	1.9	0.20	1.6	2.4
2008	10	1.9	0.73	0.8	3.8	101	2.0	0.20	1.6	2.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,727	2.2	0.05	2.1	2.4	248	2.3	0.16	2.0	2.6
1990	67	1.7	0.22	1.3	2.2	12	2.2	0.74	1.0	4.1
1991	80	2.0	0.24	1.6	2.6	5	0.8	0.38	0.3	2.0
1992	73	1.9	0.22	1.4	2.4	10	2.1	0.69	0.9	3.8
1993	84	2.1	0.24	1.7	2.6	12	1.9	0.64	0.9	3.6
1994	90	2.3	0.24	1.8	2.8	11	2.0	0.64	1.0	3.7
1995	97	2.4	0.25	2.0	3.0	14	2.3	0.66	1.2	4.0
1996	102	2.6	0.27	2.2	3.2	11	1.9	0.58	0.9	3.4
1997	83	2.1	0.23	1.7	2.6	13	2.4	0.73	1.2	4.2
1998	94	2.3	0.24	1.9	2.8	12	1.8	0.55	0.9	3.2
1999	105	2.5	0.25	2.1	3.1	14	2.6	0.77	1.3	4.5
2000	91	2.2	0.23	1.8	2.7	16	2.8	0.77	1.5	4.7
2001	105	2.6	0.26	2.1	3.2	9	1.7	0.58	0.7	3.2
2002	82	2.0	0.22	1.6	2.5	16	3.0	0.80	1.7	5.0
2003	109	2.6	0.25	2.2	3.2	17	2.8	0.71	1.6	4.6
2004	114	2.8	0.26	2.3	3.3	10	1.8	0.62	0.8	3.4
2005	98	2.3	0.24	1.9	2.8	17	2.9	0.75	1.6	4.7
2006	100	2.4	0.24	1.9	2.9	17	3.0	0.78	1.7	4.9
2007	75	1.8	0.21	1.4	2.3	16	2.4	0.64	1.4	4.0
2008	78	1.8	0.21	1.5	2.3	16	2.3	0.60	1.3	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Chronic Myeloid Leukemia

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	89	1.3	0.16	1.0	1.6	1,525	1.2	0.03	1.2	1.3
1990	2	1.3	0.94	0.1	4.3	72	1.2	0.14	0.9	1.5
1991	3	1.1	0.86	0.1	4.0	73	1.2	0.14	0.9	1.5
1992	1	0.4	0.40	0.0	2.4	64	1.1	0.13	0.8	1.4
1993	6	2.6	1.13	0.9	5.8	67	1.1	0.13	0.8	1.4
1994	6	3.1	1.45	0.9	6.9	95	1.5	0.16	1.2	1.9
1995	4	0.7	0.39	0.2	2.4	97	1.5	0.16	1.2	1.9
1996	2	0.5	0.36	0.0	2.1	84	1.3	0.14	1.0	1.6
1997	7	2.2	1.10	0.6	5.2	70	1.1	0.13	0.9	1.4
1998	4	0.8	0.40	0.2	2.4	81	1.2	0.14	1.0	1.5
1999	5	1.3	0.61	0.4	3.2	86	1.3	0.14	1.1	1.6
2000	3	1.1	0.78	0.1	3.5	90	1.4	0.15	1.1	1.7
2001	8	2.1	0.90	0.8	4.6	90	1.4	0.15	1.1	1.7
2002	7	1.9	0.87	0.6	4.2	72	1.1	0.13	0.9	1.4
2003	7	2.1	0.89	0.7	4.4	89	1.3	0.14	1.1	1.6
2004	3	0.5	0.29	0.1	1.6	101	1.5	0.15	1.3	1.9
2005	2	0.4	0.33	0.0	1.6	63	1.0	0.12	0.7	1.2
2006	6	1.3	0.54	0.4	2.8	77	1.1	0.13	0.9	1.4
2007	4	0.9	0.48	0.2	2.3	78	1.2	0.14	0.9	1.5
2008	9	1.2	0.43	0.5	2.5	76	1.1	0.13	0.9	1.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,277	1.2	0.03	1.2	1.3	199	1.3	0.09	1.1	1.5
1990	65	1.2	0.15	0.9	1.6	7	0.9	0.35	0.4	1.9
1991	63	1.2	0.15	0.9	1.5	10	1.4	0.44	0.7	2.5
1992	57	1.1	0.15	0.8	1.4	5	0.6	0.28	0.2	1.4
1993	57	1.0	0.14	0.8	1.4	9	1.4	0.45	0.6	2.5
1994	80	1.5	0.17	1.2	1.9	13	1.8	0.51	1.0	3.1
1995	77	1.4	0.16	1.1	1.8	19	2.5	0.59	1.5	3.9
1996	70	1.2	0.15	1.0	1.6	11	1.5	0.45	0.7	2.6
1997	58	1.1	0.14	0.8	1.4	8	1.0	0.35	0.4	1.9
1998	71	1.3	0.15	1.0	1.6	8	0.9	0.32	0.4	1.8
1999	67	1.2	0.15	0.9	1.6	15	1.8	0.47	1.0	3.0
2000	77	1.4	0.17	1.1	1.8	11	1.2	0.37	0.6	2.2
2001	79	1.5	0.17	1.2	1.9	9	1.1	0.36	0.5	2.0
2002	60	1.1	0.14	0.8	1.4	10	1.2	0.37	0.6	2.1
2003	80	1.4	0.17	1.1	1.8	7	0.9	0.33	0.3	1.8
2004	77	1.4	0.16	1.1	1.8	17	1.9	0.47	1.1	3.1
2005	49	0.9	0.13	0.7	1.2	10	1.2	0.37	0.6	2.1
2006	65	1.1	0.14	0.9	1.5	9	0.9	0.30	0.4	1.7
2007	64	1.2	0.15	0.9	1.5	10	1.1	0.33	0.5	1.9
2008	61	1.1	0.14	0.8	1.4	11	1.2	0.35	0.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Other Leukemia

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	170	1.4	0.14	1.1	1.7	4,103	1.9	0.03	1.8	2.0
1990	9	2.6	1.04	1.0	5.3	180	1.7	0.13	1.5	2.0
1991	6	1.2	0.61	0.3	3.0	152	1.5	0.12	1.2	1.7
1992	4	0.5	0.28	0.1	1.7	158	1.5	0.12	1.3	1.8
1993	5	0.9	0.45	0.2	2.3	202	1.9	0.13	1.6	2.1
1994	9	1.8	0.77	0.6	3.8	245	2.2	0.14	2.0	2.5
1995	9	2.8	1.08	1.1	5.5	246	2.2	0.14	2.0	2.5
1996	4	0.4	0.21	0.1	1.3	236	2.1	0.14	1.9	2.4
1997	11	1.7	0.71	0.6	3.6	223	2.0	0.13	1.7	2.3
1998	16	3.4	1.09	1.6	6.0	236	2.1	0.14	1.8	2.4
1999	11	1.5	0.58	0.6	3.1	271	2.4	0.14	2.1	2.7
2000	8	1.0	0.45	0.3	2.3	256	2.2	0.14	2.0	2.5
2001	8	0.9	0.49	0.2	2.3	215	1.9	0.13	1.6	2.2
2002	14	1.9	0.73	0.8	3.8	245	2.1	0.14	1.9	2.4
2003	6	0.8	0.43	0.2	2.0	220	1.9	0.13	1.6	2.1
2004	9	1.5	0.60	0.6	3.0	212	1.8	0.12	1.5	2.0
2005	9	1.3	0.51	0.5	2.6	212	1.8	0.12	1.5	2.0
2006	10	1.3	0.47	0.6	2.5	197	1.6	0.12	1.4	1.9
2007	7	0.5	0.22	0.2	1.2	212	1.8	0.12	1.5	2.0
2008	15	1.4	0.44	0.7	2.5	185	1.5	0.11	1.3	1.8

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,624	2.0	0.03	1.9	2.0	387	1.5	0.08	1.4	1.7
1990	166	1.8	0.14	1.5	2.1	11	0.9	0.28	0.4	1.6
1991	138	1.5	0.13	1.3	1.8	13	1.1	0.31	0.5	1.8
1992	144	1.6	0.13	1.3	1.9	14	1.2	0.32	0.6	2.0
1993	185	2.0	0.15	1.7	2.3	13	1.1	0.31	0.6	1.9
1994	221	2.3	0.16	2.0	2.7	23	1.9	0.42	1.2	2.9
1995	224	2.3	0.16	2.0	2.7	18	1.4	0.34	0.8	2.2
1996	208	2.2	0.15	1.9	2.5	23	1.8	0.40	1.1	2.8
1997	194	2.0	0.14	1.7	2.3	26	2.0	0.41	1.3	3.0
1998	210	2.2	0.15	1.9	2.5	24	1.9	0.39	1.2	2.8
1999	238	2.4	0.16	2.1	2.8	29	2.2	0.42	1.4	3.1
2000	229	2.3	0.15	2.0	2.7	19	1.5	0.34	0.9	2.3
2001	190	2.0	0.14	1.7	2.3	19	1.3	0.32	0.8	2.1
2002	209	2.2	0.15	1.9	2.5	27	2.1	0.41	1.3	3.0
2003	190	1.9	0.14	1.6	2.2	23	1.7	0.36	1.0	2.5
2004	181	1.8	0.13	1.5	2.1	19	1.4	0.32	0.8	2.1
2005	183	1.8	0.13	1.5	2.1	21	1.5	0.33	0.9	2.2
2006	166	1.6	0.13	1.4	1.9	26	1.9	0.38	1.2	2.8
2007	183	1.8	0.14	1.6	2.1	24	1.5	0.32	1.0	2.3
2008	165	1.6	0.13	1.4	1.9	15	1.0	0.25	0.5	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Other Leukemia

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	98	1.7	0.24	1.3	2.3	2,351	2.7	0.06	2.6	2.8
1990	3	0.8	0.59	0.1	3.8	95	2.2	0.23	1.7	2.7
1991	3	1.2	0.93	0.1	4.6	83	1.9	0.21	1.5	2.3
1992	4	1.0	0.55	0.2	3.6	102	2.3	0.24	1.9	2.8
1993	4	1.7	0.94	0.4	4.9	106	2.4	0.24	2.0	3.0
1994	7	1.8	0.87	0.6	4.8	134	3.1	0.27	2.5	3.6
1995	7	5.6	2.51	1.8	12.0	125	2.8	0.26	2.3	3.4
1996	2	0.4	0.36	0.0	2.6	142	3.2	0.28	2.7	3.8
1997	6	1.2	0.55	0.4	3.4	127	2.9	0.27	2.4	3.5
1998	11	4.2	1.84	1.4	9.0	132	3.0	0.26	2.5	3.5
1999	2	0.4	0.33	0.0	2.3	148	3.3	0.28	2.8	3.9
2000	4	1.0	0.63	0.2	3.3	143	3.0	0.26	2.5	3.6
2001	5	1.9	1.15	0.3	5.1	126	2.6	0.24	2.2	3.1
2002	4	2.5	1.54	0.4	6.6	150	3.1	0.26	2.6	3.7
2003	2	0.6	0.45	0.1	2.3	127	2.7	0.24	2.2	3.2
2004	6	2.7	1.28	0.8	6.0	126	2.6	0.24	2.2	3.1
2005	6	1.5	0.75	0.4	3.6	130	2.8	0.25	2.3	3.3
2006	9	2.8	1.07	1.1	5.5	119	2.4	0.23	2.0	2.9
2007	4	0.6	0.30	0.1	1.7	127	2.6	0.23	2.1	3.1
2008	9	1.6	0.71	0.5	3.5	109	2.2	0.21	1.8	2.6

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,077	2.8	0.06	2.7	2.9	212	2.1	0.16	1.8	2.4
1990	87	2.3	0.25	1.8	2.8	7	1.5	0.64	0.5	3.2
1991	76	2.0	0.23	1.5	2.5	6	1.5	0.65	0.5	3.2
1992	94	2.5	0.26	2.0	3.0	8	1.7	0.67	0.7	3.5
1993	95	2.5	0.27	2.0	3.1	8	1.6	0.62	0.6	3.3
1994	122	3.2	0.30	2.6	3.8	12	2.5	0.82	1.2	4.5
1995	115	3.0	0.28	2.4	3.6	8	1.5	0.54	0.6	2.9
1996	122	3.2	0.29	2.7	3.8	18	3.8	0.98	2.1	6.1
1997	114	3.1	0.29	2.5	3.7	12	2.3	0.76	1.1	4.2
1998	121	3.1	0.29	2.6	3.8	9	1.5	0.52	0.7	2.9
1999	130	3.4	0.30	2.8	4.0	16	3.1	0.84	1.7	5.1
2000	130	3.2	0.28	2.7	3.8	7	1.2	0.49	0.5	2.6
2001	108	2.7	0.26	2.2	3.2	12	2.2	0.68	1.0	3.9
2002	130	3.2	0.28	2.7	3.8	14	2.3	0.63	1.2	3.8
2003	109	2.7	0.26	2.2	3.3	14	2.2	0.60	1.2	3.7
2004	107	2.6	0.25	2.1	3.2	9	1.5	0.55	0.6	2.9
2005	109	2.7	0.26	2.2	3.3	14	2.6	0.75	1.3	4.4
2006	99	2.4	0.24	1.9	2.9	17	3.2	0.83	1.8	5.2
2007	112	2.7	0.26	2.2	3.2	12	2.0	0.60	1.0	3.5
2008	97	2.3	0.23	1.8	2.8	9	1.5	0.54	0.6	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Other Leukemia

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	72	1.1	0.16	0.8	1.5	1,752	1.4	0.03	1.3	1.4
1990	6	3.7	1.65	1.2	8.1	85	1.4	0.15	1.1	1.7
1991	3	1.3	0.83	0.2	4.0	69	1.1	0.14	0.9	1.4
1992	0					56	0.9	0.13	0.7	1.2
1993	1	0.2	0.15	0.0	1.8	96	1.5	0.15	1.2	1.8
1994	2	1.4	1.03	0.1	4.5	111	1.7	0.16	1.4	2.1
1995	2	1.1	0.82	0.1	3.7	121	1.8	0.17	1.5	2.2
1996	2	0.4	0.25	0.0	1.8	94	1.4	0.14	1.1	1.7
1997	5	2.0	1.10	0.4	5.0	96	1.5	0.15	1.2	1.8
1998	5	2.6	1.32	0.7	6.1	104	1.5	0.15	1.3	1.9
1999	9	2.6	1.03	1.0	5.3	123	1.8	0.16	1.5	2.1
2000	4	1.0	0.62	0.2	2.9	113	1.6	0.16	1.4	2.0
2001	3	0.2	0.13	0.1	1.3	89	1.3	0.14	1.1	1.6
2002	10	1.8	0.77	0.6	3.9	95	1.4	0.14	1.1	1.7
2003	4	1.0	0.63	0.2	2.9	93	1.3	0.14	1.1	1.6
2004	3	0.6	0.49	0.1	2.2	86	1.2	0.13	0.9	1.5
2005	3	1.1	0.65	0.2	2.9	82	1.1	0.13	0.9	1.4
2006	1	0.1	0.12	0.0	0.9	78	1.0	0.12	0.8	1.3
2007	3	0.4	0.31	0.1	1.5	85	1.2	0.14	1.0	1.5
2008	6	1.2	0.56	0.4	2.8	76	1.1	0.13	0.9	1.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,547	1.4	0.04	1.3	1.5	175	1.2	0.09	1.0	1.4
1990	79	1.4	0.16	1.1	1.8	4	0.5	0.25	0.1	1.3
1991	62	1.2	0.16	0.9	1.6	7	0.9	0.34	0.3	1.8
1992	50	1.0	0.14	0.7	1.3	6	0.8	0.34	0.3	1.8
1993	90	1.6	0.17	1.3	2.0	5	0.7	0.32	0.2	1.6
1994	99	1.7	0.18	1.4	2.1	11	1.6	0.48	0.8	2.8
1995	109	1.8	0.18	1.5	2.2	10	1.3	0.43	0.6	2.4
1996	86	1.4	0.16	1.1	1.8	5	0.7	0.31	0.2	1.6
1997	80	1.4	0.16	1.1	1.8	14	1.9	0.51	1.0	3.1
1998	89	1.5	0.17	1.2	1.9	15	1.9	0.51	1.1	3.2
1999	108	1.8	0.18	1.5	2.2	13	1.6	0.45	0.8	2.7
2000	99	1.7	0.17	1.4	2.1	12	1.5	0.44	0.8	2.6
2001	82	1.5	0.16	1.1	1.8	7	0.8	0.32	0.3	1.7
2002	79	1.4	0.16	1.1	1.7	13	1.7	0.48	0.9	2.9
2003	81	1.4	0.16	1.1	1.7	9	1.1	0.38	0.5	2.1
2004	74	1.2	0.14	0.9	1.5	10	1.2	0.39	0.6	2.2
2005	74	1.2	0.14	0.9	1.5	7	0.8	0.31	0.3	1.7
2006	67	1.1	0.13	0.8	1.4	9	1.1	0.36	0.5	2.0
2007	71	1.2	0.15	0.9	1.6	12	1.3	0.37	0.7	2.2
2008	68	1.2	0.15	0.9	1.5	6	0.7	0.28	0.2	1.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*