

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lymphoma

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,687	19.8	0.46	18.9	20.8	46,883	21.9	0.10	21.7	22.1
1990	80	14.5	2.06	10.8	19.1	1,985	18.9	0.43	18.0	19.7
1991	69	14.0	2.08	10.2	18.6	1,989	18.6	0.42	17.8	19.5
1992	95	18.6	2.36	14.2	23.7	2,157	20.0	0.43	19.2	20.9
1993	101	17.3	2.18	13.3	22.0	2,205	20.3	0.43	19.5	21.2
1994	118	19.8	2.32	15.5	24.8	2,316	21.2	0.44	20.3	22.1
1995	124	22.9	2.65	18.0	28.6	2,400	21.8	0.45	20.9	22.7
1996	114	18.8	2.24	14.7	23.7	2,515	22.8	0.45	21.9	23.7
1997	107	17.0	2.02	13.3	21.4	2,446	22.0	0.44	21.1	22.9
1998	128	19.8	2.11	15.9	24.4	2,494	22.3	0.45	21.4	23.2
1999	163	24.0	2.37	19.5	29.0	2,567	22.8	0.45	21.9	23.7
2000	128	18.6	2.06	14.8	23.0	2,577	22.8	0.45	21.9	23.7
2001	133	19.4	2.04	15.6	23.7	2,578	22.6	0.45	21.8	23.5
2002	171	22.5	2.10	18.6	26.9	2,585	22.6	0.44	21.7	23.4
2003	172	20.5	1.88	17.0	24.4	2,616	22.7	0.44	21.8	23.5
2004	187	22.5	1.99	18.7	26.6	2,767	23.9	0.46	23.0	24.8
2005	184	20.1	1.76	16.8	23.8	2,707	23.2	0.45	22.3	24.1
2006	182	17.2	1.45	14.4	20.2	2,652	22.7	0.44	21.8	23.5
2007	204	20.9	1.67	17.8	24.4	2,661	22.5	0.44	21.6	23.3
2008	227	21.6	1.64	18.5	25.0	2,666	22.2	0.43	21.4	23.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	41,332	22.9	0.11	22.7	23.1	4,374	15.2	0.24	14.8	15.7
1990	1,792	19.8	0.47	18.9	20.7	169	12.8	1.02	10.8	14.9
1991	1,812	19.8	0.47	18.8	20.7	141	10.5	0.92	8.8	12.4
1992	1,967	21.3	0.48	20.4	22.3	166	12.3	1.00	10.4	14.4
1993	1,987	21.3	0.48	20.4	22.3	191	13.2	1.00	11.3	15.3
1994	2,049	21.9	0.49	20.9	22.9	224	15.6	1.07	13.5	17.8
1995	2,124	22.6	0.49	21.7	23.6	228	16.1	1.11	14.0	18.4
1996	2,231	23.8	0.51	22.8	24.8	232	15.5	1.05	13.5	17.7
1997	2,162	22.9	0.49	21.9	23.9	228	15.0	1.02	13.1	17.2
1998	2,178	23.0	0.49	22.0	24.0	255	16.7	1.07	14.6	18.9
1999	2,295	24.1	0.51	23.1	25.1	219	14.5	1.01	12.6	16.6
2000	2,262	23.9	0.50	22.9	24.9	245	15.6	1.02	13.7	17.7
2001	2,263	23.7	0.50	22.7	24.7	246	15.7	1.02	13.7	17.8
2002	2,277	23.7	0.50	22.8	24.7	235	14.8	0.99	13.0	16.9
2003	2,271	23.5	0.50	22.6	24.5	259	16.2	1.02	14.2	18.3
2004	2,384	24.7	0.51	23.7	25.7	291	18.5	1.11	16.4	20.8
2005	2,345	24.1	0.50	23.2	25.2	262	16.4	1.04	14.4	18.6
2006	2,320	24.0	0.50	23.0	25.0	251	15.5	1.00	13.6	17.6
2007	2,305	23.5	0.50	22.6	24.5	275	16.4	1.01	14.5	18.5
2008	2,308	23.3	0.49	22.3	24.3	257	15.4	0.98	13.5	17.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lymphoma

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,579	23.2	0.76	21.7	24.7	24,643	26.6	0.17	26.2	26.9
1990	49	16.8	3.07	11.3	24.0	1,054	23.0	0.73	21.6	24.5
1991	50	17.8	3.40	11.8	25.7	1,020	21.9	0.70	20.5	23.3
1992	61	24.3	4.13	16.9	33.6	1,112	24.2	0.75	22.8	25.7
1993	66	18.5	2.99	13.1	25.4	1,148	24.3	0.73	22.9	25.8
1994	75	24.8	4.10	17.4	34.0	1,168	24.7	0.74	23.3	26.2
1995	70	23.8	4.01	16.6	32.7	1,264	26.4	0.76	25.0	27.9
1996	71	21.6	3.70	15.0	29.9	1,309	27.1	0.76	25.6	28.6
1997	64	19.5	3.23	13.7	26.8	1,265	26.2	0.75	24.7	27.7
1998	79	27.9	4.18	20.3	37.1	1,325	27.3	0.76	25.8	28.8
1999	98	29.4	4.12	21.9	38.4	1,358	27.8	0.76	26.3	29.4
2000	77	21.9	3.36	15.9	29.3	1,358	27.5	0.75	26.1	29.0
2001	65	19.7	3.36	13.7	27.2	1,327	26.8	0.74	25.4	28.3
2002	104	28.5	3.59	21.9	36.2	1,361	27.4	0.75	25.9	28.9
2003	98	24.8	3.30	18.7	31.9	1,378	27.4	0.74	25.9	28.9
2004	113	28.3	3.47	21.9	35.7	1,493	29.6	0.78	28.1	31.2
2005	102	21.5	2.64	16.7	27.3	1,433	28.3	0.76	26.9	29.8
2006	105	18.7	2.21	14.6	23.5	1,429	28.0	0.75	26.5	29.5
2007	113	22.7	2.58	17.9	28.3	1,442	27.7	0.74	26.3	29.2
2008	119	24.4	2.65	19.5	30.1	1,399	26.6	0.72	25.2	28.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	21,601	27.5	0.19	27.2	27.9	2,413	19.2	0.42	18.4	20.1
1990	940	23.9	0.80	22.3	25.5	96	16.8	1.86	13.4	20.9
1991	928	23.1	0.78	21.7	24.7	74	12.3	1.54	9.4	15.6
1992	1,003	25.4	0.82	23.8	27.0	95	16.8	1.87	13.4	20.9
1993	1,028	25.4	0.81	23.9	27.1	107	16.1	1.69	12.9	19.7
1994	1,022	25.4	0.81	23.8	27.0	125	18.6	1.73	15.4	22.3
1995	1,109	27.2	0.83	25.6	28.9	137	22.3	2.07	18.4	26.7
1996	1,132	27.6	0.83	26.0	29.3	149	22.8	2.01	19.0	27.1
1997	1,103	26.9	0.82	25.4	28.6	130	18.8	1.73	15.6	22.5
1998	1,146	27.9	0.83	26.3	29.6	146	21.7	1.87	18.2	25.7
1999	1,199	29.0	0.84	27.3	30.7	125	19.2	1.86	15.8	23.2
2000	1,182	28.5	0.83	26.9	30.2	137	19.5	1.74	16.2	23.2
2001	1,166	28.0	0.82	26.4	29.7	125	18.2	1.72	14.9	21.8
2002	1,202	28.8	0.83	27.2	30.4	122	17.5	1.67	14.4	21.1
2003	1,196	28.3	0.82	26.7	30.0	136	19.9	1.78	16.6	23.7
2004	1,288	30.6	0.86	28.9	32.3	158	23.5	2.00	19.8	27.7
2005	1,243	29.3	0.84	27.7	31.0	134	19.8	1.83	16.4	23.7
2006	1,250	29.4	0.84	27.7	31.1	130	18.7	1.72	15.5	22.4
2007	1,243	28.7	0.82	27.1	30.4	157	21.8	1.85	18.3	25.7
2008	1,221	28.0	0.81	26.4	29.6	130	18.2	1.69	15.1	21.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lymphoma

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,108	16.9	0.58	15.8	18.0	22,240	18.4	0.12	18.1	18.6
1990	31	12.1	2.64	7.5	18.3	931	15.6	0.52	14.6	16.6
1991	19	9.9	2.51	5.6	15.8	969	16.0	0.52	15.0	17.1
1992	34	13.4	2.70	8.6	19.6	1,045	16.9	0.53	15.9	18.0
1993	35	15.0	2.93	9.8	21.7	1,057	17.0	0.53	16.0	18.1
1994	43	15.5	2.77	10.5	21.8	1,148	18.4	0.55	17.3	19.5
1995	54	21.4	3.48	15.1	29.1	1,136	18.0	0.54	17.0	19.1
1996	43	16.2	2.82	11.2	22.6	1,206	19.2	0.56	18.1	20.3
1997	43	14.5	2.56	9.9	20.3	1,181	18.7	0.55	17.6	19.8
1998	49	13.9	2.14	10.0	18.7	1,169	18.5	0.55	17.4	19.6
1999	65	19.4	2.84	14.3	25.7	1,209	19.0	0.55	17.9	20.1
2000	51	15.5	2.57	10.8	21.2	1,219	19.2	0.56	18.2	20.4
2001	68	19.8	2.70	14.8	25.7	1,251	19.4	0.55	18.3	20.5
2002	67	17.2	2.46	12.7	22.6	1,224	18.8	0.54	17.8	19.9
2003	74	17.2	2.25	13.1	22.1	1,238	19.0	0.55	18.0	20.1
2004	74	17.6	2.36	13.3	22.8	1,274	19.5	0.55	18.4	20.6
2005	82	18.5	2.33	14.2	23.6	1,274	19.5	0.55	18.4	20.6
2006	77	15.6	1.94	12.0	19.8	1,223	18.6	0.54	17.5	19.7
2007	91	19.3	2.21	15.2	24.0	1,219	18.4	0.54	17.4	19.5
2008	108	19.4	2.08	15.5	23.8	1,267	19.0	0.54	17.9	20.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	19,731	19.3	0.14	19.1	19.6	1,961	12.1	0.28	11.6	12.7
1990	852	16.5	0.58	15.4	17.7	73	9.9	1.18	7.7	12.5
1991	884	17.0	0.58	15.8	18.2	67	9.0	1.13	6.9	11.5
1992	964	18.3	0.60	17.1	19.5	71	9.1	1.11	7.1	11.6
1993	959	18.0	0.59	16.8	19.2	84	10.8	1.21	8.6	13.4
1994	1,027	19.1	0.61	18.0	20.4	99	12.7	1.30	10.3	15.5
1995	1,015	18.7	0.60	17.6	20.0	91	11.6	1.23	9.3	14.3
1996	1,099	20.6	0.63	19.3	21.8	83	10.0	1.11	7.9	12.4
1997	1,059	19.7	0.62	18.6	21.0	98	11.8	1.21	9.6	14.4
1998	1,032	19.3	0.61	18.1	20.5	109	12.7	1.23	10.4	15.4
1999	1,096	20.5	0.63	19.2	21.7	94	11.2	1.16	9.0	13.7
2000	1,080	20.4	0.63	19.2	21.7	108	12.4	1.20	10.1	14.9
2001	1,097	20.3	0.63	19.1	21.6	121	13.7	1.26	11.4	16.4
2002	1,075	19.8	0.62	18.6	21.0	113	12.7	1.21	10.5	15.3
2003	1,075	19.8	0.62	18.6	21.1	123	13.5	1.23	11.2	16.1
2004	1,096	20.1	0.62	18.9	21.4	133	14.9	1.30	12.4	17.7
2005	1,102	20.3	0.63	19.1	21.5	128	14.1	1.25	11.7	16.7
2006	1,070	19.8	0.62	18.6	21.0	121	13.0	1.19	10.7	15.5
2007	1,062	19.5	0.62	18.3	20.7	118	12.5	1.16	10.3	15.0
2008	1,087	19.8	0.62	18.6	21.1	127	13.3	1.19	11.1	15.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Hodgkin Lymphoma

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	512	2.5	0.14	2.2	2.8	6,190	3.0	0.04	2.9	3.0
1990	20	2.5	0.63	1.4	4.3	315	2.9	0.17	2.6	3.3
1991	15	2.6	0.93	1.1	5.0	315	2.9	0.17	2.6	3.3
1992	14	1.8	0.69	0.8	3.7	327	3.0	0.16	2.6	3.3
1993	16	1.4	0.41	0.8	2.7	302	2.7	0.16	2.4	3.1
1994	23	2.1	0.49	1.3	3.5	305	2.8	0.16	2.5	3.1
1995	23	1.6	0.34	1.0	2.6	298	2.7	0.16	2.4	3.0
1996	20	2.0	0.60	1.0	3.6	356	3.2	0.17	2.9	3.6
1997	22	3.1	0.94	1.5	5.4	338	3.1	0.17	2.8	3.4
1998	25	2.6	0.72	1.3	4.4	303	2.8	0.16	2.5	3.1
1999	33	2.6	0.54	1.7	4.0	313	2.9	0.16	2.5	3.2
2000	24	3.2	0.95	1.6	5.5	337	3.1	0.17	2.8	3.4
2001	30	3.0	0.66	1.9	4.6	333	3.0	0.17	2.7	3.4
2002	32	2.4	0.53	1.5	3.7	333	3.0	0.17	2.7	3.4
2003	32	2.5	0.53	1.5	3.8	322	2.9	0.16	2.6	3.3
2004	35	3.3	0.75	2.0	5.0	326	3.0	0.16	2.7	3.3
2005	35	2.4	0.48	1.5	3.6	347	3.2	0.17	2.9	3.5
2006	33	2.2	0.46	1.4	3.3	352	3.2	0.17	2.9	3.6
2007	37	2.5	0.48	1.7	3.7	307	2.8	0.16	2.5	3.1
2008	43	2.9	0.52	2.0	4.1	361	3.3	0.17	2.9	3.6

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,140	3.1	0.04	3.0	3.2	849	2.5	0.09	2.4	2.7
1990	269	3.0	0.19	2.7	3.4	44	2.7	0.42	1.9	3.6
1991	275	3.1	0.19	2.8	3.5	31	1.9	0.34	1.3	2.7
1992	284	3.1	0.19	2.8	3.5	39	2.4	0.39	1.7	3.3
1993	247	2.8	0.18	2.4	3.1	50	2.9	0.42	2.1	3.9
1994	261	2.9	0.18	2.6	3.3	37	2.2	0.37	1.5	3.1
1995	256	2.9	0.18	2.5	3.3	36	2.0	0.33	1.4	2.8
1996	294	3.3	0.20	3.0	3.7	47	2.7	0.40	2.0	3.6
1997	275	3.2	0.19	2.8	3.5	56	3.2	0.44	2.4	4.2
1998	248	2.8	0.18	2.5	3.2	42	2.3	0.36	1.6	3.1
1999	263	3.0	0.19	2.7	3.4	34	1.9	0.34	1.3	2.7
2000	281	3.3	0.20	2.9	3.7	44	2.4	0.37	1.7	3.3
2001	270	3.1	0.19	2.8	3.5	48	2.6	0.38	1.9	3.5
2002	287	3.3	0.20	2.9	3.7	40	2.2	0.36	1.6	3.1
2003	266	3.1	0.19	2.7	3.5	44	2.4	0.37	1.7	3.3
2004	264	3.1	0.19	2.7	3.5	52	2.9	0.40	2.1	3.8
2005	272	3.2	0.20	2.8	3.6	64	3.7	0.47	2.8	4.7
2006	288	3.4	0.20	3.0	3.8	46	2.5	0.38	1.8	3.4
2007	251	2.9	0.19	2.6	3.3	42	2.2	0.34	1.6	3.0
2008	289	3.4	0.20	3.0	3.8	53	2.8	0.39	2.1	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Hodgkin Lymphoma

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	295	2.8	0.22	2.4	3.2	3,418	3.4	0.06	3.3	3.6
1990	10	2.8	0.99	1.2	6.1	182	3.5	0.27	3.0	4.1
1991	9	3.4	1.82	0.8	8.6	171	3.4	0.26	2.9	3.9
1992	9	3.2	1.59	0.9	7.8	163	3.2	0.25	2.7	3.7
1993	10	1.5	0.54	0.6	4.0	171	3.3	0.25	2.8	3.8
1994	14	2.7	0.81	1.4	5.5	173	3.3	0.25	2.8	3.8
1995	10	1.4	0.47	0.6	3.6	181	3.5	0.26	3.0	4.0
1996	13	1.9	0.62	0.9	4.2	201	3.8	0.27	3.3	4.4
1997	12	1.8	0.57	0.8	4.0	174	3.3	0.25	2.8	3.8
1998	18	4.3	1.65	1.7	8.6	170	3.3	0.25	2.8	3.8
1999	20	2.8	0.71	1.6	5.0	168	3.2	0.25	2.7	3.7
2000	14	3.8	1.61	1.3	7.9	200	3.8	0.27	3.3	4.4
2001	17	3.6	1.04	1.9	6.4	180	3.4	0.26	2.9	4.0
2002	18	2.5	0.65	1.4	4.4	179	3.4	0.25	2.9	3.9
2003	17	2.4	0.72	1.2	4.5	166	3.2	0.25	2.7	3.7
2004	21	4.1	1.30	2.0	7.3	192	3.7	0.26	3.2	4.2
2005	19	2.4	0.62	1.4	4.1	197	3.7	0.27	3.2	4.3
2006	18	2.0	0.60	1.0	3.7	183	3.5	0.26	3.0	4.0
2007	25	3.5	0.89	2.0	5.7	176	3.3	0.25	2.8	3.9
2008	21	2.7	0.68	1.6	4.5	191	3.6	0.26	3.1	4.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,806	3.5	0.07	3.4	3.6	493	3.2	0.15	2.9	3.5
1990	153	3.6	0.30	3.0	4.2	27	3.7	0.74	2.4	5.5
1991	148	3.5	0.29	3.0	4.2	17	2.3	0.58	1.3	3.8
1992	145	3.4	0.28	2.9	4.0	18	2.9	0.75	1.6	4.7
1993	140	3.3	0.28	2.8	3.9	28	3.4	0.67	2.2	5.1
1994	141	3.3	0.28	2.7	3.9	26	3.4	0.69	2.2	5.1
1995	150	3.5	0.29	3.0	4.2	29	3.5	0.66	2.3	5.1
1996	159	3.7	0.30	3.2	4.4	31	3.9	0.72	2.6	5.6
1997	134	3.2	0.27	2.6	3.7	36	4.6	0.80	3.2	6.5
1998	140	3.3	0.28	2.8	3.9	23	2.6	0.56	1.7	4.1
1999	136	3.2	0.28	2.7	3.8	20	2.4	0.56	1.4	3.8
2000	169	4.0	0.31	3.5	4.7	24	2.9	0.62	1.8	4.4
2001	142	3.4	0.28	2.8	4.0	29	3.5	0.66	2.3	5.1
2002	158	3.7	0.30	3.2	4.4	20	2.3	0.54	1.4	3.7
2003	139	3.3	0.28	2.8	3.9	21	2.5	0.58	1.5	4.0
2004	154	3.7	0.30	3.1	4.3	36	4.5	0.77	3.1	6.3
2005	159	3.9	0.31	3.3	4.5	30	3.5	0.65	2.4	5.1
2006	149	3.6	0.30	3.1	4.3	24	2.9	0.60	1.8	4.3
2007	138	3.3	0.28	2.8	3.9	27	3.1	0.60	2.0	4.5
2008	152	3.6	0.29	3.0	4.2	27	3.1	0.62	2.0	4.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Hodgkin Lymphoma

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	217	2.2	0.18	1.9	2.6	2,772	2.6	0.05	2.5	2.6
1990	10	2.3	0.80	1.0	4.9	133	2.4	0.21	2.0	2.8
1991	6	2.2	1.06	0.6	5.3	144	2.5	0.21	2.1	3.0
1992	5	0.9	0.39	0.3	2.7	164	2.8	0.22	2.3	3.2
1993	6	1.4	0.62	0.4	3.5	131	2.2	0.20	1.9	2.7
1994	9	1.5	0.53	0.6	3.4	132	2.3	0.20	1.9	2.7
1995	13	1.7	0.49	0.9	3.5	117	2.0	0.19	1.7	2.4
1996	7	2.0	0.91	0.6	4.6	155	2.7	0.22	2.3	3.2
1997	10	3.8	1.48	1.5	7.6	164	2.9	0.23	2.5	3.4
1998	7	1.2	0.48	0.4	2.9	133	2.4	0.21	2.0	2.8
1999	13	2.4	0.77	1.1	4.6	145	2.6	0.21	2.2	3.0
2000	10	2.6	1.13	0.9	5.6	137	2.4	0.21	2.0	2.9
2001	13	2.5	0.82	1.1	4.7	153	2.7	0.22	2.3	3.2
2002	14	2.2	0.76	1.0	4.3	154	2.7	0.22	2.3	3.2
2003	15	2.5	0.76	1.2	4.5	156	2.8	0.22	2.3	3.2
2004	14	2.6	0.88	1.2	4.9	134	2.4	0.21	2.0	2.8
2005	16	2.3	0.70	1.2	4.1	150	2.7	0.22	2.2	3.1
2006	15	2.4	0.69	1.2	4.1	169	3.0	0.23	2.5	3.5
2007	12	1.6	0.49	0.8	2.9	131	2.3	0.21	2.0	2.8
2008	22	3.0	0.73	1.7	4.8	170	3.1	0.24	2.6	3.6

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,334	2.7	0.06	2.6	2.8	356	2.0	0.10	1.8	2.2
1990	116	2.5	0.24	2.1	3.0	17	1.9	0.48	1.1	3.1
1991	127	2.7	0.25	2.3	3.2	14	1.5	0.41	0.8	2.6
1992	139	2.8	0.25	2.4	3.4	21	2.1	0.47	1.3	3.3
1993	107	2.3	0.22	1.9	2.8	22	2.4	0.52	1.5	3.6
1994	120	2.6	0.24	2.1	3.1	11	1.2	0.37	0.6	2.2
1995	106	2.3	0.23	1.9	2.8	7	0.7	0.27	0.3	1.5
1996	135	3.0	0.26	2.5	3.6	16	1.7	0.43	1.0	2.8
1997	141	3.1	0.27	2.6	3.7	20	2.2	0.49	1.3	3.4
1998	108	2.5	0.24	2.0	3.0	19	2.0	0.46	1.2	3.1
1999	127	2.9	0.26	2.4	3.4	14	1.5	0.41	0.8	2.5
2000	112	2.6	0.24	2.1	3.1	20	2.1	0.46	1.3	3.2
2001	128	2.9	0.26	2.4	3.5	19	1.9	0.44	1.2	3.0
2002	129	2.9	0.26	2.4	3.5	20	2.1	0.48	1.3	3.3
2003	127	2.9	0.26	2.4	3.4	23	2.3	0.49	1.5	3.5
2004	110	2.5	0.25	2.1	3.1	16	1.6	0.40	0.9	2.6
2005	113	2.6	0.25	2.2	3.2	34	3.6	0.62	2.5	5.0
2006	139	3.2	0.27	2.7	3.8	22	2.2	0.47	1.4	3.3
2007	113	2.6	0.25	2.1	3.1	15	1.5	0.38	0.8	2.4
2008	137	3.3	0.28	2.7	3.9	26	2.6	0.50	1.7	3.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Non-Hodgkin Lymphoma

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,175	17.3	0.44	16.5	18.2	40,693	19.0	0.09	18.8	19.1
1990	60	12.0	1.96	8.5	16.4	1,670	16.0	0.39	15.2	16.8
1991	54	11.4	1.86	8.0	15.5	1,674	15.7	0.39	15.0	16.5
1992	81	16.7	2.25	12.6	21.7	1,830	17.1	0.40	16.3	17.9
1993	85	15.9	2.14	12.0	20.5	1,903	17.6	0.40	16.8	18.4
1994	95	17.7	2.27	13.6	22.7	2,011	18.4	0.41	17.6	19.3
1995	101	21.4	2.62	16.5	27.0	2,102	19.1	0.42	18.3	19.9
1996	94	16.8	2.16	12.9	21.5	2,159	19.5	0.42	18.7	20.4
1997	85	13.9	1.79	10.6	17.8	2,108	18.9	0.41	18.1	19.7
1998	103	17.3	1.98	13.6	21.5	2,191	19.5	0.42	18.7	20.4
1999	130	21.3	2.31	17.0	26.2	2,254	19.9	0.42	19.1	20.8
2000	104	15.4	1.83	12.0	19.4	2,240	19.7	0.42	18.9	20.6
2001	103	16.4	1.93	12.8	20.5	2,245	19.6	0.41	18.8	20.4
2002	139	20.1	2.03	16.3	24.4	2,252	19.5	0.41	18.7	20.4
2003	140	18.0	1.81	14.7	21.9	2,294	19.7	0.41	18.9	20.6
2004	152	19.2	1.84	15.7	23.1	2,441	20.9	0.42	20.1	21.8
2005	149	17.7	1.69	14.5	21.2	2,360	20.0	0.41	19.2	20.9
2006	149	14.9	1.37	12.4	17.9	2,300	19.4	0.41	18.6	20.3
2007	167	18.4	1.60	15.4	21.8	2,354	19.7	0.41	18.9	20.5
2008	184	18.7	1.56	15.8	21.9	2,305	18.9	0.40	18.2	19.7

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	36,192	19.8	0.10	19.6	20.0	3,525	12.7	0.22	12.3	13.1
1990	1,523	16.8	0.44	15.9	17.6	125	10.1	0.93	8.3	12.1
1991	1,537	16.6	0.43	15.8	17.5	110	8.6	0.86	7.0	10.5
1992	1,683	18.2	0.45	17.3	19.1	127	10.0	0.91	8.2	11.9
1993	1,740	18.6	0.45	17.7	19.5	141	10.3	0.90	8.6	12.3
1994	1,788	19.0	0.45	18.1	19.9	187	13.4	1.01	11.5	15.5
1995	1,868	19.7	0.46	18.8	20.7	192	14.1	1.06	12.2	16.4
1996	1,937	20.4	0.47	19.5	21.4	185	12.8	0.97	11.0	14.8
1997	1,887	19.8	0.46	18.9	20.7	172	11.8	0.92	10.0	13.7
1998	1,930	20.2	0.46	19.3	21.1	213	14.4	1.01	12.5	16.5
1999	2,032	21.1	0.47	20.2	22.1	185	12.6	0.95	10.8	14.6
2000	1,981	20.6	0.47	19.7	21.6	201	13.2	0.95	11.4	15.2
2001	1,993	20.6	0.46	19.7	21.5	198	13.0	0.95	11.2	15.0
2002	1,990	20.4	0.46	19.5	21.3	195	12.6	0.92	10.9	14.5
2003	2,005	20.5	0.46	19.6	21.4	215	13.8	0.95	12.0	15.8
2004	2,120	21.6	0.47	20.7	22.5	239	15.7	1.03	13.7	17.8
2005	2,073	20.9	0.46	20.0	21.9	198	12.8	0.93	11.0	14.7
2006	2,032	20.6	0.46	19.7	21.5	205	13.0	0.92	11.2	14.9
2007	2,054	20.6	0.46	19.7	21.5	233	14.2	0.95	12.4	16.2
2008	2,019	19.9	0.45	19.1	20.8	204	12.6	0.90	10.9	14.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Non-Hodgkin Lymphoma

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,284	20.4	0.73	19.0	21.9	21,225	23.1	0.16	22.8	23.4
1990	39	14.0	2.90	8.9	21.0	872	19.5	0.68	18.2	20.8
1991	41	14.4	2.87	9.4	21.3	849	18.5	0.65	17.3	19.8
1992	52	21.1	3.82	14.3	29.8	949	21.1	0.70	19.7	22.5
1993	56	17.0	2.94	11.7	23.8	977	21.0	0.69	19.7	22.4
1994	61	22.1	4.02	14.9	31.1	995	21.4	0.69	20.1	22.8
1995	60	22.4	3.98	15.3	31.3	1,083	23.0	0.71	21.6	24.4
1996	58	19.7	3.64	13.2	27.9	1,108	23.3	0.71	21.9	24.7
1997	52	17.7	3.18	12.1	25.0	1,091	22.9	0.70	21.5	24.3
1998	61	23.6	3.84	16.6	32.1	1,155	24.0	0.71	22.6	25.4
1999	78	26.6	4.05	19.3	35.5	1,190	24.6	0.72	23.2	26.1
2000	63	18.2	2.95	12.9	24.8	1,158	23.7	0.70	22.3	25.1
2001	48	16.1	3.20	10.5	23.3	1,147	23.4	0.70	22.0	24.8
2002	86	26.0	3.53	19.5	33.7	1,182	24.0	0.71	22.6	25.4
2003	81	22.3	3.22	16.5	29.3	1,212	24.2	0.70	22.8	25.6
2004	92	24.2	3.22	18.3	31.1	1,301	26.0	0.73	24.6	27.5
2005	83	19.1	2.57	14.4	24.7	1,236	24.6	0.71	23.2	26.0
2006	87	16.7	2.13	12.8	21.4	1,246	24.5	0.70	23.1	25.9
2007	88	19.2	2.42	14.7	24.4	1,266	24.4	0.70	23.0	25.8
2008	98	21.7	2.57	16.9	27.2	1,208	23.1	0.67	21.8	24.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	18,795	24.0	0.18	23.7	24.4	1,920	16.0	0.39	15.3	16.8
1990	787	20.3	0.74	18.8	21.8	69	13.2	1.71	10.0	16.9
1991	780	19.6	0.72	18.2	21.1	57	10.0	1.42	7.4	13.1
1992	858	22.0	0.77	20.5	23.6	77	14.0	1.71	10.8	17.7
1993	888	22.2	0.76	20.7	23.7	79	12.7	1.55	9.8	16.1
1994	881	22.1	0.76	20.6	23.6	99	15.2	1.59	12.3	18.7
1995	959	23.7	0.77	22.2	25.2	108	18.8	1.96	15.2	23.0
1996	973	23.9	0.77	22.4	25.5	118	18.9	1.88	15.4	23.0
1997	969	23.8	0.77	22.3	25.3	94	14.2	1.53	11.4	17.5
1998	1,006	24.6	0.78	23.1	26.1	123	19.0	1.79	15.7	22.9
1999	1,063	25.8	0.80	24.2	27.4	105	16.8	1.78	13.5	20.6
2000	1,013	24.5	0.77	23.0	26.1	113	16.6	1.62	13.6	20.1
2001	1,024	24.6	0.77	23.1	26.2	96	14.7	1.59	11.7	18.1
2002	1,044	25.0	0.78	23.5	26.6	102	15.2	1.58	12.2	18.6
2003	1,057	25.0	0.77	23.5	26.6	115	17.4	1.68	14.2	21.0
2004	1,134	26.9	0.81	25.3	28.5	122	19.0	1.84	15.6	23.0
2005	1,084	25.5	0.78	24.0	27.1	104	16.3	1.71	13.1	19.9
2006	1,101	25.8	0.78	24.2	27.3	106	15.8	1.61	12.8	19.3
2007	1,105	25.4	0.77	23.9	27.0	130	18.7	1.75	15.4	22.4
2008	1,069	24.4	0.76	22.9	25.9	103	15.1	1.57	12.2	18.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Non-Hodgkin Lymphoma

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	891	14.7	0.55	13.6	15.8	19,468	15.8	0.11	15.6	16.0
1990	21	9.8	2.52	5.5	15.8	798	13.2	0.48	12.3	14.2
1991	13	7.7	2.27	3.9	13.2	825	13.5	0.48	12.6	14.5
1992	29	12.5	2.67	7.9	18.7	881	14.2	0.49	13.3	15.2
1993	29	13.6	2.86	8.6	20.2	926	14.8	0.49	13.8	15.8
1994	34	14.0	2.72	9.2	20.2	1,016	16.1	0.51	15.1	17.1
1995	41	19.6	3.44	13.5	27.3	1,019	16.0	0.51	15.0	17.0
1996	36	14.3	2.67	9.5	20.3	1,051	16.4	0.51	15.5	17.5
1997	33	10.7	2.09	7.0	15.5	1,017	15.8	0.50	14.8	16.8
1998	42	12.7	2.09	8.9	17.4	1,036	16.1	0.51	15.1	17.1
1999	52	17.0	2.73	12.1	23.1	1,064	16.4	0.51	15.4	17.4
2000	41	12.8	2.31	8.7	18.0	1,082	16.8	0.52	15.8	17.9
2001	55	17.3	2.57	12.6	23.0	1,098	16.7	0.51	15.7	17.7
2002	53	15.0	2.34	10.7	20.1	1,070	16.1	0.50	15.2	17.2
2003	59	14.8	2.12	10.9	19.4	1,082	16.3	0.50	15.3	17.3
2004	60	15.1	2.19	11.1	19.9	1,140	17.1	0.51	16.1	18.1
2005	66	16.2	2.22	12.1	21.1	1,124	16.8	0.51	15.8	17.8
2006	62	13.3	1.81	9.9	17.2	1,054	15.6	0.49	14.7	16.6
2007	79	17.7	2.16	13.7	22.3	1,088	16.1	0.50	15.1	17.1
2008	86	16.4	1.94	12.8	20.6	1,097	15.9	0.49	15.0	16.9

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	17,397	16.6	0.13	16.4	16.9	1,605	10.2	0.26	9.7	10.7
1990	736	14.0	0.53	13.0	15.1	56	8.0	1.08	6.0	10.4
1991	757	14.3	0.53	13.2	15.3	53	7.5	1.05	5.6	9.8
1992	825	15.4	0.55	14.4	16.6	50	7.0	1.00	5.2	9.2
1993	852	15.7	0.55	14.7	16.8	62	8.4	1.09	6.4	10.8
1994	907	16.6	0.56	15.5	17.7	88	11.5	1.25	9.2	14.2
1995	909	16.4	0.56	15.4	17.6	84	10.9	1.20	8.7	13.5
1996	964	17.6	0.58	16.5	18.7	67	8.3	1.03	6.4	10.5
1997	918	16.6	0.56	15.5	17.7	78	9.7	1.11	7.6	12.1
1998	924	16.8	0.56	15.7	18.0	90	10.7	1.14	8.6	13.2
1999	969	17.6	0.57	16.5	18.8	80	9.7	1.09	7.6	12.0
2000	968	17.9	0.58	16.7	19.0	88	10.3	1.11	8.2	12.7
2001	969	17.4	0.57	16.3	18.6	102	11.8	1.18	9.6	14.4
2002	946	16.9	0.56	15.8	18.0	93	10.6	1.11	8.5	13.0
2003	948	16.9	0.56	15.8	18.1	100	11.2	1.12	9.1	13.6
2004	986	17.6	0.57	16.5	18.8	117	13.3	1.24	11.0	16.0
2005	989	17.7	0.57	16.5	18.8	94	10.5	1.09	8.5	12.8
2006	931	16.6	0.56	15.5	17.7	99	10.8	1.09	8.7	13.1
2007	949	16.9	0.56	15.8	18.0	103	11.1	1.10	9.0	13.4
2008	950	16.6	0.55	15.5	17.7	101	10.8	1.08	8.8	13.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010