

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Male Genital System

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,872	130.1	1.96	126.3	134.0	157,650	171.4	0.44	170.5	172.3
1990	118	100.0	10.91	79.8	123.1	5,743	136.4	1.87	132.8	140.1
1991	113	82.9	9.38	65.6	102.8	7,271	167.6	2.03	163.7	171.7
1992	158	118.6	11.22	97.7	142.1	8,790	197.3	2.16	193.1	201.6
1993	172	123.7	11.19	102.7	147.0	8,434	186.6	2.09	182.6	190.8
1994	241	152.4	11.69	130.4	176.6	8,152	179.2	2.03	175.2	183.2
1995	230	140.0	11.04	119.1	162.8	7,637	165.1	1.93	161.3	168.9
1996	270	163.3	11.79	141.0	187.6	7,743	164.8	1.90	161.1	168.6
1997	269	143.8	10.39	124.1	165.2	8,051	170.2	1.92	166.4	174.0
1998	268	151.2	10.96	130.5	173.8	7,980	167.2	1.89	163.5	170.9
1999	326	155.6	10.26	136.1	176.7	8,412	174.4	1.92	170.7	178.2
2000	333	140.8	9.16	123.4	159.6	8,457	174.4	1.91	170.7	178.2
2001	347	141.4	8.87	124.6	159.7	8,982	183.5	1.95	179.7	187.4
2002	365	137.4	8.28	121.6	154.4	9,255	187.0	1.96	183.1	190.9
2003	373	124.0	7.41	109.9	139.2	8,533	169.7	1.85	166.0	173.3
2004	381	121.7	7.00	108.3	136.0	8,398	164.7	1.82	161.2	168.3
2005	419	117.7	6.44	105.4	130.8	8,162	157.9	1.77	154.4	161.4
2006	448	121.4	6.43	109.1	134.5	8,857	167.9	1.81	164.4	171.5
2007	498	130.0	6.48	117.6	143.2	9,529	177.3	1.84	173.7	181.0
2008	543	130.2	6.21	118.3	142.8	9,264	167.7	1.77	164.3	171.2

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	128,539	162.2	0.46	161.3	163.1	24,147	239.1	1.62	235.9	242.3
1990	5,026	133.8	1.95	130.0	137.7	654	167.5	7.03	154.0	181.7
1991	6,421	166.9	2.15	162.7	171.1	753	176.9	6.90	163.7	190.9
1992	7,691	194.8	2.28	190.4	199.4	1,024	235.4	7.85	220.3	251.2
1993	7,262	182.4	2.19	178.1	186.7	1,097	241.1	7.76	226.1	256.7
1994	6,784	169.4	2.10	165.3	173.6	1,252	276.0	8.34	259.9	292.7
1995	6,300	155.7	1.99	151.9	159.7	1,233	258.9	7.82	243.8	274.6
1996	6,315	154.5	1.97	150.6	158.4	1,318	265.1	7.72	250.2	280.6
1997	6,677	162.8	2.01	158.9	166.8	1,184	232.5	7.12	218.7	246.8
1998	6,442	156.3	1.96	152.4	160.2	1,246	240.6	7.17	226.7	255.0
1999	6,894	166.2	2.01	162.2	170.2	1,203	225.1	6.80	212.0	238.8
2000	6,781	163.0	1.99	159.1	166.9	1,420	262.4	7.29	248.3	277.0
2001	7,302	174.4	2.05	170.4	178.4	1,369	248.8	7.04	235.2	262.9
2002	7,439	176.2	2.05	172.2	180.3	1,346	235.9	6.75	222.9	249.5
2003	6,754	158.1	1.94	154.4	162.0	1,382	233.9	6.58	221.2	247.1
2004	6,598	152.9	1.90	149.2	156.7	1,406	236.1	6.59	223.4	249.4
2005	6,350	145.5	1.84	141.9	149.1	1,393	232.2	6.56	219.5	245.4
2006	6,968	157.0	1.90	153.3	160.8	1,538	248.6	6.64	235.7	261.9
2007	7,401	163.8	1.93	160.0	167.6	1,678	265.3	6.76	252.2	278.9
2008	7,134	154.1	1.85	150.5	157.8	1,651	249.3	6.37	237.0	262.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Prostate										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	5,233	125.6	1.94	121.9	129.5	151,352	165.1	0.43	164.3	166.0
1990	100	94.0	10.66	74.3	116.6	5,427	130.5	1.84	126.9	134.2
1991	95	77.6	9.13	60.7	97.0	6,975	162.1	2.01	158.2	166.0
1992	141	115.8	11.19	94.9	139.2	8,504	192.0	2.14	187.8	196.2
1993	154	120.7	11.16	99.8	144.0	8,111	180.5	2.06	176.5	184.6
1994	221	149.3	11.66	127.3	173.5	7,828	173.1	2.00	169.2	177.1
1995	203	135.3	10.99	114.6	158.1	7,325	159.3	1.90	155.6	163.1
1996	247	158.9	11.74	136.8	183.2	7,414	158.7	1.87	155.1	162.4
1997	243	139.4	10.26	120.0	160.6	7,690	163.4	1.89	159.7	167.1
1998	244	147.9	10.92	127.3	170.4	7,646	160.8	1.86	157.2	164.5
1999	295	152.3	10.24	132.9	173.4	8,067	167.9	1.89	164.2	171.6
2000	291	135.7	9.11	118.4	154.5	8,142	168.4	1.88	164.7	172.1
2001	311	136.9	8.81	120.1	155.0	8,623	176.7	1.92	172.9	180.5
2002	324	132.3	8.20	116.7	149.2	8,919	180.6	1.93	176.8	184.4
2003	327	119.0	7.32	105.1	134.0	8,200	163.4	1.82	159.8	167.0
2004	347	118.3	6.97	105.0	132.6	8,033	157.7	1.78	154.3	161.3
2005	374	112.9	6.37	100.7	125.9	7,842	151.7	1.74	148.4	155.2
2006	392	115.6	6.35	103.5	128.6	8,512	161.3	1.77	157.8	164.8
2007	442	125.1	6.45	112.8	138.3	9,194	170.9	1.81	167.3	174.4
2008	482	124.2	6.14	112.5	136.7	8,900	160.7	1.73	157.3	164.1
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	122,802	155.1	0.45	154.2	156.0	23,802	236.5	1.61	233.3	239.6
1990	4,735	127.4	1.91	123.7	131.2	635	163.4	6.95	150.1	177.5
1991	6,146	160.7	2.11	156.6	164.9	737	174.1	6.85	160.9	187.9
1992	7,423	188.8	2.25	184.5	193.3	1,009	233.0	7.81	218.0	248.8
1993	6,961	175.5	2.15	171.3	179.7	1,078	238.3	7.73	223.4	253.9
1994	6,483	162.6	2.06	158.6	166.7	1,235	273.4	8.31	257.3	290.0
1995	6,013	149.3	1.96	145.5	153.2	1,217	256.3	7.79	241.3	272.0
1996	6,021	147.8	1.93	144.1	151.6	1,297	262.0	7.69	247.2	277.5
1997	6,343	155.1	1.97	151.3	159.0	1,167	230.0	7.09	216.3	244.2
1998	6,133	149.0	1.92	145.2	152.8	1,229	238.3	7.14	224.6	252.7
1999	6,592	159.0	1.97	155.2	162.9	1,184	222.7	6.77	209.6	236.3
2000	6,494	156.1	1.95	152.3	160.0	1,403	259.9	7.26	245.8	274.4
2001	6,975	166.6	2.00	162.7	170.6	1,352	246.5	7.02	232.9	260.5
2002	7,137	169.0	2.01	165.1	173.0	1,325	233.1	6.72	220.1	246.6
2003	6,446	150.8	1.89	147.1	154.5	1,366	231.8	6.55	219.2	245.0
2004	6,263	144.8	1.84	141.2	148.4	1,389	233.9	6.57	221.2	247.1
2005	6,071	138.7	1.80	135.2	142.2	1,371	228.9	6.51	216.3	242.0
2006	6,653	149.3	1.85	145.7	153.0	1,523	246.7	6.62	233.9	260.0
2007	7,104	156.4	1.88	152.7	160.1	1,657	262.6	6.73	249.6	276.1
2008	6,809	146.0	1.80	142.5	149.6	1,628	246.4	6.34	234.1	259.1

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Testis										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	562	3.2	0.15	2.9	3.5	5,304	5.2	0.07	5.0	5.3
1990	13	2.4	0.76	1.1	5.3	260	4.6	0.29	4.1	5.2
1991	14	2.2	0.65	1.1	4.9	249	4.5	0.29	3.9	5.1
1992	14	1.9	0.56	1.0	4.4	245	4.4	0.28	3.8	5.0
1993	15	2.0	0.59	1.1	4.5	270	4.9	0.30	4.3	5.5
1994	18	2.6	0.66	1.5	5.1	268	4.8	0.30	4.3	5.4
1995	22	2.7	0.64	1.6	5.1	258	4.6	0.29	4.1	5.2
1996	18	2.1	0.52	1.2	4.3	274	4.9	0.30	4.4	5.6
1997	23	2.3	0.50	1.5	4.3	312	5.7	0.33	5.1	6.4
1998	21	2.3	0.60	1.3	4.4	277	5.1	0.31	4.5	5.8
1999	29	2.8	0.56	1.8	4.8	296	5.5	0.32	4.9	6.2
2000	37	3.8	0.71	2.6	5.9	261	4.9	0.30	4.3	5.5
2001	31	2.9	0.55	1.9	4.7	297	5.5	0.32	4.9	6.2
2002	36	3.9	0.99	2.2	6.5	293	5.5	0.32	4.9	6.2
2003	44	3.9	0.64	2.7	5.7	283	5.3	0.32	4.7	6.0
2004	28	2.3	0.44	1.5	3.7	316	6.0	0.34	5.3	6.7
2005	41	4.0	0.80	2.6	6.0	279	5.3	0.32	4.7	6.0
2006	50	4.3	0.64	3.2	6.0	288	5.5	0.32	4.9	6.2
2007	52	4.5	0.64	3.3	6.1	275	5.3	0.32	4.7	6.0
2008	56	4.8	0.65	3.6	6.4	303	5.8	0.34	5.2	6.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,913	6.1	0.09	5.9	6.2	208	1.3	0.09	1.1	1.5
1990	245	5.3	0.34	4.6	6.0	10	1.5	0.50	0.7	2.9
1991	239	5.2	0.34	4.6	5.9	6	0.6	0.25	0.2	1.5
1992	232	5.1	0.34	4.4	5.8	11	1.2	0.36	0.6	2.3
1993	253	5.6	0.36	4.9	6.4	15	1.9	0.52	1.1	3.3
1994	256	5.7	0.36	5.0	6.4	8	0.9	0.31	0.4	1.8
1995	240	5.3	0.35	4.7	6.1	9	1.1	0.37	0.5	2.2
1996	247	5.5	0.35	4.9	6.3	13	1.6	0.46	0.9	2.9
1997	294	6.7	0.39	6.0	7.6	9	1.2	0.42	0.5	2.4
1998	259	6.0	0.37	5.3	6.8	12	1.3	0.38	0.7	2.4
1999	264	6.2	0.38	5.5	7.0	14	1.6	0.44	0.9	2.8
2000	242	5.7	0.37	5.0	6.5	9	1.0	0.33	0.5	2.0
2001	273	6.5	0.39	5.7	7.3	11	1.2	0.37	0.6	2.3
2002	267	6.4	0.39	5.6	7.2	14	1.7	0.45	0.9	2.8
2003	268	6.5	0.40	5.7	7.3	7	0.8	0.29	0.3	1.7
2004	294	7.2	0.42	6.4	8.0	11	1.3	0.40	0.7	2.4
2005	248	6.1	0.39	5.4	6.9	14	1.6	0.43	0.9	2.7
2006	266	6.6	0.41	5.8	7.4	10	1.2	0.37	0.6	2.2
2007	250	6.2	0.40	5.5	7.1	12	1.5	0.44	0.8	2.7
2008	276	6.9	0.42	6.1	7.8	13	1.4	0.39	0.7	2.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Penis

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	70	1.3	0.19	0.9	1.7	778	0.9	0.03	0.8	0.9
1990	4	3.2	2.17	0.4	9.4	34	0.8	0.14	0.6	1.1
1991	4	3.1	2.05	0.5	9.0	37	0.9	0.15	0.6	1.2
1992	2	0.8	0.56	0.1	3.5	36	0.8	0.14	0.6	1.1
1993	2	0.6	0.44	0.1	3.1	39	0.9	0.15	0.7	1.3
1994	2	0.5	0.41	0.1	2.9	47	1.0	0.15	0.8	1.4
1995	5	2.0	0.90	0.6	5.0	41	0.9	0.13	0.6	1.2
1996	5	2.2	1.05	0.7	5.4	42	0.9	0.14	0.6	1.2
1997	3	2.0	1.55	0.2	6.6	39	0.9	0.14	0.6	1.2
1998	3	1.1	0.67	0.2	3.5	43	1.0	0.15	0.7	1.3
1999	1	0.3	0.29	0.0	2.2	48	1.0	0.15	0.8	1.4
2000	5	1.2	0.58	0.4	3.3	42	0.9	0.14	0.7	1.2
2001	5	1.7	0.87	0.4	4.3	49	1.0	0.15	0.8	1.4
2002	5	1.2	0.53	0.4	3.0	32	0.7	0.12	0.4	0.9
2003	2	1.2	0.98	0.1	4.0	37	0.7	0.12	0.5	1.0
2004	5	0.9	0.42	0.3	2.4	43	0.9	0.14	0.6	1.2
2005	4	0.8	0.51	0.1	2.5	30	0.6	0.11	0.4	0.9
2006	5	1.4	0.72	0.3	3.4	50	1.0	0.14	0.7	1.3
2007	4	0.5	0.25	0.1	1.5	46	0.9	0.14	0.7	1.2
2008	4	1.1	0.64	0.2	2.9	43	0.9	0.13	0.6	1.2

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	637	0.8	0.03	0.8	0.9	116	1.1	0.11	0.9	1.4
1990	27	0.7	0.13	0.5	1.0	7	2.1	0.82	0.8	4.2
1991	27	0.7	0.14	0.5	1.0	9	2.2	0.80	0.9	4.3
1992	31	0.8	0.15	0.5	1.1	4	1.2	0.63	0.3	2.9
1993	35	1.0	0.16	0.7	1.3	4	0.9	0.44	0.2	2.1
1994	36	0.9	0.15	0.6	1.3	9	1.8	0.61	0.8	3.4
1995	35	0.9	0.14	0.6	1.2	6	1.3	0.55	0.5	2.8
1996	35	0.8	0.14	0.6	1.2	7	1.2	0.49	0.4	2.6
1997	31	0.8	0.14	0.5	1.1	7	1.2	0.49	0.5	2.6
1998	38	1.0	0.16	0.7	1.4	4	0.8	0.46	0.2	2.1
1999	37	0.9	0.15	0.7	1.3	5	0.8	0.37	0.3	1.9
2000	35	0.9	0.15	0.6	1.2	6	1.1	0.47	0.4	2.4
2001	42	1.0	0.16	0.8	1.4	5	1.0	0.44	0.3	2.2
2002	26	0.6	0.12	0.4	0.9	5	0.8	0.36	0.3	1.9
2003	30	0.7	0.13	0.5	1.0	7	1.0	0.38	0.4	2.1
2004	36	0.9	0.15	0.6	1.2	5	0.8	0.36	0.2	1.9
2005	22	0.5	0.11	0.3	0.8	7	1.3	0.55	0.5	2.8
2006	42	1.0	0.15	0.7	1.3	5	0.7	0.34	0.2	1.7
2007	36	0.9	0.14	0.6	1.2	8	1.1	0.38	0.5	2.1
2008	36	0.9	0.14	0.6	1.2	6	0.9	0.37	0.3	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010