

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Mesothelioma

### Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	104	0.9	0.10	0.8	1.2	2,649	1.2	0.02	1.2	1.3
1990	4	0.8	0.40	0.2	2.2	98	0.9	0.09	0.8	1.1
1991	3	0.9	0.51	0.2	2.5	117	1.1	0.10	0.9	1.3
1992	4	0.7	0.37	0.2	2.0	123	1.1	0.10	0.9	1.3
1993	3	0.9	0.53	0.2	2.5	116	1.1	0.10	0.9	1.3
1994	0					140	1.3	0.11	1.1	1.5
1995	6	1.3	0.58	0.4	2.9	157	1.4	0.11	1.2	1.7
1996	6	1.0	0.44	0.4	2.4	136	1.2	0.10	1.0	1.4
1997	0					138	1.2	0.10	1.0	1.5
1998	4	0.5	0.27	0.1	1.5	152	1.3	0.11	1.1	1.6
1999	4	0.8	0.44	0.2	2.1	136	1.2	0.10	1.0	1.4
2000	6	1.0	0.50	0.3	2.4	137	1.2	0.10	1.0	1.4
2001	7	1.2	0.48	0.5	2.5	174	1.5	0.11	1.3	1.8
2002	3	0.5	0.31	0.1	1.4	152	1.3	0.11	1.1	1.5
2003	9	1.4	0.52	0.6	2.8	157	1.4	0.11	1.2	1.6
2004	9	1.4	0.53	0.6	2.8	136	1.2	0.10	1.0	1.4
2005	12	1.8	0.56	0.9	3.1	143	1.2	0.10	1.0	1.4
2006	7	0.8	0.36	0.3	1.8	155	1.3	0.11	1.1	1.6
2007	8	1.0	0.39	0.4	2.0	133	1.1	0.10	0.9	1.3
2008	9	0.8	0.28	0.3	1.5	149	1.3	0.10	1.1	1.5

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,495	1.3	0.03	1.3	1.4	127	0.5	0.04	0.4	0.6
1990	90	1.0	0.10	0.8	1.2	6	0.5	0.21	0.2	1.1
1991	113	1.2	0.11	1.0	1.4	3	0.3	0.15	0.1	0.7
1992	116	1.2	0.11	1.0	1.4	5	0.5	0.21	0.2	1.1
1993	109	1.1	0.11	0.9	1.4	5	0.5	0.22	0.2	1.1
1994	133	1.4	0.12	1.1	1.6	7	0.6	0.21	0.2	1.1
1995	143	1.5	0.12	1.3	1.8	14	1.1	0.31	0.6	1.9
1996	124	1.3	0.11	1.1	1.5	11	0.8	0.24	0.4	1.4
1997	129	1.3	0.12	1.1	1.6	8	0.6	0.20	0.2	1.1
1998	145	1.5	0.12	1.3	1.8	7	0.5	0.21	0.2	1.1
1999	129	1.3	0.12	1.1	1.6	6	0.4	0.17	0.2	0.9
2000	131	1.3	0.12	1.1	1.6	6	0.5	0.19	0.2	1.0
2001	164	1.7	0.13	1.4	1.9	9	0.6	0.22	0.3	1.2
2002	148	1.5	0.12	1.3	1.8	4	0.3	0.17	0.1	0.8
2003	147	1.5	0.12	1.3	1.8	4	0.3	0.13	0.1	0.7
2004	129	1.3	0.11	1.1	1.5	7	0.5	0.18	0.2	1.0
2005	134	1.3	0.12	1.1	1.6	8	0.6	0.21	0.3	1.2
2006	144	1.5	0.12	1.2	1.7	6	0.4	0.17	0.2	0.9
2007	123	1.2	0.11	1.0	1.4	9	0.6	0.19	0.3	1.1
2008	144	1.4	0.12	1.2	1.7	2	0.2	0.11	0.0	0.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Mesothelioma

### Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	77	1.6	0.21	1.2	2.0	2,008	2.3	0.05	2.2	2.4
1990	3	1.3	0.75	0.3	4.4	74	1.7	0.20	1.3	2.1
1991	2	1.0	0.67	0.1	3.9	95	2.1	0.22	1.7	2.6
1992	0					91	2.1	0.22	1.6	2.5
1993	3	2.0	1.18	0.4	5.7	83	1.9	0.21	1.5	2.3
1994	0					101	2.2	0.22	1.8	2.7
1995	4	2.0	1.22	0.4	5.7	119	2.7	0.25	2.2	3.2
1996	6	2.1	0.90	0.7	5.0	103	2.2	0.22	1.8	2.7
1997	0					111	2.4	0.23	2.0	2.9
1998	3	0.7	0.43	0.1	2.8	105	2.3	0.22	1.9	2.8
1999	3	1.4	0.88	0.2	4.2	101	2.1	0.22	1.7	2.6
2000	5	2.1	1.09	0.5	5.2	105	2.2	0.22	1.8	2.7
2001	5	2.0	0.92	0.6	4.7	139	3.0	0.26	2.5	3.5
2002	3	1.0	0.68	0.1	3.2	121	2.6	0.24	2.1	3.1
2003	9	3.1	1.15	1.2	6.0	124	2.6	0.24	2.2	3.1
2004	5	1.7	0.96	0.3	4.3	102	2.2	0.22	1.8	2.6
2005	9	2.7	0.97	1.1	5.2	109	2.3	0.22	1.9	2.8
2006	4	1.4	0.80	0.3	3.6	116	2.4	0.23	2.0	2.9
2007	6	1.9	0.83	0.7	4.1	98	2.0	0.21	1.6	2.5
2008	7	1.3	0.55	0.4	2.8	111	2.3	0.22	1.9	2.8

### Non-Hispanic Whites

### Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,903	2.5	0.06	2.4	2.6	89	0.9	0.10	0.7	1.1
1990	68	1.7	0.21	1.3	2.2	6	1.2	0.48	0.4	2.5
1991	91	2.3	0.24	1.8	2.8	3	0.6	0.38	0.1	1.9
1992	86	2.2	0.24	1.7	2.7	5	1.2	0.57	0.4	2.8
1993	77	2.0	0.23	1.5	2.5	4	1.1	0.61	0.3	2.8
1994	98	2.4	0.25	1.9	2.9	3	0.6	0.32	0.1	1.6
1995	110	2.8	0.27	2.3	3.4	9	2.1	0.73	0.9	3.9
1996	93	2.3	0.24	1.8	2.8	9	1.5	0.51	0.7	2.9
1997	105	2.6	0.26	2.1	3.2	5	0.8	0.36	0.3	1.9
1998	101	2.5	0.25	2.0	3.0	4	0.9	0.49	0.2	2.3
1999	96	2.4	0.24	1.9	2.9	4	0.7	0.36	0.2	1.8
2000	101	2.5	0.25	2.0	3.0	4	0.9	0.46	0.2	2.2
2001	130	3.2	0.28	2.7	3.8	8	1.5	0.56	0.6	2.9
2002	119	2.9	0.27	2.4	3.5	2	0.4	0.29	0.0	1.4
2003	118	2.9	0.27	2.4	3.4	2	0.3	0.20	0.0	1.1
2004	99	2.4	0.24	2.0	2.9	3	0.6	0.32	0.1	1.6
2005	102	2.5	0.25	2.0	3.0	6	1.3	0.57	0.5	2.8
2006	109	2.7	0.26	2.2	3.2	4	0.7	0.33	0.2	1.6
2007	92	2.2	0.23	1.8	2.7	6	0.9	0.36	0.3	1.9
2008	108	2.6	0.25	2.1	3.1	2	0.4	0.27	0.1	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

# Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

## Mesothelioma

### Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	27	0.4	0.09	0.3	0.6	641	0.5	0.02	0.5	0.6
1990	1	0.3	0.26	0.0	2.1	24	0.4	0.08	0.2	0.6
1991	1	0.7	0.68	0.0	3.2	22	0.4	0.08	0.2	0.5
1992	4	1.3	0.72	0.3	3.8	32	0.5	0.09	0.3	0.7
1993	0					33	0.5	0.09	0.4	0.7
1994	0					39	0.6	0.09	0.4	0.8
1995	2	0.7	0.51	0.1	2.7	38	0.6	0.10	0.4	0.8
1996	0					33	0.5	0.09	0.4	0.7
1997	0					27	0.4	0.08	0.3	0.6
1998	1	0.3	0.32	0.0	1.8	47	0.7	0.11	0.5	1.0
1999	1	0.3	0.34	0.0	1.9	35	0.5	0.09	0.4	0.8
2000	1	0.1	0.09	0.0	1.3	32	0.5	0.08	0.3	0.7
2001	2	0.6	0.42	0.1	2.1	35	0.5	0.09	0.4	0.7
2002	0					31	0.5	0.08	0.3	0.7
2003	0					33	0.5	0.09	0.3	0.7
2004	4	1.3	0.66	0.4	3.2	34	0.5	0.09	0.4	0.7
2005	3	0.9	0.56	0.2	2.6	34	0.5	0.09	0.4	0.7
2006	3	0.5	0.30	0.1	1.6	39	0.6	0.10	0.4	0.8
2007	2	0.3	0.21	0.0	1.2	35	0.5	0.09	0.3	0.7
2008	2	0.3	0.20	0.0	1.1	38	0.6	0.10	0.4	0.8

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	592	0.6	0.02	0.5	0.6	38	0.2	0.04	0.2	0.3
1990	22	0.4	0.08	0.2	0.6	0				
1991	22	0.4	0.09	0.3	0.6	0				
1992	30	0.5	0.10	0.4	0.8	0				
1993	32	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
1994	35	0.6	0.10	0.4	0.8	4	0.5	0.26	0.1	1.3
1995	33	0.6	0.10	0.4	0.8	5	0.6	0.28	0.2	1.5
1996	31	0.6	0.10	0.4	0.8	2	0.2	0.17	0.0	0.9
1997	24	0.4	0.08	0.3	0.6	3	0.4	0.21	0.1	1.1
1998	44	0.8	0.12	0.6	1.1	3	0.4	0.22	0.1	1.1
1999	33	0.6	0.11	0.4	0.9	2	0.2	0.15	0.0	0.8
2000	30	0.5	0.10	0.3	0.8	2	0.2	0.15	0.0	0.8
2001	34	0.6	0.10	0.4	0.8	1	0.1	0.14	0.0	0.7
2002	29	0.5	0.10	0.4	0.8	2	0.3	0.20	0.0	0.9
2003	29	0.5	0.10	0.3	0.8	2	0.2	0.16	0.0	0.8
2004	30	0.5	0.10	0.4	0.8	4	0.4	0.22	0.1	1.1
2005	32	0.6	0.10	0.4	0.8	2	0.2	0.15	0.0	0.8
2006	35	0.7	0.11	0.5	0.9	2	0.3	0.18	0.0	0.9
2007	31	0.5	0.09	0.3	0.7	3	0.3	0.20	0.1	1.0
2008	36	0.7	0.11	0.5	0.9	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010