

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Oral Cavity & Pharynx

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	832	7.1	0.28	6.6	7.7	23,803	11.1	0.07	11.0	11.3
1990	27	6.5	1.36	4.1	9.7	1,128	10.9	0.33	10.3	11.6
1991	23	4.8	1.08	2.9	7.4	1,109	10.6	0.32	10.0	11.3
1992	13	2.7	0.82	1.3	4.8	1,106	10.5	0.32	9.8	11.1
1993	28	6.4	1.44	3.9	9.8	1,107	10.4	0.31	9.8	11.0
1994	32	7.7	1.58	4.9	11.3	1,152	10.7	0.32	10.1	11.4
1995	25	5.8	1.34	3.5	8.9	1,277	11.8	0.33	11.2	12.5
1996	51	13.8	2.22	9.8	18.7	1,245	11.4	0.32	10.8	12.1
1997	64	13.8	2.01	10.1	18.2	1,249	11.4	0.32	10.8	12.0
1998	38	7.7	1.47	5.1	11.0	1,218	11.0	0.31	10.4	11.6
1999	50	6.7	1.01	4.9	9.0	1,263	11.3	0.32	10.7	11.9
2000	40	6.4	1.22	4.2	9.1	1,251	11.1	0.31	10.5	11.7
2001	47	7.9	1.38	5.4	11.0	1,215	10.7	0.31	10.1	11.3
2002	56	7.8	1.20	5.6	10.5	1,295	11.2	0.31	10.6	11.9
2003	49	7.5	1.23	5.3	10.2	1,283	11.0	0.31	10.4	11.6
2004	49	6.2	0.96	4.4	8.3	1,382	11.7	0.32	11.1	12.4
2005	39	3.9	0.69	2.7	5.5	1,294	10.9	0.30	10.3	11.5
2006	59	6.5	0.93	4.8	8.5	1,333	11.1	0.30	10.5	11.7
2007	70	7.0	0.94	5.3	9.1	1,443	11.8	0.31	11.2	12.5
2008	72	7.4	0.96	5.7	9.5	1,453	11.7	0.31	11.1	12.3

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	19,355	10.7	0.08	10.6	10.9	3,744	13.3	0.22	12.8	13.7
1990	901	10.0	0.34	9.3	10.7	214	17.5	1.21	15.2	20.0
1991	890	9.8	0.33	9.2	10.5	201	15.7	1.13	13.5	18.0
1992	927	10.1	0.34	9.5	10.8	163	12.5	0.99	10.7	14.6
1993	911	9.9	0.33	9.3	10.6	171	13.0	1.00	11.1	15.1
1994	920	10.0	0.33	9.3	10.6	207	15.6	1.10	13.5	17.9
1995	1,050	11.3	0.35	10.7	12.0	199	14.5	1.04	12.5	16.6
1996	1,009	10.8	0.34	10.2	11.5	213	15.3	1.06	13.3	17.5
1997	1,009	10.8	0.34	10.2	11.5	206	14.5	1.03	12.6	16.7
1998	969	10.3	0.33	9.7	11.0	209	14.4	1.01	12.5	16.5
1999	1,035	11.0	0.34	10.3	11.7	196	13.1	0.95	11.3	15.1
2000	1,017	10.7	0.34	10.1	11.4	192	12.6	0.92	10.9	14.6
2001	998	10.4	0.33	9.8	11.1	178	11.4	0.87	9.8	13.3
2002	1,059	11.0	0.34	10.3	11.7	203	13.1	0.93	11.4	15.1
2003	1,057	10.8	0.33	10.2	11.5	187	11.7	0.87	10.1	13.5
2004	1,088	11.1	0.34	10.5	11.8	232	14.3	0.95	12.5	16.3
2005	1,065	10.8	0.33	10.2	11.5	172	10.4	0.80	8.9	12.1
2006	1,085	10.9	0.33	10.2	11.6	178	10.5	0.79	9.0	12.1
2007	1,176	11.7	0.34	11.0	12.4	208	12.4	0.87	10.8	14.2
2008	1,189	11.6	0.34	11.0	12.3	215	12.5	0.87	10.9	14.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Oral Cavity & Pharynx

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	582	10.3	0.50	9.3	11.3	16,209	17.0	0.13	16.7	17.3
1990	15	8.2	2.42	4.2	14.4	772	17.3	0.64	16.1	18.6
1991	16	7.4	2.08	3.9	12.8	741	16.3	0.61	15.1	17.5
1992	9	3.3	1.16	1.4	6.8	740	16.1	0.60	14.9	17.3
1993	19	9.8	2.92	5.0	16.9	758	16.1	0.59	15.0	17.3
1994	20	10.5	2.93	5.6	17.6	769	16.3	0.60	15.2	17.5
1995	17	7.3	1.97	4.0	12.3	874	18.3	0.63	17.1	19.6
1996	36	19.9	4.03	12.8	29.0	845	17.6	0.61	16.4	18.9
1997	44	20.1	3.77	13.4	28.6	834	17.3	0.60	16.1	18.5
1998	24	11.8	3.05	6.6	18.9	830	16.8	0.59	15.7	18.0
1999	31	8.9	1.72	5.8	13.0	844	16.9	0.58	15.8	18.1
2000	25	7.8	1.87	4.5	12.2	862	17.1	0.59	16.0	18.3
2001	32	10.1	2.24	6.2	15.3	842	16.5	0.57	15.4	17.7
2002	39	10.4	1.88	7.0	14.7	874	16.9	0.58	15.8	18.1
2003	37	13.2	2.58	8.6	19.0	866	16.6	0.57	15.5	17.8
2004	39	10.1	1.84	6.8	14.3	967	18.1	0.59	17.0	19.3
2005	29	5.8	1.22	3.7	8.7	893	16.6	0.56	15.5	17.7
2006	43	9.1	1.58	6.3	12.7	904	16.5	0.56	15.4	17.6
2007	55	11.3	1.73	8.2	15.2	999	17.9	0.57	16.8	19.1
2008	52	10.7	1.67	7.7	14.4	995	17.4	0.56	16.4	18.6

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	13,057	16.2	0.14	15.9	16.5	2,708	22.6	0.45	21.8	23.5
1990	619	16.0	0.66	14.7	17.3	144	27.8	2.39	23.3	32.8
1991	588	14.8	0.62	13.6	16.1	142	26.4	2.29	22.1	31.3
1992	610	15.4	0.63	14.1	16.7	116	21.2	2.03	17.4	25.6
1993	617	15.2	0.62	14.0	16.5	125	22.0	2.02	18.3	26.4
1994	608	15.1	0.62	13.9	16.3	145	25.7	2.21	21.5	30.3
1995	705	17.2	0.65	16.0	18.6	146	25.2	2.16	21.1	29.7
1996	677	16.5	0.64	15.3	17.9	154	25.6	2.11	21.6	30.0
1997	665	16.2	0.63	15.0	17.5	150	25.0	2.12	21.0	29.5
1998	649	15.5	0.61	14.3	16.8	154	25.0	2.09	21.1	29.4
1999	693	16.4	0.63	15.2	17.7	136	21.1	1.86	17.6	25.0
2000	692	16.3	0.62	15.1	17.6	151	23.4	1.96	19.7	27.6
2001	695	16.2	0.62	15.0	17.5	124	18.6	1.72	15.4	22.3
2002	697	16.1	0.61	14.9	17.3	154	23.4	1.94	19.8	27.6
2003	702	16.1	0.61	14.9	17.3	142	20.4	1.75	17.1	24.1
2004	749	16.8	0.62	15.6	18.0	175	25.8	2.03	22.0	30.1
2005	734	16.3	0.61	15.1	17.6	129	18.5	1.66	15.3	22.0
2006	736	16.1	0.60	15.0	17.4	120	16.4	1.53	13.6	19.7
2007	810	17.4	0.62	16.2	18.7	152	21.7	1.83	18.2	25.5
2008	811	17.1	0.61	15.9	18.3	149	21.1	1.82	17.7	25.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Oral Cavity & Pharynx

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	250	4.2	0.30	3.7	4.8	7,594	6.3	0.07	6.2	6.5
1990	12	5.1	1.57	2.5	9.2	356	6.0	0.32	5.4	6.7
1991	7	2.4	0.99	0.9	5.4	368	6.3	0.34	5.7	7.0
1992	4	1.9	1.04	0.5	5.0	366	6.2	0.33	5.5	6.8
1993	9	3.8	1.45	1.5	7.6	349	5.8	0.31	5.2	6.4
1994	12	5.5	1.77	2.6	9.9	383	6.2	0.32	5.6	6.9
1995	8	4.0	1.61	1.5	8.1	403	6.5	0.33	5.9	7.2
1996	15	8.7	2.42	4.6	14.4	400	6.4	0.33	5.8	7.1
1997	20	8.5	2.14	4.9	13.6	415	6.7	0.33	6.1	7.4
1998	14	4.7	1.40	2.4	8.2	388	6.2	0.32	5.6	6.9
1999	19	4.7	1.13	2.8	7.6	419	6.7	0.33	6.1	7.4
2000	15	4.8	1.52	2.3	8.6	389	6.2	0.32	5.6	6.8
2001	15	5.7	1.69	2.9	9.7	373	5.9	0.31	5.3	6.5
2002	17	5.2	1.44	2.7	8.6	421	6.6	0.32	5.9	7.2
2003	12	2.9	0.94	1.4	5.3	417	6.4	0.32	5.8	7.1
2004	10	2.5	0.84	1.2	4.7	415	6.4	0.32	5.8	7.1
2005	10	2.0	0.69	0.9	3.8	401	6.1	0.31	5.6	6.8
2006	16	3.7	1.03	2.0	6.2	429	6.4	0.32	5.8	7.1
2007	15	2.9	0.85	1.5	5.0	444	6.7	0.32	6.1	7.4
2008	20	4.2	1.03	2.5	6.7	458	6.8	0.32	6.2	7.5

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,298	6.2	0.08	6.1	6.4	1,036	6.4	0.20	6.0	6.8
1990	282	5.4	0.33	4.7	6.0	70	9.9	1.20	7.7	12.5
1991	302	6.0	0.36	5.3	6.8	59	7.8	1.03	5.9	10.1
1992	317	6.1	0.35	5.4	6.8	47	6.3	0.92	4.6	8.3
1993	294	5.6	0.34	5.0	6.3	46	6.2	0.91	4.5	8.2
1994	312	5.8	0.34	5.2	6.5	62	8.2	1.06	6.3	10.6
1995	345	6.5	0.35	5.8	7.2	53	6.6	0.92	4.9	8.7
1996	332	6.2	0.35	5.6	7.0	59	7.5	0.98	5.7	9.6
1997	344	6.6	0.36	5.9	7.3	56	6.9	0.94	5.2	9.0
1998	320	6.0	0.34	5.4	6.7	55	6.6	0.90	5.0	8.6
1999	342	6.6	0.36	5.9	7.3	60	7.0	0.92	5.4	9.1
2000	325	6.2	0.35	5.5	6.9	41	4.7	0.74	3.4	6.4
2001	303	5.6	0.33	5.0	6.3	54	6.1	0.84	4.6	8.0
2002	362	6.7	0.36	6.1	7.5	49	5.6	0.80	4.1	7.3
2003	355	6.6	0.35	5.9	7.3	45	5.1	0.76	3.7	6.8
2004	339	6.3	0.35	5.7	7.1	57	6.1	0.82	4.6	7.9
2005	331	6.2	0.34	5.5	6.9	43	4.5	0.69	3.3	6.1
2006	349	6.3	0.35	5.7	7.1	58	6.0	0.79	4.6	7.8
2007	366	6.7	0.36	6.0	7.5	56	5.9	0.79	4.4	7.6
2008	378	6.8	0.36	6.2	7.6	66	6.7	0.83	5.2	8.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lip

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	37	0.3	0.06	0.2	0.5	1,610	0.8	0.02	0.7	0.8
1990	1	0.2	0.23	0.0	1.4	119	1.1	0.10	0.9	1.4
1991	1	0.2	0.20	0.0	1.3	102	1.0	0.09	0.8	1.2
1992	0					96	0.9	0.09	0.7	1.1
1993	1	0.1	0.10	0.0	1.0	80	0.7	0.08	0.6	0.9
1994	0					93	0.9	0.09	0.7	1.1
1995	1	0.1	0.14	0.0	1.0	101	0.9	0.09	0.8	1.1
1996	2	0.6	0.50	0.0	2.2	106	1.0	0.09	0.8	1.2
1997	0					97	0.9	0.09	0.7	1.1
1998	1	0.2	0.16	0.0	1.0	81	0.7	0.08	0.6	0.9
1999	3	0.2	0.16	0.0	1.0	83	0.7	0.08	0.6	0.9
2000	3	0.7	0.47	0.1	2.1	77	0.7	0.08	0.5	0.9
2001	1	0.1	0.14	0.0	0.9	59	0.5	0.07	0.4	0.7
2002	3	0.6	0.38	0.1	1.7	96	0.8	0.08	0.7	1.0
2003	3	0.4	0.21	0.1	1.1	66	0.6	0.07	0.4	0.7
2004	1	0.2	0.23	0.0	1.0	82	0.7	0.08	0.6	0.9
2005	3	0.3	0.20	0.1	1.0	68	0.6	0.07	0.4	0.7
2006	4	0.6	0.32	0.1	1.5	65	0.6	0.07	0.4	0.7
2007	3	0.2	0.13	0.1	0.7	74	0.6	0.07	0.5	0.8
2008	6	0.7	0.31	0.2	1.5	65	0.6	0.07	0.4	0.7

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,546	0.8	0.02	0.8	0.9	27	0.1	0.02	0.1	0.2
1990	119	1.3	0.12	1.1	1.5	0				
1991	100	1.1	0.11	0.9	1.3	1	0.1	0.09	0.0	0.5
1992	96	1.0	0.11	0.8	1.3	0				
1993	79	0.9	0.10	0.7	1.1	1	0.1	0.05	0.0	0.3
1994	88	0.9	0.10	0.8	1.2	3	0.3	0.18	0.1	0.8
1995	96	1.0	0.10	0.8	1.2	1	0.1	0.05	0.0	0.3
1996	104	1.1	0.11	0.9	1.3	1	0.1	0.08	0.0	0.4
1997	94	1.0	0.10	0.8	1.2	2	0.2	0.15	0.0	0.7
1998	77	0.8	0.09	0.6	1.0	1	0.1	0.05	0.0	0.3
1999	80	0.8	0.09	0.6	1.0	0				
2000	73	0.8	0.09	0.6	1.0	2	0.1	0.10	0.0	0.5
2001	56	0.6	0.08	0.4	0.7	1	0.1	0.07	0.0	0.4
2002	92	0.9	0.10	0.8	1.1	2	0.1	0.08	0.0	0.4
2003	62	0.6	0.08	0.5	0.8	1	0.1	0.06	0.0	0.3
2004	76	0.8	0.09	0.6	1.0	3	0.2	0.11	0.0	0.6
2005	64	0.6	0.08	0.5	0.8	2	0.1	0.08	0.0	0.4
2006	65	0.7	0.08	0.5	0.9	0				
2007	69	0.7	0.08	0.5	0.9	3	0.2	0.12	0.0	0.6
2008	56	0.6	0.07	0.4	0.7	3	0.2	0.12	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lip										
Males										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	25	0.4	0.09	0.2	0.6	1,275	1.4	0.04	1.4	1.5
1990	1	0.4	0.44	0.0	3.3	96	2.2	0.23	1.8	2.7
1991	1	0.4	0.41	0.0	3.1	87	2.0	0.22	1.6	2.4
1992	0					82	1.9	0.21	1.5	2.4
1993	1	0.2	0.18	0.0	2.5	69	1.5	0.19	1.2	1.9
1994	0					69	1.5	0.19	1.2	1.9
1995	0					80	1.8	0.21	1.4	2.3
1996	2	1.5	1.34	0.1	5.6	85	1.9	0.20	1.5	2.3
1997	0					79	1.8	0.21	1.4	2.2
1998	1	0.3	0.33	0.0	2.3	64	1.4	0.17	1.1	1.8
1999	2	0.4	0.32	0.0	2.3	71	1.5	0.19	1.2	2.0
2000	1	0.3	0.27	0.0	2.0	65	1.3	0.17	1.0	1.7
2001	1	0.3	0.28	0.0	1.9	44	0.9	0.14	0.7	1.3
2002	2	0.5	0.35	0.0	2.0	67	1.4	0.18	1.1	1.8
2003	2	0.4	0.30	0.0	1.8	48	1.0	0.14	0.7	1.3
2004	1	0.5	0.52	0.0	2.3	64	1.3	0.16	1.0	1.7
2005	1	0.2	0.17	0.0	1.3	58	1.2	0.16	0.9	1.5
2006	3	0.7	0.49	0.1	2.3	47	1.0	0.14	0.7	1.3
2007	3	0.4	0.25	0.1	1.5	55	1.0	0.14	0.8	1.4
2008	3	0.6	0.34	0.1	1.7	45	0.9	0.13	0.6	1.2
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,235	1.6	0.05	1.5	1.7	15	0.1	0.04	0.1	0.2
1990	96	2.5	0.26	2.0	3.1	0				
1991	85	2.2	0.24	1.7	2.7	1	0.2	0.20	0.0	1.1
1992	82	2.2	0.24	1.7	2.7	0				
1993	69	1.7	0.21	1.3	2.2	0				
1994	66	1.7	0.21	1.3	2.1	1	0.2	0.17	0.0	1.0
1995	76	2.0	0.23	1.6	2.5	0				
1996	83	2.1	0.23	1.7	2.6	1	0.2	0.20	0.0	1.0
1997	77	2.0	0.23	1.6	2.5	2	0.7	0.47	0.1	2.1
1998	61	1.5	0.20	1.2	1.9	1	0.1	0.12	0.0	0.8
1999	69	1.7	0.21	1.3	2.2	0				
2000	62	1.5	0.19	1.2	1.9	1	0.2	0.19	0.0	1.0
2001	43	1.1	0.16	0.8	1.5	0				
2002	66	1.6	0.20	1.3	2.1	1	0.1	0.12	0.0	0.8
2003	47	1.1	0.17	0.8	1.5	1	0.1	0.12	0.0	0.8
2004	61	1.5	0.19	1.1	1.9	1	0.1	0.13	0.0	0.8
2005	54	1.3	0.18	1.0	1.7	2	0.3	0.19	0.0	1.0
2006	47	1.1	0.16	0.8	1.5	0				
2007	52	1.2	0.16	0.9	1.5	1	0.2	0.21	0.0	1.0
2008	39	0.9	0.14	0.6	1.2	2	0.4	0.25	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lip

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	12	0.2	0.08	0.1	0.4	335	0.3	0.01	0.2	0.3
1990	0					23	0.4	0.07	0.2	0.5
1991	0					15	0.2	0.06	0.1	0.4
1992	0					14	0.2	0.05	0.1	0.4
1993	0					11	0.2	0.05	0.1	0.3
1994	0					24	0.4	0.07	0.2	0.5
1995	1	0.3	0.29	0.0	1.9	21	0.3	0.07	0.2	0.5
1996	0					21	0.3	0.07	0.2	0.5
1997	0					18	0.3	0.07	0.2	0.4
1998	0					17	0.3	0.06	0.2	0.4
1999	1	0.1	0.09	0.0	1.3	12	0.2	0.05	0.1	0.3
2000	2	1.0	0.77	0.1	3.3	12	0.2	0.05	0.1	0.3
2001	0					15	0.2	0.06	0.1	0.4
2002	1	0.6	0.59	0.0	2.5	29	0.4	0.08	0.3	0.6
2003	1	0.3	0.29	0.0	1.5	18	0.3	0.06	0.2	0.4
2004	0					18	0.3	0.06	0.2	0.4
2005	2	0.5	0.35	0.1	1.7	10	0.1	0.04	0.1	0.3
2006	1	0.4	0.40	0.0	1.7	18	0.3	0.07	0.2	0.4
2007	0					19	0.3	0.07	0.2	0.4
2008	3	0.8	0.47	0.1	2.1	20	0.3	0.07	0.2	0.5

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	311	0.3	0.02	0.3	0.3	12	0.1	0.02	0.0	0.1
1990	23	0.4	0.08	0.3	0.6	0				
1991	15	0.3	0.07	0.2	0.5	0				
1992	14	0.2	0.06	0.1	0.4	0				
1993	10	0.2	0.06	0.1	0.4	1	0.1	0.09	0.0	0.6
1994	22	0.4	0.08	0.2	0.6	2	0.3	0.24	0.0	1.1
1995	20	0.4	0.08	0.2	0.6	1	0.1	0.10	0.0	0.6
1996	21	0.4	0.09	0.2	0.6	0				
1997	17	0.3	0.07	0.2	0.5	0				
1998	16	0.3	0.07	0.2	0.5	0				
1999	11	0.2	0.06	0.1	0.4	0				
2000	11	0.2	0.06	0.1	0.4	1	0.1	0.12	0.0	0.6
2001	13	0.2	0.06	0.1	0.4	1	0.1	0.11	0.0	0.6
2002	26	0.5	0.09	0.3	0.7	1	0.1	0.10	0.0	0.6
2003	15	0.3	0.07	0.1	0.4	0				
2004	15	0.3	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8
2005	10	0.2	0.05	0.1	0.3	0				
2006	18	0.3	0.08	0.2	0.5	0				
2007	17	0.3	0.07	0.2	0.5	2	0.2	0.15	0.0	0.8
2008	17	0.3	0.08	0.2	0.5	1	0.1	0.12	0.0	0.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Tongue

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	204	1.8	0.14	1.6	2.1	5,970	2.8	0.04	2.7	2.9
1990	4	1.1	0.56	0.3	2.8	250	2.4	0.15	2.1	2.7
1991	7	1.7	0.72	0.6	3.7	270	2.7	0.16	2.4	3.0
1992	4	0.6	0.34	0.1	1.9	261	2.5	0.15	2.2	2.8
1993	7	1.6	0.66	0.6	3.4	264	2.5	0.15	2.2	2.8
1994	9	2.4	0.90	0.9	4.7	259	2.4	0.15	2.1	2.7
1995	8	1.9	0.72	0.7	3.8	276	2.5	0.15	2.3	2.9
1996	14	4.2	1.27	2.1	7.3	283	2.6	0.16	2.3	2.9
1997	18	4.2	1.13	2.2	6.9	324	3.0	0.17	2.7	3.3
1998	9	1.5	0.53	0.7	3.0	264	2.4	0.15	2.1	2.7
1999	12	1.6	0.48	0.8	2.9	319	2.9	0.16	2.6	3.2
2000	7	1.2	0.48	0.4	2.5	299	2.6	0.15	2.4	3.0
2001	7	1.5	0.63	0.5	3.1	283	2.5	0.15	2.2	2.8
2002	12	1.7	0.55	0.8	3.1	343	3.0	0.16	2.7	3.3
2003	15	2.1	0.61	1.1	3.6	328	2.8	0.16	2.5	3.1
2004	16	2.1	0.56	1.1	3.5	368	3.1	0.16	2.8	3.5
2005	11	1.3	0.45	0.6	2.5	380	3.2	0.16	2.9	3.5
2006	13	1.4	0.42	0.7	2.4	361	3.0	0.16	2.7	3.3
2007	14	1.5	0.44	0.8	2.6	441	3.6	0.17	3.3	4.0
2008	17	1.8	0.49	1.0	3.0	397	3.2	0.16	2.9	3.5

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,989	2.8	0.04	2.7	2.9	813	2.9	0.10	2.7	3.1
1990	198	2.2	0.16	1.9	2.5	52	4.2	0.58	3.1	5.5
1991	210	2.4	0.17	2.1	2.8	54	4.3	0.59	3.2	5.6
1992	217	2.4	0.16	2.1	2.7	42	3.3	0.51	2.4	4.5
1993	226	2.4	0.16	2.1	2.8	33	2.6	0.45	1.8	3.6
1994	214	2.3	0.16	2.0	2.7	42	3.2	0.50	2.3	4.3
1995	226	2.4	0.16	2.1	2.8	42	3.0	0.48	2.2	4.1
1996	234	2.5	0.17	2.2	2.9	46	3.3	0.49	2.4	4.4
1997	271	3.0	0.18	2.6	3.3	47	3.5	0.51	2.5	4.6
1998	218	2.3	0.16	2.0	2.7	38	2.7	0.43	1.9	3.7
1999	273	2.9	0.18	2.6	3.3	40	2.6	0.41	1.8	3.5
2000	245	2.6	0.17	2.3	2.9	44	2.9	0.45	2.1	4.0
2001	231	2.4	0.16	2.1	2.8	45	2.8	0.43	2.1	3.8
2002	283	3.0	0.18	2.6	3.3	51	3.2	0.45	2.4	4.2
2003	277	2.9	0.17	2.5	3.2	39	2.5	0.41	1.8	3.5
2004	297	3.0	0.18	2.7	3.4	47	2.9	0.43	2.1	3.9
2005	325	3.3	0.18	2.9	3.7	37	2.3	0.38	1.6	3.1
2006	300	3.0	0.18	2.7	3.4	43	2.5	0.38	1.8	3.3
2007	389	3.9	0.20	3.5	4.3	39	2.3	0.37	1.6	3.2
2008	355	3.5	0.19	3.1	3.9	32	1.9	0.33	1.3	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Tongue

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	142	2.6	0.25	2.1	3.1	4,035	4.2	0.07	4.0	4.3
1990	3	1.9	1.17	0.3	5.8	169	3.7	0.29	3.1	4.3
1991	6	3.3	1.62	0.9	8.0	192	4.3	0.32	3.7	5.0
1992	3	0.8	0.57	0.1	3.6	169	3.6	0.28	3.1	4.2
1993	6	2.9	1.45	0.8	7.2	172	3.6	0.28	3.1	4.2
1994	5	3.7	2.05	0.8	9.3	174	3.7	0.28	3.1	4.3
1995	6	2.4	0.97	0.9	5.4	195	4.1	0.29	3.5	4.7
1996	10	6.6	2.43	2.7	12.7	189	3.9	0.29	3.4	4.5
1997	12	5.3	1.91	2.2	10.1	206	4.2	0.29	3.6	4.8
1998	5	2.0	0.92	0.6	4.8	169	3.4	0.26	2.9	3.9
1999	6	1.7	0.71	0.6	4.0	204	4.0	0.28	3.5	4.6
2000	7	2.4	1.03	0.8	5.4	191	3.8	0.27	3.2	4.3
2001	4	0.9	0.43	0.2	2.6	198	3.8	0.27	3.3	4.4
2002	9	2.6	0.99	1.0	5.3	237	4.5	0.30	4.0	5.1
2003	12	3.8	1.25	1.7	6.9	226	4.3	0.29	3.8	4.9
2004	13	3.6	1.12	1.8	6.5	250	4.6	0.29	4.0	5.2
2005	8	1.8	0.76	0.6	3.9	261	4.8	0.30	4.2	5.4
2006	8	1.6	0.66	0.6	3.4	251	4.5	0.29	3.9	5.1
2007	9	1.8	0.68	0.8	3.6	307	5.4	0.31	4.8	6.1
2008	10	2.3	0.82	1.0	4.4	275	4.8	0.29	4.2	5.4

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,319	4.1	0.07	3.9	4.2	609	5.1	0.21	4.7	5.5
1990	130	3.2	0.29	2.7	3.9	39	7.2	1.17	5.1	9.9
1991	144	3.7	0.32	3.1	4.4	43	8.0	1.27	5.7	10.9
1992	137	3.4	0.29	2.8	4.0	30	5.4	0.99	3.6	7.7
1993	143	3.5	0.29	2.9	4.1	25	4.3	0.86	2.7	6.3
1994	144	3.5	0.30	3.0	4.2	29	5.2	1.02	3.4	7.6
1995	158	3.8	0.31	3.2	4.5	30	5.3	1.03	3.5	7.7
1996	155	3.8	0.31	3.2	4.4	34	5.6	0.97	3.8	7.8
1997	169	4.0	0.31	3.5	4.7	33	5.9	1.08	4.0	8.3
1998	133	3.2	0.27	2.6	3.7	29	4.8	0.91	3.2	6.9
1999	174	4.0	0.31	3.5	4.7	28	4.0	0.76	2.7	5.8
2000	154	3.6	0.29	3.1	4.2	35	5.3	0.91	3.7	7.4
2001	160	3.7	0.29	3.1	4.3	36	5.3	0.90	3.7	7.4
2002	190	4.3	0.32	3.7	5.0	39	5.6	0.91	4.0	7.7
2003	187	4.3	0.31	3.7	4.9	30	4.6	0.89	3.1	6.7
2004	195	4.3	0.31	3.7	4.9	38	5.4	0.89	3.8	7.4
2005	222	4.8	0.33	4.2	5.5	30	4.4	0.83	3.0	6.4
2006	210	4.5	0.32	3.9	5.2	28	3.7	0.72	2.5	5.4
2007	267	5.7	0.35	5.0	6.4	32	4.5	0.81	3.0	6.4
2008	247	5.2	0.33	4.5	5.9	21	3.1	0.71	1.9	4.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Tongue

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	62	1.1	0.15	0.9	1.5	1,935	1.6	0.04	1.6	1.7
1990	1	0.4	0.43	0.0	2.5	81	1.4	0.16	1.1	1.7
1991	1	0.5	0.45	0.0	2.5	78	1.4	0.16	1.1	1.7
1992	1	0.4	0.40	0.0	2.4	92	1.6	0.17	1.3	2.0
1993	1	0.5	0.45	0.0	2.4	92	1.5	0.16	1.2	1.9
1994	4	1.7	0.87	0.4	4.3	85	1.4	0.15	1.1	1.7
1995	2	1.2	0.90	0.1	4.0	81	1.3	0.14	1.0	1.6
1996	4	2.4	1.29	0.6	5.9	94	1.5	0.16	1.2	1.9
1997	6	3.1	1.35	1.1	6.7	118	1.9	0.18	1.6	2.3
1998	4	1.2	0.60	0.3	3.2	95	1.5	0.16	1.2	1.9
1999	6	1.5	0.65	0.5	3.5	115	1.9	0.18	1.5	2.2
2000	0					108	1.7	0.16	1.4	2.1
2001	3	1.7	1.01	0.4	4.5	85	1.3	0.15	1.1	1.7
2002	3	0.9	0.56	0.2	2.7	106	1.7	0.16	1.4	2.0
2003	3	0.7	0.42	0.2	2.1	102	1.6	0.16	1.3	1.9
2004	3	0.7	0.40	0.1	2.0	118	1.8	0.17	1.5	2.2
2005	3	0.8	0.51	0.2	2.4	119	1.8	0.17	1.5	2.2
2006	5	1.2	0.54	0.4	2.7	110	1.7	0.16	1.4	2.0
2007	5	1.2	0.56	0.4	2.8	134	2.0	0.18	1.7	2.4
2008	7	1.5	0.59	0.6	3.1	122	1.8	0.17	1.5	2.2

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,670	1.7	0.04	1.6	1.8	204	1.3	0.09	1.1	1.5
1990	68	1.3	0.16	1.0	1.7	13	1.9	0.52	1.0	3.2
1991	66	1.4	0.17	1.0	1.7	11	1.5	0.46	0.8	2.7
1992	80	1.6	0.18	1.3	2.0	12	1.7	0.50	0.9	3.0
1993	83	1.6	0.18	1.3	2.0	8	1.2	0.43	0.5	2.3
1994	70	1.3	0.16	1.0	1.7	13	1.7	0.47	0.9	2.9
1995	68	1.2	0.15	1.0	1.6	12	1.5	0.43	0.8	2.6
1996	79	1.5	0.17	1.2	1.9	12	1.5	0.44	0.8	2.6
1997	102	2.0	0.20	1.6	2.4	14	1.8	0.49	1.0	3.0
1998	85	1.6	0.18	1.3	2.0	9	1.1	0.36	0.5	2.0
1999	99	1.9	0.20	1.6	2.4	12	1.4	0.40	0.7	2.4
2000	91	1.7	0.18	1.4	2.1	9	1.1	0.36	0.5	2.0
2001	71	1.3	0.16	1.0	1.7	9	1.0	0.33	0.5	1.9
2002	93	1.8	0.18	1.4	2.2	12	1.3	0.38	0.7	2.3
2003	90	1.7	0.18	1.4	2.1	9	1.0	0.34	0.5	1.9
2004	102	1.9	0.19	1.6	2.4	9	1.0	0.34	0.5	1.9
2005	103	1.9	0.19	1.5	2.3	7	0.7	0.28	0.3	1.5
2006	90	1.6	0.18	1.3	2.0	15	1.6	0.41	0.9	2.6
2007	122	2.2	0.21	1.9	2.7	7	0.7	0.28	0.3	1.5
2008	108	2.0	0.20	1.6	2.4	11	1.1	0.33	0.6	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Salivary Gland

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	118	0.9	0.10	0.7	1.1	2,468	1.2	0.02	1.1	1.2
1990	7	1.7	0.75	0.5	3.8	91	0.9	0.09	0.7	1.1
1991	2	0.4	0.28	0.0	1.6	97	0.9	0.09	0.8	1.1
1992	1	0.1	0.14	0.0	1.2	115	1.1	0.10	0.9	1.3
1993	5	0.8	0.42	0.2	2.1	111	1.0	0.10	0.8	1.2
1994	3	0.6	0.48	0.1	2.2	131	1.2	0.11	1.0	1.4
1995	2	0.3	0.22	0.0	1.3	133	1.2	0.11	1.0	1.5
1996	10	3.1	1.09	1.3	5.8	131	1.2	0.10	1.0	1.4
1997	15	2.8	0.87	1.4	5.0	140	1.3	0.11	1.1	1.5
1998	6	1.0	0.44	0.3	2.3	135	1.2	0.10	1.0	1.4
1999	4	0.5	0.26	0.1	1.4	147	1.3	0.11	1.1	1.5
2000	6	0.5	0.25	0.2	1.4	131	1.2	0.10	1.0	1.4
2001	5	0.7	0.43	0.1	2.0	131	1.2	0.10	1.0	1.4
2002	12	1.2	0.42	0.5	2.4	141	1.2	0.10	1.0	1.4
2003	8	1.4	0.62	0.5	3.0	133	1.1	0.10	1.0	1.4
2004	5	0.6	0.30	0.2	1.5	130	1.1	0.10	0.9	1.3
2005	3	0.2	0.12	0.0	0.7	128	1.1	0.10	0.9	1.3
2006	5	0.4	0.19	0.1	1.0	144	1.2	0.10	1.0	1.4
2007	12	1.1	0.38	0.5	2.1	160	1.3	0.11	1.1	1.6
2008	7	0.7	0.29	0.2	1.5	139	1.2	0.10	1.0	1.4

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,112	1.2	0.03	1.1	1.2	277	1.0	0.06	0.9	1.1
1990	84	0.9	0.10	0.7	1.2	6	0.4	0.18	0.2	1.0
1991	81	0.9	0.10	0.7	1.1	15	1.1	0.29	0.6	1.8
1992	103	1.1	0.11	0.9	1.4	10	0.8	0.25	0.4	1.4
1993	90	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1994	115	1.2	0.12	1.0	1.5	12	0.9	0.25	0.4	1.5
1995	113	1.2	0.11	1.0	1.5	16	1.2	0.30	0.6	1.9
1996	113	1.2	0.11	1.0	1.5	14	1.0	0.27	0.5	1.7
1997	120	1.3	0.12	1.1	1.5	14	1.0	0.26	0.5	1.6
1998	112	1.2	0.11	1.0	1.4	16	1.1	0.28	0.6	1.8
1999	132	1.4	0.12	1.2	1.7	12	0.8	0.25	0.4	1.5
2000	115	1.2	0.11	1.0	1.5	13	0.8	0.23	0.4	1.4
2001	112	1.2	0.11	1.0	1.4	11	0.7	0.21	0.3	1.2
2002	124	1.3	0.12	1.1	1.5	12	0.8	0.23	0.4	1.4
2003	119	1.2	0.11	1.0	1.5	13	0.8	0.21	0.4	1.3
2004	105	1.1	0.11	0.9	1.3	19	1.1	0.26	0.7	1.8
2005	114	1.2	0.11	1.0	1.4	12	0.7	0.19	0.3	1.2
2006	116	1.2	0.11	1.0	1.4	20	1.2	0.27	0.7	1.9
2007	133	1.3	0.12	1.1	1.6	20	1.2	0.26	0.7	1.8
2008	111	1.1	0.11	0.9	1.4	24	1.4	0.30	0.9	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Salivary Gland

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	53	0.9	0.16	0.7	1.3	1,396	1.6	0.04	1.5	1.6
1990	3	1.6	1.09	0.2	5.4	57	1.4	0.19	1.0	1.8
1991	0					53	1.2	0.16	0.9	1.5
1992	0					66	1.5	0.19	1.2	1.9
1993	1	0.3	0.31	0.0	2.7	65	1.4	0.17	1.1	1.8
1994	0					68	1.6	0.20	1.2	2.0
1995	0					75	1.7	0.19	1.3	2.1
1996	4	2.0	1.23	0.4	5.7	73	1.6	0.19	1.3	2.0
1997	6	2.3	0.98	0.8	5.3	75	1.6	0.19	1.2	2.0
1998	2	0.4	0.31	0.0	2.3	76	1.6	0.19	1.3	2.0
1999	3	0.8	0.46	0.2	2.8	82	1.7	0.19	1.4	2.1
2000	2	0.3	0.24	0.0	2.0	77	1.6	0.18	1.3	2.0
2001	1	1.0	0.95	0.0	3.9	79	1.6	0.19	1.3	2.1
2002	8	1.8	0.82	0.6	4.2	81	1.7	0.19	1.3	2.1
2003	4	2.2	1.27	0.4	5.6	76	1.6	0.18	1.2	2.0
2004	3	0.7	0.55	0.1	2.5	75	1.6	0.18	1.2	2.0
2005	1	0.2	0.18	0.0	1.3	69	1.4	0.16	1.1	1.7
2006	3	0.5	0.33	0.1	1.8	75	1.5	0.17	1.2	1.9
2007	6	1.4	0.64	0.5	3.2	95	1.9	0.20	1.5	2.3
2008	6	1.3	0.60	0.4	3.0	79	1.5	0.17	1.2	1.9

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,221	1.6	0.05	1.5	1.7	135	1.2	0.10	1.0	1.4
1990	53	1.5	0.21	1.1	2.0	3	0.5	0.28	0.1	1.5
1991	45	1.1	0.17	0.8	1.5	8	1.4	0.50	0.6	2.8
1992	60	1.6	0.21	1.2	2.0	5	1.0	0.46	0.3	2.3
1993	54	1.3	0.18	1.0	1.7	10	1.9	0.62	0.9	3.5
1994	63	1.7	0.22	1.3	2.2	4	0.6	0.30	0.2	1.6
1995	69	1.8	0.22	1.4	2.2	4	0.6	0.31	0.2	1.6
1996	63	1.6	0.21	1.2	2.1	7	1.2	0.46	0.5	2.5
1997	65	1.6	0.20	1.2	2.0	7	1.3	0.54	0.5	2.7
1998	64	1.6	0.20	1.2	2.0	8	1.4	0.55	0.6	2.9
1999	74	1.8	0.21	1.4	2.3	7	1.3	0.52	0.5	2.7
2000	67	1.6	0.20	1.3	2.1	9	1.3	0.43	0.6	2.5
2001	70	1.7	0.20	1.3	2.2	4	0.8	0.44	0.2	2.0
2002	72	1.7	0.21	1.4	2.2	7	1.0	0.38	0.4	2.1
2003	69	1.7	0.20	1.3	2.1	7	0.9	0.35	0.4	2.0
2004	62	1.5	0.20	1.2	2.0	9	1.4	0.47	0.6	2.6
2005	61	1.4	0.19	1.1	1.9	7	0.9	0.36	0.4	2.0
2006	64	1.5	0.19	1.2	2.0	6	0.8	0.33	0.3	1.8
2007	82	2.0	0.22	1.6	2.4	11	1.5	0.45	0.7	2.7
2008	64	1.5	0.19	1.1	1.9	12	1.9	0.61	0.9	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Salivary Gland

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	65	0.9	0.13	0.7	1.2	1,072	0.9	0.03	0.9	1.0
1990	4	1.8	1.01	0.4	4.9	34	0.6	0.10	0.4	0.8
1991	2	0.7	0.56	0.1	3.0	44	0.8	0.12	0.5	1.0
1992	1	0.3	0.30	0.0	2.1	49	0.9	0.12	0.6	1.1
1993	4	1.2	0.72	0.2	3.6	46	0.8	0.11	0.6	1.0
1994	3	1.2	0.81	0.2	3.7	63	1.0	0.13	0.8	1.3
1995	2	0.6	0.46	0.1	2.5	58	1.0	0.13	0.7	1.2
1996	6	3.7	1.58	1.3	7.8	58	0.9	0.12	0.7	1.2
1997	9	3.2	1.26	1.2	6.5	65	1.1	0.14	0.8	1.4
1998	4	1.4	0.76	0.3	3.7	59	1.0	0.13	0.7	1.3
1999	1	0.2	0.23	0.0	1.6	65	1.1	0.13	0.8	1.4
2000	4	0.8	0.43	0.2	2.3	54	0.9	0.12	0.7	1.2
2001	4	0.7	0.39	0.2	2.1	52	0.8	0.12	0.6	1.1
2002	4	0.7	0.38	0.2	2.0	60	1.0	0.12	0.7	1.2
2003	4	1.0	0.62	0.2	2.8	57	0.9	0.12	0.7	1.1
2004	2	0.5	0.32	0.1	1.7	55	0.9	0.12	0.7	1.1
2005	2	0.2	0.16	0.0	1.1	59	0.9	0.12	0.7	1.2
2006	2	0.3	0.18	0.0	1.1	69	1.1	0.13	0.8	1.4
2007	6	0.9	0.44	0.3	2.2	65	1.0	0.13	0.8	1.3
2008	1	0.2	0.15	0.0	0.9	60	0.9	0.12	0.7	1.2

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	891	0.9	0.03	0.8	1.0	142	0.9	0.07	0.7	1.0
1990	31	0.6	0.11	0.4	0.9	3	0.4	0.23	0.1	1.2
1991	36	0.7	0.13	0.5	1.0	7	0.8	0.32	0.3	1.7
1992	43	0.9	0.14	0.6	1.2	5	0.7	0.30	0.2	1.5
1993	36	0.7	0.12	0.5	1.0	8	1.0	0.37	0.4	2.0
1994	52	1.0	0.14	0.8	1.3	8	1.0	0.36	0.4	2.0
1995	44	0.9	0.13	0.6	1.2	12	1.5	0.44	0.8	2.6
1996	50	0.9	0.13	0.7	1.2	7	0.9	0.32	0.3	1.8
1997	55	1.1	0.15	0.8	1.4	7	0.8	0.30	0.3	1.7
1998	48	0.9	0.14	0.7	1.3	8	0.9	0.33	0.4	1.8
1999	58	1.1	0.15	0.9	1.5	5	0.6	0.25	0.2	1.3
2000	48	1.0	0.14	0.7	1.3	4	0.4	0.22	0.1	1.1
2001	42	0.8	0.13	0.6	1.1	7	0.7	0.28	0.3	1.5
2002	52	1.0	0.14	0.8	1.3	5	0.6	0.26	0.2	1.4
2003	50	0.9	0.13	0.7	1.2	6	0.6	0.26	0.2	1.4
2004	43	0.8	0.13	0.6	1.1	10	1.0	0.33	0.5	1.9
2005	53	1.1	0.15	0.8	1.4	5	0.5	0.22	0.2	1.1
2006	52	1.0	0.14	0.7	1.3	14	1.5	0.40	0.8	2.5
2007	51	1.0	0.14	0.7	1.3	9	1.0	0.32	0.4	1.8
2008	47	0.9	0.13	0.6	1.2	12	1.2	0.36	0.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Floor of Mouth

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	68	0.6	0.08	0.4	0.8	2,032	1.0	0.02	0.9	1.0
1990	3	0.7	0.40	0.1	2.1	126	1.3	0.11	1.1	1.5
1991	2	0.4	0.30	0.1	1.7	134	1.3	0.11	1.1	1.5
1992	4	0.9	0.43	0.2	2.3	122	1.2	0.11	1.0	1.4
1993	3	0.9	0.53	0.2	2.5	104	1.0	0.10	0.8	1.2
1994	4	0.9	0.46	0.2	2.3	120	1.1	0.10	0.9	1.4
1995	2	0.7	0.53	0.1	2.3	131	1.2	0.11	1.0	1.5
1996	3	0.5	0.30	0.1	1.6	125	1.2	0.11	1.0	1.4
1997	6	1.8	0.81	0.5	3.9	103	0.9	0.09	0.8	1.1
1998	5	0.7	0.33	0.2	1.8	102	0.9	0.09	0.8	1.1
1999	6	0.8	0.34	0.3	1.9	93	0.8	0.09	0.7	1.0
2000	5	0.7	0.34	0.2	1.8	121	1.1	0.10	0.9	1.3
2001	9	1.5	0.59	0.6	3.0	107	0.9	0.09	0.8	1.1
2002	1	0.1	0.12	0.0	0.8	92	0.8	0.08	0.7	1.0
2003	1	0.1	0.11	0.0	0.7	95	0.8	0.08	0.7	1.0
2004	2	0.3	0.20	0.0	1.0	96	0.8	0.08	0.7	1.0
2005	1	0.1	0.06	0.0	0.5	75	0.6	0.07	0.5	0.8
2006	4	0.4	0.18	0.1	1.0	101	0.8	0.08	0.7	1.0
2007	3	0.4	0.24	0.1	1.1	85	0.7	0.07	0.6	0.9
2008	4	0.4	0.23	0.1	1.1	100	0.8	0.08	0.6	1.0

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,607	0.9	0.02	0.9	0.9	395	1.4	0.07	1.3	1.5
1990	100	1.2	0.12	1.0	1.4	24	2.0	0.40	1.2	2.9
1991	108	1.2	0.12	1.0	1.4	25	1.9	0.38	1.2	2.8
1992	92	1.0	0.11	0.8	1.3	29	2.2	0.42	1.5	3.2
1993	83	0.9	0.10	0.7	1.1	20	1.5	0.33	0.9	2.3
1994	88	1.0	0.10	0.8	1.2	31	2.4	0.44	1.6	3.4
1995	106	1.2	0.11	1.0	1.4	24	1.7	0.35	1.1	2.6
1996	95	1.1	0.11	0.9	1.3	28	2.1	0.40	1.4	3.0
1997	82	0.9	0.10	0.7	1.1	19	1.3	0.30	0.8	2.0
1998	83	0.9	0.10	0.7	1.1	18	1.2	0.29	0.7	1.9
1999	71	0.8	0.09	0.6	1.0	20	1.3	0.30	0.8	2.0
2000	91	1.0	0.10	0.8	1.2	28	1.8	0.35	1.2	2.7
2001	91	1.0	0.10	0.8	1.2	16	1.0	0.24	0.6	1.6
2002	77	0.8	0.09	0.6	1.0	13	0.9	0.24	0.4	1.5
2003	77	0.8	0.09	0.6	1.0	18	1.1	0.25	0.6	1.7
2004	74	0.8	0.09	0.6	1.0	18	1.1	0.27	0.7	1.8
2005	60	0.6	0.08	0.5	0.8	12	0.8	0.22	0.4	1.3
2006	81	0.8	0.09	0.6	1.0	18	1.1	0.26	0.6	1.7
2007	67	0.7	0.08	0.5	0.8	16	1.0	0.24	0.6	1.6
2008	81	0.8	0.09	0.6	1.0	18	1.0	0.23	0.6	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Floor of Mouth

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	55	0.9	0.14	0.7	1.2	1,434	1.5	0.04	1.4	1.6
1990	3	1.4	0.81	0.3	4.6	95	2.2	0.23	1.8	2.7
1991	1	0.4	0.42	0.0	3.1	91	1.9	0.20	1.5	2.3
1992	3	1.3	0.77	0.3	4.3	85	1.9	0.21	1.5	2.3
1993	2	1.3	0.91	0.1	4.5	77	1.6	0.18	1.3	2.0
1994	3	1.2	0.70	0.2	4.0	84	1.7	0.19	1.4	2.2
1995	1	0.4	0.36	0.0	2.6	95	2.0	0.21	1.6	2.4
1996	3	1.0	0.61	0.2	3.5	95	2.0	0.20	1.6	2.4
1997	5	3.3	1.85	0.7	8.3	66	1.4	0.17	1.0	1.7
1998	3	0.9	0.51	0.2	3.0	77	1.5	0.17	1.2	1.9
1999	6	1.6	0.67	0.6	3.9	65	1.3	0.16	1.0	1.6
2000	4	1.0	0.52	0.3	3.0	90	1.8	0.19	1.4	2.2
2001	7	1.7	0.67	0.7	3.8	79	1.5	0.17	1.2	1.9
2002	1	0.2	0.23	0.0	1.7	56	1.1	0.14	0.8	1.4
2003	1	0.2	0.21	0.0	1.5	67	1.2	0.15	1.0	1.6
2004	2	0.5	0.42	0.0	2.1	69	1.3	0.15	1.0	1.6
2005	1	0.1	0.10	0.0	1.1	53	1.0	0.13	0.7	1.3
2006	2	0.3	0.24	0.0	1.4	71	1.3	0.15	1.0	1.6
2007	3	0.8	0.52	0.1	2.4	55	1.0	0.13	0.7	1.3
2008	4	0.9	0.47	0.2	2.3	64	1.1	0.14	0.8	1.4

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,106	1.3	0.04	1.3	1.4	304	2.5	0.15	2.2	2.8
1990	75	2.0	0.24	1.6	2.5	18	3.5	0.83	2.0	5.5
1991	75	1.8	0.21	1.4	2.3	15	2.6	0.67	1.4	4.3
1992	61	1.6	0.21	1.2	2.0	23	4.3	0.95	2.7	6.6
1993	59	1.4	0.19	1.1	1.8	17	2.9	0.71	1.7	4.6
1994	60	1.4	0.19	1.1	1.8	23	4.3	0.95	2.7	6.5
1995	75	1.8	0.21	1.5	2.3	19	3.2	0.73	1.9	5.0
1996	71	1.7	0.21	1.4	2.2	22	3.6	0.78	2.3	5.5
1997	50	1.2	0.17	0.9	1.6	14	2.1	0.57	1.2	3.6
1998	60	1.4	0.18	1.1	1.8	16	2.5	0.63	1.4	4.1
1999	48	1.1	0.16	0.8	1.5	15	2.3	0.60	1.3	3.8
2000	67	1.6	0.19	1.2	2.0	22	3.4	0.73	2.1	5.2
2001	66	1.5	0.19	1.2	1.9	13	1.8	0.50	1.0	3.1
2002	45	1.0	0.15	0.8	1.4	10	1.4	0.46	0.7	2.7
2003	52	1.2	0.16	0.9	1.5	15	2.1	0.54	1.2	3.4
2004	50	1.1	0.16	0.8	1.4	16	2.4	0.66	1.3	4.1
2005	42	0.9	0.14	0.7	1.3	9	1.2	0.39	0.5	2.2
2006	57	1.2	0.16	0.9	1.6	13	1.8	0.51	1.0	3.1
2007	41	0.9	0.13	0.6	1.2	13	1.9	0.55	1.0	3.3
2008	52	1.1	0.15	0.8	1.4	11	1.4	0.43	0.7	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Floor of Mouth

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	13	0.3	0.08	0.1	0.5	598	0.5	0.02	0.5	0.5
1990	0					31	0.5	0.10	0.4	0.8
1991	1	0.4	0.41	0.0	2.4	43	0.7	0.11	0.5	1.0
1992	1	0.4	0.40	0.0	2.4	37	0.6	0.10	0.4	0.9
1993	1	0.6	0.61	0.0	2.9	27	0.5	0.09	0.3	0.7
1994	1	0.6	0.58	0.0	2.8	36	0.6	0.10	0.4	0.8
1995	1	0.8	0.80	0.0	3.4	36	0.6	0.10	0.4	0.8
1996	0					30	0.5	0.09	0.3	0.7
1997	1	0.7	0.66	0.0	2.9	37	0.6	0.10	0.4	0.8
1998	2	0.6	0.43	0.1	2.3	25	0.4	0.08	0.3	0.6
1999	0					28	0.5	0.09	0.3	0.7
2000	1	0.4	0.42	0.0	2.1	31	0.5	0.09	0.3	0.7
2001	2	1.1	0.79	0.1	3.4	28	0.4	0.08	0.3	0.6
2002	0					36	0.6	0.09	0.4	0.8
2003	0					28	0.5	0.09	0.3	0.7
2004	0					27	0.4	0.08	0.3	0.6
2005	0					22	0.3	0.07	0.2	0.5
2006	2	0.4	0.27	0.1	1.4	30	0.5	0.08	0.3	0.7
2007	0					30	0.4	0.08	0.3	0.6
2008	0					36	0.5	0.09	0.4	0.8

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	501	0.5	0.02	0.5	0.5	91	0.6	0.06	0.5	0.7
1990	25	0.5	0.10	0.3	0.7	6	0.8	0.33	0.3	1.7
1991	33	0.6	0.12	0.4	0.9	10	1.4	0.43	0.6	2.5
1992	31	0.6	0.10	0.4	0.8	6	0.8	0.32	0.3	1.7
1993	24	0.5	0.10	0.3	0.7	3	0.4	0.22	0.1	1.1
1994	28	0.5	0.10	0.4	0.8	8	1.1	0.39	0.5	2.2
1995	31	0.6	0.11	0.4	0.9	5	0.6	0.28	0.2	1.4
1996	24	0.5	0.09	0.3	0.7	6	0.8	0.35	0.3	1.8
1997	32	0.6	0.11	0.4	0.9	5	0.6	0.29	0.2	1.5
1998	23	0.4	0.09	0.3	0.7	2	0.2	0.17	0.0	0.9
1999	23	0.5	0.10	0.3	0.7	5	0.6	0.26	0.2	1.4
2000	24	0.5	0.10	0.3	0.7	6	0.7	0.28	0.3	1.5
2001	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	1.0
2002	32	0.6	0.11	0.4	0.9	3	0.4	0.21	0.1	1.0
2003	25	0.5	0.10	0.3	0.7	3	0.3	0.19	0.1	0.9
2004	24	0.5	0.09	0.3	0.7	2	0.2	0.15	0.0	0.8
2005	18	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2006	24	0.4	0.09	0.3	0.7	5	0.5	0.24	0.2	1.2
2007	26	0.5	0.09	0.3	0.7	3	0.3	0.18	0.1	0.9
2008	29	0.5	0.10	0.4	0.8	7	0.7	0.26	0.3	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Gum & Other Mouth

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	134	1.2	0.12	1.0	1.5	3,630	1.7	0.03	1.6	1.7
1990	4	0.9	0.44	0.2	2.4	182	1.8	0.13	1.5	2.1
1991	7	1.2	0.48	0.4	2.7	154	1.5	0.12	1.2	1.7
1992	0					172	1.6	0.12	1.4	1.9
1993	6	1.9	0.91	0.6	4.3	177	1.7	0.13	1.4	1.9
1994	5	1.2	0.68	0.3	3.1	165	1.5	0.12	1.3	1.8
1995	2	0.7	0.59	0.0	2.5	198	1.8	0.13	1.6	2.1
1996	10	2.4	0.93	0.9	4.8	193	1.8	0.13	1.5	2.0
1997	9	1.6	0.59	0.7	3.2	190	1.7	0.12	1.5	2.0
1998	6	2.0	0.93	0.6	4.4	175	1.6	0.12	1.3	1.8
1999	7	0.9	0.37	0.3	2.0	202	1.8	0.13	1.6	2.1
2000	5	0.8	0.48	0.1	2.2	187	1.6	0.12	1.4	1.9
2001	5	1.1	0.51	0.3	2.5	193	1.7	0.12	1.5	1.9
2002	5	1.2	0.60	0.4	2.8	201	1.7	0.12	1.5	2.0
2003	10	1.6	0.58	0.7	3.1	213	1.8	0.12	1.6	2.1
2004	11	1.5	0.49	0.7	2.7	214	1.8	0.12	1.6	2.1
2005	3	0.3	0.15	0.1	0.8	186	1.6	0.11	1.3	1.8
2006	9	1.2	0.46	0.5	2.4	205	1.7	0.12	1.5	1.9
2007	13	1.2	0.40	0.6	2.2	191	1.6	0.12	1.4	1.8
2008	17	1.7	0.45	0.9	2.8	232	1.9	0.12	1.6	2.1

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,966	1.6	0.03	1.6	1.7	539	2.0	0.09	1.8	2.2
1990	142	1.6	0.13	1.3	1.9	38	3.3	0.55	2.3	4.6
1991	129	1.4	0.12	1.2	1.7	24	1.8	0.37	1.1	2.7
1992	146	1.6	0.13	1.3	1.9	24	1.9	0.40	1.2	2.9
1993	150	1.6	0.13	1.4	1.9	24	1.9	0.39	1.2	2.8
1994	141	1.5	0.13	1.3	1.8	21	1.6	0.36	1.0	2.5
1995	164	1.8	0.14	1.5	2.0	30	2.3	0.43	1.6	3.3
1996	158	1.7	0.13	1.4	2.0	29	2.0	0.38	1.4	2.9
1997	159	1.7	0.13	1.4	2.0	28	2.0	0.39	1.3	3.0
1998	148	1.6	0.13	1.3	1.8	23	1.7	0.36	1.1	2.5
1999	164	1.7	0.13	1.5	2.0	33	2.4	0.43	1.6	3.4
2000	165	1.7	0.13	1.5	2.0	15	1.0	0.26	0.6	1.6
2001	162	1.7	0.13	1.4	1.9	25	1.7	0.34	1.1	2.5
2002	157	1.6	0.13	1.4	1.9	37	2.5	0.42	1.7	3.4
2003	171	1.7	0.13	1.5	2.0	32	2.1	0.38	1.4	3.0
2004	170	1.7	0.13	1.5	2.0	36	2.3	0.39	1.6	3.2
2005	150	1.5	0.12	1.3	1.8	22	1.3	0.28	0.8	2.0
2006	166	1.6	0.13	1.4	1.9	25	1.5	0.30	0.9	2.2
2007	144	1.4	0.12	1.2	1.7	34	2.1	0.37	1.4	2.9
2008	180	1.8	0.13	1.5	2.0	39	2.3	0.38	1.6	3.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Gum & Other Mouth

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	84	1.6	0.21	1.2	2.0	1,995	2.1	0.05	2.0	2.2
1990	3	1.2	0.69	0.2	4.2	113	2.6	0.25	2.1	3.1
1991	5	2.0	0.93	0.7	5.3	82	1.8	0.20	1.4	2.2
1992	0					95	2.1	0.22	1.7	2.6
1993	4	2.7	1.89	0.3	8.1	97	2.1	0.22	1.7	2.6
1994	2	0.7	0.47	0.1	3.1	91	1.9	0.21	1.6	2.4
1995	0					104	2.2	0.21	1.8	2.6
1996	5	1.9	1.14	0.4	5.4	112	2.4	0.23	1.9	2.8
1997	7	2.8	1.22	0.9	6.2	111	2.4	0.23	1.9	2.8
1998	4	3.4	1.98	0.7	8.7	100	2.0	0.20	1.7	2.5
1999	3	0.9	0.58	0.1	3.1	112	2.3	0.22	1.9	2.7
2000	2	1.2	1.08	0.0	4.5	95	1.9	0.20	1.6	2.4
2001	3	1.1	0.64	0.2	3.2	105	2.1	0.21	1.7	2.6
2002	1	0.4	0.44	0.0	2.2	106	2.1	0.21	1.7	2.5
2003	7	2.7	1.19	0.9	5.9	110	2.2	0.21	1.8	2.6
2004	8	2.1	0.84	0.8	4.4	115	2.2	0.21	1.8	2.7
2005	3	0.5	0.29	0.1	1.7	101	1.9	0.19	1.6	2.4
2006	6	1.8	0.84	0.5	4.0	112	2.1	0.20	1.7	2.5
2007	9	1.6	0.64	0.6	3.4	105	2.0	0.19	1.6	2.4
2008	12	2.6	0.83	1.2	4.7	129	2.3	0.21	1.9	2.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,588	2.0	0.05	1.9	2.1	332	2.9	0.17	2.6	3.2
1990	87	2.3	0.25	1.8	2.8	24	5.3	1.15	3.3	8.0
1991	65	1.6	0.21	1.3	2.1	17	3.0	0.76	1.7	4.9
1992	79	2.0	0.23	1.6	2.5	14	2.9	0.84	1.5	5.0
1993	80	2.0	0.23	1.6	2.5	16	3.0	0.76	1.7	4.9
1994	73	1.8	0.21	1.4	2.3	15	2.8	0.76	1.5	4.7
1995	79	1.9	0.21	1.5	2.4	22	4.0	0.89	2.4	6.1
1996	93	2.3	0.24	1.9	2.8	17	2.8	0.67	1.6	4.4
1997	94	2.3	0.24	1.9	2.8	16	2.7	0.70	1.5	4.4
1998	85	2.0	0.22	1.6	2.5	12	2.1	0.65	1.1	3.8
1999	91	2.2	0.23	1.8	2.7	19	3.1	0.73	1.8	4.9
2000	85	2.0	0.22	1.6	2.5	8	1.2	0.43	0.5	2.4
2001	90	2.2	0.23	1.7	2.7	11	1.6	0.48	0.8	2.9
2002	77	1.8	0.21	1.4	2.3	24	4.0	0.85	2.5	6.0
2003	86	2.0	0.22	1.6	2.5	20	2.9	0.65	1.7	4.5
2004	90	2.0	0.22	1.6	2.5	20	3.4	0.83	2.0	5.4
2005	79	1.8	0.21	1.4	2.3	14	1.9	0.50	1.0	3.2
2006	85	1.9	0.21	1.5	2.4	17	2.4	0.60	1.4	3.9
2007	75	1.7	0.20	1.3	2.1	20	3.0	0.71	1.7	4.7
2008	95	2.0	0.21	1.6	2.5	26	3.6	0.73	2.3	5.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Gum & Other Mouth

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	50	0.9	0.14	0.6	1.2	1,635	1.3	0.03	1.3	1.4
1990	1	0.5	0.52	0.0	2.8	69	1.2	0.14	0.9	1.5
1991	2	0.3	0.24	0.0	2.1	72	1.2	0.14	0.9	1.5
1992	0					77	1.2	0.14	1.0	1.5
1993	2	1.4	0.99	0.2	4.4	80	1.3	0.15	1.1	1.7
1994	3	1.5	1.03	0.2	4.5	74	1.2	0.14	0.9	1.5
1995	2	1.1	0.92	0.1	4.0	94	1.5	0.15	1.2	1.8
1996	5	2.6	1.29	0.7	6.1	81	1.3	0.14	1.0	1.6
1997	2	0.7	0.47	0.1	2.5	79	1.2	0.14	1.0	1.6
1998	2	1.1	0.88	0.1	3.8	75	1.2	0.14	0.9	1.5
1999	4	0.9	0.49	0.2	2.6	90	1.4	0.15	1.1	1.7
2000	3	0.6	0.38	0.1	2.1	92	1.4	0.15	1.1	1.7
2001	2	1.0	0.72	0.1	3.1	88	1.3	0.14	1.1	1.6
2002	4	1.8	0.97	0.4	4.4	95	1.4	0.15	1.1	1.7
2003	3	0.7	0.45	0.1	2.2	103	1.5	0.15	1.3	1.9
2004	3	0.9	0.54	0.2	2.5	99	1.5	0.15	1.2	1.8
2005	0					85	1.3	0.14	1.0	1.6
2006	3	0.8	0.49	0.1	2.3	93	1.3	0.14	1.1	1.7
2007	4	0.8	0.46	0.2	2.2	86	1.3	0.14	1.0	1.6
2008	5	0.9	0.43	0.2	2.1	103	1.5	0.15	1.2	1.8

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,378	1.3	0.04	1.2	1.4	207	1.3	0.09	1.1	1.5
1990	55	1.0	0.14	0.8	1.4	14	2.1	0.56	1.1	3.5
1991	64	1.2	0.16	0.9	1.6	7	0.9	0.34	0.4	1.8
1992	67	1.2	0.15	0.9	1.6	10	1.3	0.42	0.6	2.4
1993	70	1.4	0.17	1.1	1.7	8	1.1	0.38	0.5	2.1
1994	68	1.2	0.15	0.9	1.5	6	0.8	0.34	0.3	1.8
1995	85	1.6	0.17	1.2	1.9	8	1.1	0.39	0.5	2.1
1996	65	1.2	0.15	0.9	1.5	12	1.5	0.42	0.8	2.5
1997	65	1.2	0.15	0.9	1.5	12	1.5	0.45	0.8	2.6
1998	63	1.1	0.15	0.9	1.5	11	1.4	0.42	0.7	2.5
1999	73	1.4	0.16	1.1	1.7	14	1.8	0.48	1.0	3.0
2000	80	1.5	0.16	1.1	1.8	7	0.8	0.31	0.3	1.7
2001	72	1.3	0.15	1.0	1.6	14	1.7	0.46	0.9	2.8
2002	80	1.4	0.16	1.1	1.7	13	1.5	0.41	0.8	2.5
2003	85	1.5	0.17	1.2	1.9	12	1.4	0.42	0.7	2.5
2004	80	1.4	0.16	1.1	1.8	16	1.7	0.43	1.0	2.8
2005	71	1.3	0.15	1.0	1.6	8	0.8	0.30	0.4	1.7
2006	81	1.4	0.16	1.1	1.8	8	0.8	0.27	0.3	1.5
2007	69	1.3	0.15	1.0	1.6	14	1.5	0.40	0.8	2.5
2008	85	1.4	0.16	1.1	1.8	13	1.4	0.38	0.7	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Nasopharynx

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	53	0.4	0.07	0.3	0.6	1,251	0.6	0.02	0.6	0.6
1990	2	0.3	0.23	0.0	1.5	70	0.7	0.08	0.5	0.9
1991	2	0.5	0.32	0.1	1.7	59	0.6	0.08	0.4	0.7
1992	1	0.5	0.50	0.0	2.2	45	0.4	0.06	0.3	0.6
1993	1	0.1	0.10	0.0	1.0	62	0.6	0.08	0.5	0.8
1994	3	0.6	0.37	0.1	1.8	67	0.6	0.08	0.5	0.8
1995	1	0.2	0.21	0.0	1.2	77	0.7	0.08	0.6	0.9
1996	1	0.3	0.28	0.0	1.4	63	0.6	0.07	0.4	0.7
1997	6	1.0	0.43	0.3	2.3	66	0.6	0.07	0.5	0.8
1998	1	0.1	0.05	0.0	0.8	70	0.6	0.08	0.5	0.8
1999	2	0.2	0.14	0.0	1.0	62	0.6	0.07	0.4	0.7
2000	4	0.7	0.50	0.1	2.2	74	0.7	0.08	0.5	0.8
2001	2	0.1	0.06	0.0	0.7	61	0.5	0.07	0.4	0.7
2002	6	0.7	0.28	0.2	1.5	67	0.6	0.07	0.5	0.8
2003	2	0.6	0.44	0.1	1.9	68	0.6	0.07	0.5	0.8
2004	1	0.1	0.10	0.0	0.7	76	0.7	0.08	0.5	0.8
2005	3	0.2	0.15	0.0	0.8	65	0.6	0.07	0.4	0.7
2006	4	0.3	0.17	0.1	0.9	73	0.6	0.07	0.5	0.8
2007	6	0.7	0.30	0.2	1.5	66	0.5	0.07	0.4	0.7
2008	5	0.5	0.26	0.1	1.2	60	0.5	0.06	0.4	0.6

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	817	0.5	0.02	0.4	0.5	254	0.9	0.05	0.8	1.0
1990	51	0.6	0.08	0.4	0.8	15	1.1	0.31	0.6	1.9
1991	41	0.5	0.07	0.3	0.6	12	1.0	0.30	0.5	1.7
1992	32	0.4	0.06	0.2	0.5	6	0.3	0.14	0.1	0.8
1993	42	0.5	0.07	0.3	0.7	11	0.8	0.23	0.4	1.4
1994	45	0.5	0.07	0.4	0.7	12	0.8	0.25	0.4	1.5
1995	63	0.7	0.09	0.5	0.9	7	0.5	0.19	0.2	1.0
1996	39	0.4	0.07	0.3	0.6	18	1.2	0.30	0.7	2.0
1997	39	0.4	0.07	0.3	0.6	16	1.0	0.24	0.5	1.6
1998	42	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6
1999	35	0.4	0.06	0.3	0.5	16	0.9	0.23	0.5	1.5
2000	47	0.5	0.07	0.4	0.7	15	1.0	0.25	0.5	1.6
2001	39	0.4	0.07	0.3	0.6	16	0.9	0.22	0.5	1.4
2002	43	0.5	0.07	0.3	0.6	16	1.0	0.25	0.6	1.6
2003	48	0.5	0.07	0.4	0.7	12	0.7	0.20	0.4	1.2
2004	44	0.5	0.07	0.3	0.6	20	1.2	0.28	0.7	1.9
2005	44	0.5	0.07	0.3	0.6	8	0.5	0.19	0.2	1.0
2006	47	0.5	0.07	0.4	0.6	6	0.3	0.14	0.1	0.7
2007	39	0.4	0.06	0.3	0.5	15	0.9	0.23	0.5	1.4
2008	37	0.4	0.06	0.3	0.5	16	0.9	0.24	0.5	1.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Nasopharynx

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	35	0.6	0.13	0.4	0.9	843	0.9	0.03	0.8	0.9
1990	0					49	1.0	0.15	0.8	1.4
1991	1	0.4	0.37	0.0	3.0	36	0.8	0.13	0.6	1.1
1992	0					27	0.6	0.12	0.4	0.9
1993	1	0.2	0.18	0.0	2.5	45	0.9	0.14	0.7	1.3
1994	2	0.5	0.38	0.0	2.8	45	1.0	0.14	0.7	1.3
1995	1	0.5	0.45	0.0	2.8	52	1.0	0.15	0.8	1.4
1996	1	0.6	0.60	0.0	3.2	40	0.8	0.13	0.6	1.1
1997	5	1.8	0.89	0.5	4.7	50	1.0	0.14	0.7	1.3
1998	0					37	0.7	0.12	0.5	1.0
1999	1	0.1	0.10	0.0	1.8	35	0.7	0.12	0.5	1.0
2000	1	0.2	0.23	0.0	1.9	52	1.0	0.14	0.7	1.3
2001	1	0.1	0.10	0.0	1.6	40	0.8	0.12	0.6	1.1
2002	3	0.8	0.49	0.2	2.6	50	1.0	0.14	0.7	1.3
2003	2	1.5	1.11	0.2	4.7	51	1.0	0.14	0.7	1.3
2004	1	0.2	0.20	0.0	1.4	55	1.0	0.14	0.8	1.3
2005	2	0.4	0.30	0.0	1.6	43	0.8	0.12	0.6	1.1
2006	4	0.7	0.33	0.2	1.9	49	0.9	0.13	0.7	1.2
2007	6	1.4	0.64	0.5	3.2	46	0.8	0.12	0.6	1.1
2008	3	0.8	0.55	0.1	2.4	41	0.7	0.12	0.5	1.0

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	558	0.7	0.03	0.6	0.8	178	1.4	0.11	1.2	1.7
1990	38	0.9	0.15	0.7	1.3	10	1.8	0.62	0.8	3.5
1991	26	0.6	0.13	0.4	0.9	8	1.9	0.70	0.8	3.7
1992	17	0.5	0.11	0.3	0.7	4	0.5	0.28	0.1	1.5
1993	30	0.7	0.14	0.5	1.1	9	1.4	0.47	0.6	2.7
1994	34	0.9	0.15	0.6	1.2	5	0.9	0.40	0.3	2.1
1995	40	0.9	0.15	0.7	1.3	6	1.1	0.47	0.4	2.4
1996	22	0.5	0.11	0.3	0.8	13	2.1	0.65	1.1	3.8
1997	30	0.7	0.13	0.5	1.0	14	1.8	0.49	1.0	3.1
1998	21	0.5	0.11	0.3	0.8	11	1.4	0.44	0.7	2.6
1999	22	0.5	0.11	0.3	0.8	9	1.1	0.37	0.5	2.1
2000	35	0.8	0.14	0.6	1.1	10	1.5	0.51	0.7	2.9
2001	25	0.6	0.12	0.4	0.9	10	1.2	0.39	0.6	2.3
2002	31	0.7	0.13	0.5	1.0	12	1.7	0.50	0.9	3.0
2003	36	0.8	0.14	0.6	1.2	11	1.5	0.44	0.7	2.7
2004	31	0.7	0.12	0.5	1.0	16	2.4	0.65	1.3	4.0
2005	33	0.7	0.13	0.5	1.0	6	1.1	0.45	0.4	2.3
2006	33	0.7	0.13	0.5	1.0	3	0.4	0.26	0.1	1.3
2007	29	0.6	0.12	0.4	0.9	11	1.5	0.51	0.7	2.9
2008	25	0.5	0.11	0.3	0.8	10	1.6	0.53	0.7	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Nasopharynx

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	18	0.2	0.07	0.1	0.4	408	0.4	0.02	0.3	0.4
1990	2	0.6	0.46	0.1	2.7	21	0.4	0.08	0.2	0.6
1991	1	0.5	0.50	0.0	2.7	23	0.4	0.09	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	18	0.3	0.08	0.2	0.5
1993	0					17	0.3	0.07	0.2	0.5
1994	1	0.6	0.58	0.0	2.8	22	0.4	0.09	0.3	0.6
1995	0					25	0.4	0.09	0.3	0.6
1996	0					23	0.4	0.08	0.2	0.6
1997	1	0.2	0.22	0.0	1.7	16	0.3	0.07	0.2	0.4
1998	1	0.1	0.10	0.0	1.4	33	0.5	0.10	0.4	0.8
1999	1	0.3	0.26	0.0	1.7	27	0.5	0.09	0.3	0.7
2000	3	1.1	0.78	0.1	3.4	22	0.4	0.08	0.2	0.6
2001	1	0.1	0.09	0.0	1.2	21	0.4	0.08	0.2	0.5
2002	3	0.6	0.32	0.1	1.8	17	0.3	0.07	0.2	0.4
2003	0					17	0.3	0.07	0.2	0.5
2004	0					21	0.3	0.07	0.2	0.5
2005	1	0.1	0.09	0.0	0.9	22	0.4	0.08	0.2	0.6
2006	0					24	0.4	0.07	0.2	0.5
2007	0					20	0.3	0.07	0.2	0.5
2008	2	0.3	0.23	0.0	1.2	19	0.3	0.07	0.2	0.5

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	259	0.3	0.02	0.2	0.3	76	0.4	0.05	0.3	0.6
1990	13	0.3	0.08	0.2	0.5	5	0.7	0.30	0.2	1.6
1991	15	0.3	0.08	0.2	0.5	4	0.4	0.23	0.1	1.2
1992	15	0.3	0.08	0.2	0.5	2	0.2	0.13	0.0	0.8
1993	12	0.2	0.07	0.1	0.4	2	0.3	0.18	0.0	0.9
1994	11	0.2	0.07	0.1	0.4	7	0.8	0.32	0.3	1.7
1995	23	0.5	0.10	0.3	0.7	1	0.1	0.12	0.0	0.7
1996	17	0.3	0.08	0.2	0.5	5	0.6	0.28	0.2	1.4
1997	9	0.2	0.06	0.1	0.4	2	0.3	0.18	0.0	0.9
1998	21	0.4	0.09	0.3	0.6	6	0.6	0.26	0.2	1.4
1999	13	0.3	0.07	0.1	0.4	7	0.8	0.29	0.3	1.6
2000	12	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.3
2001	14	0.3	0.08	0.2	0.5	6	0.6	0.25	0.2	1.3
2002	12	0.2	0.07	0.1	0.4	4	0.4	0.22	0.1	1.1
2003	12	0.2	0.07	0.1	0.4	1	0.1	0.09	0.0	0.5
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	11	0.2	0.07	0.1	0.4	2	0.2	0.13	0.0	0.7
2006	14	0.2	0.07	0.1	0.4	3	0.3	0.17	0.1	0.9
2007	10	0.2	0.06	0.1	0.4	4	0.4	0.21	0.1	1.1
2008	12	0.2	0.07	0.1	0.4	6	0.6	0.23	0.2	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Oropharynx

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	35	0.3	0.06	0.2	0.5	1,059	0.5	0.02	0.5	0.5
1990	1	0.3	0.27	0.0	1.5	42	0.4	0.06	0.3	0.5
1991	0					41	0.4	0.06	0.3	0.5
1992	0					36	0.3	0.06	0.2	0.5
1993	0					37	0.4	0.06	0.3	0.5
1994	2	0.7	0.55	0.1	2.4	49	0.5	0.07	0.4	0.6
1995	1	0.3	0.29	0.0	1.4	31	0.3	0.05	0.2	0.4
1996	3	0.8	0.55	0.1	2.5	55	0.5	0.07	0.4	0.7
1997	2	0.9	0.67	0.1	2.8	44	0.4	0.06	0.3	0.5
1998	1	0.2	0.19	0.0	1.1	68	0.6	0.07	0.5	0.8
1999	0					42	0.4	0.06	0.3	0.5
2000	2	0.4	0.26	0.0	1.3	53	0.5	0.06	0.4	0.6
2001	4	0.7	0.47	0.1	2.1	62	0.5	0.07	0.4	0.7
2002	5	0.8	0.37	0.2	1.8	62	0.5	0.07	0.4	0.7
2003	1	0.1	0.10	0.0	0.7	70	0.6	0.07	0.5	0.8
2004	2	0.2	0.16	0.0	0.9	62	0.5	0.07	0.4	0.7
2005	1	0.1	0.06	0.0	0.5	73	0.6	0.07	0.5	0.8
2006	2	0.2	0.13	0.0	0.7	66	0.5	0.07	0.4	0.7
2007	3	0.3	0.16	0.1	0.8	88	0.7	0.08	0.6	0.9
2008	5	0.4	0.20	0.1	1.1	78	0.6	0.07	0.5	0.8

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	807	0.5	0.02	0.4	0.5	237	0.8	0.05	0.7	1.0
1990	30	0.3	0.06	0.2	0.5	10	0.8	0.27	0.4	1.5
1991	33	0.4	0.06	0.3	0.5	7	0.6	0.23	0.2	1.2
1992	28	0.3	0.06	0.2	0.4	8	0.6	0.21	0.3	1.2
1993	29	0.3	0.06	0.2	0.5	8	0.6	0.22	0.3	1.2
1994	36	0.4	0.07	0.3	0.6	13	1.0	0.28	0.5	1.7
1995	24	0.3	0.05	0.2	0.4	7	0.5	0.18	0.2	1.0
1996	37	0.4	0.07	0.3	0.6	17	1.2	0.30	0.7	2.0
1997	31	0.3	0.06	0.2	0.5	12	0.9	0.25	0.4	1.5
1998	44	0.5	0.07	0.3	0.6	24	1.7	0.35	1.1	2.5
1999	33	0.4	0.06	0.2	0.5	9	0.6	0.20	0.3	1.1
2000	45	0.5	0.07	0.3	0.6	8	0.5	0.18	0.2	1.0
2001	49	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
2002	51	0.5	0.07	0.4	0.7	11	0.7	0.21	0.4	1.3
2003	57	0.6	0.08	0.4	0.8	13	0.8	0.21	0.4	1.3
2004	45	0.5	0.07	0.3	0.6	17	1.0	0.25	0.6	1.6
2005	58	0.6	0.08	0.5	0.8	14	0.8	0.22	0.5	1.4
2006	51	0.5	0.07	0.4	0.7	11	0.7	0.20	0.3	1.2
2007	66	0.7	0.08	0.5	0.8	22	1.4	0.29	0.8	2.1
2008	60	0.6	0.08	0.4	0.8	15	0.8	0.20	0.4	1.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Oropharynx

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	31	0.6	0.14	0.4	0.9	791	0.8	0.03	0.8	0.9
1990	0					23	0.5	0.11	0.3	0.8
1991	0					24	0.5	0.11	0.3	0.8
1992	0					23	0.5	0.10	0.3	0.7
1993	0					23	0.5	0.10	0.3	0.7
1994	2	1.8	1.45	0.1	6.2	40	0.9	0.14	0.6	1.2
1995	1	0.6	0.63	0.0	3.3	25	0.5	0.10	0.3	0.8
1996	3	2.0	1.41	0.2	6.1	40	0.8	0.13	0.6	1.1
1997	1	1.5	1.51	0.0	6.1	34	0.7	0.12	0.5	1.0
1998	1	0.4	0.41	0.0	2.5	55	1.1	0.15	0.8	1.4
1999	0					32	0.6	0.11	0.4	0.9
2000	1	0.5	0.49	0.0	2.5	42	0.8	0.13	0.6	1.1
2001	4	1.8	1.22	0.2	5.2	48	0.9	0.13	0.7	1.2
2002	4	1.3	0.75	0.3	3.6	48	0.9	0.13	0.7	1.2
2003	1	0.2	0.19	0.0	1.5	50	0.9	0.13	0.7	1.2
2004	2	0.5	0.34	0.1	1.8	44	0.8	0.12	0.6	1.1
2005	1	0.1	0.10	0.0	1.1	60	1.1	0.14	0.8	1.4
2006	2	0.4	0.26	0.0	1.5	52	0.9	0.13	0.7	1.2
2007	3	0.5	0.32	0.1	1.7	68	1.2	0.15	0.9	1.5
2008	5	0.9	0.41	0.3	2.1	60	1.0	0.13	0.8	1.3

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	599	0.7	0.03	0.7	0.8	181	1.5	0.11	1.3	1.7
1990	18	0.5	0.11	0.3	0.7	3	0.6	0.35	0.1	1.7
1991	19	0.5	0.11	0.3	0.7	4	0.7	0.37	0.2	1.9
1992	18	0.4	0.10	0.3	0.7	5	0.8	0.37	0.3	2.0
1993	18	0.4	0.10	0.3	0.7	5	0.9	0.39	0.3	2.0
1994	29	0.7	0.13	0.5	1.0	11	2.0	0.59	1.0	3.5
1995	22	0.5	0.11	0.3	0.8	3	0.5	0.28	0.1	1.5
1996	27	0.6	0.12	0.4	0.9	12	1.9	0.55	1.0	3.3
1997	23	0.6	0.11	0.4	0.8	10	1.7	0.56	0.8	3.2
1998	35	0.8	0.14	0.6	1.1	20	3.2	0.75	2.0	5.1
1999	25	0.6	0.12	0.4	0.9	7	1.0	0.39	0.4	2.2
2000	34	0.8	0.14	0.6	1.1	8	1.2	0.42	0.5	2.3
2001	40	0.9	0.15	0.7	1.3	8	1.2	0.42	0.5	2.3
2002	39	0.9	0.14	0.6	1.2	9	1.3	0.44	0.6	2.5
2003	39	0.9	0.14	0.6	1.2	11	1.5	0.45	0.7	2.7
2004	32	0.7	0.13	0.5	1.0	12	1.7	0.48	0.9	2.9
2005	47	1.0	0.15	0.8	1.4	12	1.7	0.51	0.9	3.0
2006	40	0.8	0.14	0.6	1.2	9	1.3	0.42	0.6	2.4
2007	51	1.1	0.15	0.8	1.4	17	2.6	0.66	1.5	4.2
2008	43	0.9	0.14	0.6	1.2	15	1.8	0.47	1.0	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Oropharynx

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4	0.1	0.04	0.0	0.2	268	0.2	0.01	0.2	0.3
1990	1	0.5	0.52	0.0	2.8	19	0.3	0.07	0.2	0.5
1991	0					17	0.3	0.07	0.2	0.5
1992	0					13	0.2	0.06	0.1	0.4
1993	0					14	0.2	0.06	0.1	0.4
1994	0					9	0.2	0.06	0.1	0.3
1995	0					6	0.1	0.04	0.0	0.2
1996	0					15	0.2	0.06	0.1	0.4
1997	1	0.7	0.66	0.0	2.9	10	0.2	0.05	0.1	0.3
1998	0					13	0.2	0.06	0.1	0.4
1999	0					10	0.2	0.05	0.1	0.3
2000	1	0.3	0.27	0.0	1.6	11	0.2	0.05	0.1	0.3
2001	0					14	0.2	0.06	0.1	0.4
2002	1	0.3	0.27	0.0	1.5	14	0.2	0.06	0.1	0.4
2003	0					20	0.3	0.07	0.2	0.5
2004	0					18	0.3	0.07	0.2	0.5
2005	0					13	0.2	0.06	0.1	0.4
2006	0					14	0.2	0.06	0.1	0.4
2007	0					20	0.3	0.07	0.2	0.5
2008	0					18	0.3	0.06	0.2	0.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	208	0.2	0.01	0.2	0.2	56	0.4	0.05	0.3	0.5
1990	12	0.2	0.06	0.1	0.4	7	1.0	0.37	0.4	2.0
1991	14	0.3	0.08	0.2	0.5	3	0.5	0.27	0.1	1.3
1992	10	0.2	0.06	0.1	0.4	3	0.4	0.23	0.1	1.2
1993	11	0.2	0.06	0.1	0.3	3	0.4	0.25	0.1	1.2
1994	7	0.2	0.06	0.1	0.3	2	0.3	0.20	0.0	1.0
1995	2	0.0	0.02	0.0	0.1	4	0.5	0.24	0.1	1.2
1996	10	0.2	0.06	0.1	0.4	5	0.6	0.29	0.2	1.5
1997	8	0.2	0.05	0.1	0.3	2	0.3	0.17	0.0	0.9
1998	9	0.2	0.06	0.1	0.3	4	0.5	0.25	0.1	1.3
1999	8	0.2	0.06	0.1	0.3	2	0.2	0.16	0.0	0.8
2000	11	0.2	0.06	0.1	0.4	0				
2001	9	0.2	0.06	0.1	0.3	3	0.4	0.23	0.1	1.1
2002	12	0.2	0.07	0.1	0.4	2	0.2	0.16	0.0	0.8
2003	18	0.3	0.08	0.2	0.6	2	0.2	0.15	0.0	0.8
2004	13	0.2	0.07	0.1	0.4	5	0.5	0.24	0.2	1.2
2005	11	0.2	0.06	0.1	0.4	2	0.2	0.14	0.0	0.7
2006	11	0.2	0.06	0.1	0.4	2	0.2	0.16	0.0	0.8
2007	15	0.3	0.07	0.2	0.5	5	0.5	0.24	0.2	1.2
2008	17	0.3	0.07	0.2	0.5	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Hypopharynx

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	53	0.5	0.07	0.3	0.6	2,004	0.9	0.02	0.9	1.0
1990	2	0.7	0.56	0.1	2.5	105	1.0	0.10	0.8	1.2
1991	0					92	0.9	0.10	0.7	1.1
1992	2	0.4	0.28	0.1	1.6	110	1.0	0.10	0.9	1.3
1993	1	0.2	0.19	0.0	1.2	109	1.0	0.10	0.8	1.2
1994	2	0.5	0.36	0.1	1.8	95	0.9	0.09	0.7	1.1
1995	3	0.7	0.49	0.1	2.2	124	1.1	0.10	0.9	1.4
1996	5	1.0	0.47	0.3	2.4	110	1.0	0.10	0.8	1.2
1997	2	0.3	0.20	0.0	1.2	99	0.9	0.09	0.7	1.1
1998	2	0.4	0.28	0.0	1.4	109	1.0	0.09	0.8	1.2
1999	2	0.5	0.34	0.1	1.6	101	0.9	0.09	0.7	1.1
2000	2	0.6	0.45	0.0	1.9	107	1.0	0.09	0.8	1.2
2001	4	0.8	0.46	0.2	2.1	103	0.9	0.09	0.7	1.1
2002	3	0.4	0.23	0.1	1.2	95	0.8	0.08	0.7	1.0
2003	3	0.4	0.22	0.1	1.1	100	0.9	0.09	0.7	1.1
2004	2	0.2	0.11	0.0	0.7	122	1.0	0.09	0.9	1.2
2005	4	0.4	0.21	0.1	1.1	100	0.8	0.08	0.7	1.0
2006	6	0.6	0.25	0.2	1.3	106	0.9	0.09	0.7	1.1
2007	3	0.3	0.14	0.1	0.8	104	0.8	0.08	0.7	1.0
2008	5	0.7	0.32	0.2	1.5	113	0.9	0.08	0.7	1.1

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,489	0.8	0.02	0.8	0.9	490	1.8	0.08	1.6	1.9
1990	79	0.8	0.10	0.7	1.1	26	2.2	0.43	1.4	3.2
1991	62	0.7	0.09	0.5	0.9	29	2.3	0.43	1.5	3.3
1992	91	1.0	0.10	0.8	1.2	18	1.4	0.33	0.8	2.2
1993	85	0.9	0.10	0.7	1.1	24	1.9	0.39	1.2	2.8
1994	67	0.7	0.09	0.6	0.9	26	1.9	0.38	1.3	2.8
1995	99	1.0	0.11	0.9	1.3	25	1.9	0.37	1.2	2.7
1996	89	1.0	0.10	0.8	1.2	21	1.5	0.33	0.9	2.3
1997	75	0.8	0.09	0.6	1.0	24	1.7	0.34	1.1	2.5
1998	80	0.8	0.09	0.7	1.1	25	1.8	0.36	1.1	2.6
1999	74	0.8	0.09	0.6	1.0	25	1.7	0.34	1.1	2.5
2000	78	0.8	0.09	0.7	1.0	26	1.8	0.35	1.2	2.6
2001	82	0.9	0.10	0.7	1.1	21	1.5	0.32	0.9	2.2
2002	73	0.8	0.09	0.6	1.0	22	1.5	0.32	0.9	2.3
2003	79	0.8	0.09	0.6	1.0	20	1.2	0.27	0.7	1.9
2004	84	0.9	0.09	0.7	1.1	36	2.2	0.37	1.5	3.0
2005	71	0.7	0.09	0.6	0.9	27	1.7	0.32	1.1	2.4
2006	75	0.8	0.09	0.6	0.9	29	1.7	0.32	1.1	2.5
2007	70	0.7	0.08	0.5	0.9	30	1.8	0.33	1.2	2.6
2008	76	0.7	0.08	0.6	0.9	36	2.1	0.36	1.5	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Hypopharynx

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	45	0.8	0.13	0.6	1.1	1,596	1.7	0.04	1.6	1.8
1990	1	1.3	1.34	0.0	5.9	77	1.7	0.19	1.3	2.1
1991	0					75	1.7	0.20	1.3	2.2
1992	2	0.8	0.56	0.1	3.5	93	2.0	0.20	1.6	2.4
1993	1	0.4	0.38	0.0	2.9	89	1.9	0.20	1.5	2.3
1994	2	1.1	0.77	0.1	4.0	72	1.5	0.17	1.2	1.9
1995	3	1.7	1.17	0.2	5.3	94	1.9	0.20	1.6	2.4
1996	5	2.1	0.98	0.7	5.2	90	1.8	0.19	1.5	2.3
1997	2	0.6	0.40	0.1	2.7	76	1.6	0.18	1.2	2.0
1998	2	0.8	0.60	0.1	3.1	90	1.8	0.19	1.5	2.3
1999	1	0.5	0.52	0.0	2.7	79	1.6	0.18	1.3	2.0
2000	1	0.2	0.23	0.0	1.9	88	1.8	0.19	1.4	2.2
2001	4	1.8	1.08	0.4	4.9	83	1.6	0.18	1.3	2.0
2002	3	0.8	0.46	0.2	2.5	75	1.5	0.17	1.1	1.8
2003	3	0.8	0.45	0.2	2.4	82	1.6	0.18	1.3	2.0
2004	2	0.3	0.21	0.0	1.5	105	2.0	0.19	1.6	2.4
2005	2	0.5	0.33	0.1	1.8	77	1.4	0.17	1.1	1.8
2006	5	1.0	0.47	0.3	2.5	82	1.5	0.17	1.2	1.9
2007	3	0.5	0.28	0.1	1.6	81	1.4	0.16	1.1	1.8
2008	3	0.5	0.30	0.1	1.6	88	1.5	0.16	1.2	1.9

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,166	1.4	0.04	1.4	1.5	408	3.5	0.18	3.1	3.8
1990	57	1.4	0.19	1.1	1.8	20	3.8	0.87	2.3	6.0
1991	51	1.4	0.19	1.0	1.8	23	4.2	0.90	2.7	6.4
1992	75	1.8	0.21	1.4	2.3	17	3.1	0.76	1.8	5.0
1993	72	1.7	0.21	1.4	2.2	17	3.2	0.80	1.8	5.2
1994	48	1.2	0.17	0.9	1.6	22	3.7	0.80	2.3	5.6
1995	73	1.7	0.20	1.4	2.2	21	3.6	0.80	2.2	5.6
1996	72	1.7	0.20	1.3	2.2	18	3.0	0.72	1.8	4.8
1997	55	1.4	0.18	1.0	1.8	21	3.5	0.76	2.1	5.3
1998	65	1.6	0.19	1.2	2.0	22	3.7	0.81	2.2	5.6
1999	57	1.4	0.18	1.0	1.8	20	3.2	0.74	1.9	5.0
2000	65	1.5	0.19	1.2	2.0	21	3.6	0.84	2.1	5.6
2001	66	1.5	0.19	1.2	1.9	17	3.0	0.76	1.7	4.9
2002	56	1.3	0.17	1.0	1.7	19	3.1	0.74	1.9	4.9
2003	62	1.4	0.18	1.1	1.9	19	2.7	0.62	1.6	4.2
2004	71	1.6	0.19	1.3	2.0	32	4.6	0.83	3.1	6.5
2005	53	1.2	0.17	0.9	1.6	22	3.1	0.66	1.9	4.7
2006	57	1.3	0.17	1.0	1.6	24	3.2	0.67	2.1	4.9
2007	51	1.1	0.15	0.8	1.4	26	3.8	0.76	2.5	5.6
2008	60	1.3	0.16	1.0	1.6	27	3.8	0.77	2.4	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Hypopharynx

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	8	0.2	0.07	0.1	0.3	408	0.3	0.02	0.3	0.4
1990	1	0.4	0.43	0.0	2.5	28	0.5	0.09	0.3	0.7
1991	0					17	0.3	0.07	0.2	0.5
1992	0					17	0.3	0.07	0.2	0.5
1993	0					20	0.3	0.07	0.2	0.5
1994	0					23	0.4	0.08	0.2	0.6
1995	0					30	0.5	0.09	0.3	0.7
1996	0					20	0.3	0.08	0.2	0.5
1997	0					23	0.4	0.08	0.2	0.6
1998	0					19	0.3	0.07	0.2	0.5
1999	1	0.4	0.44	0.0	2.2	22	0.4	0.08	0.2	0.5
2000	1	0.7	0.73	0.0	3.1	19	0.3	0.07	0.2	0.5
2001	0					20	0.3	0.07	0.2	0.5
2002	0					20	0.3	0.07	0.2	0.5
2003	0					18	0.3	0.07	0.2	0.4
2004	0					17	0.3	0.07	0.2	0.4
2005	2	0.4	0.26	0.0	1.4	23	0.4	0.07	0.2	0.5
2006	1	0.2	0.18	0.0	1.1	24	0.4	0.07	0.2	0.5
2007	0					23	0.3	0.07	0.2	0.5
2008	2	0.7	0.48	0.1	2.1	25	0.4	0.07	0.2	0.6

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	323	0.3	0.02	0.3	0.4	82	0.5	0.06	0.4	0.6
1990	22	0.4	0.08	0.2	0.6	6	0.9	0.38	0.3	2.0
1991	11	0.2	0.07	0.1	0.4	6	0.8	0.33	0.3	1.7
1992	16	0.3	0.08	0.2	0.5	1	0.1	0.13	0.0	0.7
1993	13	0.2	0.07	0.1	0.4	7	1.0	0.37	0.4	2.0
1994	19	0.4	0.08	0.2	0.6	4	0.6	0.29	0.2	1.4
1995	26	0.5	0.10	0.3	0.7	4	0.5	0.26	0.1	1.3
1996	17	0.4	0.09	0.2	0.6	3	0.4	0.20	0.1	1.0
1997	20	0.4	0.09	0.2	0.6	3	0.3	0.20	0.1	1.0
1998	15	0.3	0.07	0.2	0.5	3	0.4	0.24	0.1	1.1
1999	17	0.3	0.08	0.2	0.5	5	0.6	0.25	0.2	1.3
2000	13	0.3	0.07	0.1	0.4	5	0.6	0.26	0.2	1.4
2001	16	0.3	0.08	0.2	0.5	4	0.5	0.22	0.1	1.1
2002	17	0.3	0.08	0.2	0.5	3	0.4	0.21	0.1	1.0
2003	17	0.3	0.08	0.2	0.5	1	0.1	0.11	0.0	0.6
2004	13	0.3	0.07	0.1	0.4	4	0.4	0.21	0.1	1.1
2005	18	0.3	0.08	0.2	0.6	5	0.6	0.25	0.2	1.3
2006	18	0.3	0.08	0.2	0.5	5	0.5	0.24	0.2	1.2
2007	19	0.4	0.08	0.2	0.6	4	0.4	0.19	0.1	1.0
2008	16	0.3	0.07	0.2	0.5	9	1.0	0.32	0.4	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010