

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Respiratory System

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,900	41.2	0.73	39.7	42.6	172,513	79.7	0.19	79.3	80.1
1990	125	39.8	4.00	32.3	48.3	7,832	73.3	0.84	71.7	75.0
1991	118	34.9	3.62	28.2	42.6	7,806	72.2	0.82	70.6	73.8
1992	128	36.2	3.55	29.5	43.7	8,228	75.6	0.84	74.0	77.3
1993	148	37.0	3.39	30.7	44.2	8,610	78.6	0.85	76.9	80.3
1994	162	40.3	3.58	33.6	47.9	9,173	83.1	0.87	81.4	84.8
1995	186	53.1	4.34	44.9	62.1	9,176	82.8	0.87	81.1	84.5
1996	198	50.3	4.03	42.7	58.6	9,170	82.6	0.86	80.9	84.3
1997	187	46.7	3.83	39.5	54.7	9,059	81.0	0.85	79.3	82.7
1998	226	57.9	4.29	49.8	66.7	9,156	81.2	0.85	79.6	82.9
1999	216	46.7	3.58	39.9	54.1	9,245	81.6	0.85	79.9	83.3
2000	207	41.2	3.24	35.1	47.9	9,120	80.1	0.84	78.5	81.8
2001	223	44.5	3.36	38.1	51.4	9,235	80.7	0.84	79.0	82.3
2002	204	38.5	3.01	32.8	44.7	9,553	82.8	0.85	81.1	84.5
2003	228	38.3	2.78	33.1	44.1	9,538	81.9	0.84	80.3	83.6
2004	268	42.6	2.87	37.2	48.5	9,239	78.9	0.82	77.3	80.5
2005	253	37.9	2.59	33.0	43.3	9,426	79.8	0.83	78.2	81.5
2006	249	35.3	2.42	30.7	40.3	9,650	81.1	0.83	79.5	82.8
2007	268	36.6	2.38	32.0	41.5	9,736	80.8	0.83	79.2	82.5
2008	306	37.3	2.29	32.9	42.0	9,561	78.1	0.81	76.5	79.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	145,139	78.3	0.21	77.9	78.7	25,273	96.8	0.62	95.6	98.1
1990	6,666	71.1	0.88	69.4	72.9	1,112	93.3	2.86	87.8	99.0
1991	6,689	70.6	0.87	68.9	72.3	1,053	86.3	2.71	81.1	91.8
1992	7,011	73.9	0.89	72.2	75.7	1,157	94.4	2.83	88.9	100.1
1993	7,238	75.9	0.90	74.1	77.6	1,295	104.2	2.95	98.5	110.1
1994	7,794	81.2	0.92	79.4	83.0	1,298	103.0	2.91	97.3	108.8
1995	7,702	80.3	0.92	78.5	82.1	1,390	107.0	2.92	101.3	112.8
1996	7,677	80.1	0.92	78.3	81.9	1,394	107.1	2.92	101.5	113.0
1997	7,615	79.0	0.91	77.3	80.8	1,345	100.8	2.79	95.4	106.4
1998	7,672	79.2	0.91	77.4	81.0	1,356	100.6	2.77	95.3	106.2
1999	7,779	80.1	0.91	78.4	81.9	1,362	99.1	2.72	93.8	104.5
2000	7,728	79.5	0.91	77.8	81.3	1,279	91.3	2.59	86.3	96.5
2001	7,796	80.0	0.91	78.2	81.8	1,328	94.4	2.63	89.3	99.7
2002	8,027	81.9	0.92	80.1	83.7	1,397	97.2	2.64	92.1	102.5
2003	8,005	81.3	0.91	79.5	83.1	1,410	96.5	2.61	91.4	101.7
2004	7,699	77.8	0.89	76.1	79.6	1,416	96.1	2.60	91.1	101.3
2005	7,876	79.3	0.90	77.5	81.1	1,387	92.3	2.52	87.4	97.4
2006	8,031	80.4	0.90	78.6	82.1	1,459	95.9	2.55	91.0	101.0
2007	8,121	80.5	0.90	78.7	82.3	1,450	94.8	2.53	89.9	99.8
2008	8,013	78.3	0.88	76.6	80.1	1,385	87.9	2.41	83.3	92.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Respiratory System

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,321	53.9	1.28	51.4	56.5	100,774	109.9	0.35	109.2	110.5
1990	65	49.4	7.51	35.8	65.8	5,022	111.3	1.61	108.2	114.5
1991	70	47.1	6.61	35.1	61.5	4,961	108.5	1.58	105.4	111.6
1992	75	49.0	6.73	36.7	63.6	5,137	111.0	1.58	107.9	114.1
1993	96	52.9	6.42	41.1	66.7	5,321	115.0	1.61	111.9	118.2
1994	99	53.2	6.56	41.1	67.3	5,604	121.0	1.65	117.8	124.3
1995	115	76.4	8.45	60.8	94.3	5,553	118.3	1.61	115.2	121.5
1996	134	76.0	7.82	61.4	92.5	5,458	116.6	1.60	113.5	119.7
1997	117	64.9	7.08	51.7	79.9	5,394	114.2	1.57	111.1	117.3
1998	121	74.5	7.89	59.8	91.1	5,423	113.6	1.56	110.6	116.7
1999	126	58.5	6.11	47.1	71.4	5,399	112.5	1.54	109.5	115.6
2000	135	57.1	5.69	46.5	69.2	5,298	109.3	1.51	106.4	112.3
2001	125	56.0	5.73	45.3	68.1	5,336	110.1	1.52	107.1	113.1
2002	110	48.7	5.31	38.8	59.9	5,423	111.1	1.52	108.1	114.1
2003	143	52.9	4.95	43.7	63.3	5,348	107.8	1.49	104.9	110.7
2004	151	50.0	4.63	41.3	59.7	5,152	103.1	1.45	100.3	106.0
2005	154	49.2	4.42	40.9	58.5	5,212	102.9	1.44	100.1	105.8
2006	150	45.9	4.17	38.0	54.6	5,283	104.2	1.45	101.4	107.1
2007	162	48.4	4.14	40.6	57.1	5,304	102.9	1.43	100.1	105.7
2008	173	44.6	3.72	37.6	52.4	5,146	97.8	1.39	95.1	100.6

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	84,149	106.6	0.37	105.9	107.3	15,293	144.7	1.22	142.3	147.1
1990	4,243	106.9	1.68	103.7	110.3	739	151.8	5.86	140.5	163.7
1991	4,235	105.4	1.66	102.2	108.7	682	136.5	5.48	126.0	147.7
1992	4,347	107.2	1.66	104.0	110.5	752	149.7	5.73	138.7	161.3
1993	4,447	110.0	1.68	106.7	113.3	822	162.3	5.95	150.8	174.3
1994	4,739	117.4	1.73	114.0	120.9	814	159.2	5.87	147.9	171.1
1995	4,611	113.1	1.69	109.8	116.4	892	168.5	5.93	157.1	180.5
1996	4,539	111.8	1.68	108.5	115.1	857	162.7	5.82	151.5	174.4
1997	4,479	109.8	1.65	106.5	113.1	849	156.0	5.57	145.2	167.3
1998	4,487	108.8	1.64	105.6	112.1	844	155.5	5.61	144.7	166.9
1999	4,515	109.3	1.64	106.1	112.5	818	147.6	5.39	137.2	158.5
2000	4,433	106.6	1.61	103.4	109.8	799	139.9	5.17	130.0	150.4
2001	4,454	107.3	1.62	104.1	110.5	803	139.9	5.16	130.0	150.4
2002	4,558	109.3	1.63	106.1	112.5	794	135.4	5.02	125.8	145.6
2003	4,462	105.5	1.59	102.4	108.7	801	135.1	4.99	125.5	145.2
2004	4,256	100.1	1.55	97.1	103.2	817	138.9	5.10	129.1	149.2
2005	4,303	100.2	1.54	97.2	103.3	803	133.4	4.95	123.9	143.4
2006	4,371	101.8	1.55	98.7	104.8	808	133.0	4.92	123.6	143.0
2007	4,384	100.5	1.54	97.6	103.6	832	136.6	4.99	127.0	146.7
2008	4,286	96.6	1.50	93.7	99.6	767	121.8	4.62	112.9	131.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Respiratory System

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,579	30.9	0.84	29.2	32.5	71,739	58.4	0.22	58.0	58.9
1990	60	34.0	4.67	25.4	44.2	2,810	47.0	0.90	45.2	48.8
1991	48	25.4	4.06	18.1	34.4	2,845	46.7	0.89	45.0	48.5
1992	53	27.3	3.98	20.1	36.1	3,091	50.5	0.92	48.7	52.4
1993	52	24.4	3.63	17.8	32.4	3,289	53.1	0.94	51.3	55.0
1994	63	30.4	4.11	22.9	39.3	3,569	56.8	0.96	55.0	58.7
1995	71	36.5	4.62	28.0	46.5	3,623	57.8	0.97	55.9	59.8
1996	64	30.4	4.14	22.8	39.4	3,712	59.0	0.98	57.1	60.9
1997	70	32.6	4.22	24.9	41.7	3,665	57.6	0.96	55.7	59.5
1998	105	46.6	4.91	37.4	57.0	3,733	58.2	0.96	56.3	60.1
1999	90	36.9	4.28	29.0	46.0	3,846	59.8	0.97	57.9	61.7
2000	72	27.3	3.57	20.7	35.0	3,822	59.1	0.96	57.2	61.0
2001	98	34.9	3.92	27.6	43.2	3,899	59.9	0.97	58.0	61.8
2002	94	30.8	3.49	24.4	38.3	4,130	63.1	0.99	61.2	65.1
2003	85	26.1	3.05	20.5	32.7	4,190	63.8	0.99	61.8	65.7
2004	117	36.0	3.58	29.4	43.6	4,087	61.7	0.97	59.9	63.7
2005	99	28.2	3.02	22.6	34.7	4,214	63.4	0.99	61.5	65.4
2006	99	26.5	2.82	21.2	32.5	4,367	65.1	1.00	63.2	67.1
2007	106	26.8	2.73	21.7	32.6	4,432	65.3	0.99	63.4	67.3
2008	133	30.7	2.83	25.4	36.7	4,415	64.2	0.98	62.3	66.2

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	60,990	58.4	0.24	57.9	58.8	9,980	65.0	0.66	63.7	66.3
1990	2,423	46.5	0.97	44.6	48.5	373	53.5	2.80	48.2	59.3
1991	2,454	46.2	0.95	44.3	48.1	371	52.0	2.73	46.7	57.6
1992	2,664	50.3	1.00	48.4	52.3	405	56.6	2.84	51.2	62.4
1993	2,791	52.2	1.01	50.2	54.2	473	65.0	3.02	59.2	71.1
1994	3,055	56.2	1.03	54.2	58.3	484	65.5	3.01	59.8	71.7
1995	3,091	57.3	1.05	55.2	59.3	498	65.4	2.96	59.8	71.5
1996	3,138	58.1	1.05	56.1	60.2	537	70.1	3.05	64.3	76.3
1997	3,136	57.5	1.04	55.5	59.6	496	63.3	2.86	57.8	69.1
1998	3,185	58.1	1.04	56.1	60.2	512	64.4	2.86	58.9	70.2
1999	3,264	59.5	1.05	57.4	61.6	544	67.1	2.90	61.5	73.0
2000	3,295	60.1	1.06	58.1	62.2	480	58.4	2.68	53.3	63.9
2001	3,342	60.8	1.07	58.8	63.0	525	63.5	2.79	58.1	69.2
2002	3,469	62.8	1.08	60.7	65.0	603	71.4	2.93	65.8	77.4
2003	3,543	64.3	1.09	62.1	66.4	609	70.7	2.88	65.2	76.6
2004	3,443	62.1	1.07	60.0	64.3	599	68.4	2.81	63.0	74.1
2005	3,573	64.4	1.09	62.3	66.6	584	65.8	2.74	60.5	71.4
2006	3,660	65.4	1.10	63.3	67.6	651	72.2	2.85	66.7	78.0
2007	3,737	66.3	1.10	64.2	68.5	618	68.1	2.76	62.8	73.8
2008	3,727	65.5	1.09	63.4	67.7	618	66.1	2.68	60.9	71.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Larynx										
Both Sexes										
Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	353	3.4	0.20	3.0	3.8	10,772	5.0	0.05	4.9	5.1
1990	12	3.2	1.03	1.5	5.9	579	5.5	0.23	5.1	6.0
1991	12	3.4	1.06	1.7	6.1	603	5.7	0.23	5.2	6.1
1992	15	4.1	1.14	2.2	6.9	587	5.5	0.23	5.1	6.0
1993	19	3.9	0.96	2.2	6.3	585	5.4	0.22	5.0	5.9
1994	19	4.2	1.06	2.4	6.8	573	5.3	0.22	4.8	5.7
1995	19	4.6	1.18	2.6	7.4	639	5.9	0.23	5.4	6.3
1996	20	5.1	1.30	2.9	8.2	622	5.7	0.23	5.3	6.2
1997	19	5.2	1.37	2.9	8.4	596	5.4	0.22	5.0	5.9
1998	17	4.5	1.24	2.4	7.4	549	4.9	0.21	4.5	5.3
1999	16	3.3	0.91	1.8	5.5	560	5.0	0.21	4.6	5.4
2000	19	3.2	0.78	1.8	5.1	583	5.2	0.21	4.8	5.6
2001	19	2.9	0.76	1.6	4.8	544	4.8	0.20	4.4	5.2
2002	16	2.6	0.72	1.4	4.4	577	5.0	0.21	4.6	5.4
2003	20	2.7	0.65	1.6	4.3	538	4.6	0.20	4.2	5.0
2004	18	2.8	0.76	1.6	4.6	517	4.4	0.19	4.0	4.8
2005	17	2.6	0.67	1.5	4.2	540	4.5	0.20	4.2	4.9
2006	15	1.9	0.53	1.0	3.1	518	4.3	0.19	3.9	4.7
2007	30	3.6	0.70	2.4	5.2	545	4.4	0.19	4.1	4.8
2008	31	3.2	0.60	2.1	4.6	517	4.2	0.18	3.8	4.5
Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	8,527	4.7	0.05	4.6	4.8	2,093	7.6	0.17	7.3	8.0
1990	461	5.0	0.24	4.6	5.5	112	9.2	0.88	7.5	11.1
1991	483	5.2	0.24	4.7	5.7	116	9.3	0.87	7.6	11.1
1992	463	5.0	0.24	4.6	5.5	118	9.4	0.88	7.8	11.3
1993	467	5.0	0.23	4.5	5.4	111	8.7	0.84	7.2	10.6
1994	466	5.0	0.23	4.6	5.5	98	7.4	0.75	6.0	9.0
1995	501	5.4	0.24	4.9	5.9	134	10.1	0.88	8.4	11.9
1996	501	5.4	0.24	4.9	5.9	112	8.3	0.79	6.8	10.0
1997	458	4.9	0.23	4.5	5.4	128	9.1	0.81	7.6	10.8
1998	427	4.5	0.22	4.1	4.9	110	7.9	0.76	6.5	9.5
1999	442	4.7	0.22	4.2	5.1	111	7.6	0.73	6.2	9.2
2000	474	5.0	0.23	4.6	5.5	98	6.7	0.69	5.4	8.2
2001	420	4.4	0.21	4.0	4.8	115	7.6	0.72	6.3	9.2
2002	455	4.7	0.22	4.3	5.1	117	7.8	0.73	6.4	9.3
2003	407	4.1	0.21	3.8	4.6	125	8.2	0.74	6.8	9.8
2004	399	4.0	0.20	3.7	4.5	106	6.9	0.68	5.6	8.3
2005	434	4.4	0.21	4.0	4.8	100	6.2	0.63	5.0	7.6
2006	416	4.2	0.21	3.8	4.6	90	5.6	0.60	4.5	6.9
2007	426	4.2	0.20	3.8	4.6	112	6.8	0.65	5.6	8.2
2008	427	4.2	0.20	3.8	4.6	80	4.8	0.54	3.8	6.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Larynx

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	294	6.2	0.41	5.4	7.0	8,589	9.1	0.10	8.9	9.3
1990	7	3.8	1.70	1.3	8.7	453	10.0	0.48	9.0	10.9
1991	11	7.2	2.47	3.2	13.5	485	10.4	0.48	9.5	11.4
1992	10	6.2	2.26	2.6	12.0	463	10.0	0.47	9.1	11.0
1993	15	6.6	1.96	3.3	11.7	477	9.9	0.46	9.0	10.8
1994	15	7.6	2.34	3.7	13.4	457	9.5	0.45	8.7	10.5
1995	16	9.1	2.72	4.6	15.7	492	10.4	0.48	9.5	11.4
1996	18	10.7	3.08	5.5	18.0	475	9.9	0.46	9.1	10.9
1997	16	10.3	3.08	5.2	17.6	471	9.7	0.45	8.8	10.6
1998	11	6.6	2.39	2.8	12.5	456	9.3	0.44	8.5	10.2
1999	13	5.8	1.88	2.7	10.5	466	9.4	0.44	8.6	10.3
2000	19	6.7	1.68	3.8	10.8	467	9.3	0.43	8.5	10.2
2001	13	5.2	1.63	2.5	9.2	437	8.8	0.42	8.0	9.6
2002	14	5.0	1.54	2.4	8.8	459	9.0	0.42	8.2	9.9
2003	19	5.4	1.36	3.1	8.8	415	8.1	0.40	7.3	8.9
2004	15	5.9	1.73	3.0	10.0	420	8.0	0.40	7.3	8.9
2005	15	5.2	1.44	2.8	8.6	426	8.0	0.39	7.3	8.8
2006	14	3.5	1.08	1.8	6.2	422	7.9	0.39	7.1	8.7
2007	26	6.9	1.46	4.3	10.2	434	8.0	0.39	7.2	8.8
2008	27	5.5	1.13	3.5	8.2	414	7.4	0.37	6.7	8.2

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	6,839	8.5	0.10	8.3	8.7	1,632	14.4	0.37	13.6	15.1
1990	358	9.0	0.49	8.1	10.0	91	17.7	1.91	14.1	21.8
1991	394	9.6	0.49	8.7	10.7	87	16.5	1.81	13.2	20.5
1992	373	9.2	0.49	8.3	10.2	84	16.2	1.85	12.8	20.2
1993	383	9.1	0.47	8.2	10.0	88	16.8	1.87	13.3	20.8
1994	370	9.0	0.47	8.1	9.9	80	14.4	1.65	11.3	18.0
1995	393	9.6	0.49	8.7	10.7	96	17.3	1.84	13.9	21.3
1996	380	9.3	0.48	8.3	10.2	88	15.6	1.72	12.5	19.4
1997	360	8.6	0.46	7.8	9.6	103	17.4	1.74	14.1	21.1
1998	361	8.6	0.46	7.8	9.6	86	14.8	1.65	11.8	18.4
1999	368	8.7	0.46	7.9	9.7	92	15.2	1.63	12.1	18.7
2000	384	9.0	0.46	8.1	10.0	78	13.1	1.55	10.3	16.5
2001	341	8.1	0.44	7.3	9.1	89	13.9	1.50	11.1	17.1
2002	369	8.6	0.45	7.7	9.5	86	14.0	1.56	11.1	17.3
2003	323	7.5	0.42	6.7	8.3	87	14.1	1.58	11.2	17.6
2004	331	7.5	0.42	6.7	8.4	79	12.6	1.49	9.8	15.8
2005	339	7.6	0.42	6.8	8.5	81	11.9	1.35	9.4	14.8
2006	341	7.6	0.42	6.8	8.5	71	10.9	1.36	8.4	13.8
2007	332	7.3	0.41	6.5	8.1	98	14.4	1.50	11.6	17.7
2008	339	7.2	0.40	6.5	8.1	68	10.0	1.26	7.7	12.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Larynx

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	59	1.0	0.14	0.7	1.3	2,183	1.9	0.04	1.8	1.9
1990	5	2.7	1.27	0.8	6.3	126	2.2	0.20	1.8	2.6
1991	1	0.5	0.45	0.0	2.5	118	2.0	0.19	1.7	2.5
1992	5	2.5	1.15	0.8	5.8	124	2.1	0.19	1.8	2.5
1993	4	1.5	0.76	0.4	3.9	108	1.8	0.18	1.5	2.2
1994	4	1.5	0.74	0.4	3.8	116	1.9	0.18	1.6	2.3
1995	3	1.2	0.68	0.2	3.4	147	2.5	0.21	2.1	2.9
1996	2	1.0	0.74	0.1	3.4	147	2.5	0.21	2.1	2.9
1997	3	1.4	0.98	0.2	4.3	125	2.1	0.19	1.7	2.5
1998	6	3.0	1.32	1.0	6.4	93	1.5	0.15	1.2	1.8
1999	3	1.3	0.76	0.2	3.6	94	1.6	0.16	1.3	1.9
2000	0					116	1.9	0.17	1.6	2.3
2001	6	1.1	0.47	0.4	2.7	107	1.7	0.17	1.4	2.1
2002	2	0.6	0.40	0.1	2.0	118	1.9	0.17	1.5	2.2
2003	1	0.2	0.21	0.0	1.3	123	2.0	0.18	1.6	2.3
2004	3	0.4	0.26	0.1	1.5	97	1.5	0.15	1.2	1.8
2005	2	0.4	0.28	0.1	1.5	114	1.8	0.17	1.5	2.2
2006	1	0.3	0.31	0.0	1.4	96	1.5	0.15	1.2	1.8
2007	4	0.7	0.35	0.2	1.8	111	1.7	0.16	1.4	2.1
2008	4	0.9	0.47	0.2	2.3	103	1.5	0.15	1.2	1.9

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,688	1.7	0.04	1.6	1.8	461	2.9	0.14	2.6	3.2
1990	103	2.1	0.21	1.7	2.5	21	3.0	0.66	1.9	4.6
1991	89	1.7	0.19	1.4	2.2	29	4.0	0.75	2.7	5.7
1992	90	1.8	0.19	1.4	2.2	34	4.7	0.81	3.3	6.6
1993	84	1.7	0.18	1.3	2.1	23	3.1	0.65	1.9	4.6
1994	96	1.9	0.20	1.5	2.3	18	2.3	0.55	1.4	3.6
1995	108	2.2	0.21	1.8	2.6	38	4.9	0.80	3.5	6.8
1996	121	2.4	0.22	2.0	2.9	24	3.1	0.64	2.0	4.7
1997	98	1.9	0.20	1.6	2.4	25	3.0	0.61	2.0	4.5
1998	66	1.2	0.15	1.0	1.6	24	3.0	0.62	1.9	4.5
1999	74	1.5	0.17	1.1	1.8	19	2.2	0.51	1.3	3.5
2000	90	1.7	0.18	1.4	2.1	20	2.3	0.52	1.4	3.6
2001	79	1.5	0.17	1.2	1.9	26	3.1	0.60	2.0	4.5
2002	86	1.6	0.18	1.3	2.0	31	3.5	0.62	2.4	4.9
2003	84	1.6	0.18	1.3	2.0	38	4.2	0.68	3.0	5.8
2004	68	1.3	0.16	1.0	1.6	27	3.0	0.58	2.0	4.4
2005	95	1.8	0.19	1.5	2.2	19	2.1	0.48	1.3	3.2
2006	75	1.4	0.16	1.1	1.8	19	2.0	0.47	1.2	3.2
2007	94	1.8	0.18	1.4	2.2	14	1.5	0.40	0.8	2.5
2008	88	1.6	0.17	1.3	2.0	12	1.2	0.35	0.6	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lung & Bronchus

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	3,426	37.1	0.70	35.7	38.4	159,801	73.8	0.18	73.4	74.1
1990	112	36.4	3.86	29.2	44.6	7,170	67.0	0.80	65.5	68.6
1991	97	30.1	3.40	23.8	37.4	7,103	65.6	0.79	64.1	67.1
1992	107	31.1	3.34	24.9	38.2	7,537	69.1	0.80	67.6	70.7
1993	122	32.2	3.22	26.2	39.0	7,914	72.2	0.82	70.6	73.8
1994	138	35.7	3.41	29.3	42.9	8,502	76.9	0.84	75.2	78.5
1995	160	47.7	4.16	39.8	56.4	8,455	76.2	0.83	74.6	77.8
1996	174	44.2	3.77	37.1	52.0	8,445	76.0	0.83	74.3	77.6
1997	165	41.2	3.57	34.5	48.6	8,370	74.7	0.82	73.2	76.4
1998	205	52.2	4.05	44.5	60.6	8,497	75.3	0.82	73.7	77.0
1999	195	42.8	3.45	36.3	50.0	8,568	75.6	0.82	74.0	77.2
2000	177	36.3	3.08	30.5	42.7	8,435	74.0	0.81	72.5	75.6
2001	197	41.0	3.26	34.9	47.8	8,597	75.1	0.81	73.5	76.7
2002	180	34.7	2.88	29.3	40.7	8,861	76.8	0.82	75.2	78.4
2003	200	35.0	2.69	29.9	40.6	8,887	76.3	0.81	74.7	77.9
2004	242	39.0	2.75	33.8	44.7	8,631	73.7	0.80	72.2	75.3
2005	229	34.8	2.50	30.1	40.0	8,800	74.6	0.80	73.0	76.1
2006	229	32.9	2.34	28.4	37.7	9,022	75.9	0.80	74.4	77.5
2007	232	32.6	2.27	28.3	37.3	9,075	75.4	0.80	73.9	77.0
2008	265	33.5	2.21	29.3	38.1	8,932	73.0	0.78	71.5	74.5

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	134,953	72.7	0.20	72.3	73.1	22,944	88.4	0.59	87.2	89.5
1990	6,134	65.3	0.84	63.7	67.0	988	83.2	2.70	78.0	88.7
1991	6,118	64.4	0.83	62.8	66.1	929	76.5	2.56	71.6	81.7
1992	6,459	67.9	0.85	66.2	69.6	1,025	83.9	2.67	78.7	89.3
1993	6,676	69.9	0.86	68.2	71.6	1,170	94.4	2.82	88.9	100.1
1994	7,243	75.3	0.89	73.5	77.0	1,188	94.7	2.80	89.3	100.3
1995	7,132	74.1	0.88	72.4	75.9	1,243	96.1	2.78	90.7	101.7
1996	7,083	73.7	0.88	72.0	75.4	1,274	98.3	2.80	92.9	103.9
1997	7,079	73.3	0.87	71.6	75.0	1,209	91.1	2.66	86.0	96.5
1998	7,149	73.7	0.87	72.0	75.4	1,234	91.9	2.66	86.8	97.2
1999	7,234	74.4	0.88	72.7	76.1	1,238	90.7	2.62	85.6	95.9
2000	7,174	73.7	0.87	72.0	75.4	1,164	83.5	2.48	78.7	88.5
2001	7,295	74.8	0.88	73.0	76.5	1,201	85.9	2.52	81.1	91.0
2002	7,470	76.1	0.88	74.4	77.9	1,270	88.8	2.53	83.9	93.9
2003	7,497	76.0	0.88	74.3	77.8	1,273	87.6	2.49	82.7	92.6
2004	7,218	72.9	0.86	71.3	74.7	1,301	88.6	2.50	83.8	93.6
2005	7,372	74.2	0.87	72.5	75.9	1,272	85.2	2.43	80.5	90.1
2006	7,524	75.3	0.87	73.5	77.0	1,352	89.3	2.47	84.5	94.2
2007	7,601	75.4	0.87	73.7	77.1	1,322	86.9	2.43	82.2	91.8
2008	7,495	73.2	0.85	71.6	74.9	1,291	82.3	2.33	77.8	87.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lung & Bronchus

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,946	46.7	1.20	44.4	49.1	91,017	99.6	0.33	98.9	100.2
1990	57	45.2	7.31	32.1	61.2	4,516	100.2	1.53	97.2	103.3
1991	57	39.4	6.12	28.3	52.8	4,424	97.0	1.49	94.1	100.0
1992	61	41.4	6.30	30.0	55.2	4,617	99.8	1.50	96.9	102.8
1993	77	45.0	6.07	33.9	58.2	4,786	103.9	1.53	101.0	107.0
1994	80	44.9	6.11	33.7	58.2	5,089	110.3	1.57	107.2	113.4
1995	95	66.7	7.99	52.0	83.7	5,001	106.7	1.53	103.7	109.7
1996	112	63.0	7.04	50.0	78.0	4,918	105.3	1.52	102.3	108.3
1997	98	53.9	6.36	42.2	67.5	4,860	103.3	1.50	100.3	106.2
1998	108	66.4	7.45	52.6	82.2	4,902	103.0	1.48	100.1	105.9
1999	111	52.2	5.81	41.4	64.6	4,864	101.7	1.47	98.8	104.6
2000	108	47.7	5.31	37.8	59.0	4,771	98.8	1.44	96.0	101.7
2001	109	50.4	5.49	40.2	62.0	4,844	100.2	1.45	97.4	103.1
2002	92	42.5	5.04	33.2	53.2	4,881	100.4	1.45	97.6	103.3
2003	118	46.5	4.73	37.7	56.5	4,868	98.4	1.42	95.6	101.2
2004	130	43.0	4.25	35.1	52.0	4,682	94.0	1.39	91.3	96.8
2005	133	43.0	4.15	35.3	51.8	4,732	93.9	1.38	91.2	96.7
2006	131	41.1	3.97	33.7	49.4	4,798	95.1	1.39	92.4	97.9
2007	133	41.2	3.88	34.0	49.4	4,805	93.7	1.37	91.0	96.4
2008	136	38.0	3.52	31.5	45.4	4,659	89.0	1.33	86.5	91.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	76,308	96.9	0.35	96.2	97.6	13,525	129.2	1.16	126.9	131.5
1990	3,842	96.8	1.60	93.7	100.0	638	132.3	5.51	121.7	143.5
1991	3,796	94.6	1.57	91.6	97.7	591	119.5	5.16	109.6	130.0
1992	3,925	96.8	1.57	93.8	99.9	661	132.4	5.41	122.1	143.4
1993	4,012	99.6	1.60	96.5	102.8	730	144.9	5.64	134.0	156.3
1994	4,319	107.2	1.66	104.0	110.5	727	143.7	5.62	132.9	155.1
1995	4,168	102.2	1.60	99.0	105.4	786	149.6	5.61	138.8	161.0
1996	4,099	101.1	1.60	98.0	104.2	765	146.3	5.54	135.6	157.5
1997	4,066	99.9	1.58	96.8	103.0	741	137.9	5.28	127.7	148.6
1998	4,069	98.8	1.56	95.8	101.9	750	139.4	5.34	129.1	150.2
1999	4,087	99.1	1.56	96.0	102.2	717	131.1	5.12	121.3	141.5
2000	4,000	96.4	1.53	93.4	99.4	714	125.8	4.91	116.4	135.8
2001	4,067	98.0	1.55	95.0	101.1	705	124.8	4.91	115.3	134.7
2002	4,115	99.0	1.55	96.0	102.1	700	120.3	4.75	111.2	130.0
2003	4,082	96.8	1.52	93.8	99.8	706	119.8	4.71	110.7	129.3
2004	3,878	91.4	1.48	88.6	94.4	735	126.0	4.87	116.6	135.9
2005	3,922	91.7	1.48	88.8	94.6	711	119.9	4.74	110.8	129.5
2006	3,981	93.0	1.49	90.1	96.0	725	120.2	4.69	111.2	129.7
2007	3,992	91.9	1.47	89.0	94.8	731	121.8	4.75	112.6	131.4
2008	3,888	88.0	1.43	85.3	90.9	692	110.7	4.42	102.2	119.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Lung & Bronchus

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,480	29.4	0.82	27.9	31.1	68,784	55.9	0.21	55.5	56.4
1990	55	31.3	4.49	23.1	41.2	2,654	44.3	0.88	42.6	46.1
1991	40	23.0	3.90	16.0	31.7	2,679	43.9	0.86	42.2	45.6
1992	46	24.2	3.79	17.4	32.6	2,920	47.6	0.89	45.9	49.4
1993	45	22.3	3.53	15.9	30.1	3,128	50.5	0.91	48.7	52.3
1994	58	28.8	4.04	21.4	37.6	3,413	54.2	0.94	52.4	56.1
1995	65	34.5	4.54	26.1	44.3	3,454	55.0	0.95	53.1	56.9
1996	62	29.4	4.08	21.9	38.2	3,527	55.9	0.95	54.1	57.8
1997	67	31.2	4.11	23.7	40.1	3,510	55.0	0.94	53.2	56.9
1998	97	42.7	4.67	34.0	52.6	3,595	56.0	0.94	54.2	57.9
1999	84	35.0	4.19	27.3	44.0	3,704	57.5	0.95	55.6	59.4
2000	69	26.4	3.54	20.0	34.1	3,664	56.6	0.94	54.7	58.4
2001	88	33.1	3.88	26.0	41.4	3,753	57.6	0.95	55.8	59.5
2002	88	29.1	3.40	22.8	36.4	3,980	60.7	0.97	58.8	62.7
2003	82	25.7	3.04	20.0	32.2	4,019	61.1	0.97	59.2	63.0
2004	112	35.2	3.55	28.6	42.7	3,949	59.6	0.96	57.8	61.5
2005	96	27.8	3.01	22.2	34.2	4,068	61.1	0.97	59.2	63.0
2006	98	26.2	2.80	21.0	32.1	4,224	63.0	0.98	61.1	64.9
2007	99	25.7	2.70	20.7	31.4	4,270	62.9	0.97	61.0	64.8
2008	129	29.8	2.79	24.6	35.7	4,273	62.1	0.96	60.3	64.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	58,645	56.0	0.23	55.6	56.5	9,419	61.5	0.64	60.2	62.8
1990	2,292	43.9	0.94	42.1	45.8	350	50.3	2.72	45.1	55.9
1991	2,322	43.6	0.93	41.8	45.5	338	47.5	2.61	42.5	52.9
1992	2,534	47.8	0.97	45.9	49.7	364	50.9	2.70	45.8	56.5
1993	2,664	49.7	0.98	47.8	51.7	440	60.6	2.92	55.0	66.5
1994	2,924	53.6	1.01	51.6	55.6	461	62.5	2.94	56.9	68.5
1995	2,964	54.7	1.02	52.7	56.8	457	60.3	2.84	54.8	66.1
1996	2,984	55.1	1.03	53.1	57.2	509	66.6	2.97	60.9	72.6
1997	3,013	55.1	1.02	53.1	57.2	468	59.8	2.79	54.5	65.5
1998	3,080	56.1	1.03	54.2	58.2	484	60.9	2.79	55.6	66.6
1999	3,147	57.3	1.03	55.3	59.3	521	64.4	2.84	59.0	70.2
2000	3,174	57.8	1.04	55.8	59.9	450	54.9	2.60	49.9	60.2
2001	3,228	58.7	1.05	56.6	60.8	496	60.0	2.71	54.8	65.6
2002	3,355	60.7	1.06	58.6	62.8	570	67.7	2.85	62.2	73.5
2003	3,415	61.8	1.07	59.7	63.9	567	66.1	2.79	60.8	71.8
2004	3,340	60.2	1.05	58.1	62.3	566	64.7	2.74	59.4	70.3
2005	3,450	62.1	1.07	60.0	64.3	561	63.3	2.69	58.1	68.7
2006	3,543	63.3	1.08	61.2	65.5	627	69.7	2.80	64.3	75.4
2007	3,609	64.0	1.08	61.9	66.1	591	65.2	2.70	60.0	70.7
2008	3,607	63.3	1.07	61.3	65.5	599	64.2	2.65	59.1	69.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010