

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Skin excluding Basal & Squamous

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	599	4.4	0.22	4.0	4.8	29,703	14.0	0.08	13.8	14.1
1990	13	2.5	0.92	1.1	4.9	898	8.7	0.29	8.1	9.3
1991	16	3.8	1.24	1.7	6.8	956	9.2	0.30	8.7	9.9
1992	17	2.7	0.70	1.5	4.6	1,019	9.6	0.30	9.0	10.2
1993	16	3.5	1.04	1.8	6.1	966	9.0	0.29	8.4	9.5
1994	19	3.2	0.88	1.7	5.4	1,167	10.8	0.32	10.2	11.4
1995	31	5.4	1.17	3.4	8.2	1,207	11.1	0.32	10.5	11.7
1996	26	4.0	1.02	2.2	6.4	1,315	12.0	0.33	11.3	12.6
1997	26	4.0	1.04	2.2	6.5	1,436	13.0	0.34	12.3	13.7
1998	30	5.9	1.33	3.6	8.9	1,460	13.1	0.34	12.4	13.8
1999	39	6.7	1.36	4.3	9.8	1,520	13.6	0.35	12.9	14.3
2000	35	5.3	1.09	3.4	7.8	1,650	14.7	0.36	14.0	15.4
2001	28	3.4	0.80	2.0	5.3	1,764	15.6	0.37	14.8	16.3
2002	44	5.9	1.09	4.0	8.4	1,780	15.6	0.37	14.9	16.3
2003	42	4.7	0.90	3.1	6.8	1,821	15.9	0.37	15.1	16.6
2004	38	3.7	0.75	2.4	5.5	1,957	17.0	0.39	16.2	17.7
2005	42	4.5	0.81	3.0	6.3	2,177	18.8	0.40	18.0	19.6
2006	47	4.6	0.78	3.2	6.4	2,216	19.1	0.41	18.3	19.9
2007	56	5.5	0.87	3.9	7.4	2,288	19.5	0.41	18.7	20.3
2008	34	2.9	0.55	1.9	4.2	2,106	17.7	0.39	16.9	18.5

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	27,731	15.6	0.09	15.5	15.8	526	1.9	0.08	1.7	2.0
1990	867	9.8	0.34	9.2	10.5	23	1.9	0.41	1.2	2.9
1991	921	10.5	0.35	9.8	11.2	19	1.5	0.37	0.9	2.4
1992	976	10.8	0.35	10.2	11.5	21	1.4	0.32	0.9	2.2
1993	935	10.2	0.34	9.5	10.9	24	1.7	0.36	1.1	2.5
1994	1,118	12.2	0.37	11.5	13.0	17	1.2	0.29	0.7	1.9
1995	1,151	12.6	0.37	11.9	13.3	23	1.6	0.34	1.0	2.4
1996	1,247	13.5	0.39	12.8	14.3	23	1.7	0.36	1.0	2.5
1997	1,344	14.5	0.40	13.7	15.3	30	2.0	0.37	1.3	2.8
1998	1,362	14.6	0.40	13.8	15.4	31	2.2	0.41	1.5	3.1
1999	1,449	15.6	0.41	14.8	16.4	30	2.0	0.38	1.3	2.9
2000	1,535	16.4	0.42	15.6	17.3	25	1.5	0.31	1.0	2.3
2001	1,629	17.4	0.43	16.5	18.2	32	2.2	0.40	1.5	3.1
2002	1,638	17.4	0.43	16.6	18.3	28	1.7	0.32	1.1	2.4
2003	1,652	17.4	0.43	16.6	18.3	37	2.3	0.39	1.6	3.2
2004	1,782	18.8	0.45	17.9	19.7	23	1.5	0.31	0.9	2.2
2005	1,952	20.5	0.47	19.6	21.4	33	2.1	0.38	1.5	3.0
2006	2,027	21.3	0.48	20.4	22.3	42	2.5	0.40	1.8	3.4
2007	2,129	22.3	0.49	21.4	23.3	34	2.1	0.37	1.5	3.0
2008	2,017	20.8	0.47	19.9	21.8	31	1.9	0.35	1.3	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Skin excluding Basal & Squamous

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	298	5.2	0.39	4.5	6.0	16,524	17.7	0.14	17.5	18.0
1990	6	2.9	1.70	0.6	7.9	473	10.6	0.50	9.6	11.6
1991	8	3.1	1.67	0.7	7.9	503	11.0	0.50	10.0	12.0
1992	7	2.4	0.98	0.9	5.6	564	12.1	0.52	11.1	13.2
1993	7	5.3	2.32	1.8	11.3	527	11.2	0.50	10.3	12.3
1994	10	4.5	1.88	1.6	9.5	627	13.3	0.54	12.3	14.4
1995	17	8.0	2.35	4.1	13.8	686	14.4	0.56	13.3	15.5
1996	11	2.5	0.88	1.1	5.3	705	14.5	0.55	13.5	15.7
1997	14	3.7	1.32	1.6	7.3	816	16.7	0.59	15.6	18.0
1998	18	9.6	2.83	4.9	16.4	815	16.8	0.60	15.7	18.0
1999	27	12.6	3.15	7.3	19.9	883	17.9	0.61	16.7	19.1
2000	17	6.0	1.93	2.8	10.7	921	18.6	0.62	17.4	19.8
2001	14	4.6	1.58	2.0	8.6	981	19.6	0.63	18.4	20.9
2002	19	6.7	1.93	3.5	11.4	1,032	20.5	0.65	19.3	21.8
2003	16	3.4	0.96	1.7	5.9	1,012	20.0	0.63	18.7	21.2
2004	17	4.0	1.32	1.8	7.3	1,132	22.1	0.66	20.8	23.4
2005	25	5.4	1.29	3.2	8.5	1,193	23.2	0.68	21.9	24.6
2006	19	4.9	1.37	2.6	8.2	1,208	23.5	0.68	22.1	24.8
2007	28	6.6	1.53	3.9	10.1	1,235	23.7	0.68	22.4	25.1
2008	18	3.1	0.81	1.7	5.1	1,211	22.9	0.67	21.6	24.2

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	15,554	19.7	0.16	19.3	20.0	222	1.9	0.13	1.6	2.1
1990	452	11.7	0.56	10.6	12.8	14	3.0	0.83	1.6	5.0
1991	486	12.3	0.57	11.2	13.4	9	1.9	0.68	0.8	3.7
1992	545	13.6	0.59	12.4	14.8	7	1.1	0.41	0.4	2.3
1993	512	12.7	0.57	11.6	13.8	10	1.8	0.60	0.8	3.3
1994	598	14.8	0.61	13.6	16.0	10	1.7	0.60	0.8	3.3
1995	663	16.3	0.64	15.0	17.6	10	1.9	0.64	0.8	3.5
1996	674	16.3	0.63	15.1	17.6	9	1.6	0.54	0.7	3.0
1997	773	18.6	0.67	17.3	20.0	10	1.6	0.58	0.7	3.1
1998	770	18.6	0.68	17.3	20.0	14	2.1	0.56	1.1	3.5
1999	845	20.2	0.70	18.8	21.6	16	2.2	0.57	1.3	3.7
2000	861	20.6	0.70	19.2	22.0	10	1.4	0.44	0.7	2.6
2001	908	21.5	0.72	20.1	23.0	17	2.8	0.70	1.6	4.5
2002	960	22.7	0.74	21.3	24.2	11	1.5	0.47	0.8	2.8
2003	944	22.1	0.73	20.7	23.6	10	1.6	0.51	0.7	2.9
2004	1,039	24.2	0.76	22.7	25.7	8	1.0	0.36	0.4	2.0
2005	1,083	25.2	0.77	23.7	26.7	11	1.8	0.61	0.9	3.4
2006	1,116	25.9	0.78	24.4	27.5	19	3.0	0.76	1.7	4.9
2007	1,161	26.6	0.79	25.1	28.2	13	1.9	0.54	1.0	3.3
2008	1,164	26.3	0.78	24.8	27.9	14	2.0	0.58	1.0	3.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Skin excluding Basal & Squamous

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	301	3.9	0.26	3.4	4.4	13,179	11.5	0.10	11.3	11.7
1990	7	2.4	1.09	0.7	5.6	425	7.5	0.37	6.8	8.2
1991	8	4.1	1.75	1.5	8.7	453	8.1	0.39	7.3	8.9
1992	10	3.1	1.04	1.4	6.1	455	7.8	0.37	7.1	8.6
1993	9	2.7	0.95	1.2	5.4	439	7.4	0.36	6.7	8.2
1994	9	2.5	0.86	1.1	5.0	540	9.1	0.40	8.4	9.9
1995	14	3.6	1.12	1.7	6.6	521	8.8	0.39	8.1	9.6
1996	15	5.0	1.58	2.4	8.9	610	10.2	0.42	9.4	11.0
1997	12	4.0	1.45	1.7	7.7	620	10.4	0.42	9.6	11.2
1998	12	3.2	1.16	1.4	6.2	645	10.6	0.42	9.8	11.4
1999	12	2.4	0.81	1.1	4.6	637	10.5	0.42	9.7	11.4
2000	18	4.9	1.32	2.7	8.2	729	12.0	0.45	11.1	12.9
2001	14	2.7	0.82	1.3	4.8	783	12.8	0.46	11.9	13.7
2002	25	5.5	1.31	3.3	8.7	748	12.3	0.45	11.4	13.2
2003	26	5.9	1.39	3.5	9.2	809	13.1	0.47	12.2	14.1
2004	21	3.7	0.94	2.1	6.1	825	13.3	0.47	12.4	14.3
2005	17	3.6	1.02	1.9	6.1	984	15.9	0.51	14.9	17.0
2006	28	4.7	0.96	3.0	7.0	1,008	16.3	0.52	15.3	17.4
2007	28	4.8	1.03	3.0	7.2	1,053	17.0	0.53	16.0	18.1
2008	16	2.8	0.76	1.5	4.6	895	14.4	0.49	13.5	15.4

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	12,177	13.0	0.12	12.8	13.2	304	1.9	0.11	1.7	2.1
1990	415	8.7	0.44	7.9	9.6	9	1.2	0.42	0.6	2.3
1991	435	9.3	0.46	8.4	10.2	10	1.3	0.43	0.6	2.5
1992	431	8.9	0.44	8.0	9.7	14	1.7	0.46	0.9	2.8
1993	423	8.5	0.42	7.7	9.4	14	1.7	0.46	0.9	2.8
1994	520	10.6	0.47	9.7	11.5	7	0.8	0.31	0.3	1.7
1995	488	10.0	0.46	9.1	10.9	13	1.4	0.40	0.8	2.5
1996	573	11.6	0.49	10.7	12.6	14	1.7	0.47	0.9	2.9
1997	571	11.6	0.49	10.7	12.6	20	2.3	0.52	1.4	3.6
1998	592	11.8	0.49	10.9	12.8	17	2.1	0.53	1.2	3.4
1999	604	12.3	0.51	11.3	13.3	14	1.7	0.47	0.9	2.9
2000	674	13.6	0.53	12.6	14.7	15	1.6	0.42	0.9	2.7
2001	721	14.5	0.55	13.5	15.6	15	1.8	0.46	1.0	2.9
2002	678	13.8	0.54	12.8	14.9	17	1.8	0.44	1.0	2.9
2003	708	14.2	0.54	13.1	15.3	27	2.9	0.56	1.9	4.2
2004	743	14.9	0.56	13.9	16.1	15	1.7	0.45	1.0	2.8
2005	869	17.6	0.61	16.4	18.8	22	2.4	0.52	1.5	3.6
2006	911	18.5	0.63	17.3	19.7	23	2.4	0.50	1.5	3.6
2007	968	19.9	0.66	18.6	21.2	21	2.2	0.49	1.4	3.4
2008	853	17.3	0.61	16.2	18.6	17	1.9	0.46	1.1	3.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Melanoma of the Skin

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	467	3.6	0.20	3.2	4.0	26,907	12.7	0.08	12.5	12.8
1990	11	2.3	0.90	0.9	4.7	800	7.7	0.28	7.2	8.3
1991	12	3.1	1.19	1.2	6.1	866	8.4	0.29	7.8	8.9
1992	13	2.3	0.66	1.2	4.1	908	8.6	0.29	8.0	9.2
1993	12	2.6	0.86	1.2	4.8	840	7.8	0.27	7.3	8.3
1994	13	2.5	0.82	1.2	4.6	1,048	9.7	0.30	9.1	10.3
1995	26	4.5	1.05	2.7	7.0	1,092	10.1	0.31	9.5	10.7
1996	16	2.4	0.75	1.1	4.3	1,186	10.8	0.31	10.2	11.5
1997	19	3.2	0.95	1.6	5.5	1,301	11.8	0.33	11.1	12.4
1998	26	5.1	1.21	3.0	7.9	1,310	11.8	0.33	11.1	12.4
1999	28	5.1	1.20	3.0	7.9	1,384	12.4	0.33	11.7	13.1
2000	30	4.8	1.06	2.9	7.3	1,487	13.2	0.34	12.6	13.9
2001	23	2.8	0.72	1.5	4.5	1,593	14.1	0.35	13.4	14.8
2002	35	4.6	0.92	3.0	6.7	1,619	14.2	0.35	13.5	14.9
2003	35	4.2	0.87	2.7	6.2	1,651	14.4	0.36	13.7	15.1
2004	34	3.5	0.74	2.2	5.2	1,790	15.5	0.37	14.8	16.3
2005	31	3.4	0.70	2.1	5.0	1,994	17.2	0.39	16.5	18.0
2006	37	3.5	0.66	2.3	5.0	2,008	17.3	0.39	16.5	18.0
2007	41	4.3	0.79	2.9	6.1	2,119	18.1	0.40	17.3	18.9
2008	25	2.4	0.52	1.5	3.6	1,911	16.1	0.37	15.4	16.8

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	25,369	14.4	0.09	14.2	14.5	224	0.9	0.06	0.8	1.0
1990	784	8.9	0.32	8.2	9.5	9	0.8	0.27	0.4	1.5
1991	843	9.6	0.33	8.9	10.3	10	0.8	0.28	0.4	1.6
1992	887	9.9	0.33	9.2	10.5	9	0.6	0.21	0.3	1.2
1993	829	9.1	0.32	8.5	9.7	4	0.3	0.13	0.1	0.7
1994	1,013	11.1	0.35	10.4	11.8	8	0.6	0.22	0.3	1.2
1995	1,054	11.5	0.36	10.9	12.3	9	0.7	0.25	0.3	1.4
1996	1,140	12.4	0.37	11.7	13.2	9	0.8	0.28	0.4	1.6
1997	1,227	13.3	0.38	12.6	14.1	15	1.1	0.28	0.6	1.8
1998	1,238	13.3	0.38	12.6	14.1	10	0.8	0.24	0.4	1.4
1999	1,331	14.3	0.39	13.6	15.1	16	1.2	0.30	0.7	1.9
2000	1,392	14.9	0.40	14.2	15.8	11	0.7	0.22	0.4	1.3
2001	1,481	15.8	0.41	15.0	16.6	17	1.3	0.32	0.7	2.0
2002	1,508	16.1	0.42	15.3	16.9	13	0.8	0.23	0.4	1.4
2003	1,507	16.0	0.41	15.2	16.8	21	1.4	0.30	0.8	2.1
2004	1,639	17.3	0.43	16.5	18.2	10	0.7	0.22	0.3	1.2
2005	1,804	19.0	0.45	18.1	19.9	14	1.0	0.28	0.5	1.7
2006	1,850	19.5	0.46	18.6	20.4	18	1.2	0.29	0.7	1.9
2007	1,987	20.9	0.48	20.0	21.9	15	1.0	0.25	0.5	1.6
2008	1,855	19.2	0.45	18.3	20.1	6	0.4	0.18	0.2	0.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Melanoma of the Skin

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	223	4.2	0.35	3.5	4.9	15,058	16.1	0.13	15.8	16.4
1990	4	2.5	1.68	0.4	7.6	419	9.3	0.46	8.4	10.2
1991	6	2.6	1.61	0.4	7.4	466	10.1	0.48	9.2	11.1
1992	5	2.1	0.96	0.7	5.4	499	10.7	0.49	9.7	11.7
1993	6	3.8	1.82	1.1	8.8	467	9.8	0.46	8.9	10.8
1994	6	3.6	1.79	1.0	8.5	555	11.7	0.51	10.8	12.8
1995	14	6.2	2.01	2.9	11.3	630	13.1	0.53	12.1	14.2
1996	7	1.5	0.71	0.4	4.0	646	13.3	0.53	12.3	14.4
1997	10	3.2	1.29	1.2	6.8	739	15.1	0.56	14.0	16.2
1998	15	7.8	2.42	3.8	13.7	742	15.3	0.57	14.2	16.4
1999	20	9.8	2.80	5.1	16.5	808	16.3	0.58	15.2	17.4
2000	14	5.5	1.90	2.4	10.2	835	16.7	0.58	15.6	17.9
2001	13	4.4	1.58	1.9	8.4	892	17.8	0.60	16.7	19.0
2002	14	5.2	1.58	2.5	9.0	941	18.6	0.61	17.4	19.8
2003	11	2.5	0.86	1.1	4.8	938	18.4	0.61	17.2	19.6
2004	15	3.7	1.30	1.6	6.9	1,045	20.3	0.63	19.1	21.6
2005	16	3.6	1.05	1.8	6.2	1,085	21.0	0.65	19.8	22.4
2006	15	3.9	1.23	1.9	6.9	1,095	21.2	0.65	20.0	22.6
2007	21	5.4	1.42	3.0	8.7	1,155	22.1	0.66	20.9	23.5
2008	11	2.2	0.74	1.0	4.1	1,101	20.8	0.64	19.5	22.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	14,282	18.0	0.15	17.7	18.3	91	0.9	0.10	0.7	1.1
1990	405	10.3	0.52	9.3	11.4	7	1.5	0.58	0.6	3.1
1991	457	11.5	0.55	10.4	12.6	2	0.6	0.49	0.1	2.1
1992	490	12.2	0.56	11.1	13.3	3	0.4	0.25	0.1	1.4
1993	460	11.2	0.53	10.2	12.3	2	0.3	0.23	0.0	1.2
1994	535	13.2	0.58	12.1	14.4	4	0.8	0.42	0.2	2.1
1995	614	15.0	0.61	13.8	16.2	4	1.0	0.53	0.2	2.5
1996	622	15.0	0.61	13.9	16.3	3	0.6	0.34	0.1	1.6
1997	703	16.8	0.64	15.6	18.1	5	1.0	0.49	0.3	2.3
1998	710	17.1	0.65	15.9	18.4	4	0.7	0.38	0.2	1.9
1999	778	18.5	0.67	17.2	19.8	8	1.1	0.41	0.5	2.3
2000	784	18.6	0.67	17.3	20.0	5	0.8	0.35	0.3	1.8
2001	832	19.7	0.69	18.4	21.1	9	1.6	0.55	0.7	3.0
2002	885	20.8	0.70	19.4	22.2	6	0.9	0.37	0.3	2.0
2003	874	20.4	0.70	19.1	21.8	7	1.1	0.44	0.4	2.3
2004	962	22.3	0.72	20.9	23.8	2	0.3	0.20	0.0	1.0
2005	995	23.1	0.74	21.6	24.5	2	0.5	0.39	0.0	1.7
2006	1,017	23.6	0.75	22.1	25.1	8	1.6	0.62	0.6	3.2
2007	1,090	25.0	0.77	23.5	26.6	7	1.1	0.42	0.4	2.2
2008	1,069	24.1	0.75	22.6	25.6	3	0.5	0.30	0.1	1.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Melanoma of the Skin

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	244	3.2	0.24	2.7	3.7	11,849	10.4	0.10	10.2	10.6
1990	7	2.4	1.09	0.7	5.6	381	6.7	0.35	6.0	7.4
1991	6	3.4	1.67	1.0	7.9	400	7.2	0.36	6.5	7.9
1992	8	2.6	0.95	1.1	5.3	409	7.0	0.35	6.4	7.8
1993	6	1.9	0.83	0.6	4.5	373	6.4	0.33	5.7	7.1
1994	7	2.1	0.81	0.8	4.5	493	8.4	0.38	7.6	9.1
1995	12	3.2	1.09	1.4	6.1	462	7.8	0.37	7.1	8.6
1996	9	3.1	1.19	1.2	6.2	540	9.1	0.39	8.3	9.9
1997	9	3.1	1.27	1.1	6.4	562	9.5	0.40	8.7	10.3
1998	11	3.1	1.15	1.3	6.2	568	9.4	0.40	8.6	10.2
1999	8	1.6	0.64	0.6	3.5	576	9.5	0.40	8.8	10.4
2000	16	4.5	1.28	2.3	7.7	652	10.8	0.42	9.9	11.6
2001	10	1.5	0.51	0.7	3.1	701	11.5	0.44	10.7	12.4
2002	21	4.4	1.11	2.5	7.1	678	11.2	0.43	10.4	12.1
2003	24	5.7	1.38	3.3	9.0	713	11.7	0.44	10.8	12.6
2004	19	3.6	0.93	2.0	5.9	745	12.1	0.45	11.2	13.0
2005	15	3.1	0.93	1.6	5.5	909	14.8	0.50	13.8	15.8
2006	22	3.5	0.78	2.1	5.4	913	14.8	0.50	13.9	15.9
2007	20	3.6	0.91	2.1	5.9	964	15.7	0.51	14.7	16.7
2008	14	2.6	0.75	1.4	4.5	810	13.1	0.47	12.2	14.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	11,087	12.0	0.12	11.7	12.2	133	0.9	0.08	0.7	1.0
1990	379	8.0	0.42	7.2	8.9	2	0.3	0.22	0.0	1.1
1991	386	8.3	0.43	7.5	9.2	8	1.1	0.39	0.4	2.1
1992	397	8.2	0.42	7.4	9.0	6	0.8	0.31	0.3	1.6
1993	369	7.5	0.40	6.8	8.4	2	0.2	0.15	0.0	0.8
1994	478	9.8	0.45	8.9	10.7	4	0.5	0.26	0.1	1.3
1995	440	9.1	0.44	8.2	10.0	5	0.6	0.28	0.2	1.4
1996	518	10.6	0.47	9.7	11.5	6	0.9	0.38	0.3	1.9
1997	524	10.8	0.48	9.9	11.8	10	1.2	0.38	0.6	2.2
1998	528	10.7	0.47	9.8	11.7	6	0.8	0.32	0.3	1.7
1999	553	11.3	0.49	10.4	12.3	8	1.1	0.38	0.5	2.1
2000	608	12.4	0.51	11.4	13.4	6	0.7	0.28	0.3	1.5
2001	649	13.2	0.53	12.2	14.3	8	1.0	0.35	0.4	1.9
2002	623	12.9	0.52	11.9	13.9	7	0.8	0.30	0.3	1.6
2003	633	12.9	0.52	11.9	13.9	14	1.5	0.41	0.8	2.6
2004	677	13.7	0.54	12.7	14.8	8	0.9	0.33	0.4	1.8
2005	809	16.5	0.59	15.3	17.7	12	1.4	0.40	0.7	2.4
2006	833	17.0	0.60	15.9	18.3	10	1.1	0.34	0.5	2.0
2007	897	18.6	0.64	17.3	19.9	8	0.9	0.30	0.4	1.7
2008	786	16.2	0.59	15.0	17.4	3	0.4	0.21	0.1	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010