

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Soft Tissue including Heart

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	443	2.5	0.15	2.2	2.8	6,027	2.9	0.04	2.8	2.9
1990	12	1.7	0.60	0.7	3.4	241	2.3	0.15	2.0	2.6
1991	11	1.7	0.56	0.8	3.3	213	2.0	0.14	1.8	2.3
1992	15	2.5	0.81	1.2	4.7	247	2.3	0.15	2.0	2.6
1993	11	1.4	0.50	0.6	2.8	243	2.3	0.14	2.0	2.6
1994	15	1.9	0.55	0.9	3.4	278	2.5	0.15	2.3	2.9
1995	17	1.9	0.51	1.0	3.3	276	2.5	0.15	2.2	2.8
1996	23	2.9	0.84	1.5	5.0	362	3.3	0.17	3.0	3.7
1997	25	3.4	0.87	2.0	5.6	338	3.1	0.17	2.7	3.4
1998	26	2.9	0.69	1.7	4.6	321	2.9	0.16	2.6	3.2
1999	16	1.6	0.50	0.8	3.0	318	2.9	0.16	2.5	3.2
2000	16	1.5	0.46	0.7	2.8	283	2.5	0.15	2.2	2.8
2001	28	3.0	0.75	1.7	4.8	345	3.1	0.17	2.8	3.4
2002	19	1.6	0.44	0.9	2.7	324	2.9	0.16	2.6	3.2
2003	32	2.3	0.53	1.4	3.6	377	3.3	0.17	3.0	3.7
2004	34	2.9	0.62	1.9	4.4	358	3.1	0.17	2.8	3.5
2005	37	2.8	0.57	1.8	4.2	346	3.0	0.16	2.7	3.3
2006	31	3.2	0.67	2.0	4.8	397	3.4	0.17	3.1	3.8
2007	40	3.5	0.65	2.4	5.0	377	3.3	0.17	2.9	3.6
2008	35	2.6	0.53	1.7	3.9	383	3.3	0.17	3.0	3.7

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	4,898	2.8	0.04	2.7	2.9	939	3.2	0.11	3.0	3.4
1990	197	2.2	0.16	1.9	2.6	40	2.9	0.48	2.0	3.9
1991	180	2.0	0.15	1.7	2.3	30	2.4	0.46	1.6	3.4
1992	199	2.2	0.16	1.9	2.6	41	3.0	0.47	2.1	4.0
1993	205	2.3	0.16	2.0	2.6	35	2.5	0.43	1.7	3.5
1994	234	2.5	0.17	2.2	2.9	42	2.9	0.46	2.1	3.9
1995	231	2.5	0.17	2.2	2.9	39	2.4	0.40	1.7	3.4
1996	297	3.2	0.19	2.9	3.6	52	3.6	0.52	2.7	4.8
1997	273	2.9	0.18	2.6	3.3	56	3.8	0.52	2.8	4.9
1998	257	2.8	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
1999	249	2.7	0.17	2.4	3.1	55	3.6	0.50	2.7	4.7
2000	232	2.5	0.16	2.2	2.8	43	2.7	0.42	1.9	3.6
2001	284	3.1	0.19	2.8	3.5	48	3.1	0.46	2.3	4.1
2002	265	2.9	0.18	2.5	3.2	46	2.9	0.44	2.1	3.9
2003	313	3.4	0.19	3.0	3.8	50	3.1	0.45	2.3	4.1
2004	284	3.0	0.18	2.7	3.4	60	3.6	0.47	2.7	4.6
2005	267	2.8	0.17	2.5	3.2	59	3.6	0.49	2.7	4.7
2006	315	3.3	0.19	3.0	3.7	71	4.1	0.50	3.2	5.3
2007	307	3.3	0.19	2.9	3.7	55	3.3	0.45	2.4	4.3
2008	309	3.3	0.19	3.0	3.7	62	3.6	0.47	2.8	4.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Soft Tissue including Heart

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	242	2.7	0.23	2.3	3.2	3,157	3.4	0.06	3.3	3.5
1990	9	3.1	1.29	1.1	7.0	128	2.7	0.25	2.3	3.2
1991	2	0.8	0.55	0.1	3.6	105	2.2	0.22	1.8	2.7
1992	8	3.5	1.66	1.0	8.2	111	2.4	0.23	2.0	2.9
1993	6	1.1	0.57	0.3	3.7	122	2.5	0.23	2.1	3.0
1994	9	2.0	0.83	0.7	4.9	151	3.2	0.26	2.7	3.7
1995	14	2.8	0.92	1.3	5.7	140	2.9	0.25	2.4	3.4
1996	14	2.4	0.75	1.2	5.0	190	3.9	0.29	3.4	4.5
1997	15	3.8	1.19	1.8	7.1	182	3.8	0.28	3.2	4.4
1998	12	3.0	1.18	1.2	6.3	178	3.7	0.28	3.1	4.2
1999	12	2.6	1.01	1.0	5.5	175	3.5	0.27	3.0	4.1
2000	5	0.9	0.48	0.2	2.8	147	3.0	0.25	2.5	3.5
2001	14	2.6	0.89	1.2	5.1	188	3.7	0.27	3.2	4.3
2002	9	1.2	0.47	0.4	2.9	166	3.4	0.27	2.9	4.0
2003	21	3.3	1.12	1.5	6.2	186	3.7	0.27	3.2	4.3
2004	20	3.5	1.05	1.7	6.2	194	3.8	0.27	3.3	4.4
2005	22	2.6	0.69	1.5	4.5	183	3.6	0.27	3.1	4.1
2006	21	4.4	1.12	2.5	7.1	189	3.7	0.27	3.2	4.3
2007	16	3.4	1.05	1.7	6.0	216	4.2	0.29	3.6	4.8
2008	13	1.7	0.63	0.7	3.4	206	4.0	0.28	3.5	4.6

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,622	3.4	0.07	3.2	3.5	431	3.4	0.18	3.1	3.8
1990	106	2.6	0.26	2.1	3.2	20	3.2	0.83	1.8	5.2
1991	87	2.1	0.23	1.7	2.7	15	2.8	0.79	1.5	4.8
1992	91	2.3	0.25	1.8	2.8	18	3.1	0.77	1.8	5.0
1993	104	2.5	0.25	2.1	3.1	18	2.9	0.71	1.7	4.7
1994	131	3.3	0.29	2.7	3.9	19	3.0	0.73	1.8	4.8
1995	123	3.0	0.28	2.5	3.6	13	1.7	0.47	0.9	2.9
1996	158	3.9	0.31	3.3	4.5	26	4.3	0.92	2.7	6.5
1997	152	3.7	0.30	3.2	4.4	26	4.1	0.86	2.6	6.1
1998	146	3.6	0.30	3.0	4.2	28	3.8	0.79	2.4	5.7
1999	133	3.2	0.28	2.7	3.8	30	4.9	0.97	3.2	7.2
2000	120	2.9	0.27	2.4	3.5	21	3.1	0.71	1.8	4.8
2001	156	3.7	0.30	3.1	4.3	27	4.0	0.81	2.5	5.9
2002	141	3.5	0.29	2.9	4.1	18	2.5	0.64	1.5	4.1
2003	154	3.7	0.30	3.1	4.3	23	3.3	0.75	2.0	5.1
2004	162	3.8	0.30	3.3	4.5	22	3.3	0.76	2.0	5.1
2005	145	3.4	0.28	2.9	4.0	28	4.3	0.92	2.7	6.5
2006	159	3.7	0.30	3.2	4.4	26	3.4	0.70	2.2	5.1
2007	183	4.3	0.32	3.7	5.0	27	3.7	0.77	2.4	5.6
2008	171	4.1	0.32	3.5	4.7	26	3.4	0.68	2.2	5.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Soft Tissue including Heart

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	201	2.4	0.20	2.0	2.8	2,870	2.5	0.05	2.4	2.6
1990	3	0.5	0.26	0.1	2.3	113	2.0	0.19	1.6	2.4
1991	9	2.7	1.00	1.1	5.6	108	1.9	0.18	1.5	2.3
1992	7	2.0	0.84	0.7	4.6	136	2.3	0.20	2.0	2.8
1993	5	1.6	0.81	0.4	4.1	121	2.0	0.19	1.7	2.4
1994	6	1.7	0.74	0.6	4.0	127	2.1	0.19	1.8	2.5
1995	3	0.9	0.50	0.2	2.7	136	2.3	0.20	1.9	2.7
1996	9	3.0	1.26	1.1	6.4	172	2.9	0.22	2.4	3.3
1997	10	3.0	1.13	1.2	6.0	156	2.5	0.21	2.2	3.0
1998	14	3.0	0.87	1.6	5.4	143	2.4	0.20	2.0	2.8
1999	4	0.7	0.37	0.2	2.2	143	2.3	0.20	2.0	2.8
2000	11	2.1	0.76	0.9	4.3	136	2.2	0.19	1.8	2.6
2001	14	3.2	1.09	1.5	6.0	157	2.6	0.21	2.2	3.0
2002	10	2.0	0.72	0.9	4.0	158	2.6	0.21	2.2	3.0
2003	11	1.5	0.48	0.7	3.0	191	3.1	0.23	2.7	3.6
2004	14	2.5	0.75	1.3	4.5	164	2.7	0.21	2.3	3.1
2005	15	2.9	0.87	1.4	5.0	163	2.6	0.21	2.2	3.0
2006	10	2.1	0.74	0.9	4.0	208	3.3	0.24	2.9	3.8
2007	24	3.8	0.87	2.3	5.9	161	2.6	0.21	2.2	3.0
2008	22	3.6	0.86	2.1	5.7	177	2.8	0.22	2.4	3.3

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,276	2.4	0.05	2.3	2.5	508	3.1	0.14	2.8	3.4
1990	91	1.9	0.21	1.6	2.4	20	2.6	0.60	1.6	4.1
1991	93	1.9	0.21	1.6	2.4	15	2.1	0.55	1.1	3.4
1992	108	2.2	0.22	1.8	2.7	23	2.9	0.61	1.8	4.4
1993	101	2.0	0.21	1.7	2.5	17	2.1	0.52	1.2	3.4
1994	103	2.1	0.21	1.7	2.5	23	2.8	0.59	1.7	4.2
1995	108	2.2	0.21	1.8	2.7	26	3.0	0.60	1.9	4.4
1996	139	2.8	0.24	2.3	3.3	26	3.2	0.63	2.1	4.7
1997	121	2.4	0.22	1.9	2.8	30	3.5	0.66	2.4	5.1
1998	111	2.3	0.22	1.8	2.7	27	3.3	0.64	2.1	4.8
1999	116	2.3	0.22	1.9	2.8	25	2.8	0.56	1.8	4.1
2000	112	2.2	0.21	1.8	2.7	22	2.4	0.52	1.5	3.7
2001	128	2.6	0.24	2.2	3.2	21	2.4	0.53	1.5	3.7
2002	124	2.5	0.23	2.1	3.0	28	3.1	0.59	2.1	4.5
2003	159	3.2	0.26	2.7	3.8	27	2.9	0.57	1.9	4.3
2004	122	2.4	0.22	2.0	2.9	38	4.0	0.65	2.8	5.5
2005	122	2.4	0.22	2.0	2.8	31	3.3	0.60	2.3	4.7
2006	156	3.1	0.26	2.6	3.6	45	4.7	0.70	3.4	6.3
2007	124	2.5	0.24	2.1	3.0	28	2.9	0.55	1.9	4.2
2008	138	2.7	0.24	2.3	3.2	36	3.8	0.63	2.6	5.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010