

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary System

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	2,729	26.2	0.57	25.1	27.3	79,961	37.0	0.13	36.7	37.3
1990	73	22.9	3.04	17.3	29.5	3,262	31.0	0.55	29.9	32.1
1991	80	22.1	2.80	17.0	28.2	3,329	31.3	0.55	30.2	32.3
1992	77	20.8	2.65	16.0	26.6	3,473	32.1	0.55	31.0	33.2
1993	75	19.5	2.50	14.9	24.9	3,600	32.9	0.55	31.8	34.0
1994	103	27.0	2.99	21.5	33.4	3,707	33.7	0.56	32.6	34.8
1995	105	25.0	2.88	19.7	31.1	3,713	33.5	0.55	32.4	34.6
1996	103	25.6	2.91	20.2	31.8	3,967	35.8	0.57	34.7	36.9
1997	144	35.6	3.50	29.1	43.0	4,047	36.2	0.57	35.1	37.3
1998	138	27.6	2.74	22.5	33.4	4,015	35.6	0.56	34.5	36.7
1999	145	30.1	2.92	24.6	36.2	4,126	36.3	0.57	35.2	37.4
2000	147	26.1	2.46	21.5	31.3	4,340	38.0	0.58	36.9	39.1
2001	166	28.7	2.56	23.9	34.1	4,335	37.8	0.57	36.7	38.9
2002	157	26.5	2.38	22.0	31.5	4,672	40.3	0.59	39.2	41.5
2003	186	27.7	2.30	23.4	32.5	4,769	40.9	0.59	39.7	42.1
2004	163	22.7	1.99	18.9	26.9	4,832	41.1	0.59	39.9	42.2
2005	203	27.8	2.19	23.7	32.4	4,913	41.5	0.60	40.3	42.7
2006	197	25.0	1.99	21.3	29.2	4,896	41.1	0.59	40.0	42.3
2007	233	26.6	1.91	23.0	30.6	4,940	41.0	0.59	39.9	42.2
2008	234	25.8	1.85	22.3	29.6	5,025	41.1	0.59	40.0	42.3

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	71,410	38.6	0.14	38.3	38.8	7,003	27.2	0.33	26.6	27.9
1990	3,015	32.7	0.60	31.5	33.9	221	19.1	1.32	16.6	21.8
1991	3,074	32.9	0.60	31.8	34.1	219	19.3	1.34	16.8	22.1
1992	3,188	33.7	0.60	32.6	34.9	250	21.6	1.41	18.9	24.5
1993	3,260	34.2	0.60	33.0	35.4	298	23.3	1.39	20.7	26.2
1994	3,363	35.2	0.61	34.0	36.4	296	23.8	1.42	21.1	26.8
1995	3,380	35.2	0.61	34.0	36.4	288	22.5	1.36	19.9	25.3
1996	3,577	37.3	0.63	36.1	38.6	329	25.6	1.45	22.8	28.6
1997	3,633	37.7	0.63	36.4	38.9	332	25.3	1.42	22.6	28.2
1998	3,599	37.1	0.62	35.9	38.4	333	24.8	1.39	22.2	27.7
1999	3,699	38.0	0.63	36.8	39.2	351	26.6	1.45	23.8	29.5
2000	3,861	39.6	0.64	38.3	40.8	401	29.1	1.48	26.2	32.1
2001	3,865	39.6	0.64	38.4	40.9	393	28.3	1.46	25.5	31.3
2002	4,153	42.2	0.66	40.9	43.5	426	30.5	1.51	27.6	33.6
2003	4,231	42.8	0.66	41.5	44.1	432	29.2	1.43	26.5	32.1
2004	4,309	43.3	0.66	42.0	44.6	413	27.9	1.40	25.2	30.8
2005	4,304	43.2	0.66	41.9	44.6	450	30.1	1.45	27.3	33.1
2006	4,281	42.8	0.66	41.5	44.1	480	31.6	1.47	28.8	34.6
2007	4,266	42.2	0.65	41.0	43.5	531	34.6	1.53	31.6	37.7
2008	4,352	42.6	0.65	41.3	43.9	560	35.4	1.52	32.5	38.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary System

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,764	37.2	1.05	35.2	39.3	54,375	60.6	0.26	60.0	61.1
1990	43	32.4	5.85	22.0	45.4	2,254	52.8	1.15	50.6	55.1
1991	56	33.3	5.36	23.6	45.2	2,294	52.6	1.13	50.4	54.9
1992	54	33.3	5.31	23.8	45.1	2,358	53.5	1.13	51.3	55.8
1993	51	28.8	4.76	20.2	39.4	2,456	54.7	1.13	52.5	56.9
1994	68	38.6	5.59	28.4	50.8	2,481	55.1	1.13	52.9	57.4
1995	69	37.3	5.71	27.0	49.8	2,515	55.4	1.13	53.2	57.6
1996	61	33.7	5.39	24.0	45.5	2,695	58.6	1.15	56.4	60.9
1997	98	56.5	7.23	43.2	71.9	2,712	58.3	1.13	56.1	60.6
1998	93	43.7	5.62	33.3	55.8	2,720	58.2	1.13	56.0	60.4
1999	82	34.6	4.65	26.1	44.6	2,790	59.2	1.13	57.0	61.5
2000	96	38.3	4.57	29.9	48.2	2,928	61.4	1.15	59.2	63.7
2001	105	39.1	4.58	30.7	48.9	2,952	61.3	1.14	59.1	63.5
2002	102	37.2	4.31	29.3	46.4	3,230	66.9	1.19	64.6	69.3
2003	121	39.7	4.26	31.8	48.8	3,259	66.7	1.18	64.4	69.0
2004	117	37.1	3.98	29.7	45.5	3,292	66.6	1.17	64.3	68.9
2005	135	39.1	3.95	31.7	47.4	3,339	66.7	1.17	64.4	69.0
2006	118	32.4	3.44	26.0	39.7	3,301	65.5	1.16	63.2	67.8
2007	146	36.3	3.39	30.0	43.5	3,349	65.6	1.15	63.4	67.9
2008	149	34.4	3.23	28.4	41.2	3,450	66.4	1.15	64.2	68.7

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	49,149	63.4	0.29	62.8	64.0	4,132	39.9	0.66	38.6	41.2
1990	2,114	56.1	1.26	53.7	58.7	122	25.9	2.53	21.2	31.3
1991	2,141	55.8	1.24	53.4	58.3	128	27.7	2.60	22.8	33.2
1992	2,182	56.3	1.23	53.9	58.7	151	33.1	2.90	27.7	39.2
1993	2,256	57.5	1.24	55.1	60.0	173	33.0	2.66	28.0	38.6
1994	2,278	57.9	1.24	55.5	60.3	164	33.0	2.76	27.9	38.8
1995	2,313	58.4	1.24	56.1	60.9	167	32.2	2.63	27.2	37.7
1996	2,468	61.8	1.26	59.4	64.3	186	34.6	2.68	29.6	40.3
1997	2,466	61.1	1.24	58.7	63.6	194	36.5	2.80	31.2	42.3
1998	2,472	61.1	1.24	58.7	63.6	194	35.2	2.67	30.2	40.8
1999	2,525	62.0	1.24	59.6	64.5	211	39.0	2.86	33.6	45.0
2000	2,639	64.3	1.26	61.9	66.8	232	42.0	2.93	36.4	48.1
2001	2,671	64.5	1.26	62.1	67.0	223	39.8	2.83	34.4	45.6
2002	2,915	70.4	1.31	67.8	73.0	254	46.4	3.11	40.6	52.9
2003	2,902	69.5	1.30	67.0	72.1	279	46.6	2.94	41.0	52.7
2004	2,959	70.1	1.30	67.5	72.6	253	42.9	2.87	37.5	48.9
2005	2,962	69.5	1.29	67.0	72.1	268	45.3	2.96	39.7	51.5
2006	2,921	68.3	1.28	65.8	70.8	282	47.4	3.00	41.7	53.6
2007	2,928	67.7	1.27	65.2	70.2	322	52.5	3.09	46.6	58.9
2008	3,037	69.2	1.27	66.7	71.8	329	51.1	2.95	45.5	57.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary System

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	965	17.2	0.61	16.0	18.4	25,586	20.6	0.13	20.3	20.8
1990	30	16.2	3.29	10.4	23.8	1,008	16.5	0.53	15.5	17.6
1991	24	12.9	2.88	7.8	19.6	1,035	16.6	0.52	15.6	17.7
1992	23	11.0	2.49	6.6	16.8	1,115	17.7	0.54	16.7	18.8
1993	24	12.0	2.61	7.5	18.1	1,144	18.0	0.54	17.0	19.1
1994	35	17.6	3.22	11.9	24.8	1,226	19.0	0.55	18.0	20.1
1995	36	15.7	2.95	10.4	22.3	1,198	18.5	0.54	17.5	19.6
1996	42	19.5	3.30	13.5	26.8	1,272	19.8	0.56	18.7	20.9
1997	46	20.6	3.42	14.5	28.2	1,335	20.6	0.57	19.5	21.8
1998	45	15.5	2.54	10.9	21.2	1,295	20.0	0.56	18.9	21.1
1999	63	25.7	3.66	19.1	33.7	1,336	20.4	0.56	19.3	21.5
2000	51	15.9	2.53	11.3	21.5	1,412	21.5	0.58	20.4	22.7
2001	61	19.9	2.85	14.7	26.1	1,383	21.0	0.57	19.9	22.1
2002	55	17.3	2.54	12.7	22.9	1,442	21.6	0.58	20.5	22.8
2003	65	17.7	2.43	13.3	23.0	1,510	22.8	0.59	21.6	24.0
2004	46	10.7	1.72	7.6	14.6	1,540	23.0	0.59	21.8	24.2
2005	68	18.3	2.41	13.9	23.5	1,574	23.4	0.60	22.2	24.6
2006	79	18.7	2.30	14.5	23.7	1,595	23.6	0.60	22.4	24.8
2007	87	18.3	2.10	14.5	22.9	1,591	23.4	0.60	22.2	24.6
2008	85	18.3	2.11	14.4	22.8	1,575	22.8	0.58	21.7	24.0

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	22,261	21.0	0.14	20.7	21.3	2,871	18.9	0.36	18.2	19.6
1990	901	17.0	0.58	15.9	18.2	99	14.5	1.48	11.8	17.7
1991	933	17.1	0.57	16.0	18.2	91	13.7	1.46	11.0	16.8
1992	1,006	18.4	0.59	17.2	19.6	99	14.3	1.46	11.6	17.5
1993	1,004	18.1	0.58	17.0	19.3	125	16.8	1.53	13.9	20.1
1994	1,085	19.4	0.60	18.2	20.6	132	17.8	1.57	14.9	21.2
1995	1,067	19.1	0.60	18.0	20.4	121	15.9	1.47	13.2	19.0
1996	1,109	20.1	0.61	18.9	21.3	143	19.0	1.60	15.9	22.3
1997	1,167	21.0	0.62	19.7	22.2	138	17.8	1.53	14.9	21.0
1998	1,127	20.4	0.62	19.2	21.6	139	17.7	1.51	14.8	20.9
1999	1,174	21.2	0.63	19.9	22.4	140	18.2	1.55	15.3	21.4
2000	1,222	21.9	0.64	20.7	23.2	169	20.7	1.60	17.6	24.0
2001	1,194	21.5	0.63	20.2	22.7	170	20.7	1.60	17.7	24.1
2002	1,238	21.9	0.63	20.7	23.2	172	20.6	1.58	17.6	23.9
2003	1,329	23.8	0.67	22.6	25.2	153	17.7	1.44	15.0	20.7
2004	1,350	24.0	0.66	22.7	25.3	160	18.3	1.46	15.5	21.4
2005	1,342	23.9	0.67	22.6	25.3	182	20.5	1.53	17.6	23.7
2006	1,360	24.1	0.67	22.8	25.4	198	21.9	1.57	18.9	25.2
2007	1,338	23.7	0.66	22.4	25.0	209	23.0	1.60	20.0	26.4
2008	1,315	22.9	0.65	21.7	24.3	231	24.8	1.65	21.7	28.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary Bladder (includes in situ)

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,154	12.8	0.42	12.0	13.6	48,506	22.4	0.10	22.2	22.6
1990	37	13.1	2.38	8.8	18.4	2,159	20.4	0.44	19.5	21.3
1991	44	13.3	2.26	9.3	18.3	2,117	19.8	0.43	19.0	20.7
1992	38	10.2	1.81	7.0	14.3	2,212	20.4	0.44	19.5	21.2
1993	40	11.0	1.92	7.5	15.3	2,343	21.3	0.44	20.5	22.2
1994	50	14.2	2.25	10.1	19.2	2,365	21.4	0.44	20.6	22.3
1995	45	11.7	2.05	8.1	16.3	2,305	20.7	0.43	19.9	21.6
1996	48	12.8	2.10	9.1	17.5	2,552	22.9	0.45	22.0	23.8
1997	67	20.0	2.78	15.0	26.0	2,516	22.4	0.45	21.5	23.3
1998	64	14.6	2.10	10.8	19.2	2,503	22.1	0.44	21.2	23.0
1999	67	15.7	2.20	11.7	20.5	2,586	22.7	0.45	21.8	23.6
2000	63	12.1	1.70	9.0	15.8	2,695	23.5	0.45	22.6	24.4
2001	78	16.6	2.10	12.7	21.1	2,603	22.6	0.44	21.7	23.5
2002	71	14.3	1.87	10.9	18.3	2,798	24.1	0.46	23.2	25.0
2003	81	13.6	1.69	10.5	17.2	2,823	24.1	0.46	23.2	25.0
2004	66	11.1	1.50	8.4	14.4	2,790	23.7	0.45	22.8	24.6
2005	79	12.5	1.54	9.7	15.8	2,882	24.3	0.45	23.4	25.2
2006	63	10.0	1.36	7.5	12.9	2,698	22.6	0.44	21.8	23.5
2007	79	10.5	1.28	8.1	13.2	2,749	22.8	0.44	21.9	23.6
2008	74	10.1	1.25	7.8	12.8	2,810	23.0	0.44	22.2	23.9

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	44,555	23.8	0.11	23.6	24.1	2,958	12.2	0.23	11.8	12.7
1990	2,036	21.8	0.49	20.9	22.8	107	9.7	0.97	7.9	11.8
1991	1,985	21.1	0.48	20.2	22.1	109	10.2	1.00	8.3	12.3
1992	2,066	21.7	0.48	20.7	22.6	124	11.3	1.04	9.3	13.5
1993	2,187	22.8	0.49	21.8	23.8	138	11.6	1.01	9.7	13.7
1994	2,197	22.8	0.49	21.8	23.7	140	11.9	1.03	10.0	14.1
1995	2,136	22.1	0.48	21.1	23.0	135	11.1	0.98	9.2	13.1
1996	2,355	24.3	0.50	23.3	25.3	154	12.8	1.06	10.9	15.1
1997	2,315	23.7	0.49	22.8	24.7	150	12.5	1.04	10.5	14.6
1998	2,292	23.4	0.49	22.5	24.4	153	12.0	0.99	10.1	14.1
1999	2,377	24.2	0.50	23.2	25.2	159	12.9	1.04	11.0	15.1
2000	2,476	25.2	0.51	24.2	26.2	174	13.2	1.02	11.3	15.4
2001	2,397	24.3	0.50	23.4	25.3	159	12.3	0.99	10.4	14.4
2002	2,569	25.9	0.51	24.9	26.9	175	13.5	1.04	11.5	15.6
2003	2,598	26.0	0.51	25.0	27.1	154	11.1	0.91	9.4	13.0
2004	2,547	25.4	0.51	24.4	26.4	158	11.3	0.92	9.5	13.2
2005	2,601	25.9	0.51	24.9	26.9	175	12.4	0.96	10.6	14.4
2006	2,442	24.2	0.49	23.3	25.2	174	12.5	0.96	10.7	14.5
2007	2,462	24.1	0.49	23.2	25.1	192	13.2	0.97	11.3	15.2
2008	2,517	24.4	0.49	23.5	25.4	228	15.3	1.03	13.4	17.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary Bladder (includes in situ)

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	820	20.3	0.82	18.8	22.0	35,469	40.2	0.22	39.8	40.6
1990	28	22.3	4.85	13.8	33.4	1,600	37.9	0.98	36.0	39.9
1991	33	22.2	4.67	14.0	32.9	1,550	36.1	0.95	34.3	38.0
1992	31	18.5	3.72	11.9	27.1	1,610	37.1	0.95	35.3	39.0
1993	27	16.4	3.67	10.0	25.0	1,714	38.7	0.96	36.8	40.6
1994	33	20.3	4.23	12.9	30.0	1,673	37.6	0.94	35.8	39.5
1995	32	18.5	4.16	11.2	28.0	1,688	37.7	0.94	35.9	39.6
1996	30	16.8	3.81	10.2	25.5	1,847	40.8	0.97	38.9	42.7
1997	49	35.1	6.01	24.3	48.2	1,824	39.8	0.94	37.9	41.6
1998	45	24.4	4.33	16.6	34.0	1,833	39.7	0.94	37.8	41.5
1999	42	20.2	3.72	13.6	28.6	1,881	40.5	0.94	38.6	42.3
2000	45	20.2	3.50	13.9	28.0	1,951	41.6	0.95	39.8	43.5
2001	52	24.9	3.98	17.7	33.7	1,916	40.5	0.93	38.7	42.4
2002	53	23.5	3.64	16.9	31.5	2,078	44.0	0.98	42.1	45.9
2003	59	22.0	3.35	15.9	29.3	2,042	42.7	0.95	40.8	44.6
2004	52	20.2	3.14	14.5	27.1	2,080	43.0	0.95	41.1	44.9
2005	57	20.1	3.06	14.6	26.8	2,109	42.9	0.95	41.1	44.8
2006	41	14.9	2.56	10.3	20.6	1,960	39.9	0.91	38.1	41.7
2007	58	17.0	2.47	12.5	22.3	2,032	40.8	0.92	39.0	42.7
2008	53	15.8	2.39	11.5	21.0	2,081	41.3	0.92	39.5	43.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	32,956	43.0	0.24	42.5	43.5	1,778	18.8	0.47	17.9	19.7
1990	1,532	40.9	1.08	38.8	43.1	56	12.9	1.87	9.5	17.0
1991	1,470	38.8	1.04	36.8	40.9	62	14.4	1.94	10.9	18.6
1992	1,519	39.6	1.04	37.6	41.7	72	17.0	2.15	13.0	21.6
1993	1,617	41.6	1.06	39.5	43.7	86	17.8	2.02	14.0	22.1
1994	1,570	40.2	1.03	38.2	42.3	81	17.7	2.10	13.8	22.2
1995	1,583	40.4	1.04	38.4	42.5	78	16.0	1.91	12.5	20.1
1996	1,736	43.9	1.07	41.8	46.0	81	16.1	1.89	12.6	20.2
1997	1,697	42.3	1.04	40.3	44.4	92	19.7	2.20	15.7	24.4
1998	1,692	42.1	1.03	40.1	44.2	101	19.1	2.01	15.4	23.4
1999	1,747	43.2	1.04	41.2	45.3	94	19.9	2.19	15.8	24.5
2000	1,812	44.6	1.05	42.5	46.7	107	20.9	2.14	16.9	25.4
2001	1,788	43.7	1.04	41.7	45.8	90	17.9	2.00	14.2	22.1
2002	1,942	47.5	1.09	45.4	49.7	97	20.0	2.15	16.0	24.5
2003	1,882	45.7	1.06	43.6	47.8	104	18.9	1.97	15.3	23.1
2004	1,912	46.0	1.06	43.9	48.1	103	18.8	1.98	15.1	23.0
2005	1,931	45.9	1.05	43.9	48.1	105	19.5	2.03	15.7	23.8
2006	1,790	42.6	1.02	40.6	44.6	109	21.2	2.15	17.2	25.8
2007	1,842	43.3	1.02	41.4	45.4	121	21.3	2.07	17.5	25.7
2008	1,894	44.1	1.02	42.1	46.1	139	23.4	2.09	19.5	27.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Urinary Bladder (includes in situ)

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	334	6.8	0.40	6.0	7.6	13,037	10.2	0.09	10.1	10.4
1990	9	6.2	2.23	2.6	11.8	559	9.0	0.39	8.3	9.8
1991	11	6.5	2.06	3.1	11.6	567	8.9	0.38	8.2	9.7
1992	7	3.3	1.40	1.2	7.1	602	9.4	0.39	8.6	10.1
1993	13	6.7	1.99	3.4	11.6	629	9.7	0.39	9.0	10.5
1994	17	9.3	2.43	5.2	15.0	692	10.5	0.40	9.7	11.3
1995	13	6.6	2.04	3.3	11.6	617	9.3	0.38	8.6	10.1
1996	18	9.7	2.42	5.6	15.4	705	10.6	0.40	9.9	11.5
1997	18	9.6	2.46	5.4	15.4	692	10.4	0.40	9.7	11.3
1998	19	7.2	1.88	4.0	11.7	670	10.1	0.39	9.4	10.9
1999	25	11.7	2.59	7.2	17.6	705	10.5	0.40	9.7	11.3
2000	18	5.6	1.43	3.1	9.0	744	11.1	0.41	10.3	11.9
2001	26	9.9	2.15	6.2	14.8	687	10.2	0.39	9.4	11.0
2002	18	6.6	1.70	3.7	10.6	720	10.5	0.39	9.7	11.3
2003	22	6.7	1.57	4.0	10.4	781	11.5	0.42	10.7	12.4
2004	14	3.8	1.09	1.9	6.4	710	10.3	0.39	9.5	11.1
2005	22	6.5	1.47	4.0	9.9	773	11.2	0.41	10.4	12.0
2006	22	6.0	1.38	3.6	9.2	738	10.7	0.40	9.9	11.5
2007	21	5.0	1.15	3.0	7.7	717	10.2	0.39	9.4	11.0
2008	21	5.4	1.23	3.3	8.3	729	10.3	0.39	9.5	11.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	11,599	10.6	0.10	10.4	10.8	1,180	8.1	0.24	7.7	8.6
1990	504	9.3	0.42	8.4	10.1	51	7.7	1.10	5.7	10.1
1991	515	9.2	0.41	8.4	10.0	47	7.4	1.09	5.4	9.8
1992	547	9.7	0.42	8.9	10.6	52	7.9	1.10	5.9	10.3
1993	570	10.1	0.43	9.2	10.9	52	7.4	1.05	5.5	9.8
1994	627	10.9	0.44	10.1	11.8	59	8.3	1.09	6.3	10.7
1995	553	9.7	0.42	8.9	10.5	57	7.7	1.04	5.8	10.0
1996	619	10.8	0.44	10.0	11.7	73	10.3	1.21	8.0	12.9
1997	618	10.8	0.44	10.0	11.7	58	7.9	1.05	6.0	10.2
1998	600	10.6	0.44	9.8	11.5	52	7.0	0.98	5.2	9.2
1999	630	11.0	0.44	10.1	11.9	65	8.7	1.09	6.7	11.1
2000	664	11.6	0.46	10.8	12.6	67	8.5	1.05	6.6	10.8
2001	609	10.6	0.44	9.8	11.5	69	8.8	1.06	6.8	11.1
2002	627	10.7	0.43	9.9	11.6	78	9.7	1.11	7.7	12.1
2003	716	12.5	0.47	11.6	13.5	50	6.2	0.88	4.6	8.1
2004	635	10.9	0.44	10.0	11.8	55	6.6	0.89	4.9	8.5
2005	670	11.5	0.45	10.6	12.4	70	8.2	0.99	6.4	10.4
2006	652	11.3	0.45	10.4	12.2	65	7.5	0.94	5.8	9.6
2007	620	10.5	0.43	9.7	11.4	71	8.2	0.98	6.4	10.3
2008	623	10.5	0.43	9.7	11.4	89	10.1	1.08	8.1	12.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Kidney & Renal Pelvis

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,512	12.7	0.37	12.0	13.4	29,513	13.7	0.08	13.6	13.9
1990	35	9.3	1.80	6.1	13.4	1,000	9.6	0.31	9.0	10.2
1991	32	7.1	1.35	4.7	10.2	1,106	10.5	0.32	9.8	11.1
1992	36	9.2	1.73	6.1	13.1	1,172	10.9	0.32	10.3	11.6
1993	31	7.6	1.52	4.9	11.1	1,167	10.7	0.32	10.1	11.4
1994	50	12.1	1.93	8.6	16.4	1,237	11.3	0.32	10.7	12.0
1995	59	13.1	2.01	9.4	17.5	1,311	11.9	0.33	11.3	12.6
1996	52	11.3	1.83	8.0	15.4	1,334	12.2	0.33	11.5	12.8
1997	74	14.7	2.06	11.0	19.2	1,434	13.0	0.34	12.3	13.7
1998	68	11.7	1.65	8.7	15.4	1,411	12.6	0.34	12.0	13.3
1999	72	13.0	1.84	9.7	17.1	1,453	12.9	0.34	12.2	13.6
2000	81	13.2	1.71	10.1	17.0	1,540	13.6	0.35	12.9	14.3
2001	85	11.3	1.39	8.8	14.4	1,639	14.4	0.36	13.7	15.1
2002	82	11.6	1.44	8.9	14.7	1,766	15.3	0.37	14.6	16.1
2003	100	13.5	1.53	10.7	16.8	1,842	15.9	0.37	15.1	16.6
2004	97	11.6	1.32	9.1	14.4	1,937	16.5	0.38	15.8	17.2
2005	122	15.1	1.54	12.2	18.3	1,920	16.3	0.37	15.6	17.1
2006	132	14.8	1.44	12.1	17.8	2,077	17.5	0.39	16.8	18.3
2007	147	15.3	1.38	12.7	18.3	2,070	17.2	0.38	16.5	18.0
2008	157	15.3	1.34	12.8	18.1	2,097	17.2	0.38	16.4	17.9

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	25,120	13.8	0.09	13.6	14.0	3,872	14.3	0.23	13.8	14.7
1990	887	9.9	0.33	9.2	10.5	104	8.4	0.84	6.8	10.2
1991	994	10.8	0.35	10.2	11.5	101	8.4	0.86	6.8	10.2
1992	1,040	11.2	0.35	10.5	11.9	121	9.9	0.92	8.2	11.8
1993	993	10.6	0.34	9.9	11.3	150	10.8	0.91	9.1	12.7
1994	1,071	11.4	0.35	10.7	12.1	148	11.2	0.95	9.4	13.2
1995	1,153	12.2	0.36	11.5	12.9	148	11.1	0.93	9.3	13.0
1996	1,149	12.3	0.36	11.6	13.0	168	12.2	0.96	10.4	14.2
1997	1,229	13.0	0.37	12.3	13.8	175	12.3	0.95	10.5	14.3
1998	1,213	12.8	0.37	12.0	13.5	177	12.6	0.97	10.8	14.6
1999	1,249	13.1	0.37	12.3	13.8	182	12.9	0.98	11.1	14.9
2000	1,292	13.5	0.38	12.8	14.2	215	14.9	1.03	12.9	17.0
2001	1,383	14.4	0.39	13.7	15.2	227	15.4	1.04	13.5	17.6
2002	1,483	15.4	0.40	14.6	16.2	244	16.6	1.08	14.5	18.9
2003	1,544	15.9	0.41	15.1	16.7	265	17.2	1.07	15.2	19.5
2004	1,677	17.1	0.42	16.2	17.9	237	15.4	1.01	13.4	17.5
2005	1,602	16.4	0.41	15.6	17.2	269	17.3	1.08	15.3	19.6
2006	1,733	17.5	0.43	16.7	18.4	293	18.2	1.08	16.2	20.5
2007	1,702	17.1	0.42	16.3	18.0	323	20.3	1.15	18.1	22.6
2008	1,726	17.1	0.42	16.3	17.9	325	19.7	1.11	17.6	22.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Kidney & Renal Pelvis

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	904	15.9	0.63	14.7	17.2	17,734	19.0	0.14	18.7	19.3
1990	14	8.6	2.87	3.9	15.7	594	13.6	0.57	12.5	14.7
1991	22	10.7	2.60	6.2	17.0	683	15.1	0.59	14.0	16.3
1992	21	12.5	3.29	7.0	20.4	693	15.2	0.59	14.0	16.4
1993	21	10.7	2.87	5.8	17.6	691	14.8	0.57	13.7	16.0
1994	32	16.7	3.54	10.5	24.9	749	16.1	0.60	15.0	17.3
1995	37	18.8	3.91	12.0	27.7	764	16.2	0.60	15.1	17.4
1996	29	14.8	3.42	8.8	22.7	800	16.8	0.60	15.6	18.0
1997	49	21.4	4.01	14.3	30.4	822	17.1	0.60	15.9	18.3
1998	44	17.2	3.31	11.3	24.7	825	17.2	0.60	16.0	18.4
1999	36	12.8	2.67	8.1	18.9	855	17.6	0.61	16.4	18.8
2000	48	16.4	2.76	11.5	22.7	920	18.6	0.62	17.4	19.9
2001	52	13.6	2.16	9.7	18.5	979	19.6	0.63	18.3	20.8
2002	47	13.2	2.27	9.1	18.3	1,082	21.4	0.66	20.2	22.8
2003	59	16.9	2.58	12.2	22.6	1,152	22.7	0.67	21.4	24.0
2004	65	16.9	2.45	12.4	22.3	1,153	22.4	0.67	21.1	23.7
2005	76	18.4	2.46	13.9	23.7	1,161	22.3	0.66	21.0	23.6
2006	76	17.3	2.29	13.1	22.3	1,269	24.1	0.69	22.8	25.5
2007	82	17.9	2.24	13.8	22.8	1,245	23.3	0.67	22.0	24.6
2008	94	18.1	2.12	14.1	22.6	1,297	23.7	0.67	22.4	25.1

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	15,115	19.0	0.16	18.7	19.3	2,278	20.3	0.45	19.4	21.2
1990	524	13.7	0.61	12.6	15.0	64	12.4	1.63	9.4	16.0
1991	615	15.6	0.64	14.3	16.9	62	12.6	1.70	9.5	16.3
1992	614	15.4	0.63	14.2	16.7	74	15.0	1.85	11.6	19.0
1993	593	14.8	0.62	13.6	16.0	82	14.0	1.63	11.0	17.6
1994	652	16.2	0.64	15.0	17.5	82	15.1	1.78	11.9	19.0
1995	671	16.5	0.64	15.3	17.8	86	15.6	1.77	12.3	19.4
1996	686	16.7	0.64	15.5	18.0	103	18.1	1.87	14.6	22.1
1997	707	17.2	0.65	16.0	18.5	99	16.1	1.68	13.0	19.7
1998	721	17.5	0.66	16.2	18.8	91	15.7	1.73	12.5	19.4
1999	730	17.6	0.66	16.3	18.9	113	18.3	1.80	15.0	22.2
2000	775	18.5	0.67	17.2	19.8	120	19.9	1.91	16.4	24.0
2001	831	19.6	0.68	18.3	21.0	129	20.9	1.93	17.3	25.0
2002	905	21.2	0.71	19.8	22.6	155	26.2	2.23	22.0	30.9
2003	964	22.5	0.73	21.1	24.0	167	26.4	2.13	22.4	30.9
2004	997	22.9	0.73	21.5	24.3	143	22.7	1.99	19.0	26.9
2005	966	22.0	0.72	20.7	23.5	161	25.4	2.13	21.4	29.9
2006	1,065	24.1	0.75	22.7	25.7	167	25.1	2.04	21.3	29.4
2007	1,023	22.8	0.72	21.4	24.3	193	29.7	2.22	25.5	34.4
2008	1,076	23.6	0.73	22.2	25.0	187	27.3	2.07	23.4	31.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Kidney & Renal Pelvis

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	608	9.9	0.44	9.0	10.8	11,779	9.7	0.09	9.6	9.9
1990	21	10.1	2.41	5.9	15.8	406	6.8	0.35	6.2	7.6
1991	10	3.9	1.33	1.7	7.5	423	7.0	0.34	6.3	7.7
1992	15	6.8	1.90	3.6	11.5	479	7.8	0.36	7.2	8.6
1993	10	4.9	1.64	2.2	9.1	476	7.7	0.36	7.0	8.4
1994	18	8.3	2.11	4.7	13.4	488	7.8	0.36	7.1	8.5
1995	22	8.7	2.11	5.0	13.7	547	8.7	0.38	8.0	9.5
1996	23	8.9	2.07	5.3	13.8	534	8.6	0.38	7.9	9.4
1997	25	9.5	2.18	5.7	14.6	612	9.7	0.39	8.9	10.5
1998	24	7.6	1.65	4.7	11.5	586	9.3	0.39	8.6	10.1
1999	36	13.0	2.47	8.6	18.6	598	9.4	0.39	8.7	10.2
2000	33	10.3	2.09	6.6	15.1	620	9.7	0.39	9.0	10.5
2001	33	9.1	1.76	5.9	13.1	660	10.3	0.40	9.5	11.1
2002	35	10.0	1.83	6.8	14.2	684	10.6	0.41	9.8	11.4
2003	41	10.5	1.81	7.2	14.6	690	10.7	0.41	9.9	11.5
2004	32	6.9	1.33	4.6	10.0	784	12.0	0.43	11.2	12.9
2005	46	11.8	1.91	8.3	16.0	759	11.6	0.43	10.8	12.5
2006	56	12.3	1.80	9.1	16.3	808	12.2	0.43	11.4	13.1
2007	65	13.1	1.73	10.0	16.9	825	12.5	0.44	11.6	13.4
2008	63	12.6	1.69	9.5	16.3	800	11.9	0.43	11.1	12.8

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	10,005	9.8	0.10	9.6	10.0	1,594	10.1	0.26	9.6	10.6
1990	363	7.1	0.38	6.4	7.9	40	5.6	0.89	3.9	7.6
1991	379	7.2	0.38	6.5	8.0	39	5.6	0.91	3.9	7.6
1992	426	8.1	0.40	7.3	8.9	47	6.5	0.96	4.7	8.6
1993	400	7.5	0.38	6.8	8.3	68	8.6	1.06	6.7	10.9
1994	419	7.8	0.39	7.0	8.6	66	8.5	1.07	6.6	10.9
1995	482	8.9	0.41	8.2	9.8	62	7.9	1.02	6.1	10.2
1996	463	8.8	0.42	8.0	9.7	65	8.1	1.02	6.2	10.3
1997	522	9.7	0.43	8.8	10.5	76	9.4	1.09	7.4	11.7
1998	492	9.2	0.42	8.4	10.1	86	10.5	1.15	8.4	13.0
1999	519	9.8	0.44	8.9	10.6	69	8.7	1.06	6.7	11.0
2000	517	9.6	0.43	8.8	10.5	95	11.3	1.17	9.1	13.8
2001	552	10.3	0.44	9.4	11.2	98	11.6	1.18	9.4	14.1
2002	578	10.7	0.45	9.9	11.7	89	10.3	1.10	8.2	12.7
2003	580	10.8	0.46	9.9	11.7	98	11.0	1.11	8.9	13.4
2004	680	12.5	0.49	11.6	13.5	94	10.5	1.09	8.4	12.8
2005	636	11.8	0.48	10.9	12.8	108	11.9	1.15	9.7	14.4
2006	668	12.1	0.48	11.2	13.1	126	13.6	1.22	11.3	16.2
2007	679	12.5	0.49	11.6	13.6	130	13.9	1.23	11.6	16.5
2008	650	11.8	0.47	10.9	12.7	138	14.4	1.23	12.0	17.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Ureter

Both Sexes

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	38	0.5	0.08	0.3	0.6	1,414	0.7	0.02	0.6	0.7
1990	0					75	0.7	0.08	0.5	0.9
1991	3	1.5	0.94	0.3	4.1	72	0.7	0.08	0.5	0.8
1992	2	1.2	0.83	0.1	3.6	71	0.7	0.08	0.5	0.8
1993	1	0.3	0.34	0.0	1.6	61	0.6	0.07	0.4	0.7
1994	3	0.7	0.43	0.1	2.1	79	0.7	0.08	0.6	0.9
1995	0					79	0.7	0.08	0.6	0.9
1996	2	1.1	0.79	0.1	3.3	68	0.6	0.07	0.5	0.8
1997	2	0.7	0.57	0.1	2.4	72	0.6	0.08	0.5	0.8
1998	2	0.4	0.25	0.0	1.3	78	0.7	0.08	0.5	0.9
1999	4	0.9	0.47	0.2	2.3	59	0.5	0.07	0.4	0.7
2000	1	0.2	0.23	0.0	1.1	79	0.7	0.08	0.5	0.9
2001	2	0.5	0.36	0.1	1.6	66	0.6	0.07	0.4	0.7
2002	3	0.5	0.32	0.1	1.5	79	0.7	0.08	0.5	0.9
2003	2	0.3	0.22	0.0	1.1	74	0.6	0.07	0.5	0.8
2004	0					69	0.6	0.07	0.5	0.7
2005	2	0.3	0.19	0.0	0.9	80	0.7	0.08	0.5	0.9
2006	2	0.3	0.22	0.0	1.0	94	0.8	0.08	0.6	1.0
2007	4	0.4	0.21	0.1	1.1	85	0.7	0.08	0.6	0.9
2008	3	0.4	0.23	0.1	1.1	74	0.6	0.07	0.5	0.8

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	1,333	0.7	0.02	0.7	0.8	56	0.2	0.03	0.2	0.3
1990	72	0.8	0.09	0.6	0.9	2	0.2	0.17	0.0	0.8
1991	70	0.7	0.09	0.6	0.9	2	0.2	0.14	0.0	0.6
1992	67	0.7	0.09	0.5	0.9	2	0.2	0.11	0.0	0.6
1993	58	0.6	0.08	0.5	0.8	3	0.3	0.16	0.1	0.8
1994	76	0.8	0.09	0.6	1.0	1	0.1	0.10	0.0	0.5
1995	77	0.8	0.09	0.6	1.0	1	0.1	0.07	0.0	0.4
1996	64	0.7	0.08	0.5	0.8	3	0.2	0.13	0.1	0.6
1997	69	0.7	0.09	0.6	0.9	2	0.2	0.13	0.0	0.6
1998	74	0.7	0.09	0.6	0.9	1	0.1	0.07	0.0	0.4
1999	52	0.5	0.07	0.4	0.7	5	0.4	0.16	0.1	0.8
2000	73	0.7	0.09	0.6	0.9	6	0.5	0.20	0.2	1.0
2001	65	0.7	0.08	0.5	0.8	0				
2002	76	0.8	0.09	0.6	0.9	3	0.2	0.12	0.0	0.6
2003	68	0.7	0.08	0.5	0.9	5	0.3	0.14	0.1	0.7
2004	62	0.6	0.08	0.5	0.8	6	0.4	0.18	0.2	0.9
2005	77	0.8	0.09	0.6	1.0	1	0.1	0.08	0.0	0.4
2006	84	0.8	0.09	0.7	1.0	8	0.6	0.22	0.3	1.2
2007	78	0.8	0.09	0.6	1.0	4	0.3	0.14	0.1	0.7
2008	71	0.7	0.08	0.6	0.9	1	0.1	0.05	0.0	0.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Ureter

Males

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	21	0.5	0.13	0.3	0.8	850	1.0	0.03	0.9	1.0
1990	0					45	1.0	0.15	0.7	1.3
1991	0					44	1.1	0.16	0.8	1.4
1992	1	1.8	1.81	0.1	7.3	41	0.9	0.14	0.7	1.2
1993	1	0.8	0.76	0.0	3.8	33	0.7	0.13	0.5	1.0
1994	3	1.5	0.91	0.3	4.6	47	1.1	0.16	0.8	1.4
1995	0					52	1.2	0.17	0.9	1.5
1996	1	1.6	1.57	0.0	6.3	43	1.0	0.15	0.7	1.3
1997	0					50	1.1	0.16	0.8	1.5
1998	1	0.3	0.33	0.0	2.3	49	1.1	0.16	0.8	1.4
1999	2	0.6	0.46	0.1	2.7	36	0.8	0.13	0.5	1.1
2000	1	0.5	0.49	0.0	2.5	43	0.9	0.14	0.6	1.2
2001	1	0.6	0.64	0.0	2.9	39	0.8	0.13	0.6	1.1
2002	1	0.4	0.44	0.0	2.2	50	1.1	0.15	0.8	1.4
2003	1	0.4	0.43	0.0	2.1	46	0.9	0.14	0.7	1.3
2004	0					41	0.8	0.13	0.6	1.2
2005	2	0.6	0.40	0.1	2.0	47	1.0	0.15	0.7	1.3
2006	1	0.2	0.17	0.0	1.2	53	1.1	0.15	0.8	1.4
2007	3	0.6	0.35	0.1	1.8	50	1.1	0.15	0.8	1.4
2008	2	0.6	0.46	0.1	2.0	41	0.8	0.13	0.6	1.1

Non-Hispanic Whites

Non-Hispanic Blacks

Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	804	1.1	0.04	1.0	1.1	32	0.3	0.06	0.2	0.5
1990	45	1.1	0.17	0.8	1.5	0				
1991	43	1.2	0.18	0.8	1.6	1	0.2	0.15	0.0	1.0
1992	38	1.0	0.16	0.7	1.3	2	0.4	0.27	0.1	1.4
1993	31	0.8	0.14	0.5	1.1	2	0.3	0.24	0.0	1.3
1994	45	1.2	0.18	0.8	1.6	0				
1995	50	1.3	0.18	1.0	1.7	1	0.2	0.16	0.0	1.0
1996	42	1.1	0.17	0.8	1.5	1	0.2	0.20	0.0	1.0
1997	47	1.2	0.18	0.9	1.6	2	0.5	0.36	0.1	1.6
1998	47	1.2	0.17	0.9	1.6	1	0.2	0.16	0.0	0.9
1999	31	0.8	0.14	0.5	1.1	3	0.7	0.42	0.1	1.9
2000	39	0.9	0.15	0.7	1.3	4	0.8	0.43	0.2	2.0
2001	38	0.9	0.15	0.6	1.3	0				
2002	49	1.2	0.17	0.9	1.6	1	0.2	0.15	0.0	0.9
2003	43	1.0	0.16	0.7	1.4	3	0.4	0.25	0.1	1.3
2004	37	0.9	0.15	0.6	1.2	3	0.5	0.30	0.1	1.5
2005	45	1.1	0.16	0.8	1.5	1	0.2	0.23	0.0	1.1
2006	49	1.2	0.17	0.9	1.5	4	0.7	0.36	0.2	1.8
2007	47	1.2	0.17	0.9	1.5	2	0.3	0.21	0.0	1.1
2008	38	0.9	0.15	0.6	1.3	1	0.1	0.12	0.0	0.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Hispanic Ethnicity and Race, Illinois 1990-2008

Ureter

Females

Hispanic (Any Race)						Non-Hispanic (Any Race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	17	0.4	0.10	0.2	0.6	564	0.4	0.02	0.4	0.5
1990	0					30	0.5	0.08	0.3	0.7
1991	3	2.5	1.52	0.5	6.8	28	0.4	0.08	0.3	0.6
1992	1	0.8	0.82	0.0	3.6	30	0.5	0.08	0.3	0.7
1993	0					28	0.4	0.08	0.3	0.6
1994	0					32	0.5	0.09	0.3	0.7
1995	0					27	0.4	0.08	0.3	0.6
1996	1	0.9	0.86	0.0	3.6	25	0.4	0.08	0.2	0.6
1997	2	1.2	0.90	0.1	3.9	22	0.3	0.07	0.2	0.5
1998	1	0.4	0.36	0.0	2.0	29	0.4	0.08	0.3	0.6
1999	2	1.1	0.75	0.1	3.4	23	0.4	0.07	0.2	0.5
2000	0					36	0.5	0.09	0.4	0.7
2001	1	0.4	0.40	0.0	1.9	27	0.4	0.08	0.3	0.6
2002	2	0.6	0.46	0.1	2.2	29	0.4	0.07	0.3	0.6
2003	1	0.2	0.22	0.0	1.3	28	0.4	0.08	0.3	0.6
2004	0					28	0.4	0.08	0.3	0.6
2005	0					33	0.5	0.08	0.3	0.7
2006	1	0.4	0.37	0.0	1.6	41	0.6	0.09	0.4	0.8
2007	1	0.2	0.24	0.0	1.2	35	0.5	0.08	0.3	0.7
2008	1	0.2	0.23	0.0	1.2	33	0.5	0.08	0.3	0.6

Non-Hispanic Whites						Non-Hispanic Blacks				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2008	529	0.5	0.02	0.4	0.5	24	0.2	0.03	0.1	0.3
1990	27	0.5	0.09	0.3	0.7	2	0.4	0.26	0.0	1.2
1991	27	0.5	0.09	0.3	0.7	1	0.2	0.18	0.0	0.9
1992	29	0.5	0.09	0.3	0.7	0				
1993	27	0.5	0.09	0.3	0.7	1	0.2	0.17	0.0	0.8
1994	31	0.5	0.10	0.4	0.8	1	0.2	0.17	0.0	0.8
1995	27	0.5	0.09	0.3	0.7	0				
1996	22	0.4	0.08	0.2	0.6	2	0.3	0.18	0.0	0.9
1997	22	0.4	0.09	0.3	0.6	0				
1998	27	0.4	0.08	0.3	0.6	0				
1999	21	0.4	0.08	0.2	0.6	2	0.2	0.16	0.0	0.8
2000	34	0.6	0.10	0.4	0.8	2	0.3	0.19	0.0	0.9
2001	27	0.5	0.09	0.3	0.7	0				
2002	27	0.4	0.08	0.3	0.6	2	0.2	0.17	0.0	0.8
2003	25	0.4	0.08	0.3	0.6	2	0.2	0.16	0.0	0.8
2004	25	0.4	0.09	0.3	0.6	3	0.4	0.22	0.1	1.1
2005	32	0.5	0.10	0.4	0.8	0				
2006	35	0.6	0.10	0.4	0.9	4	0.5	0.25	0.1	1.3
2007	31	0.5	0.09	0.4	0.7	2	0.2	0.17	0.0	0.8
2008	33	0.5	0.10	0.4	0.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010