

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois 1986-2008

VII Hepatic tumors

Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	116	1.9	0.17	1.5	2.2	134	1.6	0.14	1.4	1.9
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0					0				
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4
2000	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6
2001	7	2.5	0.96	1.0	5.2	8	2.2	0.77	0.9	4.3
2002	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
2003	7	2.5	0.95	1.0	5.2	8	2.2	0.77	0.9	4.3
2004	5	1.8	0.80	0.6	4.2	5	1.3	0.60	0.4	3.1
2005	7	2.6	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
2006	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2007	4	1.5	0.74	0.4	3.8	6	1.7	0.67	0.6	3.6
2008	6	2.2	0.89	0.8	4.8	7	1.9	0.72	0.8	3.9

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Pediatric Cancer Incidence, All Races, Both Sexes, Illinois 1986-2008

VII(a) Hepatoblastoma

Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	93	1.5	0.15	1.2	1.8	95	1.1	0.12	0.9	1.4
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
1988	0					0				
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3
2000	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
2001	5	1.8	0.80	0.6	4.2	5	1.3	0.60	0.4	3.1
2002	2	0.7	0.52	0.1	2.6	2	0.6	0.39	0.1	2.0
2003	6	2.2	0.88	0.8	4.7	6	1.6	0.66	0.6	3.5
2004	5	1.8	0.80	0.6	4.2	5	1.3	0.60	0.4	3.1
2005	7	2.6	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
2006	2	0.7	0.51	0.1	2.7	2	0.5	0.38	0.1	2.0
2007	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2008	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8

Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010