

## Pediatric Cancer Incidence, All Races, Both Sexes, Illinois 1986-2008

### IV Neuroblastoma and other peripheral nervous cell tumors

Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	660	10.5	0.41	9.7	11.3	680	8.1	0.31	7.5	8.7
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	24	9.0	1.84	5.8	13.4	24	6.7	1.38	4.3	10.1
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.1	2.18	9.1	18.1	36	9.8	1.63	6.8	13.5
2002	39	14.2	2.28	10.1	19.5	40	10.9	1.73	7.8	14.9
2003	38	13.8	2.24	9.8	18.9	39	10.6	1.70	7.5	14.5
2004	36	13.0	2.17	9.1	18.0	37	10.0	1.65	7.1	13.8
2005	32	11.7	2.06	8.0	16.5	33	9.0	1.57	6.2	12.7
2006	19	7.1	1.62	4.3	11.1	20	5.6	1.25	3.4	8.6
2007	26	9.4	1.85	6.2	13.8	26	7.1	1.39	4.6	10.4
2008	22	8.0	1.70	5.0	12.1	23	6.2	1.30	4.0	9.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

## Pediatric Cancer Incidence, All Races, Both Sexes, Illinois 1986-2008

### IV(a) Neuroblastoma and ganglioneuroblastoma

Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	650	10.3	0.40	9.5	11.1	661	7.9	0.31	7.3	8.5
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7
1988	24	9.0	1.84	5.8	13.4	24	6.7	1.38	4.3	10.1
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.1	2.18	9.1	18.1	36	9.8	1.63	6.8	13.5
2002	39	14.2	2.28	10.1	19.5	40	10.9	1.73	7.8	14.9
2003	38	13.8	2.24	9.8	18.9	38	10.3	1.67	7.3	14.2
2004	36	13.0	2.17	9.1	18.0	37	10.0	1.65	7.1	13.8
2005	32	11.7	2.06	8.0	16.5	32	8.7	1.54	6.0	12.3
2006	18	6.7	1.58	4.0	10.6	19	5.3	1.21	3.2	8.2
2007	25	9.1	1.81	5.9	13.4	25	6.8	1.36	4.4	10.0
2008	21	7.6	1.66	4.7	11.7	21	5.7	1.24	3.5	8.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*