

## Pediatric Cancer Incidence, All Races, Both Sexes, Illinois 1986-2008

### IX Soft tissue and other extrasosseous sarcomas

Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	613	10.1	0.41	9.3	11.0	903	11.2	0.37	10.5	12.0
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	27	10.2	1.97	6.7	14.9	42	12.4	1.92	8.9	16.8
1993	19	7.4	1.69	4.4	11.5	28	8.4	1.58	5.6	12.1
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	30	11.1	2.02	7.5	15.8	36	10.0	1.67	7.0	13.9
1998	29	10.9	2.02	7.3	15.6	38	10.7	1.73	7.6	14.7
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.87	6.2	14.0	41	11.4	1.78	8.2	15.4
2002	33	12.1	2.11	8.3	17.0	41	11.3	1.77	8.1	15.4
2003	22	8.1	1.73	5.1	12.3	42	11.7	1.81	8.4	15.8
2004	28	10.4	1.97	6.9	15.0	42	11.7	1.80	8.4	15.8
2005	27	10.2	1.96	6.7	14.8	43	12.0	1.83	8.7	16.2
2006	22	8.3	1.76	5.2	12.5	32	8.9	1.58	6.1	12.6
2007	36	13.6	2.27	9.5	18.9	53	14.8	2.04	11.1	19.4
2008	33	12.3	2.14	8.5	17.3	51	14.1	1.98	10.5	18.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

## Pediatric Cancer Incidence, All Races, Both Sexes, Illinois 1986-2008

### IX(a) Rhabdomyosarcomas

Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	300	4.9	0.28	4.4	5.5	369	4.6	0.24	4.1	5.0
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.21	3.2	8.3
2002	18	6.6	1.56	3.9	10.5	20	5.5	1.23	3.4	8.5
2003	11	4.1	1.22	2.0	7.3	16	4.4	1.11	2.5	7.2
2004	8	3.0	1.05	1.3	5.9	11	3.1	0.93	1.5	5.5
2005	6	2.3	0.93	0.8	5.0	9	2.5	0.85	1.2	4.8
2006	9	3.4	1.12	1.5	6.4	13	3.6	1.00	1.9	6.2
2007	15	5.7	1.47	3.2	9.4	20	5.6	1.26	3.4	8.7
2008	11	4.1	1.24	2.1	7.4	15	4.2	1.08	2.3	6.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*