

Invasive Cancer Incidence by Race, Illinois 1986-2008

Bones & Joints

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,358	0.9	0.02	0.8	0.9	1,993	0.9	0.02	0.8	0.9
1986	90	0.8	0.09	0.7	1.0	80	0.9	0.10	0.7	1.1
1987	93	0.8	0.09	0.7	1.0	82	0.9	0.10	0.7	1.1
1988	81	0.7	0.08	0.6	0.9	63	0.7	0.09	0.5	0.9
1989	80	0.7	0.08	0.6	0.9	75	0.8	0.09	0.6	1.0
1990	104	0.9	0.09	0.8	1.1	94	1.0	0.11	0.8	1.3
1991	100	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	82	0.7	0.08	0.6	0.9	73	0.7	0.09	0.6	0.9
1993	84	0.7	0.08	0.6	0.9	72	0.7	0.09	0.6	0.9
1994	92	0.8	0.08	0.6	1.0	77	0.8	0.09	0.6	1.0
1995	127	1.1	0.10	0.9	1.3	100	1.0	0.10	0.8	1.3
1996	105	0.9	0.09	0.7	1.1	93	1.0	0.10	0.8	1.2
1997	111	0.9	0.09	0.8	1.1	98	1.0	0.10	0.8	1.2
1998	101	0.8	0.08	0.7	1.0	83	0.8	0.09	0.7	1.0
1999	102	0.8	0.08	0.7	1.0	88	0.9	0.09	0.7	1.1
2000	118	1.0	0.09	0.8	1.1	103	1.0	0.10	0.8	1.3
2001	106	0.9	0.08	0.7	1.0	89	0.9	0.09	0.7	1.1
2002	112	0.9	0.09	0.7	1.1	95	0.9	0.10	0.8	1.2
2003	107	0.9	0.08	0.7	1.0	92	0.9	0.09	0.7	1.1
2004	111	0.9	0.08	0.7	1.1	80	0.8	0.09	0.6	1.0
2005	112	0.9	0.08	0.7	1.1	90	0.9	0.09	0.7	1.1
2006	125	1.0	0.09	0.8	1.2	104	1.0	0.10	0.8	1.2
2007	128	1.0	0.09	0.8	1.2	104	1.0	0.10	0.8	1.2
2008	87	0.7	0.07	0.5	0.8	75	0.7	0.08	0.6	0.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	273	0.7	0.04	0.6	0.8	65	0.7	0.09	0.5	0.9
1986	9	0.6	0.21	0.3	1.2	1	0.3	0.34	0.0	3.3
1987	8	0.4	0.15	0.2	0.9	0				
1988	16	1.0	0.29	0.6	1.8	2	0.8	0.58	0.1	3.7
1989	5	0.3	0.15	0.1	0.8	0				
1990	10	0.6	0.21	0.3	1.2	0				
1991	13	0.7	0.20	0.4	1.2	2	0.5	0.34	0.1	2.7
1992	8	0.4	0.16	0.2	0.9	1	0.3	0.26	0.0	2.3
1993	10	0.6	0.20	0.3	1.1	1	0.2	0.19	0.0	2.0
1994	11	0.6	0.20	0.3	1.2	4	1.3	0.67	0.3	3.6
1995	19	1.1	0.26	0.6	1.7	6	1.6	0.69	0.5	3.9
1996	11	0.7	0.21	0.3	1.2	1	0.2	0.17	0.0	1.7
1997	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	2.0
1998	15	0.8	0.22	0.4	1.4	2	0.4	0.30	0.1	1.9
1999	11	0.7	0.22	0.3	1.2	2	0.4	0.27	0.0	1.8
2000	8	0.4	0.16	0.2	0.9	6	1.2	0.48	0.4	2.8
2001	13	0.8	0.24	0.4	1.4	3	0.6	0.37	0.1	2.0
2002	12	0.6	0.18	0.3	1.1	3	0.6	0.33	0.1	1.8
2003	11	0.6	0.20	0.3	1.2	2	0.4	0.31	0.1	1.7
2004	22	1.2	0.26	0.7	1.8	5	0.9	0.41	0.3	2.2
2005	11	0.6	0.18	0.3	1.1	6	1.1	0.45	0.4	2.5
2006	16	0.8	0.20	0.5	1.3	5	0.7	0.34	0.2	1.9
2007	16	0.8	0.21	0.5	1.4	7	1.3	0.51	0.5	2.7
2008	7	0.3	0.12	0.1	0.7	4	0.6	0.31	0.2	1.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Bones & Joints

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,286	1.0	0.03	0.9	1.0	1,081	1.0	0.03	0.9	1.1
1986	57	1.2	0.17	0.9	1.6	49	1.2	0.18	0.9	1.6
1987	53	1.0	0.13	0.7	1.3	46	1.0	0.15	0.7	1.3
1988	44	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
1989	51	1.0	0.14	0.7	1.3	48	1.1	0.16	0.8	1.5
1990	56	1.0	0.14	0.8	1.3	51	1.1	0.16	0.8	1.5
1991	54	1.0	0.15	0.8	1.4	46	1.1	0.16	0.8	1.4
1992	41	0.8	0.12	0.5	1.0	35	0.8	0.13	0.5	1.1
1993	43	0.8	0.12	0.6	1.1	38	0.8	0.14	0.6	1.2
1994	44	0.8	0.12	0.6	1.1	36	0.8	0.13	0.6	1.1
1995	68	1.2	0.15	0.9	1.5	51	1.1	0.16	0.8	1.5
1996	61	1.1	0.15	0.8	1.4	53	1.2	0.16	0.9	1.5
1997	64	1.2	0.15	0.9	1.5	57	1.2	0.17	0.9	1.6
1998	48	0.8	0.12	0.6	1.1	40	0.8	0.13	0.6	1.1
1999	64	1.1	0.14	0.8	1.4	56	1.2	0.16	0.9	1.5
2000	65	1.1	0.14	0.9	1.4	53	1.1	0.15	0.8	1.4
2001	47	0.8	0.11	0.6	1.0	40	0.8	0.13	0.6	1.1
2002	55	0.9	0.13	0.7	1.2	47	1.0	0.14	0.7	1.3
2003	67	1.1	0.14	0.9	1.4	59	1.2	0.16	0.9	1.5
2004	65	1.1	0.13	0.8	1.4	45	0.9	0.14	0.7	1.2
2005	62	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	63	1.1	0.14	0.8	1.4	50	1.1	0.15	0.8	1.4
2007	72	1.2	0.14	0.9	1.5	61	1.3	0.16	1.0	1.6
2008	42	0.7	0.11	0.5	1.0	37	0.8	0.13	0.5	1.1
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	153	0.8	0.07	0.7	1.0	36	0.7	0.12	0.5	1.0
1986	7	1.0	0.41	0.4	2.3	1	0.7	0.65	0.0	7.5
1987	5	0.5	0.25	0.2	1.5	0				
1988	8	0.9	0.34	0.4	2.0	1	0.6	0.56	0.0	6.6
1989	3	0.5	0.28	0.1	1.5	0				
1990	5	0.7	0.38	0.2	1.9	0				
1991	7	0.9	0.38	0.4	2.1	0				
1992	5	0.5	0.25	0.2	1.4	1	0.5	0.50	0.0	5.2
1993	4	0.5	0.24	0.1	1.4	0				
1994	6	0.7	0.27	0.2	1.6	2	1.1	0.76	0.1	5.4
1995	13	1.7	0.49	0.8	3.0	3	1.4	0.81	0.3	5.5
1996	7	0.9	0.33	0.3	1.9	1	0.3	0.33	0.0	4.0
1997	6	0.8	0.36	0.3	1.9	1	0.5	0.45	0.0	4.0
1998	7	0.8	0.32	0.3	1.8	1	0.4	0.39	0.0	3.7
1999	7	1.1	0.44	0.4	2.3	1	0.5	0.46	0.0	3.7
2000	6	0.8	0.37	0.2	1.9	5	1.9	0.86	0.6	5.2
2001	4	0.8	0.44	0.2	2.0	2	0.9	0.69	0.1	4.0
2002	6	0.6	0.26	0.2	1.5	1	0.4	0.40	0.0	2.9
2003	6	0.9	0.37	0.3	2.0	2	0.9	0.64	0.1	3.6
2004	15	1.8	0.51	1.0	3.1	2	0.5	0.37	0.1	2.7
2005	5	0.6	0.29	0.2	1.5	4	1.4	0.73	0.4	4.1
2006	9	0.8	0.28	0.4	1.7	4	1.3	0.63	0.3	3.6
2007	8	0.9	0.33	0.4	1.9	3	1.0	0.60	0.2	3.3
2008	4	0.4	0.21	0.1	1.2	1	0.2	0.24	0.0	2.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Bones & Joints

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,072	0.7	0.02	0.7	0.8	912	0.8	0.03	0.7	0.8
1986	33	0.5	0.10	0.4	0.8	31	0.6	0.11	0.4	0.9
1987	40	0.7	0.10	0.5	0.9	36	0.7	0.12	0.5	1.0
1988	37	0.6	0.11	0.5	0.9	28	0.6	0.11	0.4	0.9
1989	29	0.5	0.09	0.3	0.7	27	0.6	0.11	0.4	0.8
1990	48	0.8	0.12	0.6	1.1	43	0.9	0.14	0.7	1.2
1991	46	0.8	0.12	0.6	1.1	37	0.8	0.13	0.5	1.1
1992	41	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
1993	41	0.7	0.10	0.5	0.9	34	0.7	0.12	0.5	0.9
1994	48	0.8	0.12	0.6	1.1	41	0.8	0.13	0.6	1.1
1995	59	1.0	0.13	0.7	1.2	49	1.0	0.14	0.7	1.3
1996	44	0.7	0.11	0.5	1.0	40	0.8	0.13	0.6	1.1
1997	47	0.8	0.11	0.6	1.0	41	0.8	0.13	0.6	1.1
1998	53	0.8	0.12	0.6	1.1	43	0.9	0.13	0.6	1.2
1999	38	0.6	0.09	0.4	0.8	32	0.6	0.11	0.4	0.9
2000	53	0.8	0.11	0.6	1.1	50	1.0	0.14	0.7	1.3
2001	59	0.9	0.12	0.7	1.2	49	1.0	0.14	0.7	1.3
2002	57	0.9	0.12	0.7	1.1	48	0.9	0.13	0.7	1.2
2003	40	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.9
2004	46	0.7	0.10	0.5	0.9	35	0.6	0.11	0.4	0.9
2005	50	0.8	0.11	0.6	1.0	42	0.8	0.12	0.6	1.1
2006	62	0.9	0.12	0.7	1.2	54	1.0	0.14	0.8	1.3
2007	56	0.8	0.11	0.6	1.1	43	0.8	0.12	0.6	1.1
2008	45	0.7	0.10	0.5	0.9	38	0.7	0.12	0.5	1.0
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	120	0.6	0.05	0.5	0.7	29	0.6	0.12	0.4	0.9
1986	2	0.3	0.18	0.0	1.0	0				
1987	3	0.3	0.19	0.1	1.0	0				
1988	8	1.0	0.40	0.4	2.1	1	1.0	1.02	0.0	6.2
1989	2	0.2	0.15	0.0	0.8	0				
1990	5	0.5	0.25	0.2	1.3	0				
1991	6	0.5	0.22	0.2	1.3	2	1.0	0.70	0.1	5.0
1992	3	0.3	0.19	0.1	1.0	0				
1993	6	0.6	0.27	0.2	1.4	1	0.4	0.35	0.0	3.6
1994	5	0.6	0.27	0.2	1.4	2	1.4	1.00	0.2	5.2
1995	6	0.6	0.26	0.2	1.4	3	1.7	1.02	0.3	5.4
1996	4	0.5	0.25	0.1	1.2	0				
1997	5	0.5	0.23	0.2	1.2	1	0.4	0.44	0.0	3.0
1998	8	0.8	0.31	0.4	1.7	1	0.4	0.41	0.0	2.9
1999	4	0.4	0.21	0.1	1.1	1	0.3	0.31	0.0	2.5
2000	2	0.2	0.13	0.0	0.7	1	0.4	0.41	0.0	2.6
2001	9	1.0	0.32	0.4	1.8	1	0.4	0.40	0.0	2.5
2002	6	0.6	0.23	0.2	1.3	2	0.8	0.53	0.1	2.9
2003	5	0.5	0.22	0.2	1.2	0				
2004	7	0.7	0.27	0.3	1.5	3	1.2	0.71	0.3	3.6
2005	6	0.6	0.23	0.2	1.3	2	0.8	0.53	0.1	2.8
2006	7	0.7	0.27	0.3	1.5	1	0.2	0.23	0.0	1.8
2007	8	0.7	0.26	0.3	1.5	4	1.4	0.74	0.3	3.7
2008	3	0.3	0.14	0.1	0.8	3	1.0	0.57	0.2	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010