

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Endocrine System

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	21,437	7.9	0.05	7.7	8.0	18,539	8.2	0.06	8.1	8.3
1986	518	4.8	0.22	4.4	5.2	454	4.9	0.24	4.5	5.4
1987	551	5.1	0.22	4.6	5.5	492	5.3	0.25	4.9	5.9
1988	550	5.0	0.22	4.6	5.4	473	5.0	0.24	4.6	5.5
1989	524	4.7	0.21	4.3	5.2	450	4.8	0.23	4.4	5.3
1990	601	5.4	0.22	4.9	5.8	530	5.6	0.25	5.1	6.1
1991	567	5.0	0.21	4.6	5.5	499	5.3	0.24	4.8	5.8
1992	629	5.5	0.22	5.1	6.0	557	5.8	0.25	5.3	6.3
1993	673	5.9	0.23	5.4	6.3	592	6.1	0.25	5.7	6.7
1994	665	5.7	0.22	5.3	6.2	581	6.0	0.25	5.5	6.5
1995	734	6.2	0.23	5.8	6.7	631	6.4	0.26	5.9	6.9
1996	795	6.7	0.24	6.2	7.2	696	7.0	0.27	6.5	7.6
1997	830	7.0	0.24	6.5	7.5	703	7.1	0.27	6.6	7.6
1998	844	7.0	0.24	6.5	7.5	711	7.1	0.27	6.6	7.7
1999	941	7.7	0.25	7.2	8.2	814	8.1	0.28	7.6	8.7
2000	938	7.7	0.25	7.2	8.2	808	8.0	0.28	7.5	8.6
2001	1,013	8.2	0.26	7.7	8.7	868	8.5	0.29	8.0	9.1
2002	1,200	9.6	0.28	9.1	10.2	1,045	10.2	0.32	9.6	10.9
2003	1,215	9.7	0.28	9.2	10.3	1,055	10.3	0.32	9.7	10.9
2004	1,360	10.8	0.29	10.2	11.4	1,194	11.6	0.34	11.0	12.3
2005	1,380	10.9	0.29	10.3	11.5	1,179	11.4	0.33	10.7	12.1
2006	1,544	12.1	0.31	11.5	12.8	1,321	12.7	0.35	12.1	13.4
2007	1,642	12.8	0.32	12.2	13.4	1,401	13.4	0.36	12.7	14.1
2008	1,723	13.3	0.32	12.6	13.9	1,485	14.1	0.37	13.4	14.8

  

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,734	4.9	0.12	4.7	5.1	915	10.0	0.35	9.3	10.7
1986	40	3.1	0.51	2.1	4.2	19	9.4	2.49	5.2	15.8
1987	35	2.8	0.49	1.9	3.9	19	7.8	1.95	4.5	13.0
1988	53	4.1	0.59	3.0	5.4	22	8.6	2.04	5.1	13.9
1989	47	3.5	0.54	2.5	4.7	20	9.4	2.69	4.9	16.0
1990	51	3.6	0.53	2.7	4.8	15	5.2	1.39	2.8	9.1
1991	41	3.0	0.48	2.1	4.1	12	4.2	1.30	2.0	7.8
1992	47	3.2	0.47	2.3	4.2	19	7.2	1.88	4.0	11.9
1993	48	3.4	0.51	2.5	4.6	26	7.1	1.43	4.5	10.7
1994	57	3.9	0.54	3.0	5.1	23	6.9	1.57	4.2	10.8
1995	61	4.0	0.53	3.1	5.2	31	8.5	1.63	5.6	12.4
1996	66	4.2	0.53	3.3	5.4	28	7.9	1.72	4.9	12.0
1997	81	5.6	0.63	4.4	6.9	37	9.3	1.63	6.3	13.1
1998	78	5.0	0.58	4.0	6.3	41	9.8	1.73	6.7	13.9
1999	63	3.8	0.49	2.9	4.9	37	8.7	1.54	5.9	12.3
2000	72	4.4	0.53	3.4	5.5	38	8.9	1.64	6.0	12.8
2001	97	6.0	0.62	4.8	7.3	38	8.7	1.53	5.9	12.2
2002	98	6.0	0.61	4.8	7.3	47	9.0	1.38	6.5	12.2
2003	98	5.8	0.59	4.7	7.1	43	7.8	1.26	5.5	10.7
2004	97	5.6	0.58	4.5	6.9	64	12.2	1.60	9.3	15.8
2005	109	6.4	0.63	5.3	7.8	71	13.4	1.68	10.3	17.1
2006	128	7.3	0.66	6.1	8.7	81	14.5	1.68	11.4	18.2
2007	131	7.5	0.67	6.3	9.0	92	15.4	1.67	12.3	19.1
2008	136	7.6	0.66	6.3	9.0	92	14.5	1.55	11.6	17.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Endocrine System

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	5,712	4.5	0.06	4.4	4.6	5,008	4.7	0.07	4.5	4.8
1986	146	3.0	0.26	2.5	3.6	135	3.2	0.28	2.7	3.8
1987	164	3.3	0.27	2.8	3.9	146	3.5	0.30	2.9	4.1
1988	144	2.8	0.24	2.4	3.4	123	2.8	0.26	2.3	3.4
1989	135	2.7	0.24	2.3	3.2	121	2.8	0.26	2.3	3.4
1990	172	3.4	0.26	2.9	3.9	150	3.4	0.28	2.9	4.0
1991	156	3.1	0.25	2.6	3.6	139	3.2	0.28	2.7	3.8
1992	186	3.6	0.27	3.1	4.1	163	3.7	0.29	3.1	4.3
1993	194	3.7	0.27	3.2	4.3	180	4.0	0.30	3.5	4.7
1994	191	3.6	0.26	3.1	4.1	162	3.5	0.28	3.0	4.1
1995	190	3.5	0.26	3.0	4.0	167	3.6	0.28	3.1	4.2
1996	220	4.1	0.28	3.5	4.6	192	4.2	0.30	3.6	4.8
1997	228	4.2	0.28	3.7	4.8	197	4.3	0.31	3.7	4.9
1998	254	4.6	0.29	4.0	5.2	213	4.6	0.32	4.0	5.2
1999	252	4.4	0.28	3.9	5.0	222	4.6	0.31	4.1	5.3
2000	223	3.9	0.26	3.4	4.5	201	4.2	0.30	3.7	4.9
2001	287	5.0	0.30	4.4	5.6	248	5.1	0.33	4.5	5.8
2002	304	5.2	0.30	4.7	5.9	268	5.5	0.34	4.9	6.2
2003	289	4.9	0.29	4.4	5.6	249	5.1	0.32	4.5	5.8
2004	358	6.0	0.32	5.4	6.7	322	6.5	0.36	5.8	7.2
2005	364	6.1	0.32	5.4	6.7	321	6.4	0.36	5.7	7.2
2006	404	6.7	0.34	6.1	7.4	345	6.9	0.37	6.2	7.7
2007	426	7.0	0.34	6.4	7.7	366	7.2	0.38	6.5	8.0
2008	425	6.7	0.33	6.1	7.4	378	7.3	0.38	6.5	8.0
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	420	2.8	0.14	2.5	3.1	225	5.4	0.39	4.6	6.2
1986	7	1.4	0.54	0.6	2.9	4	5.5	3.30	1.0	16.1
1987	12	2.4	0.79	1.1	4.4	5	4.3	2.11	1.2	12.2
1988	14	2.5	0.69	1.3	4.2	7	7.0	3.26	2.2	16.9
1989	9	1.6	0.65	0.6	3.4	4	6.4	4.65	0.7	19.8
1990	16	3.0	0.84	1.6	5.1	4	3.2	1.62	0.8	9.7
1991	9	1.3	0.44	0.6	2.5	6	4.5	2.05	1.4	11.4
1992	16	2.5	0.64	1.4	4.1	6	6.7	3.18	2.0	15.7
1993	11	1.7	0.55	0.8	3.1	1	0.4	0.36	0.0	4.7
1994	21	4.1	0.94	2.4	6.3	6	4.0	1.75	1.3	9.7
1995	14	1.9	0.54	1.0	3.4	6	2.9	1.19	1.0	7.4
1996	19	3.0	0.69	1.8	4.7	8	4.2	1.55	1.8	9.2
1997	20	3.2	0.77	1.9	5.1	11	5.1	1.58	2.5	10.0
1998	22	3.2	0.69	2.0	4.9	13	7.1	2.13	3.6	13.0
1999	16	2.3	0.62	1.3	3.9	8	4.3	1.67	1.7	9.3
2000	10	1.2	0.40	0.6	2.4	8	3.8	1.39	1.6	8.0
2001	26	4.0	0.82	2.6	5.9	10	4.6	1.61	2.0	9.2
2002	19	2.6	0.63	1.6	4.2	15	5.3	1.41	2.9	9.3
2003	23	3.2	0.68	2.0	4.8	11	4.9	1.59	2.3	9.2
2004	19	2.5	0.59	1.4	3.9	16	7.1	1.96	3.8	12.0
2005	26	3.6	0.73	2.3	5.3	13	5.0	1.48	2.5	9.0
2006	31	4.0	0.73	2.7	5.7	22	8.6	1.94	5.2	13.3
2007	30	4.4	0.86	2.9	6.4	25	9.2	1.95	5.8	13.9
2008	30	3.7	0.73	2.5	5.4	16	4.9	1.23	2.8	8.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Endocrine System

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	15,725	11.1	0.09	10.9	11.2	13,531	11.6	0.10	11.5	11.8
1986	372	6.5	0.34	5.8	7.2	319	6.6	0.38	5.8	7.3
1987	387	6.7	0.35	6.1	7.5	346	7.2	0.40	6.5	8.1
1988	406	6.9	0.35	6.3	7.7	350	7.1	0.39	6.4	7.9
1989	389	6.7	0.34	6.0	7.4	329	6.8	0.38	6.0	7.5
1990	429	7.2	0.35	6.5	7.9	380	7.7	0.40	6.9	8.5
1991	411	7.0	0.35	6.3	7.7	360	7.4	0.39	6.6	8.2
1992	443	7.4	0.36	6.7	8.1	394	7.9	0.40	7.1	8.7
1993	479	7.9	0.36	7.2	8.6	412	8.2	0.41	7.4	9.0
1994	474	7.8	0.36	7.1	8.5	419	8.4	0.41	7.6	9.2
1995	544	8.8	0.38	8.1	9.6	464	9.2	0.43	8.4	10.1
1996	575	9.2	0.39	8.5	10.0	504	9.9	0.44	9.0	10.8
1997	602	9.6	0.39	8.8	10.4	506	9.8	0.44	9.0	10.7
1998	590	9.4	0.39	8.7	10.2	498	9.8	0.44	9.0	10.7
1999	689	10.9	0.42	10.1	11.8	592	11.6	0.48	10.7	12.6
2000	715	11.2	0.42	10.4	12.0	607	11.7	0.48	10.8	12.7
2001	726	11.3	0.42	10.5	12.2	620	12.0	0.48	11.1	13.0
2002	896	13.9	0.46	13.0	14.8	777	14.9	0.54	13.9	16.0
2003	926	14.3	0.47	13.4	15.2	806	15.4	0.55	14.4	16.6
2004	1,002	15.5	0.49	14.5	16.5	872	16.8	0.57	15.7	18.0
2005	1,016	15.6	0.49	14.6	16.5	858	16.4	0.56	15.3	17.5
2006	1,140	17.4	0.52	16.4	18.4	976	18.6	0.60	17.4	19.8
2007	1,216	18.4	0.53	17.4	19.5	1,035	19.6	0.62	18.4	20.9
2008	1,298	19.5	0.55	18.5	20.7	1,107	20.9	0.64	19.7	22.2
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,314	6.6	0.18	6.2	6.9	690	14.2	0.57	13.1	15.3
1986	33	4.4	0.79	3.0	6.2	15	13.0	3.76	6.7	23.0
1987	23	3.1	0.67	1.9	4.7	14	11.0	3.13	5.7	19.6
1988	39	5.3	0.88	3.7	7.4	15	10.5	2.82	5.7	18.3
1989	38	4.9	0.83	3.4	6.8	16	12.1	3.35	6.5	20.9
1990	35	4.3	0.74	3.0	6.0	11	6.8	2.12	3.3	13.1
1991	32	4.2	0.76	2.8	5.9	6	3.8	1.64	1.3	9.1
1992	31	3.7	0.68	2.5	5.3	13	7.9	2.40	3.9	14.4
1993	37	4.7	0.79	3.3	6.5	25	13.5	2.77	8.6	20.4
1994	36	4.1	0.69	2.9	5.7	17	9.5	2.47	5.3	15.9
1995	47	5.5	0.82	4.1	7.4	25	13.1	2.77	8.2	19.9
1996	47	5.3	0.78	3.9	7.0	20	10.5	2.67	6.0	17.2
1997	61	7.4	0.95	5.6	9.5	26	12.8	2.65	8.1	19.2
1998	56	6.3	0.85	4.8	8.2	28	12.1	2.54	7.7	18.3
1999	47	5.0	0.73	3.7	6.6	29	12.6	2.48	8.3	18.6
2000	62	6.7	0.86	5.1	8.6	30	13.2	2.64	8.5	19.4
2001	71	7.6	0.91	5.9	9.6	28	12.1	2.40	7.8	17.8
2002	79	8.5	0.96	6.7	10.6	32	12.3	2.25	8.3	17.7
2003	75	7.9	0.91	6.2	9.9	32	10.5	1.94	7.1	15.2
2004	78	8.1	0.92	6.4	10.1	48	17.2	2.54	12.6	23.0
2005	83	8.7	0.96	6.9	10.8	58	20.9	2.86	15.7	27.3
2006	97	9.8	1.01	8.0	12.0	59	20.1	2.69	15.2	26.1
2007	101	10.2	1.03	8.3	12.4	67	21.4	2.67	16.4	27.3
2008	106	10.6	1.04	8.7	12.8	76	23.3	2.73	18.2	29.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Thyroid

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	19,625	7.2	0.05	7.1	7.3	17,085	7.5	0.06	7.4	7.7
1986	465	4.3	0.21	3.9	4.7	407	4.4	0.23	4.0	4.9
1987	481	4.4	0.21	4.1	4.9	432	4.7	0.23	4.3	5.2
1988	503	4.6	0.21	4.2	5.0	437	4.7	0.23	4.2	5.1
1989	459	4.2	0.20	3.8	4.6	393	4.2	0.21	3.8	4.6
1990	537	4.8	0.21	4.4	5.2	480	5.1	0.24	4.6	5.6
1991	509	4.5	0.20	4.1	4.9	451	4.8	0.23	4.3	5.2
1992	539	4.7	0.21	4.3	5.2	480	5.0	0.23	4.6	5.5
1993	596	5.2	0.21	4.8	5.6	527	5.5	0.24	5.0	6.0
1994	602	5.2	0.21	4.8	5.6	529	5.4	0.24	5.0	5.9
1995	652	5.5	0.22	5.1	5.9	562	5.7	0.24	5.2	6.2
1996	718	6.1	0.23	5.6	6.5	635	6.4	0.26	5.9	7.0
1997	757	6.4	0.23	5.9	6.8	650	6.6	0.26	6.1	7.1
1998	779	6.5	0.23	6.0	6.9	663	6.6	0.26	6.1	7.2
1999	862	7.1	0.24	6.6	7.6	752	7.5	0.27	7.0	8.1
2000	870	7.1	0.24	6.6	7.6	754	7.5	0.27	7.0	8.0
2001	921	7.5	0.25	7.0	8.0	795	7.8	0.28	7.3	8.4
2002	1,108	8.9	0.27	8.4	9.4	969	9.5	0.30	8.9	10.1
2003	1,120	8.9	0.27	8.4	9.5	976	9.5	0.31	8.9	10.1
2004	1,246	9.9	0.28	9.4	10.5	1,100	10.7	0.32	10.1	11.4
2005	1,294	10.2	0.28	9.6	10.8	1,110	10.7	0.32	10.1	11.4
2006	1,432	11.2	0.30	10.7	11.8	1,237	11.9	0.34	11.3	12.6
2007	1,544	12.0	0.31	11.4	12.7	1,334	12.8	0.35	12.1	13.5
2008	1,631	12.6	0.31	12.0	13.2	1,412	13.4	0.36	12.7	14.1
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,462	4.2	0.11	4.0	4.4	841	9.2	0.34	8.5	9.9
1986	35	2.7	0.47	1.8	3.8	18	9.0	2.46	4.8	15.3
1987	29	2.4	0.47	1.6	3.5	16	6.6	1.80	3.6	11.5
1988	45	3.6	0.55	2.6	4.8	19	7.9	1.99	4.5	13.0
1989	41	3.1	0.51	2.2	4.3	18	8.8	2.66	4.4	15.5
1990	39	2.9	0.48	2.0	4.0	13	4.4	1.28	2.2	8.1
1991	33	2.5	0.45	1.7	3.5	10	3.6	1.24	1.6	7.2
1992	37	2.5	0.42	1.8	3.5	16	6.0	1.75	3.0	10.5
1993	39	2.7	0.44	1.9	3.7	23	6.3	1.36	3.9	9.9
1994	49	3.4	0.49	2.5	4.5	21	6.2	1.46	3.7	9.9
1995	52	3.5	0.50	2.6	4.6	28	7.8	1.58	5.0	11.6
1996	53	3.4	0.47	2.5	4.4	25	7.2	1.68	4.3	11.3
1997	63	4.5	0.58	3.4	5.7	35	8.9	1.61	6.0	12.8
1998	65	4.2	0.54	3.3	5.4	37	8.7	1.63	5.8	12.5
1999	50	3.0	0.43	2.2	3.9	34	7.9	1.47	5.3	11.5
2000	64	3.9	0.51	3.0	5.1	34	8.0	1.57	5.2	11.7
2001	84	5.2	0.58	4.1	6.4	34	7.4	1.34	5.0	10.5
2002	85	5.2	0.57	4.1	6.4	44	8.5	1.35	6.1	11.7
2003	86	5.1	0.56	4.1	6.4	39	7.2	1.22	5.0	10.0
2004	79	4.6	0.52	3.6	5.7	62	11.9	1.58	9.0	15.4
2005	93	5.5	0.58	4.4	6.8	70	13.2	1.67	10.1	16.9
2006	103	5.9	0.59	4.8	7.2	78	13.9	1.64	10.9	17.6
2007	114	6.7	0.64	5.5	8.0	81	13.6	1.56	10.7	17.0
2008	124	7.0	0.64	5.8	8.4	86	13.5	1.50	10.7	16.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Thyroid

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,748	3.8	0.06	3.7	3.9	4,227	3.9	0.06	3.8	4.1
1986	116	2.4	0.23	2.0	2.9	106	2.5	0.25	2.1	3.1
1987	128	2.6	0.24	2.2	3.2	113	2.7	0.26	2.2	3.3
1988	121	2.4	0.23	2.0	2.9	103	2.4	0.24	2.0	2.9
1989	96	2.0	0.21	1.6	2.4	88	2.1	0.22	1.6	2.5
1990	139	2.8	0.24	2.3	3.3	124	2.8	0.26	2.3	3.4
1991	124	2.4	0.22	2.0	2.9	112	2.6	0.25	2.1	3.1
1992	139	2.7	0.23	2.3	3.2	125	2.8	0.26	2.3	3.4
1993	150	2.8	0.23	2.4	3.3	142	3.2	0.27	2.7	3.7
1994	152	2.9	0.24	2.4	3.4	129	2.8	0.25	2.4	3.4
1995	150	2.8	0.23	2.3	3.3	135	2.9	0.26	2.5	3.5
1996	178	3.3	0.25	2.8	3.8	159	3.5	0.28	2.9	4.1
1997	192	3.5	0.26	3.0	4.1	170	3.7	0.28	3.1	4.3
1998	218	3.9	0.27	3.4	4.5	186	4.0	0.29	3.4	4.6
1999	217	3.8	0.26	3.3	4.4	193	4.0	0.29	3.5	4.7
2000	191	3.4	0.24	2.9	3.9	176	3.7	0.28	3.2	4.3
2001	235	4.1	0.27	3.6	4.7	209	4.3	0.30	3.8	5.0
2002	252	4.3	0.27	3.8	4.9	225	4.6	0.31	4.0	5.3
2003	245	4.2	0.27	3.7	4.8	209	4.3	0.30	3.7	4.9
2004	303	5.1	0.29	4.5	5.7	273	5.5	0.33	4.9	6.2
2005	312	5.2	0.30	4.6	5.8	280	5.6	0.34	4.9	6.3
2006	334	5.5	0.31	4.9	6.2	292	5.8	0.34	5.1	6.5
2007	377	6.2	0.33	5.6	6.9	334	6.6	0.37	5.9	7.4
2008	379	6.0	0.31	5.4	6.7	344	6.6	0.36	5.9	7.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	286	2.0	0.12	1.8	2.3	182	4.4	0.36	3.7	5.1
1986	7	1.4	0.54	0.6	2.9	3	4.6	3.18	0.6	15.2
1987	10	2.2	0.77	0.9	4.1	4	3.6	1.96	0.8	11.3
1988	12	2.2	0.67	1.1	3.9	6	6.6	3.23	1.8	16.4
1989	4	0.9	0.54	0.2	2.5	3	5.9	4.62	0.5	19.3
1990	10	2.2	0.76	0.9	4.1	3	2.4	1.38	0.5	8.6
1991	6	1.0	0.41	0.4	2.2	4	3.5	1.90	0.8	10.2
1992	10	1.7	0.54	0.8	3.2	3	4.2	2.84	0.6	12.9
1993	6	0.9	0.36	0.3	1.9	0				
1994	17	3.3	0.85	1.9	5.4	5	2.8	1.30	0.9	7.8
1995	9	1.3	0.46	0.6	2.6	4	2.0	1.00	0.5	6.3
1996	13	2.1	0.58	1.1	3.6	5	3.0	1.37	0.9	7.8
1997	12	2.1	0.66	1.0	3.8	10	4.8	1.55	2.2	9.6
1998	16	2.3	0.59	1.3	3.8	10	5.1	1.75	2.3	10.3
1999	11	1.6	0.47	0.8	2.8	7	3.6	1.50	1.3	8.3
2000	8	1.1	0.38	0.4	2.1	4	1.8	0.94	0.5	5.3
2001	16	2.5	0.66	1.4	4.1	8	3.7	1.49	1.4	8.1
2002	11	1.5	0.44	0.7	2.7	14	5.1	1.39	2.7	9.0
2003	19	2.7	0.64	1.6	4.3	11	4.9	1.59	2.3	9.2
2004	13	1.7	0.50	0.9	3.0	16	7.1	1.96	3.8	12.0
2005	16	2.3	0.58	1.3	3.7	12	4.6	1.43	2.3	8.5
2006	17	2.3	0.58	1.3	3.8	19	7.3	1.78	4.3	11.8
2007	21	3.3	0.78	2.0	5.2	19	6.8	1.60	4.0	10.8
2008	22	2.9	0.66	1.8	4.5	12	3.7	1.07	1.9	6.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Thyroid

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	14,877	10.5	0.09	10.3	10.6	12,858	11.1	0.10	10.9	11.3
1986	349	6.1	0.33	5.4	6.8	301	6.2	0.37	5.5	7.0
1987	353	6.2	0.34	5.6	6.9	319	6.7	0.39	6.0	7.5
1988	382	6.5	0.34	5.9	7.2	334	6.8	0.38	6.1	7.6
1989	363	6.2	0.33	5.6	6.9	305	6.3	0.37	5.6	7.0
1990	398	6.7	0.34	6.1	7.4	356	7.2	0.39	6.5	8.1
1991	385	6.5	0.34	5.9	7.2	339	6.9	0.38	6.2	7.7
1992	400	6.7	0.34	6.0	7.4	355	7.1	0.38	6.4	7.9
1993	446	7.4	0.35	6.7	8.1	385	7.7	0.40	6.9	8.5
1994	450	7.4	0.35	6.7	8.1	400	8.0	0.40	7.2	8.8
1995	502	8.1	0.36	7.4	8.8	427	8.4	0.41	7.6	9.3
1996	540	8.7	0.38	8.0	9.4	476	9.4	0.43	8.5	10.2
1997	565	9.0	0.38	8.3	9.8	480	9.3	0.43	8.5	10.2
1998	561	8.9	0.38	8.2	9.7	477	9.4	0.43	8.6	10.3
1999	645	10.2	0.40	9.5	11.1	559	11.0	0.47	10.1	12.0
2000	679	10.6	0.41	9.8	11.5	578	11.2	0.47	10.3	12.2
2001	686	10.7	0.41	9.9	11.6	586	11.3	0.47	10.4	12.3
2002	856	13.3	0.45	12.4	14.2	744	14.3	0.53	13.3	15.4
2003	875	13.5	0.46	12.6	14.4	767	14.7	0.53	13.7	15.8
2004	943	14.6	0.48	13.7	15.6	827	16.0	0.56	14.9	17.1
2005	982	15.1	0.48	14.1	16.0	830	15.9	0.56	14.8	17.0
2006	1,098	16.8	0.51	15.8	17.8	945	18.0	0.59	16.9	19.2
2007	1,167	17.7	0.52	16.7	18.7	1,000	19.0	0.61	17.8	20.2
2008	1,252	18.9	0.54	17.9	20.0	1,068	20.3	0.63	19.1	21.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,176	5.9	0.17	5.6	6.2	659	13.5	0.55	12.5	14.7
1986	28	3.7	0.72	2.4	5.4	15	13.0	3.76	6.7	23.0
1987	19	2.6	0.63	1.6	4.2	12	9.4	2.90	4.6	17.6
1988	33	4.6	0.82	3.1	6.5	13	9.4	2.71	4.9	17.0
1989	37	4.8	0.82	3.4	6.7	15	11.5	3.30	6.0	20.3
1990	29	3.6	0.69	2.4	5.2	10	6.1	2.01	2.8	12.2
1991	27	3.6	0.71	2.3	5.2	6	3.8	1.64	1.3	9.1
1992	27	3.2	0.63	2.1	4.7	13	7.9	2.40	3.9	14.4
1993	33	4.1	0.73	2.8	5.8	23	12.3	2.65	7.7	19.1
1994	32	3.7	0.65	2.5	5.2	16	9.0	2.42	4.9	15.3
1995	43	5.1	0.79	3.7	6.9	24	12.6	2.74	7.8	19.4
1996	40	4.5	0.71	3.2	6.1	20	10.5	2.67	6.0	17.2
1997	51	6.3	0.89	4.7	8.3	25	12.3	2.62	7.8	18.7
1998	49	5.6	0.81	4.1	7.4	27	11.6	2.50	7.3	17.7
1999	39	4.1	0.66	2.9	5.6	27	11.9	2.42	7.6	17.7
2000	56	6.1	0.83	4.6	7.9	30	13.2	2.64	8.5	19.4
2001	68	7.3	0.89	5.7	9.3	26	10.7	2.16	6.9	15.9
2002	74	8.0	0.93	6.3	10.0	30	11.6	2.19	7.7	16.8
2003	67	7.1	0.87	5.5	9.0	28	9.3	1.85	6.1	13.8
2004	66	6.9	0.85	5.3	8.7	46	16.5	2.50	12.0	22.3
2005	77	8.0	0.92	6.3	10.1	58	20.9	2.86	15.7	27.3
2006	86	8.7	0.94	6.9	10.8	59	20.1	2.69	15.2	26.1
2007	93	9.5	0.99	7.7	11.7	62	19.8	2.58	15.1	25.6
2008	102	10.3	1.02	8.4	12.5	74	22.6	2.69	17.7	28.6

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*