

Invasive Cancer Incidence by Race, Illinois 1986-2008

Female Genital System

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	80,470	54.4	0.19	54.0	54.7	68,558	54.9	0.21	54.5	55.3
1986	3,260	55.6	1.00	53.6	57.5	2,881	56.5	1.08	54.4	58.6
1987	3,310	56.1	1.00	54.1	58.1	2,871	56.1	1.08	54.0	58.2
1988	3,229	54.2	0.97	52.3	56.2	2,771	53.7	1.05	51.7	55.8
1989	3,206	53.9	0.97	52.0	55.8	2,773	54.1	1.05	52.1	56.2
1990	3,363	55.8	0.98	53.9	57.8	2,894	55.8	1.06	53.8	57.9
1991	3,341	54.8	0.96	52.9	56.7	2,913	55.7	1.05	53.6	57.8
1992	3,384	55.2	0.96	53.3	57.1	2,995	57.1	1.06	55.0	59.2
1993	3,407	54.8	0.95	52.9	56.7	2,934	55.3	1.04	53.3	57.4
1994	3,498	55.4	0.95	53.6	57.3	3,002	55.8	1.03	53.8	57.9
1995	3,515	55.7	0.95	53.9	57.6	3,020	56.4	1.04	54.4	58.5
1996	3,738	58.8	0.97	57.0	60.8	3,215	59.9	1.07	57.8	62.0
1997	3,532	55.1	0.93	53.3	56.9	3,016	55.7	1.03	53.7	57.8
1998	3,659	56.5	0.94	54.7	58.4	3,123	57.3	1.04	55.3	59.3
1999	3,503	53.7	0.91	51.9	55.5	2,967	54.1	1.00	52.2	56.1
2000	3,497	53.2	0.90	51.4	55.0	2,918	53.0	0.99	51.1	55.0
2001	3,545	53.4	0.90	51.7	55.2	2,972	53.7	0.99	51.8	55.7
2002	3,594	53.6	0.90	51.9	55.4	3,024	54.2	0.99	52.3	56.2
2003	3,485	51.2	0.87	49.5	52.9	2,932	51.7	0.96	49.9	53.7
2004	3,538	51.5	0.87	49.8	53.3	2,970	52.2	0.97	50.3	54.1
2005	3,668	52.9	0.88	51.2	54.6	3,065	53.5	0.98	51.6	55.5
2006	3,753	53.7	0.89	52.0	55.5	3,114	53.9	0.98	52.0	55.9
2007	3,687	52.2	0.87	50.5	53.9	3,067	52.6	0.96	50.8	54.5
2008	3,758	52.5	0.87	50.8	54.2	3,121	53.0	0.96	51.1	54.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	9,799	51.9	0.53	50.8	52.9	1,517	35.6	0.96	33.8	37.6
1986	333	49.6	2.79	44.3	55.3	33	29.8	5.47	20.1	43.0
1987	395	56.3	2.91	50.7	62.3	30	28.9	5.82	18.6	42.7
1988	393	55.9	2.89	50.4	61.9	48	44.1	6.86	31.7	59.7
1989	385	53.6	2.79	48.2	59.3	40	34.9	5.88	24.4	48.6
1990	422	59.1	2.93	53.5	65.1	31	22.2	4.14	14.8	32.2
1991	362	49.0	2.63	44.0	54.4	40	33.9	5.79	23.5	47.2
1992	335	44.8	2.49	40.0	49.9	40	27.5	4.50	19.4	38.0
1993	413	53.3	2.67	48.2	58.8	49	31.8	4.97	22.8	43.1
1994	444	57.6	2.78	52.3	63.3	46	34.8	5.80	24.4	47.9
1995	409	51.6	2.58	46.6	56.9	73	44.4	5.52	34.2	56.6
1996	438	54.7	2.65	49.6	60.1	67	40.8	5.31	31.1	52.5
1997	440	53.2	2.57	48.3	58.5	49	25.4	3.74	18.7	34.0
1998	447	52.8	2.52	47.9	57.9	63	34.5	4.76	25.8	45.0
1999	430	50.3	2.45	45.6	55.3	62	30.7	4.15	23.1	39.9
2000	453	51.8	2.46	47.1	56.9	85	40.3	4.62	31.8	50.4
2001	457	52.0	2.45	47.3	57.0	94	42.3	4.57	33.8	52.2
2002	452	50.8	2.41	46.2	55.7	94	40.0	4.28	32.0	49.3
2003	420	47.0	2.31	42.5	51.7	78	32.4	3.82	25.3	40.8
2004	455	50.4	2.38	45.8	55.3	86	35.0	3.93	27.8	43.6
2005	465	50.0	2.34	45.5	54.8	92	35.9	3.90	28.7	44.4
2006	491	52.8	2.40	48.2	57.8	100	37.0	3.83	29.9	45.3
2007	473	49.6	2.30	45.2	54.3	104	36.3	3.67	29.4	44.2
2008	487	49.7	2.27	45.3	54.3	113	38.6	3.76	31.6	46.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Cervix Uteri

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	15,582	10.9	0.09	10.7	11.1	11,428	9.7	0.09	9.5	9.9
1986	728	13.1	0.50	12.1	14.1	555	11.7	0.51	10.7	12.8
1987	752	13.3	0.50	12.4	14.3	557	11.6	0.50	10.6	12.6
1988	741	13.0	0.49	12.1	14.0	539	11.2	0.49	10.2	12.2
1989	657	11.5	0.46	10.6	12.5	472	9.8	0.46	8.9	10.8
1990	741	12.9	0.48	11.9	13.8	534	11.0	0.48	10.1	12.0
1991	720	12.1	0.46	11.2	13.0	530	10.6	0.47	9.7	11.6
1992	670	11.3	0.44	10.4	12.2	517	10.4	0.46	9.5	11.3
1993	740	12.3	0.46	11.4	13.2	540	10.8	0.47	9.9	11.8
1994	659	10.8	0.42	10.0	11.7	455	9.0	0.43	8.2	9.9
1995	744	12.1	0.45	11.2	13.0	539	10.6	0.46	9.7	11.6
1996	752	12.2	0.45	11.3	13.1	566	11.1	0.47	10.2	12.1
1997	714	11.4	0.43	10.6	12.2	544	10.5	0.45	9.7	11.5
1998	748	11.8	0.43	11.0	12.7	555	10.7	0.46	9.8	11.6
1999	695	10.9	0.42	10.1	11.8	501	9.6	0.43	8.8	10.5
2000	729	11.4	0.42	10.6	12.2	510	9.7	0.43	8.9	10.6
2001	645	10.0	0.39	9.2	10.8	486	9.2	0.42	8.4	10.1
2002	606	9.4	0.38	8.6	10.2	452	8.6	0.41	7.9	9.5
2003	625	9.6	0.39	8.9	10.4	449	8.5	0.40	7.7	9.3
2004	571	8.7	0.37	8.0	9.4	424	8.0	0.39	7.2	8.8
2005	576	8.7	0.37	8.0	9.5	425	8.0	0.39	7.3	8.8
2006	580	8.8	0.37	8.1	9.6	428	8.1	0.40	7.4	8.9
2007	561	8.4	0.36	7.7	9.2	404	7.5	0.38	6.8	8.3
2008	628	9.4	0.38	8.7	10.2	446	8.4	0.40	7.6	9.2
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,579	18.2	0.31	17.6	18.9	413	9.4	0.48	8.5	10.4
1986	156	22.6	1.86	19.0	26.5	12	10.5	3.15	5.3	19.3
1987	178	24.6	1.90	21.0	28.6	13	15.6	4.73	7.8	27.6
1988	174	24.3	1.89	20.7	28.3	19	16.1	3.83	9.4	25.8
1989	166	22.4	1.78	19.0	26.1	16	13.1	3.44	7.2	22.0
1990	183	25.0	1.89	21.5	29.0	17	11.9	3.00	6.8	19.9
1991	165	21.4	1.71	18.2	25.0	14	11.2	3.19	5.8	19.4
1992	131	17.1	1.52	14.2	20.3	15	11.0	2.93	6.0	18.5
1993	177	21.7	1.66	18.5	25.2	15	10.2	2.81	5.5	17.5
1994	184	22.6	1.70	19.4	26.2	18	12.9	3.39	7.2	21.2
1995	175	21.4	1.65	18.3	24.9	27	15.5	3.12	10.0	23.1
1996	155	18.2	1.48	15.4	21.4	23	14.7	3.21	9.1	22.4
1997	148	16.6	1.39	14.0	19.6	16	8.2	2.15	4.5	13.7
1998	168	18.8	1.47	16.1	21.9	21	10.7	2.47	6.4	16.8
1999	164	18.4	1.45	15.7	21.5	21	10.3	2.35	6.2	16.0
2000	184	20.2	1.50	17.3	23.3	25	11.1	2.32	7.1	16.7
2001	140	15.1	1.29	12.7	17.9	18	7.4	1.79	4.3	11.9
2002	131	14.2	1.25	11.9	16.9	19	8.6	2.08	5.0	13.7
2003	144	15.5	1.30	13.0	18.2	17	6.5	1.62	3.7	10.6
2004	120	13.0	1.19	10.7	15.5	17	6.9	1.72	3.9	11.1
2005	129	13.6	1.21	11.3	16.2	15	5.8	1.56	3.1	9.7
2006	125	13.0	1.17	10.8	15.6	19	7.4	1.77	4.4	11.7
2007	130	13.4	1.18	11.2	15.9	15	4.8	1.27	2.7	8.1
2008	152	15.4	1.26	13.1	18.1	21	6.8	1.53	4.1	10.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Uterus

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	37,788	25.4	0.13	25.1	25.6	33,355	26.5	0.15	26.2	26.8
1986	1,449	24.1	0.65	22.8	25.4	1,342	25.5	0.72	24.1	27.0
1987	1,431	23.6	0.64	22.3	24.8	1,316	24.9	0.70	23.5	26.3
1988	1,385	22.8	0.62	21.6	24.1	1,246	23.7	0.69	22.4	25.1
1989	1,445	24.0	0.64	22.8	25.3	1,311	25.3	0.72	23.9	26.7
1990	1,435	23.5	0.63	22.2	24.7	1,304	24.7	0.70	23.3	26.1
1991	1,473	23.7	0.63	22.5	25.0	1,354	25.2	0.70	23.9	26.7
1992	1,559	25.2	0.65	24.0	26.5	1,425	26.9	0.73	25.5	28.3
1993	1,513	24.2	0.63	23.0	25.4	1,372	25.6	0.70	24.2	27.0
1994	1,588	25.0	0.63	23.8	26.3	1,447	26.6	0.71	25.3	28.1
1995	1,595	25.2	0.64	24.0	26.5	1,437	26.6	0.71	25.2	28.0
1996	1,742	27.4	0.66	26.1	28.8	1,562	29.0	0.74	27.6	30.5
1997	1,605	24.9	0.63	23.7	26.2	1,421	26.0	0.70	24.7	27.5
1998	1,698	26.2	0.64	24.9	27.5	1,494	27.3	0.71	25.9	28.7
1999	1,604	24.6	0.62	23.4	25.8	1,410	25.7	0.69	24.3	27.0
2000	1,629	24.8	0.62	23.6	26.1	1,403	25.5	0.69	24.2	26.9
2001	1,742	26.2	0.63	25.0	27.5	1,506	27.1	0.70	25.7	28.5
2002	1,769	26.3	0.63	25.1	27.6	1,528	27.2	0.70	25.9	28.6
2003	1,677	24.5	0.60	23.4	25.8	1,449	25.5	0.67	24.2	26.8
2004	1,774	25.7	0.61	24.6	27.0	1,528	26.7	0.69	25.4	28.1
2005	1,858	26.6	0.62	25.4	27.9	1,586	27.5	0.70	26.1	28.9
2006	1,968	28.0	0.63	26.7	29.2	1,650	28.3	0.70	27.0	29.7
2007	1,917	26.9	0.62	25.7	28.1	1,612	27.4	0.69	26.1	28.8
2008	1,932	26.5	0.61	25.3	27.7	1,652	27.5	0.68	26.2	28.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,537	19.2	0.33	18.6	19.8	600	14.1	0.60	13.0	15.4
1986	91	13.9	1.48	11.1	17.1	11	12.0	3.74	5.8	22.0
1987	100	14.2	1.45	11.5	17.4	8	6.1	2.25	2.5	13.1
1988	123	17.9	1.64	14.8	21.4	11	11.6	3.79	5.4	21.6
1989	118	16.9	1.58	13.9	20.3	12	11.1	3.37	5.5	20.0
1990	120	16.8	1.56	13.9	20.2	5	3.4	1.57	1.1	8.9
1991	98	14.0	1.43	11.4	17.1	12	11.3	3.52	5.5	20.3
1992	119	16.1	1.50	13.3	19.3	13	9.0	2.55	4.7	15.8
1993	122	16.9	1.54	14.0	20.1	17	10.2	2.53	5.9	16.8
1994	126	17.2	1.55	14.3	20.4	12	8.6	2.82	4.0	15.9
1995	123	16.1	1.46	13.3	19.2	27	18.6	3.84	11.8	27.6
1996	148	19.6	1.62	16.5	23.0	25	16.1	3.41	10.1	24.2
1997	158	20.0	1.60	17.0	23.4	12	6.5	1.92	3.3	11.6
1998	167	20.6	1.60	17.5	23.9	23	12.6	2.94	7.5	19.7
1999	147	17.9	1.48	15.1	21.0	21	10.5	2.37	6.4	16.3
2000	170	20.2	1.56	17.2	23.4	35	15.5	2.72	10.6	21.9
2001	179	21.0	1.58	18.0	24.3	40	17.6	2.90	12.4	24.3
2002	189	21.6	1.58	18.6	24.9	37	15.6	2.64	10.8	21.7
2003	160	18.4	1.47	15.7	21.5	39	15.6	2.56	11.0	21.5
2004	191	21.1	1.54	18.2	24.3	46	18.3	2.81	13.2	24.7
2005	203	21.9	1.55	19.0	25.2	41	15.8	2.56	11.2	21.6
2006	245	26.7	1.72	23.5	30.3	46	17.0	2.60	12.3	22.9
2007	230	24.3	1.62	21.2	27.7	50	17.0	2.47	12.5	22.6
2008	210	21.4	1.49	18.5	24.5	57	19.5	2.66	14.6	25.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Corpus Uteri

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	36,771	24.7	0.13	24.4	25.0	32,589	25.9	0.14	25.6	26.2
1986	1,417	23.5	0.64	22.3	24.8	1,313	25.0	0.71	23.6	26.4
1987	1,402	23.1	0.63	21.9	24.3	1,292	24.4	0.70	23.1	25.8
1988	1,355	22.3	0.62	21.1	23.6	1,224	23.2	0.68	21.9	24.6
1989	1,420	23.6	0.64	22.4	24.9	1,290	24.9	0.71	23.5	26.3
1990	1,390	22.7	0.62	21.5	24.0	1,275	24.2	0.69	22.8	25.6
1991	1,423	22.9	0.62	21.7	24.2	1,318	24.5	0.69	23.2	25.9
1992	1,502	24.3	0.64	23.1	25.6	1,378	26.0	0.71	24.6	27.4
1993	1,446	23.1	0.62	21.9	24.4	1,320	24.7	0.69	23.3	26.0
1994	1,502	23.7	0.62	22.6	25.0	1,378	25.4	0.70	24.1	26.8
1995	1,555	24.6	0.63	23.4	25.9	1,405	26.1	0.70	24.7	27.5
1996	1,711	27.0	0.66	25.7	28.3	1,536	28.6	0.74	27.1	30.1
1997	1,564	24.3	0.62	23.1	25.6	1,390	25.5	0.69	24.2	26.9
1998	1,652	25.5	0.63	24.3	26.8	1,460	26.7	0.71	25.3	28.1
1999	1,562	24.0	0.61	22.8	25.2	1,380	25.2	0.68	23.9	26.6
2000	1,587	24.2	0.61	23.0	25.5	1,372	25.0	0.68	23.7	26.4
2001	1,694	25.5	0.62	24.3	26.8	1,467	26.4	0.69	25.1	27.8
2002	1,722	25.6	0.62	24.4	26.9	1,495	26.7	0.70	25.4	28.1
2003	1,647	24.1	0.60	23.0	25.3	1,423	25.0	0.67	23.8	26.4
2004	1,734	25.2	0.61	24.1	26.5	1,497	26.3	0.68	24.9	27.6
2005	1,812	26.0	0.61	24.8	27.2	1,551	26.9	0.69	25.6	28.3
2006	1,916	27.3	0.63	26.1	28.5	1,617	27.8	0.70	26.5	29.2
2007	1,882	26.4	0.61	25.2	27.6	1,591	27.1	0.69	25.7	28.4
2008	1,876	25.7	0.60	24.5	26.9	1,617	26.9	0.68	25.6	28.3

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,306	17.9	0.31	17.3	18.5	586	13.7	0.59	12.6	14.9
1986	88	13.4	1.46	10.7	16.6	11	12.0	3.74	5.8	22.0
1987	95	13.5	1.41	10.9	16.6	8	6.1	2.25	2.5	13.1
1988	115	16.6	1.57	13.6	19.9	11	11.6	3.79	5.4	21.6
1989	114	16.3	1.55	13.4	19.6	12	11.1	3.37	5.5	20.0
1990	107	14.9	1.46	12.2	18.1	4	2.7	1.41	0.7	7.9
1991	84	12.0	1.32	9.5	14.9	12	11.3	3.52	5.5	20.3
1992	109	14.8	1.44	12.1	17.8	13	9.0	2.55	4.7	15.8
1993	109	15.0	1.45	12.3	18.1	16	9.5	2.43	5.4	15.9
1994	109	14.6	1.42	12.0	17.7	12	8.6	2.82	4.0	15.9
1995	115	14.9	1.40	12.3	17.9	27	18.6	3.84	11.8	27.6
1996	144	19.0	1.60	16.0	22.4	24	15.7	3.38	9.8	23.7
1997	148	18.7	1.55	15.8	22.0	12	6.5	1.92	3.3	11.6
1998	156	19.2	1.55	16.3	22.5	22	11.2	2.60	6.7	17.6
1999	136	16.5	1.43	13.9	19.6	21	10.5	2.37	6.4	16.3
2000	160	18.8	1.50	16.0	22.0	34	15.1	2.69	10.3	21.4
2001	172	20.1	1.54	17.2	23.3	38	16.5	2.77	11.5	22.9
2002	175	20.0	1.52	17.1	23.2	37	15.6	2.64	10.8	21.7
2003	156	18.0	1.45	15.2	21.0	39	15.6	2.56	11.0	21.5
2004	182	20.2	1.50	17.3	23.3	46	18.3	2.81	13.2	24.7
2005	192	20.7	1.51	17.9	23.9	41	15.8	2.56	11.2	21.6
2006	227	24.7	1.65	21.5	28.1	45	16.4	2.53	11.8	22.1
2007	220	23.2	1.58	20.2	26.5	47	15.5	2.32	11.3	20.8
2008	193	19.6	1.42	16.9	22.6	54	18.5	2.61	13.8	24.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Uterus, NOS

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,017	0.7	0.02	0.6	0.7	766	0.6	0.02	0.5	0.6
1986	32	0.5	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1987	29	0.5	0.09	0.3	0.7	24	0.5	0.10	0.3	0.7
1988	30	0.5	0.09	0.3	0.7	22	0.4	0.10	0.3	0.7
1989	25	0.4	0.08	0.3	0.6	21	0.4	0.09	0.3	0.6
1990	45	0.7	0.11	0.5	1.0	29	0.5	0.10	0.4	0.8
1991	50	0.8	0.12	0.6	1.1	36	0.7	0.12	0.5	1.0
1992	57	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1993	67	1.1	0.13	0.8	1.3	52	1.0	0.13	0.7	1.3
1994	86	1.3	0.14	1.0	1.6	69	1.2	0.15	0.9	1.5
1995	40	0.6	0.10	0.4	0.8	32	0.6	0.10	0.4	0.8
1996	31	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1997	41	0.6	0.10	0.4	0.8	31	0.5	0.10	0.4	0.8
1998	46	0.7	0.10	0.5	0.9	34	0.6	0.10	0.4	0.8
1999	42	0.6	0.09	0.4	0.8	30	0.5	0.09	0.3	0.7
2000	42	0.6	0.09	0.4	0.8	31	0.5	0.09	0.3	0.7
2001	48	0.7	0.10	0.5	0.9	39	0.6	0.10	0.4	0.9
2002	47	0.7	0.10	0.5	0.9	33	0.5	0.09	0.4	0.7
2003	30	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2004	40	0.5	0.08	0.4	0.7	31	0.5	0.08	0.3	0.6
2005	46	0.6	0.09	0.5	0.8	35	0.6	0.10	0.4	0.8
2006	52	0.7	0.10	0.5	0.9	33	0.5	0.09	0.3	0.7
2007	35	0.5	0.08	0.3	0.7	21	0.3	0.08	0.2	0.5
2008	56	0.8	0.10	0.6	1.0	35	0.6	0.10	0.4	0.8
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	231	1.3	0.09	1.1	1.5	14	0.4	0.11	0.2	0.7
1986	3	0.4	0.25	0.1	1.3	0				
1987	5	0.7	0.34	0.2	1.7	0				
1988	8	1.3	0.48	0.6	2.6	0				
1989	4	0.6	0.31	0.2	1.5	0				
1990	13	1.9	0.54	1.0	3.3	1	0.7	0.69	0.0	5.1
1991	14	2.1	0.55	1.1	3.4	0				
1992	10	1.4	0.44	0.6	2.5	0				
1993	13	1.9	0.52	1.0	3.2	1	0.7	0.72	0.0	4.4
1994	17	2.5	0.61	1.5	4.0	0				
1995	8	1.2	0.42	0.5	2.3	0				
1996	4	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	10	1.3	0.41	0.6	2.4	0				
1998	11	1.3	0.40	0.7	2.4	1	1.4	1.38	0.0	5.8
1999	11	1.3	0.40	0.7	2.3	0				
2000	10	1.3	0.43	0.6	2.4	1	0.4	0.39	0.0	2.6
2001	7	0.9	0.33	0.4	1.8	2	1.2	0.85	0.1	4.1
2002	14	1.6	0.43	0.9	2.7	0				
2003	4	0.5	0.23	0.1	1.2	0				
2004	9	1.0	0.32	0.4	1.8	0				
2005	11	1.2	0.35	0.6	2.1	0				
2006	18	2.1	0.49	1.2	3.3	1	0.6	0.60	0.0	2.8
2007	10	1.1	0.36	0.5	2.1	3	1.5	0.85	0.3	4.0
2008	17	1.7	0.42	1.0	2.8	3	1.0	0.56	0.2	2.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Ovary

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	21,376	14.4	0.10	14.2	14.6	18,910	15.0	0.11	14.8	15.3
1986	855	14.6	0.51	13.6	15.7	787	15.6	0.57	14.5	16.7
1987	895	15.4	0.53	14.4	16.5	800	15.9	0.58	14.8	17.1
1988	896	15.1	0.51	14.1	16.1	799	15.6	0.56	14.5	16.7
1989	882	14.8	0.51	13.9	15.9	800	15.6	0.57	14.6	16.8
1990	978	16.2	0.53	15.1	17.2	879	16.9	0.58	15.8	18.1
1991	948	15.8	0.52	14.8	16.9	858	16.8	0.59	15.6	18.0
1992	926	15.2	0.51	14.2	16.2	844	16.2	0.57	15.1	17.4
1993	918	14.7	0.49	13.8	15.7	820	15.4	0.55	14.4	16.5
1994	1,006	15.9	0.51	14.9	16.9	898	16.6	0.56	15.5	17.8
1995	936	14.8	0.49	13.9	15.8	835	15.5	0.55	14.5	16.6
1996	993	15.5	0.50	14.5	16.5	869	15.9	0.55	14.9	17.0
1997	964	15.0	0.49	14.1	16.0	844	15.6	0.54	14.5	16.7
1998	955	14.6	0.48	13.7	15.6	852	15.5	0.54	14.4	16.6
1999	961	14.6	0.47	13.7	15.6	858	15.5	0.53	14.5	16.6
2000	887	13.3	0.45	12.4	14.2	789	14.0	0.51	13.1	15.1
2001	892	13.3	0.45	12.5	14.3	757	13.6	0.50	12.6	14.6
2002	939	13.9	0.46	13.0	14.8	811	14.4	0.51	13.4	15.4
2003	924	13.4	0.44	12.5	14.3	806	14.0	0.50	13.0	15.0
2004	929	13.4	0.44	12.5	14.3	814	14.1	0.50	13.1	15.1
2005	942	13.5	0.44	12.6	14.4	811	14.0	0.50	13.0	15.0
2006	954	13.5	0.44	12.6	14.4	826	14.0	0.50	13.1	15.1
2007	918	12.9	0.43	12.1	13.8	801	13.6	0.49	12.6	14.6
2008	878	12.2	0.42	11.4	13.1	752	12.7	0.47	11.8	13.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,955	10.5	0.24	10.0	11.0	432	10.1	0.51	9.1	11.1
1986	57	8.5	1.15	6.4	11.1	9	6.7	2.37	2.9	14.1
1987	85	12.9	1.43	10.3	16.0	8	5.7	2.09	2.4	12.4
1988	77	11.0	1.28	8.6	13.8	18	16.4	4.23	9.2	27.1
1989	73	10.4	1.24	8.1	13.1	8	7.1	2.64	2.9	14.7
1990	89	12.6	1.37	10.1	15.6	9	6.8	2.39	3.0	13.8
1991	75	10.3	1.22	8.1	13.0	12	8.4	2.50	4.2	15.2
1992	69	9.3	1.14	7.2	11.8	9	5.4	1.89	2.4	11.0
1993	85	11.2	1.23	8.9	13.9	12	8.3	2.90	3.6	15.9
1994	93	12.3	1.29	9.9	15.1	14	9.9	2.85	5.1	17.1
1995	81	10.1	1.14	8.0	12.6	19	10.2	2.45	6.0	16.4
1996	102	13.0	1.30	10.6	15.8	19	10.0	2.51	5.7	16.3
1997	97	12.0	1.24	9.7	14.7	19	9.7	2.27	5.8	15.4
1998	83	9.8	1.09	7.8	12.2	16	8.7	2.41	4.7	14.8
1999	83	9.8	1.08	7.8	12.2	15	7.0	1.91	3.8	11.9
2000	71	8.2	0.98	6.4	10.3	23	12.4	2.79	7.6	19.1
2001	100	11.6	1.17	9.4	14.1	33	15.6	2.83	10.6	22.2
2002	94	10.6	1.10	8.5	12.9	34	14.1	2.52	9.6	20.0
2003	91	10.3	1.09	8.3	12.7	19	8.6	2.10	5.0	13.7
2004	95	10.7	1.11	8.6	13.1	16	6.4	1.65	3.6	10.5
2005	92	10.0	1.05	8.0	12.3	31	12.3	2.30	8.2	17.7
2006	88	9.5	1.02	7.6	11.7	32	11.7	2.12	7.9	16.7
2007	87	9.2	1.00	7.4	11.4	27	9.7	1.93	6.3	14.2
2008	88	9.1	0.98	7.2	11.2	30	10.4	1.96	6.9	15.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010