

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Leukemias

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	33,478	12.4	0.07	12.2	12.5	29,500	12.7	0.07	12.6	12.9
1986	986	9.3	0.30	8.7	9.9	886	9.5	0.32	8.9	10.2
1987	1,097	10.1	0.31	9.5	10.7	999	10.6	0.34	9.9	11.2
1988	1,073	10.0	0.31	9.4	10.6	943	10.0	0.33	9.4	10.7
1989	1,084	10.0	0.31	9.4	10.6	967	10.3	0.33	9.6	11.0
1990	1,183	10.7	0.31	10.1	11.3	1,073	11.2	0.34	10.5	11.9
1991	1,155	10.4	0.31	9.8	11.0	1,035	10.7	0.34	10.1	11.4
1992	1,238	11.0	0.31	10.4	11.6	1,098	11.3	0.34	10.6	12.0
1993	1,303	11.4	0.32	10.8	12.1	1,177	12.0	0.35	11.3	12.7
1994	1,571	13.7	0.35	13.0	14.4	1,402	14.1	0.38	13.4	14.9
1995	1,561	13.5	0.34	12.8	14.2	1,393	14.0	0.38	13.3	14.8
1996	1,500	12.9	0.33	12.2	13.5	1,336	13.3	0.37	12.6	14.1
1997	1,509	12.8	0.33	12.2	13.5	1,328	13.2	0.36	12.5	13.9
1998	1,510	12.7	0.33	12.1	13.3	1,330	13.1	0.36	12.4	13.8
1999	1,643	13.7	0.34	13.0	14.4	1,462	14.3	0.37	13.6	15.1
2000	1,667	13.8	0.34	13.1	14.5	1,452	14.2	0.37	13.4	14.9
2001	1,738	14.3	0.34	13.6	15.0	1,498	14.5	0.37	13.8	15.2
2002	1,746	14.2	0.34	13.6	14.9	1,526	14.6	0.38	13.9	15.4
2003	1,735	14.0	0.34	13.3	14.7	1,535	14.6	0.37	13.9	15.4
2004	1,742	13.9	0.33	13.2	14.5	1,481	14.0	0.36	13.3	14.7
2005	1,638	13.0	0.32	12.4	13.6	1,413	13.3	0.36	12.6	14.0
2006	1,667	13.1	0.32	12.5	13.8	1,461	13.6	0.36	12.9	14.3
2007	1,533	12.0	0.31	11.4	12.6	1,319	12.3	0.34	11.6	13.0
2008	1,599	12.3	0.31	11.7	13.0	1,386	12.8	0.35	12.1	13.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,177	9.9	0.18	9.5	10.3	560	7.3	0.34	6.6	8.0
1986	90	7.8	0.87	6.2	9.7	7	3.1	1.27	1.2	7.2
1987	80	6.7	0.80	5.2	8.4	16	9.0	2.67	4.6	15.8
1988	111	9.6	0.96	7.8	11.6	14	5.8	1.76	2.9	10.6
1989	106	8.6	0.88	7.0	10.5	10	3.6	1.19	1.7	7.2
1990	98	7.7	0.82	6.1	9.4	8	6.0	2.60	2.1	12.7
1991	103	7.9	0.82	6.4	9.7	13	4.9	1.90	1.9	9.9
1992	114	8.9	0.88	7.3	10.8	20	9.2	2.47	5.0	15.2
1993	110	8.2	0.82	6.6	9.9	15	4.7	1.36	2.5	8.3
1994	141	10.6	0.93	8.9	12.6	23	7.2	1.70	4.2	11.4
1995	143	10.5	0.92	8.8	12.5	20	7.6	1.93	4.3	12.3
1996	134	9.7	0.88	8.1	11.6	27	8.7	2.05	5.1	13.5
1997	157	11.0	0.91	9.3	12.9	19	5.2	1.44	2.7	8.8
1998	145	10.1	0.87	8.5	11.9	27	9.3	2.07	5.7	14.2
1999	150	10.2	0.86	8.5	12.0	23	6.9	1.61	4.1	10.8
2000	177	12.1	0.94	10.4	14.1	22	5.6	1.34	3.3	8.8
2001	179	11.7	0.90	10.0	13.6	40	8.7	1.50	6.0	12.2
2002	166	11.7	0.94	10.0	13.7	30	7.2	1.41	4.7	10.5
2003	157	10.3	0.85	8.7	12.1	28	6.1	1.22	3.9	9.0
2004	166	10.6	0.85	9.0	12.4	39	8.3	1.44	5.7	11.6
2005	167	11.0	0.88	9.4	12.9	40	8.8	1.51	6.1	12.2
2006	171	11.0	0.86	9.4	12.8	26	5.0	1.04	3.2	7.5
2007	163	10.0	0.81	8.5	11.7	41	8.9	1.48	6.2	12.2
2008	149	9.4	0.79	7.9	11.1	52	10.3	1.52	7.6	13.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Leukemias

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	18,660	16.3	0.12	16.1	16.6	16,511	16.8	0.13	16.5	17.1
1986	532	12.0	0.55	11.0	13.2	480	12.4	0.59	11.2	13.6
1987	599	13.0	0.56	11.9	14.1	553	13.8	0.61	12.6	15.0
1988	579	12.9	0.56	11.8	14.0	504	12.8	0.59	11.7	14.0
1989	589	12.7	0.54	11.6	13.8	532	13.1	0.59	12.0	14.3
1990	628	13.5	0.56	12.4	14.6	568	13.9	0.60	12.8	15.1
1991	648	13.5	0.54	12.4	14.6	584	14.0	0.59	12.8	15.2
1992	723	15.1	0.58	14.0	16.3	643	15.4	0.62	14.2	16.7
1993	716	14.8	0.57	13.7	16.0	640	15.4	0.62	14.2	16.7
1994	868	18.3	0.64	17.1	19.6	771	18.8	0.69	17.4	20.2
1995	857	17.6	0.62	16.4	18.8	771	18.4	0.68	17.1	19.7
1996	845	17.5	0.62	16.3	18.7	749	17.9	0.67	16.6	19.3
1997	834	16.8	0.60	15.7	18.1	743	17.5	0.65	16.2	18.8
1998	842	16.6	0.58	15.5	17.8	749	17.2	0.64	16.0	18.5
1999	907	17.8	0.60	16.7	19.1	820	18.8	0.67	17.5	20.2
2000	910	17.6	0.59	16.5	18.8	790	17.9	0.64	16.7	19.2
2001	965	18.7	0.61	17.5	19.9	823	18.8	0.66	17.5	20.1
2002	985	19.1	0.62	17.9	20.3	863	19.5	0.67	18.2	20.9
2003	973	18.6	0.61	17.4	19.8	868	19.4	0.67	18.2	20.8
2004	963	18.1	0.59	17.0	19.3	833	18.4	0.65	17.2	19.8
2005	938	17.5	0.58	16.4	18.7	818	18.0	0.64	16.8	19.3
2006	964	17.8	0.58	16.7	19.0	854	18.6	0.64	17.4	19.9
2007	882	16.0	0.55	15.0	17.1	765	16.5	0.60	15.3	17.7
2008	913	16.1	0.54	15.1	17.2	790	16.5	0.60	15.4	17.7

  

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,703	12.8	0.34	12.2	13.5	312	9.0	0.61	7.9	10.3
1986	47	10.3	1.73	7.2	14.2	3	2.7	1.78	0.4	10.6
1987	36	6.4	1.15	4.4	9.1	9	13.7	5.64	4.9	28.6
1988	65	13.2	1.84	9.8	17.2	6	5.1	2.16	1.8	12.8
1989	49	9.7	1.51	7.0	13.1	7	5.5	2.20	2.1	12.9
1990	52	10.3	1.64	7.4	14.0	6	11.9	6.04	3.1	27.8
1991	54	9.6	1.42	7.1	12.8	8	7.5	4.30	1.6	19.5
1992	67	12.6	1.69	9.5	16.3	11	10.7	4.44	3.8	22.3
1993	65	11.0	1.49	8.2	14.2	10	5.9	2.02	2.7	12.2
1994	82	15.2	1.88	11.7	19.2	12	7.8	2.85	3.2	15.6
1995	73	12.5	1.59	9.6	16.0	12	9.8	3.33	4.4	18.5
1996	82	15.2	1.84	11.8	19.1	12	8.8	3.51	3.3	17.9
1997	82	13.6	1.64	10.6	17.2	6	2.6	1.08	0.9	6.7
1998	75	12.4	1.53	9.6	15.8	15	14.3	4.48	6.9	25.2
1999	68	11.2	1.48	8.5	14.4	14	9.2	2.89	4.5	16.6
2000	97	16.1	1.73	12.9	19.9	15	7.5	2.12	3.9	13.1
2001	103	16.6	1.77	13.3	20.4	29	11.8	2.38	7.6	17.7
2002	87	15.2	1.77	11.9	19.0	19	10.8	2.81	6.1	17.7
2003	82	12.9	1.54	10.1	16.3	14	6.0	1.72	3.2	10.6
2004	78	12.1	1.52	9.3	15.4	18	8.6	2.38	4.6	14.5
2005	91	14.9	1.71	11.7	18.6	21	11.4	2.80	6.6	18.1
2006	93	14.3	1.58	11.3	17.7	12	4.9	1.54	2.4	9.0
2007	90	13.6	1.52	10.8	16.9	21	9.6	2.36	5.6	15.3
2008	85	13.2	1.52	10.4	16.5	32	14.3	2.80	9.4	20.7

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Leukemias

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	14,818	9.6	0.08	9.4	9.8	12,989	9.9	0.09	9.7	10.1
1986	454	7.5	0.36	6.8	8.2	406	7.7	0.39	6.9	8.5
1987	498	8.1	0.37	7.4	8.9	446	8.4	0.40	7.6	9.2
1988	494	8.0	0.37	7.3	8.8	439	8.2	0.40	7.4	9.0
1989	495	8.1	0.37	7.4	8.8	435	8.2	0.40	7.4	9.0
1990	555	8.8	0.38	8.1	9.6	505	9.2	0.42	8.4	10.1
1991	507	8.0	0.36	7.3	8.8	451	8.3	0.40	7.5	9.1
1992	515	8.1	0.36	7.4	8.8	455	8.3	0.40	7.5	9.1
1993	587	9.0	0.37	8.3	9.7	537	9.5	0.42	8.7	10.4
1994	703	10.7	0.41	9.9	11.6	631	11.2	0.45	10.3	12.1
1995	704	10.6	0.40	9.9	11.5	622	11.0	0.45	10.2	11.9
1996	655	9.8	0.39	9.0	10.6	587	10.3	0.43	9.4	11.1
1997	675	10.0	0.39	9.3	10.8	585	10.1	0.42	9.3	11.0
1998	668	9.8	0.38	9.0	10.5	581	9.9	0.42	9.1	10.8
1999	736	10.8	0.40	10.0	11.6	642	11.2	0.45	10.3	12.1
2000	757	11.0	0.40	10.2	11.8	662	11.4	0.45	10.6	12.3
2001	773	11.2	0.41	10.4	12.0	675	11.6	0.45	10.7	12.5
2002	761	10.8	0.40	10.0	11.6	663	11.2	0.44	10.3	12.1
2003	762	10.8	0.40	10.0	11.6	667	11.2	0.44	10.4	12.1
2004	779	11.0	0.40	10.2	11.8	648	10.9	0.44	10.1	11.8
2005	700	9.9	0.38	9.1	10.6	595	10.0	0.42	9.2	10.9
2006	703	9.7	0.37	9.0	10.5	607	10.0	0.41	9.2	10.8
2007	651	9.1	0.36	8.4	9.9	554	9.3	0.41	8.6	10.2
2008	686	9.4	0.37	8.7	10.2	596	9.8	0.41	9.1	10.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,474	7.9	0.21	7.5	8.3	248	6.0	0.41	5.2	6.8
1986	43	6.4	1.00	4.6	8.6	4	3.5	1.83	0.9	10.2
1987	44	6.6	1.05	4.8	9.0	7	5.8	2.24	2.3	12.8
1988	46	7.1	1.07	5.1	9.5	8	6.2	2.51	2.3	13.6
1989	57	8.0	1.08	6.0	10.4	3	2.0	1.20	0.4	7.1
1990	46	6.1	0.93	4.4	8.2	2	1.8	1.38	0.2	7.2
1991	49	6.5	0.96	4.7	8.6	5	3.0	1.36	0.9	7.9
1992	47	6.4	0.95	4.7	8.5	9	8.1	2.90	3.5	15.8
1993	45	6.0	0.92	4.3	8.1	5	3.6	1.75	1.0	8.9
1994	59	7.8	1.03	5.9	10.1	11	6.8	2.18	3.2	12.7
1995	70	9.0	1.10	7.0	11.4	8	5.8	2.29	2.2	11.9
1996	52	6.4	0.90	4.7	8.4	15	8.7	2.60	4.4	15.3
1997	75	9.2	1.08	7.2	11.6	13	7.0	2.27	3.3	12.9
1998	70	8.3	1.01	6.4	10.5	12	6.3	1.97	3.0	11.4
1999	82	9.5	1.07	7.5	11.8	9	5.1	1.84	2.2	10.0
2000	80	9.3	1.06	7.4	11.6	7	3.7	1.54	1.3	7.9
2001	76	8.5	0.99	6.7	10.7	11	5.6	1.78	2.6	10.1
2002	79	9.4	1.07	7.4	11.7	11	4.5	1.40	2.2	8.2
2003	75	8.5	0.99	6.7	10.7	14	6.0	1.66	3.2	10.2
2004	88	9.7	1.05	7.8	12.0	21	8.4	1.90	5.0	13.0
2005	76	8.6	1.00	6.7	10.8	19	7.0	1.69	4.1	11.1
2006	78	8.6	0.99	6.8	10.8	14	5.1	1.42	2.7	8.7
2007	73	7.7	0.92	6.1	9.7	20	8.4	1.94	5.0	13.0
2008	64	6.9	0.87	5.3	8.8	20	7.3	1.71	4.4	11.4

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Acute Lymphocytic Leukemia

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,972	1.4	0.02	1.4	1.5	3,425	1.5	0.03	1.5	1.6
1986	125	1.1	0.10	0.9	1.3	111	1.2	0.11	1.0	1.4
1987	163	1.4	0.11	1.2	1.6	143	1.5	0.13	1.3	1.8
1988	137	1.2	0.10	1.0	1.4	115	1.2	0.12	1.0	1.5
1989	167	1.5	0.11	1.3	1.7	148	1.6	0.13	1.3	1.9
1990	136	1.2	0.10	1.0	1.4	122	1.3	0.12	1.1	1.6
1991	147	1.3	0.10	1.1	1.5	123	1.3	0.12	1.1	1.6
1992	162	1.4	0.11	1.2	1.6	131	1.4	0.12	1.2	1.6
1993	169	1.4	0.11	1.2	1.7	147	1.5	0.13	1.3	1.8
1994	159	1.3	0.10	1.1	1.5	134	1.4	0.12	1.2	1.6
1995	203	1.7	0.12	1.4	1.9	184	1.9	0.14	1.6	2.2
1996	166	1.4	0.10	1.2	1.6	143	1.5	0.12	1.2	1.7
1997	184	1.5	0.11	1.3	1.7	158	1.6	0.13	1.4	1.9
1998	165	1.3	0.10	1.1	1.6	144	1.5	0.12	1.2	1.7
1999	176	1.4	0.11	1.2	1.6	156	1.6	0.13	1.4	1.9
2000	172	1.4	0.11	1.2	1.6	155	1.6	0.13	1.3	1.8
2001	188	1.5	0.11	1.3	1.7	149	1.5	0.12	1.3	1.8
2002	187	1.5	0.11	1.3	1.7	166	1.7	0.13	1.4	2.0
2003	193	1.5	0.11	1.3	1.8	168	1.7	0.13	1.5	2.0
2004	188	1.5	0.11	1.3	1.7	153	1.5	0.12	1.3	1.8
2005	199	1.6	0.11	1.4	1.8	177	1.8	0.13	1.5	2.1
2006	202	1.6	0.11	1.4	1.8	171	1.7	0.13	1.5	2.0
2007	184	1.5	0.11	1.3	1.7	152	1.5	0.13	1.3	1.8
2008	200	1.6	0.11	1.4	1.8	175	1.8	0.13	1.5	2.1

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	397	0.9	0.05	0.8	1.0	134	1.3	0.12	1.1	1.5
1986	10	0.6	0.21	0.3	1.2	4	1.2	0.61	0.3	4.3
1987	15	0.7	0.20	0.4	1.3	5	1.6	0.70	0.5	4.6
1988	18	1.1	0.28	0.6	1.8	4	1.9	1.19	0.3	5.8
1989	17	1.1	0.28	0.6	1.8	1	0.3	0.28	0.0	2.7
1990	12	0.9	0.27	0.4	1.6	1	0.3	0.27	0.0	2.6
1991	18	1.0	0.24	0.6	1.6	6	1.6	0.64	0.6	4.1
1992	24	1.5	0.33	0.9	2.3	7	3.3	1.44	1.1	7.3
1993	18	1.0	0.25	0.6	1.6	4	0.9	0.45	0.2	2.9
1994	15	0.7	0.20	0.4	1.3	9	1.9	0.65	0.9	4.1
1995	14	0.6	0.17	0.3	1.1	5	1.1	0.49	0.4	3.0
1996	19	1.0	0.23	0.6	1.6	3	0.6	0.33	0.1	2.2
1997	20	1.0	0.23	0.6	1.6	5	0.9	0.40	0.3	2.5
1998	12	0.6	0.20	0.3	1.2	8	1.7	0.63	0.7	3.7
1999	17	0.8	0.20	0.5	1.3	3	0.5	0.31	0.1	2.0
2000	12	0.7	0.21	0.3	1.2	3	0.6	0.36	0.1	2.0
2001	32	1.6	0.29	1.1	2.3	7	1.3	0.48	0.5	2.8
2002	13	0.6	0.18	0.3	1.1	8	1.5	0.55	0.7	3.2
2003	19	0.9	0.20	0.5	1.4	5	0.9	0.40	0.3	2.2
2004	24	1.3	0.27	0.8	1.9	10	1.8	0.56	0.8	3.3
2005	15	0.7	0.18	0.4	1.2	5	0.9	0.43	0.3	2.3
2006	20	1.1	0.25	0.6	1.7	10	1.6	0.52	0.8	3.1
2007	21	1.1	0.24	0.7	1.7	10	1.6	0.52	0.8	3.0
2008	12	0.6	0.18	0.3	1.1	11	1.8	0.55	0.9	3.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Acute Lymphocytic Leukemia

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,194	1.6	0.03	1.5	1.7	1,901	1.7	0.04	1.7	1.8
1986	65	1.2	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1987	87	1.5	0.17	1.2	1.9	78	1.7	0.19	1.3	2.1
1988	73	1.3	0.16	1.0	1.7	63	1.4	0.18	1.1	1.8
1989	81	1.5	0.17	1.2	1.8	74	1.6	0.19	1.3	2.1
1990	64	1.1	0.15	0.9	1.5	58	1.3	0.17	1.0	1.6
1991	88	1.5	0.17	1.2	1.9	73	1.6	0.19	1.2	2.0
1992	87	1.5	0.17	1.2	1.9	67	1.4	0.18	1.1	1.8
1993	97	1.7	0.18	1.4	2.1	87	1.9	0.21	1.5	2.4
1994	93	1.6	0.17	1.3	2.0	76	1.6	0.19	1.3	2.0
1995	114	1.9	0.18	1.6	2.3	101	2.1	0.21	1.7	2.6
1996	93	1.5	0.16	1.2	1.9	81	1.7	0.19	1.3	2.1
1997	109	1.8	0.18	1.5	2.2	94	2.0	0.21	1.6	2.4
1998	98	1.7	0.17	1.3	2.0	88	1.9	0.20	1.5	2.3
1999	103	1.7	0.17	1.4	2.0	93	1.9	0.20	1.5	2.3
2000	74	1.2	0.14	0.9	1.5	65	1.3	0.16	1.0	1.7
2001	110	1.8	0.17	1.5	2.2	89	1.8	0.20	1.5	2.3
2002	112	1.8	0.18	1.5	2.2	97	2.0	0.20	1.6	2.4
2003	103	1.7	0.17	1.4	2.0	91	1.9	0.20	1.5	2.3
2004	92	1.5	0.16	1.2	1.8	73	1.5	0.17	1.2	1.9
2005	109	1.7	0.17	1.4	2.1	98	2.0	0.20	1.6	2.4
2006	119	1.9	0.17	1.6	2.3	104	2.1	0.21	1.7	2.5
2007	101	1.6	0.16	1.3	2.0	85	1.7	0.19	1.4	2.1
2008	122	1.9	0.17	1.6	2.3	108	2.1	0.21	1.8	2.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	217	1.0	0.08	0.9	1.2	69	1.3	0.17	1.0	1.7
1986	5	0.7	0.36	0.2	1.8	2	1.2	0.81	0.1	8.0
1987	7	0.7	0.27	0.3	1.6	2	1.2	0.86	0.2	7.7
1988	10	1.2	0.43	0.5	2.5	0				
1989	6	0.6	0.25	0.2	1.5	0				
1990	5	0.8	0.42	0.2	2.1	1	0.5	0.53	0.0	6.1
1991	11	1.2	0.38	0.6	2.3	4	2.0	1.01	0.6	7.3
1992	16	2.1	0.61	1.1	3.7	4	3.0	1.66	0.7	9.0
1993	8	0.8	0.31	0.3	1.8	2	0.9	0.61	0.1	5.3
1994	11	1.0	0.31	0.5	2.0	6	2.5	1.05	0.9	7.1
1995	11	0.9	0.28	0.5	1.8	2	0.9	0.63	0.1	4.9
1996	9	0.8	0.29	0.4	1.8	2	0.7	0.47	0.1	4.3
1997	13	1.2	0.35	0.6	2.2	1	0.3	0.31	0.0	3.7
1998	5	0.6	0.28	0.2	1.5	4	2.1	1.09	0.5	6.2
1999	8	0.6	0.22	0.3	1.4	2	0.7	0.51	0.1	3.9
2000	6	0.7	0.29	0.3	1.6	2	0.9	0.60	0.1	3.9
2001	17	1.8	0.49	1.0	3.1	4	1.4	0.71	0.4	4.4
2002	10	1.1	0.35	0.5	2.1	5	2.1	0.94	0.7	5.3
2003	9	0.9	0.29	0.4	1.7	3	1.1	0.63	0.2	3.7
2004	16	2.1	0.65	1.0	3.7	3	1.1	0.64	0.2	3.6
2005	8	0.7	0.24	0.3	1.5	3	1.3	0.79	0.2	4.0
2006	11	1.3	0.39	0.6	2.3	4	1.4	0.70	0.4	3.9
2007	10	1.0	0.33	0.5	1.9	5	1.6	0.70	0.5	3.9
2008	5	0.5	0.24	0.2	1.3	8	2.5	0.89	1.1	5.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Acute Lymphocytic Leukemia

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,778	1.2	0.03	1.2	1.3	1,524	1.3	0.03	1.3	1.4
1986	60	1.0	0.13	0.8	1.3	53	1.1	0.15	0.8	1.4
1987	76	1.3	0.15	1.0	1.6	65	1.4	0.17	1.1	1.8
1988	64	1.1	0.13	0.8	1.4	52	1.1	0.15	0.8	1.4
1989	86	1.4	0.16	1.2	1.8	74	1.5	0.18	1.2	1.9
1990	72	1.2	0.14	0.9	1.5	64	1.3	0.17	1.0	1.7
1991	59	1.0	0.13	0.8	1.3	50	1.1	0.15	0.8	1.4
1992	75	1.2	0.14	1.0	1.5	64	1.3	0.17	1.0	1.7
1993	72	1.2	0.14	0.9	1.5	60	1.2	0.16	0.9	1.6
1994	66	1.1	0.13	0.8	1.4	58	1.2	0.16	0.9	1.5
1995	89	1.4	0.15	1.1	1.8	83	1.7	0.19	1.4	2.1
1996	73	1.2	0.14	0.9	1.5	62	1.3	0.16	1.0	1.6
1997	75	1.2	0.14	0.9	1.5	64	1.3	0.16	1.0	1.7
1998	67	1.1	0.13	0.8	1.3	56	1.1	0.15	0.8	1.5
1999	73	1.2	0.14	0.9	1.5	63	1.3	0.16	1.0	1.6
2000	98	1.5	0.16	1.2	1.9	90	1.8	0.19	1.4	2.2
2001	78	1.2	0.14	1.0	1.5	60	1.2	0.15	0.9	1.5
2002	75	1.2	0.14	0.9	1.5	69	1.4	0.17	1.1	1.8
2003	90	1.4	0.15	1.1	1.7	77	1.5	0.18	1.2	1.9
2004	96	1.5	0.15	1.2	1.8	80	1.6	0.18	1.3	2.0
2005	90	1.4	0.15	1.1	1.7	79	1.6	0.18	1.2	2.0
2006	83	1.3	0.14	1.0	1.6	67	1.3	0.16	1.0	1.6
2007	83	1.3	0.15	1.1	1.7	67	1.4	0.17	1.1	1.8
2008	78	1.3	0.14	1.0	1.6	67	1.4	0.17	1.1	1.8
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	180	0.8	0.06	0.7	0.9	65	1.3	0.16	1.0	1.6
1986	5	0.6	0.28	0.2	1.5	2	1.3	0.90	0.2	6.6
1987	8	0.8	0.28	0.3	1.6	3	1.9	1.10	0.4	7.2
1988	8	0.9	0.35	0.4	1.9	4	3.5	2.08	0.7	10.4
1989	11	1.3	0.43	0.6	2.5	1	0.6	0.56	0.0	4.9
1990	7	0.9	0.37	0.4	2.0	0				
1991	7	0.8	0.30	0.3	1.6	2	1.1	0.76	0.1	5.1
1992	8	1.0	0.36	0.4	2.0	3	3.4	2.11	0.6	9.8
1993	10	1.1	0.35	0.5	2.0	2	1.0	0.70	0.1	4.5
1994	4	0.4	0.23	0.1	1.1	3	1.3	0.78	0.3	4.8
1995	3	0.3	0.18	0.1	0.9	3	1.3	0.74	0.3	4.4
1996	10	1.0	0.33	0.5	1.9	1	0.5	0.46	0.0	3.2
1997	7	0.8	0.29	0.3	1.6	4	1.5	0.74	0.4	4.4
1998	7	0.7	0.26	0.3	1.4	4	1.5	0.74	0.4	4.3
1999	9	0.9	0.30	0.4	1.7	1	0.4	0.38	0.0	2.7
2000	6	0.6	0.26	0.2	1.4	1	0.4	0.44	0.0	2.7
2001	15	1.4	0.37	0.8	2.3	3	1.1	0.66	0.2	3.6
2002	3	0.3	0.15	0.1	0.8	3	1.1	0.61	0.2	3.4
2003	10	0.9	0.29	0.4	1.7	2	0.7	0.50	0.1	2.8
2004	8	0.7	0.26	0.3	1.5	7	2.4	0.93	1.0	5.2
2005	7	0.6	0.24	0.3	1.3	2	0.7	0.47	0.1	2.6
2006	9	0.9	0.30	0.4	1.7	6	1.9	0.77	0.7	4.2
2007	11	1.1	0.33	0.5	2.0	5	1.7	0.77	0.6	4.0
2008	7	0.7	0.26	0.3	1.4	3	1.0	0.59	0.2	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Chronic Lymphocytic Leukemia

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	10,421	3.9	0.04	3.8	4.0	9,282	4.0	0.04	3.9	4.0
1986	273	2.6	0.16	2.3	3.0	249	2.7	0.17	2.4	3.0
1987	318	3.0	0.17	2.7	3.3	290	3.1	0.18	2.7	3.5
1988	350	3.3	0.18	3.0	3.7	312	3.3	0.19	2.9	3.7
1989	337	3.1	0.17	2.8	3.5	306	3.2	0.19	2.9	3.6
1990	369	3.4	0.18	3.0	3.8	338	3.5	0.19	3.1	3.9
1991	379	3.4	0.18	3.1	3.8	341	3.5	0.19	3.1	3.9
1992	418	3.8	0.19	3.4	4.1	378	3.9	0.20	3.5	4.3
1993	400	3.5	0.18	3.2	3.9	367	3.7	0.19	3.3	4.1
1994	522	4.6	0.20	4.2	5.0	470	4.7	0.22	4.3	5.2
1995	454	4.0	0.19	3.6	4.4	409	4.1	0.20	3.7	4.5
1996	452	3.9	0.19	3.6	4.3	416	4.1	0.20	3.8	4.6
1997	431	3.7	0.18	3.4	4.1	389	3.8	0.19	3.5	4.2
1998	447	3.8	0.18	3.5	4.2	402	3.9	0.20	3.6	4.3
1999	476	4.0	0.18	3.7	4.4	438	4.3	0.20	3.9	4.7
2000	485	4.1	0.18	3.7	4.4	402	3.9	0.19	3.5	4.3
2001	556	4.6	0.20	4.2	5.0	480	4.6	0.21	4.2	5.0
2002	591	4.8	0.20	4.5	5.3	511	4.8	0.21	4.4	5.3
2003	591	4.8	0.20	4.4	5.2	537	5.1	0.22	4.6	5.5
2004	566	4.5	0.19	4.2	4.9	484	4.5	0.21	4.1	4.9
2005	508	4.1	0.18	3.7	4.4	440	4.1	0.20	3.7	4.5
2006	537	4.2	0.18	3.9	4.6	479	4.4	0.20	4.0	4.8
2007	447	3.5	0.16	3.1	3.8	391	3.5	0.18	3.2	3.9
2008	514	3.9	0.18	3.6	4.3	453	4.1	0.19	3.7	4.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	947	3.2	0.11	3.0	3.4	60	1.0	0.14	0.7	1.3
1986	24	2.4	0.51	1.5	3.6	0				
1987	23	2.3	0.50	1.4	3.5	4	3.2	1.76	0.7	8.3
1988	36	3.6	0.61	2.5	5.0	0				
1989	30	2.6	0.49	1.8	3.8	1	0.5	0.50	0.0	3.2
1990	29	2.7	0.52	1.8	3.9	1	0.7	0.72	0.0	3.7
1991	37	3.2	0.55	2.2	4.5	0				
1992	38	3.4	0.56	2.4	4.6	0				
1993	33	2.8	0.49	1.9	3.9	0				
1994	47	3.8	0.57	2.8	5.1	3	1.7	1.07	0.3	4.9
1995	38	3.1	0.51	2.2	4.3	2	0.9	0.70	0.1	3.3
1996	34	2.8	0.49	1.9	3.9	0				
1997	38	2.9	0.48	2.0	4.0	3	0.7	0.40	0.1	2.3
1998	39	2.9	0.47	2.1	4.0	4	1.2	0.61	0.3	3.2
1999	32	2.3	0.41	1.6	3.2	3	1.4	0.85	0.3	3.9
2000	73	5.3	0.63	4.1	6.6	2	0.4	0.34	0.0	1.8
2001	52	3.8	0.54	2.8	5.0	7	2.2	0.86	0.8	4.5
2002	61	4.6	0.60	3.5	5.9	6	2.1	0.89	0.7	4.5
2003	42	3.0	0.47	2.1	4.0	4	0.8	0.41	0.2	2.2
2004	38	2.5	0.41	1.7	3.4	2	0.4	0.30	0.1	1.6
2005	53	3.7	0.52	2.8	4.9	5	0.9	0.42	0.3	2.2
2006	55	3.6	0.50	2.7	4.7	2	0.5	0.39	0.1	1.8
2007	45	3.0	0.46	2.2	4.0	6	1.5	0.65	0.5	3.3
2008	50	3.4	0.49	2.5	4.5	5	1.3	0.62	0.4	3.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Chronic Lymphocytic Leukemia

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	5,982	5.4	0.07	5.3	5.6	5,324	5.5	0.08	5.4	5.7
1986	142	3.5	0.31	2.9	4.1	129	3.6	0.33	2.9	4.3
1987	173	3.9	0.31	3.4	4.6	159	4.1	0.34	3.5	4.8
1988	187	4.3	0.33	3.7	5.0	162	4.2	0.35	3.6	5.0
1989	175	3.9	0.31	3.3	4.6	163	4.1	0.33	3.5	4.8
1990	216	4.8	0.34	4.2	5.5	198	4.9	0.36	4.2	5.7
1991	225	4.8	0.33	4.2	5.5	199	4.9	0.35	4.2	5.6
1992	246	5.4	0.35	4.7	6.1	224	5.6	0.38	4.9	6.4
1993	208	4.4	0.31	3.8	5.1	186	4.5	0.34	3.9	5.2
1994	307	6.9	0.40	6.1	7.7	278	7.0	0.43	6.2	7.9
1995	258	5.6	0.36	4.9	6.3	232	5.7	0.39	5.0	6.5
1996	270	5.8	0.36	5.2	6.6	246	6.1	0.39	5.3	6.9
1997	254	5.3	0.34	4.7	6.0	228	5.5	0.37	4.8	6.2
1998	255	5.2	0.33	4.5	5.8	227	5.3	0.35	4.6	6.0
1999	274	5.6	0.34	5.0	6.3	256	6.0	0.38	5.3	6.8
2000	294	5.8	0.34	5.2	6.5	243	5.6	0.36	4.9	6.3
2001	298	6.0	0.35	5.3	6.7	255	5.9	0.38	5.2	6.7
2002	325	6.5	0.37	5.8	7.3	284	6.6	0.39	5.8	7.4
2003	351	6.9	0.37	6.1	7.6	322	7.3	0.41	6.5	8.1
2004	335	6.5	0.36	5.8	7.3	287	6.5	0.39	5.8	7.3
2005	292	5.7	0.34	5.0	6.3	256	5.8	0.36	5.1	6.5
2006	319	6.1	0.35	5.5	6.8	286	6.4	0.38	5.7	7.2
2007	274	5.1	0.32	4.5	5.8	240	5.3	0.34	4.6	6.0
2008	304	5.5	0.32	4.9	6.2	264	5.5	0.34	4.9	6.2

  

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	554	4.6	0.21	4.2	5.1	34	1.4	0.27	0.9	2.0
1986	13	3.2	1.00	1.6	5.7	0				
1987	12	2.4	0.73	1.2	4.3	1	3.5	3.51	0.1	15.0
1988	23	5.3	1.19	3.2	8.1	0				
1989	11	2.8	0.90	1.3	5.1	1	1.1	1.13	0.0	7.4
1990	17	4.5	1.18	2.5	7.3	0				
1991	26	5.1	1.05	3.2	7.6	0				
1992	22	4.7	1.04	2.9	7.2	0				
1993	22	4.2	0.94	2.6	6.5	0				
1994	26	5.8	1.24	3.6	8.7	2	3.4	2.47	0.4	11.0
1995	23	4.7	1.03	2.9	7.1	2	2.1	1.71	0.1	8.0
1996	23	4.7	1.05	2.9	7.1	0				
1997	24	4.4	0.93	2.8	6.6	1	0.5	0.48	0.0	4.0
1998	25	4.3	0.91	2.8	6.5	3	2.1	1.25	0.4	6.5
1999	15	2.7	0.72	1.4	4.4	1	1.5	1.53	0.0	6.7
2000	45	7.8	1.20	5.6	10.4	2	0.9	0.73	0.1	4.2
2001	33	6.3	1.18	4.2	9.0	4	2.4	1.31	0.5	6.5
2002	29	5.6	1.12	3.6	8.1	4	3.5	1.82	0.9	8.6
2003	23	4.0	0.89	2.4	6.1	2	0.8	0.55	0.1	3.3
2004	22	3.6	0.81	2.2	5.5	1	0.5	0.49	0.0	2.9
2005	30	5.4	1.06	3.5	7.8	1	0.5	0.46	0.0	2.7
2006	30	4.5	0.83	3.0	6.4	2	1.2	0.96	0.1	4.4
2007	28	4.5	0.90	2.9	6.6	3	1.6	1.09	0.2	5.0
2008	32	5.5	1.02	3.7	7.8	4	2.8	1.48	0.7	6.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Chronic Lymphocytic Leukemia

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,439	2.8	0.04	2.7	2.9	3,958	2.9	0.05	2.8	2.9
1986	131	2.1	0.19	1.8	2.5	120	2.2	0.20	1.8	2.6
1987	145	2.3	0.19	2.0	2.7	131	2.4	0.21	2.0	2.8
1988	163	2.6	0.21	2.2	3.0	150	2.7	0.22	2.3	3.1
1989	162	2.6	0.21	2.2	3.0	143	2.6	0.22	2.2	3.0
1990	153	2.4	0.20	2.0	2.8	140	2.5	0.22	2.1	3.0
1991	154	2.3	0.19	2.0	2.7	142	2.4	0.20	2.0	2.8
1992	172	2.6	0.20	2.2	3.0	154	2.6	0.21	2.2	3.1
1993	192	2.8	0.20	2.4	3.3	181	3.0	0.23	2.6	3.5
1994	215	3.2	0.22	2.8	3.6	192	3.2	0.23	2.7	3.7
1995	196	2.9	0.21	2.5	3.4	177	3.0	0.23	2.6	3.5
1996	182	2.7	0.20	2.3	3.1	170	2.9	0.22	2.5	3.3
1997	177	2.5	0.19	2.2	2.9	161	2.6	0.21	2.2	3.0
1998	192	2.7	0.20	2.3	3.1	175	2.8	0.22	2.4	3.3
1999	202	2.9	0.21	2.6	3.4	182	3.1	0.23	2.6	3.6
2000	191	2.7	0.20	2.3	3.1	159	2.6	0.21	2.2	3.1
2001	258	3.6	0.23	3.2	4.1	225	3.6	0.25	3.2	4.2
2002	266	3.6	0.23	3.2	4.1	227	3.6	0.24	3.1	4.1
2003	240	3.3	0.22	2.9	3.8	215	3.4	0.24	3.0	3.9
2004	231	3.1	0.21	2.8	3.6	197	3.1	0.22	2.7	3.6
2005	216	3.0	0.20	2.6	3.4	184	2.9	0.22	2.5	3.4
2006	218	2.9	0.20	2.5	3.3	193	3.0	0.22	2.6	3.5
2007	173	2.3	0.17	1.9	2.6	151	2.3	0.19	2.0	2.7
2008	210	2.8	0.19	2.4	3.2	189	3.0	0.22	2.5	3.4
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	393	2.3	0.12	2.1	2.5	26	0.7	0.15	0.5	1.1
1986	11	1.9	0.59	1.0	3.4	0				
1987	11	2.1	0.63	1.0	3.6	3	3.1	1.79	0.6	9.5
1988	13	2.4	0.65	1.2	3.9	0				
1989	19	2.7	0.63	1.6	4.2	0				
1990	12	1.7	0.51	0.9	3.0	1	1.3	1.26	0.0	6.5
1991	11	1.8	0.54	0.9	3.1	0				
1992	16	2.4	0.60	1.4	3.8	0				
1993	11	1.6	0.50	0.8	2.9	0				
1994	21	2.8	0.62	1.8	4.3	1	0.7	0.68	0.0	4.1
1995	15	2.0	0.53	1.1	3.3	0				
1996	11	1.5	0.46	0.8	2.7	0				
1997	14	1.8	0.49	1.0	3.0	2	0.9	0.61	0.1	3.7
1998	14	1.8	0.49	1.0	3.0	1	0.5	0.48	0.0	3.0
1999	17	2.1	0.50	1.2	3.3	2	1.5	1.05	0.2	4.9
2000	28	3.5	0.67	2.3	5.1	0				
2001	19	2.3	0.53	1.4	3.6	3	1.9	1.13	0.4	5.4
2002	32	4.0	0.71	2.7	5.6	2	1.1	0.83	0.1	3.9
2003	19	2.3	0.53	1.4	3.6	2	0.8	0.59	0.1	3.1
2004	16	1.8	0.44	1.0	2.9	1	0.4	0.35	0.0	2.2
2005	23	2.8	0.58	1.7	4.1	4	1.3	0.68	0.4	3.6
2006	25	2.9	0.59	1.9	4.3	0				
2007	17	2.0	0.48	1.2	3.2	3	1.5	0.87	0.3	4.1
2008	18	2.0	0.48	1.2	3.2	1	0.5	0.46	0.0	2.3

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Acute Myeloid Leukemia

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	9,737	3.6	0.04	3.5	3.7	8,646	3.7	0.04	3.6	3.8
1986	260	2.5	0.15	2.2	2.8	231	2.5	0.17	2.2	2.8
1987	276	2.5	0.16	2.3	2.9	251	2.6	0.17	2.3	3.0
1988	287	2.7	0.16	2.4	3.0	254	2.7	0.17	2.4	3.1
1989	264	2.4	0.15	2.1	2.7	240	2.5	0.16	2.2	2.9
1990	333	3.0	0.17	2.7	3.4	303	3.1	0.18	2.8	3.5
1991	306	2.8	0.16	2.5	3.1	277	2.9	0.17	2.6	3.3
1992	341	3.0	0.16	2.7	3.3	306	3.1	0.18	2.8	3.5
1993	354	3.1	0.17	2.8	3.5	325	3.3	0.18	3.0	3.7
1994	423	3.7	0.18	3.3	4.0	384	3.9	0.20	3.5	4.3
1995	431	3.7	0.18	3.4	4.1	385	3.9	0.20	3.5	4.3
1996	437	3.7	0.18	3.4	4.1	388	3.9	0.20	3.5	4.3
1997	473	4.0	0.19	3.7	4.4	415	4.1	0.20	3.7	4.5
1998	444	3.7	0.18	3.4	4.1	383	3.8	0.19	3.4	4.2
1999	484	4.0	0.18	3.7	4.4	433	4.2	0.20	3.9	4.7
2000	532	4.4	0.19	4.0	4.8	479	4.7	0.21	4.3	5.1
2001	542	4.5	0.19	4.1	4.9	472	4.6	0.21	4.2	5.0
2002	523	4.3	0.19	3.9	4.6	473	4.5	0.21	4.1	5.0
2003	493	4.0	0.18	3.6	4.3	432	4.1	0.20	3.7	4.5
2004	522	4.2	0.18	3.8	4.5	452	4.3	0.20	3.9	4.7
2005	514	4.1	0.18	3.7	4.5	444	4.2	0.20	3.8	4.6
2006	511	4.0	0.18	3.7	4.4	457	4.3	0.20	3.9	4.7
2007	498	3.9	0.18	3.6	4.3	439	4.1	0.20	3.7	4.5
2008	489	3.8	0.17	3.5	4.1	423	3.9	0.19	3.5	4.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	876	2.7	0.09	2.5	2.9	194	2.7	0.21	2.3	3.1
1986	26	2.3	0.47	1.4	3.4	2	1.3	0.90	0.2	4.9
1987	22	2.0	0.44	1.2	3.0	3	2.7	1.67	0.5	7.7
1988	29	2.5	0.49	1.6	3.6	4	1.8	0.91	0.5	5.1
1989	22	1.8	0.40	1.1	2.7	2	0.8	0.60	0.1	3.6
1990	27	1.9	0.38	1.2	2.8	3	2.6	1.63	0.5	7.4
1991	20	1.5	0.35	0.9	2.3	7	3.4	1.79	0.8	8.3
1992	23	1.8	0.39	1.1	2.7	10	4.6	1.84	1.7	9.4
1993	25	1.7	0.36	1.1	2.6	3	1.0	0.60	0.2	3.3
1994	32	2.2	0.41	1.5	3.2	7	1.9	0.73	0.7	4.2
1995	40	3.0	0.49	2.1	4.1	6	2.6	1.14	0.8	5.8
1996	36	2.5	0.44	1.8	3.6	13	5.3	1.79	2.4	9.8
1997	52	3.6	0.51	2.7	4.8	6	1.7	0.77	0.5	4.0
1998	50	3.4	0.50	2.5	4.6	9	3.7	1.36	1.5	7.2
1999	43	2.9	0.45	2.1	3.9	8	1.9	0.71	0.8	4.0
2000	45	2.9	0.45	2.1	3.9	7	2.2	0.97	0.8	4.9
2001	57	3.7	0.50	2.8	4.8	12	2.3	0.71	1.2	4.3
2002	38	2.5	0.42	1.8	3.5	8	1.8	0.67	0.7	3.6
2003	49	3.2	0.46	2.3	4.2	11	2.3	0.73	1.1	4.3
2004	56	3.6	0.50	2.7	4.7	13	2.9	0.86	1.5	5.1
2005	51	3.4	0.49	2.5	4.4	18	3.6	0.94	2.0	6.0
2006	43	2.7	0.42	1.9	3.6	9	1.7	0.60	0.8	3.4
2007	47	2.9	0.43	2.1	3.8	12	3.0	0.91	1.5	5.2
2008	43	2.7	0.42	2.0	3.7	21	4.5	1.02	2.7	6.9

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Acute Myeloid Leukemia

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	5,127	4.5	0.06	4.4	4.6	4,609	4.7	0.07	4.6	4.8
1986	136	3.2	0.29	2.6	3.8	123	3.2	0.30	2.7	3.9
1987	147	3.3	0.29	2.8	3.9	136	3.5	0.31	2.9	4.1
1988	152	3.4	0.29	2.9	4.1	134	3.5	0.31	2.9	4.1
1989	151	3.2	0.27	2.7	3.8	138	3.4	0.29	2.8	4.0
1990	168	3.6	0.29	3.1	4.2	154	3.8	0.32	3.2	4.5
1991	160	3.4	0.28	2.8	4.0	149	3.6	0.30	3.0	4.2
1992	194	4.0	0.30	3.4	4.6	177	4.2	0.32	3.6	4.8
1993	201	4.2	0.31	3.6	4.8	182	4.4	0.34	3.8	5.1
1994	215	4.5	0.32	3.9	5.2	190	4.6	0.34	4.0	5.3
1995	236	4.9	0.33	4.3	5.6	215	5.1	0.36	4.5	5.9
1996	219	4.4	0.31	3.9	5.1	193	4.5	0.33	3.9	5.2
1997	228	4.5	0.30	4.0	5.2	205	4.7	0.33	4.1	5.4
1998	229	4.4	0.30	3.9	5.1	201	4.5	0.32	3.9	5.2
1999	246	4.8	0.31	4.2	5.5	225	5.1	0.35	4.5	5.9
2000	274	5.3	0.33	4.7	6.0	248	5.6	0.36	5.0	6.4
2001	295	5.8	0.34	5.1	6.5	253	5.8	0.37	5.1	6.6
2002	287	5.6	0.34	5.0	6.3	261	5.9	0.37	5.2	6.7
2003	254	4.9	0.31	4.3	5.5	229	5.1	0.34	4.5	5.9
2004	263	4.9	0.31	4.3	5.6	237	5.2	0.34	4.6	5.9
2005	270	5.1	0.31	4.5	5.7	240	5.3	0.34	4.6	6.0
2006	271	5.0	0.31	4.4	5.7	249	5.4	0.35	4.8	6.2
2007	273	4.9	0.30	4.4	5.6	245	5.2	0.34	4.6	5.9
2008	258	4.7	0.29	4.1	5.3	225	4.8	0.32	4.2	5.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	407	3.0	0.16	2.7	3.3	101	3.1	0.37	2.4	3.9
1986	13	2.9	0.95	1.4	5.3	0				
1987	9	1.8	0.65	0.8	3.6	2	5.5	3.92	0.7	17.5
1988	15	3.0	0.86	1.5	5.1	3	2.3	1.38	0.4	8.9
1989	12	2.2	0.68	1.1	4.0	1	0.7	0.68	0.0	6.4
1990	11	1.4	0.45	0.7	2.7	3	6.2	3.89	1.1	17.5
1991	6	1.1	0.46	0.4	2.4	4	5.5	4.17	0.5	17.6
1992	11	2.1	0.69	1.0	3.8	6	6.7	3.98	1.3	17.8
1993	15	2.4	0.68	1.2	4.1	3	2.2	1.33	0.4	7.5
1994	22	3.9	0.92	2.4	6.1	3	1.4	0.79	0.3	5.7
1995	17	3.2	0.82	1.8	5.2	4	3.0	1.62	0.7	8.5
1996	21	4.1	0.96	2.4	6.4	5	5.8	3.30	1.2	14.8
1997	20	3.3	0.77	2.0	5.2	3	1.3	0.75	0.3	5.0
1998	24	4.2	0.95	2.6	6.5	3	3.8	2.39	0.6	10.7
1999	15	2.2	0.58	1.2	3.7	6	3.4	1.47	1.1	8.0
2000	22	3.5	0.80	2.1	5.4	4	2.0	1.00	0.5	5.6
2001	32	4.7	0.84	3.1	6.6	9	3.8	1.39	1.6	8.0
2002	18	3.3	0.86	1.9	5.4	5	2.7	1.38	0.7	6.8
2003	19	3.1	0.79	1.8	5.0	5	2.3	1.10	0.6	5.7
2004	20	2.9	0.71	1.7	4.6	5	2.5	1.28	0.7	6.3
2005	22	3.5	0.80	2.1	5.4	8	3.4	1.34	1.3	7.2
2006	17	2.3	0.58	1.3	3.7	4	1.3	0.66	0.4	3.7
2007	24	3.7	0.80	2.3	5.6	4	2.1	1.15	0.5	5.5
2008	22	3.3	0.76	2.0	5.2	11	5.4	1.79	2.5	10.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Acute Myeloid Leukemia

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,610	3.0	0.04	2.9	3.1	4,037	3.1	0.05	3.0	3.2
1986	124	2.0	0.18	1.7	2.4	108	2.0	0.20	1.6	2.4
1987	129	2.1	0.19	1.8	2.5	115	2.2	0.21	1.8	2.6
1988	135	2.2	0.19	1.9	2.6	120	2.3	0.21	1.9	2.8
1989	113	1.8	0.17	1.5	2.2	102	1.9	0.19	1.5	2.3
1990	165	2.6	0.21	2.2	3.1	149	2.7	0.23	2.3	3.2
1991	146	2.4	0.20	2.0	2.8	128	2.5	0.22	2.0	2.9
1992	147	2.3	0.20	2.0	2.8	129	2.4	0.22	2.0	2.9
1993	153	2.4	0.20	2.0	2.8	143	2.6	0.22	2.2	3.1
1994	208	3.3	0.23	2.8	3.7	194	3.6	0.26	3.1	4.1
1995	195	3.0	0.22	2.6	3.4	170	3.1	0.24	2.6	3.6
1996	218	3.3	0.23	2.9	3.8	195	3.5	0.25	3.0	4.0
1997	245	3.7	0.24	3.2	4.2	210	3.7	0.26	3.2	4.2
1998	215	3.2	0.22	2.8	3.7	182	3.2	0.24	2.7	3.7
1999	238	3.5	0.23	3.1	4.0	208	3.7	0.26	3.2	4.2
2000	258	3.8	0.24	3.3	4.3	231	4.0	0.27	3.5	4.6
2001	247	3.6	0.23	3.2	4.1	219	3.8	0.26	3.3	4.4
2002	236	3.4	0.22	3.0	3.9	212	3.6	0.25	3.1	4.1
2003	239	3.4	0.22	3.0	3.9	203	3.5	0.25	3.0	4.0
2004	259	3.7	0.23	3.3	4.2	215	3.7	0.26	3.2	4.2
2005	244	3.5	0.22	3.1	3.9	204	3.5	0.25	3.0	4.0
2006	240	3.4	0.22	3.0	3.9	208	3.5	0.25	3.1	4.1
2007	225	3.2	0.22	2.8	3.7	194	3.3	0.24	2.9	3.8
2008	231	3.2	0.21	2.8	3.6	198	3.2	0.23	2.8	3.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	469	2.5	0.12	2.3	2.7	93	2.4	0.26	1.9	3.0
1986	13	1.9	0.55	1.0	3.3	2	2.3	1.59	0.3	8.6
1987	13	2.0	0.58	1.0	3.4	1	0.8	0.75	0.0	5.8
1988	14	2.1	0.58	1.1	3.6	1	1.0	1.00	0.0	6.1
1989	10	1.4	0.47	0.7	2.7	1	0.9	0.91	0.0	5.7
1990	16	2.1	0.54	1.2	3.4	0				
1991	14	1.8	0.49	0.9	3.0	3	1.9	1.13	0.4	6.5
1992	12	1.6	0.48	0.8	2.8	4	3.2	1.61	0.8	8.4
1993	10	1.3	0.41	0.6	2.3	0				
1994	10	1.2	0.37	0.6	2.2	4	2.3	1.16	0.6	6.3
1995	23	2.9	0.61	1.8	4.3	2	2.0	1.50	0.2	6.8
1996	15	1.7	0.45	0.9	2.8	8	5.2	2.15	1.9	11.0
1997	32	3.8	0.69	2.6	5.4	3	1.9	1.17	0.3	5.7
1998	26	3.0	0.60	2.0	4.4	6	3.9	1.70	1.3	8.6
1999	28	3.2	0.62	2.1	4.7	2	0.7	0.49	0.1	3.1
2000	23	2.5	0.53	1.6	3.8	3	2.2	1.34	0.4	6.1
2001	25	2.9	0.58	1.8	4.2	3	1.0	0.60	0.2	3.4
2002	20	2.2	0.50	1.3	3.4	3	1.1	0.65	0.2	3.5
2003	30	3.3	0.61	2.2	4.7	6	2.4	1.00	0.9	5.3
2004	36	4.0	0.67	2.8	5.5	8	3.4	1.23	1.4	6.7
2005	29	3.2	0.61	2.2	4.7	10	3.7	1.25	1.7	7.0
2006	26	2.9	0.57	1.9	4.2	5	2.0	0.92	0.6	4.7
2007	23	2.4	0.50	1.5	3.6	8	3.6	1.35	1.5	7.2
2008	21	2.3	0.50	1.4	3.5	10	3.9	1.27	1.8	7.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Chronic Myeloid Leukemia

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,309	1.6	0.02	1.6	1.6	3,666	1.6	0.03	1.5	1.6
1986	139	1.3	0.11	1.1	1.6	122	1.3	0.12	1.1	1.6
1987	135	1.2	0.11	1.0	1.5	125	1.3	0.12	1.1	1.6
1988	112	1.1	0.10	0.9	1.3	97	1.1	0.11	0.9	1.3
1989	131	1.3	0.11	1.1	1.5	105	1.2	0.11	0.9	1.4
1990	156	1.4	0.12	1.2	1.7	135	1.4	0.12	1.2	1.7
1991	165	1.5	0.12	1.3	1.7	150	1.6	0.13	1.3	1.8
1992	155	1.4	0.11	1.2	1.6	135	1.4	0.12	1.2	1.7
1993	173	1.5	0.12	1.3	1.8	148	1.5	0.12	1.3	1.8
1994	213	1.9	0.13	1.6	2.1	184	1.9	0.14	1.6	2.2
1995	218	1.9	0.13	1.6	2.1	182	1.8	0.14	1.6	2.1
1996	205	1.8	0.12	1.5	2.0	177	1.8	0.13	1.5	2.1
1997	187	1.6	0.12	1.4	1.8	161	1.6	0.13	1.4	1.9
1998	202	1.7	0.12	1.5	2.0	176	1.7	0.13	1.5	2.0
1999	225	1.9	0.13	1.6	2.1	186	1.8	0.13	1.6	2.1
2000	214	1.8	0.12	1.5	2.0	180	1.8	0.13	1.5	2.0
2001	229	1.9	0.12	1.7	2.2	199	1.9	0.14	1.7	2.2
2002	186	1.5	0.11	1.3	1.8	154	1.5	0.12	1.3	1.7
2003	232	1.9	0.12	1.6	2.1	202	1.9	0.14	1.7	2.2
2004	245	2.0	0.13	1.7	2.2	204	1.9	0.14	1.7	2.2
2005	196	1.6	0.11	1.3	1.8	161	1.5	0.12	1.3	1.8
2006	210	1.7	0.11	1.4	1.9	180	1.7	0.13	1.4	1.9
2007	185	1.4	0.11	1.2	1.7	147	1.4	0.11	1.2	1.6
2008	196	1.5	0.11	1.3	1.7	156	1.4	0.11	1.2	1.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	506	1.6	0.07	1.5	1.7	98	1.3	0.15	1.0	1.6
1986	16	1.3	0.33	0.7	2.1	1	0.7	0.67	0.0	4.0
1987	7	0.6	0.22	0.2	1.2	2	0.7	0.51	0.1	3.6
1988	12	1.1	0.32	0.5	1.9	2	0.8	0.57	0.1	3.6
1989	22	2.0	0.43	1.2	3.0	4	1.5	0.76	0.4	4.4
1990	19	1.4	0.33	0.8	2.2	1	1.8	1.83	0.1	7.4
1991	15	1.2	0.31	0.6	2.0	0				
1992	15	1.2	0.31	0.6	1.9	3	1.3	0.80	0.3	4.1
1993	21	1.6	0.37	1.0	2.5	4	1.2	0.62	0.3	3.5
1994	24	1.9	0.40	1.2	2.8	3	1.3	0.85	0.2	4.1
1995	33	2.4	0.44	1.7	3.5	3	0.8	0.48	0.2	2.8
1996	22	1.6	0.36	1.0	2.5	6	1.2	0.50	0.4	3.0
1997	21	1.5	0.34	0.9	2.3	3	0.7	0.39	0.1	2.3
1998	20	1.3	0.30	0.8	2.0	5	2.5	1.27	0.7	6.0
1999	29	2.1	0.40	1.4	3.0	5	2.0	0.98	0.6	4.8
2000	27	1.8	0.35	1.1	2.6	7	1.7	0.69	0.6	3.7
2001	19	1.3	0.31	0.8	2.1	8	1.9	0.76	0.7	4.0
2002	26	1.8	0.37	1.2	2.7	4	0.8	0.39	0.2	2.2
2003	24	1.7	0.35	1.1	2.5	5	1.4	0.68	0.4	3.3
2004	27	1.8	0.36	1.2	2.7	8	1.8	0.72	0.7	3.7
2005	27	1.8	0.36	1.2	2.7	4	1.0	0.52	0.2	2.5
2006	26	1.7	0.33	1.1	2.4	1	0.1	0.14	0.0	1.0
2007	26	1.6	0.32	1.0	2.3	9	1.7	0.63	0.7	3.4
2008	28	1.7	0.32	1.1	2.4	10	1.9	0.61	0.9	3.5

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Chronic Myeloid Leukemia

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,484	2.2	0.04	2.1	2.3	2,120	2.2	0.05	2.1	2.3
1986	85	1.8	0.21	1.4	2.3	74	1.8	0.22	1.4	2.3
1987	80	1.8	0.20	1.4	2.2	75	1.9	0.23	1.5	2.4
1988	63	1.5	0.20	1.2	2.0	54	1.5	0.21	1.1	1.9
1989	78	1.8	0.21	1.4	2.3	62	1.6	0.22	1.3	2.1
1990	82	1.8	0.20	1.4	2.2	68	1.7	0.21	1.3	2.1
1991	89	1.9	0.21	1.5	2.3	84	2.0	0.23	1.6	2.5
1992	90	1.9	0.21	1.5	2.3	77	1.9	0.22	1.5	2.3
1993	100	2.1	0.22	1.7	2.5	86	2.1	0.23	1.7	2.6
1994	112	2.3	0.22	1.9	2.8	98	2.3	0.24	1.9	2.8
1995	117	2.3	0.22	1.9	2.8	101	2.4	0.24	1.9	2.9
1996	119	2.5	0.24	2.1	3.0	105	2.6	0.26	2.1	3.1
1997	110	2.3	0.22	1.8	2.7	96	2.3	0.24	1.8	2.8
1998	117	2.3	0.22	1.9	2.8	101	2.3	0.23	1.9	2.8
1999	134	2.6	0.23	2.2	3.1	114	2.6	0.24	2.1	3.1
2000	121	2.3	0.21	1.9	2.8	101	2.3	0.23	1.8	2.8
2001	131	2.6	0.23	2.2	3.1	113	2.6	0.25	2.2	3.2
2002	107	2.1	0.21	1.7	2.5	87	2.0	0.22	1.6	2.5
2003	136	2.6	0.23	2.2	3.1	115	2.6	0.24	2.1	3.1
2004	141	2.7	0.23	2.2	3.2	124	2.7	0.25	2.3	3.3
2005	131	2.4	0.21	2.0	2.8	110	2.4	0.23	1.9	2.8
2006	127	2.4	0.21	2.0	2.8	109	2.4	0.23	1.9	2.9
2007	103	1.9	0.19	1.5	2.3	79	1.7	0.19	1.3	2.1
2008	111	2.0	0.19	1.6	2.4	87	1.8	0.20	1.5	2.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	282	2.2	0.14	1.9	2.5	60	1.8	0.28	1.3	2.4
1986	10	1.9	0.70	0.8	3.8	1	1.6	1.58	0.0	9.5
1987	3	0.5	0.32	0.1	1.6	2	1.4	1.01	0.2	8.0
1988	8	1.8	0.73	0.7	3.7	1	1.0	0.99	0.0	7.4
1989	12	2.7	0.82	1.3	4.7	4	3.2	1.69	0.8	9.9
1990	12	2.1	0.73	1.0	4.0	1	4.6	4.56	0.1	18.3
1991	5	0.8	0.37	0.3	2.0	0				
1992	10	2.0	0.68	0.9	3.8	1	1.1	1.05	0.0	6.4
1993	12	1.9	0.63	0.9	3.6	2	1.1	0.76	0.1	5.6
1994	11	2.0	0.63	0.9	3.6	1	0.5	0.54	0.0	4.8
1995	14	2.3	0.65	1.2	3.9	2	1.1	0.78	0.1	5.3
1996	11	1.8	0.57	0.9	3.3	3	1.2	0.69	0.2	5.0
1997	13	2.4	0.73	1.2	4.2	0				
1998	12	1.8	0.54	0.9	3.2	4	6.1	3.39	1.3	15.2
1999	14	2.6	0.76	1.3	4.5	3	2.8	1.80	0.5	8.4
2000	16	2.8	0.76	1.5	4.6	4	2.5	1.42	0.5	7.0
2001	9	1.6	0.58	0.7	3.1	6	2.1	0.89	0.8	5.4
2002	16	3.0	0.79	1.7	4.9	3	1.2	0.70	0.3	4.1
2003	17	2.8	0.71	1.6	4.5	3	1.1	0.65	0.2	3.8
2004	10	1.8	0.62	0.8	3.4	4	2.2	1.43	0.4	6.5
2005	17	2.8	0.74	1.6	4.6	2	1.0	0.75	0.1	3.7
2006	17	3.0	0.78	1.6	4.8	0				
2007	16	2.4	0.63	1.3	4.0	7	3.2	1.34	1.1	6.9
2008	17	2.3	0.60	1.3	3.8	6	2.2	0.93	0.8	5.0

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Chronic Myeloid Leukemia

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,825	1.2	0.03	1.1	1.2	1,546	1.2	0.03	1.1	1.2
1986	54	0.9	0.13	0.7	1.2	48	1.0	0.14	0.7	1.3
1987	55	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1988	49	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1989	53	0.9	0.13	0.7	1.2	43	0.8	0.13	0.6	1.2
1990	74	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1991	76	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.5
1992	65	1.0	0.13	0.8	1.3	58	1.1	0.14	0.8	1.4
1993	73	1.1	0.13	0.9	1.4	62	1.1	0.14	0.8	1.4
1994	101	1.6	0.16	1.3	1.9	86	1.6	0.17	1.2	1.9
1995	101	1.5	0.15	1.2	1.9	81	1.4	0.16	1.1	1.8
1996	86	1.3	0.14	1.0	1.6	72	1.2	0.15	1.0	1.5
1997	77	1.2	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4
1998	85	1.3	0.14	1.0	1.5	75	1.3	0.15	1.0	1.6
1999	91	1.3	0.14	1.1	1.6	72	1.2	0.15	1.0	1.6
2000	93	1.4	0.14	1.1	1.7	79	1.4	0.16	1.1	1.7
2001	98	1.4	0.15	1.2	1.8	86	1.5	0.17	1.2	1.9
2002	79	1.1	0.13	0.9	1.4	67	1.1	0.14	0.9	1.5
2003	96	1.4	0.14	1.1	1.7	87	1.5	0.16	1.2	1.8
2004	104	1.5	0.15	1.2	1.8	80	1.4	0.15	1.1	1.7
2005	65	0.9	0.11	0.7	1.2	51	0.9	0.12	0.6	1.1
2006	83	1.1	0.13	0.9	1.4	71	1.2	0.14	0.9	1.5
2007	82	1.2	0.13	0.9	1.4	68	1.1	0.14	0.9	1.5
2008	85	1.2	0.13	0.9	1.4	69	1.1	0.14	0.9	1.4
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	224	1.2	0.08	1.1	1.4	38	1.0	0.17	0.7	1.3
1986	6	0.9	0.35	0.3	1.9	0				
1987	4	0.6	0.31	0.2	1.6	0				
1988	4	0.6	0.32	0.2	1.6	1	0.6	0.56	0.0	5.1
1989	10	1.5	0.49	0.7	2.8	0				
1990	7	0.9	0.34	0.4	1.9	0				
1991	10	1.4	0.44	0.6	2.5	0				
1992	5	0.6	0.27	0.2	1.4	2	1.6	1.18	0.2	6.2
1993	9	1.3	0.45	0.6	2.5	2	1.2	0.90	0.1	5.1
1994	13	1.8	0.51	1.0	3.1	2	1.9	1.40	0.2	6.6
1995	19	2.5	0.58	1.5	3.9	1	0.6	0.60	0.0	3.7
1996	11	1.4	0.44	0.7	2.6	3	1.3	0.74	0.2	4.3
1997	8	1.0	0.34	0.4	1.9	3	1.3	0.76	0.3	4.3
1998	8	0.9	0.32	0.4	1.8	1	0.4	0.44	0.0	2.9
1999	15	1.8	0.47	1.0	2.9	2	1.5	1.10	0.2	5.1
2000	11	1.2	0.36	0.6	2.1	3	1.1	0.62	0.2	3.5
2001	10	1.1	0.37	0.5	2.1	2	1.5	1.04	0.2	4.8
2002	10	1.2	0.37	0.5	2.1	1	0.4	0.40	0.0	2.4
2003	7	0.9	0.33	0.3	1.7	2	1.4	0.97	0.2	4.4
2004	17	1.9	0.47	1.1	3.1	4	1.5	0.83	0.4	4.2
2005	10	1.2	0.37	0.6	2.1	2	0.9	0.70	0.1	3.3
2006	9	0.9	0.30	0.4	1.7	1	0.3	0.29	0.0	1.9
2007	10	1.0	0.33	0.5	1.9	2	0.6	0.39	0.1	2.2
2008	11	1.2	0.35	0.6	2.1	4	1.5	0.76	0.4	3.8

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Other Leukemia

### Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	5,039	1.9	0.03	1.8	1.9	4,481	1.9	0.03	1.9	2.0
1986	189	1.8	0.13	1.6	2.1	173	1.9	0.14	1.6	2.2
1987	205	1.9	0.14	1.7	2.2	190	2.0	0.15	1.7	2.3
1988	187	1.7	0.13	1.5	2.0	165	1.8	0.14	1.5	2.0
1989	185	1.7	0.13	1.5	2.0	168	1.8	0.14	1.6	2.1
1990	189	1.7	0.13	1.5	2.0	175	1.8	0.14	1.6	2.1
1991	158	1.4	0.12	1.2	1.7	144	1.5	0.13	1.3	1.8
1992	162	1.5	0.12	1.3	1.7	148	1.6	0.13	1.3	1.8
1993	207	1.8	0.13	1.6	2.1	190	1.9	0.14	1.7	2.2
1994	254	2.2	0.14	2.0	2.5	230	2.3	0.15	2.0	2.6
1995	255	2.2	0.14	2.0	2.5	233	2.3	0.15	2.0	2.7
1996	240	2.1	0.13	1.8	2.4	212	2.1	0.14	1.8	2.4
1997	234	2.0	0.13	1.8	2.3	205	2.0	0.14	1.8	2.3
1998	252	2.1	0.13	1.9	2.4	225	2.2	0.15	1.9	2.5
1999	282	2.4	0.14	2.1	2.6	249	2.4	0.15	2.1	2.7
2000	264	2.2	0.13	1.9	2.5	236	2.3	0.15	2.0	2.6
2001	223	1.8	0.12	1.6	2.1	198	1.9	0.14	1.6	2.2
2002	259	2.1	0.13	1.9	2.4	222	2.1	0.14	1.8	2.4
2003	226	1.8	0.12	1.6	2.1	196	1.8	0.13	1.6	2.1
2004	221	1.7	0.12	1.5	2.0	188	1.7	0.13	1.5	2.0
2005	221	1.7	0.12	1.5	2.0	191	1.7	0.13	1.5	2.0
2006	207	1.6	0.11	1.4	1.9	174	1.6	0.12	1.4	1.8
2007	219	1.7	0.11	1.5	1.9	190	1.7	0.13	1.5	2.0
2008	200	1.5	0.11	1.3	1.8	179	1.6	0.12	1.4	1.9

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	451	1.5	0.07	1.4	1.7	74	1.0	0.13	0.8	1.3
1986	14	1.2	0.34	0.6	2.1	0				
1987	13	1.1	0.32	0.6	1.9	2	0.9	0.68	0.1	4.0
1988	16	1.3	0.35	0.7	2.2	4	1.4	0.73	0.4	4.4
1989	15	1.2	0.31	0.7	2.0	2	0.5	0.37	0.1	3.0
1990	11	0.9	0.27	0.4	1.6	2	0.5	0.38	0.1	3.0
1991	13	1.0	0.31	0.5	1.8	0				
1992	14	1.1	0.32	0.6	1.9	0				
1993	13	1.1	0.31	0.6	1.9	4	1.6	0.94	0.3	4.6
1994	23	1.9	0.41	1.2	2.9	1	0.3	0.30	0.0	2.1
1995	18	1.4	0.34	0.8	2.2	4	2.2	1.21	0.5	5.7
1996	23	1.8	0.39	1.1	2.7	5	1.6	0.79	0.4	4.0
1997	26	2.0	0.41	1.3	2.9	2	1.2	1.01	0.1	4.3
1998	24	1.8	0.39	1.2	2.7	1	0.2	0.17	0.0	1.5
1999	29	2.2	0.41	1.4	3.1	4	1.0	0.54	0.2	2.8
2000	20	1.5	0.34	0.9	2.3	3	0.6	0.37	0.1	2.1
2001	19	1.3	0.31	0.8	2.1	6	1.0	0.42	0.4	2.4
2002	28	2.1	0.42	1.4	3.1	4	1.0	0.55	0.3	2.7
2003	23	1.7	0.35	1.0	2.5	3	0.7	0.42	0.1	2.1
2004	21	1.5	0.33	0.9	2.3	6	1.4	0.65	0.5	3.3
2005	21	1.4	0.32	0.9	2.2	8	2.3	0.87	0.9	4.6
2006	27	1.9	0.38	1.3	2.8	4	1.0	0.53	0.3	2.6
2007	24	1.5	0.32	1.0	2.3	4	1.0	0.53	0.3	2.6
2008	16	1.0	0.26	0.6	1.7	5	0.9	0.44	0.3	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Other Leukemia

### Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,873	2.6	0.05	2.5	2.7	2,557	2.7	0.05	2.6	2.8
1986	104	2.4	0.25	2.0	3.0	96	2.5	0.27	2.0	3.1
1987	112	2.5	0.24	2.0	3.0	105	2.7	0.27	2.2	3.2
1988	104	2.3	0.23	1.9	2.8	91	2.3	0.25	1.8	2.8
1989	104	2.3	0.23	1.9	2.8	95	2.4	0.25	1.9	3.0
1990	98	2.1	0.22	1.7	2.6	90	2.2	0.24	1.8	2.8
1991	86	1.9	0.21	1.5	2.3	79	1.9	0.22	1.5	2.4
1992	106	2.3	0.23	1.9	2.8	98	2.4	0.25	2.0	3.0
1993	110	2.4	0.24	2.0	2.9	99	2.5	0.26	2.0	3.1
1994	141	3.1	0.27	2.6	3.6	129	3.2	0.29	2.7	3.8
1995	132	2.9	0.25	2.4	3.4	122	3.0	0.28	2.5	3.6
1996	144	3.2	0.27	2.7	3.7	124	3.1	0.28	2.6	3.7
1997	133	2.9	0.26	2.4	3.5	120	3.0	0.28	2.5	3.6
1998	143	3.0	0.26	2.5	3.6	132	3.2	0.29	2.7	3.8
1999	150	3.2	0.26	2.7	3.7	132	3.2	0.28	2.7	3.8
2000	147	2.9	0.25	2.5	3.5	133	3.1	0.27	2.6	3.7
2001	131	2.5	0.23	2.1	3.0	113	2.6	0.25	2.1	3.1
2002	154	3.0	0.25	2.5	3.5	134	3.1	0.27	2.6	3.6
2003	129	2.6	0.23	2.2	3.1	111	2.6	0.25	2.1	3.1
2004	132	2.5	0.23	2.1	3.0	112	2.5	0.24	2.1	3.1
2005	136	2.7	0.24	2.3	3.2	114	2.6	0.25	2.2	3.2
2006	128	2.5	0.22	2.0	2.9	106	2.3	0.23	1.9	2.8
2007	131	2.5	0.22	2.1	2.9	116	2.5	0.24	2.1	3.1
2008	118	2.1	0.20	1.8	2.6	106	2.2	0.22	1.8	2.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	243	2.0	0.14	1.7	2.3	48	1.4	0.24	1.0	2.0
1986	6	1.6	0.68	0.6	3.5	0				
1987	5	1.0	0.45	0.3	2.3	2	2.0	1.56	0.2	9.4
1988	9	1.8	0.71	0.7	3.7	2	1.8	1.34	0.2	8.5
1989	8	1.4	0.52	0.6	2.9	1	0.5	0.48	0.0	6.1
1990	7	1.5	0.63	0.5	3.2	1	0.6	0.57	0.0	6.1
1991	6	1.4	0.64	0.5	3.2	0				
1992	8	1.7	0.67	0.7	3.5	0				
1993	8	1.6	0.62	0.6	3.2	3	1.8	1.17	0.3	6.9
1994	12	2.5	0.81	1.1	4.5	0				
1995	8	1.5	0.53	0.6	2.9	2	2.8	2.14	0.2	9.6
1996	18	3.7	0.97	2.1	6.0	2	1.2	0.85	0.1	5.3
1997	12	2.3	0.75	1.1	4.2	1	0.5	0.53	0.0	4.1
1998	9	1.5	0.51	0.7	2.9	1	0.3	0.33	0.0	3.6
1999	16	3.1	0.83	1.7	5.1	2	0.8	0.55	0.1	4.0
2000	8	1.4	0.51	0.6	2.7	3	1.3	0.75	0.3	4.5
2001	12	2.1	0.68	1.0	3.8	6	2.0	0.84	0.7	5.2
2002	14	2.2	0.63	1.2	3.8	2	1.5	1.13	0.1	5.3
2003	14	2.2	0.60	1.2	3.7	1	0.8	0.79	0.0	3.9
2004	10	1.6	0.57	0.7	3.1	5	2.3	1.15	0.6	5.8
2005	14	2.5	0.74	1.3	4.4	7	5.3	2.16	1.9	10.8
2006	18	3.4	0.85	1.9	5.4	2	1.0	0.72	0.1	3.6
2007	12	2.0	0.60	1.0	3.5	2	1.1	0.86	0.1	4.0
2008	9	1.5	0.54	0.6	2.9	3	1.4	0.88	0.2	4.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*

# Invasive Cancer Incidence by Race, Illinois 1986-2008

## Other Leukemia

### Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,166	1.4	0.03	1.3	1.4	1,924	1.4	0.03	1.3	1.5
1986	85	1.4	0.16	1.1	1.8	77	1.5	0.17	1.2	1.9
1987	93	1.5	0.16	1.2	1.8	85	1.6	0.17	1.2	1.9
1988	83	1.3	0.15	1.1	1.7	74	1.4	0.16	1.1	1.7
1989	81	1.3	0.15	1.1	1.7	73	1.4	0.16	1.1	1.7
1990	91	1.4	0.15	1.1	1.7	85	1.5	0.16	1.2	1.9
1991	72	1.1	0.14	0.9	1.4	65	1.2	0.15	0.9	1.5
1992	56	0.9	0.12	0.7	1.2	50	0.9	0.13	0.7	1.2
1993	97	1.5	0.15	1.2	1.8	91	1.6	0.17	1.3	1.9
1994	113	1.7	0.16	1.4	2.0	101	1.7	0.17	1.4	2.1
1995	123	1.8	0.16	1.5	2.1	111	1.8	0.17	1.5	2.2
1996	96	1.4	0.14	1.1	1.7	88	1.4	0.15	1.1	1.7
1997	101	1.5	0.15	1.2	1.8	85	1.4	0.16	1.1	1.8
1998	109	1.5	0.15	1.3	1.9	93	1.5	0.16	1.2	1.9
1999	132	1.9	0.16	1.5	2.2	117	1.9	0.18	1.6	2.3
2000	117	1.6	0.15	1.3	2.0	103	1.7	0.17	1.4	2.0
2001	92	1.3	0.14	1.0	1.6	85	1.4	0.16	1.1	1.8
2002	105	1.5	0.14	1.2	1.8	88	1.5	0.16	1.2	1.8
2003	97	1.3	0.13	1.1	1.6	85	1.3	0.15	1.1	1.7
2004	89	1.2	0.12	0.9	1.4	76	1.2	0.14	0.9	1.5
2005	85	1.1	0.12	0.9	1.4	77	1.2	0.14	0.9	1.5
2006	79	1.0	0.12	0.8	1.3	68	1.0	0.13	0.8	1.3
2007	88	1.2	0.13	1.0	1.5	74	1.2	0.14	0.9	1.5
2008	82	1.1	0.12	0.9	1.4	73	1.2	0.14	0.9	1.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	208	1.2	0.08	1.0	1.3	26	0.7	0.15	0.4	1.0
1986	8	1.0	0.38	0.4	2.1	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	7	1.1	0.40	0.4	2.1	2	1.1	0.80	0.1	5.8
1989	7	1.0	0.38	0.4	2.0	1	0.5	0.54	0.0	4.9
1990	4	0.5	0.25	0.1	1.3	1	0.6	0.56	0.0	4.8
1991	7	0.8	0.33	0.3	1.8	0				
1992	6	0.8	0.34	0.3	1.7	0				
1993	5	0.7	0.32	0.2	1.6	1	1.3	1.33	0.0	6.2
1994	11	1.6	0.48	0.8	2.8	1	0.6	0.60	0.0	3.9
1995	10	1.3	0.42	0.6	2.4	2	1.9	1.44	0.2	6.5
1996	5	0.7	0.31	0.2	1.6	3	1.8	1.17	0.3	5.7
1997	14	1.9	0.50	1.0	3.1	1	1.5	1.51	0.0	6.3
1998	15	1.9	0.50	1.1	3.1	0				
1999	13	1.6	0.44	0.8	2.7	2	1.1	0.82	0.1	4.1
2000	12	1.5	0.44	0.8	2.6	0				
2001	7	0.8	0.31	0.3	1.7	0				
2002	14	1.9	0.50	1.0	3.1	2	0.8	0.56	0.1	3.0
2003	9	1.1	0.38	0.5	2.1	2	0.7	0.48	0.1	2.7
2004	11	1.3	0.40	0.6	2.3	1	0.7	0.65	0.0	3.0
2005	7	0.8	0.31	0.3	1.7	1	0.3	0.34	0.0	2.1
2006	9	1.1	0.36	0.5	2.0	2	1.0	0.71	0.1	3.3
2007	12	1.2	0.36	0.6	2.2	2	0.9	0.68	0.1	3.2
2008	7	0.8	0.30	0.3	1.6	2	0.6	0.40	0.1	2.2

*Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010*