

Invasive Cancer Incidence by Race, Illinois 1986-2008

Lymphoma

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	56,759	20.9	0.09	20.7	21.1	50,504	21.8	0.10	21.6	22.0
1986	1,700	15.9	0.39	15.1	16.7	1,550	16.6	0.43	15.8	17.5
1987	1,743	16.1	0.39	15.4	16.9	1,612	17.1	0.43	16.3	18.0
1988	1,849	17.0	0.40	16.2	17.8	1,681	17.7	0.44	16.9	18.6
1989	1,897	17.4	0.40	16.6	18.2	1,724	18.2	0.44	17.4	19.1
1990	2,065	18.8	0.42	17.9	19.6	1,870	19.7	0.46	18.8	20.6
1991	2,058	18.4	0.41	17.6	19.2	1,880	19.5	0.45	18.6	20.4
1992	2,252	19.9	0.42	19.1	20.8	2,059	21.1	0.47	20.2	22.1
1993	2,306	20.2	0.42	19.4	21.1	2,085	21.2	0.47	20.3	22.2
1994	2,434	21.1	0.43	20.3	22.0	2,164	21.9	0.47	20.9	22.8
1995	2,524	21.7	0.43	20.9	22.6	2,242	22.5	0.48	21.6	23.5
1996	2,629	22.5	0.44	21.6	23.3	2,343	23.4	0.49	22.5	24.4
1997	2,553	21.6	0.43	20.8	22.5	2,264	22.5	0.47	21.5	23.4
1998	2,622	22.1	0.43	21.2	22.9	2,298	22.7	0.47	21.8	23.6
1999	2,730	22.8	0.44	21.9	23.7	2,454	24.1	0.49	23.1	25.1
2000	2,705	22.4	0.43	21.5	23.2	2,385	23.3	0.48	22.4	24.3
2001	2,711	22.2	0.43	21.4	23.1	2,394	23.2	0.47	22.3	24.1
2002	2,756	22.4	0.43	21.6	23.3	2,442	23.5	0.48	22.6	24.5
2003	2,788	22.5	0.43	21.6	23.3	2,441	23.3	0.47	22.4	24.2
2004	2,954	23.7	0.44	22.8	24.5	2,566	24.4	0.48	23.5	25.4
2005	2,891	23.0	0.43	22.1	23.8	2,523	23.8	0.48	22.9	24.7
2006	2,834	22.3	0.42	21.5	23.1	2,499	23.5	0.47	22.6	24.4
2007	2,865	22.2	0.42	21.4	23.1	2,502	23.2	0.47	22.3	24.1
2008	2,893	22.1	0.41	21.3	22.9	2,526	23.1	0.46	22.2	24.0
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,941	14.4	0.21	14.0	14.8	932	12.9	0.47	12.0	13.9
1986	124	9.9	0.93	8.1	11.9	26	17.7	4.03	10.7	27.2
1987	113	8.9	0.87	7.3	10.8	12	5.6	1.71	2.7	10.3
1988	147	11.0	0.96	9.2	13.0	16	9.4	2.80	4.8	16.4
1989	151	11.3	0.97	9.5	13.4	19	10.0	2.61	5.6	16.4
1990	170	12.7	1.01	10.7	14.8	19	8.6	2.15	4.9	14.0
1991	142	10.4	0.91	8.7	12.3	21	10.0	2.53	5.7	16.2
1992	168	12.3	0.99	10.4	14.4	19	10.1	2.81	5.4	16.9
1993	193	13.2	0.99	11.3	15.2	20	9.4	2.28	5.5	14.9
1994	225	15.5	1.06	13.4	17.7	33	15.8	3.14	10.3	23.0
1995	232	16.2	1.10	14.1	18.5	42	16.7	2.93	11.5	23.3
1996	233	15.3	1.04	13.4	17.5	38	13.0	2.35	8.8	18.4
1997	230	15.0	1.02	13.0	17.1	43	15.7	2.71	10.9	21.8
1998	259	16.7	1.07	14.7	18.9	41	11.8	2.14	8.0	16.7
1999	220	14.4	1.00	12.5	16.5	29	7.9	1.61	5.1	11.7
2000	246	15.5	1.01	13.6	17.6	51	12.6	1.95	9.1	17.0
2001	247	15.5	1.01	13.6	17.6	47	12.5	2.02	8.9	17.1
2002	238	14.8	0.98	12.9	16.8	50	14.5	2.26	10.4	19.5
2003	260	16.0	1.01	14.1	18.1	65	16.6	2.22	12.6	21.5
2004	293	18.4	1.10	16.3	20.7	60	14.0	1.94	10.5	18.3
2005	264	16.3	1.03	14.3	18.4	74	17.2	2.14	13.2	21.9
2006	251	15.3	0.98	13.4	17.3	58	11.7	1.65	8.7	15.4
2007	276	16.2	1.00	14.3	18.2	68	13.2	1.69	10.1	16.9
2008	259	15.3	0.97	13.4	17.3	81	14.3	1.67	11.2	18.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Lymphoma

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	29,896	25.2	0.15	24.9	25.5	26,463	26.1	0.16	25.8	26.4
1986	837	17.9	0.65	16.7	19.3	745	18.4	0.70	17.0	19.8
1987	883	18.8	0.66	17.5	20.1	806	19.7	0.72	18.3	21.1
1988	971	20.4	0.68	19.1	21.8	885	21.5	0.75	20.0	23.0
1989	983	20.6	0.68	19.3	22.0	894	21.6	0.74	20.2	23.1
1990	1,103	22.8	0.71	21.4	24.2	988	23.6	0.77	22.1	25.2
1991	1,070	21.7	0.68	20.4	23.1	977	22.9	0.75	21.5	24.5
1992	1,173	24.2	0.73	22.8	25.7	1,063	25.3	0.80	23.8	26.9
1993	1,214	24.2	0.71	22.8	25.6	1,092	25.3	0.78	23.8	26.9
1994	1,243	24.7	0.72	23.3	26.1	1,094	25.4	0.78	23.9	27.0
1995	1,334	26.2	0.73	24.8	27.7	1,175	26.9	0.80	25.4	28.5
1996	1,380	26.7	0.73	25.3	28.2	1,202	27.3	0.80	25.7	28.9
1997	1,329	25.7	0.72	24.3	27.2	1,165	26.4	0.78	24.9	28.0
1998	1,404	27.1	0.73	25.6	28.5	1,222	27.6	0.80	26.1	29.2
1999	1,456	27.8	0.74	26.4	29.3	1,294	29.0	0.81	27.4	30.6
2000	1,435	27.0	0.72	25.6	28.4	1,256	27.8	0.79	26.3	29.4
2001	1,392	26.1	0.71	24.7	27.5	1,229	27.1	0.78	25.6	28.7
2002	1,465	27.3	0.72	25.9	28.7	1,303	28.6	0.80	27.0	30.2
2003	1,476	27.1	0.71	25.7	28.5	1,292	27.9	0.78	26.4	29.5
2004	1,606	29.4	0.75	27.9	30.9	1,397	30.2	0.82	28.6	31.9
2005	1,535	27.8	0.72	26.4	29.3	1,342	28.7	0.79	27.2	30.3
2006	1,534	27.4	0.71	26.0	28.8	1,353	28.7	0.79	27.1	30.3
2007	1,555	27.2	0.70	25.9	28.6	1,354	28.2	0.78	26.7	29.7
2008	1,518	26.3	0.69	24.9	27.6	1,335	27.4	0.76	26.0	29.0

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,721	18.1	0.37	17.4	18.9	515	15.8	0.81	14.3	17.5
1986	75	13.2	1.66	10.2	16.9	17	25.6	7.74	12.7	44.7
1987	67	12.8	1.67	9.7	16.5	6	6.2	2.80	2.0	15.3
1988	75	12.5	1.56	9.6	15.9	8	9.0	3.32	3.7	18.7
1989	77	13.2	1.65	10.1	16.8	10	13.2	4.71	5.6	25.6
1990	96	16.6	1.84	13.2	20.6	14	15.1	4.55	7.6	27.0
1991	75	12.2	1.52	9.4	15.5	9	10.8	4.78	3.6	23.5
1992	95	16.6	1.85	13.2	20.6	11	14.9	5.19	6.5	27.9
1993	108	16.0	1.67	12.9	19.6	13	14.1	4.30	6.9	24.9
1994	126	18.6	1.73	15.3	22.3	16	17.3	5.24	8.6	30.1
1995	139	22.2	2.05	18.3	26.5	18	16.7	4.90	8.5	28.6
1996	149	22.5	1.99	18.7	26.7	22	16.0	4.02	9.1	25.8
1997	131	18.7	1.71	15.5	22.3	26	22.7	5.33	13.4	35.2
1998	147	21.5	1.86	18.0	25.5	23	15.7	4.16	8.6	25.7
1999	126	19.1	1.84	15.6	23.0	18	10.1	2.71	5.5	17.1
2000	137	19.2	1.72	16.0	22.9	26	14.5	3.50	8.4	22.9
2001	126	18.0	1.70	14.8	21.7	24	13.5	3.08	8.1	20.9
2002	123	17.3	1.65	14.2	20.9	31	20.2	4.15	12.9	29.7
2003	137	19.7	1.76	16.4	23.5	35	18.1	3.40	12.1	26.0
2004	159	23.3	1.98	19.6	27.5	36	17.4	3.25	11.7	24.9
2005	135	19.6	1.81	16.2	23.4	46	24.0	4.00	16.8	33.0
2006	130	18.4	1.70	15.2	22.0	36	16.9	3.14	11.3	24.1
2007	157	21.4	1.82	18.0	25.3	33	14.0	2.68	9.2	20.2
2008	131	18.1	1.67	14.9	21.6	37	13.1	2.27	9.0	18.4

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Lymphoma

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	26,863	17.6	0.11	17.4	17.8	24,041	18.5	0.12	18.2	18.7
1986	863	14.1	0.49	13.2	15.1	805	15.1	0.55	14.1	16.2
1987	860	13.9	0.48	13.0	14.9	806	15.0	0.54	13.9	16.1
1988	878	14.3	0.49	13.3	15.2	796	14.8	0.54	13.8	15.9
1989	914	14.9	0.50	13.9	15.9	830	15.6	0.55	14.5	16.7
1990	962	15.5	0.51	14.5	16.5	882	16.4	0.56	15.3	17.6
1991	988	15.7	0.50	14.7	16.7	903	16.5	0.56	15.5	17.7
1992	1,079	16.8	0.52	15.8	17.8	996	18.0	0.58	16.9	19.2
1993	1,092	16.9	0.52	15.9	17.9	993	17.8	0.57	16.7	19.0
1994	1,191	18.3	0.53	17.2	19.3	1,070	19.0	0.59	17.9	20.2
1995	1,190	18.0	0.53	17.0	19.1	1,067	18.8	0.58	17.6	19.9
1996	1,249	18.9	0.54	17.9	20.0	1,141	20.2	0.61	19.0	21.4
1997	1,224	18.4	0.53	17.4	19.5	1,099	19.4	0.59	18.2	20.6
1998	1,218	18.3	0.53	17.2	19.3	1,076	18.9	0.58	17.8	20.1
1999	1,274	18.9	0.53	17.9	20.0	1,160	20.4	0.61	19.2	21.6
2000	1,270	18.9	0.53	17.8	19.9	1,129	19.9	0.60	18.7	21.1
2001	1,319	19.3	0.53	18.2	20.3	1,165	20.1	0.60	19.0	21.3
2002	1,291	18.7	0.52	17.7	19.8	1,139	19.6	0.59	18.4	20.8
2003	1,312	18.9	0.53	17.9	20.0	1,149	19.7	0.59	18.5	20.9
2004	1,348	19.3	0.53	18.3	20.4	1,169	19.9	0.59	18.8	21.1
2005	1,356	19.3	0.53	18.3	20.4	1,181	20.1	0.59	18.9	21.3
2006	1,300	18.3	0.51	17.3	19.4	1,146	19.4	0.58	18.3	20.6
2007	1,310	18.3	0.51	17.4	19.4	1,148	19.3	0.58	18.2	20.5
2008	1,375	19.0	0.52	18.0	20.1	1,191	19.9	0.59	18.7	21.1
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,220	11.5	0.25	11.1	12.0	417	10.7	0.56	9.6	11.9
1986	49	7.2	1.06	5.3	9.6	9	11.6	4.17	4.9	22.7
1987	46	6.1	0.94	4.4	8.2	6	5.1	2.16	1.8	12.1
1988	72	9.7	1.19	7.5	12.3	8	9.5	4.06	3.3	20.3
1989	74	10.0	1.20	7.8	12.7	9	7.9	3.00	3.1	16.2
1990	74	9.9	1.18	7.7	12.4	5	3.6	1.64	1.1	9.2
1991	67	8.9	1.12	6.9	11.4	12	9.8	2.92	5.0	17.6
1992	73	9.2	1.11	7.2	11.7	8	6.9	3.08	2.2	15.2
1993	85	10.8	1.20	8.5	13.4	7	5.9	2.38	2.2	12.4
1994	99	12.6	1.29	10.2	15.3	17	14.7	3.94	8.0	24.2
1995	93	11.7	1.24	9.4	14.4	24	17.0	3.76	10.5	25.9
1996	84	10.0	1.11	7.9	12.4	16	10.6	2.83	5.8	17.6
1997	99	11.8	1.20	9.5	14.4	17	10.8	2.86	5.9	17.8
1998	112	12.8	1.23	10.5	15.5	18	9.1	2.36	5.1	15.0
1999	94	11.0	1.15	8.9	13.5	11	6.0	1.91	2.8	10.9
2000	109	12.3	1.19	10.1	14.9	25	11.4	2.42	7.2	17.2
2001	121	13.6	1.25	11.3	16.2	23	11.5	2.60	7.0	17.7
2002	115	12.8	1.20	10.5	15.3	19	10.0	2.47	5.8	15.9
2003	123	13.3	1.21	11.1	15.9	30	14.9	2.86	9.9	21.5
2004	134	14.8	1.29	12.4	17.5	24	10.9	2.34	6.8	16.5
2005	129	14.0	1.24	11.6	16.6	28	12.0	2.38	7.8	17.6
2006	121	12.8	1.17	10.6	15.3	22	7.9	1.74	4.8	12.1
2007	119	12.4	1.15	10.3	14.9	35	12.5	2.18	8.6	17.5
2008	128	13.2	1.18	11.0	15.7	44	15.2	2.38	10.9	20.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Hodgkin Lymphoma

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	7,920	2.8	0.03	2.8	2.9	6,703	2.9	0.04	2.8	3.0
1986	325	2.9	0.17	2.6	3.3	288	3.1	0.18	2.7	3.4
1987	286	2.5	0.15	2.2	2.8	254	2.6	0.17	2.3	3.0
1988	285	2.4	0.15	2.1	2.7	247	2.5	0.16	2.2	2.8
1989	322	2.8	0.16	2.5	3.1	288	3.0	0.18	2.6	3.3
1990	335	2.9	0.16	2.6	3.2	288	3.0	0.18	2.6	3.4
1991	330	2.8	0.16	2.5	3.2	290	3.0	0.18	2.7	3.4
1992	341	2.8	0.16	2.5	3.2	298	3.0	0.17	2.6	3.3
1993	318	2.6	0.15	2.3	2.9	263	2.6	0.16	2.3	3.0
1994	328	2.7	0.15	2.4	3.0	283	2.8	0.17	2.5	3.2
1995	321	2.6	0.15	2.4	2.9	276	2.8	0.17	2.4	3.1
1996	376	3.1	0.16	2.8	3.4	313	3.1	0.18	2.8	3.5
1997	360	2.9	0.16	2.6	3.3	297	3.0	0.17	2.6	3.3
1998	328	2.7	0.15	2.4	3.0	268	2.7	0.16	2.4	3.0
1999	346	2.8	0.15	2.5	3.1	295	2.9	0.17	2.6	3.3
2000	361	2.9	0.15	2.6	3.2	302	3.0	0.17	2.7	3.3
2001	363	2.9	0.15	2.6	3.2	299	3.0	0.17	2.6	3.3
2002	365	2.9	0.15	2.6	3.2	315	3.1	0.17	2.8	3.5
2003	354	2.8	0.15	2.5	3.1	298	2.9	0.17	2.6	3.3
2004	361	2.9	0.15	2.6	3.2	299	2.9	0.17	2.6	3.3
2005	382	3.0	0.16	2.7	3.4	306	3.0	0.17	2.7	3.4
2006	385	3.0	0.16	2.7	3.4	320	3.1	0.18	2.8	3.5
2007	344	2.7	0.15	2.4	3.0	287	2.8	0.17	2.5	3.1
2008	404	3.2	0.16	2.8	3.5	329	3.2	0.18	2.9	3.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	989	2.4	0.08	2.3	2.6	147	1.5	0.14	1.3	1.8
1986	32	2.0	0.38	1.4	3.0	5	4.3	2.45	0.9	11.1
1987	28	1.7	0.35	1.1	2.6	0				
1988	35	2.0	0.36	1.4	2.8	3	1.6	0.94	0.3	5.0
1989	34	2.1	0.37	1.4	2.9	0				
1990	45	2.7	0.41	1.9	3.6	1	0.5	0.51	0.0	3.2
1991	31	1.8	0.34	1.2	2.6	4	1.3	0.68	0.3	3.9
1992	39	2.3	0.39	1.6	3.2	3	0.7	0.42	0.2	2.8
1993	50	2.8	0.42	2.1	3.8	3	1.1	0.68	0.2	3.6
1994	37	2.2	0.36	1.5	3.0	5	1.4	0.64	0.4	3.6
1995	38	2.0	0.33	1.4	2.8	5	2.2	1.26	0.4	5.7
1996	47	2.6	0.39	1.9	3.5	9	2.3	0.88	0.9	4.9
1997	56	3.2	0.44	2.4	4.2	4	0.9	0.44	0.2	2.6
1998	44	2.3	0.36	1.7	3.2	10	2.5	0.91	1.1	5.0
1999	34	1.9	0.34	1.3	2.7	8	1.5	0.54	0.6	3.2
2000	45	2.5	0.38	1.8	3.3	8	1.4	0.51	0.6	3.0
2001	48	2.6	0.38	1.9	3.5	11	2.4	0.78	1.1	4.5
2002	42	2.3	0.36	1.6	3.1	5	0.9	0.45	0.2	2.4
2003	44	2.4	0.36	1.7	3.2	8	1.4	0.48	0.6	2.8
2004	52	2.8	0.39	2.1	3.7	5	0.9	0.39	0.3	2.1
2005	65	3.6	0.46	2.8	4.6	9	1.7	0.58	0.8	3.3
2006	46	2.5	0.37	1.8	3.3	14	2.4	0.69	1.2	4.2
2007	43	2.2	0.34	1.6	3.0	10	1.5	0.47	0.7	2.8
2008	54	2.8	0.39	2.1	3.7	17	2.4	0.60	1.4	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Hodgkin Lymphoma

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,362	3.2	0.05	3.2	3.3	3,657	3.3	0.05	3.2	3.4
1986	159	3.0	0.25	2.5	3.5	138	3.1	0.27	2.6	3.6
1987	167	3.0	0.24	2.6	3.6	148	3.2	0.27	2.7	3.8
1988	157	2.8	0.23	2.4	3.3	137	2.9	0.26	2.5	3.5
1989	166	3.0	0.24	2.6	3.5	148	3.2	0.27	2.7	3.8
1990	192	3.5	0.26	3.0	4.0	163	3.5	0.28	3.0	4.1
1991	180	3.3	0.25	2.8	3.8	157	3.4	0.28	2.9	4.0
1992	172	3.1	0.24	2.6	3.6	154	3.3	0.27	2.8	3.8
1993	181	3.1	0.24	2.7	3.6	150	3.1	0.26	2.6	3.7
1994	187	3.2	0.24	2.8	3.7	154	3.2	0.26	2.7	3.7
1995	191	3.3	0.24	2.8	3.8	158	3.3	0.27	2.8	3.9
1996	214	3.6	0.25	3.2	4.2	171	3.5	0.27	3.0	4.1
1997	186	3.1	0.23	2.7	3.6	146	3.0	0.25	2.5	3.5
1998	188	3.2	0.24	2.8	3.7	156	3.2	0.26	2.8	3.8
1999	188	3.2	0.23	2.7	3.7	155	3.2	0.26	2.7	3.7
2000	214	3.6	0.25	3.1	4.1	182	3.7	0.28	3.2	4.3
2001	197	3.3	0.24	2.8	3.8	158	3.2	0.26	2.7	3.8
2002	197	3.2	0.23	2.8	3.7	173	3.5	0.27	3.0	4.0
2003	183	3.0	0.23	2.6	3.5	156	3.2	0.25	2.7	3.7
2004	213	3.5	0.24	3.1	4.0	175	3.6	0.27	3.0	4.1
2005	216	3.5	0.24	3.1	4.0	177	3.6	0.27	3.1	4.1
2006	201	3.3	0.23	2.8	3.8	167	3.4	0.26	2.9	3.9
2007	201	3.2	0.23	2.8	3.7	163	3.3	0.26	2.8	3.8
2008	212	3.4	0.24	2.9	3.9	171	3.4	0.26	2.9	3.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	566	3.0	0.13	2.8	3.3	91	2.1	0.25	1.6	2.6
1986	17	2.2	0.58	1.2	3.8	4	8.9	5.88	1.3	25.5
1987	16	2.6	0.71	1.4	4.4	0				
1988	18	2.1	0.54	1.2	3.6	2	2.4	1.67	0.3	9.5
1989	18	2.6	0.71	1.4	4.4	0				
1990	27	3.6	0.72	2.3	5.4	1	1.2	1.19	0.0	7.4
1991	17	2.3	0.57	1.3	3.8	2	1.3	0.92	0.2	6.6
1992	18	2.8	0.74	1.6	4.6	0				
1993	28	3.4	0.66	2.2	5.0	3	2.5	1.52	0.4	8.1
1994	26	3.3	0.67	2.1	5.0	4	2.6	1.35	0.7	7.7
1995	30	3.5	0.66	2.3	5.1	2	0.8	0.53	0.1	4.6
1996	31	3.8	0.70	2.6	5.5	7	4.4	1.96	1.4	10.3
1997	36	4.5	0.79	3.1	6.4	2	0.9	0.67	0.1	4.6
1998	23	2.6	0.55	1.6	4.0	5	3.7	1.96	0.9	9.5
1999	20	2.4	0.55	1.4	3.8	7	2.7	1.03	1.0	6.4
2000	24	2.8	0.61	1.8	4.3	4	1.4	0.70	0.4	4.5
2001	29	3.4	0.65	2.3	5.0	7	4.0	1.67	1.4	8.7
2002	21	2.4	0.54	1.4	3.7	3	1.5	0.95	0.2	4.8
2003	21	2.5	0.57	1.5	3.9	6	2.1	0.85	0.7	5.0
2004	36	4.4	0.76	3.0	6.2	1	0.4	0.38	0.0	2.6
2005	31	3.5	0.65	2.4	5.1	7	2.8	1.12	1.1	6.1
2006	24	2.8	0.59	1.8	4.2	6	2.0	0.88	0.7	4.8
2007	27	3.0	0.59	2.0	4.4	8	2.4	0.87	1.0	5.1
2008	28	3.2	0.63	2.1	4.7	10	2.9	0.93	1.4	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Hodgkin Lymphoma

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,558	2.4	0.04	2.4	2.5	3,046	2.6	0.05	2.5	2.7
1986	166	2.8	0.22	2.4	3.2	150	3.0	0.25	2.5	3.5
1987	119	1.9	0.18	1.6	2.3	106	2.1	0.20	1.7	2.5
1988	128	2.0	0.18	1.7	2.4	110	2.1	0.20	1.7	2.5
1989	156	2.6	0.21	2.2	3.0	140	2.8	0.24	2.3	3.3
1990	143	2.4	0.20	2.0	2.8	125	2.5	0.23	2.1	3.0
1991	150	2.4	0.20	2.1	2.9	133	2.6	0.23	2.2	3.1
1992	169	2.6	0.20	2.2	3.1	144	2.7	0.23	2.3	3.2
1993	137	2.2	0.19	1.8	2.6	113	2.2	0.21	1.8	2.6
1994	141	2.2	0.19	1.9	2.6	129	2.5	0.22	2.1	3.0
1995	130	2.1	0.18	1.7	2.5	118	2.3	0.22	1.9	2.8
1996	162	2.6	0.20	2.2	3.0	142	2.8	0.23	2.3	3.3
1997	174	2.8	0.21	2.4	3.2	151	2.9	0.24	2.5	3.4
1998	140	2.2	0.19	1.9	2.6	112	2.2	0.21	1.8	2.6
1999	158	2.5	0.20	2.1	2.9	140	2.7	0.23	2.3	3.2
2000	147	2.3	0.19	1.9	2.7	120	2.4	0.22	1.9	2.8
2001	166	2.6	0.20	2.2	3.0	141	2.7	0.23	2.3	3.2
2002	168	2.6	0.20	2.2	3.0	142	2.7	0.23	2.3	3.2
2003	171	2.7	0.20	2.3	3.1	142	2.8	0.23	2.3	3.3
2004	148	2.3	0.19	1.9	2.7	124	2.4	0.22	2.0	2.9
2005	166	2.6	0.20	2.2	3.0	129	2.5	0.22	2.1	3.0
2006	184	2.8	0.21	2.4	3.3	153	3.0	0.24	2.5	3.5
2007	143	2.2	0.19	1.9	2.6	124	2.4	0.22	2.0	2.9
2008	192	3.0	0.22	2.6	3.4	158	3.1	0.25	2.6	3.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	423	1.9	0.09	1.7	2.1	56	1.0	0.15	0.8	1.4
1986	15	1.9	0.50	1.0	3.2	1	1.2	1.19	0.0	7.1
1987	12	1.2	0.35	0.6	2.2	0				
1988	17	1.9	0.48	1.1	3.1	1	1.0	1.00	0.0	6.1
1989	16	1.8	0.45	1.0	2.9	0				
1990	18	2.0	0.48	1.2	3.2	0				
1991	14	1.5	0.41	0.8	2.6	2	1.3	0.96	0.1	5.6
1992	21	2.1	0.47	1.3	3.3	3	1.5	0.86	0.3	5.4
1993	22	2.3	0.51	1.4	3.6	0				
1994	11	1.2	0.36	0.6	2.2	1	0.3	0.33	0.0	3.3
1995	8	0.8	0.28	0.3	1.6	3	3.0	1.98	0.5	8.8
1996	16	1.7	0.42	0.9	2.7	2	0.7	0.50	0.1	3.5
1997	20	2.1	0.48	1.3	3.3	2	0.8	0.58	0.1	3.5
1998	21	2.1	0.47	1.3	3.3	5	1.8	0.83	0.6	4.8
1999	14	1.5	0.40	0.8	2.5	1	0.3	0.32	0.0	2.6
2000	21	2.2	0.48	1.3	3.3	4	1.5	0.76	0.4	4.2
2001	19	1.9	0.43	1.1	3.0	4	1.2	0.58	0.3	3.4
2002	21	2.2	0.48	1.3	3.3	2	0.5	0.33	0.1	2.3
2003	23	2.3	0.48	1.5	3.5	2	0.6	0.45	0.1	2.6
2004	16	1.6	0.39	0.9	2.5	4	1.3	0.68	0.4	3.6
2005	34	3.5	0.61	2.4	4.9	2	0.6	0.44	0.1	2.5
2006	22	2.2	0.46	1.3	3.3	8	2.7	0.99	1.1	5.5
2007	16	1.5	0.39	0.9	2.5	2	0.5	0.36	0.1	2.1
2008	26	2.5	0.49	1.6	3.7	7	2.0	0.78	0.8	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Non-Hodgkin Lymphoma

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	48,839	18.1	0.08	17.9	18.3	43,801	18.9	0.09	18.7	19.1
1986	1,375	13.0	0.36	12.3	13.7	1,262	13.6	0.39	12.8	14.4
1987	1,457	13.7	0.36	13.0	14.4	1,358	14.5	0.40	13.8	15.3
1988	1,564	14.5	0.37	13.8	15.3	1,434	15.3	0.41	14.5	16.1
1989	1,575	14.6	0.37	13.9	15.3	1,436	15.3	0.41	14.5	16.1
1990	1,730	15.9	0.39	15.1	16.7	1,582	16.7	0.42	15.9	17.5
1991	1,728	15.6	0.38	14.8	16.3	1,590	16.5	0.42	15.7	17.3
1992	1,911	17.1	0.39	16.3	17.9	1,761	18.1	0.44	17.3	19.0
1993	1,988	17.6	0.40	16.8	18.4	1,822	18.6	0.44	17.7	19.5
1994	2,106	18.5	0.40	17.7	19.3	1,881	19.0	0.44	18.2	19.9
1995	2,203	19.1	0.41	18.3	19.9	1,966	19.8	0.45	18.9	20.6
1996	2,253	19.4	0.41	18.6	20.2	2,030	20.3	0.45	19.4	21.2
1997	2,193	18.7	0.40	17.9	19.5	1,967	19.5	0.44	18.7	20.4
1998	2,294	19.4	0.41	18.6	20.2	2,030	20.0	0.45	19.2	20.9
1999	2,384	20.0	0.41	19.2	20.8	2,159	21.2	0.46	20.3	22.1
2000	2,344	19.5	0.40	18.7	20.3	2,083	20.3	0.45	19.5	21.2
2001	2,348	19.3	0.40	18.5	20.1	2,095	20.2	0.44	19.4	21.1
2002	2,391	19.5	0.40	18.8	20.3	2,127	20.4	0.44	19.6	21.3
2003	2,434	19.6	0.40	18.9	20.4	2,143	20.4	0.44	19.5	21.3
2004	2,593	20.8	0.41	20.0	21.6	2,267	21.5	0.45	20.6	22.4
2005	2,509	19.9	0.40	19.1	20.7	2,217	20.8	0.44	19.9	21.6
2006	2,449	19.3	0.39	18.5	20.1	2,179	20.3	0.44	19.5	21.2
2007	2,521	19.5	0.39	18.8	20.3	2,215	20.4	0.44	19.6	21.3
2008	2,489	18.9	0.38	18.2	19.7	2,197	19.9	0.43	19.0	20.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,952	12.0	0.20	11.6	12.4	785	11.4	0.45	10.6	12.4
1986	92	7.8	0.85	6.3	9.7	21	13.4	3.20	7.9	21.2
1987	85	7.2	0.80	5.7	8.9	12	5.6	1.71	2.7	10.3
1988	112	9.0	0.89	7.3	10.9	13	7.8	2.64	3.5	14.5
1989	117	9.3	0.89	7.6	11.2	19	10.0	2.61	5.6	16.4
1990	125	10.0	0.92	8.2	11.9	18	8.1	2.09	4.6	13.4
1991	111	8.6	0.85	7.0	10.4	17	8.7	2.44	4.6	14.7
1992	129	10.0	0.91	8.3	11.9	16	9.4	2.78	4.8	16.1
1993	143	10.3	0.90	8.6	12.2	17	8.3	2.17	4.6	13.6
1994	188	13.3	1.00	11.4	15.4	28	14.4	3.07	9.0	21.5
1995	194	14.1	1.05	12.1	16.3	37	14.5	2.65	9.8	20.6
1996	186	12.7	0.96	10.9	14.7	29	10.7	2.18	6.8	15.8
1997	174	11.8	0.92	10.0	13.7	39	14.9	2.67	10.1	20.9
1998	215	14.4	1.00	12.5	16.5	31	9.3	1.94	5.9	13.8
1999	186	12.5	0.94	10.7	14.5	21	6.4	1.52	3.8	10.1
2000	201	13.0	0.94	11.2	15.0	43	11.2	1.89	7.8	15.5
2001	199	12.9	0.94	11.2	14.9	36	10.2	1.86	6.8	14.4
2002	196	12.5	0.91	10.8	14.4	45	13.6	2.22	9.6	18.6
2003	216	13.6	0.94	11.9	15.6	57	15.3	2.16	11.3	20.0
2004	241	15.6	1.03	13.6	17.7	55	13.1	1.91	9.7	17.4
2005	199	12.7	0.92	10.9	14.6	65	15.5	2.06	11.7	20.0
2006	205	12.8	0.91	11.1	14.7	44	9.3	1.50	6.6	12.7
2007	233	14.0	0.94	12.2	16.0	58	11.7	1.62	8.7	15.3
2008	205	12.4	0.89	10.8	14.3	64	11.9	1.56	9.0	15.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Non-Hodgkin Lymphoma

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	25,534	22.0	0.14	21.7	22.3	22,806	22.8	0.15	22.5	23.1
1986	678	15.0	0.60	13.8	16.2	607	15.3	0.64	14.1	16.6
1987	716	15.7	0.61	14.6	17.0	658	16.5	0.67	15.2	17.9
1988	814	17.6	0.64	16.4	18.9	748	18.5	0.70	17.2	20.0
1989	817	17.6	0.64	16.4	18.9	746	18.4	0.69	17.1	19.8
1990	911	19.3	0.66	18.1	20.7	825	20.1	0.72	18.7	21.6
1991	890	18.5	0.64	17.2	19.7	820	19.6	0.70	18.2	21.0
1992	1,001	21.1	0.69	19.8	22.5	909	22.1	0.75	20.6	23.6
1993	1,033	21.1	0.67	19.8	22.4	942	22.2	0.74	20.8	23.7
1994	1,056	21.5	0.68	20.2	22.9	940	22.2	0.74	20.8	23.7
1995	1,143	22.9	0.69	21.6	24.3	1,017	23.6	0.75	22.2	25.1
1996	1,166	23.1	0.69	21.8	24.5	1,031	23.8	0.75	22.3	25.3
1997	1,143	22.6	0.68	21.3	24.0	1,019	23.5	0.74	22.0	25.0
1998	1,216	23.8	0.69	22.5	25.2	1,066	24.4	0.76	22.9	25.9
1999	1,268	24.6	0.70	23.3	26.1	1,139	25.8	0.77	24.3	27.3
2000	1,221	23.4	0.68	22.1	24.7	1,074	24.1	0.74	22.7	25.6
2001	1,195	22.8	0.67	21.5	24.2	1,071	23.9	0.74	22.5	25.4
2002	1,268	24.0	0.68	22.7	25.4	1,130	25.1	0.75	23.6	26.6
2003	1,293	24.0	0.68	22.7	25.4	1,136	24.8	0.74	23.4	26.3
2004	1,393	25.8	0.70	24.5	27.3	1,222	26.7	0.77	25.2	28.2
2005	1,319	24.3	0.68	23.0	25.7	1,165	25.2	0.75	23.7	26.7
2006	1,333	24.1	0.67	22.8	25.5	1,186	25.3	0.74	23.9	26.8
2007	1,354	24.0	0.66	22.7	25.3	1,191	24.9	0.73	23.5	26.4
2008	1,306	22.9	0.64	21.6	24.2	1,164	24.1	0.72	22.7	25.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,155	15.1	0.35	14.4	15.8	424	13.7	0.77	12.3	15.3
1986	58	11.0	1.55	8.2	14.5	13	16.7	5.04	8.3	30.1
1987	51	10.2	1.51	7.5	13.6	6	6.2	2.80	2.0	15.3
1988	57	10.4	1.46	7.7	13.6	6	6.6	2.87	2.2	15.6
1989	59	10.6	1.49	7.9	13.9	10	13.2	4.71	5.6	25.6
1990	69	13.0	1.69	9.9	16.7	13	14.0	4.39	6.7	25.5
1991	58	9.9	1.41	7.3	13.1	7	9.6	4.69	2.7	22.1
1992	77	13.8	1.69	10.7	17.5	11	14.9	5.19	6.5	27.9
1993	80	12.6	1.54	9.8	16.0	10	11.6	4.02	5.1	22.0
1994	100	15.2	1.59	12.3	18.7	12	14.7	5.07	6.5	27.3
1995	109	18.7	1.95	15.0	22.8	16	16.0	4.87	7.9	27.9
1996	118	18.7	1.86	15.2	22.7	15	11.6	3.52	5.8	20.5
1997	95	14.1	1.52	11.3	17.4	24	21.7	5.29	12.6	34.2
1998	124	18.9	1.77	15.6	22.7	18	12.0	3.67	5.9	21.1
1999	106	16.7	1.76	13.4	20.5	11	7.5	2.51	3.4	14.1
2000	113	16.4	1.60	13.4	19.8	22	13.1	3.43	7.3	21.4
2001	97	14.6	1.58	11.7	18.0	17	9.5	2.59	5.1	16.0
2002	102	15.0	1.56	12.1	18.3	28	18.7	4.03	11.7	28.1
2003	116	17.2	1.67	14.1	20.8	29	16.1	3.29	10.3	23.8
2004	123	18.9	1.83	15.5	22.8	35	17.0	3.22	11.3	24.5
2005	104	16.1	1.69	12.9	19.7	39	21.2	3.84	14.3	29.9
2006	106	15.6	1.59	12.6	19.0	30	14.9	3.01	9.6	21.8
2007	130	18.4	1.72	15.2	22.1	25	11.6	2.53	7.1	17.5
2008	103	14.8	1.55	12.0	18.2	27	10.2	2.07	6.5	15.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Non-Hodgkin Lymphoma

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	23,305	15.2	0.10	15.0	15.4	20,995	15.9	0.11	15.7	16.1
1986	697	11.4	0.44	10.5	12.3	655	12.2	0.49	11.2	13.2
1987	741	12.0	0.45	11.2	12.9	700	12.9	0.50	12.0	13.9
1988	750	12.2	0.45	11.3	13.1	686	12.8	0.50	11.8	13.8
1989	758	12.3	0.45	11.4	13.2	690	12.8	0.50	11.9	13.9
1990	819	13.2	0.47	12.3	14.1	757	13.9	0.52	12.9	15.0
1991	838	13.2	0.46	12.3	14.2	770	13.9	0.51	13.0	15.0
1992	910	14.1	0.47	13.2	15.1	852	15.3	0.53	14.3	16.4
1993	955	14.7	0.48	13.8	15.7	880	15.6	0.54	14.6	16.7
1994	1,050	16.1	0.50	15.1	17.1	941	16.6	0.55	15.5	17.7
1995	1,060	16.0	0.50	15.0	17.0	949	16.4	0.54	15.4	17.5
1996	1,087	16.3	0.50	15.4	17.4	999	17.4	0.56	16.3	18.6
1997	1,050	15.7	0.49	14.7	16.6	948	16.4	0.54	15.4	17.5
1998	1,078	16.0	0.49	15.1	17.0	964	16.7	0.55	15.7	17.8
1999	1,116	16.5	0.50	15.5	17.5	1,020	17.6	0.56	16.6	18.8
2000	1,123	16.6	0.50	15.6	17.6	1,009	17.6	0.56	16.5	18.7
2001	1,153	16.7	0.49	15.7	17.7	1,024	17.4	0.55	16.3	18.5
2002	1,123	16.1	0.48	15.2	17.1	997	16.8	0.54	15.8	17.9
2003	1,141	16.3	0.49	15.3	17.2	1,007	16.9	0.54	15.9	18.0
2004	1,200	17.0	0.50	16.1	18.0	1,045	17.5	0.55	16.4	18.6
2005	1,190	16.7	0.49	15.8	17.7	1,052	17.5	0.55	16.5	18.7
2006	1,116	15.5	0.47	14.6	16.5	993	16.5	0.53	15.4	17.5
2007	1,167	16.1	0.48	15.2	17.1	1,024	16.9	0.54	15.9	18.0
2008	1,183	16.1	0.47	15.2	17.0	1,033	16.8	0.53	15.7	17.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,797	9.6	0.23	9.2	10.1	361	9.7	0.54	8.6	10.8
1986	34	5.3	0.93	3.6	7.4	8	10.4	3.99	4.1	21.2
1987	34	4.9	0.87	3.4	6.9	6	5.1	2.16	1.8	12.1
1988	55	7.8	1.09	5.8	10.3	7	8.5	3.94	2.6	19.1
1989	58	8.3	1.11	6.2	10.7	9	7.9	3.00	3.1	16.2
1990	56	7.9	1.07	5.9	10.3	5	3.6	1.64	1.1	9.2
1991	53	7.4	1.04	5.5	9.7	10	8.6	2.76	4.0	16.0
1992	52	7.1	1.01	5.3	9.4	5	5.4	2.96	1.2	13.6
1993	63	8.4	1.08	6.4	10.8	7	5.9	2.38	2.2	12.4
1994	88	11.4	1.23	9.1	14.1	16	14.4	3.93	7.7	23.9
1995	85	10.9	1.20	8.7	13.5	21	14.0	3.19	8.5	21.7
1996	68	8.3	1.02	6.4	10.6	14	9.9	2.78	5.2	16.8
1997	79	9.7	1.10	7.6	12.1	15	10.0	2.80	5.3	16.9
1998	91	10.7	1.14	8.6	13.2	13	7.3	2.21	3.6	12.9
1999	80	9.6	1.08	7.6	11.9	10	5.6	1.88	2.6	10.6
2000	88	10.2	1.09	8.2	12.6	21	9.9	2.29	5.9	15.5
2001	102	11.7	1.17	9.5	14.2	19	10.4	2.53	6.0	16.4
2002	94	10.6	1.10	8.6	13.0	17	9.6	2.45	5.4	15.4
2003	100	11.1	1.11	9.0	13.4	28	14.3	2.82	9.3	20.8
2004	118	13.3	1.23	11.0	15.9	20	9.6	2.24	5.7	15.0
2005	95	10.4	1.08	8.4	12.8	26	11.4	2.34	7.3	16.9
2006	99	10.6	1.08	8.6	13.0	14	5.2	1.43	2.8	8.8
2007	103	10.9	1.08	8.9	13.2	33	12.0	2.15	8.1	16.9
2008	102	10.7	1.07	8.7	13.0	37	13.2	2.25	9.1	18.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010