

Invasive Cancer Incidence by Race, Illinois 1986-2008

Mesothelioma

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,214	1.2	0.02	1.2	1.2	3,037	1.3	0.02	1.3	1.3
1986	98	0.9	0.09	0.7	1.1	95	1.0	0.10	0.8	1.2
1987	127	1.2	0.11	1.0	1.4	122	1.3	0.12	1.1	1.5
1988	134	1.2	0.11	1.0	1.4	126	1.3	0.12	1.1	1.5
1989	102	0.9	0.09	0.8	1.1	97	1.0	0.10	0.8	1.2
1990	102	0.9	0.09	0.8	1.1	94	1.0	0.10	0.8	1.2
1991	120	1.1	0.10	0.9	1.3	116	1.2	0.11	1.0	1.4
1992	127	1.1	0.10	0.9	1.3	120	1.2	0.11	1.0	1.4
1993	119	1.0	0.10	0.9	1.3	112	1.1	0.11	0.9	1.3
1994	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
1995	163	1.4	0.11	1.2	1.7	149	1.5	0.12	1.3	1.8
1996	142	1.2	0.10	1.0	1.4	128	1.3	0.11	1.1	1.5
1997	138	1.2	0.10	1.0	1.4	129	1.3	0.11	1.1	1.5
1998	156	1.3	0.11	1.1	1.6	149	1.5	0.12	1.2	1.7
1999	140	1.2	0.10	1.0	1.4	133	1.3	0.11	1.1	1.6
2000	143	1.2	0.10	1.0	1.4	137	1.3	0.11	1.1	1.6
2001	181	1.5	0.11	1.3	1.7	171	1.6	0.13	1.4	1.9
2002	155	1.3	0.10	1.1	1.5	151	1.5	0.12	1.2	1.7
2003	166	1.4	0.11	1.2	1.6	156	1.5	0.12	1.3	1.7
2004	145	1.2	0.10	1.0	1.4	138	1.3	0.11	1.1	1.5
2005	155	1.3	0.10	1.1	1.5	146	1.4	0.11	1.2	1.6
2006	162	1.3	0.10	1.1	1.5	151	1.4	0.12	1.2	1.7
2007	141	1.1	0.09	0.9	1.3	131	1.2	0.10	1.0	1.4
2008	158	1.3	0.10	1.1	1.5	153	1.4	0.12	1.2	1.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	149	0.5	0.04	0.4	0.6	25	0.4	0.08	0.3	0.6
1986	3	0.3	0.15	0.1	0.8	0				
1987	4	0.4	0.18	0.1	0.9	1	0.6	0.62	0.0	3.7
1988	8	0.7	0.26	0.3	1.4	0				
1989	5	0.4	0.19	0.1	1.0	0				
1990	6	0.5	0.20	0.2	1.1	1	0.5	0.51	0.0	3.2
1991	3	0.3	0.15	0.1	0.7	1	0.3	0.33	0.0	2.6
1992	5	0.5	0.21	0.2	1.1	2	0.7	0.48	0.1	2.9
1993	5	0.5	0.21	0.2	1.1	2	0.9	0.65	0.1	3.3
1994	7	0.6	0.21	0.2	1.1	0				
1995	14	1.1	0.31	0.6	1.9	0				
1996	13	0.9	0.25	0.5	1.5	1	0.2	0.24	0.0	1.8
1997	8	0.6	0.20	0.2	1.1	1	0.7	0.68	0.0	3.0
1998	7	0.5	0.21	0.2	1.1	0				
1999	6	0.4	0.17	0.1	0.9	1	0.4	0.41	0.0	2.1
2000	6	0.4	0.19	0.2	1.0	0				
2001	9	0.6	0.22	0.3	1.2	1	0.3	0.29	0.0	1.6
2002	4	0.3	0.17	0.1	0.8	0				
2003	4	0.3	0.13	0.1	0.6	5	1.5	0.69	0.5	3.4
2004	7	0.5	0.18	0.2	1.0	0				
2005	8	0.6	0.21	0.3	1.1	1	0.2	0.16	0.0	1.1
2006	6	0.4	0.17	0.2	0.9	4	1.0	0.53	0.2	2.5
2007	9	0.6	0.19	0.3	1.0	1	0.3	0.27	0.0	1.3
2008	2	0.2	0.11	0.0	0.5	3	0.6	0.38	0.1	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Mesothelioma

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,434	2.2	0.05	2.1	2.3	2,310	2.4	0.05	2.3	2.5
1986	74	1.6	0.19	1.3	2.0	73	1.8	0.22	1.4	2.3
1987	97	2.2	0.23	1.7	2.6	92	2.3	0.25	1.8	2.8
1988	96	2.1	0.21	1.7	2.5	90	2.2	0.23	1.7	2.7
1989	82	1.8	0.21	1.5	2.3	77	2.0	0.23	1.5	2.4
1990	77	1.7	0.19	1.3	2.1	71	1.7	0.21	1.3	2.2
1991	97	2.1	0.22	1.7	2.5	93	2.2	0.24	1.8	2.8
1992	91	2.0	0.21	1.6	2.5	86	2.1	0.23	1.7	2.6
1993	86	1.9	0.21	1.5	2.3	80	2.0	0.22	1.6	2.5
1994	101	2.1	0.21	1.7	2.6	98	2.3	0.24	1.9	2.8
1995	123	2.7	0.25	2.2	3.2	114	2.8	0.27	2.3	3.4
1996	109	2.2	0.22	1.8	2.7	97	2.3	0.23	1.8	2.8
1997	111	2.3	0.22	1.9	2.8	105	2.5	0.25	2.0	3.0
1998	108	2.2	0.22	1.8	2.7	104	2.5	0.24	2.0	3.0
1999	104	2.1	0.21	1.7	2.6	99	2.3	0.23	1.9	2.8
2000	110	2.3	0.22	1.8	2.7	106	2.5	0.24	2.0	3.0
2001	144	3.0	0.25	2.5	3.5	135	3.2	0.28	2.7	3.8
2002	124	2.5	0.23	2.1	3.0	122	2.9	0.26	2.4	3.4
2003	133	2.6	0.23	2.2	3.1	127	2.9	0.26	2.4	3.5
2004	107	2.1	0.21	1.8	2.6	104	2.4	0.24	2.0	2.9
2005	118	2.4	0.22	2.0	2.8	111	2.6	0.24	2.1	3.1
2006	120	2.4	0.22	2.0	2.8	113	2.6	0.25	2.1	3.1
2007	104	2.0	0.20	1.6	2.4	98	2.2	0.22	1.8	2.7
2008	118	2.3	0.21	1.9	2.7	115	2.6	0.24	2.1	3.1
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	107	0.9	0.09	0.7	1.1	16	0.6	0.15	0.3	0.9
1986	1	0.2	0.17	0.0	1.1	0				
1987	4	0.8	0.43	0.2	2.1	1	1.5	1.46	0.0	8.8
1988	6	1.3	0.57	0.5	2.9	0				
1989	5	1.0	0.48	0.3	2.4	0				
1990	6	1.2	0.47	0.4	2.5	0				
1991	3	0.6	0.38	0.1	1.8	1	0.7	0.67	0.0	5.9
1992	5	1.2	0.56	0.4	2.8	0				
1993	4	1.1	0.61	0.3	2.8	2	2.0	1.46	0.2	7.7
1994	3	0.5	0.32	0.1	1.6	0				
1995	9	2.0	0.73	0.9	3.9	0				
1996	11	1.8	0.55	0.9	3.3	1	0.5	0.50	0.0	4.3
1997	5	0.8	0.36	0.3	1.9	1	1.8	1.76	0.0	7.7
1998	4	0.9	0.49	0.2	2.3	0				
1999	4	0.7	0.36	0.2	1.8	1	1.0	0.97	0.0	5.0
2000	4	0.9	0.46	0.2	2.2	0				
2001	8	1.4	0.55	0.6	2.9	1	0.6	0.63	0.0	3.7
2002	2	0.4	0.29	0.0	1.3	0				
2003	2	0.3	0.20	0.0	1.1	3	2.3	1.37	0.5	6.4
2004	3	0.6	0.32	0.1	1.5	0				
2005	6	1.3	0.57	0.5	2.8	1	0.3	0.33	0.0	2.4
2006	4	0.6	0.32	0.2	1.6	3	1.4	0.95	0.2	4.5
2007	6	0.9	0.35	0.3	1.9	0				
2008	2	0.4	0.27	0.1	1.3	1	0.3	0.31	0.0	2.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Mesothelioma

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	780	0.5	0.02	0.5	0.5	727	0.5	0.02	0.5	0.6
1986	24	0.4	0.08	0.3	0.6	22	0.4	0.09	0.3	0.6
1987	30	0.5	0.09	0.3	0.7	30	0.5	0.10	0.4	0.8
1988	38	0.6	0.10	0.4	0.8	36	0.7	0.11	0.5	0.9
1989	20	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
1990	25	0.4	0.08	0.3	0.6	23	0.4	0.08	0.3	0.6
1991	23	0.4	0.08	0.2	0.5	23	0.4	0.09	0.3	0.6
1992	36	0.5	0.09	0.4	0.8	34	0.6	0.10	0.4	0.8
1993	33	0.5	0.09	0.3	0.7	32	0.6	0.10	0.4	0.8
1994	39	0.6	0.09	0.4	0.8	35	0.6	0.10	0.4	0.8
1995	40	0.6	0.10	0.4	0.8	35	0.6	0.10	0.4	0.9
1996	33	0.5	0.09	0.3	0.7	31	0.5	0.10	0.4	0.8
1997	27	0.4	0.07	0.3	0.6	24	0.4	0.08	0.3	0.6
1998	48	0.7	0.10	0.5	0.9	45	0.8	0.12	0.6	1.1
1999	36	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2000	33	0.5	0.08	0.3	0.7	31	0.5	0.09	0.3	0.7
2001	37	0.5	0.09	0.4	0.7	36	0.6	0.10	0.4	0.8
2002	31	0.4	0.08	0.3	0.6	29	0.5	0.09	0.3	0.7
2003	33	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
2004	38	0.5	0.09	0.4	0.7	34	0.6	0.10	0.4	0.8
2005	37	0.5	0.09	0.4	0.7	35	0.6	0.10	0.4	0.8
2006	42	0.6	0.10	0.4	0.8	38	0.7	0.11	0.5	0.9
2007	37	0.5	0.08	0.4	0.7	33	0.5	0.09	0.4	0.7
2008	40	0.6	0.09	0.4	0.8	38	0.7	0.11	0.5	0.9

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	42	0.2	0.04	0.2	0.3	9	0.3	0.09	0.1	0.5
1986	2	0.3	0.24	0.0	1.1	0				
1987	0					0				
1988	2	0.3	0.21	0.0	1.0	0				
1989	0					0				
1990	0					1	0.9	0.88	0.0	5.5
1991	0					0				
1992	0					2	1.3	0.96	0.2	5.5
1993	1	0.1	0.14	0.0	0.7	0				
1994	4	0.5	0.26	0.1	1.3	0				
1995	5	0.6	0.28	0.2	1.4	0				
1996	2	0.2	0.17	0.0	0.8	0				
1997	3	0.4	0.21	0.1	1.1	0				
1998	3	0.4	0.21	0.1	1.1	0				
1999	2	0.2	0.15	0.0	0.8	0				
2000	2	0.2	0.14	0.0	0.8	0				
2001	1	0.1	0.14	0.0	0.7	0				
2002	2	0.3	0.20	0.0	0.9	0				
2003	2	0.2	0.16	0.0	0.8	2	1.0	0.68	0.1	3.4
2004	4	0.4	0.22	0.1	1.1	0				
2005	2	0.2	0.15	0.0	0.8	0				
2006	2	0.3	0.18	0.0	0.9	1	0.6	0.60	0.0	2.8
2007	3	0.3	0.20	0.1	1.0	1	0.5	0.49	0.0	2.4
2008	0					2	0.8	0.57	0.1	2.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010