

Invasive Cancer Incidence by Race, Illinois 1986-2008

Oral Cavity & Pharynx

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	29,354	10.9	0.06	10.8	11.0	23,966	10.4	0.07	10.3	10.5
1986	1,209	11.5	0.34	10.9	12.2	972	10.4	0.34	9.7	11.1
1987	1,199	11.3	0.33	10.7	12.0	974	10.4	0.34	9.8	11.1
1988	1,185	11.2	0.33	10.5	11.8	953	10.2	0.33	9.5	10.8
1989	1,126	10.5	0.32	9.9	11.1	916	9.7	0.33	9.1	10.4
1990	1,155	10.8	0.32	10.2	11.4	927	9.9	0.33	9.2	10.5
1991	1,132	10.4	0.31	9.8	11.0	911	9.6	0.32	9.0	10.3
1992	1,119	10.1	0.31	9.6	10.8	939	9.8	0.32	9.2	10.4
1993	1,135	10.2	0.30	9.6	10.8	938	9.8	0.32	9.1	10.4
1994	1,184	10.5	0.31	9.9	11.1	950	9.8	0.32	9.2	10.4
1995	1,302	11.5	0.32	10.9	12.1	1,073	11.0	0.34	10.3	11.7
1996	1,296	11.3	0.32	10.7	12.0	1,058	10.8	0.33	10.1	11.4
1997	1,313	11.4	0.31	10.8	12.0	1,069	10.8	0.33	10.2	11.5
1998	1,256	10.7	0.30	10.1	11.3	1,005	10.1	0.32	9.4	10.7
1999	1,313	11.1	0.31	10.5	11.7	1,081	10.7	0.33	10.1	11.4
2000	1,291	10.8	0.30	10.2	11.4	1,055	10.4	0.32	9.8	11.0
2001	1,262	10.4	0.29	9.8	11.0	1,043	10.2	0.32	9.6	10.8
2002	1,351	11.0	0.30	10.4	11.6	1,114	10.7	0.32	10.1	11.4
2003	1,332	10.7	0.29	10.1	11.3	1,104	10.5	0.32	9.9	11.1
2004	1,431	11.3	0.30	10.7	11.9	1,136	10.7	0.32	10.1	11.4
2005	1,333	10.4	0.29	9.8	11.0	1,100	10.2	0.31	9.6	10.9
2006	1,392	10.7	0.29	10.1	11.3	1,143	10.5	0.31	9.9	11.1
2007	1,513	11.5	0.30	10.9	12.1	1,244	11.3	0.32	10.7	12.0
2008	1,525	11.3	0.29	10.7	11.9	1,261	11.2	0.32	10.6	11.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,591	13.7	0.21	13.3	14.2	605	8.1	0.36	7.4	8.9
1986	217	18.8	1.30	16.3	21.5	14	8.6	2.59	4.3	15.3
1987	206	17.4	1.24	15.0	20.0	16	10.7	2.94	5.7	18.0
1988	209	17.2	1.21	14.9	19.7	18	10.1	2.67	5.6	16.7
1989	196	16.2	1.18	14.0	18.7	12	5.6	1.69	2.8	10.2
1990	214	17.2	1.20	15.0	19.7	9	5.7	2.08	2.4	11.2
1991	202	15.5	1.12	13.4	17.9	12	5.3	1.69	2.5	9.7
1992	163	12.4	0.98	10.5	14.5	15	5.5	1.55	2.9	9.5
1993	172	12.9	0.99	11.0	15.0	22	9.7	2.42	5.6	15.5
1994	208	15.4	1.09	13.4	17.7	21	6.6	1.50	4.0	10.4
1995	199	14.3	1.03	12.3	16.4	24	8.0	1.88	4.8	12.6
1996	215	15.2	1.05	13.2	17.4	18	6.7	1.71	3.8	10.9
1997	208	14.5	1.02	12.6	16.6	28	9.7	2.01	6.2	14.4
1998	209	14.2	1.00	12.3	16.3	29	8.1	1.57	5.3	11.8
1999	198	13.1	0.94	11.3	15.0	28	7.3	1.46	4.7	10.8
2000	194	12.6	0.91	10.9	14.5	27	7.0	1.45	4.4	10.4
2001	179	11.4	0.86	9.7	13.2	30	7.5	1.50	4.8	11.0
2002	203	13.0	0.92	11.2	14.9	28	6.8	1.37	4.4	10.0
2003	188	11.6	0.86	10.0	13.4	27	6.7	1.39	4.3	10.0
2004	233	14.2	0.94	12.4	16.2	46	10.7	1.69	7.6	14.5
2005	174	10.4	0.80	8.9	12.0	47	9.9	1.53	7.1	13.3
2006	179	10.4	0.78	8.9	12.0	56	12.0	1.72	8.9	15.8
2007	210	12.3	0.87	10.7	14.2	44	8.1	1.27	5.8	11.0
2008	215	12.3	0.86	10.7	14.1	34	6.6	1.18	4.5	9.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Oral Cavity & Pharynx

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	19,996	16.7	0.12	16.4	16.9	16,172	15.8	0.13	15.5	16.0
1986	827	18.1	0.65	16.8	19.4	655	16.1	0.65	14.9	17.5
1987	810	17.6	0.64	16.4	18.9	656	16.2	0.65	14.9	17.5
1988	814	17.7	0.64	16.5	19.0	643	15.9	0.65	14.7	17.2
1989	754	16.2	0.60	15.0	17.4	603	14.7	0.62	13.5	16.0
1990	787	17.0	0.62	15.8	18.2	633	15.7	0.64	14.4	17.0
1991	757	15.9	0.59	14.8	17.1	602	14.5	0.60	13.3	15.7
1992	749	15.6	0.58	14.5	16.8	619	14.9	0.61	13.7	16.1
1993	777	15.7	0.57	14.6	16.9	636	14.9	0.60	13.8	16.1
1994	789	15.9	0.58	14.8	17.1	628	14.8	0.60	13.6	16.0
1995	891	17.7	0.60	16.6	19.0	721	16.7	0.63	15.5	17.9
1996	881	17.5	0.60	16.3	18.7	712	16.4	0.62	15.3	17.7
1997	878	17.2	0.59	16.1	18.4	707	16.2	0.62	15.0	17.5
1998	854	16.3	0.56	15.2	17.5	671	15.0	0.58	13.9	16.2
1999	875	16.5	0.56	15.4	17.6	722	16.0	0.60	14.8	17.2
2000	887	16.5	0.56	15.5	17.7	716	15.7	0.59	14.6	16.9
2001	874	16.0	0.55	15.0	17.2	725	15.7	0.59	14.6	16.9
2002	913	16.5	0.55	15.4	17.6	735	15.7	0.58	14.6	16.9
2003	903	16.2	0.55	15.1	17.3	738	15.7	0.58	14.6	16.9
2004	1,006	17.5	0.56	16.4	18.6	787	16.2	0.58	15.1	17.4
2005	922	15.8	0.53	14.8	16.9	759	15.4	0.57	14.3	16.6
2006	947	15.9	0.53	14.9	17.0	778	15.5	0.56	14.4	16.7
2007	1,054	17.3	0.54	16.3	18.4	863	16.9	0.58	15.7	18.0
2008	1,047	16.8	0.53	15.8	17.9	863	16.4	0.57	15.3	17.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,328	23.4	0.42	22.6	24.3	382	11.6	0.67	10.3	13.0
1986	160	32.1	2.65	27.1	37.7	9	14.7	5.52	6.0	29.4
1987	142	27.8	2.43	23.3	33.0	10	16.5	5.79	7.2	31.5
1988	160	30.5	2.47	25.8	35.7	9	12.7	4.99	4.8	26.0
1989	146	28.6	2.47	24.0	33.9	4	3.1	1.64	0.7	9.7
1990	144	27.4	2.36	23.0	32.4	5	7.4	3.74	2.0	18.1
1991	143	26.2	2.27	21.9	31.0	7	7.8	3.42	2.6	17.4
1992	116	21.0	2.01	17.2	25.3	13	10.8	3.41	5.2	19.9
1993	125	21.7	1.99	18.0	26.0	13	16.2	5.37	7.4	29.5
1994	145	25.3	2.19	21.2	30.0	12	7.6	2.34	3.7	14.2
1995	146	24.8	2.13	20.8	29.4	18	15.4	4.29	8.2	26.0
1996	155	25.3	2.09	21.4	29.8	11	9.4	3.21	4.2	17.8
1997	151	24.9	2.11	20.9	29.3	18	12.7	3.16	7.3	20.6
1998	154	24.7	2.07	20.8	29.1	18	10.8	2.76	6.1	17.9
1999	137	20.9	1.84	17.5	24.9	13	7.3	2.16	3.7	13.1
2000	152	23.2	1.94	19.6	27.4	14	8.3	2.49	4.2	14.7
2001	125	18.5	1.71	15.3	22.2	21	12.2	3.21	6.8	20.0
2002	154	23.2	1.92	19.6	27.2	19	10.8	2.72	6.1	17.4
2003	142	20.1	1.73	16.9	23.8	15	7.8	2.20	4.1	13.4
2004	176	25.6	2.01	21.8	29.9	32	17.2	3.36	11.2	24.9
2005	131	18.5	1.65	15.4	22.0	25	10.9	2.32	6.8	16.5
2006	121	16.3	1.52	13.5	19.6	43	20.4	3.43	14.2	28.1
2007	154	21.6	1.81	18.2	25.5	28	10.7	2.14	6.9	15.8
2008	149	20.8	1.80	17.4	24.6	25	11.2	2.44	6.9	16.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Oral Cavity & Pharynx

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	9,358	6.2	0.06	6.1	6.4	7,794	6.1	0.07	5.9	6.2
1986	382	6.5	0.34	5.8	7.2	317	6.0	0.35	5.4	6.7
1987	389	6.5	0.34	5.9	7.2	318	6.1	0.35	5.4	6.8
1988	371	6.1	0.32	5.5	6.8	310	5.8	0.34	5.2	6.5
1989	372	6.2	0.33	5.6	6.9	313	6.0	0.35	5.3	6.7
1990	368	6.0	0.32	5.4	6.7	294	5.4	0.32	4.8	6.1
1991	375	6.2	0.32	5.6	6.9	309	5.9	0.34	5.2	6.6
1992	370	6.0	0.32	5.4	6.6	320	5.9	0.34	5.3	6.6
1993	358	5.7	0.30	5.1	6.3	302	5.5	0.32	4.9	6.2
1994	395	6.2	0.31	5.6	6.8	322	5.7	0.32	5.1	6.4
1995	411	6.3	0.31	5.7	7.0	352	6.3	0.34	5.6	7.0
1996	415	6.4	0.32	5.8	7.0	346	6.2	0.34	5.5	6.9
1997	435	6.7	0.33	6.1	7.4	362	6.6	0.35	5.9	7.3
1998	402	6.1	0.31	5.5	6.7	334	6.0	0.33	5.3	6.6
1999	438	6.7	0.32	6.0	7.3	359	6.5	0.34	5.8	7.2
2000	404	6.1	0.30	5.5	6.7	339	6.0	0.33	5.4	6.7
2001	388	5.7	0.29	5.2	6.3	318	5.5	0.31	4.9	6.2
2002	438	6.4	0.31	5.8	7.1	379	6.6	0.34	6.0	7.3
2003	429	6.2	0.30	5.6	6.8	366	6.3	0.33	5.7	7.0
2004	425	6.1	0.30	5.6	6.8	349	6.0	0.33	5.4	6.7
2005	411	5.9	0.29	5.3	6.5	341	5.9	0.32	5.3	6.5
2006	445	6.2	0.30	5.7	6.8	365	6.1	0.32	5.5	6.8
2007	459	6.4	0.30	5.9	7.1	381	6.4	0.33	5.8	7.1
2008	478	6.6	0.30	6.0	7.2	398	6.6	0.34	6.0	7.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,263	6.6	0.19	6.3	7.0	223	5.4	0.38	4.6	6.2
1986	57	8.8	1.18	6.6	11.4	5	4.2	1.98	1.3	11.1
1987	64	9.4	1.21	7.2	12.1	6	6.4	2.83	2.1	14.7
1988	49	7.0	1.02	5.2	9.3	9	8.4	2.96	3.6	16.7
1989	50	7.3	1.04	5.4	9.6	8	7.6	2.74	3.2	15.3
1990	70	9.8	1.19	7.6	12.4	4	4.3	2.24	1.1	11.2
1991	59	7.7	1.02	5.8	10.0	5	3.2	1.48	1.0	8.3
1992	47	6.2	0.91	4.5	8.2	2	1.2	0.83	0.1	5.1
1993	47	6.2	0.91	4.5	8.2	9	5.4	1.87	2.3	10.8
1994	63	8.3	1.05	6.3	10.6	9	5.8	1.96	2.6	11.2
1995	53	6.5	0.91	4.9	8.6	6	2.3	0.95	0.8	5.8
1996	60	7.5	0.98	5.7	9.7	7	4.6	1.82	1.8	9.7
1997	57	7.0	0.93	5.3	9.1	10	6.9	2.41	3.0	13.1
1998	55	6.5	0.89	4.9	8.5	11	5.8	1.79	2.8	10.6
1999	61	7.1	0.91	5.4	9.1	15	7.3	1.98	3.9	12.3
2000	42	4.8	0.74	3.4	6.4	13	6.0	1.75	3.1	10.5
2001	54	6.0	0.83	4.5	7.9	9	4.0	1.36	1.8	7.7
2002	49	5.5	0.79	4.1	7.3	9	3.7	1.29	1.6	7.3
2003	46	5.1	0.76	3.7	6.8	12	5.7	1.75	2.8	10.2
2004	57	6.1	0.81	4.6	7.8	14	5.6	1.60	3.0	9.7
2005	43	4.5	0.68	3.2	6.0	22	8.7	1.94	5.3	13.4
2006	58	5.9	0.78	4.5	7.7	13	5.0	1.45	2.6	8.7
2007	56	5.8	0.78	4.4	7.5	16	5.8	1.48	3.2	9.4
2008	66	6.6	0.82	5.1	8.4	9	2.9	0.99	1.3	5.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Lip

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,128	0.8	0.02	0.8	0.8	2,053	0.9	0.02	0.8	0.9
1986	119	1.1	0.11	0.9	1.4	115	1.2	0.12	1.0	1.5
1987	114	1.1	0.10	0.9	1.3	113	1.2	0.12	1.0	1.5
1988	137	1.3	0.11	1.1	1.5	135	1.4	0.12	1.2	1.7
1989	111	1.0	0.10	0.9	1.3	107	1.1	0.11	0.9	1.4
1990	120	1.1	0.10	0.9	1.3	120	1.3	0.12	1.0	1.5
1991	103	0.9	0.09	0.8	1.1	101	1.0	0.10	0.8	1.3
1992	96	0.9	0.09	0.7	1.1	96	1.0	0.10	0.8	1.2
1993	81	0.7	0.08	0.6	0.9	80	0.8	0.09	0.7	1.0
1994	93	0.8	0.09	0.7	1.0	88	0.9	0.10	0.7	1.1
1995	102	0.9	0.09	0.7	1.1	97	1.0	0.10	0.8	1.2
1996	108	0.9	0.09	0.8	1.1	106	1.1	0.10	0.9	1.3
1997	97	0.8	0.08	0.7	1.0	94	0.9	0.10	0.8	1.1
1998	82	0.7	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
1999	86	0.7	0.08	0.6	0.9	83	0.8	0.09	0.6	1.0
2000	80	0.7	0.07	0.5	0.8	76	0.7	0.09	0.6	0.9
2001	60	0.5	0.06	0.4	0.6	57	0.5	0.07	0.4	0.7
2002	99	0.8	0.08	0.7	1.0	95	0.9	0.09	0.7	1.1
2003	69	0.6	0.07	0.4	0.7	65	0.6	0.08	0.5	0.8
2004	83	0.7	0.07	0.5	0.8	77	0.7	0.08	0.6	0.9
2005	71	0.6	0.07	0.4	0.7	67	0.6	0.08	0.5	0.8
2006	69	0.6	0.07	0.4	0.7	69	0.7	0.08	0.5	0.8
2007	77	0.6	0.07	0.5	0.7	72	0.7	0.08	0.5	0.8
2008	71	0.6	0.07	0.4	0.7	62	0.6	0.07	0.4	0.7

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	33	0.1	0.02	0.1	0.2	4	0.1	0.03	0.0	0.1
1986	2	0.2	0.15	0.0	0.7	1	0.4	0.42	0.0	3.4
1987	0					0				
1988	1	0.1	0.12	0.0	0.5	0				
1989	3	0.3	0.16	0.1	0.8	0				
1990	0					0				
1991	1	0.1	0.09	0.0	0.5	0				
1992	0					0				
1993	1	0.1	0.05	0.0	0.3	0				
1994	3	0.3	0.18	0.1	0.8	0				
1995	1	0.1	0.05	0.0	0.3	0				
1996	1	0.1	0.08	0.0	0.4	1	0.5	0.45	0.0	2.4
1997	2	0.2	0.15	0.0	0.7	0				
1998	1	0.1	0.05	0.0	0.3	0				
1999	0					0				
2000	2	0.1	0.10	0.0	0.5	0				
2001	1	0.1	0.07	0.0	0.4	0				
2002	2	0.1	0.08	0.0	0.4	1	0.2	0.20	0.0	1.3
2003	1	0.1	0.05	0.0	0.3	0				
2004	3	0.2	0.11	0.0	0.6	0				
2005	2	0.1	0.08	0.0	0.4	1	0.2	0.17	0.0	1.1
2006	0					0				
2007	3	0.2	0.12	0.0	0.6	0				
2008	3	0.2	0.12	0.0	0.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Lip

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,714	1.5	0.04	1.5	1.6	1,668	1.7	0.04	1.6	1.8
1986	106	2.5	0.25	2.0	3.0	105	2.8	0.28	2.3	3.4
1987	99	2.4	0.25	1.9	2.9	98	2.6	0.27	2.1	3.2
1988	115	2.7	0.26	2.2	3.3	114	3.0	0.29	2.5	3.6
1989	94	2.3	0.24	1.8	2.8	91	2.5	0.27	2.0	3.0
1990	97	2.2	0.23	1.7	2.7	97	2.4	0.25	2.0	3.0
1991	88	1.9	0.21	1.5	2.4	86	2.1	0.23	1.7	2.6
1992	82	1.8	0.21	1.5	2.3	82	2.1	0.23	1.6	2.6
1993	70	1.5	0.18	1.1	1.9	70	1.7	0.20	1.3	2.1
1994	69	1.5	0.18	1.1	1.9	66	1.6	0.20	1.2	2.1
1995	80	1.7	0.20	1.4	2.2	76	1.9	0.22	1.5	2.4
1996	87	1.8	0.20	1.5	2.3	85	2.0	0.22	1.6	2.5
1997	79	1.7	0.20	1.4	2.2	77	1.9	0.22	1.5	2.4
1998	65	1.3	0.17	1.0	1.7	62	1.5	0.19	1.1	1.9
1999	73	1.5	0.18	1.2	1.9	71	1.7	0.20	1.3	2.1
2000	66	1.3	0.16	1.0	1.6	63	1.4	0.18	1.1	1.8
2001	45	0.9	0.14	0.7	1.2	44	1.0	0.16	0.7	1.4
2002	69	1.4	0.17	1.1	1.8	68	1.6	0.19	1.2	2.0
2003	50	1.0	0.14	0.7	1.3	49	1.1	0.16	0.8	1.5
2004	65	1.3	0.16	1.0	1.6	62	1.4	0.18	1.1	1.8
2005	59	1.1	0.15	0.9	1.5	55	1.2	0.17	0.9	1.6
2006	50	0.9	0.13	0.7	1.2	50	1.1	0.16	0.8	1.4
2007	58	1.0	0.14	0.8	1.3	55	1.1	0.15	0.8	1.5
2008	48	0.9	0.13	0.6	1.2	42	0.9	0.14	0.6	1.2
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	18	0.2	0.04	0.1	0.2	2	0.1	0.05	0.0	0.2
1986	1	0.2	0.16	0.0	1.0	0				
1987	0					0				
1988	0					0				
1989	2	0.5	0.40	0.1	1.8	0				
1990	0					0				
1991	1	0.2	0.20	0.0	1.1	0				
1992	0					0				
1993	0					0				
1994	1	0.2	0.17	0.0	1.0	0				
1995	0					0				
1996	1	0.2	0.20	0.0	1.0	1	1.1	1.08	0.0	5.7
1997	2	0.7	0.47	0.1	2.0	0				
1998	1	0.1	0.12	0.0	0.8	0				
1999	0					0				
2000	1	0.2	0.18	0.0	1.0	0				
2001	0					0				
2002	1	0.1	0.12	0.0	0.8	0				
2003	1	0.1	0.12	0.0	0.8	0				
2004	1	0.1	0.13	0.0	0.8	0				
2005	2	0.3	0.19	0.0	1.0	1	0.4	0.37	0.0	2.5
2006	0					0				
2007	1	0.2	0.21	0.0	1.0	0				
2008	2	0.3	0.25	0.0	1.2	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Lip

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	414	0.3	0.01	0.2	0.3	385	0.3	0.01	0.3	0.3
1986	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.4
1987	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.2	0.5
1988	22	0.4	0.08	0.2	0.5	21	0.4	0.08	0.2	0.6
1989	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1990	23	0.3	0.07	0.2	0.5	23	0.4	0.08	0.2	0.6
1991	15	0.2	0.06	0.1	0.4	15	0.3	0.07	0.1	0.4
1992	14	0.2	0.05	0.1	0.3	14	0.2	0.06	0.1	0.4
1993	11	0.2	0.05	0.1	0.3	10	0.2	0.06	0.1	0.3
1994	24	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1995	22	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1996	21	0.3	0.07	0.2	0.5	21	0.4	0.08	0.2	0.6
1997	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
1998	17	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.5
1999	13	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2000	14	0.2	0.05	0.1	0.3	13	0.2	0.06	0.1	0.4
2001	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2002	30	0.4	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2003	19	0.3	0.06	0.2	0.4	16	0.3	0.07	0.2	0.4
2004	18	0.3	0.06	0.2	0.4	15	0.2	0.06	0.1	0.4
2005	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.3
2006	19	0.3	0.06	0.2	0.4	19	0.3	0.07	0.2	0.5
2007	19	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.4
2008	23	0.3	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	15	0.1	0.02	0.0	0.1	2	0.0	0.03	0.0	0.2
1986	1	0.2	0.21	0.0	1.0	1	0.8	0.83	0.0	6.2
1987	0					0				
1988	1	0.2	0.18	0.0	0.9	0				
1989	1	0.1	0.12	0.0	0.7	0				
1990	0					0				
1991	0					0				
1992	0					0				
1993	1	0.1	0.09	0.0	0.6	0				
1994	2	0.3	0.24	0.0	1.1	0				
1995	1	0.1	0.10	0.0	0.6	0				
1996	0					0				
1997	0					0				
1998	0					0				
1999	0					0				
2000	1	0.1	0.12	0.0	0.6	0				
2001	1	0.1	0.11	0.0	0.6	0				
2002	1	0.1	0.10	0.0	0.6	1	0.4	0.40	0.0	2.4
2003	0					0				
2004	2	0.2	0.16	0.0	0.8	0				
2005	0					0				
2006	0					0				
2007	2	0.2	0.15	0.0	0.8	0				
2008	1	0.1	0.11	0.0	0.6	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Tongue

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	7,165	2.7	0.03	2.6	2.7	5,980	2.6	0.03	2.5	2.7
1986	261	2.5	0.15	2.2	2.8	215	2.3	0.16	2.0	2.6
1987	253	2.4	0.16	2.1	2.8	193	2.1	0.15	1.8	2.4
1988	232	2.2	0.15	1.9	2.5	189	2.0	0.15	1.8	2.4
1989	245	2.3	0.15	2.0	2.6	200	2.1	0.15	1.9	2.5
1990	254	2.4	0.15	2.1	2.7	202	2.1	0.15	1.8	2.5
1991	277	2.6	0.16	2.3	3.0	216	2.4	0.16	2.1	2.7
1992	265	2.4	0.15	2.1	2.7	221	2.3	0.16	2.0	2.6
1993	271	2.4	0.15	2.1	2.7	232	2.4	0.16	2.1	2.7
1994	268	2.4	0.15	2.1	2.7	223	2.3	0.15	2.0	2.6
1995	284	2.5	0.15	2.2	2.8	233	2.4	0.16	2.1	2.7
1996	297	2.6	0.15	2.3	2.9	248	2.5	0.16	2.2	2.9
1997	342	3.0	0.16	2.7	3.3	288	3.0	0.17	2.6	3.3
1998	273	2.3	0.14	2.1	2.6	226	2.3	0.15	2.0	2.6
1999	331	2.8	0.15	2.5	3.1	285	2.9	0.17	2.5	3.2
2000	306	2.6	0.15	2.3	2.9	251	2.5	0.16	2.2	2.8
2001	290	2.4	0.14	2.1	2.7	237	2.3	0.15	2.0	2.6
2002	355	2.9	0.15	2.6	3.2	295	2.8	0.17	2.5	3.2
2003	343	2.7	0.15	2.5	3.1	291	2.8	0.16	2.5	3.1
2004	384	3.0	0.15	2.7	3.3	313	2.9	0.17	2.6	3.3
2005	391	3.0	0.15	2.7	3.4	334	3.1	0.17	2.8	3.5
2006	374	2.8	0.15	2.6	3.2	313	2.9	0.16	2.6	3.2
2007	455	3.5	0.16	3.1	3.8	403	3.7	0.18	3.3	4.1
2008	414	3.1	0.15	2.8	3.4	372	3.3	0.17	3.0	3.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	994	3.0	0.10	2.8	3.2	144	1.9	0.17	1.6	2.3
1986	42	3.7	0.58	2.6	5.0	2	1.7	1.29	0.1	6.1
1987	54	4.8	0.67	3.6	6.3	6	3.8	1.66	1.3	8.6
1988	42	3.5	0.54	2.5	4.7	1	0.6	0.57	0.0	3.5
1989	41	3.4	0.53	2.4	4.6	4	2.3	1.19	0.6	6.1
1990	52	4.1	0.58	3.1	5.4	0				
1991	54	4.2	0.58	3.2	5.5	4	1.7	0.84	0.5	4.6
1992	42	3.3	0.50	2.3	4.4	2	0.7	0.49	0.1	2.9
1993	34	2.6	0.45	1.8	3.6	3	1.1	0.65	0.2	3.5
1994	42	3.1	0.49	2.3	4.2	3	1.0	0.63	0.2	3.3
1995	42	3.0	0.47	2.2	4.1	7	1.9	0.71	0.8	4.1
1996	46	3.2	0.48	2.4	4.3	3	0.8	0.45	0.2	2.6
1997	47	3.4	0.51	2.5	4.6	5	1.9	0.85	0.6	4.3
1998	38	2.6	0.43	1.9	3.6	5	1.6	0.78	0.5	3.9
1999	40	2.5	0.40	1.8	3.4	6	1.6	0.69	0.6	3.7
2000	45	3.0	0.45	2.2	4.0	5	1.5	0.70	0.4	3.5
2001	45	2.8	0.42	2.0	3.8	7	1.6	0.62	0.6	3.4
2002	51	3.1	0.44	2.3	4.1	6	1.5	0.64	0.5	3.3
2003	39	2.5	0.41	1.8	3.4	9	2.2	0.77	1.0	4.3
2004	47	2.9	0.42	2.1	3.8	18	3.7	0.95	2.1	6.0
2005	37	2.3	0.37	1.6	3.1	17	3.7	0.95	2.1	6.1
2006	43	2.4	0.38	1.8	3.3	14	2.8	0.80	1.4	4.8
2007	39	2.3	0.37	1.6	3.1	10	2.2	0.73	1.0	4.0
2008	32	1.8	0.33	1.2	2.6	7	1.5	0.59	0.6	3.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Tongue

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,829	4.0	0.06	3.9	4.1	3,959	3.8	0.06	3.7	3.9
1986	175	3.7	0.28	3.1	4.3	137	3.2	0.28	2.7	3.8
1987	162	3.5	0.28	2.9	4.1	123	3.0	0.27	2.4	3.5
1988	155	3.3	0.27	2.8	3.9	120	2.9	0.27	2.4	3.5
1989	160	3.4	0.28	2.9	4.0	127	3.1	0.29	2.6	3.7
1990	172	3.6	0.28	3.1	4.2	133	3.2	0.28	2.7	3.8
1991	198	4.2	0.31	3.6	4.9	149	3.7	0.31	3.1	4.3
1992	172	3.5	0.27	3.0	4.0	140	3.3	0.28	2.7	3.9
1993	178	3.5	0.27	3.0	4.1	149	3.4	0.28	2.9	4.0
1994	179	3.6	0.27	3.1	4.2	149	3.5	0.29	2.9	4.1
1995	201	4.0	0.28	3.4	4.6	163	3.7	0.29	3.2	4.3
1996	199	3.9	0.28	3.4	4.5	165	3.8	0.30	3.2	4.4
1997	218	4.2	0.29	3.7	4.8	180	4.0	0.30	3.5	4.7
1998	174	3.3	0.25	2.8	3.8	137	3.0	0.26	2.5	3.6
1999	210	3.8	0.27	3.3	4.4	180	3.9	0.29	3.3	4.5
2000	198	3.6	0.26	3.2	4.2	160	3.5	0.28	3.0	4.1
2001	202	3.6	0.26	3.1	4.2	163	3.5	0.27	3.0	4.0
2002	246	4.4	0.28	3.8	4.9	199	4.2	0.30	3.6	4.8
2003	238	4.2	0.28	3.7	4.8	198	4.2	0.30	3.6	4.8
2004	263	4.5	0.28	4.0	5.1	208	4.2	0.29	3.6	4.8
2005	269	4.5	0.28	4.0	5.1	228	4.5	0.30	4.0	5.2
2006	259	4.2	0.27	3.7	4.8	218	4.3	0.29	3.7	4.9
2007	316	5.1	0.29	4.6	5.7	276	5.3	0.32	4.7	6.0
2008	285	4.5	0.27	4.0	5.1	257	4.8	0.31	4.2	5.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	748	5.2	0.20	4.9	5.6	90	2.8	0.32	2.2	3.5
1986	35	7.2	1.28	4.9	10.1	2	3.8	3.02	0.3	14.2
1987	36	7.2	1.25	5.0	10.1	3	5.2	3.27	0.9	15.6
1988	35	7.0	1.22	4.8	9.7	0				
1989	32	6.1	1.11	4.2	8.7	1	1.3	1.25	0.0	7.7
1990	39	7.1	1.16	5.0	9.7	0				
1991	43	7.9	1.26	5.6	10.8	3	2.6	1.52	0.5	8.7
1992	30	5.3	0.98	3.6	7.6	2	1.4	1.05	0.2	6.6
1993	25	4.2	0.84	2.7	6.2	2	2.0	1.44	0.3	7.6
1994	29	5.2	1.01	3.4	7.5	1	0.4	0.39	0.0	4.5
1995	30	5.3	1.02	3.5	7.6	6	3.4	1.37	1.2	8.2
1996	34	5.5	0.96	3.8	7.7	0				
1997	33	5.8	1.07	3.9	8.3	4	3.2	1.64	0.8	8.5
1998	29	4.8	0.90	3.2	6.9	5	3.7	1.83	1.0	9.2
1999	28	4.0	0.75	2.6	5.7	2	1.4	1.06	0.1	5.5
2000	36	5.4	0.91	3.8	7.5	1	1.2	1.15	0.0	5.3
2001	36	5.3	0.89	3.7	7.3	3	1.3	0.72	0.3	4.3
2002	39	5.6	0.90	3.9	7.6	5	2.9	1.37	0.9	7.0
2003	30	4.6	0.88	3.0	6.6	6	2.9	1.23	1.0	6.5
2004	38	5.3	0.88	3.7	7.3	12	5.6	1.85	2.6	10.5
2005	30	4.4	0.82	2.9	6.3	9	4.2	1.50	1.8	8.3
2006	28	3.7	0.71	2.4	5.4	11	5.2	1.77	2.3	9.8
2007	32	4.4	0.80	3.0	6.3	7	3.4	1.42	1.2	7.3
2008	21	3.1	0.70	1.8	4.7	5	2.6	1.26	0.8	6.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Tongue

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,336	1.6	0.03	1.5	1.6	2,021	1.6	0.04	1.5	1.7
1986	86	1.5	0.16	1.2	1.8	78	1.5	0.18	1.2	1.9
1987	91	1.6	0.17	1.3	1.9	70	1.4	0.17	1.1	1.7
1988	77	1.3	0.14	1.0	1.6	69	1.3	0.16	1.0	1.6
1989	85	1.4	0.16	1.1	1.8	73	1.4	0.17	1.1	1.8
1990	82	1.4	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1991	79	1.4	0.15	1.1	1.7	67	1.3	0.17	1.0	1.7
1992	93	1.5	0.16	1.2	1.9	81	1.5	0.17	1.2	1.9
1993	93	1.5	0.15	1.2	1.8	83	1.5	0.17	1.2	1.9
1994	89	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1995	83	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1996	98	1.5	0.16	1.2	1.9	83	1.5	0.17	1.2	1.9
1997	124	1.9	0.17	1.6	2.3	108	2.0	0.19	1.6	2.4
1998	99	1.5	0.15	1.2	1.8	89	1.6	0.17	1.3	2.0
1999	121	1.9	0.17	1.5	2.2	105	1.9	0.19	1.6	2.3
2000	108	1.6	0.16	1.3	1.9	91	1.6	0.17	1.3	2.0
2001	88	1.3	0.14	1.0	1.6	74	1.3	0.15	1.0	1.6
2002	109	1.6	0.16	1.3	2.0	96	1.7	0.17	1.4	2.1
2003	105	1.5	0.15	1.3	1.9	93	1.6	0.17	1.3	2.0
2004	121	1.8	0.16	1.5	2.1	105	1.8	0.18	1.5	2.2
2005	122	1.7	0.16	1.4	2.1	106	1.8	0.18	1.5	2.2
2006	115	1.6	0.15	1.3	1.9	95	1.6	0.16	1.3	1.9
2007	139	2.0	0.17	1.6	2.3	127	2.2	0.19	1.8	2.6
2008	129	1.8	0.16	1.5	2.1	115	2.0	0.18	1.6	2.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	246	1.3	0.08	1.1	1.5	54	1.3	0.18	0.9	1.7
1986	7	1.1	0.42	0.4	2.2	0				
1987	18	2.9	0.69	1.7	4.6	3	2.8	1.65	0.6	9.0
1988	7	0.8	0.32	0.3	1.8	1	1.0	1.00	0.0	6.1
1989	9	1.3	0.43	0.6	2.4	3	3.2	1.89	0.7	9.5
1990	13	1.8	0.52	1.0	3.1	0				
1991	11	1.5	0.46	0.8	2.7	1	0.8	0.81	0.0	5.1
1992	12	1.7	0.49	0.9	2.9	0				
1993	9	1.3	0.44	0.6	2.4	1	0.4	0.40	0.0	3.7
1994	13	1.7	0.47	0.9	2.8	2	1.5	1.09	0.2	5.6
1995	12	1.5	0.43	0.8	2.6	1	0.5	0.47	0.0	3.4
1996	12	1.5	0.43	0.8	2.6	3	1.5	0.89	0.3	4.9
1997	14	1.8	0.49	1.0	3.0	1	0.8	0.76	0.0	3.9
1998	9	1.1	0.36	0.5	2.0	0				
1999	12	1.4	0.40	0.7	2.4	4	1.9	0.96	0.5	5.0
2000	9	1.1	0.36	0.5	2.0	4	1.8	0.95	0.5	4.9
2001	9	1.0	0.32	0.4	1.8	4	1.8	0.93	0.5	4.8
2002	12	1.3	0.38	0.7	2.3	1	0.4	0.36	0.0	2.3
2003	9	1.0	0.34	0.5	1.9	3	1.6	0.93	0.3	4.5
2004	9	1.0	0.34	0.5	1.9	6	2.2	0.95	0.7	5.0
2005	7	0.7	0.28	0.3	1.5	8	3.2	1.19	1.3	6.4
2006	15	1.5	0.40	0.9	2.6	3	0.9	0.51	0.2	2.8
2007	7	0.7	0.28	0.3	1.5	3	1.2	0.73	0.2	3.5
2008	11	1.1	0.33	0.5	1.9	2	0.7	0.49	0.1	2.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Salivary Gland

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,039	1.1	0.02	1.1	1.2	2,623	1.1	0.02	1.1	1.2
1986	107	1.0	0.10	0.8	1.2	90	1.0	0.10	0.8	1.2
1987	122	1.1	0.10	0.9	1.4	109	1.2	0.11	1.0	1.4
1988	121	1.1	0.10	0.9	1.3	109	1.1	0.11	0.9	1.4
1989	103	1.0	0.09	0.8	1.2	93	1.0	0.10	0.8	1.2
1990	98	0.9	0.09	0.7	1.1	91	1.0	0.10	0.8	1.2
1991	99	0.9	0.09	0.7	1.1	83	0.9	0.10	0.7	1.1
1992	116	1.0	0.10	0.9	1.3	103	1.1	0.11	0.9	1.3
1993	116	1.0	0.10	0.9	1.2	95	1.0	0.10	0.8	1.2
1994	134	1.2	0.10	1.0	1.4	117	1.2	0.11	1.0	1.4
1995	135	1.2	0.10	1.0	1.4	115	1.2	0.11	1.0	1.4
1996	141	1.2	0.10	1.0	1.4	121	1.2	0.11	1.0	1.5
1997	155	1.3	0.11	1.1	1.6	133	1.3	0.12	1.1	1.6
1998	141	1.2	0.10	1.0	1.4	118	1.2	0.11	1.0	1.4
1999	151	1.3	0.10	1.1	1.5	135	1.3	0.11	1.1	1.6
2000	137	1.1	0.10	1.0	1.3	121	1.2	0.11	1.0	1.4
2001	136	1.1	0.10	0.9	1.3	117	1.1	0.11	0.9	1.4
2002	153	1.2	0.10	1.1	1.5	136	1.3	0.11	1.1	1.6
2003	141	1.1	0.10	1.0	1.3	127	1.2	0.11	1.0	1.4
2004	135	1.1	0.09	0.9	1.3	110	1.1	0.10	0.9	1.3
2005	131	1.0	0.09	0.9	1.2	116	1.1	0.10	0.9	1.3
2006	149	1.2	0.10	1.0	1.4	121	1.1	0.10	0.9	1.4
2007	172	1.3	0.10	1.1	1.6	145	1.3	0.11	1.1	1.6
2008	146	1.1	0.09	0.9	1.3	118	1.1	0.10	0.9	1.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	322	1.0	0.05	0.8	1.1	69	0.9	0.12	0.7	1.2
1986	14	1.1	0.29	0.6	1.8	3	1.1	0.71	0.2	4.4
1987	11	1.0	0.30	0.5	1.7	1	1.2	1.15	0.0	5.3
1988	6	0.5	0.22	0.2	1.2	4	2.1	1.11	0.5	5.8
1989	9	0.7	0.24	0.3	1.3	0				
1990	6	0.4	0.17	0.2	0.9	0				
1991	15	1.1	0.28	0.6	1.8	0				
1992	10	0.8	0.25	0.4	1.4	2	0.6	0.41	0.1	2.7
1993	18	1.4	0.32	0.8	2.1	3	1.7	1.08	0.3	5.0
1994	13	0.9	0.26	0.5	1.5	4	1.4	0.74	0.4	3.9
1995	16	1.1	0.30	0.6	1.9	4	0.9	0.46	0.2	2.8
1996	16	1.1	0.28	0.6	1.8	2	1.0	0.79	0.1	3.6
1997	15	1.0	0.27	0.6	1.7	4	1.5	0.79	0.4	3.9
1998	16	1.1	0.27	0.6	1.8	6	1.5	0.61	0.5	3.4
1999	12	0.8	0.24	0.4	1.4	2	0.3	0.24	0.0	1.7
2000	13	0.8	0.23	0.4	1.4	3	0.6	0.32	0.1	1.9
2001	11	0.7	0.21	0.3	1.2	5	1.1	0.56	0.3	2.8
2002	12	0.8	0.22	0.4	1.3	5	1.2	0.57	0.4	3.0
2003	13	0.8	0.21	0.4	1.3	1	0.4	0.41	0.0	1.9
2004	19	1.1	0.26	0.7	1.8	6	1.5	0.64	0.5	3.3
2005	13	0.7	0.20	0.4	1.2	2	0.6	0.42	0.1	1.9
2006	20	1.2	0.27	0.7	1.8	6	1.5	0.63	0.5	3.2
2007	20	1.2	0.26	0.7	1.8	3	0.5	0.29	0.1	1.5
2008	24	1.4	0.30	0.9	2.1	3	0.7	0.40	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Salivary Gland

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,678	1.5	0.04	1.4	1.6	1,481	1.5	0.04	1.4	1.6
1986	48	1.1	0.17	0.8	1.5	42	1.1	0.18	0.8	1.6
1987	67	1.5	0.19	1.2	1.9	63	1.6	0.21	1.2	2.1
1988	66	1.5	0.19	1.1	1.9	62	1.6	0.21	1.2	2.1
1989	48	1.1	0.16	0.8	1.4	44	1.1	0.17	0.8	1.5
1990	60	1.4	0.19	1.0	1.8	56	1.5	0.21	1.1	2.0
1991	53	1.1	0.16	0.8	1.5	45	1.1	0.17	0.8	1.5
1992	66	1.4	0.18	1.1	1.8	60	1.5	0.20	1.1	1.9
1993	66	1.4	0.17	1.0	1.7	55	1.3	0.18	1.0	1.7
1994	68	1.5	0.19	1.2	2.0	63	1.6	0.21	1.3	2.1
1995	75	1.6	0.19	1.2	2.0	69	1.7	0.21	1.3	2.1
1996	77	1.6	0.19	1.3	2.0	66	1.6	0.20	1.2	2.0
1997	81	1.6	0.18	1.3	2.0	70	1.6	0.20	1.3	2.0
1998	78	1.6	0.18	1.2	1.9	66	1.5	0.19	1.2	1.9
1999	85	1.7	0.19	1.3	2.1	76	1.7	0.20	1.4	2.2
2000	79	1.5	0.18	1.2	1.9	69	1.6	0.19	1.2	2.0
2001	80	1.6	0.18	1.2	2.0	71	1.6	0.20	1.3	2.1
2002	89	1.7	0.18	1.4	2.1	80	1.8	0.20	1.4	2.2
2003	80	1.6	0.18	1.2	1.9	73	1.7	0.20	1.3	2.1
2004	78	1.5	0.17	1.2	1.9	65	1.5	0.19	1.1	1.9
2005	70	1.3	0.15	1.0	1.6	61	1.3	0.17	1.0	1.7
2006	78	1.4	0.16	1.1	1.8	67	1.5	0.18	1.1	1.8
2007	101	1.9	0.19	1.5	2.3	88	1.9	0.21	1.5	2.4
2008	85	1.5	0.16	1.2	1.8	70	1.5	0.18	1.1	1.8
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	156	1.1	0.09	0.9	1.3	35	1.1	0.22	0.7	1.6
1986	6	1.0	0.43	0.3	2.3	0				
1987	4	0.8	0.42	0.2	2.1	0				
1988	4	0.8	0.39	0.2	2.0	0				
1989	4	0.8	0.41	0.2	2.1	0				
1990	3	0.5	0.28	0.1	1.5	0				
1991	8	1.4	0.49	0.6	2.7	0				
1992	5	1.0	0.45	0.3	2.3	1	0.6	0.60	0.0	5.4
1993	10	1.9	0.62	0.9	3.5	1	2.4	2.41	0.1	10.3
1994	4	0.6	0.30	0.2	1.6	1	1.2	1.18	0.0	6.3
1995	4	0.6	0.30	0.2	1.6	2	1.0	0.70	0.1	5.0
1996	8	1.3	0.47	0.5	2.6	2	2.4	1.95	0.2	8.7
1997	8	1.5	0.57	0.6	3.0	3	2.0	1.16	0.4	6.4
1998	8	1.4	0.55	0.6	2.9	3	1.5	0.87	0.3	5.3
1999	7	1.3	0.52	0.5	2.7	1	0.5	0.45	0.0	3.6
2000	9	1.3	0.43	0.6	2.4	1	0.5	0.45	0.0	3.4
2001	4	0.8	0.44	0.2	2.0	4	2.0	1.22	0.4	6.1
2002	7	1.0	0.37	0.4	2.0	2	1.0	0.72	0.1	4.0
2003	7	0.9	0.35	0.4	1.9	0				
2004	9	1.3	0.46	0.6	2.6	4	2.4	1.31	0.6	6.3
2005	8	1.0	0.38	0.4	2.1	1	0.4	0.37	0.0	2.5
2006	6	0.8	0.32	0.3	1.7	5	3.0	1.45	0.8	7.0
2007	11	1.4	0.44	0.7	2.6	1	0.4	0.35	0.0	2.3
2008	12	1.9	0.60	0.9	3.4	3	1.4	0.90	0.3	4.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Salivary Gland

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,361	0.9	0.02	0.9	1.0	1,142	0.9	0.03	0.9	1.0
1986	59	1.0	0.13	0.7	1.3	48	0.9	0.13	0.7	1.2
1987	55	0.9	0.12	0.7	1.2	46	0.9	0.13	0.6	1.2
1988	55	0.9	0.12	0.7	1.2	47	0.9	0.13	0.6	1.2
1989	55	0.9	0.12	0.7	1.2	49	0.9	0.13	0.7	1.2
1990	38	0.6	0.10	0.4	0.9	35	0.7	0.11	0.5	0.9
1991	46	0.8	0.11	0.6	1.0	38	0.7	0.12	0.5	1.0
1992	50	0.8	0.12	0.6	1.1	43	0.8	0.13	0.6	1.1
1993	50	0.8	0.11	0.6	1.1	40	0.7	0.12	0.5	1.0
1994	66	1.0	0.13	0.8	1.3	54	1.0	0.14	0.7	1.3
1995	60	0.9	0.12	0.7	1.2	46	0.9	0.13	0.6	1.2
1996	64	1.0	0.12	0.7	1.2	55	0.9	0.13	0.7	1.2
1997	74	1.2	0.14	0.9	1.5	63	1.2	0.15	0.9	1.5
1998	63	1.0	0.12	0.7	1.2	52	0.9	0.13	0.7	1.2
1999	66	1.0	0.12	0.8	1.3	59	1.1	0.14	0.8	1.4
2000	58	0.9	0.12	0.7	1.2	52	1.0	0.13	0.7	1.3
2001	56	0.8	0.11	0.6	1.1	46	0.8	0.12	0.6	1.1
2002	64	1.0	0.12	0.7	1.2	56	1.0	0.14	0.8	1.3
2003	61	0.9	0.11	0.7	1.1	54	0.9	0.13	0.7	1.2
2004	57	0.8	0.11	0.6	1.1	45	0.8	0.12	0.6	1.1
2005	61	0.9	0.12	0.7	1.2	55	1.0	0.14	0.7	1.3
2006	71	1.0	0.12	0.8	1.3	54	0.9	0.13	0.7	1.2
2007	71	1.0	0.12	0.8	1.3	57	1.0	0.13	0.7	1.3
2008	61	0.9	0.11	0.7	1.1	48	0.8	0.12	0.6	1.1
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	166	0.8	0.07	0.7	1.0	34	0.8	0.14	0.5	1.1
1986	8	1.1	0.41	0.5	2.2	3	2.3	1.42	0.4	8.3
1987	7	1.0	0.40	0.4	2.1	1	2.0	1.97	0.1	9.1
1988	2	0.4	0.25	0.0	1.2	4	3.9	2.05	1.0	10.6
1989	5	0.7	0.30	0.2	1.5	0				
1990	3	0.4	0.23	0.1	1.1	0				
1991	7	0.8	0.31	0.3	1.7	0				
1992	5	0.7	0.30	0.2	1.5	1	0.6	0.59	0.0	4.3
1993	8	1.0	0.36	0.4	2.0	2	1.4	0.97	0.2	5.4
1994	9	1.1	0.37	0.5	2.1	3	1.7	1.01	0.3	5.5
1995	12	1.5	0.44	0.8	2.6	2	0.8	0.57	0.1	3.8
1996	8	1.0	0.36	0.4	2.0	0				
1997	7	0.8	0.30	0.3	1.6	1	1.0	0.98	0.0	4.6
1998	8	0.9	0.33	0.4	1.8	3	1.5	0.85	0.3	4.5
1999	5	0.5	0.24	0.2	1.3	1	0.2	0.24	0.0	2.4
2000	4	0.4	0.21	0.1	1.1	2	0.7	0.48	0.1	2.9
2001	7	0.7	0.27	0.3	1.5	1	0.4	0.37	0.0	2.4
2002	5	0.6	0.26	0.2	1.3	3	1.4	0.84	0.3	4.2
2003	6	0.6	0.26	0.2	1.4	1	0.7	0.69	0.0	3.2
2004	10	1.0	0.32	0.5	1.9	2	0.8	0.56	0.1	2.9
2005	5	0.5	0.21	0.2	1.1	1	0.6	0.61	0.0	2.9
2006	14	1.5	0.40	0.8	2.5	1	0.4	0.39	0.0	2.2
2007	9	0.9	0.31	0.4	1.8	2	0.6	0.46	0.1	2.4
2008	12	1.2	0.35	0.6	2.1	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Floor of Mouth

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,610	1.0	0.02	0.9	1.0	2,065	0.9	0.02	0.9	0.9
1986	149	1.5	0.12	1.2	1.7	114	1.3	0.12	1.0	1.5
1987	110	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1988	115	1.1	0.11	0.9	1.3	82	0.9	0.10	0.7	1.1
1989	136	1.3	0.11	1.1	1.5	104	1.1	0.11	0.9	1.4
1990	129	1.3	0.11	1.0	1.5	103	1.2	0.12	0.9	1.4
1991	136	1.2	0.11	1.0	1.5	110	1.2	0.11	1.0	1.4
1992	126	1.2	0.10	1.0	1.4	96	1.0	0.10	0.8	1.2
1993	107	1.0	0.09	0.8	1.2	86	0.9	0.10	0.7	1.1
1994	124	1.1	0.10	0.9	1.3	92	1.0	0.10	0.8	1.2
1995	133	1.2	0.10	1.0	1.4	108	1.1	0.11	0.9	1.4
1996	128	1.1	0.10	1.0	1.4	98	1.0	0.10	0.8	1.3
1997	109	0.9	0.09	0.8	1.1	88	0.9	0.10	0.7	1.1
1998	107	0.9	0.09	0.8	1.1	87	0.9	0.09	0.7	1.1
1999	99	0.8	0.08	0.7	1.0	76	0.8	0.09	0.6	1.0
2000	126	1.1	0.09	0.9	1.3	96	1.0	0.10	0.8	1.2
2001	116	1.0	0.09	0.8	1.2	100	1.0	0.10	0.8	1.2
2002	93	0.8	0.08	0.6	0.9	78	0.8	0.09	0.6	1.0
2003	96	0.8	0.08	0.6	0.9	78	0.7	0.08	0.6	0.9
2004	98	0.8	0.08	0.6	0.9	76	0.7	0.08	0.6	0.9
2005	76	0.6	0.07	0.5	0.8	61	0.6	0.07	0.4	0.8
2006	105	0.8	0.08	0.7	1.0	85	0.8	0.09	0.6	1.0
2007	88	0.7	0.07	0.5	0.8	70	0.6	0.08	0.5	0.8
2008	104	0.8	0.07	0.6	0.9	85	0.7	0.08	0.6	0.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	510	1.5	0.07	1.4	1.7	21	0.3	0.07	0.2	0.5
1986	35	3.1	0.54	2.1	4.3	0				
1987	17	1.5	0.37	0.9	2.4	1	0.6	0.57	0.0	3.6
1988	31	2.6	0.47	1.8	3.7	1	0.5	0.54	0.0	3.4
1989	31	2.6	0.47	1.7	3.7	1	0.5	0.50	0.0	3.2
1990	24	1.9	0.40	1.2	2.9	1	0.5	0.48	0.0	3.1
1991	25	1.9	0.38	1.2	2.8	0				
1992	29	2.2	0.42	1.5	3.2	1	0.2	0.20	0.0	2.2
1993	20	1.4	0.32	0.9	2.2	1	0.4	0.39	0.0	2.5
1994	31	2.4	0.44	1.6	3.4	0				
1995	24	1.7	0.35	1.1	2.5	1	0.4	0.40	0.0	2.3
1996	28	2.1	0.40	1.4	3.0	1	0.3	0.27	0.0	1.9
1997	19	1.3	0.30	0.8	2.0	2	1.0	0.69	0.1	3.2
1998	18	1.2	0.29	0.7	1.9	1	0.3	0.27	0.0	1.7
1999	21	1.4	0.30	0.8	2.1	2	0.6	0.46	0.1	2.3
2000	28	1.8	0.35	1.2	2.6	0				
2001	16	1.0	0.24	0.6	1.6	0				
2002	13	0.8	0.24	0.4	1.4	1	0.2	0.19	0.0	1.3
2003	18	1.1	0.25	0.6	1.7	0				
2004	18	1.1	0.26	0.6	1.7	3	0.8	0.46	0.2	2.3
2005	12	0.7	0.22	0.4	1.3	2	0.6	0.42	0.1	2.0
2006	18	1.1	0.26	0.6	1.7	0				
2007	16	1.0	0.24	0.5	1.5	1	0.3	0.34	0.0	1.6
2008	18	1.0	0.23	0.6	1.5	1	0.2	0.17	0.0	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Floor of Mouth

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,861	1.5	0.04	1.4	1.6	1,437	1.4	0.04	1.3	1.4
1986	107	2.3	0.23	1.9	2.8	77	1.9	0.22	1.5	2.4
1987	82	1.8	0.20	1.4	2.3	68	1.7	0.21	1.3	2.2
1988	88	1.9	0.20	1.5	2.3	62	1.5	0.20	1.2	2.0
1989	95	2.0	0.20	1.6	2.4	71	1.7	0.20	1.3	2.1
1990	98	2.1	0.22	1.7	2.6	78	2.0	0.23	1.6	2.5
1991	92	1.8	0.19	1.5	2.2	76	1.7	0.20	1.4	2.2
1992	88	1.9	0.20	1.5	2.3	64	1.6	0.20	1.2	2.0
1993	79	1.6	0.18	1.2	1.9	61	1.4	0.18	1.1	1.8
1994	87	1.7	0.18	1.4	2.1	63	1.4	0.18	1.1	1.8
1995	96	1.9	0.20	1.5	2.3	76	1.8	0.20	1.4	2.2
1996	98	1.9	0.19	1.5	2.3	74	1.7	0.20	1.3	2.1
1997	71	1.4	0.17	1.1	1.8	55	1.3	0.17	1.0	1.7
1998	80	1.5	0.16	1.2	1.8	62	1.3	0.17	1.0	1.7
1999	71	1.3	0.16	1.0	1.7	53	1.2	0.16	0.9	1.5
2000	94	1.7	0.18	1.4	2.1	71	1.5	0.18	1.2	1.9
2001	86	1.6	0.17	1.2	1.9	73	1.6	0.18	1.2	2.0
2002	57	1.0	0.14	0.8	1.3	46	1.0	0.14	0.7	1.3
2003	68	1.2	0.14	0.9	1.5	53	1.1	0.15	0.8	1.4
2004	71	1.2	0.14	0.9	1.5	52	1.0	0.15	0.8	1.4
2005	54	0.9	0.13	0.7	1.2	43	0.9	0.13	0.6	1.2
2006	73	1.2	0.14	1.0	1.5	59	1.2	0.15	0.9	1.5
2007	58	0.9	0.12	0.7	1.2	44	0.8	0.13	0.6	1.1
2008	68	1.1	0.13	0.8	1.3	56	1.0	0.14	0.8	1.4
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	396	2.7	0.14	2.5	3.0	17	0.5	0.13	0.3	0.8
1986	30	6.0	1.13	3.9	8.6	0				
1987	13	2.5	0.69	1.3	4.2	1	1.2	1.23	0.0	8.2
1988	24	4.4	0.91	2.8	6.6	1	1.2	1.16	0.0	7.7
1989	24	4.5	0.93	2.8	6.7	0				
1990	18	3.4	0.82	2.0	5.4	1	1.0	1.01	0.0	7.0
1991	15	2.5	0.66	1.4	4.2	0				
1992	23	4.3	0.94	2.6	6.5	1	0.4	0.39	0.0	5.0
1993	17	2.8	0.70	1.6	4.6	1	0.9	0.87	0.0	5.7
1994	23	4.3	0.94	2.6	6.5	0				
1995	19	3.1	0.72	1.9	4.9	1	0.9	0.93	0.0	5.4
1996	22	3.6	0.77	2.2	5.4	1	0.6	0.55	0.0	4.4
1997	14	2.1	0.56	1.1	3.5	2	2.3	1.66	0.3	7.8
1998	16	2.5	0.62	1.4	4.0	1	0.6	0.57	0.0	4.0
1999	16	2.4	0.61	1.4	3.9	2	1.4	1.04	0.1	5.4
2000	22	3.4	0.72	2.1	5.1	0				
2001	13	1.8	0.49	0.9	3.0	0				
2002	10	1.4	0.46	0.7	2.7	0				
2003	15	2.0	0.53	1.1	3.4	0				
2004	16	2.4	0.65	1.3	4.0	3	1.7	1.01	0.3	5.0
2005	9	1.1	0.38	0.5	2.2	1	0.4	0.38	0.0	2.5
2006	13	1.8	0.50	0.9	3.1	0				
2007	13	1.9	0.54	1.0	3.3	0				
2008	11	1.4	0.42	0.7	2.5	1	0.4	0.35	0.0	2.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Floor of Mouth

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	749	0.5	0.02	0.5	0.5	628	0.5	0.02	0.5	0.5
1986	42	0.7	0.12	0.5	1.0	37	0.7	0.12	0.5	1.0
1987	28	0.5	0.09	0.3	0.7	24	0.4	0.09	0.3	0.7
1988	27	0.5	0.09	0.3	0.7	20	0.4	0.09	0.2	0.6
1989	41	0.7	0.12	0.5	1.0	33	0.7	0.12	0.5	1.0
1990	31	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7
1991	44	0.7	0.11	0.5	1.0	34	0.6	0.11	0.4	0.9
1992	38	0.6	0.10	0.4	0.8	32	0.6	0.10	0.4	0.8
1993	28	0.5	0.09	0.3	0.7	25	0.5	0.10	0.3	0.7
1994	37	0.6	0.10	0.4	0.8	29	0.5	0.10	0.4	0.8
1995	37	0.6	0.10	0.4	0.8	32	0.6	0.11	0.4	0.8
1996	30	0.5	0.08	0.3	0.7	24	0.4	0.09	0.3	0.7
1997	38	0.6	0.10	0.4	0.8	33	0.6	0.11	0.4	0.8
1998	27	0.4	0.08	0.3	0.6	25	0.4	0.09	0.3	0.7
1999	28	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
2000	32	0.5	0.09	0.3	0.7	25	0.5	0.09	0.3	0.7
2001	30	0.4	0.08	0.3	0.6	27	0.5	0.09	0.3	0.7
2002	36	0.5	0.09	0.4	0.7	32	0.6	0.10	0.4	0.8
2003	28	0.4	0.08	0.3	0.6	25	0.5	0.09	0.3	0.7
2004	27	0.4	0.08	0.3	0.6	24	0.4	0.09	0.3	0.6
2005	22	0.3	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
2006	32	0.5	0.08	0.3	0.7	26	0.5	0.09	0.3	0.7
2007	30	0.4	0.07	0.3	0.6	26	0.4	0.08	0.3	0.6
2008	36	0.5	0.08	0.3	0.7	29	0.5	0.09	0.3	0.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	114	0.6	0.06	0.5	0.7	4	0.1	0.07	0.0	0.4
1986	5	0.9	0.40	0.3	2.0	0				
1987	4	0.6	0.33	0.2	1.6	0				
1988	7	1.1	0.42	0.4	2.2	0				
1989	7	1.1	0.43	0.5	2.3	1	0.9	0.91	0.0	5.7
1990	6	0.8	0.32	0.3	1.7	0				
1991	10	1.3	0.42	0.6	2.4	0				
1992	6	0.8	0.32	0.3	1.7	0				
1993	3	0.4	0.22	0.1	1.1	0				
1994	8	1.1	0.39	0.5	2.1	0				
1995	5	0.6	0.27	0.2	1.4	0				
1996	6	0.8	0.34	0.3	1.8	0				
1997	5	0.6	0.28	0.2	1.5	0				
1998	2	0.2	0.17	0.0	0.8	0				
1999	5	0.6	0.26	0.2	1.3	0				
2000	6	0.7	0.28	0.3	1.5	0				
2001	3	0.3	0.19	0.1	1.0	0				
2002	3	0.4	0.21	0.1	1.0	1	0.4	0.36	0.0	2.3
2003	3	0.3	0.18	0.1	0.9	0				
2004	2	0.2	0.14	0.0	0.7	0				
2005	3	0.4	0.21	0.1	1.0	1	0.6	0.61	0.0	2.9
2006	5	0.5	0.24	0.2	1.2	0				
2007	3	0.3	0.17	0.1	0.9	1	0.5	0.52	0.0	2.5
2008	7	0.7	0.26	0.3	1.4	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Gum & Other Mouth

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,552	1.7	0.03	1.6	1.7	3,737	1.6	0.03	1.6	1.7
1986	189	1.8	0.13	1.5	2.1	157	1.6	0.13	1.4	1.9
1987	205	1.9	0.14	1.7	2.2	174	1.9	0.14	1.6	2.2
1988	208	2.0	0.14	1.7	2.3	168	1.8	0.14	1.5	2.1
1989	186	1.7	0.13	1.5	2.0	142	1.5	0.13	1.3	1.8
1990	186	1.8	0.13	1.5	2.0	146	1.6	0.13	1.3	1.8
1991	161	1.5	0.12	1.2	1.7	136	1.4	0.12	1.2	1.7
1992	172	1.6	0.12	1.3	1.8	146	1.5	0.13	1.3	1.8
1993	183	1.7	0.12	1.4	1.9	156	1.6	0.13	1.4	1.9
1994	170	1.5	0.12	1.3	1.8	146	1.5	0.12	1.3	1.8
1995	200	1.8	0.12	1.5	2.0	165	1.7	0.13	1.4	2.0
1996	203	1.8	0.12	1.5	2.0	168	1.7	0.13	1.4	2.0
1997	199	1.7	0.12	1.5	2.0	168	1.7	0.13	1.4	2.0
1998	181	1.5	0.11	1.3	1.8	154	1.5	0.12	1.3	1.8
1999	209	1.8	0.12	1.5	2.0	170	1.7	0.13	1.4	2.0
2000	192	1.6	0.12	1.4	1.8	170	1.7	0.13	1.4	1.9
2001	198	1.6	0.12	1.4	1.9	166	1.6	0.12	1.4	1.9
2002	206	1.7	0.12	1.5	1.9	162	1.6	0.12	1.3	1.8
2003	223	1.8	0.12	1.6	2.0	180	1.7	0.13	1.5	2.0
2004	225	1.8	0.12	1.6	2.0	181	1.7	0.13	1.5	2.0
2005	189	1.5	0.11	1.3	1.7	153	1.4	0.12	1.2	1.7
2006	214	1.7	0.11	1.4	1.9	175	1.6	0.12	1.4	1.9
2007	204	1.6	0.11	1.4	1.8	157	1.4	0.12	1.2	1.7
2008	249	1.9	0.12	1.6	2.1	197	1.8	0.13	1.5	2.0
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	679	2.1	0.08	1.9	2.3	96	1.4	0.15	1.1	1.7
1986	29	2.7	0.52	1.8	3.9	2	0.9	0.68	0.1	4.2
1987	30	2.5	0.46	1.6	3.5	0				
1988	38	3.2	0.53	2.2	4.4	1	0.6	0.57	0.0	3.5
1989	41	3.6	0.58	2.6	4.9	3	1.1	0.65	0.2	3.9
1990	38	3.3	0.54	2.3	4.5	0				
1991	24	1.8	0.37	1.1	2.6	0				
1992	24	1.9	0.40	1.2	2.9	1	0.6	0.59	0.0	3.1
1993	24	1.8	0.38	1.2	2.7	3	1.5	0.87	0.3	4.3
1994	21	1.6	0.36	1.0	2.5	2	0.6	0.40	0.1	2.5
1995	30	2.3	0.43	1.5	3.3	5	1.8	0.97	0.5	4.7
1996	29	2.0	0.37	1.3	2.9	4	1.8	0.94	0.5	4.6
1997	28	2.0	0.39	1.3	2.9	2	0.7	0.51	0.1	2.6
1998	23	1.7	0.36	1.1	2.5	3	0.7	0.40	0.1	2.3
1999	33	2.4	0.43	1.6	3.4	5	1.5	0.75	0.4	3.7
2000	15	1.0	0.25	0.5	1.6	4	1.1	0.59	0.3	2.9
2001	26	1.7	0.35	1.1	2.6	5	1.1	0.54	0.3	2.8
2002	37	2.5	0.41	1.7	3.4	7	1.7	0.70	0.6	3.7
2003	33	2.1	0.38	1.5	3.0	5	1.4	0.70	0.4	3.4
2004	36	2.3	0.39	1.6	3.2	4	1.2	0.62	0.3	3.0
2005	22	1.3	0.27	0.8	1.9	9	2.1	0.74	0.9	4.0
2006	25	1.4	0.29	0.9	2.1	11	2.6	0.84	1.2	4.7
2007	34	2.1	0.36	1.4	2.9	9	1.7	0.57	0.7	3.2
2008	39	2.3	0.37	1.6	3.1	11	2.0	0.64	1.0	3.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Gum & Other Mouth

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,540	2.1	0.04	2.1	2.2	2,026	2.0	0.04	1.9	2.1
1986	105	2.3	0.23	1.9	2.8	83	2.0	0.23	1.6	2.5
1987	107	2.2	0.22	1.8	2.7	84	2.0	0.23	1.6	2.5
1988	127	2.7	0.25	2.3	3.3	99	2.4	0.25	2.0	3.0
1989	122	2.6	0.24	2.1	3.1	89	2.1	0.23	1.7	2.6
1990	116	2.6	0.25	2.1	3.1	90	2.3	0.25	1.8	2.8
1991	87	1.8	0.20	1.4	2.2	70	1.7	0.20	1.3	2.1
1992	95	2.0	0.21	1.6	2.5	79	1.9	0.22	1.5	2.4
1993	101	2.1	0.22	1.7	2.6	84	2.0	0.23	1.6	2.5
1994	93	1.9	0.20	1.5	2.3	75	1.8	0.20	1.4	2.2
1995	104	2.0	0.20	1.7	2.5	79	1.8	0.20	1.4	2.2
1996	117	2.3	0.22	1.9	2.8	98	2.3	0.23	1.9	2.8
1997	118	2.4	0.22	2.0	2.8	101	2.4	0.24	1.9	2.9
1998	104	2.0	0.20	1.6	2.5	89	2.0	0.22	1.6	2.5
1999	115	2.2	0.21	1.8	2.7	94	2.1	0.22	1.7	2.6
2000	97	1.9	0.19	1.5	2.3	87	2.0	0.21	1.6	2.4
2001	108	2.1	0.20	1.7	2.5	92	2.1	0.22	1.7	2.5
2002	107	2.0	0.19	1.6	2.4	78	1.7	0.20	1.3	2.1
2003	117	2.1	0.20	1.8	2.6	93	2.0	0.21	1.6	2.5
2004	123	2.2	0.20	1.8	2.6	98	2.1	0.21	1.7	2.5
2005	104	1.8	0.18	1.5	2.2	82	1.7	0.19	1.4	2.1
2006	118	2.0	0.19	1.7	2.5	91	1.9	0.20	1.5	2.3
2007	114	1.9	0.18	1.6	2.3	84	1.7	0.19	1.4	2.1
2008	141	2.3	0.20	2.0	2.7	107	2.1	0.21	1.7	2.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	434	3.2	0.16	2.9	3.5	58	1.8	0.26	1.3	2.3
1986	19	4.2	0.99	2.5	6.5	2	1.9	1.39	0.2	9.3
1987	22	4.2	0.92	2.6	6.4	0				
1988	28	5.5	1.09	3.6	8.1	0				
1989	32	6.9	1.33	4.6	10.0	1	0.5	0.48	0.0	6.1
1990	24	5.2	1.13	3.2	7.9	0				
1991	17	3.0	0.75	1.7	4.8	0				
1992	14	2.9	0.83	1.5	4.9	1	1.4	1.38	0.0	7.3
1993	16	2.9	0.75	1.6	4.8	1	1.3	1.25	0.0	6.7
1994	15	2.8	0.76	1.5	4.6	2	1.2	0.82	0.1	5.6
1995	22	4.0	0.88	2.4	6.1	3	3.5	2.28	0.5	10.5
1996	17	2.7	0.66	1.6	4.4	1	0.6	0.57	0.0	4.4
1997	16	2.7	0.69	1.5	4.4	0				
1998	12	2.1	0.64	1.1	3.7	2	1.0	0.68	0.1	4.5
1999	19	3.1	0.73	1.8	4.8	2	0.9	0.65	0.1	4.3
2000	8	1.2	0.43	0.5	2.4	2	0.9	0.60	0.1	3.9
2001	12	1.7	0.50	0.9	3.0	4	2.0	1.11	0.5	5.8
2002	24	3.9	0.85	2.4	5.9	5	2.7	1.33	0.8	6.8
2003	20	2.8	0.64	1.7	4.4	1	0.4	0.37	0.0	2.7
2004	20	3.4	0.82	2.0	5.3	3	2.0	1.25	0.4	5.8
2005	14	1.8	0.49	1.0	3.1	6	3.0	1.34	1.0	6.8
2006	17	2.4	0.59	1.4	3.9	9	4.0	1.45	1.7	7.9
2007	20	2.9	0.70	1.7	4.6	7	2.6	1.00	1.0	5.5
2008	26	3.5	0.72	2.3	5.2	6	2.9	1.32	1.0	6.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Gum & Other Mouth

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,012	1.3	0.03	1.3	1.4	1,711	1.3	0.03	1.2	1.4
1986	84	1.4	0.15	1.1	1.7	74	1.3	0.16	1.0	1.7
1987	98	1.6	0.16	1.3	2.0	90	1.7	0.18	1.3	2.1
1988	81	1.3	0.15	1.1	1.7	69	1.3	0.16	1.0	1.6
1989	64	1.0	0.13	0.8	1.3	53	1.0	0.13	0.7	1.3
1990	70	1.2	0.14	0.9	1.5	56	1.0	0.14	0.8	1.3
1991	74	1.2	0.14	0.9	1.5	66	1.2	0.15	0.9	1.6
1992	77	1.2	0.14	0.9	1.5	67	1.2	0.15	0.9	1.5
1993	82	1.3	0.15	1.0	1.6	72	1.3	0.16	1.0	1.7
1994	77	1.2	0.13	0.9	1.5	71	1.2	0.14	0.9	1.5
1995	96	1.5	0.15	1.2	1.8	86	1.5	0.16	1.2	1.9
1996	86	1.3	0.14	1.0	1.6	70	1.2	0.15	0.9	1.5
1997	81	1.2	0.14	1.0	1.5	67	1.2	0.15	0.9	1.5
1998	77	1.1	0.13	0.9	1.4	65	1.1	0.14	0.9	1.4
1999	94	1.4	0.14	1.1	1.7	76	1.3	0.16	1.1	1.7
2000	95	1.4	0.14	1.1	1.7	83	1.4	0.16	1.1	1.8
2001	90	1.3	0.14	1.0	1.6	74	1.2	0.14	1.0	1.5
2002	99	1.4	0.14	1.1	1.7	84	1.4	0.15	1.1	1.7
2003	106	1.5	0.15	1.2	1.8	87	1.4	0.16	1.2	1.8
2004	102	1.4	0.14	1.2	1.7	83	1.4	0.15	1.1	1.7
2005	85	1.2	0.13	0.9	1.5	71	1.2	0.14	0.9	1.5
2006	96	1.3	0.13	1.1	1.6	84	1.4	0.15	1.1	1.7
2007	90	1.3	0.13	1.0	1.5	73	1.2	0.14	1.0	1.5
2008	108	1.4	0.14	1.2	1.7	90	1.4	0.15	1.1	1.8
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	245	1.3	0.08	1.2	1.5	38	1.1	0.19	0.7	1.5
1986	10	1.6	0.53	0.8	3.0	0				
1987	8	1.2	0.43	0.5	2.3	0				
1988	10	1.4	0.47	0.7	2.6	1	1.0	1.00	0.0	6.1
1989	9	1.4	0.47	0.6	2.6	2	1.5	1.10	0.2	6.5
1990	14	2.1	0.55	1.1	3.4	0				
1991	7	0.9	0.33	0.4	1.8	0				
1992	10	1.3	0.42	0.6	2.4	0				
1993	8	1.1	0.38	0.5	2.1	2	1.7	1.20	0.2	6.1
1994	6	0.8	0.34	0.3	1.8	0				
1995	8	1.1	0.39	0.5	2.1	2	0.7	0.48	0.1	3.5
1996	12	1.4	0.42	0.7	2.5	3	2.6	1.53	0.5	7.3
1997	12	1.5	0.44	0.8	2.6	2	1.3	0.92	0.2	4.6
1998	11	1.4	0.42	0.7	2.4	1	0.4	0.44	0.0	2.9
1999	14	1.8	0.48	1.0	2.9	3	1.9	1.17	0.3	5.6
2000	7	0.8	0.31	0.3	1.7	2	1.2	0.90	0.1	4.3
2001	14	1.7	0.45	0.9	2.8	1	0.4	0.39	0.0	2.5
2002	13	1.5	0.41	0.8	2.5	2	0.9	0.67	0.1	3.4
2003	13	1.5	0.43	0.8	2.6	4	2.1	1.12	0.5	5.4
2004	16	1.7	0.43	1.0	2.8	1	0.6	0.57	0.0	2.8
2005	8	0.8	0.29	0.4	1.6	3	1.2	0.76	0.2	3.7
2006	8	0.8	0.27	0.3	1.5	2	1.2	0.82	0.1	3.8
2007	14	1.5	0.40	0.8	2.5	2	0.9	0.61	0.1	3.0
2008	13	1.3	0.37	0.7	2.3	5	1.5	0.68	0.5	3.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Nasopharynx

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,564	0.6	0.01	0.6	0.6	1,055	0.5	0.01	0.4	0.5
1986	73	0.7	0.08	0.5	0.9	53	0.6	0.08	0.4	0.8
1987	54	0.5	0.07	0.4	0.7	39	0.4	0.07	0.3	0.6
1988	75	0.7	0.08	0.6	0.9	54	0.6	0.08	0.4	0.8
1989	58	0.5	0.07	0.4	0.7	44	0.5	0.07	0.3	0.6
1990	72	0.7	0.08	0.5	0.8	53	0.6	0.08	0.4	0.8
1991	61	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1992	46	0.4	0.06	0.3	0.6	33	0.3	0.06	0.2	0.5
1993	63	0.6	0.07	0.4	0.7	43	0.5	0.07	0.3	0.6
1994	70	0.6	0.07	0.5	0.8	47	0.5	0.07	0.4	0.7
1995	78	0.7	0.08	0.5	0.8	64	0.7	0.08	0.5	0.8
1996	64	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.5
1997	72	0.6	0.07	0.5	0.8	44	0.5	0.07	0.3	0.6
1998	71	0.6	0.07	0.5	0.8	43	0.4	0.07	0.3	0.6
1999	64	0.5	0.07	0.4	0.7	37	0.4	0.06	0.3	0.5
2000	78	0.6	0.07	0.5	0.8	50	0.5	0.07	0.4	0.7
2001	63	0.5	0.06	0.4	0.7	41	0.4	0.06	0.3	0.5
2002	73	0.6	0.07	0.5	0.7	49	0.5	0.07	0.4	0.6
2003	70	0.6	0.07	0.4	0.7	50	0.5	0.07	0.4	0.6
2004	77	0.6	0.07	0.5	0.8	44	0.4	0.06	0.3	0.6
2005	68	0.5	0.06	0.4	0.7	46	0.4	0.06	0.3	0.6
2006	77	0.6	0.07	0.5	0.7	51	0.5	0.07	0.4	0.6
2007	72	0.5	0.06	0.4	0.7	45	0.4	0.06	0.3	0.6
2008	65	0.5	0.06	0.4	0.6	42	0.4	0.06	0.3	0.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	306	0.9	0.05	0.8	1.0	195	2.4	0.18	2.0	2.7
1986	15	1.2	0.33	0.6	2.0	4	2.9	1.64	0.7	7.9
1987	10	0.7	0.23	0.3	1.3	5	2.0	0.95	0.6	5.5
1988	12	0.9	0.26	0.4	1.6	9	4.2	1.61	1.7	8.8
1989	11	0.8	0.25	0.4	1.5	3	1.2	0.70	0.2	4.1
1990	15	1.1	0.31	0.6	1.9	4	2.7	1.41	0.7	6.9
1991	12	1.0	0.29	0.5	1.7	6	2.0	0.85	0.7	4.9
1992	6	0.3	0.14	0.1	0.8	7	2.2	0.84	0.8	4.9
1993	11	0.7	0.23	0.4	1.3	8	2.8	1.10	1.1	6.0
1994	12	0.8	0.24	0.4	1.4	10	2.8	0.92	1.3	5.5
1995	7	0.5	0.19	0.2	1.0	7	3.0	1.31	1.0	6.6
1996	18	1.2	0.29	0.7	1.9	6	1.7	0.74	0.6	4.0
1997	17	1.0	0.25	0.6	1.6	11	3.5	1.27	1.5	6.9
1998	17	1.0	0.25	0.6	1.6	11	3.0	0.92	1.4	5.5
1999	16	0.9	0.23	0.5	1.5	11	2.8	0.86	1.4	5.1
2000	16	1.0	0.25	0.6	1.6	10	2.4	0.80	1.1	4.5
2001	16	0.9	0.22	0.5	1.4	6	1.4	0.59	0.5	3.1
2002	16	1.0	0.24	0.5	1.6	8	2.0	0.77	0.8	4.1
2003	12	0.7	0.20	0.4	1.2	8	1.6	0.58	0.6	3.2
2004	21	1.3	0.28	0.8	1.9	12	2.6	0.83	1.3	4.8
2005	9	0.6	0.20	0.3	1.1	11	1.8	0.56	0.9	3.4
2006	6	0.3	0.14	0.1	0.7	19	3.9	0.96	2.3	6.3
2007	15	0.8	0.22	0.5	1.4	12	1.9	0.56	1.0	3.4
2008	16	0.9	0.23	0.5	1.5	7	1.2	0.47	0.5	2.6

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Nasopharynx

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,046	0.9	0.03	0.8	0.9	712	0.7	0.03	0.6	0.7
1986	49	1.0	0.15	0.8	1.4	35	0.8	0.15	0.6	1.2
1987	37	0.8	0.14	0.6	1.1	28	0.7	0.14	0.5	1.0
1988	45	0.9	0.14	0.7	1.2	31	0.7	0.13	0.5	1.0
1989	37	0.7	0.12	0.5	1.0	27	0.6	0.12	0.4	0.9
1990	49	1.0	0.14	0.7	1.3	38	0.9	0.15	0.6	1.2
1991	37	0.8	0.13	0.6	1.1	27	0.6	0.12	0.4	0.9
1992	27	0.6	0.11	0.4	0.8	17	0.4	0.11	0.2	0.7
1993	46	0.9	0.13	0.7	1.2	31	0.7	0.13	0.5	1.0
1994	47	0.9	0.14	0.7	1.2	36	0.9	0.14	0.6	1.2
1995	53	1.0	0.14	0.8	1.3	41	0.9	0.14	0.6	1.2
1996	41	0.8	0.12	0.6	1.1	23	0.5	0.11	0.3	0.8
1997	55	1.0	0.14	0.8	1.3	35	0.8	0.13	0.5	1.1
1998	37	0.7	0.11	0.5	0.9	21	0.5	0.10	0.3	0.7
1999	36	0.6	0.11	0.5	0.9	23	0.5	0.10	0.3	0.7
2000	53	0.9	0.13	0.7	1.2	36	0.8	0.13	0.5	1.1
2001	41	0.7	0.11	0.5	1.0	26	0.6	0.11	0.4	0.8
2002	53	0.9	0.13	0.7	1.2	34	0.7	0.12	0.5	1.0
2003	53	0.9	0.13	0.7	1.2	38	0.8	0.13	0.6	1.1
2004	56	1.0	0.13	0.7	1.2	31	0.6	0.11	0.4	0.9
2005	45	0.8	0.11	0.6	1.0	34	0.7	0.12	0.5	0.9
2006	53	0.9	0.12	0.7	1.2	37	0.7	0.12	0.5	1.0
2007	52	0.8	0.12	0.6	1.1	35	0.7	0.12	0.5	1.0
2008	44	0.7	0.11	0.5	1.0	28	0.5	0.10	0.4	0.8
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	213	1.4	0.11	1.2	1.7	118	3.2	0.32	2.6	3.8
1986	11	2.2	0.76	1.0	4.2	3	5.5	3.58	0.8	16.8
1987	6	1.1	0.57	0.3	2.7	3	2.5	1.50	0.5	9.6
1988	8	1.3	0.49	0.5	2.7	6	6.2	3.09	1.7	15.8
1989	8	1.3	0.45	0.5	2.6	2	1.3	0.95	0.2	7.2
1990	10	1.8	0.62	0.8	3.4	1	1.7	1.70	0.0	8.8
1991	8	1.9	0.69	0.8	3.7	2	1.5	1.09	0.2	7.1
1992	4	0.5	0.28	0.1	1.5	6	3.9	1.67	1.4	9.8
1993	9	1.4	0.46	0.6	2.7	5	4.7	2.38	1.3	12.0
1994	5	0.8	0.40	0.3	2.0	6	3.1	1.29	1.1	8.0
1995	6	1.1	0.47	0.3	2.4	6	6.7	3.16	2.0	15.3
1996	13	2.1	0.64	1.0	3.8	5	3.2	1.52	1.0	8.3
1997	14	1.8	0.48	1.0	3.1	6	3.3	1.35	1.2	7.9
1998	11	1.4	0.43	0.7	2.6	5	2.7	1.22	0.8	6.9
1999	9	1.1	0.36	0.5	2.1	4	2.3	1.18	0.6	6.4
2000	10	1.5	0.50	0.7	2.9	6	3.4	1.56	1.1	8.1
2001	10	1.2	0.38	0.6	2.3	5	2.6	1.23	0.8	6.5
2002	12	1.7	0.49	0.8	2.9	7	4.2	1.80	1.4	9.2
2003	11	1.4	0.44	0.7	2.6	4	1.9	1.02	0.5	5.2
2004	17	2.5	0.66	1.4	4.1	8	3.9	1.55	1.5	8.2
2005	7	1.2	0.47	0.5	2.5	3	0.9	0.51	0.2	3.1
2006	3	0.4	0.25	0.1	1.3	13	5.8	1.76	2.9	10.4
2007	11	1.5	0.51	0.7	2.8	6	2.0	0.80	0.7	4.5
2008	10	1.5	0.53	0.7	2.9	6	2.0	0.81	0.7	4.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Nasopharynx

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	518	0.4	0.02	0.3	0.4	343	0.3	0.02	0.3	0.3
1986	24	0.4	0.09	0.3	0.6	18	0.4	0.08	0.2	0.6
1987	17	0.3	0.08	0.2	0.5	11	0.2	0.07	0.1	0.4
1988	30	0.5	0.10	0.3	0.7	23	0.5	0.10	0.3	0.7
1989	21	0.4	0.08	0.2	0.6	17	0.4	0.09	0.2	0.6
1990	23	0.4	0.08	0.3	0.6	15	0.3	0.09	0.2	0.5
1991	24	0.4	0.08	0.3	0.6	16	0.3	0.08	0.2	0.5
1992	19	0.3	0.07	0.2	0.5	16	0.3	0.08	0.2	0.5
1993	17	0.3	0.07	0.2	0.4	12	0.2	0.06	0.1	0.4
1994	23	0.4	0.08	0.3	0.6	11	0.2	0.07	0.1	0.4
1995	25	0.4	0.08	0.3	0.6	23	0.4	0.09	0.3	0.7
1996	23	0.4	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
1997	17	0.3	0.07	0.2	0.4	9	0.2	0.06	0.1	0.3
1998	34	0.5	0.09	0.4	0.7	22	0.4	0.09	0.3	0.6
1999	28	0.4	0.08	0.3	0.6	14	0.2	0.07	0.1	0.4
2000	25	0.4	0.08	0.3	0.6	14	0.3	0.07	0.1	0.4
2001	22	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
2003	17	0.3	0.06	0.2	0.4	12	0.2	0.06	0.1	0.4
2004	21	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
2005	23	0.3	0.07	0.2	0.5	12	0.2	0.06	0.1	0.4
2006	24	0.3	0.07	0.2	0.5	14	0.2	0.06	0.1	0.4
2007	20	0.3	0.06	0.2	0.5	10	0.2	0.06	0.1	0.3
2008	21	0.3	0.06	0.2	0.5	14	0.2	0.06	0.1	0.4
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	93	0.5	0.05	0.4	0.6	77	1.7	0.20	1.3	2.1
1986	4	0.5	0.27	0.1	1.4	1	1.1	1.10	0.0	6.8
1987	4	0.4	0.21	0.1	1.1	2	1.6	1.20	0.2	7.1
1988	4	0.5	0.27	0.1	1.4	3	2.5	1.61	0.4	8.5
1989	3	0.4	0.25	0.1	1.2	1	1.0	0.97	0.0	5.9
1990	5	0.7	0.30	0.2	1.5	3	3.4	2.07	0.6	10.0
1991	4	0.4	0.22	0.1	1.2	4	2.4	1.24	0.6	7.1
1992	2	0.2	0.13	0.0	0.7	1	0.6	0.59	0.0	4.3
1993	2	0.3	0.18	0.0	0.9	3	1.2	0.72	0.3	4.7
1994	7	0.8	0.32	0.3	1.7	4	2.5	1.28	0.7	6.8
1995	1	0.1	0.12	0.0	0.7	1	0.4	0.36	0.0	3.2
1996	5	0.6	0.28	0.2	1.4	1	0.4	0.44	0.0	3.2
1997	3	0.4	0.21	0.1	1.0	5	3.4	1.79	0.9	8.5
1998	6	0.6	0.26	0.2	1.4	6	3.2	1.33	1.1	7.1
1999	7	0.8	0.28	0.3	1.6	7	3.3	1.25	1.3	6.9
2000	6	0.6	0.26	0.2	1.4	4	1.6	0.81	0.4	4.4
2001	6	0.6	0.25	0.2	1.3	1	0.4	0.37	0.0	2.4
2002	4	0.4	0.22	0.1	1.1	1	0.3	0.29	0.0	2.2
2003	1	0.1	0.08	0.0	0.5	4	1.3	0.68	0.4	3.7
2004	4	0.4	0.20	0.1	1.0	4	1.6	0.83	0.4	4.2
2005	2	0.2	0.13	0.0	0.7	8	2.7	0.96	1.2	5.5
2006	3	0.3	0.16	0.1	0.9	6	2.2	0.95	0.8	5.0
2007	4	0.4	0.20	0.1	1.0	6	1.9	0.77	0.7	4.2
2008	6	0.6	0.23	0.2	1.2	1	0.5	0.46	0.0	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Oropharynx

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,239	0.5	0.01	0.4	0.5	942	0.4	0.01	0.4	0.4
1986	43	0.4	0.06	0.3	0.6	29	0.3	0.06	0.2	0.4
1987	42	0.4	0.06	0.3	0.5	31	0.4	0.06	0.2	0.5
1988	35	0.3	0.05	0.2	0.4	23	0.2	0.05	0.1	0.3
1989	25	0.2	0.05	0.1	0.3	18	0.2	0.04	0.1	0.3
1990	43	0.4	0.06	0.3	0.5	31	0.3	0.06	0.2	0.4
1991	41	0.4	0.06	0.3	0.5	33	0.4	0.06	0.2	0.5
1992	36	0.3	0.06	0.2	0.5	28	0.3	0.06	0.2	0.4
1993	37	0.3	0.06	0.2	0.5	29	0.3	0.06	0.2	0.4
1994	51	0.5	0.07	0.4	0.6	38	0.4	0.07	0.3	0.6
1995	32	0.3	0.05	0.2	0.4	25	0.3	0.05	0.2	0.4
1996	58	0.5	0.07	0.4	0.7	40	0.4	0.06	0.3	0.6
1997	46	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
1998	69	0.6	0.07	0.5	0.8	45	0.5	0.07	0.3	0.6
1999	42	0.4	0.06	0.3	0.5	33	0.3	0.06	0.2	0.5
2000	55	0.5	0.06	0.4	0.6	47	0.5	0.07	0.3	0.6
2001	66	0.5	0.07	0.4	0.7	53	0.5	0.07	0.4	0.7
2002	67	0.6	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2003	71	0.6	0.07	0.4	0.7	58	0.6	0.07	0.4	0.7
2004	64	0.5	0.06	0.4	0.6	47	0.4	0.06	0.3	0.6
2005	74	0.6	0.07	0.5	0.7	59	0.6	0.07	0.4	0.7
2006	68	0.5	0.06	0.4	0.7	53	0.5	0.07	0.4	0.6
2007	91	0.7	0.07	0.6	0.9	68	0.6	0.08	0.5	0.8
2008	83	0.6	0.07	0.5	0.8	65	0.6	0.07	0.4	0.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	282	0.8	0.05	0.7	1.0	13	0.2	0.06	0.1	0.4
1986	14	1.2	0.32	0.7	2.0	0				
1987	11	0.8	0.26	0.4	1.5	0				
1988	12	1.0	0.30	0.5	1.8	0				
1989	7	0.6	0.21	0.2	1.1	0				
1990	10	0.8	0.26	0.4	1.5	2	1.7	1.31	0.2	5.9
1991	7	0.6	0.22	0.2	1.2	1	1.1	1.11	0.0	4.8
1992	8	0.6	0.21	0.3	1.2	0				
1993	8	0.6	0.22	0.3	1.2	0				
1994	13	1.0	0.27	0.5	1.7	0				
1995	7	0.5	0.18	0.2	1.0	0				
1996	17	1.2	0.30	0.7	1.9	1	0.6	0.63	0.0	2.9
1997	12	0.9	0.25	0.4	1.5	1	0.3	0.25	0.0	1.7
1998	24	1.7	0.34	1.1	2.5	0				
1999	9	0.6	0.19	0.3	1.1	0				
2000	8	0.5	0.18	0.2	1.0	0				
2001	11	0.8	0.23	0.4	1.4	1	0.4	0.37	0.0	1.8
2002	11	0.7	0.21	0.3	1.2	0				
2003	13	0.8	0.21	0.4	1.3	0				
2004	17	1.0	0.24	0.6	1.6	0				
2005	14	0.8	0.22	0.4	1.4	1	0.2	0.22	0.0	1.2
2006	11	0.7	0.20	0.3	1.2	3	0.5	0.30	0.1	1.6
2007	23	1.4	0.30	0.9	2.1	0				
2008	15	0.8	0.20	0.4	1.3	3	0.6	0.39	0.1	1.9

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Oropharynx

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	930	0.8	0.03	0.7	0.8	702	0.7	0.03	0.6	0.7
1986	37	0.8	0.13	0.5	1.1	24	0.6	0.11	0.4	0.8
1987	31	0.6	0.12	0.4	0.9	22	0.5	0.11	0.3	0.8
1988	24	0.5	0.10	0.3	0.7	14	0.3	0.09	0.2	0.5
1989	16	0.3	0.08	0.2	0.5	13	0.3	0.08	0.2	0.5
1990	23	0.5	0.11	0.3	0.8	18	0.5	0.11	0.3	0.7
1991	24	0.5	0.10	0.3	0.7	19	0.4	0.10	0.3	0.7
1992	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.3	0.7
1993	23	0.5	0.10	0.3	0.7	18	0.4	0.10	0.2	0.7
1994	42	0.9	0.13	0.6	1.2	31	0.7	0.13	0.5	1.0
1995	26	0.5	0.10	0.3	0.7	23	0.5	0.11	0.3	0.8
1996	43	0.8	0.13	0.6	1.1	30	0.7	0.12	0.5	1.0
1997	35	0.7	0.12	0.5	1.0	24	0.6	0.11	0.4	0.8
1998	56	1.0	0.14	0.8	1.4	36	0.8	0.13	0.6	1.1
1999	32	0.6	0.10	0.4	0.8	25	0.5	0.11	0.4	0.8
2000	43	0.8	0.12	0.6	1.1	35	0.8	0.13	0.5	1.1
2001	52	0.9	0.13	0.7	1.2	44	0.9	0.14	0.7	1.3
2002	52	0.9	0.13	0.7	1.2	43	0.9	0.14	0.7	1.2
2003	51	0.9	0.13	0.7	1.2	40	0.8	0.13	0.6	1.1
2004	46	0.8	0.12	0.6	1.1	34	0.7	0.12	0.5	1.0
2005	61	1.0	0.13	0.8	1.3	48	1.0	0.14	0.7	1.3
2006	54	0.9	0.12	0.7	1.2	42	0.8	0.13	0.6	1.1
2007	71	1.2	0.14	0.9	1.5	53	1.0	0.14	0.8	1.3
2008	65	1.0	0.13	0.8	1.3	48	0.9	0.13	0.7	1.2
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	217	1.5	0.10	1.3	1.7	10	0.4	0.15	0.2	0.8
1986	13	2.5	0.70	1.3	4.3	0				
1987	9	1.7	0.56	0.8	3.2	0				
1988	10	2.0	0.65	1.0	3.8	0				
1989	3	0.6	0.32	0.1	1.6	0				
1990	3	0.6	0.34	0.1	1.7	2	4.0	3.09	0.4	13.8
1991	4	0.7	0.36	0.2	1.9	1	2.7	2.72	0.1	11.7
1992	5	0.8	0.37	0.3	2.0	0				
1993	5	0.9	0.38	0.3	2.0	0				
1994	11	1.9	0.58	1.0	3.4	0				
1995	3	0.5	0.28	0.1	1.4	0				
1996	12	1.9	0.54	1.0	3.3	1	1.6	1.56	0.0	7.2
1997	10	1.7	0.55	0.8	3.1	1	0.5	0.51	0.0	4.1
1998	20	3.2	0.74	1.9	5.0	0				
1999	7	1.0	0.39	0.4	2.1	0				
2000	8	1.2	0.41	0.5	2.3	0				
2001	8	1.2	0.41	0.5	2.3	0				
2002	9	1.3	0.44	0.6	2.5	0				
2003	11	1.5	0.44	0.7	2.7	0				
2004	12	1.6	0.47	0.8	2.9	0				
2005	12	1.7	0.50	0.9	3.0	1	0.5	0.46	0.0	2.7
2006	9	1.2	0.41	0.6	2.4	2	0.7	0.53	0.1	3.0
2007	18	2.7	0.67	1.5	4.3	0				
2008	15	1.8	0.46	1.0	3.0	2	1.2	0.88	0.1	4.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Oropharynx

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	309	0.2	0.01	0.2	0.2	240	0.2	0.01	0.2	0.2
1986	6	0.1	0.04	0.0	0.2	5	0.1	0.04	0.0	0.2
1987	11	0.2	0.06	0.1	0.4	9	0.2	0.07	0.1	0.4
1988	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1989	9	0.1	0.05	0.1	0.3	5	0.1	0.04	0.0	0.2
1990	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1991	17	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.5
1992	13	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1993	14	0.2	0.06	0.1	0.4	11	0.2	0.05	0.1	0.3
1994	9	0.2	0.05	0.1	0.3	7	0.2	0.06	0.1	0.3
1995	6	0.1	0.04	0.0	0.2	2	0.0	0.02	0.0	0.1
1996	15	0.2	0.06	0.1	0.4	10	0.2	0.06	0.1	0.3
1997	11	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
1998	13	0.2	0.06	0.1	0.3	9	0.2	0.06	0.1	0.3
1999	10	0.2	0.05	0.1	0.3	8	0.2	0.05	0.1	0.3
2000	12	0.2	0.05	0.1	0.3	12	0.2	0.06	0.1	0.4
2001	14	0.2	0.05	0.1	0.3	9	0.2	0.05	0.1	0.3
2002	15	0.2	0.06	0.1	0.4	13	0.2	0.06	0.1	0.4
2003	20	0.3	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2004	18	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	13	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.4
2006	14	0.2	0.05	0.1	0.3	11	0.2	0.06	0.1	0.3
2007	20	0.3	0.06	0.2	0.4	15	0.3	0.07	0.1	0.4
2008	18	0.2	0.06	0.1	0.4	17	0.3	0.07	0.2	0.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	65	0.3	0.04	0.3	0.4	3	0.1	0.04	0.0	0.2
1986	1	0.2	0.17	0.0	0.9	0				
1987	2	0.2	0.17	0.0	0.9	0				
1988	2	0.3	0.20	0.0	1.0	0				
1989	4	0.5	0.27	0.1	1.4	0				
1990	7	1.0	0.37	0.4	2.0	0				
1991	3	0.5	0.27	0.1	1.3	0				
1992	3	0.4	0.23	0.1	1.2	0				
1993	3	0.4	0.25	0.1	1.2	0				
1994	2	0.3	0.20	0.0	1.0	0				
1995	4	0.5	0.23	0.1	1.2	0				
1996	5	0.6	0.29	0.2	1.5	0				
1997	2	0.2	0.17	0.0	0.9	0				
1998	4	0.5	0.25	0.1	1.2	0				
1999	2	0.2	0.16	0.0	0.8	0				
2000	0					0				
2001	3	0.4	0.23	0.1	1.1	1	0.7	0.65	0.0	3.2
2002	2	0.2	0.16	0.0	0.8	0				
2003	2	0.2	0.14	0.0	0.7	0				
2004	5	0.5	0.24	0.2	1.2	0				
2005	2	0.2	0.14	0.0	0.7	0				
2006	2	0.2	0.15	0.0	0.8	1	0.3	0.32	0.0	2.0
2007	5	0.5	0.24	0.2	1.2	0				
2008	0					1	0.3	0.27	0.0	1.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Hypopharynx

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,461	0.9	0.02	0.9	1.0	1,841	0.8	0.02	0.8	0.8
1986	96	0.9	0.09	0.7	1.1	70	0.8	0.09	0.6	1.0
1987	110	1.0	0.10	0.8	1.2	80	0.8	0.09	0.6	1.0
1988	107	1.0	0.10	0.8	1.2	81	0.9	0.10	0.7	1.1
1989	91	0.9	0.09	0.7	1.1	71	0.8	0.09	0.6	1.0
1990	107	1.0	0.10	0.8	1.2	80	0.8	0.09	0.7	1.0
1991	92	0.9	0.09	0.7	1.1	62	0.7	0.09	0.5	0.9
1992	112	1.0	0.10	0.8	1.2	93	1.0	0.10	0.8	1.2
1993	110	1.0	0.09	0.8	1.2	86	0.9	0.09	0.7	1.1
1994	97	0.9	0.09	0.7	1.0	69	0.7	0.09	0.6	0.9
1995	127	1.1	0.10	0.9	1.3	102	1.0	0.10	0.8	1.3
1996	115	1.0	0.09	0.8	1.2	94	1.0	0.10	0.8	1.2
1997	101	0.9	0.09	0.7	1.1	77	0.8	0.09	0.6	1.0
1998	111	1.0	0.09	0.8	1.1	82	0.8	0.09	0.7	1.0
1999	103	0.9	0.09	0.7	1.1	76	0.8	0.09	0.6	1.0
2000	109	0.9	0.09	0.8	1.1	80	0.8	0.09	0.6	1.0
2001	107	0.9	0.09	0.7	1.1	86	0.9	0.09	0.7	1.1
2002	98	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2003	103	0.8	0.08	0.7	1.0	82	0.8	0.09	0.6	1.0
2004	124	1.0	0.09	0.8	1.2	86	0.8	0.09	0.7	1.0
2005	104	0.8	0.08	0.7	1.0	75	0.7	0.08	0.6	0.9
2006	112	0.9	0.08	0.7	1.0	80	0.7	0.08	0.6	0.9
2007	107	0.8	0.08	0.7	1.0	73	0.6	0.08	0.5	0.8
2008	118	0.9	0.08	0.7	1.0	81	0.7	0.08	0.6	0.9
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	588	1.8	0.07	1.6	1.9	27	0.4	0.08	0.3	0.6
1986	25	2.1	0.42	1.3	3.1	1	0.7	0.67	0.0	4.0
1987	28	2.3	0.45	1.5	3.4	2	2.0	1.42	0.2	6.5
1988	25	2.0	0.41	1.3	3.0	1	1.1	1.09	0.0	5.0
1989	19	1.6	0.36	0.9	2.4	1	0.5	0.51	0.0	3.2
1990	26	2.2	0.43	1.4	3.2	0				
1991	29	2.3	0.43	1.5	3.3	1	0.5	0.45	0.0	2.8
1992	18	1.4	0.33	0.8	2.2	1	0.5	0.45	0.0	2.7
1993	24	1.9	0.39	1.2	2.8	0				
1994	26	1.9	0.38	1.2	2.8	2	0.8	0.56	0.1	3.0
1995	25	1.8	0.37	1.2	2.7	0				
1996	21	1.5	0.32	0.9	2.3	0				
1997	24	1.7	0.34	1.1	2.5	0				
1998	25	1.7	0.35	1.1	2.6	3	1.1	0.65	0.2	3.2
1999	25	1.7	0.33	1.1	2.4	2	0.4	0.31	0.1	1.9
2000	26	1.8	0.35	1.1	2.6	3	1.1	0.65	0.2	3.1
2001	21	1.5	0.32	0.9	2.2	0				
2002	22	1.5	0.32	0.9	2.3	0				
2003	20	1.2	0.27	0.7	1.9	1	0.4	0.42	0.0	1.9
2004	36	2.2	0.36	1.5	3.0	2	0.6	0.43	0.1	2.0
2005	27	1.6	0.32	1.1	2.4	2	0.4	0.28	0.1	1.5
2006	30	1.7	0.32	1.2	2.5	1	0.2	0.20	0.0	1.2
2007	30	1.8	0.33	1.2	2.5	3	0.5	0.28	0.1	1.5
2008	36	2.1	0.36	1.5	2.9	1	0.2	0.18	0.0	1.0

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Hypopharynx

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,959	1.6	0.04	1.6	1.7	1,445	1.4	0.04	1.3	1.5
1986	80	1.7	0.20	1.4	2.2	60	1.5	0.20	1.1	1.9
1987	88	1.9	0.21	1.5	2.3	65	1.5	0.20	1.2	2.0
1988	81	1.7	0.20	1.4	2.2	60	1.5	0.19	1.1	1.9
1989	69	1.5	0.18	1.2	1.9	52	1.3	0.18	0.9	1.7
1990	78	1.6	0.19	1.3	2.1	57	1.4	0.18	1.0	1.8
1991	75	1.6	0.19	1.3	2.1	51	1.3	0.19	1.0	1.7
1992	95	1.9	0.20	1.5	2.3	77	1.8	0.20	1.4	2.2
1993	90	1.8	0.19	1.5	2.2	73	1.7	0.20	1.3	2.1
1994	74	1.4	0.17	1.1	1.8	50	1.2	0.16	0.9	1.5
1995	97	1.9	0.19	1.5	2.3	76	1.7	0.20	1.4	2.2
1996	95	1.8	0.19	1.5	2.3	77	1.7	0.20	1.4	2.2
1997	78	1.5	0.18	1.2	1.9	57	1.3	0.18	1.0	1.7
1998	92	1.8	0.19	1.4	2.2	67	1.5	0.19	1.2	1.9
1999	80	1.5	0.17	1.2	1.9	58	1.3	0.17	1.0	1.7
2000	89	1.7	0.18	1.4	2.1	66	1.5	0.18	1.1	1.9
2001	87	1.6	0.17	1.3	2.0	70	1.5	0.18	1.2	1.9
2002	78	1.4	0.16	1.1	1.8	58	1.2	0.16	0.9	1.6
2003	85	1.5	0.17	1.2	1.9	65	1.4	0.18	1.1	1.8
2004	107	1.9	0.18	1.5	2.3	73	1.5	0.18	1.2	1.9
2005	79	1.4	0.16	1.1	1.7	55	1.1	0.16	0.9	1.5
2006	87	1.5	0.16	1.2	1.8	61	1.2	0.16	0.9	1.6
2007	84	1.4	0.15	1.1	1.7	54	1.0	0.14	0.8	1.4
2008	91	1.4	0.15	1.2	1.8	63	1.2	0.15	0.9	1.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	486	3.5	0.16	3.2	3.8	24	0.8	0.19	0.5	1.3
1986	19	3.8	0.89	2.2	5.9	1	1.6	1.58	0.0	9.5
1987	21	4.3	0.98	2.6	6.6	2	4.7	3.38	0.5	15.5
1988	20	3.7	0.84	2.3	5.8	1	2.7	2.65	0.1	12.0
1989	17	3.2	0.79	1.9	5.2	0				
1990	20	3.8	0.86	2.3	5.9	0				
1991	23	4.2	0.88	2.6	6.3	1	0.9	0.92	0.0	6.4
1992	17	3.1	0.75	1.8	4.9	1	1.1	1.05	0.0	6.4
1993	17	3.2	0.79	1.8	5.1	0				
1994	22	3.7	0.79	2.3	5.6	2	1.8	1.26	0.2	6.9
1995	21	3.6	0.79	2.2	5.5	0				
1996	18	3.0	0.71	1.7	4.7	0				
1997	21	3.4	0.75	2.1	5.2	0				
1998	22	3.6	0.80	2.2	5.5	2	1.5	1.11	0.2	5.8
1999	20	3.2	0.73	1.9	5.0	2	0.9	0.65	0.1	4.3
2000	21	3.6	0.84	2.1	5.6	2	1.6	1.25	0.2	5.9
2001	17	3.0	0.75	1.7	4.8	0				
2002	19	3.1	0.73	1.8	4.9	0				
2003	19	2.6	0.61	1.6	4.2	1	1.1	1.11	0.0	4.9
2004	32	4.6	0.82	3.1	6.5	2	1.4	1.09	0.1	4.9
2005	22	3.1	0.65	1.9	4.6	2	0.8	0.58	0.1	3.2
2006	25	3.3	0.67	2.1	4.9	1	0.4	0.42	0.0	2.6
2007	26	3.7	0.75	2.4	5.5	3	1.0	0.59	0.2	3.3
2008	27	3.7	0.76	2.4	5.5	1	0.4	0.38	0.0	2.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Hypopharynx

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	502	0.3	0.02	0.3	0.4	396	0.3	0.02	0.3	0.3
1986	16	0.3	0.06	0.1	0.4	10	0.2	0.05	0.1	0.3
1987	22	0.4	0.08	0.2	0.5	15	0.3	0.07	0.2	0.5
1988	26	0.5	0.09	0.3	0.7	21	0.4	0.09	0.3	0.6
1989	22	0.4	0.08	0.2	0.5	19	0.3	0.08	0.2	0.5
1990	29	0.5	0.09	0.3	0.7	23	0.4	0.08	0.3	0.6
1991	17	0.3	0.07	0.2	0.5	11	0.2	0.07	0.1	0.4
1992	17	0.3	0.07	0.2	0.4	16	0.3	0.08	0.2	0.5
1993	20	0.3	0.07	0.2	0.5	13	0.2	0.06	0.1	0.4
1994	23	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1995	30	0.5	0.09	0.3	0.7	26	0.5	0.09	0.3	0.7
1996	20	0.3	0.07	0.2	0.5	17	0.3	0.08	0.2	0.5
1997	23	0.4	0.08	0.2	0.5	20	0.4	0.08	0.2	0.6
1998	19	0.3	0.07	0.2	0.5	15	0.3	0.07	0.2	0.4
1999	23	0.4	0.07	0.2	0.5	18	0.3	0.08	0.2	0.5
2000	20	0.3	0.07	0.2	0.5	14	0.3	0.07	0.1	0.4
2001	20	0.3	0.07	0.2	0.5	16	0.3	0.07	0.2	0.5
2002	20	0.3	0.07	0.2	0.5	17	0.3	0.07	0.2	0.5
2003	18	0.3	0.06	0.2	0.4	17	0.3	0.07	0.2	0.5
2004	17	0.3	0.06	0.2	0.4	13	0.2	0.06	0.1	0.4
2005	25	0.4	0.07	0.2	0.5	20	0.4	0.08	0.2	0.6
2006	25	0.4	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
2007	23	0.3	0.07	0.2	0.5	19	0.3	0.07	0.2	0.5
2008	27	0.4	0.07	0.2	0.5	18	0.3	0.07	0.2	0.5
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	102	0.5	0.05	0.4	0.7	3	0.1	0.05	0.0	0.3
1986	6	0.8	0.33	0.3	1.8	0				
1987	7	0.9	0.36	0.4	1.9	0				
1988	5	0.7	0.33	0.2	1.7	0				
1989	2	0.3	0.20	0.0	1.0	1	1.0	0.97	0.0	5.9
1990	6	0.9	0.38	0.3	2.0	0				
1991	6	0.8	0.32	0.3	1.7	0				
1992	1	0.1	0.13	0.0	0.7	0				
1993	7	1.0	0.36	0.4	2.0	0				
1994	4	0.6	0.29	0.2	1.4	0				
1995	4	0.5	0.26	0.1	1.3	0				
1996	3	0.4	0.20	0.1	1.0	0				
1997	3	0.3	0.20	0.1	1.0	0				
1998	3	0.4	0.23	0.1	1.1	1	0.7	0.73	0.0	3.7
1999	5	0.6	0.25	0.2	1.3	0				
2000	5	0.6	0.26	0.2	1.3	1	0.7	0.68	0.0	3.4
2001	4	0.4	0.22	0.1	1.1	0				
2002	3	0.4	0.20	0.1	1.0	0				
2003	1	0.1	0.10	0.0	0.6	0				
2004	4	0.4	0.21	0.1	1.1	0				
2005	5	0.6	0.25	0.2	1.3	0				
2006	5	0.5	0.24	0.2	1.2	0				
2007	4	0.4	0.18	0.1	1.0	0				
2008	9	0.9	0.31	0.4	1.8	0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010