

Invasive Cancer Incidence by Race, Illinois 1986-2008

Urinary System

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	95,771	35.5	0.12	35.3	35.8	86,064	36.9	0.13	36.7	37.2
1986	3,163	29.8	0.54	28.8	30.9	2,908	30.9	0.58	29.8	32.1
1987	3,297	31.1	0.55	30.0	32.2	3,026	32.3	0.59	31.1	33.4
1988	3,267	30.5	0.54	29.5	31.6	3,017	32.0	0.59	30.8	33.2
1989	3,354	31.1	0.54	30.1	32.2	3,075	32.4	0.59	31.2	33.5
1990	3,335	30.7	0.54	29.6	31.7	3,086	32.3	0.59	31.1	33.4
1991	3,409	31.0	0.53	29.9	32.0	3,151	32.6	0.59	31.4	33.7
1992	3,550	31.7	0.54	30.7	32.8	3,261	33.3	0.59	32.1	34.4
1993	3,675	32.4	0.54	31.4	33.5	3,335	33.7	0.59	32.5	34.8
1994	3,810	33.4	0.54	32.4	34.5	3,464	34.8	0.59	33.7	36.0
1995	3,818	33.2	0.54	32.2	34.3	3,480	34.8	0.59	33.6	36.0
1996	4,070	35.2	0.55	34.2	36.3	3,677	36.7	0.61	35.5	37.9
1997	4,191	35.9	0.56	34.9	37.1	3,771	37.3	0.61	36.2	38.6
1998	4,153	35.3	0.55	34.2	36.4	3,734	36.7	0.60	35.5	37.9
1999	4,271	35.9	0.55	34.9	37.0	3,841	37.5	0.61	36.3	38.7
2000	4,487	37.5	0.56	36.4	38.6	4,003	38.9	0.62	37.7	40.1
2001	4,501	37.3	0.56	36.2	38.4	4,022	38.9	0.61	37.7	40.1
2002	4,829	39.6	0.57	38.5	40.7	4,308	41.3	0.63	40.1	42.5
2003	4,955	40.2	0.57	39.1	41.3	4,412	41.9	0.63	40.7	43.2
2004	4,995	40.1	0.57	39.0	41.2	4,465	42.1	0.63	40.9	43.3
2005	5,116	40.7	0.57	39.5	41.8	4,496	42.1	0.63	40.9	43.4
2006	5,093	40.1	0.57	39.0	41.3	4,471	41.6	0.63	40.4	42.8
2007	5,173	40.2	0.56	39.1	41.3	4,491	41.2	0.62	40.0	42.5
2008	5,259	40.2	0.56	39.1	41.3	4,570	41.3	0.62	40.1	42.6
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	7,991	26.3	0.30	25.7	26.9	966	15.0	0.52	14.0	16.1
1986	231	21.6	1.48	18.8	24.7	17	12.8	3.71	6.6	21.9
1987	245	22.1	1.46	19.4	25.2	18	11.2	2.84	6.4	18.2
1988	221	19.8	1.38	17.2	22.7	18	10.7	2.96	5.7	17.9
1989	257	23.0	1.49	20.2	26.1	12	7.8	2.61	3.6	14.4
1990	221	18.9	1.31	16.4	21.6	20	12.9	3.10	7.5	20.3
1991	219	19.1	1.33	16.6	21.9	22	10.8	2.45	6.5	16.7
1992	252	21.5	1.40	18.9	24.4	32	18.5	3.82	11.8	27.3
1993	298	23.1	1.38	20.5	25.9	31	12.9	2.43	8.6	18.6
1994	297	23.6	1.41	21.0	26.6	35	17.5	3.30	11.7	25.0
1995	289	22.4	1.35	19.8	25.2	30	11.2	2.18	7.4	16.3
1996	331	25.5	1.44	22.7	28.4	44	18.0	3.04	12.5	24.8
1997	336	25.4	1.42	22.7	28.3	48	17.4	2.72	12.4	23.4
1998	335	24.7	1.38	22.1	27.5	34	13.3	2.54	8.8	19.0
1999	353	26.4	1.44	23.7	29.4	35	11.0	2.00	7.4	15.6
2000	401	28.8	1.47	26.0	31.8	43	12.4	2.00	8.8	16.9
2001	397	28.3	1.45	25.5	31.2	51	14.5	2.18	10.5	19.3
2002	428	30.4	1.50	27.5	33.5	43	11.3	1.84	8.0	15.4
2003	433	29.0	1.42	26.3	31.9	50	14.1	2.14	10.2	18.8
2004	416	27.8	1.39	25.1	30.7	61	17.1	2.33	12.8	22.2
2005	452	29.9	1.44	27.2	32.9	84	20.2	2.36	15.8	25.3
2006	481	31.3	1.46	28.5	34.3	84	19.1	2.21	15.0	23.9
2007	534	34.3	1.51	31.4	37.4	76	16.7	2.02	13.0	21.1
2008	564	35.2	1.51	32.3	38.3	78	16.1	1.94	12.6	20.3

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Urinary System

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	65,113	58.3	0.23	57.8	58.7	59,191	60.8	0.25	60.3	61.3
1986	2,209	51.4	1.14	49.2	53.7	2,053	53.7	1.24	51.3	56.2
1987	2,303	53.1	1.15	50.9	55.4	2,135	55.5	1.25	53.1	58.0
1988	2,179	50.4	1.12	48.2	52.7	2,029	53.0	1.22	50.7	55.5
1989	2,283	51.9	1.13	49.8	54.2	2,123	54.6	1.22	52.2	57.0
1990	2,297	52.1	1.12	49.9	54.3	2,155	55.2	1.23	52.9	57.7
1991	2,350	52.0	1.11	49.9	54.2	2,195	55.1	1.21	52.7	57.5
1992	2,412	52.8	1.11	50.7	55.0	2,232	55.4	1.20	53.0	57.8
1993	2,507	53.8	1.10	51.7	56.0	2,307	56.5	1.20	54.2	58.9
1994	2,549	54.5	1.11	52.4	56.7	2,344	57.1	1.20	54.8	59.6
1995	2,584	54.7	1.10	52.6	56.9	2,380	57.6	1.20	55.3	60.0
1996	2,756	57.5	1.12	55.4	59.8	2,527	60.5	1.22	58.1	62.9
1997	2,810	57.9	1.11	55.7	60.1	2,560	60.5	1.21	58.2	63.0
1998	2,813	57.5	1.10	55.4	59.7	2,564	60.3	1.20	58.0	62.7
1999	2,872	58.2	1.10	56.1	60.4	2,606	60.8	1.20	58.5	63.2
2000	3,024	60.4	1.11	58.2	62.6	2,733	63.1	1.22	60.7	65.5
2001	3,057	60.2	1.10	58.0	62.4	2,770	63.1	1.21	60.8	65.5
2002	3,332	65.4	1.15	63.1	67.7	3,016	68.5	1.26	66.0	71.0
2003	3,380	65.3	1.14	63.1	67.6	3,019	67.8	1.25	65.4	70.3
2004	3,409	64.9	1.13	62.7	67.2	3,072	68.0	1.24	65.6	70.5
2005	3,474	65.0	1.12	62.9	67.3	3,089	67.5	1.23	65.1	69.9
2006	3,419	63.4	1.10	61.3	65.6	3,034	65.7	1.21	63.4	68.1
2007	3,495	63.8	1.10	61.7	66.0	3,070	65.6	1.20	63.3	68.0
2008	3,599	64.3	1.09	62.2	66.5	3,178	66.6	1.20	64.3	69.0
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,714	38.5	0.60	37.3	39.6	663	23.3	1.03	21.4	25.4
1986	143	33.9	3.07	28.1	40.3	10	17.1	6.18	7.2	33.2
1987	150	33.8	2.97	28.3	40.1	14	19.8	5.85	10.0	34.7
1988	129	28.6	2.69	23.5	34.3	14	20.0	6.65	9.2	36.7
1989	143	31.3	2.79	26.1	37.2	10	16.0	6.03	6.5	31.4
1990	122	25.6	2.50	20.9	30.9	13	21.7	6.51	10.9	37.7
1991	128	27.4	2.57	22.6	32.8	13	14.3	4.26	7.2	25.3
1992	153	33.2	2.88	27.7	39.2	23	35.0	8.79	19.9	55.3
1993	173	32.6	2.64	27.7	38.2	19	16.3	4.01	9.4	26.3
1994	165	32.8	2.74	27.7	38.6	27	29.7	6.66	18.1	45.2
1995	167	31.8	2.60	27.0	37.3	22	17.3	4.01	10.3	27.1
1996	188	34.6	2.67	29.6	40.2	29	29.0	6.39	17.9	43.7
1997	196	36.5	2.78	31.2	42.3	31	25.5	5.02	16.6	37.1
1998	195	35.0	2.65	30.0	40.5	22	18.7	4.64	10.7	29.7
1999	212	38.8	2.84	33.4	44.7	23	14.8	3.37	9.0	23.0
2000	232	41.5	2.90	36.1	47.6	34	22.2	4.15	14.8	31.8
2001	225	39.6	2.81	34.3	45.5	38	22.7	4.03	15.5	31.9
2002	255	46.2	3.09	40.3	52.6	26	16.4	3.65	10.1	25.0
2003	279	46.1	2.92	40.6	52.2	35	22.6	4.29	15.0	32.3
2004	255	42.7	2.85	37.3	48.7	42	27.8	4.74	19.3	38.4
2005	270	45.1	2.94	39.5	51.2	56	32.3	4.81	23.5	42.9
2006	282	46.9	2.97	41.2	53.0	60	31.3	4.45	23.2	41.1
2007	322	51.9	3.06	46.1	58.2	47	21.4	3.39	15.2	29.0
2008	330	50.6	2.92	45.0	56.6	55	24.8	3.73	18.1	33.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Urinary System

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	30,658	19.8	0.11	19.6	20.0	26,873	20.1	0.12	19.9	20.4
1986	954	15.4	0.50	14.4	16.4	855	15.6	0.54	14.5	16.7
1987	994	16.1	0.52	15.1	17.2	891	16.3	0.56	15.2	17.4
1988	1,088	17.7	0.54	16.6	18.8	988	18.3	0.60	17.2	19.5
1989	1,071	17.2	0.53	16.2	18.3	952	17.4	0.58	16.3	18.6
1990	1,038	16.5	0.52	15.5	17.5	931	17.0	0.57	15.9	18.1
1991	1,059	16.5	0.51	15.5	17.5	956	16.9	0.56	15.9	18.1
1992	1,138	17.5	0.53	16.5	18.6	1,029	18.2	0.58	17.1	19.4
1993	1,168	17.8	0.53	16.8	18.9	1,028	17.9	0.57	16.8	19.1
1994	1,261	18.9	0.54	17.9	20.0	1,120	19.3	0.59	18.2	20.5
1995	1,234	18.5	0.53	17.4	19.5	1,100	19.0	0.58	17.9	20.2
1996	1,314	19.7	0.55	18.6	20.8	1,150	19.9	0.60	18.8	21.2
1997	1,381	20.5	0.56	19.4	21.6	1,211	20.8	0.61	19.6	22.0
1998	1,340	19.8	0.55	18.8	20.9	1,170	20.2	0.60	19.0	21.4
1999	1,399	20.4	0.55	19.4	21.5	1,235	21.1	0.61	20.0	22.4
2000	1,463	21.3	0.56	20.2	22.4	1,270	21.7	0.62	20.5	22.9
2001	1,444	20.9	0.55	19.8	22.0	1,252	21.3	0.61	20.1	22.5
2002	1,497	21.4	0.56	20.3	22.5	1,292	21.7	0.61	20.5	22.9
2003	1,575	22.5	0.57	21.4	23.7	1,393	23.5	0.64	22.3	24.8
2004	1,586	22.4	0.57	21.3	23.6	1,393	23.3	0.63	22.1	24.6
2005	1,642	23.0	0.57	21.9	24.2	1,407	23.4	0.63	22.2	24.7
2006	1,674	23.3	0.58	22.2	24.4	1,437	23.7	0.64	22.5	25.0
2007	1,678	23.1	0.57	22.0	24.3	1,421	23.4	0.63	22.1	24.6
2008	1,660	22.5	0.56	21.4	23.7	1,392	22.6	0.62	21.4	23.8

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,277	18.2	0.32	17.6	18.9	303	8.6	0.52	7.6	9.7
1986	88	13.7	1.50	10.9	16.9	7	9.6	4.51	2.9	21.8
1987	95	14.5	1.52	11.7	17.8	4	4.4	2.24	1.1	11.6
1988	92	14.0	1.50	11.2	17.2	4	3.3	1.67	0.8	9.2
1989	114	17.4	1.66	14.3	20.9	2	1.7	1.18	0.2	6.8
1990	99	14.4	1.47	11.6	17.5	7	6.7	2.72	2.5	14.4
1991	91	13.6	1.45	10.9	16.7	9	8.1	2.86	3.5	15.8
1992	99	14.2	1.45	11.5	17.3	9	7.1	2.42	3.2	13.8
1993	125	16.6	1.51	13.8	19.9	12	9.8	2.93	5.0	17.4
1994	132	17.6	1.56	14.7	20.9	8	8.3	3.11	3.3	16.3
1995	122	15.9	1.46	13.2	19.0	8	6.1	2.27	2.5	12.2
1996	143	18.8	1.59	15.8	22.1	15	10.4	2.94	5.5	17.7
1997	140	17.9	1.53	15.0	21.1	17	11.1	2.89	6.2	18.2
1998	140	17.6	1.50	14.8	20.8	12	9.0	2.82	4.3	16.0
1999	141	18.1	1.54	15.2	21.4	12	7.7	2.34	3.8	13.6
2000	169	20.5	1.59	17.5	23.8	9	4.6	1.59	2.0	8.9
2001	172	20.7	1.59	17.7	24.1	13	7.5	2.19	3.8	12.9
2002	173	20.5	1.57	17.5	23.8	17	7.6	1.91	4.3	12.3
2003	154	17.6	1.43	14.9	20.6	15	7.6	2.06	4.2	12.7
2004	161	18.2	1.45	15.5	21.3	19	9.2	2.20	5.4	14.4
2005	182	20.3	1.52	17.4	23.5	28	11.4	2.24	7.4	16.6
2006	199	21.7	1.55	18.8	25.0	24	9.6	2.04	6.1	14.5
2007	212	23.0	1.60	20.0	26.4	29	12.5	2.39	8.3	18.0
2008	234	24.9	1.64	21.8	28.3	23	9.4	2.02	5.8	14.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Urinary Bladder (includes in situ)

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	58,271	21.6	0.09	21.5	21.8	53,714	22.9	0.10	22.7	23.1
1986	2,127	20.1	0.44	19.3	21.0	1,989	21.1	0.48	20.2	22.1
1987	2,201	20.7	0.45	19.8	21.6	2,050	21.8	0.49	20.8	22.7
1988	2,121	19.8	0.43	18.9	20.7	1,987	20.9	0.47	20.0	21.9
1989	2,162	20.0	0.43	19.2	20.9	2,021	21.1	0.47	20.2	22.1
1990	2,196	20.1	0.43	19.3	21.0	2,071	21.5	0.48	20.6	22.5
1991	2,161	19.6	0.43	18.8	20.5	2,029	20.9	0.47	20.0	21.8
1992	2,250	20.1	0.43	19.3	20.9	2,101	21.3	0.47	20.4	22.2
1993	2,383	21.0	0.43	20.2	21.9	2,227	22.4	0.48	21.5	23.3
1994	2,415	21.2	0.43	20.3	22.0	2,246	22.4	0.47	21.5	23.4
1995	2,350	20.4	0.42	19.6	21.3	2,177	21.6	0.47	20.7	22.6
1996	2,600	22.5	0.44	21.6	23.4	2,402	23.8	0.49	22.9	24.8
1997	2,583	22.1	0.44	21.3	23.0	2,379	23.4	0.48	22.5	24.4
1998	2,567	21.8	0.43	20.9	22.6	2,355	23.0	0.48	22.1	24.0
1999	2,653	22.3	0.43	21.5	23.2	2,442	23.7	0.48	22.8	24.7
2000	2,758	23.0	0.44	22.2	23.9	2,536	24.5	0.49	23.6	25.5
2001	2,681	22.3	0.43	21.4	23.1	2,473	23.8	0.48	22.9	24.8
2002	2,869	23.6	0.44	22.7	24.5	2,639	25.2	0.49	24.2	26.2
2003	2,904	23.6	0.44	22.8	24.5	2,678	25.4	0.49	24.4	26.4
2004	2,856	23.0	0.43	22.2	23.9	2,611	24.6	0.48	23.7	25.6
2005	2,961	23.6	0.44	22.8	24.5	2,675	25.0	0.49	24.0	26.0
2006	2,761	21.9	0.42	21.1	22.7	2,501	23.2	0.47	22.3	24.2
2007	2,828	22.1	0.42	21.3	22.9	2,538	23.3	0.47	22.4	24.2
2008	2,884	22.2	0.42	21.4	23.0	2,587	23.4	0.46	22.5	24.3
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	3,470	12.2	0.21	11.8	12.6	495	8.3	0.40	7.5	9.1
1986	125	12.6	1.17	10.4	15.1	7	6.8	3.04	2.2	14.7
1987	135	12.8	1.14	10.7	15.2	10	7.2	2.45	3.3	13.6
1988	115	10.9	1.06	9.0	13.2	11	7.7	2.72	3.3	14.6
1989	125	12.1	1.11	10.0	14.4	8	5.8	2.39	2.1	12.0
1990	107	9.6	0.96	7.8	11.7	13	9.1	2.67	4.7	15.7
1991	109	10.1	0.99	8.2	12.2	12	6.4	1.98	3.2	11.5
1992	126	11.3	1.04	9.4	13.5	18	11.7	3.29	6.2	19.5
1993	138	11.5	1.00	9.6	13.6	10	4.3	1.50	1.9	8.3
1994	140	11.8	1.03	9.9	14.0	17	8.7	2.30	4.8	14.2
1995	136	11.1	0.97	9.2	13.1	21	7.7	1.81	4.6	12.1
1996	155	12.8	1.05	10.8	15.0	30	11.5	2.29	7.4	16.8
1997	151	12.4	1.04	10.5	14.6	25	10.0	2.19	6.2	15.1
1998	153	11.9	0.98	10.0	13.9	19	8.4	2.17	4.7	13.5
1999	161	12.9	1.04	11.0	15.1	15	4.5	1.24	2.4	7.6
2000	174	13.1	1.01	11.2	15.3	19	5.9	1.43	3.4	9.3
2001	160	12.2	0.99	10.4	14.3	24	7.7	1.68	4.8	11.6
2002	176	13.5	1.03	11.5	15.6	20	6.0	1.44	3.6	9.5
2003	154	11.0	0.91	9.3	12.9	28	8.7	1.77	5.6	12.8
2004	159	11.2	0.91	9.5	13.2	36	10.1	1.80	6.9	14.2
2005	176	12.4	0.95	10.6	14.4	40	10.1	1.72	7.0	14.0
2006	174	12.4	0.96	10.6	14.4	39	9.2	1.58	6.4	12.8
2007	192	13.0	0.96	11.2	15.1	39	9.1	1.54	6.4	12.6
2008	229	15.2	1.03	13.3	17.4	34	8.0	1.44	5.4	11.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Urinary Bladder (includes in situ)

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	42,547	38.9	0.19	38.5	39.3	39,648	41.4	0.21	41.0	41.8
1986	1,557	37.1	0.98	35.2	39.1	1,470	39.1	1.07	37.1	41.3
1987	1,628	38.0	0.98	36.1	39.9	1,535	40.2	1.06	38.2	42.4
1988	1,507	35.6	0.96	33.7	37.5	1,423	37.8	1.04	35.7	39.9
1989	1,566	36.2	0.95	34.4	38.1	1,477	38.5	1.04	36.5	40.5
1990	1,628	37.4	0.96	35.5	39.3	1,558	40.3	1.05	38.2	42.4
1991	1,583	35.7	0.93	33.9	37.5	1,503	38.2	1.02	36.3	40.3
1992	1,641	36.6	0.93	34.8	38.4	1,547	38.9	1.02	36.9	40.9
1993	1,741	38.0	0.94	36.2	39.8	1,644	40.7	1.03	38.7	42.8
1994	1,706	37.1	0.92	35.3	38.9	1,602	39.5	1.01	37.5	41.5
1995	1,720	37.1	0.92	35.3	38.9	1,613	39.6	1.01	37.7	41.6
1996	1,877	39.9	0.94	38.1	41.8	1,765	42.8	1.04	40.8	44.9
1997	1,873	39.3	0.92	37.5	41.2	1,743	41.7	1.01	39.7	43.7
1998	1,878	39.0	0.91	37.2	40.8	1,737	41.3	1.00	39.4	43.3
1999	1,923	39.6	0.92	37.8	41.5	1,788	42.2	1.01	40.2	44.2
2000	1,996	40.7	0.92	38.9	42.6	1,855	43.4	1.02	41.5	45.5
2001	1,968	39.7	0.91	38.0	41.5	1,838	42.6	1.00	40.7	44.6
2002	2,131	43.0	0.94	41.1	44.8	1,995	46.2	1.04	44.2	48.3
2003	2,101	41.7	0.92	39.9	43.5	1,940	44.4	1.02	42.5	46.5
2004	2,132	41.8	0.92	40.0	43.6	1,963	44.4	1.01	42.5	46.5
2005	2,166	41.6	0.91	39.9	43.4	1,983	44.2	1.00	42.3	46.2
2006	2,001	38.4	0.87	36.7	40.1	1,827	40.6	0.96	38.7	42.5
2007	2,090	39.4	0.88	37.7	41.2	1,897	41.6	0.97	39.7	43.6
2008	2,134	39.6	0.87	37.9	41.4	1,945	42.0	0.97	40.2	44.0
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,092	18.7	0.43	17.8	19.5	365	14.1	0.84	12.5	15.8
1986	79	20.9	2.54	16.3	26.4	6	10.7	5.01	3.2	24.6
1987	81	19.5	2.33	15.2	24.5	8	13.4	5.22	5.2	27.4
1988	69	16.4	2.10	12.5	20.9	10	16.3	6.37	6.3	32.6
1989	77	18.1	2.20	14.1	22.9	7	12.3	5.60	3.9	27.1
1990	56	12.8	1.85	9.4	16.8	9	15.9	5.65	6.8	30.3
1991	62	14.3	1.92	10.8	18.5	8	9.0	3.48	3.5	18.7
1992	74	17.2	2.15	13.2	21.8	16	25.8	7.94	12.6	44.7
1993	86	17.6	2.00	13.9	21.9	4	3.8	2.18	0.8	10.7
1994	81	17.5	2.08	13.7	22.0	12	12.8	4.13	6.0	23.3
1995	78	15.9	1.89	12.4	20.0	16	12.6	3.48	6.7	21.5
1996	82	16.1	1.88	12.7	20.2	20	17.2	4.24	9.9	27.5
1997	93	19.8	2.19	15.7	24.4	19	17.1	4.28	9.8	27.4
1998	101	18.9	1.99	15.3	23.2	14	13.3	4.15	6.4	23.4
1999	95	19.9	2.18	15.8	24.5	12	7.2	2.28	3.5	13.3
2000	107	20.7	2.13	16.7	25.2	17	12.0	3.19	6.6	19.8
2001	91	17.8	1.99	14.2	22.1	19	12.5	3.13	7.2	20.1
2002	97	19.8	2.13	15.9	24.4	16	12.2	3.39	6.5	20.3
2003	104	18.8	1.96	15.1	23.0	20	15.1	3.73	8.7	23.8
2004	104	18.7	1.97	15.1	22.9	27	18.9	3.96	11.9	27.9
2005	106	19.5	2.02	15.7	23.8	28	16.9	3.61	10.6	25.2
2006	109	21.0	2.14	17.1	25.6	31	17.7	3.51	11.5	25.8
2007	121	21.1	2.05	17.3	25.4	25	12.8	2.77	7.9	19.3
2008	139	23.2	2.07	19.3	27.6	21	11.8	2.87	6.9	18.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Urinary Bladder (includes in situ)

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	15,724	10.0	0.08	9.8	10.1	14,066	10.3	0.09	10.1	10.5
1986	570	9.1	0.39	8.4	9.9	519	9.4	0.42	8.6	10.2
1987	573	9.2	0.39	8.4	10.0	515	9.3	0.42	8.5	10.2
1988	614	9.8	0.40	9.0	10.6	564	10.2	0.44	9.3	11.1
1989	596	9.4	0.39	8.7	10.2	544	9.7	0.42	8.9	10.6
1990	568	8.9	0.38	8.2	9.7	513	9.1	0.41	8.3	10.0
1991	578	8.9	0.37	8.2	9.6	526	9.1	0.41	8.4	10.0
1992	609	9.2	0.38	8.5	10.0	554	9.5	0.41	8.8	10.4
1993	642	9.6	0.38	8.9	10.4	583	10.0	0.42	9.2	10.8
1994	709	10.5	0.40	9.7	11.3	644	10.8	0.43	10.0	11.7
1995	630	9.3	0.37	8.5	10.0	564	9.5	0.41	8.7	10.3
1996	723	10.6	0.40	9.8	11.4	637	10.7	0.43	9.9	11.6
1997	710	10.3	0.39	9.6	11.1	636	10.7	0.43	9.9	11.6
1998	689	10.0	0.38	9.3	10.8	618	10.5	0.43	9.7	11.3
1999	730	10.5	0.39	9.7	11.3	654	10.9	0.43	10.1	11.8
2000	762	10.9	0.40	10.2	11.7	681	11.4	0.44	10.5	12.3
2001	713	10.1	0.38	9.4	10.9	635	10.5	0.42	9.7	11.4
2002	738	10.3	0.38	9.5	11.1	644	10.5	0.42	9.6	11.3
2003	803	11.3	0.40	10.5	12.1	738	12.2	0.45	11.3	13.1
2004	724	10.0	0.38	9.3	10.8	648	10.5	0.42	9.7	11.4
2005	795	10.9	0.39	10.2	11.7	692	11.2	0.43	10.3	12.1
2006	760	10.4	0.38	9.7	11.2	674	10.9	0.43	10.1	11.8
2007	738	9.9	0.37	9.2	10.7	641	10.2	0.41	9.4	11.0
2008	750	10.0	0.37	9.3	10.7	642	10.1	0.41	9.3	10.9

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,378	8.1	0.22	7.6	8.5	130	3.9	0.37	3.3	4.7
1986	46	7.5	1.14	5.5	10.1	1	3.6	3.63	0.1	14.9
1987	54	8.6	1.19	6.4	11.2	2	2.6	1.82	0.3	9.2
1988	46	7.4	1.12	5.4	9.9	1	1.0	1.00	0.0	6.1
1989	48	8.0	1.17	5.8	10.6	1	0.9	0.91	0.0	5.7
1990	51	7.6	1.09	5.7	10.1	4	4.4	2.27	1.1	11.3
1991	47	7.3	1.08	5.3	9.7	4	4.3	2.23	1.1	11.0
1992	52	7.8	1.09	5.8	10.2	2	1.8	1.29	0.2	6.6
1993	52	7.4	1.04	5.5	9.7	6	4.8	2.06	1.6	10.7
1994	59	8.2	1.08	6.2	10.6	5	5.4	2.55	1.6	12.3
1995	58	7.8	1.04	5.9	10.1	5	3.7	1.73	1.1	8.7
1996	73	10.2	1.20	8.0	12.8	10	7.1	2.44	3.1	13.4
1997	58	7.9	1.04	6.0	10.1	6	4.6	2.07	1.5	10.2
1998	52	7.0	0.97	5.2	9.1	5	4.6	2.25	1.3	10.7
1999	66	8.8	1.09	6.8	11.2	3	2.1	1.24	0.4	5.9
2000	67	8.4	1.04	6.5	10.7	2	1.1	0.78	0.1	3.9
2001	69	8.7	1.06	6.8	11.0	5	3.6	1.65	1.1	8.1
2002	79	9.8	1.11	7.7	12.2	4	1.7	0.88	0.5	4.5
2003	50	6.1	0.87	4.6	8.1	8	4.3	1.58	1.8	8.4
2004	55	6.5	0.89	4.9	8.5	9	3.9	1.36	1.7	7.5
2005	70	8.1	0.98	6.3	10.3	12	5.2	1.56	2.6	9.1
2006	65	7.5	0.93	5.8	9.5	8	3.0	1.11	1.3	6.1
2007	71	8.1	0.97	6.3	10.2	14	6.2	1.70	3.3	10.4
2008	90	10.1	1.07	8.1	12.4	13	5.6	1.59	2.9	9.5

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Kidney & Renal Pelvis

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	35,100	13.0	0.07	12.9	13.2	30,192	13.1	0.08	12.9	13.2
1986	942	8.8	0.29	8.3	9.4	837	8.9	0.31	8.3	9.6
1987	1,001	9.5	0.31	8.9	10.1	890	9.6	0.33	9.0	10.3
1988	1,045	9.8	0.31	9.2	10.4	933	10.1	0.33	9.4	10.7
1989	1,087	10.2	0.31	9.6	10.8	959	10.3	0.34	9.6	10.9
1990	1,035	9.6	0.30	9.0	10.2	922	9.8	0.33	9.2	10.5
1991	1,138	10.4	0.31	9.8	11.0	1,023	10.7	0.34	10.0	11.4
1992	1,208	10.8	0.31	10.2	11.5	1,075	11.1	0.34	10.5	11.8
1993	1,198	10.6	0.31	10.0	11.2	1,024	10.5	0.33	9.8	11.1
1994	1,287	11.3	0.32	10.7	12.0	1,120	11.4	0.34	10.8	12.1
1995	1,370	11.9	0.32	11.3	12.6	1,211	12.2	0.35	11.5	12.9
1996	1,386	12.1	0.32	11.4	12.7	1,199	12.1	0.35	11.5	12.9
1997	1,508	13.0	0.33	12.3	13.6	1,300	13.0	0.36	12.3	13.8
1998	1,479	12.6	0.33	12.0	13.2	1,279	12.7	0.36	12.0	13.4
1999	1,525	12.8	0.33	12.2	13.5	1,320	13.0	0.36	12.3	13.7
2000	1,621	13.5	0.34	12.9	14.2	1,371	13.4	0.36	12.7	14.2
2001	1,724	14.2	0.34	13.6	14.9	1,461	14.2	0.37	13.5	15.0
2002	1,848	15.1	0.35	14.4	15.8	1,564	15.1	0.38	14.4	15.9
2003	1,942	15.7	0.36	15.0	16.4	1,640	15.7	0.39	14.9	16.5
2004	2,034	16.2	0.36	15.5	16.9	1,769	16.7	0.40	15.9	17.5
2005	2,042	16.1	0.36	15.5	16.9	1,718	16.2	0.39	15.4	17.0
2006	2,209	17.3	0.37	16.6	18.0	1,862	17.4	0.40	16.6	18.2
2007	2,217	17.1	0.37	16.4	17.8	1,844	17.0	0.40	16.2	17.8
2008	2,254	17.0	0.36	16.3	17.8	1,871	16.9	0.39	16.2	17.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	4,317	13.4	0.21	13.0	13.8	441	6.2	0.32	5.6	6.9
1986	96	8.1	0.87	6.5	10.0	8	4.8	1.92	1.8	10.2
1987	102	8.6	0.87	6.9	10.4	7	3.4	1.30	1.3	7.4
1988	102	8.5	0.88	6.9	10.4	7	3.0	1.17	1.2	6.7
1989	123	10.2	0.95	8.4	12.2	4	2.0	1.06	0.5	5.5
1990	104	8.3	0.83	6.7	10.1	7	3.8	1.58	1.3	8.2
1991	101	8.3	0.85	6.7	10.1	8	3.7	1.35	1.5	7.5
1992	121	9.8	0.91	8.1	11.7	12	5.9	1.84	2.9	10.7
1993	150	10.7	0.90	9.0	12.6	21	8.6	1.92	5.2	13.2
1994	149	11.2	0.94	9.4	13.1	16	7.5	2.14	3.9	12.8
1995	148	10.9	0.92	9.2	12.9	8	3.2	1.18	1.3	6.4
1996	169	12.1	0.96	10.3	14.2	13	5.8	1.85	2.7	10.4
1997	178	12.4	0.95	10.6	14.4	23	7.3	1.61	4.5	11.2
1998	179	12.6	0.96	10.8	14.6	13	4.0	1.16	2.1	7.0
1999	182	12.8	0.97	10.9	14.8	16	5.1	1.35	2.8	8.4
2000	215	14.7	1.02	12.8	16.8	24	6.5	1.40	4.1	9.9
2001	230	15.5	1.04	13.5	17.6	26	6.6	1.37	4.2	9.8
2002	245	16.5	1.08	14.5	18.7	23	5.2	1.15	3.2	8.0
2003	266	17.1	1.07	15.1	19.3	21	5.0	1.16	3.0	7.8
2004	239	15.3	1.01	13.4	17.4	23	6.6	1.46	4.0	10.0
2005	270	17.2	1.07	15.1	19.4	40	9.2	1.55	6.4	12.8
2006	294	18.0	1.07	16.0	20.3	43	9.4	1.52	6.7	12.9
2007	326	20.2	1.14	18.0	22.5	36	7.2	1.27	5.0	10.1
2008	328	19.6	1.10	17.5	21.9	42	7.9	1.27	5.6	10.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Kidney & Renal Pelvis

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	21,105	18.0	0.13	17.8	18.3	18,196	18.0	0.14	17.8	18.3
1986	590	12.9	0.55	11.8	14.0	528	13.1	0.59	12.0	14.3
1987	615	13.8	0.58	12.7	15.0	548	14.0	0.62	12.8	15.3
1988	615	13.6	0.57	12.5	14.7	549	13.9	0.61	12.7	15.1
1989	647	14.2	0.57	13.1	15.3	581	14.5	0.62	13.3	15.8
1990	608	13.4	0.56	12.3	14.5	538	13.5	0.60	12.4	14.8
1991	705	14.9	0.58	13.8	16.1	635	15.4	0.62	14.2	16.6
1992	714	15.0	0.57	13.9	16.2	634	15.2	0.62	14.0	16.5
1993	712	14.7	0.56	13.6	15.8	614	14.6	0.60	13.5	15.8
1994	781	16.1	0.59	15.0	17.3	683	16.2	0.63	15.0	17.5
1995	801	16.3	0.58	15.1	17.5	708	16.6	0.63	15.4	17.9
1996	829	16.5	0.58	15.4	17.7	714	16.5	0.62	15.3	17.8
1997	871	17.2	0.59	16.1	18.4	755	17.4	0.64	16.1	18.7
1998	869	17.1	0.59	16.0	18.3	764	17.5	0.64	16.3	18.8
1999	891	17.4	0.59	16.2	18.6	766	17.4	0.63	16.2	18.7
2000	968	18.5	0.60	17.3	19.7	823	18.4	0.65	17.1	19.7
2001	1,031	19.3	0.61	18.1	20.5	879	19.3	0.65	18.0	20.6
2002	1,129	21.0	0.63	19.7	22.2	951	20.7	0.68	19.4	22.0
2003	1,211	22.3	0.65	21.0	23.6	1,020	22.1	0.70	20.7	23.5
2004	1,218	22.0	0.64	20.8	23.3	1,059	22.4	0.70	21.1	23.8
2005	1,237	22.0	0.64	20.8	23.3	1,039	21.8	0.68	20.4	23.1
2006	1,345	23.6	0.65	22.3	24.9	1,140	23.6	0.71	22.3	25.1
2007	1,327	22.9	0.64	21.6	24.1	1,104	22.5	0.69	21.1	23.8
2008	1,391	23.3	0.64	22.1	24.6	1,164	23.1	0.69	21.7	24.4
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	2,528	18.9	0.40	18.2	19.7	283	8.8	0.58	7.7	10.0
1986	57	11.4	1.60	8.5	14.9	4	6.5	3.62	1.4	17.7
1987	62	12.8	1.73	9.6	16.6	5	4.9	2.20	1.6	12.9
1988	60	12.2	1.69	9.1	15.9	4	3.7	1.94	1.0	11.1
1989	62	12.4	1.67	9.4	16.1	3	3.7	2.24	0.7	11.5
1990	64	12.2	1.61	9.3	15.8	4	5.8	3.23	1.3	15.5
1991	62	12.4	1.68	9.3	16.1	4	4.1	2.18	1.0	11.4
1992	74	14.8	1.83	11.4	18.8	6	8.3	3.64	2.8	18.3
1993	82	13.8	1.61	10.9	17.4	15	12.5	3.36	6.8	21.3
1994	83	15.1	1.77	11.8	18.9	13	13.6	4.61	6.1	25.1
1995	86	15.4	1.75	12.1	19.2	5	4.0	1.88	1.2	9.9
1996	104	18.1	1.86	14.6	22.1	9	11.9	4.77	4.4	23.8
1997	100	16.1	1.67	13.0	19.7	12	8.4	2.62	4.0	15.3
1998	92	15.7	1.73	12.5	19.4	8	5.4	2.06	2.2	11.2
1999	113	18.1	1.78	14.8	21.9	9	6.0	2.11	2.6	11.8
2000	120	19.7	1.89	16.2	23.8	17	10.2	2.66	5.7	16.9
2001	130	20.8	1.91	17.2	24.8	18	9.7	2.51	5.4	16.0
2002	156	26.1	2.22	21.9	30.8	10	4.3	1.36	2.0	8.2
2003	167	26.1	2.11	22.1	30.6	15	7.5	2.11	4.0	12.9
2004	144	22.6	1.97	18.9	26.7	13	8.2	2.56	4.0	14.6
2005	162	25.2	2.11	21.3	29.7	26	14.3	3.08	8.9	21.5
2006	167	24.8	2.02	21.0	29.0	29	13.6	2.74	8.8	20.0
2007	193	29.3	2.20	25.2	33.9	22	8.6	1.96	5.2	13.4
2008	188	27.1	2.05	23.2	31.4	32	12.4	2.33	8.2	17.8

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Kidney & Renal Pelvis

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	13,995	9.2	0.08	9.1	9.4	11,996	9.3	0.09	9.1	9.4
1986	352	5.7	0.31	5.1	6.4	309	5.8	0.33	5.1	6.5
1987	386	6.4	0.33	5.8	7.1	342	6.4	0.35	5.7	7.1
1988	430	7.2	0.35	6.5	7.9	384	7.4	0.39	6.7	8.2
1989	440	7.3	0.35	6.6	8.0	378	7.2	0.38	6.4	7.9
1990	427	6.9	0.34	6.3	7.6	384	7.3	0.38	6.5	8.0
1991	433	6.9	0.34	6.3	7.6	388	7.1	0.37	6.4	7.9
1992	494	7.8	0.36	7.1	8.6	441	8.1	0.39	7.3	8.9
1993	486	7.5	0.35	6.9	8.3	410	7.3	0.37	6.6	8.1
1994	506	7.8	0.35	7.1	8.5	437	7.8	0.38	7.1	8.6
1995	569	8.7	0.37	8.0	9.5	503	9.0	0.40	8.2	9.8
1996	557	8.6	0.37	7.9	9.4	485	8.8	0.40	8.0	9.6
1997	637	9.6	0.38	8.9	10.4	545	9.6	0.42	8.8	10.5
1998	610	9.2	0.38	8.5	10.0	515	9.2	0.41	8.4	10.0
1999	634	9.5	0.38	8.7	10.2	554	9.8	0.42	9.0	10.7
2000	653	9.7	0.38	9.0	10.5	548	9.6	0.42	8.8	10.5
2001	693	10.2	0.39	9.5	11.0	582	10.2	0.43	9.4	11.1
2002	719	10.6	0.40	9.8	11.4	613	10.7	0.44	9.8	11.6
2003	731	10.7	0.40	9.9	11.5	620	10.8	0.44	9.9	11.7
2004	816	11.8	0.41	11.0	12.6	710	12.2	0.46	11.3	13.2
2005	805	11.5	0.41	10.7	12.4	679	11.7	0.45	10.8	12.6
2006	864	12.2	0.42	11.4	13.1	722	12.2	0.46	11.3	13.1
2007	890	12.5	0.42	11.7	13.4	740	12.5	0.47	11.6	13.5
2008	863	12.0	0.41	11.2	12.8	707	11.8	0.45	10.9	12.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,789	9.6	0.23	9.1	10.0	158	4.2	0.35	3.5	4.9
1986	39	5.7	0.95	4.0	7.9	4	3.8	2.09	0.9	11.0
1987	40	5.7	0.92	4.1	7.8	2	1.8	1.30	0.2	7.5
1988	42	6.0	0.95	4.3	8.1	3	2.3	1.34	0.4	7.7
1989	61	8.7	1.14	6.6	11.2	1	0.8	0.76	0.0	5.3
1990	40	5.5	0.88	3.9	7.5	3	2.4	1.49	0.4	7.9
1991	39	5.5	0.90	3.9	7.6	4	3.4	1.74	0.9	9.0
1992	47	6.4	0.95	4.7	8.5	6	4.5	1.89	1.6	10.2
1993	68	8.5	1.05	6.6	10.8	6	5.1	2.08	1.9	11.0
1994	66	8.5	1.06	6.5	10.8	3	2.9	1.79	0.5	8.4
1995	62	7.8	1.01	6.0	10.1	3	2.5	1.47	0.5	7.1
1996	65	8.0	1.01	6.1	10.2	4	2.1	1.06	0.6	5.7
1997	78	9.6	1.10	7.5	12.0	11	6.5	2.03	3.1	11.8
1998	87	10.5	1.14	8.4	13.0	5	2.8	1.29	0.9	6.7
1999	69	8.6	1.05	6.7	10.9	7	4.2	1.68	1.6	8.8
2000	95	11.2	1.16	9.0	13.7	7	3.6	1.38	1.4	7.4
2001	100	11.7	1.18	9.5	14.2	8	3.9	1.43	1.6	7.8
2002	89	10.2	1.09	8.2	12.5	13	5.8	1.70	3.0	10.2
2003	99	10.9	1.11	8.9	13.3	6	2.8	1.18	1.0	6.1
2004	95	10.4	1.08	8.4	12.8	10	5.3	1.73	2.5	9.7
2005	108	11.7	1.14	9.6	14.2	14	5.5	1.53	2.9	9.4
2006	127	13.5	1.21	11.2	16.1	14	5.8	1.61	3.1	9.8
2007	133	14.0	1.23	11.7	16.6	14	5.8	1.59	3.1	9.7
2008	140	14.4	1.23	12.1	17.0	10	3.8	1.26	1.8	7.1

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Ureter

Both Sexes

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,717	0.6	0.02	0.6	0.7	1,628	0.7	0.02	0.7	0.7
1986	64	0.6	0.08	0.5	0.8	58	0.6	0.08	0.5	0.8
1987	57	0.5	0.07	0.4	0.7	55	0.6	0.08	0.4	0.8
1988	70	0.6	0.08	0.5	0.8	70	0.7	0.09	0.6	0.9
1989	74	0.7	0.08	0.5	0.9	74	0.8	0.09	0.6	1.0
1990	75	0.7	0.08	0.5	0.8	72	0.7	0.09	0.6	0.9
1991	75	0.7	0.08	0.5	0.8	73	0.7	0.09	0.6	0.9
1992	73	0.7	0.08	0.5	0.8	69	0.7	0.08	0.5	0.9
1993	62	0.5	0.07	0.4	0.7	59	0.6	0.08	0.4	0.8
1994	82	0.7	0.08	0.6	0.9	79	0.8	0.09	0.6	1.0
1995	79	0.7	0.08	0.5	0.9	77	0.8	0.09	0.6	1.0
1996	70	0.6	0.07	0.5	0.8	66	0.7	0.08	0.5	0.8
1997	74	0.6	0.07	0.5	0.8	71	0.7	0.08	0.5	0.9
1998	80	0.7	0.08	0.5	0.8	76	0.7	0.08	0.6	0.9
1999	63	0.5	0.07	0.4	0.7	56	0.6	0.07	0.4	0.7
2000	80	0.7	0.07	0.5	0.8	74	0.7	0.08	0.6	0.9
2001	68	0.6	0.07	0.4	0.7	67	0.7	0.08	0.5	0.8
2002	82	0.7	0.07	0.5	0.8	79	0.8	0.08	0.6	0.9
2003	76	0.6	0.07	0.5	0.8	70	0.7	0.08	0.5	0.9
2004	69	0.6	0.07	0.4	0.7	62	0.6	0.07	0.5	0.8
2005	82	0.7	0.07	0.5	0.8	79	0.7	0.08	0.6	0.9
2006	96	0.8	0.08	0.6	0.9	86	0.8	0.09	0.6	1.0
2007	89	0.7	0.07	0.6	0.9	82	0.8	0.08	0.6	0.9
2008	77	0.6	0.07	0.5	0.8	74	0.7	0.08	0.5	0.9

Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	63	0.2	0.03	0.2	0.3	20	0.3	0.08	0.2	0.5
1986	5	0.5	0.22	0.2	1.1	1	0.9	0.88	0.0	4.6
1987	2	0.2	0.15	0.0	0.7	0				
1988	0					0				
1989	0					0				
1990	2	0.2	0.17	0.0	0.8	0				
1991	2	0.2	0.14	0.0	0.6	0				
1992	2	0.2	0.11	0.0	0.6	2	0.9	0.62	0.1	3.4
1993	3	0.3	0.16	0.1	0.8	0				
1994	1	0.1	0.10	0.0	0.5	2	1.4	1.00	0.2	4.5
1995	1	0.1	0.07	0.0	0.4	1	0.3	0.30	0.0	2.0
1996	3	0.2	0.13	0.1	0.6	1	0.7	0.74	0.0	3.3
1997	2	0.2	0.13	0.0	0.6	0				
1998	1	0.1	0.07	0.0	0.4	1	0.4	0.35	0.0	1.9
1999	5	0.4	0.16	0.1	0.8	2	0.7	0.53	0.1	2.5
2000	6	0.5	0.20	0.2	1.0	0				
2001	0					1	0.2	0.21	0.0	1.4
2002	3	0.2	0.12	0.0	0.6	0				
2003	5	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.7
2004	6	0.4	0.18	0.2	0.9	1	0.2	0.17	0.0	1.1
2005	1	0.1	0.08	0.0	0.4	2	0.5	0.37	0.1	1.8
2006	8	0.6	0.21	0.3	1.2	2	0.4	0.32	0.1	1.6
2007	4	0.3	0.14	0.1	0.7	1	0.3	0.34	0.0	1.6
2008	1	0.1	0.05	0.0	0.3	2	0.3	0.23	0.0	1.2

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Ureter

Males

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	1,032	0.9	0.03	0.9	1.0	981	1.0	0.03	1.0	1.1
1986	43	1.0	0.15	0.7	1.3	39	1.0	0.16	0.7	1.4
1987	30	0.7	0.12	0.4	0.9	29	0.7	0.14	0.5	1.0
1988	36	0.8	0.13	0.5	1.1	36	0.9	0.15	0.6	1.2
1989	52	1.1	0.16	0.8	1.5	52	1.3	0.18	1.0	1.7
1990	45	1.0	0.15	0.7	1.3	45	1.1	0.17	0.8	1.5
1991	44	1.0	0.16	0.7	1.4	43	1.1	0.18	0.8	1.5
1992	42	0.9	0.15	0.7	1.3	39	1.0	0.16	0.7	1.3
1993	34	0.7	0.13	0.5	1.0	32	0.8	0.14	0.5	1.1
1994	50	1.1	0.16	0.8	1.4	48	1.2	0.17	0.9	1.6
1995	52	1.1	0.16	0.8	1.5	50	1.2	0.18	0.9	1.6
1996	44	1.0	0.15	0.7	1.3	43	1.1	0.17	0.8	1.5
1997	50	1.1	0.16	0.8	1.4	47	1.2	0.17	0.9	1.5
1998	50	1.1	0.15	0.8	1.4	48	1.2	0.17	0.9	1.5
1999	38	0.8	0.13	0.6	1.1	33	0.8	0.14	0.5	1.1
2000	44	0.9	0.13	0.6	1.2	40	0.9	0.14	0.7	1.2
2001	40	0.8	0.13	0.6	1.1	39	0.9	0.14	0.6	1.2
2002	51	1.0	0.15	0.8	1.4	50	1.2	0.17	0.9	1.5
2003	47	0.9	0.13	0.7	1.2	44	1.0	0.15	0.7	1.3
2004	41	0.8	0.13	0.6	1.1	37	0.8	0.14	0.6	1.2
2005	49	1.0	0.14	0.7	1.3	47	1.1	0.16	0.8	1.4
2006	54	1.0	0.14	0.8	1.3	50	1.1	0.16	0.8	1.5
2007	53	1.1	0.15	0.8	1.4	50	1.1	0.16	0.8	1.5
2008	43	0.8	0.13	0.6	1.1	40	0.9	0.14	0.6	1.2
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	37	0.3	0.05	0.2	0.4	11	0.4	0.12	0.2	0.7
1986	4	1.0	0.52	0.2	2.5	0				
1987	1	0.2	0.17	0.0	1.0	0				
1988	0					0				
1989	0					0				
1990	0					0				
1991	1	0.2	0.15	0.0	1.0	0				
1992	2	0.4	0.27	0.1	1.4	1	0.9	0.92	0.0	6.1
1993	2	0.3	0.24	0.0	1.3	0				
1994	0					2	3.4	2.47	0.4	11.0
1995	1	0.2	0.16	0.0	0.9	1	0.6	0.61	0.0	4.7
1996	1	0.2	0.20	0.0	1.0	0				
1997	2	0.5	0.36	0.1	1.6	0				
1998	1	0.2	0.16	0.0	0.9	0				
1999	3	0.6	0.42	0.1	1.9	2	1.6	1.30	0.1	6.2
2000	4	0.8	0.42	0.2	2.0	0				
2001	0					1	0.4	0.43	0.0	3.2
2002	1	0.2	0.15	0.0	0.9	0				
2003	3	0.4	0.25	0.1	1.3	0				
2004	3	0.5	0.30	0.1	1.5	1	0.4	0.35	0.0	2.6
2005	1	0.2	0.23	0.0	1.1	1	0.7	0.68	0.0	3.4
2006	4	0.7	0.36	0.2	1.8	0				
2007	2	0.3	0.21	0.0	1.1	0				
2008	1	0.1	0.11	0.0	0.7	2	0.7	0.48	0.1	2.7

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010

Invasive Cancer Incidence by Race, Illinois 1986-2008

Ureter

Females

All Races						Whites				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	685	0.4	0.02	0.4	0.5	647	0.5	0.02	0.4	0.5
1986	21	0.3	0.07	0.2	0.5	19	0.3	0.08	0.2	0.5
1987	27	0.4	0.08	0.3	0.6	26	0.5	0.09	0.3	0.7
1988	34	0.5	0.09	0.4	0.8	34	0.6	0.11	0.4	0.9
1989	22	0.3	0.07	0.2	0.5	22	0.4	0.08	0.2	0.6
1990	30	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.7
1991	31	0.5	0.08	0.3	0.6	30	0.5	0.09	0.3	0.7
1992	31	0.5	0.08	0.3	0.7	30	0.5	0.09	0.3	0.7
1993	28	0.4	0.08	0.3	0.6	27	0.4	0.08	0.3	0.6
1994	32	0.5	0.08	0.3	0.7	31	0.5	0.09	0.4	0.7
1995	27	0.4	0.07	0.3	0.6	27	0.4	0.08	0.3	0.6
1996	26	0.4	0.07	0.3	0.6	23	0.4	0.08	0.2	0.6
1997	24	0.4	0.07	0.2	0.5	24	0.4	0.09	0.3	0.6
1998	30	0.4	0.08	0.3	0.6	28	0.4	0.08	0.3	0.6
1999	25	0.4	0.07	0.2	0.5	23	0.4	0.08	0.3	0.6
2000	36	0.5	0.08	0.3	0.7	34	0.5	0.09	0.4	0.8
2001	28	0.4	0.08	0.3	0.6	28	0.5	0.09	0.3	0.7
2002	31	0.4	0.08	0.3	0.6	29	0.4	0.08	0.3	0.6
2003	29	0.4	0.08	0.3	0.6	26	0.4	0.08	0.3	0.6
2004	28	0.4	0.07	0.3	0.6	25	0.4	0.08	0.3	0.6
2005	33	0.5	0.08	0.3	0.6	32	0.5	0.09	0.3	0.7
2006	42	0.6	0.09	0.4	0.8	36	0.6	0.10	0.4	0.8
2007	36	0.5	0.08	0.3	0.7	32	0.5	0.09	0.3	0.7
2008	34	0.4	0.08	0.3	0.6	34	0.5	0.09	0.4	0.7
Blacks						Asian or Other Races				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2008	26	0.2	0.03	0.1	0.2	9	0.3	0.10	0.1	0.6
1986	1	0.2	0.16	0.0	0.8	1	1.5	1.54	0.0	8.0
1987	1	0.2	0.20	0.0	0.9	0				
1988	0					0				
1989	0					0				
1990	2	0.4	0.26	0.0	1.2	0				
1991	1	0.2	0.18	0.0	0.9	0				
1992	0					1	0.8	0.80	0.0	4.8
1993	1	0.2	0.17	0.0	0.8	0				
1994	1	0.2	0.16	0.0	0.8	0				
1995	0					0				
1996	2	0.3	0.17	0.0	0.9	1	1.2	1.23	0.0	5.5
1997	0					0				
1998	0					1	0.6	0.63	0.0	3.4
1999	2	0.2	0.16	0.0	0.8	0				
2000	2	0.3	0.19	0.0	0.9	0				
2001	0					0				
2002	2	0.2	0.17	0.0	0.8	0				
2003	2	0.2	0.15	0.0	0.8	1	0.6	0.60	0.0	2.9
2004	3	0.4	0.22	0.1	1.1	0				
2005	0					1	0.4	0.42	0.0	2.3
2006	4	0.5	0.25	0.1	1.3	2	0.8	0.58	0.1	2.9
2007	2	0.2	0.17	0.0	0.8	1	0.5	0.52	0.0	2.5
2008	0					0				

Rates are per 100,000 and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.

Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2010