

**SECTION IV**  
**County-specific Cancer Incidence Rates by Race**  
**Illinois, 2008-2012**

## Illinois

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	271,694	481.1	479.2	482.9	136,904	537.7	534.8	540.7	134,790	443.9	441.5	446.3
Oral Cavity and Pharynx	6,767	11.8	11.5	12.0	4,738	17.5	17.0	18.0	2,029	6.6	6.3	6.9
Esophagus	3,062	5.3	5.1	5.5	2,419	9.4	9.0	9.8	643	2.0	1.8	2.2
Stomach	3,578	6.3	6.1	6.5	2,257	9.0	8.7	9.4	1,321	4.2	4.0	4.4
Colon and Rectum	25,795	45.3	44.8	45.9	13,382	53.3	52.4	54.2	12,413	38.9	38.2	39.6
Liver	3,139	5.4	5.2	5.6	2,290	8.5	8.2	8.9	849	2.7	2.5	2.9
Pancreas	7,360	12.9	12.6	13.2	3,734	14.8	14.4	15.3	3,626	11.2	10.8	11.6
Lung and Bronchus	39,129	69.4	68.7	70.1	20,275	81.7	80.6	82.9	18,854	60.6	59.8	61.5
Bones and Joints	431	0.8	0.7	0.9	246	1.0	0.8	1.1	185	0.7	0.6	0.8
Melanoma of the Skin	11,201	20.3	20.0	20.7	6,376	25.2	24.6	25.9	4,825	17.1	16.6	17.6
Breast (invasive)	38,859	69.0	68.3	69.7	318	1.3	1.1	1.4	38,541	128.8	127.5	130.2
Cervix									1,986	7.4	7.0	7.7
Corpus and Uterus, NOS									9,038	29.3	28.7	30.0
Ovary									3,726	12.3	11.9	12.8
Prostate					34,034	127.9	126.5	129.3				
Testis					1,649	6.7	6.3	7.0				
Urinary Bladder (includes in situ)	13,316	23.4	23.0	23.9	10,061	41.4	40.6	42.3	3,255	10.1	9.7	10.4
Kidney and Renal Pelvis	9,817	17.4	17.1	17.8	6,026	23.1	22.5	23.7	3,791	12.5	12.1	12.9
Brain and Nervous System	3,824	7.1	6.8	7.3	2,078	8.2	7.8	8.5	1,746	6.1	5.8	6.4
Hodgkin Lymphoma	1,503	3.0	2.8	3.1	814	3.3	3.0	3.5	689	2.7	2.5	2.9
Non-Hodgkin Lymphoma	11,440	20.4	20.0	20.7	6,098	24.4	23.8	25.1	5,342	17.2	16.7	17.7
Myeloma	3,134	5.5	5.3	5.7	1,752	7.0	6.7	7.3	1,382	4.3	4.1	4.6
Leukemia	7,524	13.6	13.3	13.9	4,278	17.5	17.0	18.0	3,246	10.6	10.2	11.0
All Other Sites	31,382	56.5	55.8	57.1	14,079	56.4	55.5	57.4	17,303	58.4	57.5	59.3
Breast in situ (not in total)									9,865	33.9	33.2	34.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Champaign

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,473	463.3	447.7	479.3	1,747	511.2	487.0	536.3	1,726	429.4	408.8	450.8
Oral Cavity and Pharynx	85	11.3	9.0	14.1	59	16.7	12.6	21.6	26	6.2	4.0	9.3
Esophagus	38	5.4	3.8	7.5	29	9.3	6.2	13.3	9	2.2	1.0	4.2
Stomach	28	3.8	2.5	5.5	21	6.4	3.9	9.9	7	1.6	0.6	3.4
Colon and Rectum	265	35.4	31.2	40.0	135	41.3	34.5	49.0	130	30.0	24.9	35.8
Liver	40	5.1	3.6	6.9	26	6.8	4.4	10.1	14	3.5	1.9	5.9
Pancreas	84	10.7	8.5	13.4	47	13.4	9.8	17.9	37	8.4	5.9	11.8
Lung and Bronchus	448	60.7	55.1	66.7	234	71.2	62.2	81.0	214	52.8	45.9	60.6
Bones and Joints	7	0.9	0.4	1.9	3	0.8	0.2	2.5	4	0.9	0.3	2.5
Melanoma of the Skin	217	29.6	25.7	34.0	119	35.8	29.6	43.0	98	25.8	20.7	31.7
Breast (invasive)	567	76.1	69.8	82.8	3	0.8	0.2	2.5	564	141.5	129.8	154.1
Cervix									19	5.5	3.2	8.7
Corpus and Uterus, NOS									94	22.6	18.1	27.8
Ovary									41	9.7	6.9	13.3
Prostate					456	126.4	114.9	138.9				
Testis					18	4.2	2.3	6.9				
Urinary Bladder (includes in situ)	154	20.5	17.4	24.1	121	37.4	31.0	44.8	33	7.6	5.2	10.8
Kidney and Renal Pelvis	128	17.0	14.1	20.3	85	24.8	19.7	30.8	43	10.3	7.4	14.0
Brain and Nervous System	47	6.5	4.7	8.7	25	7.3	4.7	10.9	22	5.8	3.6	9.0
Hodgkin Lymphoma	22	2.7	1.6	4.2	12	3.1	1.5	5.7	10	2.4	1.1	4.6
Non-Hodgkin Lymphoma	131	17.5	14.6	20.8	72	21.0	16.4	26.6	59	14.8	11.2	19.3
Myeloma	51	6.9	5.1	9.1	33	9.8	6.7	13.9	18	4.2	2.5	6.8
Leukemia	104	13.6	11.1	16.6	65	19.8	15.2	25.3	39	8.6	6.1	12.0
All Other Sites	429	59.2	53.6	65.3	184	54.9	47.0	63.6	245	64.8	56.6	73.8
Breast in situ (not in total)									154	39.9	33.7	47.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Cook

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	85,915	468.4	465.3	471.6	42,158	519.8	514.7	524.9	43,757	437.5	433.4	441.8
Oral Cavity and Pharynx	2,136	11.5	11.0	12.0	1,473	17.2	16.3	18.1	663	6.6	6.1	7.1
Esophagus	902	4.9	4.6	5.2	676	8.3	7.7	9.0	226	2.2	1.9	2.5
Stomach	1,488	8.1	7.7	8.5	911	11.4	10.6	12.2	577	5.6	5.1	6.1
Colon and Rectum	8,275	44.6	43.6	45.6	4,257	53.0	51.4	54.7	4,018	38.1	36.9	39.3
Liver	1,246	6.7	6.3	7.1	901	10.7	10.0	11.4	345	3.3	3.0	3.7
Pancreas	2,482	13.5	13.0	14.0	1,196	15.2	14.3	16.1	1,286	12.1	11.4	12.8
Lung and Bronchus	11,292	62.2	61.0	63.4	5,563	71.2	69.3	73.2	5,729	56.0	54.5	57.5
Bones and Joints	133	0.8	0.6	0.9	74	0.9	0.7	1.1	59	0.7	0.5	0.9
Melanoma of the Skin	3,138	17.2	16.6	17.8	1,791	22.0	21.0	23.1	1,347	14.1	13.3	14.9
Breast (invasive)	12,638	69.4	68.2	70.6	114	1.4	1.2	1.7	12,524	128.6	126.3	130.9
Cervix									729	8.0	7.4	8.6
Corpus and Uterus, NOS									3,083	31.0	29.9	32.1
Ovary									1,308	13.3	12.6	14.1
Prostate					10,684	128.0	125.5	130.5				
Testis					572	6.2	5.7	6.7				
Urinary Bladder (includes in situ)	4,155	22.6	21.9	23.3	3,042	39.5	38.1	41.0	1,113	10.5	9.9	11.2
Kidney and Renal Pelvis	2,855	15.5	15.0	16.1	1,738	20.7	19.7	21.7	1,117	11.2	10.5	11.9
Brain and Nervous System	1,201	6.7	6.3	7.1	665	8.0	7.4	8.6	536	5.6	5.1	6.1
Hodgkin Lymphoma	525	3.0	2.7	3.2	301	3.5	3.1	4.0	224	2.5	2.2	2.8
Non-Hodgkin Lymphoma	3,730	20.4	19.7	21.1	1,915	23.9	22.8	25.0	1,815	17.7	16.8	18.5
Myeloma	1,022	5.5	5.2	5.9	567	7.1	6.5	7.7	455	4.3	3.9	4.8
Leukemia	2,386	13.2	12.6	13.7	1,325	16.8	15.9	17.7	1,061	10.4	9.7	11.0
All Other Sites	9,935	54.4	53.3	55.5	4,393	54.7	53.1	56.4	5,542	56.0	54.5	57.5
Breast in situ (not in total)									3,290	34.9	33.7	36.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## DuPage

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	20,244	480.4	473.6	487.2	9,706	518.9	508.2	529.7	10,538	457.7	448.8	466.8
Oral Cavity and Pharynx	464	10.6	9.6	11.7	315	15.5	13.7	17.3	149	6.6	5.6	7.8
Esophagus	233	5.6	4.9	6.3	173	9.3	7.9	10.8	60	2.6	1.9	3.3
Stomach	271	6.6	5.8	7.4	171	9.3	7.9	10.9	100	4.3	3.4	5.2
Colon and Rectum	1,683	40.0	38.1	42.0	829	45.1	42.0	48.4	854	35.7	33.3	38.3
Liver	181	4.1	3.5	4.8	129	6.5	5.4	7.8	52	2.1	1.6	2.8
Pancreas	597	14.3	13.2	15.6	318	17.5	15.6	19.7	279	11.8	10.5	13.4
Lung and Bronchus	2,525	62.0	59.6	64.6	1,274	73.4	69.3	77.7	1,251	54.7	51.6	57.9
Bones and Joints	28	0.7	0.5	1.0	15	0.8	0.4	1.3	13	0.6	0.3	1.1
Melanoma of the Skin	761	18.4	17.1	19.8	440	23.6	21.4	26.0	321	14.7	13.1	16.4
Breast (invasive)	3,436	79.8	77.1	82.6	21	1.1	0.7	1.8	3,415	147.6	142.5	152.7
Cervix									112	5.4	4.5	6.6
Corpus and Uterus, NOS									765	32.3	30.0	34.8
Ovary									283	12.3	10.9	13.9
Prostate					2,668	133.5	128.3	138.9				
Testis					133	7.4	6.2	8.8				
Urinary Bladder (includes in situ)	999	24.3	22.8	25.9	749	42.8	39.7	46.1	250	10.4	9.1	11.8
Kidney and Renal Pelvis	664	15.4	14.2	16.7	404	20.3	18.3	22.5	260	11.1	9.8	12.6
Brain and Nervous System	281	6.9	6.1	7.7	150	7.8	6.6	9.3	131	6.1	5.1	7.3
Hodgkin Lymphoma	121	3.3	2.7	3.9	52	2.8	2.1	3.7	69	3.7	2.9	4.7
Non-Hodgkin Lymphoma	843	20.3	18.9	21.8	429	23.5	21.2	25.9	414	18.0	16.3	19.9
Myeloma	226	5.2	4.5	5.9	132	7.1	5.9	8.4	94	3.6	2.9	4.5
Leukemia	552	13.6	12.5	14.9	295	16.5	14.7	18.6	257	11.3	9.9	12.8
All Other Sites	2,418	58.1	55.7	60.5	1,009	55.0	51.5	58.6	1,409	62.7	59.4	66.2
Breast in situ (not in total)									940	41.5	38.8	44.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Kane

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	9,639	451.7	442.6	461.1	4,805	500.4	485.7	515.4	4,834	420.3	408.4	432.5
Oral Cavity and Pharynx	219	9.8	8.5	11.3	155	14.3	12.0	16.8	64	5.7	4.4	7.3
Esophagus	89	4.1	3.3	5.1	75	7.7	6.0	9.8	14	1.2	0.6	2.0
Stomach	115	5.4	4.5	6.6	78	8.3	6.5	10.4	37	3.2	2.3	4.5
Colon and Rectum	821	39.6	36.9	42.5	443	47.1	42.7	52.0	378	33.3	30.0	36.9
Liver	96	4.6	3.7	5.6	71	7.6	5.9	9.7	25	2.2	1.4	3.3
Pancreas	247	12.2	10.7	13.8	132	14.3	11.9	17.1	115	10.2	8.4	12.3
Lung and Bronchus	1,215	60.6	57.1	64.1	595	66.6	61.2	72.4	620	55.9	51.5	60.6
Bones and Joints	13	0.6	0.3	1.0	9	0.8	0.4	1.6	4	0.4	0.1	0.9
Melanoma of the Skin	415	18.9	17.1	20.8	237	24.0	20.9	27.4	178	15.4	13.2	17.9
Breast (invasive)	1,489	67.8	64.3	71.4	13	1.3	0.7	2.3	1,476	127.1	120.6	133.9
Cervix									85	7.4	5.9	9.1
Corpus and Uterus, NOS									341	28.5	25.5	31.7
Ovary									112	9.9	8.1	11.9
Prostate					1,315	131.2	123.9	138.8				
Testis					78	7.1	5.6	8.9				
Urinary Bladder (includes in situ)	428	21.3	19.3	23.5	309	35.9	31.8	40.2	119	10.3	8.5	12.4
Kidney and Renal Pelvis	350	16.2	14.5	18.1	210	20.6	17.8	23.7	140	12.3	10.3	14.6
Brain and Nervous System	172	7.9	6.7	9.2	103	10.1	8.1	12.3	69	6.1	4.7	7.7
Hodgkin Lymphoma	64	3.0	2.3	3.8	34	3.2	2.2	4.6	30	2.6	1.8	3.8
Non-Hodgkin Lymphoma	412	19.6	17.7	21.7	234	25.3	22.0	28.9	178	15.6	13.4	18.1
Myeloma	114	5.2	4.2	6.2	60	6.0	4.5	7.8	54	4.6	3.4	6.0
Leukemia	260	12.4	10.9	14.0	139	14.8	12.4	17.6	121	10.6	8.8	12.7
All Other Sites	1,189	55.0	51.9	58.3	515	54.0	49.2	59.1	674	57.8	53.5	62.4
Breast in situ (not in total)									357	29.7	26.7	33.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Kankakee

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,688	493.2	474.4	512.6	1,441	575.2	545.4	606.2	1,247	429.8	405.7	455.1
Oral Cavity and Pharynx	72	13.1	10.2	16.6	51	19.8	14.7	26.2	21	6.7	4.1	10.4
Esophagus	43	8.0	5.7	10.8	30	12.3	8.2	17.7	13	4.2	2.2	7.4
Stomach	38	6.6	4.6	9.1	21	7.9	4.9	12.2	17	5.2	3.0	8.6
Colon and Rectum	259	47.0	41.3	53.2	134	53.8	44.9	63.9	125	40.3	33.4	48.3
Liver	31	5.4	3.7	7.8	21	7.9	4.9	12.2	10	3.2	1.5	6.1
Pancreas	67	11.8	9.1	15.1	38	15.0	10.5	20.7	29	9.3	6.2	13.5
Lung and Bronchus	423	76.7	69.5	84.5	225	90.4	78.8	103.3	198	66.5	57.4	76.7
Bones and Joints	4	0.9	0.2	2.2	1	0.5	0.0	2.5	3	1.2	0.2	3.7
Melanoma of the Skin	93	17.6	14.1	21.7	50	19.9	14.7	26.4	43	16.6	11.9	22.5
Breast (invasive)	333	61.9	55.3	69.0	3	1.3	0.3	3.9	330	114.8	102.4	128.3
Cervix									17	7.3	4.2	11.8
Corpus and Uterus, NOS									87	29.9	23.8	37.1
Ovary									21	7.7	4.7	12.0
Prostate					356	135.7	121.8	150.9				
Testis					15	7.0	3.9	11.5				
Urinary Bladder (includes in situ)	139	24.7	20.7	29.2	102	42.0	34.1	51.2	37	11.9	8.3	16.6
Kidney and Renal Pelvis	108	20.1	16.4	24.3	68	27.2	21.0	34.7	40	14.1	10.0	19.3
Brain and Nervous System	36	7.1	4.9	9.9	17	7.3	4.2	11.8	19	6.8	4.0	10.8
Hodgkin Lymphoma	14	3.0	1.6	5.0	6	2.8	1.0	6.1	8	3.2	1.3	6.3
Non-Hodgkin Lymphoma	105	19.0	15.5	23.1	71	28.8	22.4	36.5	34	11.1	7.6	15.7
Myeloma	40	7.4	5.3	10.2	22	9.4	5.8	14.3	18	5.9	3.5	9.6
Leukemia	92	17.2	13.8	21.1	58	24.2	18.3	31.4	34	11.9	8.1	16.8
All Other Sites	295	56.0	49.7	62.9	152	61.9	52.3	72.8	143	52.2	43.7	61.9
Breast in situ (not in total)									62	22.4	17.1	29.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

**Lake**  
**Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex**  
**All Sites Combined and Selected Sites, White, 2008-2012**

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	14,262	475.7	467.7	483.8	7,018	513.9	501.5	526.6	7,244	450.9	440.3	461.6
Oral Cavity and Pharynx	345	11.0	9.9	12.3	245	16.4	14.3	18.6	100	6.2	5.0	7.6
Esophagus	143	4.7	3.9	5.6	109	7.6	6.2	9.3	34	2.2	1.5	3.1
Stomach	216	7.3	6.4	8.4	128	9.7	8.0	11.6	88	5.6	4.5	7.0
Colon and Rectum	1,199	40.4	38.1	42.9	633	47.4	43.6	51.4	566	34.5	31.6	37.5
Liver	140	4.7	3.9	5.5	97	6.8	5.5	8.4	43	2.8	2.0	3.8
Pancreas	410	14.3	12.9	15.8	214	16.2	14.0	18.6	196	12.5	10.8	14.4
Lung and Bronchus	1,719	60.6	57.7	63.6	843	66.6	62.0	71.4	876	56.6	52.8	60.6
Bones and Joints	27	0.9	0.6	1.4	20	1.5	0.9	2.3	7	0.5	0.2	1.0
Melanoma of the Skin	720	23.9	22.2	25.8	406	29.5	26.6	32.6	314	20.2	17.9	22.6
Breast (invasive)	2,322	74.6	71.5	77.7	17	1.4	0.8	2.3	2,305	140.2	134.4	146.1
Cervix									89	5.7	4.5	7.0
Corpus and Uterus, NOS									518	30.7	28.0	33.5
Ovary									174	10.9	9.3	12.6
Prostate					1,776	121.2	115.4	127.2				
Testis					101	7.3	5.9	8.9				
Urinary Bladder (includes in situ)	759	26.6	24.7	28.6	559	45.3	41.5	49.3	200	12.2	10.5	14.0
Kidney and Renal Pelvis	535	17.6	16.1	19.2	357	25.3	22.6	28.2	178	11.3	9.6	13.1
Brain and Nervous System	199	6.7	5.7	7.7	109	7.5	6.1	9.1	90	5.9	4.7	7.3
Hodgkin Lymphoma	82	2.9	2.3	3.6	44	3.1	2.2	4.2	38	2.7	1.9	3.7
Non-Hodgkin Lymphoma	649	22.2	20.5	24.0	356	27.3	24.4	30.4	293	18.5	16.4	20.8
Myeloma	160	5.5	4.6	6.4	84	6.3	5.0	7.9	76	4.7	3.7	6.0
Leukemia	423	14.3	12.9	15.8	238	17.3	15.1	19.8	185	12.0	10.3	13.9
All Other Sites	1,556	52.4	49.8	55.1	682	50.4	46.5	54.5	874	55.2	51.6	59.1
Breast in situ (not in total)									752	44.7	41.5	48.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014



## Macon

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,467	560.5	541.3	580.2	1,834	652.7	622.6	684.1	1,633	497.9	472.7	524.1
Oral Cavity and Pharynx	105	16.7	13.6	20.4	76	25.5	20.0	32.2	29	8.8	5.8	13.0
Esophagus	48	7.2	5.3	9.7	44	14.6	10.6	19.8	4	0.9	0.2	2.9
Stomach	35	5.7	3.9	8.1	20	7.4	4.4	11.7	15	4.1	2.3	7.1
Colon and Rectum	329	51.9	46.3	58.1	189	69.1	59.4	80.1	140	38.4	32.0	45.8
Liver	38	5.7	4.0	7.9	30	10.0	6.7	14.5	8	2.2	0.9	4.7
Pancreas	83	13.3	10.5	16.7	42	14.9	10.6	20.5	41	11.6	8.2	16.1
Lung and Bronchus	623	96.6	89.1	104.7	342	120.5	107.9	134.3	281	78.1	69.0	88.2
Bones and Joints	4	0.8	0.2	2.1	3	1.1	0.2	3.4	1	0.5	0.0	2.5
Melanoma of the Skin	152	26.7	22.4	31.6	89	31.9	25.4	39.6	63	24.4	18.4	31.7
Breast (invasive)	442	73.7	66.7	81.2	0				442	138.4	125.2	152.8
Cervix									28	11.8	7.6	17.4
Corpus and Uterus, NOS									85	26.4	20.8	33.0
Ovary									39	11.1	7.7	15.6
Prostate					437	149.1	135.3	164.0				
Testis					11	6.1	3.0	10.8				
Urinary Bladder (includes in situ)	161	24.4	20.7	28.7	123	43.5	36.1	52.1	38	11.1	7.7	15.6
Kidney and Renal Pelvis	112	18.3	14.9	22.2	63	23.1	17.6	29.8	49	14.2	10.3	19.2
Brain and Nervous System	35	6.6	4.5	9.4	19	7.7	4.5	12.4	16	5.4	3.0	9.2
Hodgkin Lymphoma	11	2.6	1.3	4.7	3	1.5	0.3	4.3	8	3.7	1.6	7.4
Non-Hodgkin Lymphoma	170	27.2	23.1	31.8	98	35.4	28.6	43.5	72	21.6	16.6	27.6
Myeloma	30	4.5	3.0	6.6	12	4.2	2.1	7.5	18	4.9	2.9	8.1
Leukemia	82	14.3	11.2	18.0	42	16.6	11.8	22.7	40	13.0	9.0	18.2
All Other Sites	407	68.2	61.4	75.5	191	70.7	60.8	81.9	216	67.4	58.1	77.9
Breast in situ (not in total)									139	46.8	39.0	55.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Madison

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,211	494.5	482.9	506.2	3,721	564.1	545.8	582.8	3,490	447.9	432.7	463.4
Oral Cavity and Pharynx	179	11.7	10.0	13.6	127	17.7	14.7	21.2	52	6.1	4.5	8.1
Esophagus	108	7.2	5.9	8.8	88	13.1	10.4	16.2	20	2.5	1.5	3.9
Stomach	71	4.9	3.8	6.2	42	6.6	4.7	8.9	29	3.6	2.4	5.2
Colon and Rectum	689	46.3	42.9	50.0	345	52.3	46.9	58.3	344	41.6	37.2	46.4
Liver	92	6.1	4.9	7.5	64	9.0	6.9	11.6	28	3.5	2.3	5.1
Pancreas	185	12.3	10.6	14.2	94	14.3	11.5	17.6	91	10.6	8.5	13.1
Lung and Bronchus	1,221	82.5	77.9	87.4	629	96.0	88.5	103.9	592	73.3	67.5	79.6
Bones and Joints	9	0.7	0.3	1.4	7	1.1	0.4	2.3	2	0.4	0.0	1.3
Melanoma of the Skin	321	23.2	20.7	26.0	190	29.2	25.1	33.7	131	19.6	16.3	23.4
Breast (invasive)	947	66.5	62.3	71.0	6	1.0	0.4	2.2	941	124.1	116.1	132.6
Cervix									54	8.2	6.1	10.8
Corpus and Uterus, NOS									192	24.1	20.7	27.8
Ovary									87	11.6	9.2	14.5
Prostate					851	123.2	115.0	132.0				
Testis					32	5.5	3.8	7.8				
Urinary Bladder (includes in situ)	350	23.7	21.2	26.3	285	44.4	39.3	50.0	65	7.7	5.9	9.9
Kidney and Renal Pelvis	292	20.0	17.7	22.5	183	28.1	24.1	32.6	109	13.2	10.8	16.0
Brain and Nervous System	99	7.2	5.9	8.9	49	7.6	5.6	10.1	50	7.0	5.1	9.3
Hodgkin Lymphoma	42	3.4	2.5	4.7	19	3.0	1.8	4.7	23	3.9	2.5	5.9
Non-Hodgkin Lymphoma	292	20.1	17.9	22.6	157	24.3	20.6	28.5	135	17.0	14.1	20.2
Myeloma	84	5.7	4.6	7.1	41	6.4	4.6	8.8	43	5.1	3.7	7.0
Leukemia	191	13.5	11.6	15.6	121	19.6	16.2	23.4	70	9.0	6.9	11.4
All Other Sites	823	57.5	53.5	61.6	391	61.8	55.7	68.3	432	55.9	50.6	61.6
Breast in situ (not in total)									246	33.2	29.1	37.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Peoria

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,635	508.7	493.8	523.9	2,407	578.1	554.9	602.2	2,228	460.2	440.5	480.6
Oral Cavity and Pharynx	102	11.2	9.1	13.6	73	17.1	13.3	21.6	29	5.8	3.8	8.5
Esophagus	56	5.9	4.4	7.7	43	10.4	7.5	14.1	13	2.3	1.2	4.1
Stomach	45	4.9	3.5	6.6	33	8.3	5.7	11.8	12	2.1	1.0	3.9
Colon and Rectum	439	47.4	43.0	52.2	239	57.8	50.6	65.8	200	39.1	33.7	45.2
Liver	46	4.7	3.4	6.4	37	8.1	5.7	11.4	9	1.7	0.8	3.4
Pancreas	140	14.6	12.2	17.3	80	19.2	15.2	24.1	60	11.0	8.3	14.3
Lung and Bronchus	792	85.3	79.4	91.6	406	98.8	89.3	109.1	386	75.3	67.8	83.4
Bones and Joints	6	0.8	0.3	1.7	3	0.8	0.2	2.4	3	0.7	0.1	2.2
Melanoma of the Skin	238	27.7	24.2	31.6	133	32.8	27.4	39.1	105	24.3	19.7	29.8
Breast (invasive)	636	71.6	66.0	77.6	3	0.8	0.2	2.4	633	133.2	122.6	144.5
Cervix									25	6.3	4.0	9.5
Corpus and Uterus, NOS									135	27.1	22.6	32.3
Ovary									57	12.2	9.2	16.1
Prostate					625	140.8	129.8	152.5				
Testis					20	6.4	3.9	9.9				
Urinary Bladder (includes in situ)	229	24.2	21.2	27.7	179	43.7	37.5	50.7	50	9.5	7.0	12.7
Kidney and Renal Pelvis	177	20.3	17.3	23.6	110	27.4	22.4	33.2	67	14.5	11.1	18.7
Brain and Nervous System	75	9.1	7.1	11.5	45	11.3	8.2	15.3	30	7.4	4.9	10.7
Hodgkin Lymphoma	16	2.2	1.2	3.6	9	2.6	1.1	4.9	7	1.9	0.8	4.0
Non-Hodgkin Lymphoma	175	19.3	16.5	22.5	74	18.5	14.5	23.4	101	19.9	16.0	24.4
Myeloma	37	4.0	2.8	5.5	19	4.5	2.7	7.2	18	3.3	1.9	5.4
Leukemia	107	12.0	9.8	14.6	56	14.2	10.7	18.5	51	10.9	8.0	14.6
All Other Sites	457	51.8	47.0	57.0	220	54.6	47.5	62.4	237	51.7	45.0	59.2
Breast in situ (not in total)									181	38.4	32.9	44.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Rock Island

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,081	480.3	465.3	495.8	2,073	527.3	504.4	551.1	2,008	449.7	429.3	470.9
Oral Cavity and Pharynx	120	13.8	11.4	16.6	94	23.1	18.6	28.5	26	5.6	3.6	8.5
Esophagus	51	5.9	4.4	7.9	42	10.7	7.7	14.7	9	2.0	0.9	4.0
Stomach	55	6.4	4.8	8.4	38	10.3	7.2	14.2	17	3.5	2.0	5.8
Colon and Rectum	396	45.6	41.1	50.5	206	52.9	45.8	60.9	190	40.0	34.3	46.5
Liver	35	3.8	2.7	5.4	30	7.3	4.9	10.6	5	1.0	0.3	2.6
Pancreas	113	13.1	10.8	15.9	66	16.7	12.8	21.4	47	9.9	7.2	13.4
Lung and Bronchus	614	69.8	64.3	75.6	326	83.1	74.2	92.9	288	60.0	53.1	67.7
Bones and Joints	1	0.1	0.0	0.8	1	0.3	0.0	1.8	0			
Melanoma of the Skin	210	27.7	23.9	31.9	106	30.2	24.6	36.7	104	27.1	21.9	33.3
Breast (invasive)	565	67.9	62.3	74.0	2	0.5	0.1	1.9	563	128.0	117.2	139.6
Cervix									34	9.2	6.2	13.1
Corpus and Uterus, NOS									138	31.9	26.6	38.0
Ovary									54	11.2	8.3	14.9
Prostate					512	120.3	109.9	131.4				
Testis					22	7.8	4.8	11.7				
Urinary Bladder (includes in situ)	180	19.7	16.9	22.9	133	33.8	28.2	40.3	47	8.9	6.5	12.0
Kidney and Renal Pelvis	134	15.9	13.3	19.0	78	19.5	15.3	24.6	56	12.3	9.2	16.3
Brain and Nervous System	56	7.9	5.9	10.3	29	8.6	5.7	12.5	27	7.4	4.7	10.9
Hodgkin Lymphoma	24	3.5	2.2	5.3	15	4.5	2.4	7.5	9	2.7	1.2	5.3
Non-Hodgkin Lymphoma	152	17.9	15.1	21.2	88	22.6	18.0	28.0	64	13.8	10.5	17.9
Myeloma	42	4.6	3.3	6.3	25	6.2	4.0	9.3	17	3.3	1.9	5.6
Leukemia	98	12.2	9.8	15.0	55	15.2	11.4	20.0	43	9.9	7.0	13.7
All Other Sites	475	57.2	52.0	62.9	205	53.9	46.6	62.0	270	61.9	54.2	70.3
Breast in situ (not in total)									152	35.9	30.2	42.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Sangamon

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,372	513.9	500.0	528.2	2,659	582.4	559.9	605.5	2,713	472.3	454.1	491.1
Oral Cavity and Pharynx	138	12.8	10.7	15.2	92	18.4	14.8	22.7	46	8.0	5.8	10.8
Esophagus	71	6.6	5.1	8.3	57	11.8	8.9	15.5	14	2.3	1.2	4.0
Stomach	55	5.1	3.8	6.7	32	6.7	4.6	9.6	23	3.9	2.4	6.0
Colon and Rectum	498	47.7	43.5	52.2	264	60.2	53.0	68.1	234	38.2	33.3	43.6
Liver	79	7.1	5.6	8.9	56	10.9	8.2	14.3	23	3.9	2.4	5.9
Pancreas	145	13.5	11.4	16.0	69	15.1	11.7	19.2	76	12.6	9.9	16.0
Lung and Bronchus	850	79.6	74.2	85.2	446	96.8	87.8	106.5	404	67.7	61.1	74.8
Bones and Joints	9	1.0	0.4	2.0	7	1.7	0.7	3.5	2	0.4	0.0	1.6
Melanoma of the Skin	222	22.9	19.9	26.2	108	24.2	19.8	29.4	114	23.5	19.2	28.5
Breast (invasive)	815	77.6	72.3	83.3	12	2.5	1.3	4.5	803	139.8	130.0	150.2
Cervix									48	9.8	7.1	13.1
Corpus and Uterus, NOS									168	28.4	24.2	33.2
Ovary									80	13.9	10.9	17.4
Prostate					567	117.6	107.9	128.0				
Testis					39	10.3	7.3	14.1				
Urinary Bladder (includes in situ)	262	24.4	21.5	27.6	211	47.6	41.3	54.7	51	8.2	6.0	10.9
Kidney and Renal Pelvis	238	23.0	20.1	26.2	161	35.6	30.2	41.8	77	13.2	10.3	16.7
Brain and Nervous System	67	6.8	5.3	8.8	31	6.9	4.6	9.9	36	6.9	4.7	9.7
Hodgkin Lymphoma	29	3.4	2.3	5.0	15	3.7	2.0	6.2	14	3.3	1.7	5.6
Non-Hodgkin Lymphoma	224	21.1	18.4	24.2	133	29.7	24.7	35.3	91	15.3	12.2	18.9
Myeloma	56	5.2	3.9	6.8	34	7.6	5.2	10.7	22	3.6	2.3	5.6
Leukemia	144	14.5	12.2	17.2	84	19.0	15.1	23.7	60	10.9	8.2	14.3
All Other Sites	568	56.5	51.8	61.5	241	55.9	48.9	63.6	327	58.7	52.2	65.8
Breast in situ (not in total)									227	40.8	35.6	46.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## St Clair

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,261	492.2	478.8	505.9	2,698	558.8	537.5	580.7	2,563	445.6	428.1	463.7
Oral Cavity and Pharynx	144	13.0	10.9	15.3	103	19.7	16.0	24.1	41	6.9	4.9	9.4
Esophagus	87	8.2	6.6	10.2	76	16.3	12.7	20.4	11	1.8	0.9	3.3
Stomach	50	4.6	3.4	6.1	31	6.4	4.3	9.2	19	3.3	2.0	5.3
Colon and Rectum	482	44.2	40.3	48.4	237	49.3	43.1	56.1	245	40.2	35.2	45.8
Liver	45	4.2	3.0	5.6	32	6.3	4.2	8.9	13	2.4	1.2	4.2
Pancreas	125	11.6	9.6	13.9	65	13.8	10.6	17.7	60	9.7	7.3	12.6
Lung and Bronchus	844	78.3	73.0	83.8	453	96.4	87.6	105.9	391	65.5	59.1	72.5
Bones and Joints	13	1.4	0.7	2.4	9	2.1	0.9	4.0	4	0.7	0.2	2.0
Melanoma of the Skin	222	21.7	18.9	24.8	127	26.8	22.3	32.0	95	18.5	14.9	22.8
Breast (invasive)	705	67.1	62.2	72.4	4	0.9	0.2	2.3	701	125.5	116.2	135.4
Cervix									29	6.2	4.1	9.0
Corpus and Uterus, NOS									145	25.0	21.0	29.6
Ovary									63	10.9	8.3	14.1
Prostate					653	126.9	117.1	137.2				
Testis					37	8.7	6.1	12.1				
Urinary Bladder (includes in situ)	272	25.0	22.1	28.2	202	43.9	38.0	50.5	70	10.9	8.4	13.9
Kidney and Renal Pelvis	216	20.4	17.7	23.4	131	26.7	22.2	31.8	85	15.2	12.1	18.9
Brain and Nervous System	91	8.9	7.1	10.9	50	10.5	7.7	13.9	41	7.4	5.3	10.2
Hodgkin Lymphoma	28	3.2	2.1	4.6	13	3.0	1.6	5.2	15	3.3	1.8	5.5
Non-Hodgkin Lymphoma	216	20.4	17.7	23.4	118	24.6	20.3	29.6	98	16.4	13.3	20.2
Myeloma	58	5.3	4.0	6.9	28	6.2	4.1	9.0	30	4.6	3.1	6.7
Leukemia	146	14.0	11.8	16.6	83	18.6	14.7	23.1	63	10.5	8.0	13.7
All Other Sites	590	55.5	51.0	60.3	246	51.8	45.4	58.8	344	60.7	54.3	67.8
Breast in situ (not in total)									179	32.6	27.9	37.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Vermilion

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,488	537.1	515.6	559.2	1,285	597.0	564.2	631.3	1,203	498.0	469.0	528.5
Oral Cavity and Pharynx	57	12.8	9.6	16.8	38	18.7	13.1	25.9	19	7.4	4.3	12.1
Esophagus	34	7.2	5.0	10.2	27	12.6	8.2	18.6	7	2.5	1.0	5.6
Stomach	30	6.9	4.6	10.0	19	8.7	5.2	13.9	11	5.2	2.5	9.7
Colon and Rectum	234	49.3	43.0	56.3	126	59.5	49.3	71.2	108	40.6	33.1	49.6
Liver	25	5.8	3.7	8.7	18	8.7	5.1	14.0	7	3.2	1.2	6.9
Pancreas	56	11.5	8.7	15.1	25	11.7	7.5	17.5	31	11.6	7.8	16.9
Lung and Bronchus	435	89.3	81.0	98.3	232	103.4	90.4	118.0	203	78.4	67.8	90.4
Bones and Joints	4	1.1	0.3	3.0	2	1.1	0.1	4.1	2	1.0	0.1	4.1
Melanoma of the Skin	91	21.5	17.2	26.7	58	28.4	21.4	37.1	33	16.2	10.9	23.3
Breast (invasive)	325	74.0	65.8	82.9	2	1.2	0.1	4.4	323	139.7	124.1	156.8
Cervix									15	7.3	4.0	12.5
Corpus and Uterus, NOS									79	31.7	24.9	40.0
Ovary									35	14.6	10.0	20.7
Prostate					323	144.1	128.7	161.1				
Testis					9	5.9	2.7	11.2				
Urinary Bladder (includes in situ)	129	26.6	22.1	31.7	102	48.5	39.5	59.1	27	10.7	6.9	16.1
Kidney and Renal Pelvis	82	17.5	13.8	21.9	56	25.4	19.1	33.3	26	10.1	6.5	15.3
Brain and Nervous System	19	4.9	2.9	7.8	8	4.4	1.8	8.8	11	5.4	2.5	10.0
Hodgkin Lymphoma	10	3.1	1.5	5.8	8	4.8	2.0	9.6	2	1.5	0.2	5.1
Non-Hodgkin Lymphoma	108	22.3	18.2	27.2	54	25.2	18.8	33.2	54	19.9	14.9	26.4
Myeloma	29	6.2	4.1	9.1	17	8.3	4.8	13.5	12	4.3	2.2	7.9
Leukemia	74	15.9	12.4	20.2	36	17.5	12.2	24.5	38	14.9	10.4	21.0
All Other Sites	285	64.4	56.9	72.7	125	58.9	48.8	70.5	160	71.7	60.4	84.5
Breast in situ (not in total)									89	38.8	30.8	48.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Will

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	12,950	498.8	490.0	507.6	6,572	564.0	549.8	578.5	6,378	454.6	443.3	466.1
Oral Cavity and Pharynx	305	11.3	10.0	12.6	228	17.6	15.3	20.2	77	5.5	4.3	6.9
Esophagus	144	5.7	4.8	6.7	116	10.1	8.2	12.2	28	2.0	1.3	2.9
Stomach	175	7.0	6.0	8.2	115	10.2	8.4	12.4	60	4.5	3.4	5.8
Colon and Rectum	1,154	46.1	43.4	48.9	644	56.9	52.3	61.7	510	37.2	34.0	40.6
Liver	123	4.7	3.8	5.6	89	7.1	5.7	8.9	34	2.4	1.7	3.4
Pancreas	358	14.2	12.7	15.8	180	15.5	13.2	18.0	178	13.0	11.1	15.1
Lung and Bronchus	1,819	74.7	71.2	78.2	989	92.4	86.5	98.6	830	62.3	58.1	66.8
Bones and Joints	35	1.3	0.9	1.8	15	1.2	0.7	2.0	20	1.5	0.9	2.3
Melanoma of the Skin	443	16.4	14.9	18.0	237	19.8	17.2	22.6	206	14.3	12.4	16.5
Breast (invasive)	1,868	68.5	65.3	71.7	9	0.8	0.3	1.5	1,859	128.9	123.0	135.0
Cervix									99	7.0	5.7	8.6
Corpus and Uterus, NOS									435	29.3	26.6	32.3
Ovary									175	12.5	10.7	14.6
Prostate					1,622	128.3	121.8	135.0				
Testis					79	5.9	4.7	7.4				
Urinary Bladder (includes in situ)	622	25.9	23.8	28.1	480	46.1	41.9	50.6	142	10.7	9.0	12.6
Kidney and Renal Pelvis	497	18.6	16.9	20.3	308	24.4	21.6	27.4	189	13.5	11.6	15.6
Brain and Nervous System	205	7.5	6.5	8.7	109	8.5	6.9	10.3	96	6.8	5.5	8.3
Hodgkin Lymphoma	76	2.9	2.3	3.6	41	3.1	2.2	4.3	35	2.7	1.9	3.7
Non-Hodgkin Lymphoma	564	22.1	20.3	24.1	297	25.9	22.9	29.2	267	19.2	16.9	21.7
Myeloma	149	5.9	5.0	7.0	84	7.4	5.8	9.2	65	4.7	3.6	6.1
Leukemia	398	15.6	14.1	17.2	240	21.0	18.3	24.0	158	11.2	9.5	13.2
All Other Sites	1,605	62.1	59.0	65.2	690	61.8	57.1	66.8	915	65.3	61.1	69.7
Breast in situ (not in total)									547	37.3	34.2	40.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014



## Winnebago

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, White, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,195	481.9	470.6	493.4	3,593	530.5	513.0	548.5	3,602	450.9	435.9	466.4
Oral Cavity and Pharynx	171	11.3	9.7	13.2	126	17.5	14.5	21.0	45	6.0	4.3	8.1
Esophagus	74	4.9	3.8	6.2	56	8.0	6.0	10.4	18	2.3	1.3	3.7
Stomach	85	5.6	4.4	6.9	59	8.9	6.7	11.5	26	3.1	2.0	4.6
Colon and Rectum	678	44.8	41.4	48.3	329	49.4	44.2	55.2	349	40.9	36.6	45.6
Liver	80	5.2	4.1	6.5	62	8.7	6.6	11.2	18	2.0	1.2	3.3
Pancreas	212	13.4	11.6	15.4	100	14.3	11.6	17.5	112	12.6	10.4	15.3
Lung and Bronchus	1,120	73.7	69.4	78.3	564	83.5	76.7	90.9	556	66.9	61.4	72.9
Bones and Joints	6	0.4	0.2	0.9	3	0.4	0.1	1.3	3	0.4	0.1	1.3
Melanoma of the Skin	356	25.0	22.4	27.8	204	30.5	26.4	35.1	152	21.5	18.1	25.3
Breast (invasive)	957	64.5	60.4	68.8	5	0.7	0.2	1.8	952	120.7	113.0	128.9
Cervix									58	8.6	6.4	11.2
Corpus and Uterus, NOS									240	29.7	26.0	33.8
Ovary									112	13.8	11.3	16.7
Prostate					728	103.5	96.0	111.5				
Testis					44	7.8	5.6	10.4				
Urinary Bladder (includes in situ)	358	23.3	21.0	25.9	276	41.8	37.0	47.2	82	9.2	7.3	11.5
Kidney and Renal Pelvis	262	17.6	15.5	20.0	157	22.7	19.3	26.7	105	13.6	11.1	16.6
Brain and Nervous System	77	5.3	4.2	6.7	45	6.3	4.6	8.5	32	4.2	2.9	6.1
Hodgkin Lymphoma	32	2.5	1.7	3.6	21	3.2	2.0	5.0	11	1.9	1.0	3.4
Non-Hodgkin Lymphoma	319	21.7	19.3	24.2	185	28.3	24.3	32.7	134	16.2	13.5	19.3
Myeloma	84	5.5	4.3	6.8	46	6.6	4.8	8.9	38	4.4	3.1	6.2
Leukemia	245	16.8	14.7	19.1	148	22.4	18.9	26.4	97	12.7	10.2	15.6
All Other Sites	897	62.0	57.9	66.3	435	65.8	59.6	72.4	462	60.1	54.6	66.1
Breast in situ (not in total)									239	32.5	28.4	37.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Illinois

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	43,518	505.1	500.3	510.0	21,926	615.4	606.9	624.0	21,592	433.5	427.7	439.4
Oral Cavity and Pharynx	1,065	11.6	10.9	12.4	737	18.9	17.5	20.3	328	6.4	5.7	7.1
Esophagus	462	5.3	4.8	5.8	311	8.7	7.7	9.7	151	2.9	2.5	3.5
Stomach	933	11.4	10.6	12.2	546	16.8	15.3	18.3	387	8.0	7.2	8.8
Colon and Rectum	4,890	58.4	56.7	60.1	2,421	70.5	67.6	73.5	2,469	50.1	48.1	52.2
Liver	742	8.1	7.5	8.7	551	13.9	12.7	15.1	191	3.8	3.2	4.3
Pancreas	1,307	16.0	15.2	16.9	603	18.0	16.5	19.6	704	14.5	13.5	15.7
Lung and Bronchus	6,609	79.0	77.1	81.0	3,432	101.1	97.6	104.7	3,177	64.7	62.4	67.0
Bones and Joints	67	0.7	0.5	0.9	32	0.8	0.5	1.1	35	0.7	0.5	0.9
Melanoma of the Skin	59	0.7	0.5	0.9	26	0.8	0.5	1.2	33	0.7	0.4	0.9
Breast (invasive)	6,385	73.1	71.3	75.0	67	1.9	1.4	2.4	6,318	125.4	122.3	128.6
Cervix									634	12.5	11.6	13.6
Corpus and Uterus, NOS									1,275	24.9	23.6	26.3
Ovary									507	10.1	9.2	11.0
Prostate					7,685	209.4	204.5	214.3				
Testis					56	1.3	1.0	1.7				
Urinary Bladder (includes in situ)	1,017	12.9	12.1	13.7	637	20.1	18.5	21.8	380	8.2	7.4	9.0
Kidney and Renal Pelvis	1,641	18.6	17.7	19.6	961	25.6	24.0	27.4	680	13.5	12.5	14.6
Brain and Nervous System	360	3.9	3.5	4.4	196	4.7	4.1	5.5	164	3.3	2.8	3.8
Hodgkin Lymphoma	277	2.9	2.6	3.3	150	3.5	2.9	4.1	127	2.4	2.0	2.9
Non-Hodgkin Lymphoma	1,151	13.3	12.5	14.1	584	15.9	14.6	17.3	567	11.5	10.5	12.5
Myeloma	938	11.2	10.5	12.0	462	13.4	12.1	14.7	476	9.8	8.9	10.7
Leukemia	926	11.0	10.3	11.8	510	14.7	13.4	16.2	416	8.5	7.7	9.4
All Other Sites	4,532	52.9	51.3	54.5	1,959	55.6	53.0	58.3	2,573	51.7	49.7	53.8
Breast in situ (not in total)									1,777	34.6	33.0	36.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Champaign

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	396	500.5	449.4	555.4	204	600.9	513.6	697.6	192	425.9	364.9	493.4
Oral Cavity and Pharynx	12	12.0	6.1	21.3	9	20.2	9.1	39.9	3	4.9	1.0	15.1
Esophagus	3	3.9	0.7	11.5	1	2.2	0.1	14.9	2	4.7	0.5	16.4
Stomach	12	14.6	7.0	26.1	7	20.4	7.2	44.3	5	10.5	3.2	24.7
Colon and Rectum	42	60.0	42.3	81.9	22	73.0	43.2	113.7	20	50.7	30.4	78.2
Liver	4	5.3	1.3	13.5	4	12.2	2.9	32.3	0			
Pancreas	10	12.4	5.6	23.2	5	13.5	3.8	33.4	5	11.7	3.5	27.1
Lung and Bronchus	70	99.0	75.9	126.2	39	127.5	86.8	178.9	31	78.7	52.6	112.2
Bones and Joints	0				0				0			
Melanoma of the Skin	1	2.2	0.1	9.7	0				1	3.1	0.1	14.3
Breast (invasive)	52	60.6	44.6	80.3	0				52	107.6	79.4	142.0
Cervix									3	6.5	1.1	19.2
Corpus and Uterus, NOS									10	20.2	9.3	37.5
Ovary									7	12.3	4.8	25.9
Prostate					58	158.0	118.0	206.9				
Testis					1	1.9	0.0	14.1				
Urinary Bladder (includes in situ)	11	16.6	7.8	29.9	5	16.6	4.7	39.7	6	15.9	5.5	34.1
Kidney and Renal Pelvis	20	23.4	13.8	36.9	14	41.4	21.4	71.3	6	10.2	3.3	23.8
Brain and Nervous System	3	3.8	0.6	11.6	2	3.5	0.4	16.3	1	3.1	0.1	14.3
Hodgkin Lymphoma	3	2.2	0.4	7.7	1	2.3	0.1	15.0	2	2.2	0.2	10.5
Non-Hodgkin Lymphoma	6	8.6	3.0	18.5	4	12.4	3.2	31.9	2	4.7	0.5	16.5
Myeloma	9	11.2	4.8	21.7	6	20.5	5.9	47.4	3	6.3	1.2	18.1
Leukemia	9	12.1	5.3	23.0	5	15.8	4.3	38.4	4	10.4	2.7	25.5
All Other Sites	50	61.6	44.8	82.3	21	59.5	35.0	93.8	29	62.3	40.7	90.6
Breast in situ (not in total)									19	37.9	22.4	59.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Cook

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	33,111	508.3	502.7	513.9	16,349	618.0	608.2	627.9	16,762	438.4	431.7	445.2
Oral Cavity and Pharynx	833	12.2	11.4	13.1	568	20.0	18.3	21.7	265	6.9	6.0	7.7
Esophagus	351	5.2	4.7	5.8	224	8.4	7.3	9.6	127	3.2	2.7	3.8
Stomach	726	11.6	10.8	12.5	419	17.3	15.6	19.1	307	8.1	7.2	9.1
Colon and Rectum	3,806	59.5	57.6	61.5	1,849	72.3	68.9	75.8	1,957	51.0	48.8	53.4
Liver	561	8.1	7.5	8.8	411	14.2	12.8	15.6	150	3.9	3.3	4.5
Pancreas	1,009	16.0	15.0	17.1	444	17.7	16.0	19.4	565	14.8	13.6	16.1
Lung and Bronchus	5,072	78.7	76.5	80.9	2,578	100.5	96.5	104.6	2,494	64.8	62.3	67.4
Bones and Joints	50	0.8	0.6	1.0	24	0.8	0.5	1.3	26	0.7	0.5	1.0
Melanoma of the Skin	38	0.6	0.4	0.8	16	0.7	0.4	1.1	22	0.6	0.4	0.9
Breast (invasive)	4,926	75.8	73.6	78.0	54	2.1	1.6	2.8	4,872	127.3	123.7	131.0
Cervix									522	13.9	12.8	15.2
Corpus and Uterus, NOS									1,011	25.6	24.0	27.3
Ovary									393	10.3	9.3	11.4
Prostate					5,775	210.9	205.3	216.6				
Testis					35	1.3	0.9	1.8				
Urinary Bladder (includes in situ)	767	12.6	11.7	13.5	462	19.3	17.6	21.3	305	8.3	7.4	9.3
Kidney and Renal Pelvis	1,189	18.0	17.0	19.1	697	25.4	23.5	27.5	492	12.8	11.7	14.0
Brain and Nervous System	275	4.2	3.7	4.7	141	4.8	4.0	5.7	134	3.6	3.0	4.3
Hodgkin Lymphoma	196	3.0	2.6	3.5	102	3.7	3.0	4.5	94	2.6	2.1	3.1
Non-Hodgkin Lymphoma	843	13.1	12.2	14.0	412	15.5	14.0	17.1	431	11.5	10.4	12.6
Myeloma	693	10.9	10.1	11.7	327	12.7	11.3	14.2	366	9.6	8.7	10.7
Leukemia	688	11.0	10.1	11.8	369	14.6	13.1	16.3	319	8.5	7.6	9.5
All Other Sites	3,352	52.2	50.4	54.0	1,442	55.8	52.8	58.9	1,910	50.3	48.1	52.7
Breast in situ (not in total)									1,364	34.7	32.9	36.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## DuPage

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	661	477.2	435.5	521.6	305	580.0	501.6	666.0	356	415.6	367.6	467.8
Oral Cavity and Pharynx	9	7.3	2.9	14.8	8	17.6	6.0	37.9	1	0.8	0.0	6.2
Esophagus	7	8.0	2.8	16.7	3	8.5	1.2	25.7	4	7.4	1.8	18.6
Stomach	8	8.4	3.1	17.1	3	8.2	1.1	25.4	5	8.2	2.3	19.5
Colon and Rectum	78	59.8	45.1	77.4	34	64.0	40.0	95.8	44	55.9	38.4	78.0
Liver	9	5.6	2.3	11.5	6	8.0	2.4	20.3	3	3.8	0.7	11.2
Pancreas	9	9.3	3.6	18.4	2	5.9	0.4	21.6	7	11.1	3.8	23.6
Lung and Bronchus	64	50.9	37.3	67.4	38	85.2	54.7	124.4	26	31.5	19.2	48.3
Bones and Joints	1	0.4	0.0	3.6	1	0.8	0.0	9.5	0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	125	73.3	59.6	89.1	0				125	126.8	103.4	153.8
Cervix									13	12.2	5.8	22.6
Corpus and Uterus, NOS									24	29.4	17.4	46.0
Ovary									5	7.4	2.0	18.0
Prostate					125	235.7	189.0	289.6				
Testis					4	3.0	0.8	11.9				
Urinary Bladder (includes in situ)	9	8.2	3.3	16.3	7	14.2	4.5	31.9	2	4.0	0.4	13.3
Kidney and Renal Pelvis	24	17.4	10.3	27.3	12	25.8	10.0	51.1	12	13.9	6.7	25.4
Brain and Nervous System	4	1.4	0.4	4.8	1	0.7	0.0	9.3	3	2.1	0.4	7.8
Hodgkin Lymphoma	5	1.9	0.6	5.5	4	3.7	1.0	12.9	1	0.6	0.0	5.8
Non-Hodgkin Lymphoma	26	15.3	9.3	23.7	8	14.9	4.4	34.4	18	17.5	9.6	29.3
Myeloma	12	9.5	4.3	17.7	5	7.3	1.9	19.6	7	10.3	3.5	22.1
Leukemia	21	14.1	7.8	23.1	11	15.8	6.2	32.6	10	13.1	5.4	25.8
All Other Sites	79	59.7	45.0	77.2	33	61.0	37.2	92.8	46	59.4	41.3	82.2
Breast in situ (not in total)									41	39.1	27.1	54.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Kane

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	469	450.3	406.0	497.6	248	554.3	475.3	641.4	221	377.1	325.6	434.0
Oral Cavity and Pharynx	14	13.7	7.0	23.7	10	22.2	9.5	43.2	4	6.8	1.6	17.9
Esophagus	1	0.7	0.0	4.8	1	1.5	0.0	11.5	0			
Stomach	8	7.3	2.8	15.2	5	7.7	2.5	20.2	3	5.9	1.0	17.3
Colon and Rectum	47	45.9	32.6	62.5	25	50.4	30.7	77.6	22	40.9	24.6	63.1
Liver	6	4.3	1.6	9.9	5	7.8	2.5	20.2	1	1.2	0.0	8.2
Pancreas	14	10.5	5.7	18.2	11	17.8	8.6	33.9	3	4.1	0.8	12.8
Lung and Bronchus	63	72.6	54.2	94.7	30	75.7	46.8	113.9	33	70.7	47.4	100.3
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	79	69.4	53.6	88.3	1	1.5	0.0	11.5	78	123.8	96.3	156.4
Cervix									5	6.7	2.2	16.3
Corpus and Uterus, NOS									11	17.7	8.4	32.5
Ovary									7	10.4	4.0	22.1
Prostate					95	215.0	166.4	272.1				
Testis					1	1.1	0.0	10.8				
Urinary Bladder (includes in situ)	13	17.1	8.4	30.0	9	29.9	11.7	59.1	4	8.7	2.0	22.2
Kidney and Renal Pelvis	21	18.1	10.7	28.5	14	28.1	13.7	50.6	7	10.4	4.1	21.8
Brain and Nervous System	8	7.9	3.0	16.3	5	14.7	3.3	37.3	3	4.3	0.9	13.2
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	16	14.2	7.7	23.9	7	11.7	4.4	26.2	9	16.2	6.9	31.5
Myeloma	8	8.9	3.4	18.2	6	17.4	5.2	39.6	2	2.8	0.3	10.8
Leukemia	6	4.4	1.5	10.3	4	5.0	1.3	15.9	2	3.6	0.4	13.1
All Other Sites	46	44.8	31.4	61.6	19	46.8	25.8	76.7	27	43.0	27.2	64.1
Breast in situ (not in total)									19	29.5	17.1	47.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Kankakee

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	376	527.7	474.0	585.6	220	703.9	606.7	811.4	156	398.0	336.9	466.5
Oral Cavity and Pharynx	8	9.3	3.9	18.7	6	15.5	5.3	35.5	2	4.2	0.5	15.7
Esophagus	3	3.3	0.7	10.0	2	4.6	0.6	18.6	1	2.1	0.1	12.4
Stomach	13	16.1	8.4	27.9	9	22.0	9.9	43.2	4	10.2	2.7	26.0
Colon and Rectum	39	58.4	41.1	80.2	21	73.9	43.7	115.3	18	47.3	27.7	74.7
Liver	5	6.3	2.0	14.9	3	8.7	1.7	26.0	2	4.4	0.5	16.4
Pancreas	9	13.8	6.1	26.1	5	18.9	5.0	45.7	4	11.6	3.2	28.8
Lung and Bronchus	56	85.0	63.7	110.9	33	109.7	73.9	155.8	23	63.0	39.6	94.4
Bones and Joints	1	1.9	0.0	9.1	0				1	3.3	0.1	16.0
Melanoma of the Skin	0				0				0			
Breast (invasive)	40	54.2	38.3	74.2	0				40	98.7	70.1	134.8
Cervix									6	13.5	4.9	29.7
Corpus and Uterus, NOS									13	30.2	15.9	52.0
Ovary									2	4.9	0.6	17.7
Prostate					73	210.7	162.9	267.7				
Testis					1	2.3	0.1	15.3				
Urinary Bladder (includes in situ)	12	19.2	9.7	33.4	8	32.0	12.1	65.0	4	12.1	3.3	29.6
Kidney and Renal Pelvis	17	24.8	14.2	39.8	13	38.9	20.3	67.2	4	11.6	3.1	28.8
Brain and Nervous System	2	2.3	0.3	8.8	1	2.3	0.1	15.3	1	2.4	0.1	13.1
Hodgkin Lymphoma	2	2.0	0.2	7.9	2	4.1	0.5	17.6	0			
Non-Hodgkin Lymphoma	16	24.1	13.5	39.4	10	41.6	18.4	77.6	6	14.0	5.0	30.7
Myeloma	6	10.0	3.5	21.5	5	24.2	6.7	56.4	1	2.9	0.1	14.7
Leukemia	9	12.5	5.5	24.0	5	15.1	4.3	36.7	4	10.6	2.8	26.6
All Other Sites	43	62.4	44.5	84.5	23	79.4	48.0	122.0	20	51.0	30.8	78.9
Breast in situ (not in total)									5	12.0	3.8	28.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

**Lake**  
**Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex**  
**All Sites Combined and Selected Sites, Black, 2008-2012**

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	893	483.2	449.9	518.1	475	583.6	525.7	645.7	418	408.9	369.1	451.6
Oral Cavity and Pharynx	24	10.4	6.5	15.7	17	16.1	8.9	27.1	7	5.6	2.2	11.7
Esophagus	17	10.7	6.0	17.3	13	18.9	9.0	33.8	4	4.9	1.3	12.1
Stomach	22	13.8	8.4	21.1	14	21.6	10.6	37.8	8	9.1	3.8	17.6
Colon and Rectum	88	49.6	39.2	61.9	51	68.6	48.3	93.7	37	38.1	26.4	52.9
Liver	13	6.1	3.2	10.7	11	11.3	5.4	21.1	2	1.7	0.2	6.3
Pancreas	37	21.9	15.1	30.6	14	15.4	7.9	26.8	23	25.6	15.9	38.4
Lung and Bronchus	113	65.8	53.6	79.8	62	83.6	62.2	109.4	51	52.7	38.8	69.7
Bones and Joints	2	0.5	0.1	2.6	1	0.5	0.0	5.5	1	0.6	0.0	4.2
Melanoma of the Skin	2	1.2	0.1	4.3	1	0.7	0.0	6.0	1	1.4	0.0	6.5
Breast (invasive)	128	64.4	53.0	77.3	2	2.1	0.2	8.5	126	114.3	94.6	136.9
Cervix									8	7.1	2.9	14.3
Corpus and Uterus, NOS									27	26.3	17.0	38.5
Ovary									13	12.3	6.3	21.3
Prostate					174	207.6	175.0	244.1				
Testis					2	1.0	0.1	6.2				
Urinary Bladder (includes in situ)	28	19.1	12.4	27.7	19	29.8	16.8	47.9	9	11.4	5.1	21.2
Kidney and Renal Pelvis	33	15.0	10.2	21.5	23	22.1	12.8	35.5	10	9.5	4.5	17.6
Brain and Nervous System	8	3.3	1.3	6.9	6	5.9	1.9	14.0	2	1.2	0.1	5.1
Hodgkin Lymphoma	4	2.1	0.5	5.6	2	1.8	0.2	7.7	2	2.1	0.2	7.5
Non-Hodgkin Lymphoma	19	9.8	5.7	15.7	10	11.2	4.3	23.0	9	9.5	4.2	18.1
Myeloma	21	13.0	7.8	20.1	10	14.2	6.4	26.6	11	11.9	5.8	21.4
Leukemia	14	8.4	4.3	14.3	7	8.9	2.6	20.6	7	8.2	3.2	16.6
All Other Sites	96	49.8	39.7	61.5	36	42.2	28.1	60.5	60	55.3	41.7	71.7
Breast in situ (not in total)									39	38.6	27.1	53.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014



## Macon

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	394	522.9	470.2	579.6	218	679.8	583.2	786.7	176	415.3	354.6	482.9
Oral Cavity and Pharynx	7	9.7	3.7	20.1	4	13.5	3.0	35.9	3	7.7	1.6	21.8
Esophagus	3	4.1	0.7	12.2	3	10.3	1.5	31.6	0			
Stomach	5	6.8	2.1	15.9	5	18.3	4.9	44.3	0			
Colon and Rectum	28	34.7	22.7	50.6	12	38.6	18.2	70.4	16	35.1	19.8	57.4
Liver	4	4.8	1.2	12.5	4	10.3	2.7	27.9	0			
Pancreas	12	21.4	10.9	36.9	3	13.8	2.5	38.5	9	25.9	11.7	48.3
Lung and Bronchus	57	85.5	63.9	111.5	35	129.9	86.5	185.4	22	58.8	36.4	88.9
Bones and Joints	0				0				0			
Melanoma of the Skin	1	0.9	0.0	6.1	1	2.0	0.1	14.8	0			
Breast (invasive)	51	62.7	46.1	83.2	1	2.1	0.1	15.1	50	110.1	81.1	145.8
Cervix									2	5.0	0.6	17.3
Corpus and Uterus, NOS									6	15.3	5.4	33.1
Ovary									3	5.9	1.2	17.8
Prostate					77	223.5	172.7	284.0				
Testis					0							
Urinary Bladder (includes in situ)	10	14.2	6.5	26.2	8	32.0	12.3	64.5	2	4.2	0.5	15.4
Kidney and Renal Pelvis	24	30.0	18.6	45.5	13	33.9	16.5	61.4	11	26.3	12.8	47.4
Brain and Nervous System	1	1.1	0.0	6.4	0				1	1.9	0.0	11.3
Hodgkin Lymphoma	5	5.5	1.7	13.3	3	6.2	1.1	21.3	2	4.6	0.5	16.6
Non-Hodgkin Lymphoma	20	27.3	16.2	42.7	10	23.7	11.0	45.5	10	27.2	12.8	49.6
Myeloma	9	13.7	6.0	26.0	4	11.2	2.9	29.9	5	13.3	4.2	30.6
Leukemia	8	10.9	4.4	21.8	4	15.3	3.4	40.1	4	8.3	2.2	21.6
All Other Sites	61	76.1	57.6	98.6	31	95.1	61.8	138.9	30	65.6	43.9	94.2
Breast in situ (not in total)									7	17.7	6.9	36.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Madison

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	463	584.8	530.5	642.9	231	691.7	598.2	794.7	232	514.6	448.3	587.4
Oral Cavity and Pharynx	9	9.8	4.4	18.8	4	9.3	2.5	24.9	5	10.0	3.1	23.6
Esophagus	5	6.5	2.0	15.0	4	10.7	2.7	28.0	1	2.2	0.1	11.8
Stomach	4	4.9	1.3	12.4	2	5.2	0.6	19.2	2	3.9	0.5	14.2
Colon and Rectum	40	51.6	36.2	70.8	17	48.2	26.4	79.5	23	54.2	33.7	81.7
Liver	7	8.4	3.3	17.3	4	11.0	2.9	28.5	3	6.5	1.3	18.7
Pancreas	13	15.3	7.8	26.5	7	14.7	5.9	31.7	6	14.0	5.0	30.3
Lung and Bronchus	76	109.0	85.1	137.0	42	151.8	106.3	208.2	34	87.8	60.0	122.9
Bones and Joints	0				0				0			
Melanoma of the Skin	1	1.9	0.0	8.7	1	4.5	0.1	20.9	0			
Breast (invasive)	69	82.9	63.9	105.5	0				69	143.6	111.0	182.4
Cervix									5	10.3	3.1	24.4
Corpus and Uterus, NOS									9	20.3	9.0	38.5
Ovary									4	6.3	1.7	17.0
Prostate					88	254.4	200.8	317.1				
Testis					0							
Urinary Bladder (includes in situ)	9	11.6	5.1	22.1	6	19.2	5.9	43.4	3	7.4	1.5	20.6
Kidney and Renal Pelvis	21	26.8	16.2	41.3	7	19.6	7.4	41.2	14	31.6	16.9	53.3
Brain and Nervous System	11	11.1	5.2	20.7	7	14.5	5.3	32.3	4	8.0	1.9	21.1
Hodgkin Lymphoma	3	2.5	0.5	8.1	3	5.6	1.1	18.8	0			
Non-Hodgkin Lymphoma	15	18.0	9.8	30.1	11	32.2	15.2	58.8	4	7.4	1.8	19.9
Myeloma	11	14.8	7.1	26.7	4	12.0	2.7	31.8	7	16.9	6.5	34.8
Leukemia	10	12.7	5.8	23.7	6	23.2	7.6	50.6	4	7.8	1.9	20.7
All Other Sites	53	66.7	49.3	87.9	18	55.6	31.1	90.2	35	76.2	52.4	106.6
Breast in situ (not in total)									14	29.3	15.6	49.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Peoria

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	657	559.8	515.3	606.8	351	686.5	610.4	768.8	306	467.2	414.0	524.8
Oral Cavity and Pharynx	18	12.4	7.2	20.0	15	23.3	12.4	40.0	3	4.0	0.8	11.8
Esophagus	7	6.3	2.4	13.1	6	13.8	4.5	30.5	1	1.5	0.0	8.0
Stomach	13	11.2	5.7	19.4	10	19.7	8.9	36.9	3	4.6	0.8	13.6
Colon and Rectum	67	61.0	46.5	78.2	33	64.8	42.9	93.3	34	58.0	39.5	81.3
Liver	16	11.0	6.2	18.2	10	16.2	7.2	31.2	6	7.4	2.7	16.3
Pancreas	20	18.3	10.8	28.6	12	23.4	11.4	41.9	8	13.8	5.7	27.0
Lung and Bronchus	122	114.5	94.0	137.8	69	148.7	112.9	191.3	53	88.9	65.8	117.0
Bones and Joints	1	0.4	0.0	3.4	0				1	0.8	0.0	6.1
Melanoma of the Skin	1	0.6	0.0	3.8	0				1	1.0	0.0	6.8
Breast (invasive)	90	76.2	60.5	94.5	1	1.4	0.0	9.4	89	134.0	106.5	166.1
Cervix									6	9.2	3.2	20.1
Corpus and Uterus, NOS									18	27.7	16.1	43.9
Ovary									4	7.4	1.9	18.3
Prostate					110	215.5	174.1	263.0				
Testis					1	0.8	0.0	8.0				
Urinary Bladder (includes in situ)	8	7.0	2.8	14.0	7	16.5	5.8	35.0	1	1.1	0.0	7.0
Kidney and Renal Pelvis	38	29.1	20.2	40.4	14	28.0	14.4	48.4	24	30.8	19.5	46.3
Brain and Nervous System	3	1.5	0.3	5.0	1	1.2	0.0	8.9	2	1.8	0.2	7.6
Hodgkin Lymphoma	4	2.6	0.7	7.0	2	2.0	0.2	9.8	2	3.0	0.4	10.4
Non-Hodgkin Lymphoma	21	17.7	10.6	27.4	13	27.3	14.0	47.2	8	10.1	4.2	20.4
Myeloma	15	13.9	7.6	23.1	9	17.7	7.7	34.2	6	10.8	3.8	23.0
Leukemia	11	9.0	4.3	16.4	6	8.7	3.1	19.8	5	9.0	2.8	20.5
All Other Sites	63	48.6	36.7	63.0	32	57.4	37.8	82.9	31	42.2	28.1	60.7
Breast in situ (not in total)									24	33.7	21.1	50.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Rock Island

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	241	461.3	402.6	525.6	140	564.4	467.9	673.6	101	369.9	299.6	450.7
Oral Cavity and Pharynx	6	11.4	4.1	24.7	4	14.2	3.8	37.4	2	7.9	0.9	26.8
Esophagus	2	3.2	0.4	11.8	2	6.4	0.8	25.3	0			
Stomach	4	8.9	2.2	22.3	1	3.0	0.1	19.8	3	12.1	2.4	33.7
Colon and Rectum	27	52.5	34.0	77.0	18	72.1	41.1	116.2	9	34.3	15.5	64.4
Liver	9	16.8	7.4	32.0	8	32.9	13.1	66.6	1	3.3	0.1	17.9
Pancreas	6	14.3	5.0	30.5	4	27.4	6.5	67.6	2	7.4	0.8	26.2
Lung and Bronchus	33	63.0	42.7	88.9	20	81.4	48.3	127.5	13	45.9	24.0	78.7
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	27	54.9	35.5	80.3	0				27	101.4	66.1	147.6
Cervix									2	5.6	0.7	21.1
Corpus and Uterus, NOS									8	28.9	12.1	56.9
Ovary									1	4.3	0.1	21.0
Prostate					45	177.5	126.6	241.0				
Testis					1	3.0	0.1	20.0				
Urinary Bladder (includes in situ)	7	15.6	6.0	31.7	2	10.8	1.0	37.3	5	19.3	6.1	44.2
Kidney and Renal Pelvis	9	16.5	7.2	31.9	4	14.0	3.7	37.2	5	17.7	5.3	41.7
Brain and Nervous System	1	1.8	0.0	9.8	1	3.2	0.1	20.4	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	8.5	2.6	20.0	4	12.3	3.3	33.4	1	4.3	0.1	21.0
Myeloma	7	11.0	4.4	22.9	6	19.7	7.2	44.2	1	3.8	0.1	19.6
Leukemia	7	13.7	5.3	28.1	5	18.6	5.9	44.3	2	7.4	0.8	26.2
All Other Sites	34	64.2	43.6	90.6	15	67.7	34.6	116.3	19	66.1	39.3	103.5
Breast in situ (not in total)									13	44.0	23.1	75.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Sangamon

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	496	611.3	555.1	671.2	250	745.5	644.1	857.0	246	527.8	461.1	600.9
Oral Cavity and Pharynx	12	11.1	5.7	19.8	9	17.4	7.9	34.9	3	5.6	1.1	16.6
Esophagus	5	4.5	1.4	10.9	4	7.7	2.1	22.2	1	1.7	0.0	10.3
Stomach	5	5.6	1.7	13.5	3	11.2	1.5	34.4	2	3.8	0.4	13.8
Colon and Rectum	52	69.6	50.9	92.5	29	96.4	60.8	143.2	23	52.7	32.7	79.5
Liver	12	13.2	6.4	23.8	8	22.6	8.9	46.4	4	6.1	1.6	16.7
Pancreas	13	17.6	8.9	30.5	8	28.7	11.5	57.0	5	9.0	2.9	21.4
Lung and Bronchus	80	107.9	84.2	135.7	42	146.8	100.8	204.2	38	88.4	61.5	122.2
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	69	86.0	65.7	110.3	1	1.9	0.0	14.2	68	147.3	113.1	188.0
Cervix									10	18.2	8.6	33.8
Corpus and Uterus, NOS									16	33.0	18.4	54.1
Ovary									7	15.3	6.0	31.4
Prostate					67	186.5	141.0	241.2				
Testis					0							
Urinary Bladder (includes in situ)	18	22.3	12.9	35.6	15	48.8	24.3	85.1	3	7.2	1.4	20.4
Kidney and Renal Pelvis	25	25.2	15.8	37.9	12	25.2	12.9	45.5	13	23.3	12.0	40.8
Brain and Nervous System	4	2.9	0.8	8.5	3	4.2	0.8	16.7	1	1.7	0.0	10.2
Hodgkin Lymphoma	6	4.9	1.8	11.5	1	1.9	0.0	14.2	5	7.5	2.4	18.7
Non-Hodgkin Lymphoma	17	24.2	13.5	39.1	7	23.3	8.3	49.5	10	23.7	11.0	43.6
Myeloma	15	18.8	10.1	31.6	7	21.9	8.0	46.5	8	17.0	7.0	33.8
Leukemia	13	15.4	7.6	27.4	8	21.9	7.6	47.2	5	11.1	3.2	26.1
All Other Sites	50	62.8	45.6	84.0	26	79.2	47.5	122.1	24	55.3	34.7	82.7
Breast in situ (not in total)									28	58.0	37.8	84.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## St Clair

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,777	506.5	482.6	531.3	900	624.7	582.0	669.5	877	429.1	400.8	458.8
Oral Cavity and Pharynx	40	11.4	8.1	15.6	30	21.6	14.1	31.2	10	4.8	2.3	8.8
Esophagus	26	7.5	4.8	11.0	21	14.8	8.9	22.9	5	2.4	0.8	5.7
Stomach	36	11.3	7.8	15.7	18	13.4	7.6	21.6	18	9.5	5.6	14.9
Colon and Rectum	196	57.2	49.2	65.9	96	64.8	51.8	80.0	100	50.8	41.2	61.8
Liver	21	5.4	3.3	8.4	15	9.0	4.9	15.3	6	2.7	1.0	6.0
Pancreas	46	14.0	10.1	18.7	21	15.2	9.1	23.6	25	12.7	8.1	18.7
Lung and Bronchus	282	82.8	73.1	93.2	156	111.6	93.8	131.6	126	63.7	52.9	76.0
Bones and Joints	3	0.6	0.1	1.9	2	0.7	0.1	3.5	1	0.4	0.0	2.5
Melanoma of the Skin	2	0.7	0.1	2.3	2	1.6	0.2	5.7	0			
Breast (invasive)	266	74.4	65.6	84.1	2	1.2	0.1	4.4	264	126.4	111.5	142.8
Cervix									23	10.9	6.8	16.4
Corpus and Uterus, NOS									50	24.5	18.1	32.4
Ovary									18	8.8	5.2	13.9
Prostate					314	216.1	191.4	242.9				
Testis					2	0.8	0.1	3.7				
Urinary Bladder (includes in situ)	44	13.3	9.5	17.9	30	21.7	14.2	31.6	14	7.5	4.0	12.5
Kidney and Renal Pelvis	77	21.3	16.7	26.8	39	25.0	17.4	34.7	38	18.1	12.7	24.9
Brain and Nervous System	12	3.3	1.7	5.8	4	3.0	0.8	7.6	8	3.8	1.6	7.4
Hodgkin Lymphoma	13	3.2	1.7	5.6	7	3.7	1.5	7.9	6	2.9	1.0	6.2
Non-Hodgkin Lymphoma	51	13.8	10.2	18.2	31	19.3	12.8	28.0	20	9.7	5.9	14.9
Myeloma	41	11.7	8.3	16.0	23	17.6	10.7	27.0	18	8.5	5.0	13.5
Leukemia	31	8.9	6.0	12.7	21	16.6	9.7	26.0	10	4.8	2.3	8.8
All Other Sites	183	51.8	44.3	60.0	66	46.9	35.6	60.4	117	56.5	46.6	67.9
Breast in situ (not in total)									67	31.8	24.5	40.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Vermilion

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	186	500.4	428.2	580.5	108	662.3	534.8	808.2	78	382.2	300.3	478.6
Oral Cavity and Pharynx	4	7.7	2.1	20.6	2	7.5	0.9	30.6	2	7.9	1.0	29.8
Esophagus	1	1.9	0.0	11.9	1	3.7	0.1	25.0	0			
Stomach	7	21.2	8.2	43.1	3	18.0	3.0	53.1	4	22.9	6.0	56.6
Colon and Rectum	29	86.2	56.9	124.0	14	102.7	54.0	172.2	15	78.1	43.1	128.4
Liver	5	11.9	3.7	28.1	4	22.7	5.4	58.9	1	4.1	0.1	23.8
Pancreas	8	19.1	7.8	38.3	6	35.4	11.8	78.1	2	7.2	0.8	28.2
Lung and Bronchus	28	79.9	52.2	115.9	17	108.7	60.6	176.2	11	55.7	27.4	99.1
Bones and Joints	0				0				0			
Melanoma of the Skin	1	1.5	0.0	10.9	0				1	3.4	0.1	22.0
Breast (invasive)	19	48.9	28.9	76.7	0				19	91.8	54.8	143.5
Cervix									1	5.6	0.1	28.2
Corpus and Uterus, NOS									0			
Ovary									4	21.9	5.9	54.4
Prostate					40	243.8	169.7	336.5				
Testis					0							
Urinary Bladder (includes in situ)	2	7.2	0.9	23.2	1	8.5	0.2	38.6	1	6.0	0.2	29.3
Kidney and Renal Pelvis	6	13.2	4.8	29.1	5	22.9	7.2	54.8	1	3.8	0.1	23.2
Brain and Nervous System	1	1.1	0.0	10.0	1	2.1	0.1	21.5	0			
Hodgkin Lymphoma	2	2.9	0.4	12.8	0				2	6.1	0.7	25.8
Non-Hodgkin Lymphoma	5	12.8	3.9	29.9	3	11.7	2.4	37.0	2	11.9	1.4	39.8
Myeloma	5	15.5	4.9	35.0	2	14.7	1.7	48.2	3	16.0	3.2	45.2
Leukemia	6	11.6	4.1	26.3	3	13.7	2.6	41.7	3	10.4	2.0	33.0
All Other Sites	12	35.5	17.9	61.6	6	46.2	16.2	97.5	6	29.6	10.7	63.9
Breast in situ (not in total)									6	36.2	13.2	76.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

## Will

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,376	505.3	475.7	536.1	752	619.9	569.1	673.8	624	414.2	379.3	451.3
Oral Cavity and Pharynx	24	7.2	4.4	11.3	16	12.1	6.1	21.2	8	3.6	1.6	7.6
Esophagus	11	5.0	2.3	9.2	10	11.1	4.7	21.2	1	0.5	0.0	3.2
Stomach	25	9.8	5.9	15.0	19	19.3	10.4	31.9	6	3.1	1.1	7.1
Colon and Rectum	137	53.0	43.5	63.8	76	67.8	50.9	88.1	61	41.7	31.1	54.6
Liver	20	6.3	3.6	10.2	17	12.7	6.6	21.8	3	1.4	0.3	4.5
Pancreas	40	19.0	13.1	26.4	23	25.5	15.0	39.7	17	14.2	7.9	23.0
Lung and Bronchus	181	76.8	64.8	90.1	91	84.8	66.1	106.9	90	69.0	54.3	86.1
Bones and Joints	3	0.7	0.2	2.5	2	1.1	0.1	5.3	1	0.5	0.0	3.3
Melanoma of the Skin	2	0.5	0.1	2.2	1	0.6	0.0	4.6	1	0.4	0.0	3.2
Breast (invasive)	213	72.2	61.7	83.8	1	0.5	0.0	4.6	212	129.9	111.5	150.3
Cervix									8	4.0	1.7	8.3
Corpus and Uterus, NOS									27	17.0	10.7	25.5
Ovary									19	12.4	7.1	20.1
Prostate					303	231.3	202.6	262.8				
Testis					4	2.3	0.6	6.8				
Urinary Bladder (includes in situ)	31	13.1	8.5	19.1	20	16.9	9.7	27.2	11	9.5	4.5	17.0
Kidney and Renal Pelvis	71	24.6	18.5	31.9	42	32.7	21.7	46.9	29	18.7	12.0	27.7
Brain and Nervous System	13	3.2	1.7	5.8	11	5.7	2.8	11.2	2	0.9	0.1	3.9
Hodgkin Lymphoma	13	3.0	1.6	5.4	9	4.3	1.9	9.3	4	1.7	0.5	5.0
Non-Hodgkin Lymphoma	23	9.9	6.0	15.2	6	5.4	1.7	12.5	17	13.2	7.4	21.5
Myeloma	28	10.9	6.8	16.3	16	12.8	6.6	22.3	12	9.2	4.4	16.6
Leukemia	36	12.1	8.1	17.5	22	15.9	9.0	25.8	14	8.9	4.6	15.6
All Other Sites	144	55.1	45.3	66.2	63	57.1	41.1	76.7	81	54.3	42.1	68.7
Breast in situ (not in total)									63	36.0	27.3	46.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014



## Winnebago

### Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

#### All Sites Combined and Selected Sites, Black, 2008-2012

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	656	483.8	445.4	524.4	337	589.1	521.8	662.1	319	411.5	366.1	460.6
Oral Cavity and Pharynx	7	4.7	1.8	9.9	6	9.2	3.1	21.1	1	1.1	0.0	6.4
Esophagus	10	5.7	2.7	10.6	8	9.8	4.2	20.3	2	2.1	0.2	7.9
Stomach	19	13.6	7.9	21.6	12	20.7	10.0	37.3	7	8.5	3.2	17.7
Colon and Rectum	73	58.0	44.7	73.6	42	78.1	54.2	108.0	31	43.7	29.2	62.3
Liver	15	9.7	5.2	16.4	11	14.5	6.8	27.3	4	5.5	1.4	14.0
Pancreas	23	19.9	12.2	30.1	11	21.3	10.0	38.7	12	18.0	9.0	31.4
Lung and Bronchus	96	76.0	60.8	93.6	51	94.6	68.2	126.9	45	63.0	45.4	84.7
Bones and Joints	2	1.0	0.1	4.1	0				2	1.9	0.2	7.6
Melanoma of the Skin	5	4.4	1.3	10.2	1	2.9	0.1	13.2	4	5.4	1.4	13.6
Breast (invasive)	82	53.9	42.6	67.2	0				82	98.2	77.8	122.3
Cervix									8	8.6	3.7	17.2
Corpus and Uterus, NOS									21	26.1	16.0	40.1
Ovary									7	8.4	3.2	17.7
Prostate					86	154.2	120.9	193.2				
Testis					2	2.7	0.3	10.8				
Urinary Bladder (includes in situ)	17	13.8	7.7	22.3	14	26.5	13.0	46.7	3	5.2	1.0	14.2
Kidney and Renal Pelvis	20	15.1	8.9	23.7	14	24.4	12.5	42.2	6	8.1	2.8	17.6
Brain and Nervous System	5	3.0	0.9	7.3	4	5.3	1.2	15.0	1	1.2	0.0	6.8
Hodgkin Lymphoma	10	5.7	2.7	10.7	9	10.5	4.7	21.1	1	1.2	0.0	6.8
Non-Hodgkin Lymphoma	17	12.0	6.7	19.7	9	15.5	5.9	31.5	8	9.9	4.1	19.8
Myeloma	24	18.2	11.3	27.5	12	19.8	9.7	35.4	12	16.3	8.2	28.7
Leukemia	17	11.1	6.1	18.3	9	12.4	4.9	25.3	8	10.0	4.1	20.0
All Other Sites	90	67.9	53.9	84.3	36	66.7	44.9	94.5	54	69.2	51.4	90.8
Breast in situ (not in total)									33	40.5	27.6	57.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014