

SECTION I
Cancer Incidence Rates for Selected Sites by County and Race
Illinois, 2008-2012

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	327,974	482.5	480.9	484.2	165,378	546.2	543.6	548.9	162,596	439.8	437.7	442.0
Adams	2,024	469.7	448.9	491.3	1,053	532.8	500.6	566.6	971	426.3	398.6	455.4
Alexander	220	399.9	348.0	458.1	119	469.4	387.4	564.6	101	346.5	280.3	425.2
Bond	532	500.7	458.5	545.9	283	567.8	502.8	639.1	249	456.6	399.8	519.6
Boone	1,265	465.0	439.3	491.8	633	495.3	455.9	537.1	632	441.5	407.4	477.8
Brown	187	528.2	454.5	610.8	109	633.7	516.5	769.5	78	458.2	359.6	577.7
Bureau	1,152	490.6	461.8	520.8	631	580.1	535.0	628.3	521	424.5	387.0	464.9
Calhoun	177	501.9	427.7	586.4	99	577.1	465.6	709.4	78	436.8	340.3	554.8
Carroll	579	507.1	464.1	553.3	292	521.4	461.3	588.1	287	502.6	441.0	571.2
Cass	375	451.3	406.2	500.2	198	532.2	459.8	613.0	177	400.1	341.9	465.9
Champaign	3,952	455.8	441.4	470.5	1,992	510.1	487.4	533.6	1,960	416.0	397.4	435.3
Christian	1,234	540.1	509.8	571.9	659	627.4	580.0	677.8	575	481.3	440.9	524.8
Clark	521	485.5	443.7	530.4	288	598.8	530.5	673.8	233	399.5	347.5	457.6
Clay	487	524.0	477.2	574.4	250	601.2	527.8	682.4	237	469.9	408.9	538.2
Clinton	1,077	486.9	458.0	517.3	553	549.0	503.6	597.4	524	455.0	415.8	497.1
Coles	1,350	469.3	444.0	495.8	682	526.7	487.3	568.6	668	431.6	398.2	467.3
Cook	126,358	476.8	474.1	479.4	62,144	541.1	536.7	545.4	64,214	435.5	432.1	439.0
Crawford	733	568.7	527.6	612.4	406	685.5	619.6	756.8	327	488.9	435.3	547.9
Cumberland	348	496.8	444.8	553.5	205	633.2	548.2	728.1	143	389.5	325.7	462.9
DeKalb	2,221	494.0	473.3	515.3	1,076	533.7	501.4	567.5	1,145	471.1	443.7	499.7
DeWitt	549	516.2	473.2	562.3	306	623.4	554.4	698.9	243	435.1	380.4	496.1
Douglas	578	481.9	442.7	523.8	327	605.8	541.1	676.3	251	398.0	348.5	452.8
DuPage	22,449	468.6	462.4	475.0	10,771	507.1	497.2	517.2	11,678	445.4	437.2	453.8
Edgar	602	471.4	433.4	512.0	281	495.2	437.9	558.5	321	468.3	415.9	526.0
Edwards	251	543.0	476.3	617.2	136	652.7	545.8	775.8	115	465.8	380.5	566.2
Effingham	1,060	516.9	485.8	549.6	584	631.0	580.1	685.2	476	429.9	390.9	472.0
Fayette	654	484.8	447.9	524.2	348	540.7	484.9	601.4	306	451.9	400.6	508.2
Ford	462	476.6	432.8	523.9	227	530.9	463.4	606.1	235	445.2	386.5	511.1
Franklin	1,386	519.1	491.5	548.1	739	607.4	563.6	654.0	647	455.6	419.6	494.0
Fulton	1,263	512.3	483.8	542.2	675	576.1	533.1	621.9	588	478.6	438.5	521.6
Gallatin	206	499.3	430.4	577.3	110	549.4	447.3	670.4	96	470.1	374.3	584.8
Greene	442	495.0	449.2	544.6	247	585.0	513.3	664.5	195	435.6	374.8	504.0
Grundy	1,311	538.2	509.0	568.7	694	624.3	576.8	674.6	617	478.6	441.2	518.4
Hamilton	308	520.9	462.6	585.1	180	671.8	575.6	780.8	128	406.8	335.0	490.8
Hancock	657	479.1	441.7	519.0	346	530.9	475.4	591.8	311	445.8	394.4	502.5
Hardin	141	418.7	349.1	500.1	75	446.6	346.1	571.4	66	412.1	312.2	537.4
Henderson	237	413.7	361.0	473.1	124	436.5	361.0	526.0	113	393.7	321.0	480.3
Henry	1,648	499.6	475.2	525.0	856	554.2	517.0	593.6	792	461.0	428.2	495.8
Iroquois	1,030	494.0	463.4	526.3	510	539.5	493.0	589.6	520	466.5	425.2	511.2
Jackson	1,337	476.8	451.1	503.7	666	525.2	485.1	567.7	671	449.5	415.0	486.1
Jasper	322	506.8	451.7	567.2	174	567.0	484.7	660.3	148	469.7	394.7	555.8
Jefferson	1,326	538.2	509.1	568.7	759	670.3	622.5	720.8	567	441.9	404.9	481.5
Jersey	634	447.7	412.9	484.7	338	515.2	460.6	574.6	296	394.6	350.1	443.5
Jo Daviess	759	428.0	396.7	461.4	409	471.0	424.9	521.3	350	394.4	351.4	442.0
Johnson	411	491.0	443.7	542.5	241	581.8	508.0	663.9	170	417.7	354.3	490.4
Kane	10,504	452.2	443.4	461.2	5,281	507.0	492.8	521.6	5,223	415.7	404.3	427.3
Kankakee	3,114	499.1	481.4	517.2	1,687	591.3	562.9	620.7	1,427	426.4	404.1	449.7
Kendall	2,105	482.6	461.1	504.9	1,049	553.4	517.5	590.9	1,056	435.8	409.0	463.9
Knox	1,683	470.6	447.7	494.5	893	530.7	496.0	567.4	790	431.4	400.0	464.8
Lake	15,918	470.0	462.5	477.6	7,885	513.7	501.9	525.7	8,033	440.1	430.3	450.1
LaSalle	3,787	530.4	513.2	547.9	2,072	629.0	601.8	657.1	1,715	454.8	432.7	477.9
Lawrence	493	474.4	433.1	518.8	265	552.7	487.7	624.1	228	433.7	376.8	497.4
Lee	1,117	494.3	465.3	524.7	583	534.6	491.3	580.8	534	465.4	425.6	508.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, All Sites, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	1,277	531.4	502.1	562.0	667	609.3	563.2	658.2	610	476.6	438.3	517.5
Logan	945	511.8	479.1	546.2	487	586.1	534.5	641.4	458	455.8	413.6	501.4
Macon	3,918	560.1	542.3	578.4	2,083	662.5	633.8	692.2	1,835	489.0	465.9	512.9
Macoupin	1,578	503.6	478.6	529.8	846	586.5	547.1	628.2	732	441.0	408.5	475.7
Madison	7,769	499.8	488.6	511.2	3,999	571.6	553.7	589.9	3,770	451.1	436.5	466.1
Marion	1,372	539.8	510.9	570.1	737	632.1	586.5	680.5	635	466.4	429.1	506.3
Marshall	444	494.2	447.5	544.9	261	607.1	533.8	688.6	183	402.0	342.2	470.1
Mason	545	530.4	485.4	578.7	284	576.2	510.0	649.5	261	500.2	438.5	568.8
Massac	513	489.0	446.6	534.6	280	584.0	516.8	658.1	233	426.5	371.1	488.3
McDonough	852	493.9	459.9	529.7	426	551.1	498.8	607.5	426	461.1	415.6	510.5
McHenry	7,145	484.2	472.7	496.0	3,572	536.9	518.4	556.0	3,573	447.1	432.2	462.4
McLean	3,732	481.6	465.9	497.6	1,951	562.8	537.3	589.1	1,781	422.5	402.7	442.9
Menard	405	493.3	445.0	545.7	212	573.1	495.9	659.5	193	434.4	373.0	503.8
Mercer	527	465.7	425.6	508.8	268	495.3	436.5	560.6	259	453.0	397.1	515.2
Monroe	961	494.3	463.1	527.2	502	557.8	509.0	610.3	459	446.9	406.1	490.9
Montgomery	974	493.4	462.3	526.2	522	572.0	523.5	623.9	452	442.7	400.7	488.2
Morgan	1,114	490.0	460.9	520.5	599	581.5	534.9	631.1	515	431.3	393.1	472.3
Moultrie	447	467.1	423.2	514.5	224	503.6	438.9	575.6	223	447.7	387.2	515.4
Ogle	1,439	444.4	421.4	468.4	690	450.2	416.6	485.8	749	446.2	414.2	480.2
Peoria	5,403	513.4	499.6	527.6	2,829	594.0	571.9	616.7	2,574	454.6	436.8	473.0
Perry	690	506.4	468.9	546.3	370	584.5	525.6	648.2	320	459.6	408.7	515.6
Piatt	551	517.5	474.1	564.0	282	563.5	498.2	635.4	269	484.7	426.5	549.3
Pike	529	467.0	426.8	510.3	282	535.5	473.9	603.3	247	416.9	362.9	477.1
Pope	133	392.3	325.3	471.3	70	395.7	303.4	511.8	63	379.9	288.3	497.5
Pulaski	220	528.5	459.1	606.3	122	629.2	520.7	755.7	98	446.3	358.0	551.5
Putnam	205	477.1	412.3	550.3	112	538.6	441.5	653.2	93	421.8	336.8	524.6
Randolph	999	478.1	448.4	509.2	542	552.0	505.8	601.5	457	435.1	394.2	479.3
Richland	572	510.9	468.8	556.0	284	552.3	489.3	621.7	288	477.3	421.0	539.7
Rock Island	4,449	484.1	469.7	498.9	2,297	541.2	518.9	564.3	2,152	444.7	425.4	464.7
Saline	842	504.1	469.7	540.5	430	565.1	512.0	622.5	412	464.3	418.5	514.1
Sangamon	5,930	519.0	505.6	532.7	2,941	591.0	569.3	613.3	2,989	475.0	457.7	492.8
Schuyler	243	467.9	409.7	532.8	138	537.8	450.4	638.7	105	412.5	333.8	505.7
Scott	163	467.4	396.8	547.8	98	586.3	474.1	719.2	65	380.8	290.3	492.1
Shelby	715	460.0	425.8	496.3	381	524.0	471.5	581.0	334	413.3	368.1	463.0
St Clair	7,127	494.9	483.3	506.6	3,631	573.0	554.1	592.4	3,496	440.3	425.6	455.4
Stark	207	482.6	415.9	557.8	114	584.1	478.4	708.1	93	412.3	326.6	515.7
Stephenson	1,358	414.0	391.5	437.5	684	460.3	425.8	497.0	674	383.5	353.5	415.6
Tazewell	4,261	515.0	499.4	530.9	2,263	592.0	567.5	617.3	1,998	458.8	438.3	480.0
Union	617	509.6	469.0	553.0	318	549.9	489.6	616.0	299	479.3	424.1	540.2
Vermilion	2,688	528.7	508.5	549.5	1,398	595.4	564.1	628.0	1,290	484.9	457.8	513.2
Wabash	435	542.3	491.1	597.8	236	657.2	574.4	749.1	199	448.4	385.4	519.7
Warren	521	467.0	426.5	510.4	275	535.7	473.1	604.6	246	428.9	374.1	489.7
Washington	499	521.6	475.9	570.8	282	620.0	548.7	698.7	217	446.6	387.2	513.1
Wayne	550	473.9	434.0	516.7	261	486.2	428.0	550.6	289	484.7	427.8	547.6
White	563	515.0	471.9	561.4	298	594.3	527.5	667.9	265	458.6	402.0	521.7
Whiteside	1,875	486.3	464.0	509.4	976	549.4	515.0	585.7	899	440.3	410.8	471.6
Will	14,981	499.7	491.5	508.0	7,663	571.5	558.0	585.2	7,318	449.2	438.8	459.9
Williamson	2,098	500.1	478.5	522.4	1,132	592.7	558.0	629.1	966	432.4	404.6	461.7
Winnebago	7,978	480.1	469.5	491.0	3,995	533.3	516.6	550.5	3,983	445.1	431.0	459.4
Woodford	1,079	471.8	443.4	501.7	554	522.9	479.4	569.5	525	437.8	399.9	478.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, All Sites, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	271,694	481.1	479.2	482.9	136,904	537.7	534.8	540.7	134,790	443.9	441.5	446.3
Champaign	3,473	463.3	447.7	479.3	1,747	511.2	487.0	536.3	1,726	429.4	408.8	450.8
Cook	85,915	468.4	465.3	471.6	42,158	519.8	514.7	524.9	43,757	437.5	433.4	441.8
DuPage	20,244	480.4	473.6	487.2	9,706	518.9	508.2	529.7	10,538	457.7	448.8	466.8
Kane	9,639	451.7	442.6	461.1	4,805	500.4	485.7	515.4	4,834	420.3	408.4	432.5
Kankakee	2,688	493.2	474.4	512.6	1,441	575.2	545.4	606.2	1,247	429.8	405.7	455.1
Lake	14,262	475.7	467.7	483.8	7,018	513.9	501.5	526.6	7,244	450.9	440.3	461.6
Macon	3,467	560.5	541.3	580.2	1,834	652.7	622.6	684.1	1,633	497.9	472.7	524.1
Madison	7,211	494.5	482.9	506.2	3,721	564.1	545.8	582.8	3,490	447.9	432.7	463.4
Peoria	4,635	508.7	493.8	523.9	2,407	578.1	554.9	602.2	2,228	460.2	440.5	480.6
Rock Island	4,081	480.3	465.3	495.8	2,073	527.3	504.4	551.1	2,008	449.7	429.3	470.9
Sangamon	5,372	513.9	500.0	528.2	2,659	582.4	559.9	605.5	2,713	472.3	454.1	491.1
St Clair	5,261	492.2	478.8	505.9	2,698	558.8	537.5	580.7	2,563	445.6	428.1	463.7
Vermilion	2,488	537.1	515.6	559.2	1,285	597.0	564.2	631.3	1,203	498.0	469.0	528.5
Will	12,950	498.8	490.0	507.6	6,572	564.0	549.8	578.5	6,378	454.6	443.3	466.1
Winnebago	7,195	481.9	470.6	493.4	3,593	530.5	513.0	548.5	3,602	450.9	435.9	466.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, All Sites, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	43,518	505.1	500.3	510.0	21,926	615.4	606.9	624.0	21,592	433.5	427.7	439.4
Champaign	396	500.5	449.4	555.4	204	600.9	513.6	697.6	192	425.9	364.9	493.4
Cook	33,111	508.3	502.7	513.9	16,349	618.0	608.2	627.9	16,762	438.4	431.7	445.2
DuPage	661	477.2	435.5	521.6	305	580.0	501.6	666.0	356	415.6	367.6	467.8
Kane	469	450.3	406.0	497.6	248	554.3	475.3	641.4	221	377.1	325.6	434.0
Kankakee	376	527.7	474.0	585.6	220	703.9	606.7	811.4	156	398.0	336.9	466.5
Lake	893	483.2	449.9	518.1	475	583.6	525.7	645.7	418	408.9	369.1	451.6
Macon	394	522.9	470.2	579.6	218	679.8	583.2	786.7	176	415.3	354.6	482.9
Madison	463	584.8	530.5	642.9	231	691.7	598.2	794.7	232	514.6	448.3	587.4
Peoria	657	559.8	515.3	606.8	351	686.5	610.4	768.8	306	467.2	414.0	524.8
Rock Island	241	461.3	402.6	525.6	140	564.4	467.9	673.6	101	369.9	299.6	450.7
Sangamon	496	611.3	555.1	671.2	250	745.5	644.1	857.0	246	527.8	461.1	600.9
St Clair	1,777	506.5	482.6	531.3	900	624.7	582.0	669.5	877	429.1	400.8	458.8
Vermilion	186	500.4	428.2	580.5	108	662.3	534.8	808.2	78	382.2	300.3	478.6
Will	1,376	505.3	475.7	536.1	752	619.9	569.1	673.8	624	414.2	379.3	451.3
Winnebago	656	483.8	445.4	524.4	337	589.1	521.8	662.1	319	411.5	366.1	460.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, All Sites, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	18,515	362.8	356.9	368.8	9,033	401.3	391.7	411.0	9,482	338.2	330.8	345.8
Cook	12,295	358.8	351.8	365.9	6,029	394.8	383.4	406.3	6,266	335.3	326.3	344.3
DuPage	1,072	389.1	362.5	417.0	499	427.8	383.8	474.8	573	368.7	335.2	404.4
Kane	977	312.8	288.8	338.0	497	382.8	341.0	427.6	480	261.5	234.0	291.2
Lake	953	338.0	312.0	365.3	438	364.3	321.9	410.1	515	323.5	291.0	358.4
Will	911	403.0	372.8	434.7	446	463.3	412.4	517.9	465	363.3	326.6	402.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, All Sites, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	309,459	493.3	491.5	495.1	156,345	558.9	556.0	561.7	153,114	448.9	446.6	451.2
Cook	114,063	495.1	492.2	498.1	56,115	563.8	559.0	568.6	57,948	450.8	447.0	454.5
DuPage	21,377	475.0	468.4	481.6	10,272	514.0	503.8	524.5	11,105	450.9	442.3	459.6
Kane	9,527	478.1	468.3	488.0	4,784	531.2	515.6	547.1	4,743	442.4	429.6	455.5
Lake	14,965	483.8	475.9	491.9	7,447	528.4	516.0	541.1	7,518	452.7	442.2	463.3
Will	14,070	508.0	499.4	516.7	7,217	580.8	566.8	595.1	6,853	456.3	445.4	467.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	8,181	11.8	11.5	12.0	5,722	17.7	17.2	18.2	2,459	6.6	6.4	6.9
Adams	48	11.9	8.6	16.0	32	16.6	11.2	23.8	16	7.7	4.2	13.0
Alexander	6	10.0	3.7	23.4	5	17.6	5.7	44.1	1	3.1	0.1	23.5
Bond	16	15.7	8.9	25.9	11	21.2	10.5	38.6	5	9.6	3.1	23.6
Boone	31	10.3	6.9	14.7	22	14.8	9.1	22.9	9	6.1	2.8	11.8
Brown	4	11.8	3.2	30.9	3	16.6	3.3	50.8	1	5.2	0.1	38.2
Bureau	30	12.5	8.4	18.3	21	19.0	11.6	29.6	9	6.6	2.9	13.5
Calhoun	1	2.3	0.1	18.5	1	4.6	0.1	36.8	0			
Carroll	14	14.4	7.4	25.4	7	15.3	5.8	33.4	7	15.0	5.6	33.2
Cass	9	11.4	5.2	22.0	7	18.5	7.3	38.8	2	6.0	0.7	21.4
Champaign	98	11.1	9.0	13.6	69	16.6	12.9	21.1	29	6.0	4.0	8.7
Christian	26	10.7	6.9	15.9	17	14.7	8.5	24.0	9	6.3	2.8	13.1
Clark	17	16.1	9.2	26.5	14	30.8	16.6	52.6	3	3.9	0.8	14.4
Clay	13	14.6	7.6	25.8	6	13.6	4.9	31.1	7	15.7	6.1	34.2
Clinton	21	9.0	5.6	14.0	11	10.1	5.0	18.4	10	8.5	4.0	16.1
Coles	29	9.9	6.6	14.3	21	15.7	9.6	24.2	8	4.9	2.1	10.1
Cook	3,182	11.8	11.3	12.2	2,185	17.8	17.1	18.6	997	6.8	6.3	7.2
Crawford	14	11.4	6.1	19.6	14	23.2	12.6	39.8	0			
Cumberland	16	21.0	11.9	35.1	9	26.6	12.0	52.1	7	17.4	6.8	38.4
DeKalb	59	12.5	9.5	16.3	38	17.3	12.1	24.0	21	8.4	5.1	12.9
DeWitt	12	11.5	5.8	20.6	10	19.9	9.4	37.6	2	2.7	0.3	12.8
Douglas	19	16.9	10.0	26.7	12	21.8	11.1	38.9	7	11.8	4.6	25.2
DuPage	521	10.5	9.6	11.5	357	15.6	13.9	17.4	164	6.4	5.4	7.4
Edgar	14	12.7	6.6	22.0	9	17.4	7.7	34.3	5	9.3	2.8	22.8
Edwards	4	11.1	2.8	29.4	4	22.0	5.7	58.7	0			
Effingham	21	9.7	6.0	15.1	17	16.7	9.6	27.2	4	3.6	1.0	9.7
Fayette	22	16.4	10.2	25.2	19	28.6	17.1	45.2	3	4.2	0.8	13.7
Ford	9	9.5	4.2	19.0	6	14.5	5.1	33.0	3	6.1	1.3	20.1
Franklin	39	15.3	10.8	21.2	27	22.7	14.8	33.5	12	8.9	4.5	16.1
Fulton	32	13.6	9.2	19.5	23	20.2	12.7	30.7	9	7.0	3.0	14.3
Gallatin	7	15.9	6.3	35.8	6	33.4	11.4	78.5	1	3.9	0.1	32.7
Greene	10	10.1	4.8	19.3	8	17.3	7.4	35.7	2	3.8	0.5	16.7
Grundy	33	13.2	9.0	18.6	21	17.9	10.9	27.7	12	9.0	4.6	16.0
Hamilton	5	9.1	2.9	22.7	2	7.4	0.9	30.0	3	10.2	1.8	34.1
Hancock	19	14.6	8.5	23.8	14	24.0	12.7	41.6	5	6.2	1.9	16.9
Hardin	1	2.2	0.1	21.3	1	4.4	0.1	42.7	0			
Henderson	6	10.4	3.8	25.5	5	17.0	5.5	46.2	1	3.3	0.1	27.0
Henry	52	16.0	11.8	21.2	39	24.8	17.5	34.3	13	7.9	4.1	14.0
Iroquois	25	11.8	7.6	17.8	14	14.7	8.0	25.4	11	9.0	4.4	17.2
Jackson	39	13.9	9.8	19.1	25	19.9	12.7	29.6	14	9.4	4.9	16.2
Jasper	5	7.9	2.5	19.5	4	12.6	3.4	34.7	1	3.1	0.1	20.5
Jefferson	38	16.0	11.2	22.1	29	26.1	17.3	37.9	9	6.3	2.8	12.8
Jersey	22	15.4	9.6	23.7	16	22.5	12.8	37.4	6	8.7	3.1	19.6
Jo Daviess	23	12.2	7.6	19.1	14	14.5	7.8	26.0	9	10.0	4.4	20.9
Johnson	8	9.3	3.9	19.3	4	10.4	2.5	28.8	4	9.3	2.5	27.4
Kane	242	10.0	8.8	11.4	172	14.7	12.5	17.2	70	5.7	4.5	7.3
Kankakee	80	12.5	9.9	15.7	57	19.0	14.3	24.8	23	6.4	4.0	9.8
Kendall	46	10.0	7.2	13.5	31	14.8	9.7	21.6	15	6.0	3.3	10.0
Knox	51	13.7	10.1	18.3	34	20.0	13.8	28.3	17	9.0	5.2	15.1
Lake	390	11.0	9.9	12.1	281	16.6	14.6	18.7	109	5.9	4.8	7.2
LaSalle	98	13.9	11.2	17.0	78	22.9	18.1	28.8	20	5.6	3.4	8.9
Lawrence	12	11.4	5.9	20.4	8	16.9	7.3	33.8	4	6.6	1.8	19.7
Lee	30	13.2	8.8	19.0	20	17.4	10.6	27.4	10	8.7	4.0	16.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Oral Cavity and Pharynx, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	30	12.5	8.4	18.0	16	14.5	8.3	23.9	14	11.9	6.4	20.5
Logan	26	14.5	9.4	21.4	20	24.4	14.8	37.9	6	5.9	2.1	13.9
Macon	112	15.7	12.9	19.1	80	23.7	18.7	29.8	32	8.7	5.9	12.6
Macoupin	46	14.7	10.6	19.8	26	17.3	11.2	25.8	20	12.4	7.4	19.8
Madison	192	11.7	10.1	13.5	133	17.4	14.5	20.7	59	6.5	4.9	8.5
Marion	35	13.5	9.3	19.1	27	22.8	14.9	33.6	8	5.7	2.3	12.2
Marshall	13	14.6	7.6	26.2	10	24.0	11.2	46.3	3	5.9	1.2	20.8
Mason	12	12.1	6.0	22.3	5	11.1	3.4	27.7	7	13.0	4.8	29.5
Massac	9	9.1	4.1	17.9	6	12.9	4.7	29.3	3	5.4	1.1	17.7
McDonough	28	15.5	10.1	22.9	21	25.2	15.5	39.2	7	7.9	2.9	17.7
McHenry	172	11.1	9.5	13.0	121	16.1	13.2	19.4	51	6.5	4.8	8.6
McLean	81	10.2	8.1	12.7	59	15.7	11.9	20.4	22	5.1	3.2	7.8
Menard	12	14.5	7.3	26.4	10	26.6	12.1	51.5	2	4.5	0.5	18.9
Mercer	13	12.3	6.4	21.8	8	14.6	6.2	30.4	5	9.8	3.0	24.4
Monroe	32	15.7	10.7	22.4	26	27.7	17.9	41.2	6	5.6	2.0	12.8
Montgomery	35	18.7	12.9	26.3	29	31.4	20.9	45.5	6	7.2	2.5	16.3
Morgan	39	16.7	11.7	23.2	21	19.4	11.8	30.3	18	12.6	7.3	20.8
Moultrie	12	13.9	6.9	25.1	10	24.5	11.3	46.5	2	4.3	0.5	16.9
Ogle	38	11.5	8.1	15.9	27	16.1	10.5	23.8	11	7.2	3.5	13.1
Peoria	121	11.5	9.5	13.7	89	17.9	14.3	22.2	32	5.7	3.8	8.1
Perry	15	10.8	6.0	18.2	11	16.2	8.0	29.7	4	6.6	1.7	17.8
Piatt	14	12.4	6.7	21.5	11	20.8	10.3	38.6	3	5.2	1.1	17.0
Pike	10	10.0	4.6	19.0	7	13.3	5.3	28.6	3	7.3	1.3	22.1
Pope	4	11.0	3.0	34.3	2	12.3	1.5	55.0	2	10.9	1.3	56.7
Pulaski	7	18.2	7.2	39.4	6	33.0	11.9	75.5	1	4.1	0.1	30.3
Putnam	4	8.3	2.2	25.0	4	17.4	4.6	51.3	0			
Randolph	37	18.0	12.6	25.0	24	22.3	14.2	33.7	13	12.2	6.3	21.9
Richland	17	17.3	9.8	28.4	12	26.7	13.5	47.6	5	7.5	2.3	19.9
Rock Island	129	13.8	11.5	16.6	100	22.9	18.6	28.0	29	5.9	3.8	8.6
Saline	20	12.2	7.3	19.3	16	20.5	11.5	34.3	4	4.8	1.3	13.3
Sangamon	152	12.8	10.9	15.1	102	18.6	15.1	22.7	50	7.9	5.8	10.4
Schuyler	5	8.8	2.8	22.6	4	13.3	3.5	38.9	1	3.6	0.1	26.6
Scott	6	15.6	5.7	36.5	6	32.1	11.8	75.4	0			
Shelby	14	9.4	5.1	16.3	9	12.8	5.8	25.1	5	6.2	2.0	16.0
St Clair	187	12.5	10.8	14.5	136	20.1	16.8	23.9	51	6.2	4.6	8.3
Stark	5	12.7	3.7	32.7	4	23.5	5.8	64.0	1	2.1	0.1	28.8
Stephenson	30	9.6	6.4	13.9	20	14.3	8.6	22.5	10	5.2	2.4	10.2
Tazewell	118	14.2	11.7	17.1	77	19.7	15.5	24.8	41	9.3	6.6	12.9
Union	15	11.6	6.4	19.8	10	15.5	7.4	29.9	5	8.2	2.6	20.6
Vermilion	62	12.5	9.5	16.2	40	17.5	12.4	24.0	22	8.0	4.9	12.4
Wabash	14	20.9	11.0	36.2	12	36.6	18.2	65.7	2	7.0	0.7	25.7
Warren	11	9.9	4.8	18.4	5	9.9	3.0	24.4	6	9.5	3.3	22.5
Washington	7	7.4	2.9	16.0	4	8.2	2.2	22.8	3	6.9	1.4	21.5
Wayne	15	13.3	7.3	22.7	9	15.6	7.1	30.9	6	11.9	4.1	27.3
White	11	10.0	4.9	18.8	8	16.6	7.1	34.2	3	4.7	0.9	16.7
Whiteside	42	10.6	7.6	14.5	33	17.9	12.3	25.5	9	4.2	1.9	8.5
Will	341	10.8	9.6	12.0	254	17.0	14.8	19.3	87	5.3	4.2	6.5
Williamson	46	11.0	8.0	14.9	34	17.2	11.8	24.4	12	4.7	2.4	8.7
Winnebago	181	10.7	9.2	12.4	133	16.7	13.9	19.8	48	5.6	4.1	7.5
Woodford	35	15.3	10.5	21.5	25	23.7	15.2	35.4	10	7.9	3.5	15.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Oral Cavity and Pharynx, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,767	11.8	11.5	12.0	4,738	17.5	17.0	18.0	2,029	6.6	6.3	6.9
Champaign	85	11.3	9.0	14.1	59	16.7	12.6	21.6	26	6.2	4.0	9.3
Cook	2,136	11.5	11.0	12.0	1,473	17.2	16.3	18.1	663	6.6	6.1	7.1
DuPage	464	10.6	9.6	11.7	315	15.5	13.7	17.3	149	6.6	5.6	7.8
Kane	219	9.8	8.5	11.3	155	14.3	12.0	16.8	64	5.7	4.4	7.3
Kankakee	72	13.1	10.2	16.6	51	19.8	14.7	26.2	21	6.7	4.1	10.4
Lake	345	11.0	9.9	12.3	245	16.4	14.3	18.6	100	6.2	5.0	7.6
Macon	105	16.7	13.6	20.4	76	25.5	20.0	32.2	29	8.8	5.8	13.0
Madison	179	11.7	10.0	13.6	127	17.7	14.7	21.2	52	6.1	4.5	8.1
Peoria	102	11.2	9.1	13.6	73	17.1	13.3	21.6	29	5.8	3.8	8.5
Rock Island	120	13.8	11.4	16.6	94	23.1	18.6	28.5	26	5.6	3.6	8.5
Sangamon	138	12.8	10.7	15.2	92	18.4	14.8	22.7	46	8.0	5.8	10.8
St Clair	144	13.0	10.9	15.3	103	19.7	16.0	24.1	41	6.9	4.9	9.4
Vermilion	57	12.8	9.6	16.8	38	18.7	13.1	25.9	19	7.4	4.3	12.1
Will	305	11.3	10.0	12.6	228	17.6	15.3	20.2	77	5.5	4.3	6.9
Winnebago	171	11.3	9.7	13.2	126	17.5	14.5	21.0	45	6.0	4.3	8.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Oral Cavity and Pharynx, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,065	11.6	10.9	12.4	737	18.9	17.5	20.3	328	6.4	5.7	7.1
Champaign	12	12.0	6.1	21.3	9	20.2	9.1	39.9	3	4.9	1.0	15.1
Cook	833	12.2	11.4	13.1	568	20.0	18.3	21.7	265	6.9	6.0	7.7
DuPage	9	7.3	2.9	14.8	8	17.6	6.0	37.9	1	0.8	0.0	6.2
Kane	14	13.7	7.0	23.7	10	22.2	9.5	43.2	4	6.8	1.6	17.9
Kankakee	8	9.3	3.9	18.7	6	15.5	5.3	35.5	2	4.2	0.5	15.7
Lake	24	10.4	6.5	15.7	17	16.1	8.9	27.1	7	5.6	2.2	11.7
Macon	7	9.7	3.7	20.1	4	13.5	3.0	35.9	3	7.7	1.6	21.8
Madison	9	9.8	4.4	18.8	4	9.3	2.5	24.9	5	10.0	3.1	23.6
Peoria	18	12.4	7.2	20.0	15	23.3	12.4	40.0	3	4.0	0.8	11.8
Rock Island	6	11.4	4.1	24.7	4	14.2	3.8	37.4	2	7.9	0.9	26.8
Sangamon	12	11.1	5.7	19.8	9	17.4	7.9	34.9	3	5.6	1.1	16.6
St Clair	40	11.4	8.1	15.6	30	21.6	14.1	31.2	10	4.8	2.3	8.8
Vermilion	4	7.7	2.1	20.6	2	7.5	0.9	30.6	2	7.9	1.0	29.8
Will	24	7.2	4.4	11.3	16	12.1	6.1	21.2	8	3.6	1.6	7.6
Winnebago	7	4.7	1.8	9.9	6	9.2	3.1	21.1	1	1.1	0.0	6.4

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Oral Cavity and Pharynx, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	384	7.1	6.3	7.9	264	10.2	8.8	11.7	120	4.3	3.5	5.2
Cook	262	7.1	6.2	8.1	181	9.9	8.3	11.6	81	4.5	3.5	5.6
DuPage	25	8.9	5.4	13.6	14	12.5	6.0	22.2	11	6.2	2.9	11.6
Kane	12	3.7	1.6	6.9	9	6.3	2.2	13.3	3	1.3	0.3	4.4
Lake	25	7.8	4.5	12.3	20	15.2	7.7	26.1	5	1.8	0.5	4.9
Will	12	5.8	2.7	10.5	10	11.5	4.8	22.1	2	1.0	0.1	4.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Oral Cavity and Pharynx, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	7,797	12.2	11.9	12.5	5,458	18.5	18.0	19.0	2,339	6.8	6.6	7.1
Cook	2,920	12.6	12.1	13.1	2,004	19.2	18.4	20.1	916	7.2	6.7	7.7
DuPage	496	10.7	9.8	11.8	343	16.0	14.3	17.9	153	6.3	5.4	7.5
Kane	230	11.2	9.8	12.8	163	16.5	14.0	19.4	67	6.5	5.0	8.3
Lake	365	11.3	10.2	12.6	261	17.2	15.1	19.5	104	6.1	5.0	7.4
Will	329	11.3	10.1	12.6	244	17.6	15.4	20.1	85	5.6	4.5	7.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	31,820	46.8	46.3	47.4	16,434	55.2	54.3	56.1	15,386	40.3	39.6	40.9
Adams	214	48.5	42.1	55.8	105	53.4	43.5	64.9	109	45.0	36.5	55.0
Alexander	20	36.3	22.1	57.1	11	42.0	20.8	77.2	9	30.7	13.9	61.6
Bond	64	59.2	45.4	76.1	34	69.2	47.7	97.2	30	51.4	34.1	75.2
Boone	127	47.7	39.6	56.9	69	56.5	43.4	72.1	58	39.6	30.0	51.4
Brown	19	53.6	32.2	84.5	10	57.1	26.5	107.5	9	51.4	23.2	102.7
Bureau	121	51.4	42.4	61.9	66	61.7	47.6	79.1	55	44.2	32.7	58.8
Calhoun	27	75.4	48.5	113.2	15	91.3	49.2	156.8	12	56.4	27.9	107.3
Carroll	59	50.0	37.5	66.0	29	51.2	33.8	75.8	30	47.2	30.6	71.0
Cass	46	53.9	39.3	72.4	22	60.5	37.7	92.2	24	47.8	30.3	72.8
Champaign	312	36.5	32.5	40.8	159	42.4	36.0	49.7	153	31.1	26.2	36.6
Christian	134	56.4	47.1	67.1	74	70.5	55.3	88.9	60	43.5	33.0	56.9
Clark	60	55.3	41.9	71.9	35	71.0	49.2	99.9	25	40.9	25.9	62.4
Clay	45	46.4	33.7	62.8	30	71.9	48.4	103.7	15	28.2	15.6	48.4
Clinton	120	53.5	44.3	64.2	58	57.6	43.5	74.7	62	52.1	39.6	67.6
Coles	133	45.2	37.7	53.9	63	49.1	37.6	63.2	70	41.9	32.2	53.8
Cook	12,822	48.4	47.6	49.3	6,521	57.7	56.3	59.2	6,301	41.5	40.4	42.5
Crawford	77	58.9	46.2	74.1	45	78.9	57.3	106.3	32	40.7	27.5	59.2
Cumberland	40	58.0	41.0	80.1	27	88.0	57.6	129.2	13	35.7	18.6	63.3
DeKalb	199	44.0	38.1	50.7	97	47.7	38.4	58.4	102	39.6	32.1	48.3
DeWitt	62	59.5	45.4	77.0	33	68.4	46.7	97.2	29	51.1	33.7	75.1
Douglas	56	44.8	33.7	58.6	36	67.4	46.8	94.0	20	26.5	16.0	42.1
DuPage	1,875	39.6	37.8	41.5	933	44.8	41.9	47.9	942	35.3	33.1	37.7
Edgar	66	51.7	39.6	66.6	27	47.0	30.5	69.8	39	54.2	37.9	76.1
Edwards	21	42.3	25.9	66.8	9	41.3	18.7	81.7	12	46.6	23.1	86.8
Effingham	112	54.5	44.8	65.8	51	54.8	40.6	72.4	61	53.5	40.7	69.5
Fayette	69	50.1	38.9	63.8	35	54.3	37.7	76.0	34	47.6	32.7	67.6
Ford	51	48.4	35.6	64.8	19	44.4	26.5	70.6	32	50.5	33.5	74.8
Franklin	119	44.7	36.8	53.8	63	52.6	40.1	67.9	56	36.6	27.4	48.3
Fulton	134	53.7	44.8	64.0	66	58.6	45.3	74.9	68	52.4	40.1	67.8
Gallatin	28	63.0	41.7	93.4	16	83.2	46.0	141.6	12	47.3	24.3	89.1
Greene	61	66.9	50.9	86.7	33	77.2	52.8	109.7	28	60.5	39.8	89.1
Grundy	130	54.0	45.0	64.3	66	60.3	46.1	77.4	64	49.8	38.2	63.8
Hamilton	44	74.7	53.7	102.1	22	80.6	49.8	124.9	22	69.4	42.1	109.6
Hancock	76	51.9	40.7	65.6	42	61.8	44.5	84.7	34	41.4	28.2	60.0
Hardin	15	48.1	25.8	84.2	5	29.6	9.4	78.7	10	68.7	29.9	137.6
Henderson	33	54.1	37.2	78.2	15	51.4	28.6	89.9	18	52.6	31.0	88.6
Henry	159	48.2	40.9	56.5	79	53.3	42.0	66.8	80	43.4	34.1	54.6
Iroquois	123	58.1	48.0	70.0	57	61.7	46.4	80.7	66	54.7	41.7	71.1
Jackson	137	49.2	41.2	58.4	78	61.7	48.5	77.4	59	39.4	29.7	51.2
Jasper	32	48.9	33.2	70.1	17	57.0	32.8	93.2	15	43.6	24.3	74.2
Jefferson	128	50.9	42.3	60.8	62	55.6	42.5	71.7	66	47.7	36.5	61.6
Jersey	47	32.2	23.5	43.1	27	40.9	26.7	60.3	20	24.9	15.1	39.4
Jo Daviess	77	42.9	33.5	54.4	40	47.9	33.9	66.8	37	38.3	26.5	54.8
Johnson	45	55.7	40.5	75.4	24	59.9	37.8	90.9	21	50.4	30.9	79.6
Kane	894	39.8	37.2	42.6	484	47.3	43.0	51.9	410	33.4	30.2	36.9
Kankakee	304	48.6	43.2	54.5	158	56.2	47.6	65.8	146	41.3	34.8	48.8
Kendall	194	46.5	39.8	53.9	116	59.8	48.5	72.7	78	35.8	28.0	44.9
Knox	175	47.1	40.2	54.9	84	48.3	38.4	60.1	91	47.8	38.0	59.6
Lake	1,359	40.9	38.7	43.2	723	48.3	44.7	52.1	636	34.6	31.9	37.5
LaSalle	354	47.9	43.0	53.3	192	58.6	50.5	67.6	162	38.8	32.8	45.7
Lawrence	55	51.6	38.8	67.6	23	47.7	30.1	72.0	32	56.8	38.5	82.0
Lee	116	50.7	41.8	61.0	55	49.1	36.8	64.4	61	49.9	37.8	65.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Colon and Rectum, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	112	44.1	36.2	53.4	52	47.3	35.2	62.4	60	41.0	31.0	53.7
Logan	126	65.7	54.6	78.6	60	71.2	54.2	92.1	66	59.6	45.6	77.1
Macon	362	50.9	45.7	56.7	203	66.1	57.2	76.1	159	39.7	33.5	46.7
Macoupin	173	53.9	46.0	62.8	97	66.4	53.7	81.4	76	43.2	33.7	54.7
Madison	738	46.8	43.5	50.4	367	52.6	47.3	58.4	371	42.2	37.9	46.9
Marion	125	47.9	39.7	57.4	59	51.5	39.0	66.9	66	46.0	35.2	59.4
Marshall	44	45.2	32.6	61.7	24	54.0	34.4	82.4	20	36.6	22.1	59.2
Mason	60	57.5	43.6	74.9	36	75.9	52.9	106.3	24	43.9	27.5	67.6
Massac	58	52.9	40.0	69.2	32	66.0	45.0	94.2	26	43.8	28.1	66.1
McDonough	91	51.9	41.3	64.5	39	51.8	36.6	71.4	52	54.2	39.4	72.9
McHenry	630	44.6	41.1	48.4	340	53.1	47.2	59.4	290	37.8	33.5	42.6
McLean	321	42.5	37.9	47.5	167	51.3	43.6	60.0	154	35.8	30.2	42.0
Menard	41	50.7	36.1	69.7	21	63.1	38.5	97.9	20	43.6	26.1	69.7
Mercer	53	44.8	33.4	59.4	31	56.4	38.1	81.5	22	34.2	20.9	54.0
Monroe	89	44.9	36.0	55.5	52	60.1	44.6	79.3	37	33.5	23.5	46.8
Montgomery	111	54.5	44.7	65.9	62	68.6	52.5	88.3	49	43.0	31.5	58.1
Morgan	108	48.0	39.1	58.5	54	55.9	41.7	73.4	54	43.1	31.8	57.4
Moultrie	43	39.9	28.6	54.6	26	57.7	37.6	85.5	17	26.3	14.8	44.9
Ogle	147	45.3	38.2	53.4	71	48.2	37.5	61.2	76	42.8	33.6	54.1
Peoria	512	48.2	44.1	52.7	275	58.0	51.3	65.5	237	40.4	35.3	46.0
Perry	73	52.5	41.1	66.4	44	72.2	52.2	97.5	29	37.7	24.9	55.5
Piatt	30	26.7	17.9	38.8	15	30.0	16.5	50.7	15	24.0	13.4	41.2
Pike	69	61.1	47.0	78.5	37	76.1	53.1	106.2	32	46.7	31.2	68.4
Pope	11	29.9	14.8	58.4	3	14.2	2.9	55.6	8	43.7	18.8	98.6
Pulaski	21	47.9	29.5	75.2	13	66.2	34.8	117.4	8	31.0	13.2	66.5
Putnam	21	47.3	29.1	74.7	10	49.2	23.1	95.3	11	47.1	23.2	90.4
Randolph	117	55.4	45.7	66.8	62	63.9	48.7	82.4	55	51.1	37.9	67.9
Richland	64	53.7	41.2	69.2	36	67.7	47.4	94.6	28	40.2	26.1	60.5
Rock Island	434	46.6	42.2	51.3	232	55.2	48.2	63.0	202	39.7	34.2	45.9
Saline	107	62.6	51.1	76.2	56	72.6	54.5	95.1	51	54.0	39.8	72.3
Sangamon	552	48.6	44.6	52.9	294	61.5	54.5	69.1	258	39.0	34.3	44.3
Schuyler	26	50.4	32.4	75.6	14	57.7	31.1	99.5	12	41.8	20.4	78.8
Scott	23	66.2	41.3	101.7	16	94.3	53.3	157.4	7	44.5	16.5	96.8
Shelby	75	46.2	36.1	58.6	36	48.1	33.3	67.8	39	43.5	30.7	60.8
St Clair	686	47.5	43.9	51.2	333	52.7	47.1	58.8	353	43.3	38.8	48.1
Stark	27	67.0	42.8	101.0	15	78.4	42.4	134.6	12	57.3	27.1	108.3
Stephenson	148	42.5	35.8	50.3	61	41.0	31.2	53.1	87	43.9	34.8	55.1
Tazewell	403	48.1	43.5	53.1	236	62.7	54.9	71.4	167	37.3	31.7	43.7
Union	55	42.5	31.9	56.0	23	37.3	23.5	57.2	32	45.1	30.4	65.5
Vermilion	263	50.9	44.8	57.6	140	60.9	51.1	72.1	123	42.7	35.3	51.4
Wabash	51	62.7	46.5	83.3	27	73.6	48.3	108.4	24	51.7	32.5	79.6
Warren	54	46.6	34.8	61.4	28	56.5	37.4	82.4	26	40.4	25.7	61.3
Washington	64	65.5	50.2	84.5	35	74.4	51.5	104.8	29	57.9	38.2	85.1
Wayne	50	40.7	30.2	54.3	22	39.0	24.4	60.2	28	42.2	27.7	62.8
White	50	41.7	30.7	55.9	21	39.2	24.2	61.5	29	46.4	30.7	68.8
Whiteside	181	45.1	38.7	52.5	94	52.0	41.8	64.0	87	38.9	30.9	48.7
Will	1,339	46.5	44.0	49.1	749	57.7	53.4	62.3	590	37.3	34.3	40.6
Williamson	221	52.6	45.8	60.2	118	62.5	51.5	75.2	103	43.0	34.9	52.6
Winnebago	761	45.6	42.3	49.0	373	50.7	45.6	56.3	388	41.4	37.3	45.9
Woodford	110	46.8	38.2	56.7	63	60.0	45.9	77.2	47	37.6	27.3	50.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Colon and Rectum, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	25,795	45.3	44.8	45.9	13,382	53.3	52.4	54.2	12,413	38.9	38.2	39.6
Champaign	265	35.4	31.2	40.0	135	41.3	34.5	49.0	130	30.0	24.9	35.8
Cook	8,275	44.6	43.6	45.6	4,257	53.0	51.4	54.7	4,018	38.1	36.9	39.3
DuPage	1,683	40.0	38.1	42.0	829	45.1	42.0	48.4	854	35.7	33.3	38.3
Kane	821	39.6	36.9	42.5	443	47.1	42.7	52.0	378	33.3	30.0	36.9
Kankakee	259	47.0	41.3	53.2	134	53.8	44.9	63.9	125	40.3	33.4	48.3
Lake	1,199	40.4	38.1	42.9	633	47.4	43.6	51.4	566	34.5	31.6	37.5
Macon	329	51.9	46.3	58.1	189	69.1	59.4	80.1	140	38.4	32.0	45.8
Madison	689	46.3	42.9	50.0	345	52.3	46.9	58.3	344	41.6	37.2	46.4
Peoria	439	47.4	43.0	52.2	239	57.8	50.6	65.8	200	39.1	33.7	45.2
Rock Island	396	45.6	41.1	50.5	206	52.9	45.8	60.9	190	40.0	34.3	46.5
Sangamon	498	47.7	43.5	52.2	264	60.2	53.0	68.1	234	38.2	33.3	43.6
St Clair	482	44.2	40.3	48.4	237	49.3	43.1	56.1	245	40.2	35.2	45.8
Vermilion	234	49.3	43.0	56.3	126	59.5	49.3	71.2	108	40.6	33.1	49.6
Will	1,154	46.1	43.4	48.9	644	56.9	52.3	61.7	510	37.2	34.0	40.6
Winnebago	678	44.8	41.4	48.3	329	49.4	44.2	55.2	349	40.9	36.6	45.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Colon and Rectum, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	4,890	58.4	56.7	60.1	2,421	70.5	67.6	73.5	2,469	50.1	48.1	52.2
Champaign	42	60.0	42.3	81.9	22	73.0	43.2	113.7	20	50.7	30.4	78.2
Cook	3,806	59.5	57.6	61.5	1,849	72.3	68.9	75.8	1,957	51.0	48.8	53.4
DuPage	78	59.8	45.1	77.4	34	64.0	40.0	95.8	44	55.9	38.4	78.0
Kane	47	45.9	32.6	62.5	25	50.4	30.7	77.6	22	40.9	24.6	63.1
Kankakee	39	58.4	41.1	80.2	21	73.9	43.7	115.3	18	47.3	27.7	74.7
Lake	88	49.6	39.2	61.9	51	68.6	48.3	93.7	37	38.1	26.4	52.9
Macon	28	34.7	22.7	50.6	12	38.6	18.2	70.4	16	35.1	19.8	57.4
Madison	40	51.6	36.2	70.8	17	48.2	26.4	79.5	23	54.2	33.7	81.7
Peoria	67	61.0	46.5	78.2	33	64.8	42.9	93.3	34	58.0	39.5	81.3
Rock Island	27	52.5	34.0	77.0	18	72.1	41.1	116.2	9	34.3	15.5	64.4
Sangamon	52	69.6	50.9	92.5	29	96.4	60.8	143.2	23	52.7	32.7	79.5
St Clair	196	57.2	49.2	65.9	96	64.8	51.8	80.0	100	50.8	41.2	61.8
Vermilion	29	86.2	56.9	124.0	14	102.7	54.0	172.2	15	78.1	43.1	128.4
Will	137	53.0	43.5	63.8	76	67.8	50.9	88.1	61	41.7	31.1	54.6
Winnebago	73	58.0	44.7	73.6	42	78.1	54.2	108.0	31	43.7	29.2	62.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Colon and Rectum, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,595	33.7	31.9	35.6	867	39.4	36.4	42.6	728	29.1	26.9	31.5
Cook	1,096	34.4	32.2	36.7	613	42.2	38.5	46.1	483	28.2	25.6	31.0
DuPage	83	35.0	27.0	44.4	40	35.1	23.2	50.3	43	35.7	24.9	49.1
Kane	81	24.6	18.7	31.5	48	31.3	21.3	44.0	33	18.8	12.3	27.2
Lake	67	27.7	20.2	36.7	31	27.1	16.5	41.2	36	27.4	18.0	39.5
Will	77	36.8	28.0	47.3	44	42.4	28.9	59.4	33	31.2	20.5	45.1

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Colon and Rectum, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	30,225	47.8	47.2	48.3	15,567	56.4	55.5	57.3	14,658	41.0	40.3	41.7
Cook	11,726	50.3	49.4	51.2	5,908	60.1	58.5	61.6	5,818	43.0	41.9	44.2
DuPage	1,792	40.0	38.1	42.0	893	45.6	42.6	48.8	899	35.4	33.1	37.9
Kane	813	41.3	38.5	44.3	436	49.2	44.5	54.2	377	34.7	31.2	38.5
Lake	1,292	42.1	39.7	44.5	692	50.2	46.4	54.2	600	35.2	32.4	38.3
Will	1,262	47.1	44.4	49.8	705	58.7	54.2	63.4	557	37.7	34.6	41.0

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,726	69.4	68.8	70.1	24,286	82.8	81.8	83.9	22,440	59.9	59.1	60.7
Adams	317	70.2	62.6	78.6	179	88.9	76.2	103.2	138	56.0	46.9	66.5
Alexander	52	91.7	68.4	121.4	29	113.3	75.5	164.7	23	73.2	46.3	112.9
Bond	84	78.7	62.7	97.8	54	108.8	81.5	142.7	30	53.5	36.0	77.4
Boone	183	68.1	58.5	79.0	95	76.6	61.4	94.4	88	61.2	49.0	75.6
Brown	27	75.5	49.7	110.7	15	81.4	45.2	136.1	12	64.2	33.0	117.3
Bureau	163	67.2	57.1	78.6	83	74.3	59.1	92.7	80	62.1	48.9	78.1
Calhoun	29	81.1	53.6	119.3	20	113.6	68.0	181.3	9	51.0	23.0	102.6
Carroll	72	56.8	44.3	72.5	38	62.3	43.8	87.4	34	52.5	36.2	75.5
Cass	85	100.4	80.0	124.6	46	121.4	88.5	162.8	39	88.0	62.4	121.3
Champaign	527	62.6	57.3	68.2	277	74.2	65.5	83.6	250	53.9	47.3	61.1
Christian	240	102.9	90.1	117.1	136	129.6	108.6	153.7	104	82.6	67.0	101.0
Clark	92	83.0	66.7	102.5	50	106.6	78.7	141.6	42	66.4	47.5	91.3
Clay	77	79.3	62.4	99.9	37	88.8	62.2	123.6	40	72.3	51.3	100.4
Clinton	140	62.1	52.2	73.4	89	90.0	72.1	111.0	51	42.1	31.2	55.8
Coles	238	81.2	71.1	92.4	133	102.9	86.0	122.2	105	64.8	52.8	79.1
Cook	17,008	65.1	64.1	66.1	8,518	76.9	75.3	78.6	8,490	56.9	55.7	58.2
Crawford	123	91.7	76.1	109.8	75	125.3	98.3	157.9	48	66.6	48.9	89.5
Cumberland	63	86.8	66.5	111.9	37	110.5	77.4	153.7	26	65.0	42.0	97.6
DeKalb	304	71.6	63.6	80.2	155	83.0	70.1	97.4	149	63.6	53.6	74.8
DeWitt	97	89.0	72.0	109.2	51	106.8	79.2	141.3	46	78.3	56.9	106.1
Douglas	82	64.9	51.5	80.8	43	77.8	56.0	105.4	39	57.0	40.4	78.8
DuPage	2,700	59.0	56.8	61.4	1,385	70.8	67.0	74.8	1,315	51.2	48.4	54.1
Edgar	101	77.1	62.5	94.4	53	88.7	66.1	117.2	48	71.2	51.8	96.1
Edwards	40	82.7	58.9	114.1	25	124.0	79.8	185.3	15	56.0	31.1	96.8
Effingham	135	65.1	54.5	77.3	62	66.9	51.1	86.1	73	63.9	49.8	80.9
Fayette	90	64.4	51.7	79.4	50	78.2	57.9	103.5	40	54.9	39.0	75.7
Ford	64	62.9	48.2	81.1	31	71.4	48.4	102.4	33	58.8	40.0	84.9
Franklin	299	107.3	95.3	120.5	167	136.0	115.9	158.9	132	87.6	73.0	104.7
Fulton	200	78.7	68.1	90.8	104	89.7	73.2	109.1	96	71.0	57.1	87.7
Gallatin	47	107.2	77.8	145.7	27	128.1	83.4	192.1	20	88.4	52.0	144.0
Greene	70	74.0	57.6	94.1	40	93.5	66.6	128.4	30	59.9	40.3	87.0
Grundy	221	92.2	80.2	105.4	116	104.8	85.9	126.5	105	82.1	67.0	99.7
Hamilton	47	76.5	55.9	103.1	26	94.7	61.4	141.2	21	64.2	39.0	102.0
Hancock	116	81.5	67.0	98.5	58	87.3	66.1	114.0	58	79.0	59.3	104.1
Hardin	35	95.9	66.2	137.5	23	132.2	81.8	207.9	12	66.0	33.5	124.6
Henderson	48	82.3	60.4	111.4	22	72.0	44.9	114.2	26	93.4	60.3	141.4
Henry	267	77.3	68.3	87.4	128	83.1	69.1	99.3	139	74.2	62.2	88.2
Iroquois	171	79.5	68.0	92.7	99	101.9	82.7	124.7	72	61.2	47.7	77.9
Jackson	192	67.0	57.7	77.4	89	71.2	56.9	87.9	103	66.0	53.6	80.5
Jasper	44	67.9	49.1	92.3	26	84.2	54.5	125.5	18	54.0	31.5	87.9
Jefferson	234	94.9	83.0	108.2	150	132.0	111.3	155.5	84	64.6	51.3	80.6
Jersey	105	72.2	58.9	87.8	49	70.8	52.1	94.5	56	72.6	54.7	95.1
Jo Daviess	97	51.5	41.7	63.5	58	65.4	49.4	85.8	39	41.1	29.0	57.8
Johnson	69	82.5	63.9	105.3	43	108.9	77.6	149.0	26	63.4	40.9	95.7
Kane	1,305	60.4	57.1	63.8	640	66.3	61.0	71.8	665	55.9	51.6	60.4
Kankakee	480	76.7	69.9	84.0	258	91.6	80.6	103.8	222	65.2	56.8	74.6
Kendall	212	54.2	46.8	62.3	109	64.6	52.3	78.7	103	46.8	37.9	57.1
Knox	271	71.6	63.2	80.9	150	88.2	74.5	103.9	121	58.2	48.1	70.2
Lake	1,878	59.1	56.4	62.0	928	65.8	61.5	70.3	950	54.6	51.1	58.3
LaSalle	575	77.9	71.6	84.6	297	89.1	79.2	100.0	278	68.9	60.8	77.8
Lawrence	97	93.2	75.4	114.1	56	113.6	85.7	148.1	41	76.2	53.8	105.8
Lee	168	74.5	63.6	87.0	95	89.2	71.9	109.5	73	63.0	49.2	79.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Lung and Bronchus, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	203	84.2	72.9	96.9	108	98.5	80.5	119.3	95	74.0	59.6	91.0
Logan	152	82.2	69.5	96.7	86	104.6	83.4	129.6	66	65.8	50.7	84.4
Macon	681	94.8	87.7	102.4	377	119.8	107.8	132.8	304	75.9	67.4	85.2
Macoupin	267	82.8	73.1	93.6	145	98.1	82.6	115.8	122	71.8	59.5	86.3
Madison	1,306	83.5	79.0	88.2	672	97.5	90.2	105.3	634	74.0	68.3	80.1
Marion	264	99.4	87.7	112.5	141	118.7	99.7	140.4	123	85.5	70.8	102.7
Marshall	59	58.3	44.3	76.3	41	88.6	63.4	122.1	18	33.5	19.7	55.6
Mason	96	91.0	73.4	112.2	51	102.6	76.0	136.4	45	82.4	59.3	112.6
Massac	124	115.2	95.6	138.1	76	156.1	122.7	196.5	48	86.4	63.1	116.4
McDonough	121	67.2	55.6	80.8	63	82.2	62.9	105.8	58	56.0	41.9	73.8
McHenry	928	67.1	62.7	71.8	460	73.7	66.7	81.1	468	62.4	56.7	68.4
McLean	490	66.4	60.6	72.7	258	80.7	70.9	91.4	232	56.5	49.4	64.4
Menard	59	71.5	54.1	93.2	33	91.8	62.3	131.1	26	57.2	36.9	85.9
Mercer	98	81.0	65.6	99.4	48	89.0	65.3	119.4	50	77.7	57.4	104.0
Monroe	117	59.9	49.4	72.0	64	71.6	54.8	92.1	53	49.6	37.0	65.4
Montgomery	173	86.2	73.6	100.5	101	110.4	89.8	134.6	72	67.3	52.1	86.1
Morgan	170	74.9	63.8	87.4	95	92.9	74.8	114.1	75	62.2	48.5	78.9
Moultrie	57	58.3	44.0	76.1	24	52.5	33.5	79.1	33	64.5	44.1	91.9
Ogle	206	62.3	54.0	71.6	105	68.1	55.5	82.9	101	58.2	47.3	71.1
Peoria	921	87.5	81.8	93.4	479	103.0	93.8	112.9	442	75.7	68.7	83.2
Perry	109	78.6	64.5	95.2	67	104.9	81.0	133.8	42	56.3	40.3	77.4
Piatt	84	76.0	60.4	94.6	51	99.0	73.4	131.4	33	55.2	37.7	79.0
Pike	87	73.1	58.3	90.9	54	100.0	74.9	131.6	33	51.3	34.8	74.0
Pope	36	112.5	76.5	161.9	19	117.3	66.7	195.1	17	105.2	59.0	180.6
Pulaski	43	101.6	73.2	138.6	26	135.0	87.6	201.4	17	73.3	42.3	121.5
Putnam	29	63.8	42.5	94.1	12	59.5	30.3	108.6	17	71.8	41.5	120.8
Randolph	162	78.1	66.5	91.4	96	99.5	80.3	122.1	66	61.6	47.3	79.2
Richland	84	73.2	58.2	91.2	42	78.3	56.4	106.8	42	68.6	48.9	94.6
Rock Island	650	69.1	63.9	74.8	349	83.5	74.8	92.9	301	58.6	52.0	65.8
Saline	160	91.7	77.8	107.6	85	110.1	87.7	136.8	75	81.4	63.5	103.3
Sangamon	938	81.3	76.1	86.8	491	99.0	90.2	108.4	447	69.3	63.0	76.2
Schuyler	44	84.7	61.2	115.3	24	95.8	61.0	145.1	20	75.8	45.8	120.9
Scott	25	66.1	42.7	99.4	14	77.4	42.3	134.1	11	54.0	26.8	101.7
Shelby	130	79.8	66.5	95.4	67	91.7	70.8	117.3	63	71.8	55.0	93.1
St Clair	1,135	79.5	74.9	84.3	610	99.8	91.9	108.3	525	65.3	59.8	71.3
Stark	42	90.5	64.9	124.6	22	112.7	70.3	173.9	20	81.0	48.6	131.2
Stephenson	222	67.4	58.6	77.2	122	82.4	68.2	98.8	100	56.8	45.8	69.8
Tazewell	739	87.0	80.7	93.5	388	100.9	91.0	111.6	351	76.5	68.6	85.2
Union	127	103.0	85.5	123.3	76	134.2	105.1	169.3	51	77.2	57.1	103.1
Vermilion	463	87.3	79.5	95.8	249	102.7	90.2	116.5	214	75.3	65.4	86.4
Wabash	80	96.4	76.3	120.8	53	143.6	107.3	189.1	27	58.6	38.3	87.3
Warren	83	72.2	57.3	90.2	50	100.0	74.0	132.5	33	53.1	35.9	76.5
Washington	74	74.1	58.0	93.7	48	104.6	76.7	140.0	26	48.7	31.7	72.9
Wayne	108	87.6	71.8	106.3	55	98.8	74.2	129.7	53	82.8	61.7	109.8
White	103	92.1	74.9	112.6	64	122.4	94.2	157.7	39	68.4	48.0	95.6
Whiteside	290	73.2	64.9	82.3	166	93.5	79.7	109.2	124	58.1	48.2	69.7
Will	2,033	73.1	69.9	76.4	1,103	90.4	84.9	96.2	930	60.9	57.0	65.1
Williamson	403	93.9	84.9	103.7	241	127.7	111.8	145.3	162	69.0	58.6	80.9
Winnebago	1,227	73.4	69.3	77.7	623	84.1	77.5	91.1	604	65.8	60.6	71.4
Woodford	143	62.5	52.5	73.9	68	63.6	49.1	81.2	75	61.4	47.9	77.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Lung and Bronchus, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	39,129	69.4	68.7	70.1	20,275	81.7	80.6	82.9	18,854	60.6	59.8	61.5
Champaign	448	60.7	55.1	66.7	234	71.2	62.2	81.0	214	52.8	45.9	60.6
Cook	11,292	62.2	61.0	63.4	5,563	71.2	69.3	73.2	5,729	56.0	54.5	57.5
DuPage	2,525	62.0	59.6	64.6	1,274	73.4	69.3	77.7	1,251	54.7	51.6	57.9
Kane	1,215	60.6	57.1	64.1	595	66.6	61.2	72.4	620	55.9	51.5	60.6
Kankakee	423	76.7	69.5	84.5	225	90.4	78.8	103.3	198	66.5	57.4	76.7
Lake	1,719	60.6	57.7	63.6	843	66.6	62.0	71.4	876	56.6	52.8	60.6
Macon	623	96.6	89.1	104.7	342	120.5	107.9	134.3	281	78.1	69.0	88.2
Madison	1,221	82.5	77.9	87.4	629	96.0	88.5	103.9	592	73.3	67.5	79.6
Peoria	792	85.3	79.4	91.6	406	98.8	89.3	109.1	386	75.3	67.8	83.4
Rock Island	614	69.8	64.3	75.6	326	83.1	74.2	92.9	288	60.0	53.1	67.7
Sangamon	850	79.6	74.2	85.2	446	96.8	87.8	106.5	404	67.7	61.1	74.8
St Clair	844	78.3	73.0	83.8	453	96.4	87.6	105.9	391	65.5	59.1	72.5
Vermilion	435	89.3	81.0	98.3	232	103.4	90.4	118.0	203	78.4	67.8	90.4
Will	1,819	74.7	71.2	78.2	989	92.4	86.5	98.6	830	62.3	58.1	66.8
Winnebago	1,120	73.7	69.4	78.3	564	83.5	76.7	90.9	556	66.9	61.4	72.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Lung and Bronchus, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	6,609	79.0	77.1	81.0	3,432	101.1	97.6	104.7	3,177	64.7	62.4	67.0
Champaign	70	99.0	75.9	126.2	39	127.5	86.8	178.9	31	78.7	52.6	112.2
Cook	5,072	78.7	76.5	80.9	2,578	100.5	96.5	104.6	2,494	64.8	62.3	67.4
DuPage	64	50.9	37.3	67.4	38	85.2	54.7	124.4	26	31.5	19.2	48.3
Kane	63	72.6	54.2	94.7	30	75.7	46.8	113.9	33	70.7	47.4	100.3
Kankakee	56	85.0	63.7	110.9	33	109.7	73.9	155.8	23	63.0	39.6	94.4
Lake	113	65.8	53.6	79.8	62	83.6	62.2	109.4	51	52.7	38.8	69.7
Macon	57	85.5	63.9	111.5	35	129.9	86.5	185.4	22	58.8	36.4	88.9
Madison	76	109.0	85.1	137.0	42	151.8	106.3	208.2	34	87.8	60.0	122.9
Peoria	122	114.5	94.0	137.8	69	148.7	112.9	191.3	53	88.9	65.8	117.0
Rock Island	33	63.0	42.7	88.9	20	81.4	48.3	127.5	13	45.9	24.0	78.7
Sangamon	80	107.9	84.2	135.7	42	146.8	100.8	204.2	38	88.4	61.5	122.2
St Clair	282	82.8	73.1	93.2	156	111.6	93.8	131.6	126	63.7	52.9	76.0
Vermilion	28	79.9	52.2	115.9	17	108.7	60.6	176.2	11	55.7	27.4	99.1
Will	181	76.8	64.8	90.1	91	84.8	66.1	106.9	90	69.0	54.3	86.1
Winnebago	96	76.0	60.8	93.6	51	94.6	68.2	126.9	45	63.0	45.4	84.7

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Lung and Bronchus, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	1,321	33.6	31.7	35.6	680	40.2	36.9	43.7	641	28.9	26.6	31.4
Cook	832	30.6	28.4	32.9	440	37.3	33.5	41.2	392	25.6	23.0	28.4
DuPage	81	38.1	29.5	48.1	35	39.2	25.9	56.1	46	38.5	27.3	52.1
Kane	70	36.1	27.2	46.6	42	47.8	32.3	66.9	28	26.9	17.2	39.5
Lake	64	33.7	25.1	43.8	36	47.0	31.3	66.8	28	24.1	15.3	35.7
Will	69	40.9	31.1	52.5	30	39.9	25.0	59.2	39	42.9	30.0	58.9

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Lung and Bronchus, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	45,405	72.0	71.4	72.7	23,606	86.0	84.9	87.1	21,799	62.1	61.2	62.9
Cook	16,176	69.7	68.6	70.8	8,078	82.5	80.7	84.3	8,098	60.8	59.5	62.2
DuPage	2,619	60.0	57.7	62.4	1,350	72.3	68.4	76.4	1,269	51.8	48.9	54.8
Kane	1,235	63.8	60.2	67.5	598	69.4	63.8	75.4	637	59.3	54.7	64.2
Lake	1,814	60.9	58.1	63.9	892	67.3	62.8	72.0	922	56.6	52.9	60.5
Will	1,964	75.3	71.9	78.8	1,073	93.8	88.0	99.9	891	62.2	58.1	66.5

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	11,993	17.9	17.6	18.2	6,775	22.6	22.0	23.1	5,218	14.9	14.5	15.3
Adams	89	21.1	16.8	26.2	61	30.2	23.0	39.1	28	14.6	9.5	21.6
Alexander	8	13.8	6.0	28.7	5	18.0	5.8	44.8	3	8.3	1.7	30.2
Bond	11	11.5	5.6	20.9	9	18.0	8.1	34.8	2	4.6	0.5	17.4
Boone	54	20.4	15.2	26.7	26	20.6	13.3	30.4	28	20.1	13.3	29.3
Brown	12	33.9	17.4	60.1	7	44.2	17.6	91.4	5	37.2	11.5	89.6
Bureau	55	24.7	18.3	32.6	28	25.9	17.1	38.0	27	25.9	16.7	38.7
Calhoun	7	21.0	8.0	46.3	6	34.7	12.5	80.7	1	9.6	0.2	50.3
Carroll	16	13.4	7.4	23.2	6	9.5	3.4	23.4	10	17.0	7.5	34.6
Cass	16	20.2	11.3	33.4	9	23.1	10.4	44.6	7	19.5	7.4	41.3
Champaign	219	25.2	21.9	28.8	120	31.5	26.0	37.7	99	21.1	17.0	25.9
Christian	44	21.6	15.6	29.4	28	27.8	18.4	40.5	16	17.6	9.8	29.2
Clark	15	15.5	8.5	26.1	9	19.7	8.9	38.2	6	13.4	4.6	30.1
Clay	15	18.4	10.0	31.3	8	19.4	8.0	39.9	7	17.3	6.4	37.7
Clinton	50	22.5	16.7	29.9	25	23.9	15.4	35.5	25	22.7	14.5	34.1
Coles	52	18.4	13.6	24.3	31	25.5	17.2	36.3	21	14.8	9.0	22.9
Cook	3,548	13.4	13.0	13.9	1,999	17.6	16.8	18.4	1,549	10.8	10.2	11.3
Crawford	19	15.7	9.3	25.0	15	27.0	15.0	45.1	4	8.0	2.0	21.3
Cumberland	12	17.4	8.8	31.2	8	27.3	11.7	54.3	4	8.4	2.2	25.3
DeKalb	102	22.5	18.3	27.4	49	24.6	18.0	32.7	53	21.7	16.2	28.5
DeWitt	24	23.1	14.7	35.0	11	23.8	11.7	43.4	13	22.8	11.9	40.6
Douglas	24	21.3	13.5	31.9	15	27.5	15.2	45.9	9	16.5	7.5	31.8
DuPage	817	17.2	16.0	18.4	471	22.2	20.2	24.4	346	13.6	12.2	15.2
Edgar	25	20.8	13.2	31.5	12	20.7	10.6	37.3	13	23.2	11.8	41.1
Edwards	4	8.9	2.4	24.5	1	4.7	0.1	30.8	3	12.0	2.5	40.2
Effingham	46	24.0	17.4	32.3	35	38.8	26.8	54.3	11	11.0	5.2	20.4
Fayette	27	21.7	14.2	31.9	20	30.5	18.5	47.5	7	12.7	4.8	27.1
Ford	17	20.3	11.4	33.5	12	27.9	14.2	50.3	5	13.8	3.9	33.9
Franklin	49	20.1	14.7	26.9	29	26.3	17.4	38.2	20	15.6	9.2	24.8
Fulton	51	22.6	16.6	30.2	31	26.7	18.0	38.2	20	22.9	13.6	36.1
Gallatin	11	31.6	15.3	58.8	6	35.5	12.7	81.5	5	28.6	8.7	71.4
Greene	14	19.2	10.3	32.7	9	24.9	11.1	48.1	5	13.8	4.5	32.6
Grundy	53	21.6	16.1	28.4	32	28.1	18.9	40.3	21	16.7	10.3	25.6
Hamilton	16	28.8	16.0	48.4	14	55.0	29.3	95.0	2	5.9	0.7	26.5
Hancock	30	25.7	16.7	37.9	13	21.1	10.9	37.5	17	31.1	16.9	52.3
Hardin	5	21.4	6.7	52.1	2	12.7	1.5	56.2	3	31.0	6.2	90.4
Henderson	7	11.5	4.6	26.7	3	9.1	1.9	35.1	4	12.4	3.3	39.1
Henry	87	27.7	22.0	34.5	60	38.9	29.4	50.6	27	18.2	11.7	27.0
Iroquois	32	16.6	11.1	24.0	22	23.1	14.4	35.7	10	12.3	5.3	23.8
Jackson	64	24.0	18.3	30.8	40	32.3	22.9	44.3	24	17.8	11.2	26.7
Jasper	11	19.3	9.4	35.4	7	24.6	9.5	52.7	4	14.5	3.6	39.2
Jefferson	66	28.2	21.6	36.1	35	32.3	22.3	45.2	31	26.5	17.5	38.5
Jersey	43	33.7	24.1	45.9	28	49.1	32.2	71.6	15	20.8	11.5	35.0
Jo Daviess	38	23.3	16.0	33.0	19	21.5	12.7	35.1	19	25.5	14.5	42.2
Johnson	14	17.9	9.6	31.1	8	18.8	7.9	39.0	6	23.4	7.9	52.2
Kane	434	18.0	16.3	19.9	247	23.0	20.1	26.2	187	14.6	12.6	16.9
Kankakee	105	17.3	14.1	21.1	55	19.4	14.6	25.4	50	16.3	12.0	21.7
Kendall	107	22.8	18.4	27.7	62	33.2	24.8	43.4	45	15.8	11.5	21.3
Knox	81	24.3	19.0	30.5	46	28.0	20.3	37.8	35	21.7	14.7	31.0
Lake	784	22.9	21.3	24.6	436	28.2	25.5	31.1	348	19.3	17.3	21.5
LaSalle	163	24.6	20.8	28.8	96	30.0	24.2	36.7	67	21.2	16.2	27.2
Lawrence	14	14.0	7.6	23.8	10	22.2	10.6	41.0	4	8.9	2.3	24.4
Lee	45	20.2	14.6	27.2	21	19.1	11.8	29.7	24	21.3	13.5	32.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

All Races, Melanoma of the Skin, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Livingston	57	25.7	19.2	33.6	32	32.3	21.9	45.8	25	21.1	13.2	32.0
Logan	34	19.8	13.6	27.9	16	19.2	10.9	31.5	18	22.1	12.9	35.4
Macon	158	24.1	20.3	28.3	92	29.5	23.6	36.4	66	21.4	16.4	27.5
Macoupin	60	21.2	16.0	27.5	35	25.3	17.5	35.4	25	18.6	11.8	28.0
Madison	326	21.9	19.6	24.5	192	27.8	24.0	32.2	134	18.2	15.2	21.7
Marion	48	21.7	15.8	29.0	32	29.6	20.1	42.2	16	16.1	9.0	26.5
Marshall	23	30.3	18.6	46.9	11	27.3	13.0	51.3	12	33.2	16.1	60.8
Mason	27	29.3	18.9	43.7	14	28.1	15.2	48.7	13	31.4	16.0	55.6
Massac	22	22.2	13.6	34.6	12	24.4	12.5	43.9	10	22.8	10.4	43.3
McDonough	41	24.8	17.6	34.1	21	26.0	15.9	40.4	20	24.6	14.7	38.9
McHenry	307	20.3	18.0	22.7	174	25.1	21.3	29.4	133	16.5	13.8	19.7
McLean	226	29.0	25.2	33.1	133	38.3	31.9	45.5	93	21.9	17.6	26.9
Menard	18	22.3	12.8	36.4	9	22.4	9.9	44.8	9	21.7	9.3	43.8
Mercer	22	21.6	13.2	33.5	12	22.1	11.3	40.1	10	22.3	10.3	42.2
Monroe	58	31.2	23.5	40.6	35	38.9	26.8	54.7	23	25.0	15.7	38.0
Montgomery	35	18.2	12.5	25.7	24	27.1	17.3	40.6	11	11.9	5.6	22.6
Morgan	40	18.6	13.0	25.7	24	22.3	14.1	33.8	16	17.3	9.5	28.9
Moultrie	18	21.5	12.4	34.8	8	17.2	7.3	35.3	10	26.0	11.8	49.1
Ogle	84	27.0	21.5	33.7	45	29.7	21.5	40.0	39	25.2	17.7	34.8
Peoria	249	24.4	21.4	27.8	139	29.6	24.8	35.1	110	20.8	17.0	25.2
Perry	30	23.1	15.5	33.3	15	23.8	13.2	39.8	15	24.4	13.1	41.8
Piatt	46	47.6	34.5	64.3	26	56.1	36.2	83.3	20	42.7	25.5	67.4
Pike	17	15.9	9.0	26.2	11	20.6	10.2	37.9	6	12.0	3.8	28.6
Pope	5	13.7	4.3	37.9	3	14.4	2.9	56.0	2	13.1	1.6	60.7
Pulaski	1	2.5	0.1	16.5	1	5.2	0.1	34.9	0			
Putnam	11	29.4	13.8	55.8	6	25.4	9.1	61.8	5	32.0	9.1	79.5
Randolph	48	23.4	17.2	31.3	21	20.7	12.7	32.1	27	27.6	17.6	41.5
Richland	27	24.0	15.7	35.7	17	34.4	19.8	56.1	10	15.6	7.3	30.7
Rock Island	220	26.4	22.9	30.3	109	28.3	23.2	34.3	111	26.5	21.5	32.2
Saline	33	21.6	14.6	31.0	19	25.5	15.1	40.8	14	18.3	9.6	31.8
Sangamon	228	21.0	18.3	24.0	111	22.9	18.7	27.7	117	21.0	17.3	25.3
Schuyler	7	13.2	5.2	29.0	5	19.8	6.3	49.4	2	6.8	0.8	31.1
Scott	8	23.5	9.9	48.5	2	12.1	1.5	48.9	6	34.1	11.8	79.7
Shelby	26	17.6	11.2	26.7	12	15.9	8.0	28.9	14	20.1	10.4	35.5
St Clair	227	16.2	14.2	18.5	131	21.4	17.8	25.4	96	12.9	10.4	15.9
Stark	5	9.6	3.1	26.2	4	17.8	4.7	52.0	1	3.8	0.1	31.8
Stephenson	59	20.8	15.6	27.3	31	23.0	15.3	33.3	28	19.7	12.7	29.2
Tazewell	204	26.4	22.9	30.4	109	29.5	24.2	35.7	95	24.8	19.9	30.5
Union	27	27.5	17.7	40.8	17	34.5	19.6	56.5	10	21.5	9.8	40.6
Vermilion	93	19.8	15.8	24.4	58	25.6	19.4	33.3	35	15.4	10.5	21.8
Wabash	8	9.8	4.2	20.2	5	14.4	4.7	34.9	3	5.8	1.1	20.7
Warren	23	22.6	14.0	34.6	16	33.4	18.9	55.0	7	14.6	5.4	31.4
Washington	18	20.4	11.8	33.0	14	34.6	18.5	59.1	4	9.3	2.3	25.2
Wayne	22	21.0	12.8	32.5	10	20.4	9.7	38.5	12	22.6	11.0	41.4
White	15	15.0	8.1	26.0	9	16.8	7.7	33.8	6	15.0	5.1	34.0
Whiteside	74	20.6	16.0	26.1	39	22.4	15.8	30.8	35	20.5	13.9	29.0
Will	496	15.7	14.3	17.2	261	18.9	16.5	21.5	235	13.8	12.1	15.8
Williamson	82	21.3	16.9	26.6	52	28.4	21.1	37.5	30	15.7	10.3	22.9
Winnebago	371	23.1	20.7	25.6	210	28.5	24.7	32.7	161	19.6	16.7	23.0
Woodford	57	25.9	19.5	33.9	34	32.7	22.4	46.1	23	19.6	12.1	30.2

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

White, Melanoma of the Skin, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	11,201	20.3	20.0	20.7	6,376	25.2	24.6	25.9	4,825	17.1	16.6	17.6
Champaign	217	29.6	25.7	34.0	119	35.8	29.6	43.0	98	25.8	20.7	31.7
Cook	3,138	17.2	16.6	17.8	1,791	22.0	21.0	23.1	1,347	14.1	13.3	14.9
DuPage	761	18.4	17.1	19.8	440	23.6	21.4	26.0	321	14.7	13.1	16.4
Kane	415	18.9	17.1	20.8	237	24.0	20.9	27.4	178	15.4	13.2	17.9
Kankakee	93	17.6	14.1	21.7	50	19.9	14.7	26.4	43	16.6	11.9	22.5
Lake	720	23.9	22.2	25.8	406	29.5	26.6	32.6	314	20.2	17.9	22.6
Macon	152	26.7	22.4	31.6	89	31.9	25.4	39.6	63	24.4	18.4	31.7
Madison	321	23.2	20.7	26.0	190	29.2	25.1	33.7	131	19.6	16.3	23.4
Peoria	238	27.7	24.2	31.6	133	32.8	27.4	39.1	105	24.3	19.7	29.8
Rock Island	210	27.7	23.9	31.9	106	30.2	24.6	36.7	104	27.1	21.9	33.3
Sangamon	222	22.9	19.9	26.2	108	24.2	19.8	29.4	114	23.5	19.2	28.5
St Clair	222	21.7	18.9	24.8	127	26.8	22.3	32.0	95	18.5	14.9	22.8
Vermilion	91	21.5	17.2	26.7	58	28.4	21.4	37.1	33	16.2	10.9	23.3
Will	443	16.4	14.9	18.0	237	19.8	17.2	22.6	206	14.3	12.4	16.5
Winnebago	356	25.0	22.4	27.8	204	30.5	26.4	35.1	152	21.5	18.1	25.3

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Black, Melanoma of the Skin, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	59	0.7	0.5	0.9	26	0.8	0.5	1.2	33	0.7	0.4	0.9
Champaign	1	2.2	0.1	9.7	0				1	3.1	0.1	14.3
Cook	38	0.6	0.4	0.8	16	0.7	0.4	1.1	22	0.6	0.4	0.9
DuPage	0				0				0			
Kane	0				0				0			
Kankakee	0				0				0			
Lake	2	1.2	0.1	4.3	1	0.7	0.0	6.0	1	1.4	0.0	6.5
Macon	1	0.9	0.0	6.1	1	2.0	0.1	14.8	0			
Madison	1	1.9	0.0	8.7	1	4.5	0.1	20.9	0			
Peoria	1	0.6	0.0	3.8	0				1	1.0	0.0	6.8
Rock Island	0				0				0			
Sangamon	0				0				0			
St Clair	2	0.7	0.1	2.3	2	1.6	0.2	5.7	0			
Vermilion	1	1.5	0.0	10.9	0				1	3.4	0.1	22.0
Will	2	0.5	0.1	2.2	1	0.6	0.0	4.6	1	0.4	0.0	3.2
Winnebago	5	4.4	1.3	10.2	1	2.9	0.1	13.2	4	5.4	1.4	13.6

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Hispanic, Melanoma of the Skin, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	234	4.2	3.6	4.8	96	4.1	3.2	5.1	138	4.4	3.6	5.3
Cook	138	3.8	3.1	4.6	59	3.7	2.7	4.9	79	4.0	3.1	5.1
DuPage	18	5.5	3.0	9.2	6	3.5	1.1	8.5	12	7.3	3.4	13.2
Kane	11	4.0	1.6	7.8	7	4.4	1.2	10.6	4	3.4	0.7	8.8
Lake	14	4.0	1.8	7.5	7	6.3	2.0	14.0	7	2.2	0.9	5.5
Will	12	3.6	1.7	6.9	3	2.8	0.3	9.3	9	4.9	2.1	9.8

Cancer Incidence Counts and Age-adjusted Rates by County and Sex

Non-Hispanic, Melanoma of the Skin, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Both Sexes				Male				Female			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	11,759	19.5	19.1	19.8	6,679	24.3	23.7	24.9	5,080	16.3	15.8	16.7
Cook	3,410	15.2	14.7	15.8	1,940	19.9	19.0	20.8	1,470	12.3	11.6	12.9
DuPage	799	18.2	16.9	19.5	465	23.5	21.4	25.9	334	14.4	12.8	16.1
Kane	423	21.4	19.4	23.6	240	26.2	22.9	29.9	183	18.2	15.6	21.1
Lake	770	25.2	23.4	27.1	429	30.5	27.5	33.6	341	21.6	19.3	24.2
Will	484	16.9	15.4	18.6	258	20.3	17.8	23.1	226	14.9	13.0	17.0

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	46,743	127.7	126.5	128.8	38,541	128.8	127.5	130.2	6,318	125.4	122.3	128.6
Adams	271	122.0	107.3	138.2								
Alexander	34	126.8	85.9	181.7								
Bond	78	150.2	117.8	189.3								
Boone	175	119.4	102.2	138.7								
Brown	21	122.5	74.8	192.2								
Bureau	135	110.6	91.9	132.3								
Calhoun	17	112.4	62.8	186.8								
Carroll	78	145.6	111.9	186.8								
Cass	45	103.5	74.8	140.2								
Champaign	624	134.2	123.7	145.4	564	141.5	129.8	154.1	52	107.6	79.4	142.0
Christian	151	132.9	111.6	157.3								
Clark	51	87.4	64.3	116.8								
Clay	61	118.0	88.6	154.8								
Clinton	162	141.4	120.0	165.8								
Coles	196	131.6	113.1	152.3								
Cook	18,536	127.5	125.7	129.4	12,524	128.6	126.3	130.9	4,872	127.3	123.7	131.0
Crawford	92	138.6	110.8	171.8								
Cumberland	30	83.7	55.3	122.3								
DeKalb	293	120.9	107.2	135.7								
DeWitt	60	116.0	87.6	151.1								
Douglas	65	110.1	84.1	141.8								
DuPage	3,812	143.3	138.7	148.0	3,415	147.6	142.5	152.7	125	126.8	103.4	153.8
Edgar	71	97.8	75.8	125.1								
Edwards	29	110.0	73.2	162.0								
Effingham	123	117.9	97.1	142.0								
Fayette	72	114.0	88.1	145.4								
Ford	70	131.3	100.8	169.1								
Franklin	168	122.8	104.1	144.0								
Fulton	154	128.8	108.4	152.3								
Gallatin	17	75.2	42.4	127.3								
Greene	54	128.7	95.5	170.1								
Grundy	155	118.1	100.1	138.5								
Hamilton	27	80.0	51.4	121.1								
Hancock	78	118.7	92.3	150.9								
Hardin	13	79.0	39.7	146.0								
Henderson	30	111.9	73.8	165.4								
Henry	207	120.3	103.9	138.7								
Iroquois	141	124.1	103.6	147.9								
Jackson	185	121.4	104.0	141.0								
Jasper	36	118.7	81.9	167.3								
Jefferson	141	111.5	93.2	132.7								
Jersey	70	92.3	71.7	117.4								
Jo Daviess	94	103.8	82.8	129.4								
Johnson	50	120.7	88.3	162.6								
Kane	1,606	126.0	119.9	132.5	1,476	127.1	120.6	133.9	78	123.8	96.3	156.4
Kankakee	374	113.2	101.8	125.6	330	114.8	102.4	128.3	40	98.7	70.1	134.8
Kendall	315	125.7	111.8	140.9								
Knox	223	120.2	104.1	138.2								
Lake	2,558	136.1	130.7	141.6	2,305	140.2	134.4	146.1	126	114.3	94.6	136.9
LaSalle	454	125.0	113.3	137.5								
Lawrence	47	89.6	65.1	121.2								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	122	109.2	90.1	131.3								
Livingston	154	121.5	102.5	143.2								
Logan	123	120.9	99.9	145.3								
Macon	494	134.2	122.2	147.1	442	138.4	125.2	152.8	50	110.1	81.1	145.8
Macoupin	210	128.0	110.7	147.5								
Madison	1,022	125.1	117.4	133.3	941	124.1	116.1	132.6	69	143.6	111.0	182.4
Marion	147	113.5	95.2	134.5								
Marshall	61	147.2	110.3	193.1								
Mason	60	117.4	88.4	153.7								
Massac	62	113.2	85.8	147.3								
McDonough	95	110.5	88.0	137.0								
McHenry	1,085	129.9	122.1	138.1								
McLean	523	124.6	114.0	136.0								
Menard	58	138.4	103.6	181.8								
Mercer	78	132.6	103.7	167.8								
Monroe	136	133.7	111.8	159.0								
Montgomery	127	128.6	106.3	154.6								
Morgan	147	126.1	105.7	149.6								
Moultrie	74	148.0	114.5	188.8								
Ogle	201	121.9	105.3	140.5								
Peoria	734	131.8	122.2	142.0	633	133.2	122.6	144.5	89	134.0	106.5	166.1
Perry	84	126.4	99.7	158.5								
Piatt	86	155.0	123.0	193.4								
Pike	62	114.3	86.2	149.1								
Pope	13	75.9	39.7	141.0								
Pulaski	30	145.4	95.1	214.0								
Putnam	16	70.4	39.8	119.9								
Randolph	103	96.0	77.7	117.8								
Richland	81	135.5	106.5	170.8								
Rock Island	598	125.7	115.4	136.6	563	128.0	117.2	139.6	27	101.4	66.1	147.6
Saline	99	106.4	85.9	130.9								
Sangamon	876	139.4	130.0	149.2	803	139.8	130.0	150.2	68	147.3	113.1	188.0
Schuyler	28	115.8	75.8	171.2								
Scott	19	122.4	72.2	195.0								
Shelby	79	100.4	78.7	126.7								
St Clair	974	124.4	116.6	132.6	701	125.5	116.2	135.4	264	126.4	111.5	142.8
Stark	28	124.3	80.2	187.0								
Stephenson	158	94.9	80.1	111.9								
Tazewell	538	125.0	114.4	136.3								
Union	78	127.7	99.8	161.7								
Vermilion	345	134.8	120.3	150.5	323	139.7	124.1	156.8	19	91.8	54.8	143.5
Wabash	46	112.2	80.7	152.7								
Warren	75	127.4	99.1	161.8								
Washington	58	118.9	89.2	156.0								
Wayne	73	124.1	96.1	158.3								
White	64	118.1	89.0	154.3								
Whiteside	248	124.1	108.5	141.4								
Will	2,169	128.8	123.3	134.4	1,859	128.9	123.0	135.0	212	129.9	111.5	150.3
Williamson	239	111.4	97.2	127.2								
Winnebago	1,047	118.4	111.2	126.0	952	120.7	113.0	128.9	82	98.2	77.8	122.3
Woodford	167	141.9	120.6	166.0								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (invasive), Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	44,158	131.4	130.1	132.6	2,585	86.5	82.9	90.1
Cook	16,837	134.2	132.2	136.3	1,699	84.7	80.4	89.0
DuPage	3,649	146.1	141.3	151.1	163	96.8	80.8	114.8
Kane	1,486	137.7	130.6	145.0	120	63.2	50.6	77.8
Lake	2,391	140.4	134.7	146.3	167	97.0	80.6	115.5
Will	2,050	132.4	126.6	138.4	119	87.2	70.6	106.3

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,769	8.1	7.8	8.5	1,986	7.4	7.0	7.7	634	12.5	11.6	13.6
Adams	7	4.0	1.6	8.5								
Alexander	1	4.3	0.1	26.2								
Bond	4	10.4	2.5	27.0								
Boone	15	11.0	6.1	18.2								
Brown	1	7.4	0.2	43.6								
Bureau	8	8.9	3.7	17.9								
Calhoun	0											
Carroll	3	9.0	1.6	27.1								
Cass	2	4.5	0.5	18.0								
Champaign	22	5.0	3.1	7.6	19	5.5	3.2	8.7	3	6.5	1.1	19.2
Christian	11	12.5	6.1	22.7								
Clark	4	9.1	2.3	24.1								
Clay	4	11.1	2.7	29.3								
Clinton	6	5.8	2.1	12.9								
Coles	11	8.4	4.0	15.4								
Cook	1,345	9.7	9.2	10.2	729	8.0	7.4	8.6	522	13.9	12.8	15.2
Crawford	4	5.7	1.6	16.3								
Cumberland	3	10.8	2.1	32.0								
DeKalb	17	7.8	4.5	12.5								
DeWitt	2	3.5	0.4	14.7								
Douglas	4	9.9	2.6	24.4								
DuPage	144	5.9	4.9	6.9	112	5.4	4.5	6.6	13	12.2	5.8	22.6
Edgar	4	9.7	2.4	24.9								
Edwards	1	2.7	0.1	26.0								
Effingham	3	3.0	0.6	9.2								
Fayette	4	7.6	1.8	20.1								
Ford	3	10.2	1.9	29.3								
Franklin	12	10.2	5.0	18.5								
Fulton	7	8.0	3.0	16.9								
Gallatin	2	10.4	1.2	43.4								
Greene	4	9.5	2.5	26.0								
Grundy	9	7.7	3.5	14.6								
Hamilton	5	27.3	8.3	63.8								
Hancock	3	7.3	1.4	21.1								
Hardin	2	21.7	2.5	77.0								
Henderson	0											
Henry	13	9.0	4.7	15.9								
Iroquois	8	10.5	4.3	21.4								
Jackson	11	8.2	4.0	15.0								
Jasper	1	3.0	0.1	20.2								
Jefferson	5	4.9	1.5	11.7								
Jersey	9	12.8	5.7	25.3								
Jo Daviess	1	1.4	0.0	9.5								
Johnson	0											
Kane	96	7.4	6.0	9.0	85	7.4	5.9	9.1	5	6.7	2.2	16.3
Kankakee	24	8.5	5.4	12.8	17	7.3	4.2	11.8	6	13.5	4.9	29.7
Kendall	16	5.8	3.3	9.6								
Knox	10	9.9	4.6	18.1								
Lake	100	5.5	4.4	6.7	89	5.7	4.5	7.0	8	7.1	2.9	14.3
LaSalle	35	12.8	8.8	18.0								
Lawrence	3	7.4	1.3	23.1								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lee	8	7.5	3.2	15.3								
Livingston	14	14.8	7.9	25.0								
Logan	3	4.5	0.9	12.9								
Macon	30	10.6	7.0	15.4	28	11.8	7.6	17.4	2	5.0	0.6	17.3
Macoupin	8	6.1	2.5	12.4								
Madison	62	8.4	6.4	10.9	54	8.2	6.1	10.8	5	10.3	3.1	24.4
Marion	8	8.2	3.4	16.4								
Marshall	1	3.0	0.1	17.8								
Mason	6	14.3	4.7	33.1								
Massac	4	7.6	2.0	21.0								
McDonough	8	12.6	5.1	25.3								
McHenry	48	5.9	4.3	7.9								
McLean	18	4.5	2.7	7.2								
Menard	1	2.1	0.1	15.2								
Mercer	2	4.5	0.5	17.2								
Monroe	8	9.7	4.1	19.3								
Montgomery	4	4.2	1.1	11.6								
Morgan	6	5.4	1.9	12.3								
Moultrie	2	5.3	0.6	19.2								
Ogle	9	6.1	2.7	11.9								
Peoria	31	6.1	4.1	8.7	25	6.3	4.0	9.5	6	9.2	3.2	20.1
Perry	5	7.4	2.1	18.8								
Piatt	3	8.3	1.6	24.1								
Pike	5	13.2	4.0	31.3								
Pope	0											
Pulaski	2	12.5	1.2	47.7								
Putnam	0											
Randolph	5	6.9	2.2	16.4								
Richland	1	3.5	0.1	16.8								
Rock Island	37	9.1	6.2	12.7	34	9.2	6.2	13.1	2	5.6	0.7	21.1
Saline	9	15.2	6.8	29.1								
Sangamon	61	11.1	8.4	14.4	48	9.8	7.1	13.1	10	18.2	8.6	33.8
Schuyler	2	11.2	1.1	41.7								
Scott	1	4.8	0.1	35.5								
Shelby	5	7.2	2.3	17.9								
St Clair	53	7.5	5.6	9.9	29	6.2	4.1	9.0	23	10.9	6.8	16.4
Stark	2	14.0	1.2	53.2								
Stephenson	10	7.9	3.5	15.0								
Tazewell	27	6.7	4.3	9.9								
Union	1	3.1	0.1	15.3								
Vermilion	16	7.2	4.0	12.0	15	7.3	4.0	12.5	1	5.6	0.1	28.2
Wabash	4	9.2	2.5	25.9								
Warren	4	11.1	2.9	27.8								
Washington	0											
Wayne	2	4.6	0.5	16.9								
White	7	15.2	5.7	33.3								
Whiteside	10	5.5	2.5	10.7								
Will	113	6.7	5.5	8.1	99	7.0	5.7	8.6	8	4.0	1.7	8.3
Williamson	23	13.0	8.1	19.7								
Winnebago	66	8.4	6.4	10.7	58	8.6	6.4	11.2	8	8.6	3.7	17.2
Woodford	5	4.2	1.3	10.4								

Cancer Incidence Counts and Age-adjusted Rates by County

Cervix, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	2,394	7.9	7.6	8.3	375	10.8	9.7	12.1
Cook	1,076	9.3	8.8	9.9	269	12.0	10.5	13.6
DuPage	126	5.7	4.7	6.8	18	8.3	4.6	13.9
Kane	73	7.1	5.5	9.0	23	9.0	5.5	14.1
Lake	87	5.6	4.4	7.0	13	8.7	4.2	15.7
Will	99	6.5	5.3	8.0	14	8.6	4.2	15.5

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	12,224	33.9	33.3	34.5	9,865	33.9	33.2	34.6	1,777	34.6	33.0	36.3
Adams	58	28.3	21.3	37.0								
Alexander	2	6.2	0.7	27.7								
Bond	12	21.8	11.2	39.1								
Boone	36	24.4	17.0	33.9								
Brown	4	28.8	7.3	77.0								
Bureau	21	18.1	11.0	28.5								
Calhoun	12	76.4	37.5	140.2								
Carroll	6	8.7	3.1	22.3								
Cass	10	23.8	11.4	44.9								
Champaign	174	37.9	32.4	44.1	154	39.9	33.7	47.0	19	37.9	22.4	59.7
Christian	26	24.2	15.4	36.3								
Clark	14	24.5	13.1	42.9								
Clay	10	22.8	10.2	44.3								
Clinton	35	32.7	22.6	45.9								
Coles	35	24.4	16.8	34.4								
Cook	4,977	34.7	33.7	35.7	3,290	34.9	33.7	36.2	1,364	34.7	32.9	36.6
Crawford	9	12.8	5.7	25.9								
Cumberland	9	27.0	11.5	54.1								
DeKalb	59	24.9	18.9	32.2								
DeWitt	16	30.0	16.9	50.0								
Douglas	15	25.4	13.8	42.8								
DuPage	1,075	40.8	38.3	43.4	940	41.5	38.8	44.3	41	39.1	27.1	54.6
Edgar	21	30.4	18.3	48.3								
Edwards	4	15.1	4.1	44.0								
Effingham	36	31.5	22.0	44.2								
Fayette	9	14.4	6.4	28.3								
Ford	14	29.6	15.7	51.9								
Franklin	44	35.4	25.4	48.2								
Fulton	33	27.9	18.7	40.2								
Gallatin	4	18.7	4.6	55.3								
Greene	7	14.2	5.7	31.1								
Grundy	33	25.7	17.6	36.2								
Hamilton	7	30.4	11.0	65.9								
Hancock	18	24.3	14.0	40.4								
Hardin	4	19.0	5.2	62.0								
Henderson	4	13.7	3.7	41.3								
Henry	55	34.0	25.3	44.9								
Iroquois	25	24.2	15.6	36.3								
Jackson	36	24.7	17.1	34.5								
Jasper	9	28.1	12.8	55.4								
Jefferson	19	17.8	10.4	28.5								
Jersey	23	31.7	19.9	48.4								
Jo Daviess	26	29.3	18.5	45.0								
Johnson	12	25.3	12.9	47.6								
Kane	395	29.9	27.0	33.1	357	29.7	26.7	33.0	19	29.5	17.1	47.2
Kankakee	69	21.3	16.5	27.1	62	22.4	17.1	29.0	5	12.0	3.8	28.1
Kendall	77	30.4	23.8	38.3								
Knox	63	36.3	27.5	47.2								
Lake	838	43.7	40.7	46.8	752	44.7	41.5	48.1	39	38.6	27.1	53.2
LaSalle	84	23.3	18.4	29.1								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	9	16.9	7.5	34.1								
Lee	28	26.0	17.1	38.2								
Livingston	40	32.3	22.8	44.7								
Logan	40	43.5	30.8	59.9								
Macon	146	42.0	35.2	49.7	139	46.8	39.0	55.9	7	17.7	6.9	36.2
Macoupin	57	37.8	28.3	49.7								
Madison	263	32.7	28.8	37.1	246	33.2	29.1	37.7	14	29.3	15.6	49.5
Marion	33	25.2	17.1	36.1								
Marshall	14	36.2	19.1	63.0								
Mason	15	29.0	15.8	50.0								
Massac	12	24.9	12.6	44.8								
McDonough	19	22.6	13.2	36.4								
McHenry	217	24.7	21.5	28.4								
McLean	115	27.6	22.7	33.3								
Menard	13	29.3	15.3	52.1								
Mercer	20	37.4	22.4	59.2								
Monroe	29	27.4	18.3	39.8								
Montgomery	37	42.3	29.3	59.5								
Morgan	32	27.9	18.8	40.3								
Moultrie	12	24.4	12.2	44.5								
Ogle	35	22.5	15.5	31.5								
Peoria	209	38.0	32.9	43.7	181	38.4	32.9	44.7	24	33.7	21.1	50.8
Perry	22	33.0	20.2	51.4								
Piatt	27	50.4	32.7	75.0								
Pike	14	27.5	14.2	48.5								
Pope	2	20.2	1.8	79.6								
Pulaski	5	21.3	6.9	54.7								
Putnam	7	31.2	12.5	70.3								
Randolph	26	25.9	16.7	38.9								
Richland	9	17.2	7.5	34.2								
Rock Island	171	37.9	32.2	44.2	152	35.9	30.2	42.4	13	44.0	23.1	75.4
Saline	18	24.7	14.2	40.1								
Sangamon	262	42.8	37.6	48.4	227	40.8	35.6	46.7	28	58.0	37.8	84.5
Schuyler	4	17.0	4.4	47.2								
Scott	4	18.5	5.0	54.5								
Shelby	19	26.2	15.3	42.3								
St Clair	251	32.3	28.3	36.6	179	32.6	27.9	37.9	67	31.8	24.5	40.4
Stark	6	32.4	11.3	75.2								
Stephenson	33	21.3	14.3	30.6								
Tazewell	143	34.2	28.7	40.5								
Union	14	25.8	13.4	45.1								
Vermilion	95	37.7	30.3	46.5	89	38.8	30.8	48.2	6	36.2	13.2	76.3
Wabash	7	20.5	7.7	43.9								
Warren	20	41.3	24.4	65.2								
Washington	13	27.6	14.6	48.5								
Wayne	8	16.0	6.4	33.1								
White	7	17.2	6.2	37.3								
Whiteside	42	21.4	15.2	29.4								
Will	650	37.7	34.8	40.8	547	37.3	34.2	40.6	63	36.0	27.3	46.7
Williamson	56	26.9	20.1	35.4								
Winnebago	277	33.0	29.2	37.2	239	32.5	28.4	37.0	33	40.5	27.6	57.2
Woodford	33	29.9	20.3	42.5								

Cancer Incidence Counts and Age-adjusted Rates by County

Female Breast (in situ), Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	11,507	35.0	34.4	35.7	717	23.2	21.4	25.0
Cook	4,510	36.7	35.6	37.8	467	23.1	20.9	25.4
DuPage	1,029	42.0	39.4	44.8	46	25.4	18.0	34.6
Kane	356	32.3	29.0	35.9	39	17.9	12.4	25.1
Lake	805	46.8	43.6	50.3	33	15.3	10.3	22.1
Will	594	37.7	34.7	40.9	56	38.3	27.8	51.1

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	43,891	138.9	137.5	140.2	34,034	127.9	126.5	129.3	7,685	209.4	204.5	214.3
Adams	260	127.9	112.7	144.7								
Alexander	23	88.2	55.5	134.7								
Bond	59	115.2	87.3	149.4								
Boone	141	104.2	87.2	123.7								
Brown	26	155.4	100.2	229.9								
Bureau	176	155.3	133.0	180.5								
Calhoun	21	113.4	69.9	178.0								
Carroll	76	130.3	101.9	165.5								
Cass	30	78.3	52.6	112.6								
Champaign	519	126.8	115.8	138.4	456	126.4	114.9	138.9	58	158.0	118.0	206.9
Christian	131	120.0	100.2	142.8								
Clark	70	134.7	104.7	171.4								
Clay	69	158.8	123.2	202.3								
Clinton	120	114.4	94.6	137.2								
Coles	141	102.1	85.8	120.9								
Cook	17,521	147.5	145.3	149.7	10,684	128.0	125.5	130.5	5,775	210.9	205.3	216.6
Crawford	93	152.6	122.8	187.8								
Cumberland	40	118.8	84.5	163.3								
DeKalb	287	139.4	123.3	157.0								
DeWitt	86	163.5	130.4	203.1								
Douglas	85	151.5	120.7	188.0								
DuPage	3,034	133.4	128.5	138.4	2,668	133.5	128.3	138.9	125	235.7	189.0	289.6
Edgar	74	126.1	98.6	159.6								
Edwards	32	146.5	99.7	209.9								
Effingham	174	181.6	155.3	211.2								
Fayette	83	126.1	100.3	156.9								
Ford	57	129.3	97.8	168.7								
Franklin	165	127.6	108.6	149.2								
Fulton	168	137.3	117.1	160.1								
Gallatin	21	93.4	57.3	148.6								
Greene	60	136.7	104.0	177.1								
Grundy	167	142.1	120.5	166.5								
Hamilton	40	149.2	106.2	205.2								
Hancock	88	129.7	103.7	161.2								
Hardin	11	62.8	30.2	122.1								
Henderson	32	111.3	75.2	162.4								
Henry	205	123.2	106.7	141.8								
Iroquois	112	113.0	92.9	136.6								
Jackson	143	109.0	91.5	128.9								
Jasper	57	180.6	136.4	235.7								
Jefferson	204	170.6	147.5	196.4								
Jersey	87	124.9	99.7	154.9								
Jo Daviess	121	132.9	109.9	160.3								
Johnson	49	107.7	78.8	144.8								
Kane	1,517	140.5	133.2	148.1	1,315	131.2	123.9	138.8	95	215.0	166.4	272.1
Kankakee	440	146.9	133.2	161.6	356	135.7	121.8	150.9	73	210.7	162.9	267.7
Kendall	265	137.6	120.2	156.5								
Knox	217	123.4	107.4	141.4								
Lake	2,074	126.4	120.7	132.2	1,776	121.2	115.4	127.2	174	207.6	175.0	244.1
LaSalle	602	176.9	162.9	191.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	All Races				White				Black			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Lawrence	69	144.7	112.4	183.6								
Lee	145	127.1	107.0	150.2								
Livingston	177	154.9	132.7	180.0								
Logan	113	133.0	109.3	160.4								
Macon	517	158.0	144.5	172.6	437	149.1	135.3	164.0	77	223.5	172.7	284.0
Macoupin	215	144.7	125.9	165.8								
Madison	965	131.6	123.3	140.4	851	123.2	115.0	132.0	88	254.4	200.8	317.1
Marion	168	135.1	115.1	157.7								
Marshall	82	186.8	148.0	233.8								
Mason	64	122.8	94.2	158.4								
Massac	59	117.2	89.0	152.4								
McDonough	97	121.6	98.3	149.0								
McHenry	901	126.4	117.8	135.5								
McLean	558	150.7	138.1	164.1								
Menard	45	101.0	73.2	137.4								
Mercer	75	126.8	99.3	160.5								
Monroe	139	146.6	122.8	174.0								
Montgomery	108	119.2	97.6	144.4								
Morgan	139	127.9	107.2	151.7								
Moultrie	49	107.4	79.3	142.9								
Ogle	146	88.5	74.6	104.6								
Peoria	764	152.2	141.4	163.6	625	140.8	129.8	152.5	110	215.5	174.1	263.0
Perry	86	132.3	105.4	164.1								
Piatt	74	135.3	105.8	171.2								
Pike	64	115.7	88.9	148.7								
Pope	20	99.5	60.3	162.6								
Pulaski	31	155.6	105.1	224.6								
Putnam	39	184.8	130.7	256.8								
Randolph	119	119.0	98.2	143.0								
Richland	78	148.1	116.9	185.8								
Rock Island	597	131.1	120.6	142.2	512	120.3	109.9	131.4	45	177.5	126.6	241.0
Saline	101	128.4	104.2	156.8								
Sangamon	641	122.6	113.0	132.8	567	117.6	107.9	128.0	67	186.5	141.0	241.2
Schuyler	32	117.6	79.8	169.3								
Scott	22	128.6	80.0	198.7								
Shelby	92	116.9	94.0	144.4								
St Clair	982	146.6	137.4	156.4	653	126.9	117.1	137.2	314	216.1	191.4	242.9
Stark	28	119.8	79.3	177.7								
Stephenson	168	106.0	90.5	123.7								
Tazewell	602	151.7	139.7	164.5								
Union	70	112.2	87.1	143.2								
Vermilion	366	151.1	135.8	167.7	323	144.1	128.7	161.1	40	243.8	169.7	336.5
Wabash	38	96.9	68.3	134.6								
Warren	70	123.3	95.8	156.9								
Washington	75	153.8	120.6	194.2								
Wayne	70	122.7	95.4	156.1								
White	65	124.1	95.7	159.5								
Whiteside	230	123.5	107.9	140.8								
Will	2,060	142.1	135.7	148.7	1,622	128.3	121.8	135.0	303	231.3	202.6	262.8
Williamson	239	120.5	105.5	137.2								
Winnebago	831	107.5	100.1	115.2	728	103.5	96.0	111.5	86	154.2	120.9	193.2
Woodford	133	114.8	95.8	136.8								

Cancer Incidence Counts and Age-adjusted Rates by County

Prostate, Illinois, 2008-2012

Figures include invasive cancer and bladder cancer in situ. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method. DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014

County	Non-Hispanic				Hispanic			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
Illinois	41,450	140.9	139.6	142.3	2,441	118.4	113.3	123.8
Cook	15,880	153.0	150.5	155.4	1,641	116.2	110.1	122.5
DuPage	2,889	134.1	129.0	139.3	145	127.1	105.0	151.9
Kane	1,380	145.0	137.1	153.2	137	120.4	97.8	145.8
Lake	1,962	128.5	122.7	134.6	112	104.3	83.1	128.7
Will	1,935	142.7	136.1	149.5	125	140.5	114.5	170.1