

**SECTION III**  
**Pediatric Cancer Incidence**  
**Illinois, 1986-2012**

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

All Sites										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	10,332	145.9	1.44	143.1	148.8	15,110	160.0	1.30	157.5	162.6
1986	335	131.7	7.21	117.9	146.6	489	141.9	6.42	129.5	155.0
1987	372	147.2	7.65	132.6	163.0	540	158.1	6.81	145.0	172.0
1988	355	140.9	7.49	126.6	156.3	519	153.2	6.73	140.3	167.0
1989	345	136.2	7.35	122.2	151.4	495	146.9	6.61	134.2	160.4
1990	304	120.6	6.93	107.4	135.0	455	136.9	6.43	124.5	150.0
1991	353	136.5	7.28	122.6	151.5	488	144.9	6.58	132.3	158.4
1992	335	129.1	7.07	115.6	143.7	469	139.3	6.45	127.0	152.5
1993	339	127.2	6.92	113.9	141.5	493	143.9	6.50	131.4	157.2
1994	378	142.3	7.33	128.3	157.4	521	150.8	6.62	138.1	164.4
1995	418	155.8	7.63	141.2	171.5	566	161.3	6.79	148.2	175.1
1996	378	140.3	7.22	126.5	155.2	537	151.7	6.55	139.1	165.1
1997	403	149.1	7.43	134.9	164.4	573	160.6	6.71	147.7	174.3
1998	383	141.9	7.25	128.0	156.9	553	154.3	6.57	141.7	167.8
1999	407	150.4	7.46	136.2	165.8	588	163.5	6.75	150.6	177.3
2000	353	130.3	6.94	117.1	144.6	545	151.3	6.48	138.9	164.6
2001	415	153.1	7.52	138.7	168.5	593	164.5	6.76	151.5	178.3
2002	412	152.6	7.52	138.2	168.1	580	161.4	6.70	148.6	175.1
2003	371	138.1	7.17	124.4	152.9	573	160.1	6.69	147.2	173.7
2004	433	161.8	7.78	146.9	177.8	615	171.7	6.92	158.4	185.8
2005	423	159.6	7.76	144.7	175.6	612	171.4	6.93	158.1	185.6
2006	397	151.4	7.60	136.8	167.0	589	165.7	6.83	152.6	179.6
2007	406	155.5	7.72	140.7	171.4	629	176.8	7.05	163.2	191.2
2008	399	153.5	7.68	138.8	169.3	628	176.7	7.06	163.2	191.1
2009	387	149.6	7.61	135.1	165.3	605	171.1	6.96	157.7	185.3
2010	421	163.7	7.98	148.4	180.1	638	181.8	7.20	168.0	196.5
2011	416	163.2	8.00	147.9	179.7	625	180.2	7.21	166.3	194.9
2012	394	156.1	7.86	141.1	172.3	592	172.7	7.10	159.1	187.3

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

<b>Leukemia</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2012	3,318	46.7	0.81	45.2	48.4	4,008	42.3	0.67	41.0	43.6
1986	85	33.1	3.60	26.4	41.0	106	30.7	2.98	25.1	37.1
1987	128	50.4	4.46	42.0	60.0	152	44.6	3.62	37.8	52.3
1988	96	37.8	3.87	30.6	46.2	113	33.3	3.13	27.4	40.0
1989	99	38.8	3.90	31.5	47.2	112	32.9	3.11	27.1	39.6
1990	89	34.9	3.70	28.0	43.0	115	34.1	3.19	28.2	41.0
1991	113	43.8	4.13	36.1	52.7	137	40.4	3.46	33.9	47.8
1992	105	40.5	3.96	33.1	49.0	120	35.1	3.21	29.1	42.0
1993	100	37.3	3.74	30.4	45.4	131	37.8	3.31	31.5	44.8
1994	118	44.5	4.10	36.8	53.2	134	38.2	3.31	32.0	45.3
1995	142	52.1	4.38	43.9	61.5	163	45.4	3.56	38.6	52.9
1996	102	37.5	3.72	30.6	45.5	120	33.3	3.05	27.6	39.9
1997	117	43.0	3.98	35.6	51.5	146	40.5	3.36	34.2	47.7
1998	109	39.9	3.83	32.8	48.2	124	34.1	3.07	28.4	40.7
1999	132	48.6	4.23	40.7	57.6	163	45.1	3.53	38.4	52.6
2000	118	43.5	4.00	36.0	52.1	153	42.4	3.42	35.9	49.6
2001	147	54.5	4.49	46.0	64.0	179	49.7	3.72	42.7	57.6
2002	130	48.3	4.24	40.3	57.3	152	42.3	3.43	35.9	49.6
2003	135	50.5	4.35	42.3	59.8	165	46.2	3.60	39.4	53.8
2004	155	57.9	4.65	49.2	67.8	190	53.1	3.85	45.8	61.2
2005	129	48.6	4.28	40.5	57.7	158	44.3	3.53	37.7	51.8
2006	138	52.7	4.49	44.3	62.3	162	46.0	3.62	39.2	53.7
2007	128	49.3	4.35	41.1	58.6	154	43.9	3.54	37.2	51.4
2008	144	55.4	4.62	46.8	65.3	178	50.7	3.80	43.5	58.7
2009	133	51.3	4.45	42.9	60.8	159	45.4	3.60	38.6	53.1
2010	146	56.7	4.69	47.8	66.6	180	51.7	3.85	44.4	59.8
2011	140	54.9	4.64	46.2	64.7	171	49.7	3.80	42.5	57.7
2012	140	55.4	4.69	46.6	65.4	171	50.3	3.84	43.0	58.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Lymphoid leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	2,612	36.8	0.72	35.4	38.2	3,011	31.8	0.58	30.6	32.9
1986	66	25.6	3.15	19.8	32.6	77	22.3	2.54	17.6	27.8
1987	107	42.1	4.07	34.5	50.9	123	36.1	3.26	30.0	43.1
1988	79	31.0	3.49	24.5	38.6	88	25.8	2.75	20.7	31.8
1989	83	32.5	3.57	25.9	40.3	90	26.4	2.78	21.2	32.5
1990	68	26.8	3.26	20.8	34.0	82	24.4	2.70	19.4	30.3
1991	81	31.4	3.49	24.9	39.0	96	28.2	2.89	22.9	34.5
1992	88	34.0	3.63	27.3	41.9	97	28.3	2.88	23.0	34.6
1993	79	29.5	3.32	23.3	36.8	99	28.4	2.86	23.1	34.6
1994	88	33.3	3.55	26.7	41.0	96	27.4	2.80	22.2	33.5
1995	127	46.4	4.13	38.7	55.3	139	38.4	3.26	32.2	45.3
1996	83	30.5	3.35	24.3	37.8	95	26.3	2.70	21.3	32.2
1997	93	34.0	3.53	27.5	41.7	113	31.2	2.94	25.7	37.6
1998	81	29.6	3.29	23.5	36.8	91	25.0	2.62	20.1	30.7
1999	97	35.7	3.62	28.9	43.5	115	31.8	2.96	26.2	38.1
2000	95	35.0	3.59	28.3	42.8	116	32.1	2.98	26.5	38.5
2001	113	41.9	3.94	34.5	50.4	134	37.3	3.22	31.2	44.1
2002	101	37.6	3.74	30.6	45.7	115	32.1	2.99	26.5	38.5
2003	111	41.6	3.95	34.2	50.1	128	35.9	3.17	29.9	42.7
2004	113	42.3	3.98	34.9	50.9	133	37.2	3.23	31.2	44.1
2005	99	37.3	3.75	30.3	45.4	121	34.0	3.09	28.2	40.6
2006	114	43.6	4.08	35.9	52.4	128	36.4	3.22	30.4	43.3
2007	94	36.3	3.74	29.3	44.4	110	31.5	3.00	25.9	37.9
2008	110	42.3	4.04	34.8	51.0	132	37.6	3.28	31.5	44.6
2009	103	39.7	3.91	32.4	48.1	115	33.0	3.07	27.2	39.6
2010	115	44.7	4.17	36.9	53.6	124	35.9	3.22	29.9	42.8
2011	111	43.5	4.13	35.8	52.4	126	36.7	3.27	30.6	43.7
2012	113	44.7	4.21	36.9	53.8	128	37.7	3.33	31.5	44.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Acute myeloid leukemia										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	478	6.8	0.31	6.2	7.4	667	7.1	0.27	6.5	7.6
1986	9	3.5	1.18	1.6	6.7	15	4.3	1.12	2.4	7.1
1987	15	6.0	1.55	3.4	9.9	17	5.1	1.23	2.9	8.1
1988	12	4.9	1.42	2.5	8.6	15	4.6	1.18	2.6	7.5
1989	8	3.2	1.12	1.4	6.2	14	4.2	1.11	2.3	7.0
1990	14	5.4	1.45	3.0	9.1	21	6.2	1.36	3.8	9.5
1991	19	7.4	1.70	4.4	11.5	26	7.8	1.52	5.1	11.4
1992	14	5.3	1.43	2.9	9.0	18	5.3	1.24	3.1	8.3
1993	16	6.0	1.51	3.4	9.8	23	6.7	1.40	4.3	10.1
1994	20	7.4	1.67	4.5	11.5	26	7.4	1.46	4.9	10.9
1995	14	5.3	1.42	2.9	8.9	20	5.8	1.29	3.5	8.9
1996	17	6.2	1.51	3.6	10.0	23	6.4	1.34	4.1	9.7
1997	13	4.9	1.35	2.6	8.3	21	5.9	1.30	3.7	9.1
1998	22	8.2	1.74	5.1	12.4	26	7.2	1.42	4.7	10.6
1999	23	8.5	1.78	5.4	12.8	32	8.9	1.58	6.1	12.6
2000	20	7.4	1.65	4.5	11.4	31	8.6	1.55	5.9	12.2
2001	23	8.5	1.77	5.4	12.7	32	8.9	1.57	6.1	12.5
2002	18	6.6	1.56	3.9	10.5	24	6.7	1.36	4.3	9.9
2003	17	6.3	1.53	3.7	10.1	25	7.0	1.40	4.5	10.3
2004	28	10.4	1.97	6.9	15.1	36	10.0	1.67	7.0	13.9
2005	23	8.6	1.80	5.5	13.0	26	7.3	1.43	4.8	10.7
2006	18	6.9	1.63	4.1	10.9	23	6.5	1.36	4.1	9.8
2007	25	9.5	1.91	6.2	14.1	31	8.8	1.58	6.0	12.5
2008	21	8.1	1.77	5.0	12.4	28	8.0	1.50	5.3	11.5
2009	23	8.9	1.86	5.6	13.4	29	8.3	1.54	5.6	11.9
2010	15	5.8	1.50	3.3	9.6	34	9.5	1.64	6.6	13.3
2011	15	5.9	1.52	3.3	9.7	25	7.2	1.44	4.7	10.6
2012	16	6.3	1.58	3.6	10.3	26	7.6	1.48	4.9	11.1

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Lymphoma and reticuloendothelial neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	1,142	16.4	0.48	15.4	17.3	2,320	24.8	0.51	23.8	25.8
1986	49	19.9	2.84	14.7	26.3	88	25.8	2.76	20.7	31.8
1987	45	18.2	2.71	13.3	24.3	89	26.2	2.78	21.0	32.2
1988	47	19.2	2.81	14.1	25.6	98	29.2	2.96	23.7	35.6
1989	41	16.9	2.64	12.1	22.9	82	24.9	2.75	19.8	30.9
1990	33	13.5	2.35	9.3	18.9	74	22.8	2.65	17.9	28.6
1991	37	14.8	2.44	10.4	20.4	69	21.2	2.56	16.5	26.9
1992	40	15.8	2.50	11.3	21.5	72	22.0	2.60	17.2	27.7
1993	42	16.1	2.50	11.6	21.8	80	24.1	2.70	19.1	30.0
1994	45	17.4	2.59	12.7	23.2	81	24.2	2.69	19.2	30.0
1995	34	13.1	2.25	9.1	18.3	73	21.6	2.53	16.9	27.1
1996	51	19.3	2.70	14.4	25.4	99	28.5	2.87	23.2	34.7
1997	48	18.1	2.61	13.3	24.0	103	29.4	2.89	24.0	35.6
1998	52	19.6	2.72	14.6	25.7	98	27.7	2.80	22.5	33.7
1999	50	18.6	2.63	13.8	24.5	89	24.9	2.64	20.0	30.7
2000	29	10.8	2.00	7.2	15.4	78	21.8	2.47	17.2	27.2
2001	41	15.2	2.37	10.9	20.5	80	22.3	2.49	17.7	27.7
2002	45	16.7	2.49	12.2	22.3	82	22.9	2.53	18.2	28.4
2003	44	16.4	2.47	11.9	22.0	85	23.8	2.58	19.0	29.4
2004	39	14.5	2.33	10.3	19.9	79	22.0	2.47	17.4	27.4
2005	38	14.3	2.32	10.1	19.6	79	22.0	2.47	17.4	27.4
2006	36	13.8	2.31	9.7	19.2	87	24.3	2.60	19.4	30.0
2007	48	18.3	2.65	13.5	24.3	105	29.2	2.85	23.9	35.3
2008	39	15.0	2.41	10.7	20.5	89	24.8	2.63	19.9	30.5
2009	36	13.9	2.32	9.7	19.2	81	22.6	2.51	17.9	28.1
2010	41	15.9	2.49	11.4	21.6	99	27.8	2.79	22.6	33.8
2011	42	16.5	2.54	11.9	22.3	92	26.2	2.73	21.1	32.1
2012	50	19.8	2.80	14.7	26.1	89	25.8	2.74	20.7	31.8

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Hodgkin lymphoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	383	5.5	0.28	5.0	6.1	1,186	12.7	0.37	12.0	13.4
1986	16	6.7	1.68	3.8	10.8	42	12.3	1.91	8.9	16.7
1987	17	7.1	1.71	4.1	11.3	51	15.0	2.10	11.2	19.7
1988	13	5.5	1.52	2.9	9.4	55	16.3	2.21	12.3	21.3
1989	13	5.5	1.52	2.9	9.3	40	12.2	1.93	8.7	16.6
1990	14	5.9	1.59	3.3	9.9	47	14.6	2.13	10.8	19.4
1991	11	4.6	1.37	2.3	8.1	34	10.7	1.84	7.4	14.9
1992	13	5.3	1.47	2.8	9.0	35	11.0	1.86	7.6	15.2
1993	17	6.7	1.64	3.9	10.8	46	14.2	2.10	10.4	18.9
1994	12	4.7	1.36	2.4	8.2	36	11.0	1.83	7.7	15.2
1995	11	4.3	1.31	2.2	7.7	36	10.8	1.80	7.6	14.9
1996	18	6.9	1.63	4.1	10.9	52	15.2	2.10	11.3	19.9
1997	18	6.9	1.63	4.1	10.9	57	16.4	2.17	12.4	21.2
1998	17	6.5	1.57	3.8	10.4	47	13.4	1.95	9.8	17.8
1999	14	5.3	1.41	2.9	8.8	40	11.3	1.78	8.1	15.3
2000	8	3.0	1.06	1.3	5.9	46	12.9	1.90	9.4	17.2
2001	16	5.9	1.48	3.4	9.6	41	11.4	1.79	8.2	15.5
2002	19	7.0	1.61	4.2	11.0	41	11.5	1.79	8.2	15.5
2003	14	5.2	1.38	2.8	8.7	43	12.0	1.83	8.7	16.2
2004	15	5.6	1.44	3.1	9.2	43	11.9	1.82	8.6	16.1
2005	17	6.4	1.55	3.7	10.2	47	13.0	1.90	9.6	17.3
2006	10	3.9	1.23	1.9	7.1	44	12.2	1.84	8.9	16.4
2007	16	6.1	1.52	3.5	9.9	50	13.8	1.95	10.2	18.2
2008	19	7.3	1.67	4.4	11.4	55	15.2	2.05	11.4	19.8
2009	11	4.2	1.28	2.1	7.6	42	11.6	1.79	8.3	15.7
2010	15	5.8	1.51	3.3	9.6	53	14.8	2.03	11.1	19.3
2011	7	2.7	1.04	1.1	5.7	33	9.3	1.61	6.4	13.0
2012	12	4.7	1.37	2.4	8.3	30	8.6	1.57	5.8	12.3

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Non-Hodgkin lymphoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	595	8.5	0.35	7.9	9.2	964	10.3	0.33	9.7	11.0
1986	25	10.1	2.02	6.5	14.9	38	11.2	1.82	7.9	15.4
1987	20	8.1	1.80	4.9	12.4	30	8.9	1.62	6.0	12.7
1988	26	10.7	2.10	7.0	15.6	35	10.6	1.80	7.4	14.8
1989	21	8.6	1.88	5.3	13.2	35	10.7	1.80	7.4	14.8
1990	18	7.2	1.70	4.3	11.4	26	7.9	1.54	5.1	11.5
1991	20	8.0	1.80	4.9	12.4	29	8.9	1.65	5.9	12.7
1992	23	9.0	1.88	5.7	13.5	33	9.9	1.73	6.8	13.9
1993	21	8.0	1.75	4.9	12.2	30	8.8	1.61	5.9	12.6
1994	25	9.7	1.94	6.3	14.3	37	11.0	1.81	7.7	15.1
1995	15	5.9	1.51	3.3	9.6	29	8.6	1.60	5.8	12.3
1996	22	8.4	1.78	5.2	12.6	36	10.4	1.73	7.3	14.3
1997	20	7.5	1.69	4.6	11.6	36	10.3	1.71	7.2	14.2
1998	29	10.9	2.03	7.3	15.7	45	12.7	1.89	9.3	17.0
1999	26	9.6	1.89	6.3	14.1	39	10.9	1.74	7.7	14.9
2000	18	6.7	1.57	4.0	10.5	29	8.1	1.50	5.4	11.6
2001	21	7.8	1.70	4.8	11.9	35	9.7	1.65	6.8	13.6
2002	25	9.3	1.86	6.0	13.7	40	11.2	1.76	8.0	15.2
2003	28	10.5	1.98	7.0	15.1	40	11.2	1.77	8.0	15.3
2004	20	7.5	1.67	4.6	11.6	32	8.9	1.58	6.1	12.6
2005	19	7.2	1.65	4.3	11.2	30	8.4	1.53	5.7	12.0
2006	21	8.0	1.75	5.0	12.3	37	10.4	1.71	7.3	14.3
2007	29	11.1	2.06	7.4	15.9	52	14.5	2.02	10.9	19.1
2008	19	7.4	1.69	4.4	11.5	33	9.3	1.62	6.4	13.1
2009	20	7.7	1.73	4.7	11.9	34	9.6	1.64	6.6	13.4
2010	18	7.0	1.64	4.1	11.0	38	10.7	1.73	7.6	14.7
2011	20	7.9	1.76	4.8	12.2	42	12.0	1.85	8.6	16.2
2012	26	10.3	2.02	6.7	15.1	44	12.8	1.93	9.3	17.2

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

CNS and misc intracranial and intraspinal neoplasms										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	2,104	29.9	0.65	28.6	31.2	2,584	27.4	0.54	26.4	28.5
1986	69	27.4	3.31	21.3	34.7	88	25.9	2.76	20.7	31.9
1987	63	25.2	3.17	19.3	32.2	78	23.1	2.62	18.3	28.8
1988	83	32.9	3.62	26.2	40.8	98	29.0	2.93	23.5	35.4
1989	78	31.2	3.54	24.7	39.0	92	27.6	2.88	22.2	33.8
1990	72	29.0	3.42	22.6	36.5	84	25.4	2.77	20.2	31.4
1991	76	29.6	3.41	23.3	37.1	89	26.3	2.79	21.1	32.4
1992	70	27.7	3.32	21.6	35.0	83	24.9	2.73	19.8	30.8
1993	63	23.9	3.02	18.4	30.6	81	23.6	2.63	18.7	29.3
1994	85	32.1	3.49	25.6	39.7	102	29.3	2.90	23.9	35.6
1995	90	34.1	3.60	27.4	41.9	109	31.3	3.00	25.7	37.7
1996	91	33.9	3.56	27.3	41.6	109	30.7	2.94	25.2	37.0
1997	81	30.2	3.35	23.9	37.5	96	26.9	2.75	21.8	32.8
1998	86	31.9	3.44	25.5	39.4	115	32.1	3.00	26.5	38.6
1999	77	28.4	3.23	22.4	35.5	97	26.9	2.73	21.8	32.8
2000	73	26.9	3.15	21.1	33.8	89	24.6	2.61	19.8	30.3
2001	80	29.6	3.30	23.4	36.8	95	26.3	2.70	21.3	32.2
2002	79	29.3	3.30	23.2	36.5	99	27.6	2.77	22.4	33.6
2003	55	20.6	2.78	15.5	26.8	74	20.8	2.41	16.3	26.1
2004	88	33.2	3.55	26.7	41.0	106	29.9	2.90	24.5	36.1
2005	93	35.3	3.66	28.5	43.2	118	33.3	3.07	27.6	39.9
2006	86	32.8	3.54	26.2	40.5	105	29.7	2.90	24.3	36.0
2007	82	31.5	3.48	25.0	39.1	99	28.2	2.83	22.9	34.3
2008	68	26.3	3.19	20.4	33.3	84	24.0	2.62	19.1	29.7
2009	73	28.4	3.32	22.2	35.7	92	26.4	2.75	21.3	32.4
2010	79	30.7	3.46	24.3	38.3	101	29.0	2.89	23.6	35.3
2011	89	35.0	3.70	28.1	43.0	108	31.4	3.02	25.8	38.0
2012	75	29.7	3.43	23.4	37.2	93	27.3	2.83	22.0	33.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Ependymoma and choroid plexus tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	202	2.8	0.20	2.5	3.3	240	2.5	0.16	2.2	2.9
1986	5	1.9	0.86	0.6	4.5	5	1.4	0.64	0.5	3.4
1987	5	2.0	0.88	0.6	4.6	6	1.8	0.72	0.6	3.8
1988	5	1.9	0.85	0.6	4.5	5	1.4	0.64	0.5	3.4
1989	8	3.0	1.07	1.3	6.0	10	2.9	0.91	1.4	5.3
1990	5	1.9	0.86	0.6	4.5	6	1.7	0.71	0.6	3.8
1991	11	4.2	1.28	2.1	7.6	11	3.2	0.96	1.6	5.7
1992	11	4.3	1.30	2.1	7.7	11	3.2	0.97	1.6	5.8
1993	9	3.3	1.12	1.5	6.4	9	2.5	0.83	1.1	4.8
1994	10	3.6	1.14	1.7	6.7	12	3.3	0.96	1.7	5.8
1995	11	4.0	1.20	2.0	7.1	11	3.0	0.90	1.5	5.4
1996	10	3.6	1.15	1.7	6.7	12	3.3	0.95	1.7	5.8
1997	7	2.6	0.98	1.0	5.3	7	1.9	0.73	0.8	4.0
1998	7	2.6	0.97	1.0	5.3	9	2.5	0.83	1.1	4.7
1999	11	4.0	1.21	2.0	7.2	14	3.9	1.03	2.1	6.5
2000	10	3.7	1.17	1.8	6.8	11	3.0	0.92	1.5	5.4
2001	12	4.4	1.28	2.3	7.7	13	3.6	0.99	1.9	6.1
2002	4	1.5	0.74	0.4	3.8	5	1.4	0.62	0.5	3.3
2003	5	1.8	0.82	0.6	4.3	6	1.7	0.68	0.6	3.6
2004	11	4.2	1.25	2.1	7.4	15	4.2	1.09	2.4	7.0
2005	7	2.7	1.01	1.1	5.5	11	3.1	0.94	1.6	5.6
2006	3	1.2	0.66	0.2	3.4	7	2.0	0.74	0.8	4.0
2007	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2008	8	3.1	1.09	1.3	6.1	9	2.6	0.86	1.2	4.9
2009	4	1.6	0.78	0.4	4.0	7	2.0	0.75	0.8	4.1
2010	7	2.7	1.03	1.1	5.6	7	2.0	0.77	0.8	4.2
2011	6	2.4	0.96	0.9	5.1	7	2.0	0.77	0.8	4.2
2012	7	2.8	1.05	1.1	5.7	9	2.6	0.88	1.2	5.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Astrocytoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	1,027	14.6	0.46	13.7	15.5	1,303	13.9	0.38	13.1	14.6
1986	33	13.2	2.31	9.1	18.6	45	13.3	1.98	9.7	17.8
1987	30	11.9	2.17	8.0	17.0	39	11.5	1.84	8.1	15.7
1988	36	14.6	2.43	10.2	20.1	45	13.5	2.02	9.9	18.1
1989	49	19.9	2.85	14.7	26.3	58	17.6	2.32	13.4	22.8
1990	38	15.3	2.49	10.8	21.0	47	14.2	2.08	10.5	18.9
1991	31	12.1	2.17	8.2	17.1	39	11.6	1.86	8.2	15.8
1992	35	13.8	2.34	9.6	19.2	44	13.2	2.00	9.6	17.8
1993	28	10.8	2.04	7.2	15.6	36	10.6	1.77	7.4	14.7
1994	42	15.7	2.42	11.3	21.2	49	13.9	1.99	10.3	18.4
1995	40	15.2	2.41	10.9	20.7	50	14.4	2.04	10.7	19.0
1996	46	17.2	2.54	12.6	23.0	54	15.2	2.08	11.4	19.9
1997	41	15.3	2.39	11.0	20.8	47	13.2	1.92	9.7	17.5
1998	46	17.2	2.54	12.6	23.0	64	18.0	2.25	13.8	23.0
1999	33	12.2	2.13	8.4	17.2	44	12.3	1.85	8.9	16.4
2000	39	14.4	2.31	10.3	19.7	50	13.9	1.96	10.3	18.3
2001	33	12.2	2.13	8.4	17.2	41	11.4	1.78	8.2	15.4
2002	35	13.0	2.20	9.1	18.1	47	13.1	1.91	9.6	17.4
2003	26	9.7	1.91	6.4	14.3	38	10.7	1.73	7.5	14.6
2004	38	14.3	2.33	10.1	19.7	45	12.7	1.89	9.2	17.0
2005	53	20.1	2.76	15.0	26.2	66	18.6	2.29	14.4	23.7
2006	49	18.7	2.67	13.8	24.7	57	16.2	2.14	12.2	20.9
2007	41	15.8	2.46	11.3	21.4	53	15.0	2.07	11.3	19.7
2008	29	11.3	2.10	7.6	16.2	38	10.9	1.77	7.7	15.0
2009	29	11.3	2.10	7.6	16.2	38	10.9	1.77	7.7	14.9
2010	39	15.2	2.43	10.8	20.8	59	16.8	2.19	12.8	21.7
2011	43	16.9	2.57	12.2	22.7	54	15.7	2.14	11.8	20.5
2012	45	17.8	2.66	13.0	23.8	56	16.4	2.20	12.4	21.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

<b>Intracranial and intraspinal embryonal tumors</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2012	462	6.5	0.30	6.0	7.2	540	5.7	0.25	5.2	6.2
1986	10	3.9	1.23	1.9	7.2	14	4.0	1.08	2.2	6.8
1987	17	6.8	1.65	4.0	10.9	17	5.1	1.23	3.0	8.1
1988	20	7.8	1.74	4.8	12.0	23	6.7	1.40	4.3	10.1
1989	7	2.7	1.03	1.1	5.6	8	2.3	0.83	1.0	4.6
1990	17	6.8	1.65	4.0	10.9	17	5.1	1.24	3.0	8.2
1991	14	5.5	1.48	3.0	9.2	17	5.1	1.23	3.0	8.1
1992	16	6.3	1.59	3.6	10.3	16	4.8	1.19	2.7	7.7
1993	14	5.3	1.42	2.9	8.9	19	5.6	1.28	3.3	8.7
1994	19	7.4	1.70	4.4	11.5	24	7.1	1.45	4.5	10.5
1995	20	7.6	1.70	4.6	11.7	25	7.2	1.44	4.7	10.6
1996	19	7.0	1.61	4.2	10.9	23	6.4	1.34	4.1	9.6
1997	19	7.0	1.61	4.2	10.9	21	5.8	1.27	3.6	8.9
1998	17	6.3	1.52	3.7	10.0	22	6.1	1.30	3.8	9.3
1999	17	6.3	1.52	3.6	10.0	20	5.5	1.23	3.4	8.5
2000	16	5.9	1.47	3.4	9.5	18	5.0	1.17	2.9	7.8
2001	17	6.3	1.52	3.7	10.0	21	5.8	1.27	3.6	8.9
2002	19	7.0	1.61	4.2	11.0	24	6.7	1.36	4.3	9.9
2003	18	6.8	1.60	4.0	10.7	21	5.9	1.29	3.7	9.1
2004	24	9.1	1.85	5.8	13.5	26	7.3	1.44	4.8	10.7
2005	17	6.5	1.57	3.8	10.4	19	5.4	1.24	3.2	8.4
2006	19	7.2	1.65	4.3	11.2	23	6.5	1.35	4.1	9.7
2007	22	8.4	1.79	5.3	12.7	24	6.8	1.39	4.4	10.2
2008	17	6.5	1.58	3.8	10.4	19	5.4	1.24	3.3	8.5
2009	16	6.2	1.56	3.6	10.1	20	5.7	1.28	3.5	8.9
2010	17	6.6	1.60	3.9	10.6	19	5.5	1.26	3.3	8.6
2011	22	8.6	1.84	5.4	13.1	26	7.6	1.48	4.9	11.1
2012	12	4.8	1.37	2.5	8.3	14	4.1	1.10	2.3	6.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Other glioma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	313	4.5	0.25	4.0	5.0	383	4.1	0.21	3.7	4.5
1986	13	5.2	1.43	2.7	8.8	15	4.4	1.14	2.5	7.3
1987	9	3.7	1.22	1.7	6.9	12	3.6	1.04	1.9	6.3
1988	10	4.0	1.26	1.9	7.3	11	3.3	0.99	1.6	5.8
1989	4	1.6	0.78	0.4	4.0	6	1.8	0.72	0.7	3.9
1990	9	3.7	1.22	1.7	6.9	11	3.4	1.01	1.7	6.0
1991	14	5.5	1.47	3.0	9.2	15	4.4	1.15	2.5	7.3
1992	7	2.8	1.06	1.1	5.8	11	3.4	1.02	1.7	6.0
1993	7	2.7	1.02	1.1	5.5	12	3.6	1.04	1.9	6.3
1994	12	4.7	1.34	2.4	8.1	15	4.4	1.14	2.5	7.3
1995	16	6.2	1.56	3.6	10.1	19	5.6	1.28	3.4	8.7
1996	15	5.7	1.47	3.2	9.4	18	5.1	1.21	3.0	8.1
1997	9	3.4	1.12	1.5	6.4	15	4.2	1.10	2.4	7.0
1998	11	4.1	1.23	2.0	7.3	14	3.9	1.04	2.1	6.6
1999	13	4.8	1.32	2.5	8.2	16	4.4	1.10	2.5	7.2
2000	8	2.9	1.04	1.3	5.8	10	2.8	0.87	1.3	5.1
2001	17	6.3	1.52	3.7	10.0	19	5.3	1.21	3.2	8.2
2002	20	7.4	1.66	4.6	11.5	21	5.9	1.28	3.6	8.9
2003	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2004	9	3.5	1.16	1.6	6.6	14	4.0	1.07	2.2	6.7
2005	12	4.6	1.33	2.4	8.0	18	5.1	1.20	3.0	8.1
2006	13	5.0	1.38	2.7	8.5	15	4.3	1.11	2.4	7.1
2007	13	5.0	1.39	2.7	8.6	13	3.8	1.04	2.0	6.4
2008	12	4.6	1.34	2.4	8.1	14	4.0	1.07	2.2	6.7
2009	20	7.8	1.74	4.7	12.0	21	6.1	1.33	3.8	9.3
2010	14	5.5	1.46	3.0	9.2	14	4.1	1.09	2.2	6.8
2011	16	6.3	1.58	3.6	10.2	19	5.6	1.27	3.3	8.7
2012	6	2.4	0.97	0.9	5.2	9	2.6	0.87	1.2	5.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Neuroblastoma and other peripheral nervous cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	771	10.6	0.38	9.9	11.4	795	8.2	0.29	7.7	8.8
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	33	9.3	1.61	6.4	13.0
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	27	10.2	1.96	6.7	14.9	30	8.5	1.56	5.8	12.2
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	38	13.8	2.24	9.8	19.0	38	10.3	1.68	7.3	14.2
1992	25	9.0	1.81	5.8	13.4	26	7.1	1.39	4.6	10.4
1993	30	10.7	1.95	7.2	15.3	30	8.0	1.46	5.4	11.4
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	33	9.1	1.58	6.3	12.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	39	10.8	1.73	7.7	14.8
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	33	9.3	1.62	6.4	13.0
2006	18	6.9	1.62	4.1	10.9	19	5.4	1.25	3.3	8.5
2007	27	10.2	1.96	6.7	14.8	27	7.6	1.47	5.0	11.1
2008	23	8.8	1.83	5.6	13.2	24	6.8	1.40	4.4	10.2
2009	24	9.3	1.89	5.9	13.8	25	7.2	1.44	4.7	10.6
2010	37	14.5	2.38	10.2	19.9	39	11.4	1.82	8.1	15.5
2011	29	11.4	2.12	7.6	16.4	29	8.5	1.59	5.7	12.3
2012	19	7.6	1.74	4.6	11.8	20	6.0	1.33	3.6	9.2

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Neuroblastoma and ganglioneuroblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	757	10.4	0.38	9.7	11.2	771	8.0	0.29	7.4	8.5
1986	26	9.8	1.92	6.4	14.4	27	7.6	1.47	5.0	11.1
1987	31	11.6	2.09	7.9	16.5	32	9.0	1.59	6.1	12.7
1988	25	9.4	1.88	6.1	13.9	25	7.0	1.40	4.5	10.4
1989	24	8.9	1.82	5.7	13.3	25	7.0	1.40	4.5	10.3
1990	19	7.1	1.63	4.3	11.1	19	5.3	1.22	3.2	8.3
1991	36	13.0	2.17	9.1	18.0	36	9.7	1.62	6.8	13.5
1992	24	8.6	1.76	5.5	12.9	25	6.8	1.36	4.4	10.0
1993	29	10.3	1.91	6.9	14.8	29	7.7	1.43	5.1	11.1
1994	30	10.6	1.94	7.2	15.2	30	8.0	1.45	5.4	11.4
1995	34	12.2	2.09	8.4	17.0	34	9.1	1.56	6.3	12.7
1996	20	7.3	1.62	4.4	11.2	20	5.4	1.21	3.3	8.4
1997	31	11.2	2.01	7.6	15.9	33	9.0	1.56	6.2	12.6
1998	25	9.1	1.83	5.9	13.5	26	7.1	1.40	4.7	10.4
1999	29	10.7	1.98	7.1	15.3	30	8.3	1.51	5.6	11.8
2000	23	8.5	1.76	5.4	12.7	23	6.3	1.32	4.0	9.5
2001	36	13.2	2.19	9.2	18.2	36	9.8	1.64	6.9	13.6
2002	39	14.4	2.31	10.3	19.7	40	11.1	1.75	7.9	15.1
2003	38	14.1	2.28	10.0	19.3	38	10.5	1.71	7.5	14.5
2004	36	13.4	2.23	9.4	18.5	37	10.3	1.69	7.2	14.2
2005	32	12.0	2.13	8.2	17.0	32	9.0	1.59	6.2	12.7
2006	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2007	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
2008	22	8.4	1.79	5.3	12.7	22	6.3	1.34	3.9	9.5
2009	23	8.9	1.85	5.6	13.3	23	6.6	1.38	4.2	10.0
2010	36	14.1	2.34	9.9	19.5	38	11.1	1.80	7.8	15.2
2011	28	11.0	2.08	7.3	15.9	28	8.3	1.56	5.5	11.9
2012	18	7.2	1.69	4.3	11.4	19	5.7	1.30	3.4	8.8

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Retinoblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	281	3.9	0.23	3.4	4.3	281	2.9	0.17	2.6	3.2
1986	10	3.8	1.20	1.8	7.0	10	2.8	0.90	1.4	5.2
1987	9	3.4	1.15	1.6	6.5	9	2.6	0.86	1.2	4.9
1988	16	6.0	1.50	3.4	9.8	16	4.5	1.12	2.6	7.3
1989	8	3.0	1.04	1.3	5.9	8	2.2	0.78	1.0	4.4
1990	10	3.6	1.15	1.8	6.8	10	2.7	0.86	1.3	5.1
1991	7	2.5	0.95	1.0	5.2	7	1.9	0.71	0.8	3.9
1992	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1993	13	4.6	1.27	2.4	7.9	13	3.4	0.95	1.8	5.9
1994	10	3.5	1.11	1.7	6.5	10	2.6	0.83	1.3	4.9
1995	15	5.3	1.37	3.0	8.8	15	4.0	1.02	2.2	6.6
1996	11	4.0	1.20	2.0	7.2	11	3.0	0.90	1.5	5.4
1997	10	3.6	1.14	1.7	6.6	10	2.7	0.85	1.3	5.0
1998	7	2.5	0.96	1.0	5.3	7	1.9	0.72	0.8	3.9
1999	8	2.9	1.03	1.3	5.8	8	2.2	0.77	0.9	4.3
2000	6	2.2	0.90	0.8	4.8	6	1.7	0.67	0.6	3.6
2001	12	4.3	1.25	2.2	7.6	12	3.3	0.94	1.7	5.7
2002	15	5.5	1.43	3.1	9.1	15	4.1	1.07	2.3	6.8
2003	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2004	12	4.4	1.28	2.3	7.8	12	3.3	0.96	1.7	5.8
2005	9	3.4	1.13	1.5	6.4	9	2.5	0.84	1.2	4.8
2006	10	3.8	1.20	1.8	7.0	10	2.9	0.90	1.4	5.2
2007	15	5.7	1.46	3.2	9.4	15	4.2	1.10	2.4	7.0
2008	9	3.4	1.14	1.6	6.5	9	2.6	0.85	1.2	4.9
2009	16	6.2	1.55	3.5	10.1	16	4.6	1.16	2.7	7.5
2010	10	3.9	1.23	1.9	7.2	10	2.9	0.92	1.4	5.4
2011	10	3.9	1.24	1.9	7.2	10	2.9	0.93	1.4	5.4
2012	5	2.0	0.90	0.7	4.7	5	1.5	0.67	0.5	3.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Renal tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	595	8.3	0.34	7.6	9.0	631	6.6	0.26	6.1	7.1
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	29	11.1	2.05	7.4	15.9	29	8.3	1.54	5.5	11.9
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	28	8.0	1.52	5.3	11.6
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	25	9.1	1.82	5.9	13.5	25	6.8	1.37	4.4	10.1
1994	17	6.2	1.49	3.6	9.9	18	4.9	1.16	2.9	7.8
1995	22	7.9	1.68	4.9	11.9	22	5.9	1.26	3.7	8.9
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	32	11.5	2.04	7.9	16.3	34	9.2	1.58	6.4	12.9
1998	22	8.0	1.71	5.0	12.2	24	6.6	1.34	4.2	9.8
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	27	9.9	1.91	6.5	14.5	29	8.0	1.48	5.4	11.5
2001	20	7.4	1.65	4.5	11.4	20	5.5	1.23	3.4	8.5
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	24	6.7	1.36	4.3	9.9
2004	16	6.0	1.49	3.4	9.7	18	5.0	1.18	3.0	7.9
2005	20	7.6	1.69	4.6	11.7	22	6.2	1.32	3.9	9.4
2006	20	7.6	1.70	4.6	11.7	23	6.5	1.36	4.1	9.8
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	20	7.7	1.71	4.7	11.8	23	6.6	1.37	4.2	9.8
2009	26	10.0	1.96	6.5	14.7	31	8.8	1.59	6.0	12.6
2010	19	7.4	1.69	4.4	11.5	20	5.8	1.29	3.5	8.9
2011	19	7.5	1.72	4.5	11.7	21	6.2	1.34	3.8	9.4
2012	24	9.5	1.95	6.1	14.2	26	7.7	1.51	5.0	11.3

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Nephroblastoma and other nonepithelial renal tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	573	8.0	0.33	7.3	8.6	586	6.1	0.25	5.6	6.6
1986	25	9.5	1.90	6.1	14.0	25	7.1	1.42	4.6	10.5
1987	26	9.8	1.93	6.4	14.4	26	7.4	1.44	4.8	10.8
1988	24	9.2	1.88	5.9	13.7	24	6.9	1.41	4.4	10.3
1989	26	9.9	1.95	6.5	14.6	27	7.7	1.49	5.1	11.3
1990	20	7.7	1.73	4.7	11.9	20	5.8	1.29	3.5	8.9
1991	20	7.6	1.70	4.6	11.7	20	5.7	1.27	3.5	8.8
1992	21	8.0	1.74	4.9	12.2	22	6.3	1.34	3.9	9.5
1993	24	8.8	1.79	5.6	13.1	24	6.6	1.34	4.2	9.8
1994	15	5.4	1.38	3.0	8.9	15	4.0	1.04	2.2	6.6
1995	20	7.1	1.58	4.3	11.0	20	5.3	1.19	3.2	8.2
1996	25	8.9	1.79	5.8	13.2	26	7.0	1.37	4.6	10.3
1997	31	11.1	2.00	7.6	15.8	32	8.6	1.52	5.9	12.2
1998	21	7.7	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
1999	21	7.6	1.67	4.7	11.7	22	6.0	1.28	3.8	9.1
2000	26	9.6	1.87	6.2	14.0	26	7.2	1.40	4.7	10.5
2001	19	7.0	1.61	4.2	11.0	19	5.3	1.20	3.2	8.2
2002	17	6.3	1.53	3.7	10.1	17	4.7	1.15	2.8	7.6
2003	21	7.8	1.69	4.8	11.9	22	6.1	1.30	3.8	9.2
2004	12	4.5	1.29	2.3	7.8	12	3.4	0.97	1.7	5.9
2005	19	7.2	1.64	4.3	11.2	21	5.9	1.29	3.7	9.0
2006	18	6.8	1.61	4.1	10.8	19	5.4	1.24	3.3	8.4
2007	17	6.5	1.57	3.8	10.4	18	5.1	1.21	3.0	8.1
2008	18	6.9	1.62	4.1	10.9	18	5.2	1.22	3.1	8.2
2009	25	9.6	1.92	6.2	14.2	26	7.5	1.46	4.9	10.9
2010	19	7.4	1.69	4.4	11.5	19	5.5	1.26	3.3	8.6
2011	19	7.5	1.72	4.5	11.7	19	5.6	1.28	3.4	8.7
2012	24	9.5	1.95	6.1	14.2	25	7.4	1.48	4.8	10.9

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Hepatic tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	142	2.0	0.17	1.7	2.3	164	1.7	0.13	1.5	2.0
1986	9	3.4	1.13	1.6	6.5	10	2.8	0.89	1.4	5.2
1987	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1988	0					0				
1989	7	2.6	1.00	1.1	5.5	7	2.0	0.75	0.8	4.1
1990	4	1.5	0.75	0.4	3.9	5	1.4	0.64	0.5	3.4
1991	6	2.2	0.91	0.8	4.9	7	2.0	0.75	0.8	4.1
1992	1	0.4	0.36	0.0	2.1	3	0.9	0.53	0.2	2.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	7	2.0	0.74	0.8	4.0
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	5	1.8	0.80	0.6	4.2	6	1.6	0.66	0.6	3.6
1998	6	2.2	0.89	0.8	4.8	7	1.9	0.73	0.8	4.0
1999	6	2.2	0.91	0.8	4.8	8	2.2	0.79	1.0	4.4
2000	5	1.9	0.83	0.6	4.3	6	1.7	0.68	0.6	3.6
2001	7	2.6	0.96	1.0	5.3	8	2.2	0.77	0.9	4.3
2002	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2003	7	2.6	0.98	1.0	5.3	8	2.2	0.78	1.0	4.4
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	3	1.1	0.65	0.2	3.3	4	1.1	0.56	0.3	2.9
2007	4	1.5	0.77	0.4	3.9	6	1.7	0.69	0.6	3.7
2008	6	2.3	0.93	0.8	5.0	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2010	3	1.2	0.67	0.2	3.4	5	1.4	0.63	0.5	3.3
2011	8	3.2	1.12	1.4	6.2	8	2.4	0.84	1.0	4.7
2012	10	4.0	1.25	1.9	7.3	10	3.0	0.94	1.4	5.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Hepatoblastoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	116	1.6	0.15	1.3	1.9	119	1.2	0.11	1.0	1.5
1986	7	2.7	1.00	1.1	5.5	8	2.3	0.80	1.0	4.5
1987	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
1988	0					0				
1989	5	1.8	0.82	0.6	4.3	5	1.4	0.61	0.4	3.2
1990	4	1.5	0.75	0.4	3.9	4	1.1	0.56	0.3	2.9
1991	4	1.5	0.73	0.4	3.8	4	1.1	0.55	0.3	2.8
1992	1	0.4	0.36	0.0	2.1	1	0.3	0.27	0.0	1.6
1993	3	1.1	0.61	0.2	3.2	3	0.8	0.46	0.2	2.4
1994	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
1995	5	1.8	0.81	0.6	4.2	6	1.7	0.68	0.6	3.6
1996	5	1.8	0.81	0.6	4.3	5	1.4	0.61	0.4	3.2
1997	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1998	4	1.4	0.72	0.4	3.7	4	1.1	0.54	0.3	2.8
1999	5	1.9	0.83	0.6	4.3	5	1.4	0.62	0.5	3.3
2000	4	1.5	0.74	0.4	3.8	4	1.1	0.55	0.3	2.8
2001	5	1.8	0.81	0.6	4.2	5	1.4	0.60	0.4	3.2
2002	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2003	6	2.2	0.90	0.8	4.8	6	1.7	0.68	0.6	3.6
2004	5	1.8	0.82	0.6	4.3	5	1.4	0.62	0.5	3.2
2005	7	2.6	0.99	1.1	5.4	7	2.0	0.74	0.8	4.1
2006	2	0.8	0.54	0.1	2.8	2	0.6	0.40	0.1	2.1
2007	4	1.5	0.77	0.4	3.9	4	1.2	0.57	0.3	2.9
2008	4	1.5	0.76	0.4	3.9	4	1.1	0.57	0.3	2.9
2009	5	1.9	0.87	0.6	4.5	5	1.5	0.65	0.5	3.4
2010	2	0.8	0.54	0.1	2.8	3	0.9	0.49	0.2	2.5
2011	8	3.2	1.12	1.4	6.2	8	2.4	0.84	1.0	4.7
2012	8	3.2	1.12	1.4	6.3	8	2.4	0.84	1.0	4.7

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Malignant bone tumor										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	411	5.9	0.29	5.4	6.6	752	8.1	0.29	7.5	8.7
1986	8	3.4	1.19	1.5	6.6	19	5.6	1.29	3.4	8.8
1987	10	4.2	1.32	2.0	7.6	27	8.0	1.54	5.3	11.6
1988	9	3.8	1.27	1.7	7.2	25	7.5	1.50	4.9	11.1
1989	12	5.1	1.46	2.6	8.8	23	7.1	1.48	4.5	10.6
1990	15	6.4	1.64	3.6	10.4	24	7.5	1.54	4.8	11.2
1991	10	4.0	1.28	1.9	7.4	22	6.8	1.46	4.3	10.3
1992	12	4.8	1.39	2.5	8.4	18	5.5	1.30	3.3	8.7
1993	16	6.4	1.61	3.7	10.4	25	7.7	1.53	5.0	11.3
1994	15	6.0	1.54	3.3	9.8	24	7.3	1.48	4.7	10.8
1995	21	8.2	1.80	5.1	12.6	38	11.3	1.83	8.0	15.5
1996	11	4.2	1.28	2.1	7.6	25	7.3	1.46	4.7	10.7
1997	20	7.7	1.72	4.7	11.9	30	8.6	1.58	5.8	12.3
1998	25	9.4	1.89	6.1	13.9	37	10.5	1.72	7.4	14.4
1999	19	7.2	1.64	4.3	11.2	31	8.7	1.57	5.9	12.4
2000	23	8.6	1.78	5.4	12.8	39	10.9	1.74	7.7	14.9
2001	13	4.8	1.33	2.6	8.2	24	6.7	1.36	4.3	9.9
2002	16	5.9	1.47	3.4	9.6	30	8.4	1.52	5.6	11.9
2003	14	5.1	1.37	2.8	8.6	26	7.2	1.41	4.7	10.6
2004	17	6.3	1.52	3.7	10.1	31	8.6	1.54	5.8	12.2
2005	21	7.9	1.73	4.9	12.1	36	10.1	1.68	7.1	14.0
2006	17	6.5	1.56	3.8	10.3	30	8.4	1.53	5.7	12.0
2007	17	6.5	1.58	3.8	10.4	35	9.7	1.65	6.8	13.6
2008	13	5.0	1.40	2.7	8.6	24	6.7	1.38	4.3	10.0
2009	15	5.8	1.50	3.3	9.6	31	8.7	1.56	5.9	12.4
2010	17	6.6	1.60	3.9	10.6	29	8.2	1.53	5.5	11.8
2011	13	5.1	1.41	2.7	8.7	25	7.1	1.43	4.6	10.6
2012	12	4.7	1.37	2.5	8.3	24	6.9	1.42	4.4	10.3

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Osteosarcoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	240	3.5	0.22	3.1	4.0	445	4.8	0.23	4.4	5.3
1986	5	2.1	0.94	0.7	4.9	8	2.4	0.86	1.0	4.7
1987	4	1.7	0.86	0.5	4.3	15	4.4	1.15	2.5	7.3
1988	7	3.0	1.12	1.2	6.1	17	5.1	1.25	3.0	8.2
1989	4	1.7	0.85	0.5	4.3	9	2.8	0.92	1.3	5.2
1990	6	2.5	1.03	0.9	5.4	9	2.8	0.94	1.3	5.3
1991	2	0.8	0.58	0.1	2.9	12	3.8	1.09	2.0	6.6
1992	5	2.0	0.91	0.7	4.7	9	2.8	0.93	1.3	5.3
1993	7	2.8	1.07	1.1	5.8	14	4.3	1.16	2.4	7.2
1994	7	2.8	1.05	1.1	5.7	12	3.6	1.05	1.9	6.3
1995	15	5.9	1.52	3.3	9.7	26	7.7	1.51	5.0	11.3
1996	8	3.1	1.10	1.3	6.1	15	4.4	1.13	2.5	7.2
1997	11	4.3	1.28	2.1	7.6	18	5.2	1.22	3.1	8.2
1998	12	4.5	1.31	2.3	7.9	23	6.5	1.36	4.1	9.8
1999	13	4.9	1.36	2.6	8.4	22	6.2	1.32	3.9	9.4
2000	16	6.0	1.49	3.4	9.7	26	7.3	1.42	4.7	10.6
2001	6	2.2	0.91	0.8	4.8	11	3.1	0.92	1.5	5.5
2002	13	4.8	1.33	2.6	8.2	20	5.6	1.24	3.4	8.6
2003	10	3.6	1.15	1.7	6.7	19	5.3	1.20	3.2	8.2
2004	13	4.8	1.34	2.6	8.3	23	6.4	1.33	4.1	9.6
2005	15	5.6	1.46	3.2	9.3	23	6.4	1.34	4.1	9.6
2006	10	3.8	1.19	1.8	7.0	16	4.5	1.12	2.6	7.3
2007	11	4.2	1.26	2.1	7.5	19	5.3	1.22	3.2	8.3
2008	8	3.1	1.09	1.3	6.1	15	4.2	1.09	2.4	7.0
2009	9	3.5	1.16	1.6	6.6	19	5.3	1.22	3.2	8.3
2010	11	4.3	1.29	2.1	7.6	19	5.4	1.23	3.2	8.4
2011	6	2.4	0.96	0.9	5.1	12	3.4	0.99	1.8	6.0
2012	6	2.4	0.97	0.9	5.2	14	4.0	1.08	2.2	6.8

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

<b>Ewing tumor and related sarcomas of bone</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2012	133	1.9	0.17	1.6	2.3	233	2.5	0.16	2.2	2.8
1986	3	1.3	0.74	0.3	3.7	8	2.4	0.84	1.0	4.6
1987	4	1.7	0.83	0.5	4.2	6	1.8	0.74	0.7	3.9
1988	1	0.4	0.43	0.0	2.3	5	1.5	0.67	0.5	3.5
1989	5	2.1	0.92	0.7	4.8	10	3.0	0.96	1.5	5.6
1990	5	2.2	0.96	0.7	5.0	7	2.2	0.84	0.9	4.6
1991	6	2.5	1.00	0.9	5.3	7	2.2	0.82	0.9	4.4
1992	5	2.0	0.89	0.7	4.6	5	1.5	0.67	0.5	3.5
1993	6	2.4	0.97	0.9	5.2	7	2.1	0.79	0.8	4.3
1994	8	3.2	1.13	1.4	6.2	11	3.3	1.00	1.7	5.9
1995	4	1.6	0.79	0.4	4.0	9	2.7	0.90	1.2	5.1
1996	2	0.7	0.52	0.1	2.7	6	1.7	0.71	0.6	3.8
1997	8	3.1	1.10	1.3	6.1	9	2.6	0.87	1.2	4.9
1998	8	3.0	1.07	1.3	5.9	9	2.5	0.85	1.2	4.8
1999	5	1.9	0.84	0.6	4.4	6	1.7	0.69	0.6	3.7
2000	7	2.6	0.98	1.0	5.4	13	3.6	1.01	1.9	6.2
2001	7	2.6	0.98	1.0	5.3	12	3.3	0.96	1.7	5.8
2002	3	1.1	0.64	0.2	3.2	6	1.7	0.68	0.6	3.6
2003	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2004	3	1.1	0.63	0.2	3.2	7	1.9	0.73	0.8	4.0
2005	3	1.2	0.67	0.2	3.4	10	2.8	0.88	1.3	5.2
2006	6	2.3	0.94	0.8	5.0	12	3.4	0.97	1.7	5.9
2007	5	1.9	0.86	0.6	4.5	15	4.2	1.07	2.3	6.9
2008	5	1.9	0.87	0.6	4.5	7	2.0	0.75	0.8	4.1
2009	5	1.9	0.87	0.6	4.5	11	3.1	0.93	1.5	5.5
2010	4	1.6	0.78	0.4	4.0	8	2.3	0.80	1.0	4.5
2011	6	2.4	0.96	0.9	5.1	11	3.2	0.95	1.6	5.6
2012	5	2.0	0.88	0.6	4.6	9	2.6	0.87	1.2	5.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Soft tissue and other extrasosseous sarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	728	10.3	0.38	9.6	11.1	1,075	11.4	0.35	10.8	12.1
1986	28	10.9	2.06	7.2	15.7	48	13.8	1.99	10.1	18.3
1987	26	10.4	2.05	6.8	15.3	42	12.4	1.91	8.9	16.7
1988	28	11.4	2.16	7.6	16.5	41	12.3	1.93	8.8	16.7
1989	21	8.4	1.84	5.2	12.8	32	9.6	1.70	6.6	13.5
1990	21	8.4	1.83	5.2	12.8	33	10.0	1.74	6.9	14.0
1991	23	8.7	1.81	5.5	13.0	30	8.7	1.59	5.9	12.5
1992	27	10.2	1.97	6.7	14.9	42	12.4	1.92	8.9	16.8
1993	19	7.4	1.69	4.4	11.5	28	8.4	1.58	5.6	12.1
1994	25	9.7	1.94	6.3	14.3	35	10.3	1.75	7.2	14.4
1995	24	9.1	1.87	5.9	13.6	35	10.2	1.72	7.1	14.1
1996	34	12.8	2.20	8.9	17.9	48	13.7	1.98	10.1	18.2
1997	30	11.1	2.02	7.5	15.8	36	10.0	1.67	7.0	13.9
1998	28	10.5	1.98	7.0	15.2	37	10.4	1.71	7.3	14.3
1999	26	9.7	1.89	6.3	14.1	34	9.5	1.62	6.6	13.2
2000	25	9.3	1.85	6.0	13.7	36	10.0	1.67	7.0	13.9
2001	26	9.6	1.88	6.3	14.1	41	11.4	1.78	8.2	15.5
2002	33	12.2	2.12	8.4	17.1	41	11.4	1.77	8.2	15.4
2003	22	8.2	1.74	5.1	12.4	42	11.7	1.81	8.5	15.9
2004	28	10.5	1.98	7.0	15.1	42	11.7	1.81	8.5	15.8
2005	27	10.3	1.97	6.8	14.9	43	12.1	1.84	8.7	16.3
2006	24	9.1	1.85	5.8	13.5	34	9.5	1.63	6.6	13.3
2007	38	14.6	2.38	10.4	20.1	56	15.8	2.12	12.0	20.6
2008	32	12.3	2.17	8.4	17.4	50	14.1	1.99	10.4	18.6
2009	28	10.9	2.06	7.2	15.7	43	12.2	1.86	8.8	16.4
2010	31	12.1	2.17	8.2	17.2	45	12.9	1.92	9.4	17.2
2011	30	11.8	2.15	7.9	16.8	42	12.1	1.87	8.7	16.4
2012	24	9.5	1.94	6.1	14.2	39	11.4	1.82	8.1	15.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*



## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Rhabdomyosarcomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	356	5.0	0.27	4.5	5.6	439	4.6	0.22	4.2	5.1
1986	17	6.4	1.56	3.7	10.3	20	5.6	1.26	3.5	8.7
1987	13	5.3	1.46	2.8	9.0	18	5.4	1.27	3.2	8.5
1988	15	6.0	1.55	3.4	9.9	17	5.1	1.23	3.0	8.1
1989	13	5.2	1.43	2.8	8.8	15	4.5	1.15	2.5	7.4
1990	10	3.9	1.22	1.9	7.1	13	3.8	1.06	2.0	6.5
1991	15	5.7	1.46	3.2	9.3	17	4.9	1.18	2.8	7.8
1992	13	4.8	1.32	2.5	8.2	15	4.2	1.09	2.4	7.0
1993	9	3.5	1.15	1.6	6.5	10	2.9	0.92	1.4	5.3
1994	16	6.1	1.52	3.5	9.9	20	5.8	1.30	3.5	9.0
1995	15	5.6	1.46	3.2	9.3	16	4.5	1.13	2.6	7.4
1996	18	6.7	1.58	4.0	10.6	20	5.6	1.25	3.4	8.7
1997	17	6.2	1.51	3.6	10.0	18	4.9	1.16	2.9	7.8
1998	15	5.5	1.42	3.1	9.1	16	4.4	1.10	2.5	7.1
1999	14	5.1	1.37	2.8	8.6	16	4.4	1.10	2.5	7.2
2000	12	4.5	1.28	2.3	7.8	15	4.2	1.08	2.3	6.9
2001	10	3.7	1.17	1.8	6.8	19	5.3	1.22	3.2	8.3
2002	18	6.7	1.57	4.0	10.5	20	5.6	1.24	3.4	8.6
2003	11	4.1	1.23	2.0	7.3	16	4.5	1.12	2.6	7.3
2004	8	3.0	1.07	1.3	5.9	11	3.1	0.93	1.5	5.5
2005	6	2.3	0.95	0.9	5.1	9	2.6	0.86	1.2	4.9
2006	11	4.2	1.26	2.1	7.5	15	4.2	1.09	2.4	7.0
2007	16	6.2	1.55	3.6	10.1	21	6.0	1.31	3.7	9.2
2008	11	4.2	1.27	2.1	7.5	15	4.2	1.09	2.4	7.0
2009	14	5.5	1.46	3.0	9.2	18	5.2	1.22	3.1	8.2
2010	16	6.3	1.56	3.6	10.2	17	5.0	1.20	2.9	7.9
2011	11	4.3	1.30	2.2	7.7	16	4.6	1.15	2.6	7.5
2012	12	4.8	1.38	2.5	8.3	16	4.7	1.18	2.7	7.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Germ cell, trophoblastic tumors and neoplasms of gonads										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	368	5.2	0.27	4.7	5.8	1,020	10.8	0.34	10.2	11.5
1986	12	4.9	1.43	2.6	8.6	25	7.4	1.47	4.8	10.9
1987	11	4.6	1.38	2.3	8.1	34	10.0	1.71	6.9	13.9
1988	16	6.4	1.59	3.6	10.3	41	12.0	1.88	8.6	16.3
1989	17	6.6	1.61	3.8	10.6	37	10.9	1.80	7.7	15.1
1990	10	4.0	1.27	1.9	7.3	31	9.5	1.70	6.4	13.4
1991	11	4.4	1.34	2.2	7.9	26	8.1	1.58	5.3	11.8
1992	14	5.5	1.46	3.0	9.1	39	12.0	1.93	8.6	16.4
1993	13	4.8	1.34	2.6	8.3	34	10.3	1.76	7.1	14.3
1994	18	6.8	1.60	4.0	10.7	45	13.5	2.01	9.8	18.0
1995	15	5.8	1.49	3.2	9.5	27	7.9	1.53	5.2	11.5
1996	14	5.2	1.40	2.9	8.8	31	8.9	1.60	6.1	12.6
1997	12	4.6	1.32	2.4	8.0	27	7.8	1.49	5.1	11.3
1998	12	4.5	1.29	2.3	7.8	36	10.2	1.69	7.1	14.1
1999	19	7.0	1.61	4.2	11.0	44	12.3	1.85	8.9	16.5
2000	12	4.4	1.28	2.3	7.8	35	9.8	1.65	6.8	13.6
2001	11	4.0	1.20	2.0	7.1	38	10.6	1.71	7.5	14.5
2002	12	4.4	1.28	2.3	7.7	39	10.9	1.74	7.8	14.9
2003	12	4.4	1.28	2.3	7.7	46	12.9	1.90	9.4	17.1
2004	15	5.6	1.44	3.1	9.2	38	10.6	1.71	7.5	14.5
2005	19	7.1	1.64	4.3	11.2	43	12.0	1.82	8.7	16.1
2006	19	7.2	1.65	4.3	11.3	45	12.5	1.86	9.1	16.7
2007	11	4.2	1.27	2.1	7.5	35	9.7	1.63	6.7	13.4
2008	17	6.5	1.58	3.8	10.4	57	15.7	2.08	11.9	20.3
2009	10	3.9	1.23	1.9	7.2	39	10.8	1.73	7.7	14.7
2010	11	4.3	1.30	2.2	7.7	36	10.1	1.68	7.0	13.9
2011	15	5.9	1.52	3.3	9.7	49	13.8	1.98	10.2	18.3
2012	10	4.0	1.25	1.9	7.3	43	12.3	1.87	8.9	16.6

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Intracranial and intraspinal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	86	1.2	0.13	1.0	1.5	139	1.5	0.13	1.3	1.8
1986	3	1.3	0.72	0.3	3.6	4	1.2	0.61	0.3	3.1
1987	2	0.9	0.61	0.1	3.0	3	0.9	0.54	0.2	2.7
1988	3	1.3	0.72	0.3	3.6	6	1.8	0.74	0.7	3.9
1989	6	2.4	0.97	0.9	5.2	6	1.8	0.73	0.7	3.9
1990	1	0.4	0.43	0.0	2.3	2	0.6	0.45	0.1	2.2
1991	5	2.1	0.92	0.7	4.8	8	2.5	0.88	1.1	4.9
1992	3	1.2	0.71	0.3	3.5	5	1.6	0.70	0.5	3.6
1993	1	0.4	0.40	0.0	2.2	2	0.6	0.44	0.1	2.2
1994	5	2.0	0.89	0.7	4.6	7	2.1	0.80	0.9	4.3
1995	3	1.2	0.68	0.2	3.4	3	0.9	0.51	0.2	2.6
1996	3	1.1	0.65	0.2	3.3	3	0.9	0.49	0.2	2.5
1997	3	1.2	0.66	0.2	3.3	3	0.9	0.50	0.2	2.5
1998	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
1999	4	1.5	0.75	0.4	3.8	6	1.7	0.69	0.6	3.7
2000	3	1.1	0.64	0.2	3.2	4	1.1	0.55	0.3	2.8
2001	1	0.4	0.37	0.0	2.1	3	0.8	0.48	0.2	2.4
2002	1	0.4	0.38	0.0	2.1	3	0.8	0.49	0.2	2.5
2003	3	1.1	0.64	0.2	3.3	6	1.7	0.68	0.6	3.7
2004	4	1.5	0.74	0.4	3.8	7	2.0	0.74	0.8	4.0
2005	3	1.1	0.66	0.2	3.3	6	1.7	0.68	0.6	3.7
2006	4	1.5	0.76	0.4	3.9	8	2.2	0.79	1.0	4.4
2007	6	2.3	0.95	0.9	5.1	7	2.0	0.76	0.8	4.1
2008	4	1.5	0.77	0.4	3.9	9	2.5	0.84	1.1	4.8
2009	2	0.8	0.56	0.1	2.8	2	0.6	0.42	0.1	2.1
2010	6	2.3	0.96	0.9	5.1	10	2.9	0.90	1.4	5.3
2011	2	0.8	0.55	0.1	2.8	7	2.0	0.74	0.8	4.1
2012	3	1.2	0.68	0.2	3.5	6	1.7	0.71	0.6	3.8

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Malignant gonadal germ cell tumors										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	176	2.5	0.19	2.2	2.9	673	7.2	0.28	6.6	7.7
1986	9	3.7	1.23	1.7	7.0	17	5.0	1.22	2.9	8.0
1987	7	2.9	1.11	1.2	6.0	24	7.1	1.44	4.5	10.5
1988	7	2.8	1.06	1.1	5.8	21	6.2	1.35	3.8	9.4
1989	7	2.8	1.05	1.1	5.7	23	6.9	1.43	4.4	10.3
1990	4	1.7	0.84	0.5	4.2	21	6.5	1.42	4.0	9.9
1991	4	1.6	0.80	0.4	4.0	15	4.7	1.21	2.6	7.7
1992	9	3.5	1.17	1.6	6.6	29	9.0	1.67	6.0	12.9
1993	9	3.4	1.13	1.5	6.4	24	7.3	1.49	4.7	10.8
1994	6	2.2	0.90	0.8	4.8	22	6.6	1.41	4.1	10.0
1995	8	3.1	1.08	1.3	6.0	18	5.3	1.25	3.1	8.4
1996	9	3.3	1.11	1.5	6.3	22	6.3	1.35	4.0	9.6
1997	7	2.7	1.02	1.1	5.5	19	5.5	1.25	3.3	8.5
1998	7	2.6	0.99	1.1	5.4	26	7.4	1.44	4.8	10.8
1999	11	4.1	1.22	2.0	7.3	30	8.4	1.53	5.7	12.0
2000	5	1.9	0.83	0.6	4.3	25	7.0	1.40	4.5	10.3
2001	4	1.5	0.73	0.4	3.8	24	6.7	1.37	4.3	10.0
2002	6	2.2	0.90	0.8	4.8	26	7.3	1.43	4.8	10.7
2003	5	1.8	0.82	0.6	4.3	31	8.7	1.56	5.9	12.3
2004	8	3.0	1.05	1.3	5.9	24	6.7	1.36	4.3	9.9
2005	7	2.6	0.99	1.1	5.4	26	7.2	1.41	4.7	10.6
2006	11	4.2	1.26	2.1	7.5	30	8.3	1.52	5.6	11.9
2007	1	0.4	0.38	0.0	2.1	22	6.0	1.27	3.7	9.1
2008	9	3.5	1.15	1.6	6.6	39	10.7	1.71	7.6	14.6
2009	6	2.3	0.95	0.9	5.1	31	8.5	1.53	5.8	12.1
2010	2	0.8	0.55	0.1	2.8	22	6.1	1.29	3.8	9.2
2011	8	3.1	1.11	1.4	6.2	34	9.6	1.64	6.6	13.4
2012	0					28	7.9	1.49	5.3	11.5

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Other malignant epithelial neoplasms and melanomas										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	418	6.0	0.30	5.5	6.6	1,405	15.0	0.40	14.2	15.8
1986	12	4.9	1.41	2.5	8.5	41	11.8	1.85	8.5	16.0
1987	13	5.5	1.52	2.9	9.3	40	11.8	1.87	8.4	16.1
1988	10	4.4	1.37	2.1	7.9	36	10.8	1.81	7.6	15.0
1989	7	2.9	1.09	1.2	5.9	41	12.4	1.93	8.9	16.7
1990	8	3.4	1.22	1.5	6.7	37	11.5	1.89	8.1	15.9
1991	10	4.1	1.30	2.0	7.5	41	12.9	2.02	9.3	17.5
1992	5	2.0	0.91	0.7	4.7	28	8.9	1.67	5.9	12.8
1993	9	3.6	1.19	1.6	6.8	36	11.2	1.87	7.9	15.5
1994	10	3.9	1.23	1.9	7.1	35	10.7	1.80	7.4	14.8
1995	13	5.0	1.40	2.7	8.6	39	11.6	1.86	8.3	15.9
1996	10	3.9	1.23	1.9	7.1	39	11.4	1.83	8.1	15.6
1997	14	5.4	1.44	3.0	9.0	49	14.1	2.02	10.5	18.7
1998	11	4.2	1.25	2.1	7.4	41	11.6	1.81	8.3	15.7
1999	17	6.4	1.56	3.7	10.3	54	15.2	2.07	11.4	19.9
2000	12	4.5	1.29	2.3	7.8	50	14.0	1.98	10.4	18.4
2001	20	7.4	1.66	4.5	11.4	56	15.6	2.09	11.8	20.3
2002	20	7.4	1.64	4.5	11.4	59	16.5	2.14	12.5	21.2
2003	17	6.3	1.52	3.7	10.1	57	15.9	2.11	12.1	20.6
2004	21	7.8	1.71	4.9	12.0	55	15.3	2.07	11.5	19.9
2005	27	10.1	1.95	6.7	14.7	62	17.2	2.19	13.2	22.1
2006	25	9.5	1.91	6.2	14.1	68	18.9	2.29	14.7	23.9
2007	17	6.4	1.55	3.7	10.3	76	20.8	2.38	16.4	26.0
2008	25	9.6	1.91	6.2	14.1	79	21.8	2.45	17.2	27.1
2009	18	6.9	1.63	4.1	11.0	78	21.5	2.43	17.0	26.8
2010	24	9.3	1.91	6.0	13.9	71	19.8	2.36	15.5	25.0
2011	18	7.1	1.66	4.2	11.2	67	18.9	2.31	14.6	24.0
2012	25	9.9	1.98	6.4	14.6	70	20.1	2.40	15.7	25.4

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Thyroid carcinoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	171	2.5	0.19	2.1	2.9	608	6.5	0.26	6.0	7.0
1986	3	1.3	0.74	0.3	3.7	17	4.9	1.19	2.9	7.8
1987	4	1.7	0.85	0.5	4.3	14	4.1	1.10	2.3	6.9
1988	5	2.2	0.97	0.7	5.0	15	4.5	1.17	2.5	7.5
1989	1	0.4	0.43	0.0	2.3	14	4.2	1.13	2.3	7.1
1990	1	0.4	0.43	0.0	2.3	16	5.0	1.24	2.8	8.0
1991	2	0.8	0.59	0.1	2.9	13	4.1	1.14	2.2	7.0
1992	1	0.4	0.41	0.0	2.2	11	3.5	1.05	1.7	6.2
1993	5	2.0	0.90	0.7	4.7	15	4.7	1.21	2.6	7.7
1994	4	1.6	0.80	0.4	4.0	13	4.0	1.10	2.1	6.8
1995	3	1.1	0.66	0.2	3.3	14	4.2	1.12	2.3	7.0
1996	4	1.6	0.78	0.4	4.0	15	4.4	1.13	2.5	7.2
1997	2	0.8	0.55	0.1	2.8	17	4.9	1.19	2.9	7.8
1998	3	1.1	0.66	0.2	3.3	12	3.4	0.98	1.8	5.9
1999	7	2.7	1.01	1.1	5.5	22	6.2	1.33	3.9	9.4
2000	5	1.9	0.83	0.6	4.3	18	5.0	1.19	3.0	8.0
2001	4	1.5	0.74	0.4	3.8	17	4.8	1.15	2.8	7.6
2002	10	3.7	1.16	1.8	6.8	26	7.2	1.42	4.7	10.6
2003	7	2.6	0.97	1.0	5.3	26	7.3	1.42	4.7	10.6
2004	11	4.1	1.23	2.0	7.3	34	9.5	1.62	6.6	13.2
2005	14	5.3	1.40	2.9	8.8	27	7.5	1.44	4.9	10.9
2006	14	5.3	1.43	2.9	9.0	34	9.5	1.62	6.6	13.2
2007	8	3.0	1.07	1.3	6.0	34	9.3	1.60	6.4	13.0
2008	10	3.8	1.21	1.8	7.0	33	9.1	1.58	6.3	12.8
2009	9	3.5	1.15	1.6	6.6	45	12.4	1.84	9.0	16.5
2010	15	5.8	1.50	3.3	9.6	38	10.6	1.73	7.5	14.6
2011	7	2.8	1.04	1.1	5.7	30	8.4	1.54	5.7	12.1
2012	12	4.7	1.37	2.5	8.3	38	10.9	1.77	7.7	15.0

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

Malignant melanoma										
Ages 0-14						Ages 0-19				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1986-2012	98	1.4	0.14	1.1	1.7	355	3.8	0.20	3.4	4.2
1986	6	2.3	0.96	0.9	5.1	13	3.7	1.03	2.0	6.4
1987	2	0.8	0.57	0.1	2.9	8	2.3	0.82	1.0	4.6
1988	3	1.3	0.75	0.3	3.7	12	3.6	1.04	1.9	6.3
1989	3	1.2	0.67	0.2	3.4	13	3.9	1.07	2.1	6.6
1990	3	1.3	0.75	0.3	3.7	11	3.4	1.04	1.7	6.1
1991	4	1.6	0.81	0.4	4.1	14	4.4	1.17	2.4	7.3
1992	3	1.2	0.71	0.3	3.5	9	2.8	0.94	1.3	5.3
1993	2	0.8	0.54	0.1	2.7	9	2.8	0.93	1.3	5.3
1994	3	1.2	0.66	0.2	3.3	10	3.0	0.96	1.5	5.6
1995	1	0.4	0.39	0.0	2.1	7	2.1	0.80	0.9	4.3
1996	2	0.8	0.55	0.1	2.8	8	2.4	0.83	1.0	4.6
1997	3	1.1	0.65	0.2	3.3	11	3.2	0.95	1.6	5.6
1998	4	1.5	0.75	0.4	3.8	13	3.7	1.02	2.0	6.3
1999	3	1.1	0.63	0.2	3.2	14	3.9	1.05	2.1	6.6
2000	1	0.4	0.37	0.0	2.1	12	3.4	0.97	1.7	5.9
2001	4	1.5	0.74	0.4	3.8	10	2.8	0.88	1.3	5.1
2002	6	2.2	0.90	0.8	4.8	17	4.7	1.15	2.8	7.6
2003	6	2.2	0.90	0.8	4.8	16	4.5	1.12	2.6	7.3
2004	5	1.9	0.83	0.6	4.3	12	3.3	0.96	1.7	5.8
2005	6	2.3	0.93	0.8	5.0	18	5.0	1.18	3.0	7.9
2006	4	1.5	0.76	0.4	3.9	19	5.2	1.20	3.2	8.2
2007	4	1.5	0.75	0.4	3.9	25	6.8	1.36	4.4	10.1
2008	4	1.5	0.76	0.4	3.9	21	5.7	1.25	3.6	8.8
2009	3	1.2	0.67	0.2	3.4	13	3.6	0.99	1.9	6.1
2010	4	1.6	0.78	0.4	4.0	15	4.2	1.08	2.3	6.9
2011	4	1.6	0.79	0.4	4.0	13	3.7	1.02	2.0	6.3
2012	5	2.0	0.89	0.6	4.6	12	3.5	1.00	1.8	6.1

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*

## Pediatric Cancer Incidence, All Races, Both Sexes, 1986-2012

<b>Other and unspecified malignant neoplasms</b>										
<b>Ages 0-14</b>						<b>Ages 0-19</b>				
<b>Year</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>	<b>Count</b>	<b>Rate</b>	<b>SE</b>	<b>LCI</b>	<b>UCI</b>
1986-2012	39	0.6	0.09	0.4	0.8	52	0.6	0.08	0.4	0.7
1986	1	0.4	0.38	0.0	2.1	1	0.3	0.28	0.0	1.6
1987	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1988	1	0.4	0.40	0.0	2.2	1	0.3	0.30	0.0	1.7
1989	2	0.7	0.50	0.1	2.7	3	0.8	0.48	0.2	2.5
1990	3	1.1	0.66	0.2	3.4	3	0.9	0.49	0.2	2.5
1991	2	0.8	0.58	0.1	2.9	2	0.6	0.43	0.1	2.2
1992	2	0.7	0.51	0.1	2.7	3	0.9	0.50	0.2	2.5
1993	5	1.8	0.78	0.6	4.1	5	1.3	0.58	0.4	3.1
1994	0					2	0.6	0.44	0.1	2.2
1995	0					0				
1996	2	0.8	0.54	0.1	2.7	2	0.6	0.40	0.1	2.1
1997	2	0.7	0.51	0.1	2.6	2	0.5	0.38	0.1	2.0
1998	0					0				
1999	2	0.8	0.54	0.1	2.7	3	0.9	0.49	0.2	2.5
2000	0					1	0.3	0.28	0.0	1.6
2001	2	0.7	0.52	0.1	2.7	2	0.6	0.39	0.1	2.0
2002	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.5
2003	0					1	0.3	0.28	0.0	1.6
2004	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2005	1	0.4	0.37	0.0	2.1	2	0.6	0.39	0.1	2.0
2006	1	0.4	0.37	0.0	2.1	1	0.3	0.28	0.0	1.6
2007	1	0.4	0.40	0.0	2.2	2	0.6	0.40	0.1	2.1
2008	2	0.8	0.54	0.1	2.8	3	0.8	0.48	0.2	2.5
2009	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2010	3	1.2	0.68	0.2	3.5	3	0.9	0.51	0.2	2.6
2011	2	0.8	0.55	0.1	2.8	2	0.6	0.41	0.1	2.1
2012	0					2	0.6	0.40	0.1	2.1

*Rates are per 1 million and are age-adjusted to the 2000 U.S. standard million population. Standard error (SE). Lower confidence interval (LCI) and upper confidence interval (UCI) are 95 percent for rates.*

*Source: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2014*