

SECTION II
Cancer Mortality by Hispanic Ethnicity and Race
Illinois, 1990-2012

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

All Sites Combined										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	14,273	109.9	1.05	107.9	112.0	550,842	205.5	0.28	205.0	206.0
1990	325	100.6	6.48	88.3	114.0	24,115	229.4	1.49	226.5	232.3
1991	375	106.5	6.37	94.4	119.6	24,041	225.8	1.47	223.0	228.7
1992	377	108.9	6.51	96.5	122.2	24,245	224.7	1.45	221.9	227.6
1993	462	121.2	6.57	108.7	134.7	24,807	227.8	1.45	224.9	230.7
1994	445	111.6	6.23	99.7	124.3	24,699	224.8	1.44	222.0	227.6
1995	422	101.8	5.79	90.7	113.6	24,679	222.7	1.42	219.9	225.5
1996	456	111.2	6.04	99.7	123.5	24,329	218.6	1.40	215.8	221.3
1997	478	106.9	5.74	96.0	118.6	24,001	214.0	1.38	211.3	216.7
1998	494	106.1	5.57	95.5	117.5	24,144	213.2	1.37	210.5	215.9
1999	551	114.7	5.76	103.7	126.5	24,473	214.2	1.37	211.6	216.9
2000	593	117.8	5.72	106.9	129.4	24,772	215.5	1.37	212.8	218.2
2001	623	119.6	5.53	109.0	130.8	24,155	208.9	1.35	206.3	211.6
2002	627	112.7	5.23	102.7	123.3	24,110	207.1	1.34	204.5	209.8
2003	620	107.5	4.97	97.9	117.5	23,844	202.8	1.32	200.2	205.4
2004	660	108.9	4.86	99.6	118.7	23,629	199.6	1.30	197.0	202.1
2005	690	107.7	4.70	98.7	117.2	23,560	197.1	1.29	194.6	199.6
2006	776	112.7	4.60	103.9	122.0	23,307	193.2	1.27	190.7	195.7
2007	758	107.4	4.37	99.0	116.3	23,355	191.4	1.26	188.9	193.9
2008	818	108.5	4.28	100.3	117.2	23,480	189.7	1.25	187.3	192.2
2009	806	101.9	4.02	94.1	110.0	23,376	187.0	1.24	184.5	189.4
2010	897	105.3	3.91	97.7	113.1	23,173	182.7	1.22	180.4	185.1
2011	978	112.7	3.97	105.1	120.7	23,028	179.2	1.20	176.9	181.6
2012	1,042	110.9	3.78	103.6	118.5	23,520	180.2	1.20	177.9	182.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	460,220	200.1	0.30	199.5	200.7	83,749	265.6	0.94	263.7	267.4
1990	20,443	220.3	1.56	217.2	223.3	3,533	316.1	5.49	305.5	327.1
1991	20,470	218.1	1.54	215.1	221.2	3,410	300.8	5.31	290.5	311.3
1992	20,544	216.7	1.52	213.8	219.7	3,531	302.2	5.23	292.0	312.6
1993	20,908	219.1	1.52	216.1	222.1	3,737	314.8	5.29	304.6	325.4
1994	20,900	217.4	1.51	214.5	220.4	3,599	298.3	5.10	288.4	308.4
1995	20,876	215.9	1.50	213.0	218.9	3,594	291.9	4.99	282.2	301.8
1996	20,368	210.2	1.48	207.3	213.1	3,747	300.4	5.03	290.6	310.4
1997	20,134	206.7	1.46	203.9	209.6	3,633	284.9	4.83	275.5	294.6
1998	20,207	205.9	1.45	203.1	208.8	3,690	282.9	4.76	273.6	292.4
1999	20,546	208.0	1.45	205.1	210.8	3,675	279.9	4.71	270.8	289.3
2000	20,700	209.0	1.46	206.1	211.9	3,758	280.0	4.66	271.0	289.3
2001	20,166	203.1	1.44	200.3	205.9	3,692	273.3	4.59	264.4	282.4
2002	20,086	201.4	1.43	198.6	204.2	3,708	269.0	4.51	260.2	277.9
2003	19,829	197.2	1.41	194.4	199.9	3,662	261.0	4.41	252.4	269.8
2004	19,651	194.8	1.40	192.1	197.6	3,665	255.9	4.32	247.5	264.5
2005	19,542	192.2	1.39	189.5	195.0	3,658	251.8	4.25	243.5	260.3
2006	19,303	188.8	1.37	186.1	191.5	3,650	247.1	4.18	239.0	255.5
2007	19,277	186.7	1.36	184.1	189.4	3,716	246.1	4.12	238.0	254.3
2008	19,503	186.9	1.35	184.2	189.5	3,605	235.9	4.02	228.1	243.9
2009	19,409	184.8	1.35	182.2	187.5	3,542	224.7	3.86	217.2	232.4
2010	19,013	178.8	1.32	176.2	181.4	3,703	231.3	3.89	223.7	239.1
2011	18,977	176.6	1.31	174.1	179.2	3,577	218.7	3.74	211.5	226.2
2012	19,368	178.1	1.31	175.5	180.7	3,664	219.6	3.71	212.4	227.0

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

All Sites Combined										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	7,624	133.6	1.82	130.0	137.2	281,461	257.2	0.49	256.2	258.2
1990	181	136.0	12.83	112.1	162.9	12,535	297.8	2.76	292.4	303.2
1991	186	120.0	10.94	99.5	142.9	12,589	296.0	2.73	290.6	301.4
1992	192	132.0	11.80	109.9	156.7	12,610	292.0	2.68	286.7	297.3
1993	257	152.8	12.04	130.1	177.7	12,812	294.5	2.68	289.3	299.8
1994	244	142.5	11.55	120.8	166.5	12,793	290.6	2.64	285.5	295.8
1995	224	113.9	9.60	95.8	133.9	12,761	287.7	2.61	282.6	292.8
1996	232	130.3	10.63	110.3	152.3	12,503	280.3	2.56	275.3	285.3
1997	257	126.3	9.78	107.9	146.6	12,302	272.5	2.50	267.6	277.5
1998	282	145.9	10.56	125.9	167.7	12,334	270.3	2.47	265.5	275.2
1999	277	127.7	9.52	109.7	147.4	12,420	270.3	2.46	265.5	275.1
2000	320	153.9	10.63	133.7	175.7	12,496	268.9	2.44	264.2	273.7
2001	330	148.4	9.77	129.8	168.4	12,400	264.8	2.41	260.1	269.5
2002	325	136.0	9.07	118.7	154.6	12,252	258.8	2.37	254.1	263.4
2003	335	128.2	8.34	112.4	145.3	12,116	253.1	2.33	248.5	257.7
2004	357	132.8	8.44	116.8	150.1	11,987	246.7	2.28	242.3	251.2
2005	379	131.4	8.04	116.1	147.8	11,862	242.0	2.25	237.6	246.5
2006	391	123.7	7.30	109.8	138.6	11,790	237.0	2.21	232.7	241.4
2007	415	138.9	7.92	123.8	155.0	11,704	231.4	2.17	227.2	235.7
2008	453	134.9	7.43	120.7	150.0	11,878	230.7	2.15	226.5	235.0
2009	419	122.0	6.90	108.9	136.1	11,925	227.0	2.11	222.8	231.1
2010	479	128.0	6.71	115.2	141.7	11,740	220.3	2.07	216.2	224.4
2011	525	133.2	6.65	120.4	146.7	11,638	214.5	2.03	210.5	218.5
2012	564	131.9	6.35	119.8	144.8	12,014	216.9	2.02	213.0	220.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	234,532	248.9	0.52	247.9	249.9	43,329	352.4	1.80	348.9	356.0
1990	10,499	283.0	2.86	277.4	288.7	1,947	441.5	10.77	420.7	463.0
1991	10,613	283.2	2.84	277.6	288.8	1,889	426.1	10.52	405.7	447.1
1992	10,561	278.0	2.78	272.6	283.5	1,955	435.1	10.60	414.5	456.3
1993	10,690	280.4	2.78	275.0	285.9	2,032	439.2	10.45	419.0	460.1
1994	10,750	279.0	2.75	273.6	284.4	1,941	413.9	10.05	394.4	434.0
1995	10,700	276.3	2.72	270.9	281.7	1,950	405.9	9.83	386.8	425.5
1996	10,372	266.8	2.67	261.6	272.0	2,020	418.7	9.96	399.4	438.6
1997	10,257	261.5	2.62	256.4	266.7	1,903	380.9	9.29	362.9	399.5
1998	10,279	259.8	2.59	254.7	264.9	1,939	378.1	9.12	360.5	396.4
1999	10,404	261.3	2.59	256.2	266.4	1,888	372.0	9.08	354.4	390.2
2000	10,399	259.0	2.56	254.0	264.0	1,918	369.9	8.97	352.6	387.9
2001	10,349	256.2	2.54	251.2	261.2	1,888	360.4	8.83	343.3	378.1
2002	10,264	252.2	2.51	247.3	257.1	1,817	337.4	8.40	321.2	354.2
2003	10,051	244.7	2.46	239.9	249.6	1,870	340.3	8.38	324.1	357.1
2004	10,000	240.4	2.42	235.7	245.2	1,833	329.9	8.22	314.0	346.4
2005	9,837	234.7	2.39	230.0	239.4	1,850	329.7	8.19	313.8	346.0
2006	9,795	230.9	2.36	226.3	235.6	1,816	317.1	7.94	301.7	333.0
2007	9,643	224.0	2.30	219.5	228.5	1,881	323.2	7.93	307.8	339.1
2008	9,894	226.1	2.30	221.6	230.7	1,804	305.4	7.63	290.7	320.7
2009	9,932	223.2	2.27	218.8	227.7	1,759	285.9	7.24	271.9	300.4
2010	9,673	214.6	2.21	210.3	219.0	1,835	294.6	7.29	280.5	309.2
2011	9,606	210.0	2.18	205.8	214.3	1,804	279.7	6.95	266.3	293.7
2012	9,964	213.7	2.18	209.5	218.0	1,790	273.0	6.80	259.8	286.6

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

All Sites Combined										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	6,649	92.7	1.25	90.2	95.1	269,381	173.1	0.34	172.5	173.8
1990	144	78.6	7.13	65.2	93.6	11,580	188.8	1.78	185.3	192.3
1991	189	99.3	7.92	84.4	115.8	11,452	183.8	1.74	180.4	187.2
1992	185	94.6	7.71	80.1	110.7	11,635	184.7	1.74	181.3	188.2
1993	205	99.4	7.66	84.9	115.3	11,995	188.1	1.74	184.7	191.5
1994	201	90.9	7.19	77.4	105.9	11,906	185.2	1.72	181.8	188.6
1995	198	92.2	7.25	78.5	107.2	11,918	183.7	1.70	180.4	187.1
1996	224	99.2	7.33	85.4	114.4	11,826	181.5	1.69	178.2	184.8
1997	221	91.9	6.98	78.7	106.4	11,699	178.5	1.67	175.2	181.8
1998	212	77.6	6.03	66.3	90.2	11,810	178.5	1.66	175.3	181.8
1999	274	105.2	7.23	91.5	120.1	12,053	179.9	1.66	176.7	183.2
2000	273	92.9	6.41	80.8	106.2	12,276	182.7	1.67	179.4	186.0
2001	293	98.7	6.47	86.4	112.0	11,755	174.4	1.63	171.2	177.6
2002	302	96.0	6.24	84.1	108.8	11,858	174.8	1.62	171.6	178.0
2003	285	90.9	6.04	79.5	103.4	11,728	171.2	1.60	168.0	174.3
2004	303	91.2	5.81	80.1	103.1	11,642	169.6	1.59	166.5	172.8
2005	311	89.2	5.63	78.5	100.8	11,698	169.2	1.59	166.1	172.3
2006	385	103.4	5.85	92.3	115.4	11,517	165.5	1.57	162.4	168.6
2007	343	85.0	5.00	75.5	95.3	11,651	166.1	1.57	163.1	169.2
2008	365	88.6	5.07	78.9	99.0	11,602	163.2	1.54	160.2	166.3
2009	387	87.4	4.85	78.2	97.4	11,451	160.7	1.53	157.7	163.8
2010	418	88.3	4.69	79.4	97.9	11,433	158.2	1.51	155.2	161.2
2011	453	96.8	4.88	87.5	106.8	11,390	155.7	1.49	152.8	158.7
2012	478	94.6	4.64	85.7	104.0	11,506	155.7	1.49	152.8	158.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	225,688	169.5	0.36	168.8	170.3	40,420	213.5	1.07	211.4	215.7
1990	9,944	183.8	1.88	180.1	187.5	1,586	238.4	6.09	226.6	250.6
1991	9,857	179.6	1.85	176.0	183.3	1,521	223.8	5.83	212.5	235.5
1992	9,983	180.5	1.84	176.9	184.2	1,576	223.9	5.72	212.8	235.4
1993	10,218	183.3	1.85	179.7	187.0	1,705	238.8	5.86	227.4	250.5
1994	10,150	180.7	1.83	177.1	184.3	1,658	228.7	5.68	217.7	240.1
1995	10,176	180.3	1.82	176.7	183.9	1,644	222.8	5.56	212.0	233.9
1996	9,996	176.8	1.80	173.2	180.3	1,727	229.2	5.58	218.4	240.4
1997	9,877	174.0	1.78	170.5	177.5	1,730	226.0	5.49	215.4	237.0
1998	9,928	173.7	1.78	170.3	177.2	1,751	223.8	5.39	213.3	234.6
1999	10,142	175.3	1.77	171.9	178.9	1,787	225.1	5.37	214.7	235.9
2000	10,301	178.3	1.79	174.8	181.8	1,840	227.2	5.33	216.9	237.9
2001	9,817	170.4	1.75	166.9	173.8	1,804	221.3	5.25	211.1	231.8
2002	9,822	169.6	1.75	166.2	173.0	1,891	227.5	5.27	217.3	238.1
2003	9,778	167.4	1.73	164.1	170.9	1,792	212.7	5.06	202.9	222.9
2004	9,651	165.5	1.72	162.2	168.9	1,832	212.7	5.01	203.0	222.8
2005	9,705	165.9	1.72	162.5	169.3	1,808	207.0	4.91	197.5	216.8
2006	9,508	161.8	1.70	158.5	165.2	1,834	206.7	4.87	197.3	216.5
2007	9,634	163.1	1.70	159.8	166.5	1,835	202.3	4.77	193.1	211.9
2008	9,609	161.1	1.69	157.8	164.5	1,801	195.5	4.65	186.5	204.8
2009	9,477	159.3	1.68	156.0	162.6	1,783	189.3	4.54	180.5	198.4
2010	9,340	155.0	1.65	151.8	158.3	1,868	195.0	4.57	186.1	204.2
2011	9,371	154.2	1.64	151.0	157.5	1,773	181.6	4.37	173.1	190.3
2012	9,404	153.8	1.64	150.6	157.0	1,874	188.2	4.41	179.7	197.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Oral Cavity and Pharynx										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	160	1.2	0.11	1.0	1.5	7,693	2.9	0.03	2.8	2.9
1990	*	*	*	*	*	421	4.1	0.20	3.7	4.5
1991	*	*	*	*	*	417	4.0	0.20	3.6	4.4
1992	*	*	*	*	*	360	3.4	0.18	3.1	3.8
1993	*	*	*	*	*	357	3.4	0.18	3.0	3.7
1994	*	*	*	*	*	348	3.2	0.17	2.9	3.6
1995	*	*	*	*	*	365	3.3	0.17	3.0	3.7
1996	*	*	*	*	*	365	3.3	0.18	3.0	3.7
1997	*	*	*	*	*	332	3.0	0.17	2.7	3.3
1998	*	*	*	*	*	334	3.0	0.16	2.7	3.3
1999	*	*	*	*	*	294	2.6	0.15	2.3	2.9
2000	*	*	*	*	*	322	2.8	0.16	2.5	3.2
2001	*	*	*	*	*	295	2.6	0.15	2.3	2.9
2002	*	*	*	*	*	303	2.6	0.15	2.3	2.9
2003	*	*	*	*	*	326	2.8	0.15	2.5	3.1
2004	*	*	*	*	*	328	2.8	0.15	2.5	3.1
2005	*	*	*	*	*	288	2.4	0.14	2.1	2.7
2006	*	*	*	*	*	303	2.5	0.14	2.2	2.8
2007	*	*	*	*	*	313	2.6	0.15	2.3	2.9
2008	10	1.0	0.33	0.4	1.8	348	2.8	0.15	2.5	3.1
2009	*	*	*	*	*	292	2.3	0.14	2.0	2.6
2010	*	*	*	*	*	295	2.3	0.14	2.1	2.6
2011	13	1.2	0.37	0.6	2.1	331	2.5	0.14	2.3	2.8
2012	11	1.2	0.39	0.6	2.2	356	2.7	0.14	2.4	3.0
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	6,017	2.6	0.03	2.6	2.7	1,519	4.4	0.11	4.1	4.6
1990	319	3.5	0.20	3.1	3.9	101	8.2	0.83	6.7	10.0
1991	311	3.3	0.19	3.0	3.7	100	8.1	0.82	6.5	9.8
1992	276	3.0	0.18	2.7	3.4	78	6.0	0.69	4.7	7.5
1993	276	3.0	0.18	2.6	3.3	77	5.9	0.68	4.6	7.3
1994	266	2.8	0.17	2.5	3.2	79	5.9	0.67	4.6	7.3
1995	279	2.9	0.18	2.6	3.3	82	6.3	0.70	5.0	7.8
1996	304	3.2	0.19	2.9	3.6	56	4.3	0.58	3.2	5.5
1997	250	2.6	0.17	2.3	3.0	74	5.2	0.62	4.1	6.6
1998	261	2.7	0.17	2.4	3.1	67	4.8	0.60	3.7	6.1
1999	224	2.3	0.15	2.0	2.6	63	4.5	0.57	3.4	5.7
2000	251	2.6	0.16	2.3	2.9	66	4.5	0.56	3.4	5.7
2001	226	2.3	0.16	2.0	2.7	60	4.1	0.54	3.1	5.3
2002	235	2.4	0.16	2.1	2.7	63	4.0	0.52	3.1	5.2
2003	245	2.5	0.16	2.2	2.8	74	4.8	0.57	3.7	6.0
2004	259	2.6	0.16	2.3	2.9	64	4.0	0.51	3.1	5.2
2005	221	2.2	0.15	1.9	2.5	57	3.6	0.48	2.7	4.7
2006	244	2.4	0.16	2.1	2.7	53	3.2	0.45	2.4	4.2
2007	255	2.5	0.16	2.2	2.8	48	2.9	0.43	2.1	3.9
2008	285	2.7	0.16	2.4	3.1	54	3.2	0.44	2.4	4.2
2009	245	2.3	0.15	2.0	2.6	42	2.4	0.37	1.7	3.2
2010	239	2.3	0.15	2.0	2.6	47	2.7	0.40	1.9	3.6
2011	260	2.4	0.15	2.1	2.7	57	3.1	0.41	2.3	4.0
2012	286	2.6	0.16	2.3	3.0	57	3.1	0.41	2.3	4.0

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Oral Cavity and Pharynx										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	126	2.0	0.21	1.6	2.5	5,229	4.5	0.06	4.4	4.6
1990	*	*	*	*	*	296	6.8	0.41	6.0	7.7
1991	*	*	*	*	*	279	6.3	0.38	5.5	7.1
1992	*	*	*	*	*	234	5.2	0.35	4.6	5.9
1993	*	*	*	*	*	255	5.5	0.35	4.8	6.2
1994	*	*	*	*	*	237	5.1	0.34	4.5	5.8
1995	*	*	*	*	*	245	5.2	0.34	4.6	5.9
1996	*	*	*	*	*	259	5.6	0.35	4.9	6.3
1997	*	*	*	*	*	230	4.8	0.32	4.2	5.5
1998	*	*	*	*	*	236	5.0	0.33	4.4	5.7
1999	*	*	*	*	*	209	4.3	0.30	3.7	4.9
2000	*	*	*	*	*	206	4.2	0.29	3.6	4.8
2001	*	*	*	*	*	219	4.4	0.30	3.8	5.0
2002	*	*	*	*	*	195	3.8	0.28	3.3	4.4
2003	*	*	*	*	*	227	4.5	0.30	3.9	5.1
2004	*	*	*	*	*	232	4.5	0.30	3.9	5.1
2005	*	*	*	*	*	188	3.6	0.27	3.1	4.1
2006	*	*	*	*	*	182	3.4	0.26	2.9	4.0
2007	*	*	*	*	*	211	3.9	0.27	3.4	4.4
2008	10	2.0	0.72	0.8	3.9	223	4.1	0.28	3.5	4.6
2009	*	*	*	*	*	189	3.3	0.24	2.8	3.8
2010	*	*	*	*	*	200	3.6	0.26	3.1	4.2
2011	10	2.0	0.74	0.8	3.9	230	3.9	0.26	3.4	4.5
2012	*	*	*	*	*	247	4.1	0.27	3.6	4.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	3,981	4.0	0.06	3.9	4.2	1,140	7.7	0.24	7.3	8.2
1990	217	5.8	0.41	5.0	6.6	78	15.1	1.78	11.8	19.0
1991	200	5.2	0.37	4.4	5.9	73	14.2	1.75	10.9	18.0
1992	176	4.6	0.35	3.9	5.3	54	9.8	1.37	7.3	12.8
1993	193	4.8	0.35	4.1	5.6	59	10.8	1.45	8.1	14.0
1994	170	4.3	0.34	3.7	5.0	65	11.1	1.39	8.6	14.2
1995	184	4.5	0.34	3.9	5.3	57	10.7	1.49	8.0	14.0
1996	211	5.3	0.37	4.6	6.1	43	7.4	1.15	5.3	10.0
1997	170	4.2	0.32	3.5	4.8	56	9.4	1.33	7.0	12.4
1998	181	4.5	0.34	3.8	5.2	52	9.2	1.34	6.8	12.2
1999	160	3.9	0.31	3.3	4.5	44	7.4	1.15	5.3	10.0
2000	152	3.6	0.30	3.1	4.3	50	7.9	1.17	5.8	10.5
2001	168	4.0	0.31	3.4	4.6	45	7.3	1.12	5.3	9.8
2002	149	3.5	0.29	3.0	4.1	43	6.3	0.97	4.5	8.5
2003	160	3.7	0.30	3.2	4.4	61	9.3	1.25	7.0	12.1
2004	177	4.0	0.31	3.5	4.7	51	7.4	1.09	5.5	9.9
2005	131	3.0	0.26	2.5	3.6	50	7.3	1.06	5.4	9.7
2006	144	3.2	0.27	2.7	3.8	35	5.0	0.88	3.5	7.1
2007	167	3.7	0.29	3.1	4.3	39	5.6	0.96	3.9	7.8
2008	183	4.0	0.30	3.4	4.6	35	4.6	0.81	3.2	6.5
2009	152	3.2	0.26	2.7	3.7	33	4.3	0.77	2.9	6.0
2010	160	3.5	0.28	3.0	4.1	33	4.4	0.80	3.0	6.3
2011	180	3.7	0.28	3.2	4.3	41	5.0	0.81	3.5	6.9
2012	196	4.0	0.29	3.4	4.6	43	5.5	0.87	3.9	7.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Oral Cavity and Pharynx										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	34	0.5	0.10	0.4	0.8	2,464	1.6	0.03	1.5	1.7
1990	*	*	*	*	*	125	2.1	0.19	1.7	2.5
1991	*	*	*	*	*	138	2.3	0.20	1.9	2.7
1992	*	*	*	*	*	126	2.1	0.19	1.7	2.5
1993	*	*	*	*	*	102	1.7	0.17	1.3	2.0
1994	*	*	*	*	*	111	1.7	0.16	1.4	2.1
1995	*	*	*	*	*	120	1.9	0.17	1.5	2.2
1996	*	*	*	*	*	106	1.6	0.16	1.3	2.0
1997	*	*	*	*	*	102	1.6	0.16	1.3	1.9
1998	*	*	*	*	*	98	1.5	0.15	1.2	1.8
1999	*	*	*	*	*	85	1.3	0.14	1.0	1.6
2000	*	*	*	*	*	116	1.7	0.16	1.4	2.1
2001	*	*	*	*	*	76	1.1	0.13	0.9	1.4
2002	*	*	*	*	*	108	1.6	0.16	1.3	1.9
2003	*	*	*	*	*	99	1.4	0.14	1.1	1.7
2004	*	*	*	*	*	96	1.4	0.14	1.1	1.7
2005	*	*	*	*	*	100	1.4	0.15	1.2	1.8
2006	*	*	*	*	*	121	1.7	0.16	1.4	2.1
2007	*	*	*	*	*	102	1.5	0.15	1.2	1.8
2008	*	*	*	*	*	125	1.8	0.16	1.5	2.1
2009	*	*	*	*	*	103	1.4	0.14	1.2	1.7
2010	*	*	*	*	*	95	1.3	0.14	1.1	1.6
2011	*	*	*	*	*	101	1.4	0.14	1.1	1.7
2012	*	*	*	*	*	109	1.5	0.15	1.2	1.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,036	1.5	0.03	1.5	1.6	379	1.9	0.10	1.7	2.1
1990	102	1.9	0.19	1.5	2.3	23	3.3	0.69	2.1	4.9
1991	111	2.1	0.20	1.7	2.5	27	3.7	0.73	2.5	5.4
1992	100	1.9	0.19	1.5	2.3	24	3.2	0.66	2.0	4.7
1993	83	1.5	0.17	1.2	1.9	18	2.4	0.57	1.4	3.8
1994	96	1.7	0.17	1.3	2.0	14	1.9	0.50	1.0	3.1
1995	95	1.7	0.17	1.3	2.0	25	3.3	0.66	2.1	4.8
1996	93	1.7	0.18	1.3	2.1	13	1.8	0.50	1.0	3.0
1997	80	1.4	0.16	1.1	1.8	18	2.2	0.52	1.3	3.5
1998	80	1.4	0.16	1.1	1.8	15	1.8	0.47	1.0	3.0
1999	64	1.1	0.14	0.8	1.4	19	2.3	0.54	1.4	3.6
2000	99	1.7	0.17	1.4	2.1	16	2.0	0.49	1.1	3.2
2001	58	1.0	0.13	0.8	1.3	15	1.8	0.46	1.0	2.9
2002	86	1.5	0.16	1.2	1.8	20	2.3	0.51	1.4	3.5
2003	85	1.4	0.15	1.1	1.7	13	1.5	0.42	0.8	2.6
2004	82	1.4	0.16	1.1	1.7	13	1.5	0.42	0.8	2.6
2005	90	1.5	0.17	1.2	1.9	*	*	*	*	*
2006	100	1.7	0.17	1.4	2.1	18	1.9	0.45	1.1	3.0
2007	88	1.5	0.17	1.2	1.9	*	*	*	*	*
2008	102	1.7	0.17	1.4	2.1	19	2.1	0.48	1.3	3.3
2009	93	1.5	0.16	1.2	1.9	*	*	*	*	*
2010	79	1.3	0.15	1.0	1.6	14	1.4	0.36	0.7	2.3
2011	80	1.3	0.15	1.0	1.6	16	1.6	0.40	0.9	2.6
2012	90	1.5	0.17	1.2	1.9	14	1.3	0.36	0.7	2.3

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Digestive System										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	4,447	35.7	0.60	34.5	36.9	135,238	50.3	0.14	50.1	50.6
1990	95	29.4	3.46	23.0	36.8	6,084	58.0	0.75	56.5	59.5
1991	98	31.1	3.57	24.5	38.7	5,961	56.2	0.73	54.8	57.6
1992	110	36.6	3.94	29.3	44.9	5,939	55.1	0.72	53.7	56.6
1993	147	41.3	3.88	34.1	49.5	5,967	54.8	0.71	53.4	56.2
1994	119	33.8	3.50	27.3	41.2	6,046	55.0	0.71	53.7	56.5
1995	115	29.1	3.13	23.3	35.7	5,996	54.0	0.70	52.6	55.4
1996	130	33.5	3.33	27.3	40.6	5,851	52.5	0.69	51.2	53.9
1997	139	33.0	3.19	27.0	39.7	5,856	52.1	0.68	50.8	53.5
1998	147	33.4	3.14	27.5	40.0	5,968	52.6	0.68	51.3	54.0
1999	156	34.7	3.21	28.7	41.4	5,952	52.0	0.67	50.6	53.3
2000	157	33.1	3.05	27.4	39.5	6,101	52.9	0.68	51.6	54.3
2001	197	38.4	3.11	32.6	44.9	5,976	51.5	0.67	50.2	52.8
2002	170	32.9	2.88	27.5	39.0	5,935	50.8	0.66	49.5	52.1
2003	201	35.5	2.82	30.1	41.3	5,798	49.1	0.65	47.8	50.3
2004	205	33.7	2.63	28.8	39.2	5,796	48.8	0.64	47.5	50.1
2005	227	35.5	2.67	30.5	41.1	5,753	47.9	0.63	46.6	49.1
2006	265	40.8	2.80	35.5	46.6	5,745	47.4	0.63	46.2	48.6
2007	222	32.8	2.43	28.2	37.8	5,723	46.6	0.62	45.4	47.8
2008	265	36.0	2.47	31.3	41.1	5,821	46.7	0.62	45.5	48.0
2009	263	35.0	2.37	30.5	39.9	5,759	45.6	0.61	44.4	46.8
2010	308	36.6	2.30	32.2	41.3	5,786	45.3	0.60	44.1	46.5
2011	340	39.9	2.37	35.4	44.7	5,682	43.9	0.59	42.8	45.1
2012	371	39.5	2.25	35.2	44.1	5,743	43.7	0.59	42.5	44.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	110,445	47.7	0.14	47.4	48.0	22,303	71.6	0.49	70.7	72.6
1990	5,064	54.4	0.77	52.9	55.9	959	88.2	2.94	82.5	94.1
1991	5,000	53.1	0.76	51.6	54.6	904	82.1	2.81	76.7	87.7
1992	4,971	52.3	0.75	50.8	53.8	895	78.5	2.70	73.3	83.9
1993	4,912	51.2	0.73	49.8	52.6	987	85.9	2.81	80.5	91.6
1994	5,053	52.3	0.74	50.8	53.7	907	76.4	2.60	71.3	81.6
1995	5,026	51.6	0.73	50.2	53.1	886	74.2	2.55	69.2	79.3
1996	4,785	49.1	0.71	47.7	50.5	986	80.4	2.62	75.3	85.7
1997	4,816	49.0	0.71	47.7	50.5	945	76.0	2.53	71.2	81.1
1998	4,923	49.9	0.71	48.5	51.3	967	75.4	2.47	70.6	80.4
1999	4,921	49.5	0.71	48.1	50.9	927	72.4	2.43	67.8	77.3
2000	5,002	50.1	0.71	48.7	51.5	986	74.3	2.41	69.7	79.2
2001	4,881	48.7	0.70	47.3	50.1	984	73.0	2.38	68.4	77.8
2002	4,848	48.2	0.69	46.8	49.5	980	72.0	2.35	67.5	76.7
2003	4,683	46.1	0.68	44.8	47.4	976	70.6	2.31	66.2	75.3
2004	4,696	46.1	0.68	44.8	47.5	1,006	70.9	2.28	66.5	75.5
2005	4,668	45.5	0.67	44.2	46.9	973	67.5	2.21	63.3	72.0
2006	4,624	44.8	0.66	43.5	46.1	996	67.9	2.20	63.7	72.4
2007	4,612	44.2	0.66	42.9	45.5	987	65.5	2.13	61.4	69.8
2008	4,666	44.3	0.66	43.0	45.6	1,041	68.8	2.18	64.6	73.2
2009	4,641	43.7	0.65	42.4	45.0	955	60.3	2.00	56.5	64.3
2010	4,629	43.1	0.64	41.9	44.4	996	62.2	2.02	58.3	66.3
2011	4,487	41.5	0.63	40.2	42.7	1,025	62.5	2.00	58.6	66.5
2012	4,537	41.4	0.63	40.2	42.6	1,035	61.7	1.97	57.9	65.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Digestive System										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,599	44.9	1.04	42.9	47.0	71,943	65.2	0.25	64.7	65.7
1990	56	44.6	7.45	31.2	60.9	3,146	75.2	1.39	72.5	77.9
1991	70	46.9	6.78	34.5	61.6	3,155	74.6	1.37	71.9	77.3
1992	57	44.2	7.07	31.5	59.6	3,147	73.2	1.35	70.6	75.9
1993	94	53.1	6.65	40.9	67.4	3,054	70.5	1.31	68.0	73.2
1994	67	41.8	6.28	30.4	55.5	3,168	72.2	1.32	69.7	74.8
1995	69	35.5	5.37	25.8	47.3	3,158	71.4	1.30	68.8	74.0
1996	75	45.3	6.41	33.6	59.1	3,084	69.4	1.28	66.9	71.9
1997	81	40.0	5.30	30.3	51.4	3,099	68.8	1.26	66.4	71.3
1998	92	47.0	5.85	36.2	59.5	3,143	68.4	1.24	65.9	70.8
1999	95	45.0	5.69	34.5	57.2	3,096	67.1	1.22	64.7	69.5
2000	90	42.7	5.53	32.5	54.5	3,163	67.6	1.22	65.2	70.0
2001	105	45.9	5.27	36.1	57.1	3,142	66.5	1.20	64.2	68.9
2002	101	43.1	5.15	33.6	54.1	3,134	65.7	1.19	63.4	68.1
2003	130	48.2	4.97	38.9	58.7	3,179	66.2	1.19	63.9	68.5
2004	116	40.1	4.37	32.0	49.3	3,087	62.9	1.15	60.7	65.2
2005	125	43.0	4.59	34.5	52.7	3,091	62.2	1.13	59.9	64.4
2006	140	43.9	4.16	36.2	52.7	3,023	60.0	1.11	57.8	62.2
2007	139	44.6	4.35	36.5	53.7	3,004	58.7	1.09	56.6	60.8
2008	156	45.6	4.26	37.6	54.5	3,166	60.0	1.08	57.9	62.2
2009	134	39.3	3.88	32.1	47.5	3,226	60.1	1.08	58.1	62.3
2010	175	47.4	4.10	39.7	55.9	3,174	58.2	1.05	56.1	60.3
2011	204	49.6	3.97	42.2	57.9	3,083	55.4	1.02	53.4	57.4
2012	228	48.3	3.65	41.5	55.9	3,221	56.8	1.02	54.8	58.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	58,685	61.9	0.26	61.4	62.4	11,820	93.8	0.91	92.0	95.6
1990	2,604	70.6	1.43	67.8	73.5	496	110.9	5.32	100.7	121.7
1991	2,638	70.8	1.42	68.0	73.6	481	106.7	5.20	96.8	117.3
1992	2,606	69.0	1.39	66.3	71.7	495	111.3	5.37	101.1	122.3
1993	2,497	65.7	1.35	63.1	68.4	516	112.8	5.33	102.6	123.7
1994	2,631	68.6	1.37	65.9	71.3	490	103.6	5.00	94.1	113.8
1995	2,620	67.7	1.35	65.1	70.4	490	103.9	5.02	94.3	114.1
1996	2,522	65.2	1.32	62.7	67.9	519	104.0	4.88	94.7	114.0
1997	2,524	64.6	1.31	62.1	67.2	509	99.6	4.67	90.7	109.2
1998	2,590	65.1	1.29	62.6	67.7	516	98.7	4.59	89.9	108.0
1999	2,568	64.2	1.28	61.7	66.8	476	93.8	4.55	85.0	103.1
2000	2,584	64.1	1.27	61.6	66.6	518	97.0	4.50	88.4	106.2
2001	2,575	63.4	1.26	61.0	65.9	496	90.7	4.34	82.4	99.6
2002	2,585	63.1	1.25	60.7	65.6	484	88.7	4.26	80.6	97.4
2003	2,556	62.2	1.24	59.8	64.7	540	95.4	4.36	87.1	104.3
2004	2,500	59.8	1.21	57.4	62.2	533	91.4	4.22	83.4	100.0
2005	2,508	59.2	1.19	56.9	61.6	524	89.8	4.18	81.8	98.3
2006	2,456	57.3	1.17	55.0	59.6	500	84.1	3.98	76.5	92.2
2007	2,408	55.5	1.14	53.3	57.8	529	87.2	4.03	79.5	95.4
2008	2,536	56.7	1.14	54.5	59.0	561	92.6	4.14	84.6	101.0
2009	2,611	57.8	1.15	55.5	60.1	522	80.2	3.72	73.1	87.8
2010	2,548	55.4	1.12	53.2	57.6	539	82.7	3.77	75.4	90.4
2011	2,460	52.7	1.08	50.6	54.9	534	80.0	3.65	73.0	87.4
2012	2,558	53.7	1.08	51.6	55.9	552	81.5	3.65	74.5	88.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Digestive System										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,848	28.2	0.71	26.8	29.6	63,295	39.5	0.16	39.2	39.8
1990	39	20.1	3.43	14.0	27.9	2,938	46.2	0.86	44.5	47.9
1991	28	18.1	3.73	11.6	26.6	2,806	43.6	0.83	42.0	45.2
1992	53	31.6	4.68	23.1	41.8	2,792	42.7	0.82	41.2	44.4
1993	53	30.6	4.56	22.3	40.6	2,913	44.3	0.83	42.7	45.9
1994	52	28.0	4.17	20.4	37.1	2,878	43.2	0.81	41.6	44.8
1995	46	23.5	3.77	16.7	31.8	2,838	42.1	0.80	40.6	43.7
1996	55	25.7	3.72	18.9	33.8	2,767	41.0	0.79	39.5	42.6
1997	58	26.6	3.87	19.6	35.0	2,757	40.5	0.78	39.0	42.0
1998	55	22.7	3.39	16.5	30.1	2,825	41.3	0.79	39.8	42.9
1999	61	26.3	3.73	19.5	34.4	2,856	41.3	0.78	39.8	42.9
2000	67	26.0	3.52	19.5	33.6	2,938	42.2	0.79	40.7	43.8
2001	92	32.7	3.77	25.7	40.7	2,834	40.5	0.77	39.0	42.1
2002	69	24.9	3.30	18.9	32.1	2,801	39.9	0.76	38.4	41.4
2003	71	24.6	3.18	18.8	31.5	2,619	37.0	0.73	35.6	38.5
2004	89	28.5	3.25	22.5	35.4	2,709	38.2	0.74	36.7	39.7
2005	102	29.8	3.22	23.8	36.6	2,662	37.4	0.74	35.9	38.8
2006	125	37.0	3.62	30.3	44.7	2,722	38.0	0.74	36.6	39.5
2007	83	23.2	2.74	18.1	29.0	2,719	37.5	0.73	36.1	39.0
2008	109	28.2	2.92	22.8	34.4	2,655	36.4	0.72	35.0	37.9
2009	129	31.8	2.99	26.2	38.1	2,533	34.6	0.70	33.3	36.0
2010	133	28.5	2.66	23.5	34.1	2,612	35.3	0.71	34.0	36.7
2011	136	31.4	2.85	26.0	37.4	2,599	34.9	0.70	33.5	36.3
2012	143	31.0	2.75	25.9	36.8	2,522	33.4	0.68	32.1	34.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	51,760	37.3	0.17	36.9	37.6	10,483	56.7	0.56	55.6	57.8
1990	2,460	43.3	0.89	41.6	45.1	463	72.1	3.41	65.6	79.1
1991	2,362	41.0	0.86	39.4	42.8	423	65.2	3.21	59.1	71.8
1992	2,365	40.7	0.85	39.0	42.4	400	58.1	2.95	52.5	64.2
1993	2,415	41.5	0.86	39.8	43.2	471	68.4	3.19	62.3	74.9
1994	2,422	41.0	0.85	39.3	42.7	417	58.9	2.91	53.3	64.8
1995	2,406	40.5	0.84	38.9	42.2	396	55.4	2.81	50.1	61.2
1996	2,263	38.1	0.82	36.5	39.8	467	64.3	3.00	58.5	70.4
1997	2,292	38.4	0.82	36.8	40.0	436	59.1	2.85	53.6	64.9
1998	2,333	39.0	0.82	37.4	40.7	451	59.1	2.81	53.8	64.9
1999	2,353	38.9	0.82	37.3	40.5	451	58.5	2.78	53.2	64.2
2000	2,418	39.8	0.83	38.2	41.5	468	59.1	2.75	53.9	64.8
2001	2,306	37.9	0.80	36.3	39.5	488	61.0	2.78	55.6	66.6
2002	2,263	37.1	0.80	35.5	38.7	496	60.7	2.75	55.5	66.3
2003	2,127	34.8	0.77	33.3	36.4	436	53.3	2.57	48.4	58.6
2004	2,196	35.9	0.78	34.4	37.4	473	56.5	2.62	51.5	61.9
2005	2,160	35.4	0.78	33.9	37.0	449	52.9	2.51	48.0	58.0
2006	2,168	35.4	0.78	33.8	36.9	496	56.8	2.57	51.9	62.1
2007	2,204	35.6	0.78	34.0	37.1	458	51.2	2.42	46.6	56.2
2008	2,130	34.4	0.77	32.9	36.0	480	53.0	2.44	48.4	58.1
2009	2,030	32.8	0.75	31.4	34.4	433	46.6	2.27	42.3	51.3
2010	2,081	33.5	0.76	32.1	35.1	457	48.2	2.28	43.9	52.9
2011	2,027	32.4	0.74	30.9	33.9	491	50.6	2.31	46.1	55.3
2012	1,979	31.5	0.73	30.1	33.0	483	48.4	2.24	44.2	53.0

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Esophagus										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	291	2.3	0.15	2.0	2.6	12,802	4.8	0.04	4.7	4.9
1990	*	*	*	*	*	474	4.5	0.21	4.1	4.9
1991	*	*	*	*	*	518	4.9	0.22	4.4	5.3
1992	*	*	*	*	*	526	4.9	0.21	4.5	5.3
1993	*	*	*	*	*	501	4.6	0.20	4.2	5.0
1994	*	*	*	*	*	543	5.0	0.21	4.6	5.4
1995	*	*	*	*	*	548	5.0	0.21	4.6	5.4
1996	12	2.6	0.80	1.3	4.6	542	4.9	0.21	4.5	5.3
1997	16	3.8	1.08	2.0	6.4	535	4.8	0.21	4.4	5.2
1998	*	*	*	*	*	568	5.1	0.21	4.7	5.5
1999	10	2.6	0.93	1.1	4.9	505	4.5	0.20	4.1	4.9
2000	*	*	*	*	*	584	5.1	0.21	4.7	5.5
2001	16	3.6	1.03	1.8	6.0	573	5.0	0.21	4.6	5.4
2002	14	3.2	0.95	1.6	5.4	550	4.7	0.20	4.3	5.1
2003	*	*	*	*	*	553	4.7	0.20	4.3	5.1
2004	15	2.6	0.76	1.4	4.5	546	4.7	0.20	4.3	5.1
2005	17	2.8	0.75	1.5	4.5	590	4.9	0.20	4.5	5.4
2006	24	3.7	0.82	2.3	5.6	544	4.5	0.19	4.1	4.9
2007	13	2.0	0.59	1.0	3.4	605	4.9	0.20	4.5	5.3
2008	15	2.3	0.65	1.2	3.8	618	4.9	0.20	4.5	5.3
2009	10	1.3	0.43	0.6	2.3	592	4.7	0.19	4.3	5.1
2010	19	2.2	0.55	1.3	3.5	603	4.7	0.19	4.3	5.1
2011	17	1.8	0.48	1.0	3.0	571	4.4	0.19	4.1	4.8
2012	18	2.0	0.51	1.1	3.2	613	4.7	0.19	4.3	5.0
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	10,324	4.5	0.04	4.4	4.6	2,358	7.1	0.15	6.8	7.3
1990	335	3.6	0.20	3.2	4.0	134	11.5	1.01	9.6	13.6
1991	375	4.0	0.21	3.6	4.4	139	11.5	0.99	9.6	13.5
1992	410	4.3	0.21	3.9	4.8	110	8.9	0.86	7.3	10.7
1993	374	3.9	0.20	3.5	4.3	124	10.0	0.92	8.3	12.0
1994	409	4.3	0.21	3.9	4.7	131	10.3	0.91	8.6	12.2
1995	424	4.4	0.22	4.0	4.9	119	9.2	0.85	7.6	11.0
1996	421	4.4	0.22	4.0	4.9	115	8.6	0.81	7.1	10.3
1997	419	4.4	0.21	4.0	4.8	110	8.2	0.79	6.7	9.9
1998	467	4.8	0.22	4.4	5.3	101	7.3	0.73	5.9	8.8
1999	406	4.2	0.21	3.8	4.6	95	6.9	0.72	5.6	8.5
2000	471	4.8	0.22	4.4	5.3	111	7.9	0.76	6.4	9.5
2001	451	4.6	0.22	4.2	5.1	116	8.2	0.77	6.7	9.8
2002	456	4.6	0.22	4.2	5.1	87	6.0	0.66	4.8	7.5
2003	459	4.6	0.22	4.2	5.1	89	5.8	0.62	4.6	7.1
2004	455	4.6	0.22	4.2	5.0	89	6.0	0.65	4.8	7.4
2005	497	4.9	0.22	4.5	5.4	91	5.8	0.62	4.7	7.2
2006	458	4.5	0.21	4.1	5.0	79	5.2	0.59	4.1	6.5
2007	515	5.0	0.22	4.6	5.5	82	5.2	0.59	4.1	6.5
2008	520	4.9	0.22	4.5	5.4	92	5.6	0.59	4.5	6.9
2009	504	4.8	0.21	4.4	5.2	80	4.9	0.56	3.9	6.1
2010	518	4.9	0.22	4.5	5.3	76	4.3	0.51	3.4	5.4
2011	467	4.4	0.21	4.0	4.8	96	5.5	0.57	4.4	6.7
2012	513	4.7	0.21	4.3	5.2	92	5.2	0.56	4.2	6.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Esophagus										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	229	3.8	0.29	3.3	4.4	9,789	8.6	0.09	8.4	8.7
1990	*	*	*	*	*	344	7.8	0.43	6.9	8.7
1991	*	*	*	*	*	385	8.6	0.45	7.7	9.5
1992	*	*	*	*	*	391	8.6	0.44	7.7	9.5
1993	*	*	*	*	*	376	8.1	0.43	7.3	9.0
1994	*	*	*	*	*	398	8.7	0.44	7.8	9.6
1995	*	*	*	*	*	415	8.8	0.44	8.0	9.7
1996	10	4.6	1.62	2.0	8.8	409	8.7	0.43	7.9	9.6
1997	14	8.0	2.59	3.8	14.3	400	8.5	0.43	7.7	9.4
1998	*	*	*	*	*	435	9.2	0.45	8.3	10.1
1999	*	*	*	*	*	397	8.3	0.42	7.5	9.1
2000	*	*	*	*	*	433	8.9	0.43	8.1	9.8
2001	12	5.2	1.86	2.2	9.8	440	9.1	0.44	8.2	10.0
2002	*	*	*	*	*	408	8.3	0.42	7.5	9.2
2003	*	*	*	*	*	423	8.5	0.42	7.7	9.3
2004	11	4.3	1.41	2.0	7.8	414	8.2	0.41	7.4	9.0
2005	15	5.5	1.66	2.7	9.5	472	9.1	0.42	8.3	10.0
2006	15	4.1	1.17	2.2	7.0	419	8.2	0.40	7.4	9.0
2007	10	3.3	1.22	1.4	6.3	479	9.1	0.42	8.3	10.0
2008	12	4.0	1.33	1.9	7.3	489	8.8	0.41	8.1	9.7
2009	*	*	*	*	*	479	8.7	0.40	7.9	9.5
2010	15	3.4	0.99	1.8	5.8	459	8.2	0.39	7.4	9.0
2011	14	2.9	0.86	1.5	5.0	451	7.9	0.38	7.2	8.7
2012	15	3.7	1.06	1.9	6.2	473	8.3	0.39	7.5	9.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	8,037	8.2	0.09	8.1	8.4	1,669	12.1	0.31	11.5	12.7
1990	245	6.3	0.42	5.6	7.2	94	18.7	2.01	15.0	23.0
1991	281	7.2	0.44	6.4	8.1	101	19.8	2.05	16.0	24.2
1992	302	7.6	0.45	6.8	8.5	85	16.9	1.92	13.3	21.0
1993	286	7.1	0.42	6.3	8.0	88	17.0	1.90	13.5	21.1
1994	307	7.7	0.45	6.9	8.6	88	17.0	1.90	13.5	21.1
1995	326	8.0	0.45	7.1	8.9	86	16.0	1.79	12.7	19.9
1996	329	8.1	0.45	7.3	9.1	78	13.6	1.61	10.7	17.1
1997	319	7.8	0.44	7.0	8.8	76	13.8	1.65	10.8	17.4
1998	360	8.8	0.47	7.9	9.8	75	13.0	1.55	10.1	16.4
1999	331	8.0	0.44	7.2	8.9	62	11.1	1.48	8.4	14.3
2000	345	8.3	0.45	7.4	9.2	87	15.3	1.74	12.1	19.1
2001	356	8.6	0.46	7.7	9.6	79	13.2	1.55	10.4	16.6
2002	345	8.3	0.45	7.4	9.2	60	10.1	1.35	7.6	13.1
2003	352	8.3	0.45	7.5	9.2	67	10.4	1.32	8.0	13.3
2004	357	8.3	0.44	7.5	9.3	57	9.7	1.36	7.2	12.7
2005	406	9.2	0.46	8.4	10.2	65	9.7	1.25	7.4	12.4
2006	360	8.3	0.44	7.4	9.2	54	8.9	1.29	6.5	11.7
2007	413	9.3	0.46	8.4	10.3	59	9.3	1.29	6.9	12.1
2008	419	9.0	0.44	8.1	9.9	66	10.1	1.31	7.7	13.0
2009	411	8.9	0.44	8.0	9.8	60	9.1	1.24	6.8	11.9
2010	399	8.5	0.43	7.7	9.4	54	7.3	1.04	5.4	9.6
2011	381	8.0	0.42	7.2	8.9	66	9.2	1.18	7.0	11.8
2012	407	8.6	0.43	7.7	9.4	62	8.6	1.15	6.5	11.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Esophagus										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	62	1.1	0.14	0.8	1.4	3,013	1.9	0.04	1.9	2.0
1990	*	*	*	*	*	130	2.1	0.19	1.8	2.5
1991	*	*	*	*	*	133	2.1	0.18	1.8	2.5
1992	*	*	*	*	*	135	2.1	0.18	1.8	2.5
1993	*	*	*	*	*	125	1.9	0.17	1.6	2.3
1994	*	*	*	*	*	145	2.3	0.19	1.9	2.7
1995	*	*	*	*	*	133	2.1	0.18	1.7	2.4
1996	*	*	*	*	*	133	2.0	0.18	1.7	2.4
1997	*	*	*	*	*	135	2.1	0.18	1.8	2.5
1998	*	*	*	*	*	133	2.0	0.18	1.7	2.4
1999	*	*	*	*	*	108	1.6	0.16	1.3	2.0
2000	*	*	*	*	*	151	2.2	0.18	1.9	2.6
2001	*	*	*	*	*	133	2.0	0.17	1.7	2.3
2002	*	*	*	*	*	142	2.1	0.17	1.7	2.4
2003	*	*	*	*	*	130	1.9	0.17	1.6	2.3
2004	*	*	*	*	*	132	1.9	0.17	1.6	2.3
2005	*	*	*	*	*	118	1.7	0.16	1.4	2.1
2006	*	*	*	*	*	125	1.8	0.17	1.5	2.2
2007	*	*	*	*	*	126	1.8	0.16	1.5	2.1
2008	*	*	*	*	*	129	1.9	0.17	1.6	2.2
2009	*	*	*	*	*	113	1.6	0.15	1.3	1.9
2010	*	*	*	*	*	144	2.0	0.17	1.7	2.4
2011	*	*	*	*	*	120	1.6	0.15	1.3	2.0
2012	*	*	*	*	*	140	1.9	0.16	1.6	2.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,287	1.7	0.04	1.6	1.8	689	3.6	0.14	3.3	3.9
1990	90	1.6	0.17	1.3	2.0	40	6.1	0.98	4.3	8.3
1991	94	1.6	0.17	1.3	2.0	38	5.5	0.89	3.8	7.5
1992	108	1.9	0.18	1.5	2.3	25	3.5	0.70	2.2	5.1
1993	88	1.5	0.17	1.2	1.9	36	5.0	0.85	3.5	7.0
1994	102	1.8	0.18	1.5	2.2	43	5.7	0.87	4.1	7.6
1995	98	1.7	0.17	1.4	2.1	33	4.4	0.78	3.0	6.2
1996	92	1.6	0.16	1.3	1.9	37	4.9	0.82	3.5	6.8
1997	100	1.8	0.18	1.5	2.2	34	4.4	0.75	3.0	6.1
1998	107	1.8	0.18	1.5	2.2	26	3.2	0.64	2.1	4.7
1999	75	1.3	0.15	1.0	1.6	33	4.1	0.72	2.8	5.7
2000	126	2.1	0.19	1.8	2.5	24	2.9	0.60	1.9	4.3
2001	95	1.6	0.17	1.3	2.0	37	4.5	0.75	3.2	6.3
2002	111	1.9	0.18	1.5	2.2	27	3.2	0.62	2.1	4.7
2003	107	1.8	0.18	1.5	2.2	22	2.5	0.54	1.6	3.8
2004	98	1.7	0.17	1.4	2.0	32	3.7	0.65	2.5	5.2
2005	91	1.6	0.17	1.3	1.9	26	3.0	0.59	1.9	4.4
2006	98	1.7	0.18	1.4	2.1	25	2.8	0.57	1.8	4.2
2007	102	1.7	0.17	1.4	2.1	23	2.5	0.53	1.6	3.8
2008	101	1.7	0.18	1.4	2.1	26	2.7	0.53	1.8	4.0
2009	93	1.5	0.16	1.2	1.9	20	2.1	0.47	1.3	3.2
2010	119	2.0	0.19	1.6	2.4	22	2.2	0.48	1.4	3.4
2011	86	1.4	0.15	1.1	1.8	30	2.9	0.53	1.9	4.1
2012	106	1.7	0.17	1.4	2.1	30	3.0	0.55	2.0	4.3

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Stomach										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	807	6.0	0.24	5.5	6.5	12,504	4.7	0.04	4.6	4.8
1990	16	5.3	1.62	2.6	9.2	672	6.4	0.25	6.0	6.9
1991	21	6.2	1.60	3.5	10.0	676	6.4	0.25	5.9	6.9
1992	17	5.7	1.60	3.0	9.5	605	5.6	0.23	5.2	6.1
1993	30	7.2	1.48	4.6	10.7	654	6.1	0.24	5.6	6.5
1994	30	8.1	1.73	5.1	12.1	615	5.6	0.23	5.2	6.1
1995	25	5.5	1.30	3.2	8.5	634	5.7	0.23	5.3	6.2
1996	19	4.9	1.31	2.7	8.0	583	5.2	0.22	4.8	5.7
1997	21	4.4	1.07	2.6	6.9	558	5.0	0.21	4.6	5.4
1998	36	7.8	1.58	5.1	11.4	606	5.4	0.22	4.9	5.8
1999	21	3.8	0.99	2.1	6.2	580	5.1	0.21	4.7	5.5
2000	30	5.2	1.12	3.2	7.8	526	4.6	0.20	4.2	5.0
2001	37	5.5	1.04	3.7	7.9	562	4.8	0.20	4.5	5.3
2002	36	6.9	1.36	4.5	10.0	508	4.4	0.19	4.0	4.8
2003	31	5.6	1.14	3.6	8.2	540	4.6	0.20	4.2	5.0
2004	50	6.6	1.08	4.7	9.0	528	4.5	0.19	4.1	4.9
2005	51	7.5	1.22	5.3	10.2	474	4.0	0.18	3.6	4.3
2006	37	5.1	0.94	3.4	7.2	468	3.9	0.18	3.6	4.3
2007	27	4.3	0.89	2.7	6.3	458	3.8	0.18	3.4	4.1
2008	51	5.6	0.89	4.0	7.6	457	3.7	0.17	3.4	4.1
2009	57	8.2	1.18	6.0	10.7	484	3.9	0.18	3.5	4.2
2010	49	5.4	0.87	3.8	7.3	411	3.2	0.16	2.9	3.6
2011	54	5.7	0.88	4.1	7.6	453	3.5	0.17	3.2	3.9
2012	61	6.2	0.88	4.6	8.2	452	3.5	0.17	3.2	3.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	9,246	4.0	0.04	3.9	4.1	2,798	9.2	0.18	8.8	9.5
1990	530	5.7	0.25	5.2	6.2	128	12.0	1.10	10.0	14.3
1991	540	5.7	0.25	5.2	6.2	127	11.9	1.09	9.9	14.3
1992	460	4.9	0.23	4.4	5.3	129	11.2	1.02	9.3	13.4
1993	487	5.1	0.23	4.7	5.6	150	13.2	1.11	11.1	15.5
1994	483	5.0	0.23	4.6	5.5	111	9.5	0.93	7.8	11.5
1995	495	5.1	0.23	4.7	5.6	118	9.8	0.93	8.1	11.8
1996	433	4.4	0.21	4.0	4.9	137	11.2	0.98	9.3	13.2
1997	427	4.3	0.21	3.9	4.8	109	9.1	0.89	7.4	10.9
1998	449	4.6	0.22	4.1	5.0	141	11.2	0.96	9.4	13.2
1999	440	4.4	0.21	4.0	4.9	118	9.3	0.87	7.7	11.2
2000	382	3.8	0.20	3.4	4.2	119	9.3	0.87	7.7	11.1
2001	416	4.2	0.20	3.8	4.6	121	9.0	0.84	7.5	10.8
2002	379	3.8	0.19	3.4	4.2	110	8.1	0.79	6.6	9.7
2003	386	3.8	0.19	3.4	4.2	128	9.6	0.87	8.0	11.4
2004	381	3.8	0.19	3.4	4.2	132	9.3	0.82	7.7	11.0
2005	342	3.3	0.18	3.0	3.7	111	7.8	0.76	6.4	9.4
2006	339	3.3	0.18	3.0	3.7	110	7.6	0.74	6.2	9.2
2007	311	3.0	0.17	2.7	3.4	123	8.2	0.76	6.8	9.9
2008	320	3.1	0.17	2.7	3.4	123	8.6	0.79	7.1	10.3
2009	351	3.3	0.18	3.0	3.7	107	6.8	0.67	5.5	8.2
2010	279	2.6	0.16	2.3	3.0	112	7.0	0.68	5.8	8.5
2011	318	2.9	0.17	2.6	3.3	109	7.0	0.68	5.7	8.4
2012	298	2.7	0.16	2.4	3.1	125	7.9	0.72	6.6	9.5

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Stomach										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	480	8.1	0.44	7.2	9.0	7,300	6.7	0.08	6.5	6.8
1990	10	9.7	3.93	3.6	19.4	380	9.2	0.49	8.2	10.2
1991	14	9.3	3.26	4.1	17.3	414	9.7	0.49	8.7	10.7
1992	*	*	*	*	*	364	8.4	0.45	7.5	9.3
1993	17	6.7	1.69	3.8	11.1	377	8.8	0.47	7.9	9.8
1994	19	12.2	3.47	6.4	20.4	323	7.4	0.42	6.6	8.3
1995	17	7.5	2.23	3.8	13.0	376	8.6	0.46	7.7	9.5
1996	12	9.3	3.26	4.1	17.2	346	8.0	0.44	7.2	8.9
1997	16	6.4	1.77	3.4	10.9	341	7.7	0.42	6.9	8.5
1998	17	8.5	2.58	4.2	14.7	359	7.9	0.42	7.1	8.7
1999	15	6.8	2.25	3.1	12.3	322	7.0	0.40	6.3	7.8
2000	14	5.7	1.83	2.7	10.3	317	6.9	0.39	6.1	7.7
2001	19	7.4	1.99	4.0	12.2	314	6.6	0.37	5.9	7.3
2002	20	10.3	2.85	5.5	16.9	301	6.4	0.37	5.7	7.1
2003	22	7.4	1.76	4.3	11.5	316	6.6	0.38	5.9	7.4
2004	28	7.5	1.77	4.5	11.7	320	6.6	0.37	5.9	7.3
2005	27	9.4	2.28	5.5	14.7	258	5.4	0.34	4.7	6.1
2006	19	4.9	1.26	2.8	8.0	268	5.3	0.33	4.7	6.0
2007	20	7.5	1.86	4.3	11.8	270	5.3	0.33	4.7	6.0
2008	32	7.4	1.57	4.7	11.1	261	5.0	0.31	4.4	5.6
2009	30	10.3	2.08	6.7	15.0	283	5.2	0.32	4.6	5.9
2010	29	8.6	1.82	5.4	12.7	251	4.7	0.30	4.1	5.3
2011	36	8.2	1.59	5.4	11.8	265	4.9	0.30	4.3	5.5
2012	40	8.1	1.47	5.5	11.4	274	4.9	0.30	4.3	5.5

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	5,389	5.7	0.08	5.6	5.9	1,657	13.6	0.35	12.9	14.3
1990	300	8.3	0.49	7.3	9.3	69	15.4	1.96	11.8	19.7
1991	324	8.6	0.49	7.7	9.6	83	18.5	2.17	14.5	23.2
1992	277	7.3	0.45	6.4	8.2	78	17.2	2.09	13.3	21.7
1993	267	7.2	0.45	6.3	8.1	100	22.1	2.38	17.7	27.2
1994	246	6.5	0.42	5.7	7.4	63	13.0	1.74	9.8	16.8
1995	299	7.9	0.46	7.0	8.8	66	14.1	1.87	10.7	18.2
1996	260	7.0	0.44	6.1	7.9	80	16.6	1.99	12.9	20.9
1997	258	6.7	0.42	5.9	7.5	71	15.2	1.94	11.7	19.4
1998	265	6.7	0.42	5.9	7.6	85	17.1	1.98	13.5	21.4
1999	243	6.1	0.40	5.4	7.0	70	14.5	1.84	11.1	18.5
2000	236	6.0	0.39	5.2	6.8	66	12.7	1.66	9.6	16.3
2001	236	5.8	0.38	5.0	6.5	67	12.7	1.66	9.6	16.3
2002	235	5.8	0.38	5.1	6.6	55	10.0	1.42	7.4	13.1
2003	234	5.7	0.38	5.0	6.5	69	12.3	1.57	9.4	15.7
2004	229	5.6	0.37	4.9	6.3	81	13.5	1.60	10.6	17.0
2005	185	4.5	0.33	3.9	5.2	61	11.3	1.54	8.5	14.7
2006	200	4.6	0.33	4.0	5.3	59	10.1	1.38	7.5	13.1
2007	179	4.2	0.32	3.6	4.9	81	13.8	1.63	10.8	17.3
2008	175	4.0	0.30	3.4	4.6	75	13.2	1.61	10.2	16.7
2009	199	4.4	0.31	3.8	5.0	74	11.6	1.41	9.0	14.6
2010	173	3.8	0.29	3.3	4.4	67	11.1	1.43	8.5	14.2
2011	186	4.0	0.30	3.4	4.6	68	11.1	1.41	8.5	14.2
2012	183	3.8	0.29	3.3	4.4	69	11.5	1.45	8.9	14.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Stomach										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	327	4.4	0.27	3.9	4.9	5,204	3.3	0.05	3.2	3.4
1990	*	*	*	*	*	292	4.6	0.27	4.1	5.2
1991	*	*	*	*	*	262	4.0	0.25	3.5	4.5
1992	10	5.2	1.84	2.3	9.9	241	3.7	0.24	3.2	4.2
1993	13	7.0	2.10	3.5	12.1	277	4.2	0.26	3.7	4.7
1994	11	5.2	1.78	2.3	9.7	292	4.4	0.26	3.9	4.9
1995	*	*	*	*	*	258	3.9	0.24	3.4	4.4
1996	*	*	*	*	*	237	3.5	0.23	3.1	4.0
1997	*	*	*	*	*	217	3.2	0.22	2.8	3.6
1998	19	7.5	1.97	4.1	12.1	247	3.6	0.23	3.1	4.0
1999	*	*	*	*	*	258	3.8	0.24	3.3	4.3
2000	16	4.8	1.41	2.5	8.3	209	3.0	0.21	2.6	3.4
2001	18	4.2	1.05	2.4	6.8	248	3.5	0.23	3.1	4.0
2002	16	4.9	1.37	2.5	8.2	207	2.9	0.21	2.6	3.4
2003	*	*	*	*	*	224	3.1	0.21	2.7	3.5
2004	22	5.9	1.36	3.5	9.1	208	2.9	0.21	2.6	3.4
2005	24	6.3	1.41	3.9	9.6	216	3.1	0.21	2.7	3.5
2006	18	5.0	1.29	2.8	8.1	200	2.9	0.21	2.5	3.3
2007	*	*	*	*	*	188	2.7	0.20	2.3	3.1
2008	19	4.1	1.01	2.3	6.5	196	2.7	0.20	2.4	3.2
2009	27	6.7	1.38	4.2	9.8	201	2.8	0.20	2.4	3.2
2010	20	3.2	0.76	1.8	5.0	160	2.2	0.18	1.9	2.6
2011	18	3.5	0.93	2.0	5.8	188	2.6	0.19	2.2	3.0
2012	21	4.4	1.02	2.6	6.8	178	2.4	0.19	2.1	2.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	3,857	2.8	0.05	2.7	2.9	1,141	6.3	0.19	5.9	6.6
1990	230	4.1	0.27	3.6	4.7	59	9.5	1.25	7.2	12.2
1991	216	3.7	0.25	3.2	4.2	44	7.3	1.11	5.3	9.8
1992	183	3.1	0.23	2.7	3.6	51	7.4	1.06	5.5	9.8
1993	220	3.8	0.26	3.3	4.4	50	7.5	1.07	5.6	9.9
1994	237	4.1	0.27	3.5	4.6	48	7.0	1.02	5.2	9.3
1995	196	3.3	0.24	2.9	3.8	52	7.2	1.00	5.3	9.4
1996	173	2.9	0.23	2.5	3.4	57	7.7	1.03	5.8	10.0
1997	169	2.8	0.22	2.4	3.3	38	5.3	0.87	3.7	7.3
1998	184	3.0	0.22	2.6	3.5	56	7.4	0.99	5.5	9.5
1999	197	3.3	0.24	2.8	3.8	48	6.2	0.91	4.6	8.3
2000	146	2.3	0.20	2.0	2.8	53	6.9	0.95	5.2	9.0
2001	180	2.9	0.22	2.5	3.3	54	6.7	0.92	5.0	8.8
2002	144	2.3	0.20	1.9	2.7	55	6.7	0.91	5.0	8.7
2003	152	2.4	0.20	2.0	2.9	59	7.5	0.98	5.7	9.6
2004	152	2.5	0.21	2.1	3.0	51	6.2	0.88	4.6	8.2
2005	157	2.6	0.21	2.2	3.0	50	5.8	0.83	4.3	7.7
2006	139	2.4	0.21	2.0	2.8	51	5.9	0.84	4.4	7.8
2007	132	2.2	0.19	1.8	2.6	42	4.8	0.74	3.4	6.5
2008	145	2.4	0.20	2.0	2.8	48	5.7	0.82	4.2	7.5
2009	152	2.5	0.21	2.1	3.0	33	3.6	0.63	2.5	5.0
2010	106	1.8	0.18	1.5	2.2	45	4.6	0.69	3.3	6.1
2011	132	2.1	0.19	1.8	2.5	41	4.4	0.69	3.1	5.9
2012	115	1.9	0.18	1.5	2.3	56	5.8	0.79	4.4	7.6

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Colon and Rectum										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,228	10.2	0.33	9.6	10.9	59,138	22.0	0.09	21.8	22.2
1990	37	12.1	2.23	8.1	17.1	2,977	28.5	0.53	27.4	29.5
1991	28	9.3	1.96	5.8	13.7	2,825	26.7	0.51	25.7	27.7
1992	41	14.8	2.58	10.1	20.5	2,862	26.6	0.50	25.6	27.6
1993	53	16.4	2.56	11.8	22.0	2,885	26.5	0.49	25.5	27.5
1994	33	9.2	1.78	6.1	13.2	2,830	25.8	0.49	24.9	26.8
1995	35	10.2	1.98	6.7	14.6	2,812	25.3	0.48	24.4	26.3
1996	46	12.4	2.08	8.7	17.0	2,624	23.5	0.46	22.6	24.4
1997	40	10.3	1.85	7.0	14.4	2,711	24.1	0.46	23.2	25.0
1998	38	8.8	1.64	5.8	12.4	2,670	23.5	0.45	22.6	24.4
1999	38	9.5	1.79	6.3	13.5	2,722	23.7	0.45	22.8	24.6
2000	49	10.3	1.69	7.3	14.0	2,753	23.8	0.45	22.9	24.7
2001	61	12.7	1.84	9.4	16.7	2,661	22.8	0.44	22.0	23.7
2002	58	11.8	1.75	8.6	15.7	2,647	22.6	0.44	21.7	23.4
2003	56	11.1	1.69	8.1	14.8	2,562	21.6	0.43	20.8	22.5
2004	47	8.6	1.42	6.0	11.7	2,465	20.7	0.42	19.9	21.5
2005	48	7.6	1.27	5.3	10.4	2,315	19.2	0.40	18.4	20.0
2006	62	10.6	1.52	7.9	13.9	2,440	20.0	0.41	19.2	20.8
2007	65	9.5	1.31	7.1	12.3	2,403	19.5	0.40	18.7	20.3
2008	74	11.0	1.42	8.4	14.1	2,318	18.7	0.39	17.9	19.5
2009	74	9.4	1.21	7.2	12.0	2,209	17.5	0.38	16.7	18.2
2010	75	9.0	1.13	6.9	11.4	2,223	17.3	0.37	16.6	18.1
2011	83	10.3	1.23	8.0	12.9	2,095	16.2	0.36	15.5	16.9
2012	87	8.3	1.00	6.5	10.5	2,129	16.3	0.36	15.6	17.0
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	49,202	21.1	0.10	21.0	21.3	9,198	30.1	0.32	29.5	30.7
1990	2,540	27.3	0.55	26.2	28.4	420	39.8	2.01	36.0	43.9
1991	2,452	26.1	0.53	25.0	27.1	357	33.3	1.81	29.8	37.0
1992	2,463	25.9	0.52	24.8	26.9	384	34.5	1.82	31.1	38.3
1993	2,465	25.6	0.52	24.6	26.6	403	36.1	1.85	32.6	39.9
1994	2,443	25.3	0.51	24.3	26.3	362	31.0	1.67	27.8	34.4
1995	2,419	24.7	0.50	23.8	25.8	369	31.6	1.68	28.4	35.0
1996	2,206	22.5	0.48	21.5	23.4	398	33.0	1.69	29.7	36.4
1997	2,285	23.2	0.49	22.2	24.1	404	33.8	1.72	30.5	37.3
1998	2,232	22.5	0.48	21.6	23.5	408	32.6	1.65	29.4	35.9
1999	2,291	22.9	0.48	22.0	23.8	407	32.6	1.65	29.4	36.0
2000	2,303	22.9	0.48	22.0	23.9	418	32.1	1.60	29.1	35.4
2001	2,220	21.9	0.47	21.0	22.9	399	30.2	1.54	27.2	33.3
2002	2,199	21.7	0.46	20.8	22.6	415	31.0	1.55	28.0	34.1
2003	2,086	20.4	0.45	19.5	21.3	442	32.6	1.59	29.6	35.9
2004	2,028	19.8	0.44	18.9	20.7	418	30.0	1.50	27.1	33.1
2005	1,888	18.3	0.42	17.5	19.2	390	27.6	1.43	24.9	30.5
2006	1,967	18.8	0.43	17.9	19.6	421	29.2	1.45	26.4	32.2
2007	1,947	18.5	0.42	17.7	19.3	421	28.0	1.40	25.3	30.9
2008	1,854	17.6	0.41	16.8	18.4	421	28.1	1.40	25.4	30.9
2009	1,790	16.7	0.40	16.0	17.5	368	23.7	1.26	21.3	26.3
2010	1,786	16.5	0.40	15.7	17.3	387	24.4	1.27	21.9	27.0
2011	1,651	15.2	0.38	14.5	16.0	395	24.6	1.27	22.2	27.2
2012	1,687	15.4	0.38	14.7	16.2	391	23.4	1.21	21.1	25.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Colon and Rectum										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	661	12.4	0.57	11.3	13.6	29,335	27.2	0.16	26.8	27.5
1990	18	15.5	4.36	8.2	25.8	1,483	36.3	0.98	34.4	38.2
1991	21	15.6	4.04	8.7	25.1	1,398	34.0	0.94	32.1	35.8
1992	23	22.0	5.40	12.7	34.3	1,446	34.3	0.93	32.5	36.2
1993	33	21.6	4.48	13.7	31.8	1,381	32.5	0.90	30.7	34.3
1994	18	10.9	2.96	5.9	18.0	1,425	33.2	0.90	31.4	35.0
1995	20	13.7	3.80	7.3	22.6	1,369	31.8	0.88	30.1	33.6
1996	19	13.3	3.74	7.0	22.0	1,284	29.5	0.84	27.8	31.2
1997	19	9.9	2.60	5.5	16.1	1,334	30.3	0.85	28.7	32.0
1998	27	15.0	3.53	8.9	23.1	1,321	29.3	0.82	27.7	30.9
1999	19	10.5	3.03	5.4	17.6	1,339	29.7	0.82	28.1	31.3
2000	23	11.6	3.01	6.4	18.6	1,326	28.9	0.80	27.3	30.5
2001	33	16.0	3.35	10.1	23.5	1,319	28.5	0.80	27.0	30.1
2002	33	14.7	2.96	9.5	21.4	1,293	27.5	0.78	26.0	29.1
2003	32	15.1	3.20	9.5	22.3	1,326	28.3	0.79	26.8	29.9
2004	28	10.3	2.43	6.1	15.9	1,207	25.3	0.74	23.8	26.8
2005	22	8.3	2.17	4.6	13.3	1,168	24.0	0.71	22.6	25.4
2006	26	10.0	2.21	6.1	15.0	1,185	24.0	0.71	22.7	25.5
2007	31	9.1	1.82	5.9	13.3	1,139	22.8	0.68	21.4	24.1
2008	41	14.2	2.55	9.6	19.8	1,170	22.8	0.68	21.5	24.1
2009	36	10.3	1.97	6.8	14.7	1,137	21.7	0.65	20.4	23.0
2010	36	9.9	1.85	6.6	14.1	1,123	20.9	0.64	19.7	22.2
2011	43	12.2	2.13	8.4	16.9	1,036	18.9	0.60	17.8	20.1
2012	60	12.0	1.79	8.7	15.9	1,126	20.4	0.62	19.2	21.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	24,497	26.3	0.17	26.0	26.6	4,448	36.9	0.59	35.8	38.1
1990	1,271	35.1	1.02	33.1	37.1	201	48.8	3.69	41.8	56.5
1991	1,227	33.7	1.00	31.7	35.7	164	38.6	3.26	32.5	45.4
1992	1,247	33.5	0.98	31.6	35.5	190	43.7	3.41	37.3	50.8
1993	1,190	31.6	0.94	29.8	33.5	179	42.0	3.40	35.6	49.1
1994	1,240	32.8	0.95	31.0	34.7	175	39.6	3.22	33.5	46.3
1995	1,177	31.1	0.93	29.4	33.0	182	40.8	3.24	34.7	47.6
1996	1,092	28.7	0.88	27.0	30.4	181	38.0	3.03	32.3	44.3
1997	1,125	29.3	0.89	27.6	31.1	193	39.3	3.00	33.6	45.5
1998	1,106	28.2	0.86	26.6	30.0	202	40.1	3.00	34.4	46.3
1999	1,131	28.8	0.87	27.1	30.5	198	41.0	3.10	35.1	47.4
2000	1,104	27.8	0.84	26.1	29.5	204	40.0	2.97	34.4	46.2
2001	1,104	27.7	0.84	26.0	29.4	189	36.2	2.81	30.9	42.0
2002	1,082	26.8	0.82	25.2	28.4	190	35.4	2.71	30.3	41.0
2003	1,084	26.9	0.82	25.3	28.6	224	42.5	3.03	36.8	48.8
2004	993	24.2	0.78	22.7	25.8	203	37.0	2.78	31.7	42.8
2005	951	22.9	0.75	21.4	24.4	201	36.0	2.73	30.8	41.7
2006	966	22.9	0.74	21.5	24.4	195	34.5	2.60	29.6	40.0
2007	921	21.7	0.72	20.3	23.1	204	34.0	2.53	29.2	39.3
2008	939	21.5	0.71	20.1	22.9	210	35.9	2.63	31.0	41.4
2009	929	21.0	0.70	19.7	22.4	176	27.8	2.23	23.6	32.5
2010	900	19.8	0.67	18.5	21.2	202	32.2	2.41	27.6	37.2
2011	822	17.8	0.63	16.6	19.1	190	29.8	2.28	25.5	34.6
2012	896	19.4	0.66	18.1	20.7	195	29.6	2.23	25.4	34.3

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Colon and Rectum										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	567	8.6	0.39	7.9	9.4	29,803	18.4	0.11	18.2	18.6
1990	19	10.4	2.54	6.0	16.4	1,494	23.4	0.61	22.2	24.6
1991	*	*	*	*	*	1,427	22.1	0.59	20.9	23.3
1992	18	10.5	2.65	6.0	16.8	1,416	21.6	0.58	20.5	22.8
1993	20	12.2	2.95	7.1	19.0	1,504	22.6	0.59	21.5	23.8
1994	15	7.8	2.17	4.1	13.0	1,405	21.0	0.57	19.9	22.2
1995	15	7.9	2.22	4.2	13.2	1,443	21.2	0.56	20.1	22.4
1996	27	12.6	2.60	8.0	18.6	1,340	19.7	0.54	18.7	20.8
1997	21	10.2	2.47	6.0	16.0	1,377	20.0	0.54	18.9	21.1
1998	11	4.2	1.42	1.9	7.8	1,349	19.5	0.54	18.5	20.6
1999	19	8.9	2.25	5.0	14.1	1,383	19.8	0.54	18.7	20.9
2000	26	9.8	2.08	6.1	14.5	1,427	20.3	0.54	19.2	21.4
2001	28	10.6	2.17	6.8	15.5	1,342	19.0	0.52	17.9	20.0
2002	25	9.4	2.07	5.8	14.2	1,354	19.0	0.52	18.0	20.0
2003	24	8.4	1.88	5.2	12.7	1,236	17.3	0.50	16.4	18.3
2004	19	7.2	1.76	4.2	11.3	1,258	17.6	0.50	16.6	18.6
2005	26	7.2	1.59	4.5	10.9	1,147	15.9	0.48	14.9	16.8
2006	36	11.0	2.04	7.4	15.6	1,255	17.1	0.49	16.1	18.1
2007	34	9.5	1.78	6.3	13.5	1,264	17.1	0.49	16.2	18.1
2008	33	8.7	1.65	5.8	12.4	1,148	15.6	0.47	14.7	16.6
2009	38	8.8	1.54	6.0	12.2	1,072	14.5	0.45	13.6	15.4
2010	39	8.4	1.43	5.8	11.6	1,100	14.6	0.45	13.7	15.5
2011	40	9.0	1.50	6.3	12.3	1,059	14.1	0.44	13.2	15.0
2012	27	5.1	1.07	3.2	7.6	1,003	13.1	0.43	12.2	13.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	24,705	17.5	0.11	17.3	17.8	4,750	25.8	0.38	25.0	26.5
1990	1,269	22.1	0.63	20.9	23.4	219	34.3	2.36	29.8	39.2
1991	1,225	21.2	0.61	20.0	22.4	193	30.0	2.19	25.9	34.6
1992	1,216	20.9	0.61	19.7	22.1	194	28.8	2.10	24.8	33.1
1993	1,275	21.7	0.62	20.5	22.9	224	32.8	2.22	28.6	37.4
1994	1,203	20.2	0.59	19.1	21.4	187	26.4	1.96	22.7	30.5
1995	1,242	20.7	0.60	19.5	21.9	187	26.3	1.94	22.6	30.4
1996	1,114	18.5	0.56	17.4	19.6	217	29.9	2.05	26.1	34.2
1997	1,160	19.2	0.58	18.1	20.4	211	29.2	2.03	25.4	33.4
1998	1,126	18.7	0.57	17.6	19.8	206	27.3	1.92	23.7	31.3
1999	1,160	19.0	0.57	17.9	20.1	209	27.5	1.91	23.8	31.4
2000	1,199	19.5	0.57	18.4	20.7	214	27.1	1.87	23.6	31.0
2001	1,116	18.0	0.55	17.0	19.2	210	26.3	1.83	22.8	30.1
2002	1,117	17.9	0.55	16.9	19.1	225	27.8	1.87	24.3	31.7
2003	1,002	16.2	0.52	15.2	17.3	218	26.4	1.80	23.0	30.2
2004	1,035	16.7	0.53	15.7	17.8	215	25.6	1.76	22.3	29.3
2005	937	15.1	0.51	14.1	16.1	189	22.3	1.64	19.3	25.8
2006	1,001	15.7	0.51	14.8	16.8	226	25.7	1.72	22.4	29.3
2007	1,026	16.2	0.52	15.2	17.3	217	24.0	1.65	20.9	27.5
2008	915	14.6	0.50	13.7	15.6	211	23.2	1.61	20.1	26.5
2009	861	13.7	0.48	12.8	14.7	192	20.8	1.52	18.0	24.0
2010	886	13.9	0.48	13.0	14.9	185	19.5	1.45	16.8	22.5
2011	829	13.1	0.47	12.2	14.1	205	21.3	1.50	18.4	24.4
2012	791	12.4	0.46	11.5	13.3	196	19.4	1.40	16.8	22.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Liver										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	765	5.9	0.24	5.4	6.3	10,169	3.8	0.04	3.7	3.9
1990	15	4.0	1.15	2.1	6.8	376	3.6	0.19	3.2	4.0
1991	12	3.9	1.31	1.8	7.1	353	3.3	0.18	3.0	3.6
1992	10	2.6	0.92	1.1	5.0	371	3.4	0.18	3.1	3.8
1993	27	7.9	1.73	4.9	11.8	382	3.5	0.18	3.2	3.9
1994	17	4.9	1.32	2.6	8.0	407	3.7	0.18	3.3	4.1
1995	16	3.6	1.03	1.9	6.1	457	4.1	0.19	3.7	4.5
1996	20	5.1	1.27	2.9	8.1	445	4.0	0.19	3.7	4.4
1997	24	5.3	1.22	3.1	8.1	445	4.0	0.19	3.6	4.4
1998	34	7.5	1.40	5.0	10.7	418	3.7	0.18	3.4	4.1
1999	33	7.7	1.52	5.0	11.1	431	3.8	0.18	3.4	4.2
2000	32	7.0	1.42	4.4	10.2	421	3.7	0.18	3.3	4.1
2001	32	6.5	1.26	4.2	9.3	412	3.6	0.18	3.2	3.9
2002	26	4.3	0.94	2.6	6.4	406	3.5	0.17	3.2	3.9
2003	39	5.8	1.01	4.0	8.1	438	3.7	0.18	3.4	4.1
2004	29	4.4	0.90	2.9	6.5	461	3.9	0.18	3.5	4.3
2005	42	6.4	1.10	4.4	8.8	465	3.9	0.18	3.5	4.2
2006	47	6.2	1.00	4.4	8.5	452	3.7	0.18	3.4	4.1
2007	31	4.0	0.78	2.7	5.8	464	3.8	0.18	3.5	4.2
2008	36	4.9	0.90	3.3	6.9	485	3.9	0.18	3.5	4.2
2009	44	5.6	0.94	3.9	7.7	495	3.9	0.18	3.5	4.3
2010	60	7.0	1.00	5.2	9.2	525	4.1	0.18	3.7	4.5
2011	65	6.7	0.91	5.0	8.7	527	4.0	0.18	3.6	4.3
2012	74	8.1	1.02	6.2	10.3	533	4.0	0.18	3.7	4.4

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	7,585	3.3	0.04	3.2	3.4	2,098	6.5	0.14	6.2	6.8
1990	292	3.1	0.18	2.7	3.5	70	6.3	0.77	4.8	7.9
1991	277	2.9	0.18	2.6	3.3	65	5.5	0.70	4.2	7.0
1992	285	3.0	0.18	2.7	3.4	63	5.4	0.70	4.1	7.0
1993	295	3.0	0.18	2.7	3.4	75	6.3	0.75	5.0	8.0
1994	306	3.2	0.18	2.8	3.5	85	7.0	0.77	5.6	8.7
1995	343	3.5	0.19	3.2	3.9	97	8.0	0.84	6.5	9.8
1996	339	3.5	0.19	3.2	3.9	91	7.3	0.79	5.9	9.0
1997	327	3.4	0.19	3.0	3.7	92	7.1	0.75	5.7	8.7
1998	312	3.2	0.18	2.8	3.6	94	7.2	0.76	5.8	8.9
1999	311	3.2	0.18	2.8	3.5	96	7.2	0.75	5.8	8.8
2000	316	3.2	0.18	2.9	3.6	80	5.7	0.65	4.5	7.2
2001	291	2.9	0.17	2.6	3.3	101	7.1	0.72	5.8	8.7
2002	298	3.0	0.17	2.7	3.4	90	6.5	0.69	5.2	8.0
2003	326	3.2	0.18	2.9	3.6	85	5.9	0.65	4.7	7.3
2004	329	3.3	0.18	2.9	3.7	103	7.0	0.70	5.7	8.5
2005	362	3.5	0.19	3.2	3.9	84	5.4	0.60	4.3	6.7
2006	348	3.4	0.19	3.1	3.8	85	5.3	0.58	4.2	6.5
2007	340	3.3	0.18	3.0	3.7	103	6.5	0.65	5.3	7.9
2008	352	3.4	0.18	3.0	3.7	114	7.2	0.69	6.0	8.7
2009	371	3.5	0.18	3.1	3.9	94	5.6	0.59	4.5	6.9
2010	389	3.6	0.19	3.3	4.0	106	6.2	0.62	5.1	7.6
2011	378	3.4	0.18	3.1	3.8	113	6.3	0.60	5.1	7.6
2012	398	3.6	0.19	3.3	4.0	112	6.2	0.60	5.1	7.5

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Liver										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	576	8.9	0.43	8.0	9.7	6,622	5.8	0.07	5.7	6.0
1990	12	7.4	2.62	3.2	14.0	226	5.3	0.36	4.6	6.0
1991	*	*	*	*	*	205	4.6	0.33	4.0	5.3
1992	*	*	*	*	*	228	5.3	0.36	4.6	6.0
1993	22	13.8	3.72	7.5	22.6	221	5.1	0.35	4.4	5.8
1994	*	*	*	*	*	243	5.3	0.35	4.7	6.0
1995	13	5.9	2.05	2.5	11.1	283	6.3	0.38	5.5	7.1
1996	16	8.1	2.38	4.1	13.9	284	6.2	0.38	5.5	7.0
1997	18	6.5	1.57	3.8	10.5	273	5.9	0.36	5.2	6.6
1998	24	10.3	2.28	6.4	15.8	266	5.6	0.35	5.0	6.3
1999	21	9.3	2.42	5.1	15.0	265	5.5	0.34	4.9	6.3
2000	20	8.3	2.27	4.5	13.8	262	5.4	0.34	4.7	6.1
2001	20	8.1	1.96	4.7	12.8	260	5.4	0.34	4.7	6.1
2002	22	6.9	1.67	4.0	10.9	267	5.4	0.34	4.8	6.1
2003	29	7.7	1.58	5.0	11.5	304	6.1	0.36	5.5	6.9
2004	19	5.8	1.51	3.3	9.5	288	5.6	0.33	4.9	6.2
2005	31	9.8	2.07	6.2	14.5	324	6.2	0.35	5.6	7.0
2006	39	10.8	1.92	7.3	15.1	300	5.7	0.33	5.1	6.4
2007	26	6.9	1.48	4.3	10.3	307	5.7	0.33	5.1	6.4
2008	27	6.6	1.42	4.1	9.9	334	6.1	0.34	5.4	6.8
2009	32	8.3	1.72	5.3	12.2	365	6.5	0.35	5.9	7.2
2010	49	12.8	2.11	9.0	17.4	370	6.5	0.35	5.8	7.2
2011	56	11.6	1.78	8.3	15.5	379	6.5	0.34	5.8	7.2
2012	54	11.6	1.79	8.4	15.6	368	6.1	0.32	5.4	6.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	4,906	5.1	0.07	4.9	5.2	1,360	10.0	0.28	9.4	10.5
1990	173	4.5	0.35	3.9	5.3	41	9.1	1.53	6.3	12.5
1991	156	4.1	0.33	3.4	4.8	40	8.1	1.37	5.7	11.3
1992	175	4.6	0.36	4.0	5.4	36	8.1	1.45	5.5	11.4
1993	172	4.5	0.36	3.9	5.3	43	8.4	1.34	6.0	11.4
1994	179	4.5	0.34	3.8	5.2	52	10.7	1.57	7.8	14.2
1995	206	5.2	0.37	4.5	6.0	64	13.1	1.76	9.9	16.9
1996	216	5.5	0.38	4.8	6.3	57	10.8	1.51	8.0	14.1
1997	196	4.9	0.35	4.2	5.7	58	10.6	1.47	7.9	13.8
1998	195	4.8	0.35	4.1	5.5	63	11.7	1.55	8.9	15.1
1999	190	4.6	0.34	4.0	5.4	59	10.7	1.45	8.0	13.9
2000	199	4.8	0.34	4.1	5.5	49	8.6	1.27	6.3	11.4
2001	186	4.5	0.33	3.9	5.2	55	9.3	1.33	6.9	12.3
2002	195	4.7	0.34	4.0	5.4	60	10.4	1.42	7.8	13.5
2003	227	5.4	0.36	4.7	6.2	57	9.3	1.29	7.0	12.2
2004	205	4.7	0.33	4.1	5.4	62	9.8	1.31	7.4	12.6
2005	250	5.7	0.37	5.0	6.5	61	9.1	1.21	6.8	11.7
2006	226	5.2	0.35	4.5	5.9	60	8.7	1.21	6.5	11.4
2007	218	4.9	0.33	4.3	5.6	74	11.1	1.34	8.6	14.0
2008	248	5.4	0.34	4.7	6.1	71	10.6	1.32	8.1	13.4
2009	277	5.9	0.36	5.2	6.7	66	9.0	1.17	6.8	11.6
2010	278	5.8	0.36	5.2	6.6	73	10.2	1.26	7.9	12.9
2011	266	5.5	0.34	4.8	6.2	84	10.9	1.25	8.6	13.7
2012	273	5.4	0.33	4.8	6.1	75	9.5	1.15	7.4	12.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Liver										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	189	3.2	0.25	2.7	3.7	3,547	2.2	0.04	2.2	2.3
1990	*	*	*	*	*	150	2.4	0.20	2.0	2.8
1991	*	*	*	*	*	148	2.3	0.19	2.0	2.7
1992	*	*	*	*	*	143	2.2	0.19	1.9	2.6
1993	*	*	*	*	*	161	2.5	0.20	2.1	2.9
1994	*	*	*	*	*	164	2.5	0.20	2.1	2.9
1995	*	*	*	*	*	174	2.6	0.20	2.2	3.0
1996	*	*	*	*	*	161	2.4	0.19	2.1	2.8
1997	*	*	*	*	*	172	2.6	0.20	2.2	3.0
1998	10	4.8	1.61	2.1	8.8	152	2.2	0.18	1.9	2.6
1999	12	6.1	1.89	3.0	10.7	166	2.5	0.19	2.1	2.9
2000	12	5.6	1.77	2.7	9.9	159	2.3	0.19	2.0	2.7
2001	12	4.8	1.50	2.3	8.4	152	2.2	0.18	1.9	2.6
2002	*	*	*	*	*	139	2.0	0.17	1.7	2.3
2003	10	3.7	1.23	1.7	6.8	134	1.9	0.17	1.6	2.3
2004	10	3.2	1.05	1.5	5.8	173	2.5	0.19	2.1	2.9
2005	11	3.4	1.12	1.6	6.2	141	1.9	0.17	1.6	2.3
2006	*	*	*	*	*	152	2.2	0.18	1.8	2.6
2007	*	*	*	*	*	157	2.3	0.18	1.9	2.6
2008	*	*	*	*	*	151	2.1	0.17	1.8	2.4
2009	12	3.3	1.00	1.7	5.8	130	1.8	0.16	1.5	2.1
2010	11	2.4	0.76	1.2	4.3	155	2.1	0.17	1.8	2.5
2011	*	*	*	*	*	148	2.1	0.17	1.7	2.4
2012	20	4.8	1.12	2.9	7.4	165	2.3	0.18	1.9	2.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,679	2.0	0.04	1.9	2.0	738	4.0	0.15	3.7	4.3
1990	119	2.1	0.20	1.8	2.6	29	4.4	0.83	2.9	6.3
1991	121	2.2	0.20	1.8	2.6	25	3.7	0.74	2.4	5.4
1992	110	1.9	0.19	1.6	2.3	27	3.8	0.75	2.5	5.6
1993	123	2.1	0.19	1.7	2.5	32	4.7	0.83	3.2	6.6
1994	127	2.2	0.20	1.8	2.6	33	4.6	0.80	3.1	6.4
1995	137	2.4	0.21	2.0	2.8	33	4.7	0.83	3.2	6.6
1996	123	2.1	0.20	1.8	2.6	34	4.8	0.82	3.3	6.6
1997	131	2.3	0.20	1.9	2.7	34	4.6	0.79	3.2	6.4
1998	117	2.0	0.18	1.6	2.4	31	4.1	0.74	2.8	5.8
1999	121	2.0	0.19	1.7	2.4	37	4.7	0.78	3.3	6.5
2000	117	2.0	0.18	1.6	2.4	31	3.8	0.69	2.6	5.4
2001	105	1.7	0.17	1.4	2.1	46	5.6	0.83	4.1	7.5
2002	103	1.7	0.17	1.4	2.0	30	3.7	0.68	2.5	5.3
2003	99	1.6	0.17	1.3	2.0	28	3.4	0.65	2.3	4.9
2004	124	2.0	0.18	1.7	2.4	41	4.9	0.76	3.5	6.6
2005	112	1.8	0.17	1.5	2.2	23	2.6	0.55	1.7	4.0
2006	122	2.1	0.19	1.7	2.5	25	2.8	0.56	1.8	4.1
2007	122	2.0	0.19	1.7	2.5	29	3.2	0.60	2.2	4.6
2008	104	1.7	0.17	1.4	2.0	43	4.8	0.74	3.5	6.5
2009	94	1.5	0.16	1.2	1.9	28	3.1	0.59	2.0	4.5
2010	111	1.8	0.17	1.5	2.2	33	3.4	0.60	2.3	4.8
2011	112	1.8	0.18	1.5	2.2	29	3.0	0.56	2.0	4.3
2012	125	2.1	0.19	1.7	2.5	37	3.7	0.61	2.6	5.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Pancreas										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	871	7.5	0.28	6.9	8.0	30,588	11.4	0.07	11.3	11.5
1990	17	5.6	1.53	3.0	9.2	1,220	11.6	0.33	11.0	12.3
1991	17	5.3	1.44	2.8	8.7	1,227	11.6	0.33	10.9	12.3
1992	19	6.4	1.60	3.6	10.1	1,190	11.1	0.32	10.5	11.7
1993	23	5.6	1.29	3.4	8.7	1,186	10.9	0.32	10.3	11.5
1994	22	6.3	1.52	3.7	9.9	1,229	11.1	0.32	10.5	11.8
1995	18	5.2	1.36	2.9	8.4	1,165	10.5	0.31	9.9	11.1
1996	18	4.8	1.23	2.7	7.7	1,262	11.4	0.32	10.7	12.0
1997	20	5.0	1.26	2.8	7.9	1,247	11.1	0.31	10.5	11.7
1998	19	4.0	1.00	2.3	6.4	1,279	11.3	0.32	10.7	11.9
1999	33	7.0	1.41	4.6	10.2	1,316	11.5	0.32	10.9	12.1
2000	26	6.2	1.37	3.8	9.3	1,328	11.5	0.32	10.9	12.2
2001	30	6.2	1.25	4.0	9.0	1,347	11.6	0.32	11.0	12.3
2002	27	5.7	1.20	3.6	8.4	1,365	11.7	0.32	11.1	12.4
2003	46	8.4	1.36	5.9	11.4	1,286	10.9	0.30	10.3	11.5
2004	44	8.4	1.34	6.0	11.3	1,380	11.6	0.31	11.0	12.3
2005	43	8.1	1.35	5.7	11.1	1,439	11.9	0.32	11.3	12.6
2006	62	10.3	1.43	7.7	13.4	1,401	11.6	0.31	11.0	12.2
2007	59	9.0	1.30	6.6	11.8	1,365	11.2	0.30	10.6	11.8
2008	64	8.7	1.21	6.5	11.3	1,457	11.7	0.31	11.1	12.3
2009	44	5.8	0.97	4.1	8.0	1,474	11.7	0.31	11.1	12.4
2010	68	8.6	1.16	6.5	11.1	1,476	11.6	0.31	11.0	12.2
2011	70	9.4	1.20	7.2	12.0	1,490	11.6	0.30	11.0	12.2
2012	82	9.9	1.16	7.7	12.3	1,459	11.0	0.29	10.5	11.6

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	25,447	11.0	0.07	10.9	11.1	4,694	15.2	0.23	14.8	15.7
1990	1,037	11.2	0.35	10.5	11.9	174	15.6	1.22	13.3	18.1
1991	1,038	11.1	0.35	10.4	11.8	177	16.2	1.25	13.9	18.8
1992	1,009	10.7	0.34	10.0	11.3	172	15.2	1.19	13.0	17.7
1993	974	10.2	0.33	9.6	10.8	200	17.3	1.25	14.9	19.9
1994	1,036	10.7	0.33	10.0	11.3	180	15.4	1.17	13.2	17.8
1995	1,003	10.3	0.33	9.7	11.0	149	12.9	1.08	10.9	15.2
1996	1,043	10.8	0.33	10.1	11.4	201	16.8	1.21	14.5	19.3
1997	1,047	10.7	0.33	10.0	11.4	188	14.7	1.09	12.7	17.0
1998	1,087	11.0	0.34	10.4	11.7	180	14.0	1.06	12.0	16.3
1999	1,122	11.3	0.34	10.6	12.0	172	13.3	1.03	11.4	15.5
2000	1,098	11.0	0.33	10.4	11.7	209	15.8	1.11	13.7	18.1
2001	1,136	11.4	0.34	10.8	12.1	198	14.9	1.08	12.8	17.1
2002	1,131	11.3	0.34	10.7	12.0	220	16.1	1.11	14.0	18.4
2003	1,066	10.5	0.32	9.9	11.2	193	14.0	1.03	12.0	16.1
2004	1,148	11.3	0.33	10.6	12.0	212	14.9	1.05	12.9	17.1
2005	1,170	11.4	0.34	10.7	12.1	247	17.3	1.12	15.2	19.6
2006	1,134	11.0	0.33	10.4	11.7	248	17.0	1.10	14.9	19.2
2007	1,129	10.8	0.33	10.2	11.5	212	14.6	1.02	12.7	16.8
2008	1,204	11.4	0.33	10.8	12.1	230	15.5	1.04	13.5	17.6
2009	1,207	11.4	0.33	10.8	12.1	236	15.2	1.01	13.3	17.3
2010	1,221	11.4	0.33	10.8	12.1	223	14.6	1.00	12.7	16.7
2011	1,227	11.4	0.33	10.8	12.1	232	14.4	0.97	12.5	16.4
2012	1,180	10.7	0.32	10.1	11.3	241	14.5	0.96	12.7	16.5

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Pancreas										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	463	8.4	0.45	7.5	9.3	14,728	13.2	0.11	13.0	13.4
1990	12	9.4	3.45	3.9	17.9	558	13.1	0.57	12.0	14.3
1991	10	5.5	1.84	2.5	10.4	609	14.3	0.60	13.2	15.5
1992	*	*	*	*	*	562	13.0	0.56	11.9	14.2
1993	13	5.4	1.54	2.8	9.5	555	12.8	0.56	11.7	13.9
1994	14	8.6	3.00	3.8	16.0	608	13.6	0.57	12.5	14.8
1995	*	*	*	*	*	555	12.2	0.53	11.2	13.2
1996	11	6.1	2.12	2.7	11.5	603	13.3	0.55	12.3	14.4
1997	*	*	*	*	*	592	12.9	0.54	11.9	14.0
1998	11	5.6	2.02	2.4	10.7	603	13.0	0.54	12.0	14.1
1999	24	11.1	2.75	6.4	17.6	606	12.9	0.53	11.9	14.0
2000	17	8.6	2.57	4.3	14.7	629	13.3	0.53	12.2	14.4
2001	12	4.4	1.35	2.1	7.8	637	13.3	0.53	12.3	14.4
2002	15	6.7	1.98	3.4	11.5	658	13.7	0.54	12.6	14.8
2003	28	11.6	2.51	7.2	17.3	635	13.0	0.52	12.0	14.0
2004	24	10.4	2.26	6.5	15.6	689	13.9	0.53	12.8	15.0
2005	17	6.5	1.72	3.5	10.5	683	13.7	0.53	12.7	14.8
2006	28	9.4	1.93	6.0	13.8	680	13.3	0.52	12.3	14.4
2007	39	12.9	2.45	8.5	18.3	633	12.3	0.50	11.4	13.3
2008	37	11.3	2.12	7.5	16.0	703	13.4	0.51	12.4	14.4
2009	19	5.3	1.41	2.9	8.7	751	14.0	0.52	13.0	15.0
2010	32	8.8	1.83	5.6	13.0	719	13.3	0.50	12.3	14.3
2011	36	10.4	1.88	7.1	14.6	732	13.3	0.50	12.3	14.3
2012	42	10.0	1.70	6.9	13.7	728	12.6	0.48	11.7	13.6

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	12,290	12.8	0.12	12.6	13.1	2,206	17.5	0.39	16.7	18.3
1990	474	12.7	0.60	11.5	13.9	78	16.4	1.99	12.7	20.7
1991	522	13.9	0.62	12.7	15.2	79	18.1	2.14	14.2	22.7
1992	463	12.1	0.58	11.0	13.3	93	22.7	2.53	18.0	28.1
1993	460	12.1	0.58	11.0	13.3	89	20.1	2.27	15.9	25.0
1994	507	12.9	0.59	11.8	14.1	95	19.9	2.17	15.9	24.5
1995	468	11.7	0.55	10.7	12.9	78	17.0	2.05	13.2	21.4
1996	494	12.6	0.57	11.5	13.7	101	20.4	2.17	16.4	25.1
1997	492	12.4	0.57	11.4	13.6	92	17.2	1.86	13.7	21.2
1998	516	12.8	0.57	11.7	14.0	81	15.3	1.77	12.0	19.1
1999	520	12.8	0.57	11.7	14.0	76	14.6	1.75	11.4	18.4
2000	525	12.9	0.57	11.8	14.0	96	17.6	1.88	14.1	21.6
2001	546	13.3	0.57	12.2	14.4	85	15.2	1.75	12.0	19.0
2002	559	13.5	0.58	12.4	14.7	91	17.0	1.89	13.5	21.1
2003	511	12.2	0.54	11.2	13.3	108	18.6	1.90	15.0	22.6
2004	567	13.4	0.57	12.3	14.6	112	18.2	1.80	14.9	22.1
2005	555	13.1	0.56	12.0	14.2	115	19.6	1.93	16.0	23.7
2006	554	12.8	0.55	11.7	13.9	116	19.0	1.86	15.5	23.0
2007	528	12.0	0.53	11.0	13.1	93	15.9	1.75	12.7	19.7
2008	585	13.1	0.55	12.0	14.2	104	17.4	1.80	14.1	21.3
2009	628	13.8	0.56	12.7	15.0	107	17.0	1.74	13.7	20.7
2010	599	13.0	0.54	12.0	14.1	102	16.1	1.66	13.0	19.7
2011	622	13.5	0.55	12.4	14.6	99	14.5	1.54	11.6	17.8
2012	595	12.2	0.51	11.2	13.3	116	17.0	1.66	13.9	20.5

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Pancreas										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	408	6.7	0.35	6.0	7.4	15,860	10.0	0.08	9.8	10.1
1990	*	*	*	*	*	662	10.5	0.41	9.7	11.3
1991	*	*	*	*	*	618	9.7	0.40	9.0	10.5
1992	14	8.4	2.40	4.4	14.2	628	9.6	0.39	8.9	10.4
1993	10	5.3	1.81	2.3	9.8	631	9.7	0.39	8.9	10.5
1994	*	*	*	*	*	621	9.3	0.38	8.6	10.1
1995	10	5.9	1.98	2.7	10.8	610	9.0	0.37	8.3	9.8
1996	*	*	*	*	*	659	9.8	0.39	9.1	10.6
1997	11	5.2	1.71	2.4	9.5	655	9.6	0.38	8.9	10.4
1998	*	*	*	*	*	676	10.0	0.39	9.2	10.8
1999	*	*	*	*	*	710	10.3	0.39	9.6	11.1
2000	*	*	*	*	*	699	10.2	0.39	9.4	11.0
2001	18	7.4	1.89	4.2	11.9	710	10.3	0.39	9.6	11.1
2002	12	4.7	1.47	2.3	8.3	707	10.3	0.39	9.5	11.1
2003	18	5.8	1.47	3.3	9.3	651	9.3	0.37	8.6	10.0
2004	20	6.8	1.60	4.0	10.5	691	9.8	0.38	9.0	10.5
2005	26	9.2	1.93	5.9	13.6	756	10.7	0.39	9.9	11.5
2006	34	10.6	1.96	7.1	14.9	721	10.2	0.39	9.5	11.0
2007	20	6.0	1.41	3.5	9.2	732	10.2	0.38	9.5	11.0
2008	27	6.7	1.40	4.3	9.9	754	10.3	0.38	9.5	11.1
2009	25	6.3	1.33	3.9	9.3	723	9.9	0.38	9.2	10.7
2010	36	8.5	1.52	5.8	12.0	757	10.3	0.38	9.6	11.1
2011	34	8.4	1.51	5.7	11.8	758	10.2	0.38	9.4	10.9
2012	40	9.5	1.56	6.7	12.9	731	9.8	0.37	9.1	10.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	13,157	9.6	0.08	9.4	9.7	2,488	13.5	0.27	13.0	14.1
1990	563	10.0	0.43	9.2	10.9	96	14.7	1.53	11.9	18.0
1991	516	9.1	0.41	8.3	9.9	98	15.0	1.53	12.1	18.2
1992	546	9.4	0.41	8.6	10.2	79	11.2	1.28	8.9	14.0
1993	514	8.9	0.40	8.2	9.7	111	15.7	1.50	12.9	18.9
1994	529	9.0	0.40	8.2	9.8	85	12.2	1.33	9.7	15.1
1995	535	9.1	0.40	8.3	9.9	71	10.3	1.23	8.0	13.0
1996	549	9.4	0.41	8.6	10.2	100	14.1	1.42	11.4	17.1
1997	555	9.3	0.40	8.5	10.1	96	12.7	1.30	10.2	15.5
1998	571	9.7	0.41	8.9	10.6	99	13.0	1.31	10.5	15.8
1999	602	10.0	0.42	9.2	10.9	96	12.4	1.27	10.0	15.1
2000	573	9.6	0.41	8.8	10.4	113	14.4	1.36	11.9	17.3
2001	590	10.0	0.42	9.2	10.8	113	14.3	1.36	11.8	17.2
2002	572	9.6	0.41	8.8	10.5	129	15.7	1.39	13.1	18.6
2003	555	9.2	0.40	8.5	10.1	85	10.6	1.15	8.4	13.1
2004	581	9.6	0.40	8.8	10.4	100	12.1	1.22	9.8	14.7
2005	615	10.2	0.42	9.4	11.0	132	15.6	1.37	13.0	18.5
2006	580	9.6	0.41	8.9	10.5	132	15.2	1.34	12.7	18.1
2007	601	9.9	0.41	9.1	10.7	119	13.8	1.27	11.4	16.5
2008	619	10.0	0.41	9.2	10.8	126	14.0	1.26	11.6	16.7
2009	579	9.5	0.40	8.7	10.3	129	13.9	1.24	11.6	16.6
2010	622	10.2	0.42	9.4	11.0	121	13.2	1.21	10.9	15.8
2011	605	9.6	0.40	8.9	10.5	133	13.9	1.22	11.6	16.5
2012	585	9.4	0.40	8.6	10.2	125	12.7	1.15	10.6	15.2

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Respiratory System										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,307	20.0	0.46	19.1	20.9	157,803	58.8	0.15	58.5	59.1
1990	55	20.6	3.09	15.0	27.3	6,681	62.5	0.77	61.0	64.0
1991	65	19.3	2.73	14.3	25.3	6,715	62.2	0.77	60.7	63.7
1992	64	21.7	3.00	16.2	28.1	6,780	62.1	0.76	60.6	63.6
1993	70	21.0	2.82	15.9	27.1	7,044	64.2	0.77	62.7	65.7
1994	76	19.3	2.53	14.7	24.8	7,092	64.1	0.76	62.6	65.6
1995	70	18.3	2.43	13.8	23.5	7,133	64.2	0.76	62.7	65.7
1996	74	21.4	2.80	16.3	27.5	7,056	63.3	0.76	61.8	64.8
1997	75	19.2	2.45	14.7	24.5	6,816	60.8	0.74	59.3	62.2
1998	78	19.9	2.54	15.3	25.4	6,925	61.3	0.74	59.8	62.7
1999	113	26.6	2.79	21.4	32.5	6,828	60.0	0.73	58.6	61.5
2000	83	20.0	2.44	15.5	25.2	6,962	60.9	0.73	59.5	62.4
2001	98	21.9	2.47	17.3	27.1	6,901	60.0	0.72	58.6	61.5
2002	106	20.2	2.19	16.1	24.8	6,944	60.1	0.72	58.6	61.5
2003	102	19.9	2.18	15.8	24.5	6,974	59.8	0.72	58.4	61.2
2004	122	23.5	2.33	19.2	28.4	6,857	58.3	0.71	56.9	59.7
2005	106	18.7	1.98	15.0	22.9	6,694	56.5	0.69	55.1	57.9
2006	124	20.2	1.97	16.5	24.3	6,749	56.4	0.69	55.0	57.8
2007	137	20.8	1.92	17.2	24.9	6,971	57.6	0.70	56.3	59.0
2008	145	20.7	1.86	17.2	24.6	6,849	55.7	0.68	54.3	57.0
2009	108	15.0	1.55	12.1	18.3	6,750	54.2	0.67	52.9	55.6
2010	138	17.9	1.65	14.8	21.4	6,698	53.3	0.66	52.0	54.6
2011	135	18.1	1.67	15.0	21.6	6,667	52.2	0.65	50.9	53.5
2012	163	19.7	1.65	16.6	23.1	6,717	51.5	0.64	50.3	52.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	132,133	57.6	0.16	57.3	57.9	24,170	75.0	0.49	74.1	76.0
1990	5,610	59.6	0.80	58.0	61.2	1,034	89.0	2.84	83.5	94.7
1991	5,718	60.2	0.80	58.6	61.8	965	82.3	2.71	77.0	87.7
1992	5,697	59.4	0.79	57.9	61.0	1,053	87.5	2.76	82.1	93.0
1993	5,936	61.9	0.81	60.3	63.5	1,079	88.5	2.75	83.2	94.0
1994	5,997	62.2	0.81	60.6	63.8	1,054	84.7	2.66	79.6	90.1
1995	5,969	61.7	0.80	60.1	63.3	1,117	87.5	2.67	82.3	92.9
1996	5,845	60.4	0.79	58.9	62.0	1,165	91.5	2.73	86.3	97.0
1997	5,749	59.2	0.78	57.7	60.8	1,030	79.4	2.51	74.5	84.4
1998	5,775	59.1	0.78	57.6	60.7	1,096	81.7	2.51	76.9	86.8
1999	5,727	58.5	0.77	56.9	60.0	1,052	78.1	2.45	73.4	83.1
2000	5,801	59.2	0.78	57.6	60.7	1,083	78.8	2.43	74.1	83.7
2001	5,818	59.2	0.78	57.7	60.7	1,026	75.2	2.39	70.6	80.1
2002	5,807	58.9	0.77	57.4	60.4	1,069	75.9	2.36	71.3	80.6
2003	5,860	59.1	0.77	57.6	60.6	1,044	72.5	2.28	68.1	77.2
2004	5,742	57.5	0.76	56.1	59.1	1,039	70.9	2.24	66.6	75.4
2005	5,576	55.7	0.75	54.2	57.1	1,041	70.7	2.23	66.4	75.3
2006	5,600	55.5	0.75	54.1	57.0	1,049	69.5	2.19	65.2	73.9
2007	5,772	56.8	0.75	55.3	58.3	1,116	72.8	2.22	68.5	77.2
2008	5,735	55.5	0.74	54.1	57.0	1,019	66.3	2.12	62.2	70.5
2009	5,684	54.6	0.73	53.2	56.1	979	61.1	2.00	57.2	65.1
2010	5,561	53.1	0.72	51.7	54.5	1,031	63.9	2.04	60.0	68.0
2011	5,560	52.3	0.71	50.9	53.7	1,011	61.2	1.97	57.4	65.1
2012	5,594	51.7	0.70	50.3	53.1	1,018	60.2	1.93	56.5	64.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Respiratory System										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,527	29.5	0.86	27.9	31.3	92,104	81.9	0.27	81.4	82.4
1990	43	38.5	7.10	25.9	54.2	4,308	97.7	1.54	94.8	100.8
1991	39	26.7	5.17	17.5	38.3	4,367	98.4	1.53	95.4	101.4
1992	45	34.2	5.95	23.5	47.3	4,261	94.3	1.48	91.4	97.2
1993	45	31.8	5.76	21.5	44.6	4,418	97.2	1.49	94.3	100.1
1994	53	30.7	5.04	21.6	41.8	4,432	96.7	1.48	93.8	99.7
1995	47	22.0	3.61	15.5	30.1	4,368	94.8	1.46	92.0	97.7
1996	49	32.0	5.40	22.3	43.9	4,245	91.9	1.43	89.1	94.8
1997	55	29.6	4.65	21.2	39.9	4,082	87.9	1.39	85.1	90.6
1998	61	36.2	5.50	26.2	48.2	4,068	86.7	1.38	84.1	89.5
1999	69	35.4	4.99	26.3	46.2	4,028	85.2	1.36	82.5	87.9
2000	58	31.0	4.75	22.4	41.3	4,079	85.6	1.35	83.0	88.3
2001	63	31.8	4.61	23.4	41.8	4,057	84.9	1.34	82.3	87.5
2002	73	32.8	4.53	24.5	42.6	3,960	82.0	1.32	79.4	84.6
2003	68	27.5	3.78	20.6	35.7	3,933	80.1	1.29	77.6	82.7
2004	83	35.6	4.37	27.6	44.9	3,889	78.4	1.27	75.9	81.0
2005	73	26.7	3.50	20.3	34.3	3,740	74.9	1.24	72.5	77.3
2006	75	24.2	3.08	18.6	30.9	3,783	74.8	1.23	72.4	77.2
2007	93	32.4	3.75	25.4	40.3	3,792	73.5	1.21	71.2	75.9
2008	93	30.8	3.54	24.3	38.3	3,757	71.9	1.19	69.6	74.3
2009	74	22.8	2.93	17.4	29.1	3,651	68.3	1.15	66.1	70.6
2010	80	24.8	3.07	19.2	31.4	3,629	67.1	1.14	64.9	69.4
2011	89	26.8	3.14	21.0	33.4	3,627	65.9	1.12	63.8	68.2
2012	99	27.5	3.04	21.8	33.9	3,630	64.5	1.09	62.4	66.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	76,505	79.2	0.29	78.6	79.8	14,647	113.0	0.98	111.1	114.9
1990	3,580	92.2	1.59	89.2	95.4	702	150.1	6.00	138.5	162.2
1991	3,682	94.1	1.59	91.0	97.3	661	140.6	5.79	129.5	152.3
1992	3,534	88.9	1.53	86.0	92.0	706	147.0	5.87	135.8	158.9
1993	3,677	92.5	1.56	89.5	95.6	723	145.6	5.70	134.6	157.1
1994	3,727	93.1	1.55	90.1	96.2	678	135.6	5.47	125.1	146.7
1995	3,622	90.2	1.52	87.3	93.3	722	140.0	5.50	129.4	151.2
1996	3,462	86.1	1.48	83.2	89.0	755	149.0	5.71	138.0	160.6
1997	3,398	84.3	1.46	81.4	87.2	656	126.0	5.15	116.1	136.4
1998	3,374	83.1	1.44	80.3	86.0	661	122.4	5.01	112.8	132.6
1999	3,328	81.5	1.42	78.7	84.3	663	123.7	5.02	114.0	133.8
2000	3,373	82.2	1.42	79.4	85.0	647	116.5	4.79	107.3	126.2
2001	3,370	81.9	1.42	79.1	84.7	648	119.5	4.93	110.0	129.5
2002	3,321	80.2	1.40	77.5	83.0	604	104.4	4.45	95.9	113.5
2003	3,271	78.0	1.37	75.3	80.7	609	104.3	4.44	95.8	113.3
2004	3,234	76.5	1.35	73.8	79.2	607	102.8	4.38	94.4	111.7
2005	3,108	73.0	1.32	70.5	75.7	580	99.1	4.34	90.7	107.9
2006	3,118	72.6	1.31	70.1	75.2	596	97.7	4.22	89.6	106.3
2007	3,113	71.3	1.29	68.8	73.8	631	102.6	4.31	94.4	111.4
2008	3,134	70.8	1.28	68.3	73.3	575	94.3	4.15	86.3	102.7
2009	3,061	67.9	1.24	65.4	70.3	531	83.1	3.81	75.8	90.9
2010	3,018	66.3	1.23	64.0	68.8	552	85.1	3.83	77.8	93.0
2011	2,982	64.5	1.20	62.2	66.9	589	88.6	3.85	81.3	96.5
2012	3,018	63.9	1.19	61.6	66.3	551	81.2	3.64	74.2	88.6

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Respiratory System										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	780	12.5	0.48	11.5	13.4	65,699	42.8	0.17	42.4	43.1
1990	12	8.1	2.42	4.1	14.0	2,373	38.9	0.81	37.3	40.5
1991	26	14.4	3.07	9.0	21.4	2,348	38.0	0.80	36.5	39.6
1992	19	12.3	3.03	7.1	19.4	2,519	40.4	0.82	38.8	42.0
1993	25	13.5	2.87	8.5	20.1	2,626	41.7	0.82	40.1	43.3
1994	23	10.5	2.45	6.2	16.2	2,660	41.9	0.82	40.3	43.6
1995	23	13.7	3.02	8.5	20.6	2,765	43.3	0.83	41.6	44.9
1996	25	13.5	2.93	8.4	20.1	2,811	43.9	0.84	42.2	45.5
1997	20	10.5	2.51	6.2	16.3	2,734	42.3	0.82	40.8	44.0
1998	17	7.7	2.06	4.2	12.6	2,857	43.9	0.83	42.3	45.6
1999	44	19.5	3.18	13.8	26.6	2,800	42.7	0.81	41.1	44.3
2000	25	11.3	2.43	7.1	16.9	2,883	44.0	0.82	42.4	45.6
2001	35	13.9	2.61	9.3	19.8	2,844	43.0	0.81	41.4	44.6
2002	33	10.6	1.99	7.1	15.1	2,984	44.9	0.83	43.3	46.6
2003	34	13.2	2.45	8.8	18.7	3,041	45.4	0.83	43.8	47.0
2004	39	13.8	2.37	9.5	19.0	2,968	44.1	0.82	42.5	45.7
2005	33	11.8	2.18	7.9	16.7	2,954	43.8	0.81	42.2	45.4
2006	49	16.1	2.45	11.7	21.5	2,966	43.6	0.81	42.1	45.3
2007	44	11.9	1.89	8.5	16.0	3,179	46.4	0.83	44.8	48.1
2008	52	12.8	1.91	9.3	17.0	3,092	44.1	0.80	42.6	45.7
2009	34	8.7	1.58	5.9	12.2	3,099	44.3	0.81	42.7	45.9
2010	58	12.9	1.80	9.6	16.8	3,069	43.4	0.80	41.8	45.0
2011	46	11.4	1.77	8.2	15.3	3,040	42.2	0.78	40.7	43.8
2012	64	13.9	1.83	10.5	17.8	3,087	42.2	0.77	40.7	43.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	55,628	42.6	0.18	42.2	42.9	9,523	50.1	0.52	49.1	51.2
1990	2,030	38.0	0.86	36.3	39.7	332	48.4	2.70	43.3	54.0
1991	2,036	37.7	0.85	36.1	39.5	304	43.9	2.55	39.1	49.2
1992	2,163	39.6	0.87	37.9	41.4	347	48.9	2.65	43.8	54.3
1993	2,259	41.2	0.88	39.5	43.0	356	49.9	2.67	44.8	55.4
1994	2,270	41.2	0.88	39.5	43.0	376	51.0	2.66	45.9	56.5
1995	2,347	42.4	0.89	40.6	44.1	395	52.6	2.67	47.5	58.1
1996	2,383	43.2	0.90	41.4	45.0	410	54.1	2.69	49.0	59.6
1997	2,351	42.3	0.88	40.5	44.0	374	48.8	2.54	43.9	54.0
1998	2,401	42.8	0.89	41.1	44.6	435	55.0	2.66	49.9	60.5
1999	2,399	42.6	0.88	40.9	44.4	389	48.5	2.48	43.8	53.6
2000	2,428	43.4	0.89	41.7	45.2	436	53.7	2.59	48.8	59.0
2001	2,448	43.6	0.89	41.8	45.4	378	46.6	2.41	42.0	51.6
2002	2,486	44.2	0.90	42.4	46.0	465	56.3	2.63	51.3	61.7
2003	2,589	45.6	0.91	43.8	47.4	435	51.3	2.48	46.6	56.4
2004	2,508	44.2	0.90	42.5	46.0	432	49.8	2.42	45.2	54.8
2005	2,468	43.5	0.89	41.8	45.3	461	52.7	2.47	48.0	57.8
2006	2,482	43.6	0.89	41.9	45.4	453	50.9	2.41	46.3	55.9
2007	2,659	46.5	0.92	44.7	48.3	485	53.7	2.46	49.0	58.7
2008	2,601	44.6	0.89	42.9	46.4	444	48.4	2.32	43.9	53.1
2009	2,623	45.1	0.90	43.3	46.9	448	47.2	2.26	42.9	51.9
2010	2,543	43.4	0.88	41.7	45.2	479	50.4	2.33	45.9	55.2
2011	2,578	43.4	0.87	41.7	45.2	422	43.2	2.13	39.1	47.6
2012	2,576	42.8	0.86	41.2	44.6	467	46.7	2.19	42.5	51.2

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Larynx										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	76	0.7	0.08	0.5	0.8	3,990	1.5	0.02	1.4	1.5
1990	*	*	*	*	*	178	1.7	0.13	1.5	2.0
1991	*	*	*	*	*	203	1.9	0.13	1.6	2.2
1992	*	*	*	*	*	191	1.8	0.13	1.5	2.0
1993	*	*	*	*	*	221	2.0	0.14	1.8	2.3
1994	*	*	*	*	*	180	1.7	0.12	1.4	1.9
1995	*	*	*	*	*	196	1.8	0.13	1.5	2.1
1996	*	*	*	*	*	206	1.9	0.13	1.6	2.2
1997	*	*	*	*	*	165	1.5	0.12	1.3	1.7
1998	*	*	*	*	*	187	1.7	0.12	1.4	1.9
1999	*	*	*	*	*	177	1.6	0.12	1.4	1.8
2000	*	*	*	*	*	177	1.6	0.12	1.3	1.8
2001	*	*	*	*	*	165	1.4	0.11	1.2	1.7
2002	*	*	*	*	*	162	1.4	0.11	1.2	1.6
2003	*	*	*	*	*	180	1.5	0.12	1.3	1.8
2004	*	*	*	*	*	141	1.2	0.10	1.0	1.4
2005	*	*	*	*	*	150	1.3	0.10	1.1	1.5
2006	*	*	*	*	*	166	1.4	0.11	1.2	1.6
2007	*	*	*	*	*	165	1.3	0.10	1.1	1.6
2008	*	*	*	*	*	150	1.2	0.10	1.0	1.4
2009	*	*	*	*	*	179	1.4	0.11	1.2	1.6
2010	*	*	*	*	*	135	1.0	0.09	0.9	1.2
2011	*	*	*	*	*	158	1.2	0.10	1.0	1.4
2012	*	*	*	*	*	158	1.2	0.10	1.0	1.4

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,920	1.3	0.02	1.2	1.3	1,046	3.1	0.10	2.9	3.3
1990	136	1.4	0.13	1.2	1.7	42	3.7	0.57	2.6	5.0
1991	140	1.5	0.13	1.2	1.8	61	5.0	0.65	3.8	6.4
1992	132	1.4	0.12	1.2	1.6	58	4.6	0.61	3.5	6.0
1993	166	1.7	0.14	1.5	2.0	55	4.5	0.62	3.4	5.8
1994	127	1.3	0.12	1.1	1.6	51	4.1	0.58	3.0	5.4
1995	148	1.6	0.13	1.3	1.8	46	3.5	0.52	2.5	4.6
1996	143	1.5	0.13	1.3	1.8	63	4.6	0.58	3.5	5.8
1997	117	1.2	0.11	1.0	1.5	47	3.6	0.53	2.6	4.8
1998	134	1.4	0.12	1.2	1.7	52	3.7	0.52	2.8	4.9
1999	133	1.4	0.12	1.2	1.6	43	3.0	0.46	2.2	4.0
2000	128	1.3	0.12	1.1	1.6	46	3.2	0.48	2.4	4.3
2001	117	1.2	0.11	1.0	1.4	47	3.4	0.51	2.5	4.6
2002	131	1.3	0.12	1.1	1.6	31	2.2	0.40	1.5	3.1
2003	137	1.4	0.12	1.2	1.7	39	2.8	0.45	1.9	3.8
2004	102	1.0	0.10	0.8	1.2	39	2.6	0.42	1.8	3.5
2005	115	1.1	0.11	0.9	1.4	34	2.2	0.38	1.5	3.1
2006	120	1.2	0.11	1.0	1.4	46	2.8	0.42	2.0	3.7
2007	121	1.2	0.11	1.0	1.4	44	2.7	0.42	2.0	3.7
2008	112	1.1	0.10	0.9	1.3	37	2.3	0.39	1.6	3.2
2009	133	1.3	0.11	1.1	1.5	45	2.6	0.40	1.9	3.6
2010	103	1.0	0.10	0.8	1.2	31	1.8	0.33	1.2	2.6
2011	113	1.1	0.10	0.9	1.3	45	2.6	0.40	1.9	3.5
2012	112	1.0	0.10	0.9	1.3	44	2.4	0.38	1.8	3.3

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Larynx										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	68	1.3	0.18	1.0	1.7	3,152	2.7	0.05	2.6	2.8
1990	*	*	*	*	*	141	3.2	0.27	2.6	3.7
1991	*	*	*	*	*	161	3.6	0.29	3.1	4.3
1992	*	*	*	*	*	152	3.3	0.28	2.8	3.9
1993	*	*	*	*	*	173	3.8	0.29	3.2	4.4
1994	*	*	*	*	*	157	3.4	0.28	2.9	4.0
1995	*	*	*	*	*	159	3.4	0.28	2.9	4.0
1996	*	*	*	*	*	157	3.3	0.27	2.8	3.9
1997	*	*	*	*	*	135	2.9	0.25	2.4	3.4
1998	*	*	*	*	*	144	3.0	0.26	2.6	3.6
1999	*	*	*	*	*	136	2.8	0.24	2.4	3.3
2000	*	*	*	*	*	139	2.9	0.25	2.4	3.4
2001	*	*	*	*	*	133	2.7	0.24	2.3	3.3
2002	*	*	*	*	*	132	2.7	0.23	2.2	3.1
2003	*	*	*	*	*	130	2.6	0.23	2.1	3.0
2004	*	*	*	*	*	109	2.1	0.21	1.7	2.6
2005	*	*	*	*	*	122	2.4	0.22	2.0	2.9
2006	*	*	*	*	*	127	2.4	0.21	2.0	2.8
2007	*	*	*	*	*	133	2.5	0.22	2.1	3.0
2008	*	*	*	*	*	117	2.2	0.20	1.8	2.6
2009	*	*	*	*	*	140	2.5	0.21	2.1	2.9
2010	*	*	*	*	*	111	2.0	0.19	1.6	2.4
2011	*	*	*	*	*	120	2.1	0.20	1.7	2.5
2012	*	*	*	*	*	124	2.2	0.20	1.8	2.6

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,310	2.4	0.05	2.3	2.5	823	6.0	0.22	5.6	6.4
1990	106	2.7	0.27	2.2	3.2	35	7.5	1.32	5.1	10.5
1991	115	3.0	0.28	2.4	3.6	44	8.9	1.41	6.3	12.0
1992	106	2.7	0.27	2.2	3.2	46	8.7	1.35	6.3	11.8
1993	128	3.2	0.29	2.7	3.8	45	8.8	1.38	6.3	11.9
1994	110	2.7	0.26	2.2	3.3	45	8.9	1.41	6.4	12.0
1995	120	3.0	0.28	2.5	3.6	37	6.8	1.17	4.7	9.4
1996	111	2.8	0.26	2.3	3.3	46	8.0	1.22	5.8	10.8
1997	94	2.3	0.24	1.9	2.8	40	7.3	1.19	5.1	10.0
1998	102	2.5	0.25	2.1	3.1	41	6.9	1.13	4.9	9.5
1999	106	2.6	0.25	2.1	3.1	30	5.2	1.00	3.4	7.5
2000	105	2.6	0.25	2.1	3.1	32	5.5	1.01	3.7	7.8
2001	92	2.2	0.23	1.8	2.7	40	7.2	1.18	5.1	9.8
2002	106	2.5	0.24	2.0	3.0	26	4.5	0.94	2.9	6.7
2003	99	2.3	0.23	1.9	2.8	28	5.0	0.99	3.2	7.3
2004	76	1.8	0.20	1.4	2.2	33	5.1	0.93	3.5	7.3
2005	96	2.2	0.23	1.8	2.7	25	3.9	0.83	2.5	5.9
2006	89	2.0	0.22	1.6	2.5	38	5.4	0.92	3.8	7.5
2007	95	2.1	0.22	1.7	2.6	38	5.8	1.00	4.0	8.1
2008	86	1.9	0.21	1.5	2.4	30	4.6	0.88	3.0	6.6
2009	101	2.1	0.22	1.7	2.6	38	5.7	0.98	3.9	7.9
2010	89	1.9	0.21	1.5	2.4	21	3.1	0.72	1.9	4.8
2011	88	1.9	0.20	1.5	2.3	32	4.5	0.84	3.0	6.5
2012	90	1.9	0.20	1.5	2.4	33	4.4	0.80	3.0	6.3

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Larynx										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	*	*	*	*	*	838	0.6	0.02	0.5	0.6
1990	*	*	*	*	*	37	0.6	0.10	0.4	0.9
1991	*	*	*	*	*	42	0.7	0.11	0.5	1.0
1992	*	*	*	*	*	39	0.7	0.11	0.5	0.9
1993	*	*	*	*	*	48	0.8	0.11	0.6	1.0
1994	*	*	*	*	*	23	0.4	0.08	0.2	0.6
1995	*	*	*	*	*	37	0.6	0.10	0.4	0.8
1996	*	*	*	*	*	49	0.8	0.11	0.6	1.0
1997	*	*	*	*	*	30	0.5	0.09	0.3	0.7
1998	*	*	*	*	*	43	0.7	0.10	0.5	0.9
1999	*	*	*	*	*	41	0.7	0.10	0.5	0.9
2000	*	*	*	*	*	38	0.6	0.10	0.4	0.9
2001	*	*	*	*	*	32	0.5	0.09	0.3	0.7
2002	*	*	*	*	*	30	0.4	0.08	0.3	0.6
2003	*	*	*	*	*	50	0.7	0.11	0.6	1.0
2004	*	*	*	*	*	32	0.5	0.08	0.3	0.7
2005	*	*	*	*	*	28	0.4	0.08	0.3	0.6
2006	*	*	*	*	*	39	0.6	0.10	0.4	0.8
2007	*	*	*	*	*	32	0.5	0.08	0.3	0.7
2008	*	*	*	*	*	33	0.5	0.08	0.3	0.7
2009	*	*	*	*	*	39	0.6	0.09	0.4	0.8
2010	*	*	*	*	*	24	0.3	0.07	0.2	0.5
2011	*	*	*	*	*	38	0.5	0.09	0.4	0.7
2012	*	*	*	*	*	34	0.5	0.08	0.3	0.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	610	0.5	0.02	0.4	0.5	223	1.2	0.08	1.0	1.3
1990	30	0.6	0.11	0.4	0.8	*	*	*	*	*
1991	25	0.5	0.10	0.3	0.7	17	2.3	0.57	1.4	3.7
1992	26	0.5	0.09	0.3	0.7	12	1.7	0.49	0.9	2.9
1993	38	0.7	0.11	0.5	0.9	10	1.4	0.46	0.7	2.6
1994	17	0.3	0.08	0.2	0.5	*	*	*	*	*
1995	28	0.5	0.10	0.4	0.8	*	*	*	*	*
1996	32	0.6	0.10	0.4	0.8	17	2.1	0.51	1.2	3.3
1997	23	0.4	0.09	0.3	0.7	*	*	*	*	*
1998	32	0.6	0.11	0.4	0.8	11	1.4	0.43	0.7	2.5
1999	27	0.5	0.10	0.3	0.8	13	1.5	0.42	0.8	2.6
2000	23	0.5	0.10	0.3	0.7	14	1.7	0.45	0.9	2.8
2001	25	0.4	0.09	0.3	0.7	*	*	*	*	*
2002	25	0.4	0.09	0.3	0.7	*	*	*	*	*
2003	38	0.7	0.11	0.5	0.9	11	1.3	0.39	0.6	2.3
2004	26	0.5	0.09	0.3	0.7	*	*	*	*	*
2005	19	0.4	0.08	0.2	0.6	*	*	*	*	*
2006	31	0.6	0.11	0.4	0.8	*	*	*	*	*
2007	26	0.5	0.09	0.3	0.7	*	*	*	*	*
2008	26	0.5	0.09	0.3	0.7	*	*	*	*	*
2009	32	0.6	0.10	0.4	0.8	*	*	*	*	*
2010	14	0.2	0.07	0.1	0.4	10	1.0	0.31	0.5	1.8
2011	25	0.4	0.08	0.3	0.6	13	1.3	0.36	0.7	2.2
2012	22	0.4	0.08	0.2	0.6	11	1.0	0.32	0.5	1.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Lung and Bronchus										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,206	19.1	0.45	18.3	20.0	152,944	57.0	0.15	56.7	57.3
1990	52	19.7	3.04	14.2	26.4	6,450	60.3	0.76	58.8	61.8
1991	63	18.9	2.72	14.0	24.8	6,468	59.9	0.75	58.4	61.4
1992	58	20.3	2.93	14.9	26.6	6,546	59.9	0.75	58.5	61.4
1993	69	20.5	2.78	15.5	26.6	6,778	61.7	0.75	60.3	63.2
1994	68	17.8	2.45	13.3	23.1	6,857	62.0	0.75	60.5	63.5
1995	68	17.8	2.40	13.4	23.0	6,897	62.0	0.75	60.6	63.5
1996	71	20.9	2.78	15.8	26.9	6,806	61.0	0.74	59.6	62.5
1997	69	17.7	2.35	13.4	22.8	6,611	58.9	0.73	57.5	60.4
1998	74	19.1	2.51	14.5	24.5	6,700	59.3	0.72	57.8	60.7
1999	109	25.7	2.74	20.6	31.5	6,604	58.0	0.71	56.6	59.5
2000	81	19.4	2.40	15.0	24.5	6,747	59.0	0.72	57.6	60.5
2001	93	20.8	2.41	16.4	25.9	6,700	58.3	0.71	56.9	59.7
2002	101	19.4	2.17	15.4	24.1	6,746	58.3	0.71	57.0	59.7
2003	96	18.9	2.13	14.9	23.4	6,758	58.0	0.71	56.6	59.4
2004	118	22.7	2.29	18.5	27.6	6,686	56.8	0.70	55.5	58.2
2005	104	18.2	1.94	14.6	22.3	6,509	55.0	0.68	53.6	56.3
2006	122	19.9	1.96	16.2	24.0	6,549	54.7	0.68	53.4	56.1
2007	130	20.0	1.89	16.5	24.0	6,772	56.0	0.69	54.7	57.4
2008	139	19.9	1.84	16.5	23.8	6,670	54.2	0.67	52.9	55.5
2009	105	14.7	1.54	11.8	17.9	6,541	52.6	0.66	51.3	53.9
2010	135	17.3	1.62	14.3	20.7	6,536	52.0	0.65	50.8	53.3
2011	129	17.2	1.63	14.2	20.6	6,487	50.8	0.64	49.5	52.1
2012	152	18.2	1.58	15.2	21.5	6,526	50.1	0.63	48.8	51.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	128,458	56.0	0.16	55.7	56.3	23,013	71.6	0.48	70.6	72.5
1990	5,427	57.6	0.79	56.1	59.2	986	84.9	2.77	79.5	90.5
1991	5,539	58.3	0.79	56.7	59.9	899	76.8	2.62	71.8	82.1
1992	5,526	57.6	0.78	56.1	59.2	991	82.5	2.68	77.3	87.9
1993	5,733	59.8	0.79	58.2	61.3	1,016	83.3	2.67	78.2	88.7
1994	5,823	60.4	0.80	58.8	61.9	995	79.9	2.59	74.9	85.1
1995	5,788	59.8	0.79	58.3	61.4	1,064	83.5	2.61	78.4	88.7
1996	5,665	58.5	0.78	57.0	60.1	1,095	86.4	2.66	81.2	91.7
1997	5,598	57.6	0.77	56.1	59.2	978	75.4	2.45	70.7	80.3
1998	5,606	57.4	0.77	55.9	58.9	1,041	77.8	2.45	73.1	82.7
1999	5,550	56.6	0.76	55.1	58.1	1,006	74.9	2.40	70.3	79.8
2000	5,641	57.5	0.77	56.0	59.0	1,031	75.2	2.38	70.6	80.0
2001	5,672	57.7	0.77	56.2	59.2	972	71.3	2.33	66.8	76.0
2002	5,644	57.2	0.76	55.7	58.7	1,035	73.5	2.32	69.0	78.2
2003	5,690	57.3	0.76	55.8	58.8	1,002	69.6	2.24	65.2	74.1
2004	5,614	56.3	0.75	54.8	57.8	996	68.0	2.19	63.8	72.4
2005	5,432	54.2	0.74	52.8	55.7	1,001	68.2	2.19	63.9	72.6
2006	5,448	54.0	0.74	52.6	55.5	1,001	66.6	2.14	62.4	70.9
2007	5,623	55.3	0.74	53.9	56.8	1,066	69.6	2.17	65.4	74.0
2008	5,598	54.2	0.73	52.7	55.6	979	63.7	2.08	59.7	67.9
2009	5,526	53.1	0.72	51.7	54.5	929	58.1	1.95	54.4	62.1
2010	5,435	51.9	0.71	50.5	53.3	996	61.9	2.01	58.0	65.9
2011	5,428	51.0	0.70	49.7	52.4	963	58.4	1.93	54.7	62.3
2012	5,452	50.4	0.69	49.0	51.8	971	57.6	1.89	53.9	61.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Lung and Bronchus										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,441	28.0	0.84	26.4	29.7	88,397	78.7	0.27	78.1	79.2
1990	41	37.7	7.07	25.1	53.3	4,134	93.8	1.50	90.9	96.8
1991	37	25.8	5.13	16.8	37.4	4,184	94.3	1.50	91.3	97.2
1992	39	31.2	5.76	20.9	44.0	4,084	90.4	1.45	87.6	93.3
1993	45	31.8	5.76	21.5	44.6	4,220	92.8	1.46	90.0	95.7
1994	47	27.9	4.85	19.2	38.6	4,239	92.6	1.45	89.7	95.4
1995	45	21.0	3.53	14.7	29.0	4,183	90.8	1.43	88.0	93.6
1996	46	30.9	5.36	21.3	42.7	4,058	87.9	1.40	85.2	90.7
1997	49	26.1	4.34	18.3	35.8	3,921	84.5	1.37	81.8	87.2
1998	57	34.5	5.44	24.7	46.4	3,899	83.2	1.35	80.5	85.8
1999	67	34.5	4.92	25.5	45.1	3,869	81.9	1.33	79.3	84.5
2000	56	29.6	4.61	21.2	39.6	3,915	82.2	1.33	79.6	84.9
2001	59	29.6	4.44	21.6	39.3	3,901	81.7	1.32	79.1	84.3
2002	68	31.3	4.48	23.2	41.0	3,796	78.7	1.29	76.1	81.2
2003	63	25.7	3.65	19.1	33.7	3,780	77.1	1.27	74.6	79.6
2004	80	34.4	4.30	26.5	43.6	3,760	75.9	1.25	73.4	78.4
2005	72	26.4	3.48	20.0	33.9	3,592	71.9	1.21	69.6	74.3
2006	73	23.6	3.04	18.0	30.2	3,633	72.0	1.21	69.6	74.4
2007	86	30.5	3.64	23.8	38.3	3,637	70.6	1.19	68.3	73.0
2008	88	29.7	3.50	23.2	37.1	3,620	69.3	1.17	67.1	71.7
2009	71	22.1	2.89	16.8	28.3	3,492	65.5	1.13	63.3	67.8
2010	78	24.0	3.01	18.5	30.4	3,497	64.7	1.12	62.6	67.0
2011	84	25.2	3.04	19.6	31.7	3,497	63.6	1.10	61.5	65.8
2012	90	24.5	2.84	19.2	30.5	3,486	62.0	1.07	59.9	64.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	73,710	76.3	0.28	75.8	76.9	13,756	106.5	0.95	104.6	108.4
1990	3,444	88.8	1.56	85.8	91.9	664	141.9	5.84	130.7	153.8
1991	3,547	90.6	1.56	87.6	93.8	615	131.4	5.61	120.6	142.8
1992	3,405	85.7	1.50	82.8	88.7	658	138.0	5.71	127.0	149.5
1993	3,528	88.8	1.52	85.8	91.8	674	135.8	5.50	125.2	146.9
1994	3,588	89.7	1.52	86.8	92.7	626	125.1	5.25	115.0	135.7
1995	3,481	86.7	1.49	83.8	89.7	680	132.1	5.35	121.9	143.0
1996	3,328	82.7	1.45	79.9	85.6	702	139.5	5.55	128.8	150.8
1997	3,282	81.4	1.44	78.7	84.3	613	118.2	5.00	108.6	128.4
1998	3,248	80.0	1.42	77.3	82.8	619	115.3	4.87	106.0	125.2
1999	3,201	78.4	1.40	75.7	81.2	631	118.2	4.92	108.7	128.2
2000	3,245	79.1	1.40	76.4	81.9	613	110.8	4.68	101.8	120.3
2001	3,259	79.2	1.39	76.5	82.0	604	111.6	4.77	102.5	121.3
2002	3,187	77.1	1.37	74.4	79.8	575	99.5	4.34	91.2	108.3
2003	3,150	75.2	1.35	72.6	77.9	580	99.1	4.32	90.9	107.9
2004	3,140	74.3	1.33	71.7	76.9	572	97.4	4.27	89.2	106.1
2005	2,991	70.3	1.30	67.8	72.9	550	94.3	4.24	86.1	102.9
2006	3,008	70.1	1.29	67.6	72.7	556	92.0	4.11	84.1	100.4
2007	2,999	68.7	1.27	66.2	71.2	590	96.4	4.18	88.3	104.9
2008	3,031	68.4	1.26	66.0	71.0	542	89.2	4.04	81.5	97.5
2009	2,944	65.4	1.22	63.0	67.8	490	77.1	3.67	70.1	84.6
2010	2,911	64.1	1.21	61.7	66.5	528	81.7	3.76	74.5	89.4
2011	2,884	62.4	1.18	60.1	64.8	557	84.1	3.75	76.9	91.8
2012	2,909	61.5	1.16	59.3	63.9	517	76.7	3.55	69.9	83.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Lung and Bronchus										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	765	12.2	0.47	11.3	13.1	64,547	42.0	0.17	41.7	42.3
1990	11	7.4	2.31	3.6	13.1	2,316	37.9	0.80	36.4	39.5
1991	26	14.4	3.07	9.0	21.4	2,284	37.0	0.78	35.4	38.5
1992	19	12.3	3.03	7.1	19.4	2,462	39.5	0.81	37.9	41.1
1993	24	12.7	2.76	7.9	19.1	2,558	40.6	0.81	39.1	42.3
1994	21	10.0	2.42	5.8	15.7	2,618	41.3	0.81	39.7	42.9
1995	23	13.7	3.02	8.5	20.6	2,714	42.4	0.82	40.8	44.1
1996	25	13.5	2.93	8.4	20.1	2,748	42.9	0.83	41.3	44.5
1997	20	10.5	2.51	6.2	16.3	2,690	41.7	0.81	40.1	43.3
1998	17	7.7	2.06	4.2	12.6	2,801	43.1	0.82	41.5	44.7
1999	42	18.7	3.11	13.1	25.6	2,735	41.6	0.80	40.1	43.2
2000	25	11.3	2.43	7.1	16.9	2,832	43.1	0.82	41.6	44.8
2001	34	13.8	2.61	9.1	19.6	2,799	42.3	0.81	40.7	43.9
2002	33	10.6	1.99	7.1	15.1	2,950	44.4	0.82	42.8	46.1
2003	33	12.8	2.43	8.5	18.2	2,978	44.5	0.82	42.9	46.1
2004	38	13.3	2.33	9.2	18.5	2,926	43.5	0.81	41.9	45.1
2005	32	11.2	2.10	7.5	15.9	2,917	43.2	0.81	41.6	44.8
2006	49	16.1	2.45	11.7	21.5	2,916	42.9	0.80	41.3	44.5
2007	44	11.9	1.89	8.5	16.0	3,135	45.8	0.83	44.2	47.5
2008	51	12.5	1.87	9.1	16.6	3,050	43.5	0.80	42.0	45.1
2009	34	8.7	1.58	5.9	12.2	3,049	43.5	0.80	42.0	45.1
2010	57	12.5	1.76	9.3	16.4	3,039	43.0	0.79	41.4	44.5
2011	45	11.1	1.74	8.0	14.9	2,990	41.5	0.77	40.0	43.1
2012	62	13.4	1.80	10.2	17.3	3,040	41.6	0.77	40.1	43.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	54,748	41.9	0.18	41.5	42.2	9,257	48.8	0.51	47.8	49.8
1990	1,983	37.1	0.85	35.4	38.8	322	47.1	2.66	42.0	52.6
1991	1,992	36.9	0.84	35.3	38.6	284	41.1	2.47	36.4	46.2
1992	2,121	38.9	0.86	37.2	40.6	333	46.9	2.59	41.9	52.2
1993	2,205	40.3	0.87	38.6	42.1	342	47.9	2.62	42.9	53.3
1994	2,235	40.6	0.87	38.9	42.3	369	50.0	2.63	45.0	55.4
1995	2,307	41.6	0.88	39.9	43.4	384	51.2	2.64	46.2	56.6
1996	2,337	42.4	0.89	40.6	44.2	393	52.0	2.65	47.0	57.5
1997	2,316	41.6	0.88	39.9	43.4	365	47.5	2.50	42.7	52.7
1998	2,358	42.1	0.88	40.4	43.8	422	53.4	2.62	48.4	58.8
1999	2,349	41.7	0.87	40.0	43.4	375	46.9	2.44	42.2	51.9
2000	2,396	42.8	0.89	41.1	44.6	418	51.6	2.54	46.7	56.8
2001	2,413	43.0	0.89	41.3	44.8	368	45.3	2.38	40.8	50.2
2002	2,457	43.7	0.89	42.0	45.5	460	55.7	2.61	50.7	61.1
2003	2,540	44.8	0.90	43.0	46.6	422	49.8	2.44	45.1	54.8
2004	2,474	43.6	0.89	41.9	45.4	424	48.8	2.39	44.3	53.7
2005	2,441	43.0	0.88	41.3	44.8	451	51.6	2.45	46.9	56.6
2006	2,440	42.9	0.88	41.2	44.7	445	50.0	2.39	45.5	54.9
2007	2,624	45.9	0.91	44.1	47.7	476	52.7	2.44	48.0	57.7
2008	2,567	44.0	0.88	42.3	45.7	437	47.6	2.30	43.2	52.3
2009	2,582	44.4	0.89	42.6	46.1	439	46.3	2.24	42.0	50.9
2010	2,524	43.1	0.88	41.4	44.9	468	49.3	2.31	44.9	54.1
2011	2,544	42.9	0.87	41.2	44.6	406	41.6	2.10	37.6	45.9
2012	2,543	42.3	0.86	40.6	44.0	454	45.4	2.16	41.3	49.8

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Skin excluding Basal and Squamous										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	138	1.0	0.10	0.8	1.2	8,667	3.3	0.04	3.2	3.3
1990	*	*	*	*	*	339	3.3	0.18	2.9	3.7
1991	*	*	*	*	*	325	3.1	0.17	2.8	3.5
1992	*	*	*	*	*	332	3.1	0.17	2.8	3.5
1993	*	*	*	*	*	364	3.4	0.18	3.1	3.8
1994	*	*	*	*	*	340	3.1	0.17	2.8	3.5
1995	*	*	*	*	*	347	3.2	0.17	2.8	3.5
1996	*	*	*	*	*	352	3.2	0.17	2.9	3.6
1997	*	*	*	*	*	351	3.2	0.17	2.8	3.5
1998	*	*	*	*	*	362	3.2	0.17	2.9	3.6
1999	*	*	*	*	*	363	3.2	0.17	2.9	3.5
2000	*	*	*	*	*	366	3.2	0.17	2.9	3.5
2001	*	*	*	*	*	338	2.9	0.16	2.6	3.3
2002	*	*	*	*	*	404	3.5	0.17	3.2	3.9
2003	*	*	*	*	*	384	3.3	0.17	2.9	3.6
2004	*	*	*	*	*	403	3.4	0.17	3.1	3.8
2005	*	*	*	*	*	426	3.6	0.17	3.2	3.9
2006	*	*	*	*	*	404	3.3	0.17	3.0	3.7
2007	13	1.8	0.57	0.8	3.2	406	3.3	0.17	3.0	3.7
2008	10	1.6	0.53	0.7	2.9	380	3.1	0.16	2.8	3.4
2009	*	*	*	*	*	439	3.6	0.17	3.2	3.9
2010	12	1.4	0.45	0.6	2.5	390	3.1	0.16	2.8	3.4
2011	*	*	*	*	*	407	3.2	0.16	2.9	3.5
2012	*	*	*	*	*	445	3.5	0.17	3.2	3.8

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	8,309	3.7	0.04	3.6	3.8	315	1.0	0.06	0.9	1.1
1990	315	3.5	0.20	3.1	3.9	23	1.9	0.41	1.2	2.9
1991	307	3.4	0.20	3.0	3.8	18	1.5	0.36	0.9	2.4
1992	316	3.5	0.20	3.1	3.9	15	1.2	0.31	0.7	2.0
1993	350	3.8	0.21	3.4	4.2	12	0.9	0.28	0.5	1.6
1994	325	3.5	0.19	3.1	3.8	15	1.3	0.34	0.7	2.1
1995	334	3.6	0.20	3.2	4.0	11	0.8	0.26	0.4	1.5
1996	335	3.6	0.20	3.2	4.0	15	1.0	0.26	0.6	1.7
1997	334	3.5	0.19	3.1	3.9	15	1.1	0.29	0.6	1.8
1998	348	3.7	0.20	3.3	4.1	12	0.9	0.25	0.4	1.5
1999	355	3.7	0.19	3.3	4.1	*	*	*	*	*
2000	349	3.6	0.19	3.2	4.0	14	1.0	0.27	0.5	1.6
2001	326	3.3	0.18	3.0	3.7	10	0.8	0.25	0.4	1.4
2002	385	4.0	0.20	3.6	4.4	19	1.3	0.32	0.8	2.1
2003	371	3.7	0.19	3.4	4.1	12	0.9	0.26	0.5	1.5
2004	391	4.0	0.20	3.6	4.4	11	0.8	0.24	0.4	1.4
2005	405	4.0	0.20	3.6	4.4	16	1.0	0.27	0.6	1.7
2006	382	3.8	0.20	3.4	4.2	18	1.2	0.29	0.7	1.9
2007	389	3.8	0.19	3.4	4.2	14	0.9	0.24	0.5	1.5
2008	367	3.6	0.19	3.2	4.0	11	0.7	0.22	0.3	1.3
2009	424	4.1	0.20	3.8	4.6	13	0.8	0.23	0.4	1.4
2010	382	3.6	0.19	3.3	4.0	*	*	*	*	*
2011	391	3.7	0.19	3.4	4.1	15	0.9	0.24	0.5	1.5
2012	428	4.1	0.20	3.7	4.5	13	0.8	0.23	0.4	1.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Skin excluding Basal and Squamous										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	96	1.4	0.18	1.1	1.8	5,458	4.9	0.07	4.8	5.1
1990	*	*	*	*	*	200	4.6	0.34	4.0	5.3
1991	*	*	*	*	*	204	4.5	0.33	3.9	5.2
1992	*	*	*	*	*	213	4.9	0.34	4.2	5.6
1993	*	*	*	*	*	225	4.9	0.34	4.3	5.7
1994	*	*	*	*	*	209	4.7	0.33	4.1	5.4
1995	*	*	*	*	*	212	4.7	0.33	4.1	5.4
1996	*	*	*	*	*	216	4.6	0.32	4.0	5.3
1997	*	*	*	*	*	222	4.7	0.32	4.1	5.4
1998	*	*	*	*	*	233	5.0	0.33	4.4	5.7
1999	*	*	*	*	*	230	4.9	0.33	4.3	5.6
2000	*	*	*	*	*	218	4.6	0.32	4.0	5.3
2001	*	*	*	*	*	201	4.2	0.30	3.7	4.9
2002	*	*	*	*	*	261	5.4	0.34	4.8	6.1
2003	*	*	*	*	*	246	5.0	0.32	4.4	5.7
2004	*	*	*	*	*	251	5.0	0.32	4.4	5.6
2005	*	*	*	*	*	264	5.3	0.33	4.7	6.0
2006	*	*	*	*	*	255	5.0	0.32	4.4	5.6
2007	*	*	*	*	*	258	5.1	0.32	4.5	5.8
2008	*	*	*	*	*	258	5.0	0.32	4.4	5.7
2009	*	*	*	*	*	280	5.3	0.32	4.7	6.0
2010	*	*	*	*	*	253	4.8	0.31	4.2	5.4
2011	*	*	*	*	*	273	5.1	0.31	4.5	5.8
2012	*	*	*	*	*	276	5.1	0.31	4.5	5.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	5,244	5.5	0.08	5.4	5.7	195	1.4	0.10	1.2	1.6
1990	179	4.7	0.37	4.0	5.5	21	4.0	0.90	2.4	6.1
1991	189	4.8	0.36	4.2	5.6	15	2.9	0.83	1.5	5.0
1992	202	5.3	0.38	4.6	6.1	11	1.9	0.59	0.9	3.5
1993	217	5.5	0.38	4.8	6.3	*	*	*	*	*
1994	199	5.1	0.37	4.4	5.9	10	2.2	0.73	1.0	4.0
1995	204	5.2	0.37	4.5	6.0	*	*	*	*	*
1996	205	5.1	0.36	4.4	5.8	*	*	*	*	*
1997	211	5.2	0.36	4.5	6.0	*	*	*	*	*
1998	225	5.6	0.38	4.9	6.4	*	*	*	*	*
1999	225	5.6	0.37	4.9	6.4	*	*	*	*	*
2000	209	5.1	0.36	4.5	5.9	*	*	*	*	*
2001	195	4.8	0.35	4.1	5.5	*	*	*	*	*
2002	248	6.0	0.38	5.3	6.8	13	2.2	0.67	1.1	3.9
2003	242	5.8	0.37	5.1	6.6	*	*	*	*	*
2004	244	5.7	0.37	5.0	6.5	*	*	*	*	*
2005	252	5.9	0.38	5.2	6.7	11	1.8	0.57	0.8	3.2
2006	243	5.6	0.36	4.9	6.4	12	1.9	0.61	0.9	3.5
2007	248	5.7	0.37	5.0	6.5	*	*	*	*	*
2008	255	5.8	0.37	5.1	6.6	*	*	*	*	*
2009	271	6.1	0.37	5.4	6.9	*	*	*	*	*
2010	251	5.6	0.36	4.9	6.3	*	*	*	*	*
2011	264	5.8	0.36	5.1	6.6	*	*	*	*	*
2012	266	5.8	0.36	5.1	6.6	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Skin excluding Basal and Squamous										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	42	0.6	0.10	0.4	0.8	3,209	2.1	0.04	2.0	2.2
1990	*	*	*	*	*	139	2.3	0.20	2.0	2.8
1991	*	*	*	*	*	121	2.0	0.18	1.6	2.4
1992	*	*	*	*	*	119	2.0	0.18	1.6	2.4
1993	*	*	*	*	*	139	2.3	0.20	1.9	2.7
1994	*	*	*	*	*	131	2.1	0.18	1.7	2.5
1995	*	*	*	*	*	135	2.1	0.19	1.8	2.5
1996	*	*	*	*	*	136	2.1	0.19	1.8	2.5
1997	*	*	*	*	*	129	2.0	0.18	1.6	2.4
1998	*	*	*	*	*	129	2.0	0.18	1.7	2.4
1999	*	*	*	*	*	133	2.0	0.18	1.7	2.4
2000	*	*	*	*	*	148	2.2	0.19	1.9	2.6
2001	*	*	*	*	*	137	2.1	0.18	1.7	2.4
2002	*	*	*	*	*	143	2.1	0.18	1.8	2.5
2003	*	*	*	*	*	138	2.0	0.17	1.7	2.4
2004	*	*	*	*	*	152	2.3	0.19	1.9	2.7
2005	*	*	*	*	*	162	2.3	0.19	2.0	2.7
2006	*	*	*	*	*	149	2.1	0.18	1.8	2.5
2007	*	*	*	*	*	148	2.2	0.18	1.8	2.6
2008	*	*	*	*	*	122	1.7	0.16	1.4	2.1
2009	*	*	*	*	*	159	2.3	0.19	2.0	2.7
2010	*	*	*	*	*	137	1.9	0.17	1.6	2.3
2011	*	*	*	*	*	134	1.9	0.17	1.6	2.3
2012	*	*	*	*	*	169	2.4	0.19	2.0	2.8

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	3,065	2.4	0.04	2.3	2.5	120	0.6	0.06	0.5	0.8
1990	136	2.7	0.23	2.2	3.2	*	*	*	*	*
1991	118	2.2	0.21	1.8	2.7	*	*	*	*	*
1992	114	2.2	0.21	1.8	2.7	*	*	*	*	*
1993	133	2.6	0.23	2.1	3.0	*	*	*	*	*
1994	126	2.3	0.21	1.9	2.8	*	*	*	*	*
1995	130	2.4	0.22	2.0	2.9	*	*	*	*	*
1996	130	2.4	0.22	2.0	2.9	*	*	*	*	*
1997	123	2.2	0.20	1.8	2.6	*	*	*	*	*
1998	123	2.3	0.21	1.9	2.8	*	*	*	*	*
1999	130	2.3	0.21	2.0	2.8	*	*	*	*	*
2000	140	2.5	0.21	2.1	3.0	*	*	*	*	*
2001	131	2.4	0.21	2.0	2.8	*	*	*	*	*
2002	137	2.5	0.22	2.1	2.9	*	*	*	*	*
2003	129	2.3	0.20	1.9	2.7	*	*	*	*	*
2004	147	2.6	0.22	2.2	3.1	*	*	*	*	*
2005	153	2.6	0.22	2.2	3.1	*	*	*	*	*
2006	139	2.4	0.21	2.0	2.8	*	*	*	*	*
2007	141	2.5	0.22	2.1	3.0	*	*	*	*	*
2008	112	1.9	0.19	1.6	2.3	*	*	*	*	*
2009	153	2.8	0.23	2.3	3.3	*	*	*	*	*
2010	131	2.2	0.21	1.9	2.7	*	*	*	*	*
2011	127	2.2	0.20	1.8	2.7	*	*	*	*	*
2012	162	2.8	0.23	2.4	3.3	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Melanoma of the Skin										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	104	0.7	0.08	0.6	0.9	6,703	2.5	0.03	2.5	2.6
1990	*	*	*	*	*	252	2.5	0.16	2.2	2.8
1991	*	*	*	*	*	238	2.3	0.15	2.0	2.6
1992	*	*	*	*	*	264	2.5	0.15	2.2	2.8
1993	*	*	*	*	*	278	2.6	0.16	2.3	2.9
1994	*	*	*	*	*	265	2.4	0.15	2.1	2.7
1995	*	*	*	*	*	261	2.4	0.15	2.1	2.7
1996	*	*	*	*	*	279	2.5	0.15	2.3	2.9
1997	*	*	*	*	*	266	2.4	0.15	2.1	2.7
1998	*	*	*	*	*	286	2.6	0.15	2.3	2.9
1999	*	*	*	*	*	278	2.5	0.15	2.2	2.8
2000	*	*	*	*	*	273	2.4	0.14	2.1	2.7
2001	*	*	*	*	*	256	2.2	0.14	2.0	2.5
2002	*	*	*	*	*	301	2.6	0.15	2.3	2.9
2003	*	*	*	*	*	283	2.4	0.14	2.1	2.7
2004	*	*	*	*	*	329	2.8	0.16	2.5	3.1
2005	*	*	*	*	*	331	2.8	0.15	2.5	3.1
2006	*	*	*	*	*	327	2.7	0.15	2.4	3.0
2007	13	1.8	0.57	0.8	3.2	325	2.7	0.15	2.4	3.0
2008	*	*	*	*	*	291	2.4	0.14	2.1	2.7
2009	*	*	*	*	*	352	2.9	0.16	2.6	3.2
2010	10	1.2	0.44	0.5	2.3	298	2.4	0.14	2.1	2.7
2011	*	*	*	*	*	319	2.5	0.14	2.3	2.8
2012	*	*	*	*	*	351	2.8	0.15	2.5	3.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	6,547	2.9	0.04	2.9	3.0	123	0.4	0.04	0.3	0.5
1990	247	2.8	0.18	2.4	3.1	*	*	*	*	*
1991	233	2.6	0.17	2.3	2.9	*	*	*	*	*
1992	259	2.8	0.18	2.5	3.2	*	*	*	*	*
1993	272	3.0	0.18	2.7	3.4	*	*	*	*	*
1994	261	2.8	0.17	2.5	3.1	*	*	*	*	*
1995	255	2.7	0.17	2.4	3.1	*	*	*	*	*
1996	273	2.9	0.18	2.6	3.3	*	*	*	*	*
1997	260	2.8	0.17	2.4	3.1	*	*	*	*	*
1998	282	3.0	0.18	2.6	3.4	*	*	*	*	*
1999	273	2.8	0.17	2.5	3.2	*	*	*	*	*
2000	266	2.8	0.17	2.4	3.1	*	*	*	*	*
2001	251	2.6	0.16	2.3	2.9	*	*	*	*	*
2002	293	3.1	0.18	2.7	3.4	*	*	*	*	*
2003	275	2.8	0.17	2.5	3.2	*	*	*	*	*
2004	322	3.3	0.18	2.9	3.7	*	*	*	*	*
2005	321	3.2	0.18	2.9	3.6	*	*	*	*	*
2006	313	3.1	0.18	2.8	3.5	10	0.7	0.22	0.3	1.2
2007	319	3.2	0.18	2.8	3.5	*	*	*	*	*
2008	284	2.8	0.17	2.5	3.2	*	*	*	*	*
2009	343	3.4	0.19	3.0	3.8	*	*	*	*	*
2010	293	2.8	0.17	2.5	3.2	*	*	*	*	*
2011	311	3.0	0.17	2.7	3.4	*	*	*	*	*
2012	341	3.3	0.18	2.9	3.7	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Melanoma of the Skin										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	66	1.0	0.15	0.7	1.3	4,107	3.7	0.06	3.5	3.8
1990	*	*	*	*	*	138	3.2	0.28	2.6	3.7
1991	*	*	*	*	*	144	3.1	0.27	2.6	3.7
1992	*	*	*	*	*	164	3.7	0.30	3.2	4.3
1993	*	*	*	*	*	164	3.6	0.29	3.0	4.2
1994	*	*	*	*	*	159	3.5	0.29	3.0	4.2
1995	*	*	*	*	*	153	3.2	0.27	2.7	3.8
1996	*	*	*	*	*	171	3.6	0.28	3.1	4.2
1997	*	*	*	*	*	157	3.2	0.26	2.7	3.8
1998	*	*	*	*	*	186	3.9	0.29	3.4	4.5
1999	*	*	*	*	*	169	3.5	0.27	3.0	4.1
2000	*	*	*	*	*	160	3.3	0.27	2.8	3.9
2001	*	*	*	*	*	154	3.2	0.26	2.7	3.8
2002	*	*	*	*	*	184	3.7	0.28	3.2	4.3
2003	*	*	*	*	*	176	3.5	0.27	3.0	4.1
2004	*	*	*	*	*	203	4.0	0.28	3.4	4.6
2005	*	*	*	*	*	201	4.0	0.29	3.5	4.6
2006	*	*	*	*	*	198	3.8	0.28	3.3	4.4
2007	*	*	*	*	*	200	3.9	0.28	3.4	4.5
2008	*	*	*	*	*	199	3.8	0.28	3.3	4.4
2009	*	*	*	*	*	224	4.2	0.29	3.7	4.8
2010	*	*	*	*	*	183	3.4	0.26	2.9	4.0
2011	*	*	*	*	*	208	3.8	0.27	3.3	4.4
2012	*	*	*	*	*	212	3.8	0.27	3.3	4.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	4,046	4.2	0.07	4.1	4.3	48	0.4	0.06	0.3	0.5
1990	135	3.5	0.31	2.9	4.2	*	*	*	*	*
1991	142	3.6	0.30	3.0	4.2	*	*	*	*	*
1992	162	4.2	0.34	3.6	4.9	*	*	*	*	*
1993	163	4.1	0.33	3.5	4.8	*	*	*	*	*
1994	157	4.0	0.33	3.4	4.7	*	*	*	*	*
1995	151	3.7	0.30	3.1	4.4	*	*	*	*	*
1996	169	4.1	0.32	3.5	4.8	*	*	*	*	*
1997	156	3.8	0.30	3.2	4.4	*	*	*	*	*
1998	184	4.5	0.33	3.9	5.2	*	*	*	*	*
1999	166	4.0	0.31	3.4	4.7	*	*	*	*	*
2000	159	3.8	0.31	3.3	4.5	*	*	*	*	*
2001	151	3.7	0.30	3.1	4.3	*	*	*	*	*
2002	180	4.3	0.32	3.7	5.0	*	*	*	*	*
2003	173	4.1	0.31	3.5	4.7	*	*	*	*	*
2004	200	4.6	0.33	4.0	5.3	*	*	*	*	*
2005	197	4.6	0.33	4.0	5.3	*	*	*	*	*
2006	192	4.4	0.32	3.8	5.1	*	*	*	*	*
2007	197	4.5	0.32	3.9	5.2	*	*	*	*	*
2008	199	4.5	0.33	3.9	5.2	*	*	*	*	*
2009	220	4.9	0.33	4.3	5.6	*	*	*	*	*
2010	182	4.0	0.30	3.5	4.7	*	*	*	*	*
2011	204	4.5	0.32	3.9	5.1	*	*	*	*	*
2012	207	4.5	0.32	3.9	5.1	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Melanoma of the Skin										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	38	0.5	0.09	0.3	0.7	2,596	1.7	0.03	1.7	1.8
1990	*	*	*	*	*	114	2.0	0.19	1.6	2.4
1991	*	*	*	*	*	94	1.6	0.16	1.3	1.9
1992	*	*	*	*	*	100	1.7	0.17	1.3	2.0
1993	*	*	*	*	*	114	1.9	0.18	1.6	2.3
1994	*	*	*	*	*	106	1.7	0.17	1.4	2.0
1995	*	*	*	*	*	108	1.7	0.17	1.4	2.1
1996	*	*	*	*	*	108	1.7	0.17	1.4	2.1
1997	*	*	*	*	*	109	1.7	0.16	1.4	2.0
1998	*	*	*	*	*	100	1.6	0.16	1.3	2.0
1999	*	*	*	*	*	109	1.7	0.16	1.4	2.1
2000	*	*	*	*	*	113	1.7	0.17	1.4	2.1
2001	*	*	*	*	*	102	1.6	0.16	1.3	1.9
2002	*	*	*	*	*	117	1.8	0.17	1.5	2.2
2003	*	*	*	*	*	107	1.6	0.16	1.3	2.0
2004	*	*	*	*	*	126	1.9	0.17	1.6	2.3
2005	*	*	*	*	*	130	1.9	0.17	1.6	2.3
2006	*	*	*	*	*	129	1.9	0.17	1.5	2.2
2007	*	*	*	*	*	125	1.9	0.17	1.6	2.3
2008	*	*	*	*	*	92	1.4	0.14	1.1	1.7
2009	*	*	*	*	*	128	1.9	0.17	1.6	2.3
2010	*	*	*	*	*	115	1.6	0.16	1.3	2.0
2011	*	*	*	*	*	111	1.6	0.15	1.3	1.9
2012	*	*	*	*	*	139	2.0	0.18	1.7	2.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,501	2.0	0.04	1.9	2.1	75	0.4	0.05	0.3	0.5
1990	112	2.2	0.22	1.8	2.7	*	*	*	*	*
1991	91	1.8	0.19	1.4	2.2	*	*	*	*	*
1992	97	1.9	0.20	1.5	2.3	*	*	*	*	*
1993	109	2.2	0.21	1.8	2.6	*	*	*	*	*
1994	104	1.9	0.19	1.6	2.4	*	*	*	*	*
1995	104	2.0	0.20	1.6	2.4	*	*	*	*	*
1996	104	1.9	0.19	1.6	2.4	*	*	*	*	*
1997	104	1.9	0.19	1.5	2.3	*	*	*	*	*
1998	98	1.9	0.19	1.5	2.3	*	*	*	*	*
1999	107	2.0	0.20	1.6	2.4	*	*	*	*	*
2000	107	2.0	0.19	1.6	2.4	*	*	*	*	*
2001	100	1.9	0.19	1.5	2.3	*	*	*	*	*
2002	113	2.1	0.20	1.7	2.5	*	*	*	*	*
2003	102	1.9	0.19	1.5	2.3	*	*	*	*	*
2004	122	2.2	0.20	1.8	2.6	*	*	*	*	*
2005	124	2.2	0.21	1.8	2.7	*	*	*	*	*
2006	121	2.1	0.20	1.7	2.5	*	*	*	*	*
2007	122	2.3	0.21	1.9	2.7	*	*	*	*	*
2008	85	1.5	0.17	1.2	1.9	*	*	*	*	*
2009	123	2.3	0.21	1.9	2.8	*	*	*	*	*
2010	111	1.9	0.19	1.6	2.4	*	*	*	*	*
2011	107	1.9	0.19	1.5	2.3	*	*	*	*	*
2012	134	2.4	0.22	2.0	2.9	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Breast										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,080	6.7	0.23	6.2	7.1	44,268	16.6	0.08	16.5	16.8
1990	24	6.9	1.62	4.1	10.7	2,170	21.2	0.46	20.3	22.1
1991	47	11.6	1.90	8.2	15.9	2,237	21.4	0.46	20.5	22.3
1992	37	7.6	1.37	5.2	10.8	2,127	20.1	0.44	19.3	21.0
1993	39	9.0	1.69	6.0	12.8	2,142	20.1	0.44	19.2	20.9
1994	33	7.4	1.48	4.8	10.8	2,123	19.7	0.43	18.8	20.5
1995	35	9.6	1.85	6.3	13.8	2,114	19.4	0.42	18.6	20.3
1996	44	9.0	1.51	6.3	12.4	2,077	18.9	0.42	18.1	19.7
1997	43	8.3	1.53	5.6	11.7	2,010	18.1	0.41	17.4	19.0
1998	43	6.6	1.14	4.5	9.2	1,954	17.4	0.39	16.6	18.2
1999	40	5.2	0.95	3.5	7.4	1,990	17.5	0.39	16.7	18.3
2000	52	7.5	1.25	5.3	10.3	2,015	17.6	0.39	16.8	18.3
2001	46	6.5	1.10	4.6	9.0	1,823	15.8	0.37	15.1	16.5
2002	59	9.3	1.43	6.7	12.4	1,857	15.9	0.37	15.2	16.7
2003	49	7.6	1.31	5.3	10.5	1,838	15.6	0.36	14.9	16.3
2004	43	5.8	1.05	4.0	8.2	1,808	15.2	0.36	14.5	15.9
2005	45	5.7	1.00	4.0	8.0	1,838	15.3	0.36	14.6	16.0
2006	52	5.7	0.96	4.0	7.8	1,733	14.3	0.34	13.6	15.0
2007	64	7.8	1.09	5.8	10.2	1,761	14.4	0.35	13.7	15.1
2008	53	5.4	0.84	3.9	7.2	1,741	13.9	0.34	13.3	14.6
2009	56	4.6	0.70	3.4	6.2	1,675	13.3	0.33	12.7	14.0
2010	52	5.4	0.83	3.9	7.2	1,703	13.3	0.33	12.7	14.0
2011	61	5.6	0.78	4.2	7.3	1,768	13.7	0.33	13.0	14.3
2012	63	5.2	0.73	3.9	6.8	1,764	13.4	0.33	12.8	14.1

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	36,304	16.0	0.08	15.8	16.1	7,440	22.6	0.27	22.1	23.2
1990	1,880	20.9	0.49	20.0	21.9	287	24.9	1.52	22.1	28.1
1991	1,932	21.1	0.49	20.2	22.1	291	24.6	1.48	21.8	27.6
1992	1,853	20.1	0.47	19.2	21.0	263	21.2	1.34	18.7	24.0
1993	1,812	19.5	0.46	18.6	20.4	320	25.8	1.48	22.9	28.8
1994	1,782	19.0	0.45	18.1	19.9	320	26.0	1.49	23.1	29.0
1995	1,783	18.9	0.45	18.0	19.8	316	24.6	1.42	21.9	27.6
1996	1,759	18.5	0.44	17.6	19.4	303	22.5	1.32	20.0	25.2
1997	1,642	17.2	0.43	16.4	18.1	352	26.0	1.42	23.3	28.9
1998	1,639	17.0	0.42	16.1	17.8	295	21.7	1.29	19.2	24.4
1999	1,609	16.4	0.41	15.6	17.3	353	26.2	1.42	23.5	29.1
2000	1,649	16.7	0.41	15.9	17.5	346	24.8	1.36	22.2	27.6
2001	1,481	15.0	0.39	14.2	15.8	320	23.0	1.31	20.5	25.7
2002	1,489	15.0	0.39	14.2	15.8	344	24.1	1.33	21.5	26.8
2003	1,460	14.6	0.38	13.8	15.4	346	23.7	1.30	21.2	26.4
2004	1,414	14.0	0.37	13.2	14.7	358	23.5	1.27	21.1	26.1
2005	1,464	14.4	0.38	13.7	15.2	343	22.7	1.25	20.3	25.3
2006	1,390	13.5	0.37	12.8	14.3	320	20.4	1.17	18.2	22.8
2007	1,393	13.5	0.37	12.8	14.2	340	21.4	1.19	19.1	23.9
2008	1,384	13.2	0.36	12.5	13.9	325	20.3	1.15	18.1	22.7
2009	1,346	12.8	0.36	12.1	13.5	306	18.9	1.11	16.8	21.2
2010	1,343	12.5	0.35	11.8	13.2	326	19.7	1.11	17.5	22.0
2011	1,413	13.0	0.35	12.3	13.7	319	19.2	1.10	17.1	21.4
2012	1,387	12.7	0.35	12.1	13.4	347	20.4	1.12	18.2	22.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Breast										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	*	*	*	*	*	382	0.4	0.02	0.3	0.4
1990	*	*	*	*	*	12	0.3	0.08	0.1	0.5
1991	*	*	*	*	*	14	0.4	0.11	0.2	0.6
1992	*	*	*	*	*	*	*	*	*	*
1993	*	*	*	*	*	19	0.4	0.10	0.3	0.7
1994	*	*	*	*	*	17	0.4	0.08	0.2	0.6
1995	*	*	*	*	*	23	0.5	0.12	0.3	0.8
1996	*	*	*	*	*	13	0.3	0.07	0.1	0.5
1997	*	*	*	*	*	15	0.3	0.09	0.2	0.6
1998	*	*	*	*	*	18	0.4	0.10	0.3	0.7
1999	*	*	*	*	*	23	0.5	0.11	0.3	0.8
2000	*	*	*	*	*	22	0.5	0.11	0.3	0.7
2001	*	*	*	*	*	23	0.5	0.10	0.3	0.7
2002	*	*	*	*	*	19	0.4	0.09	0.2	0.6
2003	*	*	*	*	*	15	0.3	0.08	0.2	0.5
2004	*	*	*	*	*	21	0.4	0.10	0.3	0.7
2005	*	*	*	*	*	18	0.4	0.09	0.2	0.6
2006	*	*	*	*	*	14	0.3	0.07	0.2	0.5
2007	*	*	*	*	*	18	0.4	0.09	0.2	0.6
2008	*	*	*	*	*	14	0.3	0.07	0.1	0.4
2009	*	*	*	*	*	12	0.2	0.06	0.1	0.4
2010	*	*	*	*	*	14	0.3	0.07	0.1	0.4
2011	*	*	*	*	*	13	0.3	0.07	0.1	0.5
2012	*	*	*	*	*	17	0.3	0.07	0.2	0.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	297	0.3	0.02	0.3	0.4	80	0.7	0.08	0.5	0.9
1990	10	0.3	0.09	0.1	0.5	*	*	*	*	*
1991	11	0.4	0.11	0.2	0.6	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1993	16	0.4	0.11	0.2	0.7	*	*	*	*	*
1994	13	0.3	0.08	0.2	0.5	*	*	*	*	*
1995	20	0.5	0.12	0.3	0.8	*	*	*	*	*
1996	11	0.3	0.08	0.1	0.5	*	*	*	*	*
1997	10	0.3	0.09	0.1	0.5	*	*	*	*	*
1998	14	0.4	0.10	0.2	0.6	*	*	*	*	*
1999	14	0.4	0.10	0.2	0.6	*	*	*	*	*
2000	14	0.3	0.09	0.2	0.6	*	*	*	*	*
2001	19	0.5	0.11	0.3	0.7	*	*	*	*	*
2002	14	0.3	0.09	0.2	0.6	*	*	*	*	*
2003	12	0.3	0.09	0.2	0.5	*	*	*	*	*
2004	19	0.5	0.11	0.3	0.7	*	*	*	*	*
2005	15	0.4	0.10	0.2	0.6	*	*	*	*	*
2006	11	0.3	0.08	0.1	0.5	*	*	*	*	*
2007	13	0.3	0.09	0.2	0.5	*	*	*	*	*
2008	11	0.3	0.08	0.1	0.5	*	*	*	*	*
2009	*	*	*	*	*	*	*	*	*	*
2010	11	0.3	0.08	0.1	0.5	*	*	*	*	*
2011	*	*	*	*	*	*	*	*	*	*
2012	16	0.3	0.08	0.2	0.5	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Breast										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,077	12.7	0.42	11.8	13.5	43,886	29.0	0.14	28.7	29.2
1990	24	12.8	2.85	7.9	19.5	2,158	36.7	0.81	35.2	38.3
1991	47	22.1	3.45	15.9	29.9	2,223	37.1	0.80	35.6	38.7
1992	37	14.9	2.58	10.3	20.8	2,119	34.9	0.77	33.4	36.5
1993	39	16.8	2.98	11.5	23.5	2,123	34.6	0.76	33.1	36.1
1994	33	13.9	2.63	9.2	19.9	2,106	34.0	0.75	32.6	35.5
1995	35	17.1	3.15	11.5	24.2	2,091	33.5	0.74	32.0	34.9
1996	44	17.1	2.76	12.1	23.3	2,064	32.7	0.73	31.3	34.2
1997	43	15.5	2.69	10.7	21.6	1,995	31.7	0.72	30.3	33.1
1998	43	12.8	2.14	9.0	17.7	1,936	30.1	0.69	28.8	31.5
1999	40	10.3	1.81	7.1	14.5	1,967	30.1	0.69	28.8	31.5
2000	52	14.5	2.29	10.3	19.6	1,993	30.2	0.68	28.9	31.6
2001	46	12.6	2.05	8.9	17.2	1,800	27.2	0.65	26.0	28.6
2002	59	17.4	2.56	12.7	23.0	1,838	27.6	0.65	26.4	29.0
2003	49	14.0	2.29	9.9	19.1	1,823	27.2	0.64	26.0	28.5
2004	43	11.0	1.89	7.6	15.3	1,787	26.5	0.63	25.2	27.7
2005	45	10.8	1.81	7.6	14.9	1,820	26.7	0.63	25.4	27.9
2006	52	10.8	1.72	7.7	14.7	1,719	25.1	0.62	23.9	26.4
2007	63	14.5	1.98	10.9	18.8	1,743	25.3	0.62	24.1	26.5
2008	53	10.3	1.55	7.5	13.7	1,727	24.6	0.60	23.5	25.9
2009	56	9.1	1.32	6.7	12.0	1,663	23.6	0.59	22.4	24.8
2010	51	9.8	1.47	7.1	13.0	1,689	23.5	0.59	22.4	24.7
2011	60	10.6	1.46	8.0	13.8	1,755	24.2	0.59	23.0	25.4
2012	63	10.1	1.36	7.6	13.1	1,747	23.9	0.59	22.8	25.1
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	36,007	28.0	0.15	27.7	28.3	7,360	37.8	0.44	37.0	38.7
1990	1,870	36.4	0.87	34.7	38.2	285	42.0	2.52	37.2	47.2
1991	1,921	36.7	0.86	35.1	38.5	288	41.2	2.47	36.6	46.3
1992	1,847	35.0	0.83	33.4	36.7	262	36.0	2.25	31.7	40.7
1993	1,796	33.7	0.81	32.1	35.3	317	43.0	2.45	38.4	48.1
1994	1,769	33.1	0.80	31.5	34.7	316	43.0	2.45	38.3	48.0
1995	1,763	32.7	0.80	31.2	34.3	313	41.2	2.35	36.7	46.0
1996	1,748	32.1	0.78	30.6	33.7	301	38.1	2.22	33.8	42.7
1997	1,632	30.1	0.76	28.6	31.6	347	43.6	2.36	39.1	48.5
1998	1,625	29.5	0.75	28.1	31.0	291	36.0	2.13	31.9	40.4
1999	1,595	28.5	0.73	27.1	30.0	344	42.6	2.32	38.2	47.4
2000	1,635	29.0	0.73	27.5	30.4	339	40.6	2.22	36.4	45.2
2001	1,462	26.1	0.70	24.7	27.5	316	37.8	2.14	33.7	42.2
2002	1,475	26.2	0.70	24.8	27.6	339	39.6	2.17	35.5	44.1
2003	1,448	25.6	0.69	24.2	26.9	343	39.4	2.14	35.3	43.8
2004	1,395	24.4	0.67	23.1	25.7	356	39.7	2.12	35.7	44.1
2005	1,449	25.2	0.68	23.8	26.5	340	37.8	2.07	33.8	42.0
2006	1,379	24.0	0.66	22.7	25.3	317	34.3	1.95	30.6	38.4
2007	1,380	23.9	0.66	22.6	25.2	335	35.9	1.98	32.1	40.0
2008	1,373	23.5	0.65	22.2	24.8	322	34.0	1.92	30.4	38.0
2009	1,338	22.9	0.65	21.7	24.2	303	31.6	1.84	28.1	35.4
2010	1,332	22.2	0.63	21.0	23.5	324	33.2	1.87	29.6	37.0
2011	1,404	23.3	0.65	22.0	24.6	316	32.1	1.83	28.6	35.9
2012	1,371	22.8	0.64	21.6	24.1	346	34.3	1.87	30.7	38.2

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Female Genital System										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	933	12.0	0.43	11.1	12.8	26,965	17.7	0.11	17.5	17.9
1990	24	12.0	2.61	7.4	18.1	1,200	19.9	0.58	18.7	21.0
1991	36	16.6	2.92	11.3	23.2	1,170	19.1	0.57	18.0	20.3
1992	21	9.4	2.23	5.5	14.7	1,170	18.9	0.56	17.8	20.1
1993	26	11.8	2.44	7.5	17.5	1,183	18.8	0.55	17.7	19.9
1994	29	12.1	2.53	7.7	18.0	1,163	18.4	0.55	17.4	19.5
1995	22	9.2	2.12	5.5	14.2	1,146	18.1	0.54	17.0	19.2
1996	31	11.5	2.35	7.3	16.9	1,187	18.5	0.54	17.5	19.6
1997	31	10.0	2.07	6.4	14.8	1,173	18.2	0.54	17.2	19.3
1998	38	12.7	2.33	8.5	18.0	1,175	18.0	0.53	17.0	19.1
1999	30	11.0	2.31	6.9	16.3	1,172	18.0	0.53	17.0	19.1
2000	45	14.5	2.48	10.1	20.1	1,219	18.6	0.54	17.6	19.7
2001	32	9.6	1.95	6.1	14.1	1,138	17.4	0.52	16.4	18.5
2002	50	14.2	2.25	10.1	19.2	1,168	17.7	0.52	16.7	18.8
2003	37	10.1	1.87	6.8	14.3	1,140	17.1	0.51	16.1	18.1
2004	44	12.5	2.13	8.7	17.3	1,142	17.1	0.51	16.1	18.1
2005	45	11.5	1.95	8.0	15.9	1,182	17.4	0.51	16.4	18.4
2006	49	12.3	1.96	8.8	16.7	1,177	17.1	0.50	16.1	18.1
2007	51	11.6	1.78	8.4	15.6	1,154	16.7	0.50	15.7	17.7
2008	44	11.3	1.86	7.9	15.4	1,171	16.9	0.50	15.9	17.9
2009	53	11.4	1.68	8.4	15.1	1,125	16.1	0.49	15.1	17.1
2010	56	10.7	1.55	7.9	14.1	1,210	17.0	0.50	16.1	18.1
2011	73	14.7	1.87	11.3	18.8	1,191	16.6	0.49	15.7	17.6
2012	66	12.7	1.69	9.6	16.4	1,209	16.5	0.48	15.5	17.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	22,224	17.2	0.12	17.0	17.4	4,375	22.8	0.35	22.2	23.5
1990	1,036	19.5	0.62	18.3	20.8	156	22.7	1.84	19.2	26.5
1991	970	18.1	0.59	16.9	19.3	190	27.7	2.04	23.8	31.9
1992	957	17.7	0.59	16.6	18.9	201	28.5	2.04	24.6	32.7
1993	985	18.0	0.59	16.9	19.2	190	25.7	1.89	22.2	29.7
1994	978	17.9	0.58	16.8	19.1	180	24.7	1.87	21.2	28.6
1995	975	17.8	0.58	16.7	19.0	164	22.0	1.74	18.7	25.7
1996	1,004	18.2	0.59	17.1	19.4	168	22.3	1.74	19.0	26.0
1997	970	17.6	0.57	16.5	18.7	192	24.8	1.81	21.4	28.6
1998	982	17.6	0.57	16.5	18.7	176	22.4	1.71	19.2	26.0
1999	988	17.7	0.57	16.6	18.9	174	21.4	1.63	18.3	24.8
2000	1,017	18.3	0.59	17.2	19.5	188	23.1	1.70	19.9	26.7
2001	917	16.7	0.56	15.6	17.8	203	24.6	1.74	21.3	28.2
2002	962	17.3	0.57	16.2	18.4	185	21.6	1.60	18.6	25.0
2003	937	16.5	0.55	15.5	17.7	188	21.7	1.59	18.7	25.0
2004	919	16.4	0.55	15.3	17.5	207	23.9	1.67	20.7	27.4
2005	961	16.8	0.55	15.7	17.9	198	22.4	1.61	19.4	25.8
2006	965	16.7	0.55	15.6	17.8	192	22.0	1.60	18.9	25.3
2007	957	16.6	0.55	15.5	17.7	181	19.5	1.46	16.7	22.6
2008	966	16.7	0.55	15.6	17.8	182	19.6	1.46	16.8	22.6
2009	895	15.5	0.53	14.5	16.6	207	21.1	1.49	18.3	24.3
2010	967	16.4	0.54	15.4	17.5	217	22.5	1.55	19.5	25.7
2011	947	16.1	0.54	15.0	17.2	220	22.4	1.53	19.5	25.6
2012	969	16.1	0.53	15.0	17.1	216	21.4	1.48	18.6	24.5

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Cervix Uteri										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	310	3.3	0.21	2.9	3.7	4,327	3.1	0.05	3.0	3.2
1990	10	4.4	1.44	2.0	8.2	203	3.7	0.26	3.2	4.3
1991	13	5.1	1.53	2.5	9.0	230	4.1	0.27	3.6	4.7
1992	*	*	*	*	*	214	3.7	0.26	3.2	4.2
1993	*	*	*	*	*	225	3.8	0.26	3.3	4.3
1994	13	4.5	1.39	2.2	8.1	192	3.3	0.24	2.8	3.8
1995	*	*	*	*	*	195	3.3	0.24	2.8	3.8
1996	10	2.8	0.97	1.2	5.4	190	3.2	0.24	2.8	3.7
1997	20	5.1	1.25	3.0	8.2	211	3.5	0.25	3.1	4.1
1998	19	4.8	1.18	2.8	7.8	200	3.3	0.24	2.9	3.8
1999	*	*	*	*	*	209	3.4	0.24	2.9	3.9
2000	21	6.5	1.65	3.7	10.4	193	3.2	0.23	2.8	3.7
2001	*	*	*	*	*	175	2.9	0.22	2.5	3.3
2002	13	2.6	0.83	1.3	4.8	193	3.1	0.22	2.7	3.6
2003	13	3.0	0.96	1.4	5.4	172	2.8	0.22	2.4	3.3
2004	15	3.1	0.88	1.6	5.4	181	2.8	0.21	2.4	3.3
2005	18	3.6	0.91	2.1	5.9	165	2.6	0.21	2.2	3.1
2006	14	3.6	1.08	1.8	6.2	159	2.5	0.20	2.1	2.9
2007	15	3.2	0.91	1.7	5.4	174	2.7	0.21	2.3	3.1
2008	15	3.7	1.06	1.9	6.2	185	2.8	0.21	2.4	3.3
2009	16	2.4	0.63	1.4	4.0	162	2.5	0.20	2.1	2.9
2010	17	2.4	0.62	1.4	4.0	169	2.6	0.20	2.2	3.0
2011	19	3.0	0.76	1.7	4.8	176	2.6	0.20	2.3	3.1
2012	13	2.1	0.63	1.1	3.7	154	2.2	0.18	1.9	2.6

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	2,900	2.5	0.05	2.4	2.6	1,355	6.8	0.19	6.5	7.2
1990	149	3.2	0.27	2.7	3.7	51	7.2	1.03	5.4	9.5
1991	140	2.9	0.25	2.4	3.5	85	11.6	1.28	9.2	14.3
1992	133	2.7	0.24	2.2	3.2	78	10.9	1.26	8.6	13.7
1993	150	3.0	0.25	2.5	3.6	72	9.7	1.16	7.6	12.3
1994	129	2.6	0.24	2.2	3.1	63	8.2	1.05	6.3	10.6
1995	122	2.4	0.22	2.0	2.9	71	9.3	1.12	7.2	11.7
1996	128	2.7	0.24	2.2	3.2	57	7.2	0.97	5.4	9.3
1997	147	3.0	0.25	2.5	3.5	60	7.3	0.96	5.6	9.5
1998	137	2.7	0.24	2.3	3.3	58	7.0	0.93	5.3	9.1
1999	156	3.0	0.25	2.6	3.5	52	6.1	0.85	4.6	8.0
2000	135	2.7	0.23	2.3	3.2	52	5.9	0.82	4.4	7.7
2001	114	2.3	0.22	1.9	2.8	57	6.6	0.89	5.0	8.6
2002	131	2.5	0.22	2.1	3.0	58	6.5	0.85	4.9	8.4
2003	109	2.2	0.21	1.8	2.6	60	6.5	0.84	5.0	8.4
2004	124	2.4	0.22	2.0	2.9	56	6.2	0.83	4.7	8.0
2005	106	2.1	0.20	1.7	2.5	54	5.8	0.80	4.4	7.6
2006	106	2.0	0.20	1.6	2.5	50	5.5	0.78	4.1	7.3
2007	128	2.5	0.22	2.0	2.9	45	4.7	0.71	3.4	6.3
2008	131	2.4	0.22	2.0	2.9	52	5.3	0.75	4.0	7.0
2009	106	2.0	0.20	1.7	2.5	53	5.3	0.74	4.0	7.0
2010	110	2.1	0.20	1.7	2.5	58	5.8	0.78	4.4	7.6
2011	114	2.1	0.21	1.8	2.6	54	5.4	0.75	4.0	7.1
2012	95	1.7	0.18	1.4	2.1	59	5.7	0.75	4.3	7.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Corpus and Uterus, NOS										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	198	2.8	0.22	2.4	3.3	7,363	4.7	0.06	4.6	4.8
1990	*	*	*	*	*	306	4.8	0.28	4.3	5.4
1991	*	*	*	*	*	308	4.9	0.28	4.4	5.5
1992	*	*	*	*	*	262	4.0	0.25	3.5	4.6
1993	*	*	*	*	*	296	4.5	0.27	4.0	5.1
1994	*	*	*	*	*	304	4.7	0.27	4.1	5.2
1995	*	*	*	*	*	300	4.6	0.27	4.0	5.1
1996	*	*	*	*	*	292	4.4	0.26	3.9	4.9
1997	*	*	*	*	*	294	4.4	0.26	3.9	5.0
1998	*	*	*	*	*	326	4.8	0.27	4.3	5.4
1999	10	3.5	1.24	1.5	6.7	297	4.4	0.26	4.0	5.0
2000	*	*	*	*	*	330	4.9	0.27	4.4	5.5
2001	*	*	*	*	*	314	4.7	0.27	4.2	5.3
2002	12	4.3	1.33	2.1	7.5	310	4.6	0.27	4.1	5.2
2003	*	*	*	*	*	293	4.3	0.25	3.8	4.8
2004	*	*	*	*	*	308	4.5	0.26	4.0	5.1
2005	*	*	*	*	*	325	4.7	0.26	4.2	5.2
2006	*	*	*	*	*	342	4.9	0.27	4.4	5.5
2007	10	2.3	0.79	1.0	4.3	321	4.6	0.26	4.1	5.2
2008	*	*	*	*	*	325	4.6	0.26	4.1	5.1
2009	17	3.9	0.99	2.2	6.3	348	4.9	0.27	4.4	5.5
2010	18	3.6	0.92	2.1	5.8	387	5.4	0.28	4.9	6.0
2011	18	4.3	1.06	2.4	6.7	371	5.1	0.27	4.6	5.6
2012	19	3.7	0.90	2.1	5.8	404	5.4	0.27	4.9	5.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	5,880	4.4	0.06	4.3	4.5	1,394	7.4	0.20	7.0	7.8
1990	259	4.6	0.29	4.0	5.2	47	7.0	1.03	5.1	9.3
1991	259	4.7	0.30	4.2	5.4	47	7.1	1.05	5.2	9.5
1992	210	3.7	0.26	3.2	4.2	50	7.1	1.02	5.2	9.3
1993	242	4.2	0.27	3.7	4.8	53	7.2	1.00	5.4	9.5
1994	246	4.3	0.28	3.8	4.9	58	8.2	1.08	6.2	10.5
1995	249	4.3	0.28	3.8	4.9	50	7.1	1.01	5.2	9.3
1996	242	4.1	0.27	3.6	4.7	45	6.1	0.92	4.4	8.1
1997	243	4.2	0.28	3.7	4.8	48	6.7	0.97	4.9	8.8
1998	262	4.4	0.28	3.9	5.0	58	7.8	1.03	5.9	10.0
1999	245	4.2	0.28	3.7	4.8	50	6.3	0.89	4.6	8.3
2000	265	4.7	0.29	4.1	5.3	62	7.9	1.01	6.1	10.1
2001	256	4.4	0.28	3.9	5.0	55	6.6	0.90	5.0	8.6
2002	241	4.2	0.28	3.7	4.8	60	7.2	0.93	5.5	9.2
2003	239	4.1	0.27	3.6	4.7	51	6.1	0.86	4.5	8.0
2004	228	3.9	0.26	3.4	4.5	75	8.9	1.03	7.0	11.1
2005	255	4.3	0.28	3.8	4.9	67	7.6	0.93	5.9	9.6
2006	264	4.5	0.28	3.9	5.0	73	8.6	1.01	6.7	10.8
2007	259	4.5	0.29	4.0	5.1	58	6.3	0.84	4.8	8.2
2008	256	4.3	0.27	3.8	4.9	63	6.7	0.86	5.2	8.6
2009	255	4.4	0.28	3.8	5.0	86	8.9	0.97	7.1	11.0
2010	294	5.0	0.30	4.4	5.6	82	8.6	0.96	6.8	10.6
2011	292	4.8	0.29	4.3	5.4	76	7.8	0.91	6.2	9.8
2012	319	5.1	0.29	4.5	5.7	80	8.2	0.92	6.5	10.2

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Ovary										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	377	5.2	0.29	4.6	5.8	13,761	9.0	0.08	8.8	9.1
1990	*	*	*	*	*	627	10.3	0.42	9.5	11.2
1991	14	6.4	1.75	3.5	10.8	575	9.2	0.39	8.5	10.0
1992	*	*	*	*	*	631	10.2	0.41	9.4	11.1
1993	*	*	*	*	*	586	9.3	0.39	8.6	10.1
1994	*	*	*	*	*	616	9.7	0.40	9.0	10.6
1995	12	5.2	1.64	2.5	9.3	587	9.3	0.39	8.6	10.1
1996	16	6.0	1.71	3.2	10.2	643	10.0	0.40	9.3	10.8
1997	*	*	*	*	*	612	9.5	0.39	8.7	10.3
1998	13	5.2	1.62	2.5	9.2	592	9.1	0.38	8.4	9.9
1999	*	*	*	*	*	595	9.1	0.38	8.4	9.9
2000	19	6.0	1.58	3.3	9.8	615	9.3	0.38	8.6	10.1
2001	14	4.4	1.33	2.2	7.6	580	8.9	0.37	8.2	9.6
2002	24	7.2	1.61	4.4	11.0	595	9.0	0.37	8.3	9.8
2003	15	4.6	1.30	2.5	7.8	612	9.1	0.37	8.3	9.8
2004	17	5.2	1.43	2.7	8.6	607	9.0	0.37	8.3	9.8
2005	18	4.9	1.32	2.6	8.0	639	9.3	0.37	8.6	10.1
2006	23	5.6	1.29	3.4	8.6	607	8.7	0.36	8.1	9.5
2007	25	6.0	1.30	3.7	9.0	595	8.5	0.35	7.8	9.2
2008	16	4.3	1.18	2.3	7.1	579	8.4	0.35	7.7	9.1
2009	18	4.6	1.15	2.6	7.3	560	7.9	0.34	7.3	8.6
2010	17	3.6	0.96	2.0	5.9	577	8.0	0.34	7.4	8.7
2011	33	6.9	1.29	4.6	9.8	573	8.0	0.34	7.3	8.7
2012	32	6.4	1.22	4.2	9.1	558	7.7	0.33	7.0	8.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	12,111	9.4	0.09	9.2	9.5	1,456	7.7	0.20	7.3	8.1
1990	569	10.7	0.46	9.9	11.7	54	7.8	1.08	5.9	10.2
1991	519	9.6	0.43	8.7	10.4	53	8.3	1.15	6.2	10.8
1992	562	10.5	0.45	9.6	11.4	62	8.8	1.13	6.7	11.3
1993	522	9.6	0.43	8.8	10.5	60	8.2	1.07	6.2	10.5
1994	559	10.2	0.44	9.4	11.1	53	7.5	1.05	5.6	9.9
1995	546	10.0	0.44	9.2	10.9	37	4.9	0.81	3.4	6.7
1996	579	10.5	0.44	9.6	11.4	59	8.1	1.07	6.2	10.5
1997	530	9.6	0.42	8.8	10.4	78	10.0	1.14	7.9	12.5
1998	534	9.6	0.42	8.8	10.5	53	6.7	0.93	5.0	8.8
1999	522	9.4	0.42	8.6	10.2	66	8.3	1.03	6.4	10.5
2000	547	9.8	0.43	9.0	10.7	64	8.1	1.01	6.2	10.3
2001	496	9.0	0.41	8.2	9.9	73	9.1	1.07	7.1	11.4
2002	529	9.5	0.42	8.7	10.4	58	6.9	0.91	5.2	8.9
2003	533	9.3	0.41	8.6	10.2	70	8.2	0.99	6.4	10.4
2004	528	9.4	0.42	8.6	10.2	70	8.1	0.98	6.3	10.3
2005	552	9.6	0.42	8.8	10.5	72	8.5	1.00	6.6	10.6
2006	540	9.3	0.41	8.5	10.2	55	6.3	0.85	4.7	8.2
2007	511	8.7	0.40	8.0	9.5	74	8.0	0.94	6.3	10.0
2008	505	8.8	0.40	8.0	9.6	60	6.7	0.87	5.1	8.6
2009	483	8.3	0.39	7.5	9.1	65	6.6	0.83	5.1	8.5
2010	496	8.3	0.38	7.6	9.1	69	7.2	0.88	5.6	9.1
2011	479	8.2	0.38	7.4	9.0	81	8.2	0.93	6.5	10.3
2012	470	7.9	0.38	7.2	8.7	70	6.8	0.83	5.3	8.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Male Genital System										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	676	16.5	0.71	15.1	17.9	31,079	31.4	0.18	31.0	31.7
1990	14	13.0	4.29	6.0	23.3	1,548	42.0	1.11	39.8	44.2
1991	15	11.5	3.64	5.5	20.3	1,540	41.1	1.09	39.0	43.3
1992	14	15.6	4.68	7.8	26.6	1,509	39.5	1.05	37.4	41.6
1993	26	24.0	5.67	14.2	36.9	1,611	42.0	1.08	39.9	44.2
1994	23	22.6	5.31	13.4	34.6	1,510	38.9	1.03	36.9	41.0
1995	16	15.1	4.21	8.0	24.9	1,497	38.1	1.01	36.1	40.1
1996	25	17.6	4.26	10.3	27.3	1,493	37.4	0.99	35.4	39.3
1997	26	20.5	4.57	12.6	30.8	1,465	36.2	0.97	34.4	38.2
1998	27	17.3	3.88	10.6	26.1	1,488	36.2	0.96	34.4	38.2
1999	22	14.7	3.63	8.4	23.0	1,425	34.2	0.92	32.4	36.1
2000	28	19.8	4.13	12.6	29.1	1,408	33.7	0.91	32.0	35.5
2001	27	17.6	3.86	10.9	26.3	1,400	32.9	0.89	31.2	34.7
2002	34	19.0	3.64	12.6	27.1	1,319	30.5	0.85	28.8	32.2
2003	30	15.9	3.21	10.2	23.1	1,219	28.0	0.81	26.5	29.7
2004	26	15.4	3.29	9.6	22.8	1,230	27.8	0.80	26.3	29.4
2005	37	17.4	3.18	11.7	24.4	1,253	27.8	0.79	26.3	29.4
2006	32	14.1	2.86	9.1	20.5	1,212	26.6	0.77	25.2	28.2
2007	39	16.5	2.99	11.2	23.1	1,246	26.7	0.76	25.2	28.3
2008	43	17.5	3.01	12.1	24.1	1,162	24.5	0.73	23.1	26.0
2009	36	13.6	2.51	9.2	19.2	1,175	24.3	0.72	23.0	25.8
2010	41	13.6	2.34	9.4	18.7	1,159	23.5	0.70	22.1	24.9
2011	44	14.0	2.29	9.9	19.0	1,090	21.7	0.66	20.4	23.0
2012	51	16.5	2.50	11.9	21.9	1,120	21.9	0.66	20.6	23.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	24,365	28.1	0.18	27.7	28.4	6,510	66.3	0.86	64.6	68.0
1990	1,254	38.2	1.12	36.0	40.5	293	84.3	5.28	74.3	95.2
1991	1,236	37.0	1.09	34.9	39.2	299	85.0	5.22	75.1	95.7
1992	1,194	34.9	1.04	32.9	37.0	307	89.0	5.41	78.7	100.1
1993	1,282	37.6	1.09	35.5	39.8	324	88.7	5.26	78.7	99.4
1994	1,198	34.7	1.03	32.7	36.8	309	85.2	5.14	75.5	95.8
1995	1,224	35.2	1.03	33.2	37.3	269	70.5	4.56	61.9	79.9
1996	1,187	33.5	1.00	31.6	35.5	298	79.1	4.84	69.9	89.0
1997	1,165	32.6	0.98	30.8	34.6	291	73.4	4.56	64.8	82.8
1998	1,184	32.7	0.97	30.8	34.6	295	72.4	4.45	64.0	81.6
1999	1,138	31.1	0.93	29.3	32.9	281	68.0	4.27	59.9	76.8
2000	1,103	30.0	0.91	28.2	31.8	294	72.8	4.47	64.3	81.9
2001	1,112	29.7	0.90	28.0	31.5	283	67.7	4.25	59.7	76.5
2002	1,012	26.7	0.85	25.1	28.5	298	68.6	4.18	60.7	77.2
2003	948	24.9	0.82	23.4	26.6	260	59.1	3.87	51.7	67.0
2004	941	24.4	0.80	22.8	26.0	280	64.8	4.08	57.1	73.2
2005	956	24.4	0.79	22.8	26.0	286	62.8	3.95	55.3	70.9
2006	920	23.1	0.77	21.7	24.7	286	64.2	3.99	56.6	72.4
2007	956	23.5	0.77	22.0	25.1	279	60.0	3.78	52.9	67.8
2008	906	22.1	0.74	20.7	23.6	246	50.9	3.40	44.4	57.9
2009	878	21.1	0.71	19.7	22.5	275	54.6	3.45	48.1	61.7
2010	864	20.3	0.69	18.9	21.7	281	55.4	3.44	48.9	62.5
2011	848	19.6	0.68	18.3	21.0	229	42.5	2.92	37.0	48.6
2012	859	19.5	0.67	18.2	20.8	247	45.9	3.02	40.1	52.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.*

** Statistics not shown due to fewer than 10 cases*

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Prostate										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	633	16.1	0.71	14.8	17.5	30,612	31.0	0.18	30.6	31.3
1990	12	12.4	4.26	5.5	22.7	1,533	41.6	1.11	39.5	43.9
1991	14	11.3	3.64	5.4	20.1	1,519	40.6	1.08	38.5	42.8
1992	13	15.5	4.68	7.7	26.5	1,489	39.0	1.05	37.0	41.1
1993	23	23.7	5.67	14.0	36.6	1,586	41.5	1.08	39.4	43.6
1994	22	22.1	5.29	13.0	34.1	1,495	38.6	1.03	36.6	40.7
1995	16	15.1	4.21	8.0	24.9	1,483	37.8	1.01	35.9	39.8
1996	23	17.4	4.26	10.1	27.2	1,479	37.1	0.99	35.2	39.0
1997	24	19.4	4.47	11.7	29.5	1,441	35.7	0.96	33.9	37.7
1998	24	15.8	3.74	9.4	24.4	1,468	35.8	0.95	34.0	37.8
1999	20	14.2	3.61	8.0	22.5	1,403	33.8	0.92	32.0	35.6
2000	27	19.3	4.10	12.2	28.5	1,382	33.2	0.91	31.5	35.0
2001	27	17.6	3.86	10.9	26.3	1,375	32.4	0.88	30.7	34.2
2002	33	18.9	3.64	12.4	26.9	1,298	30.0	0.84	28.4	31.7
2003	29	15.7	3.21	10.1	22.9	1,205	27.8	0.81	26.2	29.4
2004	26	15.4	3.29	9.6	22.8	1,202	27.2	0.79	25.7	28.8
2005	34	17.1	3.18	11.5	24.1	1,236	27.5	0.79	25.9	29.0
2006	31	13.9	2.85	8.9	20.3	1,189	26.2	0.77	24.7	27.7
2007	36	16.3	2.99	11.0	22.9	1,225	26.3	0.76	24.8	27.8
2008	40	17.3	3.01	11.9	23.9	1,134	24.0	0.72	22.6	25.4
2009	34	13.5	2.51	9.0	19.0	1,155	24.0	0.71	22.6	25.4
2010	35	12.7	2.29	8.6	17.7	1,136	23.1	0.69	21.7	24.5
2011	43	13.8	2.28	9.7	18.8	1,074	21.4	0.66	20.2	22.8
2012	47	16.0	2.49	11.5	21.5	1,105	21.6	0.66	20.3	22.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	23,965	27.6	0.18	27.3	28.0	6,447	65.9	0.86	64.2	67.6
1990	1,241	37.9	1.12	35.7	40.1	291	83.7	5.26	73.7	94.5
1991	1,217	36.6	1.09	34.5	38.7	297	84.6	5.21	74.7	95.3
1992	1,179	34.5	1.04	32.5	36.6	302	87.8	5.38	77.6	98.8
1993	1,261	37.1	1.08	35.1	39.3	320	87.9	5.24	77.9	98.6
1994	1,184	34.4	1.03	32.4	36.4	308	85.1	5.14	75.4	95.7
1995	1,211	34.9	1.03	32.9	36.9	268	70.4	4.56	61.8	79.8
1996	1,173	33.2	0.99	31.3	35.2	298	79.1	4.84	69.9	89.0
1997	1,144	32.1	0.97	30.3	34.1	288	73.0	4.56	64.3	82.3
1998	1,167	32.3	0.96	30.4	34.2	292	72.1	4.44	63.6	81.2
1999	1,120	30.6	0.93	28.8	32.5	277	67.5	4.26	59.4	76.2
2000	1,081	29.5	0.91	27.7	31.3	290	72.2	4.46	63.8	81.4
2001	1,089	29.1	0.89	27.4	30.9	281	67.4	4.24	59.4	76.2
2002	994	26.3	0.84	24.7	28.0	295	68.1	4.17	60.2	76.6
2003	938	24.7	0.81	23.1	26.3	256	58.5	3.86	51.2	66.4
2004	915	23.7	0.79	22.2	25.3	278	64.5	4.07	56.8	72.9
2005	941	24.0	0.79	22.5	25.6	285	62.7	3.95	55.2	70.8
2006	902	22.7	0.76	21.2	24.2	281	63.6	3.98	56.0	71.8
2007	940	23.1	0.76	21.7	24.7	274	59.3	3.76	52.1	67.0
2008	883	21.5	0.73	20.1	23.0	242	50.3	3.38	43.9	57.3
2009	864	20.7	0.71	19.4	22.2	270	54.0	3.43	47.5	61.1
2010	843	19.8	0.69	18.5	21.2	279	55.2	3.44	48.7	62.3
2011	833	19.3	0.67	18.0	20.7	228	42.4	2.92	36.9	48.5
2012	845	19.2	0.67	17.9	20.5	247	45.9	3.02	40.1	52.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Testis										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	29	0.1	0.03	0.1	0.2	274	0.2	0.01	0.2	0.3
1990	*	*	*	*	*	10	0.2	0.06	0.1	0.4
1991	*	*	*	*	*	15	0.3	0.08	0.2	0.5
1992	*	*	*	*	*	10	0.2	0.06	0.1	0.4
1993	*	*	*	*	*	17	0.3	0.08	0.2	0.5
1994	*	*	*	*	*	11	0.2	0.06	0.1	0.4
1995	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1997	*	*	*	*	*	12	0.2	0.07	0.1	0.4
1998	*	*	*	*	*	14	0.3	0.07	0.2	0.5
1999	*	*	*	*	*	11	0.2	0.06	0.1	0.4
2000	*	*	*	*	*	16	0.3	0.08	0.2	0.5
2001	*	*	*	*	*	12	0.2	0.07	0.1	0.4
2002	*	*	*	*	*	14	0.3	0.07	0.2	0.5
2003	*	*	*	*	*	*	*	*	*	*
2004	*	*	*	*	*	17	0.3	0.08	0.2	0.5
2005	*	*	*	*	*	12	0.2	0.07	0.1	0.4
2006	*	*	*	*	*	13	0.3	0.07	0.1	0.4
2007	*	*	*	*	*	10	0.2	0.06	0.1	0.4
2008	*	*	*	*	*	19	0.4	0.09	0.2	0.6
2009	*	*	*	*	*	13	0.3	0.07	0.1	0.4
2010	*	*	*	*	*	12	0.2	0.06	0.1	0.4
2011	*	*	*	*	*	*	*	*	*	*
2012	*	*	*	*	*	*	*	*	*	*

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	242	0.3	0.02	0.2	0.3	30	0.2	0.03	0.1	0.2
1990	*	*	*	*	*	*	*	*	*	*
1991	15	0.4	0.10	0.2	0.6	*	*	*	*	*
1992	*	*	*	*	*	*	*	*	*	*
1993	15	0.4	0.09	0.2	0.6	*	*	*	*	*
1994	10	0.2	0.07	0.1	0.4	*	*	*	*	*
1995	*	*	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	*	*	*
1997	10	0.2	0.08	0.1	0.4	*	*	*	*	*
1998	12	0.3	0.08	0.2	0.5	*	*	*	*	*
1999	*	*	*	*	*	*	*	*	*	*
2000	13	0.3	0.09	0.2	0.5	*	*	*	*	*
2001	11	0.3	0.08	0.1	0.5	*	*	*	*	*
2002	14	0.3	0.09	0.2	0.6	*	*	*	*	*
2003	*	*	*	*	*	*	*	*	*	*
2004	16	0.4	0.10	0.2	0.7	*	*	*	*	*
2005	11	0.3	0.08	0.1	0.5	*	*	*	*	*
2006	10	0.3	0.08	0.1	0.5	*	*	*	*	*
2007	*	*	*	*	*	*	*	*	*	*
2008	17	0.4	0.10	0.2	0.7	*	*	*	*	*
2009	11	0.3	0.08	0.1	0.5	*	*	*	*	*
2010	11	0.2	0.07	0.1	0.4	*	*	*	*	*
2011	*	*	*	*	*	*	*	*	*	*
2012	*	*	*	*	*	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

*Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.*

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Urinary System										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	586	4.7	0.22	4.2	5.1	24,893	9.3	0.06	9.1	9.4
1990	13	3.9	1.21	1.9	6.9	997	9.5	0.30	8.9	10.2
1991	11	4.1	1.29	2.0	7.2	974	9.2	0.30	8.7	9.8
1992	12	3.7	1.18	1.8	6.6	1,016	9.5	0.30	8.9	10.1
1993	16	4.6	1.29	2.4	7.6	1,050	9.6	0.30	9.1	10.2
1994	25	7.5	1.66	4.6	11.3	1,099	10.0	0.30	9.4	10.6
1995	16	3.7	1.04	1.9	6.2	1,031	9.3	0.29	8.7	9.9
1996	15	3.8	1.13	1.9	6.6	1,003	9.0	0.28	8.4	9.5
1997	15	3.6	1.11	1.7	6.3	1,020	9.1	0.28	8.5	9.7
1998	23	5.3	1.30	3.0	8.3	1,071	9.4	0.29	8.9	10.0
1999	15	3.7	1.14	1.9	6.5	1,053	9.2	0.28	8.6	9.7
2000	25	5.9	1.38	3.5	9.0	1,115	9.6	0.29	9.1	10.2
2001	26	5.1	1.11	3.2	7.6	1,084	9.3	0.28	8.8	9.9
2002	21	3.7	0.90	2.2	5.8	1,050	9.0	0.28	8.5	9.6
2003	22	3.5	0.85	2.0	5.5	1,131	9.6	0.29	9.0	10.2
2004	29	4.7	1.02	2.9	7.0	1,106	9.3	0.28	8.8	9.9
2005	32	4.9	1.01	3.1	7.2	1,111	9.2	0.28	8.6	9.7
2006	32	4.3	0.83	2.8	6.2	1,102	9.1	0.27	8.5	9.6
2007	34	4.8	0.91	3.2	6.9	1,116	9.1	0.27	8.6	9.6
2008	31	4.6	0.90	3.0	6.6	1,195	9.6	0.28	9.1	10.2
2009	39	4.9	0.88	3.3	6.9	1,140	9.1	0.27	8.5	9.6
2010	35	4.3	0.79	2.9	6.1	1,134	8.9	0.27	8.4	9.4
2011	49	5.3	0.83	3.8	7.1	1,127	8.7	0.26	8.2	9.3
2012	50	5.6	0.86	4.0	7.5	1,168	8.9	0.26	8.4	9.4

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	21,994	9.5	0.06	9.3	9.6	2,701	8.9	0.17	8.5	9.2
1990	882	9.5	0.32	8.9	10.1	112	10.7	1.05	8.8	12.9
1991	866	9.3	0.32	8.7	9.9	105	9.8	0.98	8.0	11.9
1992	912	9.6	0.32	9.0	10.3	103	9.1	0.93	7.4	11.1
1993	945	9.9	0.32	9.3	10.5	101	8.6	0.88	7.0	10.5
1994	969	10.0	0.32	9.4	10.7	122	10.2	0.95	8.5	12.3
1995	926	9.5	0.31	8.9	10.2	103	8.8	0.89	7.1	10.7
1996	877	8.9	0.30	8.4	9.5	119	9.8	0.93	8.1	11.8
1997	884	9.0	0.30	8.4	9.6	130	10.3	0.93	8.6	12.3
1998	950	9.6	0.31	9.0	10.2	111	8.5	0.83	7.0	10.3
1999	929	9.3	0.31	8.7	9.9	119	9.2	0.86	7.6	11.0
2000	981	9.8	0.31	9.2	10.4	127	9.9	0.90	8.2	11.8
2001	954	9.5	0.31	8.9	10.1	123	9.3	0.85	7.7	11.1
2002	931	9.3	0.31	8.7	9.9	110	8.5	0.83	7.0	10.3
2003	992	9.8	0.31	9.2	10.4	131	9.5	0.86	7.9	11.4
2004	980	9.6	0.31	9.0	10.2	118	8.2	0.77	6.8	9.9
2005	991	9.6	0.31	9.0	10.2	109	7.7	0.76	6.3	9.3
2006	966	9.3	0.30	8.7	9.9	124	8.5	0.78	7.0	10.1
2007	963	9.2	0.30	8.6	9.8	138	9.5	0.83	8.0	11.3
2008	1,070	10.1	0.31	9.5	10.7	114	7.7	0.73	6.3	9.2
2009	995	9.3	0.30	8.7	9.9	131	8.8	0.79	7.4	10.5
2010	977	9.1	0.29	8.5	9.7	143	9.2	0.79	7.8	10.9
2011	1,012	9.3	0.30	8.7	9.9	102	6.7	0.67	5.4	8.1
2012	1,042	9.4	0.30	8.8	10.0	106	6.5	0.65	5.3	7.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Urinary System										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	393	7.1	0.42	6.3	7.9	15,872	14.9	0.12	14.7	15.1
1990	*	*	*	*	*	617	15.4	0.65	14.2	16.7
1991	10	8.8	3.03	3.9	16.3	617	15.3	0.64	14.0	16.5
1992	*	*	*	*	*	630	15.3	0.63	14.1	16.6
1993	11	6.1	2.10	2.7	11.6	671	16.0	0.64	14.8	17.3
1994	16	11.0	3.24	5.6	18.7	699	16.4	0.64	15.2	17.7
1995	14	5.5	1.59	2.8	9.6	649	14.9	0.60	13.8	16.2
1996	10	5.8	2.24	2.3	11.5	629	14.6	0.60	13.4	15.8
1997	*	*	*	*	*	638	14.5	0.58	13.4	15.7
1998	18	9.8	2.86	5.0	16.6	668	15.1	0.59	13.9	16.3
1999	*	*	*	*	*	654	14.6	0.58	13.5	15.8
2000	17	10.0	2.99	5.0	17.0	696	15.4	0.59	14.3	16.6
2001	19	8.2	2.23	4.5	13.5	672	14.6	0.57	13.5	15.7
2002	15	6.3	1.87	3.2	10.9	666	14.3	0.56	13.2	15.4
2003	15	5.7	1.82	2.7	10.1	734	15.5	0.58	14.4	16.7
2004	19	7.8	2.24	4.0	13.0	702	14.6	0.56	13.5	15.7
2005	27	9.8	2.34	5.7	15.2	727	15.1	0.57	14.0	16.2
2006	22	6.0	1.43	3.5	9.4	713	14.6	0.56	13.6	15.8
2007	21	6.5	1.63	3.7	10.4	715	14.2	0.54	13.2	15.3
2008	19	6.7	1.72	3.8	10.7	765	15.3	0.56	14.2	16.5
2009	27	7.4	1.63	4.5	11.1	752	14.6	0.54	13.6	15.7
2010	22	5.3	1.29	3.1	8.3	723	13.8	0.52	12.8	14.9
2011	34	9.0	1.79	5.9	13.1	757	14.3	0.53	13.3	15.4
2012	28	7.5	1.60	4.7	11.2	778	14.4	0.52	13.4	15.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	14,261	15.4	0.13	15.2	15.7	1,495	12.5	0.34	11.8	13.2
1990	560	15.7	0.69	14.4	17.2	55	13.9	2.03	10.2	18.4
1991	552	15.5	0.68	14.2	16.8	65	14.8	1.96	11.3	19.1
1992	578	15.9	0.68	14.6	17.3	51	10.6	1.58	7.7	14.1
1993	611	16.6	0.69	15.3	18.0	57	11.9	1.68	8.9	15.6
1994	631	16.9	0.69	15.6	18.3	64	13.2	1.76	10.0	17.1
1995	580	15.2	0.64	14.0	16.5	67	14.3	1.87	10.9	18.4
1996	565	15.0	0.64	13.7	16.3	60	12.3	1.68	9.2	16.0
1997	565	14.7	0.63	13.5	16.0	70	13.2	1.68	10.1	16.9
1998	601	15.6	0.64	14.3	16.9	63	11.6	1.56	8.8	15.0
1999	578	14.8	0.62	13.6	16.1	73	14.1	1.76	10.9	18.0
2000	625	15.9	0.64	14.7	17.2	67	13.8	1.79	10.5	17.6
2001	608	15.2	0.62	14.0	16.5	61	11.0	1.50	8.2	14.2
2002	605	15.0	0.61	13.8	16.2	53	10.7	1.58	7.8	14.1
2003	657	16.1	0.63	14.9	17.4	72	13.1	1.67	10.0	16.7
2004	637	15.3	0.61	14.2	16.6	61	10.6	1.45	8.0	13.8
2005	653	15.6	0.62	14.4	16.9	70	13.7	1.77	10.4	17.5
2006	636	15.2	0.61	14.1	16.5	74	13.2	1.68	10.1	16.8
2007	628	14.6	0.59	13.5	15.8	75	14.0	1.73	10.8	17.7
2008	696	16.2	0.62	15.0	17.5	63	10.6	1.42	8.0	13.7
2009	667	15.1	0.59	14.0	16.3	73	12.8	1.60	9.9	16.3
2010	634	14.2	0.57	13.1	15.4	79	13.5	1.61	10.5	17.0
2011	690	15.2	0.59	14.1	16.4	60	10.2	1.38	7.7	13.3
2012	704	15.3	0.59	14.2	16.5	62	10.0	1.34	7.5	12.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Urinary System										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	193	2.8	0.22	2.4	3.2	9,021	5.6	0.06	5.5	5.7
1990	*	*	*	*	*	380	6.1	0.31	5.5	6.7
1991	*	*	*	*	*	357	5.5	0.30	5.0	6.2
1992	*	*	*	*	*	386	5.9	0.30	5.3	6.5
1993	*	*	*	*	*	379	5.7	0.30	5.2	6.3
1994	*	*	*	*	*	400	6.0	0.30	5.4	6.6
1995	*	*	*	*	*	382	5.8	0.30	5.2	6.4
1996	*	*	*	*	*	374	5.5	0.28	4.9	6.0
1997	*	*	*	*	*	382	5.6	0.29	5.1	6.2
1998	*	*	*	*	*	403	5.9	0.29	5.3	6.5
1999	*	*	*	*	*	399	5.7	0.29	5.2	6.3
2000	*	*	*	*	*	419	6.0	0.30	5.4	6.6
2001	*	*	*	*	*	412	5.9	0.29	5.3	6.5
2002	*	*	*	*	*	384	5.5	0.28	4.9	6.0
2003	*	*	*	*	*	397	5.6	0.28	5.0	6.2
2004	10	2.6	0.90	1.1	4.9	404	5.7	0.29	5.1	6.3
2005	*	*	*	*	*	384	5.4	0.28	4.8	5.9
2006	10	2.8	0.95	1.2	5.1	389	5.4	0.28	4.9	6.0
2007	13	3.4	1.02	1.7	5.9	401	5.5	0.28	5.0	6.1
2008	12	3.0	0.94	1.4	5.3	430	5.8	0.28	5.2	6.4
2009	12	2.9	0.92	1.4	5.1	388	5.2	0.27	4.7	5.8
2010	13	3.3	0.96	1.7	5.6	411	5.5	0.28	4.9	6.0
2011	15	2.5	0.67	1.4	4.2	370	4.8	0.26	4.4	5.4
2012	22	4.2	0.97	2.6	6.5	390	5.1	0.26	4.6	5.6

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	7,733	5.5	0.06	5.4	5.7	1,206	6.6	0.19	6.2	7.0
1990	322	5.7	0.32	5.1	6.4	57	9.0	1.21	6.8	11.6
1991	314	5.5	0.32	4.9	6.2	40	6.4	1.02	4.6	8.7
1992	334	5.7	0.32	5.1	6.4	52	7.9	1.11	5.9	10.4
1993	334	5.7	0.32	5.1	6.4	44	6.3	0.97	4.6	8.5
1994	338	5.8	0.32	5.1	6.4	58	8.2	1.09	6.2	10.6
1995	346	6.0	0.33	5.4	6.7	36	5.2	0.88	3.7	7.2
1996	312	5.2	0.30	4.6	5.8	59	8.0	1.05	6.0	10.3
1997	319	5.4	0.31	4.8	6.0	60	8.1	1.06	6.2	10.5
1998	349	5.8	0.32	5.2	6.4	48	6.3	0.92	4.7	8.4
1999	351	5.8	0.32	5.2	6.5	46	6.0	0.89	4.4	8.0
2000	356	5.9	0.32	5.3	6.5	60	7.7	1.00	5.8	9.9
2001	346	5.7	0.31	5.1	6.4	62	7.9	1.01	6.0	10.1
2002	326	5.4	0.30	4.8	6.0	57	7.2	0.96	5.5	9.4
2003	335	5.5	0.31	4.9	6.1	59	7.2	0.95	5.5	9.3
2004	343	5.6	0.31	5.0	6.2	57	6.7	0.90	5.1	8.7
2005	338	5.5	0.31	4.9	6.2	39	4.5	0.72	3.2	6.1
2006	330	5.3	0.30	4.7	5.9	50	5.8	0.83	4.3	7.7
2007	335	5.4	0.30	4.8	6.0	63	7.1	0.90	5.5	9.1
2008	374	6.0	0.32	5.3	6.6	51	5.7	0.80	4.2	7.5
2009	328	5.2	0.29	4.6	5.8	58	6.4	0.85	4.9	8.3
2010	343	5.4	0.30	4.8	6.0	64	6.8	0.86	5.2	8.7
2011	322	5.1	0.29	4.5	5.7	42	4.4	0.69	3.2	6.0
2012	338	5.2	0.29	4.7	5.8	44	4.6	0.70	3.3	6.2

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Urinary Bladder										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	162	1.5	0.13	1.3	1.8	12,333	4.6	0.04	4.5	4.6
1990	*	*	*	*	*	496	4.7	0.21	4.3	5.2
1991	*	*	*	*	*	462	4.4	0.21	4.0	4.8
1992	*	*	*	*	*	512	4.8	0.21	4.4	5.2
1993	*	*	*	*	*	498	4.6	0.21	4.2	5.0
1994	*	*	*	*	*	520	4.7	0.21	4.3	5.1
1995	*	*	*	*	*	499	4.5	0.20	4.1	4.9
1996	*	*	*	*	*	505	4.5	0.20	4.1	4.9
1997	*	*	*	*	*	501	4.4	0.20	4.0	4.8
1998	*	*	*	*	*	516	4.5	0.20	4.1	4.9
1999	*	*	*	*	*	556	4.8	0.20	4.4	5.2
2000	*	*	*	*	*	534	4.6	0.20	4.2	5.0
2001	10	2.4	0.80	1.1	4.3	510	4.3	0.19	4.0	4.7
2002	*	*	*	*	*	504	4.3	0.19	3.9	4.7
2003	*	*	*	*	*	553	4.7	0.20	4.3	5.1
2004	*	*	*	*	*	569	4.8	0.20	4.4	5.2
2005	*	*	*	*	*	556	4.6	0.19	4.2	5.0
2006	*	*	*	*	*	570	4.6	0.20	4.3	5.0
2007	*	*	*	*	*	565	4.6	0.19	4.2	5.0
2008	*	*	*	*	*	607	4.8	0.20	4.5	5.2
2009	*	*	*	*	*	588	4.7	0.19	4.3	5.1
2010	15	2.1	0.56	1.1	3.4	574	4.5	0.19	4.1	4.9
2011	18	2.1	0.53	1.2	3.3	561	4.3	0.19	4.0	4.7
2012	19	2.5	0.63	1.5	4.0	577	4.4	0.18	4.0	4.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	11,071	4.7	0.04	4.6	4.8	1,181	4.1	0.12	3.9	4.4
1990	438	4.7	0.22	4.2	5.1	56	5.7	0.79	4.3	7.5
1991	411	4.4	0.22	4.0	4.8	50	5.1	0.73	3.7	6.7
1992	458	4.8	0.22	4.4	5.2	53	5.0	0.71	3.7	6.6
1993	457	4.7	0.22	4.3	5.2	39	3.6	0.60	2.6	5.0
1994	466	4.8	0.22	4.3	5.2	51	4.6	0.66	3.4	6.1
1995	460	4.7	0.22	4.2	5.1	38	3.5	0.57	2.4	4.7
1996	446	4.5	0.21	4.1	4.9	56	5.0	0.68	3.7	6.5
1997	449	4.5	0.21	4.1	4.9	49	4.1	0.60	3.0	5.4
1998	465	4.6	0.21	4.2	5.1	51	4.1	0.59	3.0	5.4
1999	497	4.9	0.22	4.5	5.3	56	4.6	0.63	3.5	6.0
2000	479	4.7	0.21	4.3	5.1	53	4.5	0.63	3.4	5.9
2001	457	4.5	0.21	4.1	4.9	51	4.1	0.59	3.1	5.4
2002	456	4.5	0.21	4.1	4.9	47	3.9	0.57	2.8	5.1
2003	506	4.9	0.22	4.5	5.4	44	3.6	0.55	2.6	4.8
2004	516	5.0	0.22	4.6	5.4	48	3.4	0.51	2.5	4.6
2005	504	4.8	0.22	4.4	5.3	46	3.5	0.53	2.6	4.7
2006	513	4.8	0.22	4.4	5.3	55	4.1	0.57	3.1	5.4
2007	495	4.7	0.21	4.3	5.1	64	4.6	0.59	3.5	5.9
2008	554	5.1	0.22	4.7	5.6	49	3.6	0.51	2.6	4.7
2009	522	4.8	0.21	4.4	5.3	64	4.6	0.58	3.5	5.8
2010	504	4.6	0.21	4.2	5.0	63	4.4	0.56	3.3	5.6
2011	497	4.5	0.21	4.1	4.9	56	3.8	0.51	2.9	4.9
2012	521	4.7	0.21	4.3	5.1	42	2.7	0.43	2.0	3.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Urinary Bladder										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	113	2.5	0.27	2.0	3.1	8,285	8.1	0.09	7.9	8.3
1990	*	*	*	*	*	321	8.5	0.50	7.6	9.5
1991	*	*	*	*	*	316	8.3	0.49	7.4	9.3
1992	*	*	*	*	*	336	8.7	0.49	7.7	9.7
1993	*	*	*	*	*	350	8.8	0.49	7.9	9.9
1994	*	*	*	*	*	351	8.7	0.48	7.8	9.7
1995	*	*	*	*	*	348	8.3	0.46	7.5	9.3
1996	*	*	*	*	*	313	7.7	0.44	6.8	8.6
1997	*	*	*	*	*	336	7.9	0.44	7.1	8.8
1998	*	*	*	*	*	337	7.9	0.44	7.1	8.8
1999	*	*	*	*	*	357	8.3	0.45	7.4	9.2
2000	*	*	*	*	*	350	8.1	0.44	7.2	9.0
2001	*	*	*	*	*	334	7.5	0.42	6.7	8.4
2002	*	*	*	*	*	337	7.5	0.42	6.8	8.4
2003	*	*	*	*	*	375	8.3	0.43	7.5	9.2
2004	*	*	*	*	*	377	8.0	0.42	7.2	8.9
2005	*	*	*	*	*	366	7.8	0.41	7.0	8.7
2006	*	*	*	*	*	378	8.1	0.42	7.3	9.0
2007	*	*	*	*	*	383	7.9	0.41	7.1	8.8
2008	*	*	*	*	*	422	8.7	0.43	7.9	9.6
2009	*	*	*	*	*	407	8.2	0.41	7.4	9.1
2010	*	*	*	*	*	398	7.8	0.40	7.1	8.6
2011	14	4.0	1.19	2.0	6.9	384	7.5	0.39	6.7	8.3
2012	11	3.8	1.24	1.8	6.8	409	7.8	0.39	7.1	8.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	7,652	8.5	0.10	8.3	8.7	591	5.6	0.24	5.1	6.1
1990	293	8.7	0.53	7.7	9.8	27	7.7	1.59	4.9	11.3
1991	284	8.4	0.52	7.4	9.5	32	8.6	1.61	5.7	12.2
1992	316	9.1	0.53	8.1	10.2	19	4.8	1.18	2.8	7.5
1993	326	9.3	0.53	8.3	10.4	23	5.2	1.16	3.2	7.9
1994	327	9.1	0.52	8.1	10.2	23	5.1	1.13	3.2	7.8
1995	322	8.7	0.50	7.8	9.7	25	5.8	1.24	3.7	8.7
1996	291	8.1	0.48	7.1	9.1	22	5.1	1.15	3.1	7.8
1997	310	8.3	0.48	7.4	9.3	25	5.2	1.09	3.3	7.7
1998	311	8.3	0.48	7.4	9.3	26	5.3	1.11	3.3	7.9
1999	327	8.7	0.48	7.7	9.7	28	6.1	1.22	4.0	8.9
2000	326	8.5	0.48	7.6	9.5	23	5.8	1.26	3.6	8.7
2001	312	8.0	0.46	7.1	9.0	21	4.4	1.04	2.6	6.8
2002	317	8.1	0.46	7.2	9.1	19	4.1	1.00	2.4	6.5
2003	355	9.0	0.48	8.1	10.0	18	4.1	1.06	2.3	6.6
2004	354	8.7	0.47	7.8	9.7	21	3.4	0.76	2.1	5.2
2005	341	8.4	0.46	7.5	9.3	24	5.7	1.23	3.6	8.5
2006	348	8.6	0.46	7.7	9.5	30	6.5	1.29	4.2	9.4
2007	342	8.2	0.45	7.3	9.1	36	7.3	1.30	5.0	10.2
2008	396	9.4	0.48	8.5	10.4	24	4.7	1.00	2.9	7.0
2009	369	8.6	0.45	7.7	9.5	36	7.1	1.24	4.8	9.8
2010	358	8.2	0.44	7.3	9.1	35	6.8	1.20	4.6	9.5
2011	350	7.9	0.43	7.1	8.8	31	5.6	1.04	3.8	8.0
2012	377	8.4	0.44	7.6	9.3	23	4.1	0.89	2.5	6.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Urinary Bladder										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	49	0.8	0.13	0.6	1.1	4,048	2.4	0.04	2.3	2.5
1990	*	*	*	*	*	175	2.7	0.20	2.3	3.1
1991	*	*	*	*	*	146	2.2	0.18	1.8	2.6
1992	*	*	*	*	*	176	2.6	0.20	2.3	3.1
1993	*	*	*	*	*	148	2.1	0.18	1.8	2.5
1994	*	*	*	*	*	169	2.5	0.19	2.1	2.9
1995	*	*	*	*	*	151	2.2	0.18	1.8	2.5
1996	*	*	*	*	*	192	2.7	0.20	2.3	3.1
1997	*	*	*	*	*	165	2.3	0.18	2.0	2.7
1998	*	*	*	*	*	179	2.5	0.19	2.1	2.9
1999	*	*	*	*	*	199	2.7	0.20	2.4	3.2
2000	*	*	*	*	*	184	2.5	0.19	2.1	2.9
2001	*	*	*	*	*	176	2.4	0.18	2.0	2.8
2002	*	*	*	*	*	167	2.3	0.18	2.0	2.7
2003	*	*	*	*	*	178	2.4	0.19	2.1	2.8
2004	*	*	*	*	*	192	2.6	0.19	2.2	3.0
2005	*	*	*	*	*	190	2.6	0.19	2.2	3.0
2006	*	*	*	*	*	192	2.6	0.19	2.2	3.0
2007	*	*	*	*	*	182	2.4	0.18	2.1	2.8
2008	*	*	*	*	*	185	2.4	0.18	2.1	2.8
2009	*	*	*	*	*	181	2.4	0.18	2.0	2.8
2010	*	*	*	*	*	176	2.2	0.17	1.9	2.6
2011	*	*	*	*	*	177	2.3	0.18	2.0	2.7
2012	*	*	*	*	*	168	2.1	0.16	1.8	2.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	3,419	2.3	0.04	2.3	2.4	590	3.3	0.14	3.1	3.6
1990	145	2.5	0.21	2.1	2.9	29	4.7	0.88	3.1	6.7
1991	127	2.1	0.19	1.8	2.5	18	3.0	0.71	1.8	4.7
1992	142	2.3	0.20	2.0	2.8	34	5.2	0.90	3.6	7.2
1993	131	2.1	0.19	1.8	2.5	16	2.5	0.63	1.4	4.0
1994	139	2.3	0.20	1.9	2.7	28	4.1	0.79	2.7	6.0
1995	138	2.2	0.19	1.9	2.6	13	2.0	0.55	1.1	3.3
1996	155	2.5	0.20	2.1	2.9	34	4.7	0.82	3.3	6.6
1997	139	2.2	0.19	1.8	2.6	24	3.3	0.69	2.1	5.0
1998	154	2.4	0.20	2.0	2.8	25	3.4	0.68	2.2	4.9
1999	170	2.7	0.21	2.3	3.1	28	3.7	0.71	2.5	5.3
2000	153	2.4	0.19	2.0	2.8	30	4.0	0.73	2.7	5.6
2001	145	2.2	0.19	1.9	2.7	30	3.9	0.72	2.7	5.6
2002	139	2.2	0.19	1.8	2.6	28	3.7	0.69	2.4	5.3
2003	151	2.4	0.20	2.0	2.8	26	3.3	0.66	2.2	4.9
2004	162	2.5	0.20	2.1	2.9	27	3.3	0.64	2.2	4.8
2005	163	2.6	0.21	2.2	3.0	22	2.6	0.56	1.6	3.9
2006	165	2.5	0.20	2.2	3.0	25	3.0	0.61	2.0	4.5
2007	153	2.4	0.20	2.0	2.8	28	3.2	0.62	2.1	4.7
2008	158	2.4	0.20	2.0	2.8	25	2.9	0.58	1.9	4.2
2009	153	2.3	0.19	2.0	2.8	28	3.2	0.61	2.1	4.6
2010	146	2.2	0.19	1.8	2.6	28	3.1	0.59	2.1	4.5
2011	147	2.3	0.19	1.9	2.7	25	2.7	0.53	1.7	3.9
2012	144	2.1	0.18	1.8	2.5	19	2.1	0.48	1.2	3.2

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Kidney and Renal Pelvis										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	412	3.0	0.17	2.7	3.3	11,958	4.5	0.04	4.4	4.5
1990	11	2.8	0.93	1.3	5.2	484	4.6	0.21	4.2	5.1
1991	*	*	*	*	*	486	4.6	0.21	4.2	5.0
1992	*	*	*	*	*	481	4.5	0.21	4.1	4.9
1993	11	2.9	0.98	1.3	5.4	519	4.8	0.21	4.4	5.2
1994	19	5.4	1.40	3.0	8.7	552	5.0	0.22	4.6	5.5
1995	14	3.2	0.98	1.6	5.6	512	4.7	0.21	4.3	5.1
1996	*	*	*	*	*	486	4.4	0.20	4.0	4.8
1997	11	2.5	0.91	1.0	4.7	498	4.5	0.20	4.1	4.9
1998	20	4.7	1.23	2.6	7.6	530	4.7	0.20	4.3	5.1
1999	11	2.4	0.86	1.0	4.5	479	4.2	0.19	3.8	4.6
2000	18	3.8	1.05	2.0	6.3	557	4.9	0.21	4.5	5.3
2001	16	2.7	0.76	1.5	4.6	549	4.8	0.20	4.4	5.2
2002	14	2.2	0.64	1.1	3.8	526	4.5	0.20	4.2	4.9
2003	18	2.5	0.66	1.4	4.1	548	4.7	0.20	4.3	5.1
2004	23	2.9	0.68	1.8	4.6	514	4.3	0.19	4.0	4.7
2005	26	3.8	0.86	2.3	5.8	528	4.4	0.19	4.0	4.8
2006	23	2.9	0.68	1.7	4.5	507	4.2	0.19	3.9	4.6
2007	25	3.6	0.79	2.2	5.4	518	4.2	0.19	3.9	4.6
2008	22	3.0	0.71	1.8	4.7	559	4.5	0.19	4.2	4.9
2009	27	3.1	0.67	2.0	4.7	518	4.1	0.18	3.8	4.5
2010	19	2.1	0.55	1.2	3.5	528	4.2	0.18	3.8	4.5
2011	30	3.0	0.62	2.0	4.5	526	4.1	0.18	3.7	4.5
2012	29	2.8	0.56	1.8	4.1	553	4.2	0.18	3.9	4.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	10,386	4.5	0.04	4.4	4.6	1,459	4.5	0.12	4.3	4.8
1990	430	4.7	0.23	4.2	5.1	53	4.8	0.67	3.5	6.2
1991	435	4.7	0.23	4.2	5.1	49	4.2	0.61	3.1	5.5
1992	433	4.6	0.22	4.2	5.1	48	4.0	0.59	2.9	5.3
1993	459	4.9	0.23	4.4	5.3	58	4.6	0.62	3.5	6.0
1994	477	5.0	0.23	4.6	5.5	70	5.5	0.68	4.3	7.0
1995	447	4.7	0.22	4.3	5.2	64	5.3	0.67	4.0	6.7
1996	420	4.3	0.21	3.9	4.8	62	4.8	0.62	3.6	6.1
1997	418	4.3	0.21	3.9	4.8	77	5.9	0.69	4.6	7.4
1998	463	4.7	0.22	4.3	5.2	57	4.2	0.57	3.2	5.4
1999	415	4.2	0.21	3.8	4.7	62	4.5	0.59	3.4	5.8
2000	480	4.9	0.22	4.5	5.3	73	5.3	0.64	4.2	6.7
2001	473	4.8	0.22	4.4	5.3	71	5.1	0.61	3.9	6.4
2002	458	4.6	0.22	4.2	5.1	60	4.5	0.59	3.4	5.8
2003	456	4.6	0.21	4.1	5.0	87	6.0	0.66	4.8	7.4
2004	444	4.4	0.21	4.0	4.9	67	4.6	0.57	3.5	5.8
2005	462	4.5	0.21	4.1	4.9	61	4.0	0.53	3.1	5.2
2006	431	4.3	0.21	3.9	4.7	66	4.2	0.52	3.2	5.3
2007	441	4.3	0.20	3.9	4.7	69	4.6	0.57	3.6	5.8
2008	488	4.7	0.21	4.3	5.1	64	4.0	0.52	3.1	5.2
2009	446	4.2	0.20	3.8	4.6	62	3.9	0.51	3.0	5.1
2010	445	4.2	0.20	3.8	4.6	76	4.7	0.55	3.7	5.9
2011	480	4.5	0.21	4.1	4.9	41	2.6	0.41	1.8	3.5
2012	485	4.4	0.20	4.0	4.9	62	3.7	0.48	2.8	4.8

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Kidney and Renal Pelvis										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	270	4.3	0.31	3.7	5.0	7,269	6.5	0.08	6.3	6.6
1990	*	*	*	*	*	286	6.7	0.40	5.9	7.5
1991	*	*	*	*	*	289	6.7	0.40	5.9	7.5
1992	*	*	*	*	*	283	6.4	0.39	5.6	7.2
1993	*	*	*	*	*	307	6.8	0.40	6.1	7.6
1994	11	7.2	2.64	3.0	13.8	335	7.4	0.41	6.6	8.3
1995	12	4.5	1.42	2.1	8.3	290	6.4	0.38	5.6	7.2
1996	*	*	*	*	*	309	6.8	0.39	6.0	7.6
1997	*	*	*	*	*	291	6.3	0.37	5.6	7.1
1998	17	8.9	2.73	4.4	15.5	317	6.8	0.39	6.1	7.7
1999	*	*	*	*	*	290	6.2	0.37	5.5	6.9
2000	12	6.3	2.30	2.6	11.9	331	7.0	0.39	6.3	7.8
2001	14	4.9	1.56	2.4	8.8	322	6.7	0.38	6.0	7.5
2002	10	3.7	1.34	1.5	7.1	320	6.5	0.37	5.8	7.3
2003	12	3.6	1.23	1.6	6.8	348	7.0	0.38	6.3	7.8
2004	14	3.9	1.17	1.9	6.9	312	6.3	0.36	5.6	7.0
2005	21	7.2	1.89	4.0	11.6	344	6.8	0.37	6.1	7.6
2006	17	4.3	1.17	2.3	7.2	323	6.3	0.35	5.6	7.0
2007	13	3.9	1.23	1.9	7.0	311	5.9	0.34	5.2	6.6
2008	12	4.2	1.36	2.0	7.5	328	6.3	0.35	5.6	7.0
2009	19	4.9	1.28	2.7	7.9	331	6.1	0.34	5.5	6.8
2010	12	2.6	0.89	1.2	4.8	307	5.6	0.33	5.0	6.3
2011	19	4.7	1.28	2.5	7.7	352	6.4	0.35	5.8	7.2
2012	15	3.1	0.90	1.6	5.3	343	6.1	0.33	5.4	6.8

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	6,315	6.6	0.08	6.4	6.7	882	6.7	0.24	6.2	7.2
1990	257	6.8	0.43	6.0	7.7	28	6.2	1.25	4.0	9.1
1991	258	6.8	0.43	6.0	7.7	31	5.8	1.08	3.9	8.3
1992	252	6.5	0.42	5.7	7.4	31	5.7	1.04	3.8	8.1
1993	272	7.0	0.43	6.1	7.8	33	6.5	1.19	4.4	9.2
1994	292	7.5	0.44	6.6	8.4	40	7.7	1.28	5.4	10.6
1995	248	6.2	0.40	5.5	7.1	41	8.3	1.38	5.8	11.4
1996	268	6.7	0.42	5.9	7.6	37	6.8	1.18	4.7	9.5
1997	245	6.1	0.40	5.4	7.0	44	7.9	1.28	5.6	10.8
1998	277	6.9	0.42	6.1	7.8	36	6.1	1.08	4.2	8.6
1999	245	6.0	0.39	5.3	6.9	44	7.9	1.26	5.6	10.7
2000	285	7.0	0.42	6.2	7.9	44	8.0	1.27	5.7	10.8
2001	281	6.8	0.41	6.0	7.7	39	6.4	1.07	4.5	8.8
2002	280	6.7	0.40	5.9	7.5	33	6.3	1.19	4.2	9.0
2003	291	6.9	0.41	6.1	7.7	54	9.0	1.29	6.6	11.8
2004	271	6.3	0.39	5.6	7.1	39	7.1	1.22	4.9	9.8
2005	296	6.9	0.40	6.1	7.7	45	7.6	1.22	5.4	10.4
2006	276	6.4	0.39	5.6	7.2	44	6.6	1.08	4.7	9.1
2007	268	6.0	0.37	5.3	6.7	36	6.3	1.12	4.3	8.8
2008	285	6.4	0.39	5.7	7.2	39	5.9	1.00	4.1	8.2
2009	285	6.2	0.37	5.5	7.0	37	5.8	1.00	4.0	8.0
2010	258	5.6	0.35	4.9	6.3	44	6.7	1.07	4.8	9.2
2011	322	6.9	0.39	6.2	7.8	26	4.1	0.86	2.6	6.1
2012	303	6.4	0.37	5.6	7.1	37	5.7	0.99	3.9	7.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Kidney and Renal Pelvis										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	142	1.9	0.18	1.6	2.3	4,689	3.0	0.04	2.9	3.1
1990	*	*	*	*	*	198	3.3	0.23	2.8	3.7
1991	*	*	*	*	*	197	3.1	0.23	2.7	3.6
1992	*	*	*	*	*	198	3.1	0.22	2.7	3.6
1993	*	*	*	*	*	212	3.3	0.23	2.9	3.8
1994	*	*	*	*	*	217	3.4	0.23	2.9	3.8
1995	*	*	*	*	*	222	3.5	0.24	3.0	4.0
1996	*	*	*	*	*	177	2.7	0.20	2.3	3.1
1997	*	*	*	*	*	207	3.1	0.22	2.7	3.6
1998	*	*	*	*	*	213	3.2	0.22	2.8	3.7
1999	*	*	*	*	*	189	2.8	0.21	2.4	3.3
2000	*	*	*	*	*	226	3.4	0.23	2.9	3.8
2001	*	*	*	*	*	227	3.4	0.22	2.9	3.8
2002	*	*	*	*	*	206	3.0	0.21	2.6	3.5
2003	*	*	*	*	*	200	2.9	0.21	2.5	3.3
2004	*	*	*	*	*	202	3.0	0.21	2.6	3.4
2005	*	*	*	*	*	184	2.6	0.20	2.3	3.1
2006	*	*	*	*	*	184	2.6	0.20	2.3	3.1
2007	12	3.3	1.00	1.6	5.7	207	2.9	0.21	2.5	3.4
2008	10	2.2	0.75	1.0	4.1	231	3.2	0.21	2.8	3.7
2009	*	*	*	*	*	187	2.6	0.19	2.2	3.0
2010	*	*	*	*	*	221	3.0	0.21	2.6	3.5
2011	11	1.9	0.60	0.9	3.5	174	2.3	0.18	2.0	2.7
2012	14	2.5	0.72	1.3	4.3	210	2.8	0.20	2.4	3.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	4,071	3.0	0.05	2.9	3.1	577	3.1	0.13	2.8	3.3
1990	173	3.2	0.25	2.7	3.7	25	3.9	0.78	2.5	5.7
1991	177	3.2	0.25	2.8	3.8	18	2.8	0.66	1.6	4.4
1992	181	3.2	0.24	2.8	3.7	17	2.6	0.63	1.5	4.1
1993	187	3.3	0.25	2.9	3.9	25	3.4	0.69	2.2	5.0
1994	185	3.2	0.24	2.8	3.8	30	4.1	0.75	2.7	5.8
1995	199	3.6	0.26	3.1	4.2	23	3.3	0.68	2.1	4.9
1996	152	2.6	0.22	2.2	3.1	25	3.2	0.66	2.1	4.8
1997	173	3.1	0.24	2.6	3.6	33	4.4	0.77	3.0	6.1
1998	186	3.2	0.24	2.8	3.7	21	2.7	0.60	1.7	4.2
1999	170	3.0	0.23	2.5	3.5	18	2.3	0.54	1.4	3.6
2000	195	3.4	0.25	2.9	3.9	29	3.6	0.67	2.4	5.1
2001	192	3.3	0.24	2.9	3.8	32	4.0	0.70	2.7	5.6
2002	178	3.0	0.23	2.6	3.5	27	3.4	0.65	2.2	4.9
2003	165	2.8	0.22	2.4	3.3	33	3.9	0.68	2.7	5.5
2004	173	3.0	0.23	2.5	3.5	28	3.2	0.61	2.1	4.6
2005	166	2.8	0.22	2.4	3.3	16	1.8	0.45	1.0	2.9
2006	155	2.6	0.22	2.2	3.1	22	2.5	0.53	1.5	3.7
2007	173	2.9	0.22	2.4	3.3	33	3.7	0.64	2.5	5.1
2008	203	3.4	0.24	2.9	3.9	25	2.7	0.54	1.7	4.0
2009	161	2.6	0.21	2.2	3.1	25	2.7	0.55	1.8	4.0
2010	187	3.1	0.23	2.7	3.6	32	3.3	0.59	2.2	4.7
2011	158	2.5	0.21	2.1	3.0	15	1.6	0.41	0.9	2.6
2012	182	2.9	0.22	2.5	3.4	25	2.5	0.51	1.6	3.8

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Brain and Other Nervous System										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	441	2.5	0.14	2.2	2.7	11,343	4.3	0.04	4.2	4.4
1990	*	*	*	*	*	498	4.7	0.21	4.3	5.2
1991	11	1.6	0.53	0.7	3.2	478	4.5	0.21	4.1	4.9
1992	13	2.0	0.60	1.0	3.7	524	4.8	0.21	4.4	5.3
1993	12	2.4	0.82	1.1	4.6	519	4.8	0.21	4.4	5.2
1994	13	1.5	0.58	0.6	3.2	506	4.6	0.21	4.2	5.1
1995	14	1.6	0.46	0.8	2.9	465	4.3	0.20	3.9	4.7
1996	16	2.3	0.68	1.2	4.1	455	4.1	0.19	3.8	4.5
1997	10	1.8	0.71	0.7	3.6	495	4.5	0.20	4.1	4.9
1998	16	2.3	0.66	1.2	4.0	459	4.1	0.19	3.7	4.5
1999	20	2.7	0.77	1.4	4.6	507	4.5	0.20	4.1	4.9
2000	23	3.0	0.76	1.7	4.9	479	4.2	0.19	3.9	4.6
2001	20	3.5	0.90	1.9	5.6	533	4.7	0.20	4.3	5.1
2002	20	2.2	0.66	1.1	3.8	447	3.9	0.19	3.6	4.3
2003	24	2.6	0.63	1.5	4.1	477	4.1	0.19	3.8	4.5
2004	17	1.9	0.55	0.9	3.2	494	4.2	0.19	3.9	4.6
2005	15	1.9	0.59	0.9	3.3	430	3.7	0.18	3.4	4.1
2006	20	2.1	0.59	1.1	3.6	490	4.2	0.19	3.8	4.6
2007	26	3.2	0.72	2.0	4.9	471	3.9	0.18	3.6	4.3
2008	22	2.2	0.57	1.2	3.6	479	3.9	0.18	3.6	4.3
2009	22	2.1	0.54	1.2	3.4	548	4.5	0.20	4.1	4.9
2010	28	2.8	0.60	1.7	4.2	517	4.2	0.19	3.8	4.6
2011	34	3.0	0.60	2.0	4.4	516	4.1	0.18	3.7	4.5
2012	38	3.1	0.57	2.1	4.4	556	4.3	0.19	4.0	4.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	10,318	4.7	0.05	4.6	4.8	874	2.5	0.09	2.3	2.7
1990	460	5.0	0.24	4.6	5.5	35	2.7	0.49	1.9	3.8
1991	435	4.8	0.23	4.3	5.2	37	2.8	0.47	1.9	3.9
1992	476	5.1	0.24	4.7	5.6	47	3.3	0.50	2.4	4.5
1993	478	5.2	0.24	4.7	5.7	37	2.6	0.45	1.8	3.7
1994	465	5.0	0.23	4.6	5.5	41	3.0	0.48	2.1	4.0
1995	419	4.5	0.22	4.1	5.0	42	3.2	0.51	2.3	4.3
1996	422	4.6	0.22	4.1	5.0	29	2.0	0.38	1.3	2.9
1997	466	5.0	0.23	4.6	5.5	28	2.0	0.39	1.3	2.9
1998	422	4.5	0.22	4.1	4.9	33	2.2	0.39	1.5	3.1
1999	473	5.0	0.23	4.6	5.5	32	2.1	0.39	1.4	3.0
2000	435	4.6	0.22	4.2	5.1	34	2.3	0.41	1.6	3.3
2001	478	5.1	0.23	4.6	5.5	49	3.5	0.51	2.6	4.6
2002	401	4.2	0.21	3.8	4.7	39	2.5	0.41	1.8	3.4
2003	440	4.6	0.22	4.2	5.1	27	1.8	0.35	1.1	2.6
2004	450	4.7	0.22	4.2	5.1	34	2.4	0.42	1.6	3.3
2005	386	4.0	0.21	3.6	4.5	36	2.4	0.41	1.7	3.3
2006	449	4.7	0.22	4.3	5.2	37	2.3	0.39	1.6	3.2
2007	423	4.3	0.21	3.9	4.8	39	2.4	0.39	1.7	3.2
2008	436	4.4	0.21	3.9	4.8	35	1.9	0.33	1.3	2.7
2009	490	4.9	0.23	4.5	5.4	50	3.0	0.43	2.2	4.0
2010	460	4.6	0.22	4.2	5.0	47	2.6	0.40	1.9	3.5
2011	458	4.5	0.21	4.1	4.9	45	2.4	0.37	1.8	3.3
2012	496	4.8	0.22	4.3	5.2	41	2.4	0.38	1.7	3.3

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Brain and Other Nervous System										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	274	3.2	0.25	2.7	3.7	6,190	5.3	0.07	5.2	5.4
1990	*	*	*	*	*	273	5.7	0.36	5.1	6.5
1991	*	*	*	*	*	260	5.6	0.36	4.9	6.3
1992	*	*	*	*	*	292	6.1	0.37	5.4	6.9
1993	*	*	*	*	*	278	5.9	0.36	5.2	6.7
1994	*	*	*	*	*	263	5.5	0.35	4.9	6.3
1995	*	*	*	*	*	259	5.4	0.34	4.8	6.1
1996	11	2.5	0.89	1.1	5.3	250	5.1	0.33	4.5	5.8
1997	*	*	*	*	*	293	6.0	0.35	5.3	6.7
1998	12	3.3	1.17	1.4	6.6	250	5.1	0.33	4.5	5.8
1999	12	3.5	1.46	1.3	7.4	279	5.7	0.34	5.0	6.4
2000	14	3.3	1.12	1.5	6.4	251	5.0	0.32	4.4	5.7
2001	13	5.4	1.82	2.4	9.9	296	5.9	0.35	5.3	6.6
2002	13	3.9	1.59	1.5	8.0	250	4.9	0.31	4.3	5.5
2003	12	2.3	0.82	1.0	4.6	225	4.4	0.29	3.8	5.0
2004	10	2.0	0.81	0.8	4.3	267	5.2	0.32	4.6	5.9
2005	13	2.7	0.92	1.2	5.1	227	4.4	0.30	3.9	5.0
2006	11	2.4	0.93	1.0	4.9	280	5.3	0.32	4.7	6.0
2007	19	5.8	1.53	3.2	9.4	239	4.4	0.29	3.9	5.0
2008	15	2.7	0.90	1.2	5.0	269	5.0	0.31	4.4	5.6
2009	13	2.5	0.82	1.1	4.6	301	5.4	0.32	4.8	6.1
2010	19	4.0	1.08	2.1	6.6	285	5.2	0.31	4.6	5.8
2011	19	4.0	1.10	2.1	6.6	280	5.0	0.30	4.4	5.6
2012	24	3.7	0.90	2.2	5.9	323	5.5	0.31	4.9	6.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	5,648	5.7	0.08	5.6	5.9	458	3.1	0.15	2.8	3.4
1990	255	6.2	0.40	5.4	7.0	16	2.5	0.67	1.3	4.2
1991	239	6.0	0.39	5.2	6.8	20	3.5	0.84	2.1	5.6
1992	266	6.5	0.40	5.7	7.3	26	4.5	0.97	2.8	6.8
1993	254	6.3	0.40	5.6	7.2	22	3.7	0.83	2.3	5.7
1994	240	5.9	0.38	5.2	6.7	23	3.8	0.86	2.3	5.9
1995	232	5.7	0.38	5.0	6.5	23	4.1	0.95	2.5	6.4
1996	242	5.8	0.38	5.1	6.6	*	*	*	*	*
1997	278	6.7	0.40	5.9	7.5	14	2.4	0.67	1.3	4.1
1998	227	5.5	0.36	4.8	6.2	20	2.9	0.68	1.7	4.6
1999	260	6.3	0.39	5.5	7.1	17	2.3	0.59	1.3	3.8
2000	232	5.5	0.36	4.8	6.2	15	2.5	0.70	1.3	4.2
2001	269	6.4	0.39	5.6	7.2	25	4.2	0.90	2.7	6.3
2002	226	5.3	0.35	4.6	6.0	19	3.2	0.77	1.9	5.0
2003	205	4.7	0.33	4.1	5.4	15	2.3	0.62	1.2	3.8
2004	243	5.6	0.36	4.9	6.4	17	2.9	0.73	1.6	4.6
2005	204	4.8	0.34	4.1	5.5	18	3.2	0.77	1.8	5.0
2006	260	6.0	0.37	5.3	6.7	17	2.4	0.60	1.4	3.9
2007	214	4.7	0.33	4.1	5.4	22	3.2	0.72	1.9	4.9
2008	247	5.5	0.36	4.8	6.3	17	2.0	0.51	1.2	3.3
2009	271	5.9	0.36	5.2	6.7	26	3.4	0.70	2.2	5.1
2010	251	5.5	0.35	4.8	6.2	27	3.4	0.69	2.2	5.1
2011	248	5.4	0.35	4.7	6.1	28	3.5	0.68	2.3	5.1
2012	285	5.9	0.36	5.2	6.6	24	3.3	0.71	2.1	5.0

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Brain and Other Nervous System										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	167	1.8	0.16	1.5	2.1	5,153	3.5	0.05	3.4	3.6
1990	*	*	*	*	*	225	3.9	0.26	3.4	4.4
1991	*	*	*	*	*	218	3.6	0.25	3.1	4.1
1992	*	*	*	*	*	232	3.8	0.25	3.3	4.3
1993	*	*	*	*	*	241	4.0	0.26	3.5	4.5
1994	*	*	*	*	*	243	3.9	0.25	3.5	4.5
1995	*	*	*	*	*	206	3.3	0.23	2.9	3.8
1996	*	*	*	*	*	205	3.3	0.24	2.9	3.8
1997	*	*	*	*	*	202	3.2	0.23	2.8	3.7
1998	*	*	*	*	*	209	3.4	0.23	2.9	3.9
1999	*	*	*	*	*	228	3.6	0.24	3.1	4.1
2000	*	*	*	*	*	228	3.6	0.24	3.2	4.1
2001	*	*	*	*	*	237	3.8	0.25	3.3	4.3
2002	*	*	*	*	*	197	3.1	0.22	2.7	3.6
2003	12	2.7	0.92	1.2	5.1	252	4.0	0.25	3.5	4.5
2004	*	*	*	*	*	227	3.6	0.24	3.1	4.1
2005	*	*	*	*	*	203	3.1	0.22	2.7	3.6
2006	*	*	*	*	*	210	3.3	0.23	2.9	3.8
2007	*	*	*	*	*	232	3.5	0.24	3.1	4.0
2008	*	*	*	*	*	210	3.1	0.22	2.7	3.6
2009	*	*	*	*	*	247	3.7	0.24	3.3	4.3
2010	*	*	*	*	*	232	3.5	0.23	3.0	3.9
2011	15	2.3	0.66	1.2	4.0	236	3.4	0.23	3.0	3.9
2012	14	2.4	0.72	1.2	4.2	233	3.4	0.23	3.0	3.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	4,670	3.9	0.06	3.7	4.0	416	2.1	0.10	1.9	2.3
1990	205	4.1	0.29	3.5	4.7	19	2.7	0.64	1.6	4.3
1991	196	3.7	0.27	3.2	4.3	17	2.2	0.55	1.3	3.6
1992	210	3.9	0.28	3.4	4.5	21	2.6	0.57	1.6	4.0
1993	224	4.3	0.30	3.8	5.0	15	1.9	0.49	1.0	3.1
1994	225	4.3	0.29	3.7	4.9	18	2.3	0.55	1.4	3.7
1995	187	3.6	0.27	3.1	4.1	19	2.5	0.58	1.5	3.9
1996	180	3.5	0.26	3.0	4.0	22	2.7	0.58	1.7	4.1
1997	188	3.6	0.26	3.1	4.1	14	1.7	0.47	0.9	2.9
1998	195	3.8	0.27	3.3	4.4	13	1.6	0.44	0.8	2.7
1999	213	4.0	0.28	3.5	4.6	15	1.9	0.49	1.0	3.1
2000	203	3.9	0.28	3.4	4.5	19	2.2	0.51	1.3	3.5
2001	209	4.1	0.29	3.5	4.7	24	2.9	0.60	1.9	4.3
2002	175	3.3	0.26	2.8	3.9	20	2.2	0.49	1.3	3.3
2003	235	4.5	0.30	3.9	5.1	12	1.4	0.40	0.7	2.4
2004	207	4.0	0.28	3.5	4.6	17	2.0	0.49	1.2	3.2
2005	182	3.4	0.26	2.9	4.0	18	1.9	0.46	1.1	3.1
2006	189	3.7	0.27	3.2	4.3	20	2.2	0.49	1.3	3.4
2007	209	3.9	0.28	3.4	4.5	17	1.8	0.44	1.0	2.9
2008	189	3.4	0.25	2.9	3.9	18	1.8	0.43	1.1	2.9
2009	219	4.1	0.29	3.6	4.7	24	2.6	0.53	1.7	3.9
2010	209	3.9	0.28	3.4	4.5	20	2.0	0.45	1.2	3.1
2011	210	3.7	0.27	3.2	4.3	17	1.6	0.39	0.9	2.6
2012	211	3.8	0.27	3.3	4.4	17	1.8	0.44	1.0	2.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Endocrine System										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	121	0.8	0.09	0.6	1.0	2,176	0.8	0.02	0.8	0.9
1990	*	*	*	*	*	88	0.8	0.09	0.7	1.0
1991	*	*	*	*	*	89	0.8	0.09	0.7	1.0
1992	*	*	*	*	*	97	0.9	0.09	0.7	1.1
1993	*	*	*	*	*	106	1.0	0.10	0.8	1.2
1994	*	*	*	*	*	86	0.8	0.08	0.6	1.0
1995	*	*	*	*	*	79	0.7	0.08	0.6	0.9
1996	*	*	*	*	*	86	0.8	0.08	0.6	1.0
1997	*	*	*	*	*	109	1.0	0.09	0.8	1.2
1998	*	*	*	*	*	91	0.8	0.09	0.7	1.0
1999	*	*	*	*	*	88	0.8	0.08	0.6	1.0
2000	*	*	*	*	*	83	0.7	0.08	0.6	0.9
2001	*	*	*	*	*	91	0.8	0.08	0.6	1.0
2002	*	*	*	*	*	94	0.8	0.08	0.7	1.0
2003	*	*	*	*	*	101	0.9	0.09	0.7	1.1
2004	*	*	*	*	*	102	0.9	0.09	0.7	1.1
2005	*	*	*	*	*	98	0.8	0.08	0.7	1.0
2006	*	*	*	*	*	99	0.8	0.08	0.7	1.0
2007	*	*	*	*	*	83	0.7	0.08	0.6	0.9
2008	*	*	*	*	*	88	0.7	0.08	0.6	0.9
2009	15	1.2	0.39	0.6	2.2	96	0.8	0.08	0.7	1.0
2010	12	1.4	0.45	0.6	2.5	99	0.8	0.08	0.7	1.0
2011	*	*	*	*	*	100	0.8	0.08	0.6	1.0
2012	*	*	*	*	*	123	1.0	0.09	0.8	1.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,847	0.8	0.02	0.8	0.9	272	0.8	0.05	0.7	0.9
1990	77	0.8	0.10	0.7	1.0	*	*	*	*	*
1991	79	0.9	0.10	0.7	1.1	*	*	*	*	*
1992	84	0.9	0.10	0.7	1.1	13	0.9	0.26	0.4	1.5
1993	95	1.0	0.11	0.8	1.3	10	0.9	0.28	0.4	1.6
1994	75	0.8	0.09	0.6	1.0	*	*	*	*	*
1995	70	0.7	0.09	0.6	0.9	*	*	*	*	*
1996	74	0.8	0.09	0.6	1.0	10	0.7	0.22	0.3	1.3
1997	92	1.0	0.10	0.8	1.2	15	1.0	0.28	0.6	1.7
1998	77	0.8	0.09	0.7	1.0	12	0.9	0.26	0.4	1.5
1999	72	0.8	0.09	0.6	1.0	13	0.7	0.21	0.4	1.3
2000	69	0.7	0.09	0.6	0.9	11	0.8	0.24	0.4	1.4
2001	73	0.8	0.09	0.6	1.0	15	1.0	0.26	0.6	1.6
2002	81	0.8	0.09	0.7	1.0	*	*	*	*	*
2003	85	0.9	0.10	0.7	1.1	15	1.1	0.28	0.6	1.8
2004	88	0.9	0.10	0.7	1.1	12	0.8	0.22	0.4	1.3
2005	86	0.9	0.10	0.7	1.1	10	0.7	0.21	0.3	1.2
2006	85	0.9	0.09	0.7	1.1	12	0.8	0.24	0.4	1.4
2007	66	0.7	0.08	0.5	0.8	14	0.9	0.23	0.5	1.4
2008	72	0.7	0.09	0.6	0.9	14	1.0	0.26	0.5	1.6
2009	76	0.8	0.09	0.6	1.0	15	1.0	0.26	0.5	1.6
2010	80	0.8	0.09	0.6	1.0	16	1.0	0.24	0.5	1.6
2011	95	0.9	0.10	0.7	1.1	*	*	*	*	*
2012	96	0.9	0.10	0.7	1.1	20	1.1	0.25	0.7	1.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Endocrine System										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	49	0.6	0.11	0.4	0.9	921	0.8	0.03	0.8	0.9
1990	*	*	*	*	*	37	0.9	0.15	0.6	1.2
1991	*	*	*	*	*	39	0.8	0.14	0.6	1.2
1992	*	*	*	*	*	41	0.8	0.13	0.6	1.1
1993	*	*	*	*	*	42	0.9	0.14	0.6	1.2
1994	*	*	*	*	*	36	0.8	0.13	0.5	1.1
1995	*	*	*	*	*	30	0.7	0.12	0.4	0.9
1996	*	*	*	*	*	31	0.6	0.12	0.4	0.9
1997	*	*	*	*	*	59	1.2	0.16	0.9	1.6
1998	*	*	*	*	*	40	0.8	0.13	0.6	1.2
1999	*	*	*	*	*	44	0.9	0.14	0.7	1.2
2000	*	*	*	*	*	32	0.7	0.12	0.4	0.9
2001	*	*	*	*	*	33	0.7	0.12	0.5	0.9
2002	*	*	*	*	*	41	0.9	0.14	0.6	1.2
2003	*	*	*	*	*	52	1.1	0.15	0.8	1.4
2004	*	*	*	*	*	36	0.7	0.11	0.5	1.0
2005	*	*	*	*	*	47	1.0	0.14	0.7	1.3
2006	*	*	*	*	*	34	0.7	0.12	0.5	1.0
2007	*	*	*	*	*	38	0.7	0.12	0.5	1.0
2008	*	*	*	*	*	35	0.7	0.11	0.5	0.9
2009	*	*	*	*	*	31	0.6	0.11	0.4	0.8
2010	*	*	*	*	*	36	0.7	0.12	0.5	1.0
2011	*	*	*	*	*	49	0.9	0.13	0.6	1.2
2012	*	*	*	*	*	58	1.0	0.13	0.8	1.3
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	795	0.8	0.03	0.8	0.9	98	0.6	0.07	0.5	0.8
1990	32	0.9	0.16	0.6	1.2	*	*	*	*	*
1991	32	0.8	0.14	0.5	1.1	*	*	*	*	*
1992	36	0.9	0.14	0.6	1.2	*	*	*	*	*
1993	38	1.0	0.16	0.7	1.3	*	*	*	*	*
1994	30	0.8	0.14	0.5	1.1	*	*	*	*	*
1995	27	0.7	0.14	0.5	1.0	*	*	*	*	*
1996	28	0.7	0.13	0.5	1.0	*	*	*	*	*
1997	52	1.3	0.18	0.9	1.7	*	*	*	*	*
1998	35	0.9	0.15	0.6	1.2	*	*	*	*	*
1999	41	1.0	0.16	0.7	1.4	*	*	*	*	*
2000	29	0.7	0.13	0.5	1.0	*	*	*	*	*
2001	27	0.7	0.13	0.4	0.9	*	*	*	*	*
2002	37	0.9	0.15	0.6	1.3	*	*	*	*	*
2003	45	1.1	0.17	0.8	1.5	*	*	*	*	*
2004	32	0.8	0.13	0.5	1.1	*	*	*	*	*
2005	41	1.0	0.16	0.7	1.4	*	*	*	*	*
2006	31	0.8	0.14	0.5	1.1	*	*	*	*	*
2007	31	0.7	0.13	0.5	1.0	*	*	*	*	*
2008	29	0.7	0.12	0.4	1.0	*	*	*	*	*
2009	25	0.6	0.12	0.4	0.9	*	*	*	*	*
2010	28	0.6	0.12	0.4	0.9	*	*	*	*	*
2011	46	1.0	0.15	0.7	1.3	*	*	*	*	*
2012	43	0.9	0.14	0.6	1.2	10	1.4	0.46	0.6	2.6

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Endocrine System										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	72	0.9	0.12	0.7	1.2	1,255	0.8	0.02	0.8	0.9
1990	*	*	*	*	*	51	0.8	0.12	0.6	1.1
1991	*	*	*	*	*	50	0.8	0.12	0.6	1.1
1992	*	*	*	*	*	56	0.9	0.12	0.7	1.2
1993	*	*	*	*	*	64	1.0	0.13	0.8	1.3
1994	*	*	*	*	*	50	0.8	0.11	0.6	1.0
1995	*	*	*	*	*	49	0.7	0.11	0.6	1.0
1996	*	*	*	*	*	55	0.9	0.12	0.6	1.1
1997	*	*	*	*	*	50	0.8	0.11	0.6	1.0
1998	*	*	*	*	*	51	0.8	0.12	0.6	1.1
1999	*	*	*	*	*	44	0.7	0.11	0.5	0.9
2000	*	*	*	*	*	51	0.8	0.11	0.6	1.0
2001	*	*	*	*	*	58	0.9	0.12	0.7	1.2
2002	*	*	*	*	*	53	0.8	0.11	0.6	1.1
2003	*	*	*	*	*	49	0.7	0.11	0.6	1.0
2004	*	*	*	*	*	66	1.0	0.12	0.7	1.2
2005	*	*	*	*	*	51	0.7	0.11	0.6	1.0
2006	*	*	*	*	*	65	1.0	0.12	0.7	1.2
2007	*	*	*	*	*	45	0.7	0.10	0.5	0.9
2008	*	*	*	*	*	53	0.8	0.11	0.6	1.0
2009	*	*	*	*	*	65	0.9	0.12	0.7	1.2
2010	*	*	*	*	*	63	0.9	0.12	0.7	1.2
2011	*	*	*	*	*	51	0.7	0.10	0.5	0.9
2012	*	*	*	*	*	65	0.9	0.12	0.7	1.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,052	0.8	0.03	0.8	0.9	174	0.9	0.07	0.8	1.0
1990	45	0.8	0.12	0.6	1.1	*	*	*	*	*
1991	47	0.9	0.13	0.6	1.2	*	*	*	*	*
1992	48	0.9	0.13	0.7	1.2	*	*	*	*	*
1993	57	1.1	0.15	0.8	1.4	*	*	*	*	*
1994	45	0.8	0.12	0.6	1.1	*	*	*	*	*
1995	43	0.8	0.12	0.6	1.0	*	*	*	*	*
1996	46	0.8	0.12	0.6	1.1	*	*	*	*	*
1997	40	0.7	0.11	0.5	1.0	*	*	*	*	*
1998	42	0.8	0.13	0.6	1.1	*	*	*	*	*
1999	31	0.6	0.10	0.4	0.8	11	1.1	0.34	0.6	2.0
2000	40	0.7	0.11	0.5	1.0	*	*	*	*	*
2001	46	0.9	0.13	0.6	1.2	10	1.2	0.37	0.6	2.1
2002	44	0.8	0.13	0.6	1.1	*	*	*	*	*
2003	40	0.7	0.12	0.5	1.0	*	*	*	*	*
2004	56	1.0	0.13	0.7	1.3	*	*	*	*	*
2005	45	0.8	0.12	0.6	1.1	*	*	*	*	*
2006	54	1.0	0.14	0.7	1.3	*	*	*	*	*
2007	35	0.6	0.11	0.4	0.9	10	1.1	0.35	0.5	2.0
2008	43	0.8	0.12	0.5	1.0	*	*	*	*	*
2009	51	0.9	0.13	0.7	1.2	10	1.1	0.36	0.5	2.1
2010	52	0.9	0.13	0.7	1.2	*	*	*	*	*
2011	49	0.8	0.12	0.6	1.1	*	*	*	*	*
2012	53	0.9	0.13	0.7	1.2	10	1.0	0.32	0.5	1.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Thyroid										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	72	0.6	0.08	0.5	0.8	1,272	0.5	0.01	0.5	0.5
1990	*	*	*	*	*	52	0.5	0.07	0.4	0.7
1991	*	*	*	*	*	53	0.5	0.07	0.4	0.7
1992	*	*	*	*	*	51	0.5	0.07	0.4	0.6
1993	*	*	*	*	*	54	0.5	0.07	0.4	0.7
1994	*	*	*	*	*	55	0.5	0.07	0.4	0.7
1995	*	*	*	*	*	48	0.4	0.06	0.3	0.6
1996	*	*	*	*	*	51	0.5	0.06	0.3	0.6
1997	*	*	*	*	*	57	0.5	0.07	0.4	0.7
1998	*	*	*	*	*	53	0.5	0.06	0.4	0.6
1999	*	*	*	*	*	38	0.3	0.05	0.2	0.5
2000	*	*	*	*	*	49	0.4	0.06	0.3	0.6
2001	*	*	*	*	*	50	0.4	0.06	0.3	0.6
2002	*	*	*	*	*	61	0.5	0.07	0.4	0.7
2003	*	*	*	*	*	56	0.5	0.06	0.4	0.6
2004	*	*	*	*	*	65	0.5	0.07	0.4	0.7
2005	*	*	*	*	*	59	0.5	0.06	0.4	0.6
2006	*	*	*	*	*	69	0.6	0.07	0.5	0.7
2007	*	*	*	*	*	52	0.4	0.06	0.3	0.6
2008	*	*	*	*	*	49	0.4	0.06	0.3	0.5
2009	*	*	*	*	*	61	0.5	0.07	0.4	0.7
2010	*	*	*	*	*	56	0.4	0.06	0.3	0.6
2011	*	*	*	*	*	63	0.5	0.06	0.4	0.6
2012	*	*	*	*	*	70	0.5	0.06	0.4	0.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,105	0.5	0.01	0.5	0.5	133	0.4	0.04	0.4	0.5
1990	46	0.5	0.07	0.4	0.7	*	*	*	*	*
1991	50	0.5	0.08	0.4	0.7	*	*	*	*	*
1992	46	0.5	0.07	0.4	0.7	*	*	*	*	*
1993	51	0.5	0.07	0.4	0.7	*	*	*	*	*
1994	50	0.5	0.07	0.4	0.7	*	*	*	*	*
1995	44	0.5	0.07	0.3	0.6	*	*	*	*	*
1996	42	0.4	0.07	0.3	0.6	*	*	*	*	*
1997	49	0.5	0.07	0.4	0.7	*	*	*	*	*
1998	45	0.5	0.07	0.3	0.6	*	*	*	*	*
1999	33	0.3	0.06	0.2	0.5	*	*	*	*	*
2000	43	0.4	0.07	0.3	0.6	*	*	*	*	*
2001	43	0.4	0.07	0.3	0.6	*	*	*	*	*
2002	56	0.6	0.08	0.4	0.7	*	*	*	*	*
2003	47	0.5	0.07	0.3	0.6	*	*	*	*	*
2004	55	0.5	0.07	0.4	0.7	*	*	*	*	*
2005	53	0.5	0.07	0.4	0.7	*	*	*	*	*
2006	57	0.6	0.07	0.4	0.7	10	0.7	0.21	0.3	1.2
2007	40	0.4	0.06	0.3	0.5	*	*	*	*	*
2008	40	0.4	0.06	0.3	0.5	*	*	*	*	*
2009	48	0.5	0.07	0.4	0.6	*	*	*	*	*
2010	46	0.4	0.06	0.3	0.6	*	*	*	*	*
2011	61	0.6	0.07	0.4	0.7	*	*	*	*	*
2012	60	0.6	0.07	0.4	0.7	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Thyroid										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	25	0.4	0.10	0.3	0.7	467	0.4	0.02	0.4	0.5
1990	*	*	*	*	*	17	0.5	0.11	0.3	0.7
1991	*	*	*	*	*	20	0.5	0.11	0.3	0.7
1992	*	*	*	*	*	15	0.3	0.08	0.2	0.5
1993	*	*	*	*	*	20	0.4	0.10	0.3	0.7
1994	*	*	*	*	*	20	0.4	0.10	0.3	0.7
1995	*	*	*	*	*	15	0.3	0.09	0.2	0.6
1996	*	*	*	*	*	16	0.3	0.09	0.2	0.6
1997	*	*	*	*	*	27	0.6	0.11	0.4	0.8
1998	*	*	*	*	*	23	0.5	0.10	0.3	0.7
1999	*	*	*	*	*	21	0.5	0.10	0.3	0.7
2000	*	*	*	*	*	18	0.4	0.09	0.2	0.6
2001	*	*	*	*	*	14	0.3	0.08	0.2	0.5
2002	*	*	*	*	*	27	0.6	0.11	0.4	0.8
2003	*	*	*	*	*	20	0.4	0.09	0.3	0.6
2004	*	*	*	*	*	15	0.3	0.07	0.2	0.5
2005	*	*	*	*	*	26	0.5	0.11	0.4	0.8
2006	*	*	*	*	*	21	0.4	0.09	0.3	0.6
2007	*	*	*	*	*	22	0.4	0.09	0.3	0.7
2008	*	*	*	*	*	17	0.3	0.08	0.2	0.5
2009	*	*	*	*	*	15	0.3	0.07	0.2	0.5
2010	*	*	*	*	*	17	0.3	0.08	0.2	0.5
2011	*	*	*	*	*	26	0.5	0.09	0.3	0.7
2012	*	*	*	*	*	35	0.6	0.10	0.4	0.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	419	0.4	0.02	0.4	0.5	32	0.3	0.05	0.2	0.4
1990	15	0.5	0.12	0.3	0.8	*	*	*	*	*
1991	17	0.4	0.11	0.3	0.7	*	*	*	*	*
1992	14	0.3	0.09	0.2	0.6	*	*	*	*	*
1993	20	0.5	0.11	0.3	0.8	*	*	*	*	*
1994	18	0.5	0.11	0.3	0.7	*	*	*	*	*
1995	14	0.4	0.10	0.2	0.6	*	*	*	*	*
1996	14	0.4	0.09	0.2	0.6	*	*	*	*	*
1997	23	0.6	0.12	0.4	0.9	*	*	*	*	*
1998	22	0.5	0.12	0.3	0.8	*	*	*	*	*
1999	20	0.5	0.11	0.3	0.8	*	*	*	*	*
2000	18	0.4	0.10	0.3	0.7	*	*	*	*	*
2001	13	0.3	0.09	0.2	0.5	*	*	*	*	*
2002	26	0.6	0.13	0.4	0.9	*	*	*	*	*
2003	17	0.4	0.10	0.2	0.7	*	*	*	*	*
2004	14	0.3	0.08	0.2	0.5	*	*	*	*	*
2005	24	0.6	0.12	0.4	0.9	*	*	*	*	*
2006	18	0.4	0.10	0.3	0.7	*	*	*	*	*
2007	18	0.4	0.10	0.2	0.7	*	*	*	*	*
2008	15	0.4	0.09	0.2	0.6	*	*	*	*	*
2009	13	0.3	0.08	0.2	0.5	*	*	*	*	*
2010	15	0.3	0.09	0.2	0.6	*	*	*	*	*
2011	24	0.5	0.10	0.3	0.8	*	*	*	*	*
2012	27	0.5	0.11	0.4	0.8	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Thyroid										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	47	0.7	0.11	0.5	1.0	805	0.5	0.02	0.5	0.5
1990	*	*	*	*	*	35	0.5	0.09	0.4	0.8
1991	*	*	*	*	*	33	0.5	0.09	0.4	0.8
1992	*	*	*	*	*	36	0.6	0.09	0.4	0.8
1993	*	*	*	*	*	34	0.5	0.09	0.4	0.7
1994	*	*	*	*	*	35	0.5	0.09	0.4	0.7
1995	*	*	*	*	*	33	0.5	0.08	0.3	0.7
1996	*	*	*	*	*	35	0.5	0.09	0.4	0.7
1997	*	*	*	*	*	30	0.4	0.08	0.3	0.6
1998	*	*	*	*	*	30	0.5	0.08	0.3	0.7
1999	*	*	*	*	*	17	0.3	0.06	0.2	0.4
2000	*	*	*	*	*	31	0.5	0.08	0.3	0.6
2001	*	*	*	*	*	36	0.5	0.09	0.4	0.7
2002	*	*	*	*	*	34	0.5	0.09	0.3	0.7
2003	*	*	*	*	*	36	0.5	0.09	0.4	0.7
2004	*	*	*	*	*	50	0.7	0.10	0.5	0.9
2005	*	*	*	*	*	33	0.5	0.08	0.3	0.7
2006	*	*	*	*	*	48	0.7	0.10	0.5	0.9
2007	*	*	*	*	*	30	0.4	0.08	0.3	0.6
2008	*	*	*	*	*	32	0.5	0.08	0.3	0.6
2009	*	*	*	*	*	46	0.7	0.10	0.5	0.9
2010	*	*	*	*	*	39	0.5	0.08	0.4	0.7
2011	*	*	*	*	*	37	0.5	0.08	0.3	0.7
2012	*	*	*	*	*	35	0.5	0.08	0.3	0.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	686	0.5	0.02	0.5	0.5	101	0.6	0.06	0.5	0.7
1990	31	0.5	0.10	0.4	0.8	*	*	*	*	*
1991	33	0.6	0.11	0.4	0.9	*	*	*	*	*
1992	32	0.6	0.10	0.4	0.8	*	*	*	*	*
1993	31	0.6	0.10	0.4	0.8	*	*	*	*	*
1994	32	0.5	0.10	0.4	0.8	*	*	*	*	*
1995	30	0.5	0.09	0.3	0.7	*	*	*	*	*
1996	28	0.5	0.09	0.3	0.7	*	*	*	*	*
1997	26	0.4	0.09	0.3	0.7	*	*	*	*	*
1998	23	0.4	0.08	0.3	0.6	*	*	*	*	*
1999	13	0.2	0.06	0.1	0.4	*	*	*	*	*
2000	25	0.4	0.09	0.3	0.6	*	*	*	*	*
2001	30	0.5	0.09	0.3	0.7	*	*	*	*	*
2002	30	0.5	0.10	0.3	0.8	*	*	*	*	*
2003	30	0.5	0.09	0.3	0.7	*	*	*	*	*
2004	41	0.7	0.11	0.5	0.9	*	*	*	*	*
2005	29	0.5	0.09	0.3	0.7	*	*	*	*	*
2006	39	0.7	0.11	0.5	0.9	*	*	*	*	*
2007	22	0.4	0.08	0.2	0.6	*	*	*	*	*
2008	25	0.4	0.08	0.3	0.6	*	*	*	*	*
2009	35	0.6	0.10	0.4	0.8	*	*	*	*	*
2010	31	0.5	0.09	0.3	0.7	*	*	*	*	*
2011	37	0.6	0.10	0.4	0.8	*	*	*	*	*
2012	33	0.5	0.10	0.4	0.8	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Lymphoma										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	810	5.9	0.24	5.5	6.4	22,214	8.3	0.06	8.2	8.4
1990	25	5.1	1.14	3.1	7.9	910	8.7	0.29	8.1	9.2
1991	18	4.2	1.21	2.2	7.1	984	9.2	0.30	8.6	9.8
1992	28	6.7	1.55	4.0	10.3	1,004	9.3	0.30	8.7	9.9
1993	25	4.6	1.05	2.8	7.1	1,016	9.3	0.29	8.8	9.9
1994	30	5.8	1.30	3.6	8.9	1,062	9.7	0.30	9.1	10.3
1995	36	6.1	1.25	3.9	9.0	1,102	9.9	0.30	9.4	10.5
1996	34	8.1	1.70	5.1	11.9	1,084	9.7	0.30	9.2	10.3
1997	27	5.2	1.26	3.1	8.2	1,072	9.6	0.29	9.0	10.1
1998	28	5.4	1.19	3.3	8.1	1,052	9.3	0.29	8.7	9.8
1999	36	8.2	1.61	5.3	11.8	1,082	9.5	0.29	8.9	10.1
2000	39	7.9	1.50	5.2	11.2	1,026	8.9	0.28	8.4	9.5
2001	36	6.6	1.26	4.4	9.5	1,005	8.7	0.27	8.2	9.2
2002	38	7.4	1.40	4.9	10.5	970	8.3	0.27	7.8	8.9
2003	32	5.7	1.15	3.6	8.2	947	8.0	0.26	7.5	8.5
2004	41	6.4	1.20	4.3	9.1	950	8.0	0.26	7.5	8.6
2005	30	5.7	1.18	3.6	8.3	970	8.1	0.26	7.6	8.7
2006	40	5.5	1.05	3.6	7.8	903	7.5	0.25	7.0	8.0
2007	30	3.9	0.85	2.5	5.9	838	6.9	0.24	6.4	7.4
2008	48	5.8	1.00	4.0	8.0	856	6.9	0.24	6.5	7.4
2009	43	5.9	1.01	4.0	8.1	909	7.3	0.25	6.8	7.8
2010	56	6.7	0.99	4.9	8.8	826	6.5	0.23	6.1	7.0
2011	52	6.1	0.93	4.4	8.1	831	6.5	0.23	6.1	7.0
2012	38	4.1	0.74	2.8	5.8	815	6.4	0.23	5.9	6.8
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	20,069	8.7	0.06	8.6	8.9	1,885	5.7	0.14	5.5	6.0
1990	828	9.0	0.31	8.3	9.6	79	6.7	0.79	5.3	8.5
1991	900	9.6	0.32	9.0	10.3	79	6.1	0.72	4.8	7.7
1992	917	9.7	0.32	9.1	10.4	85	6.7	0.76	5.3	8.3
1993	921	9.7	0.32	9.1	10.3	90	7.0	0.76	5.6	8.6
1994	951	10.0	0.32	9.3	10.6	101	7.8	0.80	6.3	9.5
1995	994	10.3	0.33	9.7	11.0	98	7.5	0.79	6.1	9.2
1996	976	10.1	0.32	9.5	10.7	101	7.6	0.78	6.2	9.3
1997	974	10.0	0.32	9.4	10.7	83	6.1	0.68	4.8	7.6
1998	942	9.6	0.31	9.0	10.2	101	7.5	0.76	6.1	9.1
1999	991	10.0	0.32	9.4	10.7	86	6.3	0.69	5.0	7.7
2000	938	9.5	0.31	8.9	10.1	75	5.4	0.64	4.2	6.7
2001	914	9.2	0.31	8.6	9.8	80	5.5	0.63	4.4	6.9
2002	874	8.7	0.30	8.1	9.3	81	5.6	0.63	4.4	6.9
2003	864	8.5	0.29	8.0	9.1	65	4.5	0.57	3.4	5.7
2004	868	8.6	0.29	8.0	9.2	67	4.5	0.56	3.5	5.7
2005	875	8.5	0.29	8.0	9.1	77	5.2	0.60	4.1	6.5
2006	815	8.0	0.28	7.4	8.5	76	5.0	0.59	3.9	6.3
2007	753	7.2	0.27	6.7	7.8	69	4.6	0.56	3.5	5.8
2008	770	7.3	0.27	6.8	7.9	73	4.9	0.58	3.8	6.1
2009	796	7.6	0.27	7.0	8.1	94	5.8	0.62	4.7	7.2
2010	737	6.9	0.26	6.4	7.4	76	4.6	0.54	3.6	5.8
2011	734	6.8	0.26	6.3	7.3	83	5.0	0.56	3.9	6.2
2012	737	6.8	0.26	6.4	7.4	66	4.0	0.50	3.0	5.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Lymphoma										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	482	7.1	0.41	6.4	8.0	11,625	10.7	0.10	10.5	10.9
1990	20	8.3	2.25	4.5	14.1	507	11.8	0.54	10.8	12.9
1991	10	4.1	1.80	1.4	9.1	510	11.5	0.53	10.5	12.6
1992	19	7.8	2.28	4.0	13.6	531	12.1	0.54	11.0	13.2
1993	19	7.0	2.06	3.6	12.3	494	11.1	0.51	10.1	12.2
1994	20	7.5	2.18	3.9	13.0	551	12.4	0.54	11.3	13.5
1995	24	7.4	2.15	3.8	12.8	561	12.4	0.54	11.4	13.5
1996	20	8.2	2.49	4.1	14.3	561	12.3	0.53	11.3	13.4
1997	15	5.4	1.78	2.5	10.0	545	11.8	0.51	10.8	12.8
1998	18	8.3	2.56	4.1	14.5	566	12.4	0.53	11.4	13.5
1999	15	6.5	2.21	2.9	11.9	588	12.7	0.53	11.7	13.8
2000	26	11.0	2.78	6.2	17.4	544	11.5	0.50	10.6	12.6
2001	28	12.0	2.69	7.3	18.1	519	11.0	0.49	10.0	11.9
2002	18	6.2	1.79	3.2	10.6	495	10.5	0.48	9.6	11.5
2003	16	6.1	1.80	3.1	10.4	478	10.0	0.46	9.1	10.9
2004	28	9.1	2.26	5.3	14.4	487	10.2	0.47	9.3	11.1
2005	18	6.9	1.98	3.6	11.5	499	10.4	0.47	9.5	11.4
2006	22	7.4	2.02	4.0	12.1	493	9.9	0.45	9.1	10.9
2007	13	4.1	1.43	1.8	7.6	443	9.0	0.43	8.2	9.9
2008	24	5.7	1.52	3.1	9.3	443	8.9	0.43	8.1	9.8
2009	23	6.8	1.70	3.9	10.8	457	8.9	0.42	8.1	9.8
2010	40	9.9	1.79	6.7	13.9	442	8.5	0.41	7.7	9.4
2011	28	7.0	1.52	4.4	10.5	447	8.6	0.41	7.8	9.5
2012	18	3.9	1.07	2.1	6.4	464	8.7	0.41	7.9	9.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	10,446	11.2	0.11	11.0	11.4	1,034	7.5	0.25	7.0	8.0
1990	462	12.3	0.59	11.2	13.5	43	8.7	1.45	6.1	11.9
1991	462	12.0	0.57	10.9	13.2	44	7.9	1.29	5.6	10.8
1992	476	12.4	0.58	11.3	13.6	55	10.4	1.54	7.6	13.8
1993	443	11.5	0.56	10.4	12.6	48	8.6	1.33	6.2	11.6
1994	488	12.6	0.58	11.5	13.8	56	9.9	1.40	7.3	13.0
1995	505	12.9	0.58	11.8	14.1	52	9.1	1.36	6.6	12.1
1996	496	12.5	0.57	11.4	13.7	61	11.9	1.66	8.8	15.5
1997	481	12.1	0.56	11.0	13.2	51	8.3	1.23	6.1	11.1
1998	501	12.7	0.57	11.6	13.8	58	10.1	1.39	7.5	13.1
1999	536	13.4	0.58	12.3	14.6	48	8.3	1.27	6.0	11.1
2000	494	12.2	0.55	11.1	13.3	41	6.9	1.16	4.8	9.5
2001	474	11.7	0.54	10.6	12.8	39	6.2	1.05	4.3	8.6
2002	450	11.1	0.53	10.1	12.2	35	5.7	1.03	3.9	8.1
2003	431	10.5	0.51	9.5	11.5	38	6.3	1.11	4.3	8.8
2004	447	10.9	0.52	9.9	12.0	34	5.6	1.02	3.7	7.9
2005	449	10.9	0.52	9.9	11.9	42	6.8	1.11	4.8	9.3
2006	443	10.5	0.50	9.5	11.5	41	6.4	1.05	4.5	8.7
2007	403	9.6	0.48	8.7	10.6	35	6.1	1.11	4.1	8.6
2008	399	9.4	0.47	8.5	10.3	37	5.9	1.03	4.0	8.2
2009	402	9.3	0.47	8.4	10.2	44	6.9	1.11	4.9	9.4
2010	390	8.9	0.45	8.0	9.8	46	6.5	1.00	4.7	8.7
2011	394	9.0	0.46	8.1	9.9	45	6.5	1.02	4.7	8.8
2012	420	9.3	0.46	8.4	10.3	41	5.9	0.97	4.2	8.1

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Lymphoma										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	328	4.9	0.30	4.3	5.5	10,589	6.7	0.07	6.5	6.8
1990	*	*	*	*	*	403	6.3	0.32	5.7	7.0
1991	*	*	*	*	*	474	7.4	0.34	6.7	8.1
1992	*	*	*	*	*	473	7.4	0.34	6.7	8.1
1993	*	*	*	*	*	522	8.0	0.35	7.3	8.7
1994	10	4.3	1.55	1.8	8.3	511	7.9	0.35	7.2	8.6
1995	12	5.0	1.56	2.4	8.9	541	8.1	0.35	7.5	8.9
1996	14	7.5	2.21	3.8	12.8	523	7.9	0.35	7.2	8.6
1997	12	4.8	1.65	2.1	8.9	527	7.8	0.34	7.2	8.5
1998	10	3.3	1.10	1.5	6.2	486	7.1	0.33	6.5	7.8
1999	21	9.5	2.28	5.5	14.8	494	7.2	0.33	6.6	7.9
2000	13	5.3	1.61	2.6	9.2	482	7.0	0.32	6.4	7.7
2001	*	*	*	*	*	486	7.0	0.32	6.4	7.7
2002	20	8.0	2.00	4.6	12.7	475	6.8	0.32	6.2	7.5
2003	16	5.3	1.49	2.8	8.9	469	6.5	0.31	6.0	7.2
2004	13	4.3	1.30	2.1	7.4	463	6.7	0.31	6.1	7.3
2005	12	4.6	1.43	2.2	8.0	471	6.6	0.31	6.0	7.3
2006	18	4.2	1.14	2.3	7.0	410	5.7	0.29	5.2	6.3
2007	17	4.0	1.08	2.1	6.6	395	5.4	0.28	4.9	6.0
2008	24	5.9	1.34	3.6	9.0	413	5.6	0.28	5.0	6.2
2009	20	5.1	1.25	3.0	8.0	452	6.2	0.30	5.6	6.8
2010	16	3.9	1.04	2.1	6.4	384	5.1	0.27	4.6	5.7
2011	24	5.4	1.16	3.3	8.0	384	5.1	0.27	4.6	5.6
2012	20	4.3	1.01	2.5	6.6	351	4.7	0.26	4.2	5.2
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	9,623	7.0	0.07	6.9	7.2	851	4.5	0.16	4.2	4.8
1990	366	6.4	0.34	5.8	7.2	36	5.3	0.91	3.7	7.4
1991	438	7.7	0.37	7.0	8.5	35	4.8	0.83	3.3	6.7
1992	441	7.8	0.38	7.1	8.6	30	4.1	0.77	2.8	5.9
1993	478	8.3	0.39	7.6	9.1	42	5.7	0.90	4.1	7.8
1994	463	8.2	0.39	7.4	9.0	45	6.1	0.93	4.4	8.2
1995	489	8.4	0.39	7.7	9.2	46	6.2	0.93	4.5	8.3
1996	480	8.3	0.39	7.6	9.1	40	5.1	0.81	3.6	6.9
1997	493	8.4	0.39	7.7	9.2	32	4.2	0.75	2.9	5.9
1998	441	7.5	0.36	6.8	8.2	43	5.6	0.86	4.0	7.5
1999	455	7.6	0.36	6.9	8.4	38	4.8	0.78	3.4	6.6
2000	444	7.6	0.37	6.9	8.3	34	4.2	0.73	2.9	5.9
2001	440	7.4	0.36	6.7	8.1	41	4.9	0.77	3.5	6.7
2002	424	7.1	0.35	6.4	7.8	46	5.4	0.81	4.0	7.3
2003	433	7.0	0.35	6.4	7.8	27	3.3	0.63	2.1	4.7
2004	421	7.1	0.35	6.4	7.8	33	3.8	0.67	2.6	5.4
2005	426	7.0	0.35	6.3	7.7	35	4.0	0.68	2.8	5.5
2006	372	6.1	0.32	5.5	6.8	35	4.0	0.68	2.8	5.6
2007	350	5.6	0.31	5.0	6.2	34	3.7	0.64	2.5	5.2
2008	371	5.9	0.32	5.3	6.5	36	4.1	0.69	2.9	5.7
2009	394	6.3	0.33	5.7	7.0	50	5.3	0.76	3.9	7.0
2010	347	5.5	0.30	4.9	6.1	30	3.2	0.59	2.1	4.6
2011	340	5.3	0.30	4.7	5.9	38	3.9	0.64	2.8	5.4
2012	317	5.0	0.29	4.4	5.6	25	2.6	0.53	1.7	3.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Hodgkin Lymphoma										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	90	0.6	0.08	0.5	0.8	1,208	0.5	0.01	0.4	0.5
1990	*	*	*	*	*	65	0.6	0.07	0.5	0.8
1991	*	*	*	*	*	72	0.7	0.08	0.5	0.8
1992	*	*	*	*	*	66	0.6	0.07	0.5	0.8
1993	*	*	*	*	*	62	0.6	0.07	0.4	0.7
1994	*	*	*	*	*	64	0.6	0.07	0.4	0.7
1995	*	*	*	*	*	57	0.5	0.07	0.4	0.7
1996	*	*	*	*	*	56	0.5	0.07	0.4	0.7
1997	*	*	*	*	*	54	0.5	0.07	0.4	0.6
1998	*	*	*	*	*	58	0.5	0.07	0.4	0.7
1999	*	*	*	*	*	52	0.5	0.06	0.4	0.6
2000	*	*	*	*	*	57	0.5	0.07	0.4	0.7
2001	*	*	*	*	*	50	0.4	0.06	0.3	0.6
2002	*	*	*	*	*	59	0.5	0.07	0.4	0.7
2003	*	*	*	*	*	50	0.4	0.06	0.3	0.6
2004	*	*	*	*	*	55	0.5	0.06	0.4	0.6
2005	*	*	*	*	*	47	0.4	0.06	0.3	0.6
2006	*	*	*	*	*	54	0.5	0.07	0.4	0.6
2007	*	*	*	*	*	42	0.4	0.06	0.3	0.5
2008	*	*	*	*	*	41	0.4	0.06	0.3	0.5
2009	*	*	*	*	*	46	0.4	0.06	0.3	0.5
2010	*	*	*	*	*	30	0.3	0.05	0.2	0.4
2011	*	*	*	*	*	32	0.3	0.05	0.2	0.4
2012	*	*	*	*	*	39	0.3	0.05	0.2	0.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,016	0.5	0.01	0.4	0.5	175	0.5	0.04	0.4	0.5
1990	53	0.6	0.08	0.4	0.7	12	0.8	0.24	0.4	1.5
1991	59	0.6	0.08	0.5	0.8	12	0.7	0.21	0.4	1.3
1992	55	0.6	0.08	0.4	0.8	11	0.6	0.20	0.3	1.2
1993	54	0.6	0.08	0.4	0.8	*	*	*	*	*
1994	52	0.5	0.08	0.4	0.7	10	0.6	0.20	0.3	1.2
1995	47	0.5	0.07	0.4	0.7	10	0.6	0.20	0.3	1.1
1996	47	0.5	0.07	0.4	0.7	*	*	*	*	*
1997	47	0.5	0.07	0.4	0.7	*	*	*	*	*
1998	46	0.5	0.07	0.4	0.7	11	0.8	0.24	0.4	1.4
1999	46	0.5	0.07	0.4	0.7	*	*	*	*	*
2000	49	0.5	0.08	0.4	0.7	*	*	*	*	*
2001	44	0.5	0.07	0.3	0.6	*	*	*	*	*
2002	51	0.5	0.08	0.4	0.7	*	*	*	*	*
2003	44	0.5	0.07	0.3	0.6	*	*	*	*	*
2004	48	0.5	0.07	0.4	0.7	*	*	*	*	*
2005	38	0.4	0.07	0.3	0.6	*	*	*	*	*
2006	43	0.5	0.07	0.3	0.6	*	*	*	*	*
2007	38	0.4	0.07	0.3	0.6	*	*	*	*	*
2008	30	0.3	0.06	0.2	0.5	10	0.6	0.20	0.3	1.2
2009	40	0.4	0.07	0.3	0.6	*	*	*	*	*
2010	26	0.3	0.05	0.2	0.4	*	*	*	*	*
2011	26	0.3	0.06	0.2	0.4	*	*	*	*	*
2012	33	0.3	0.06	0.2	0.5	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Hodgkin Lymphoma										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	53	0.8	0.13	0.5	1.1	679	0.6	0.02	0.5	0.6
1990	*	*	*	*	*	41	0.8	0.13	0.6	1.1
1991	*	*	*	*	*	40	0.8	0.13	0.6	1.1
1992	*	*	*	*	*	35	0.7	0.12	0.5	1.0
1993	*	*	*	*	*	23	0.5	0.10	0.3	0.7
1994	*	*	*	*	*	34	0.7	0.11	0.5	0.9
1995	*	*	*	*	*	34	0.7	0.11	0.5	0.9
1996	*	*	*	*	*	32	0.7	0.12	0.5	1.0
1997	*	*	*	*	*	28	0.6	0.12	0.4	0.9
1998	*	*	*	*	*	41	0.8	0.13	0.6	1.1
1999	*	*	*	*	*	33	0.7	0.12	0.5	1.0
2000	*	*	*	*	*	31	0.6	0.11	0.4	0.9
2001	*	*	*	*	*	29	0.6	0.10	0.4	0.8
2002	*	*	*	*	*	36	0.8	0.13	0.5	1.0
2003	*	*	*	*	*	27	0.5	0.10	0.4	0.8
2004	*	*	*	*	*	36	0.7	0.12	0.5	1.0
2005	*	*	*	*	*	24	0.5	0.10	0.3	0.7
2006	*	*	*	*	*	32	0.6	0.11	0.4	0.9
2007	*	*	*	*	*	19	0.4	0.09	0.2	0.6
2008	*	*	*	*	*	23	0.5	0.09	0.3	0.7
2009	*	*	*	*	*	25	0.5	0.10	0.3	0.7
2010	*	*	*	*	*	14	0.3	0.08	0.2	0.5
2011	*	*	*	*	*	17	0.3	0.08	0.2	0.5
2012	*	*	*	*	*	25	0.5	0.09	0.3	0.7

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	569	0.6	0.02	0.5	0.6	99	0.6	0.06	0.5	0.8
1990	33	0.8	0.14	0.5	1.1	*	*	*	*	*
1991	33	0.8	0.14	0.5	1.1	*	*	*	*	*
1992	28	0.7	0.13	0.4	1.0	*	*	*	*	*
1993	18	0.4	0.10	0.3	0.7	*	*	*	*	*
1994	28	0.6	0.12	0.4	0.9	*	*	*	*	*
1995	29	0.7	0.13	0.5	1.0	*	*	*	*	*
1996	28	0.7	0.14	0.5	1.0	*	*	*	*	*
1997	22	0.6	0.12	0.4	0.9	*	*	*	*	*
1998	31	0.7	0.13	0.5	1.1	*	*	*	*	*
1999	30	0.7	0.14	0.5	1.1	*	*	*	*	*
2000	26	0.6	0.12	0.4	0.9	*	*	*	*	*
2001	28	0.7	0.12	0.4	1.0	*	*	*	*	*
2002	30	0.7	0.14	0.5	1.1	*	*	*	*	*
2003	23	0.6	0.12	0.4	0.8	*	*	*	*	*
2004	34	0.8	0.14	0.6	1.1	*	*	*	*	*
2005	18	0.4	0.10	0.3	0.7	*	*	*	*	*
2006	25	0.6	0.12	0.4	0.9	*	*	*	*	*
2007	18	0.4	0.10	0.3	0.7	*	*	*	*	*
2008	16	0.4	0.09	0.2	0.6	*	*	*	*	*
2009	23	0.5	0.11	0.3	0.8	*	*	*	*	*
2010	12	0.3	0.08	0.1	0.5	*	*	*	*	*
2011	16	0.4	0.09	0.2	0.6	*	*	*	*	*
2012	20	0.5	0.10	0.3	0.7	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Hodgkin Lymphoma										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	37	0.5	0.09	0.3	0.7	529	0.4	0.02	0.3	0.4
1990	*	*	*	*	*	24	0.4	0.08	0.2	0.6
1991	*	*	*	*	*	32	0.5	0.09	0.3	0.7
1992	*	*	*	*	*	31	0.5	0.09	0.4	0.7
1993	*	*	*	*	*	39	0.6	0.10	0.4	0.9
1994	*	*	*	*	*	30	0.5	0.09	0.3	0.7
1995	*	*	*	*	*	23	0.4	0.08	0.2	0.6
1996	*	*	*	*	*	24	0.4	0.08	0.3	0.6
1997	*	*	*	*	*	26	0.4	0.08	0.3	0.6
1998	*	*	*	*	*	17	0.3	0.06	0.2	0.4
1999	*	*	*	*	*	19	0.3	0.07	0.2	0.5
2000	*	*	*	*	*	26	0.4	0.08	0.3	0.6
2001	*	*	*	*	*	21	0.3	0.07	0.2	0.5
2002	*	*	*	*	*	23	0.4	0.08	0.2	0.6
2003	*	*	*	*	*	23	0.4	0.08	0.2	0.6
2004	*	*	*	*	*	19	0.3	0.07	0.2	0.5
2005	*	*	*	*	*	23	0.4	0.08	0.2	0.6
2006	*	*	*	*	*	22	0.4	0.08	0.2	0.5
2007	*	*	*	*	*	23	0.4	0.07	0.2	0.5
2008	*	*	*	*	*	18	0.3	0.07	0.2	0.5
2009	*	*	*	*	*	21	0.3	0.07	0.2	0.5
2010	*	*	*	*	*	16	0.3	0.07	0.1	0.4
2011	*	*	*	*	*	15	0.3	0.07	0.1	0.4
2012	*	*	*	*	*	14	0.2	0.06	0.1	0.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	447	0.4	0.02	0.3	0.4	76	0.4	0.04	0.3	0.5
1990	20	0.4	0.08	0.2	0.6	*	*	*	*	*
1991	26	0.5	0.09	0.3	0.7	*	*	*	*	*
1992	27	0.5	0.10	0.3	0.8	*	*	*	*	*
1993	36	0.7	0.11	0.5	0.9	*	*	*	*	*
1994	24	0.4	0.09	0.3	0.7	*	*	*	*	*
1995	18	0.3	0.08	0.2	0.5	*	*	*	*	*
1996	19	0.4	0.09	0.2	0.6	*	*	*	*	*
1997	25	0.5	0.09	0.3	0.7	*	*	*	*	*
1998	15	0.3	0.07	0.1	0.4	*	*	*	*	*
1999	16	0.3	0.08	0.2	0.5	*	*	*	*	*
2000	23	0.5	0.10	0.3	0.7	*	*	*	*	*
2001	16	0.3	0.07	0.2	0.5	*	*	*	*	*
2002	21	0.4	0.10	0.3	0.7	*	*	*	*	*
2003	21	0.4	0.09	0.3	0.6	*	*	*	*	*
2004	14	0.3	0.07	0.2	0.5	*	*	*	*	*
2005	20	0.4	0.09	0.2	0.6	*	*	*	*	*
2006	18	0.4	0.09	0.2	0.6	*	*	*	*	*
2007	20	0.4	0.08	0.2	0.6	*	*	*	*	*
2008	14	0.3	0.08	0.2	0.5	*	*	*	*	*
2009	17	0.3	0.08	0.2	0.5	*	*	*	*	*
2010	14	0.3	0.08	0.1	0.5	*	*	*	*	*
2011	10	0.2	0.07	0.1	0.4	*	*	*	*	*
2012	13	0.2	0.06	0.1	0.4	*	*	*	*	*

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Non-Hodgkin Lymphoma										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	720	5.3	0.23	4.9	5.8	21,006	7.9	0.05	7.8	8.0
1990	19	3.9	0.99	2.2	6.4	845	8.1	0.28	7.5	8.6
1991	18	4.2	1.21	2.2	7.1	912	8.5	0.28	8.0	9.1
1992	27	6.6	1.54	3.9	10.2	938	8.7	0.29	8.2	9.3
1993	22	4.3	1.03	2.5	6.8	954	8.8	0.29	8.2	9.3
1994	26	5.4	1.27	3.2	8.4	998	9.1	0.29	8.6	9.7
1995	35	6.1	1.25	3.9	9.0	1,045	9.4	0.29	8.9	10.0
1996	30	7.3	1.62	4.5	11.0	1,028	9.2	0.29	8.7	9.8
1997	21	4.1	1.09	2.2	6.7	1,018	9.1	0.28	8.5	9.6
1998	25	4.6	1.10	2.7	7.2	994	8.7	0.28	8.2	9.3
1999	31	7.1	1.50	4.4	10.5	1,030	9.0	0.28	8.5	9.6
2000	35	7.2	1.43	4.7	10.5	969	8.4	0.27	7.9	9.0
2001	32	5.8	1.19	3.8	8.5	955	8.2	0.27	7.7	8.8
2002	32	6.4	1.31	4.1	9.4	911	7.8	0.26	7.3	8.3
2003	30	5.4	1.13	3.4	8.0	897	7.6	0.25	7.1	8.1
2004	40	6.0	1.13	4.0	8.6	895	7.6	0.25	7.1	8.1
2005	27	5.3	1.15	3.3	7.9	923	7.7	0.26	7.2	8.2
2006	36	5.0	1.01	3.2	7.3	849	7.0	0.24	6.6	7.5
2007	24	3.1	0.74	1.8	4.9	796	6.5	0.23	6.1	7.0
2008	39	4.8	0.90	3.2	6.8	815	6.6	0.23	6.1	7.1
2009	40	5.5	0.98	3.7	7.6	863	6.9	0.24	6.5	7.4
2010	51	6.1	0.94	4.4	8.2	796	6.3	0.23	5.8	6.7
2011	46	5.5	0.89	3.9	7.5	799	6.2	0.22	5.8	6.7
2012	34	3.7	0.70	2.4	5.3	776	6.0	0.22	5.6	6.5
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	19,053	8.3	0.06	8.2	8.4	1,710	5.3	0.13	5.0	5.5
1990	775	8.4	0.30	7.8	9.0	67	5.9	0.75	4.5	7.6
1991	841	9.0	0.31	8.4	9.6	67	5.4	0.69	4.1	6.9
1992	862	9.1	0.31	8.5	9.8	74	6.0	0.73	4.7	7.6
1993	867	9.1	0.31	8.5	9.7	82	6.5	0.73	5.1	8.0
1994	899	9.4	0.32	8.8	10.1	91	7.1	0.77	5.7	8.8
1995	947	9.8	0.32	9.2	10.4	88	6.9	0.76	5.5	8.6
1996	929	9.6	0.32	9.0	10.2	93	7.1	0.76	5.7	8.7
1997	927	9.5	0.31	8.9	10.1	78	5.8	0.67	4.5	7.2
1998	896	9.1	0.30	8.5	9.7	90	6.7	0.73	5.4	8.3
1999	945	9.5	0.31	8.9	10.2	80	5.9	0.67	4.7	7.4
2000	889	9.0	0.30	8.4	9.6	68	4.9	0.61	3.8	6.2
2001	870	8.7	0.30	8.2	9.3	75	5.2	0.62	4.1	6.6
2002	823	8.2	0.29	7.6	8.7	75	5.2	0.61	4.1	6.6
2003	820	8.0	0.28	7.5	8.6	60	4.2	0.55	3.2	5.4
2004	820	8.1	0.28	7.6	8.7	60	4.1	0.54	3.1	5.3
2005	837	8.1	0.28	7.6	8.7	69	4.7	0.58	3.6	6.0
2006	772	7.5	0.27	7.0	8.0	67	4.4	0.55	3.4	5.6
2007	715	6.8	0.26	6.3	7.4	65	4.4	0.55	3.3	5.6
2008	740	7.0	0.26	6.5	7.5	63	4.2	0.55	3.2	5.4
2009	756	7.1	0.26	6.6	7.7	88	5.4	0.59	4.3	6.7
2010	711	6.6	0.25	6.1	7.1	72	4.4	0.53	3.4	5.6
2011	708	6.5	0.25	6.1	7.0	78	4.7	0.54	3.7	5.8
2012	704	6.5	0.25	6.0	7.0	60	3.6	0.48	2.8	4.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Non-Hodgkin Lymphoma										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	429	6.4	0.39	5.7	7.2	10,946	10.1	0.10	9.9	10.3
1990	15	6.4	1.95	3.2	11.6	466	11.0	0.53	10.0	12.1
1991	10	4.1	1.80	1.4	9.1	470	10.7	0.51	9.7	11.7
1992	18	7.5	2.26	3.8	13.2	496	11.4	0.53	10.3	12.4
1993	17	6.7	2.05	3.3	11.9	471	10.7	0.50	9.7	11.7
1994	17	6.8	2.13	3.3	12.2	517	11.7	0.53	10.7	12.8
1995	23	7.3	2.15	3.8	12.7	527	11.8	0.52	10.8	12.8
1996	17	7.5	2.41	3.5	13.4	529	11.6	0.51	10.6	12.7
1997	13	4.8	1.71	2.0	9.2	517	11.2	0.50	10.2	12.2
1998	16	7.3	2.40	3.3	13.1	525	11.6	0.51	10.6	12.6
1999	12	4.5	1.67	1.8	8.8	555	12.0	0.52	11.0	13.1
2000	23	9.7	2.55	5.3	15.6	513	10.9	0.49	10.0	11.9
2001	26	10.9	2.56	6.4	16.8	490	10.4	0.47	9.5	11.4
2002	16	5.8	1.77	2.9	10.2	459	9.8	0.46	8.9	10.8
2003	15	5.6	1.74	2.8	9.9	451	9.4	0.45	8.6	10.4
2004	27	8.1	2.00	4.7	12.8	451	9.5	0.45	8.6	10.4
2005	18	6.9	1.98	3.6	11.5	475	9.9	0.46	9.1	10.9
2006	19	6.6	1.94	3.4	11.2	461	9.3	0.44	8.5	10.2
2007	11	3.2	1.19	1.3	6.2	424	8.6	0.42	7.8	9.5
2008	18	4.9	1.48	2.4	8.4	420	8.4	0.42	7.6	9.3
2009	23	6.8	1.70	3.9	10.8	432	8.5	0.41	7.7	9.3
2010	36	8.7	1.68	5.7	12.5	428	8.2	0.40	7.5	9.1
2011	24	6.2	1.43	3.7	9.5	430	8.3	0.41	7.5	9.1
2012	15	3.1	0.94	1.5	5.4	439	8.2	0.40	7.5	9.0
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	9,877	10.6	0.11	10.4	10.8	935	6.9	0.24	6.4	7.4
1990	429	11.5	0.57	10.4	12.7	35	7.5	1.38	5.0	10.6
1991	429	11.2	0.56	10.1	12.3	38	7.0	1.23	4.8	9.8
1992	448	11.8	0.57	10.7	12.9	48	9.4	1.49	6.7	12.8
1993	425	11.1	0.55	10.0	12.2	43	7.7	1.23	5.5	10.5
1994	460	12.0	0.57	10.9	13.2	52	9.2	1.36	6.8	12.3
1995	476	12.2	0.57	11.1	13.4	47	8.5	1.34	6.1	11.5
1996	468	11.8	0.55	10.8	13.0	58	11.4	1.63	8.4	15.0
1997	459	11.5	0.54	10.4	12.6	46	7.6	1.18	5.5	10.3
1998	470	11.9	0.56	10.9	13.1	49	8.5	1.29	6.2	11.4
1999	506	12.6	0.57	11.6	13.8	45	7.9	1.25	5.6	10.7
2000	468	11.5	0.54	10.5	12.7	36	6.0	1.08	4.1	8.5
2001	446	11.0	0.53	10.0	12.1	38	6.1	1.05	4.3	8.5
2002	420	10.4	0.51	9.4	11.5	31	5.3	1.00	3.5	7.6
2003	408	9.9	0.49	9.0	10.9	34	5.8	1.08	3.9	8.2
2004	413	10.1	0.50	9.2	11.2	32	5.3	1.01	3.5	7.6
2005	431	10.5	0.51	9.5	11.5	36	6.0	1.06	4.1	8.4
2006	418	9.9	0.49	9.0	10.9	36	5.6	0.99	3.8	7.8
2007	385	9.1	0.47	8.2	10.1	34	6.0	1.11	4.0	8.5
2008	383	9.0	0.46	8.1	10.0	31	5.0	0.96	3.3	7.2
2009	379	8.7	0.45	7.9	9.7	42	6.6	1.10	4.7	9.1
2010	378	8.6	0.45	7.7	9.5	44	6.2	0.98	4.4	8.4
2011	378	8.6	0.45	7.8	9.5	44	6.4	1.01	4.6	8.6
2012	400	8.9	0.45	8.0	9.8	36	5.4	0.94	3.7	7.5

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Non-Hodgkin Lymphoma										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	291	4.4	0.28	3.9	5.0	10,060	6.3	0.06	6.2	6.4
1990	*	*	*	*	*	379	5.9	0.31	5.3	6.6
1991	*	*	*	*	*	442	6.9	0.33	6.3	7.6
1992	*	*	*	*	*	442	6.9	0.33	6.2	7.5
1993	*	*	*	*	*	483	7.3	0.34	6.7	8.0
1994	*	*	*	*	*	481	7.4	0.34	6.8	8.1
1995	12	5.0	1.56	2.4	8.9	518	7.8	0.34	7.1	8.5
1996	13	6.8	2.10	3.3	11.8	499	7.5	0.34	6.8	8.2
1997	*	*	*	*	*	501	7.4	0.33	6.8	8.1
1998	*	*	*	*	*	469	6.9	0.32	6.3	7.5
1999	19	8.8	2.24	5.0	14.1	475	6.9	0.32	6.3	7.5
2000	12	5.2	1.61	2.5	9.1	456	6.6	0.31	6.0	7.3
2001	*	*	*	*	*	465	6.7	0.31	6.1	7.4
2002	16	6.7	1.83	3.6	11.0	452	6.5	0.31	5.9	7.1
2003	15	5.2	1.49	2.7	8.8	446	6.2	0.30	5.6	6.8
2004	13	4.3	1.30	2.1	7.4	444	6.3	0.30	5.8	7.0
2005	*	*	*	*	*	448	6.2	0.30	5.7	6.9
2006	17	4.0	1.12	2.1	6.7	388	5.4	0.28	4.8	6.0
2007	13	3.1	0.97	1.5	5.5	372	5.0	0.27	4.5	5.6
2008	21	5.0	1.18	2.9	7.7	395	5.3	0.27	4.8	5.9
2009	17	4.4	1.16	2.4	7.1	431	5.9	0.29	5.3	6.5
2010	15	3.8	1.04	2.1	6.3	368	4.9	0.26	4.4	5.4
2011	22	5.0	1.14	3.1	7.7	369	4.8	0.26	4.3	5.4
2012	19	4.1	1.00	2.4	6.4	337	4.5	0.25	4.0	5.0
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	9,176	6.6	0.07	6.5	6.8	775	4.1	0.15	3.8	4.4
1990	346	6.1	0.33	5.5	6.8	32	4.8	0.87	3.3	6.8
1991	412	7.2	0.36	6.5	8.0	29	4.2	0.79	2.8	6.0
1992	414	7.3	0.37	6.6	8.1	26	3.8	0.75	2.4	5.5
1993	442	7.6	0.37	6.9	8.4	39	5.4	0.88	3.8	7.4
1994	439	7.7	0.38	7.0	8.5	39	5.5	0.89	3.9	7.5
1995	471	8.1	0.38	7.4	8.9	41	5.6	0.89	4.0	7.7
1996	461	7.9	0.38	7.2	8.7	35	4.5	0.77	3.1	6.2
1997	468	8.0	0.37	7.2	8.7	32	4.2	0.75	2.9	5.9
1998	426	7.2	0.35	6.5	7.9	41	5.4	0.84	3.8	7.3
1999	439	7.3	0.35	6.6	8.0	35	4.5	0.76	3.1	6.2
2000	421	7.1	0.35	6.4	7.8	32	4.0	0.71	2.7	5.7
2001	424	7.1	0.35	6.4	7.8	37	4.5	0.75	3.2	6.2
2002	403	6.7	0.34	6.0	7.4	44	5.2	0.80	3.8	7.0
2003	412	6.6	0.33	6.0	7.3	26	3.1	0.62	2.0	4.6
2004	407	6.8	0.34	6.1	7.5	28	3.3	0.63	2.2	4.8
2005	406	6.6	0.33	5.9	7.3	33	3.8	0.66	2.6	5.3
2006	354	5.7	0.31	5.1	6.4	31	3.5	0.64	2.4	5.0
2007	330	5.2	0.30	4.6	5.8	31	3.4	0.62	2.3	4.9
2008	357	5.6	0.30	5.0	6.2	32	3.7	0.66	2.5	5.2
2009	377	6.0	0.32	5.4	6.7	46	4.8	0.72	3.5	6.5
2010	333	5.2	0.29	4.6	5.8	28	3.0	0.57	2.0	4.3
2011	330	5.1	0.29	4.5	5.7	34	3.5	0.61	2.4	4.9
2012	304	4.8	0.28	4.2	5.4	24	2.5	0.52	1.6	3.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Myeloma										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	366	3.1	0.18	2.8	3.5	10,166	3.8	0.04	3.7	3.9
1990	*	*	*	*	*	379	3.6	0.19	3.3	4.0
1991	*	*	*	*	*	412	3.9	0.19	3.5	4.3
1992	17	6.0	1.61	3.3	9.8	430	4.0	0.19	3.6	4.4
1993	*	*	*	*	*	450	4.1	0.19	3.7	4.5
1994	*	*	*	*	*	430	3.9	0.19	3.5	4.3
1995	*	*	*	*	*	489	4.4	0.20	4.0	4.8
1996	*	*	*	*	*	433	3.9	0.19	3.5	4.2
1997	19	4.4	1.11	2.5	7.0	429	3.8	0.18	3.5	4.2
1998	*	*	*	*	*	476	4.2	0.19	3.8	4.6
1999	11	2.0	0.69	0.9	3.8	472	4.1	0.19	3.8	4.5
2000	12	2.9	0.93	1.4	5.1	489	4.2	0.19	3.9	4.6
2001	19	4.3	1.06	2.5	6.7	450	3.9	0.18	3.5	4.3
2002	19	3.1	0.78	1.8	5.0	454	3.9	0.18	3.5	4.3
2003	14	2.7	0.80	1.4	4.6	468	4.0	0.18	3.6	4.4
2004	17	2.9	0.79	1.6	4.8	425	3.6	0.17	3.3	3.9
2005	15	2.2	0.61	1.2	3.7	466	3.9	0.18	3.5	4.3
2006	21	3.2	0.76	1.9	5.0	441	3.7	0.18	3.3	4.0
2007	26	4.0	0.86	2.5	5.9	442	3.7	0.18	3.3	4.0
2008	29	4.0	0.83	2.6	5.9	408	3.3	0.17	3.0	3.7
2009	16	2.5	0.64	1.4	4.0	427	3.4	0.17	3.1	3.8
2010	21	2.6	0.63	1.5	4.1	425	3.4	0.16	3.0	3.7
2011	35	4.4	0.80	2.9	6.2	421	3.3	0.16	3.0	3.6
2012	30	3.2	0.62	2.1	4.6	450	3.5	0.17	3.2	3.9

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	7,862	3.4	0.04	3.3	3.5	2,200	7.2	0.16	6.9	7.5
1990	304	3.3	0.19	2.9	3.7	75	7.2	0.85	5.6	9.0
1991	329	3.5	0.19	3.1	3.9	82	7.8	0.88	6.2	9.7
1992	338	3.5	0.19	3.2	3.9	90	8.0	0.86	6.4	9.8
1993	340	3.5	0.19	3.2	3.9	103	8.9	0.90	7.3	10.9
1994	344	3.5	0.19	3.2	3.9	82	6.9	0.79	5.5	8.6
1995	375	3.8	0.20	3.5	4.2	113	9.5	0.92	7.8	11.5
1996	332	3.4	0.19	3.0	3.8	98	8.2	0.84	6.6	10.0
1997	333	3.4	0.19	3.0	3.8	85	6.7	0.74	5.4	8.3
1998	351	3.5	0.19	3.2	3.9	122	9.9	0.91	8.2	11.8
1999	368	3.7	0.19	3.3	4.1	99	7.8	0.80	6.3	9.5
2000	370	3.7	0.19	3.3	4.1	115	8.9	0.84	7.3	10.7
2001	348	3.5	0.19	3.1	3.9	98	7.4	0.76	6.0	9.0
2002	360	3.5	0.19	3.2	3.9	89	6.6	0.71	5.3	8.1
2003	364	3.6	0.19	3.2	4.0	101	7.7	0.78	6.3	9.4
2004	331	3.3	0.18	2.9	3.6	89	6.5	0.70	5.2	8.0
2005	360	3.5	0.19	3.2	3.9	101	7.0	0.71	5.7	8.5
2006	337	3.3	0.18	3.0	3.7	99	6.9	0.70	5.5	8.4
2007	339	3.3	0.18	2.9	3.6	97	6.7	0.69	5.4	8.2
2008	315	3.0	0.17	2.7	3.4	86	5.8	0.64	4.6	7.2
2009	333	3.2	0.18	2.8	3.5	88	5.9	0.64	4.7	7.3
2010	321	2.9	0.17	2.6	3.3	98	6.5	0.67	5.3	7.9
2011	329	3.0	0.17	2.7	3.4	87	5.5	0.60	4.4	6.8
2012	341	3.2	0.17	2.8	3.5	103	6.5	0.65	5.3	7.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Myeloma										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	207	3.8	0.30	3.3	4.5	5,031	4.6	0.07	4.5	4.8
1990	*	*	*	*	*	178	4.2	0.33	3.6	4.9
1991	*	*	*	*	*	203	5.0	0.36	4.3	5.7
1992	10	7.1	2.65	2.9	13.8	199	4.6	0.33	3.9	5.3
1993	*	*	*	*	*	201	4.4	0.31	3.8	5.0
1994	*	*	*	*	*	212	4.8	0.34	4.2	5.5
1995	*	*	*	*	*	249	5.6	0.36	4.9	6.4
1996	*	*	*	*	*	223	5.0	0.34	4.4	5.7
1997	10	4.6	1.57	2.0	8.7	207	4.5	0.31	3.9	5.1
1998	*	*	*	*	*	224	5.0	0.34	4.3	5.7
1999	*	*	*	*	*	220	4.8	0.33	4.2	5.5
2000	*	*	*	*	*	251	5.4	0.35	4.8	6.2
2001	13	7.3	2.26	3.6	12.8	209	4.5	0.31	3.9	5.1
2002	14	4.3	1.23	2.3	7.5	231	4.9	0.33	4.3	5.6
2003	*	*	*	*	*	209	4.4	0.31	3.8	5.0
2004	*	*	*	*	*	214	4.4	0.31	3.8	5.1
2005	11	3.5	1.17	1.6	6.5	226	4.7	0.31	4.1	5.3
2006	*	*	*	*	*	226	4.6	0.31	4.0	5.2
2007	15	5.9	1.69	3.1	9.9	217	4.4	0.30	3.8	5.0
2008	17	5.1	1.37	2.8	8.4	231	4.6	0.31	4.1	5.3
2009	10	3.0	1.02	1.4	5.6	231	4.5	0.30	3.9	5.1
2010	10	2.3	0.81	1.0	4.4	235	4.6	0.30	4.0	5.2
2011	21	5.5	1.35	3.2	8.6	206	3.9	0.27	3.4	4.5
2012	19	4.5	1.13	2.6	7.2	229	4.3	0.29	3.7	4.9
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	3,931	4.2	0.07	4.1	4.3	1,039	8.7	0.28	8.1	9.2
1990	146	3.9	0.34	3.3	4.7	32	7.2	1.37	4.8	10.4
1991	162	4.5	0.36	3.8	5.2	40	9.9	1.68	6.9	13.7
1992	154	4.1	0.34	3.4	4.8	44	9.2	1.45	6.5	12.4
1993	145	3.6	0.31	3.1	4.3	51	10.3	1.52	7.6	13.7
1994	167	4.3	0.34	3.7	5.1	42	9.3	1.56	6.5	12.7
1995	193	5.0	0.37	4.3	5.8	55	11.5	1.65	8.5	15.2
1996	170	4.4	0.34	3.7	5.1	50	10.7	1.63	7.8	14.3
1997	161	4.0	0.32	3.4	4.7	40	7.0	1.14	5.0	9.6
1998	162	4.1	0.33	3.5	4.8	60	12.9	1.79	9.6	16.8
1999	178	4.5	0.34	3.8	5.2	38	7.5	1.27	5.2	10.3
2000	200	5.0	0.36	4.3	5.8	49	9.6	1.44	6.9	12.8
2001	165	4.1	0.32	3.5	4.8	42	8.0	1.28	5.7	10.8
2002	181	4.5	0.34	3.8	5.2	47	9.2	1.43	6.6	12.4
2003	166	4.0	0.32	3.4	4.7	43	8.4	1.37	6.0	11.5
2004	168	4.1	0.31	3.5	4.7	43	8.4	1.35	5.9	11.4
2005	178	4.3	0.32	3.7	5.0	45	7.8	1.24	5.6	10.6
2006	180	4.3	0.32	3.7	5.0	44	7.9	1.26	5.6	10.7
2007	172	4.1	0.31	3.5	4.7	43	7.6	1.19	5.5	10.3
2008	178	4.2	0.32	3.6	4.9	49	9.1	1.35	6.6	12.1
2009	186	4.2	0.31	3.6	4.9	41	7.2	1.17	5.1	9.8
2010	178	4.1	0.31	3.5	4.7	52	8.7	1.27	6.4	11.5
2011	159	3.5	0.28	3.0	4.1	44	7.1	1.13	5.1	9.7
2012	182	4.0	0.30	3.4	4.6	45	7.3	1.12	5.2	9.8

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Myeloma										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	159	2.5	0.21	2.1	2.9	5,135	3.2	0.05	3.1	3.3
1990	*	*	*	*	*	201	3.2	0.23	2.8	3.7
1991	*	*	*	*	*	209	3.3	0.23	2.8	3.8
1992	*	*	*	*	*	231	3.5	0.23	3.1	4.0
1993	*	*	*	*	*	249	3.8	0.24	3.3	4.3
1994	*	*	*	*	*	218	3.3	0.23	2.9	3.8
1995	*	*	*	*	*	240	3.6	0.24	3.2	4.1
1996	*	*	*	*	*	210	3.1	0.22	2.7	3.6
1997	*	*	*	*	*	222	3.3	0.22	2.8	3.7
1998	*	*	*	*	*	252	3.7	0.24	3.3	4.2
1999	*	*	*	*	*	252	3.7	0.23	3.2	4.2
2000	*	*	*	*	*	238	3.5	0.23	3.1	4.0
2001	*	*	*	*	*	241	3.5	0.23	3.1	4.0
2002	*	*	*	*	*	223	3.2	0.21	2.8	3.6
2003	*	*	*	*	*	259	3.7	0.23	3.2	4.2
2004	*	*	*	*	*	211	3.0	0.21	2.6	3.4
2005	*	*	*	*	*	240	3.4	0.22	3.0	3.9
2006	12	2.9	0.89	1.5	5.1	215	3.1	0.21	2.7	3.5
2007	11	2.5	0.85	1.2	4.7	225	3.2	0.21	2.8	3.6
2008	12	3.1	0.99	1.5	5.5	177	2.5	0.19	2.1	2.9
2009	*	*	*	*	*	196	2.7	0.19	2.3	3.1
2010	11	2.7	0.88	1.3	4.9	190	2.5	0.18	2.1	2.9
2011	14	3.4	0.96	1.8	5.7	215	2.8	0.20	2.5	3.3
2012	11	2.1	0.66	1.0	3.7	221	3.0	0.21	2.6	3.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	3,931	2.8	0.05	2.7	2.9	1,161	6.3	0.19	6.0	6.7
1990	158	2.8	0.22	2.4	3.3	43	7.0	1.08	5.1	9.4
1991	167	2.9	0.23	2.5	3.4	42	6.6	1.02	4.7	8.8
1992	184	3.2	0.24	2.7	3.7	46	7.0	1.04	5.1	9.3
1993	195	3.3	0.24	2.9	3.8	52	7.7	1.07	5.7	10.1
1994	177	3.0	0.23	2.6	3.5	40	5.7	0.91	4.1	7.8
1995	182	3.1	0.24	2.7	3.7	58	8.2	1.08	6.2	10.6
1996	162	2.7	0.22	2.3	3.2	48	6.6	0.96	4.8	8.7
1997	172	2.9	0.22	2.5	3.3	45	6.2	0.93	4.5	8.3
1998	189	3.2	0.24	2.8	3.7	62	8.2	1.05	6.3	10.5
1999	190	3.2	0.23	2.7	3.7	61	7.9	1.02	6.1	10.2
2000	170	2.9	0.22	2.4	3.3	66	8.4	1.04	6.5	10.7
2001	183	3.1	0.23	2.6	3.6	56	7.0	0.94	5.3	9.1
2002	179	2.9	0.22	2.5	3.4	42	5.1	0.79	3.7	6.9
2003	198	3.2	0.23	2.8	3.7	58	7.4	0.97	5.6	9.5
2004	163	2.7	0.21	2.3	3.1	46	5.4	0.81	4.0	7.2
2005	182	3.0	0.23	2.6	3.5	56	6.4	0.87	4.9	8.4
2006	157	2.6	0.21	2.2	3.1	55	6.3	0.86	4.7	8.2
2007	167	2.7	0.22	2.3	3.2	54	6.1	0.83	4.6	7.9
2008	137	2.2	0.20	1.9	2.7	37	4.0	0.66	2.8	5.5
2009	147	2.4	0.20	2.0	2.8	47	5.1	0.75	3.7	6.8
2010	143	2.1	0.18	1.8	2.5	46	5.1	0.76	3.7	6.8
2011	170	2.6	0.21	2.2	3.1	43	4.5	0.70	3.3	6.1
2012	159	2.6	0.21	2.2	3.0	58	5.9	0.79	4.5	7.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Leukemia										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	819	4.8	0.21	4.4	5.2	21,404	8.0	0.05	7.9	8.1
1990	24	6.5	1.68	3.6	10.4	905	8.6	0.29	8.1	9.2
1991	28	6.8	1.65	4.0	10.6	920	8.7	0.29	8.1	9.2
1992	16	1.9	0.55	1.0	3.5	929	8.7	0.29	8.1	9.2
1993	28	4.6	1.05	2.8	7.1	942	8.7	0.28	8.1	9.2
1994	33	5.3	1.23	3.2	8.2	907	8.3	0.27	7.7	8.8
1995	30	5.7	1.28	3.4	8.7	937	8.5	0.28	8.0	9.1
1996	27	4.0	0.91	2.4	6.2	906	8.1	0.27	7.6	8.7
1997	30	4.4	1.08	2.6	7.0	926	8.2	0.27	7.7	8.8
1998	28	4.2	1.02	2.4	6.6	902	8.0	0.27	7.4	8.5
1999	35	6.1	1.33	3.8	9.1	944	8.3	0.27	7.7	8.8
2000	47	6.9	1.34	4.5	9.9	942	8.2	0.27	7.7	8.7
2001	33	3.8	0.93	2.2	6.0	980	8.5	0.27	8.0	9.0
2002	36	5.1	1.10	3.2	7.6	967	8.3	0.27	7.8	8.9
2003	31	3.8	0.89	2.3	5.9	962	8.2	0.26	7.7	8.7
2004	44	5.1	1.01	3.4	7.4	901	7.6	0.26	7.2	8.2
2005	38	5.0	1.02	3.2	7.3	940	7.9	0.26	7.4	8.5
2006	45	5.4	1.01	3.6	7.6	908	7.5	0.25	7.1	8.1
2007	40	4.5	0.86	3.0	6.5	868	7.2	0.25	6.7	7.7
2008	39	4.1	0.78	2.7	5.9	921	7.6	0.25	7.1	8.1
2009	49	5.3	0.91	3.7	7.3	1,000	8.2	0.26	7.7	8.7
2010	48	4.6	0.78	3.2	6.4	931	7.5	0.25	7.0	8.0
2011	38	3.3	0.64	2.2	4.8	876	6.9	0.24	6.5	7.4
2012	52	5.1	0.78	3.6	6.8	990	7.8	0.25	7.3	8.3

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	18,892	8.3	0.06	8.1	8.4	2,221	7.0	0.15	6.7	7.3
1990	806	8.7	0.31	8.1	9.4	93	7.9	0.86	6.3	9.8
1991	827	8.9	0.31	8.3	9.5	85	7.3	0.83	5.7	9.1
1992	833	8.9	0.31	8.3	9.5	86	7.1	0.80	5.6	8.8
1993	844	8.9	0.31	8.3	9.5	93	7.4	0.79	5.9	9.1
1994	804	8.4	0.30	7.8	9.0	95	7.7	0.82	6.2	9.4
1995	832	8.7	0.30	8.1	9.3	95	7.5	0.80	6.0	9.2
1996	801	8.2	0.29	7.7	8.8	94	7.6	0.81	6.1	9.3
1997	816	8.4	0.29	7.8	9.0	105	8.1	0.81	6.6	9.8
1998	775	7.9	0.28	7.4	8.5	114	8.5	0.82	7.0	10.2
1999	844	8.5	0.30	8.0	9.1	93	6.7	0.71	5.4	8.3
2000	842	8.5	0.29	7.9	9.1	89	6.1	0.67	4.9	7.6
2001	860	8.7	0.30	8.1	9.3	103	7.3	0.75	6.0	8.9
2002	856	8.6	0.29	8.0	9.2	97	7.2	0.75	5.8	8.8
2003	844	8.3	0.29	7.8	8.9	108	7.7	0.75	6.3	9.3
2004	805	8.0	0.28	7.5	8.6	85	6.2	0.69	4.9	7.7
2005	826	8.1	0.29	7.6	8.7	99	6.8	0.70	5.5	8.3
2006	814	7.9	0.28	7.4	8.5	89	6.1	0.66	4.9	7.5
2007	773	7.5	0.27	7.0	8.1	77	5.1	0.60	4.0	6.4
2008	814	7.9	0.28	7.4	8.5	93	5.9	0.63	4.8	7.3
2009	870	8.4	0.29	7.9	9.0	115	7.7	0.73	6.3	9.2
2010	805	7.6	0.27	7.1	8.2	103	6.5	0.66	5.3	7.9
2011	752	7.1	0.26	6.6	7.6	97	6.1	0.63	4.9	7.4
2012	849	8.0	0.28	7.4	8.5	113	6.9	0.67	5.7	8.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Leukemia										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	445	5.6	0.35	4.9	6.3	11,673	10.9	0.10	10.7	11.1
1990	12	5.4	2.23	2.0	11.4	474	11.3	0.54	10.2	12.4
1991	14	7.1	2.88	2.6	14.4	458	10.7	0.52	9.7	11.7
1992	*	*	*	*	*	519	12.2	0.55	11.1	13.3
1993	16	4.4	1.32	2.2	8.1	527	12.3	0.55	11.2	13.4
1994	18	5.7	1.96	2.6	10.8	506	11.5	0.52	10.5	12.6
1995	16	8.2	2.69	3.8	14.8	511	11.8	0.53	10.7	12.9
1996	12	2.9	1.13	1.2	6.2	488	11.3	0.52	10.3	12.3
1997	18	4.5	1.76	1.7	9.1	506	11.4	0.52	10.4	12.4
1998	14	4.5	1.46	2.1	8.3	464	10.2	0.48	9.2	11.1
1999	14	3.7	1.22	1.7	7.0	499	11.0	0.50	10.1	12.1
2000	27	10.2	2.73	5.6	16.6	496	10.7	0.48	9.7	11.7
2001	18	4.0	1.39	1.8	7.6	531	11.5	0.51	10.5	12.5
2002	18	6.1	1.93	2.9	10.8	534	11.5	0.50	10.5	12.5
2003	16	3.6	1.40	1.4	7.2	550	11.8	0.51	10.8	12.8
2004	29	7.6	1.96	4.2	12.2	505	10.7	0.48	9.8	11.7
2005	22	5.5	1.50	3.0	9.1	515	10.8	0.48	9.9	11.8
2006	24	6.1	1.72	3.2	10.1	494	10.2	0.46	9.3	11.1
2007	27	7.3	1.79	4.2	11.5	466	9.6	0.45	8.7	10.5
2008	22	4.5	1.21	2.4	7.4	520	10.4	0.46	9.5	11.4
2009	25	6.9	1.73	4.0	10.9	563	11.1	0.47	10.2	12.1
2010	27	5.9	1.33	3.6	9.0	515	10.1	0.45	9.3	11.0
2011	16	2.9	0.94	1.4	5.2	501	9.7	0.44	8.8	10.6
2012	31	5.9	1.22	3.8	8.7	531	10.1	0.44	9.2	11.0

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	10,345	11.2	0.11	11.0	11.5	1,164	9.1	0.29	8.6	9.7
1990	427	11.6	0.58	10.5	12.8	44	8.8	1.49	6.1	12.1
1991	417	11.1	0.56	10.0	12.2	38	8.4	1.54	5.7	11.9
1992	473	12.7	0.60	11.5	13.9	40	8.1	1.41	5.6	11.3
1993	464	12.4	0.59	11.3	13.7	60	12.2	1.70	9.1	16.0
1994	449	11.7	0.56	10.6	12.9	53	10.9	1.64	7.9	14.5
1995	452	12.0	0.57	10.9	13.1	53	10.7	1.58	7.8	14.2
1996	434	11.5	0.56	10.4	12.7	49	9.9	1.56	7.1	13.4
1997	448	11.6	0.56	10.5	12.7	56	11.1	1.60	8.2	14.6
1998	411	10.4	0.52	9.4	11.5	46	8.0	1.24	5.7	10.7
1999	447	11.4	0.55	10.4	12.6	47	8.7	1.36	6.2	11.7
2000	444	11.1	0.53	10.1	12.2	44	7.1	1.12	5.1	9.6
2001	460	11.6	0.54	10.6	12.7	57	10.3	1.49	7.6	13.6
2002	477	11.9	0.55	10.9	13.0	47	9.0	1.42	6.4	12.1
2003	483	12.0	0.55	11.0	13.2	60	10.5	1.44	7.9	13.6
2004	454	11.2	0.53	10.2	12.3	44	8.1	1.32	5.7	11.0
2005	455	11.1	0.52	10.1	12.2	53	8.7	1.26	6.4	11.5
2006	441	10.6	0.51	9.6	11.6	51	8.4	1.27	6.1	11.3
2007	420	10.1	0.50	9.1	11.1	37	6.3	1.11	4.4	8.8
2008	462	10.9	0.51	9.9	12.0	49	8.0	1.23	5.8	10.7
2009	489	11.4	0.52	10.4	12.5	65	10.9	1.44	8.2	14.0
2010	449	10.4	0.50	9.5	11.4	55	8.5	1.22	6.3	11.2
2011	426	9.7	0.48	8.8	10.7	59	9.5	1.31	7.1	12.4
2012	463	10.4	0.49	9.5	11.5	57	8.9	1.25	6.7	11.7

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Leukemia										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	374	4.2	0.26	3.7	4.8	9,731	6.2	0.06	6.0	6.3
1990	12	6.9	2.32	3.1	12.7	431	7.0	0.34	6.3	7.7
1991	14	6.9	2.05	3.4	11.9	462	7.3	0.34	6.6	8.0
1992	*	*	*	*	*	410	6.5	0.32	5.9	7.2
1993	12	4.6	1.50	2.1	8.4	415	6.4	0.32	5.8	7.1
1994	15	4.9	1.56	2.3	8.8	401	6.2	0.31	5.6	6.8
1995	14	4.2	1.27	2.0	7.5	426	6.4	0.32	5.8	7.1
1996	15	4.9	1.39	2.6	8.4	418	6.3	0.31	5.7	6.9
1997	12	4.4	1.46	2.0	8.1	420	6.3	0.31	5.7	6.9
1998	14	3.8	1.32	1.7	7.2	438	6.5	0.31	5.9	7.2
1999	21	7.6	2.03	4.2	12.4	445	6.5	0.31	5.9	7.2
2000	20	4.5	1.26	2.4	7.7	446	6.5	0.31	5.9	7.1
2001	15	3.6	1.23	1.6	6.7	449	6.5	0.31	5.9	7.2
2002	18	4.4	1.27	2.3	7.6	433	6.3	0.31	5.7	6.9
2003	15	4.1	1.21	2.0	7.0	412	5.8	0.29	5.2	6.4
2004	15	3.3	1.03	1.6	5.9	396	5.6	0.29	5.1	6.2
2005	16	4.3	1.30	2.1	7.4	425	6.1	0.30	5.5	6.7
2006	21	4.9	1.26	2.7	7.9	414	5.7	0.29	5.2	6.3
2007	13	2.5	0.76	1.2	4.4	402	5.7	0.29	5.1	6.3
2008	17	3.7	1.03	2.0	6.2	401	5.6	0.29	5.1	6.2
2009	24	4.3	1.00	2.5	6.7	437	6.1	0.30	5.5	6.7
2010	21	3.6	0.89	2.0	5.7	416	5.7	0.29	5.2	6.3
2011	22	3.7	0.90	2.2	5.9	375	5.0	0.27	4.5	5.5
2012	21	4.2	0.99	2.5	6.5	459	6.3	0.30	5.7	6.9

Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	8,547	6.3	0.07	6.2	6.4	1,057	5.6	0.17	5.2	5.9
1990	379	6.9	0.36	6.2	7.7	49	7.3	1.07	5.3	9.7
1991	410	7.4	0.37	6.7	8.2	47	6.6	1.00	4.8	8.9
1992	360	6.5	0.35	5.8	7.2	46	6.5	0.98	4.7	8.7
1993	380	6.8	0.35	6.1	7.5	33	4.3	0.76	2.9	6.0
1994	355	6.2	0.34	5.6	6.9	42	5.8	0.91	4.1	7.8
1995	380	6.6	0.35	5.9	7.3	42	5.6	0.87	4.0	7.5
1996	367	6.4	0.34	5.7	7.1	45	6.1	0.92	4.4	8.1
1997	368	6.3	0.34	5.7	7.0	49	6.3	0.91	4.6	8.3
1998	364	6.2	0.33	5.6	6.9	68	8.6	1.05	6.6	10.9
1999	397	6.7	0.35	6.1	7.5	46	5.5	0.82	4.0	7.4
2000	398	6.7	0.34	6.0	7.4	45	5.3	0.80	3.9	7.1
2001	400	6.8	0.35	6.1	7.5	46	5.5	0.82	4.0	7.4
2002	379	6.4	0.34	5.8	7.1	50	6.1	0.88	4.5	8.1
2003	361	5.9	0.32	5.3	6.5	48	5.7	0.83	4.2	7.6
2004	351	5.9	0.33	5.3	6.6	41	4.9	0.78	3.5	6.7
2005	371	6.2	0.33	5.6	6.9	46	5.4	0.80	3.9	7.2
2006	373	6.1	0.33	5.5	6.8	38	4.4	0.72	3.1	6.1
2007	353	5.9	0.32	5.3	6.5	40	4.5	0.72	3.2	6.1
2008	352	5.8	0.32	5.2	6.5	44	4.8	0.72	3.4	6.4
2009	381	6.2	0.33	5.6	6.9	50	5.7	0.82	4.2	7.6
2010	356	5.8	0.32	5.2	6.5	48	5.2	0.75	3.8	6.9
2011	326	5.2	0.30	4.6	5.9	38	3.9	0.63	2.7	5.3
2012	386	6.3	0.33	5.7	7.0	56	5.9	0.79	4.4	7.6

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Other, Ill-defined and Unknown Sites										
Both Sexes										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	1,389	10.4	0.32	9.7	11.0	46,933	17.5	0.08	17.4	17.7
1990	28	9.5	2.11	5.9	14.4	1,895	18.1	0.42	17.2	18.9
1991	35	10.7	2.09	7.0	15.4	1,819	17.2	0.41	16.4	18.0
1992	35	8.5	1.70	5.5	12.4	2,028	18.9	0.42	18.0	19.7
1993	52	12.7	2.14	8.8	17.4	2,056	18.9	0.42	18.1	19.7
1994	42	10.5	1.99	7.0	15.0	1,987	18.2	0.41	17.4	19.0
1995	55	12.7	2.08	9.0	17.3	1,978	17.9	0.40	17.1	18.7
1996	40	9.6	1.72	6.5	13.4	1,981	17.8	0.40	17.1	18.6
1997	46	9.0	1.60	6.2	12.6	1,947	17.4	0.39	16.6	18.2
1998	42	8.2	1.45	5.6	11.4	1,887	16.7	0.38	15.9	17.5
1999	57	10.6	1.69	7.5	14.3	2,303	20.1	0.42	19.3	21.0
2000	61	11.2	1.71	8.1	15.0	2,245	19.5	0.41	18.7	20.3
2001	75	14.2	1.89	10.8	18.3	2,141	18.5	0.40	17.7	19.3
2002	58	10.8	1.67	7.8	14.5	2,198	18.9	0.40	18.1	19.7
2003	62	11.1	1.64	8.1	14.7	2,079	17.7	0.39	16.9	18.4
2004	54	9.1	1.44	6.5	12.2	2,087	17.6	0.39	16.9	18.4
2005	80	11.9	1.56	9.0	15.2	2,111	17.6	0.39	16.9	18.4
2006	74	10.4	1.38	7.9	13.4	2,041	16.9	0.38	16.2	17.7
2007	64	9.0	1.30	6.6	11.8	1,963	16.0	0.37	15.3	16.8
2008	71	8.6	1.18	6.5	11.2	2,061	16.7	0.37	16.0	17.4
2009	92	12.0	1.42	9.3	15.0	2,041	16.4	0.37	15.7	17.1
2010	82	9.4	1.17	7.3	11.9	2,000	15.7	0.36	15.0	16.4
2011	89	9.8	1.16	7.6	12.2	2,021	15.7	0.36	15.0	16.5
2012	95	9.3	1.08	7.3	11.6	2,064	15.9	0.36	15.2	16.6
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	39,441	17.1	0.09	17.0	17.3	6,964	21.8	0.27	21.3	22.3
1990	1,608	17.4	0.44	16.5	18.3	277	24.4	1.52	21.5	27.6
1991	1,560	16.7	0.43	15.9	17.6	247	21.0	1.38	18.4	23.9
1992	1,720	18.2	0.44	17.4	19.1	295	25.0	1.49	22.1	28.0
1993	1,732	18.1	0.44	17.3	19.0	314	26.0	1.51	23.2	29.2
1994	1,693	17.7	0.43	16.8	18.5	285	23.3	1.42	20.6	26.2
1995	1,670	17.3	0.42	16.5	18.1	291	23.3	1.40	20.6	26.2
1996	1,667	17.2	0.42	16.4	18.1	305	23.8	1.40	21.2	26.7
1997	1,643	16.9	0.42	16.1	17.7	288	22.2	1.35	19.7	25.0
1998	1,578	16.1	0.41	15.3	17.0	289	21.8	1.31	19.3	24.5
1999	1,907	19.2	0.44	18.4	20.1	376	28.7	1.51	25.8	31.8
2000	1,893	19.1	0.44	18.2	20.0	330	24.4	1.37	21.8	27.2
2001	1,778	17.9	0.43	17.1	18.8	338	24.8	1.38	22.2	27.6
2002	1,845	18.5	0.43	17.6	19.3	325	23.5	1.33	20.9	26.2
2003	1,736	17.2	0.42	16.4	18.1	315	22.5	1.29	20.0	25.1
2004	1,767	17.5	0.42	16.7	18.3	295	20.3	1.21	18.0	22.8
2005	1,767	17.4	0.42	16.6	18.2	312	21.1	1.22	18.8	23.6
2006	1,712	16.7	0.41	15.9	17.6	299	19.9	1.17	17.6	22.3
2007	1,626	15.7	0.39	14.9	16.5	317	20.9	1.20	18.6	23.4
2008	1,717	16.5	0.40	15.7	17.3	312	19.9	1.15	17.7	22.3
2009	1,736	16.5	0.40	15.8	17.4	272	17.1	1.06	15.1	19.3
2010	1,648	15.5	0.39	14.7	16.2	316	19.1	1.10	17.0	21.3
2011	1,691	15.7	0.39	15.0	16.5	284	17.3	1.05	15.3	19.5
2012	1,747	16.1	0.39	15.3	16.8	282	16.8	1.02	14.8	18.9

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Other, Ill-defined and Unknown Sites										
Males										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	747	11.8	0.53	10.7	12.8	23,954	21.8	0.14	21.5	22.1
1990	16	12.2	3.83	5.9	21.4	939	21.9	0.74	20.5	23.4
1991	14	9.7	3.19	4.5	17.5	943	22.0	0.74	20.6	23.5
1992	17	8.5	2.69	4.1	15.2	1,026	23.7	0.76	22.3	25.3
1993	24	14.6	3.89	8.0	23.7	1,017	23.4	0.76	21.9	24.9
1994	23	12.8	3.67	6.6	21.5	953	21.2	0.70	19.9	22.6
1995	24	12.6	3.34	7.0	20.5	999	22.2	0.72	20.8	23.6
1996	22	11.6	2.86	6.7	18.4	1,011	22.4	0.72	21.0	23.8
1997	27	8.7	2.13	5.1	13.9	941	20.6	0.68	19.3	22.0
1998	24	9.4	2.23	5.6	14.8	936	20.1	0.67	18.8	21.4
1999	27	10.6	2.61	6.1	16.7	1,125	24.4	0.74	23.0	25.9
2000	39	17.1	3.41	11.0	24.7	1,130	24.1	0.72	22.7	25.5
2001	39	15.1	2.94	9.9	21.7	1,098	23.4	0.71	22.0	24.8
2002	28	10.4	2.42	6.2	16.0	1,147	24.1	0.72	22.7	25.6
2003	32	12.3	2.70	7.6	18.5	1,049	21.9	0.68	20.6	23.3
2004	27	7.6	1.86	4.4	12.0	1,066	22.0	0.68	20.7	23.3
2005	42	13.1	2.54	8.6	18.8	1,067	21.7	0.67	20.4	23.1
2006	40	11.9	2.27	7.9	17.0	1,081	21.7	0.67	20.4	23.0
2007	36	12.3	2.53	7.8	17.9	1,057	20.9	0.65	19.6	22.2
2008	41	10.3	1.98	6.8	14.8	1,035	20.1	0.63	18.9	21.4
2009	59	16.7	2.60	12.0	22.4	1,057	20.2	0.63	19.0	21.5
2010	45	10.3	1.79	7.1	14.3	1,075	20.0	0.62	18.8	21.3
2011	48	8.9	1.49	6.3	12.3	1,082	19.9	0.62	18.7	21.2
2012	53	11.8	1.90	8.3	16.0	1,120	20.4	0.62	19.2	21.7
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	20,029	21.3	0.15	21.0	21.6	3,649	28.2	0.50	27.2	29.1
1990	773	20.6	0.77	19.1	22.1	161	35.0	2.96	29.4	41.2
1991	793	21.2	0.78	19.7	22.8	144	30.4	2.70	25.4	36.1
1992	860	22.8	0.80	21.3	24.4	160	32.6	2.75	27.4	38.4
1993	853	22.5	0.79	21.0	24.1	158	32.2	2.75	27.1	38.0
1994	807	20.7	0.74	19.3	22.2	142	27.4	2.44	22.8	32.5
1995	837	21.4	0.75	20.0	22.9	150	28.8	2.51	24.1	34.1
1996	839	21.4	0.75	20.0	22.9	165	31.6	2.62	26.6	37.1
1997	794	20.0	0.72	18.7	21.5	140	26.8	2.43	22.2	31.9
1998	774	19.4	0.70	18.0	20.8	153	26.9	2.27	22.6	31.7
1999	931	23.4	0.77	21.9	24.9	185	35.5	2.79	30.2	41.3
2000	940	23.3	0.76	21.8	24.8	177	33.0	2.62	28.0	38.4
2001	907	22.5	0.75	21.0	24.0	178	33.3	2.66	28.3	38.9
2002	959	23.6	0.77	22.1	25.2	167	28.3	2.29	24.0	33.2
2003	875	21.3	0.73	19.9	22.8	159	29.6	2.52	24.8	34.8
2004	904	21.8	0.73	20.4	23.3	152	26.2	2.30	21.9	31.0
2005	887	21.2	0.72	19.8	22.7	164	27.4	2.28	23.1	32.2
2006	912	21.5	0.72	20.1	23.0	154	25.1	2.16	21.1	29.7
2007	870	20.3	0.69	18.9	21.7	174	28.2	2.28	23.9	33.0
2008	858	19.7	0.68	18.4	21.1	161	26.2	2.19	22.0	30.8
2009	911	20.6	0.69	19.2	22.0	133	20.4	1.87	16.9	24.3
2010	891	19.7	0.67	18.4	21.1	161	24.9	2.09	21.0	29.3
2011	900	19.7	0.67	18.4	21.0	163	24.8	2.06	20.9	29.1
2012	954	20.8	0.68	19.4	22.1	148	20.8	1.80	17.4	24.6

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases

Invasive Cancer Mortality by Hispanic Ethnicity and Race, Illinois 1990-2012

Other, Ill-defined and Unknown Sites										
Females										
Hispanic (any race)						Non-Hispanic (any race)				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	642	9.2	0.40	8.4	10.0	22,979	14.6	0.10	14.4	14.8
1990	12	7.7	2.46	3.7	13.7	956	15.5	0.51	14.5	16.5
1991	21	12.0	2.88	7.0	18.7	876	13.8	0.47	12.9	14.7
1992	18	8.5	2.25	4.7	13.9	1,002	15.7	0.50	14.8	16.8
1993	28	12.0	2.60	7.5	18.0	1,039	16.0	0.50	15.0	17.0
1994	19	9.0	2.34	5.0	14.5	1,034	15.8	0.50	14.8	16.8
1995	31	13.2	2.71	8.4	19.4	979	14.8	0.48	13.9	15.8
1996	18	7.9	2.07	4.4	12.9	970	14.6	0.48	13.7	15.6
1997	19	8.7	2.19	4.9	13.8	1,006	15.2	0.49	14.3	16.2
1998	18	6.9	1.80	3.8	11.2	951	14.1	0.46	13.2	15.1
1999	30	10.7	2.25	6.7	15.8	1,178	17.2	0.51	16.2	18.2
2000	22	6.8	1.68	3.9	10.8	1,115	16.3	0.49	15.3	17.3
2001	36	13.3	2.45	8.9	18.8	1,043	15.4	0.48	14.4	16.4
2002	30	10.9	2.24	7.0	16.0	1,051	15.2	0.48	14.3	16.2
2003	30	10.1	2.08	6.5	14.9	1,030	14.9	0.47	14.0	15.8
2004	27	9.8	2.05	6.2	14.5	1,021	14.7	0.47	13.8	15.6
2005	38	10.9	1.99	7.4	15.4	1,044	15.0	0.47	14.1	15.9
2006	34	9.1	1.71	6.1	13.0	960	13.6	0.45	12.8	14.5
2007	28	6.9	1.41	4.4	10.1	906	12.6	0.43	11.8	13.5
2008	30	7.2	1.45	4.7	10.5	1,026	14.4	0.46	13.5	15.3
2009	33	8.2	1.56	5.4	11.7	984	13.7	0.45	12.8	14.6
2010	37	8.5	1.51	5.8	11.9	925	12.7	0.43	11.8	13.5
2011	41	9.8	1.63	6.9	13.4	939	12.7	0.43	11.9	13.6
2012	42	7.5	1.27	5.3	10.4	944	12.5	0.42	11.7	13.4
Non-Hispanic White						Non-Hispanic Black				
Year	Count	Rate	SE	LCI	UCI	Count	Rate	SE	LCI	UCI
1990-2012	19,412	14.3	0.10	14.1	14.5	3,315	17.6	0.31	17.0	18.2
1990	835	15.3	0.54	14.2	16.4	116	17.5	1.65	14.4	21.0
1991	767	13.6	0.50	12.6	14.6	103	14.7	1.48	12.0	17.9
1992	860	15.4	0.54	14.4	16.5	135	19.6	1.71	16.4	23.2
1993	879	15.4	0.53	14.3	16.4	156	21.8	1.77	18.5	25.6
1994	886	15.3	0.53	14.3	16.4	143	20.0	1.69	16.8	23.5
1995	833	14.4	0.51	13.5	15.5	141	19.4	1.65	16.3	22.8
1996	828	14.3	0.51	13.3	15.3	140	18.6	1.58	15.6	21.9
1997	849	14.8	0.52	13.8	15.9	148	19.2	1.60	16.2	22.6
1998	804	13.8	0.50	12.8	14.8	136	17.6	1.52	14.7	20.8
1999	976	16.3	0.53	15.3	17.4	191	24.3	1.77	20.9	28.0
2000	953	16.1	0.53	15.1	17.2	153	18.9	1.54	16.0	22.1
2001	871	15.0	0.52	14.0	16.0	160	19.5	1.55	16.6	22.8
2002	886	15.0	0.52	14.0	16.1	158	19.4	1.55	16.4	22.6
2003	861	14.5	0.50	13.5	15.5	156	18.5	1.49	15.7	21.7
2004	863	14.5	0.51	13.5	15.6	143	16.8	1.41	14.1	19.8
2005	880	14.9	0.52	13.9	16.0	148	17.0	1.41	14.4	20.0
2006	800	13.4	0.49	12.4	14.4	145	16.5	1.38	13.9	19.4
2007	756	12.4	0.47	11.5	13.4	143	16.1	1.35	13.5	18.9
2008	859	14.3	0.50	13.3	15.3	151	16.2	1.33	13.7	19.0
2009	825	13.6	0.49	12.7	14.6	139	14.9	1.28	12.5	17.7
2010	757	12.3	0.47	11.4	13.3	155	15.7	1.28	13.3	18.4
2011	791	12.8	0.47	11.9	13.8	121	12.5	1.15	10.3	14.9
2012	793	12.5	0.46	11.6	13.5	134	13.8	1.21	11.6	16.4

Rates are expressed per 100,000 population. Age-adjustment was by the direct method adjusting to the 2000 U.S. standard population. Standard error (SE), lower (LCI) and upper confidence intervals (UCI) computed at the 95 percent level using Tiwari method.

Source: Surveillance, Epidemiology, and End Results (SEER) Program, SEER*Stat Database: Mortality - All COD, Aggregated With County, Total U.S. (1969-2012) <Katrina/Rita Population Adjustment>, National Cancer Institute, DCCPS, Surveillance Research Program, Surveillance Systems Branch, released April 2015. Underlying mortality data provided by NCHS.

* Statistics not shown due to fewer than 10 cases